



PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: DEV2016/014
Date: 7 FEB 2017

Vegetation Clearing & Fauna Management Plan

October, 2016

Caretaker's Dwelling

96-102 Brightwell Street
Greenbank
Lot 205 on RP845844

by Mirvac

Economic Development Queensland

CONTENTS

7598 E 02 CT VMP C -- Clearing Notes
7598 E 03 CT VMP B -- Fauna Notes
7598 E 04 CT VMP D -- Detail Sheet
7598 E 05 CT VMP D -- Clearing Direction
Appendix A -- Tree Schedule

Key Site Contacts

Saunders Havill Goup

Mr Murray Saunders
Phone: (07) 3251 9444
Email: murraysaunders@saundershavill.com

Mirvac

Desmond Leong
Assistant Development Manager
Phone: (07) 3859 5888
Email: desmond.leong@mirvac.com



Vegetation Clearing and Fauna Management Plan

Vegetation Clearing - Notes

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL



Approval no: DEV2016/814

Date: 7 FEB 2017

appointed fauna spotter to allow all fauna unimpeded movement off the site and towards the vegetation east of the clearing area. All trees to be removed shall be mulched onsite or otherwise reused/relocated for future use within the project area.

INTRODUCTION

The *Environmental Management Division* of the **Saunders Havill Group** was engaged by **Mirvac** to prepare a *Vegetation Clearing and Fauna Management Plan (VCFMP)* for the proposed caretaker's dwelling at 96-102 Brightwell Street, Greenbank). The proposed site is on Lot 205 on RP845844, and the primary clearing area covers approximately 0.22 ha. Additional clearing includes a 20m fuel reduction zone from the dwelling in all directions. There is potential for minor clearing for a safe access and egress path (6m wide), however existing cleared areas will be utilised to minimise clearing.

The purpose of this plan is to provide vegetation management details for the removal process and the protection of fauna species. The clearing works will follow the general principles for vegetation clearing documented within this *VCFMP*.

This *VCFMP* has been produced by overlaying existing site data with proposed works to determine impacts and disturbance:

1. Tree plot of native trees
2. Location of dwelling
3. Location of fire management clearing extent
4. location of access/egress track between Brightwell St and the proposed caretaker's dwelling

A vegetation survey carried out in August 2016 found the area to be a large vacant allotment with a mix of mature and regrowth native species. Numerous historically cleared lines from north to south exist along the allotment.

CLEARING PHASES AND PROCESS

The following stages are required for clearing to be undertaken on this property and a copy of this *VCFMP* must be present with the clearing contractor onsite:

PHASE 1 - Tree Protection Fencing to be installed prior to the commencement of any clearing works on the site. Tree protection fencing is to be located at or beyond 12 x diameter at breast height (DBH) unless approved by the appointed Arborist.

PHASE 2 - Pre-start Meeting (if required)

Fencing shall be in place at the time of the official pre-start meeting for inspection and sign off by EDQ Officers.

PHASE 3 - Fauna Inspections and Management

Undertake necessary fauna management requirements prior to clearing works - as a minimum this should include the specifications listed on sheet 3 and acknowledge specific **EDQ** approval requirements.

PHASE 4 - Undertake Bulk Clearing


Wholesale removal of vegetation once approved for removal by qualified fauna spotter. Clearing will occur in the direction outlined in sheet 4 of this *VCFMP* and managed by the

ACCESS AND STOCKPILING

A stockpiling location is to be designated in an easily accessible area. The location will adjoin the entry to the site allowing for material to be easily delivered and stored. Where possible all cleared native vegetation not recycled/reused and free of weeds, will be chipped and stored for re-use on other parts of the site (e.g. rehabilitation / embankment stabilisation).


MAINTENANCE

After tree clearing works on site, follow up maintenance works should be carried out on all retained vegetation. An analysis of the vegetation's health and growth should be undertaken to determine specific maintenance needs.



NOTES
Tree protection to be managed in accordance with AS4970 under the direction and supervision of the Project Arborist

Tree Protection Fencing Detail



SH saunders
havill
group

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.
CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.
PRIOR TO ANY DEMOLITION, ERECTION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDER-GROUND SERVICES AND DETAIL LOCATIONS OF ALL SERVICES.



AMENDMENTS:			
Issue	Date	Description	Checked
A	14/09/2016	Client Draft	MS
B	24/10/2016	Client Amendments	MS
C	20/12/2016	Client Amendments	MS

CLIENT:
Mirvac

PROJECT:
**Caretaker's Dwelling
Brightwell St, Greenbank**

environmental management

PLAN OF:
**Vegetation Clearing and
Fauna Management Plan**

DATE: 20/12/2016	CHECKED: MS
CLIENT REF: 7598	DRAWN: AL
DRAWING No: 7598 E 02 CT VMP C	

Vegetation Clearing and Fauna Management Plan

Fauna Management - Notes

INTRODUCTION

The Fauna Management specification on this *VCFMP* is designed to protect native animals and control and manage impacts during clearing activities. The fauna management specifications and principle: incorporated in this *VCFMP* applies generically to all native animals and focus on avoiding conflicts and incorporating measures to minimize disturbance. Compliance with this section of the *VCFMP* is compulsory and incorporates the use of expert consultants including a Fauna Spotter (holding a valid Wildlife Rehabilitation Permit issued by the **Department of Environment and Heritage Protection**).

FAUNA IMPACTS

Clearing of vegetation provides an obvious source of impact to existing habitat and animal safety. More specifically the existing vegetation provides habitat, movement and protection opportunities for some fauna through both regrowth and canopy trees. These opportunities are to be altered during and post site clearing works.

CLEARING IMPACTS (through access path and caretaker's dwelling)

- Direct removal of site vegetation
- Loss of habitat
- Noise, vibration and dust
- Erosion and sedimentation
- Threats associated with open cuts etc. and fauna entrapment

Fauna Management Schedule

1.0 PRE CLEARING				
Ref:	Management Item	Responsibility	Timing	Reporting
1.1	TEMPORARY FENCING Prior to the commencement of works and to be inspected by the site Environmental Coordinator temporary star picket and strand wire fencing shall be installed around the vegetation designated for retention: ▪ Fencing shall be fauna friendly ▪ No clearing, stockpiling, site access, earthworks, storage, etc. is to occur beyond the fencing. ▪ Only approved weed management, landscape and revegetation works to occur beyond the temporary protection fencing ▪ Fencing to be reinstated immediately if damaged or knocked down ▪ Fencing to remain until the completion of all site bulk earthworks and removed just prior to on-maintenance (if required).	SITE SUPERVISOR	Prior to the commencement of construction	Inspected by Council or the Environmental Site Coordinator
1.2	CONTRACTOR EDUCATION & AWARENESS All site contractors and subcontractors will be made aware of their responsibilities to protect native fauna. The Fauna Management notes on this <i>VCFMP</i> is provided as a working document to assist on-site management and protection of native animals. This generally will form part of education and training on a broader work place health and safety but as a minimum will include: ▪ Copy of <i>VCFMP</i> kept on-site (Site Office). ▪ General education and awareness notification of contractors and sub-contractors involved in activities potentially impacting native animals as part of site induction – contractors must know the location of the <i>VCFMP</i>, key phone numbers and who to report to if they breach the <i>VCFMP</i>. ▪ A list of relevant contact phone numbers as listed on these drawings is kept in a visible and accessible location in the site office	SITE SUPERVISOR / THE PROPONENT	Prior to the commencement of construction and as part of the site induction for new staff and sub-contractors	SITE SUPERVISOR
2.0 VEGETATION CLEARING				
1.1	SPOTTER / RELOCATOR Immediately prior to the commencement of clearing of native vegetation a daily visual inspection of the area must be carried out by the fauna spotter-catcher. Furthermore, the fauna spotter-catcher is to be present on site during all clearing operations to supervise and direct clearing works, and to respond to any situations that may arise in relation to fauna. In the event of an animal being located, an area of 5m radius should be established around the tree excluding machinery from the area until the animal has relocated (usually overnight). If an animal requires relocating this must be undertaken by a suitable qualified fauna expert recognized by the Department of Environment & Heritage . For some fauna a permit will be required. If vegetation is left stockpiled overnight, the Fauna Spotter-Catcher must inspect the vegetation prior to chipping or removal from site. Any native fauna orphaned or injured by the development process must be reported to the Department of Environment & Heritage (1300 130 372) or RSPCA (1300 264 625). The Site Supervisor is responsible for the safe management of site fauna and implementation of these specific fauna requirements SPECIFIC KOALA MANAGEMENT NOTES A Koala Spotter is a person who holds a tertiary qualification in Biology or Zoology, or who is demonstrably experienced in the identification and location of Koalas in their natural habitat. For example, a koala keeper employed by a licensed Wildlife exhibitor (i.e. a zoo) may be capable of demonstrating competence in locating Koala's. Prior to the commencement and during felling operations, it is the responsibility of the Koala spotter to be present at the site of felling operations identify any tree at the site within which a Koala is present, as well as any tree that has a crown which is intermeshed or overlapping with such a tree; and advise the person who is authorised to conduct the felling operation, or that persons representative, of the precise location of each such tree Management Item. CLEARING PATTERN / FAUNA FLUSHING Clearing within each individual area is to occur as per the requirements and sequencing listed on <i>Sheet 4</i> ensuring native animals are flushed east towards the retained vegetation. Principles of the clearing plan include: • Clearing occurs once fauna spotter-catcher gives sign off the site is clear of significant native species. • Clearing commences in areas of least connectivity and significance and flushing towards retention areas • Clearing is sequenced in accordance with plans ensure adequate timing for fauna to relocate towards retention areas. • The staging and direction of clearing as proposed in the Individual Clearing Plans may alter if specified on-site by Spotter-catcher. At the completion of operational works, and prior to the sealing of survey plans for the relevant stage, the Fauna Spotter-Catcher must provide certification to EDQ that all works were undertaken in accordance with these fauna management requirements.	SITE SUPERVISOR	Prior to the commencement of construction	Inspected by Council or the Environmental Site Coordinator



PLANS AND DOCUMENTS referred to in the PDA DEVELOPMENT APPROVAL



Approval no: DEV2016/814

Date: 7 FEB 2017

AMENDMENTS:			
Issue	Date	Description	Checked
A	14/09/2016	Client Draft	MS
B	20/12/2016	Client Amendments	MS

CLIENT:
Mirvac


PROJECT:
**Caretaker's Dwelling
Brightwell Street, Greenbank**

Vegetation Clearing & Fauna Management Plan Details - Sheet 4

Legend

- Native tree to retain
- Native tree in road reserve to retain
- Native tree to remove
- Tree Protection Fencing
- 20m bushfire fuel reduction zone
- Access/Egress path options
- Utilise established firebreaks / cleared areas

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: DEV2016/814
Date: 7 FEB 2017



DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT SAUNDERS HAVILL GROUP. THE CLIENT ACCEPTS RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN METRES. A 10% DISCREPANCY SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDER-GROUND SERVICES AND DETAIL LOCATIONS OF ALL SERVICES.



AMENDMENTS:			
Issue	Date	Description	Checked
A	14/09/2016	Client Draft	MS
B	24/10/2016	Client Amendments	MS
C	27/10/2016	Client Amendments	MS
D	20/12/2016	RF1	MS

CLIENT:
Mirvac

PROJECT:
**Caretaker's Dwelling
Brightwell St, Greenbank**

environmental management

PLAN OF:	
Vegetation Clearing & Fauna Management Plan	
DATE: 20/12/2016	CHECKED: MS
CLIENT REF.: 7598	DRAWN: AL
DRAWING No.: 7598 E 04 CT VMP D	


Vegetation Clearing & Fauna Management Plan

Clearing Direction Sheet

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL


Queensland
Government

Approval no: DEV2016/814
Date: 7 FEB 2017



AMENDMENTS:			
Issue	Date	Description	Checked
A	14/09/2016	Client Draft	MS
B	24/10/2016	Client Amendments	MS
C	27/10/2016	Client Amendments	MS
D	20/12/2016	RFI	MS

CLIENT:
Mirvac

PROJECT:
**Caretaker's Dwelling
Brightwell St, Greenbank**

environmental management			
PLAN OF: Vegetation Clearing & Fauna Management Plan			
DATE: 20/12/2016	CHECKED: MS		
CLIENT REF.: 7598	DRAWN: AL		
DRAWING No.: 7598 E 05 CT VMP D			

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value							
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Seeding	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termites	Habitat Value	Additional Notes
1	Acacia concurrens	BlackWattle	140		140	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
2	Acacia concurrens	BlackWattle	110		110	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
3	Acacia concurrens	BlackWattle	100		100	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
4	Acacia concurrens	BlackWattle	100		100	6.0	3.0	2.0	1.3	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
5	Lophostemon suaveolens	Swamp Box	110		110	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
6	Alphitonia excelsa	Red Ash	110		110	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
7	Lophostemon suaveolens	Swamp Box	110		110	7.0	1.0	2.0	1.3	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
8	Lophostemon suaveolens	Swamp Box	140		140	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
9	Acacia concurrens	BlackWattle	110		110	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	
10	Acacia concurrens	BlackWattle	110		110	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
11	Lophostemon suaveolens	Swamp Box	110		110	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
12	Acacia concurrens	BlackWattle	100		100	6.0	3.0	2.0	1.3	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
13	Acacia concurrens	BlackWattle	110		110	5.0	3.0	2.0	1.3	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
14	Acacia concurrens	BlackWattle	130		130	5.0	3.0	2.0	1.4	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
15	Alphitonia excelsa	Red Ash	200	110	228	7.0	4.0	2.7	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
16	Lophostemon suaveolens	Swamp Box	110		110	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
17	Allocasuarina littoralis	Black Sheoak	100		100	6.0	1.0	2.0	1.3	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
18	Acacia concurrens	BlackWattle	110		110	4.0	2.0	2.0	1.3	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
19	Eucalyptus siderophloia	Northern Grey Ironbark	310		310	15.0	5.0	3.7	2.0	Regular	-	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termites	-	
20	Alphitonia excelsa	Red Ash	170		170	7.0	2.0	2.0	1.6	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
21	Lophostemon suaveolens	Swamp Box	220		220	7.0	3.0	2.6	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
22	Lophostemon suaveolens	Swamp Box	130		130	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
23	Eucalyptus tereticornis	Forest Red Gum	270		270	14.0	4.0	3.2	1.9	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading Seeding	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termites	Habitat Value	Additional Notes
24	<i>Acacia concurrens</i>	BlackWattle	220		220	7.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
25	<i>Eucalyptus tereticornis</i>	Forest Red Gum	280	280	396	16.0	6.0	4.8	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
26	<i>Eucalyptus tereticornis</i>	Forest Red Gum	240		240	14.0	3.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
27	<i>Eucalyptus tereticornis</i>	Forest Red Gum	420		420	21.0	10.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
28	<i>Acacia concurrens</i>	BlackWattle	110		110	5.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
29	<i>Lophostemon suaveolens</i>	Swamp Box	110		110	5.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
30	<i>Lophostemon suaveolens</i>	Swamp Box	110		110	6.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
31	<i>Acacia concurrens</i>	BlackWattle	150		150	7.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
32	<i>Eucalyptus tereticornis</i>	Forest Red Gum	440		440	22.0	9.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
33	<i>Acacia concurrens</i>	BlackWattle	160		160	6.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
34	<i>Acacia concurrens</i>	BlackWattle	120		120	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
35	<i>Acacia concurrens</i>	BlackWattle	130		130	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
36	<i>Acacia concurrens</i>	BlackWattle	130		130	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
37	<i>Acacia concurrens</i>	BlackWattle	150		150	6.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
38	<i>Allocasuarina littoralis</i>	Black Sheoak	120		120	6.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
39	<i>Acacia concurrens</i>	BlackWattle	140		140	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
40	<i>Corymbia tessellaris</i>	Moreton Bay Ash	150		150	8.0	1.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
41	<i>Angophora leiocarpa</i>	Smooth-barked Apple	150		150	7.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
42	<i>Angophora leiocarpa</i>	Smooth-barked Apple	240		240	9.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
43	<i>Acacia concurrens</i>	BlackWattle	150		150	8.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
44	<i>Acacia concurrens</i>	BlackWattle	140		140	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	
45	<i>Alphitonia excelsa</i>	Red Ash	150		150	6.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
46	<i>Acacia concurrens</i>	BlackWattle	110		110	9.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
47	<i>Acacia concurrens</i>	BlackWattle	170		170	10.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
48	<i>Acacia concurrens</i>	BlackWattle	140		140	9.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	

PLANS AND DOCUMENTS

referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV2016/814

Date: 7 FEB 2017



Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading Seeding	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termites	Habitat Value	Additional Notes
49	Acacia concurrens	BlackWattle	100		100	11.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
50	Acacia concurrens	BlackWattle	140		140	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
51	Angophora leiocarpa	Smooth-barked Apple	120		120	10.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
52	Acacia concurrens	BlackWattle	170		170	9.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
53	Angophora leiocarpa	Smooth-barked Apple	130		130	10.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
54	Alphitonia excelsa	Red Ash	130		130	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
55	Lophostemon suaveolens	Swamp Box	190		190	8.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
56	Lophostemon suaveolens	Swamp Box	100		100	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
57	Angophora leiocarpa	Smooth-barked Apple	160		160	12.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
58	Acacia concurrens	BlackWattle	190		190	8.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
59	Acacia concurrens	BlackWattle	240		240	8.0	3.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
60	Alphitonia excelsa	Red Ash	130		130	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
61	Angophora leiocarpa	Smooth-barked Apple	240		240	12.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
62	Alphitonia excelsa	Red Ash	150		150	5.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
63	Lophostemon suaveolens	Swamp Box	250		250	7.0	2.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termites	-	
64	Acacia concurrens	BlackWattle	120		120	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
65	Corymbia citriodora	Spotted Gum	350		350	29.0	10.0	4.2	2.1	Regular	-	-	Thinning	Die-back	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	
66	Eucalyptus tereticornis	Forest Red Gum	330		330	27.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
67	Lophostemon suaveolens	Swamp Box	200		200	10.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
68	Eucalyptus tereticornis	Forest Red Gum	420		420	30.0	10.0	5.0	2.3	Regular	-	-	Thinning	Die-back	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
69	Eucalyptus tereticornis	Forest Red Gum	450		450	31.0	10.0	5.4	2.4	Regular	-	-	Thinning	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
70	Lophostemon suaveolens	Swamp Box	110		110	6.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
71	Eucalyptus tereticornis	Forest Red Gum	190	140	236	14.0	4.0	2.8	1.8	Regular	-	-	Thinning	Die-back	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
72	Eucalyptus tereticornis	Forest Red Gum	240		240	16.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
73	Allocasuarina littoralis	Black Sheoak	130		130	5.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV2016/814
Date: 7 FEB 2017


Queensland
Government

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading Seeding	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termites	Habitat Value	Additional Notes
74	<i>Lophostemon suaveolens</i>	Swamp Box	250		250	14.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
75	<i>Angophora leiocarpa</i>	Smooth-barked Apple	280		280	15.0	2.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
76	<i>Eucalyptus tereticornis</i>	Forest Red Gum	310		310	17.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	-	-	-	
77	<i>Lophostemon suaveolens</i>	Swamp Box	130		130	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termites	-	
78	<i>Lophostemon suaveolens</i>	Swamp Box	150		150	8.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
79	<i>Angophora leiocarpa</i>	Smooth-barked Apple	190		190	9.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
80	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	350		350	30.0	7.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
81	<i>Eucalyptus tereticornis</i>	Forest Red Gum	290		290	19.0	8.0	3.5	2.0	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	
82	<i>Acacia concurrens</i>	BlackWattle	100		100	8.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
83	<i>Acacia concurrens</i>	BlackWattle	130		130	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
84	<i>Acacia concurrens</i>	BlackWattle	170		170	8.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
85	<i>Acacia concurrens</i>	BlackWattle	140	150	205	8.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
86	<i>Acacia concurrens</i>	BlackWattle	120		120	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
87	<i>Eucalyptus tereticornis</i>	Forest Red Gum	260		260	18.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
88	<i>Eucalyptus tereticornis</i>	Forest Red Gum	370		370	31.0	11.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
89	<i>Acacia concurrens</i>	BlackWattle	100		100	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
90	<i>Eucalyptus tereticornis</i>	Forest Red Gum	360		360	16.0	8.0	4.3	2.2	Regular	-	-	Thinning	Die-back	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
91	<i>Eucalyptus tereticornis</i>	Forest Red Gum	400		400	18.0	9.0	4.8	2.3	Regular	-	-	Thinning	Die-back	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
92	<i>Eucalyptus tereticornis</i>	Forest Red Gum	320		320	23.0	9.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
93	<i>Angophora leiocarpa</i>	Smooth-barked Apple	370		370	23.0	7.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
94	<i>Alphitonia excelsa</i>	Red Ash	110		110	4.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
95	<i>Alphitonia excelsa</i>	Red Ash	100		100	5.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
96	<i>Eucalyptus tereticornis</i>	Forest Red Gum	470		470	27.0	10.0	5.6	2.4	Regular	-	-	Thinning	Die-back	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
97	<i>Acacia concurrens</i>	BlackWattle	120		120	5.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
98	<i>Eucalyptus tereticornis</i>	Forest Red Gum	190		190	18.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV2016/814
Date: 7 FEB 2017


Queensland
Government

PLANS AND DOCUMENTS referred to in the PDA DEVELOPMENT APPROVAL																													
Approval no: DEV2016/814																													
Date: 7 FEB 2017																													
Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value							
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Seeding	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termites	Habitat Value	Additional Notes
99	<i>Allocasuarina littoralis</i>	Black Sheoak	150		150	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
100	<i>Eucalyptus tereticornis</i>	Forest Red Gum	330		330	28.0	12.0	4.0	2.1	Regular	-	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
101	<i>Acacia disparrima</i>	Hickory Wattle	160	150	219	8.0	3.0	2.6	1.7	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
102	<i>Angophora leiocarpa</i>	Smooth-barked Apple	480		480	20.0	8.0	5.8	2.4	Regular	-	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
103	<i>Allocasuarina littoralis</i>	Black Sheoak	160		160	7.0	2.0	2.0	1.5	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
104	<i>Angophora leiocarpa</i>	Smooth-barked Apple	220		220	17.0	5.0	2.6	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
105	<i>Acacia concurrens</i>	BlackWattle	110		110	5.0	2.0	2.0	1.3	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
106	<i>Eucalyptus tereticornis</i>	Forest Red Gum	360		360	26.0	7.0	4.3	2.2	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
107	<i>Eucalyptus tereticornis</i>	Forest Red Gum	380		380	26.0	9.0	4.6	2.2	Regular	-	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
108	<i>Eucalyptus tereticornis</i>	Forest Red Gum	290		290	26.0	6.0	3.5	2.0	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
109	<i>Angophora leiocarpa</i>	Smooth-barked Apple	310	320	446	19.0	11.0	5.3	2.4	Regular	-	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
110	<i>Eucalyptus tereticornis</i>	Forest Red Gum	370		370	30.0	9.0	4.4	2.2	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
111	<i>Eucalyptus tereticornis</i>	Forest Red Gum	240		240	18.0	3.0	2.9	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
112	<i>Allocasuarina littoralis</i>	Black Sheoak	140		140	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
113	<i>Eucalyptus tereticornis</i>	Forest Red Gum	300		300	17.0	8.0	3.6	2.0	Regular	-	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
114	<i>Allocasuarina littoralis</i>	Black Sheoak	120		120	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
115	<i>Melaleuca saligna</i>	Willow Bottlebrush	130		130	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
116	<i>Acacia concurrens</i>	BlackWattle	140		140	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
117	<i>Corymbia intermedia</i>	Pink Bloodwood	200		200	10.0	1.0	2.4	1.7	Regular	-	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	
118	<i>Acacia concurrens</i>	BlackWattle	140		140	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
119	<i>Angophora leiocarpa</i>	Smooth-barked Apple	270		270	13.0	6.0	3.2	1.9	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
120	<i>Corymbia trachyphloia</i>	Brown Bloodwood	480		480	20.0	8.0	5.8	2.4	Regular	-	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termites	-	
121	<i>Acacia concurrens</i>	BlackWattle	120		120	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
122	<i>Allocasuarina littoralis</i>	Black Sheoak	180		180	10.0	4.0	2.2	1.6	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
123	<i>Angophora leiocarpa</i>	Smooth-barked Apple	200		200	7.0	2.0	2.4	1.7	Regular	-	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV2016/814
Date: 7 FEB 2017


Queensland
Government

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading Seeding	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termites	Habitat Value	Additional Notes
124	<i>Alphitonia excelsa</i>	Red Ash	110		110	9.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
125	<i>Acacia concurrens</i>	BlackWattle	160		160	9.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
126	<i>Eucalyptus tereticornis</i>	Forest Red Gum	360		360	28.0	8.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
127	<i>Angophora leiocarpa</i>	Smooth-barked Apple	440		440	14.0	6.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
128	<i>Corymbia trachyphloia</i>	Brown Bloodwood	370		370	20.0	7.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
129	<i>Alphitonia excelsa</i>	Red Ash	150		150	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	Major	-	-	-	Typical	-	-	-	-	-	-	
130	<i>Acacia disparrima</i>	Hickory Wattle	100		100	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
131	<i>Lophostemon suaveolens</i>	Swamp Box	210	210	297	12.0	5.0	3.6	2.0	Regular	-	-	-	Die-back	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
132	<i>Alphitonia excelsa</i>	Red Ash	110		110	6.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
133	<i>Acacia disparrima</i>	Hickory Wattle	120		120	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
134	<i>Acacia concurrens</i>	BlackWattle	110		110	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
135	<i>Alphitonia excelsa</i>	Red Ash	110		110	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
136	<i>Alphitonia excelsa</i>	Red Ash	120		120	8.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
137	<i>Corymbia intermedia</i>	Pink Bloodwood	130		130	6.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
138	<i>Angophora leiocarpa</i>	Smooth-barked Apple	370		370	15.0	8.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
139	<i>Allocasuarina littoralis</i>	Black Sheoak	100		100	7.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
140	<i>Eucalyptus tereticornis</i>	Forest Red Gum	220		220	20.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
141	<i>Eucalyptus tereticornis</i>	Forest Red Gum	180		180	13.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
142	<i>Eucalyptus tereticornis</i>	Forest Red Gum	410		410	25.0	7.0	4.9	2.3	Regular	-	-	Thinning	Die-back	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
143	<i>Allocasuarina littoralis</i>	Black Sheoak	220		220	9.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
144	<i>Allocasuarina littoralis</i>	Black Sheoak	140		140	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
145	<i>Angophora leiocarpa</i>	Smooth-barked Apple	200		200	19.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
146	<i>Allocasuarina littoralis</i>	Black Sheoak	130		130	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
147	<i>Corymbia trachyphloia</i>	Brown Bloodwood	350		350	20.0	10.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
148	<i>Allocasuarina littoralis</i>	Black Sheoak	130		130	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV2016/814
Date: 7 FEB 2017


Queensland
Government

PLANS AND DOCUMENTS referred to in the PDA DEVELOPMENT APPROVAL																													
Approval no: DEV2016/814																													
Date: 7 FEB 2017																													
Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value					Queensland Government		
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Seeding	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termites	Habitat Value	Additional Notes
149	Allocasuarina littoralis	Black Sheoak	200		200	9.0	4.0	2.4	1.7	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
150	Alphitonia excelsa	Red Ash	160		160	8.0	2.0	2.0	1.5	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
151	Eucalyptus tereticornis	Forest Red Gum	360		360	28.0	9.0	4.3	2.2	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
152	Angophora leiocarpa	Smooth-barked Apple	330		330	16.0	6.0	4.0	2.1	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
153	Eucalyptus tereticornis	Forest Red Gum	300		300	26.0	5.0	3.6	2.0	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
154	Eucalyptus tereticornis	Forest Red Gum	300		300	26.0	6.0	3.6	2.0	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
155	Eucalyptus tereticornis	Forest Red Gum	350	260	436	30.0	12.0	5.2	2.3	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
156	Allocasuarina littoralis	Black Sheoak	190		190	8.0	3.0	2.3	1.6	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
157	Corymbia trachyphloia	Brown Bloodwood	140		140	13.0	4.0	2.0	1.4	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
158	Angophora leiocarpa	Smooth-barked Apple	270		270	13.0	4.0	3.2	1.9	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
159	Eucalyptus tereticornis	Forest Red Gum	310		310	29.0	10.0	3.7	2.0	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
160	Acacia concurrens	BlackWattle	120		120	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
161	Acacia concurrens	BlackWattle	180		180	8.0	3.0	2.2	1.6	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
162	Alphitonia excelsa	Red Ash	110		110	6.0	4.0	2.0	1.3	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
163	Acacia concurrens	BlackWattle	180		180	7.0	4.0	2.2	1.6	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
164	Acacia concurrens	BlackWattle	110		110	10.0	2.0	2.0	1.3	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
165	Acacia concurrens	BlackWattle	160		160	9.0	3.0	2.0	1.5	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
166	Acacia concurrens	BlackWattle	110		110	10.0	2.0	2.0	1.3	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
167	Acacia concurrens	BlackWattle	220		220	10.0	4.0	2.6	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
168	Alphitonia excelsa	Red Ash	160		160	7.0	2.0	2.0	1.5	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
169	Corymbia intermedia	Pink Bloodwood	500		500	22.0	9.0	6.0	2.5	Regular	-	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
170	Corymbia intermedia	Pink Bloodwood	190	160	248	11.0	3.0	3.0	1.8	Regular	-	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
171	Angophora leiocarpa	Smooth-barked Apple	170		170	10.0	2.0	2.0	1.6	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
172	Angophora leiocarpa	Smooth-barked Apple	160		160	10.0	1.0	2.0	1.5	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
173	Acacia concurrens	BlackWattle	150		150	10.0	4.0	2.0	1.5	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV2016/814
Date: 7 FEB 2017


Queensland
Government

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading Seeding	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termites	Habitat Value	Additional Notes
174	<i>Alphitonia excelsa</i>	Red Ash	130		130	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
175	<i>Acacia concurrens</i>	BlackWattle	150		150	10.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
176	<i>Eucalyptus tereticornis</i>	Forest Red Gum	170		170	12.0	2.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
177	<i>Corymbia trachyphloia</i>	Brown Bloodwood	210		210	13.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
178	<i>Alphitonia excelsa</i>	Red Ash	150		150	7.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
179	<i>Angophora leiocarpa</i>	Smooth-barked Apple	260		260	13.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
180	<i>Acacia disparrima</i>	Hickory Wattle	140	130	191	8.0	6.0	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
181	<i>Corymbia intermedia</i>	Pink Bloodwood	270		270	15.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termites	-	
182	<i>Corymbia intermedia</i>	Pink Bloodwood	330		330	19.0	5.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termites	-	
183	<i>Eucalyptus tereticornis</i>	Forest Red Gum	370		370	28.0	8.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
184	<i>Angophora leiocarpa</i>	Smooth-barked Apple	260		260	19.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
185	<i>Acacia disparrima</i>	Hickory Wattle	130	80	153	7.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
186	<i>Angophora leiocarpa</i>	Smooth-barked Apple	170	100	197	15.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
187	<i>Angophora leiocarpa</i>	Smooth-barked Apple	260		260	19.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
188	<i>Angophora leiocarpa</i>	Smooth-barked Apple	330		330	20.0	6.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
189	<i>Angophora leiocarpa</i>	Smooth-barked Apple	220		220	20.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
190	<i>Angophora leiocarpa</i>	Smooth-barked Apple	370		370	16.0	7.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
191	<i>Eucalyptus tereticornis</i>	Forest Red Gum	430		430	27.0	9.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
192	<i>Eucalyptus tereticornis</i>	Forest Red Gum	300		300	29.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
193	<i>Eucalyptus tereticornis</i>	Forest Red Gum	280		280	25.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
194	<i>Angophora leiocarpa</i>	Smooth-barked Apple	160		160	6.0	1.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
195	<i>Angophora leiocarpa</i>	Smooth-barked Apple	200		200	15.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
196	<i>Angophora leiocarpa</i>	Smooth-barked Apple	160		160	6.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
197	<i>Alphitonia excelsa</i>	Red Ash	100		100	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
198	<i>Angophora leiocarpa</i>	Smooth-barked Apple	280		280	19.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV2016/814
Date: 7 FEB 2017


Queensland
Government

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading Seeding	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termites	Habitat Value	Additional Notes
199	<i>Eucalyptus tereticornis</i>	Forest Red Gum	290		290	20.0	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
200	<i>Melaleuca saligna</i>	Willow Bottlebrush	160		160	9.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
201	<i>Corymbia intermedia</i>	Pink Bloodwood	280		280	20.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
202	<i>Allocasuarina littoralis</i>	Black Sheoak	130		130	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
203	<i>Angophora leiocarpa</i>	Smooth-barked Apple	150		150	7.0	1.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
204	<i>Acacia disparrima</i>	Hickory Wattle	210		210	8.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termites	-	
205	<i>Eucalyptus tereticornis</i>	Forest Red Gum	180		180	15.0	2.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
206	<i>Acacia concurrens</i>	BlackWattle	130		130	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
207	<i>Acacia disparrima</i>	Hickory Wattle	110		110	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
208	<i>Alphitonia excelsa</i>	Red Ash	120		120	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
209	<i>Lophostemon suaveolens</i>	Swamp Box	350		350	6.0	3.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
210	<i>Corymbia trachyphloia</i>	Brown Bloodwood	240		240	16.0	3.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
211	<i>Corymbia trachyphloia</i>	Brown Bloodwood	260		260	12.0	2.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
212	<i>Angophora leiocarpa</i>	Smooth-barked Apple	160		160	8.0	1.0	2.0	1.5	Regular	-	-	-	Die-back	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
213	<i>Corymbia trachyphloia</i>	Brown Bloodwood	150		150	7.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
214	<i>Eucalyptus tereticornis</i>	Forest Red Gum	190		190	16.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
215	<i>Corymbia intermedia</i>	Pink Bloodwood	110		110	7.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
216	<i>Eucalyptus tereticornis</i>	Forest Red Gum	200		200	16.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
217	<i>Alphitonia excelsa</i>	Red Ash	120		120	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
218	<i>Allocasuarina littoralis</i>	Black Sheoak	170		170	10.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
219	<i>Acacia concurrens</i>	BlackWattle	140		140	12.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
220	<i>Allocasuarina littoralis</i>	Black Sheoak	120		120	7.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
221	<i>Alphitonia excelsa</i>	Red Ash	140		140	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
222	<i>Acacia disparrima</i>	Hickory Wattle	200		200	12.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
223	<i>Allocasuarina littoralis</i>	Black Sheoak	160		160	8.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV2016/814
Date: 7 FEB 2017


Queensland
Government

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading Seeding	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termites	Habitat Value	Additional Notes
224	<i>Corymbia intermedia</i>	Pink Bloodwood	210		210	12.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
225	<i>Angophora leiocarpa</i>	Smooth-barked Apple	220		220	10.0	3.0	2.6	1.8	Regular	-	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	
226	<i>Corymbia trachyphloia</i>	Brown Bloodwood	240		240	15.0	2.0	2.9	1.8	Regular	-	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	
227	<i>Acacia concurrens</i>	BlackWattle	120		120	9.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
228	<i>Acacia concurrens</i>	BlackWattle	200		200	12.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
229	<i>Acacia concurrens</i>	BlackWattle	110		110	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
230	<i>Acacia concurrens</i>	BlackWattle	110		110	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
231	<i>Acacia concurrens</i>	BlackWattle	120		120	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
232	<i>Eucalyptus tereticornis</i>	Forest Red Gum	380		380	16.0	6.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
233	<i>Acacia concurrens</i>	BlackWattle	110		110	4.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
234	<i>Acacia concurrens</i>	BlackWattle	220		220	10	4	2.64	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
235	<i>Alphitonia excelsa</i>	Red Ash	200		200	11	4	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
236	<i>Angophora leiocarpa</i>	Smooth-barked Apple	200		200	17	4	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
237	<i>Acacia concurrens</i>	BlackWattle	140		140	8	2	2	1.4	Regular	-	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	
238	<i>Eucalyptus tereticornis</i>	Forest Red Gum	180		180	11	3	2.16	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
239	<i>Acacia concurrens</i>	BlackWattle	180	160, 170	295	9	5	3.537	2	One-sided	-	-	-	-	-	Typical	Major	-	-	-	-	Typical	-	-	-	-	-	
240	<i>Acacia concurrens</i>	BlackWattle	130		130	8	3	2	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
241	<i>Allocasuarina littoralis</i>	Black Sheoak	120		120	6	2	2	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
242	<i>Corymbia citriodora</i>	Spotted Gum	120		120	9	1	2	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
243	<i>Acacia concurrens</i>	BlackWattle	140		140	9	3	2	1.4	Regular	-	-	-	-	-	Typical	Major	-	-	-	-	Typical	-	-	-	-	-	
244	<i>Acacia concurrens</i>	BlackWattle	110		110	6	3	2	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
245	<i>Acacia disparrima</i>	Hickory Wattle	130		130	7	3	2	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
246	<i>Acacia concurrens</i>	BlackWattle	150		150	10	3	2	1.5	Regular	-	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	
247	<i>Acacia concurrens</i>	BlackWattle	110		110	6	3	2	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
248	<i>Acacia concurrens</i>	BlackWattle	130		130	6	3	2	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	

PLANS AND DOCUMENTS

referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV2016/814

Date: 7 FEB 2017



PLANS AND DOCUMENTS referred to in the PDA DEVELOPMENT APPROVAL																													
Approval no: DEV2016/814 Date: 7 FEB 2017																													
Specimen Details										Canopy Condition Details							Trunk Condition Details				Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Seeding	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termites	Habitat Value	Additional Notes
249	Acacia concurrens	BlackWattle	130		130	5	3	2	1.4	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
250	Acacia concurrens	BlackWattle	120		120	5	3	2	1.4	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
251	Acacia concurrens	BlackWattle	160		160	6	3	2	1.5	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
252	Acacia concurrens	BlackWattle	140		140	8	3	2	1.4	Regular	-	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	
253	Acacia concurrens	BlackWattle	120		120	6	2	2	1.4	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
254	Acacia concurrens	BlackWattle	160	140	213	5	3	2.551	1.7	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
255	Lophostemon suaveolens	Swamp Box	120		120	9	2	2	1.4	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
256	Acacia concurrens	BlackWattle	100		100	6	2	2	1.3	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
257	Allocasuarina littoralis	Black Sheoak	120		120	6	2	2	1.4	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
258	Acacia concurrens	BlackWattle	120		120	8	3	2	1.4	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
259	Allocasuarina littoralis	Black Sheoak	160		160	8	2	2	1.5	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
260	Acacia concurrens	BlackWattle	150		150	9	2	2	1.5	Regular	-	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	
261	Allocasuarina littoralis	Black Sheoak	100		100	6	2	2	1.3	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
262	Acacia concurrens	BlackWattle	180	130	222	6	3	2.664	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
263	Allocasuarina littoralis	Black Sheoak	100		100	6	2	2	1.3	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
264	Acacia concurrens	BlackWattle	180		180	8	3	2.16	1.6	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
265	Alphitonia excelsa	Red Ash	220		220	10	3	2.64	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
266	Allocasuarina littoralis	Black Sheoak	190		190	10	3	2.28	1.6	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
267	Acacia concurrens	BlackWattle	100		100	9	2	2	1.3	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
268	Acacia concurrens	BlackWattle	100		100	9	2	2	1.3	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
269	Acacia concurrens	BlackWattle	160		160	9	3	2	1.5	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
270	Acacia concurrens	BlackWattle	190		190	10	3	2.28	1.6	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
271	Corymbia tessellaris	Moreton Bay Ash	120		120	12	2	2	1.4	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
272	Acacia concurrens	BlackWattle	120		120	9	2	2	1.4	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
273	Corymbia tessellaris	Moreton Bay Ash	180		180	14	3	2.16	1.6	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	

PLANS AND DOCUMENTS

referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV2016/814

Date: 7 FEB 2017



PLANS AND DOCUMENTS referred to in the PDA DEVELOPMENT APPROVAL																													
Approval no: DEV2016/814																													
Date: 7 FEB 2017																													
Specimen Details										Canopy Condition Details							Trunk Condition Details				Fauna Details and Habitat Value					Queensland Government			
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Seeding	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termites	Habitat Value	Additional Notes
274	Acacia concurrens	BlackWattle	200		200	13	4	2.4	1.7	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
275	Angophora leiocarpa	Smooth-barked Apple	210		210	11	3	2.52	1.7	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
276	Acacia concurrens	BlackWattle	160		160	12	4	2	1.5	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
277	Acacia concurrens	BlackWattle	120		120	8	3	2	1.4	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
278	Angophora leiocarpa	Smooth-barked Apple	200		200	17	4	2.4	1.7	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
279	Lophostemon suaveolens	Swamp Box	230		230	10	3	2.76	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
280	Lophostemon suaveolens	Swamp Box	290		290	14	4	3.48	2	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
281	Corymbia intermedia	Pink Bloodwood	200	220	297	15	5	3.568	2	Regular	-	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	
282	Acacia concurrens	BlackWattle	100		100	10	2	2	1.3	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
283	Lophostemon suaveolens	Swamp Box	190	210	283	13	4	3.398	1.9	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
284	Acacia concurrens	BlackWattle	120		120	7	2	2	1.4	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
285	Acacia concurrens	BlackWattle	230		230	15	4	2.76	1.8	Regular	-	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	
286	Acacia concurrens	BlackWattle	200		200	12	4	2.4	1.7	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
287	Acacia concurrens	BlackWattle	150		150	9	3	2	1.5	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
288	Acacia concurrens	BlackWattle	150		150	9	3	2	1.5	Regular	-	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	
289	Acacia concurrens	BlackWattle	120		120	9	3	2	1.4	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
290	Lophostemon suaveolens	Swamp Box	120		120	6	2	2	1.4	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
291	Lophostemon suaveolens	Swamp Box	180		180	6	2	2.16	1.6	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
292	Lophostemon suaveolens	Swamp Box	180		180	7	2	2.16	1.6	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
293	Eucalyptus tereticornis	Forest Red Gum	440		440	27	9	5.28	2.3	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
294	Eucalyptus tereticornis	Forest Red Gum	640		640	30	12	7.68	2.7	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
295	Acacia disparrima	Hickory Wattle	140		140	6	2	2	1.4	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
296	Eucalyptus tereticornis	Forest Red Gum	300		300	20	8	3.6	2	One-sided	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
297	Eucalyptus tereticornis	Forest Red Gum	400		400	28	8	4.8	2.3	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
298	Eucalyptus tereticornis	Forest Red Gum	360		360	31	10	4.32	2.2	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV2016/814
Date: 7 FEB 2017


Queensland
Government

PLANS AND DOCUMENTS referred to in the PDA DEVELOPMENT APPROVAL																													
Approval no: DEV2016/814																													
Date: 7 FEB 2017																													
Specimen Details										Canopy Condition Details							Trunk Condition Details				Fauna Details and Habitat Value					Queensland Government			
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Seeding	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termites	Habitat Value	Additional Notes
299	<i>Eucalyptus tereticornis</i>	Forest Red Gum	360		360	30	10	4.32	2.2	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
300	<i>Eucalyptus tereticornis</i>	Forest Red Gum	310		310	27	9	3.72	2	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
301	<i>Eucalyptus tereticornis</i>	Forest Red Gum	370		370	30	10	4.44	2.2	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
302	<i>Eucalyptus siderophloia</i>	Northern Grey Ironbark	350		350	27	10	4.2	2.1	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
303	<i>Eucalyptus tereticornis</i>	Forest Red Gum	420		420	29	11	5.04	2.3	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
304	<i>Eucalyptus tereticornis</i>	Forest Red Gum	580		580	31	12	6.96	2.6	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
305	<i>Allocasuarina littoralis</i>	Black Sheoak	140		140	5	2	2	1.4	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
306	<i>Lophostemon suaveolens</i>	Swamp Box	150		150	8	2	2	1.5	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
307	<i>Angophora leiocarpa</i>	Smooth-barked Apple	140		140	8	2	2	1.4	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
308	<i>Lophostemon suaveolens</i>	Swamp Box	200		200	12	4	2.4	1.7	Regular	-	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	-	-	-	
309	<i>Alphitonia excelsa</i>	Red Ash	180		180	12	4	2.16	1.6	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
310	<i>Acacia disparrima</i>	Hickory Wattle	140		140	8	3	2	1.4	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
311	<i>Corymbia intermedia</i>	Pink Bloodwood	550		550	14	6	6.6	2.6	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
312	<i>Acacia concurrens</i>	BlackWattle	120		120	6	3	2	1.4	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
313	<i>Acacia concurrens</i>	BlackWattle	130		130	6	2	2	1.4	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
314	<i>Eucalyptus tereticornis</i>	Forest Red Gum	370		370	24	8	4.44	2.2	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
315	<i>Alphitonia excelsa</i>	Red Ash	170		170	10	3	2.04	1.6	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
316	<i>Corymbia intermedia</i>	Pink Bloodwood	330		330	20	6	3.96	2.1	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
317	<i>Alphitonia excelsa</i>	Red Ash	150		150	12	3	2	1.5	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
318	<i>Allocasuarina littoralis</i>	Black Sheoak	210		210	11	3	2.52	1.7	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
319	<i>Acacia concurrens</i>	BlackWattle	120		120	9	2	2	1.4	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
320	<i>Eucalyptus tereticornis</i>	Forest Red Gum	230		230	17	4	2.76	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
321	<i>Acacia concurrens</i>	BlackWattle	180		180	12	3	2.16	1.6	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
322	<i>Allocasuarina littoralis</i>	Black Sheoak	120		120	6	2	2	1.4	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
323	<i>Angophora leiocarpa</i>	Smooth-barked Apple	290		290	18	4	3.48	2	Regular	-	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV2016/814
Date: 7 FEB 2017


Queensland
Government

PLANS AND DOCUMENTS referred to in the PDA DEVELOPMENT APPROVAL																													
Approval no: DEV2016/814																													
Date: 7 FEB 2017																													
Specimen Details										Canopy Condition Details							Trunk Condition Details				Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Seeding	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termites	Habitat Value	Additional Notes
324	Angophora leiocarpa	Smooth-barked Apple	290		290	17	5	3.48	2	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
325	Angophora leiocarpa	Smooth-barked Apple	360		360	24	6	4.32	2.2	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
326	Alphitonia excelsa	Red Ash	130		130	10	3	2	1.4	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
327	Angophora leiocarpa	Smooth-barked Apple	280		280	23	5	3.36	1.9	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
328	Angophora leiocarpa	Smooth-barked Apple	200		200	12	3	2.4	1.7	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
329	Acacia concurrens	BlackWattle	170	120	208	10	3	2.497	1.7	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
330	Acacia concurrens	BlackWattle	130		130	11	3	2	1.4	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
331	Eucalyptus tereticornis	Forest Red Gum	230		230	17	3	2.76	1.8	Regular	-	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	
332	Acacia concurrens	BlackWattle	150		150	11	3	2	1.5	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
333	Allocasuarina littoralis	Black Sheoak	180		180	5	4	2.16	1.6	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
334	Allocasuarina littoralis	Black Sheoak	120		120	7	2	2	1.4	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
335	Acacia disparrima	Hickory Wattle	130		130	6	2	2	1.4	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
336	Allocasuarina littoralis	Black Sheoak	160		160	7	3	2	1.5	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
337	Lophostemon suaveolens	Swamp Box	270	170	319	17	5	3.829	2	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
338	Eucalyptus tereticornis	Forest Red Gum	250		250	20	5	3	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
339	Lophostemon suaveolens	Swamp Box	200	150	250	17	5	3	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termites	-	
340	Eucalyptus tereticornis	Forest Red Gum	410		410	23	6	4.92	2.3	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
341	Lophostemon suaveolens	Swamp Box	350		350	16	5	4.2	2.1	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
342	Lophostemon suaveolens	Swamp Box	190		190	16	3	2.28	1.6	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
343	Lophostemon suaveolens	Swamp Box	210		210	10	4	2.52	1.7	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
344	Lophostemon suaveolens	Swamp Box	230	250	340	16	5	4.076	2.1	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
345	Angophora leiocarpa	Smooth-barked Apple	260		260	15	2	3.12	1.9	Regular	-	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	
346	Acacia concurrens	BlackWattle	140		140	10	3	2	1.4	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
347	Eucalyptus tereticornis	Forest Red Gum	400		400	24	9	4.8	2.3	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
348	Eucalyptus tereticornis	Forest Red Gum	410		410	23	5	4.92	2.3	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	

PLANS AND DOCUMENTS

referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV2016/814

Date: 7 FEB 2017



PLANS AND DOCUMENTS referred to in the PDA DEVELOPMENT APPROVAL																													
Approval no: DEV2016/814																													
Date: 7 FEB 2017																													
Specimen Details										Canopy Condition Details							Trunk Condition Details				Fauna Details and Habitat Value					Queensland Government			
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Seeding	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termites	Habitat Value	Additional Notes
349	Lophostemon suaveolens	Swamp Box	230		230	12	3	2.76	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termites	-	
350	Eucalyptus tereticornis	Forest Red Gum	400		400	23	5	4.8	2.3	One-sided	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
351	Acacia disparrima	Hickory Wattle	150		150	8	3	2	1.5	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
352	Acacia concurrens	BlackWattle	120		120	10	3	2	1.4	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
353	Acacia concurrens	BlackWattle	150		150	10	3	2	1.5	Regular	-	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	
354	Angophora leiocarpa	Smooth-barked Apple	290		290	18	5	3.48	2	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
355	Corymbia intermedia	Pink Bloodwood	220		220	17	4	2.64	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
356	Alphitonia excelsa	Red Ash	110		110	9	2	2	1.3	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
357	Allocasuarina littoralis	Black Sheoak	150		150	8	2	2	1.5	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
358	Alphitonia excelsa	Red Ash	120		120	8	3	2	1.4	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
359	Lophostemon suaveolens	Swamp Box	190		190	12	4	2.28	1.6	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
360	Acacia concurrens	BlackWattle	130		130	9	2	2	1.4	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
361	Acacia concurrens	BlackWattle	160		160	10	3	2	1.5	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
362	Lophostemon suaveolens	Swamp Box	230		230	11	4	2.76	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
363	Alphitonia excelsa	Red Ash	140		140	8	3	2	1.4	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
364	Eucalyptus tereticornis	Forest Red Gum	350		350	21	8	4.2	2.1	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
365	Alphitonia excelsa	Red Ash	150		150	11	3	2	1.5	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
366	Angophora leiocarpa	Smooth-barked Apple	190		190	7	3	2.28	1.6	Regular	-	-	-	-	-	-	Typical	Major	-	-	-	-	Typical	-	-	-	-	-	
367	Lophostemon suaveolens	Swamp Box	160	230	280	18	5	3.362	1.9	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
368	Eucalyptus tereticornis	Forest Red Gum	340		340	25	10	4.08	2.1	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
369	Acacia concurrens	BlackWattle	110		110	8	2	2	1.3	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
370	Eucalyptus tereticornis	Forest Red Gum	420		420	24	10	5.04	2.3	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
371	Alphitonia excelsa	Red Ash	130		130	6	3	2	1.4	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
372	Acacia concurrens	BlackWattle	140		140	9	3	2	1.4	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
373	Allocasuarina littoralis	Black Sheoak	130	120	177	9	3	2.123	1.6	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	

PLANS AND DOCUMENTS

referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV2016/814

Date: 7 FEB 2017



PLANS AND DOCUMENTS referred to in the PDA DEVELOPMENT APPROVAL																												
Approval no: DEV2016/814																												
Date: 7 FEB 2017																												
Specimen Details										Canopy Condition Details							Trunk Condition Details				Fauna Details and Habitat Value					Queensland Government		
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading Seeding	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termites	Habitat Value	Additional Notes
374	<i>Allocasuarina littoralis</i>	Black Sheoak	150		150	8	3	2	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
375	<i>Corymbia trachyphloia</i>	Brown Bloodwood	210		210	17	3	2.52	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termites	-	
376	<i>Allocasuarina littoralis</i>	Black Sheoak	150		150	11	3	2	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
377	<i>Eucalyptus tereticornis</i>	Forest Red Gum	350		350	20	8	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
378	<i>Acacia concurrens</i>	BlackWattle	140		140	9	3	2	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
379	<i>Corymbia intermedia</i>	Pink Bloodwood	250		250	19	5	3	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
380	<i>Allocasuarina littoralis</i>	Black Sheoak	200		200	10	3	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
381	<i>Eucalyptus tereticornis</i>	Forest Red Gum	470		470	24	8	5.64	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
382	<i>Eucalyptus tereticornis</i>	Forest Red Gum	290		290	18	5	3.48	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
383	<i>Corymbia intermedia</i>	Pink Bloodwood	180		180	17	3	2.16	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
384	<i>Eucalyptus tereticornis</i>	Forest Red Gum	190		190	18	4	2.28	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
385	<i>Corymbia intermedia</i>	Pink Bloodwood	240		240	15	5	2.88	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
386	<i>Allocasuarina littoralis</i>	Black Sheoak	150		150	12	3	2	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
387	<i>Eucalyptus tereticornis</i>	Forest Red Gum	580		580	21	8	6.96	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
388	<i>Acacia disparrima</i>	Hickory Wattle	120		120	10	3	2	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
389	<i>Allocasuarina littoralis</i>	Black Sheoak	230		230	15	4	2.76	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
390	<i>Allocasuarina littoralis</i>	Black Sheoak	150		150	11	3	2	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
391	<i>Acacia concurrens</i>	BlackWattle	110		110	10	3	2	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
392	<i>Eucalyptus tereticornis</i>	Forest Red Gum	150		150	11	3	2	1.5	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
393	<i>Eucalyptus tereticornis</i>	Forest Red Gum	180		180	17	3	2.16	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
394	<i>Angophora leiocarpa</i>	Smooth-barked Apple	140		140	9	2	2	1.4	Regular	-	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	
395	<i>Eucalyptus tereticornis</i>	Forest Red Gum	420		420	22	8	5.04	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
396	<i>Acacia disparrima</i>	Hickory Wattle	110		110	14	3	2	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
397	<i>Allocasuarina littoralis</i>	Black Sheoak	170		170	9	2	2.04	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
398	<i>Lophostemon suaveolens</i>	Swamp Box	190		190	13	3	2.28	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV2016/814
Date: 7 FEB 2017


Queensland
Government

PLANS AND DOCUMENTS referred to in the PDA DEVELOPMENT APPROVAL Approval no: DEV2016/814 Date: 7 FEB 2017																													
Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value							
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Seeding	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termites	Habitat Value	Additional Notes
399	<i>Alphitonia excelsa</i>	Red Ash	190		190	11	3	2.28	1.6	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
400	<i>Angophora leiocarpa</i>	Smooth-barked Apple	320		320	19	6	3.84	2.1	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
401	<i>Eucalyptus tereticornis</i>	Forest Red Gum	180		180	18	4	2.16	1.6	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
402	<i>Alphitonia excelsa</i>	Red Ash	200		200	12	4	2.4	1.7	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
403	<i>Acacia disparrima</i>	Hickory Wattle	150		150	10	3	2	1.5	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
404	<i>Angophora leiocarpa</i>	Smooth-barked Apple	480		480	19	7	5.76	2.4	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
405	<i>Acacia disparrima</i>	Hickory Wattle	210		210	14	4	2.52	1.7	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
406	<i>Acacia concurrens</i>	BlackWattle	130		130	13	3	2	1.4	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
407	<i>Alphitonia excelsa</i>	Red Ash	120		120	10	5	2	1.4	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
408	<i>Acacia concurrens</i>	BlackWattle	150		150	10	3	2	1.5	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
409	<i>Acacia concurrens</i>	BlackWattle	140		140	10	2	2	1.4	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
410	<i>Corymbia intermedia</i>	Pink Bloodwood	220		220	18	4	2.64	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
411	<i>Angophora leiocarpa</i>	Smooth-barked Apple	220		220	17	5	2.64	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
412	<i>Acacia concurrens</i>	BlackWattle	110		110	8	2	2	1.3	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
413	<i>Acacia concurrens</i>	BlackWattle	100		100	8	2	2	1.3	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
414	<i>Acacia concurrens</i>	BlackWattle	110		110	9	2	2	1.3	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
415	<i>Eucalyptus tereticornis</i>	Forest Red Gum	550		550	21	10	6.6	2.6	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
416	<i>Allocasuarina littoralis</i>	Black Sheoak	170		170	7	2	2.04	1.6	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
417	<i>Corymbia intermedia</i>	Pink Bloodwood	240		240	18	3	2.88	1.8	Regular	-	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	
418	<i>Acacia concurrens</i>	BlackWattle	130		130	10	3	2	1.4	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
419	<i>Allocasuarina littoralis</i>	Black Sheoak	150		150	11	3	2	1.5	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
420	<i>Allocasuarina littoralis</i>	Black Sheoak	160		160	11	3	2	1.5	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
421	<i>Allocasuarina littoralis</i>	Black Sheoak	160		160	11	4	2	1.5	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
422	<i>Eucalyptus tereticornis</i>	Forest Red Gum	200		200	18	3	2.4	1.7	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
423	<i>Angophora leiocarpa</i>	Smooth-barked Apple	170		170	16	3	2.04	1.6	Regular	-	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV2016/814
Date: 7 FEB 2017


Queensland
Government

PLANS AND DOCUMENTS referred to in the PDA DEVELOPMENT APPROVAL																													
Approval no: DEV2016/814																													
Date: 7 FEB 2017																													
Specimen Details										Canopy Condition Details							Trunk Condition Details				Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Seeding	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termites	Habitat Value	Additional Notes
424	Acacia concurrens	BlackWattle	170		170	12	3	2.04	1.6	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
425	Alphitonia excelsa	Red Ash	160		160	12	3	2	1.5	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
426	Acacia concurrens	BlackWattle	140		140	11	3	2	1.4	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
427	Angophora leiocarpa	Smooth-barked Apple	130		130	10	2	2	1.4	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
428	Eucalyptus tereticornis	Forest Red Gum	320		320	20	8	3.84	2.1	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
429	Corymbia intermedia	Pink Bloodwood	190		190	14	3	2.28	1.6	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
430	Alphitonia excelsa	Red Ash	150		150	12	3	2	1.5	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
431	Corymbia intermedia	Pink Bloodwood	150		150	14	3	2	1.5	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
432	Eucalyptus tereticornis	Forest Red Gum	470		470	22	10	5.64	2.4	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
433	Eucalyptus tereticornis	Forest Red Gum	230		230	19	4	2.76	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
434	Acacia disparrima	Hickory Wattle	130		130	10	3	2	1.4	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
435	Acacia concurrens	BlackWattle	140		140	10	3	2	1.4	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
436	Angophora leiocarpa	Smooth-barked Apple	380		380	19	4	4.56	2.2	Regular	-	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	
437	Angophora leiocarpa	Smooth-barked Apple	200		200	16	4	2.4	1.7	One-sided	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
438	Angophora leiocarpa	Smooth-barked Apple	210		210	17	2	2.52	1.7	Regular	-	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	
439	Angophora leiocarpa	Smooth-barked Apple	130		130	7	1	2	1.4	Regular	-	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	
440	Allocasuarina littoralis	Black Sheoak	130		130	10	3	2	1.4	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
441	Eucalyptus tereticornis	Forest Red Gum	150		150	18	1	2	1.5	Regular	-	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	
442	Alphitonia excelsa	Red Ash	150		150	13	4	2	1.5	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
443	Eucalyptus tereticornis	Forest Red Gum	200	180	269	19	3	3.229	1.9	Regular	-	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	
444	Angophora leiocarpa	Smooth-barked Apple	250		250	16	4	3	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
445	Acacia disparrima	Hickory Wattle	150		150	10	3	2	1.5	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
446	Angophora leiocarpa	Smooth-barked Apple	190		190	16	3	2.28	1.6	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
447	Angophora leiocarpa	Smooth-barked Apple	120		120	12	2	2	1.4	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
448	Angophora leiocarpa	Smooth-barked Apple	240		240	17	5	2.88	1.8	One-sided	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV2016/814
Date: 7 FEB 2017


Queensland
Government

PLANS AND DOCUMENTS referred to in the PDA DEVELOPMENT APPROVAL																													
Approval no: DEV2016/814																													
Date: 7 FEB 2017																													
Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value							
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Seeding	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termites	Habitat Value	Additional Notes
449	Angophora leiocarpa	Smooth-barked Apple	230		230	18	6	2.76	1.8	Regular	-	-				-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
450	Angophora leiocarpa	Smooth-barked Apple	150		150	17	1	2	1.5	Regular	-	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	
451	Eucalyptus tereticornis	Forest Red Gum	500		500	23	7	6	2.5	Regular	-	-				-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
452	Angophora leiocarpa	Smooth-barked Apple	180		180	18	3	2.16	1.6	Regular	-	-				-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
453	Corymbia intermedia	Pink Bloodwood	180		180	16	3	2.16	1.6	Regular	-	-				-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
454	Eucalyptus tereticornis	Forest Red Gum	380		380	23	8	4.56	2.2	Regular	-	-				-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
455	Angophora leiocarpa	Smooth-barked Apple	260		260	17	4	3.12	1.9	Regular	-	-				-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
456	Angophora leiocarpa	Smooth-barked Apple	150		150	12	2	2	1.5	Regular	-	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	
457	Acacia concurrens	BlackWattle	130		130	10	3	2	1.4	Regular	-	-				-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
458	Eucalyptus tereticornis	Forest Red Gum	360		360	23	8	4.32	2.2	Regular	-	-				-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
459	Eucalyptus tereticornis	Forest Red Gum	290		290	23	5	3.48	2	Regular	-	-				-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
460	Eucalyptus tereticornis	Forest Red Gum	370		370	22	10	4.44	2.2	Regular	-	-				-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
461	Angophora leiocarpa	Smooth-barked Apple	180		180	8	3	2.16	1.6	Regular	-	-				-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
462	Alphitonia excelsa	Red Ash	130		130	10	3	2	1.4	Regular	-	-				-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
463	Angophora leiocarpa	Smooth-barked Apple	140		140	10	2	2	1.4	One-sided	-	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	
464	Eucalyptus tereticornis	Forest Red Gum	400		400	20	6	4.8	2.3	Regular	-	-				-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
465	Corymbia intermedia	Pink Bloodwood	130		130	9	2	2	1.4	Regular	-	-				-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
466	Corymbia intermedia	Pink Bloodwood	320		320	20	5	3.84	2.1	Regular	-	-				-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
467	Acacia disparrima	Hickory Wattle	160	110, 120, 80, 70	252	11	3	3.022	1.9	Regular	-	-				-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
468	Angophora leiocarpa	Smooth-barked Apple	300		300	16	5	3.6	2	Regular	-	-				-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
469	Eucalyptus tereticornis	Forest Red Gum	250		250	20	3	3	1.8	Regular	-	-				-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
470	Corymbia intermedia	Pink Bloodwood	220		220	20	5	2.64	1.8	Regular	-	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	
471	Allocasuarina littoralis	Black Sheoak	200		200	12	4	2.4	1.7	Regular	-	-				-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
472	Corymbia intermedia	Pink Bloodwood	260		260	22	8	3.12	1.9	Regular	-	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	Termites	-	
473	Angophora leiocarpa	Smooth-barked Apple	190		190	14	2	2.28	1.6	Regular	-	-				-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	

PLANS AND DOCUMENTS

referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV2016/814

Date: 7 FEB 2017



PLANS AND DOCUMENTS referred to in the PDA DEVELOPMENT APPROVAL																													
Approval no: DEV2016/814																													
Date: 7 FEB 2017																													
Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value							
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Seeding	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termites	Habitat Value	Additional Notes
474	Angophora leiocarpa	Smooth-barked Apple	310		310	24	11	3.72	2	Regular	-	-				-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
475	Corymbia intermedia	Pink Bloodwood	220		220	18	3	2.64	1.8	Regular	-	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	
476	Eucalyptus tereticornis	Forest Red Gum	230		230	21	4	2.76	1.8	Regular	-	-				-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
477	Angophora leiocarpa	Smooth-barked Apple	280		280	23	7	3.36	1.9	Regular	-	-				-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
478	Acacia concurrens	BlackWattle	120		120	10	2	2	1.4	Regular	-	-				-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
479	Angophora leiocarpa	Smooth-barked Apple	210		210	14	4	2.52	1.7	Regular	-	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	
480	Angophora leiocarpa	Smooth-barked Apple	150		150	13	3	2	1.5	Regular	-	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	
481	Eucalyptus tereticornis	Forest Red Gum	360		360	21	9	4.32	2.2	Regular	-	-				-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
482	Angophora leiocarpa	Smooth-barked Apple	350	150	381	20	10	4.569	2.2	Regular	-	-				-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
483	Corymbia intermedia	Pink Bloodwood	190	120	225	16	5	2.697	1.8	Regular	-	-				-	Typical	-	-	-	-	Typical	-	-	-	-	Termites	-	
484	Alphitonia excelsa	Red Ash	170		170	13	4	2.04	1.6	Regular	-	-				-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
485	Acacia concurrens	BlackWattle	160		160	10	3	2	1.5	Regular	-	-				-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
486	Allocasuarina littoralis	Black Sheoak	120		120	6	2	2	1.4	Regular	-	-				-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
487	Angophora leiocarpa	Smooth-barked Apple	190		190	14	3	2.28	1.6	Regular	-	-				-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
488	Angophora leiocarpa	Smooth-barked Apple	300		300	20	8	3.6	2	Regular	-	-				-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
489	Eucalyptus tereticornis	Forest Red Gum	280	290	403	25	9	4.837	2.3	Regular	-	-				-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
490	Eucalyptus tereticornis	Forest Red Gum	520		520	25	12	6.24	2.5	Regular	-	-				-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
491	Eucalyptus tereticornis	Forest Red Gum	150		150	10	3	2	1.5	One-sided	-	-				-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
492	Acacia disparrima	Hickory Wattle	160		160	10	3	2	1.5	Regular	-	-				-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
493	Acacia disparrima	Hickory Wattle	230	260	347	16	7	4.166	2.1	Regular	-	-				-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
494	Acacia concurrens	Black Wattle	150		150	10	3	2	1.5	Regular	-	-				-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
495	Acacia concurrens	Black Wattle	180		180	11	3	2.16	1.6	Regular	-	-				-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
496	Acacia concurrens	Black Wattle	180		180	15	3	2.16	1.6	Regular	-	-				-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
497	Acacia concurrens	Black Wattle	150		150	17	4	2	1.5	Regular	-	-				-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
498	Acacia concurrens	Black Wattle	160		160	11	3	2	1.5	Regular	-	-				-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	

PLANS AND DOCUMENTS

referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV2016/814

Date: 7 FEB 2017



PLANS AND DOCUMENTS referred to in the PDA DEVELOPMENT APPROVAL																													
Approval no: DEV2016/814 Date: 7 FEB 2017																													
Specimen Details										Canopy Condition Details							Trunk Condition Details				Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Seeding	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termites	Habitat Value	Additional Notes
499	Acacia concurrens	Black Wattle	140		140	11	3	2	1.4	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
500	Eucalyptus tereticornis	Forest Red Gum	250		250	16	6	3	1.8	One-sided	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
501	Eucalyptus tereticornis	Forest Red Gum	380		380	25	13	4.56	2.2	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
502	Eucalyptus tereticornis	Forest Red Gum	300		300	25	4	3.6	2	Regular	-	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	
503	Eucalyptus tereticornis	Forest Red Gum	200		200	14	4	2.4	1.7	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
504	Acacia concurrens	Black Wattle	150		150	9	2	2	1.5	Regular	-	-	-	-	-	-	Typical	Major	-	-	-	-	Typical	-	-	-	-	-	
505	Acacia concurrens	Black Wattle	180		180	13	4	2.16	1.6	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
506	Lophostemon suaveolens	Swamp Box	250		250	11	5	3	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
507	Lophostemon suaveolens	Swamp Box	160		160	11	4	2	1.5	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
508	Lophostemon suaveolens	Swamp Box	200		200	10	4	2.4	1.7	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
509	Eucalyptus tereticornis	Forest Red Gum	560		560	27	14	6.72	2.6	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
510	Lophostemon suaveolens	Swamp Box	280		280	12	4	3.36	1.9	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
511	Lophostemon suaveolens	Swamp Box	200		200	12	4	2.4	1.7	One-sided	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
512	Lophostemon suaveolens	Swamp Box	190		190	11	3	2.28	1.6	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
513	Lophostemon suaveolens	Swamp Box	220		220	12	4	2.64	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
514	Eucalyptus tereticornis	Forest Red Gum	300		300	16	7	3.6	2	One-sided	-	-	-	-	-	-	Typical	Major	-	-	-	-	Typical	-	-	-	-	-	
515	Lophostemon suaveolens	Swamp Box	190		190	10	3	2.28	1.6	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
516	Lophostemon suaveolens	Swamp Box	210		210	10	4	2.52	1.7	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
517	Acacia concurrens	Black Wattle	140		140	8	3	2	1.4	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
518	Acacia concurrens	Black Wattle	180		180	13	4	2.16	1.6	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
519	Acacia concurrens	Black Wattle	170		170	12	3	2.04	1.6	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
520	Acacia concurrens	Black Wattle	220		220	13	5	2.64	1.8	Regular	-	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	
521	Acacia concurrens	Black Wattle	170		170	12	3	2.04	1.6	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
522	Acacia concurrens	Black Wattle	180		180	13	3	2.16	1.6	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
523	Lophostemon suaveolens	Swamp Box	160		160	10	3	2	1.5	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	

PLANS AND DOCUMENTS

referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV2016/814

Date: 7 FEB 2017



PLANS AND DOCUMENTS referred to in the PDA DEVELOPMENT APPROVAL																													
Specimen Details										Canopy Condition Details								Trunk Condition Details					Fauna Details and Habitat Value						
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Seeding	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termites	Habitat Value	Additional Notes
524	Acacia concurrens	Black Wattle	160		160	12	4	2	1.5	Regular	-	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	
525	Acacia concurrens	Black Wattle	150		150	13	3	2	1.5	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
526	Acacia concurrens	Black Wattle	150		150	12	2	2	1.5	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
527	Acacia concurrens	Black Wattle	170		170	13	4	2.04	1.6	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
528	Allocasuarina littoralis	Black Sheoak	150		150	10	3	2	1.5	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
529	Alphitonia excelsa	Red Ash	130	120	177	8	4	2.123	1.6	Irregular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
530	Acacia concurrens	Black Wattle	160		160	12	3	2	1.5	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
531	Acacia concurrens	Black Wattle	190		190	13	4	2.28	1.6	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
532	Angophora leiocarpa	Smooth-barked Apple	190		190	15	3	2.28	1.6	Regular	-	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	
533	Acacia concurrens	Black Wattle	150		150	12	4	2	1.5	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
534	Angophora leiocarpa	Smooth-barked Apple	200		200	15	6	2.4	1.7	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
535	Acacia concurrens	Black Wattle	130		130	12	3	2	1.4	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
536	Angophora leiocarpa	Smooth-barked Apple	140		140	12	3	2	1.4	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV2016/814
Date: 7 FEB 2017


Queensland
Government