

Vegetation Clearing & Fauna Management Plan

Phase 2 Trunk Sewer



by PEET Ltd

*Economic Development
Queensland*

CONTENTS

8418 E 02 VCFMP A -- Vegetation Clearing Notes
8418 E 03 VCFMP A -- Fauna Management Notes
8418 E 04-07 VCFMP B -- Detail Sheets
Appendix A -- Tree Schedule

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV2017/823

Date: 15 February 2017




Key Site Contacts

Saunders Havill Group

Dr Andrew Davies

Phone: (07) 3251 9444

Email: andrewdavies@saundershavill.com



Vegetation Clearing and Fauna Management Plan

Vegetation Clearing - Notes

INTRODUCTION

The *Environmental Management Division* of the **Saunders Havill Group** was engaged by **PEET Flagstone City** to prepare a *Vegetation Clearing & Fauna Management Plan (VCFMP)* for the removal of vegetation to facilitate the Phase 2 Trunk Sewer Works required within and along Sandy Creek at Flagstone.

The purpose of this VCFMP is to manage the vegetation removal process and protection for fauna species during Trunk Sewer Works as required for Operation Works application to Economic Development Queensland under the Greater Flagstone Urban Development Scheme. The clearing works will follow the general principal for vegetation clearing documented on this sheet and *Sheet 3*.

To better allocate a tree retention and removal status, Ecologists from the **Saunders Havill Group** completed a Stadia-metric tree survey using Trimble Antenna based GPS units. The survey collected the following data on trees within and adjoining the earthworks extent as provided by the project engineer:

- Reference Point and Location
- Botanical Name / Common Name
- Trunk DBH
- AS4970-2009 – Tree Protection Zone

- Height and Spread
- Canopy and Trunk Condition Comments
- Fauna and Habitat Values and Details

CLEARING PHASES AND PROCESS

The following stages are required for clearing to be undertaken on this property and a copy of this *VCFMP* must be present with the clearing contractor on-site:

PHASE 1 - Tree Protection Fencing to be installed prior to the commencement of any clearing works on the site. Tree protection fencing is to be located at or beyond 12 x diameter at breast height (DBH) unless approved by an appointed Arborist around trees designated for retention or as per the locations shown in this drawing package (refer Fencing Note).

PHASE 2 - Pre-start Meeting


Fencing shall be in place at the time of the official pre-start meeting for inspection by Agency Officers.

PHASE 3 - Fauna Inspections and Management


Undertake necessary fauna management requirements prior to clearing works – *Refer Fauna Management Specifications on Sheet 3*.

PHASE 4 - Undertake Clearing

Undertake removal of vegetation once approved for removal by qualified fauna spotter. Clearing will occur in the direction outlined in this *VCFMP* and managed by the appointed fauna spotter to allow all fauna unimpeded movement away from works areas (refer *Sheet 8* for further details). The contractor is to follow any tree felling directions of third party and stockpile selected material on-site for re-use following completion of contract.



Tree Protection Fencing Detail



DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE ON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE WHOLE METRE. ANY DIMENSIONS SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORKS.

PRIOR TO ANY DEMO FROM, E.C. ACTION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER GUIDANCE SERVICES AND DETAIL LOCATION OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	6/12/2016	Client Draft	AD

@ A3

CLIENT:

PEET Limited

PROJECT:

Flagstone West -
Phase 2 Trunk Sewer

PLAN OF:

Vegetation Clearing & Fauna
Management Plan

DATE: 6/12/2016	CHECKED: AD
CLIENT REF: 8418	DRAWN: AL
DRAWING No.: 8418 E 02 VCFMP A	

Vegetation Clearing and Fauna Management Plan

Fauna Management - Notes

INTRODUCTION

The Fauna Management specification on this VCFMP is designed to protect native animals and control and manage impacts during clearing activities for the Trunk Sewer works within and adjacent to the Sandy Creek corridor. The fauna management specifications and principles incorporated in this VCFMP applies generically to all native animals and focus on avoiding conflicts and incorporating measures to minimize disturbance. Compliance with this section of the VCFMP plan is compulsory and incorporates the use of expert consultants including a Fauna Spotter (holding a valid Wildlife Rehabilitation Permit issued by the **Department of Environment and Heritage Protection**).

FAUNA IMPACTS

Clearing of vegetation provides an obvious source of impact to existing habitat and animal safety. More specifically the existing vegetation provides habitat, movement and protection opportunities for some fauna through both regrowth and canopy trees. These opportunities are to be altered during and post site clearing works.

CLEARING IMPACTS

- Direct removal of site vegetation
- Loss of habitat
- Noise, vibration and dust
- Erosion and sedimentation
- Threats associated with open cuts etc. and fauna entrapment

Fauna Management Schedule

1.0 PRE CLEARING				
Ref:	Management Item	Responsibility	Timing	Reporting
1.1	TEMPORARY FENCING Prior to the commencement of works and to be inspected by EDQ or the site Environmental Coordinator. Fencing shall be installed around the 'Tree Protection Zone' designated for retention around the Precinct A works area (as per <i>detail sheets</i>). ▪ Fencing shall be fauna friendly ▪ No clearing, stockpiling, site access, earthworks, storage, etc. is to occur within the temporary protection fencing. ▪ Only approved weed management works to occur within the temporary protection fencing ▪ Fencing to be reinstated immediately if damaged or knocked down, any damage to retained trees to be immediately reported to Project Arborist. ▪ Fencing to remain until the completion of all site bulk earthworks.	SITE SUPERVISOR	Prior to the commencement of construction	Inspected by EDQ or the Environmental Site Coordinator
1.2	CONTRACTOR EDUCATION & AWARENESS All site contractors and subcontractors will be made aware of their responsibilities to protect native fauna. The Fauna Management notes on this VCFMP is provided as a working document to assist on-site management and protection of native animals. This generally will form part of education and training on a broader work place health and safety but as a minimum will include: ▪ Copy of VCFMP kept on-site (Site Office). ▪ General education and awareness notification of contractors and sub-contractors involved in activities potentially impacting native animals as part of site induction – contractors must know the location of the VCFMP, key phone numbers and who to report to if they breach the VCFMP. ▪ A list of relevant contact phone numbers as listed on these drawings is kept in a visible and accessible location in the site office	SITE SUPERVISOR / THE PROPONENT	Prior to the commencement of construction and as part of the site induction for new staff and sub-contractors	SITE SUPERVISOR
2.0 VEGETATION CLEARING				
2.1	SPOTTER / RELOCATOR Immediately prior to the commencement of clearing of native vegetation a daily visual inspection of the area must be carried out by the fauna spotter-catcher. Furthermore, the fauna spotter-catcher is to be present on site during all clearing operations to supervise and direct clearing works, and to respond to any situations that may arise in relation to fauna. In the event of an animal being located, an area of 5m radius should be established around the tree excluding machinery from the area until the animal has relocated (usually overnight). If an animal requires relocating this must be undertaken by a suitable qualified fauna expert recognized by the Department of Environment & Heritage . For some fauna a permit will be required. If vegetation is left stockpiled overnight, the Fauna Spotter-Catcher must inspect the vegetation prior to chipping or removal from site. Any native fauna orphaned or injured by the development process must be reported to the Department of Environment & Heritage (1300 130 372) or RSPCA (1300 264 625). The Site Supervisor is responsible for the safe management of site fauna and implementation of these specific fauna requirements SPECIFIC KOALA MANAGEMENT NOTES A Koala Spotter is a person who holds a tertiary qualification in Biology or Zoology, or who is demonstrably experienced in the identification and location of Koalas in their natural habitat. For example, a koala keeper employed by a licensed Wildlife exhibitor (i.e. a zoo) may be capable of demonstrating competence in locating Koala's. Prior to the commencement and during felling operations, it is the responsibility of the Koala spotter to be present at the site of felling operations identify any tree at the site within which a Koala is present, as well as any tree that has a crown which is intermeshed or overlapping with such a tree; and advise the person who is authorised to conduct the felling operation, or that persons' representative, of the precise location of each such tree Management Item. CLEARING PATTERN / FAUNA FLUSHING Clearing occurs once fauna spotter-catcher gives sign off the site is clear of significant native species. Clearing within the sewer clearing works areas is to occur as per the direction of the fauna spotter/catcher. At the completion of operational works, and prior to the sealing of survey plans for the relevant stage, the Fauna Spotter-Catcher must provide certification to Council's Ecologist that all works were undertaken in accordance with these fauna management requirements.	SITE SUPERVISOR	Prior to the commencement of construction	Inspected by EDQ or the Environmental Site Coordinator



DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE UNLESS NOTED. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, ERECTION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR ANY OTHER RELEVANT SERVICES AND DETAIL LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:


Issue	Date	Description	Checked
A	6/12/2016	Client Draft	AD

CLIENT:

PEET Limited

PROJECT:

Flagstone West -
Phase 2 Trunk Sewer



Legend

- Tree to retain
- Tree to remove (phase 2 - trunk sewer)
- Previously Approved Tree to remove (refer approved plans 23.10.2015)
- Contours (15-878-2401(SEWER LAYOUT))
- Sewer works area (15-878-2401(SEWER LAYOUT))
- Sewerline (15-878-2401(SEWER LAYOUT))
- ⊗ Stockpile location (indicative)
- Future necessary road works extent
- Tree protection fencing - to be fauna friendly design & subject to minor changes by Arborist and civil engineer

Vegetation Clearing & Fauna Management Plan - Details (sheet 4)

DIS CLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONAL TOLERANCES SHALL BE AS STATED ON THE DRAWINGS AND SHALL BE CLARIFIED IN WRITING TO THE SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

IN THE EVENT OF ANY DISCREPANCY BETWEEN THE DRAWINGS AND THE SITE, THE RELEVANT AUTHORITY SHALL BE CONTACTED FOR FURTHER INSTRUCTIONS AND THE CLIENT SHALL BE ADVISED OF ALL RESULTS.

REFERENCES:



AMENDMENTS:

Issue	Date	Description	Checked
A	6/12/2016	Client Draft	MS
B	16/01/2017	EDQ Amendment	MS

CLIENT:

PEET Limited

PROJECT:


Flagstone West - Phase 2 Trunk Sewer

environmental management

PLAN OF: Vegetation Clearing & Fauna Management Plan

DATE: 16/01/2017 CHECKED: AD
JOB REF: 8418 DRAWN: AL
DRAWING No.: 8418 E04 VCFMP A

1:600 @ A3



Legend

- Tree to retain
- Tree to remove (trunk sewer & necessary road clearing)
- Contours (15-878-2401 (SEWER LAYOUT))
- Sewer works area (15-878-2401 (SEWER LAYOUT))
- Sewerline (15-878-2401 (SEWER LAYOUT))
- Stockpile location (indicative)
- Future necessary road works extent
- Tree protection fencing - to be fauna friendly design & subject to minor changes by Arborist and civil engineer

Vegetation Clearing & Fauna Management Plan - Details (sheet 5)



DIS CLAIMER:
THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY OTHER PARTY.
GENERAL ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE MEASURED IN METERS. ANY DIMENSIONS SHOWN IN CLASHED OR IN CONTRADICTION TO SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.
PRIOR TO ANY CONSTRUCTION, DESTRUCTION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER INQUIRY. SERVICES AND DETAILS OF ALL SERVICES.


REFERENCES:



AMENDMENTS:		
Issue	Date	Description
A	6/12/2016	Client Draft
B	16/01/2017	EDQ Amendment

CLIENT:
PEET Limited
PROJECT:
Flagstone West - Phase 2 Trunk Sewer

environmental management	
PLAN OF: Vegetation Clearing & Fauna Management Plan	
DATE: 16/01/2017	CHECKED: AD
JOB REF: 8418	DRAWN: AL
DRAWING No.: 8418 E 05 VCFMP B	



Legend

- Tree to retain
- Tree to remove (trunk sewer & necessary road clearing)
- Contours (15-878-2401(SEWER LAYOUT))
- Sewer works area (15-878-2401(SEWER LAYOUT))
- Sewerline (15-878-2401(SEWER LAYOUT))
- Stockpile location (indicative)
- Future necessary road works extent
- Tree protection fencing - to be fauna friendly design & subject to minor changes by Arborist and civil engineer
- Tree to retain subject to Arborist assessment of impacts

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONTRACT ALL CONDITIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS AND SPACING SHALL BE AS SHOWN ON THE DRAWINGS AND SHALL BE CLASSED BY THE CLIENT'S SURVEYOR. SMALL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

IN THE EVENT OF ANY DISCREPANCY BETWEEN THE DRAWINGS AND THE SITE, THE RELEVANT AUTHORITY SHALL BE CONTACTED FOR FURTHER INSTRUCTIONS. THE CLIENT SHALL BE RESPONSIBLE FOR ALL SUCH DISCREPANCIES.

Vegetation Clearing & Fauna Management Plan - Details (sheet 6)

CLIENT:
PEET Limited

PROJECT:
Flagstone West - Phase 2 Trunk Sewer

environmental management

PLAN OF:
Vegetation Clearing & Fauna Management Plan

DATE:	16/01/2017	CHECKED:	AD
JOB REF:	8418	DRAWN:	AL
DRAWING No.:	8418 E 06 VCFMP B		



Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value							
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Seeding	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termites	Habitat Value	Additional Notes
403	<i>Eucalyptus tereticornis</i>	Forest Red Gum	480		480	27.0	9.0	5.8	2.4	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
404	<i>Eucalyptus tereticornis</i>	Forest Red Gum	540		540	27.0	8.0	6.5	2.6	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
405	<i>Angophora subvelutina</i>	Broad-leaved Apple	630		630	22.0	11.0	7.6	2.7	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
406	<i>Corymbia tessellaris</i>	Moreton Bay Ash	460		460	25.0	9.0	5.5	2.4	Regular	-	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	
407	<i>Corymbia tessellaris</i>	Moreton Bay Ash	540		540	26.0	12.0	6.5	2.6	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
408	<i>Casuarina cunninghamiana</i>	River Sheoak	470		470	23.0	6.0	5.6	2.4	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
409	<i>Casuarina cunninghamiana</i>	River Sheoak	440		440	18.0	6.0	5.3	2.3	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
410	<i>Eucalyptus tereticornis</i>	Forest Red Gum	690		690	32.0	12.0	8.3	2.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
411	<i>Casuarina cunninghamiana</i>	River Sheoak	480		480	23.0	9.0	5.8	2.4	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
412	<i>Eucalyptus tereticornis</i>	Forest Red Gum	710		710	28.0	14.0	8.5	2.9	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
413	<i>Angophora subvelutina</i>	Broad-leaved Apple	630		630	27.0	12.0	7.6	2.7	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
414	<i>Angophora subvelutina</i>	Broad-leaved Apple	660		660	26.0	12.0	7.9	2.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
415	<i>Eucalyptus tereticornis</i>	Forest Red Gum	590		590	26.0	11.0	7.1	2.7	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
416	<i>Angophora subvelutina</i>	Broad-leaved Apple	750		750	28.0	14.0	9.0	2.9	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
417	<i>Angophora subvelutina</i>	Broad-leaved Apple	390		390	23.0	8.0	4.7	2.2	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
418	<i>Eucalyptus tereticornis</i>	Forest Red Gum	490		490	25.0	12.0	5.9	2.5	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
419	DEAD/STAG		1250		1250	12.0	1.0	15.0	3.6	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Large	-	-	High	
420	<i>Eucalyptus tereticornis</i>	Forest Red Gum	370		370	22.0	8.0	4.4	2.2	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
622	<i>Corymbia citriodora</i>	Spotted Gum	460		460	21.0	9.0	5.5	2.4	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
623	<i>Corymbia citriodora</i>	Spotted Gum	300		300	21.0	5.0	3.6	2.0	One-sided	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
624	<i>Eucalyptus tereticornis</i>	Forest Red Gum	550		550	33.0	12.0	6.6	2.6	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
625	<i>Eucalyptus tereticornis</i>	Forest Red Gum	520		520	28.0	8.0	6.2	2.5	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
626	<i>Angophora leiocarpa</i>	Smooth Barked Apple	370		370	20.0	6.0	4.4	2.2	Regular	-	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	
627	<i>Lophostemon suaveolens</i>	Swamp Box	530		530	16.0	6.0	6.4	2.5	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
628	<i>Corymbia tessellaris</i>	Moreton Bay Ash	420		420	23.0	6.0	5.0	2.3	Regular	-	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	
629	<i>Eucalyptus tereticornis</i>	Forest Red Gum	680		680	23.0	11.0	8.2	2.8	Regular	-	-	Thinning	Die-back	-	-	Typical	Major	-	-	-	-	Typical	-	-	-	-	-	
630	<i>Glochidion ferdinandi</i>	Cheese Tree	200	180, 150	308	8.0	6.0	3.7	2.0	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
631	<i>Angophora subvelutina</i>	Broad-leaved Apple	440		440	16.0	7.0	5.3	2.3	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
632	<i>Eucalyptus tereticornis</i>	Forest Red Gum	920		920	38.0	14.0	11.0	3.2	Regular	-	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
633	<i>Angophora subvelutina</i>	Broad-leaved Apple	360		360	17.0	6.0	4.3	2.2	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value							
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Seeding	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termites	Habitat Value	Additional Notes
634	<i>Eucalyptus tereticornis</i>	Forest Red Gum	480		480	23.0	7.0	5.8	2.4	Regular	-	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
635	<i>Lophostemon suaveolens</i>	Swamp Box	340		340	15.0	6.0	4.1	2.1	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
636	<i>Eucalyptus tereticornis</i>	Forest Red Gum	400		400	25.0	7.0	4.8	2.3	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
637	<i>Eucalyptus tereticornis</i>	Forest Red Gum	620		620	28.0	11.0	7.4	2.7	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
638	<i>Angophora subvelutina</i>	Broad-leaved Apple	510		510	18.0	8.0	6.1	2.5	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
639	<i>Eucalyptus tereticornis</i>	Forest Red Gum	520		520	26.0	9.0	6.2	2.5	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
640	<i>Corymbia tessellaris</i>	Moreton Bay Ash	390		390	21.0	4.0	4.7	2.2	One-sided	-	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	
641	<i>Eucalyptus tereticornis</i>	Forest Red Gum	400		400	19.0	5.0	4.8	2.3	Regular	-	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
642	<i>Eucalyptus tereticornis</i>	Forest Red Gum	730		730	28.0	12.0	8.8	2.9	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
643	<i>Eucalyptus tereticornis</i>	Forest Red Gum	680		680	32.0	11.0	8.2	2.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
644	<i>Lophostemon suaveolens</i>	Swamp Box	380		380	16.0	6.0	4.6	2.2	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
645	<i>Eucalyptus tereticornis</i>	Forest Red Gum	620		620	36.0	12.0	7.4	2.7	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
646	<i>Eucalyptus tereticornis</i>	Forest Red Gum	540		540	28.0	7.0	6.5	2.6	Regular	-	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	
647	<i>Eucalyptus tereticornis</i>	Forest Red Gum	620		620	33.0	12.0	7.4	2.7	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
648	<i>Eucalyptus tereticornis</i>	Forest Red Gum	320		320	23.0	6.0	3.8	2.1	One-sided	-	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
649	<i>Eucalyptus tereticornis</i>	Forest Red Gum	500		500	28.0	9.0	6.0	2.5	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
650	<i>Eucalyptus tereticornis</i>	Forest Red Gum	330		330	26.0	4.0	4.0	2.1	Regular	-	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	
651	<i>Corymbia tessellaris</i>	Moreton Bay Ash	300		300	19.0	7.0	3.6	2.0	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
652	<i>Eucalyptus tereticornis</i>	Forest Red Gum	490		490	29.0	9.0	5.9	2.5	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
653	<i>Angophora leiocarpa</i>	Smooth Barked Apple	270		270	17.0	5.0	3.2	1.9	One-sided	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
654	DEAD/STAG		450		450	29.0	8.0	5.4	2.4	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
655	<i>Eucalyptus tereticornis</i>	Forest Red Gum	280		280	19.0	2.0	3.4	1.9	Regular	-	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	
656	<i>Corymbia citriodora</i>	Spotted Gum	590	210	626	34.0	12.0	7.5	2.7	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
657	<i>Eucalyptus tereticornis</i>	Forest Red Gum	540		540	33.0	9.0	6.5	2.6	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
658	<i>Corymbia citriodora</i>	Spotted Gum	450		450	32.0	12.0	5.4	2.4	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
659	<i>Corymbia trachyphloia</i>	Brown Bloodwood	320		320	17.0	7.0	3.8	2.1	Regular	-	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	
660	<i>Corymbia citriodora</i>	Spotted Gum	480		480	23.0	7.0	5.8	2.4	Regular	-	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	
661	<i>Corymbia citriodora</i>	Spotted Gum	500		500	32.0	9.0	6.0	2.5	Regular	-	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	
662	<i>Corymbia citriodora</i>	Spotted Gum	710		710	36.0	12.0	8.5	2.9	Regular	-	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	
663	<i>Corymbia citriodora</i>	Spotted Gum	670		670	38.0	12.0	8.0	2.8	Regular	-	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	
664	<i>Corymbia citriodora</i>	Spotted Gum	720		720	28.0	12.0	8.6	2.9	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
665	<i>Corymbia citriodora</i>	Spotted Gum	690		690	34.0	14.0	8.3	2.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
666	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	320		320	24.0	7.0	3.8	2.1	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
667	<i>Corymbia citriodora</i>	Spotted Gum	420		420	22.0	6.0	5.0	2.3	Regular	-	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value							
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Seeding	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termites	Habitat Value	Additional Notes
668	Corymbia citriodora	Spotted Gum	290		290	18.0	6.0	3.5	2.0	Regular	-	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	
669	Corymbia citriodora	Spotted Gum	330		330	20.0	6.0	4.0	2.1	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
670	Corymbia citriodora	Spotted Gum	510		510	32.0	9.0	6.1	2.5	Regular	-	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	Small	-	-	
1087	Eucalyptus tereticornis	Forest Red Gum	300		300	12.0	5.0	3.6	2.0	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1088	Eucalyptus tereticornis	Forest Red Gum	280		280	13.0	5.0	3.4	1.9	Regular	-	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1089	Eucalyptus tereticornis	Forest Red Gum	940		940	21.0	7.0	11.3	3.2	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1090	Corymbia citriodora	Spotted Gum	550		550	25.0	7.0	6.6	2.6	Regular	-	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1091	Eucalyptus tereticornis	Forest Red Gum	530		530	21.0	6.0	6.4	2.5	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1092	Angophora leiocarpa	Smooth Barked Apple	330		330	15.0	5.0	4.0	2.1	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1093	Corymbia citriodora	Spotted Gum	610		610	29.0	8.0	7.3	2.7	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1094	Corymbia citriodora	Spotted Gum	420		420	16.0	7.0	5.0	2.3	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1095	Corymbia citriodora	Spotted Gum	450		450	14.0	5.0	5.4	2.4	Regular	-	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1096	Eucalyptus tereticornis	Forest Red Gum	410		410	19.0	4.0	4.9	2.3	Regular	-	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1097	Corymbia citriodora	Spotted Gum	440		440	16.0	7.0	5.3	2.3	Regular	-	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1098	Corymbia citriodora	Spotted Gum	250	220, 100	348	15.0	5.0	4.2	2.1	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1202	Angophora subvelutina	Broad-leaved Apple	380		380	18.0	9.0	4.6	2.2	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1203	Acacia disparrima	Hickory Wattle	300		300	15.0	8.0	3.6	2.0	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1204	Acacia disparrima	Hickory Wattle	260	240	354	13.0	7.0	4.2	2.1	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1205	Lophostemon suaveolens	Swamp Box	310		310	14.0	6.0	3.7	2.0	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1206	Eucalyptus tereticornis	Forest Red Gum	310		310	23.0	6.0	3.7	2.0	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1225	Lophostemon suaveolens	Swamp Box	330		330	14.0	7.0	4.0	2.1	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1226	Angophora subvelutina	Broad-leaved Apple	290		290	15.0	7.0	3.5	2.0	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1227	Acacia disparrima	Hickory Wattle	230		230	10.0	6.0	2.8	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1228	Melaleuca viminalis	Weeping Bottlebrush	250		250	9.0	8.0	3.0	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1229	Melaleuca viminalis	Weeping Bottlebrush	260		260	9.0	8.0	3.1	1.9	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1230	Melaleuca viminalis	Weeping Bottlebrush	200		200	8.0	8.0	2.4	1.7	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1231	Alphitonia excelsa	Red Ash	300		300	15.0	7.0	3.6	2.0	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1232	Angophora subvelutina	Broad-leaved Apple	570		570	21.0	12.0	6.8	2.6	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1233	Waterhousia floribunda	Weeping Lilli Pilli	300		300	14.0	8.0	3.6	2.0	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1234		Native Elm	520	300	600	19.0	11.0	7.2	2.7	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1235	Alphitonia excelsa	Red Ash	370		370	17.0	9.0	4.4	2.2	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1236	Lophostemon suaveolens	Swamp Box	370		370	22.0	8.0	4.4	2.2	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1237	Lophostemon suaveolens	Swamp Box	430		430	18.0	7.0	5.2	2.3	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1238	Lophostemon suaveolens	Swamp Box	360		360	13.0	7.0	4.3	2.2	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Seeding	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termites	Habitat Value	Additional Notes	
1239	Melaleuca bracteata	Black Tea Tree	200		200	14.0	5.0	2.4	1.7	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1240	Lophostemon suaveolens	Swamp Box	530		530	14.0	8.0	6.4	2.5	Regular	-	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-		
1241	Lophostemon suaveolens	Swamp Box	250		250	8.0	1.0	3.0	1.8	Regular	-	-	-	-	-	Lopped	Typical	-	Introduced	-	-	Typical	-	-	-	-	-	-		
1242	Eucalyptus tereticornis	Forest Red Gum	420		420	25.0	7.0	5.0	2.3	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1243	Angophora subvelutina	Broad-leaved Apple	250		250	13.0	7.0	3.0	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1244	Eucalyptus tereticornis	Forest Red Gum	560		560	27.0	9.0	6.7	2.6	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1245	Eucalyptus tereticornis	Forest Red Gum	390		390	22.0	8.0	4.7	2.2	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1246	Angophora subvelutina	Broad-leaved Apple	340		340	16.0	9.0	4.1	2.1	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1247	Eucalyptus tereticornis	Forest Red Gum	620		620	30.0	14.0	7.4	2.7	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1248	Corymbia intermedia	Pink Bloodwood	290		290	18.0	7.0	3.5	2.0	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1249	Lophostemon suaveolens	Swamp Box	300	200, 190	408	16.0	8.0	4.9	2.3	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1250	Eucalyptus tereticornis	Forest Red Gum	420		420	29.0	12.0	5.0	2.3	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1251	Eucalyptus tereticornis	Forest Red Gum	260		260	19.0	5.0	3.1	1.9	Regular	-	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-		
1252	Eucalyptus tereticornis	Forest Red Gum	300		300	18.0	5.0	3.6	2.0	Regular	-	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-		
1253	Corymbia tessellaris	Moreton Bay Ash	220		220	18.0	6.0	2.6	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1254	Lophostemon suaveolens	Swamp Box	210		210	13.0	6.0	2.5	1.7	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1255	Lophostemon suaveolens	Swamp Box	200		200	14.0	6.0	2.4	1.7	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1256	Eucalyptus tereticornis	Forest Red Gum	460		460	27.0	9.0	5.5	2.4	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1257	Eucalyptus tereticornis	Forest Red Gum	370		370	23.0	8.0	4.4	2.2	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1258	Lophostemon suaveolens	Swamp Box	290		290	16.0	7.0	3.5	2.0	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1259	Lophostemon suaveolens	Swamp Box	230		230	16.0	6.0	2.8	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1260	Eucalyptus crebra	Narrow-leaved Ironbark	280		280	24.0	6.0	3.4	1.9	Regular	-	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-		
1261	Acacia disparrima	Hickory Wattle	350	220	413	16.0	9.0	5.0	2.3	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1262	Acacia disparrima	Hickory Wattle	240		240	16.0	7.0	2.9	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1263	Acacia disparrima	Hickory Wattle	240		240	11.0	9.0	2.9	1.8	Regular	-	-	-	-	-	-	Typical	Major	-	-	-	-	Typical	-	-	-	-	-	-	
1264	Corymbia citriodora	Spotted Gum	200		200	17.0	2.0	2.4	1.7	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1265	Lophostemon suaveolens	Swamp Box	330		330	14.0	7.0	4.0	2.1	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1266	Acacia disparrima	Hickory Wattle	220	200	297	13.0	8.0	3.6	2.0	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1267	Eucalyptus moluccana	Gum Topped Box	240		240	18.0	6.0	2.9	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1268	Angophora leiocarpa	Smooth Barked Apple	260		260	17.0	6.0	3.1	1.9	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1269	Corymbia citriodora	Spotted Gum	220		220	18.0	5.0	2.6	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1270	Lophostemon suaveolens	Swamp Box	280		280	12.0	4.0	3.4	1.9	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1271	Alphitonia excelsa	Red Ash	250		250	12.0	4.0	3.0	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1805	Eucalyptus tereticornis	Forest Red Gum	610		610	29.0	11.0	7.3	2.7	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Seeding	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termites	Habitat Value	Additional Notes	
1821	Angophora subvelutina	Broad-leaved Apple	220		220	6.0	2.0	2.6	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1822	Eucalyptus tereticornis	Forest Red Gum	690		690	28.0	12.0	8.3	2.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1823	Lophostemon suaveolens	Swamp Box	320		320	10.0	4.0	3.8	2.1	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1824	Acacia concurrens	Black Wattle	180	130, 100	244	7.0	6.0	2.9	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1825	Lophostemon suaveolens	Swamp Box	200	140	244	7.0	3.0	2.9	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1826	Angophora subvelutina	Broad-leaved Apple	290		290	7.0	3.0	3.5	2.0	Regular	-	-	Thinning	Die-back	-	-	Typical	Major	-	-	-	-	Typical	-	-	-	-	-	-	
1827	Corymbia tessellaris	Moreton Bay Ash	480		480	31.0	12.0	5.8	2.4	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1828	Corymbia tessellaris	Moreton Bay Ash	420		420	32.0	10.0	5.0	2.3	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1829	Corymbia tessellaris	Moreton Bay Ash	490		490	30.0	13.0	5.9	2.5	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1830	Lophostemon suaveolens	Swamp Box	280		280	13.0	4.0	3.4	1.9	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1831	Lophostemon suaveolens	Swamp Box	240		240	18.0	4.0	2.9	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1832	Casuarina cunninghamiana	River Sheoak	300		300	15.0	4.0	3.6	2.0	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1833	Eucalyptus tereticornis	Forest Red Gum	430		430	26.0	6.0	5.2	2.3	Regular	-	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1834	Eucalyptus siderophloia	Grey Ironbark	360		360	25.0	9.0	4.3	2.2	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1835	Eucalyptus siderophloia	Grey Ironbark	440		440	31.0	12.0	5.3	2.3	Regular	-	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-		
1836	Eucalyptus tereticornis	Forest Red Gum	290		290	24.0	6.0	3.5	2.0	Regular	-	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1837	Eucalyptus tereticornis	Forest Red Gum	640		640	29.0	16.0	7.7	2.7	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1838	Eucalyptus tereticornis	Forest Red Gum	250		250	16.0	5.0	3.0	1.8	Regular	-	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1839	Eucalyptus tereticornis	Forest Red Gum	240		240	18.0	7.0	2.9	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1840	Eucalyptus tereticornis	Forest Red Gum	560		560	30.0	16.0	6.7	2.6	Regular	-	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1841	Eucalyptus tereticornis	Forest Red Gum	280		280	25.0	5.0	3.4	1.9	Regular	-	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1842	Eucalyptus tereticornis	Forest Red Gum	350		350	30.0	6.0	4.2	2.1	Regular	-	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1843	Corymbia intermedia	Pink Bloodwood	270	260	375	18.0	5.0	4.5	2.2	Regular	-	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1844	Eucalyptus tereticornis	Forest Red Gum	320		320	28.0	7.0	3.8	2.1	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1845	Lophostemon suaveolens	Swamp Box	250		250	10.0	8.0	3.0	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
2617	Allocasuarina littoralis	River Sheoak	260	230	347	14.0	6.0	4.2	2.1	Irregular	-	-	-	-	-	-	Typical	Major	-	-	-	-	Typical	-	-	-	-	-	-	
2618	Melaleuca viminalis	Weeping Bottlebrush	220		220	5.0	1.0	2.6	1.8	Regular	-	-	-	-	-	-	Typical	Major	-	-	-	-	Typical	-	-	-	-	-	-	
2619	Allocasuarina littoralis	River Sheoak	280	280	396	19.0	7.0	4.8	2.2	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
2622	Allocasuarina littoralis	River Sheoak	730		730	23.0	8.0	8.8	2.9	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
2623	Lophostemon suaveolens	Swamp Box	310		310	12.0	4.0	3.7	2.0	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
2624	Allocasuarina littoralis	River Sheoak	470		470	24.0	10.0	5.6	2.4	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
2625	Lophostemon suaveolens	Swamp Box	270		270	10.0	4.0	3.2	1.9	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
2720	Corymbia intermedia	Pink Bloodwood	265		265	9.0	3.0	3.2	1.9	Regular	-	-	-	-	-	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
2721	Lophostemon suaveolens	Swamp Box	275		275	11.0	4.0	3.3	1.9	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Seeding	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termites	Habitat Value	Additional Notes	
2722	Acacia disparrima	Hickory Wattle	270		270	11.0	6.0	3.2	1.9	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
2723	Lophostemon suaveolens	Swamp Box	285	210	354	12.0	5.0	4.2	2.1	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
2724	Lophostemon suaveolens	Swamp Box	200		200	11.0	3.0	2.4	1.7	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
2725	Eucalyptus tereticornis	Forest Red Gum	320		320	19.0	5.0	3.8	2.1	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
2726	Eucalyptus crebra	Narrow-leaved Ironbark	260		260	17.0	6.0	3.1	1.9	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
2727	Corymbia intermedia	Pink Bloodwood	200	95	221	14.0	5.0	2.7	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
2728	Lophostemon suaveolens	Swamp Box	230		230	10.0	5.0	2.8	1.8	Regular	-	-	-	-	-	-	Typical	Minor	-	-	-	-	Typical	-	-	-	-	-	-	
2729	Corymbia tessellaris	Moreton Bay Ash	210		210	15.0	3.0	2.5	1.7	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
2730	Angophora floribunda	Rough-barked Apple	240		240	13.0	4.0	2.9	1.8	One-sided	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
2731	Lophostemon suaveolens	Swamp Box	200		200	12.0	5.0	2.4	1.7	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
2732	Angophora floribunda	Rough-barked Apple	220		220	14.0	5.0	2.6	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
2733	Corymbia intermedia	Pink Bloodwood	710		710	29.0	14.0	8.5	2.9	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
2734	Eucalyptus tereticornis	Forest Red Gum	320		320	19.0	5.0	3.8	2.1	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
2735	Eucalyptus tereticornis	Forest Red Gum	360		360	21.0	6.0	4.3	2.2	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
2736	Acacia disparrima	Hickory Wattle	210		210	11.0	4.0	2.5	1.7	Regular	-	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-		
2737	Corymbia intermedia	Pink Bloodwood	220		220	14.0	5.0	2.6	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
2738	Angophora floribunda	Rough-barked Apple	620		620	19.0	14.0	7.4	2.7	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	nest box	
2739	Lophostemon suaveolens	Swamp Box	220		220	12.0	4.0	2.6	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
2740	Casuarina cunninghamiana	River Sheoak	260		260	17.0	5.0	3.1	1.9	Regular	-	-	-	-	-	-	Typical	Minor	-	-	-	-	Typical	-	-	-	-	-		
2741	Acacia disparrima	Hickory Wattle	200		200	11.0	4.0	2.4	1.7	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
2742	Lophostemon suaveolens	Swamp Box	250		250	13.0	5.0	3.0	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
2743	Lophostemon suaveolens	Swamp Box	280		280	15.0	5.0	3.4	1.9	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	nest box	
2744	Angophora floribunda	Rough-barked Apple	365		365	18.0	6.0	4.4	2.2	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
2745	Corymbia tessellaris	Moreton Bay Ash	390		390	24.0	7.0	4.7	2.2	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
2746	Acacia disparrima	Hickory Wattle	210	150	258	13.0	7.0	3.1	1.9	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
2747	Corymbia intermedia	Pink Bloodwood	200		200	16.0	4.0	2.4	1.7	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
2748	Angophora floribunda	Rough-barked Apple	310		310	17.0	7.0	3.7	2.0	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
2749	Casuarina cunninghamiana	River Sheoak	420		420	24.0	7.0	5.0	2.3	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
2750	Casuarina cunninghamiana	River Sheoak	280		280	26.0	4.0	3.4	1.9	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
2751	Casuarina cunninghamiana	River Sheoak	210		210	23.0	4.0	2.5	1.7	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
2752	Casuarina cunninghamiana	River Sheoak	300		300	23.0	6.0	3.6	2.0	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
2753	Casuarina cunninghamiana	River Sheoak	260		260	26.0	7.0	3.1	1.9	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
2754	Casuarina cunninghamiana	River Sheoak	290		290	26.0	5.0	3.5	2.0	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
2755	Casuarina cunninghamiana	River Sheoak	360	180	402	26.0	7.0	4.8	2.3	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Seeding	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termites	Habitat Value	Additional Notes	
2756	Casuarina cunninghamiana	River Sheoak	210		210	21.0	4.0	2.5	1.7	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
2757	Casuarina cunninghamiana	River Sheoak	200		200	21.0	5.0	2.4	1.7	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
2758	Acacia disarrima	Hickory Wattle	250		250	13.0	6.0	3.0	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
2759	Eucalyptus tereticornis	Forest Red Gum	630		630	26.0	12.0	7.6	2.7	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
2760	Casuarina cunninghamiana	River Sheoak	320		320	18.0	8.0	3.8	2.1	Regular	-	-	-	-	-	-	Typical	Minor	-	-	-	-	Typical	-	-	-	-	-	-	
2761	Casuarina cunninghamiana	River Sheoak	220		220	9.0	7.0	2.6	1.8	One-sided	-	-	-	-	-	-	Typical	Major	-	-	-	-	Typical	-	-	-	-	-	-	
2762	Casuarina cunninghamiana	River Sheoak	460		460	26.0	9.0	5.5	2.4	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
2763	Melaleuca viminalis	Weeping Bottlebrush	220		220	9.0	7.0	2.6	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
2764	Casuarina cunninghamiana	River Sheoak	420	460	623	22.0	9.0	7.5	2.7	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
2765	Duboisia myoporoides	Corkwood	300		300	12.0	7.0	3.6	2.0	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
2766	Duboisia myoporoides	Corkwood	230		230	9.0	6.0	2.8	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
2767	Casuarina cunninghamiana	River Sheoak	270		270	12.0	9.0	3.2	1.9	Regular	-	-	-	-	-	-	Typical	Major	-	-	-	-	Typical	-	-	-	-	-	-	
2768	Casuarina cunninghamiana	River Sheoak	490		490	22.0	9.0	5.9	2.5	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
2769	Acacia disarrima	Hickory Wattle	230		230	9.0	7.0	2.8	1.8	Regular	-	-	-	-	-	-	Typical	Minor	-	-	-	-	Typical	-	-	-	-	-	-	
2770	Angophora floribunda	Rough-barked Apple	220		220	16.0	6.0	2.6	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
2771	Duboisia myoporoides	Corkwood	220		220	9.0	6.0	2.6	1.8	Regular	-	-	-	-	-	-	Typical	Minor	-	-	-	-	Typical	-	-	-	-	-	-	
2772	Duboisia myoporoides	Corkwood	200	140	244	9.0	6.0	2.9	1.8	Regular	-	-	-	-	-	-	Typical	Minor	-	-	-	-	Typical	-	-	-	-	-	-	
2773	Angophora floribunda	Rough-barked Apple	350		350	21.0	5.0	4.2	2.1	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
2774	Angophora floribunda	Rough-barked Apple	420		420	21.0	7.0	5.0	2.3	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
2775	Eucalyptus tereticornis	Forest Red Gum	260		260	19.0	4.0	3.1	1.9	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
2776	Eucalyptus tereticornis	Forest Red Gum	280		280	18.0	5.0	3.4	1.9	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
2777	Angophora floribunda	Rough-barked Apple	260		260	16.0	5.0	3.1	1.9	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
2778	Angophora floribunda	Rough-barked Apple	300		300	17.0	5.0	3.6	2.0	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
2779	Angophora floribunda	Rough-barked Apple	260		260	14.0	5.0	3.1	1.9	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
2780	Angophora floribunda	Rough-barked Apple	250		250	16.0	5.0	3.0	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
2781	Eucalyptus tereticornis	Forest Red Gum	230		230	16.0	4.0	2.8	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
2782	Angophora floribunda	Rough-barked Apple	270		270	17.0	4.0	3.2	1.9	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
2783	Angophora floribunda	Rough-barked Apple	300		300	17.0	5.0	3.6	2.0	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
2784	Angophora floribunda	Rough-barked Apple	370	230	436	15.0	7.0	5.2	2.3	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
2785	Angophora floribunda	Rough-barked Apple	280		280	17.0	5.0	3.4	1.9	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
2786	Angophora floribunda	Rough-barked Apple	200		200	13.0	5.0	2.4	1.7	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
2787	Casuarina cunninghamiana	River Sheoak	420		420	17.0	7.0	5.0	2.3	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
2788	Melaleuca viminalis	Weeping Bottlebrush	220		220	12.0	6.0	2.6	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
2789	Melaleuca viminalis	Weeping Bottlebrush	240		240	12.0	5.0	2.9	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Seeding	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termites	Habitat Value	Additional Notes	
2790	Casuarina cunninghamiana	River Sheoak	460		460	18.0	6.0	5.5	2.4	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
2791	Casuarina cunninghamiana	River Sheoak	360		360	18.0	6.0	4.3	2.2	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
2792	Casuarina cunninghamiana	River Sheoak	480		480	19.0	7.0	5.8	2.4	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
2793	Casuarina cunninghamiana	River Sheoak	400		400	20.0	7.0	4.8	2.3	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
2794	Casuarina cunninghamiana	River Sheoak	230		230	17.0	5.0	2.8	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
2795	Melaleuca viminalis	Weeping Bottlebrush	230		230	6.0	6.0	2.8	1.8	Regular	-	-	-	-	-	-	Typical	Major	-	-	-	-	Typical	-	-	-	-	-	-	
2812	Casuarina cunninghamiana	River Sheoak	420		420	21.0	7.0	5.0	2.3	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
2813	Casuarina cunninghamiana	River Sheoak	360		360	18.0	7.0	4.3	2.2	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
2825	Corymbia intermedia	Pink Bloodwood	560		560	26.0	10.0	6.7	2.6	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
2826	Corymbia tessellaris	Moreton Bay Ash	330		330	24.0	6.0	4.0	2.1	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
2827	Alphitonia excelsa	Red Ash	190		190	11.0	4.0	2.3	1.6	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
2828	Corymbia tessellaris	Moreton Bay Ash	200		200	4.0	1.0	2.4	1.7	Regular	-	-	-	-	-	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
2829	Angophora subvelutina	Broad-leaved Apple	520		520	20.0	11.0	6.2	2.5	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
2830	Eucalyptus tereticornis	Forest Red Gum	600		600	27.0	12.0	7.2	2.7	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
2831	Lophostemon suaveolens	Swamp Box	390		390	19.0	6.0	4.7	2.2	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
2832	Lophostemon suaveolens	Swamp Box	330		330	13.0	6.0	4.0	2.1	Regular	-	-	-	-	-	-	Typical	-	Introduced	-	-	Typical	-	-	-	-	-	-		
2833	Lophostemon suaveolens	Swamp Box	340		340	14.0	6.0	4.1	2.1	Regular	-	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
2834	Corymbia tessellaris	Moreton Bay Ash	420		420	24.0	8.0	5.0	2.3	Regular	-	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-		
2835	Angophora subvelutina	Broad-leaved Apple	290		290	20.0	8.0	3.5	2.0	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
2836	Lophostemon suaveolens	Swamp Box	180		180	11.0	3.0	2.2	1.6	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
2837	Lophostemon suaveolens	Swamp Box	320		320	17.0	6.0	3.8	2.1	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
2838	Lophostemon suaveolens	Swamp Box	270		270	15.0	5.0	3.2	1.9	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
2839	Corymbia tessellaris	Moreton Bay Ash	230		230	20.0	7.0	2.8	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
2840	Corymbia tessellaris	Moreton Bay Ash	260		260	23.0	7.0	3.1	1.9	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
2841	Acacia dispartima	Hickory Wattle	150		150	10.0	4.0	2.0	1.5	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
2842	Eucalyptus crebra	Narrow-leaved Ironbark	160		160	9.0	3.0	2.0	1.5	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
2843	Angophora subvelutina	Broad-leaved Apple	540		540	26.0	12.0	6.5	2.6	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
2844	Angophora subvelutina	Broad-leaved Apple	450		450	26.0	8.0	5.4	2.4	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
2845	Lophostemon suaveolens	Swamp Box	180		180	14.0	4.0	2.2	1.6	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
2846	Corymbia tessellaris	Moreton Bay Ash	280		280	20.0	8.0	3.4	1.9	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
2847	Corymbia tessellaris	Moreton Bay Ash	150		150	20.0	4.0	2.0	1.5	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
2848	Eucalyptus tereticornis	Forest Red Gum	180		180	11.0	4.0	2.2	1.6	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
2849	Corymbia tessellaris	Moreton Bay Ash	210		210	16.0	5.0	2.5	1.7	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
2850	Angophora subvelutina	Broad-leaved Apple	220		220	17.0	5.0	2.6	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		

Specimen Details										Canopy Condition Details								Trunk Condition Details					Fauna Details and Habitat Value						
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Seeding	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termites	Habitat Value	Additional Notes
2851	<i>Eucalyptus tereticornis</i>	Forest Red Gum	660		660	27.0	9.0	7.9	2.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
2852	<i>Angophora subvelutina</i>	Broad-leaved Apple	300		300	15.0	5.0	3.6	2.0	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
2853	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	300		300	18.0	6.0	3.6	2.0	Regular	-	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
2854	<i>Corymbia tessellaris</i>	Moreton Bay Ash	300		300	20.0	8.0	3.6	2.0	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
2855	<i>Angophora subvelutina</i>	Broad-leaved Apple	210		210	13.0	3.0	2.5	1.7	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
2856	<i>Angophora subvelutina</i>	Broad-leaved Apple	670		670	25.0	12.0	8.0	2.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
2857	<i>Angophora subvelutina</i>	Broad-leaved Apple	420		420	20.0	10.0	5.0	2.3	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
2858	<i>Eucalyptus tereticornis</i>	Forest Red Gum	470		470	27.0	9.0	5.6	2.4	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
2859	<i>Acacia disparrima</i>	Hickory Wattle	190		190	10.0	6.0	2.3	1.6	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
2860	<i>Eucalyptus tereticornis</i>	Forest Red Gum	440		440	24.0	7.0	5.3	2.3	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
2861	<i>Alphitonia excelsa</i>	Red Ash	150	120	192	10.0	4.0	2.3	1.7	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
2862	<i>Eucalyptus tereticornis</i>	Forest Red Gum	730		730	28.0	13.0	8.8	2.9	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
2863	<i>Acacia concurrens</i>	Black Wattle	160		160	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
2864	<i>Angophora subvelutina</i>	Broad-leaved Apple	490		490	20.0	9.0	5.9	2.5	Regular	-	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	
2865	<i>Eucalyptus tereticornis</i>	Forest Red Gum	530		530	29.0	10.0	6.4	2.5	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
2866	<i>Lophostemon suaveolens</i>	Swamp Box	190		190	12.0	2.0	2.3	1.6	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
2867	<i>Lophostemon suaveolens</i>	Swamp Box	180		180	10.0	2.0	2.2	1.6	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
2868	<i>Angophora subvelutina</i>	Broad-leaved Apple	380		380	20.0	9.0	4.6	2.2	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
2869	<i>Angophora subvelutina</i>	Broad-leaved Apple	220		220	11.0	4.0	2.6	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
2870	<i>Eucalyptus tereticornis</i>	Forest Red Gum	410		410	28.0	9.0	4.9	2.3	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
2871	<i>Acacia disparrima</i>	Hickory Wattle	250		250	7.0	4.0	3.0	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
2872	<i>Acacia disparrima</i>	Hickory Wattle	120		120	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
2873	<i>Corymbia tessellaris</i>	Moreton Bay Ash	160		160	15.0	5.0	2.0	1.5	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
2874	<i>Corymbia tessellaris</i>	Moreton Bay Ash	240		240	20.0	8.0	2.9	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
2875	<i>Corymbia tessellaris</i>	Moreton Bay Ash	160		160	16.0	5.0	2.0	1.5	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
2876	<i>Angophora subvelutina</i>	Broad-leaved Apple	150		150	6.0	3.0	2.0	1.5	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
2877	<i>Lophostemon suaveolens</i>	Swamp Box	200		200	11.0	2.0	2.4	1.7	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
2878	<i>Eucalyptus tereticornis</i>	Forest Red Gum	230		230	17.0	4.0	2.8	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
2879	<i>Lophostemon suaveolens</i>	Swamp Box	240		240	13.0	4.0	2.9	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
2880	<i>Eucalyptus tereticornis</i>	Forest Red Gum	460		460	29.0	10.0	5.5	2.4	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
2881	<i>Corymbia intermedia</i>	Pink Bloodwood	360		360	20.0	6.0	4.3	2.2	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
2882	<i>Eucalyptus tereticornis</i>	Forest Red Gum	280	200, 120	364	16.0	5.0	4.4	2.2	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
2883	<i>Corymbia citriodora</i>	Spotted Gum	140	150	205	13.0	2.0	2.5	1.7	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
2884	<i>Corymbia citriodora</i>	Spotted Gum	130	80	153	13.0	2.0	2.0	1.5	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value							
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Seeding	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termites	Habitat Value	Additional Notes
2885	<i>Eucalyptus tereticornis</i>	Forest Red Gum	240		240	16.0	6.0	2.9	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
2886	<i>Lophostemon suaveolens</i>	Swamp Box	150		150	7.0	1.0	2.0	1.5	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
2887	<i>Eucalyptus tereticornis</i>	Forest Red Gum	440		440	28.0	10.0	5.3	2.3	Regular	-	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	
2888	<i>Lophostemon suaveolens</i>	Swamp Box	160		160	6.0	1.0	2.0	1.5	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
2889	<i>Corymbia citriodora</i>	Spotted Gum	160		160	9.0	2.0	2.0	1.5	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
2890	<i>Lophostemon suaveolens</i>	Swamp Box	160		160	8.0	2.0	2.0	1.5	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
2891	<i>Eucalyptus tereticornis</i>	Forest Red Gum	1080		1080	32.0	15.0	13.0	3.4	Regular	-	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	Large	-	-	-	
2892	<i>Angophora subvelutina</i>	Broad-leaved Apple	290		290	15.0	6.0	3.5	2.0	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
2893	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	450		450	26.0	8.0	5.4	2.4	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
2894	<i>Eucalyptus tereticornis</i>	Forest Red Gum	380		380	26.0	8.0	4.6	2.2	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
2895	<i>Lophostemon suaveolens</i>	Swamp Box	200		200	16.0	5.0	2.4	1.7	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
2896	<i>Corymbia intermedia</i>	Pink Bloodwood	270	330	426	17.0	9.0	5.1	2.3	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	nestbox
2898	<i>Eucalyptus tereticornis</i>	Forest Red Gum	680		680	34.0	14.0	8.2	2.8	Regular	-	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
2899	<i>Corymbia tessellaris</i>	Moreton Bay Ash	450		450	27.0	10.0	5.4	2.4	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
2900	<i>Corymbia tessellaris</i>	Moreton Bay Ash	380		380	25.0	6.0	4.6	2.2	One-sided	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
2901	<i>Angophora subvelutina</i>	Broad-leaved Apple	600		600	27.0	12.0	7.2	2.7	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
2902	<i>Angophora subvelutina</i>	Broad-leaved Apple	200		200	14.0	4.0	2.4	1.7	Regular	-	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
2903	<i>Casuarina cunninghamiana</i>	River Sheoak	460		460	22.0	7.0	5.5	2.4	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
2904	<i>Melaleuca viminalis</i>	Weeping Bottlebrush	230		230	10.0	6.0	2.8	1.8	Regular	-	-	-	-	-	-	Typical	Minor	-	-	-	-	Typical	-	-	-	-	-	
2905	<i>Melaleuca viminalis</i>	Weeping Bottlebrush	260		260	6.0	8.0	3.1	1.9	Regular	-	-	-	-	-	-	Typical	Major	-	-	-	-	Typical	-	-	-	-	-	
2906	<i>Eucalyptus tereticornis</i>	Forest Red Gum	320		320	24.0	7.0	3.8	2.1	Regular	-	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
2907	<i>Alphitonia excelsa</i>	Red Ash	210		210	9.0	4.0	2.5	1.7	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
2908	<i>Alphitonia excelsa</i>	Red Ash	150		150	9.0	5.0	2.0	1.5	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
2909	<i>Alphitonia excelsa</i>	Red Ash	150		150	9.0	5.0	2.0	1.5	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
2910	<i>Melaleuca linariifolia</i>	Snow-in-summer	290		290	15.0	7.0	3.5	2.0	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
2911	<i>Eucalyptus tereticornis</i>	Forest Red Gum	530		530	22.0	12.0	6.4	2.5	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
2912	<i>Corymbia citriodora</i>	Spotted Gum	150		150	14.0	4.0	2.0	1.5	One-sided	-	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	
2913	<i>Alphitonia excelsa</i>	Red Ash	150		150	11.0	5.0	2.0	1.5	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
2914	<i>Alphitonia excelsa</i>	Red Ash	185		185	12.0	4.0	2.2	1.6	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
2915	<i>Alphitonia excelsa</i>	Red Ash	150	130	198	11.0	4.0	2.4	1.7	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
2916	<i>Acacia disarrima</i>	Hickory Wattle	140	140, 130	237	11.0	4.0	2.8	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
2917	<i>Acacia disarrima</i>	Hickory Wattle	150	130, 120	232	11.0	6.0	2.8	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
2918	<i>Angophora subvelutina</i>	Broad-leaved Apple	210		210	13.0	4.0	2.5	1.7	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	nest box
2919	<i>Corymbia intermedia</i>	Pink Bloodwood	240		240	15.0	5.0	2.9	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Seeding	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termites	Habitat Value	Additional Notes	
2920	Angophora subvelutina	Broad-leaved Apple	400		400	21.0	5.0	4.8	2.3	One-sided	-	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-		
2921	Eucalyptus tereticornis	Forest Red Gum	115		115	29.0	16.0	2.0	1.3	Regular	-	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-		
2922	Acacia disarrima	Hickory Wattle	160		160	9.0	5.0	2.0	1.5	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
2923	Alphitonia excelsa	Red Ash	135	135	191	11.0	4.0	2.3	1.7	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
2924	Waterhousia floribunda	Weeping Lilli Pilli	290	230	370	12.0	5.0	4.4	2.2	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
2925	Angophora subvelutina	Broad-leaved Apple	365		365	17.0	7.0	4.4	2.2	One-sided	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
2926	Corymbia tessellaris	Moreton Bay Ash	660		660	28.0	9.0	7.9	2.8	Regular	-	-	Thinning	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-		
2927	Lophostemon suaveolens	Swamp Box	260		260	13.0	5.0	3.1	1.9	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
2928	Corymbia tessellaris	Moreton Bay Ash	480		480	23.0	7.0	5.8	2.4	Regular	-	-	Thinning	Die-back	-	-	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-		
2929	Corymbia tessellaris	Moreton Bay Ash	150		150	17.0	4.0	2.0	1.5	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
2930	Lophostemon suaveolens	Swamp Box	220		220	11.0	5.0	2.6	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
2931	Eucalyptus tereticornis	Forest Red Gum	190		190	15.0	4.0	2.3	1.6	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
2932	Melaleuca viminalis	Weeping Bottlebrush	230	150, 160, 160	356	9.0	6.0	4.3	2.1	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
2933	Melaleuca viminalis	Weeping Bottlebrush	250		250	6.0	5.0	3.0	1.8	Regular	-	-	-	-	-	-	Typical	Minor	-	-	-	-	Typical	-	-	-	-	-	-	
2934	Acacia concurrens	Black Wattle	165		165	8.0	6.0	2.0	1.6	Regular	-	-	Thinning	Die-back	-	-	Poor	Minor	-	-	-	-	Typical	-	-	-	-	-	-	
2935	Acacia disarrima	Hickory Wattle	165		165	9.0	5.0	2.0	1.6	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
2936	Allocasuarina littoralis	River Sheoak	265		265	16.0	7.0	3.2	1.9	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
2937	Angophora subvelutina	Broad-leaved Apple	610		610	26.0	9.0	7.3	2.7	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
2938	Angophora subvelutina	Broad-leaved Apple	460		460	19.0	11.0	5.5	2.4	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
2939	Angophora subvelutina	Broad-leaved Apple	710		710	27.0	14.0	8.5	2.9	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
2940	Angophora subvelutina	Broad-leaved Apple	460		460	23.0	8.0	5.5	2.4	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
2941	Lophostemon suaveolens	Swamp Box	210		210	9.0	4.0	2.5	1.7	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
2942	Lophostemon suaveolens	Swamp Box	270		270	11.0	5.0	3.2	1.9	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
2943	Angophora subvelutina	Broad-leaved Apple	490		490	19.0	9.0	5.9	2.5	Regular	-	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-		
2944	Angophora subvelutina	Broad-leaved Apple	460		460	21.0	9.0	5.5	2.4	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
2945	Angophora subvelutina	Broad-leaved Apple	520		520	28.0	11.0	6.2	2.5	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
2946	Angophora subvelutina	Broad-leaved Apple	580		580	27.0	12.0	7.0	2.6	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
2947	Angophora subvelutina	Broad-leaved Apple	380		380	21.0	8.0	4.6	2.2	One-sided	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
2948	Angophora subvelutina	Broad-leaved Apple	620		620	23.0	9.0	7.4	2.7	One-sided	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
2949	Alphitonia excelsa	Red Ash	165		165	8.0	5.0	2.0	1.6	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
2950	Acacia melanoxylon	Hickory Wattle	210		210	12.0	5.0	2.5	1.7	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
2951	Eucalyptus tereticornis	Forest Red Gum	710		710	34.0	12.0	8.5	2.9	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
2952	Angophora subvelutina	Broad-leaved Apple	410		410	21.0	9.0	4.9	2.3	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
2953	Lophostemon suaveolens	Swamp Box	165		165	10.0	3.0	2.0	1.6	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value							
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Seeding	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termites	Habitat Value	Additional Notes
2954	Angophora subvelutina	Broad-leaved Apple	300		300	18.0	7.0	3.6	2.0	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
2955	Angophora subvelutina	Broad-leaved Apple	320		320	23.0	7.0	3.8	2.1	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
2956	Angophora subvelutina	Broad-leaved Apple	460		460	23.0	8.0	5.5	2.4	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
2957	Angophora subvelutina	Broad-leaved Apple	320		320	15.0	6.0	3.8	2.1	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
2958	Acacia disparrima	Hickory Wattle	165	100	193	9.0	6.0	2.3	1.7	One-sided	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
2959	Angophora subvelutina	Broad-leaved Apple	180		180	9.0	3.0	2.2	1.6	Regular	-	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	
2960	Angophora subvelutina	Broad-leaved Apple	320		320	16.0	7.0	3.8	2.1	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
2961	Angophora subvelutina	Broad-leaved Apple	330		330	16.0	7.0	4.0	2.1	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
2962	Alphitonia excelsa	Red Ash	165		165	12.0	5.0	2.0	1.6	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
2963	Angophora subvelutina	Broad-leaved Apple	390		390	17.0	9.0	4.7	2.2	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
2964	Eucalyptus tereticornis	Forest Red Gum	500		500	26.0	11.0	6.0	2.5	Regular	-	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
2965	Angophora subvelutina	Broad-leaved Apple	360		360	17.0	6.0	4.3	2.2	One-sided	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
2966	Eucalyptus tereticornis	Forest Red Gum	540		540	28.0	8.0	6.5	2.6	Regular	-	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	
2967	Angophora subvelutina	Broad-leaved Apple	500		500	16.0	9.0	6.0	2.5	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
2968	Angophora subvelutina	Broad-leaved Apple	200		200	11.0	4.0	2.4	1.7	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
2969	Eucalyptus tereticornis	Forest Red Gum	330		330	19.0	5.0	4.0	2.1	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
2970	Corymbia tessellaris	Moreton Bay Ash	165		165	11.0	4.0	2.0	1.6	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
2971	Corymbia tessellaris	Moreton Bay Ash	230		230	18.0	6.0	2.8	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
2972	Eucalyptus tereticornis	Forest Red Gum	530		530	22.0	9.0	6.4	2.5	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
2973	Acacia disparrima	Hickory Wattle	230		230	9.0	6.0	2.8	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
2974	Eucalyptus tereticornis	Forest Red Gum	265		265	17.0	6.0	3.2	1.9	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
2975	Eucalyptus tereticornis	Forest Red Gum	485		485	27.0	9.0	5.8	2.4	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
2976	Eucalyptus tereticornis	Forest Red Gum	740		740	32.0	14.0	8.9	2.9	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
2977	Eucalyptus tereticornis	Forest Red Gum	400		400	23.0	7.0	4.8	2.3	Regular	-	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	
2978	Corymbia citriodora	Spotted Gum	550		550	26.0	11.0	6.6	2.6	Regular	-	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
2979	Eucalyptus tereticornis	Forest Red Gum	200		200	17.0	4.0	2.4	1.7	Regular	-	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	
2980	Eucalyptus moluccana	Gum Topped Box	330		330	17.0	5.0	4.0	2.1	Regular	-	-	-	-	-	-	Typical	Minor	-	-	-	-	Typical	-	-	-	-	-	
2981	Eucalyptus moluccana	Gum Topped Box	430		430	22.0	7.0	5.2	2.3	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
2982	Angophora leiocarpa	Smooth Barked Apple	180		180	11.0	4.0	2.2	1.6	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
2983	Lophostemon suaveolens	Swamp Box	150		150	7.0	2.0	2.0	1.5	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
2984	Eucalyptus moluccana	Gum Topped Box	260		260	12.0	3.0	3.1	1.9	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
2985	Eucalyptus tereticornis	Forest Red Gum	185		185	13.0	3.0	2.2	1.6	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
2986	Angophora leiocarpa	Smooth Barked Apple	220		220	13.0	3.0	2.6	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
2987	Corymbia torelliana	Moreton Bay Ash	260		260	11.0	6.0	3.1	1.9	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	

Specimen Details										Canopy Condition Details								Trunk Condition Details					Fauna Details and Habitat Value						
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Seeding	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termites	Habitat Value	Additional Notes
2988	<i>Eucalyptus moluccana</i>	Gum Topped Box	160		160	12.0	2.0	2.0	1.5	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
2989	<i>Eucalyptus tereticornis</i>	Forest Red Gum	370		370	17.0	5.0	4.4	2.2	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
2990	<i>Eucalyptus moluccana</i>	Gum Topped Box	380		380	21.0	8.0	4.6	2.2	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
2991	<i>Eucalyptus tereticornis</i>	Forest Red Gum	320		320	18.0	6.0	3.8	2.1	Regular	-	-	-	-	-	-	Typical	Minor	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	
2992	<i>Eucalyptus tereticornis</i>	Forest Red Gum	690		690	32.0	14.0	8.3	2.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
2993	<i>Eucalyptus tereticornis</i>	Forest Red Gum	200		200	16.0	4.0	2.4	1.7	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
2994	<i>Eucalyptus tereticornis</i>	Forest Red Gum	520	260	581	23.0	9.0	7.0	2.6	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
2995	<i>Lophostemon suaveolens</i>	Swamp Box	220	100	242	11.0	6.0	2.9	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
2996	<i>Lophostemon suaveolens</i>	Swamp Box	285		285	13.0	6.0	3.4	2.0	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
2997	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	285		285	17.0	6.0	3.4	2.0	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	