



Department of Infrastructure,
Local Government and Planning

Our ref: DEV2017/843

3 July 2017

Drivas Lakes Pty Ltd
C/- Mr Mark Clayton
Urbicus Pty Ltd
110 Kennedy Terrace
PADDINGTON QLD 4064

Dear Mark

SECTION 89(1)(a) PDA DEVELOPMENT APPROVAL FOR A PDA DEVELOPMENT APPLICATION FOR AN OPERATIONAL WORKS – ADVERTISING DEVICES (SIGNAGE) AT WONGAWALLAN DRIVE, YARRABILBA DESCRIBED AS LOTS 1 AND 2 ON SP279789

On 30 June 2017, the Minister for Economic Development Queensland (MEDQ) approved the Priority Development Area (PDA) development application pursuant to s.85(4)(b) of the *Economic Development Act 2012*. MEDQ has decided to grant all of the PDA development approval applied for subject to PDA development conditions set out in this PDA decision notice.

The PDA decision notice and approved plans/documents can also be viewed in the MEDQ Development Approvals Register via the Department of Infrastructure, Local Government and Planning website <http://www.edq.qld.gov.au/planning/development-assessment/priority-development-area-development-approvals.html>.

Should you have any queries in relation to this PDA decision notice, please do not hesitate to contact Tom Barker on 3452 7440.

Yours sincerely

Jeanine Stone
Director – EDQ Development Assessment

Minister for Economic Development
Queensland
GPO Box 2202
Brisbane Queensland 4001 Australia
Website www.edq.qld.gov.au
ABN 76 590 288 697

PDA Decision Notice – Approval

Site information			
Name of priority development area (PDA)		Yarrabilba	
Site address		Wongawallan Drive, Yarrabilba	
Lot on plan description	Lot number	Plan description	
	Lots 1 & 2	SP279789	
PDA development application details			
DEV reference number		DEV2017/843	
'Properly made' date		28 April 2017	
Type of application		☒ New development involving:- ☐ Material change of use ☐ Preliminary approval ☐ Development permit ☐ Reconfiguring a lot ☐ Preliminary approval ☐ Development permit ☒ Operational work ☐ Preliminary approval ☒ Development permit ☐ Changing a PDA development approval ☐ Extending the currency period of a PDA approval	
Description of proposal applied for		Operational Works for Advertising Devices (Signage)	
PDA development approval details			
Decision of the MEDQ		The MEDQ has decided to grant all of the PDA development approval applied for, subject to PDA development conditions forming part of this decision notice.	
Decision date		30 June 2017	
Currency period		2 years from Decision Date	
Plans and documents			
The plans and documents approved by the MEDQ and referred to in the PDA development conditions are detailed in the table below.			
Approved plans and documents		Number (if applicable)	Date (if applicable)
1.	Proposed Signage Sheet 1, prepared by Husband Architects	1660-DA12, Revision A	31/03/2017
2.	Proposed Signage Sheet 2, prepared by Husband Architects	1660-DA13, Revision A	31/03/2017

ABBREVIATIONS

For the purposes of interpreting the PDA Development Conditions, the following is a list of abbreviations utilised:

1. **DILGP** means The Department of Infrastructure, Local Government and Planning.
2. **EDQ** means Economic Development Queensland.
3. **MEDQ** means The Minister of Economic Development Queensland.
4. **PDA** means Priority Development Area.

PDA Development Conditions		
No.	Condition	Timing
General		
1.	Carry out the approved development Carry out the approved development generally in accordance with the approved plans and documents.	Prior to commencement of use
2.	Maintain the Approved Development Maintain the approved development (including landscaping, parking, driveways and other external spaces) generally in accordance with the approved plans and documents, and any other approval or endorsement required by these conditions.	As indicated

STANDARD ADVICE

Please note that in order to lawfully undertake development, it may be necessary to obtain approvals other than this PDA development approval. For advice on other approvals that may be necessary in relation to your proposal, it is recommended that you seek professional advice.

**** End of Package ****