



Department of Infrastructure,
Local Government and Planning

Our ref: DEV2016/819

3 July 2017

Stockland Development Pty Ltd
C/- Mr Nick Anders
RPS
PO Box 6149
MERIDAN PLAINS QLD 4551

Dear Nick

SECTION 99 CHANGE TO A PDA DEVELOPMENT APPROVAL FOR A PDA DEVELOPMENT PERMIT FOR A RECONFIGURING A LOT – 1 LOT INTO 13 RESIDENTIAL LOTS, 1 RETAIL LOT, 1 OPEN SPACE LOT AND NEW ROAD WITH A PLAN OF DEVELOPMENT AT BELLVISTA BOULEVARD, CALOUNDRA WEST DESCRIBED AS LOT 8001 ON SP245185

On 30 June 2017 the Minister for Economic Development Queensland (MEDQ) decided to grant all of the amendment application applied for, subject to PDA development conditions set out in this PDA decision notice.

The PDA decision notice and approved plans/documents can be viewed in the MEDQ Development Approvals Register via the Department of Infrastructure, Local Government and Planning website <http://www.edq.qld.gov.au/planning/development-assessment/priority-development-area-development-approvals.html>.

Should you have any queries in relation to this PDA decision notice, please do not hesitate to contact Laura Shobbrook on 3452 7196.

Yours sincerely

Jeanine Stone
Director – EDQ Development Assessment

Minister for Economic Development
Queensland
GPO Box 2202
Brisbane Queensland 4001 Australia
Website www.edq.qld.gov.au
ABN 76 590 288 697

PDA Decision Notice – Approval

Site information		
Name of priority development area (PDA)	Caloundra South	
Site address	Bellvista Boulevard, Caloundra West	
Lot on plan description	Lot number	Plan description
	8001	SP245185
PDA development application details		
DEV reference number	DEV2016/819	
'Properly made' date	30 June 2017	
Type of application	☐ New development involving:- ☐ Material change of use ☐ Preliminary approval ☐ Development permit ☐ Reconfiguring a lot ☐ Preliminary approval ☐ Development permit ☐ Operational work ☐ Preliminary approval ☐ Development permit ☒ Changing a PDA development approval ☐ Extending the currency period of a PDA approval	
Description of proposal applied for	Reconfiguring a Lot – 1 lot into 13 residential lots, 1 retail lot, 1 open space lot and new road with a Plan of Development	
PDA development approval details		
Decision of the MEDQ	The MEDQ has decided to grant all of the application to change the PDA development approval, subject to PDA development conditions forming part of this decision notice. The approved changes are summarised as follows: ▪ Amendment to the infrastructure conditions to include condition 37 sub-regional charge.	
Original Decision date	17 May 2017	
Change to approval date	30 June 2017	
Currency period	4 years from original decision date	

Approved Plans and documents

The plans and documents approved by the MEDQ and referred to in the PDA development conditions concerning the PDA development approval are detailed below.

Plans and documents previously approved on 17 May 2017		Number (if applicable)	Date (if applicable)
1.	Plan of Subdivision Cancelling Lot 8001 (Plan 1 of 3)	167633 - 137, Revision J	28 April 2017 (Amended in Red on 3 May 2017)
2.	Plan of Development for Residential lots (Plan 2 of 3)	167633 - 138, Revision J	28 April 2017 (Amended in Red on 3 May 2017)
3.	Bells Reach Non-Residential Allotment – Plan of Development (Plan 3 of 3)	167633-139I	28 April 2017 (Amended in Red on 3 May 2017)
4.	Site Locality and Drawing Index	16-002679-100 Issue D	28/04/2017
5.	Roadworks & Drainage Detail Plan	16-002679-101 Issue C	28/04/2017
6.	Survey Setout Plan	16-002679-102 Issue D	28/04/2017
7.	Sediment & Erosion Control Plan	16-002679-103 Issue C	28/04/2017
8.	Sediment & Erosion Control Typical Details	16-002679-104	11/11/2016
9.	Sediment & Erosion Control Typical Notes	16-002679-105 Issue A	20/04/2017
10.	Earthworks Detail Plan	16-002679-106 Issue C	28/04/2017
11.	Stormwater Catchment Plan	16-002679-107 Issue C	28/04/2017
12.	Stormwater Drainage Longitudinal Sections	16-002679-108 Issue A	01/03/2017
13.	Stormwater Drainage Q10 Calculations Table	16-002679-109	11/11/2016
14.	Bio Basin Detail Plan Sheet 1 of 2	16-002679-110 Issue B	19/04/2017
15.	Bio Basin Detail Plan Sheet 2 of 2	16-002679-111	11/11/2016
16.	Linemarking and Signage Detail Plan	16-002679-112 Issue B	19/04/2017
17.	Sewer Reticulation Detail Plan	16-002679-200 Issue C	28/04/2017
18.	Sewer Reticulation Longitudinal Sections	16-002679-201 Issue A	01/03/2017
19.	Water Reticulation Detail Plan	16-002679-300 Issue C	28/04/2017
20.	Driveway Egress Sight Distance	16-002679-SK05	10/02/2017 (Amended in Red on 4 May 2017)
21.	Landscape Concept Plan	LCP01 Issue C	08/11/2016 (Amended in red on 3 May 2017)
22.	Perspective Sketches	LCP02 Issue C	08/11/2016
23.	Local Centre Lot 8001, Bells Reach Subdivision, Caloundra South Noise Impact Assessment	6157R03V01.docx	25/10/2016

PREAMBLE

For the purpose of interpreting this PDA Development Approval, including the PDA Development Conditions, the following applies:

Compliance assessment

Where a condition of this PDA Development Approval requires compliance assessment, compliance assessment is required in accordance with the following:

- a) The applicant must:
 - i. pay to MEDQ at the time of submission the relevant fee for compliance assessment, including any third party peer review costs which will be charged on a 100% cost recovery basis. The compliance assessment fees are set out in the MEDQ's development assessment fee schedule (as amended from time to time).
 - ii. submit to MEDQ a duly completed compliance assessment form.
 - iii. submit to MEDQ plans/supporting information as required under the relevant condition of approval.
- b) Compliance assessment and endorsement by EDQ Development Assessment, DILGP is required prior to any work commencing.
- c) Compliance assessment and endorsement can be repeated where a different design or solution, to that already endorsed, is sought.
- d) The process and timeframes that apply to compliance assessment are as follows:
 - i. the applicant liaises with EDQ Development Assessment, DILGP to determine the relevant plans/supporting information required to be submitted.
 - ii. the applicant submits plans/supporting information as required under the relevant condition of approval for compliance assessment.
 - iii. **within 20 business days** – EDQ Development Assessment, DILGP assesses the plans/supporting information and:
 1. if satisfied with the plans/supporting information as submitted - endorses the plans/supporting information and the condition of approval (or element of the condition) is determined to have been met; or
 2. if not satisfied with the plans/supporting information as submitted – notifies the applicant accordingly
 - iv. if the applicant is notified under iii.2. above, revised plans/supporting information are to be re-submitted to EDQ Development Assessment, DILGP **within 20 business days** from the date of the notice.
 - v. **within 20 business days** – EDQ Development Assessment, DILGP assesses the revised plans/supporting information and:
 1. if satisfied with the revised plans/supporting information - endorses the revised plans/supporting information and the condition of approval (or element of the condition) is determined to have been met; or
 2. if not satisfied with the revised plans/supporting information as submitted – notifies the applicant accordingly.
 - vi. if EDQ Development Assessment, DILGP is not satisfied that compliance has been achieved within **20 business days** - repeat steps iv. and v. above. If either party is not satisfied by the outcome of this process, that party can elect to enter into a mediation process with an independent mediator agreed to by both parties.
Despite note vi. above, the condition of approval (or element of the condition) is determined to have been met only when EDQ Development Assessment, DILGP endorses relevant plans/supporting information.

ABBREVIATIONS

For the purposes of interpreting the PDA Development Conditions, the following is a list of abbreviations utilised:

1. **AILA** means a Landscape Architect registered by the Australian Institute of Landscape Architects.
2. **Certification Procedures Manual** means Certification Procedures Manual, prepared by The Department of State Development, Infrastructure and Planning, September 2013 (as amended from time to time).
3. **Council** means Sunshine Coast Council.
4. **DILGP** means The Department of Infrastructure, Local Government and Planning.
5. **EDQ** means Economic Development Queensland.
6. **MEDQ** means The Minister of Economic Development Queensland.
7. **PDA** means Priority Development Area.
8. **RPEQ** means Registered Professional Engineer of Queensland.

PDA Development Conditions – Reconfiguring a Lot		
No.	Condition	Timing
General		
1.	Carry out the approved development Carry out the approved development generally in accordance with the approved plans and documents.	Prior to survey plan endorsement
2.	Certification of Operational Works All operational works for contributed assets undertaken in accordance with this approval must comply with all requirements of, and fulfil all responsibilities outlined in, the <i>Certification Procedures Manual</i> .	As required by the <i>Certification Procedures Manual</i>
3.	Street Naming Submit to EDQ Development Assessment, DILGP a name for the new street approved by Council.	Prior to survey plan endorsement
4.	Entry walls or features The provision of entry walls or features is prohibited on roads and open space unless otherwise approved by EDQ Development Assessment, DILGP.	At all times

5.	Plan of Development – Exempt development for a Material Change of Use Submit to EDQ Development Assessment, DILGP a copy of the registered survey plan for the approved development.	Prior to the commencement of the first use in accordance with the approved Plan of Development
Engineering		
6.	Construction Management Plan a) Submit to EDQ Development Assessment, DILGP a Site Based Construction Management Plan (CMP), prepared by the principal site contractor, that manages the following: i. noise and dust generated from the site during and outside construction work hours in accordance with the Environmental Protection Act 1994; ii. stormwater flows around or through the site without increasing the concentration of total suspended solids or Prescribed Water Contaminants (as defined in the Environmental Protection Act 1994), causing erosion, creating any ponding and causing any actionable nuisance to upstream or downstream properties; iii. contaminated land (if required), including removal, treatment and replacement in accordance with a compliance permit from an approved contaminated land auditor. b) Undertake all works generally in accordance with the CMP which must be current and available on site at all times during the construction period.	a) Prior to commencement of works b) At all times during construction
7.	Traffic Management Plan a) Submit to EDQ Development Assessment, DILGP a Traffic Management Plan (TMP), certified by a person holding a current Traffic Management Level 3 qualification or higher. The TMP must include the following: i. provision for the management of traffic around and through the site during and outside of construction work hours; ii. provision of parking for workers and materials delivery during and outside of construction hours of work; iii. planning including risk identification and assessment, staging, etc; iv. ongoing monitoring, management review and certified updates (as required); v. traffic control plans and/or traffic control diagrams, prepared in accordance with Manual of Uniform Traffic Control Devices (MUTCD), for any temporary part or full road closures of any Council or State road(s).	a) Prior to commencement of site works

	Where subdivision plans are registered and a road reserve is created prior to the finalisation of the construction of the formed road, the road is permitted to remain physically closed to pedestrian and vehicular traffic in accordance with a certified TMP. b) Undertake all works generally in accordance with the certified TMP which must be current and available on site at all times.	b) At all times during construction
8.	Filling and Excavation a) Carry out the earthworks generally in accordance with the approved plans. b) Submit to EDQ Development Assessment, DILGP certification from a RPEQ that all earthworks have been carried out generally in accordance with the certified plans required under part a) of this condition and that any unsuitable material encountered has been treated or replaced with suitable material.	a) Prior to survey plan endorsement b) Prior to survey plan endorsement
9.	Vehicle Access – Lot 8001 Construct vehicle crossovers generally in accordance with the approved plans and designed and constructed in accordance with Council adopted standards.	Prior to survey plan endorsement
10.	Roads – Internal a) Construct the works generally in accordance with the approved plans. b) Submit to EDQ Development Assessment, DILGP 'as-constructed' drawings, asset register and test results, certified by a RPEQ, in a format acceptable to the Council of all road works constructed in accordance with this condition.	a) Prior to survey plan endorsement b) Prior to survey plan endorsement
11.	Sight Distance – New Road a) Submit a plan showing where the three (3) trees impeding sight distance, as shown on the following plan, will be relocated: i. Driveway Egress Sight Distance Plan, 16-002679-SK05, dated 10/02/2017 (Amended in Red on 4 May 2017). b) Relocate the three trees in accordance with the submitted plan from part a).	a) Prior to survey plan endorsement b) Prior to survey plan endorsement
12.	Parking Restriction – New Road Provide signage and line marking within the new road reserve to restrict parking to the designated parking bays in accordance with the Department of Transport and Main Roads <i>Manual of Uniform Traffic Control Devices (MUTCD)</i>.	Prior to survey plan endorsement

13.	Car Parking a) Provide car parking spaces, delineated and signed generally in accordance with the approved plans. b) Car parking spaces are to be designed in accordance with AS2890 – Parking Facilities. c) Demonstrate parking facilities have been provided in accordance with parts a) and b) of this condition.	Prior to commencement of use and to be maintained
14.	Bicycle Parking a) Provide bicycle parking facilities delineated and signed generally in accordance with the approved plans. b) Bicycle parking spaces are to be designed in accordance with AS2890.3 – 1993 Bicycle parking facilities. c) Demonstrate bicycle parking facilities have been provided in accordance with parts a) and b) of this condition.	Prior to commencement of use and to be maintained
15.	Water – Internal a) Construct the works generally in accordance with the approved plans. b) Submit to EDQ Development Assessment, DILGP ‘as–constructed’ plans, asset register, pressure and bacterial test results in accordance with Unitywater current adopted standards.	a) Prior to survey plan endorsement b) Prior to survey plan endorsement
16.	Sewer – Internal a) Construct the works generally in accordance with the approved plans. b) Submit to EDQ Development Assessment, DILGP ‘as–constructed’ plans, asset register, pressure and CCTV results in accordance with Unitywater current adopted standards.	a) Prior to survey plan endorsement b) Prior to survey plan endorsement
17.	Stormwater Management (Quality) a) Construct the works generally in accordance with the approved plans. b) Submit to EDQ Development Assessment, DILGP ‘as constructed’ drawings, including an asset register, certified by a RPEQ, in a format acceptable to the Council.	a) Prior to survey plan endorsement b) Prior to survey plan endorsement
18.	Stormwater Management (Quantity) a) Construct the works generally in accordance with the approved plans.	a) Prior to survey plan endorsement

	b) Submit to EDQ Development Assessment, DILGP "as constructed" plans including an asset register and test results, certified by a RPEQ, in a format acceptable to the Council.	b) Prior to survey plan endorsement
19.	Street Lighting a) Design and install a <u>Rate 2</u> street lighting system certified by a RPEQ to all roads, including footpaths/bikeways within road reserves. The design of the street lighting system must: - meet the relevant standards of Energex; - be acceptable to Energex as 'Rate 2 Public Lighting'; - be endorsed by Council as the Energex 'billable customer'; - be generally in accordance with Australian Standards AS1158 –<i>'Lighting for Roads and Public Spaces'</i>. OR b) Submit to EDQ Development Assessment, DILGP detailed engineering design plans certified by a RPEQ-electrical for <u>Rate 3</u> (Council owned) street lighting to all roads, including footpaths/bikeways within road reserves generally in accordance with Australian Standards AS1158 –<i>'Lighting for Roads and Public Spaces'</i> and AS3000 – <i>'SAA Wiring Rules'</i>. AND c) Install the lighting generally in accordance with the certified plans required under part b) of this condition. AND d) Submit to EDQ Development Assessment, DILGP 'as-constructed' plans and test documentation certified by a RPEQ-electrical in a format acceptable to Council.	a) Prior to survey plan endorsement b) Prior to commencement of works c) Prior to survey plan endorsement d) Prior to survey plan endorsement
20.	Outdoor Lighting Outdoor lighting within the development shall be designed and installed in accordance with AS 4282:1997 Control of the Obtrusive Effects of Outdoor Lighting.	Prior to commencement of use and to be maintained
21.	Electricity Submit to EDQ Development Assessment, DILGP either: - Written evidence from Energex confirming that existing underground low-voltage electricity supply is available to the newly created lots; or - Written evidence from Energex confirming that the applicant has entered into an agreement with it to provide underground electricity services.	Prior to survey plan endorsement

	c) Submit to EDQ Development Assessment, DILGP 'As Constructed' plans and asset register in a format acceptable to Council certified by an AILA.	c) Prior to survey plan endorsement
26.	Landscape Works – Lot 8001 a) Submit to EDQ Development Assessment, DILGP detailed landscape plans, certified by an AILA, for improvement works within the proposed development generally in accordance with the following plans. i. Landscape Concept Plan, prepared by AECOM, LCP01 rev C, dated 8.11.2016 (amended in red on 3 May 2017) b) Construct the works generally in accordance with the certified plans required under part a) of this condition.	a) Prior to commencement of site works b) Prior to commencement of use and to be maintained
27.	Compliance Assessment – Landscape Works (Parks and Open Space – Lot 9001) a) Submit to EDQ Development Assessment, DILGP for compliance assessment detailed landscape plans, including a schedule of proposed standard and non-standard assets to be transferred to Council, certified by an AILA, for improvement works within the proposed parkland and open space areas generally in accordance with <i>PDA Guideline No. 12 – Park planning and design</i> and the following plans/documents: i. Landscape Concept Plan, prepared by AECOM, LCP01 rev C, dated 8.11.2016 (amended in red on 3 May 217) ii. Perspective Sketches, prepared by AECOM, LCP02 rev C, dated 8.11.2016 and generally documenting the following: i. existing contours or site levels, services and features; ii. proposed finished levels, including sections across and through the open space at critical points (e.g. Interface with roads or water bodies, retaining walls or batters); iii. location of proposed drainage and stormwater works within open space, including cross-sections and descriptions; iv. locations of electricity and water connections to parks; v. location and details of vehicle barriers/bollards/landscaping along park frontages where required to prevent unauthorised vehicular access; vi. details and locations of any proposed building works, including: bridges, park furniture, picnic facilities and play equipment; vii. trees and plants, including species, size and location generally in accordance with Council's adopted planting schedules and guidelines; viii. public lighting in accordance with AS1158 –'Lighting for Roads and Public Spaces' . ix. design should ensure provision of universal access in accordance with the AS 1428 - Design for Access and	a) Prior to commencement of site works

	Mobility b) Construct the works generally in accordance with the endorsed plans required under part a) of this condition. c) Submit to EDQ Development Assessment, DILGP, 'As Constructed' plans and asset register in a format acceptable to Council certified by an AILA.	b) Prior to survey plan endorsement c) Prior to survey plan endorsement
28.	Acid Sulfate Soils (ASS) a) Where acid sulfate soils are found on site, submit to EDQ Development Assessment, DILGP an Acid Sulfate Soils Management Plan (ASSMP). The ASSMP must be: - prepared generally in accordance with the State Planning Policy, July 2014 (as amended from time to time) and relevant guidelines; and - certified by a suitably qualified professional in soils and/or erosion sediment control. b) Excavate, remove and/or treat on-site all acid sulfate soils generally in accordance with the certified ASSMP.	a) Prior to commencement of or during site works b) Prior to survey plan endorsement
29.	Erosion and Sediment Management a) Implement the Erosion and Sediment Control Plan (ESCP) generally in accordance with the approved plans and the following guidelines: - Urban Stormwater Quality Planning Guidelines 2010 (DEHP); - Best Practice Erosion and Sediment Control (International Erosion Control Association).	a) At all times during construction
30.	Acoustic treatments Undertake acoustic treatments to the development generally in accordance with the recommendations in the Local Centre Noise Impact Assessment prepared by ASK Consulting Engineers, reference 6157R03V01.docx, dated 25 October 2016.	Prior to commencement of use
31.	Acoustic Treatment – Noise Barrier a) Submit to EDQ Development Assessment, DILGP detailed engineering plans, certified by a RPEQ, for the proposed noise barrier(s) generally in accordance with <i>PDA Engineering Guideline No. 13 – Acoustic treatments</i> and the Local Centre Noise Impact Assessment prepared by ASK Consulting Engineers, reference 6157R03V01.docx, dated 25 October 2016. The acoustic barrier adjoining Lots 11, 12 and 13, as shown on Plan of Subdivision Cancelling Lot 8001 (Plan 1 of 3) 167633 - 137, Revision J dated 28 April 2017 (Amended in Red on 3 May 2017), is to be located wholly within these lots.	a) Prior to commencement of site works

	b) Construct the noise barrier(s) generally in accordance with the certified plans required under part a) of this condition. c) Submit to EDQ Development Assessment, DILGP 'as-constructed' plans and an asset register, certified by a RPEQ, of the barrier(s).	b) Prior to survey plan endorsement c) Prior to survey plan endorsement
32.	Refuse Collection – Lot 8001 future land uses Submit to EDQ Development Assessment, DILGP refuse collection approval from Council or a private waste contractor.	Prior to commencement of use
Surveying, land transfers and easements		
33.	Land Transfer – Park and open space Transfer, in fee simple, to Council as trustee Lot 9001 for park and open space purposes.	At the time works in these lots are accepted as off-maintenance
34.	Easements over infrastructure Public utility easements must be provided, in favour of and at no cost to the grantee, over infrastructure that becomes contributed assets. The terms of the easements must be to the satisfaction of the Chief Executive Officer of the authority which ultimately is to takeover and maintain the contributed assets.	Prior to survey plan endorsement
35.	Small lot development easements for lots $\leq 300\text{m}^2$ For standard format lot sub-divisions where a lot is 300m^2 or less and the lot adjoins another lot 300m^2 or less and the proposed construction of adjacent proposed walls will be a circumstance mentioned in section 94(2)(a) of the <i>Land Title Act 1994</i> (LTA) to permit the application and registration of high density development easements, provide high-density development easements under Part 6 Division 4AA of the LTA in registrable form in respect of each affected lot to allow reciprocal rights for 1 or more of the following purposes (but only where those relevant circumstances will exist): i. support; ii. shelter; iii. projections; iv. maintenance; v. roof water drainage *; or provide reciprocal easements created under Part 6 Division 4 LTA in registrable form for 1 or more of the above purposes (but only where those relevant circumstances will exist). *High-density development easements created under Part 6 Division 4AA of the <i>Land Title Act 1994</i> are not required to be identified on a plan of survey.	At or prior to survey plan endorsement

Infrastructure Charges		
36.	For sub regional (roads), municipal and state charge In lieu of paying the sub regional (roads), municipal and state infrastructure charges, the applicant will provide the infrastructure in accordance with the following conditions of approval: • Condition 10 – Roads – Internal • Condition 15 – Water – Internal • Condition 16 – Sewer – Internal • Condition 17 – Stormwater Management (Quality) • Condition 18 – Stormwater Management (Quantity) • Condition 19 – Street Lighting	As required by the relevant conditions
37.	Sub-regional Charge (water and sewer) The applicant is to provide a notice to the MEDQ from Unitywater confirming that the applicant has: a) paid to Unitywater for sub-regional water and sewer: \$9,379.67 for Lot 8001 (as per the Bells Reach Non-Residential Allotment Plan of Development, number 167633-139I) \$6,253.11 per lot for residential lots b) paid to Unitywater for sub-regional water and sewer: \$3,821.35 per 100m² GFA for Business Use \$6,947.90 per 100m² GFA for Shop Use \$16,327.57 per 100m² GFA for Food Premises Use \$7,295.30 per 100m² GFA for Health Care Services Use <i>Advisory Notes: The charges and credits in a) and b) are to be indexed on 1 July each year in accordance with the 3 year rolling average of the producer price index number 3101 – Road and Bridge construction Queensland (PPI) (using the March quarter data).</i> <i>A credit of \$9,828.94 is applicable for Lot 8001 SP245185 at the time of payment of part (a) above.</i> <i>A credit of \$9,379.67 is applicable at the time of payment of part (b) on Lot 8001 (as per the Bells Reach Non-Residential Allotment Plan of Development, number 167633-139I).</i> <i>A credit of \$6,253.11 is applicable at the time of payment of part (b) for any lot created in accordance with (a)(ii).</i> <i>All credits are to be indexed on 1 July each year in accordance with the 3 year rolling average of the PPI (using March quarter data).</i>	A notice confirming the payment of charges is to be provided: - For payments made in accordance with part (a), prior to endorsement of a Plan of Subdivision For payments made in accordance b) prior to the earlier of: - Unitywater issuing a meter connection approval or - Prior to commencement of use

38.	Implementation Charge The applicant must pay to the MEDQ the Implementation Charge calculated in accordance with the IFF and indexed to the date of payment. <i>Advisory Note: The MEDQ is prepared to accept the lodgement of bonds to cover the infrastructure charges calculated in accordance with the above. This bond would be returned upon the endorsement of an Overarching Site Strategy or Infrastructure Agreement.</i>	As required by the IFF
-----	---	------------------------

STANDARD ADVICE

Please note that in order to lawfully undertake development, it may be necessary to obtain approvals other than this PDA development approval. For advice on other approvals that may be necessary in relation to your proposal, it is recommended that you seek professional advice.

**** End of Package ****