

LEGEND

--- NEW FENCE

PLANS AND DOCUMENTS referred to in the PDA DEVELOPMENT APPROVAL

Approval no: DEV2017/898
Date: 16 FEB 2018



STANDARD SIGNS AND LINE MARKING NOTES

1. GENERAL
 - 1.1. ALL SIGNS AND PAVEMENT MARKING IS TO BE IN ACCORDANCE WITH THE QUEENSLAND TRANSPORT MANUAL OF UNIFORM TRAFFIC CONTROL DEVICES (CURRENT EDITION).
2. SIGNS
 - 2.1. ALL SIGNS TO BE REFLECTORISED CLASS 1 TO AS1906.1:2007 UNLESS NOTED OTHERWISE.
 - 2.2. SIGNS ARE TO BE INSTALLED WITH THE FOLLOWING CLEARANCES TO EDGE OF SIGN: LOCATION CLEARANCE NO KERB 600 BEHIND GUIDE POSTS BARRIER KERB 300 FROM FACE MOUNTABLE KERB 500 FROM FACE OF KERB
 - 2.3. SIGN ORIENTATION SHOULD BE IN ACCORDANCE WITH SECTION 1.12.5 OF THE MUTCD.
 - 2.4. MOUNTING HEIGHT TO BE IN ACCORDANCE WITH SECTIONS 1.12.3.4 & 1.12.3.5 OF THE MUTCD.
3. SIGN SUPPORTS
 - 3.1. SLEEVED SIGNS SUPPORTS ARE TO BE PROVIDED IN ALL AREAS WHERE THEY ARE IN A PAVED SURFACE.
4. LINEMARKING
 - 4.1. REDUNDANT LINEMARKING IS TO BE COVERED WITH GREY ROAD MARKING PAINT ON CONCRETE AREAS AND BLACK POINT FOR ASPHALT AREAS.
 - 4.2. WATERBOURNE LINEMARKING PAINT TO BE USED FOR ALL SURFACES.
 - 4.3. ALL MARKINGS TO BE INSTALLED WITH A HIGH SKID RESISTANCE MATERIAL (e.g. CALCINE BAUXITE)

LINEMARKING LEGEND

TYPE	DESCRIPTION	DIMENSIONS
SBL	SINGLE BARRIER LINE	0.10
EL	EDGE LINE LEFT AND RIGHT SIDE	0.15
CL	CONTINUITY LINE	1.0 3.0 1.0 0.2
SL	STOP LINE	0.30
GWL	GIVE WAY LINE	0.6 TYPICAL 0.3
NS	NO STANDING	0.1 STD. KERB / KERB AND CHANNEL 0.1

NOTE: LINE COLOUR TO BE YELLOW


NOTES:

1. ALL DIMENSIONS ARE IN METRES.
2. REFER TO AS 1742.3-2002 'MANUAL OF UNIFORM TRAFFIC CONTROL DEVICES' FOR APPLICATION OF LINETYPES.
3. LINE THICKNESS FOR SEPARATION LINES TO BE 0.15m FOR MULTILANE ROADS.
4. IF INDICATED ON THE DRAWINGS RRPM'S ARE TO BE INSTALLED IN ACCORDANCE WITH THE MUTCD.


BCC STANDARD DRAWING LIST

7000 SERIES - FENCES, BARRIERS AND PUBLIC FURNITURE

BSD-7122 TRAFFIC SIGNS AND METER STANDARDS



WHEEL STOP SETOUT DETAIL
IN ACCORDANCE WITH AUSTRALIAN STANDARD 2890.1 SPECIFICATION



FOR APPROVAL

CARPARK NUMBERS

EXISTING STANDARD CARPARKS:	251
SPECIAL USE CARPARKS:	6
PWD CARPARKS:	6
EV CARPARKS:	4
PROPOSED STANDARD CARPARKS:	218
SPECIAL USE CARPARKS:	6
PWD CARPARKS:	6
EV CARPARKS:	4

PLAN
SCALE 1:200

REV	DATE	DESCRIPTION	DWN	DES	CHK	APP
C	16.02.18	LEGEND ADDED	CJM	KR		
B	14.02.18	CARPARK NUMBERS AMENDED	KR	KR		
A	28.11.17	FOR APPROVAL	CJM	KR		

ASSOCIATED CONSULTANTS	APPROVED	CHECKED
	7729 RPEQ	
	DATE	DATE

BORNHORST + WARD
CONSULTING ENGINEERS
CIVIL AND STRUCTURAL

Level 4, 67 Astor Terrace
Spring Hill, QLD 4000, Australia
P. +61 (7) 3013 4699
mail@bornhorstward.com.au
www.bornhorstward.com.au

CLIENT
ECONOMIC DEVELOPMENT QLD

PROJECT
**EVENTS SPACE CARPARK
257 MACARTHUR AVENUE
HAMILTON**

SUBJECT
UPDATED CARPARK LAYOUT

PROJECT No. **16214**

DRAWING No. **P5B-FL0003 C**

REVISION