

UDA Development Approval Package

Site Address	12 Manna Street, Blackwater
Real property description	Lot 6 on CP 848792
Urban Development Area (UDA)	Blackwater
Type of approval	UDA Development Permit, subject to conditions
Aspects of development	Material Change of Use and associated operational works (water, sewer, car parking, driveways, stormwater, etc)
Description of proposal	Multiple Residential (3 dwelling units)
ULDA reference number	DEV2012/262
Decision date	19 July 2012
Currency period	4 Years from Decision date

Approved plan/s, drawing/s and document/s	Number	Date
Site Plan prepared by CSG	5552-01-MCU Rev C	1/06/12
Panorama Living Houses		Submitted 16 April 2012
Ausco Modular – Ground Floor Plan	001 Rev 2	31/10/11
Ausco Modular – First Floor Plan	002 Rev 2	31/10/11
Ausco Modular – Elevations	003 Rev 3	31/10/11

PROJECT TEAM

Karina McGill Planner Development Assessment Urban Land Development Authority	David Elliott Principal Engineer Development Assessment Urban Land Development Authority
---	--

CONDITIONS		TIMING
General / Planning Requirements		
1.	Carry out the approved development Carry out the development generally in accordance with the approved plan/s. drawing/s and document/s.	Prior to the commencement of use and to be maintained
2.	Complete all Building and Operational Works Complete all building and operational work associated with this development approval, including work required by any of the following conditions. Such work is to be carried out generally in accordance with the approved plans.	Prior to the commencement of use
3.	Maintain the Approved Development Maintain the approved development (including landscaping, parking, driveways and other external spaces) in accordance with the approved drawing(s) and /or documents, and any relevant ULDA or other approval required by the conditions.	To be maintained

CONDITIONS		TIMING
4.	Energy Efficiency a. Submit to the ULDA a report outlining the energy efficient features employed in the building which is to include but not limited to: ▪ energy efficient plant and equipment (ensure appliances are rated at the highest relevant National Minimum Energy Performance Standards (MEPS) ▪ use of gas, solar or heat pump hot water systems as standard with insulated pipes and ▪ energy efficient lighting. b. Submit to the ULDA written certification that the completed building complies with part a) this condition.	a. Prior to approval for Building Works b. Prior to the commencement of use
Landscaping / Streetscaping		
5.	Landscape Plan a. Submit to the ULDA for compliance endorsement a detailed Landscape Plan including all private open space and driveway treatments certified by a suitably qualified landscape professional or technician generally in accordance with the <i>Capricorn Municipal Guidelines</i>. Landscape plan, where appropriate is to demonstrate: ▪ Selected species and fencing does not block visual surveillance to adjacent footpaths ▪ Fencing and treatments of private courtyards ▪ Trees have a minimum maturity height of 6m ▪ Selected species are drought tolerant and low maintenance ▪ Existing contours and proposed finished levels for earthwork ▪ Location of existing and proposed services ▪ Maximisation of soft landscape treatments ▪ Location, species botanical name, pot size, numbers and mature height of all proposed planting ▪ Driveway treatment minimises hardstand area and contributes positively to the development and minimises visual impact of driveway. b. On completion of the landscape works, submit to the ULDA written certification from a suitably qualified landscape professional or technician that the completed landscaping complies with part a) this condition.	a. Prior to the commencement of use b. Prior to the commencement of use

CONDITIONS		TIMING
6.	Street Trees Central Highlands Regional Council (CHRC) – Nominated Assessing Authority Plant street trees in the road reserve between the site and the kerb of Manna Street at a spacing of one (1) tree per 7.5m. Trees are not to be located within 10m of the access to the site. The species must be fast growing with a dense crown, and sited in accordance with Ergon Energy's <i>Plant Smart</i> document for the Central Highlands Regional Council area. The plantings must not impact upon sewerage or water infrastructure.	Prior to commencement of use and to be maintained
7.	Fencing Any front boundary fencing is to be either 50% permeable with a 1.5m maximum height or not exceed 1.2m in height if solid.	Prior to commencement of use and to be maintained
Engineering		
8.	Soil Erosion and Sediment Control a. Submit to the ULDA an Erosion and Sediment Control (ESC) Plan in accordance with <i>Capricorn Municipal Development Guidelines</i>. The plan must be certified by Registered Professional Engineer Qld (RPEQ-Civil), a Certified Professional in Erosion and Sediment Control (CPESC) or a suitably qualified person acceptable to the Central Highlands Regional Council. Advice in writing from the CHRC will be required should the latter person be chosen by the developer. b. Implement the Erosion and Sediment Control Plan on site	a. Prior to commencement of work b. At all times during construction works
9.	Stormwater Drainage a. Submit to the ULDA detailed engineering plans and hydraulic calculations certified by Registered Professional Engineer Qld (RPEQ-Civil) or suitably qualified hydraulic specialist for stormwater quantity and quality in accordance with the requirements of QUDM and CHRC guidelines. b. Construct the works in accordance with part a. of this condition c. Submit to the ULDA 'as-constructed' plans and certification from an RPEQ (Civil) that the works have been completed in accordance with the part b. of this condition.	a. Prior to commencement of work b. Prior to commencement of use c. Prior to commencement of use
10.	Finished floor level Construct the development to provide a minimum finished floor level of 300mm above the Top of Kerb Level or 300mm above the centreline of Manna Street, whichever is the higher.	Prior to the commencement of use and to be maintained

CONDITIONS		TIMING
11.	Outdoor Lighting Minimise outdoor lighting to reduce light spill in the adjacent residential properties to be in accordance with <i>AS 4282:1997 Control of the Obtrusive Effects of Outdoor Lighting</i> .	Prior to the commencement of use and to be maintained
12.	Refuse Collection Central Highlands Regional Council (CHRC) – Nominated Assessing Authority Enter into an agreement with the Central Highlands Regional Council to provide a waste collection service to the development. Provide sufficient storage onsite for a refuse and recyclables bin for each unit. Include a waste management component within any CMS.	Prior to the commencement of use and to be maintained
13.	Car parking and access a. The western internal driveway is to be constructed, sealed and line marked in accordance with <i>AS2890.1:2004 Parking Facilities – Off Street Parking</i> . b. The vehicle crossovers off Manna Street must be constructed in accordance with the <i>Capricorn Municipal Guidelines</i> .	a. Prior to the commencement of use and to be maintained b. Prior to the commencement of use
14.	Water Central Highlands Regional Council (CHRC) – Nominated Assessing Authority Connect the development to the CHRC water reticulation network at no cost to the Council in accordance with all Council requirements. Individual water meters with a 20mm diameter are to be provided to each unit with only one connection point to Council's main to CHRC standards.	Prior to commencement of use
15.	Sewer Central Highlands Regional Council (CHRC) – Nominated Assessing Authority a. Submit to the ULDA a detailed internal sewer layout prepared by a Registered Professional Engineer Queensland (RPEQ) or a suitably qualified hydraulic specialist in accordance with the <i>Capricorn Municipal Guidelines</i> b. Construct the works in accordance with part a) of this condition	a. Prior to commencement of works b. Prior to commencement of use

CONDITIONS		TIMING
	c. Connect the development to the CHRC sewerage reticulation network at no cost to the Council in accordance with all Council requirements.	c. Prior to commencement of use
16.	Service Conduits & Mains Central Highlands Regional Council (CHRC) – Nominated Assessing Authority Supply and install all service conduits and meet the cost of any alterations to public utility mains, existing mains, services or installations required in connection with the approved development.	Prior to commencement of use
17.	Footpath a. Design and construct a 1.2m wide footpath along the Manna Street lot frontage in accordance with the <i>Capricornia Municipal Development Guidelines</i> b. Submit to the ULDA 'as-constructed' drawings and certification from an RPEQ (Civil) that the works have been completed in accordance with the part a. of this condition.	a. Prior to commencement of use b. Prior to commencement of use
18.	Damage and Repairs Central Highlands Regional Council (CHRC) – Nominated Assessing Authority Repair any damage to existing kerb and channel, footpath or roadway (including removal of concrete slurry from footways, roads, kerb and channel and stormwater gullies and drainlines) that may occur during any works carried out in association with the approved development.	Prior to commencement of use
19.	Electricity Submit to the ULDA either: ▪ written evidence demonstrating that existing underground low-voltage electricity supply is available to the existing lot, or ▪ written evidence that the applicant has entered into an agreement with an authorised electricity supplier (e.g. Ergon) to provide underground electricity services.	Prior to commencement of use

CONDITIONS		TIMING
20. Telecommunications	a. Submit to the ULDA documentation from an authorised telecommunications service provider to confirm that satisfactory agreements have been made for the provision of underground telecommunications to each new dwelling/lot within the proposed development. b. Where new infrastructure is to be installed to bring telecommunications to the site, install infrastructure to accommodate NBN services in accordance with NBN Co Ltd <i>'New Developments: Deployment of the NBN Co Conduit and Pipe Network – Guidelines for Developers'</i> (April 2011 or later) c. Install the infrastructure within the development to accommodate future Broadband services in accordance with Communications Alliance Ltd <i>"National Broadband Network End User Premises Handbook"</i> (August 2010 or later).	a. Prior to commencement of use b. Prior to commencement of use c. Prior to commencement of use
Monetary Contributions		
21. Infrastructure Contributions	Pay to the Urban Land Development Authority a monetary contribution towards the cost of the provision of essential infrastructure at the rate applicable at the time of payment. The contribution, calculated at the time of payment will be equivalent to the charge that applies to the development under the Central Highlands Regional Council's <i>Adopted Infrastructure Charges Resolution (no.1) 2011</i>. The applicable charge is \$49,953.00* based on 3 x \$25,000 (3 bedroom dwelling) minus \$25,047.00 (discount for existing lot). *The developer contributions will be adjusted each financial year for three year rolling average of the Queensland Roads and Bridges Index.	Prior to commencement of use

STANDARD ADVICE

Please note that in order to lawfully undertake development, it may be necessary to obtain approvals other than this UDA development approval, some specific advices are outlined below. Other advices may include other approvals under the *Urban Land Development Authority Act 2007* as well as the *Sustainable Planning Act 2009* (e.g. for building work), the *Plumbing and Drainage Act 2002* and the *Commonwealth Environmental Protection and Biodiversity Act 1999*. Carrying out development may also be subject to 'duty of care' legislation such as the *Aboriginal Cultural Heritage Act 2003*. For advice on other approvals that may be necessary in relation to your proposal, please seek professional advice.

UDA Development Approval

This UDA Development Approval does not include assessment against the following:

- Building Code of Australia and does not permit building work to occur. Prior to the commencement of any building work, a Development Permit under the *Sustainable Planning Act 2009* for Carrying out Building Work will be required.
- *Plumbing and Drainage Act 2002*. Prior to the commencement of any building work, a Compliance certificate is required from the relevant Local Authority.

Central Highlands Regional Council (CHRC) as the Nominated Assessing Authority

For any conditions in this package that require the consideration of Central Highlands Regional Council (CHRC), you will need to submit the relevant forms, plans and/or reports and fee to the entity nominated in the condition/s. When satisfied that the condition has been met, the applicable entity will issue a response in the manner required by the condition/s (e.g. a letter of endorsement or authorisation or a permit). No costs will be incurred by the ULDA or CHRC.

Noise and Dust Emissions

All development involving the emission of noise and dust from building/construction activities requires that the emission be in accordance with the requirements of the *Environmental Protection Act 1994*. Pursuant to Division 3 Section 440R of the *Environmental Protection Act 1994*, a builder or building contractor must not carry out building work on a building site in a way that makes or causes audible noise to be made from the building work-

- (a) on a Sunday or public holiday, at any time; or
- (b) on a Saturday or business day, before 6.30 a.m. or after 6.30 p.m.

Published Standards

For any published standards referenced, they are to those current as of the date of issue of this package unless specified otherwise.

Please note: The above information has been provided to the applicant as an advice only, and does not form part of the development approval conditions. This advice has been provided to the applicant to inform them of other obligations they may have to comply with (under state legislation or local laws) prior to their activity commencing.

**** End of Package ****