

UDA Development Approval Package

Address of Site	137 Abbotsford Road, Bowen Hills
Real Property Description	Lot 1 on SP172144
Type of approval	UDA Development Permit subject to conditions
Aspects of development	Material Change of Use
Description of proposal	Office (962m ²)
ULDA Reference Number	DEV2012/224
Package Approved	07 June 2012
Decision	Approved with conditions

Approved plan/s, drawing/s and document/s	Number	Date
Site Plan	A0-100 Issue C	08/03/2012
Basement	A1-200 Issue C	08/03/2012
Ground Floor Plan	A1-201 Issue C	08/03/2012
Roof Plan	A1-202 Issue C	08/03/2012
Elevation 1 + 2	A2-100 Issue C	08/03/2012
Elevation 3 + 4	A2-101 Issue C	08/03/2012
3D Views	A2-300 Issue C	08/03/2012
Sections	A3-100 Issue C	08/03/2012
Acoustic Works Environmental Assessment Report	2012018 L1	16/02/2012

PROJECT TEAM

Dou Ribu Senior Planner Urban Land Development Authority	Con de Groot Principal Engineer Urban Land Development Authority
---	---

CONDITIONS		TIMING
1.	Carry out the approved development Carry out the development generally in accordance with the approved plan/s, drawing/s and document/s.	Prior to the commencement of use
2.	Complete all Operational and Building Works Complete all operational and building work associated with this development approval, including work required by any of the following conditions. Such operational and building work is to be carried out generally in accordance with the approved plans.	Prior to the commencement of use

CONDITIONS	TIMING
3. External Lighting a) Enter into an agreement with an electricity supplier to provide a lighting system. b) Install and maintain a suitable system of lighting to operate from dusk to dawn within all areas where the public will be given access. c) The lighting system, and any other outdoor lighting, must comply with AS4282-1997 Control of the Obtrusive Effects of Outdoor Lighting so as not to cause nuisance to nearby residents or passing motorists. d) Ensure that all external lighting areas lights the building, particularly entrances and vegetated areas but does not overspill into other buildings or the sky. e) Ensure lighting over public footpaths covered by permanent awnings to a minimum of 20 lux (horizontal plane) at footpath level. f) Ensure lighting is to be maintained by the owner of the building in a safe and good working order.	Prior to commencement of use and to be maintained
4. Detailed landscape plan a) Submit for compliance endorsement to the ULDA's DA Manager revised detailed landscape plans. The plans are to be prepared and certified by an Australian Institute of Landscape Architects (AILA) registered landscape architect. b) Provide written confirmation from an AILA registered landscape architect or a Building Services Authority (BSA) QLD licensed and experienced landscape contractor that the constructed works comply with the approved landscape plan from part a) of this condition.	a) Prior to approval for building works b) Prior to commencement of use and to be maintained
5. Streetscape Improvements a) Submit for compliance endorsement from the ULDA's Manager – Development Assessment detailed landscape plan for all proposed streetscape works including planting, footpath treatment and any streetscape furniture. The proposed streetscape improvements along Thompson Street are to: i) be in accordance with the road's function generally in accordance with Brisbane City Council's <i>Centres Detail Design Manual (CDDM)</i> and <i>Subdivision and Development Guidelines</i> ii) provide semi-advanced street trees to the Thompson Street frontage at spacing generally complying with the Brisbane City Council's <i>Centres Detail Design Manual (CDDM)</i> and <i>Subdivision and Development Guidelines</i>. b) Provide 12 months maintenance to the street trees, commencing on receipt of written confirmation from the ULDA Principal Engineer that planting is satisfactory.	a) Prior to commencement of use and to be maintained b) As indicated

CONDITIONS	TIMING
6. Filling and Excavation a) Submit to ULDA's Principal Engineer an earthworks plan and cross sections, checked and certified by a Registered Professional Engineer of Queensland (RPEQ-Civil). This is to be in accordance with Brisbane City Council's <i>Filling and Excavation Code</i> and <i>Subdivision and Development Guidelines</i>. The plan is to demonstrate that the ground floor level of the development is at least the ARI 100 flood level plus 300mm. b) Submit to ULDA's Principal Engineer certification from a RPEQ specialising in geotechnical engineering stating that all constructed cut/fill batters and/or retaining structures have achieved adequate stability with a factor of safety greater than 1.5 and that all cut and fill operations have been carried out in accordance with AS3798 and any unsuitable material encountered has been treated or replaced with suitable replacement material.	a) Prior to the commencement of works b) Prior to the commencement of use
7. Construction management a) Prepare and submit to the ULDA a site based construction management plan that includes but is not limited to: ▪ provision for the management of traffic around and through the site during and outside of construction work hours ▪ provision for parking and materials delivery during and outside of construction hours of work ▪ management of dust generated from the site during and outside construction work hours; ▪ management of sedimentation and erosion which complies with Brisbane City Council's Erosion and Sediment Control Standard (Version 9 or later). ▪ management of groundwater and surface water collection, treatment and disposal. The construction management plan shall be prepared in consultation with the professionals responsible for individual site related management plans to ensure that all aspects of the construction and environmental management are included. The construction management plan shall be reviewed and approved by the principal consultant overseeing and certifying the construction works. b) All work shall be undertaken in accordance with the construction management plan which must be current and available on site at all times during the construction period.	a) Prior to the commencement of site works b) At all times during site works

CONDITIONS	TIMING
8. Protecting Existing Infrastructure Where there is existing infrastructure in the vicinity of the proposed work, then the new work must not damage or compromise the working ability of the existing infrastructure. Should it be required to provide alterations to public utility mains, existing mains, services or installations, then the developer is required to meet the costs of the alteration/s, which is to be carried out in accordance with Brisbane City Council's "Subdivision and Development Guidelines".	While site works are occurring, then to be maintained
9. Sewer & Water Connection Queensland Urban Utilities (QUU) – Nominated Assessing Authority a) Submit to the ULDA a letter of endorsement from Queensland Urban Utilities (QUU) as the Nominated Assessing Authority to connect into the existing water and sewerage infrastructure. Submit for approval to the QUU engineering plans showing the design of any sewer property connections to serve the development. A Registered Professional Engineer of QLD (RPEQ) is to verify the plan and ensure the design is in accordance with Brisbane City Council's current Water and Sewerage Standards. b) Construct the water and sewer connection in accordance with the approved plans required in part (a) of this condition. Submit to the QUU and the ULDA as-constructed plans verified by a Registered Professional Engineer of QLD (RPEQ) confirming all works have been completed in accordance with the approved plans c) Provide to the ULDA all approval correspondence from QUU relating to part (a) of this condition.	a) Prior to the commencement of site works b) Prior to commencement of use c) Prior to commencement of use
10. Service, meter assembly & meter box Provide a water service, approved meter assembly and meter box to the boundary of proposed development in accordance with the <i>WSA 03-2002 Water Supply Code of Australia V2.3</i> and Brisbane City Council's <i>Supplementary Manual</i>.	Prior to the commencement of use

CONDITIONS	TIMING
11. Stormwater system a) Submit for compliance endorsement to the ULDA's Principal Engineer a Stormwater Drainage Plan detailing how the internal drainage is collected and discharged to the external drainage system. The plan shall include full calculations to confirm that the existing system has sufficient capacity to cater for the proposed development. A Registered Professional Engineer of QLD (RPEQ) is to certify the plan and ensure the design is in accordance with Brisbane City Council's current Standards. b) Construct the stormwater connection/s in accordance with the approved plans required in part (a) of this condition. Submit to the ULDA as-constructed plans verified by a Registered Professional Engineer of QLD (RPEQ) confirming all works have been completed in accordance with the approved plans	a) Prior to commencement of site works b) Prior to commencement of use
12. Water Queensland Urban Utilities (QUU) – Nominated Assessing Authority a) Undertake flow and pressure test to determine the suitability of connecting to the existing 150mm water main and seek QUU approval to the connection point. b) Water reticulation works within the development must be designed and constructed in accordance with the requirements of the Plumbing and Drainage Act 2002 c) Seek and obtain approval from QUU to connect into the existing water infrastructure. Submit for approval to the QUU engineering plans showing the design of any water property connections to serve the development. A Registered Professional Engineer of QLD (RPEQ) is to verify the plan and ensure the design is in accordance with QUU's current Standards. d) Construct the water connection in accordance with the approved plans required in part (b) of this condition. Submit to the QUU and the ULDA as-constructed plans verified by a Registered Professional Engineer of QLD (RPEQ) confirming all works have been completed in accordance with the approved plans e) Provide to the ULDA all approval correspondence from QUU relating to part (a & b) of this condition.	a) Prior to commencement of site works b) Prior to commencement of site works c) Prior to commencement of works d) Prior to commencement of use e) Prior to commencement of use
13. Integrated Water Management Plan Submit to the ULDA's Principal Engineer for compliance endorsement an Integrated Water Management Plan prepared by a suitably qualified professional.	Prior to the commencement of use
14. Bicycle Storage Submit to the ULDA for compliance endorsement detailed secure, undercover bicycle storage and end of trip facilities consistent with AS2890.3.	Prior to commencement of use and to be maintained

CONDITIONS		TIMING
15.	Construct a Permanent Vehicle Crossing Construct the driveway crossing in accordance with Council's "Subdivision and Development Guidelines" and Standard Drawings Remove the existing vehicular crossing on the frontage of the site and reinstate in accordance with Brisbane City Council's "Subdivision and Development Guidelines"	Prior to commencement of use
16.	Construct footpath a) Submit to the ULDA engineering plans certified by a Registered Professional Engineer Qld (RPEQ) showing the design of the footpaths to Thompson Street are generally in accordance with Brisbane City Council's <i>Subdivision and Development Guidelines</i> and <i>Centres Detailing Design Manual</i> (CDDM) including any signs and traffic safety signs, markings and devices. b) Construct footpaths in accordance with part a) of this condition	a) Prior to approval for building works b) Prior to commencement of use and to be maintained
17.	Repair damage to Kerb, Footpath or Road Repair any damage to existing kerb and channel, footpath or roadway (including removal of concrete slurry from footpaths, roads, kerb and channel and stormwater gullies and drainlines) that may occur during any works carried out in association with the approved development	Prior to commencement of use
18.	On site Erosion a) Minimise on-site erosion and the release of sediment or sediment-laden stormwater from the site at all times. b) Prepare an Erosion and Sediment Control (ESC) Management Plan for the site in accordance with the Healthy Waterways document "Controlling Stormwater Pollution on Your Building Site" 2006 (or later version) and Brisbane City Council's "Erosion and Sediment Control Standard" (Version 9 or later). c) Implement and maintain the ESC Management Plan on-site for the duration of the operational or building works, and until all exposed soil areas are permanently stabilised (e.g. turfed, hydro-mulched, concreted, landscaped). The prepared ESC Management Plan must be available on-site during these works.	a) As indicated b) Prior to site works commencing c) While site works/operational works/building works is occurring
19.	Telecommunications a) Enter into an agreement with a telecommunication carrier to provide underground telecommunication services within and adjacent to the proposed development in accordance with Brisbane City Council's <i>Subdivision and Development Guidelines</i>. b) Construct the services in accordance with the agreement.	Prior to commencement of use

CONDITIONS		TIMING
20.	Electricity (Underground Supply Area) Provide underground electricity services in accordance with an approved electricity reticulation plan and the Brisbane City Council's <i>Subdivision and Development Guidelines</i>.	Prior to commencement of use
21.	Service conduits and mains Supply and install all service conduits and meet the cost of any alterations to public utility mains, existing mains, services or installations required in connection with the approved development in accordance with the Brisbane City Council's <i>Subdivision and Development Guidelines</i>.	Prior to commencement of use
22.	Broadband Provide infrastructure within the development to accommodate NBN services in accordance with NBN Co Limited '<i>New Developments: Deployment of the NBN Co Conduit and Pit Network – Guidelines for Developers</i>', Doc. No NBN-TE-CTO-194, issue date 1st April 2011.	Prior to commencement of use.
23.	Noise Submit written confirmation to the ULDA's Principal Engineer from a Registered Professional Engineer of Queensland (RPEQ) that the development has been constructed to meet the recommendations as outlined in the approved Acoustic Work Environmental Assessment Report reference 2012018 L1 dated 16 February 2012.	Prior to commencement of use.
24.	Certification Agreement Comply with all requirements and fulfil all responsibilities outlined in the ULDA Certification Procedure Manual. No work is to commence until the certification documents submitted by the Project Coordinator is acknowledged in writing by the ULDA.	Prior to commencement of site works
25.	Pre-Construction Certification No work shall commence until the ULDA acknowledges in writing receipt of certification package(s) from the Project Coordinator in accordance with ULDA Certification Procedures Manual.	Prior to commencement of construction
26.	Post-Construction Certification Submit Post-Construction (Practical Completion) Certification, approved forms and "as Constructed" plans including an asset register, certified by a Registered Professional Engineer Queensland (RPEQ), that the plans are a true record of the works "as constructed" are in accordance with the approved plans.	Prior to the commencement of use

CONDITIONS		TIMING						
27.	Infrastructure Contributions Pay to the Urban Land Development Authority a monetary contribution towards the cost of the provision of essential infrastructure. The contribution has been calculated in accordance with the ULDA's <i>Interim Infrastructure Framework</i> (The Framework) which will apply for all development approvals issued prior to 30 June 2011. The Framework specifies that the charge will be adjusted each July in accordance with the 3 year rolling average of the Road and Bridge Construction Queensland Index. The current applicable general infrastructure charge is: <table><tr><td>Commercial (Office 962.0m²)</td><td>\$14,115 per 100m² GFA (or part thereof)</td><td>\$141,150.00</td></tr><tr><td>Total</td><td></td><td>\$141,150.00</td></tr></table> <i>* Charge will be adjusted each July in accordance with the 3 year rolling average of the Road and Bridge Construction Queensland Index</i>	Commercial (Office 962.0m ²)	\$14,115 per 100m ² GFA (or part thereof)	\$141,150.00	Total		\$141,150.00	Prior to the commencement of use
Commercial (Office 962.0m ²)	\$14,115 per 100m ² GFA (or part thereof)	\$141,150.00						
Total		\$141,150.00						

STANDARD ADVICE

Please note that in order to lawfully undertake development, it may be necessary to obtain approvals other than this UDA development approval, some specific advices are outlined below. Other advices may include other approvals under the *Urban Land Development Authority Act 2007* as well as the *Sustainable Planning Act 2009* (e.g. for building work), the *Plumbing and Drainage Act 2002* and the *Commonwealth Environmental Protection and Biodiversity Act 1999*. Carrying out development may also be subject to 'duty of care' legislation such as the *Aboriginal Cultural Heritage Act 2003*. For advice on other approvals that may be necessary in relation to your proposal, please seek professional advice.

Please note: The above information has been provided to the applicant as an advice only, and does not form part of the development approval conditions. This advice has been provided to the applicant to inform them of other obligations they may have to comply with (under state legislation or local laws) prior to their activity commencing.

**** End of Package ****