

Our ref: DEV2020/1149/2

19 March 2021

TF EastPerth Pty Ltd
C/- Adams + Sparkes Town Planning
Att: Mr Cameron Adams
PO Box 1000
BUDDINA QLD 4575

Email: admin@astpd.com.au

Dear Mr Adams

SECTION 99 CHANGE TO A PDA DEVELOPMENT APPROVAL FOR A PDA DEVELOPMENT PERMIT FOR RECONFIGURING A LOT – BOUNDARY REALIGNMENT (5 LOTS INTO 4 LOTS AND 5 ACCESS EASEMENTS) AT 4-14 COMMERCIAL CIRCUIT AND 5-11 GATES ROAD, FLAGSTONE DESCRIBED AS LOTS 25012, 25013, 25014, 25015 AND 25016 ON SP303119

On 19 March 2021 the Minister for Economic Development Queensland (MEDQ) decided to grant all of the amendment application applied for, subject to PDA development conditions set out in this PDA decision notice.

The PDA decision notice and approved plans/documents can be viewed in the MEDQ Development Approvals Register via the Department website www.dsdilgp.qld.gov.au/pda-da-applications.

Should you have any queries in relation to this PDA decision notice, please do not hesitate to contact Gabrielle Shepherd on 3452 7914 or at gabrielle.shepherd@dsdti.qld.gov.au.

Yours sincerely



Jeanine Stone
Director
Development Assessment
Economic Development Queensland

PDA Decision Notice – Approval

Site information		
Name of priority development area (PDA)	Greater Flagstone	
Site address	4-14 Commercial Circuit and 5-11 Gates Road, Flagstone	
Lot on plan description	Lot number	Plan description
	Lots 25012, 25013, 25014, 25015 and 25016	SP303119
PDA development application details		
DEV reference number	DEV2020/1149	
'Properly made' date	12 February 2021	
Type of application	☐ New development involving: ☐ Material change of use ☐ Preliminary approval ☐ Development permit ☐ Reconfiguring a lot ☐ Preliminary approval ☐ Development permit ☐ Operational work ☐ Preliminary approval ☐ Development permit ☒ Changing a PDA development approval ☐ Extending the currency period of a PDA approval	
Description of proposal applied for	ROL - 5 lots into 4 lots and 5 access easements	

PDA development approval details			
Decision of the MEDQ		The MEDQ has decided to grant all of the application to change the PDA development approval, subject to PDA development conditions forming part of this decision notice The approved change is a minor amendment to a lot boundary to include sewer infrastructure in one lot only.	
Original Decision date		15 January 2021	
Change to approval date		19 March 2021	
Currency period		4 years from original decision date	
Plans and documents			
The plans and documents approved by the MEDQ and referred to in the PDA development conditions concerning the PDA development approval are detailed below.			
Approved plans and documents		Number	Date
1.	Proposed Boundary Realignment, prepared by Skyline Surveyors	8873 PROP B	2/2/21

PREAMBLE

For the purpose of interpreting this approval, including the conditions, the following applies:

ABBREVIATIONS AND DEFINITIONS:

The following is a list of abbreviations utilised in this approval:

1. **Certification Procedures Manual** means the document titled *Certification Procedures Manual*, prepared by EDQ, dated April 2020 (as amended from time to time).
2. **Contributed Asset** means an asset constructed under a PDA development approval or Infrastructure Agreement that will become the responsibility of an External Authority. For the purposes of operational works for a Contributed Asset, the following definitions apply:
 - a. **External Authority** means a public-sector entity other than the MEDQ;
 - b. **Parkland** means carrying out operational work related to the provision of parkland infrastructure;
 - c. **Roadworks** means carrying out any operational work within existing or proposed road(s), to a depth of 1.5m measured from the top of kerb, and includes Streetscape Works;
 - d. **Sewer Works** means carrying out any operational work related to the provision of wastewater infrastructure;
 - e. **Streetscape Works** means carrying out any operational work within the verge of a road, including footpath surface treatments, street furniture, street lighting and landscaping;
 - f. **Stormwater Works** means carrying out any operational work related to the provision of stormwater infrastructure; and
 - g. **Water Works** means carrying out any operational work related to the provision of water infrastructure.
3. **Council** means the relevant local government for the land the subject of this approval.
4. **EDQ** means Economic Development Queensland.
5. **EDQ DA** means Economic Development Queensland's – Development Assessment team.

6. **EDQ TS** means Economic Development Queensland's – Technical Services team.
7. **EP Act** means the *Environmental Protection Act 1994*.
8. **IFF** means the Infrastructure Funding Framework, prepared by the Department of State Development, Tourism and Innovation, dated 1 July 2020 (as amended from time to time).
9. **LTA** means *Land Title Act 1994*.
10. **MEDQ** means the Minister for Economic Development Queensland.
11. **PDA** means Priority Development Area.
12. **RPEQ** means Registered Professional Engineer of Queensland.

SUBMITTING DOCUMENTATION TO EDQ:

Where a condition of this approval requires documentation to be submitted to either EDQ DA or EDQ TS, submit the documentation to:

- a) EDQ DA at: pdadevelopmentassessment@dsdmip.qld.gov.au.
- b) EDQ TS at: EDQ_PrePostConstruction@dsdmip.qld.gov.au.

PDA Development Conditions – Reconfiguring a Lot		
Ref	Condition	Timing
General		
1.	Carry out the approved development Carry out the approved development generally in accordance with the approved plans and documents.	Prior to survey plan endorsement
Construction		
2.	Certification of Operational Work Including Contributed Assets Carry out all Operational Work, including those for Contributed Assets, under this approval in accordance with the <i>Certification Procedures Manual</i> .	At all times
3.	Appointment of the Project Coordinator a) Following the issue of this development approval, the Development Proponent must appoint suitable qualified and insured persons to carry out project coordination, certification of the works and other matters required by conditions contained within this approval. The nominated project coordinator and certifier must meet the following criteria: i) Project coordinator must have project management skills and demonstrated experiences commensurate with the scale of the development. ii) Certifier must have the required technical qualifications in the discipline being certified and demonstrated experience commensurate with the scale of the development. b) Submit to EDQ TS, the project coordinator's and certifier/s relevant qualifications for EDQ's acceptance.	a) & b) Prior to commencing work
4.	Construction management plan a) Submit to EDQ TS a site-based Construction Management Plan (CMP), prepared by the principal site contractor and reviewed by a suitably qualified and experienced person responsible for overseeing the site works, to manage	a) Prior to commencing work

PDA Development Conditions – Reconfiguring a Lot

Ref	Condition	Timing
	construction impacts, including: i) noise and dust in accordance with the EP Act; ii) stormwater flows around and through the site without increasing the concentration of total suspended solids or Prescribed Water Contaminants (as defined in the EP Act), causing erosion, creating any ponding and causing any actionable nuisance to upstream and downstream properties; iii) contaminated land, where required under a site suitability statement prepared in accordance with section 389 of the EP Act; iv) complaints procedures; v) site management: 1. for the provision of safe and functional alternative pedestrian routes, past, through or around the site; 2. to mitigate impacts to public sector entity assets, including street trees, on or external to the site; 3. for safe and functional temporary vehicular access points and frequency of use; 4. for the safe and functional loading and unloading of materials including the location of any remote loading sites; 5. for the location of materials, structures, plant and equipment; 6. of waste generated by construction activities; 7. detailing how materials are to be loaded/unloaded; 8. of proposed external hoardings and gantries (with clearances to street furniture and other public sector entity assets); 9. of employee and visitor parking areas; 10. of anticipated staging and programming; 11. for the provision of safe and functional emergency exit routes; and 12. any out of hours work as endorsed via Compliance Assessment. b) A copy of the CMP submitted under part a) of this condition must be current and available on site. c) Carry out all construction work generally in accordance with the CMP submitted under part a) of this condition.	b) During construction c) During construction
5.	Erosion and sediment management a) Submit to EDQ TS an Erosion and Sediment Control Plan (ESCP), certified by an RPEQ or an accredited professional in erosion and sediment control, and prepared generally in accordance with the following: i) construction phase stormwater management design objectives of the <i>State Planning Policy 2017</i> (Appendix 2 Table A); ii) <i>Healthy Land and Water Technical Note: Complying with the SPP – Sediment Management on Construction Sites</i>. b) Implement the certified ESCP submitted under part a) of this condition.	a) Prior to commencing work b) During construction
6.	Traffic management plan a) Submit to EDQ TS a Traffic Management Plan (TMP), certified by a person holding a current Traffic Management Design qualification. The TMP must include the following: i) provision for the safe and functional management of traffic around and through the site during and outside of construction work hours; ii) provision for the safe and functional management of pedestrian traffic, including alternative pedestrian routes past, through or around the site; iii) provision of parking for workers and materials delivery; iv) risk identification, assessment and identification of mitigation measures; v) ongoing monitoring, management review and certified updates (as required); and vi) traffic control plans and/or traffic control diagrams, prepared in accordance with <i>Austroads Guide to Temporary Traffic Management</i>, for any temporary part or full road closures.	a) Prior to commencing work

PDA Development Conditions – Reconfiguring a Lot		
Ref	Condition	Timing
	b) Carry out all construction work generally in accordance with the certified TMP submitted under part a) of this condition, which is to be current and available on site. <i>NOTE: Operational traffic changes, such as temporary and permanent lane modifications, relaxation of clearway zone hours or footpath closures may require authorisation from Council or DTMR as road manager. It is recommended that applicants engage directly with the applicable road manager.</i>	b) During construction
7.	Public infrastructure (damage, repairs and relocation) a) Repair any damage to existing public infrastructure caused by works carried out in association with the approved development. b) Where existing public infrastructure require repair or relocation, due to the approved development and/or works associated with the approved development, repair and/or relocate the public infrastructure at no cost to others and in accordance with statutory requirements and adopted design standards. <i>NOTE: It is recommended applicants record their own dated photographic evidence of the condition of relevant existing public infrastructure both before and after works carried out in association with the approved development.</i>	a) Prior to survey plan endorsement b) Prior to survey plan endorsement
Earthworks and retaining walls		
8.	Earthworks a) Submit to EDQ TS detailed earthworks plans, certified by an RPEQ, and designed generally in accordance with <i>Australian Standard AS3798 – 2007 Guidelines on Earthworks for Commercial and Residential Developments</i> The certified earthworks plans are to: - include a geotechnical soils assessment of the site; - accord with the Erosion and Sediment Control Plans, as required by condition 5 – Erosion and sediment management; - include the location and finished surface levels of any cut and/or fill; - detail areas where dispersive soils will be disturbed, treatment of dispersive soils and their rehabilitation; - provide details of any areas where surplus soils are to be stockpiled; - detail protection measures to: - ensure adjoining properties and roads are not impacted by ponding or nuisance stormwater resulting from earthworks associated with the approved development; - preserve all drainage structures from structural loading impacts resulting from earthworks associated with the approved development. b) Carry out earthworks generally in accordance with the certified plans submitted under part a) of this condition. c) Submit to EDQ TS RPEQ certification that: - all earthworks have been carried out generally in accordance with the certified plans submitted under part a) of this condition; and - any unsuitable material encountered has been treated or replaced with suitable material.	a) Prior to commencing earthworks b) Prior to survey plan endorsement c) Prior to survey plan endorsement

PDA Development Conditions – Reconfiguring a Lot

Ref	Condition	Timing
9.	Retaining walls a) Submit to EDQ TS detailed engineering plans, certified by an RPEQ, of all retaining walls 1m or greater in height. Retaining walls must be: i) certified to achieve a minimum 50 year design life; ii) designed generally in accordance with <i>AS4678 – Earth Retaining Structures</i> and relevant material standards (e.g. <i>AS3600 – Concrete Structures</i>); b) Construct retaining walls generally in accordance with the certified plans required under part a) of this condition. c) Submit to EDQ TS certification from an RPEQ that all retaining wall works 1.0m or greater in height have been constructed generally in accordance with the certified plans submitted under part a) of this condition.	a) Prior to commencing earthworks b) Prior to survey plan endorsement c) Prior to survey plan endorsement
Roadworks, urban servicing and stormwater management		
10.	Water reticulation a) Submit to EDQ TS detailed water reticulation design plans, certified by an RPEQ. The certified water reticulation design plans must be designed generally in accordance with <i>PDA Guideline No. 13 Engineering standards</i>, b) Construct water reticulation works generally in accordance with the certified plans submitted under part a) of this condition. c) Submit to EDQ TS 'as constructed' plans, certified by an RPEQ, of all water reticulation infrastructure constructed in accordance with this condition, including an asset register, pressure and bacterial test results in accordance with Council's current adopted standards.	a) Prior to commencing water reticulation work b) Prior to survey plan endorsement c) Prior to survey plan endorsement
11.	Sewer reticulation a) Submit to EDQ TS detailed sewer reticulation design plans, certified by an RPEQ. The certified sewer reticulation design plans must be designed generally in accordance with <i>PDA Guideline No. 13 Engineering standards</i>. b) Construct sewer reticulation works generally in accordance with the certified plans submitted under part b) of this condition. c) Submit to EDQ TS 'as constructed' plans, certified by an RPEQ, of all sewer reticulation infrastructure constructed in accordance with this condition, including an asset register, pressure and CCTV results in accordance with Council's current adopted standards.	a) Prior the commencing sewer reticulation work b) Prior to survey plan endorsement c) Prior to survey plan endorsement
12.	Stormwater management (quality) a) Submit to EDQ TS detailed engineering drawings, certified by an RPEQ, for stormwater treatment devices designed generally in accordance with <i>PDA Guideline No. 13 Engineering standards – Stormwater quality</i>. b) Construct stormwater works generally in accordance with the certified plans submitted under part a) of this condition. c) Submit to EDQ TS "as constructed" plans, certified by an RPEQ, including an asset register, in a format acceptable to Council.	a) Prior to commencing stormwater work b) Prior to survey plan endorsement c) Prior to survey plan endorsement
13.	Stormwater management (quantity) a) Submit to EDQ TS detailed engineering drawings and hydraulic calculations, certified by an RPEQ, for the stormwater drainage system designed generally in accordance with <i>PDA Guideline No. 13 Engineering standards – Stormwater quantity</i>.	a) Prior to commencing stormwater work

PDA Development Conditions – Reconfiguring a Lot		
Ref	Condition	Timing
	b) Construct stormwater works generally in accordance with the certified plans submitted under part a) of this condition. c) Submit to EDQ TS "as constructed" plans, certified by an RPEQ including an asset register in a format acceptable to Council.	b) Prior to survey plan endorsement c) Prior to survey plan endorsement
14.	Electricity a) Submit to EDQ TS a Certificate of Electricity Supply from Energex for the provision of electricity supply to the approved development. b) Connect the approved development in accordance with the Certificate of Electricity Supply submitted under part a) of this condition.	a) Prior to survey plan endorsement b) Prior to survey plan endorsement
15.	Telecommunications a) Submit to EDQ TS documentation from an authorised telecommunication service provider confirming that an agreement has been entered into for the provision of underground telecommunication services to the approved development. b) Connect the approved development in accordance with the documentation submitted under part a) of this condition.	a) Prior to survey plan endorsement b) Prior to survey plan endorsement
16.	Broadband a) Submit to EDQ TS written agreement, from an authorised telecommunications service provider, confirming that fibre-ready pit and pipe infrastructure designed to service the approved development can accommodate services compliant with <i>Industry Guideline G645:2017 Fibre-Ready Pit and Pipe Specification for Real Estate Development Projects</i> . b) Construct the fibre-ready pit and pipe infrastructure specified in the agreement submitted under part a) of this condition.	a) Prior to survey plan endorsement b) Prior to survey plan endorsement
17.	Refuse Collection Submit to EDQ TS refuse collection approval from Council or a private waste contractor.	Prior to survey plan endorsement.
18.	Outdoor Lighting Outdoor lighting within the development is to be designed and installed in accordance with <i>AS 4282:1997 Control of the Obtrusive Effects of Outdoor Lighting</i> .	Prior to commencement of use and to be maintained
Surveying, land transfers and easements		
19.	Easements over infrastructure Provide public utility easements, in favour of and at no cost to the grantee, over infrastructure located in land (other than road) for Contributed Assets. The terms of public utility easements are to be to the satisfaction of the Chief Executive Officer of the authority which is to accept and maintain the Contributed Assets.	At registration of survey plan
Infrastructure contributions		
20.	Infrastructure Contributions Unless a relevant infrastructure agreement provides to the contrary, pay to the MEDQ, the applicable infrastructure charges under the IFF calculated as follows: • where a plan of subdivision or building format plan is submitted for endorsement or the use has commenced on or before 6 years from the original decision date – in accordance with the IFF in force at the time of the original decision date; or • where a plan of subdivision or building format plan is submitted for	In accordance with the IFF

PDA Development Conditions – Reconfiguring a Lot		
Ref	Condition	Timing
	endorsement or the use has commenced more than 6 years from the original decision date – in accordance with the IFF in force at the time of the payment. Where the application is an MCU, certified construction plans detailing the GFA must also be provided to the MEDQ prior to commencement of use for calculation of final charges.	

STANDARD ADVICE

Please note that in order to lawfully undertake development, it may be necessary to obtain approvals other than this PDA development approval. For advice on other approvals that may be necessary in relation to your proposal, it is recommended that you seek professional advice.

**** End of Package ****