Vegetation Clearing & Fauna Management Plan

Greater Flagstone Priority Development Area (Economic Development Queensland)

Balance of Site - Riverside
Teviot Road, Jimboomba

CELESTINO

RECEIVED EDQ
By: Gabrielle Shepherd
Date: 17 May 2021
Queensland Government

CONTENTS

8107 E 02 Balance VCFMP B -- Vegetation Management
8107 E 03 Balance VCFMP B -- Fauna Management (I)
8107 E 04 Balance VCFMP B -- Fauna Management (II)
8107 E 05 Balance VCFMP B -- Fauna Management (III)
8107 E 06 Balance VCFMP A -- Fauna Management Specifications
8107 E 07 Balance VCFMP A -- Vegetation Clearing Specifications
8107 E 08 Balance VCFMP C -- Detail Sheets Context
8107 E 09-161 Balance VCFMP C -- Detail Sheets
8107 E 162 Balance VCFMP C -- Field Survey Areas
8107 E 163 Balance VCFMP C -- Summary of Clearing

Appendix A -- Nest Box Strategy
Appendix B -- Habitat Suitability and Risk Assessment
Appendix C -- Tree Schedule

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: DEV2020/1164
Date: 28 May 2021
Queensland Government

saunders havill group

Vegetation Clearing and Fauna Management Plan - *Vegetation Clearing Notes*

Introduction

The Environmental Management Division of the **Saunders Havill Group (SHG)** was engaged by **Celestino Pty Ltd** to prepare a Vegetation Clearing and Fauna Management Plan (*VCFMP*) for the balance of site (i.e. all but Stage 1) of the Riverside master planned residential development at Teviot Road, Jimboomba.

The purpose of this *VCFMP* is to manage the vegetation removal process and the protection of fauna species as required by the Project's *Natural Environment Site Strategy* (*NESS*) and be approved the administering authority, **Economic Development Queensland** (**EDQ**). The clearing works are required to facilitate civil earth-works, construction and Landscape works for the Project and must be approved prior to clearing works commencing.

This *VCFMP* has been produced by overlaying the following site datasets to determine impacts and disturbances on existing vegetation:

1. GPS accurate tree data using Trimble GNSS receiver GPS units, and including specimen details & habitat features (SHG 2019-2020)
2. Site Inspection of habitat values (SHG 2020)

Project Management

Vegetation management and its processes are an integral part of the construction and operational works phases. The site coordinator is responsible for all works onsite on behalf of the Proponent, **Celestino Pty Ltd** including overseeing vegetation clearing, health and safety of fauna and adhering to **EDQ**'s development approval conditions.

The Site Supervisor is a representative of the Construction Contractor (to be appointed) and responsible for overseeing all pre-clearing, clearing and construction activities are undertaken in accordance with the approved *VCFMP*, *PTRP* and subsequent environmental management documentation. The Site Contractor will be responsible for engaging and the commission of the DES approved Fauna Spotter Catcher.

The environmental coordinator's role is to oversee that works are carried out in accordance with this *VCFMP*. All compliance and non-compliance reporting from the project fauna spotter catcher and project arborist will be reviewed by the environmental coordinator and will direct any remedial actions where required.

The project arborist (with minimum AQF Level 5 in Arboriculture and minimum 5 years' experience) is responsible for: undertaking all appropriate arboricultural measures prior to the commencement of any earthworks on site. The site arborist is also required to direct and supervise all works within TPZs of trees to be retained.

The project fauna spotter catcher is responsible for the management of fauna prior to, during and post clearing works. Details of the responsibilities are outlined on follow sheets of this *VCFMP*.

Site Management Contacts

Client Contact:
Celestino
Pty Ltd
Mr Andrew Jennings
Ph 02 9842 1245

Site supervisor

To be advised

Environmental Coordinator:
Saunders Havill Group
Mr Sam Maynard
Ph (07) 3251 9434

Site coordinator:
To be advised

Project Arborist:
To be advised

Project Fauna spotter-catcher:
To be advised
(Refer to *Sheets 3-6*)

Clearing Phases & Processes

Phase 1 – Fauna Friendly Tree Protection Fencing to be installed

Fencing to be installed prior to the commencement of any clearing works on the site. Tree protection fencing to be located at or beyond 12 x diameter at breast height (DBH) (*AS4970-2009 Protection of trees on development sites*)—unless approved by the Project arborist. The vegetation to be retained will be protected during the clearing and construction works with flagging barriers. The Project will utilise bunting flagging, which will provide a necessary visible barrier for construction works within the balance works area. The detail sheets of the *VCFMP* indicate the locations of the flagging.

Phase 2 - Fauna Pre-clearance Inspection & Reporting

Undertake necessary fauna management requirements prior to clearing works, refer to *Sheet 3-6* for all preclearance inspection and reporting requirements.

Phase 3 - Pre-start Meeting

Fauna Friendly Tree Protection Fencing shall be in place at the time of the official pre-start meeting for inspection and sign off by the Environmental Coordinator and Project Arborist. All pre-works fauna management documentations to submitted to the Environmental Coordinator prior to the pre-start meeting.

PHASE 4 - Undertake Bulk Clearing

Undertake wholesale removal of vegetation in the balance clearing area once daily approval is given by the Project fauna spotter. Clearing will occur in the direction outlined in *sheet 163* of this *VCFMP*, and managed by the Project fauna spotter-catcher to allow all fauna unimpeded movement east towards Logan City Council bushland and future stages of the Project. No vegetation clearing will be undertaken until the external boundaries of the subject lots have been surveyed and marked to ensure vegetation external to the development site is not removed.

Vegetation clearing techniques:

i. By utilising the most appropriate machinery and equipment during vegetation clearing, the probability of injury or death of wildlife during clearing can be significantly reduced or eliminated while still maintaining an efficient vegetation removal process.

ii. Suggested techniques are as follows: (a) a vertical tree grab attachment on an excavator (30 tonne) can be used to pull entire trees in size up to 30-40cm diameter at a height measured at 1.3 metres above ground level and lay them down in a steady controlled fashion, allowing inspection by a fauna spotter-catcher (b) where large trees are too large for a vertical tree grab and have been identified, an elevated work platform or where practical, cherry picker should be used in conjunction with a chainsaw operator and fauna spotter-catcher. Alternatively, careful removal of hollow section from habitat tree and gentle lowering for inspection by fauna spotter-catcher (c) the use of bulldozers to clear vegetation is limited to vegetation that has been thoroughly inspected by a fauna spotter-catcher and is found to contain no fauna or potential habitat. Bulldozers are not to be used to push over large trees that contain hollows or other habitat features.

NOTE: Dogs are not permitted onsite at all times during construction. Construction works including clearing must occur between the hours of 6.30am and 6.30pm.

Access & Stockpiling

A vegetation stockpiling location is to be designated in an easily accessible area outside of TPZs. Indicative vegetation stockpiling locations have been allocated throughout the site, allowing for material to be easily delivered and stored. These locations are subject to minor change according to cut/fill activities and intended location for reuse.

Cleared vegetation free of weeds is to be reused on site. Recycling techniques include mulching, tub-grinding, wood chipping and salvage (e.g. custom milling). Trees with identified hollows should have the hollow section preserved and should be suitably mounted on nearby or adjacent suitable trees, refer to Appendix A -Nest Box Strategy for specific salvaging techniques.

Maintenance

After tree clearing works on site, an analysis of the vegetation's health and growth should be undertaken by the Project arborist to determine specific maintenance needs. Follow up maintenance works should be carried out on retained vegetation where required.

Bunting Flag Protection Fencing - Detail (not to scale)



saunders havill group

CLIENT:
CELESTINO PTY LTD
CELESTINO

DISCLAIMER:
THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT REPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWING BY ANY THIRD PARTY.
CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION. AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.
PRIOR TO ANY EXCAVATION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:
AS4970-2009 Protection of trees on development sites
Vegetation clearing techniques (Logan City Council, 2019)

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	5/03/2021	Retention change	SM

PROJECT:
RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF:
Vegetation Clearing & Fauna Management Plan

DATE:	5/03/2021	CHECKED:	SM
CLIENT REF.:	8107	DRAWN:	MP

DRAWING No.: 8107 E 02 Balance VCFMP B clearing notes

Vegetation Clearing and Fauna Management Plan - *Fauna Management (I)*

Fauna Management Introduction

The Fauna Management section of this *VCFMP* is intended to protect native animals and control/manage impacts during the vegetation clearing process. The clearing area occurs within the Riverside project at Teviot Road, Jimboomba, The project site adjoins the Logan River to the south and east, while rural and rural residential properties adjoin to the north and west. Common species associated with rural landscapes were spotted at the clearing area during the ecological survey. This Fauna Management section of the *VCFMP* has been informed by the *Riverside Celestino Natural Site Strategy, prepared by SHG dated February 2018*. The fauna management specifications and principles incorporated in this *VCFMP* applies generically to all native animals and focuses on avoiding conflicts and incorporating measures to minimize disturbance. Compliance with this section of the *VCFMP* is compulsory and incorporates the use of expert consultants including a Fauna Spotter (holding a valid Wildlife Rehabilitation Permit issued by the **Department of Environment and Science** (**DES**).

Fauna Management Framework

This *VCFMP* provides a framework for fauna management within the site. This *VCFMP* should form part of the Construction Environmental Management Plan (*CEMP*) for the project. To assist in achieving a leading practice model for fauna management prior to, during and post the completion of the construction works for the site, all land clearing will be managed generally in accordance with the *Code of Practice for Welfare of Animals effected by Land Clearing and Other Habitat Impacts and Wildlife Spotter/Catchers (Draft)*, as prepared by the Wildlife Warriors and Voiceless (the Code). Under the Code, the procedural guide detailed in Sections 3.1.1 – 3.1.3 will been used to inform the framework for clearing works. Fauna management and mitigation strategies are discussed in further detail in Fauna Management Specifications section.

Pre-Clearing Survey

Action 1 – Developer to Engage a Fauna Spotter Catcher

Action 1 requires that the developer engage a Fauna Spotter Catcher with full registrations and licences issued by **DES**.

Action 2 – Developer to Undertake Pre-Clearing Survey

A pre-clearing survey will be undertaken by a DES approved Fauna Spotter Catcher no more than two (2) weeks prior to the commencement of clearing activities at each stage. This survey must include a fauna assessment of the site, particularly for Koalas and animals using hollows, including bats. This survey will inform the Pre-Clearing Trapping and Release Plan (*PTRP*) containing elements from the Code, as detailed in Section 3.1.2. Results from the pre-clearance surveys will be made available to **DES** and will form part of the Post-clearing report.

Pre-clearing Trapping and Release Plan

Action 3 – Fauna Spotter Catcher to Prepare a Pre-Clearing Trapping and Release Plan

Informed by the pre-clearing surveys, a *PTRP* containing a Wildlife Protection Management Plan (*WPMP*) and Wildlife and Habitat Impact Mitigation Plan (*WHIMP*) Code elements will be developed by a **DES** approved Fauna Spotter Catcher a maximum of two (2) weeks prior to the commencement of any clearing activities. This report will provide extensive detail of the fauna likely to be impacted by the clearing works.

The *PTRP* will outline the methodology for the identification, trapping and relocation of native fauna. The *PTRP* should include the following information:

- a description of the project with reference to impacts on wildlife and/or wildlife habitat;
- a pre-development plan of the site showing habitat areas including nests and hollows, features, corridors, riparian habitats and adjacent areas;
- results of any fauna surveys including pre-clearance surveys;
- contact details of the nearest veterinarian and agencies to be notified of injured wildlife;
- a wildlife and habitat impact assessment based on the proposed development works; and
- confirmation of the release area.

Action 4 – Fauna Spotter Catcher Role at Pre-Start Meeting

Prior to the commencement of any construction works, a pre-start meeting is to be held between the Proponent, Site Supervisor, Environmental Coordinator, Fauna Spotter Catcher and other key project personnel. At the pre-start meeting, the Fauna Spotter Catcher is to outline the clearing process and the requirements of the *PTRP*.

Action 6 – During Construction

The Fauna Spotter Catcher is to be on-site during all phases of construction which involve potential impacts on wildlife or habitat. This will enable to the Fauna Spotter Catcher to make any necessary adjustments to the approved *VCFMP* and the *PTRP* to cater for any specific issues encountered during the clearing works. Should an animal encountered during vegetation clearing, clearing will cease immediately until the animal preferably moves away of its own accord.

Post-clearing Wildlife Management Report

Action 7 – Post Works Reporting

During the course of all site works, including the pre-clearance surveys, the Fauna Spotter Catcher is to keep an accurate record of all animals encountered and/or captured, and all incidents and disposals for each stage of the project. The records should form part of the Post-Clearing Wildlife Management Report to be issued under licence requirements to **DES**. The Post-Clearing Wildlife Management Report should consist of the following three (3) sections:

1. *PTRP* – Aspects of the planning, design, construction and ongoing operation of the project in which risks to wildlife have been identified. This plan should also include recommendations and outline the type, frequency and timeframes for monitoring, as well as updates to describe measures taken to address an incident.
2. Wildlife Capture and Disposal Plan – Should contain details of any animal/s that were caught and/or sighted and released, and the placement of any release/s as well as details of any animals that were destroyed due to injury, given to wildlife rescue groups etc. The following details for each captured animal should be included in the Wildlife Capture and Disposal Plan:
    a. Species.
    b. Identification name or number.
    c. Sex (M, F or unknown).
    d. Approximate Age or Age Class (neonate, juvenile, sub-adult, adult).
    e. Time and date of capture.
    f. Method of capture.
    g. Exact point of capture (GPS coordinates).
    h. State of health.
    i. Incidents associated with capture likely to affect health.
    j. Veterinary intervention or treatments.
    k. Time held in captivity.
    l. Disposal method (euthanasia, translocation, re-release).
    m. Date and time of disposal.
    n. Details of disposal (GPS points of release).
    o. For released animals, location relative to point of capture.
3. Animal Injury and Euthanasia Report – similar details for the Wildlife Capture and Disposal Plan should be included in this report.

The Post-Clearing Wildlife Management Report will be provided to the Proponent and Environmental Coordinator and no more than two (2) weeks after clearing activities have ceased

Roles and Responsibilities

This section details the key roles and responsibilities for the works.

Proponent

Celestino Pty Ltd is the Proponent for the works.

Environmental Coordinator

Saunders Havill Group (SHG) is the Environmental Coordinator for the project and is responsible for the development of this overarching Fauna Management Framework and documentation for overarching environmental management. SHG will be responsible for managing non-compliance by appointed contractors and sub-contractors, including establishing additional management procedures and determining if **EDQ** notification should be made

Administering Authority

Economic Development Queensland (**EDQ**) is the government approval authority for this project.

Site Coordinator

The Site Coordinator is a representative of the project team (typically the project engineer) and is responsible for coordinating the project consultants and construction contractor.

Site Supervisor

The Site Supervisor is a representative of the Construction Contractor (to be appointed) and responsible for overseeing all pre-clearing, clearing and construction activities are undertaken in accordance with the approved *VCFMP*, *PTRP* and subsequent environmental management documentation. The Site Contractor will be responsible for engaging and the commission of the DES approved Fauna Spotter Catcher.

Fauna Spotter Catcher

A Department of Environment and Science (**DES**) approved Fauna Spotter Catcher is a person who holds a rehabilitation permit with an extended authority issued by **DES**, formally the Department of Environment and Heritage Protection (**EHP**), specifying the holder may take, keep or use an animal whose habitat is about to be destroyed by a human activity. A **DES** approved Fauna Spotter Catcher will be engaged by the Proponent for pre-construction and construction stages of the project. It is noted that the Fauna Spotter Catcher must hold a Rehabilitation Permit and a copy of this permit along with their contact details will be passed on to **EDQ** and the Environmental Coordinator. The engaged Fauna Spotter Catcher will be responsible for undertaking pre-clearing surveys of the site and developing the *PTRP*. The Fauna Spotter Catcher must be present on site during all clearing activities and is responsible for the relocation of native fauna.

Fauna Habitat Areas & Opportunities

The purpose of this VCFMP is to control the impacts of clearing activities on-site and to the surrounding area's fauna communities. The *Riverside Celestino Natural Site Strategy*, prepared by SHG dated *February 2018*, identified the presence of suitable habitat observed along the Logan River riparian corridors at the east and south boundaries of the site, running east-west along the vegetated portion of the waterway/drainage feature, and in the vegetation corridor running north to south in the centre of the site, to be retained as ecological corridors to assist with fauna connectivity under the development proposal (refer sheet 162). This VCFMP will outline the process for tree removal and the strategy for installation of nest boxes to replace removed hollows.

This FMP should be read in conjunction with the following documents, to be lodged separately:

- Riverside Celestino Natural Site Strategy, prepared by SHG dated February 2018

Vegetation Clearing and Fauna Management Plan - *Fauna Management (II)*

Ecological features identified on-site includes the Logan River riparian corridors at the eastern and southern boundary of the site, and a tributary waterway to the Logan River traversing the side from the west to east. The site adjoins mostly disturbed and fragmented rural residential land, earmarked for higher density urbanization as part of the PDA. Most of the site is disturbed, consisting of cleared paddock or regrowth vegetation, with some patches of remnant vegetation present.

Clearing for the balance of site is proposed to occur within the existing least concern RE 12.9-10.2, of concern RE 12.9-10.3, and endangered RE 12.3.3 vegetation as it is determined to be impracticable to avoid development within these areas. A 100m wide vegetation corridor running north to south in the center of the site, the Logan River riparian corridors, and the portion of the tributary waterway between these two features, are proposed to be avoided, and impacts received during the construction stage are anticipated to be minimal. During field surveys, the vegetated portions of the waterways were found to facilitate increased biodiversity, and fauna observations largely occurred within or proximal to the waterways and surrounding vegetation. Additionally, a 100m wide vegetation corridor running north to south through the center of the site was noted to be a viable 'Ecological Link' for connectivity between the Logan River corridor in the south, and the council reserve to the north. The balance area is comprised of cleared paddock, regrowth vegetation, and vegetation lacking in significant ground and shrub layers due to degradation from previous clearing and agricultural grazing practices. Hence, the 100m wide 'Ecological Link', Logan River riparian corridors, and the vegetated portion of the tributary waterway were identified as the most significant ecological locations on-site, and are proposed to be retained, protected, and in some areas, enhanced through rehabilitation.

The following strategies have been developed as part of this VCFMP to mitigate the adverse impacts of development on native fauna and provide habitat enhancement:

1. **Direction of Clearing Plan –** to direct clearing activities from open areas to less open areas allowing fauna to naturally seek shelter in the adjacent habitat (see Sheet 163);
2. **Fencing Management Strategy –** for the provision of permanent and temporary fencing around roads and construction areas, and
3. **Nest Box/Hollow Strategy –** for the installation of nest boxes and salvaged hollows in mature native trees in retained environmental corridors and the provision of hollow logs and branches to temporarily house translocated animals and provide permanent nesting sites. Habitat features are to be determined by the Environmental Coordinator as part of the VCFMP.

The below images reflect management strategies that may be adopted in this VCFMP.



Road Crossing Strategies

No road crossings over watercourses are proposed for this stage of works. Fauna movement corridors will not be severed during these works, as such no fauna road crossings are proposed. Future road crossings through fauna movement corridors will be subject to future VCFMPs including details of fauna sensitive road crossings.

Observed fauna

Fauna assessments were conducted by Senior Ecologists across the subject site in January/February/May 2016, March 2017, May 2018, and February/March/August 2019 to identify and describe on-ground habitat features (e.g. habitat trees, fallen logs, termite mounts, etc.), signs of fauna activity (e.g. scats, tracks, scratch marks on trees, nests etc.), and observations of species present within the area. Survey methods utilized during these field assessments included scat and sign meanders, active diurnal searches, diurnal bird surveys, habitat characterization and general species identification. Additionally, a number of surveys were undertaken which were generally targeted at threatened species identified as having some potential for presence on site. These surveys included Flying Fox roost searches, Koala SAT surveys, and Quoll camera traps (left for a four (4) night period) (refer NESS Appendix A Plan 3 for survey locations).

The results of the survey identified seventy-two (72) fauna species on-site, consisting of fifty-five (55) bird species, six (6) mammal species, nine (9) reptile species, and two (2) amphibian species (refer **Table 1**). No Koalas were observed across any of the scat meanders or Koala SAT surveys completed. Motion detection cameras and trapping did not capture any additional fauna species to those seen on site during the site surveys. A number of observed mammal species were introduced, including Deer, Dogs, and Cows. Given a large proportion of the site is cleared paddocks and regrowth vegetation, and the neighboring land uses have resulted in surrounding land being cleared of remnant vegetation and used for rural residential purposes, utilization of the site is generally limited to fauna that can adapt to a highly modified and disturbed landscape. A variety of common avi-fauna were observed utilising the site as part of a broader home range. No threatened fauna species listed in the *Environment Protection and Biodiversity Conservation Act 1999* (EPBC Act) or the Queensland *Nature Conservation Act 1992* (NCA) were observed during these surveys.

Table 1: Observed fauna species on-site

Scientific Name	Common Name
BIRDS	
Alcedo azurea	Azure Kingfisher
Alectura lathami	Australian Brush-turkey
Anas superciliosa	Pacific Black Duck
Anhinga melanogaster	Darter
Apus pacificus	Fork-tailed Swift
Aquila audax	Wedge-tailed Eagle
Ardea alba	Great Egret
Ardea ibis	Cattle Egret
Ardea pacifica	White-necked Heron
Cacatua galerita	Sulphur-crested Cockatoo
Centropus phasianinus	Pheasant Coucal
Chenonetta jubata	Australia Wood Duck
Climacteris picumnus	Brown Treecreeper
Corvus orru	Torresian Crow
Coturnix ypsilophora	Brown Quail
Cracticus nigrogularis	Pied Butcherbird
Cracticus torquatus	Grey Butcherbird
Dacelo novaeguineae	Laughing Kookaburra
Dendrocygna eytoni	Plummed Whistling Duck
Egretta novaehollandiae	White-faced Heron
Eolophus roseicapilla	Galah
Eudynamys scolopacea	Common Koel
Euryostomus orientalis	Dollarbird
Falco cenchroides	Nankeen Kestrel
Gallinula tenebrosa	Dusky Moorhen
Geopelia placida	Peaceful Dove

Vegetation Clearing and Fauna Management Plan - *Fauna Management (III)*

Scientific Name	Common Name
Grallina cyanoleuca	Magpie-lark
Gymnorhina tibicen	Australian Magpie
Hirundo neoxena	Welcome Swallow
Macropygia amboinensis	Brown Cuckoo-Dove
Malurus cyaneus	Superb Fairy-wren
Malurus melanocephalus	Red-backed Fairy-Wren
Manorina melanocephala	Noisy Minor
Meliphaga lewinii	Lewin's Honey-eater
Merops ornatus	Rainbow Bee-eater
Milvus migrans	Black Kite
Ninox novaeseelandiae	Southern Boobook
Ocyphaps lophotes	Crested Pigeon
Pachycephala rufiventris	Rufous Whistler
Pardalotus striatus	Striated Pardalote
Phalacrocorax sulcirostris	Little Black Cormorant
Platycercus adscitus	Pale-headed Rosella
Podargus strigoides	Tawny Frogmouth
Psophodes olivaceus	Eastern Whipbird
Rhipidura fuliginosa	Grey Fantail
Rhipidura leucophrys	Willie Wagtail
Scythrops novaehollandiae	Channel-billed Cuckoo
Smicrornis brevirostris	Weebill
Taeniopygia bichenovii	Double-barred Finch
Threskiornis molucca	Australian White Ibis
Threskiornis spinicollis	Straw-necked Ibis
Todiramphus incinctus	Forest Kingfisher
Trichoglossus chlorolepidotus	Scaly-breasted Lorikeet
Trichoglossus haematodus	Rainbow Lorikeet
Vanellus miles	Masked Lapwing
MAMMALS	
Bos taurus	European Cattle
Canis lupus	Dog
Lepus europaeus	European Brown Hare
Macropus giganteus	Eastern Grey Kangaroo
Trichosurus vulpecula	Common Brushtail Possum
Wallabia bicolor	Swamp Wallaby
REPTILES	
Cryptoblepharus virgatus	Wall Skink
Demansia psammophis	Yellow-faced Whip Snake
Dendrelaphis punctulatus	Green Tree Snake
Intellagama lesueurii	Eastern Water Dragon
Lampropholis delicata	Grass Skink
Pogona barbata	Bearded Dragon
Pseudechis porphyriacus	Red-bellied Black Snake
Pseudonaja textillis	Eastern Brown Snake
Varanus varius	Lace Monitor
AMPHIBIANS	
Litoria caerulea	Common Green Treefrog
Rhinella marina	Cane Toad

Potential Fauna Species (Threatened)

The EPBC Act's online PMST and NCA Wildlife Online database searches were utilized by SHG to identify endangered, vulnerable and near threatened (EVNT) species which may occur within the general proximity (10 km) of the development.

A habitat suitability and risk assessment for significant fauna was undertaken by SHG in conjunction with the ecological surveys, focusing on identifying habitat features typically associated with threatened species and native fauna groups. This assessment identified three (3) significant fauna species considered as possible occurrences on the site (refer **Table 2**). As a result of the Habitat Suitability and Risk Assessment analysis (**Appendix B**), other species, including migratory species, were deemed unlikely to be at risk from impacts of the proposed development as there are no local records, no suitable habitat on-site, were strictly aerial during their migratory period over the site, or potential habitats on the site are highly disturbed due to prior clearing, weed invasion, and prior pastoral/grazing activities.

Table 2: Threatened species with a possible suitable habitat on-site

Scientific Name	Common Name	EPBC Status	NCA Status	Habitat
Lathamus discolor	Swift Parrot	Endangered	-	Swift Parrots breed in Tasmania during spring to early summer. During autumn and winter the species migrates to the mainland where it follows a nomadic existence linked to the availability and timing of flowering of trees in various locations. While there are no records of the species within 10km of the site, there are suitable winter flowering species present on the site which may attract birds during flowering.
Phascolarctos cinereus	Koala	Vulnerable	Vulnerable	Koalas are found in a range of habitats, from coastal islands and tall eucalypt forests to low woodlands inland. Koala is known to occur in the area, habitat is identified as occurring on-site, none observed but scats found at multiple SAT survey locations. The site is likely to be used by transient Koalas.
Pteropus poliocephalus	Grey-headed Flying-fox	Vulnerable	-	Species generally roosts in camps in trees adjacent to larger permanent watercourse. The Grey-headed flying fox requires foraging resources and roosting sites. It is a canopy-feeding frugivore and nectarivore, which utilises vegetation communities including rainforests, open forests, closed and open woodlands, Melaleuca swamps and Banksia woodlands. It also feed son commercial fruit crops. No evidence of Grey-headed Flying-fox was observed on site. However, scattered and low numbers of flora species with potential to provide foraging habitat during winter and spring were found on site, primarily found along the Logan River and central waterway.

Impacts

Impacts of the proposed development can generally be summarised as the following:

Construction Impacts	Operational Impacts
- Direct removal of site vegetation - Loss of habitat - Loss of food sources - Excavation / compaction/ changes in existing ground levels - Altering of hydrological flows - Noise, vibration and dust - Fragmentation of habitat - Erosion and sedimentation - Threats associated with open cuts etc. and fauna entrapment	- Weed introduction (garden escapees) - Increased hydrology with increased hardstand - Altering of run-off chemical and nutrient components (quality) - Barriers to fauna movement - Vehicle and pedestrian movement and trespass - Introduction of domestic and predatory species

Generally, most impacts for developments are associated directly with vegetation clearing. Sheet 163 provides a development assessment plan showing the vegetation clearing over the proposed footprint.

In accordance with legislative requirements and approval conditions, the following wildlife management provisions will be made to mitigate potential impacts during vegetation clearing:

- The Fauna Spotter Catcher (DES approved) must remain on site during all clearing works to undertake pre-clearing inspection, direct clearing activities and relocate fauna.
- Immediately prior to the commencement of clearing of native vegetation, a daily visual inspection of the area must be carried out by a qualified Fauna Spotter Catcher.
- In the event of an animal being located an area of 5 m radius should be established around the tree excluding machinery from the area until the animal has relocated (usually overnight) or, if an animal requires relocating this must be undertaken by a suitably qualified and permitted fauna expert recognized by DES.
- Any native fauna orphaned or injured by the development process must be reported to DES.
- The site supervisor is responsible for the safe management of site fauna and implementation of these specific fauna requirements.
- Dogs will be restricted on-site during construction activities to encourage fauna movement outside construction hours. Dogs brought onto the premises for security must be controlled and contained.

Vegetation Clearing and Fauna Management Plan - *Fauna Management (IV)*

Fauna Management Specifications

Management Item	Responsibility	Timing	Reporting
4.1.1 Temporary Fencing			
Prior to the commencement of clearing activities, the applicant must fence the limits of vegetation retention areas and install fauna exclusive fencing. This fencing shall be inspected by the Environmental Coordinator. Fencing shall be in accordance with the specifications shown in this *VCFMP* and if modified by the *WPMP*. • Fencing shall be fauna friendly and erected to direct fauna towards vegetation retained along the central and northern waterway corridor. • Fencing shall be erected prior to the commencement of clearing activities and shall be removed in accordance with the *WPMP* to enable animals to safely move to refuge areas. • Within the tree protection zone, the following activities are not permitted: storage and mixing of materials, vehicle parking, liquid disposal, machinery repairs and/or refuelling, construction of site office or shed, combustion of any material, stockpiling of soil, rubble or debris, any filling or excavation including trenching, topsoil skimming and/or surface excavation, unless otherwise approved. • Only approved weed management, landscape and revegetation works are to occur beyond the temporary protection fencing. • Fencing shall be reinstated immediately if damaged or knocked down. • Fencing shall remain until the completion of all bulk earthworks and removed just prior to practical completion.	Site Supervisor	No more than two weeks prior to clearing works commencing on-site.	Inspected by Proponent, the Environmental Coordinator, or Site Supervisor.
4.1.2 Contractor Education and Awareness			
All site contractors and sub-contractors will be made aware of their responsibilities to protect native fauna. The Construction Contractor will be responsible for the commissioning of the *PTRP*. This *VCFMP* is provided as a working document to assist on-site management and protection of native animals. This *VCFMP* will generally form part of education and training in a broader *CEMP* but as a minimum will include: • A copy of this *VCFMP* kept on site (Site Office). • General education and awareness notification of contractors and sub-contractors involved in activities potentially impacting native animals as part of site induction – contractors must know the location of the *VCFMP*, key phone numbers including the nominated Fauna Spotter Catcher and **DES**, and who to report to if potential breaches of the *VCFMP* occur. • A list of relevant contact numbers as listed in this *VCFMP* kept in a visible and accessible location in the site office.	Site Supervisor / Proponent.	Prior to the commencement of construction and as part of the site induction for new staff and sub-contractors.	Site Supervisor
4.1.3 Fauna Spotter Catcher			
A **DES** approved Fauna Spotter Catcher shall inspect the site no more than two (2) weeks prior to clearing works commencing on-site and prepare a *PTRP*. The report must include a full list of fauna species encountered during the site survey, as well as the marking and identification of significant habitat trees. The report shall be sent to the Environmental Coordinator and Proponent prior to the pre-start meeting, for approval and inspection by the Environmental Coordinator. In addition, the Fauna Spotter Catcher must assess the site for: • The presence of native fauna and/or supporting habitat on-site. • Available habitat suitable for likely fauna species. • The presence of any fauna that is 'protected wildlife' as defined under the *Nature Conservation Act 1992* (protected wildlife). • The presence of any species that is a 'listed threatened species' under the *Environment Protection and Biodiversity Conservation Act 1999* (Cth) (listed threatened species). The **DES** approved Fauna Spotter Catcher must be present during the pre-start meeting to identify all fauna habitat trees prior to the commencement of works to ensure wildlife is unharmed at the time of tree clearing operations Note. The **DES** approved Fauna Spotter Catcher is a person who holds a rehabilitation permit with an extended authority issued by **DES** specifying the holder may take, keep or use an animal whose habitat is about to be destroyed by a human activity.'	Site Supervisor / Proponent.	No more than two weeks prior to clearing works commencing on site.	Site Supervisor / Environmental Coordinator

Vegetation Clearing and Fauna Management Plan - *Fauna Management (V)*

Vegetation Clearing Specifications

Management Item	Responsibility	Timing	Reporting
4.2.1 Fauna Spotter Catcher			
For all vegetation clearing: • Immediately prior to the commencement of clearing of native vegetation a daily visual inspection of the area must be carried out. • A Fauna Spotter Catcher must be present during all clearing activities and inspect trees continuously ahead of clearing for Koalas. • In the event of an animal being located, an area within a minimum 5 m radius should be established excluding machinery from the area until the animal has relocated (usually overnight). The no go zone should be determined by the Fauna Spotter Catcher dependant on the species. • If any used hollows or nests are identified from inspection by the Fauna Spotter Catcher, the hollows and nest must be removed by an experienced machinery operator and carefully lowered for inspection and fauna removal by the Fauna Spotter. • Translocation of threatened fauna is not permitted and fauna must move off at its own accord. There is no approval to translocate threatened fauna as part of operational works onsite, refer to Section 6 of this document for further details. • The Fauna Spotter-catcher will manage the care of any injured or orphaned wildlife (e.g. veterinary attention or delivery to a wildlife carer). • Any native fauna listed as a threatened species under the Nature Conservation (Wildlife) Regulation 2006 that are injured or orphaned by the development process, must be reported to the **Department of Environment & Science** (1300 130 372). Any other injured or orphaned fauna must be reported through the Rehabilitation Permit return process by the Fauna Spotter-catcher. • The Site Supervisor is responsible for the safe management of site fauna and implementation of these specific requirements. • All personnel on-site must undertake all works in accordance with all direction/s given by the DES approved Fauna Spotter Catcher. SPECIFIC KOALA MANAGEMENT NOTES A DES approved Koala Spotter is a person who holds a tertiary qualification in Biology or Zoology, or who is demonstrably experienced in the identification and location of Koalas in their natural habitat, and has an authorisation from DES to conduct such activities. For example, demonstrably experienced may include a Koala keeper employed by a licenced Wildlife exhibitor (i.e. a zoo) may be capable of demonstrating competence in location Koalas. Prior to the commencement and during felling operations, it is the responsibility of the DES approved Fauna Spotter to: 1. Be present at the site of felling operations; 2. Identify any tree at the site which a Koala is present, as well as any tree that has a crown which is intermeshed or overlapping with such tree; and 3. Advise the person who is authorised to conduct the felling operation, or that person's representative, of the precise location of each such tree.	Fauna Spotter Catcher.	Must be present for pre-start meeting and during all onsite clearing.	Proponent / Site Supervisor / Environmental Coordinator
4.2.2 Direction of Clearing			
Vegetation clearing activities must be in accordance with the Direction of Clearing Plan (as shown in the approved VMP or corrected by the WPMP) which directs clearing towards vegetation to be retained.	Site Supervisor / Earthworks Contractor / Sub Contractor.	As part of clearing earthworks operations.	Site Supervisor / Proponent / Environmental Coordinator
4.2.3 Monitoring of Clearing/Earthworks			
Works are to be monitored to ensure on-site success of Direction of Clearing Plan (as shown in the approved VMP or corrected by the WPMP) and for immediate reporting of orphaned, injured, distressed, or killed native animals to DES, RSPCA, Environmental Coordinator and Proponent.	DES Fauna Spotter Catcher as employed by the Construction Contractor.	As part of clearing/ earthworks operations.	Site Supervisor / Proponent/ Environmental Coordinator
4.2.4 Timing of Clearing			
No machinery use for vegetation clearing or damage of any kind shall occur on-site between 6 pm and 6 am.	Site Supervisor / Earthworks Contractor / Sub Contractor.	As part of clearing earthworks operations.	Site Supervisor / Proponent / Environmental Coordinator
4.2.4 Relocation / Translocation			
Where works will result in unacceptable risks to health and safety of fauna, a range of measures may be used by the approved Fauna Spotted Catcher to minimise risks, including the temporary removal of animals from the site with the aim or returning animals back to habitat on site at the completion of risk associated works or to suitable habitat adjacent to the site. Appropriate measures are to be determined by the approved Fauna Spotter Catcher. Note: Appropriate wildlife-proof barriers must be used between adjacent habitat and risk associated structures (i.e. roads) where translocation occurs.	DES Fauna Spotter Catcher as employed by the Construction Contractor.	As part of clearing/ earthworks operations.	Site Supervisor / Proponent/ Environmental Coordinator



QLD DCDB

Project site boundary

Balance clearing area

Stage 1 clearing (refer stage 1 VCFMP C)

Vegetation retention corridors

Detail page

Vegetation Clearing & Fauna Management Plan - *Detail sheet context*

saunders havill group

CLIENT:

CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES AND ORDER PARCELS SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	11/05/2021	Retention change	SM

0 50 100 200 300 400 500 600 700 m

1:12,000 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF:
Vegetation Clearing & Fauna Management Plan

DATE:	11/05/2021	CHECKED:	SM
CLIENT REF:	8107	DRAWN:	MP
DRAWING No:	8107 E 08 Balance VCFMP C		



- Tree to remove (w/TPZ)
- Tree to retain (w/TPZ)
- Tree retention to be confirmed in waterway corridor (w/TPZ)
- Tree to remove for Stage 1 works (w/TPZ) *not part of this application
- Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application
- Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)
- Hollow bearing trees
- Vegetation stockpile location (indicative)
- Bunting flag protection fencing type
- Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings
- Balance clearing area
- Retention area (subject to future civil detail design)
- Stage 1 clearing area (not part of this application)
- Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 09*

saunders havill group

CLIENT:
CELESTINO PTY LTD
CELESTINO

DISCLAIMER:
THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CAN NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THIS DRAWING BY ANY THIRD PARTY.
CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.
PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m
1:600 @ A3

PROJECT:
RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF:
Vegetation Clearing & Fauna Management Plan

DATE:	14/05/2021	CHECKED:	SM
CLIENT REF:	8107	DRAWN:	MP
DRAWING No:	8107 E 09 Balance VCFMP C		



Tree to remove (w/TPZ)

Tree to retain (w/TPZ)

Tree retention to be confirmed in waterway corridor (w/TPZ)

Tree to remove for Stage 1 works (w/TPZ) *not part of this application

Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application

Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)

Hollow bearing trees

Vegetation stockpile location (indicative)

Bunting flag protection fencing type

Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings

Balance clearing area

Retention area (subject to future civil detail design)

Stage 1 clearing area (not part of this application)

Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 10*

saunders havill group

CLIENT:

CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWING BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES AND DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF: Vegetation Clearing & Fauna Management Plan

DATE:	14/05/2021	CHECKED:	SM
CLIENT REF:	8107	DRAWN:	MP
DRAWING No.:	8107 E 10 Balance VCFMP C		



Tree to remove (w/TPZ)

Tree to retain (w/TPZ)

Tree retention to be confirmed in waterway corridor (w/TPZ)

Tree to remove for Stage 1 works (w/TPZ) *not part of this application

Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application

Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)

Hollow bearing trees

Vegetation stockpile location (indicative)

Bunting flag protection fencing type

Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings

Balance clearing area

Retention area (subject to future civil detail design)

Stage 1 clearing area (not part of this application)

Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 11*

saunders havill group

CLIENT:

CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CAN NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION. AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY ERRORS OR DISCREPANCIES SHOULD BE CLARIFIED WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF: Vegetation Clearing & Fauna Management Plan

DATE: 14/05/2021	CHECKED: SM
CLIENT REF: 8107	DRAWN: MP
DRAWING No: 8107 E 1.1 Balance VCFMP C	



Tree to remove (w/TPZ)

Tree to retain (w/TPZ)

Tree retention to be confirmed in waterway corridor (w/TPZ)

Tree to remove for Stage 1 works (w/TPZ) *not part of this application

Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application

Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)

Hollow bearing trees

Vegetation stockpile location (indicative)

Bunting flag protection fencing type

Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings

Balance clearing area

Retention area (subject to future civil detail design)

Stage 1 clearing area (not part of this application)

Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 12*

saunders havill group

CLIENT:

CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT SAUNDERS HAVILL GROUP CAN NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWING BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES AND FIGURED DIMENSIONS SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY EXCAVATION, OR DURATION OF CONSTRUCTION WORKS, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF:
Vegetation Clearing & Fauna Management Plan

DATE: 14/05/2021	CHECKED: SM
CLIENT REF: 8107	DRAWN: MP
DRAWING No: 8107 E 12 Balance VCFMP C	



Tree to remove (w/TPZ)

Tree to retain (w/TPZ)

Tree retention to be confirmed in waterway corridor (w/TPZ)

Tree to remove for Stage 1 works (w/TPZ) *not part of this application

Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application

Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)

Hollow bearing trees

Vegetation stockpile location (indicative)

Bunting flag protection fencing type

Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings

Balance clearing area

Retention area (subject to future civil detail design)

Stage 1 clearing area (not part of this application)

Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 13*

saunders havill group

CLIENT:

CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DRAWING DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES AND ORDER OF TRADES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF:

Vegetation Clearing & Fauna Management Plan

DATE:	14/05/2021	CHECKED:	SM
CLIENT REF:	8107	DRAWN:	MP
DRAWING No.:	8107 E 1 3 Balance VCFMP C		



Tree to remove (w/TPZ)

Tree to retain (w/TPZ)

Tree retention to be confirmed in waterway corridor (w/TPZ)

Tree to remove for Stage 1 works (w/TPZ) *not part of this application

Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application

Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)

Hollow bearing trees

Vegetation stockpile location (indicative)

Bunting flag protection fencing type

Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings

Balance clearing area

Retention area (subject to future civil detail design)

Stage 1 clearing area (not part of this application)

Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 14*

saunders havill group

CLIENT:

CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES AND FOR DISCREPANCIES SHALL BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF:

Vegetation Clearing & Fauna Management Plan

DATE: 14/05/2021	CHECKED: SM
CLIENT REF: 8107	DRAWN: MP
DRAWING No: 8107 E 14 Balance VCFMP C	



- Tree to remove (w/TPZ)
- Tree to retain (w/TPZ)
- Tree retention to be confirmed in waterway corridor (w/TPZ)
- Tree to remove for Stage 1 works (w/TPZ) *not part of this application
- Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application
- Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)
- Hollow bearing trees
- Vegetation stockpile location (indicative)
- Bunting flag protection fencing type
- Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings
- Balance clearing area
- Retention area (subject to future civil detail design)
- Stage 1 clearing area (not part of this application)
- Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 15*

saunders havill group

CLIENT:

CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES AND FIGURED DIMENSIONS SHALL BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF: Vegetation Clearing & Fauna Management Plan

DATE: 14/05/2021	CHECKED: SM
CLIENT REF: 8107	DRAWN: MP
DRAWING No: 8107 E 1 5 Balance VCFMP C	



Tree to remove (w/TPZ)

Tree to retain (w/TPZ)

Tree retention to be confirmed in waterway corridor (w/TPZ)

Tree to remove for Stage 1 works (w/TPZ) *not part of this application

Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application

Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)

Hollow bearing trees

Vegetation stockpile location (indicative)

Bunting flag protection fencing type

Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings

Balance clearing area

Retention area (subject to future civil detail design)

Stage 1 clearing area (not part of this application)

Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 16*

saunders havill group

CLIENT:

CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY OF ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF:
Vegetation Clearing & Fauna Management Plan

DATE: 14/05/2021	CHECKED: SM
CLIENT REF: 8107	DRAWN: MP
DRAWING No: 8107 E 16 Balance VCFMP C	



Tree to remove (w/TPZ)

Tree to retain (w/TPZ)

Tree retention to be confirmed in waterway corridor (w/TPZ)

Tree to remove for Stage 1 works (w/TPZ) *not part of this application

Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application

Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)

Hollow bearing trees

Vegetation stockpile location (indicative)

Bunting flag protection fencing type

Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings

Balance clearing area

Retention area (subject to future civil detail design)

Stage 1 clearing area (not part of this application)

Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 17*

saunders havill group

CLIENT:

CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY OR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THIS DRAWING BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE. PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF:
Vegetation Clearing & Fauna Management Plan

DATE:	14/05/2021	CHECKED:	SM
CLIENT REF:	8107	DRAWN:	MP
DRAWING No:	8107 E 17 Balance VCFMP C		



- Tree to remove (w/TPZ)
- Tree to retain (w/TPZ)
- Tree retention to be confirmed in waterway corridor (w/TPZ)
- Tree to remove for Stage 1 works (w/TPZ) *not part of this application
- Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application
- Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)
- Hollow bearing trees
- Vegetation stockpile location (indicative)
- Bunting flag protection fencing type
- Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings
- Balance clearing area
- Retention area (subject to future civil detail design)
- Stage 1 clearing area (not part of this application)
- Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 18*

saunders havill group

CLIENT: CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CAN NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWING BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF: Vegetation Clearing & Fauna Management Plan

DATE: 14/05/2021	CHECKED: SM
CLIENT REF: 8107	DRAWN: MP
DRAWING No: 8107 E 18 Balance VCFMP C	



Tree to remove (w/TPZ)

Tree to retain (w/TPZ)

Tree retention to be confirmed in waterway corridor (w/TPZ)

Tree to remove for Stage 1 works (w/TPZ) *not part of this application

Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application

Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)

Hollow bearing trees

Vegetation stockpile location (indicative)

Bunting flag protection fencing type

Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings

Balance clearing area

Retention area (subject to future civil detail design)

Stage 1 clearing area (not part of this application)

Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 19*

saunders havill group

CLIENT:

CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CAN NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES AND FIGURED DIMENSIONS SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF: Vegetation Clearing & Fauna Management Plan

DATE:	14/05/2021	CHECKED:	SM
CLIENT REF:	8107	DRAWN:	MP
DRAWING No.:	8107 E 19 Balance VCFMP C		



Tree to remove (w/TPZ)

Tree to retain (w/TPZ)

Tree retention to be confirmed in waterway corridor (w/TPZ)

Tree to remove for Stage 1 works (w/TPZ) *not part of this application

Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application

Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)

Hollow bearing trees

Vegetation stockpile location (indicative)

Bunting flag protection fencing type

Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings

Balance clearing area

Retention area (subject to future civil detail design)

Stage 1 clearing area (not part of this application)

Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 20*

saunders havill group

CLIENT:

CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THIS DRAWING BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF: Vegetation Clearing & Fauna Management Plan

DATE:	14/05/2021	CHECKED:	SM
CLIENT REF:	8107	DRAWN:	MP
DRAWING No:	8107 E 20 Balance VCFMP C		



Tree to remove (w/TPZ)

Tree to retain (w/TPZ)

Tree retention to be confirmed in waterway corridor (w/TPZ)

Tree to remove for Stage 1 works (w/TPZ) *not part of this application

Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application

Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)

Hollow bearing trees

Vegetation stockpile location (indicative)

Bunting flag protection fencing type

Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings

Balance clearing area

Retention area (subject to future civil detail design)

Stage 1 clearing area (not part of this application)

Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 21*

saunders havill group

CLIENT:

CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DRAWING DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES AND ORDER OF PRACTICE SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF:

Vegetation Clearing & Fauna Management Plan

DATE:	14/05/2021	CHECKED:	SM
CLIENT REF:	8107	DRAWN:	MP
DRAWING No.:	8107 E 21 Balance VCFMP C		



- Tree to remove (w/TPZ)
- Tree to retain (w/TPZ)
- Tree retention to be confirmed in waterway corridor (w/TPZ)
- Tree to remove for Stage 1 works (w/TPZ) *not part of this application
- Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application
- Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)
- Hollow bearing trees
- Vegetation stockpile location (indicative)
- Bunting flag protection fencing type
- Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings
- Balance clearing area
- Retention area (subject to future civil detail design)
- Stage 1 clearing area (not part of this application)
- Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 22*

saunders havill group

CLIENT: CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES AND FOR ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF: Vegetation Clearing & Fauna Management Plan

DATE: 14/05/2021	CHECKED: SM
CLIENT REF: 8107	DRAWN: MP
DRAWING No: 8107 E 22 Balance VCFMP C	



Tree to remove (w/TPZ)

Tree to retain (w/TPZ)

Tree retention to be confirmed in waterway corridor (w/TPZ)

Tree to remove for Stage 1 works (w/TPZ) *not part of this application

Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application

Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)

Hollow bearing trees

Vegetation stockpile location (indicative)

Bunting flag protection fencing type

Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings

Balance clearing area

Retention area (subject to future civil detail design)

Stage 1 clearing area (not part of this application)

Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 23*

saunders havill group

CLIENT: CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CAN NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES AND FIGURED DIMENSIONS SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF: Vegetation Clearing & Fauna Management Plan

DATE:	14/05/2021	CHECKED:	SM
CLIENT REF:	8107	DRAWN:	MP
DRAWING No:	8107 E 23 Balance VCFMP C		



- Tree to remove (w/TPZ)
- Tree to retain (w/TPZ)
- Tree retention to be confirmed in waterway corridor (w/TPZ)
- Tree to remove for Stage 1 works (w/TPZ) *not part of this application
- Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application
- Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)
- Hollow bearing trees
- Vegetation stockpile location (indicative)
- Bunting flag protection fencing type
- Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings
- Balance clearing area
- Retention area (subject to future civil detail design)
- Stage 1 clearing area (not part of this application)
- Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 24*

saunders havill group

CLIENT: CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CAN NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES AND FIGURED DIMENSIONS SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF: Vegetation Clearing & Fauna Management Plan

DATE:	14/05/2021	CHECKED:	SM
CLIENT REF:	8107	DRAWN:	MP
DRAWING No:	8107 E 24 Balance VCFMP C		



Tree to remove (w/TPZ)

Tree to retain (w/TPZ)

Tree retention to be confirmed in waterway corridor (w/TPZ)

Tree to remove for Stage 1 works (w/TPZ) *not part of this application

Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application

Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)

Hollow bearing trees

Vegetation stockpile location (indicative)

Bunting flag protection fencing type

Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings

Balance clearing area

Retention area (subject to future civil detail design)

Stage 1 clearing area (not part of this application)

Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 25*

saunders havill group

CLIENT:

CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CAN NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES AND ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF:
Vegetation Clearing & Fauna Management Plan

DATE:	14/05/2021	CHECKED:	SM
CLIENT REF:	8107	DRAWN:	MP
DRAWING No:	8107 E 2.5 Balance VCFMP C		



Tree to remove (w/TPZ)

Tree to retain (w/TPZ)

Tree retention to be confirmed in waterway corridor (w/TPZ)

Tree to remove for Stage 1 works (w/TPZ) *not part of this application

Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application

Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)

Hollow bearing trees

Vegetation stockpile location (indicative)

Bunting flag protection fencing type

Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings

Balance clearing area

Retention area (subject to future civil detail design)

Stage 1 clearing area (not part of this application)

Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 26*

saunders havill group

CLIENT:

CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THIS DRAWING BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF:
Vegetation Clearing & Fauna Management Plan

DATE:	14/05/2021	CHECKED:	SM
CLIENT REF:	8107	DRAWN:	MP
DRAWING No:	8107 E 26 Balance VCFMP C		



Tree to remove (w/TPZ)

Tree to retain (w/TPZ)

Tree retention to be confirmed in waterway corridor (w/TPZ)

Tree to remove for Stage 1 works (w/TPZ) *not part of this application

Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application

Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)

Hollow bearing trees

Vegetation stockpile location (indicative)

Bunting flag protection fencing type

Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings

Balance clearing area

Retention area (subject to future civil detail design)

Stage 1 clearing area (not part of this application)

Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 27*

saunders havill group

CLIENT:

CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CAN NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THIS DRAWING BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF:
Vegetation Clearing & Fauna Management Plan

DATE:	14/05/2021	CHECKED:	SM
CLIENT REF:	8107	DRAWN:	MP
DRAWING No:	8107 E 27 Balance VCFMP C		



Tree to remove (w/TPZ)

Tree to retain (w/TPZ)

Tree retention to be confirmed in waterway corridor (w/TPZ)

Tree to remove for Stage 1 works (w/TPZ) *not part of this application

Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application

Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)

Hollow bearing trees

Vegetation stockpile location (indicative)

Bunting flag protection fencing type

Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings

Balance clearing area

Retention area (subject to future civil detail design)

Stage 1 clearing area (not part of this application)

Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 28*

saunders havill group

CLIENT:

CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CAN NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DRAWING DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES AND FIGURED DIMENSIONS SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF: Vegetation Clearing & Fauna Management Plan

DATE:	14/05/2021	CHECKED:	SM
CLIENT REF:	8107	DRAWN:	MP
DRAWING No:	8107 E 28 Balance VCFMP C		



- Tree to remove (w/TPZ)
- Tree to retain (w/TPZ)
- Tree retention to be confirmed in waterway corridor (w/TPZ)
- Tree to remove for Stage 1 works (w/TPZ) *not part of this application
- Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application
- Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)
- Hollow bearing trees
- Vegetation stockpile location (indicative)
- Bunting flag protection fencing type
- Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings
- Balance clearing area
- Retention area (subject to future civil detail design)
- Stage 1 clearing area (not part of this application)
- Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 29*

saunders havill group

CLIENT: CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE, PRIOR TO CONSTRUCTION. AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF: Vegetation Clearing & Fauna Management Plan

DATE:	14/05/2021	CHECKED:	SM
CLIENT REF:	8107	DRAWN:	MP
DRAWING No:	8107 E 29 Balance VCFMP C		



- Tree to remove (w/TPZ)
- Tree to retain (w/TPZ)
- Tree retention to be confirmed in waterway corridor (w/TPZ)
- Tree to remove for Stage 1 works (w/TPZ) *not part of this application
- Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application
- Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)
- Hollow bearing trees
- Vegetation stockpile location (indicative)
- Bunting flag protection fencing type
- Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings
- Balance clearing area
- Retention area (subject to future civil detail design)
- Stage 1 clearing area (not part of this application)
- Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 30*

saunders havill group

CLIENT:

CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DRIVEN DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES AND ORDER PANEL DESIGN SHALL BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF:
Vegetation Clearing & Fauna Management Plan

DATE:	14/05/2021	CHECKED:	SM
CLIENT REF:	8107	DRAWN:	MP
DRAWING No.:	8107 E 30 Balance VCFMP C		



Tree to remove (w/TPZ)

Tree to retain (w/TPZ)

Tree retention to be confirmed in waterway corridor (w/TPZ)

Tree to remove for Stage 1 works (w/TPZ) *not part of this application

Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application

Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)

Hollow bearing trees

Vegetation stockpile location (indicative)

Bunting flag protection fencing type

Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings

Balance clearing area

Retention area (subject to future civil detail design)

Stage 1 clearing area (not part of this application)

Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 31*

saunders havill group

CLIENT:

CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY OR ANY LIABILITY OR RELIANCE UPON THE CONTENTS OF THIS DRAWING BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF: Vegetation Clearing & Fauna Management Plan

DATE:	14/05/2021	CHECKED:	SM
CLIENT REF:	8107	DRAWN:	MP
DRAWING No:	8107 E 31 Balance VCFMP C		

PROJECT ARBORIST TO SUPERVISE AND DIRECT ANY WORKS WITHIN TPZ OF TREES TO BE RETAINED AND ADJOINING BUSHLAND.

- Tree to remove (w/TPZ)
- Tree to retain (w/TPZ)
- Tree retention to be confirmed in waterway corridor (w/TPZ)
- Tree to remove for Stage 1 works (w/TPZ) *not part of this application
- Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application
- Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)
- Hollow bearing trees
- Vegetation stockpile location (indicative)
- Bunting flag protection fencing type
- Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings
- Balance clearing area
- Retention area (subject to future civil detail design)
- Stage 1 clearing area (not part of this application)
- Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 32*

saunders havill group

CLIENT: CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DRIVE DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES AND ORDER PRACTICES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF: Vegetation Clearing & Fauna Management Plan

DATE:	14/05/2021	CHECKED:	SM
CLIENT REF:	8107	DRAWN:	MP
DRAWING No.:	8107 E 3.2 Balance VCFMP C		



Tree to remove (w/TPZ)

Tree to retain (w/TPZ)

Tree retention to be confirmed in waterway corridor (w/TPZ)

Tree to remove for Stage 1 works (w/TPZ) *not part of this application

Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application

Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)

Hollow bearing trees

Vegetation stockpile location (indicative)

Bunting flag protection fencing type

Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings

Balance clearing area

Retention area (subject to future civil detail design)

Stage 1 clearing area (not part of this application)

Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 33*

saunders havill group

CLIENT:

CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION. AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF:
Vegetation Clearing & Fauna Management Plan

DATE:	14/05/2021	CHECKED:	SM
CLIENT REF:	8107	DRAWN:	MP
DRAWING No:	8107 E 33 Balance VCFMP C		



Tree to remove (w/TPZ)

Tree to retain (w/TPZ)

Tree retention to be confirmed in waterway corridor (w/TPZ)

Tree to remove for Stage 1 works (w/TPZ) *not part of this application

Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application

Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)

Hollow bearing trees

Vegetation stockpile location (indicative)

Bunting flag protection fencing type

Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings

Balance clearing area

Retention area (subject to future civil detail design)

Stage 1 clearing area (not part of this application)

Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 34*

saunders havill group

CLIENT:

CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE, PRIOR TO CONSTRUCTION, AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF:
Vegetation Clearing & Fauna Management Plan

DATE: 14/05/2021	CHECKED: SM
CLIENT REF: 8107	DRAWN: MP
DRAWING No: 8107 E 34 Balance VCFMP C	



Tree to remove (w/TPZ)

Tree to retain (w/TPZ)

Tree retention to be confirmed in waterway corridor (w/TPZ)

Tree to remove for Stage 1 works (w/TPZ) *not part of this application

Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application

Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)

Hollow bearing trees

Vegetation stockpile location (indicative)

Bunting flag protection fencing type

Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings

Balance clearing area

Retention area (subject to future civil detail design)

Stage 1 clearing area (not part of this application)

Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 35*

saunders havill group

CLIENT:

CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY OR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES AND FOR DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF:
Vegetation Clearing & Fauna Management Plan

DATE:	14/05/2021	CHECKED:	SM
CLIENT REF:	8107	DRAWN:	MP
DRAWING No.:	8107 E 35 Balance VCFMP C		



Tree to remove (w/TPZ)

Tree to retain (w/TPZ)

Tree retention to be confirmed in waterway corridor (w/TPZ)

Tree to remove for Stage 1 works (w/TPZ) *not part of this application

Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application

Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)

Hollow bearing trees

Vegetation stockpile location (indicative)

Bunting flag protection fencing type

Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings

Balance clearing area

Retention area (subject to future civil detail design)

Stage 1 clearing area (not part of this application)

Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 36*

saunders havill group

CLIENT:

CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CAN NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION. AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF: Vegetation Clearing & Fauna Management Plan

DATE:	14/05/2021	CHECKED:	SM
CLIENT REF:	8107	DRAWN:	MP
DRAWING No:	8107 E 3 6 Balance VCFMP C		



Tree to remove (w/TPZ)

Tree to retain (w/TPZ)

Tree retention to be confirmed in waterway corridor (w/TPZ)

Tree to remove for Stage 1 works (w/TPZ) *not part of this application

Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application

Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)

Hollow bearing trees

Vegetation stockpile location (indicative)

Bunting flag protection fencing type

Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings

Balance clearing area

Retention area (subject to future civil detail design)

Stage 1 clearing area (not part of this application)

Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 37*

saunders havill group

CLIENT:

CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THIS DRAWING BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF: Vegetation Clearing & Fauna Management Plan

DATE:	14/05/2021	CHECKED:	SM
CLIENT REF:	8107	DRAWN:	MP
DRAWING No:	8107 E 37 Balance VCFMP C		



Tree to remove (w/TPZ)

Tree to retain (w/TPZ)

Tree retention to be confirmed in waterway corridor (w/TPZ)

Tree to remove for Stage 1 works (w/TPZ) *not part of this application

Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application

Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)

Hollow bearing trees

Vegetation stockpile location (indicative)

Bunting flag protection fencing type

Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings

Balance clearing area

Retention area (subject to future civil detail design)

Stage 1 clearing area (not part of this application)

Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 38*

saunders havill group

CLIENT:

CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THIS DRAWING BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF: Vegetation Clearing & Fauna Management Plan

DATE:	14/05/2021	CHECKED:	SM
CLIENT REF:	8107	DRAWN:	MP
DRAWING No:	8107 E 38 Balance VCFMP C		



- Tree to remove (w/TPZ)
- Tree to retain (w/TPZ)
- Tree retention to be confirmed in waterway corridor (w/TPZ)
- Tree to remove for Stage 1 works (w/TPZ) *not part of this application
- Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application
- Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)
- Hollow bearing trees
- Vegetation stockpile location (indicative)
- Bunting flag protection fencing type
- Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings
- Balance clearing area
- Retention area (subject to future civil detail design)
- Stage 1 clearing area (not part of this application)
- Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 39*

saunders havill group

CLIENT:

CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CAN NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES AND FIGURED DIMENSIONS SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF:
Vegetation Clearing & Fauna Management Plan

DATE:	14/05/2021	CHECKED:	SM
CLIENT REF:	8107	DRAWN:	MP
DRAWING No.:	8107 E 39 Balance VCFMP C		



Tree to remove (w/TPZ)

Tree to retain (w/TPZ)

Tree retention to be confirmed in waterway corridor (w/TPZ)

Tree to remove for Stage 1 works (w/TPZ) *not part of this application

Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application

Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)

Hollow bearing trees

Vegetation stockpile location (indicative)

Bunting flag protection fencing type

Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings

Balance clearing area

Retention area (subject to future civil detail design)

Stage 1 clearing area (not part of this application)

Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 40*

saunders havill group

CLIENT:

CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CAN NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION. AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF:
Vegetation Clearing & Fauna Management Plan

DATE:	14/05/2021	CHECKED:	SM
CLIENT REF:	8107	DRAWN:	MP
DRAWING No:	8107 E 40 Balance VCFMP C		



- Tree to remove (w/TPZ)
- Tree to retain (w/TPZ)
- Tree retention to be confirmed in waterway corridor (w/TPZ)
- Tree to remove for Stage 1 works (w/TPZ) *not part of this application
- Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application
- Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)
- Hollow bearing trees
- Vegetation stockpile location (indicative)
- Bunting flag protection fencing type
- Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings
- Balance clearing area
- Retention area (subject to future civil detail design)
- Stage 1 clearing area (not part of this application)
- Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 41*

saunders havill group

CLIENT: CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CAN NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES AND FIGURED DIMENSIONS SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF: Vegetation Clearing & Fauna Management Plan

DATE:	14/05/2021	CHECKED:	SM
CLIENT REF:	8107	DRAWN:	MP
DRAWING No:	8107 E 41 Balance VCFMP C		



Tree to remove (w/TPZ)

Tree to retain (w/TPZ)

Tree retention to be confirmed in waterway corridor (w/TPZ)

Tree to remove for Stage 1 works (w/TPZ) *not part of this application

Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application

Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)

Hollow bearing trees

Vegetation stockpile location (indicative)

Bunting flag protection fencing type

Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings

Balance clearing area

Retention area (subject to future civil detail design)

Stage 1 clearing area (not part of this application)

Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 42*

saunders havill group

CLIENT:

CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES AND DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF:
Vegetation Clearing & Fauna Management Plan

DATE: 14/05/2021	CHECKED: SM
CLIENT REF: 8107	DRAWN: MP
DRAWING No.: 8107 E 42 Balance VCFMP C	



Tree to remove (w/TPZ)

Tree to retain (w/TPZ)

Tree retention to be confirmed in waterway corridor (w/TPZ)

Tree to remove for Stage 1 works (w/TPZ) *not part of this application

Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application

Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)

Hollow bearing trees

Vegetation stockpile location (indicative)

Bunting flag protection fencing type

Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings

Balance clearing area

Retention area (subject to future civil detail design)

Stage 1 clearing area (not part of this application)

Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 43*

saunders havill group

CLIENT:

CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CAN NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION. AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY ERRORS FOUND SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF: Vegetation Clearing & Fauna Management Plan

DATE:	14/05/2021	CHECKED:	SM
CLIENT REF:	8107	DRAWN:	MP
DRAWING No:	8107 E 43 Balance VCFMP C		



Tree to remove (w/TPZ)

Tree to retain (w/TPZ)

Tree retention to be confirmed in waterway corridor (w/TPZ)

Tree to remove for Stage 1 works (w/TPZ) *not part of this application

Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application

Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)

Hollow bearing trees

Vegetation stockpile location (indicative)

Bunting flag protection fencing type

Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings

Balance clearing area

Retention area (subject to future civil detail design)

Stage 1 clearing area (not part of this application)

Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 44*

saunders havill group

CLIENT:

CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THIS DRAWING BY ANY THIRD PARTY.

CONFIRM ALL DIMENSION ON SITE PRIOR TO CONSTRUCTION. AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF: Vegetation Clearing & Fauna Management Plan

DATE: 14/05/2021	CHECKED: SM
CLIENT REF: 8107	DRAWN: MP
DRAWING No: 8107 E 44 Balance VCFMP C	



Tree to remove (w/TPZ)

Tree to retain (w/TPZ)

Tree retention to be confirmed in waterway corridor (w/TPZ)

Tree to remove for Stage 1 works (w/TPZ) *not part of this application

Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application

Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)

Hollow bearing trees

Vegetation stockpile location (indicative)

Bunting flag protection fencing type

Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings

Balance clearing area

Retention area (subject to future civil detail design)

Stage 1 clearing area (not part of this application)

Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 45*

saunders havill group

CLIENT:

CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES AND FIGURED DIMENSIONS SHALL BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF:
Vegetation Clearing & Fauna Management Plan

DATE: 14/05/2021	CHECKED: SM
CLIENT REF: 8107	DRAWN: MP
DRAWING No: 8107 E 45 Balance VCFMP C	



Tree to remove (w/TPZ)

Tree to retain (w/TPZ)

Tree retention to be confirmed in waterway corridor (w/TPZ)

Tree to remove for Stage 1 works (w/TPZ) *not part of this application

Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application

Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)

Hollow bearing trees

Vegetation stockpile location (indicative)

Bunting flag protection fencing type

Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings

Balance clearing area

Retention area (subject to future civil detail design)

Stage 1 clearing area (not part of this application)

Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 46*

saunders havill group

CLIENT:

CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CAN NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES AND DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY EXCAVATION, OR DURATION OF CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF:
Vegetation Clearing & Fauna Management Plan

DATE: 14/05/2021	CHECKED: SM
CLIENT REF: 8107	DRAWN: MP
DRAWING No.: 8107 E 46 Balance VCFMP C	



Tree to remove (w/TPZ)

Tree to retain (w/TPZ)

Tree retention to be confirmed in waterway corridor (w/TPZ)

Tree to remove for Stage 1 works (w/TPZ) *not part of this application

Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application

Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)

Hollow bearing trees

Vegetation stockpile location (indicative)

Bunting flag protection fencing type

Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings

Balance clearing area

Retention area (subject to future civil detail design)

Stage 1 clearing area (not part of this application)

Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 47*

saunders havill group

CLIENT:

CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THIS DRAWING BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES AND ORDERED PARTS SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF: Vegetation Clearing & Fauna Management Plan

DATE:	14/05/2021	CHECKED:	SM
CLIENT REF:	8107	DRAWN:	MP
DRAWING No:	8107 E 47 Balance VCFMP C		



Tree to remove (w/TPZ)

Tree to retain (w/TPZ)

Tree retention to be confirmed in waterway corridor (w/TPZ)

Tree to remove for Stage 1 works (w/TPZ) *not part of this application

Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application

Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)

Hollow bearing trees

Vegetation stockpile location (indicative)

Bunting flag protection fencing type

Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings

Balance clearing area

Retention area (subject to future civil detail design)

Stage 1 clearing area (not part of this application)

Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 48*

saunders havill group

CLIENT:

CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CAN NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES AND FIGURED DIMENSIONS SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF:
Vegetation Clearing & Fauna Management Plan

DATE:	14/05/2021	CHECKED:	SM
CLIENT REF:	8107	DRAWN:	MP
DRAWING No:	8107 E 48 Balance VCFMP C		



Tree to remove (w/TPZ)

Tree to retain (w/TPZ)

Tree retention to be confirmed in waterway corridor (w/TPZ)

Tree to remove for Stage 1 works (w/TPZ) *not part of this application

Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application

Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)

Hollow bearing trees

Vegetation stockpile location (indicative)

Bunting flag protection fencing type

Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings

Balance clearing area

Retention area (subject to future civil detail design)

Stage 1 clearing area (not part of this application)

Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 49*

saunders havill group

CLIENT:

CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION. AND DO NOT SCALE FROM THESE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY ERRORS OR PARCELS SHOULD BE CLARIFIED WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF: Vegetation Clearing & Fauna Management Plan

DATE:	14/05/2021	CHECKED:	SM
CLIENT REF:	8107	DRAWN:	MP
DRAWING No:	8107 E 49 Balance VCFMP C		



Tree to remove (w/TPZ)

Tree to retain (w/TPZ)

Tree retention to be confirmed in waterway corridor (w/TPZ)

Tree to remove for Stage 1 works (w/TPZ) *not part of this application

Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application

Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)

Hollow bearing trees

Vegetation stockpile location (indicative)

Bunting flag protection fencing type

Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings

Balance clearing area

Retention area (subject to future civil detail design)

Stage 1 clearing area (not part of this application)

Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 50*

saunders havill group

CLIENT:

CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THIS DRAWING BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF:
Vegetation Clearing & Fauna Management Plan

DATE:	14/05/2021	CHECKED:	SM
CLIENT REF:	8107	DRAWN:	MP
DRAWING No:	8107 E 50 Balance VCFMP C		



- Tree to remove (w/TPZ)
- Tree to retain (w/TPZ)
- Tree retention to be confirmed in waterway corridor (w/TPZ)
- Tree to remove for Stage 1 works (w/TPZ) *not part of this application
- Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application
- Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)
- Hollow bearing trees
- Vegetation stockpile location (indicative)
- Bunting flag protection fencing type
- Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings
- Balance clearing area
- Retention area (subject to future civil detail design)
- Stage 1 clearing area (not part of this application)
- Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 51*

saunders havill group

CLIENT: CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CAN NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES AND FIGURED DIMENSIONS SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF: Vegetation Clearing & Fauna Management Plan

DATE:	14/05/2021	CHECKED:	SM
CLIENT REF:	8107	DRAWN:	MP
DRAWING No.:	8107 E 51 Balance VCFMP C		

PROJECT ARBORIST TO SUPERVISE AND DIRECT ANY CIVIL WORKS OR TREE CLEARING WITHIN TPZ OF TREES TO BE RETAINED.

- Tree to remove (w/TPZ)
- Tree to retain (w/TPZ)
- Tree retention to be confirmed in waterway corridor (w/TPZ)
- Tree to remove for Stage 1 works (w/TPZ) *not part of this application
- Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application
- Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)
- Hollow bearing trees
- Vegetation stockpile location (indicative)
- Bunting flag protection fencing type
- Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings
- Balance clearing area
- Retention area (subject to future civil detail design)
- Stage 1 clearing area (not part of this application)
- Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 52*

saunders havill group

CLIENT: CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE, PRIOR TO CONSTRUCTION, AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES, AND ORDER PARCELS SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF: Vegetation Clearing & Fauna Management Plan

DATE:	14/05/2021	CHECKED:	SM
CLIENT REF:	8107	DRAWN:	MP
DRAWING No:	8107 E 52 Balance VCFMP C		



Tree to remove (w/TPZ)

Tree to retain (w/TPZ)

Tree retention to be confirmed in waterway corridor (w/TPZ)

Tree to remove for Stage 1 works (w/TPZ) *not part of this application

Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application

Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)

Hollow bearing trees

Vegetation stockpile location (indicative)

Bunting flag protection fencing type

Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings

Balance clearing area

Retention area (subject to future civil detail design)

Stage 1 clearing area (not part of this application)

Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 53*

saunders havill group

CLIENT:

CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY OR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES AND FIGURE DIMENSIONS SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF: Vegetation Clearing & Fauna Management Plan

DATE:	14/05/2021	CHECKED:	SM
CLIENT REF:	8107	DRAWN:	MP
DRAWING No:	8107 E 53 Balance VCFMP C		



- Tree to remove (w/TPZ)
- Tree to retain (w/TPZ)
- Tree retention to be confirmed in waterway corridor (w/TPZ)
- Tree to remove for Stage 1 works (w/TPZ) *not part of this application
- Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application
- Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)
- Hollow bearing trees
- Vegetation stockpile location (indicative)
- Bunting flag protection fencing type
- Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings
- Balance clearing area
- Retention area (subject to future civil detail design)
- Stage 1 clearing area (not part of this application)
- Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 54*

saunders havill group

CLIENT: CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION. AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF: Vegetation Clearing & Fauna Management Plan

DATE: 14/05/2021	CHECKED: SM
CLIENT REF: 8107	DRAWN: MP
DRAWING No: 8107 E 54 Balance VCFMP C	



Tree to remove (w/TPZ)

Tree to retain (w/TPZ)

Tree retention to be confirmed in waterway corridor (w/TPZ)

Tree to remove for Stage 1 works (w/TPZ) *not part of this application

Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application

Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)

Hollow bearing trees

Vegetation stockpile location (indicative)

Bunting flag protection fencing type

Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings

Balance clearing area

Retention area (subject to future civil detail design)

Stage 1 clearing area (not part of this application)

Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 55*

saunders havill group

CLIENT: CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION. AND DO NOT SCALE FROM THESE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES AND ORDER PARCELS SHOULD BE CLARIFIED WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF: Vegetation Clearing & Fauna Management Plan

DATE: 14/05/2021	CHECKED: SM
CLIENT REF: 8107	DRAWN: MP
DRAWING No.: 8107 E 55 Balance VCFMP C	



Tree to remove (w/TPZ)

Tree to retain (w/TPZ)

Tree retention to be confirmed in waterway corridor (w/TPZ)

Tree to remove for Stage 1 works (w/TPZ) *not part of this application

Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application

Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)

Hollow bearing trees

Vegetation stockpile location (indicative)

Bunting flag protection fencing type

Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings

Balance clearing area

Retention area (subject to future civil detail design)

Stage 1 clearing area (not part of this application)

Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 56*

saunders havill group

CLIENT:

CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES AND ORDER PAGES SHOULD BE CLARIFIED WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF: Vegetation Clearing & Fauna Management Plan

DATE:	14/05/2021	CHECKED:	SM
CLIENT REF:	8107	DRAWN:	MP
DRAWING No:	8107 E 56 Balance VCFMP C		



Tree to remove (w/TPZ)

Tree to retain (w/TPZ)

Tree retention to be confirmed in waterway corridor (w/TPZ)

Tree to remove for Stage 1 works (w/TPZ) *not part of this application

Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application

Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)

Hollow bearing trees

Vegetation stockpile location (indicative)

Bunting flag protection fencing type

Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings

Balance clearing area

Retention area (subject to future civil detail design)

Stage 1 clearing area (not part of this application)

Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 57*

saunders havill group

CLIENT:

CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CAN NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF: Vegetation Clearing & Fauna Management Plan

DATE:	14/05/2021	CHECKED:	SM
CLIENT REF:	8107	DRAWN:	MP
DRAWING No:	8107 E 57 Balance VCFMP C		



Tree to remove (w/TPZ)

Tree to retain (w/TPZ)

Tree retention to be confirmed in waterway corridor (w/TPZ)

Tree to remove for Stage 1 works (w/TPZ) *not part of this application

Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application

Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)

Hollow bearing trees

Vegetation stockpile location (indicative)

Bunting flag protection fencing type

Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings

Balance clearing area

Retention area (subject to future civil detail design)

Stage 1 clearing area (not part of this application)

Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 58*

saunders havill group

CLIENT:

CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CAN NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES AND FIGURED DIMENSIONS SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF:
Vegetation Clearing & Fauna Management Plan

DATE:	14/05/2021	CHECKED:	SM
CLIENT REF:	8107	DRAWN:	MP
DRAWING No:	8107 E 58 Balance VCFMP C		



Tree to remove (w/TPZ)

Tree to retain (w/TPZ)

Tree retention to be confirmed in waterway corridor (w/TPZ)

Tree to remove for Stage 1 works (w/TPZ) *not part of this application

Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application

Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)

Hollow bearing trees

Vegetation stockpile location (indicative)

Bunting flag protection fencing type

Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings

Balance clearing area

Retention area (subject to future civil detail design)

Stage 1 clearing area (not part of this application)

Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 59*

saunders havill group

CLIENT:

CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CAN NOT ACCEPT RESPONSIBILITY OR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THIS DRAWING BY ANY THIRD PARTY.

CONFIRM ALL DIMENSION ON SITE PRIOR TO CONSTRUCTION. AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF:
Vegetation Clearing & Fauna Management Plan

DATE:	14/05/2021	CHECKED:	SM
CLIENT REF:	8107	DRAWN:	MP
DRAWING No:	8107 E 59 Balance VCFMP C		



Tree to remove (w/TPZ)

Tree to retain (w/TPZ)

Tree retention to be confirmed in waterway corridor (w/TPZ)

Tree to remove for Stage 1 works (w/TPZ) *not part of this application

Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application

Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)

Hollow bearing trees

Vegetation stockpile location (indicative)

Bunting flag protection fencing type

Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings

Balance clearing area

Retention area (subject to future civil detail design)

Stage 1 clearing area (not part of this application)

Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 60*

saunders havill group

CLIENT: CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION. AND DO NOT SCALE FROM THESE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY ERRORS OR PROBLEMS SHOULD BE CLARIFIED WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF: Vegetation Clearing & Fauna Management Plan

DATE: 14/05/2021	CHECKED: SM
CLIENT REF: 8107	DRAWN: MP
DRAWING No: 8107 E 60 Balance VCFMP C	

PROJECT ARBORIST TO SUPERVISE AND DIRECT ANY CIVIL WORKS OR TREE CLEARING WITHIN TPZ OF TREES TO BE RETAINED.

- Tree to remove (w/TPZ)
- Tree to retain (w/TPZ)
- Tree retention to be confirmed in waterway corridor (w/TPZ)
- Tree to remove for Stage 1 works (w/TPZ) *not part of this application
- Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application
- Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)
- Hollow bearing trees
- Vegetation stockpile location (indicative)
- Bunting flag protection fencing type
- Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings
- Balance clearing area
- Retention area (subject to future civil detail design)
- Stage 1 clearing area (not part of this application)
- Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 61*

saunders havill group

CLIENT: CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF: Vegetation Clearing & Fauna Management Plan

DATE: 14/05/2021	CHECKED: SM
CLIENT REF: 8107	DRAWN: MP
DRAWING No: 8107 E 61 Balance VCFMP C	



Tree to remove (w/TPZ)

Tree to retain (w/TPZ)

Tree retention to be confirmed in waterway corridor (w/TPZ)

Tree to remove for Stage 1 works (w/TPZ) *not part of this application

Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application

Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)

Hollow bearing trees

Vegetation stockpile location (indicative)

Bunting flag protection fencing type

Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings

Balance clearing area

Retention area (subject to future civil detail design)

Stage 1 clearing area (not part of this application)

Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 62*

saunders havill group

CLIENT:

CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THIS DRAWING BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF:
Vegetation Clearing & Fauna Management Plan

DATE:	14/05/2021	CHECKED:	SM
CLIENT REF:	8107	DRAWN:	MP
DRAWING No:	8107 E 62 Balance VCFMP C		



Tree to remove (w/TPZ)

Tree to retain (w/TPZ)

Tree retention to be confirmed in waterway corridor (w/TPZ)

Tree to remove for Stage 1 works (w/TPZ) *not part of this application

Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application

Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)

Hollow bearing trees

Vegetation stockpile location (indicative)

Bunting flag protection fencing type

Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings

Balance clearing area

Retention area (subject to future civil detail design)

Stage 1 clearing area (not part of this application)

Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 63*

saunders havill group

CLIENT:

CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWING BY ANY THIRD PARTY.

CONFIRM ALL DIMENSION ON SITE, PRIOR TO CONSTRUCTION. AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF:
Vegetation Clearing & Fauna Management Plan

DATE:	14/05/2021	CHECKED:	SM
CLIENT REF:	8107	DRAWN:	MP
DRAWING No:	8107 E 63 Balance VCFMP C		



Tree to remove (w/TPZ)

Tree to retain (w/TPZ)

Tree retention to be confirmed in waterway corridor (w/TPZ)

Tree to remove for Stage 1 works (w/TPZ) *not part of this application

Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application

Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)

Hollow bearing trees

Vegetation stockpile location (indicative)

Bunting flag protection fencing type

Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings

Balance clearing area

Retention area (subject to future civil detail design)

Stage 1 clearing area (not part of this application)

Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 64*

saunders havill group

CLIENT:

CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES AND FIGURED DIMENSIONS SHALL BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF:
Vegetation Clearing & Fauna Management Plan

DATE:	14/05/2021	CHECKED:	SM
CLIENT REF:	8107	DRAWN:	MP
DRAWING No.:	8107 E 64 Balance VCFMP C		



Tree to remove (w/TPZ)

Tree to retain (w/TPZ)

Tree retention to be confirmed in waterway corridor (w/TPZ)

Tree to remove for Stage 1 works (w/TPZ) *not part of this application

Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application

Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)

Hollow bearing trees

Vegetation stockpile location (indicative)

Bunting flag protection fencing type

Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings

Balance clearing area

Retention area (subject to future civil detail design)

Stage 1 clearing area (not part of this application)

Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 65*

saunders havill group

CLIENT:

CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION. AND DO NOT SCALE FROM THESE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY ERRORS OR PARCELS SHOULD BE CLAIMED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF:
Vegetation Clearing & Fauna Management Plan

DATE:	14/05/2021	CHECKED:	SM
CLIENT REF:	8107	DRAWN:	MP
DRAWING No.:	8107 E 65 Balance VCFMP C		



Tree to remove (w/TPZ)

Tree to retain (w/TPZ)

Tree retention to be confirmed in waterway corridor (w/TPZ)

Tree to remove for Stage 1 works (w/TPZ) *not part of this application

Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application

Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)

Hollow bearing trees

Vegetation stockpile location (indicative)

Bunting flag protection fencing type

Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings

Balance clearing area

Retention area (subject to future civil detail design)

Stage 1 clearing area (not part of this application)

Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 66*

saunders havill group

CLIENT:

CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CAN NOT ACCEPT RESPONSIBILITY OR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THIS DRAWING BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES AND FIGURE DIMENSIONS SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF: Vegetation Clearing & Fauna Management Plan

DATE:	14/05/2021	CHECKED:	SM
CLIENT REF:	8107	DRAWN:	MP
DRAWING No:	8107 E 66 Balance VCFMP C		



- Tree to remove (w/TPZ)
- Tree to retain (w/TPZ)
- Tree retention to be confirmed in waterway corridor (w/TPZ)
- Tree to remove for Stage 1 works (w/TPZ) *not part of this application
- Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application
- Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)
- Hollow bearing trees
- Vegetation stockpile location (indicative)
- Bunting flag protection fencing type
- Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings
- Balance clearing area
- Retention area (subject to future civil detail design)
- Stage 1 clearing area (not part of this application)
- Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 67*

saunders havill group

CLIENT: CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES AND DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF: Vegetation Clearing & Fauna Management Plan

DATE:	14/05/2021	CHECKED:	SM
CLIENT REF:	8107	DRAWN:	MP
DRAWING No:	8107 E 67 Balance VCFMP C		



Tree to remove (w/TPZ)

Tree to retain (w/TPZ)

Tree retention to be confirmed in waterway corridor (w/TPZ)

Tree to remove for Stage 1 works (w/TPZ) *not part of this application

Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application

Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)

Hollow bearing trees

Vegetation stockpile location (indicative)

Bunting flag protection fencing type

Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings

Balance clearing area

Retention area (subject to future civil detail design)

Stage 1 clearing area (not part of this application)

Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 68*

saunders havill group

CLIENT:

CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION. AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF:
Vegetation Clearing & Fauna Management Plan

DATE:	14/05/2021	CHECKED:	SM
CLIENT REF:	8107	DRAWN:	MP
DRAWING No:	8107 E 68 Balance VCFMP C		



Tree to remove (w/TPZ)

Tree to retain (w/TPZ)

Tree retention to be confirmed in waterway corridor (w/TPZ)

Tree to remove for Stage 1 works (w/TPZ) *not part of this application

Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application

Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)

Hollow bearing trees

Vegetation stockpile location (indicative)

Bunting flag protection fencing type

Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings

Balance clearing area

Retention area (subject to future civil detail design)

Stage 1 clearing area (not part of this application)

Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 69*

saunders havill group

CLIENT:

CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CAN NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION. AND DO NOT SCALE FROM THESE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF:
Vegetation Clearing & Fauna Management Plan

DATE:	14/05/2021	CHECKED:	SM
CLIENT REF:	8107	DRAWN:	MP
DRAWING No:	8107 E 69 Balance VCFMP C		



Tree to remove (w/TPZ)

Tree to retain (w/TPZ)

Tree retention to be confirmed in waterway corridor (w/TPZ)

Tree to remove for Stage 1 works (w/TPZ) *not part of this application

Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application

Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)

Hollow bearing trees

Vegetation stockpile location (indicative)

Bunting flag protection fencing type

Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings

Balance clearing area

Retention area (subject to future civil detail design)

Stage 1 clearing area (not part of this application)

Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 70*

saunders havill group

CLIENT:

CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE, PRIOR TO CONSTRUCTION, AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES AND ORDER PAGES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF:

Vegetation Clearing & Fauna Management Plan

DATE:	14/05/2021	CHECKED:	SM
CLIENT REF:	8107	DRAWN:	MP
DRAWING No:	8107 E 70 Balance VCFMP C		

PROJECT ARBORIST TO SUPERVISE AND DIRECT ANY CIVIL WORKS OR TREE CLEARING WITHIN TPZ OF TREES TO BE RETAINED.

- Tree to remove (w/TPZ)
- Tree to retain (w/TPZ)
- Tree retention to be confirmed in waterway corridor (w/TPZ)
- Tree to remove for Stage 1 works (w/TPZ) *not part of this application
- Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application
- Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)
- Hollow bearing trees
- Vegetation stockpile location (indicative)
- Bunting flag protection fencing type
- Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings
- Balance clearing area
- Retention area (subject to future civil detail design)
- Stage 1 clearing area (not part of this application)
- Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 71*

saunders havill group

CLIENT: CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CAN NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWING BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF: Vegetation Clearing & Fauna Management Plan

DATE:	14/05/2021	CHECKED:	SM
CLIENT REF:	8107	DRAWN:	MP
DRAWING No:	8107 E 71 Balance VCFMP C		

PROJECT ARBORIST TO SUPERVISE AND DIRECT ANY CIVIL WORKS OR TREE CLEARING WITHIN TPZ OF TREES TO BE RETAINED.

TREE PROTECTION FENCING TO BE INSTALLED WHERE ADJOINING TREES TO BE RETAINED MAY BE IMPACTED BY CIVIL WORKS

- Tree to remove (w/TPZ)
- Tree to retain (w/TPZ)
- Tree retention to be confirmed in waterway corridor (w/TPZ)
- Tree to remove for Stage 1 works (w/TPZ) *not part of this application
- Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application
- Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)
- Hollow bearing trees
- Vegetation stockpile location (indicative)
- Bunting flag protection fencing type
- Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings
- Balance clearing area
- Retention area (subject to future civil detail design)
- Stage 1 clearing area (not part of this application)
- Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 72*

saunders havill group

CLIENT: CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CAN NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES AND FIGURE DIMENSIONS SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF: Vegetation Clearing & Fauna Management Plan

DATE:	14/05/2021	CHECKED:	SM
CLIENT REF:	8107	DRAWN:	MP
DRAWING No.:	8107 E 72 Balance VCFMP C		



Tree to remove (w/TPZ)

Tree to retain (w/TPZ)

Tree retention to be confirmed in waterway corridor (w/TPZ)

Tree to remove for Stage 1 works (w/TPZ) *not part of this application

Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application

Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)

Hollow bearing trees

Vegetation stockpile location (indicative)

Bunting flag protection fencing type

Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings

Balance clearing area

Retention area (subject to future civil detail design)

Stage 1 clearing area (not part of this application)

Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 73*

saunders havill group

CLIENT:

CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES AND FIGURED DIMENSIONS SHALL BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF:

Vegetation Clearing & Fauna Management Plan

DATE:	14/05/2021	CHECKED:	SM
CLIENT REF:	8107	DRAWN:	MP
DRAWING No:	8107 E 7 3 Balance VCFMP C		



Tree to remove (w/TPZ)

Tree to retain (w/TPZ)

Tree retention to be confirmed in waterway corridor (w/TPZ)

Tree to remove for Stage 1 works (w/TPZ) *not part of this application

Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application

Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)

Hollow bearing trees

Vegetation stockpile location (indicative)

Bunting flag protection fencing type

Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings

Balance clearing area

Retention area (subject to future civil detail design)

Stage 1 clearing area (not part of this application)

Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 74*

saunders havill group

CLIENT:

CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CAN NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWING BY ANY THIRD PARTY.

CONFIRM ALL DIMENSION SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION IN KIND, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF: Vegetation Clearing & Fauna Management Plan

DATE: 14/05/2021	CHECKED: SM
CLIENT REF: 8107	DRAWN: MP
DRAWING No.: 8107 E 74 Balance VCFMP C	



Tree to remove (w/TPZ)

Tree to retain (w/TPZ)

Tree retention to be confirmed in waterway corridor (w/TPZ)

Tree to remove for Stage 1 works (w/TPZ) *not part of this application

Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application

Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)

Hollow bearing trees

Vegetation stockpile location (indicative)

Bunting flag protection fencing type

Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings

Balance clearing area

Retention area (subject to future civil detail design)

Stage 1 clearing area (not part of this application)

Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 75*

saunders havill group

CLIENT:

CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CAN NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF:
Vegetation Clearing & Fauna Management Plan

DATE:	14/05/2021	CHECKED:	SM
CLIENT REF:	8107	DRAWN:	MP
DRAWING No.:	8107 E 75 Balance VCFMP C		

19927
19969
19970
19972
19929
19928
21027
21029
21338
21085
21032
21028
21030
20726
21031
21035
21033
20687
19930
19934
20688
20689
19932
20692
20693
20694
19935
20690
20691
19931
19933

- Tree to remove (w/TPZ)
- Tree to retain (w/TPZ)
- Tree retention to be confirmed in waterway corridor (w/TPZ)
- Tree to remove for Stage 1 works (w/TPZ) *not part of this application
- Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application
- Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)
- Hollow bearing trees
- Vegetation stockpile location (indicative)
- Bunting flag protection fencing type
- Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings
- Balance clearing area
- Retention area (subject to future civil detail design)
- Stage 1 clearing area (not part of this application)
- Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 76*

saunders havill group

CLIENT:
CELESTINO PTY LTD
CELESTINO

DISCLAIMER:
THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CAN NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWING BY ANY THIRD PARTY.
CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.
PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m
1:600 @ A3

PROJECT:
RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF:
Vegetation Clearing & Fauna Management Plan

DATE: 14/05/2021	CHECKED: SM
CLIENT REF: 8107	DRAWN: MP
DRAWING No: 8107 E 76 Balance VCFMP C	



- Tree to remove (w/TPZ)
- Tree to retain (w/TPZ)
- Tree retention to be confirmed in waterway corridor (w/TPZ)
- Tree to remove for Stage 1 works (w/TPZ) *not part of this application
- Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application
- Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)
- Hollow bearing trees
- Vegetation stockpile location (indicative)
- Bunting flag protection fencing type
- Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings
- Balance clearing area
- Retention area (subject to future civil detail design)
- Stage 1 clearing area (not part of this application)
- Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 77*

saunders havill group

CLIENT: CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWING BY ANY THIRD PARTY.

CONFIRM ALL DIMENSION ON SITE PRIOR TO CONSTRUCTION. AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF: Vegetation Clearing & Fauna Management Plan

DATE:	14/05/2021	CHECKED:	SM
CLIENT REF:	8107	DRAWN:	MP
DRAWING No:	8107 E 77 Balance VCFMP C		



Tree to remove (w/TPZ)

Tree to retain (w/TPZ)

Tree retention to be confirmed in waterway corridor (w/TPZ)

Tree to remove for Stage 1 works (w/TPZ) *not part of this application

Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application

Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)

Hollow bearing trees

Vegetation stockpile location (indicative)

Bunting flag protection fencing type

Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings

Balance clearing area

Retention area (subject to future civil detail design)

Stage 1 clearing area (not part of this application)

Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 78*

saunders havill group

CLIENT:

CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWING BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES AND FIGURE DIMENSIONS SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF:
Vegetation Clearing & Fauna Management Plan

DATE:	14/05/2021	CHECKED:	SM
CLIENT REF:	8107	DRAWN:	MP
DRAWING No:	8107 E 78 Balance VCFMP C		



Tree to remove (w/TPZ)

Tree to retain (w/TPZ)

Tree retention to be confirmed in waterway corridor (w/TPZ)

Tree to remove for Stage 1 works (w/TPZ) *not part of this application

Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application

Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)

Hollow bearing trees

Vegetation stockpile location (indicative)

Bunting flag protection fencing type

Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings

Balance clearing area

Retention area (subject to future civil detail design)

Stage 1 clearing area (not part of this application)

Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 79*

saunders havill group

CLIENT:

CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CAN NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION. AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF: Vegetation Clearing & Fauna Management Plan

DATE:	14/05/2021	CHECKED:	SM
CLIENT REF:	8107	DRAWN:	MP
DRAWING No:	8107 E 79 Balance VCFMP C		



Tree to remove (w/TPZ)

Tree to retain (w/TPZ)

Tree retention to be confirmed in waterway corridor (w/TPZ)

Tree to remove for Stage 1 works (w/TPZ) *not part of this application

Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application

Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)

Hollow bearing trees

Vegetation stockpile location (indicative)

Bunting flag protection fencing type

Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings

Balance clearing area

Retention area (subject to future civil detail design)

Stage 1 clearing area (not part of this application)

Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 80*

saunders havill group

CLIENT:

CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF:
Vegetation Clearing & Fauna Management Plan

DATE:	14/05/2021	CHECKED:	SM
CLIENT REF:	8107	DRAWN:	MP
DRAWING No.:	8107 E 80 Balance VCFMP C		



Tree to remove (w/TPZ)

Tree to retain (w/TPZ)

Tree retention to be confirmed in waterway corridor (w/TPZ)

Tree to remove for Stage 1 works (w/TPZ) *not part of this application

Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application

Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)

Hollow bearing trees

Vegetation stockpile location (indicative)

Bunting flag protection fencing type

Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings

Balance clearing area

Retention area (subject to future civil detail design)

Stage 1 clearing area (not part of this application)

Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 81*

saunders havill group

CLIENT:

CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THIS DRAWING BY ANY THIRD PARTY.

CONFIRM ALL DIMENSION SON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF: Vegetation Clearing & Fauna Management Plan

DATE:	14/05/2021	CHECKED:	SM
CLIENT REF:	8107	DRAWN:	MP
DRAWING No:	8107 E 81 Balance VCFMP C		



Tree to remove (w/TPZ)

Tree to retain (w/TPZ)

Tree retention to be confirmed in waterway corridor (w/TPZ)

Tree to remove for Stage 1 works (w/TPZ) *not part of this application

Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application

Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)

Hollow bearing trees

Vegetation stockpile location (indicative)

Bunting flag protection fencing type

Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings

Balance clearing area

Retention area (subject to future civil detail design)

Stage 1 clearing area (not part of this application)

Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 82*

saunders havill group

CLIENT:

CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CAN NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF:
Vegetation Clearing & Fauna Management Plan

DATE:	14/05/2021	CHECKED:	SM
CLIENT REF:	8107	DRAWN:	MP
DRAWING No:	8107 E 82 Balance VCFMP C		



Tree to remove (w/TPZ)

Tree to retain (w/TPZ)

Tree retention to be confirmed in waterway corridor (w/TPZ)

Tree to remove for Stage 1 works (w/TPZ) *not part of this application

Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application

Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)

Hollow bearing trees

Vegetation stockpile location (indicative)

Bunting flag protection fencing type

Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings

Balance clearing area

Retention area (subject to future civil detail design)

Stage 1 clearing area (not part of this application)

Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 83*

saunders havill group

CLIENT: CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT SAUNDERS HAVILL GROUP CAN NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWING BY ANY THIRD PARTY.

CONFIRM ALL DIMENSION ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES AND DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF: Vegetation Clearing & Fauna Management Plan

DATE: 14/05/2021	CHECKED: SM
CLIENT REF: 8107	DRAWN: MP
DRAWING No.: 8107 E 83 Balance VCFMP C	



- Tree to remove (w/TPZ)
- Tree to retain (w/TPZ)
- Tree retention to be confirmed in waterway corridor (w/TPZ)
- Tree to remove for Stage 1 works (w/TPZ) *not part of this application
- Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application
- Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)
- Hollow bearing trees
- Vegetation stockpile location (indicative)
- Bunting flag protection fencing type
- Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings
- Balance clearing area
- Retention area (subject to future civil detail design)
- Stage 1 clearing area (not part of this application)
- Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 84*

saunders havill group

CLIENT:

CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CAN NOT ACCEPT RESPONSIBILITY OR ANY LIABILITY OF OR RELIANCE UPON THE CONTENTS OF THIS DRAWING BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES AND FIGURED DIMENSIONS SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF: Vegetation Clearing & Fauna Management Plan

DATE:	14/05/2021	CHECKED:	SM
CLIENT REF:	8107	DRAWN:	MP
DRAWING No.:	8107 E 84 Balance VCFMP C		



Tree to remove (w/TPZ)

Tree to retain (w/TPZ)

Tree retention to be confirmed in waterway corridor (w/TPZ)

Tree to remove for Stage 1 works (w/TPZ) *not part of this application

Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application

Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)

Hollow bearing trees

Vegetation stockpile location (indicative)

Bunting flag protection fencing type

Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings

Balance clearing area

Retention area (subject to future civil detail design)

Stage 1 clearing area (not part of this application)

Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 85*

saunders havill group

CLIENT:

CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CAN NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THIS DRAWING BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF:
Vegetation Clearing & Fauna Management Plan

DATE:	14/05/2021	CHECKED:	SM
CLIENT REF:	8107	DRAWN:	MP
DRAWING No:	8107 E 85 Balance VCFMP C		



Tree to remove (w/TPZ)

Tree to retain (w/TPZ)

Tree retention to be confirmed in waterway corridor (w/TPZ)

Tree to remove for Stage 1 works (w/TPZ) *not part of this application

Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application

Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)

Hollow bearing trees

Vegetation stockpile location (indicative)

Bunting flag protection fencing type

Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings

Balance clearing area

Retention area (subject to future civil detail design)

Stage 1 clearing area (not part of this application)

Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 86*

saunders havill group

CLIENT: CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CAN NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWING BY ANY THIRD PARTY.

CONFIRM ALL DIMENSION ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES AND FIGURE DIMENSIONS SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF: Vegetation Clearing & Fauna Management Plan

DATE:	14/05/2021	CHECKED:	SM
CLIENT REF:	8107	DRAWN:	MP
DRAWING No:	8107 E 86 Balance VCFMP C		

PROJECT ARBORIST TO SUPERVISE AND DIRECT ANY WORKS WITHIN TPZ OF TREES TO BE RETAINED AND ADJOINING BUSHLAND.

PROJEC
AND DI
TPZ OF
ADJOIN

- Tree to remove (w/TPZ)
- Tree to retain (w/TPZ)
- Tree retention to be confirmed in waterway corridor (w/TPZ)
- Tree to remove for Stage 1 works (w/TPZ) *not part of this application
- Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application
- Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)
- Hollow bearing trees
- Vegetation stockpile location (indicative)
- Bunting flag protection fencing type
- Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings
- Balance clearing area
- Retention area (subject to future civil detail design)
- Stage 1 clearing area (not part of this application)
- Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 87*

saunders havill group

CLIENT: CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CAN NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THIS DRAWING BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF: Vegetation Clearing & Fauna Management Plan

DATE:	14/05/2021	CHECKED:	SM
CLIENT REF:	8107	DRAWN:	MP
DRAWING No:	8107 E 87 Balance VCFMP C		



Tree to remove (w/TPZ)

Tree to retain (w/TPZ)

Tree retention to be confirmed in waterway corridor (w/TPZ)

Tree to remove for Stage 1 works (w/TPZ) *not part of this application

Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application

Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)

Hollow bearing trees

Vegetation stockpile location (indicative)

Bunting flag protection fencing type

Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings

Balance clearing area

Retention area (subject to future civil detail design)

Stage 1 clearing area (not part of this application)

Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 88*

saunders havill group

CLIENT:

CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CAN NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY EXCAVATION OR DURATION OF CONSTRUCTION IN SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF: Vegetation Clearing & Fauna Management Plan

DATE:	14/05/2021	CHECKED:	SM
CLIENT REF:	8107	DRAWN:	MP
DRAWING No.:	8107 E 88 Balance VCFMP C		



Tree to remove (w/TPZ)

Tree to retain (w/TPZ)

Tree retention to be confirmed in waterway corridor (w/TPZ)

Tree to remove for Stage 1 works (w/TPZ) *not part of this application

Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application

Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)

Hollow bearing trees

Vegetation stockpile location (indicative)

Bunting flag protection fencing type

Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings

Balance clearing area

Retention area (subject to future civil detail design)

Stage 1 clearing area (not part of this application)

Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 89*

saunders havill group

CLIENT:

CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THIS DRAWING BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION. AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF: Vegetation Clearing & Fauna Management Plan

DATE:	14/05/2021	CHECKED:	SM
CLIENT REF:	8107	DRAWN:	MP
DRAWING No:	8107 E 89 Balance VCFMP C		


16917
16918
16919
16920
16926
16510
16916
16915
16921
16922
16500
16503
16505
16504
16501
16502
16506
16509
16508
16507
16656
16655
16664
16665
16653
16654
16651
16650
16652
16649
16657
16662
16663
16658
16661
16660
16659
16648
16511
16512
16513
16514
16518
16519
16520
16517
16521
16928
16929
16930
16931
16933
16934
16525
16527
16526
16515
16516
16522
16523
16524
16647
16646
16641
16640
16637
16639
16638
16642
16644
16645
16643
16636
16530
16531
16532
16635
16533
16634
16633
16632
16631
16630
16628
16541
16542
16629
16627
16626
16625
16624
16623
16622
16621
16620
16619
16618
16617
16616
16615
16614
16613
16612
16611
16610
16609
16608
16607
16606
16605
16604
16603
16602
16601
16600
16599
16598
16597
16596
16595
16594
16593
16592
16591
16590
16589
16588
16587
16586
16585
16584
16583
16582
16581
16580
16579
16578
16577
16576
16575
16574
16573
16572
16571
16570
16569
16568
16567
16566
16565
16564
16563
16562
16561
16560
16559
16558
16557
16556
16555
16554
16553
16552
16551
16550
16549
16548
16547
16546
16545
16544
16543
16540
16539
16538
16537
16536
16535
16534
16946
16947
16948
16949
16950
16951
16952
16953
16954
16955
16956
16943
16944
16945
16942
16941
16940
16939
16938
16937
16936
16935
16317
16318
16319
16320
16321
16322
16323
16324
16325
16326
16327
16328
16314
16315
16316
16313
16751
16752
16753
16756
16757
16758
16763
16308
16310
16311
16312
16518
16519
16520
16521
16517
16514
16513
16509
16508
16507
16506
16504
16505
16503
16502
16501
16500
16915
16916
16918
16919
16920
16921
16922
16926
16510
16928
16929
16930
16931
16933
16934
16935
16936
16937
16938
16939
16940
16941
16942
16945
16950
16951
16952
16954
16955
16956
16549
16548
16553
16546
16547
16545
16544
16550
16543
16540
16539
16538
16537
16536
16535
16534
16633
16634
16635
16636
16530
16531
16532
16533
16638
16642
16644
16645
16643
16647
16646
16641
16640
16637
16639
16648
16649
16650
16651
16652
16653
16654
16655
16656
16657
16662
16663
16658
16661
16660
16659
16664
16665
16507
16508
16509
16522
16523
16524
16525
16527
16526
16515
16516
16317
16529
16938
16528
16939
16942
16941
16945
16940
16943
16944
16946
16947
16948
16949
16950
16951
16952
16953
16954
16955
16956
16549
16548
16546
16547
16545
16544
16550
16543
16540
16539
16538
16537
16536
16535
16534
16633
16632
16631
16630
16628
16541
16542
16629
16627
16626
16625
16624
16623
16622
16621
16620
16619
16618
16617
16616
16615
16614
16613
16612
16611
16610
16609
16608
16607
16606
16605
16604
16603
16602
16601
16600
16599
16598
16597
16596
16595
16594
16593
16592
16591
16590
16589
16588
16587
16586
16585
16584
16583
16582
16581
16580
16579
16578
16577
16576
16575
16574
16573
16572
16571
16570
16569
16568
16567
16566
16565
16564
16563
16562
16561
16560
16559
16558
16557
16556
16555
16554
16553
16552
16551
16550
16549
16548
16547
16546
16545
16544
16543
16540
16539
16538
16537
16536
16535
16534
17042
17044
17043
17041
17045
17040
17039
17038
17037
17035
17036
17034
17033
17032
17031
17030
17029
17028
17027
17026
17025
17024
17023
17022
17021
17020
17019
17018
17017
17016
17015
17014
17013
17012
17011
17010
17009
17008
17007
17006
17005
17004
17003
17002
17001
17000
16999
16998
16997
16996
16995
16994
16993
16992
16991
16990
16989
16988
16987
16986
16985
16984
16983
16982
16981
16980
16979
16978
16977
16976
16975
16974
16973
16972
16971
16970
16969
16968
16967
16966
16965
16964
16963
16962
16961
16960
16959
16958
16957
16956
16955
16954
16953
16952
16951
16950
16949
16948
16947
16946
16945
16944
16943
16942
16941
16940
16939
16938
16937
16936
16935
16934
16933
16931
16930
16929
16928
16926
16921
16922
16920
16919
16918
16917
16916
16915
16914
16513
16511
16512
16518
16519
16520
16521
16517
16514
16513
16509
16508
16507
16506
16504
16505
16503
16502
16501
16500
16915
16916
16918
16919
16920
16921
16922
16926
16510
16928
16929
16930
16931
16933
16934
16935
16936
16937
16938
16939
16940
16941
16942
16945
16950
16951
16952
16954
16955
16956
16549
16548
16553
16546
16547
16545
16544
16550
16543
16540
16539
16538
16537
16536
16535
16534
16633
16634
16635
16636
16530
16531
16532
16533
16638
16642
16644
16645
16643
16647
16646
16641
16640
16637
16639
16648
16649
16650
16651
16652
16653
16654
16655
16656
16657
16662
16663
16658
16661
16660
16659
16664
16665
16507
16508
16509
16522
16523
16524
16525
16527
16526
16515
16516
16317
16529
16938
16528
16939
16942
16941
16945
16940
16943
16944
16946
16947
16948
16949
16950
16951
16952
16953
16954
16955
16956
16549
16548
16546
16547
16545
16544
16550
16543
16540
16539
16538
16537
16536
16535
16534
16633
16632
16631
16630
16628
16541
16542
16629
16627
16626
16625
16624
16623
16622
16621
16620
16619
16618
16617
16616
16615
16614
16613
16612
16611
16610
16609
16608
16607
16606
16605
16604
16603
16602
16601
16600
16599
16598
16597
16596
16595
16594
16593
16592
16591
16590
16589
16588
16587
16586
16585
16584
16583
16582
16581
16580
16579
16578
16577
16576
16575
16574
16573
16572
16571
16570
16569
16568
16567
16566
16565
16564
16563
16562
16561
16560
16559
16558
16557
16556
16555
16554
16553
16552
16551
16550
16549
16548
16547
16546
16545
16544
16543
16540
16539
16538
16537
16536
16535
16534
17042
17044
17043
17041
17045
17040
17039
17038
17037
17035
17036
17034
17033
17032
17031
17030
17029
17028
17027
17026
17025
17024
17023
17022
17021
17020
17019
17018
17017
17016
17015
17014
17013
17012
17011
17010
17009
17008
17007
17006
17005
17004
17003
17002
17001
17000
16999
16998
16997
16996
16995
16994
16993
16992
16991
16990
16989
16988
16987
16986
16985
16984
16983
16982
16981
16980
16979
16978
16977
16976
16975
16974
16973
16972
16971
16970
16969
16968
16967
16966
16965
16964
16963
16962
16961
16960
16959
16958
16957
16956
16955
16954
16953
16952
16951
16950
16949
16948
16947
16946
16945
16944
16943
16942
16941
16940
16939
16938
16937
16936
16935
16934
16933
16931
16930
16929
16928
16926
16921
16922
16920
16919
16918
16917
16916
16915
16914
16513
16511
16512
16518
16519
16520
16521
16517
16514
16513
16509
16508
16507
16506
16504
16505
16503
16502
16501
16500
17742
17060
18896
18895
18894
17063
17062
17061
18897
18893
18892
18888
18887
18889
18890
18891
18886
18885
17740
17741
17738
17739
18884
18880
18881
18879
18876
18875
18872
18874
18871
18870
17736
17737
17732
17735
17734
17733
17731
18882
18883
18877
18878
18869
18868
18867
17059
17055
17058
17054
17057
17050
17049
17056
17047
17046
17048
17038
17037
18873

PROJECT ARBORIST TO SUPERVISE AND DIRECT ANY WORKS WITHIN TPZ OF TREES TO BE RETAINED AND ADJOINING BUSHLAND.

POTENTIAL FUTURE CLEARING - ROAD CROSSINGS WILL BE SUBJECT TO FUTURE VCFMPS INCLUDING DETAILS OF FAUNA SENSITIVE ROAD CROSSINGS

PROJEC
AND DI
TPZ OF
ADJOIN

Tree to remove (w/TPZ)

Tree to retain (w/TPZ)

Tree retention to be confirmed in waterway corridor (w/TPZ)

Tree to remove for Stage 1 works (w/TPZ) *not part of this application

Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application

Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)

Hollow bearing trees

Vegetation stockpile location (indicative)

Bunting flag protection fencing type

Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings

Balance clearing area

Retention area (subject to future civil detail design)

Stage 1 clearing area (not part of this application)

Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 91*

saunders havill group

CLIENT: CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THIS DRAWING BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES AND FIGURE DIMENSIONS SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF: Vegetation Clearing & Fauna Management Plan

DATE: 14/05/2021	CHECKED: SM
CLIENT REF: 8107	DRAWN: MP
DRAWING No: 8107 E 91 Balance VCFMP C	



- Tree to remove (w/TPZ)
- Tree to retain (w/TPZ)
- Tree retention to be confirmed in waterway corridor (w/TPZ)
- Tree to remove for Stage 1 works (w/TPZ) *not part of this application
- Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application
- Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)
- Hollow bearing trees
- Vegetation stockpile location (indicative)
- Bunting flag protection fencing type
- Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings
- Balance clearing area
- Retention area (subject to future civil detail design)
- Stage 1 clearing area (not part of this application)
- Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 92*

saunders havill group

CLIENT: CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES AND ORDER FINALDESIGN SHALL BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF: Vegetation Clearing & Fauna Management Plan

DATE:	14/05/2021	CHECKED:	SM
CLIENT REF:	8107	DRAWN:	MP
DRAWING No.:	8107 E 92 Balance VCFMP C		

INCLUDING DETAILS OF FAUNA SENSITIVE ROAD

POTENTIAL FUTURE CLEARING - ROAD CROSSINGS WILL BE SUBJECT TO FUTURE VCFMPS INCLUDING DETAILS OF FAUNA SENSITIVE ROAD CROSSINGS

PROJECT ARBORIST TO SUPERVISE AND DIRECT ANY WORKS WITHIN TPZ OF TREES TO BE RETAINED AND ADJOINING BUSHLAND.

- Tree to remove (w/TPZ)
- Tree to retain (w/TPZ)
- Tree retention to be confirmed in waterway corridor (w/TPZ)
- Tree to remove for Stage 1 works (w/TPZ) *not part of this application
- Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application
- Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)
- Hollow bearing trees
- Vegetation stockpile location (indicative)
- Bunting flag protection fencing type
- Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings
- Balance clearing area
- Retention area (subject to future civil detail design)
- Stage 1 clearing area (not part of this application)
- Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 93*

saunders havill group

CLIENT: CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE. PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES AND ORDER ANY DISCREPANCIES SHALL BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF: Vegetation Clearing & Fauna Management Plan

DATE:	14/05/2021	CHECKED:	SM
CLIENT REF:	8107	DRAWN:	MP
DRAWING No:	8107 E 93 Balance VCFMP C		



Tree to remove (w/TPZ)

Tree to retain (w/TPZ)

Tree retention to be confirmed in waterway corridor (w/TPZ)

Tree to remove for Stage 1 works (w/TPZ) *not part of this application

Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application

Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)

Hollow bearing trees

Vegetation stockpile location (indicative)

Bunting flag protection fencing type

Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings

Balance clearing area

Retention area (subject to future civil detail design)

Stage 1 clearing area (not part of this application)

Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 94*

saunders havill group

CLIENT:

CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION. AND DO NOT SCALE FROM THESE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY ERRORS OR PROBLEMS SHOULD BE CLARIFIED WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF:
Vegetation Clearing & Fauna Management Plan

DATE:	14/05/2021	CHECKED:	SM
CLIENT REF:	8107	DRAWN:	MP
DRAWING No.:	8107 E 94 Balance VCFMP C		



Tree to remove (w/TPZ)

Tree to retain (w/TPZ)

Tree retention to be confirmed in waterway corridor (w/TPZ)

Tree to remove for Stage 1 works (w/TPZ) *not part of this application

Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application

Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)

Hollow bearing trees

Vegetation stockpile location (indicative)

Bunting flag protection fencing type

Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings

Balance clearing area

Retention area (subject to future civil detail design)

Stage 1 clearing area (not part of this application)

Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 95*

saunders havill group

CLIENT:

CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CAN NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES AND FIGURED DIMENSIONS SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF: Vegetation Clearing & Fauna Management Plan

DATE:	14/05/2021	CHECKED:	SM
CLIENT REF:	8107	DRAWN:	MP
DRAWING No:	8107 E 95 Balance VCFMP C		



Tree to remove (w/TPZ)

Tree to retain (w/TPZ)

Tree retention to be confirmed in waterway corridor (w/TPZ)

Tree to remove for Stage 1 works (w/TPZ) *not part of this application

Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application

Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)

Hollow bearing trees

Vegetation stockpile location (indicative)

Bunting flag protection fencing type

Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings

Balance clearing area

Retention area (subject to future civil detail design)

Stage 1 clearing area (not part of this application)

Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 96*

saunders havill group

CLIENT:

CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CAN NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THIS DRAWING BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF: Vegetation Clearing & Fauna Management Plan

DATE: 14/05/2021	CHECKED: SM
CLIENT REF: 8107	DRAWN: MP
DRAWING No: 8107 E 96 Balance VCFMP C	



Tree to remove (w/TPZ)

Tree to retain (w/TPZ)

Tree retention to be confirmed in waterway corridor (w/TPZ)

Tree to remove for Stage 1 works (w/TPZ) *not part of this application

Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application

Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)

Hollow bearing trees

Vegetation stockpile location (indicative)

Bunting flag protection fencing type

Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings

Balance clearing area

Retention area (subject to future civil detail design)

Stage 1 clearing area (not part of this application)

Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 97*

saunders havill group

CLIENT:

CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWING BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION. AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF: Vegetation Clearing & Fauna Management Plan

DATE:	14/05/2021	CHECKED:	SM
CLIENT REF:	8107	DRAWN:	MP
DRAWING No:	8107 E 97 Balance VCFMP C		



Tree to remove (w/TPZ)

Tree to retain (w/TPZ)

Tree retention to be confirmed in waterway corridor (w/TPZ)

Tree to remove for Stage 1 works (w/TPZ) *not part of this application

Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application

Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)

Hollow bearing trees

Vegetation stockpile location (indicative)

Bunting flag protection fencing type

Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings

Balance clearing area

Retention area (subject to future civil detail design)

Stage 1 clearing area (not part of this application)

Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 98*

saunders havill group

CLIENT:

CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSION S ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF:
Vegetation Clearing & Fauna Management Plan

DATE:	14/05/2021	CHECKED:	SM
CLIENT REF:	8107	DRAWN:	MP
DRAWING No.:	8107 E 98 Balance VCFMP C		



Tree to remove (w/TPZ)

Tree to retain (w/TPZ)

Tree retention to be confirmed in waterway corridor (w/TPZ)

Tree to remove for Stage 1 works (w/TPZ) *not part of this application

Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application

Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)

Hollow bearing trees

Vegetation stockpile location (indicative)

Bunting flag protection fencing type

Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings

Balance clearing area

Retention area (subject to future civil detail design)

Stage 1 clearing area (not part of this application)

Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 99*

saunders havill group

CLIENT:

CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CAN NOT ACCEPT RESPONSIBILITY OR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWING BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF: Vegetation Clearing & Fauna Management Plan

DATE:	14/05/2021	CHECKED:	SM
CLIENT REF:	8107	DRAWN:	MP
DRAWING No:	8107 E 99 Balance VCFMP C		



Tree to remove (w/TPZ)

Tree to retain (w/TPZ)

Tree retention to be confirmed in waterway corridor (w/TPZ)

Tree to remove for Stage 1 works (w/TPZ) *not part of this application

Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application

Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)

Hollow bearing trees

Vegetation stockpile location (indicative)

Bunting flag protection fencing type

Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings

Balance clearing area

Retention area (subject to future civil detail design)

Stage 1 clearing area (not part of this application)

Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 100*

saunders havill group

CLIENT:

CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES AND DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF: Vegetation Clearing & Fauna Management Plan

DATE:	14/05/2021	CHECKED:	SM
CLIENT REF:	8107	DRAWN:	MP
DRAWING No:	8107 E 1 00 Balance VCFMP C		



Tree to remove (w/TPZ)

Tree to retain (w/TPZ)

Tree retention to be confirmed in waterway corridor (w/TPZ)

Tree to remove for Stage 1 works (w/TPZ) *not part of this application

Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application

Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)

Hollow bearing trees

Vegetation stockpile location (indicative)

Bunting flag protection fencing type

Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings

Balance clearing area

Retention area (subject to future civil detail design)

Stage 1 clearing area (not part of this application)

Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 101*

saunders havill group

CLIENT:

CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THIS DRAWING BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF: Vegetation Clearing & Fauna Management Plan

DATE: 14/05/2021	CHECKED: SM
CLIENT REF: 8107	DRAWN: MP
DRAWING No: 8107 E 101 Balance VCFMP C	



- Tree to remove (w/TPZ)
- Tree to retain (w/TPZ)
- Tree retention to be confirmed in waterway corridor (w/TPZ)
- Tree to remove for Stage 1 works (w/TPZ) *not part of this application
- Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application
- Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)
- Hollow bearing trees
- Vegetation stockpile location (indicative)
- Bunting flag protection fencing type
- Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings
- Balance clearing area
- Retention area (subject to future civil detail design)
- Stage 1 clearing area (not part of this application)
- Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 102*

saunders havill group

CLIENT: CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CAN NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION. AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF: Vegetation Clearing & Fauna Management Plan

DATE:	14/05/2021	CHECKED:	SM
CLIENT REF:	8107	DRAWN:	MP
DRAWING No:	8107 E 102 Balance VCFMP C		



Tree to remove (w/TPZ)

Tree to retain (w/TPZ)

Tree retention to be confirmed in waterway corridor (w/TPZ)

Tree to remove for Stage 1 works (w/TPZ) *not part of this application

Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application

Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)

Hollow bearing trees

Vegetation stockpile location (indicative)

Bunting flag protection fencing type

Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings

Balance clearing area

Retention area (subject to future civil detail design)

Stage 1 clearing area (not part of this application)

Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 103*

saunders havill group

CLIENT:

CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CAN NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THIS DRAWING BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF:
Vegetation Clearing & Fauna Management Plan

DATE:	14/05/2021	CHECKED:	SM
CLIENT REF:	8107	DRAWN:	MP
DRAWING No:	8107 E 103 Balance VCFMP C		



Tree to remove (w/TPZ)

Tree to retain (w/TPZ)

Tree retention to be confirmed in waterway corridor (w/TPZ)

Tree to remove for Stage 1 works (w/TPZ) *not part of this application

Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application

Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)

Hollow bearing trees

Vegetation stockpile location (indicative)

Bunting flag protection fencing type

Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings

Balance clearing area

Retention area (subject to future civil detail design)

Stage 1 clearing area (not part of this application)

Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 104*

saunders havill group

CLIENT:

CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY OR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF:
Vegetation Clearing & Fauna Management Plan

DATE:	14/05/2021	CHECKED:	SM
CLIENT REF:	8107	DRAWN:	MP
DRAWING No.:	8107 E 104 Balance VCFMP C		



Tree to remove (w/TPZ)

Tree to retain (w/TPZ)

Tree retention to be confirmed in waterway corridor (w/TPZ)

Tree to remove for Stage 1 works (w/TPZ) *not part of this application

Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application

Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)

Hollow bearing trees

Vegetation stockpile location (indicative)

Bunting flag protection fencing type

Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings

Balance clearing area

Retention area (subject to future civil detail design)

Stage 1 clearing area (not part of this application)

Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 105*

saunders havill group

CLIENT:

CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CAN NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES AND ERRORS AND OMISSIONS SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF:
Vegetation Clearing & Fauna Management Plan

DATE:	14/05/2021	CHECKED:	SM
CLIENT REF:	8107	DRAWN:	MP
DRAWING No:	8107 E 105 Balance VCFMP C		



Tree to remove (w/TPZ)

Tree to retain (w/TPZ)

Tree retention to be confirmed in waterway corridor (w/TPZ)

Tree to remove for Stage 1 works (w/TPZ) *not part of this application

Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application

Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)

Hollow bearing trees

Vegetation stockpile location (indicative)

Bunting flag protection fencing type

Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings

Balance clearing area

Retention area (subject to future civil detail design)

Stage 1 clearing area (not part of this application)

Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 106*

saunders havill group

CLIENT:

CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CAN NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION. AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF:
Vegetation Clearing & Fauna Management Plan

DATE:	14/05/2021	CHECKED:	SM
CLIENT REF:	8107	DRAWN:	MP
DRAWING No:	8107 E 106 Balance VCFMP C		



Tree to remove (w/TPZ)

Tree to retain (w/TPZ)

Tree retention to be confirmed in waterway corridor (w/TPZ)

Tree to remove for Stage 1 works (w/TPZ) *not part of this application

Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application

Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)

Hollow bearing trees

Vegetation stockpile location (indicative)

Bunting flag protection fencing type

Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings

Balance clearing area

Retention area (subject to future civil detail design)

Stage 1 clearing area (not part of this application)

Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 107*

saunders havill group

CLIENT:

CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CAN NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF: Vegetation Clearing & Fauna Management Plan

DATE:	14/05/2021	CHECKED:	SM
CLIENT REF:	8107	DRAWN:	MP
DRAWING No:	8107 E 107 Balance VCFMP C		


24495
24496
24462
24036
24035
24461
24498
24034
24499
24460
24500
24459
24033
24029
24501
24458
24098
24028
24502
24025
24094
24457
24503
24505
24456
24506
24455
24097
24504
24027
24026
24508
24102
24507
24101
24100
24099
24103
24110
24109
24105
24104
24108
24511
24452
24453
24454
24509
24510
24111
24107
24106
24112
24113
24114
24115
24116
24117
24118
24119
24120
24121
24122
24123
24124
24125
24126
24127
24128
24129
24130
24131
24132
24133
24134
24135
24136
24137
24138
24139
24140
24141
24142
24143
24144
24145
24146
24147
24148
24149
24150
24151



Tree to remove (w/TPZ)

Tree to retain (w/TPZ)

Tree retention to be confirmed in waterway corridor (w/TPZ)

Tree to remove for Stage 1 works (w/TPZ) *not part of this application

Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application

Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)

Hollow bearing trees

Vegetation stockpile location (indicative)

Bunting flag protection fencing type

Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings

Balance clearing area

Retention area (subject to future civil detail design)

Stage 1 clearing area (not part of this application)

Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 109*

saunders havill group

CLIENT:

CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CAN NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION. AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY ERRORS OR PANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF:
Vegetation Clearing & Fauna Management Plan

DATE:	14/05/2021	CHECKED:	SM
CLIENT REF:	8107	DRAWN:	MP
DRAWING No:	8107 E 109 Balance VCFMP C		



Tree to remove (w/TPZ)

Tree to retain (w/TPZ)

Tree retention to be confirmed in waterway corridor (w/TPZ)

Tree to remove for Stage 1 works (w/TPZ) *not part of this application

Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application

Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)

Hollow bearing trees

Vegetation stockpile location (indicative)

Bunting flag protection fencing type

Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings

Balance clearing area

Retention area (subject to future civil detail design)

Stage 1 clearing area (not part of this application)

Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 110*

saunders havill group

CLIENT:

CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF: Vegetation Clearing & Fauna Management Plan

DATE:	14/05/2021	CHECKED:	SM
CLIENT REF:	8107	DRAWN:	MP
DRAWING No.:	8107 E 110 Balance VCFMP C		



Tree to remove (w/TPZ)

Tree to retain (w/TPZ)

Tree retention to be confirmed in waterway corridor (w/TPZ)

Tree to remove for Stage 1 works (w/TPZ) *not part of this application

Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application

Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)

Hollow bearing trees

Vegetation stockpile location (indicative)

Bunting flag protection fencing type

Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings

Balance clearing area

Retention area (subject to future civil detail design)

Stage 1 clearing area (not part of this application)

Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 111*

saunders havill group

CLIENT:

CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CAN NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWING BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION. AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY ERRORS OR PACKERS SHOULD BE CLARIFIED WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF: Vegetation Clearing & Fauna Management Plan

DATE:	14/05/2021	CHECKED:	SM
CLIENT REF:	8107	DRAWN:	MP
DRAWING No.:	8107 E 111 Balance VCFMP C		

PROJECT ARBORIST TO SUPERVISE AND DIRECT ANY WORKS WITHIN TPZ OF TREES TO BE RETAINED AND ADJOINING BUSHLAND.

POTENTIAL FUTURE CLEARING - ROAD CROSSINGS WILL BE SUBJECT TO FUTURE VCFMPS INCLUDING DETAILS OF FAUNA SENSITIVE ROAD CROSSINGS

- Tree to remove (w/TPZ)
- Tree to retain (w/TPZ)
- Tree retention to be confirmed in waterway corridor (w/TPZ)
- Tree to remove for Stage 1 works (w/TPZ) *not part of this application
- Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application
- Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)
- Hollow bearing trees
- Vegetation stockpile location (indicative)
- Bunting flag protection fencing type
- Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings
- Balance clearing area
- Retention area (subject to future civil detail design)
- Stage 1 clearing area (not part of this application)
- Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 112*

saunders havill group

CLIENT: CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES AND ORDER PANICES SHALL BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF: Vegetation Clearing & Fauna Management Plan

DATE:	14/05/2021	CHECKED:	SM
CLIENT REF:	8107	DRAWN:	MP
DRAWING No:	8107 E 112 Balance VCFMP C		



Tree to remove (w/TPZ)

Tree to retain (w/TPZ)

Tree retention to be confirmed in waterway corridor (w/TPZ)

Tree to remove for Stage 1 works (w/TPZ) *not part of this application

Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application

Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)

Hollow bearing trees

Vegetation stockpile location (indicative)

Bunting flag protection fencing type

Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings

Balance clearing area

Retention area (subject to future civil detail design)

Stage 1 clearing area (not part of this application)

Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 113*

saunders havill group

CLIENT:

CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE, PRIOR TO CONSTRUCTION, AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES AND FOR SCALE PAGES SHOULD BE CLARIFIED WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF: Vegetation Clearing & Fauna Management Plan

DATE:	14/05/2021	CHECKED:	SM
CLIENT REF:	8107	DRAWN:	MP
DRAWING No:	8107 E 113 Balance VCFMP C		

PROJECT ARBORIST TO SUPERVISE AND DIRECT ANY WORKS WITHIN TPZ OF TREES TO BE RETAINED AND ADJOINING BUSHLAND.

- Tree to remove (w/TPZ)
- Tree to retain (w/TPZ)
- Tree retention to be confirmed in waterway corridor (w/TPZ)
- Tree to remove for Stage 1 works (w/TPZ) *not part of this application
- Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application
- Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)
- Hollow bearing trees
- Vegetation stockpile location (indicative)
- Bunting flag protection fencing type
- Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings
- Balance clearing area
- Retention area (subject to future civil detail design)
- Stage 1 clearing area (not part of this application)
- Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 114*

saunders havill group

CLIENT: CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CAN NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION. AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY ERRORS OR PROBLEMS SHOULD BE CLARIFIED WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF: Vegetation Clearing & Fauna Management Plan

DATE: 14/05/2021	CHECKED: SM
CLIENT REF: 8107	DRAWN: MP
DRAWING No: 8107 E 1 14 Balance VCFMP C	



Tree to remove (w/TPZ)

Tree to retain (w/TPZ)

Tree retention to be confirmed in waterway corridor (w/TPZ)

Tree to remove for Stage 1 works (w/TPZ) *not part of this application

Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application

Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)

Hollow bearing trees

Vegetation stockpile location (indicative)

Bunting flag protection fencing type

Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings

Balance clearing area

Retention area (subject to future civil detail design)

Stage 1 clearing area (not part of this application)

Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 115*

saunders havill group

CLIENT:

CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CAN NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY ERRORS OR PANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF: Vegetation Clearing & Fauna Management Plan

DATE:	14/05/2021	CHECKED:	SM
CLIENT REF:	8107	DRAWN:	MP
DRAWING No:	8107 E 115 Balance VCFMP C		



Tree to remove (w/TPZ)

Tree to retain (w/TPZ)

Tree retention to be confirmed in waterway corridor (w/TPZ)

Tree to remove for Stage 1 works (w/TPZ) *not part of this application

Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application

Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)

Hollow bearing trees

Vegetation stockpile location (indicative)

Bunting flag protection fencing type

Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings

Balance clearing area

Retention area (subject to future civil detail design)

Stage 1 clearing area (not part of this application)

Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 116*

saunders havill group

CLIENT:

CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CAN NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE, PRIOR TO CONSTRUCTION, AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY EXCAVATION, OR DURATION OF CONSTRUCTION WORKS, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF: Vegetation Clearing & Fauna Management Plan

DATE: 14/05/2021	CHECKED: SM
CLIENT REF: 8107	DRAWN: MP
DRAWING No: 8107 E 1 16 Balance VCFMP C	

PROJECT ARBORIST TO SUPERVISE AND DIRECT ANY WORKS WITHIN TPZ OF TREES TO BE RETAINED AND ADJOINING BUSHLAND.

25984 24619 25983 25982 25992 25991 25990 25985 25986 25989 24618 25993 24596 25994 25988 25996 25995 24592 25987 24595 24597 24594 25998 24599 25997 24598 24600 24593 26005 26004 26009 25999 26000 26008 26006 24603 26002 26003 26001 24602 26007 24604 26013 24605 24601 26010 26011 26012 24608 24607 24606

- Tree to remove (w/TPZ)
- Tree to retain (w/TPZ)
- Tree retention to be confirmed in waterway corridor (w/TPZ)
- Tree to remove for Stage 1 works (w/TPZ) *not part of this application
- Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application
- Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)
- Hollow bearing trees
- Vegetation stockpile location (indicative)
- Bunting flag protection fencing type
- Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings
- Balance clearing area
- Retention area (subject to future civil detail design)
- Stage 1 clearing area (not part of this application)
- Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 117*

saunders havill group

CLIENT: CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT SAUNDERS HAVILL GROUP CAN NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWING BY ANY THIRD PARTY.

CONFIRM ALL DIMENSION ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES AND DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF: Vegetation Clearing & Fauna Management Plan

DATE:	14/05/2021	CHECKED:	SM
CLIENT REF:	8107	DRAWN:	MP
DRAWING No:	8107 E 117 Balance VCFMP C		



Tree to remove (w/TPZ)

Tree to retain (w/TPZ)

Tree retention to be confirmed in waterway corridor (w/TPZ)

Tree to remove for Stage 1 works (w/TPZ) *not part of this application

Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application

Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)

Hollow bearing trees

Vegetation stockpile location (indicative)

Bunting flag protection fencing type

Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings

Balance clearing area

Retention area (subject to future civil detail design)

Stage 1 clearing area (not part of this application)

Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 118*

saunders havill group

CLIENT:

CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CAN NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES AND FIGURED DIMENSIONS SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF: Vegetation Clearing & Fauna Management Plan

DATE:	14/05/2021	CHECKED:	SM
CLIENT REF:	8107	DRAWN:	MP
DRAWING No:	8107 E 118 Balance VCFMP C		

PROJECT ARBORIST TO SUPERVISE AND DIRECT ANY WORKS WITHIN TPZ OF TREES TO BE RETAINED AND ADJOINING BUSHLAND.

26031
26033
26034
24657
24624
26104
26103
26102
26096
26095
26090
26089
26088
26087
26094
26093
26086
26098
26097
26091
26035
26037
26036
24625
26101
26092
24652
24650
24649
26038
24626
26039
26040
26100
26099
24654
24653
24627
26041
26042
24656
24655
24651

- Tree to remove (w/TPZ)
- Tree to retain (w/TPZ)
- Tree retention to be confirmed in waterway corridor (w/TPZ)
- Tree to remove for Stage 1 works (w/TPZ) *not part of this application
- Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application
- Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)
- Hollow bearing trees
- Vegetation stockpile location (indicative)
- Bunting flag protection fencing type
- Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings
- Balance clearing area
- Retention area (subject to future civil detail design)
- Stage 1 clearing area (not part of this application)
- Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 119*

saunders havill group

CLIENT:
CELESTINO PTY LTD
CELESTINO

DISCLAIMER:
THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CAN NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.
CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES AND FIGURED DIMENSIONS SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.
PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m
1:600 @ A3

PROJECT:
RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF:
Vegetation Clearing & Fauna Management Plan

DATE:	14/05/2021	CHECKED:	SM
CLIENT REF:	8107	DRAWN:	MP
DRAWING No:	8107 E 119 Balance VCFMP C		



Tree to remove (w/TPZ)

Tree to retain (w/TPZ)

Tree retention to be confirmed in waterway corridor (w/TPZ)

Tree to remove for Stage 1 works (w/TPZ) *not part of this application

Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application

Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)

Hollow bearing trees

Vegetation stockpile location (indicative)

Bunting flag protection fencing type

Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings

Balance clearing area

Retention area (subject to future civil detail design)

Stage 1 clearing area (not part of this application)

Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 120*

saunders havill group

CLIENT:

CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION. AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF: Vegetation Clearing & Fauna Management Plan

DATE:	14/05/2021	CHECKED:	SM
CLIENT REF:	8107	DRAWN:	MP
DRAWING No.:	8107 E 120 Balance VCFMP C		

PROJECT ARBORIST TO SUPERVISE AND DIRECT ANY WORKS WITHIN TPZ OF TREES TO BE RETAINED AND ADJOINING BUSHLAND.

23428

22531

22532

- Tree to remove (w/TPZ)
- Tree to retain (w/TPZ)
- Tree retention to be confirmed in waterway corridor (w/TPZ)
- Tree to remove for Stage 1 works (w/TPZ) *not part of this application
- Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application
- Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)
- Hollow bearing trees
- Vegetation stockpile location (indicative)
- Bunting flag protection fencing type
- Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings
- Balance clearing area
- Retention area (subject to future civil detail design)
- Stage 1 clearing area (not part of this application)
- Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 121*

saunders havill group

CLIENT:

CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY OR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF: Vegetation Clearing & Fauna Management Plan

DATE:	14/05/2021	CHECKED:	SM
CLIENT REF:	8107	DRAWN:	MP
DRAWING No:	8107 E 121 Balance VCFMP C		



Tree to remove (w/TPZ)

Tree to retain (w/TPZ)

Tree retention to be confirmed in waterway corridor (w/TPZ)

Tree to remove for Stage 1 works (w/TPZ) *not part of this application

Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application

Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)

Hollow bearing trees

Vegetation stockpile location (indicative)

Bunting flag protection fencing type

Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings

Balance clearing area

Retention area (subject to future civil detail design)

Stage 1 clearing area (not part of this application)

Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 122*

saunders havill group

CLIENT:

CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF:
Vegetation Clearing & Fauna Management Plan

DATE:	14/05/2021	CHECKED:	SM
CLIENT REF:	8107	DRAWN:	MP
DRAWING No.:	8107 E 122 Balance VCFMP C		

PROJECT ARBORIST TO SUPERVISE AND DIRECT ANY WORKS WITHIN TPZ OF TREES TO BE RETAINED AND ADJOINING BUSHLAND.

PROJECT ARBORIST TO SUPERVISE AND DIRECT ANY WORKS WITHIN TPZ OF TREES TO BE RETAINED AND ADJOINING BUSHLAND.

- Tree to remove (w/TPZ)
- Tree to retain (w/TPZ)
- Tree retention to be confirmed in waterway corridor (w/TPZ)
- Tree to remove for Stage 1 works (w/TPZ) *not part of this application
- Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application
- Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)
- Hollow bearing trees
- Vegetation stockpile location (indicative)
- Bunting flag protection fencing type
- Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings
- Balance clearing area
- Retention area (subject to future civil detail design)
- Stage 1 clearing area (not part of this application)
- Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 123*

saunders havill group

CLIENT: CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THIS DRAWING BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF: Vegetation Clearing & Fauna Management Plan

DATE:	14/05/2021	CHECKED:	SM
CLIENT REF:	8107	DRAWN:	MP
DRAWING No:	8107 E 123 Balance VCFMP C		



Tree to remove (w/TPZ)

Tree to retain (w/TPZ)

Tree retention to be confirmed in waterway corridor (w/TPZ)

Tree to remove for Stage 1 works (w/TPZ) *not part of this application

Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application

Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)

Hollow bearing trees

Vegetation stockpile location (indicative)

Bunting flag protection fencing type

Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings

Balance clearing area

Retention area (subject to future civil detail design)

Stage 1 clearing area (not part of this application)

Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 124*

saunders havill group

CLIENT:

CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE, PRIOR TO CONSTRUCTION, AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY EXCAVATION, OR DURATION OF CONSTRUCTION WORKS, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF: Vegetation Clearing & Fauna Management Plan

DATE: 14/05/2021	CHECKED: SM
CLIENT REF: 8107	DRAWN: MP
DRAWING No.: 8107 E 124 Balance VCFMP C	



Tree to remove (w/TPZ)

Tree to retain (w/TPZ)

Tree retention to be confirmed in waterway corridor (w/TPZ)

Tree to remove for Stage 1 works (w/TPZ) *not part of this application

Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application

Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)

Hollow bearing trees

Vegetation stockpile location (indicative)

Bunting flag protection fencing type

Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings

Balance clearing area

Retention area (subject to future civil detail design)

Stage 1 clearing area (not part of this application)

Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 125*

saunders havill group

CLIENT:

CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CAN NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THIS DRAWING BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION. AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF:
Vegetation Clearing & Fauna Management Plan

DATE:	14/05/2021	CHECKED:	SM
CLIENT REF:	8107	DRAWN:	MP
DRAWING No:	8107 E 125 Balance VCFMP C		

PROJECT ARBORIST TO SUPERVISE AND DIRECT ANY WORKS WITHIN TPZ OF TREES TO BE RETAINED AND ADJOINING BUSHLAND.

- Tree to remove (w/TPZ)
- Tree to retain (w/TPZ)
- Tree retention to be confirmed in waterway corridor (w/TPZ)
- Tree to remove for Stage 1 works (w/TPZ) *not part of this application
- Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application
- Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)
- Hollow bearing trees
- Vegetation stockpile location (indicative)
- Bunting flag protection fencing type
- Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings
- Balance clearing area
- Retention area (subject to future civil detail design)
- Stage 1 clearing area (not part of this application)
- Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 126*

saunders havill group

CLIENT: CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION. AND DO NOT SCALE FROM THESE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY ERRORS OR PROBLEMS SHOULD BE CLARIFIED WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF: Vegetation Clearing & Fauna Management Plan

DATE: 14/05/2021	CHECKED: SM
CLIENT REF: 8107	DRAWN: MP
DRAWING No: 8107 E 126 Balance VCFMP C	



Tree to remove (w/TPZ)

Tree to retain (w/TPZ)

Tree retention to be confirmed in waterway corridor (w/TPZ)

Tree to remove for Stage 1 works (w/TPZ) *not part of this application

Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application

Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)

Hollow bearing trees

Vegetation stockpile location (indicative)

Bunting flag protection fencing type

Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings

Balance clearing area

Retention area (subject to future civil detail design)

Stage 1 clearing area (not part of this application)

Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 127*

saunders havill group

CLIENT:

CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CAN NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES AND ERRORS AND OMISSIONS SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF:
Vegetation Clearing & Fauna Management Plan

DATE:	14/05/2021	CHECKED:	SM
CLIENT REF:	8107	DRAWN:	MP
DRAWING No:	8107 E 1.27 Balance VCFMP C		



Tree to remove (w/TPZ)

Tree to retain (w/TPZ)

Tree retention to be confirmed in waterway corridor (w/TPZ)

Tree to remove for Stage 1 works (w/TPZ) *not part of this application

Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application

Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)

Hollow bearing trees

Vegetation stockpile location (indicative)

Bunting flag protection fencing type

Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings

Balance clearing area

Retention area (subject to future civil detail design)

Stage 1 clearing area (not part of this application)

Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 128*

saunders havill group

CLIENT:

CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CAN NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF:
Vegetation Clearing & Fauna Management Plan

DATE:	14/05/2021	CHECKED:	SM
CLIENT REF:	8107	DRAWN:	MP
DRAWING No:	8107 E 128 Balance VCFMP C		

PROJECT ARBORIST TO SUPERVISE AND DIRECT ANY WORKS WITHIN TPZ OF TREES TO BE RETAINED AND ADJOINING BUSHLAND.

- Tree to remove (w/TPZ)
- Tree to retain (w/TPZ)
- Tree retention to be confirmed in waterway corridor (w/TPZ)
- Tree to remove for Stage 1 works (w/TPZ) *not part of this application
- Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application
- Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)
- Hollow bearing trees
- Vegetation stockpile location (indicative)
- Bunting flag protection fencing type
- Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings
- Balance clearing area
- Retention area (subject to future civil detail design)
- Stage 1 clearing area (not part of this application)
- Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 129*

saunders havill group

CLIENT: CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THIS DRAWING BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF: Vegetation Clearing & Fauna Management Plan

DATE:	14/05/2021	CHECKED:	SM
CLIENT REF:	8107	DRAWN:	MP
DRAWING No:	8107 E 129 Balance VCFMP C		



Tree to remove (w/TPZ)

Tree to retain (w/TPZ)

Tree retention to be confirmed in waterway corridor (w/TPZ)

Tree to remove for Stage 1 works (w/TPZ) *not part of this application

Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application

Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)

Hollow bearing trees

Vegetation stockpile location (indicative)

Bunting flag protection fencing type

Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings

Balance clearing area

Retention area (subject to future civil detail design)

Stage 1 clearing area (not part of this application)

Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 130*

saunders havill group

CLIENT:

CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THIS DRAWING BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF: Vegetation Clearing & Fauna Management Plan

DATE:	14/05/2021	CHECKED:	SM
CLIENT REF:	8107	DRAWN:	MP
DRAWING No:	8107 E 130 Balance VCFMP C		



Tree to remove (w/TPZ)

Tree to retain (w/TPZ)

Tree retention to be confirmed in waterway corridor (w/TPZ)

Tree to remove for Stage 1 works (w/TPZ) *not part of this application

Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application

Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)

Hollow bearing trees

Vegetation stockpile location (indicative)

Bunting flag protection fencing type

Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings

Balance clearing area

Retention area (subject to future civil detail design)

Stage 1 clearing area (not part of this application)

Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 131*

saunders havill group

CLIENT:

CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES AND FIGURE DIMENSIONS SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DEFAILD LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF: Vegetation Clearing & Fauna Management Plan

DATE:	14/05/2021	CHECKED:	SM
CLIENT REF:	8107	DRAWN:	MP
DRAWING No:	8107 E 131 Balance VCFMP C		

PROJECT ARBORIST TO SUPERVISE AND DIRECT ANY WORKS WITHIN TPZ OF TREES TO BE RETAINED AND ADJOINING BUSHLAND.

- Tree to remove (w/TPZ)
- Tree to retain (w/TPZ)
- Tree retention to be confirmed in waterway corridor (w/TPZ)
- Tree to remove for Stage 1 works (w/TPZ) *not part of this application
- Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application
- Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)
- Hollow bearing trees
- Vegetation stockpile location (indicative)
- Bunting flag protection fencing type
- Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings
- Balance clearing area
- Retention area (subject to future civil detail design)
- Stage 1 clearing area (not part of this application)
- Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 132*

saunders havill group

CLIENT: CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES AND DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF: Vegetation Clearing & Fauna Management Plan

DATE:	14/05/2021	CHECKED:	SM
CLIENT REF:	8107	DRAWN:	MP
DRAWING No:	8107 E 132 Balance VCFMP C		



- Tree to remove (w/TPZ)
- Tree to retain (w/TPZ)
- Tree retention to be confirmed in waterway corridor (w/TPZ)
- Tree to remove for Stage 1 works (w/TPZ) *not part of this application
- Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application
- Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)
- Hollow bearing trees
- Vegetation stockpile location (indicative)
- Bunting flag protection fencing type
- Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings
- Balance clearing area
- Retention area (subject to future civil detail design)
- Stage 1 clearing area (not part of this application)
- Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 133*

saunders havill group

CLIENT: CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY OR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES AND DIRIGE PANELS SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF: Vegetation Clearing & Fauna Management Plan

DATE:	14/05/2021	CHECKED:	SM
CLIENT REF:	8107	DRAWN:	MP
DRAWING No:	8107 E 133 Balance VCFMP C		



Tree to remove (w/TPZ)

Tree to retain (w/TPZ)

Tree retention to be confirmed in waterway corridor (w/TPZ)

Tree to remove for Stage 1 works (w/TPZ) *not part of this application

Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application

Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)

Hollow bearing trees

Vegetation stockpile location (indicative)

Bunting flag protection fencing type

Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings

Balance clearing area

Retention area (subject to future civil detail design)

Stage 1 clearing area (not part of this application)

Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 134*

saunders havill group

CLIENT:

CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CAN NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWING BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES AND ORIGIN PACKS SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF: Vegetation Clearing & Fauna Management Plan

DATE:	14/05/2021	CHECKED:	SM
CLIENT REF:	8107	DRAWN:	MP
DRAWING No:	8107 E 134 Balance VCFMP C		



Tree to remove (w/TPZ)

Tree to retain (w/TPZ)

Tree retention to be confirmed in waterway corridor (w/TPZ)

Tree to remove for Stage 1 works (w/TPZ) *not part of this application

Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application

Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)

Hollow bearing trees

Vegetation stockpile location (indicative)

Bunting flag protection fencing type

Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings

Balance clearing area

Retention area (subject to future civil detail design)

Stage 1 clearing area (not part of this application)

Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 135*

saunders havill group

CLIENT:

CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION. AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY ERRORS OR INCONSISTENCIES SHALL BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF: Vegetation Clearing & Fauna Management Plan

DATE:	14/05/2021	CHECKED:	SM
CLIENT REF:	8107	DRAWN:	MP
DRAWING No:	8107 E 135 Balance VCFMP C		

PROJECT ARBORIST TO SUPERVISE AND DIRECT ANY WORKS WITHIN TPZ OF TREES TO BE RETAINED AND ADJOINING BUSHLAND.

POTENTIAL FUTURE CLEARING - ROAD CROSSINGS WILL BE

- Tree to remove (w/TPZ)
- Tree to retain (w/TPZ)
- Tree retention to be confirmed in waterway corridor (w/TPZ)
- Tree to remove for Stage 1 works (w/TPZ) *not part of this application
- Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application
- Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)
- Hollow bearing trees
- Vegetation stockpile location (indicative)
- Bunting flag protection fencing type
- Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings
- Balance clearing area
- Retention area (subject to future civil detail design)
- Stage 1 clearing area (not part of this application)
- Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 136*

saunders havill group

CLIENT: CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES AND ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF: Vegetation Clearing & Fauna Management Plan

DATE:	14/05/2021	CHECKED:	SM
CLIENT REF:	8107	DRAWN:	MP
DRAWING No:	8107 E 136 Balance VCFMP C		



Tree to remove (w/TPZ)

Tree to retain (w/TPZ)

Tree retention to be confirmed in waterway corridor (w/TPZ)

Tree to remove for Stage 1 works (w/TPZ) *not part of this application

Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application

Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)

Hollow bearing trees

Vegetation stockpile location (indicative)

Bunting flag protection fencing type

Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings

Balance clearing area

Retention area (subject to future civil detail design)

Stage 1 clearing area (not part of this application)

Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 137*

saunders havill group

CLIENT:

CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CAN NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION. AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF:
Vegetation Clearing & Fauna Management Plan

DATE:	14/05/2021	CHECKED:	SM
CLIENT REF:	8107	DRAWN:	MP
DRAWING No:	8107 E 1 37 Balance VCFMP C		



Tree to remove (w/TPZ)

Tree to retain (w/TPZ)

Tree retention to be confirmed in waterway corridor (w/TPZ)

Tree to remove for Stage 1 works (w/TPZ) *not part of this application

Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application

Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)

Hollow bearing trees

Vegetation stockpile location (indicative)

Bunting flag protection fencing type

Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings

Balance clearing area

Retention area (subject to future civil detail design)

Stage 1 clearing area (not part of this application)

Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 138*

saunders havill group

CLIENT:

CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CAN NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES AND FIGURE DIMENSIONS SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF:
Vegetation Clearing & Fauna Management Plan

DATE:	14/05/2021	CHECKED:	SM
CLIENT REF:	8107	DRAWN:	MP
DRAWING No:	8107 E 138 Balance VCFMP C		



Tree to remove (w/TPZ)

Tree to retain (w/TPZ)

Tree retention to be confirmed in waterway corridor (w/TPZ)

Tree to remove for Stage 1 works (w/TPZ) *not part of this application

Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application

Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)

Hollow bearing trees

Vegetation stockpile location (indicative)

Bunting flag protection fencing type

Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings

Balance clearing area

Retention area (subject to future civil detail design)

Stage 1 clearing area (not part of this application)

Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 139*

saunders havill group

CLIENT:

CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CAN NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION. AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY ERRORS OR FAILURES SHOULD BE CLARIFIED WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF:
Vegetation Clearing & Fauna Management Plan

DATE:	14/05/2021	CHECKED:	SM
CLIENT REF:	8107	DRAWN:	MP
DRAWING No:	8107 E 139 Balance VCFMP C		



Tree to remove (w/TPZ)

Tree to retain (w/TPZ)

Tree retention to be confirmed in waterway corridor (w/TPZ)

Tree to remove for Stage 1 works (w/TPZ) *not part of this application

Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application

Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)

Hollow bearing trees

Vegetation stockpile location (indicative)

Bunting flag protection fencing type

Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings

Balance clearing area

Retention area (subject to future civil detail design)

Stage 1 clearing area (not part of this application)

Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 140*

saunders havill group

CLIENT: CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWING BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES AND FIGURED DIMENSIONS SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF: Vegetation Clearing & Fauna Management Plan

DATE: 14/05/2021	CHECKED: SM
CLIENT REF: 8107	DRAWN: MP
DRAWING No: 8107 E 140 Balance VCFMP C	



Tree to remove (w/TPZ)

Tree to retain (w/TPZ)

Tree retention to be confirmed in waterway corridor (w/TPZ)

Tree to remove for Stage 1 works (w/TPZ) *not part of this application

Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application

Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)

Hollow bearing trees

Vegetation stockpile location (indicative)

Bunting flag protection fencing type

Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings

Balance clearing area

Retention area (subject to future civil detail design)

Stage 1 clearing area (not part of this application)

Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 141*

saunders havill group

CLIENT:

CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES AND DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF: Vegetation Clearing & Fauna Management Plan

DATE:	14/05/2021	CHECKED:	SM
CLIENT REF:	8107	DRAWN:	MP
DRAWING No:	8107 E 141 Balance VCFMP C		

POTENTIAL FUTURE CLEARING - ROAD CROSSINGS WILL BE SUBJECT TO FUTURE VCFMPS INCLUDING DETAILS OF FAUNA SENSITIVE ROAD CROSSINGS

PROJECT ARBORIST TO SUPERVISE AND DIRECT ANY WORKS WITHIN TPZ OF TREES TO BE RETAINED AND ADJOINING BUSHLAND.

- Tree to remove (w/TPZ)
- Tree to retain (w/TPZ)
- Tree retention to be confirmed in waterway corridor (w/TPZ)
- Tree to remove for Stage 1 works (w/TPZ) *not part of this application
- Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application
- Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)
- Hollow bearing trees
- Vegetation stockpile location (indicative)
- Bunting flag protection fencing type
- Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings
- Balance clearing area
- Retention area (subject to future civil detail design)
- Stage 1 clearing area (not part of this application)
- Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 142*

saunders havill group

CLIENT: CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF: Vegetation Clearing & Fauna Management Plan

DATE:	14/05/2021	CHECKED:	SM
CLIENT REF:	8107	DRAWN:	MP
DRAWING No:	8107 E 142 Balance VCFMP C		

PROJECT ARBORIST TO SUPERVISE AND DIRECT ANY WORKS WITHIN TPZ OF TREES TO BE RETAINED AND ADJOINING BUSHLAND.

- Tree to remove (w/TPZ)
- Tree to retain (w/TPZ)
- Tree retention to be confirmed in waterway corridor (w/TPZ)
- Tree to remove for Stage 1 works (w/TPZ) *not part of this application
- Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application
- Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)
- Hollow bearing trees
- Vegetation stockpile location (indicative)
- Bunting flag protection fencing type
- Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings
- Balance clearing area
- Retention area (subject to future civil detail design)
- Stage 1 clearing area (not part of this application)
- Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 143*

saunders havill group

CLIENT: CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE, PRIOR TO CONSTRUCTION, AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES AND FIGURE DIMENSIONS SHALL BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF: Vegetation Clearing & Fauna Management Plan

DATE:	14/05/2021	CHECKED:	SM
CLIENT REF:	8107	DRAWN:	MP
DRAWING No:	8107 E 143 Balance VCFMP C		



Tree to remove (w/TPZ)

Tree to retain (w/TPZ)

Tree retention to be confirmed in waterway corridor (w/TPZ)

Tree to remove for Stage 1 works (w/TPZ) *not part of this application

Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application

Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)

Hollow bearing trees

Vegetation stockpile location (indicative)

Bunting flag protection fencing type

Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings

Balance clearing area

Retention area (subject to future civil detail design)

Stage 1 clearing area (not part of this application)

Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 144*

saunders havill group

CLIENT:

CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES AND FIGURE PARCELS SHALL BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF: Vegetation Clearing & Fauna Management Plan

DATE:	14/05/2021	CHECKED:	SM
CLIENT REF:	8107	DRAWN:	MP
DRAWING No:	8107 E 144 Balance VCFMP C		

PROJECT ARBORIST TO SUPERVISE AND DIRECT ANY WORKS WITHIN TPZ OF TREES TO BE RETAINED AND ADJOINING BUSHLAND.

- Tree to remove (w/TPZ)
- Tree to retain (w/TPZ)
- Tree retention to be confirmed in waterway corridor (w/TPZ)
- Tree to remove for Stage 1 works (w/TPZ) *not part of this application
- Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application
- Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)
- Hollow bearing trees
- Vegetation stockpile location (indicative)
- Bunting flag protection fencing type
- Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings
- Balance clearing area
- Retention area (subject to future civil detail design)
- Stage 1 clearing area (not part of this application)
- Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 145*

saunders havill group

CLIENT: CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWING BY ANY THIRD PARTY.

CONFIRM ALL DIMENSION S ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF: Vegetation Clearing & Fauna Management Plan

DATE: 14/05/2021	CHECKED: SM
CLIENT REF: 8107	DRAWN: MP
DRAWING No.: 8107 E 145 Balance VCFMP C	



Tree to remove (w/TPZ)

Tree to retain (w/TPZ)

Tree retention to be confirmed in waterway corridor (w/TPZ)

Tree to remove for Stage 1 works (w/TPZ) *not part of this application

Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application

Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)

Hollow bearing trees

Vegetation stockpile location (indicative)

Bunting flag protection fencing type

Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings

Balance clearing area

Retention area (subject to future civil detail design)

Stage 1 clearing area (not part of this application)

Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 146*

saunders havill group

CLIENT:

CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF:
Vegetation Clearing & Fauna Management Plan

DATE:	14/05/2021	CHECKED:	SM
CLIENT REF:	8107	DRAWN:	MP
DRAWING No:	8107 E 146 Balance VCFMP C		



Tree to remove (w/TPZ)

Tree to retain (w/TPZ)

Tree retention to be confirmed in waterway corridor (w/TPZ)

Tree to remove for Stage 1 works (w/TPZ) *not part of this application

Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application

Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)

Hollow bearing trees

Vegetation stockpile location (indicative)

Bunting flag protection fencing type

Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings

Balance clearing area

Retention area (subject to future civil detail design)

Stage 1 clearing area (not part of this application)

Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 147*

saunders havill group

CLIENT:

CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY OR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF: Vegetation Clearing & Fauna Management Plan

DATE:	14/05/2021	CHECKED:	SM
CLIENT REF:	8107	DRAWN:	MP
DRAWING No:	8107 E 147 Balance VCFMP C		



Tree to remove (w/TPZ)

Tree to retain (w/TPZ)

Tree retention to be confirmed in waterway corridor (w/TPZ)

Tree to remove for Stage 1 works (w/TPZ) *not part of this application

Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application

Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)

Hollow bearing trees

Vegetation stockpile location (indicative)

Bunting flag protection fencing type

Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings

Balance clearing area

Retention area (subject to future civil detail design)

Stage 1 clearing area (not part of this application)

Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 148*

saunders havill group

CLIENT: CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY OR ANY LIABILITY OR RELIANCE UPON THE CONTENTS OF THIS DRAWING BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF: Vegetation Clearing & Fauna Management Plan

DATE:	14/05/2021	CHECKED:	SM
CLIENT REF:	8107	DRAWN:	MP
DRAWING No:	8107 E 148 Balance VCFMP C		



Tree to remove (w/TPZ)

Tree to retain (w/TPZ)

Tree retention to be confirmed in waterway corridor (w/TPZ)

Tree to remove for Stage 1 works (w/TPZ) *not part of this application

Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application

Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)

Hollow bearing trees

Vegetation stockpile location (indicative)

Bunting flag protection fencing type

Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings

Balance clearing area

Retention area (subject to future civil detail design)

Stage 1 clearing area (not part of this application)

Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 149*

saunders havill group

CLIENT:

CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CAN NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION. AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY ERRORS OR PANICS SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF: Vegetation Clearing & Fauna Management Plan

DATE:	14/05/2021	CHECKED:	SM
CLIENT REF:	8107	DRAWN:	MP
DRAWING No:	8107 E 149 Balance VCFMP C		



- Tree to remove (w/TPZ)
- Tree to retain (w/TPZ)
- Tree retention to be confirmed in waterway corridor (w/TPZ)
- Tree to remove for Stage 1 works (w/TPZ) *not part of this application
- Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application
- Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)
- Hollow bearing trees
- Vegetation stockpile location (indicative)
- Bunting flag protection fencing type
- Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings
- Balance clearing area
- Retention area (subject to future civil detail design)
- Stage 1 clearing area (not part of this application)
- Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 150*

saunders havill group

CLIENT: CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CAN NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF: Vegetation Clearing & Fauna Management Plan

DATE:	14/05/2021	CHECKED:	SM
CLIENT REF:	8107	DRAWN:	MP
DRAWING No:	8107 E 150 Balance VCFMP C		

PROJECT ARBORIST TO SUPERVISE AND DIRECT ANY WORKS WITHIN TPZ OF TREES TO BE RETAINED AND ADJOINING BUSHLAND.

- Tree to remove (w/TPZ)
- Tree to retain (w/TPZ)
- Tree retention to be confirmed in waterway corridor (w/TPZ)
- Tree to remove for Stage 1 works (w/TPZ) *not part of this application
- Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application
- Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)
- Hollow bearing trees
- Vegetation stockpile location (indicative)
- Bunting flag protection fencing type
- Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings
- Balance clearing area
- Retention area (subject to future civil detail design)
- Stage 1 clearing area (not part of this application)
- Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 151*

saunders havill group

CLIENT: CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY OR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES AND FIGURE DIMENSIONS SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF: Vegetation Clearing & Fauna Management Plan

DATE:	14/05/2021	CHECKED:	SM
CLIENT REF:	8107	DRAWN:	MP
DRAWING No:	8107 E 151 Balance VCFMP C		



Tree to remove (w/TPZ)

Tree to retain (w/TPZ)

Tree retention to be confirmed in waterway corridor (w/TPZ)

Tree to remove for Stage 1 works (w/TPZ) *not part of this application

Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application

Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)

Hollow bearing trees

Vegetation stockpile location (indicative)

Bunting flag protection fencing type

Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings

Balance clearing area

Retention area (subject to future civil detail design)

Stage 1 clearing area (not part of this application)

Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 152*

saunders havill group

CLIENT:

CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES AND ORDER PARCELS SHALL BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF:

Vegetation Clearing & Fauna Management Plan

DATE:	14/05/2021	CHECKED:	SM
CLIENT REF:	8107	DRAWN:	MP
DRAWING No:	8107 E 152 Balance VCFMP C		



Tree to remove (w/TPZ)

Tree to retain (w/TPZ)

Tree retention to be confirmed in waterway corridor (w/TPZ)

Tree to remove for Stage 1 works (w/TPZ) *not part of this application

Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application

Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)

Hollow bearing trees

Vegetation stockpile location (indicative)

Bunting flag protection fencing type

Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings

Balance clearing area

Retention area (subject to future civil detail design)

Stage 1 clearing area (not part of this application)

Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 153*

saunders havill group

CLIENT:

CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION. AND DO NOT SCALE FROM THESE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES AND ORDER PAGES SHOULD BE CLARIFIED WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF: Vegetation Clearing & Fauna Management Plan

DATE: 14/05/2021	CHECKED: SM
CLIENT REF: 8107	DRAWN: MP
DRAWING No: 8107 E 153 Balance VCFMP C	



PROJECT ARBORIST TO SUPERVISE AND DIRECT ANY WORKS WITHIN TPZ OF TREES TO BE RETAINED AND ADJOINING BUSHLAND

Tree to remove (w/TPZ)

Tree to retain (w/TPZ)

Tree retention to be confirmed in waterway corridor (w/TPZ)

Tree to remove for Stage 1 works (w/TPZ) *not part of this application

Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application

Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)

Hollow bearing trees

Vegetation stockpile location (indicative)

Bunting flag protection fencing type

Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings

Balance clearing area

Retention area (subject to future civil detail design)

Stage 1 clearing area (not part of this application)

Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 154*

saunders havill group

CLIENT:

CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CAN NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWING BY ANY THIRD PARTY.

CONFIRM ALL DIMENSION ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES AND DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF: Vegetation Clearing & Fauna Management Plan

DATE: 14/05/2021	CHECKED: SM
CLIENT REF: 8107	DRAWN: MP
DRAWING No.: 8107 E 1 54 Balance VCFMP C	

PROJECT ARBORIST TO SUPERVISE AND DIRECT ANY WORKS WITHIN TPZ OF TREES TO BE RETAINED AND ADJOINING BUSHLAND.

21952 22152 22154 22153 21954 21953 22157 22155 22156 21955 21956 22158 22159 22160 21957 21958 22161 22164 22162 21959 21960 22165 22166 22168 22167 22169 21961 22170 22172 22171 21962 21964 21965 21963 22173 22175 21966 22174 22176 22177 21968 21967 21969

Tree to remove (w/TPZ)

Tree to retain (w/TPZ)

Tree retention to be confirmed in waterway corridor (w/TPZ)

Tree to remove for Stage 1 works (w/TPZ) *not part of this application

Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application

Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)

Hollow bearing trees

Vegetation stockpile location (indicative)

Bunting flag protection fencing type

Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings

Balance clearing area

Retention area (subject to future civil detail design)

Stage 1 clearing area (not part of this application)

Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 155*

saunders havill group

CLIENT:

CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THIS DRAWING BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF: Vegetation Clearing & Fauna Management Plan

DATE:	14/05/2021	CHECKED:	SM
CLIENT REF:	8107	DRAWN:	MP
DRAWING No:	8107 E155 Balance VCFMP C		



Tree to remove (w/TPZ)

Tree to retain (w/TPZ)

Tree retention to be confirmed in waterway corridor (w/TPZ)

Tree to remove for Stage 1 works (w/TPZ) *not part of this application

Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application

Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)

Hollow bearing trees

Vegetation stockpile location (indicative)

Bunting flag protection fencing type

Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings

Balance clearing area

Retention area (subject to future civil detail design)

Stage 1 clearing area (not part of this application)

Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 156*

saunders havill group

CLIENT:

CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWING BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE, PRIOR TO CONSTRUCTION. AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF:
Vegetation Clearing & Fauna Management Plan

DATE:	14/05/2021	CHECKED:	SM
CLIENT REF:	8107	DRAWN:	MP
DRAWING No:	8107 E 156 Balance VCFMP C		



Tree to remove (w/TPZ)

Tree to retain (w/TPZ)

Tree retention to be confirmed in waterway corridor (w/TPZ)

Tree to remove for Stage 1 works (w/TPZ) *not part of this application

Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application

Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)

Hollow bearing trees

Vegetation stockpile location (indicative)

Bunting flag protection fencing type

Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings

Balance clearing area

Retention area (subject to future civil detail design)

Stage 1 clearing area (not part of this application)

Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 157*

saunders havill group

CLIENT:

CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CAN NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES AND FIGURE PRINTS SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF: Vegetation Clearing & Fauna Management Plan

DATE:	14/05/2021	CHECKED:	SM
CLIENT REF:	8107	DRAWN:	MP
DRAWING No:	8107 E 157 Balance VCFMP C		

PROJECT ARBORIST TO SUPERVISE AND DIRECT ANY WORKS WITHIN TPZ OF TREES TO BE RETAINED AND ADJOINING BUSHLAND

- Tree to remove (w/TPZ)
- Tree to retain (w/TPZ)
- Tree retention to be confirmed in waterway corridor (w/TPZ)
- Tree to remove for Stage 1 works (w/TPZ) *not part of this application
- Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application
- Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)
- Hollow bearing trees
- Vegetation stockpile location (indicative)
- Bunting flag protection fencing type
- Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings
- Balance clearing area
- Retention area (subject to future civil detail design)
- Stage 1 clearing area (not part of this application)
- Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 158*

saunders havill group

CLIENT: CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CAN NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES AND FIGURED DIMENSIONS SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF: Vegetation Clearing & Fauna Management Plan

DATE:	14/05/2021	CHECKED:	SM
CLIENT REF:	8107	DRAWN:	MP
DRAWING No.:	8107 E 1.58 Balance VCFMP C		



Tree to remove (w/TPZ)

Tree to retain (w/TPZ)

Tree retention to be confirmed in waterway corridor (w/TPZ)

Tree to remove for Stage 1 works (w/TPZ) *not part of this application

Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application

Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)

Hollow bearing trees

Vegetation stockpile location (indicative)

Bunting flag protection fencing type

Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings

Balance clearing area

Retention area (subject to future civil detail design)

Stage 1 clearing area (not part of this application)

Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 159*

saunders havill group

CLIENT:

CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION. AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES AND DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF: Vegetation Clearing & Fauna Management Plan

DATE:	14/05/2021	CHECKED:	SM
CLIENT REF:	8107	DRAWN:	MP
DRAWING No:	8107 E 159 Balance VCFMP C		



Tree to remove (w/TPZ)

Tree to retain (w/TPZ)

Tree retention to be confirmed in waterway corridor (w/TPZ)

Tree to remove for Stage 1 works (w/TPZ) *not part of this application

Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application

Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)

Hollow bearing trees

Vegetation stockpile location (indicative)

Bunting flag protection fencing type

Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings

Balance clearing area

Retention area (subject to future civil detail design)

Stage 1 clearing area (not part of this application)

Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 160*

saunders havill group

CLIENT:

CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY ERRORS OR PANICS SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF: Vegetation Clearing & Fauna Management Plan

DATE:	14/05/2021	CHECKED:	SM
CLIENT REF:	8107	DRAWN:	MP
DRAWING No.:	8107 E 160 Balance VCFMP C		



PROJECT ARBORIST TO SUPERVISE AND DIRECT ANY WORKS WITHIN TPZ OF TREES TO BE RETAINED AND ADJOINING BUSHLAND.

- Tree to remove (w/TPZ)
- Tree to retain (w/TPZ)
- Tree retention to be confirmed in waterway corridor (w/TPZ)
- Tree to remove for Stage 1 works (w/TPZ) *not part of this application
- Tree to retain along Stage 1 works boundary (w/ TPZ) *not part of this application
- Refer to Teviot Road upgrade vegetation clearing application for retention status (w/TPZ)
- Hollow bearing trees
- Vegetation stockpile location (indicative)
- Bunting flag protection fencing type
- Future Clearing - Road crossings will be subject to future VCFMPs including details of fauna sensitive road crossings
- Balance clearing area
- Retention area (subject to future civil detail design)
- Stage 1 clearing area (not part of this application)
- Vegetation retention corridors

Vegetation Clearing & Fauna Management Plan - *Detail sheet 161*

saunders havill group

CLIENT: CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWING BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES AND DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 5 10 20 30 40 m

1:600 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF: Vegetation Clearing & Fauna Management Plan

DATE: 14/05/2021	CHECKED: SM
CLIENT REF: 8107	DRAWN: MP
DRAWING No.: 8107 E 161 Balance VCFMP C	

STATE LAND

RE 12.9-10.2

RE 12.9-10.3

RE 12.3.3

12.3.7

100m Ecological Link

LOGAN RIVER

Project site boundary

Balance clearing area

Vegetation retention corridors

Vegetation Communities

Remnant

Regrowth

Non-remnant

Waterway assessment

Logan River and associated floodplains

Vegetated Waterway Areas (with trailing vegetation)

Vegetated Waterway Areas (with trailing vegetation discontinuing)

Non-vegetated Waterway Areas

Vegetation Clearing & Fauna Management Plan - *Field Survey Areas*

saunders havill group

CLIENT:

CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES AND DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER IN FORMATION REGARDING SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	11/05/2021	Retention change	SM

0 60 120 240 360 480 600 720 840 m

1:12,000 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF: Vegetation Clearing & Fauna Management Plan

DATE:	11/05/2021	CHECKED:	SM
CLIENT REF:	8107	DRAWN:	MP
DRAWING No:	8107 E 1 62 Balance VCFMP C		



Vegetation retention corridors

Stage 1 Development Footprint (not part of this application - refer Stage 1 VCFMP C)

Balance Proposed Development Footprint

Vegetated Waterway Areas (with trailing vegetation)

Vegetated Waterway Areas (with trailing vegetation discontinuing)

Non-vegetated Waterway Areas

Indicative clearing direction

Project site boundary

Vegetation Clearing & Fauna Management Plan - *Summary of Clearing*

saunders havill group

CLIENT:

CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CAN NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THIS DRAWING BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	14/05/2021	Retention change	SM

0 50 100 200 300 400 500 600 700 m

1:12,000 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF:
Vegetation Clearing & Fauna Management Plan

DATE:	14/05/2021	CHECKED:	SM
CLIENT REF:	8107	DRAWN:	MP
DRAWING No:	8107 E 163 Balance VCFMP C		

STATE LAND

RE 12.9-10.2

RE 12.9-10.3

RE 12.3.3

12.3.7

100m Ecological Link

LOGAN RIVER

Project site boundary

Balance clearing area

Vegetation retention corridors

Vegetation Communities

Remnant

Regrowth

Non-remnant

Waterway assessment

Logan River and associated floodplains

Vegetated Waterway Areas (with trailing vegetation)

Vegetated Waterway Areas (with trailing vegetation discontinuing)

Non-vegetated Waterway Areas

Vegetation Clearing & Fauna Management Plan - *Field Survey Areas*

saunders havill group

CLIENT:

CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES AND DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER IN FORMATION REGARDING SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	11/05/2021	Retention change	SM

0 60 120 240 360 480 600 720 840 m

1:12,000 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF: Vegetation Clearing & Fauna Management Plan

DATE:	11/05/2021	CHECKED:	SM
CLIENT REF:	8107	DRAWN:	MP
DRAWING No:	8107 E 1 62 Balance VCFMP C		



Vegetation retention corridors

Stage 1 Development Footprint (not part of this application - refer Stage 1 VCFMP C)

Balance Proposed Development Footprint

Vegetated Waterway Areas (with trailing vegetation)

Vegetated Waterway Areas (with trailing vegetation discontinuing)

Non-vegetated Waterway Areas

Indicative clearing direction

Project site boundary

Vegetation Clearing & Fauna Management Plan - *Summary of Clearing*

saunders havill group

CLIENT:

CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THIS DRAWING BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
A	30/11/2020	Client Draft	SM
B	05/03/2021	Retention change	SM
C	11/05/2021	Retention change	SM

0 50 100 200 300 400 500 600 700 m

1:12,000 @ A3

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF: Vegetation Clearing & Fauna Management Plan

DATE:	11/05/2021	CHECKED:	SM
CLIENT REF:	8107	DRAWN:	MP
DRAWING No:	8107 E 163 Balance VCFMP C		

Nest Box Strategy - *Assessment Notes*

INTRODUCTION

This Nest Box Strategy has been prepared as required by the Project's Natural Environment Site Strategy (NESS) and is to be approved the administering authority, Economic Development Queensland (EDQ). This strategy is designed to provide a functional alternative to "Habitat Trees' and natural hollows which will be removed for necessary works from within Stage 1, and to enhance wildlife habitat within the proposed vegetation retention corridor.

It is proposed for the proponent to install one (1) nest boxes per hollow removed in the balance clearing area. Areas for the replacement nest boxes have been identified within the proposed vegetation retention corridor and shown on *Sheet 05 of Appendix A*.

Natural tree hollows form an important part of many South East Queensland (SEQ) ecosystems. There are at least 134 fauna species in SEQ that are dependent on hollows for survival—including protection from weather and predators and a safe place to eat, sleep and raise young. Many more fauna species are likely to use hollows opportunistically. Natural hollows can take between 80 to 350+ years to develop and form a range of sizes and shapes over time that suit the requirements of different fauna species. Removal of hollow-bearing trees should therefore be considered only as a last option.

In circumstances where clearing of hollow-bearing trees cannot be avoided, nest boxes can provide a functional alternative to natural tree hollows. The lifespan of a nest box is relatively short (usually up to 15 years) compared to natural hollows, and should be complimented by bushland regeneration, to ensure long-term provision of hollow habitat.

Nest boxes design and installation is highly specialised to suit individual fauna species requirements, and requires: prior knowledge of hollow-dependent fauna at the impact and receiving areas; and nest box specifications for target fauna species. Ongoing monitoring and maintenance is also essential to ensure nest boxes are achieving beneficial outcomes for fauna, particularly threatened species.

There are currently no regulatory guidelines in Queensland for the implementation, monitoring and maintenance of nest boxes. The Information in this strategy is based on best knowledge and practices provided on Moreton Bay Regional Council, Redlands City Council and Ipswich City Council online services, and "Nest boxes for wildlife, a practical guide" by Alan and Stacey Franks (2015). The information is intended as a guide and is subject to alteration by the qualified nest box ecologist working on site.

FAUNA HABITAT ASSESSMENT - DESKTOP

Desktop assessments were undertaken on June 24th 2020, and identified the following hollow-using (obligate and opportunistic) fauna species as occurring, or having the potential to occur within 5km of the Project site:

Hollow using - Protected Matters Search Tool (EPBC Act)

Common Name	Scientific Name	Status (EPBC)
Regent Honeyeater	*Anthochaera phrygia*	Critically Endangered
Red Goshawk	*Erthrotiorchis radiatus*	Vulnerable
Squatter Pigeon	*Geophaps scripta scripta*	Vulnerable
Swift Parrot	*Lathamus discolor*	Critically Endangered
Large-eared Pied Bat	*Chalinolobus dwyeri*	Vulnerable
Greater Glider	*Petauroides Volans*	Vulnerable
Spotted-tailed Quoll (southern subspecies)	*Dasyurus maculatus maculatus*	Endangered
Black-throated Finch	*Poephila cincta cincta*	Endangered

Hollow using - Wildlife Online Search (NCA)

Common Name	Scientific Name	Status (NCA)
Buff-rumped Thornbill	*Acanthiza reguloides*	Common
Australian King Parrot	*Alisterus scapularis*	Common
Grey Teal	*Anas gracilis*	Common
Pacific Black Duck	*Anas superciliosa*	Common
Yellow-Footed Antechinus (south-east Queensland)	*Antechinus flavipes flavipes*	Common
White-breasted Woodswallow	*Artamus leucorhynchus*	Common
White-browed Woodswallow	*Artamus superciliosus*	Common
Sulphur-crested Cockatoo	*Cacatua galerita*	Common
Little Corella	*Cacatua sanguinea*	Common
Gould's Wattled Bat	*Chalinolobus gouldii*	Common
Australian Wood duck	*Chenonetta jubata*	Common
Grey Shrike-thrush	*Collurincla harmonica*	Common
White-throated Treecreeper	*Cormobates leucophaea*	Common
Laughing Kookooburra	*Dacelo novaeguineae*	Common
Spotted-tailed Quoll (southern subspecies)	*Dasyurus maculatus maculatus*	Vulnerable
Galah	*Eolophus roseicapillus*	Common
Dollarbird	*Eurystomus orientalis*	Common
Buff-banded Rail	*Gallirallus philippensis*	Common
Welcome Swallow	*Hirundo neoxena*	Common
Tree Frogs	*Litoria spp.*	Common
Carpet Python	*Morelia spilota*	Common
Southern Boobook	*Ninox boobook*	Common
Cockatiel	*Nymphicus hollandicus*	Common
Striated Pardalote	*Pardalotus striatus*	Common
Sugar Glider	*Petaurus breviceps*	Common
Squirrel Glider	*Petaurus norfolcensis*	Common
Tree Martin	*Petrochelidon nigricans*	Common
Brush-Tailed Phascogale	*Phascogale tapoatafa tapoatafa*	Common
Pale-headed Rosella	*Platycercus adscitus*	Common
Common Ringtail Possum	*Pseudocheirus peregrinus*	Common
Sacred Kingfisher	*Todiramphus sanctus*	Common
Scaly-breasted Lorikeet	*Trichoglossus chlorolepidotus*	Common
Rainbow Lorikeet	*Trichoglossus haematodus*	Common
Common Brushtail Possum	*Trichosurus vulpecula*	Common
Lace Monitor	*Varanus varius*	Common
Bush Rat	*Rattus fuscipes*	Common
Glossy Black-cockatoo (eastern)	Calyptorhynchus lathami lathami	Vulnerable
Powerful Owl	Ninox strenua	Vulnerable

FAUNA HABITAT ASSESSMENT - FIELD

Ecologists from Saunders Havill Group (SHG) assessed the Development Area across multiple surveys in 2017, 2019, and 2020. Assessment results are as follows:

- The site was found to be relatively disturbed, a large portion of the site is cleared paddock and regrowth vegetation, and in vegetated areas the understorey vegetation is limited, with significant weed infestation (e.g. *Lantana camara*) in most areas, and introduced grasses. The east to west traversing watercourse has limited riparian vegetation, thus is not considered to currently provide good connectivity for most fauna species. Vegetation present along the central watercourse varies, with some areas containing minimal vegetation, and others containing fuller vegetation structures closer to the Logan River. Typically the T1 and T2 layers are healthy within the remnant vegetation patches.
- The field assessment recorded 684 hollows across 383 hollow bearing trees within the balance of site (excluding Stage 1 works extent). The VCFMP has determined 228 of these trees maintaining 385 hollows will potentially be removed for the balance of site clearing works (refer *Appendix A Sheets 04-07*).
- No fauna species listed as threatened under State or Commonwealth legislation were recorded during diurnal field assessments, nor are they expected to occur given their niche requirements, the level of disturbance, presence of dogs, cows, and deer, and lack of bushland connectivity. Fauna observed on-site were typical of common, relatively urbanised fauna species, such as Avifauna.
- From all fauna and habitat surveys conducted by **SHG** (refer *VCFMP Sheet 4*) the following fauna that utilise hollows are confirmed to occur onsite:

Hollow using - found at the project site (SHG)

Common Name	Scientific Name
Pacific Black Duck	*Anas superciliosa*
Sulphur-crested Cockatoo	*Cacatua galerita*
Australia Wood Duck	*Chenonetta jubata*
Brown Treecreeper	*Climacteris picumnus*
Laughing Kookaburra	*Dacelo novaeguineae*
Galah	*Eolophus roseicapilla*
Dollarbird	*Euryostomus orientalis*
Nankeen Kestrel	*Falco cenchroides*
Welcome Swallow	*Hirundo neoxena*
Southern Boobook	*Ninox novaeseelandiae*
Striated Pardalote	*Pardalotus striatus*
Pale-headed Rosella	*Platycercus adscitus*
Scaly-breasted Lorikeet	*Trichoglossus chlorolepidotus*
Rainbow Lorikeet	*Trichoglossus haematodus*
Common Brushtail Possum	*Trichosurus vulpecula*

saunders havill group

CLIENT: CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT REPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWING BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES

'Nest boxes for wildlife: A practical guide' (Franks A & S 2006)

https://www.moretonbay.qld.gov.au/general.aspx?id=1734 (viewed 3 Nov 2017

http://www.ipswich.qld.gov.au/about_ipswich/environment/wildlife/habitat_nest_boxes (viewed 3 Nov 2017)

https://www.redland.qld.gov.au/info/20287/wildlife-friendly_backyard/642/nest_boxes_for_wildlife (viewed 3 Nov 2017)

http://www.latrobe.edu.au/wildlife/retail-shop/nestboxes/installation-instructions

AMENDMENTS:

Issue	Date	Description	Checked
A	26/11/2020	Client Draft	SM

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF:

Appendix A
Nest Box Strategy

DATE:	26/11/2020	CHECKED:	SM
CLIENT REF.:	8107	DRAWN:	MP

DRAWING No.: 8107 E APP A NBS 01 Balance VCFMP A

Nest Box Strategy - *Installation Guidelines*

SITE SPECIFICS

The intention of this Nest Box Strategy is to salvage hollows and construct nest boxes targeting the species found onsite that will be affected by the loss of hollow bearing trees. The salvage and relocation of hollows back on site will ensure habitat is provided for all hollow dependant species list on the previous sheet (*Appendix A Sheet 01)*. The construction of nest boxes will provide additional habitat for species where hollows are unavailable or not possible to relocate.

Further consideration is to be taken to species likely to utilise the habitat features remaining in the vegetation retention corridors. This will ensure the best possible up-take of the salvaged hollows and nest boxes installed across the area.

In the initial clearing phases, only nest boxes will be installed, then as hollows are salvaged and made appropriate for use, they will also be included during the ongoing installation works.

NEST BOX SPECIFICATIONS

Nest box design determines the type of fauna that can/will use a nest box. Factors such as entrance size and shape, depth, degree of insulation, and location greatly affect the nest box occupancy. For example, nest boxes with small entrance holes (20-30mm diameter) are used by Micro-bats and small Gliders, whereas larger entrance holes (100-200mm diameter) are required by Brushtail Possums, larger Parrots and Owls.

A range of nest box types should be installed within the nest box receiving area, keeping in mind that most species utilise more than one hollow across their home range. For example, Squirrel Gliders require a minimum of five (5) hollows per colony (2-9 individuals). Many species will also change residence according to season therefore it is important to provide boxes for winter and summer.

Nest box specifications should reflect the hollow-using fauna observed at the development site, or hollow-using fauna known, or expected to occur in the balance clearing area, particularly threatened and vulnerable fauna species.

Recommended nest box specifications from the *Ipswich City Council* website are provided on the following sheet (*Appendix 3 Sheet 03*). Details have been provided for information purposes only and are subject to final design and construction from local contractors/suppliers. Further information on specifications is available from 'Nest boxes for wildlife: A practical guide' by Alan and Stacey Franks and 'The nest box book' by the Gould League.

NEST BOX CONSTRUCTION

Materials used for nest box construction should meet the following criteria:

- 100% recycled HDPE (High density polyethylene), or
- durable timber, such as 30mm thick plantation pine, Cypress, or structural / external pine plywood.
- sustainably sourced and have a Forest Stewardship Certificate (FSC), Chain of Custodianship Certificate or equivalent.
- Internal surfaces should not be painted. Any finishes used be free of Volatile organic compounds (VOCs).
- Second-hand timber should be free of nails and paint.
- Should have a lifespan of at least 10-15 years

Note: Less durable nest box materials such as plywood, are more susceptible to being chewed by non-target species. For example, Galahs have been known to chew smaller entrance holes to gain access to a next box.

NEST BOX INSTALLATION

Nest boxes should be installed in suitable nest box trees, which are defined as Eucalyptus, Corymbia, Angophora and Lophostemon species possessing the following attributes:

a) greater than 200mm-400mm in diameter at breast height (1.3m) and
b) in a healthy condition;
c) do not possess existing hollows, or
d) are unlikely to develop hollows in the near future (i.e. larger trees) (Franks, A 2017, pers.comm. 24 October).

The following guidelines should be followed in relation to installation of nest boxes:

- Boxes should be installed by a qualified nest box installer / ecologist.
- Boxes should be installed prior to the removal of habitat trees on the development site to provide habitat opportunities for displaced hollow-using fauna.
- In urban parklands and residential areas, nest boxes should target fauna species that are adaptable to disturbed environments rather than less-dominant species such as Tree Creepers, Kingfishers, Micro-bats and Gliders.
- Boxes (including salvaged hollows) are not to be placed within 30m of each other or 30m of an existing hollow bearing tree. Where this is not possible the location of each box is to be determined by the fauna spotter-catcher.
- Boxes must not be installed in open space areas or corridor edges.
- Boxes must not be installed within 5 metres of any recreation trails that may be constructed in the vegetation retention corridors.
- Boxes are to contain small drainage holes at the base with 20-30mm of hardwood sawdust placed in the box (Nesting material is not required as this will be brought in by the fauna).
- Boxes are to be installed at a location in the tree to meet the target species requirements. It should be placed high enough in the tree to reduce the chances of predation by introduced fauna species, and out of reach of humans. Greater than 4 metres (12 feet) above ground level is recommended to minimise predation from cats. Placement of nest boxes away from potential edge effects will further mitigate feral uptake.
- Boxes are to be positioned where they can be easily inspected/ maintained.
- Boxes should be positioned away from bright lights.
- Boxes should not be positioned due west, or in a direction where severe storms and / or prevailing winds commonly come from. A north-east to south-east aspect is preferred by many species. Boxes should also be installed in a location that is shaded during the hottest parts of the day.
- If possible, place boxes in locations that are least vulnerable to branch fall.
- Boxes should be firmly mounted with least impact to the tree, for instance, MBRC and Franks (2006) only recommend using the Habisure system to mount boxes, whereby the nest box is 'hooked' around a branch on the opposite side of the trunk (refer to *Appendix A Sheet 03*).
- Alternately, place the box level with a tree branch to provide easy access for fauna.
- ICC suggests using galvanised self-drilling screws (Type 17 -14G x 100mm long Hex, Head or Bugle Head Batten Screws) as they are thought to be less harmful effect on the growth and health of a tree than straps, wires or chains. All screws should be removed from the tree if the box is removed
- Boxes should be installed on tree species preferred by the target fauna species. For example, Phascogales prefer rough-barked trees whereas Scaly-breasted Lorikeets prefer smooth-barked or dead trees.
- All nest boxes should be individually numbered and nest box positions recorded by GPS and mapped to assist in future monitoring. Installation details, including height and aspect, and nest box particulars should be catalogued

Further information regarding installation of nest boxes for specific species is available at http://www.latrobe.edu.au/wildlife/retail-shop/nestboxes/installation-instructions/

HOLLOW SALVAGE SPECIFICATIONS

The donor hollow bearing tree and hollow specifics are to be catalogued by the suitably qualified fauna spotter-catcher during their pre-clearance survey to ensure a list of salvageable hollows and details are available for the suitably qualified person re-installing the hollows and constructing the nest boxes.

The hollow/habitat feature sections from each identified tree are to be carefully removed by, or under direction and supervision of a suitably qualified fauna spotter-catcher or arborist. All additional trees to be inspected on ground to ensure any additional habitat features are salvaged.

The reinstallation of the hollows in the vegetation retention corridors will consist of a process of identifying a suitable location considering factors such as, reinstallation on a similar tree specimen, at a similar height and aspect of hollow as in the donor tree, whilst maintaining safety and health of the receiving tree.

As a general rule, salvaged hollows should be positioned:

- in a tree species preferred by the target fauna species. For example, Phascogales prefer rough-barked trees whereas Scaly-breasted Lorikeets prefer smooth-barked or dead trees
- at a location in the receiving tree to meet the target species requirements
- high enough in the receiving tree to reduce the chances of predation by introduced fauna species, and out of reach of humans. Greater than 4 metres (12 feet) above ground level is recommended to minimise predation from cats
- away from potential edge effects to further mitigate feral uptake
- where they can be easily inspected/maintained
- away from bright lights
- in a direction that is protected from severe storms and / or prevailing winds. A north-east to south-east aspect is preferred by many species
- in a location that is shaded during the hottest parts of the day.
- Where they are least vulnerable to branch fall
- level with a tree branch to provide easy access for fauna
- firmly mounted with least impact to the tree

If not practical or safe to install a tree hollow / habitat feature in a tree at the receiving area, it should be positioned on ground providing there are no conflicts with bushfire requirements

MONITORING AND REPORTING

Following nest box installation, a report or email outlining all installed (numbered) nest boxes, including details on types, host tree particulars and location coordinates with a supporting map is to be provided to Celestino Pty Ltd, SHG and Logan City Council. Monitoring is to be undertaken by a suitably qualified person annually for 7 years. Inspections will identify the following:

- fauna occupancy rate, including target and/or non-target species and/or pest species
- rectification procedures for introduced species. Native predators should not be removed from boxes unless they are endangering a threatened fauna species
- any damage or dieback, or risk to the nest box
- maintenance required.
- Analysis of patterns of use over time and across the various habitats within the Ecological corridor

Following each annual inspection, a report is to be prepared within 14 days by the nest box ecologist and issued to Celestino Pty Ltd and SHG. This brief report will detail the results of the inspection and outline any further measures to improve beneficial outcomes of the strategy for fauna (e.g. removal of pest species, minor repairs or replacement).

MAINTENANCE

Damaged boxes are to be repaired or replaced within one month of the monitoring activities and details of all maintenance work should be submitted to Celestino Pty Ltd and SHG following works. Installed nest boxes will be maintained for 12 months.

Note: Natural hollows have microorganisms which assist in decomposing leaf and waste matter. Nest boxes do not have naturally occurring microorganisms that makes them prone to rotting at their base.

DEFINITIONS

EPBC: Environment Protection and Biodiversity Conservation Act 1999

ICC: Ipswich City Council

NCA: Nature Conservation Act 1992

MBRC: Moreton Bay Regional Council

saunders havill group

CLIENT: CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWING BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES

'Nest boxes for wildlife: A practical guide' (Franks A & S 2006)

https://www.moretonbay.qld.gov.au/general.aspx?id=1734 (viewed 3 Nov 2017

http://www.ipswich.qld.gov.au/about_ipswich/environment/wildlife/habitat_nest_boxes (viewed 3 Nov 2017)

https://www.redland.qld.gov.au/info/20287/wildlife-friendly_backyard/642/nest_boxes_for_wildlife (viewed 3 Nov 2017)

http://www.latrobe.edu.au/wildlife/retail-shop/nestboxes/installation-instructions

AMENDMENTS:

Issue	Date	Description	Checked
A	26/11/2020	Client Draft	SM

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF: Appendix A
Nest Box Strategy

DATE:	26/11/2020	CHECKED:	SM
CLIENT REF.:	8107	DRAWN:	MP

DRAWING No.: 8107 E APP A NBS 02 Balance VCFMP A

Nest Box Strategy - *Nest Box Design Specification Guidelines*

SUITABLE NEST BOX TYPES TO INSTALL

Common Name	Scientific Name	Interal width (mm)	Internal Height (mm)	Entrance diameter (mm)	Height above ground (m)	Orientation	Installation Comments
BIRDS							
Sulphur crested Cockatoo	*Cacatua galerita*	300	750+	180	7+	Vertical or horizontal front entry	North easterly direction, away from prevailing winds and weather. Open area for flight path.
Dollar Bird	*Eurystomus orientalis*	235	450	100	7	Vertical	Preference for boxes located as high as possible (6-7m advisable) with absence of vegetation in front or beneath box to facilitate flying.
Galah	*Eolophus roseicapillus*	200	450+	100	7	Vertical	Heavy chewer. Direction away from prevailing weather, moderately open area for flight.
Nankeen Kestrel	*Falco cenchroides*	275	750+	125	5	Horizontal, end entry	
Laughing Kookaburra	*Dacelo novaeguineae*	275	180	125	7	Horizontal, end entry	Large, mature trees close to or on main trunk or thick horizontal limb. 5-10m above ground. North easterly direction, away from prevailing winds and weather. Open area for flight path. Young defecate over edge of nest entrance so opening should be <20mm from base. Do not disturb birds in nest box unless removing unwanted predators as they may abandon box. Require somewhere to perch nearby for hunting.
Lorikeets - Rainbow	*Trichoglossus sp.*	135	400	65	5	Vertical or horizontal front entry	To be installed in north easterly direction, away from prevailing winds and weather. 5m above ground. Open area for flight path. In spite of forthcoming nature – install boxes away from human activity.
Lorikeets - Scaly-breasted	*Trichoglossus sp.*	135	400	65	5	Vertical or horizontal front entry	Species in decline. Boxes installed on smooth barked trees. To be installed in north easterly direction, away from prevailing winds and weather.
Owl - Southern Boobook	*Ninox novaeseelandiae*	235	450	100	7+	Vertical	
Pardalotes	*Pardalotus spp.*	120	500	40	5	Horizontal, end entry	Striated Pardalotes require tunnel-shaped entrance. Install on large, mature trees, close to or on the main trunk or a thick horizontal limb (>700mm circumference). 5m above ground (like to be high in canopy). To be installed in north easterly direction, away from prevailing winds and night time lights. Do not disturb birds in nest box unless removing unwanted predators as they will likely abandon box.
Rosella - Pale headed	*Platycercus sp.*	200	400	75	6	Vertical or horizontal	Install on large, mature trees, close to or on the main trunk. 5m above ground. To be installed in north easterly direction, away from prevailing winds and night time lights. Add a couple of handfuls of shredded bark (untreated) or wood shavings (not fine saw dust) to bottom of nest box. Observe species from a distance and do not disturb birds in nest box unless removing unwanted predators as they will likely abandon box. Plant native grasses and nectar-producing shrubs to attract species.
Welcome Swallow	*Hirundo neoxena*	130	130	platform	3	Vertical	
Australian Wood Duck	*Chenonetta jubata*	200	500	120	3-10	Horizontal	
Brown Treecreeper	Climacteris picumnus	120	250	65	3-6	Vertical	
Pacific Black Duck	*Anas superciliosa*	350	450	120	1.5	Vertical over water	Boxes to be installed above/near water or on a stand to deter predators. 3m above ground/water. Likes straw and other insulation in base of box. Cleaning after occupation is important.
MAMMALS							
Possum - Brush-tailed	*Trichosurus vulpecula*	350	500	120	4	Vertical or horizontal	To be installed in north easterly direction, away from prevailing winds. Install in locations where previous evidence observed.

These specifications are a collation of current research data from numerous organisations, and individuals. Further information regarding installation of nest boxes for specific species is available at http://www.latrobe.edu.au/wildlife/retail-shop/nestboxes/installation-instructions/

NEST BOX EXAMPLES – DESIGN & SIZES









saunders havill group

CLIENT: CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWING BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES

'Nest boxes for wildlife: A practical guide' (Franks A & S 2006)
https://www.moretonbay.qld.gov.au/general.aspx?id=1734 (viewed 3 Nov 2017
http://www.ipswich.qld.gov.au/about_ipswich/environment/wildlife/habitat_nest_boxes (viewed 3 Nov 2017)
https://www.redland.qld.gov.au/info/20287/wildlife-friendly_backyard/642/nest_boxes_for_wildlife (viewed 3 Nov 2017)
http://www.latrobe.edu.au/wildlife/retail-shop/nestboxes/installation-instructions

AMENDMENTS:

Issue	Date	Description	Checked
A	26/11/2020	Client Draft	SM

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF:
Appendix A
Nest Box Strategy

DATE:	26/11/2020	CHECKED:	SM
CLIENT REF.:	8107	DRAWN:	MP

DRAWING No.: 8107 E APP A NBS 03 Balance VCFMP A

Nest Box Strategy - *Locations of Habitat Trees To Remove (I)*



Hollow bearing trees in balance works area (tree schedule extract part 1/4)

Tree ID	Botanical Name	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Hollows	Number of Hollows	Termite Nest
3122	*Eucalyptus siderophloia*	130	10	2	2.0	1.4	Small	1	Termites
10480	*Eucalyptus siderophloia*	550	24	12	6.6	2.6	Small	2	-
10659	DEAD/STAG	450	16	5	5.4	2.4	Small	2	-
15483	DEAD/STAG	540	16	3	6.5	2.6	Small	3	-
15868	*DEAD/STAG*	700	30	11	8.4	2.8	Small	3	-
17099	DEAD/STAG	580	16	6	7.0	2.6	Small	4	-
17461	DEAD/STAG	870	18	7	10.4	3.1	Small	2	-
17514	Eucalyptus siderophloia	900	25	9	10.8	3.2	Small	1	Termite nest
17554	DEAD/STAG	436	17	3	5.2	2.3	Small	1	-
18373	*DEAD/STAG*	970	20	1	11.6	3.3	Large	1	-
18519	*DEAD/STAG*	480	19	6	5.8	2.4	Small	1	-
18528	DEAD/STAG	470	23	5	5.6	2.4	Small	1	-
18529	DEAD/STAG	602	23	7	7.2	2.7	Small	1	Termite nest
18717	*DEAD/STAG*	1500	18	6	15.0	3.9	Small	3	-
18718	DEAD/STAG	660	22	8	7.9	2.8	Large	1	-
19511	Eucalyptus siderophloia	740	25	8	8.9	2.9	Small	2	Termite nest
19597	Corymbia citriodora	410	27	10	4.9	2.3	Small	1	-
19666	Eucalyptus siderophloia	770	28	11	9.2	3.0	Large	3	-
19669	*Eucalyptus siderophloia*	660	27	14	7.9	2.8	Small	1	Termite nest
19680	*Corymbia citriodora*	850	28	11	10.2	3.1	Small	5	-
19768	DEAD/STAG	340	9	1	4.1	2.1	Large	1	-
19854	Eucalyptus tereticornis	980	32	11	11.8	3.3	Small	6	-
19856	*Eucalyptus moluccana*	1300	28	9	15.0	3.7	Large	5	-
20340	DEAD/STAG	460	17	3	5.5	2.4	Small	1	-
20447	Corymbia citriodora	1000	23	10	12.0	3.3	Large	1	-
20512	Corymbia citriodora	600	27	11	7.2	2.7	Large	2	-
20531	Corymbia citriodora	630	10	2	7.6	2.7	Large	3	-
20544	*DEAD/STAG*	600	9	1	7.2	2.7	Large	1	-
20546	*DEAD/STAG*	420	17	3	5.0	2.3	Small	2	-
20569	Corymbia citriodora	930	28	12	11.2	3.2	Large	6	-
20582	Corymbia citriodora	550	29	12	6.6	2.6	Large	1	-
20676	*Eucalyptus siderophloia*	590	29	14	7.1	2.7	Large	1	-
20718	DEAD/STAG	740	18	5	8.9	2.9	Small	2	-
20727	DEAD/STAG	580	15	3	7.0	2.6	Small	2	-

Tree ID	Botanical Name	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Hollows	Number of Hollows	Termite Nest
20770	*DEAD/STAG*	620	18	7	7.4	2.7	Small	5	-
20774	*DEAD/STAG*	490	9	3	5.9	2.5	Small	4	Termite nest
20800	DEAD/STAG	580	23	8	7.0	2.6	Small	3	-
21087	DEAD/STAG	407	9	3	4.9	2.3	Small	2	-
21124	*DEAD/STAG*	384	17	5	4.6	2.2	Small	2	-
21152	Eucalyptus tereticornis	320	20	15	3.8	2.1	Small	1	-
21153	Eucalyptus seeana	320	20	12	3.8	2.1	Small	1	-
21156	Corymbia citriodora	510	25	12	6.1	2.5	Small	1	-
21165	Corymbia citriodora	340	24	12	4.1	2.1	Small	3	-
21174	*Eucalyptus siderophloia*	310	12	12	3.7	2.0	Large	1	Termite nest
21177	*Eucalyptus siderophloia*	320	22	10	3.8	2.1	Small	1	Termite nest
21179	Eucalyptus siderophloia	420	22	8	5.0	2.3	Small	1	-
21190	Eucalyptus siderophloia	500	25	14	6.0	2.5	Small	1	-
21203	*Eucalyptus siderophloia*	332	12	9	4.0	2.1	Small	1	-
21291	Eucalyptus siderophloia	310	20	14	3.7	2.0	Large	1	-
21312	DEAD/STAG	290	6	2	3.5	2.0	Large	1	-
21328	DEAD/STAG	360	15	5	4.3	2.2	Small	2	-
21340	DEAD/STAG	600	24	12	7.2	2.7	Small	2	-
21357	*Eucalyptus siderophloia*	481	22	11	5.8	2.4	Small	2	-
21385	*DEAD/STAG*	330	9	1	4.0	2.1	Large	1	-
21391	DEAD/STAG	800	12	3	9.6	3.0	Large	2	-
21394	*Eucalyptus siderophloia*	534	28	12	6.4	2.5	Small	1	-
21737	DEAD/STAG	630	17	7	7.6	2.7	Small	2	-
21823	DEAD/STAG	420	15	4	5.0	2.3	Small	2	-

saunders havill group

CLIENT:
CELESTINO PTY LTD
CELESTINO

DISCLAIMER:
THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWING BY ANY THIRD PARTY.
CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLAIMED IMMEDIATELY WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.
PRIOR TO ANY EXCAVATION, LAND CLEARANCE OR CONSTRUCTION ON SITE, ALL RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES
'Nest boxes for wildlife: A practical guide' (Franks A & S 2006)
https://www.moretonbay.qld.gov.au/planningenet.aspx?id=1734 (viewed 3 Nov 2017
http://www.ipswich.qld.gov.au/about_ipswich/environment/wildlife/habitat_nest_boxes (viewed 3 Nov 2017)
https://www.redland.qld.gov.au/info/20287/wildlife-friendly_backyard/642/nest_boxes_for_wildlife (viewed 3 Nov 2017)
http://www.latrobe.edu.au/wildlife/retail-shop/nestbox-es/installation-instructions

AMENDMENTS:

Issue	Date	Description	Checked
A	26/11/2020	Client Draft	SM

PROJECT:
RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF:
Appendix A
Nest Box Strategy

DATE:	26/11/2020	CHECKED:	SM
CLIENT REF.:	8107	DRAWN:	MP

DRAWING No.: 8107 E APP A NBS 04 Balance VCFMP A

Nest Box Strategy - *Locations of Habitat Trees To Remove (II)*



Hollow bearing trees in balance works area (tree schedule extract part 2/4)

Tree ID	Botanical Name	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Hollows	Number of Hollows	Termite Nest
38	*Eucalyptus siderophloia*	1030	23	16	12.4	3.4	Large	2	-
836	*DEAD/STAG*	490	25	6	5.9	2.5	Small	3	-
1777	DEAD/STAG	820	12	4	9.8	3.0	Large	2	-
1871	Eucalyptus siderophloia	880	28	20	10.6	3.1	Small	2	-
11643	*DEAD/STAG*	354	12	5	4.2	2.1	Small	1	-
11663	DEAD/STAG	245	16	4	2.9	1.8	Small	1	Termite nest
12305	DEAD/STAG	400	13	3	4.8	2.3	Small	1	-
12494	DEAD/STAG	660	11	3	7.9	2.8	Small	3	-
12558	Eucalyptus siderophloia	550	27	14	6.6	2.6	Small	1	-
12690	*Eucalyptus siderophloia*	590	30	14	7.1	2.7	Small	2	-
12693	*Eucalyptus siderophloia*	530	30	12	6.4	2.5	Small	1	-
12701	DEAD/STAG	640	27	10	7.7	2.7	Small	3	Termite nest
12714	Eucalyptus siderophloia	480	28	12	5.8	2.4	Small	1	Termite nest
12722	*Eucalyptus siderophloia*	600	29	12	7.2	2.7	Small	1	-
12742	Eucalyptus siderophloia	580	28	10	7.0	2.6	Small	2	Termite nest
12790	Eucalyptus siderophloia	540	27	12	6.5	2.6	Small	2	Termite nest
12885	DEAD/STAG	520	22	10	6.2	2.5	Small	1	-
13089	DEAD/STAG	430	18	9	5.2	2.3	Small	1	-
13997	*DEAD/STAG*	500	16	5	6.0	2.5	Small	2	-
14155	*DEAD/STAG*	550	16	5	6.6	2.6	Small	2	-
16294	DEAD/STAG	485	23	7	5.8	2.4	Small	2	-
16295	DEAD/STAG	260	11	3	3.1	1.9	Small	2	-
16296	*DEAD/STAG*	560	9	1	6.7	2.6	Large	1	-
16297	DEAD/STAG	375	21	6	4.5	2.2	Small	3	-
16298	DEAD/STAG	620	26	11	7.4	2.7	Small	3	Termite nest
16299	DEAD/STAG	400	24	5	4.8	2.3	Small	2	-
16326	DEAD/STAG	350	7	3	4.2	2.1	Small	1	-
16361	*DEAD/STAG*	380	30	7	4.6	2.2	Small	2	-
16498	*DEAD/STAG*	680	29	9	8.2	2.8	Small	3	-
16547	DEAD/STAG	400	11	1	4.8	2.3	Small	1	-
16551	Corymbia citriodora	510	26	11	6.1	2.5	Large	1	-
16608	*DEAD/STAG*	500	12	1	6.0	2.5	Small	1	-
16676	DEAD/STAG	620	16	4	7.4	2.7	Small	3	-
16677	DEAD/STAG	480	12	2	5.8	2.4	Small	1	-

Tree ID	Botanical Name	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Hollows	Number of Hollows	Termite Nest
16687	*DEAD/STAG*	770	14	4	9.2	3.0	Small	2	-
16992	*Eucalyptus siderophloia*	710	31	12	8.5	2.9	Small	3	-
17812	DEAD/STAG	430	12	4	5.2	2.3	Small	1	-
18093	DEAD/STAG	665	21	8	8.0	2.8	Small	2	-
18158	*DEAD/STAG*	400	10	1	4.8	2.3	Small	1	-
18199	DEAD/STAG	380	30	5	4.6	2.2	Small	3	-
19083	Eucalyptus siderophloia	###	33	9	12.0	3.3	Small	1	-
19123	DEAD/STAG	790	15	4	9.5	3.0	Small	1	-
20065	Eucalyptus siderophloia	580	17	8	7.0	2.6	Small	1	-
20115	*DEAD/STAG*	560	14	4	6.7	2.6	Small	2	-
20755	*DEAD/STAG*	420	19	7	5.0	2.3	Small	3	-
21499	DEAD/STAG	310	18	2	3.7	2.0	Small	1	Termite nest
21595	DEAD/STAG	500	17	5	6.0	2.5	Small	1	-
21622	*DEAD/STAG*	###	19	8	12.2	3.3	Small	2	-
21627	DEAD/STAG	710	24	7	8.5	2.9	Small	3	Termite nest
21995	DEAD/STAG	890	24	6	10.7	3.2	Small	2	-
22865	Eucalyptus siderophloia	990	28	18	11.9	3.3	Small	3	-
23010	DEAD/STAG	450	16	1	5.4	2.4	Small	2	-
24677	*DEAD/STAG*	300	10	1	3.6	2.0	Large	1	-
24678	*DEAD/STAG*	255	11	1	3.1	1.9	Large	1	-
24688	DEAD/STAG	330	23	6	4.0	2.1	Small	2	Termite nest
24692	*DEAD/STAG*	250	12	1	3.0	1.8	Small	1	-
24700	DEAD/STAG	300	16	4	3.6	2.0	Large	1	-
24710	DEAD/STAG	255	9	1	3.1	1.9	Small	1	-

saunders havill group

CLIENT:

CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWING BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLAIMED IMMEDIATELY WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY EXCAVATION OR ANY ABOVE GROUND CONSTRUCTION ON SITE, ALL RELEVANT AUTHORITIES SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES

'Nest boxes for wildlife: A practical guide' (Franks A & S 2006)

https://www.moretonbay.qld.gov.au/planrental.aspx?id=1734 (viewed 3 Nov 2017

http://www.ipswich.qld.gov.au/about_ipswich/environment/wildlife/attract/nest_boxes (viewed 3 Nov 2017)

https://www.redland.qld.gov.au/info/20287/wildlife-friendly_backyard/642/nest_boxes_for_wildlife (viewed 3 Nov 2017)

http://www.latrobe.edu.au/wildlife/retail-shop/nestboxes/installation-instructions

AMENDMENTS:

Issue	Date	Description	Checked
A	26/11/2020	Client Draft	SM

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF:

Appendix A
Nest Box Strategy

DATE:	26/11/2020	CHECKED:	SM
CLIENT REF.:	8107	DRAWN:	MP

DRAWING No.: 8107 E APP A NBS 05 Balance VCFMP A

Nest Box Strategy - *Locations of Habitat Trees To Remove (III)*



Hollow bearing trees in balance works area (tree schedule extract part 3/4)

Tree ID	Botanical Name	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Hollows	Number of Hollows	Termite Nest
23837	*Corymbia citriodora*	820	22	13	9.8	3.0	Small	3	-
23839	*DEAD/STAG*	430	20	6	5.2	2.3	Small	2	-
23853	DEAD/STAG	470	14	1	5.6	2.4	Large	1	-
23855	Corymbia citriodora	580	19	12	7.0	2.6	Large	1	-
23859	*Eucalyptus siderophloia*	480	18	11	5.8	2.4	Small	2	-
23872	Corymbia citriodora	800	25	14	9.6	3.0	Large	3	-
23915	DEAD/STAG	370	15	4	4.4	2.2	Small	3	-
23927	Corymbia citriodora	470	19	13	5.6	2.4	Large	3	-
23933	DEAD/STAG	360	10	1	4.3	2.2	Large	1	Termite nest
23947	*DEAD/STAG*	320	10	1	3.8	2.1	Large	1	-
23971	*DEAD/STAG*	700	18	9	8.4	2.8	Small	2	-
23979	DEAD/STAG	360	12	1	4.3	2.2	Large	1	-
23981	DEAD/STAG	300	9	1	3.6	2.0	Large	1	-
23993	*DEAD/STAG*	310	14	1	3.7	2.0	Large	1	-
24015	DEAD/STAG	400	13	3	4.8	2.3	Large	2	-
24039	DEAD/STAG	310	13	1	3.7	2.0	Large	1	-
24074	DEAD/STAG	440	20	7	5.3	2.3	Small	2	-
24086	DEAD/STAG	400	7	1	4.8	2.3	Large	1	-
24092	*DEAD/STAG*	350	18	7	4.2	2.1	Small	2	-
24099	*DEAD/STAG*	590	15	3	7.1	2.7	Large	2	-
24127	DEAD/STAG	290	19	5	3.5	2.0	Small	3	-
24136	DEAD/STAG	300	18	3	3.6	2.0	Small	1	-
24151	*Eucalyptus siderophloia*	275	10	10	3.3	1.9	Large	1	-
24155	DEAD/STAG	270	24	9	3.2	1.9	Small	1	-
24162	DEAD/STAG	245	23	6	2.9	1.8	Small	1	-
24165	DEAD/STAG	265	20	6	3.2	1.9	Small	1	-
24166	DEAD/STAG	310	25	9	3.7	2.0	Small	1	Termite nest
24167	*DEAD/STAG*	290	25	8	3.5	2.0	Small	1	-
24176	*DEAD/STAG*	304	14	4	3.7	2.0	Small	1	-
24177	DEAD/STAG	400	24	10	4.8	2.3	Small	1	Termite nest
24189	Corymbia citriodora	245	20	9	2.9	1.8	Large	1	-
24213	*Eucalyptus fibrosa*	315	14	12	3.8	2.0	Large	1	-
24225	DEAD/STAG	335	29	16	4.0	2.1	Small	1	-
24281	DEAD/STAG	360	11	1	4.3	2.2	Large	1	-

Tree ID	Botanical Name	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Hollows	Number of Hollows	Termite Nest
24373	*Corymbia citriodora*	460	29	18	5.5	2.4	Small	2	-
24378	*Eucalyptus siderophloia*	430	29	19	5.2	2.3	Small	1	-
24379	Corymbia citriodora	280	30	17	3.4	1.9	Small	1	-
24381	Corymbia citriodora	590	30	20	7.1	2.7	Small	2	-
24421	*DEAD/STAG*	355	28	9	4.3	2.1	Large	1	-
24425	DEAD/STAG	320	24	5	3.8	2.1	Large	1	-
24440	DEAD/STAG	385	15	1	4.6	2.2	Large	1	Termite nest
24454	Corymbia citriodora	305	17	12	3.7	2.0	Large	1	-
24456	DEAD/STAG	400	27	12	4.8	2.3	Large	2	-
24459	*DEAD/STAG*	420	24	4	5.0	2.3	Large	1	-
24463	*DEAD/STAG*	340	5	1	4.1	2.1	Large	1	-
24468	DEAD/STAG	310	5	1	3.7	2.0	Large	1	-
24472	DEAD/STAG	275	23	1	3.3	1.9	Large	1	-
24475	*DEAD/STAG*	365	12	1	4.4	2.2	Large	1	-
24478	DEAD/STAG	260	25	5	3.1	1.9	Small	2	-
24518	DEAD/STAG	345	25	6	4.1	2.1	Small	1	-
24521	DEAD/STAG	290	10	1	3.5	2.0	Large	1	-
24529	DEAD/STAG	320	9	1	3.8	2.1	Large	1	-
24541	*Corymbia citriodora*	395	28	17	4.7	2.2	Small	2	-
24542	*DEAD/STAG*	495	17	2	5.9	2.5	Small	1	Termite nest
24556	DEAD/STAG	300	16	1	3.6	2.0	Large	2	-
24566	*Eucalyptus siderophloia*	680	29	11	8.2	2.8	Large	3	Termite nest
24570	DEAD/STAG	440	20	5	5.3	2.3	Large	1	-
24582	DEAD/STAG	200	9	1	2.4	1.7	Small	1	-
24585	*DEAD/STAG*	250	22	4	3.0	1.8	Small	1	-
24589	Eucalyptus moluccana	445	25	20	5.3	2.4	Small	1	-

saunders havill group

CLIENT:

CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWING BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED WITH SAUNDERS HAVILL GROUP PRIOR TO FINAL COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, LAND ALIENATION OR CONSTRUCTION ON SITE, ALL RELEVANT AUTHORITIES SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES

'Nest boxes for wildlife: A practical guide' (Franks A & S 2006)

https://www.moreton.bay.qld.gov.au/general.aspx?id=1734 (viewed 3 Nov 2017

http://www.ips.wich.qld.gov.au/about_ipswich/environment/wildlife/attractive_nest_boxes (viewed 3 Nov 2017)

https://www.redland.qld.gov.au/info/20287/wildlife-friendly_backyard/642/nest_boxes_for_wildlife (viewed 3 Nov 2017)

http://www.latrobe.edu.au/wildlife/retail-shop/nestboxes/installation-instructions

AMENDMENTS:

Issue	Date	Description	Checked
A	26/11/2020	Client Draft	SM

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF:

Appendix A
Nest Box Strategy

DATE:	26/11/2020	CHECKED:	SM
CLIENT REF.:	8107	DRAWN:	MP

DRAWING No.: 8107 E APP A NBS 06 Balance VCFMP A

Nest Box Strategy - *Locations of Habitat Trees To Remove (IV)*



Hollow bearing trees in balance works area (tree schedule extract part 4/4)

Tree ID	Botanical Name	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Hollows	Number of Hollows	Termite Nest
21945	*DEAD/STAG*	390	18	8	4.7	2.2	Small	1	-
22043	*DEAD/STAG*	680	24	5	8.2	2.8	Small	1	-
22152	DEAD/STAG	450	17	3	5.4	2.4	Small	2	-
22153	DEAD/STAG	360	15	3	4.3	2.2	Small	1	-
22163	*DEAD/STAG*	590	18	6	7.1	2.7	Small	2	-
22355	Eucalyptus crebra	600	13	4	7.2	2.7	Small	3	-
22549	DEAD/STAG	820	22	5	9.8	3.0	Small	3	-
22658	Eucalyptus siderophloia	810	33	12	9.7	3.0	Large	1	-
22756	DEAD/STAG	410	3	1	4.9	2.3	Large	1	-
22806	*DEAD/STAG*	680	15	3	8.2	2.8	Large	2	-
22881	*DEAD/STAG*	820	18	2	9.8	3.0	Small	2	-
22893	DEAD/STAG	700	22	6	8.4	2.8	Small	2	-
23037	Corymbia citriodora	1055	28	16	12.7	3.4	Large	1	-
23197	*DEAD/STAG*	630	14	1	7.6	2.7	Large	1	-
23227	DEAD/STAG	610	22	3	7.3	2.7	Small	2	-
23307	DEAD/STAG	630	18	5	7.6	2.7	Small	3	-
23319	DEAD/STAG	860	22	8	10.3	3.1	Large	3	-
23550	DEAD/STAG	780	27	5	9.4	3.0	Small	5	-
23589	*DEAD/STAG*	600	21	9	7.2	2.7	Small	2	-
23750	*DEAD/STAG*	760	33	9	9.1	2.9	Large	3	-
24729	DEAD/STAG	300	18	6	3.6	2.0	Small	1	-
24739	DEAD/STAG	425	10	1	5.1	2.3	Large	1	-
24743	*DEAD/STAG*	355	12	1	4.3	2.1	Large	1	-
24757	Corymbia citriodora	300	28	15	3.6	2.0	Small	1	-
24770	Eucalyptus siderophloia	400	32	18	4.8	2.3	Small	1	-
24795	Corymbia citriodora	535	29	20	6.4	2.5	Large	2	-
24859	DEAD/STAG	290	18	4	3.5	2.0	Small	1	-
24865	*Corymbia citriodora*	350	30	17	4.2	2.1	Small	1	-
24867	*Corymbia citriodora*	325	30	17	3.9	2.1	Small	1	-
25002	Corymbia citriodora	265	18	9	3.2	1.9	Small	1	-
25021	DEAD/STAG	260	22	6	3.1	1.9	Small	2	-
25033	*DEAD/STAG*	260	20	6	3.1	1.9	Small	1	-
25041	DEAD/STAG	250	16	2	3.0	1.8	Small	1	-
25078	DEAD/STAG	320	26	15	3.8	2.1	Small	1	-

Tree ID	Botanical Name	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Hollows	Number of Hollows	Termite Nest
25115	*Corymbia citriodora*	550	27	19	6.6	2.6	Small	3	-
25136	*DEAD/STAG*	310	16	8	3.7	2.0	Small	1	Termite nest
25146	Eucalyptus seeana	310	24	14	3.7	2.0	Small	1	Termite nest
25153	DEAD/STAG	270	12	2	3.2	1.9	Small	1	-
25154	*Eucalyptus siderophloia*	610	29	20	7.3	2.7	Small	3	-
25186	DEAD/STAG	430	14	1	5.2	2.3	Small	1	-
25352	DEAD/STAG	360	24	12	4.3	2.2	Small	2	-
25394	DEAD/STAG	500	23	6	6.0	2.5	Small	2	-
25409	DEAD/STAG	380	24	12	4.6	2.2	Small	1	-
25420	*DEAD/STAG*	400	26	7	4.8	2.3	Small	1	-
25443	*DEAD/STAG*	500	20	8	6.0	2.5	Small	2	-
25535	Eucalyptus siderophloia	450	18	12	5.4	2.4	Small	1	Termite nest
25541	DEAD/STAG	200	5	1	2.4	1.7	Small	1	-
25557	*DEAD/STAG*	580	22	10	7.0	2.6	Small	2	Termite nest
25565	Corymbia citriodora	655	34	18	7.9	2.8	Small	1	-
26304	DEAD/STAG	450	24	3	5.4	2.4	Small	1	-
26418	Eucalyptus siderophloia	770	28	12	9.2	3.0	Small	1	-
26576	Corymbia citriodora	750	32	7	9.0	2.9	Large	1	-

saunders havill group

CLIENT:
CELESTINO PTY LTD
CELESTINO

DISCLAIMER:
THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.
CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DRAWINGS ARE IN MILLIMETRES UNLESS NOTED OTHERWISE. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.
PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND BUILT LOCATIONS OF ALL SERVICES.

REFERENCES
'Nest boxes for wildlife: A practical guide' (Franks A & S 2006)
https://www.moretonbay.qld.gov.au/general.aspx?id=1734 (viewed 3 Nov 2017
http://www.ipswich.qld.gov.au/about_ipswich/environment/wildlife/habitat_nest_boxes (viewed 3 Nov 2017)
https://www.redland.qld.gov.au/info/20287/wildlife-friendly_backyard/642/nest_boxes_for_wildlife (viewed 3 Nov 2017)
http://www.latrobe.edu.au/wildlife/retail-shop/nestboxes/installation-instructions

AMENDMENTS:

Issue	Date	Description	Checked
A	26/11/2020	Client Draft	SM

PROJECT:
RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF:
Appendix A
Nest Box Strategy

DATE:	26/11/2020	CHECKED:	SM
CLIENT REF.:	8107	DRAWN:	MP

DRAWING No.: 8107 E APP A NBS 07 Balance VCFMP A

Nest Box Strategy - *Nest Box Locations (Indicative)*



Vegetation retention corridors

Survey areas to identify trees to install nest boxes (42.6ha)

Potential nest box tree -
1. 200-400(mm) dbh size
2. eucalytus/corymbia/Angophora/ Iophostemon sp.
3. healthy tree with no major die-back

saunders havill group

CLIENT:

CELESTINO PTY LTD

CELESTINO

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWING BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DRAWINGS ARE TO BE READ IN CONJUNCTION WITH ANY OTHER PLANS SHOULD AN CLAIM BE MADE IN CONFORMANCE WITH SAUNDERS HAVILL GROUP PRIOR TO SUCH WORK COMMENCING ON WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DUAL LOCATIONS OF ALL SERVICES.

REFERENCES

'Nest boxes for wildlife: A practical guide' (Franks A & S 2006)

https://www.moretonbay.qld.gov.au/planning.aspx?id=1734 (viewed 3 Nov 2017

http://www.ipswich.qld.gov.au/about_ipswich/environment/wildlife/habitat_nest_boxes (viewed 3 Nov 2017)

https://www.redland.qld.gov.au/info/20287/wildlife-friendly_backyards/642/nest_boxes_for_wildlife (viewed 3 Nov 2017)

http://www.latrobe.edu.au/wildlife/retrofit-shop/nestboxes/installation-instructions

AMENDMENTS:

Issue	Date	Description	Checked
A	26/11/2020	Client Draft	SM

PROJECT:

RIVERSIDE CELESTINO
TEVIOT ROAD, JIMBOOMBA

environmental management

PLAN OF:

Appendix A
Nest Box Strategy

DATE:	26/11/2020	CHECKED:	SM
CLIENT REF.:	8107	DRAWN:	MP

DRAWING No.: 8107 E APP A NBS 08 Balance VCFMP A

8107 HABITAT ASSESSMENT FOR LISTED EPBC SPECIES 5 km Search

Matters of National Environmental Significance

Name		Status	Type of Presence	Description of Community	Likelihood of Occurrence	Risk
Wetlands of International Importance	Moreton Bay	RAMSAR Listed	20 - 30km upstream of Ramsar	The site is located approximately 46 kilometres directly west of Moreton Bay.	There will be no measurable effect on Moreton Bay.	Low

Listed Threatened Ecological Communities

Name	Status	Type of Presence	Description of Community	Likelihood of Occurrence	Risk
Lowland rainforest of Subtropical Australia	Critically Endangered	This Threatened Ecological Community is listed as a community that may occur within the area.	Typically there is a relatively low abundance of species from the genera *Eucalyptus, Melaleuca* and *Casuarina.* Buttresses are common as is an abundance and diversity of vines. This community is usually associated Regional Ecosystems 12.3.1, 12.5.13, 12.8.3, 12.8.4, 12.8.13, 12.11.1, 12.11.10, 12.12.1, and 12.12.16.	No species representing these characteristics or vegetation communities were observed within the assessment area.	No Risk
Swamp Tea-tree (Melaleuca irbyana) Forest of South-east Queensland.	Critically Endangered	This Threatened Ecological Community is listed as a community that is likely to occur within the area.	The Swamp Tea-tree Forest grows on poorly draining clay soils on the plains and low hills of the Moreton basin. The clay soils drain slowly and often become waterlogged after heavy rains, resulting in the appearance of numerous temporary ponds. The vegetation associated with this TEC is associated with Regional Ecosystem RE12.9-10.11 and RE 12.3.3c.	Whilst *M.irbyana* was present on site the vegetation structure and distibution of scattered individuals would not constitute a vegetation community consistent with the Swamp Tea-tree forest. The regional ecosystems associated with this TEC were also not mapped as occuring on site.	No Risk
White Box-Yellow Box-Blakely's Red Gum Grassy Woodland and Derived Native Grassland	Critically Endangered	This Threatened Ecological Community is listed as a community that may occur within the area.	This threatened community is characterised by a species-rich understorey of native tussock grasses, herbs and scattered shrubs and the dominance of White Box, Yellow Box, or Blakely's Red gum trees. This community is usually associated with Regional Ecosystem 11.8.2a, 11.8.8, 11.9.9a, 13.3.1, 13.11.8, and 13.12.9. It can also be a small component of Regional Ecosystem 11.3.23, 12.8.16, 13.3.4, 13.11.3 and 13.11.4.	No species representing these characteristics or vegetation communities were observed within the assessment area.	No Risk

Birds

Species	Common Name	Status	EPBC Code	Description of Community / Habitat	Likelihood of Occurrence	Risk
Anthochaera phrygia	Regent Honeyeater	Endangered	82338	Regent Honeyeaters mostly occur in dry Box-Ironbark Eucalypt woodland and dry sclerophyll forest associations in areas of low to moderate relief, wherein they prefer moister, more fertile sites. These areas are generally associated with creek flats and river valleys and foothills. These woodlands have significantly large numbers of mature trees, high canopy cover and abundance of mistletoes. They are a generalist forager, which mainly feed on nectar from a wide range of eucalypts and mistletoes.	The site is covered in both remnant and regrowth vegetation communities dominated by eucalypt and Corymbia species however all riparian areas are highly disturbed. Although the remnant areas contained tall specimens, many were not of an age strucutre to retain hollows and nesting options. Logan River retained large mature specimens dominatd by Eucalyptus teretcicornis (Forest Red Gum) which may provide some nesting options for thsi species however no records were observed on site. It is not expected that this species would be present on-site.	No Risk
Botaurus poiciloptilus	Australasian Bittern	Endangered	1001	The Australasian Bittern occurs in terrestrial wetlands and, rarely, estuarine habitats, mainly in the temperate southeast and southwest. It favours wetlands with tall dense vegetation, where it forages in still, shallow water up to 0.3 m deep, often at the edges of pools or waterways, or from platforms or mats of vegetation over deep water. It favours permanent and seasonal freshwater habitats, particularly those dominated by sedges, rushes and / or reeds or cutting grass growing over muddy or peaty substrate. The Australasian Bittern occurs in the far South-East of Queensland; it has been reported North to Baralaba and West to Wyandra, although in most years it is probably confined to a few coastal swamps. It is rarely recorded in Queensland, and possibly survives only in protected areas such as the Cooloola and Fraser regions.	No suitable habitat was observed throughout the assessment area.	No Risk
Dasyornis brachypterus	Eastern Bristlebird	Endangered	533	The Eastern Bristlebird inhabits low dense vegetation in a broad range of habitat types including sedgeland, heathland, swampland, shrubland, sclerophyll forest and woodland, and rainforest. It occurs near the coast, on tablelands and in ranges. The Eastern Bristlebird is found in habitats with a variety of species compositions, but is defined by a similar structure of low, dense, ground or understorey vegetation.	The majority of the understorey has been historically influenecs by cattle and in some areas is largely absent. Severe infestations of *Lantana camara* (Lantana) have also affected a large majority of the vegetated portion of the site. No suitable habitat was observed throughout the assessment area.	No Risk

Erythrotriorchis radiatus	Red Goshawk	Vulnerable	942	A wide ranging and highly mobile species generally observed over eucalypt habitats. This species prefers forest and woodland with a mosaic of vegetation types, large prey populations (birds) and permanent water. The vegetation types include eucalypt woodland, open forest, tall open forest, gallery rainforest, swamp sclerophyll forest and rainforest margins. Habitat has to be open enough for fast attack and manoeuvring in flight, but provide cover for ambushing of prey.	Due to a lack of records within the local area, it is unlikely that this species will occur. However, possible foraging habitat throughout the mapped remnant areas. There is no evidence of permanent residence on site and very few areas containing permanent water outside of the Logan River.	No Risk
Geophaps scripta scripta	Squatter Pigeon (southern)	Vulnerable	64440	This species inhabits open grasslands and woodlands typically with a native understorey although may occur in artificial pasture.	No confirmed local records. The species is now very rarely observed in southern Queensland. Not expected onsite and no direct impact from proposed actions.	No Risk
Grantiella picta	Painted Honeyeater	Vulnerable	470	The species inhabits mistletoes in eucalypt forests/woodlands, riparian woodlands of black box and river red gum, box-ironbark-yellow gum woodlands, acacia-dominated woodlands, paperbarks, casuarinas, callitris, and trees on farmland or gardens. The species prefers woodlands which contain a higher number of mature trees, as these host more mistletoes. It is more common in wider blocks of remnant woodland than in narrower strips	Due to a lack of records within the local area and south east Queensland, it is highly unlikely that this species will occur.	No Risk
Lathamus discolour	Swift Parrot	Endangered	744	Swift Parrots breed in Tasmania during spring to early summer. During autumn and winter the species migrates to the mainland where it follows a nomadic existence linked to the availability and timing of flowering of trees in various locations. While the species is very uncommon in south-east Queensland, its occurrence cannot be completely discounted. There are suitable winter flowing species present on the site which may attract birds during flowing (e.g. *E. tereticornis*).	Due to a lack of records within the local area and south east Queensland, it is highly unlikely that this species will occur.	No Risk
Peophila cincta cincta	Black-throated Finch (southern)	Endangered	64447	The Black-throated Finch (southern) occurs mainly in grassy, open woodlands and forests, typically dominated by Eucalyptus, Corymbia and Melaleuca, and occasionally in tussock grasslands or other habitats (for example freshwater wetlands), often along or near watercourses, or in the vicinity of water. It occurs at two general locations: in the Townsville region, where it is considered to be locally common at a few sites around Townsville and Charters Towers; and at scattered sites in central-eastern Queensland (between Aramac and Great Basalt Wall National Park). It has been absent from Brisbane and its surrounds since the 1930s.	Due to a lack of records within the local area, it is highly unlikely that this species will occur.	No Risk
Rostratula australis	Australian Painted Snipe	Endangered	77037	The Australian Painted Snipe is usually found in shallow inland wetlands, either freshwater or brackish, that are either permanently or temporarily filled. The species has a scattered distribution throughout many parts of Australia, with a single record from Tasmania.	No suitable habitat was observed throughout the assessment area.	No Risk
Turnix melanogaster	Black-breasted Button-quail	Vulnerable	923	Typical habitat occurs in dry rainforest and vegetation immediately adjacent to rainforest. However the species has also been recorded in a variety of low coastal heathlands around Frazer Island and nearby mainland. Deep leaf litter in which the species can forage appears to be particularly favoured.	Habitats on the site are highly disturbed due to prior logging regimes, weed invasion and prior pastoral/grazing activities. Although this species is known to favour areas with a dense shrub layer, including thick *Lantana camara* patches, no evidence (i.e.: platelets) were observed on site.	No Risk
Fish						
Species	**Common Name**	**Status**	**EPBC Code**	**Description of Community / Habitat**	**Likelihood of Occurrence**	**Risk**
Maccullochella mariensis	Mary River Cod	Endangered	83806	The Mary River Cod occurs mainly in pools within relatively undisturbed tributaries. They prefer relatively large and deep shaded pools with abundant, slowly flowing water.	No suitable habitat to support this species was observed throughout the assessment area. The lack of abundant slowly flowing water was apparent from the traverse of the waterways associated with the site.	No Risk
Insects						
Species	**Common Name**	**Status**	**EPBC Code**	**Description of Community / Habitat**	**Likelihood of Occurrence**	**Risk**
Phyllodes imperialis smithersi	Pink Underwing Moth	Endangered	86084	The Pink Underwing Moth is found below the altitude of 600m in undisturbed, subtropical rainforest. It occurs in association with the vine Carronia multisepalea.	No vegetation communites associated with undisturbed subtropical rainforest were observed during the field traverse. No suitable habitat to support this species was observed throughout the assessment area.	No Risk
Mammals						
Species	**Common Name**	**Status**	**EPBC Code**	**Description of Community / Habitat**	**Likelihood of Occurrence**	**Risk**

Chalinolobus dwyeri	Large-eared Pied Bat	Vulnerable	183	The Large-eared Pied Bat roosts on sandstone cliffs and fertile woodland valley habitat within close proximity of each other. However in South-east Queensland habitat includes rainforest and moist eucalypt forest habitats at high elevations.	No confirmed local records of this uncommon species.	No Risk
Dasyurus maculatus maculatus	Spot-tailed Quoll	Endangered	75184	The Spot-tailed Quoll has a preference for mature wet forest habitat. Unlogged forest or forest that has been less disturbed by timber harvesting is also preferable. This predominantly nocturnal species rests during the day in dens. Habitat requirements include suitable den sites such as hollow logs, tree hollows, rock outcrops or caves. individuals require an abundance of food such as birds and small mammals, and large areas of relatively intact vegetation through which to forage.	No suitable den sites were observed on site, it may be possible that the site could be used for foraging purposes. No evidence was found throughout the field assessment.	No Risk
Petrogale penicillata	Brush-tailed Rock-wallaby	Vulnerable	225	This species prefers rocky habitats, including loose boulder-piles, rocky outcrops, steep rocky slopes, cliffs, gorges and isolated rock stacks. Most populations have been found on north facing slopes but have occurred on south facing slopes. This species browse on vegetation in and adjacent to rocky areas eating grasses and forbs as well as the foliage and fruits of shrubs and trees.	The topography of the site would be considered to be low undulating hills. Steep rocky outcrops, cliffs, rock stacks and outcrops were not observed. The absence of suitable habitat for this species suggests that is is unlikely that this species would utilise the investigation area.	No Risk
Phascolarctos cinereus	Koala	Vulnerable	85104	They are found in a range of habitats, from coastal islands and tall eucalypt forests to low woodlands inland. The species is known from the surrounding area and evidence has been recorded on-site.	Extensive searches of this species, including SAT surveys and spotlighting did not find any individual specimens. However some scats were observed throughout the site in various locations. The site is highly disturbed with intensive logging regimes, and infestations of *Lantana camara* have also reduced the quality of habitat for this species. All but one of the SAT results was "Low", and one "Medium" - these results are largely influenced by the lack of vegetated corridors between the remaining clumps of vegetation.	Low Risk
Potorous tridactylus tridactylus	Long-nosed Potoroo	Vulnerable	66645	Species generally prefers rainforest and adjacent to wet sclerophyll forest, coastal heathlands and similar habitats with a dense understorey. Like all Potoroos, fungi are the major component of the diet and is also known to feed on invertebrates.	No suitable habitat was observed throughout the assessment area.	No Risk
Pteropus poliocephalus	Grey-headed Flying Fox	Vulnerable	186	Species generally roosts in camps in trees adjacent to larger permanent watercourse. The Grey-headed flying fox requires foraging resources and roosting sites. It is a canopy-feeding frugivore and nectarivore, which utilises vegetation communities including rainforests, open forests, closed and open woodlands, Melaleuca swamps and Banksia woodlands. It also feed son commercial fruit crops. The primary food source is blossom from Eucalyptus and related genera.	No camps were observed throughout the assessment area however food resources cover the site. This species could utilise the site for foraging when the Eucalypts are in flower.	Low Risk
Plants						
Species	**Common Name**	**Status**	**EPBC Code**	**Description of Community / Habitat**	**Likelihood of Occurrence**	**Risk**
Bosistoa transversa	Three-leaved Bosistoa	Vulnerable	16091	The Three-leaved Bosistoa is conserved within Mt Warning National Park, Numbinbah Nature Reserve, Limpinwood Nature Reserve and Whian Whian State Forest. While population information is unavailable, it is thought to be common in its range. It generally grows in wet sclerophyll forest, dry sclerophyll forest and rainforest up to 3oo meters in altitude. It is commonly associated with Argyrodendron trifoliolatum, Syzygium hodgkinsoniae, Endiandra pubens, Dendrocnide photinophylla, Acmena ingens, Diploglottis australis and Diospyros mabacea.	Wet scleophyll forest and rainforest were not observed within the investigation area. Vegetation observed was historically heavily logged and cleared. No suitable habitat was observed throughout the assessment area.	No Risk
Notelaea ipsviciensis	Cooneana Olive	Critically Endangered	81858	The Cooneana Olive survives as an understorey plant in degraded, eucalypt dominated dry sclerophyll vegetation communities. Soils are of low fertility and sandstone based.	This is regarded as one of the rarest plants in Australia with the only known population occurring within an area of less than 2km2. It is not expected to be on-site	No Risk

Phaius australis	Lesser Swamp Orchid	Endangered	5872	The Lesser Swamp-orchid is commonly associated with coastal wet heath/sedgeland wetlands, swampy grassland or swampy forest and often where Broad-leaved Paperbark or Swamp Mahogany are found. Typically, the Lesser Swamp-orchid is restricted to the swamp-forest margins, where it occurs in swamp sclerophyll forest (Broad-leaved Paperbark/Swamp Mahogany/Swamp Box (Lophostemon suaveolens), swampy rainforest (often with sclerophyll emergent), or fringing open forest. It is often associated with rainforest elements such as Bangalow Palm (Archontophoenix cunninghamiana) or Cabbage Tree Palm (Livistona australis).	Vegtation communities associated with this species were not observed during the investigation. The absence of habitats suitable for this species suggest that it is unlikely that this species would occur.	No Risk
Phebalium distans	Mt Berryman Phebalium	Critically Endangered	81869	Mt Berryman Phebalium is found in semi-evergreen vine thicket on red volcanic soils, or in communities adjacent to this vegetation type. Geology of the area in which this species occurs is deeply weathered basalt with undulating to hilly terrain. Soils range from red-brown earths to brown clays (derived from siltstone and mudstones), and lithosols to shallow, gravelly krasnozems (very dark brown loam), derived from the Main Range Volcanics of the Tertiary period. Vegetation associations in which Mt Berryman Phebalium occur include microphyll to notophyll vine forest with or without Araucaria cunninghamii and low microphyll vine forest and semi-evergreen vine thicket with or without Araucaria cunninghamii which can be divided further into regional ecosystems depending on substrate, geography and associated vegetation species.	The vegetation communities associated with this species were not observed within the investigation area and therefore it is unlikely that this species would occur.	No Risk
Thesium australe	Austral Toadflax	Vulnerable	15202	Austral toadflax is semi-parasitic on roots of a range of grass species, most notably, *Themeda triandra* (Kangaroo Grass). Previously recorded within open woodland with *Eucalyptus tereticornis* (Forest Red Gum) and *Eucalyptus tindaliae* (Tindale's Stringybark).	The site is highly disturbed however some potential habitat is recorded on site along creeklines. This species is highly unlikely to occur on site.	No Risk
Other						
Cycas ophiolitica		Endangered	55797	*Cycas ophiolitica* inhabits open forest and woodland communities with a grassy understorey. It will grow on hills and slopes in sparse, grassy open forest at altitudes ranging from 80-620m above sea level.	No suitable habitat was observed throughout the assessment area.	No Risk
Reptiles						
Species	**Common Name**	**Status**	**EPBC Code**	**Description of Community / Habitat**	**Likelihood of Occurrence**	**Risk**
Coeranoscincus reticulatus	Three-toed Snake-tooth Skink	Vulnerable	59628	Found mostly in closed forest and possibly open layered Eucalyptus forest. Generally recorded in moist layered forest on loamy basaltic soils, but also found in closed forest overlying silica sand dunes at Cooloola. Within forests, this species is found in well-mulched, loose, friable rainforest soil in leaf litter, often immediately adjacent to fallen tree trunks. Much of the lowland closed forest within its range has been cleared for agriculture and grazing, pasture improvement, crop production, tropical fruit production, and native forest logging. Suitable habitat has generally been reduced to patches, especially in lowland areas.	The moist layered vegetation communities generally associated with this species were not observed within the investigation area. The vegetation within the vegetation area was consistent with dry sclerophyll vegetation communties that are unlikely to support this species. No suitable habitat was observed throughout the assessment area.	No Risk
Delma torquata	Collared Delma	Vulnerable	1656	In general, the species occurs on rocky hillsides on basalt and lateritic soils supporting open eucalypt and Acacia woodland with a sparse understorey of shrubs and tussocks or semi-evergreen vine thicket.	The site is covered in both remnant and regrowth vegetation communities dominated by Eucalypt and Corymbia species . Peaks, ridgelines and rocky hillsides on basalt were not observed during the field traverse. Suitable habitat for this species would not be considered to occur within the investigation area.	No Risk

Furina dunmalli	Dunmall's Snake	Vulnerable	59254	Dunmall's Snake has been found in a broad range of habitats, including forests and woodlands on black alluvial cracking clay and clay loams dominated by Brigalow other Wattles, native Cypress or Bull-oak, and various Blue Spotted Gum, Ironbark, White Cypress Pine and Bull oak open forest and woodland associations on sandstone derived soils. Dunmall's Snake occurs primarily in the Brigalow Belt region in the South-eastern interior of Queensland. Records indicate sites at elevations between 200–500 m above sea level. The snake is very rare or secretive with limited records existing. It has been recorded at Archokoora, Oakey, Miles, Glenmorgan, Wallaville, Gladstone, Lake Broadwater, Mount Archer, Exhibition Range National Park, roadside reserves between Inglewood and Texas, Rosedale, Yeppoon and Lake Broadwater Conservation Park.	The investigation area was not contained within the Brigalow Belt region of south-eastern queensland. The absence of black alluvial cracking clays and the vegetation associated with these clays suggest that there is no habitat capable of sustaining this species within the investigation area.	No Risk
Listed Migratory Species						
Migratory Marine Birds						
Species	**Common Name**	**Status**	**EPBC Code**	**Description of Community / Habitat**	**Likelihood of Occurrence**	**Risk**
Apus pacificus	Fork-tailed Swift	Migratory	678	This species is almost exclusively aerial and mostly occur over inland palins but sometimes above foothills or in coastal areas.	Possible as a fly over species however no impact to this species is likely to occur.	No Risk
Migratory Terrestrial Species						
Species	**Common Name**	**Status**	**EPBC Code**	**Description of Community / Habitat**	**Likelihood of Occurrence**	**Risk**
Cuculus optatus	Oriental Cuckoo	Migratory	86651	Non-breeding habitat only: monsoonal rainforest, vine thickets, wet sclerophyll forest or open Casuarina, Acacia or Eucalyptus woodlands. Frequently at edges or ecotones between habitat types	Due to the disturbed nature of the site it is highly unlikely this migratory species would utilise the site	No Risk
Hirundapus caudacutus	White-throated Needle tail	Migratory	682	The White-throated needle tail is almost exclusively aerial. This species has been recorded roosting in trees in forests and woodlands, both among dense foliage in the canopy or in hollows. The species breeds in wooded lowlands and sparsely vegetated hills, as well as mountains covered with coniferous forests.	Low potential to occur on site within roosting periods.	No Risk
Merops ornatus	Rainbow Bee-eater	Migratory	670	The rainbow bee-eater occurs mainly in open forests and woodlands, shrub lands, and in various cleared or semi-cleared habitats, including farmland and areas of human habitation.	Habitat available on site and species recorded throughout field survey, however this species is common, and no impact is expected.	No Risk
Monarcha melanopsis	Black-faced Monarch	Migratory	609	The Black-faced Monarch mainly occurs in rainforest ecosystems, including semi-deciduous vine thickets, complex notophyll vine forests, tropical (mesophyll) rainforest, subtropical (notophyll) rainforest, mesophyll (broadleaf) thicket/shrubland, warm temperate rainforest, dry (monsoon) rainforest and occasionally cool temperate rainforest.	The investigation area contains no vegetation communities that would be utilised by this species. Rainforest ecosystems were not observed within the site. No suitable habitat was observed throughout the assessment area.	No Risk
Monarcha trivirgatus	Spectacled Monarch	Migratory	610	The Spectacled Monarchs natural habitats are subtropical or tropical moist lowland forests, subtropical or tropical mangrove forests, and subtropical or tropical moist montane forests. Its preference is for thick understorey areas.	Historical land use has seen the understorey within the vegetated areas heavily thinned with the undstorey layer generally dominated by grasses and lantana camara. The vegetation communities observed were consistent with dry sclerophyll forests and as this species is generally located in mosit rainforest environs it is unlikely this species would occur or utilise the site.	No Risk
Myiagra cyanoleuca	Satin Flycatcher	Migratory	612	Satin Flycatchers inhabit heavily vegetated gullies in eucalypt dominated forests and taller woodlands, and on migration occur in coastal forests, woodlands, mangroves and drier woodlands and open forests.	No suitable habitat was observed throughout the assessment area.	No Risk
Motacilla flava	Yellow Wagtail	Migratory	644	This insectivorous bird inhabits mostly well-watered open grasslnads and the fringes of wetlands Roosts in mangroves and other dense vegetation. Listed as an extremely uncommon migrant to Australia under the draft referral guideline for 14 birds listed as a migratory species under the EPBC Act.	Observations of this species have been primarily from NSW. This migratory species may be present but highly unlikely due to lack of historical observations or suitable roosting habitat.	No Risk
Rhipidura rufifrons	Rufous Fantail	Migratory	592	The Rufous fantail mainly inhabits wet sclerophyll forests, often in gullies dominated by Eucalypts such as Eucalyptus microcorys, Eucalyptus pilularis, Eucalyptus resiniferia and a number of other Eucalyptus species.	No suitable wet slerophyll habitats weres observed throughout the assessment area.	No Risk
Migratory Wetland Species						
Species	**Common Name**	**Status**	**EPBC Code**	**Description of Community / Habitat**	**Likelihood of Occurrence**	**Risk**

Ardea alba	Great Egret	Migratory	59541	The Great Egret has been recorded in a wide range of wetland habitats including inland and coastal, freshwater and saline, permanent and ephemeral, open and vegetated, large and small, natural and artificial.	Although a number of small dams were observed throughout the assessment area, no specimens were recorded at the time of the assessment.	No Risk
Ardea ibis	Cattle Egret	Migratory	59542	The Cattle egret occurs in tropical and temperate grasslands, wooded lands and terrestrial wetlands. It often forages away from water on low lying grasslands, improved pastures and croplands and is commonly found in cattle fields and other farm areas that contain livestock.	Observed towards the west of the site where paddocks contained cattle.	No Risk
Gallinago hardwickii	Latham's Snipe	Migratory	863	Latham's Snipe occurs in permanent and ephemeral wetlands. They usually inhabit open, freshwater wetlands with low, dense vegetation.	No suitable habitat was observed throughout the assessment area.	No Risk
Tringa nebularia	Common Greenshank	Migratory Wetland	832	Listed as a migratory shorebird	No suitable habitat on site	No Risk
Rostratula benghalensis	Painted Snipe	Endangered/ Migratory	889	The Australian Painted Snipe generally inhabits shallow terrestrial freshwater wetlands, including temporary and permanent lakes, swamps and clay pans. The also utilise inundated or waterlogged grassland or saltmarsh, dams, rice crops, sewage farms and bore drains.	No suitable habitat was observed throughout the assessment area.	No Risk
Other Matters Protected by the EPBC Act						
Listed Marine Species (others not listed above)						
Species	**Common Name**	**Status**	**EPBC Code**	**Description of Community / Habitat**	**Likelihood of Occurrence**	**Risk**
Anseranas semipalmata	Magpie Goose		978	The magpie goose is mainly found in shallow wetlands with dense growth or rushes or sedges.	No suitable habitat was observed throughout the assessment area.	No Risk
Pandion haliaetus	Osprey		952	Eastern Ospreys occur in littoral and coastal habitats and terrestrial wetlands of tropical and temperate Australia and offshore islands. They are mostly found in coastal areas but occasionally travel inland along major rivers.	No suitable habitat was observed throughout the assessment area.	No Risk

saunders havill group

Tree Schedule - Job 8107
RiverBend, Jimboomba (Celestino Pty Ltd)
10/05/2021

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
1	*Corymbia intermedia*	Pink Bloodwood	210		210	66	17.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (future works)	
2	*Corymbia citriodora*	Spotted Gum	290		290	91	22.0	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (future works)	
3	*Corymbia citriodora*	Spotted Gum	250		250	79	22.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (future works)	
4	*Eucalyptus siderophloia*	Northern Grey Ironbark	390		390	123	23.0	10.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (future works)	
5	*Eucalyptus siderophloia*	Northern Grey Ironbark	350		350	110	24.0	10.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (future works)	
6	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	20.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (future works)	
7	*Corymbia citriodora*	Spotted Gum	640		640	201	24.0	10.0	7.7	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (future works)	
8	*Corymbia citriodora*	Spotted Gum	240		240	75	20.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (future works)	
9	*Corymbia citriodora*	Spotted Gum	260		260	82	22.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (future works)	
10	*Corymbia citriodora*	Spotted Gum	340		340	107	23.0	7.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (future works)	
11	*Corymbia intermedia*	Pink Bloodwood	210		210	66	17.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (future works)	
12	*Corymbia citriodora*	Spotted Gum	300		300	94	24.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (future works)	
13	*Acacia disparrima*	Hickory Wattle	200		200	63	12.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (future works)	
14	*Alphitonia excelsa*	Red Ash	200		200	63	14.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (future works)	
15	*Corymbia citriodora*	Spotted Gum	400		400	126	24.0	10.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (future works)	
16	*Alphitonia excelsa*	Red Ash	200		200	63	14.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (future works)	
17	*Eucalyptus tereticornis*	Forest Red Gum	200		200	63	18.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (future works)	
18	*Corymbia citriodora*	Spotted Gum	200		200	63	18.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (future works)	
19	*Corymbia citriodora*	Spotted Gum	200		200	63	18.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (future works)	
20	*Acacia disparrima*	Hickory Wattle	210		210	66	12.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (future works)	
21	*Corymbia citriodora*	Spotted Gum	200		200	63	20.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (future works)	
22	*Alphitonia excelsa*	Red Ash	300		300	94	15.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (future works)	
23	*Acacia disparrima*	Hickory Wattle	350	150	381	120	15.0	6.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (future works)	
24	*Corymbia intermedia*	Pink Bloodwood	220		220	69	17.0	6.0	2.6	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (future works)	
25	*Corymbia citriodora*	Spotted Gum	220		220	69	16.0	4.0	2.6	1.8	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (future works)	
26	*Corymbia citriodora*	Spotted Gum	220		220	69	18.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
28	*Eucalyptus siderophloia*	Northern Grey Ironbark	290		290	91	18.0	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
29	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	17.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
31	*Corymbia citriodora*	Spotted Gum	850		850	267	24.0	14.0	10.2	3.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	2	-	-	-	Remove (Stage 1 VCFMP)	
32	*Eucalyptus moluccana*	Gum Topped Box	200		200	63	18.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
33	*Corymbia citriodora*	Spotted Gum	600		600	188	27.0	12.0	7.2	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
34	*Lophostemon suaveolens*	Brush Box	470		470	148	17.0	6.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (future works)	
35	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	17.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (future works)	
36	*Corymbia citriodora*	Spotted Gum	250		250	79	17.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (future works)	
37	*Corymbia citriodora*	Spotted Gum	350		350	110	24.0	5.0	4.2	2.1	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (future works)	
38	*Eucalyptus siderophloia*	Northern Grey Ironbark	1030		1030	324	23.0	16.0	12.4	3.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Large	2	-	-	-	Retain	
39	*Corymbia citriodora*	Spotted Gum	200		200	63	18.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (future works)	
48	*Corymbia citriodora*	Spotted Gum	310		310	97	18.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (future works)	
49	*Corymbia citriodora*	Spotted Gum	210		210	66	17.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (future works)	
52	*Corymbia citriodora*	Spotted Gum	240		240	75	16.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
53	*Corymbia citriodora*	Spotted Gum	250		250	79	17.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (future works)	
54	*Eucalyptus tereticornis*	Forest Red Gum	290		290	91	17.0	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (future works)	
55	*Acacia disparrima*	Hickory Wattle	230	120	259	81	16.0	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (future works)	
56	*Corymbia citriodora*	Spotted Gum	300		300	94	20.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (future works)	
57	*Acacia disparrima*	Hickory Wattle	230	240	332	104	14.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (future works)	
58	*Acacia disparrima*	Hickory Wattle	220	240	326	102	12.0	5.0	3.9	2.1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (future works)	
59	*Eucalyptus tereticornis*	Forest Red Gum	270	170	319	100	18.0	7.0	3.8	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (future works)	
60	*Acacia disparrima*	Hickory Wattle	220	170	278	87	18.0	7.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (future works)	
61	*Acacia disparrima*	Hickory Wattle	220		220	69	11.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (future works)	
62	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	16.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (future works)	
63	*Eucalyptus tereticornis*	Forest Red Gum	200		200	63	14.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (future works)	
64	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	15.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (future works)	
65	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	17.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (future works)	
66	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	16.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
70	*Eucalyptus siderophloia*	Northern Grey Ironbark	560		560	176	23.0	14.0	6.7	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (future works)	
71	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	18.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (future works)	
72	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	18.0	5.0	2.8	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (future works)	
73	*Eucalyptus tereticornis*	Forest Red Gum	540		540	170	24.0	12.0	6.5	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (future works)	
74	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	25.0	9.0	2.6	1.8	Regular	-	Thinning	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (future works)	
75	*Eucalyptus siderophloia*	Northern Grey Ironbark	560		560	176	25.0	15.0	6.7	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
76	*Eucalyptus tereticornis*	Forest Red Gum	310		310	97	24.0	9.0	3.7	2.0	Regular	-	Thinning	-	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
77	*Acacia disparrima*	Hickory Wattle	250	180	308	97	10.0	5.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
78	*Eucalyptus siderophloia*	Northern Grey Ironbark	600		600	188	24.0	14.0	7.2	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
79	*Eucalyptus siderophloia*	Northern Grey Ironbark	470		470	148	23.0	14.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	

Tree ID	Botanical Name	Common Name	Specimen Details							Canopy Condition Details							Structural Root Zone (m)	Tree Protection Zone (m)	Spread (m)	Height (m)	Trunk Circumference (cm) [AS 4970-2009]	Total DBH (mm) [AS 4970-2009]	Additional Trunks DBH (mm)	Trunk DBH (mm)	Trunk Condition Details					Fauna Details and Habitat Value							Retention	Additional Notes
										Canopy Form	Spreading	Thinning	Die-back	Epicormic Growth	Lopped	Canopy Health									Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value		
80	*Eucalyptus siderophloia*	Northern Grey Ironbark	360							Regular	-	-	-	-	-	Typical	-	-	-	27.0	113	360			-	-	-	Typical	-	-	0	0	-	-	-	Remove (Stage 1 VCFMP)	
81	*Eucalyptus siderophloia*	Northern Grey Ironbark	380							Regular	-	Thinning	-	Epicormic	-	Poor	-	-	-	25.0	119	380			-	-	-	Typical	-	-	0	0	-	-	-	Remove (Stage 1 VCFMP)	
82	*Eucalyptus siderophloia*	Northern Grey Ironbark	390							Regular	-	-	-	-	-	Typical	-	-	-	27.0	123	390			-	-	-	Typical	-	-	0	0	-	-	-	Remove (Stage 1 VCFMP)	
83	*Eucalyptus siderophloia*	Northern Grey Ironbark	200							Regular	-	-	-	-	-	Typical	-	-	-	14.0	63	200			-	-	-	Typical	-	-	0	0	-	-	-	Remove (Stage 1 VCFMP)	
84	*Acacia disparrima*	Hickory Wattle	200							Regular	-	-	-	-	-	Typical	-	-	-	10.0	63	200			-	-	-	Typical	-	-	0	0	-	-	-	Remove (Stage 1 VCFMP)	
85	*Acacia disparrima*	Hickory Wattle	180	140						Regular	-	-	-	-	-	Typical	-	-	-	10.0	72	228			-	-	-	Typical	-	-	0	0	-	-	-	Remove (Stage 1 VCFMP)	
86	*Eucalyptus siderophloia*	Northern Grey Ironbark	550							Regular	-	-	-	-	-	Typical	-	-	-	26.0	173	550			-	-	-	Typical	-	Large	1	0	-	-	-	Remove (Stage 1 VCFMP)	
87	*Acacia disparrima*	Hickory Wattle	200							Regular	-	-	-	-	-	Typical	-	-	-	10.0	63	200			-	-	-	Typical	-	-	0	0	-	-	-	Remove (Stage 1 VCFMP)	
88	*Eucalyptus siderophloia*	Northern Grey Ironbark	490							Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	25.0	154	490			-	Trunk Dmg.	-	Poor	-	-	0	0	-	-	-	Remove (Stage 1 VCFMP)	
89	*Eucalyptus siderophloia*	Northern Grey Ironbark	330	440						Regular	-	-	-	-	-	Typical	-	-	-	20.0	173	550			-	-	-	Typical	-	-	0	0	-	-	-	Remove (Stage 1 VCFMP)	
90	*Acacia disparrima*	Hickory Wattle	290							Regular	-	Thinning	-	-	-	Poor	-	-	-	10.0	91	290			-	-	-	Typical	-	-	0	0	-	-	-	Remove (Stage 1 VCFMP)	
91	*Eucalyptus siderophloia*	Northern Grey Ironbark	460							Regular	-	-	-	-	-	Typical	-	-	-	24.0	145	460			-	-	-	Typical	-	-	0	0	-	-	-	Remove (Stage 1 VCFMP)	
92	*Eucalyptus siderophloia*	Northern Grey Ironbark	500							Regular	-	-	-	-	-	Typical	-	-	-	24.0	157	500			-	-	-	Typical	-	-	0	0	-	-	-	Remove (Stage 1 VCFMP)	
93	*Acacia disparrima*	Hickory Wattle	220	180						Regular	-	-	-	-	-	Typical	-	Native	-	13.0	89	284			-	-	-	Typical	-	-	0	0	-	-	-	Remove (Stage 1 VCFMP)	
94	*Corymbia citriodora*	Spotted Gum	200							Regular	-	-	-	-	-	Typical	-	-	-	16.0	63	200			-	-	-	Typical	-	-	0	0	-	-	-	Remove (Stage 1 VCFMP)	
95	*Corymbia citriodora*	Spotted Gum	200							Regular	-	-	-	-	-	Typical	-	-	-	16.0	63	200			-	-	-	Typical	-	-	0	0	-	-	-	Remove (Stage 1 VCFMP)	
96	*Eucalyptus siderophloia*	Northern Grey Ironbark	410							Regular	-	-	-	-	-	Typical	-	-	-	25.0	129	410			-	-	-	One-sided	-	-	0	0	-	-	-	Remove (Stage 1 VCFMP)	
97	*Eucalyptus siderophloia*	Northern Grey Ironbark	500							Regular	-	-	-	-	-	Typical	-	-	-	23.0	157	500			-	-	-	Regular	-	-	0	0	-	-	-	Remove (Stage 1 VCFMP)	
98	*Corymbia citriodora*	Spotted Gum	200							Regular	-	-	-	-	-	Typical	-	-	-	17.0	63	200			-	-	-	Regular	-	-	0	0	-	-	-	Remove (Stage 1 VCFMP)	
99	*Corymbia citriodora*	Spotted Gum	390							Regular	-	-	-	-	-	Typical	-	-	-	23.0	123	390			-	-	-	Regular	-	-	0	0	-	-	-	Remove (Stage 1 VCFMP)	
100	*Corymbia citriodora*	Spotted Gum	600							Regular	-	-	-	-	-	Typical	-	-	-	27.0	188	600			-	-	-	Regular	-	-	0	0	-	-	-	Remove (Stage 1 VCFMP)	
101	*Eucalyptus siderophloia*	Northern Grey Ironbark	420							Regular	-	-	-	-	-	Typical	-	-	-	23.0	132	420			-	-	-	Regular	-	-	0	0	-	-	-	Remove (Stage 1 VCFMP)	
102	*Corymbia citriodora*	Spotted Gum	230							Regular	-	-	-	-	-	Typical	-	-	-	20.0	72	230			-	-	-	Regular	-	-	0	0	-	-	-	Remove (Stage 1 VCFMP)	
103	*Eucalyptus siderophloia*	Northern Grey Ironbark	460							Regular	-	-	-	-	-	Typical	-	Native	-	25.0	145	460			-	-	-	Typical	-	-	0	0	-	-	-	Remove (Stage 1 VCFMP)	
104	*Acacia disparrima*	Hickory Wattle	200							Regular	-	-	-	-	-	Typical	-	-	-	14.0	63	200			-	-	-	Typical	-	-	0	0	-	-	-	Remove (Stage 1 VCFMP)	
105	*Eucalyptus siderophloia*	Northern Grey Ironbark	600							Regular	-	-	-	-	-	Typical	-	-	-	26.0	188	600			-	-	-	Typical	-	-	0	0	-	-	-	Remove (Stage 1 VCFMP)	
106	*Corymbia tessellaris*	Moreton Bay Ash	200							Regular	-	-	-	-	-	Typical	-	-	-	16.0	63	200			-	-	-	One-sided	-	-	0	0	-	-	-	Retention TBC (Future works)	
107	*Eucalyptus tereticornis*	Forest Red Gum	280							Regular	-	-	-	-	-	Typical	-	-	-	23.0	88	280			-	-	-	Regular	-	-	0	0	-	-	-	Retention TBC (Future works)	
108	*Eucalyptus siderophloia*	Northern Grey Ironbark	400							Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	23.0	126	400			-	-	-	Regular	-	-	0	0	-	-	-	Retention TBC (Future works)	
109	*Eucalyptus siderophloia*	Northern Grey Ironbark	210							Regular	-	-	-	-	-	Typical	-	-	-	19.0	66	210			-	-	-	Typical	-	-	0	0	-	-	-	Retention TBC (Future works)	
110	*Eucalyptus siderophloia*	Northern Grey Ironbark	1000							Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	26.0	314	1000			-	-	-	Typical	-	-	0	0	-	-	-	Retention TBC (Future works)	
111	**DEAD/STAG**		620							Regular	-	-	-	-	-	Typical	-	-	-	19.0	195	620			-	-	-	Typical	-	-	2	Large	-	-	-	Remove (Stage 1 VCFMP)	
112	*Acacia disparrima*	Hickory Wattle	200							Regular	-	-	-	-	-	Typical	-	-	-	15.0	63	200			-	-	-	Typical	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
113	*Eucalyptus siderophloia*	Northern Grey Ironbark	410							Regular	-	-	-	-	-	Typical	-	-	-	24.0	129	410			-	-	-	Typical	-	-	0	0	-	-	-	Retention TBC (Future works)	
114	*Eucalyptus tereticornis*	Forest Red Gum	300							Regular	-	-	-	-	-	Typical	-	-	-	20.0	94	300			-	-	-	Typical	-	-	0	0	-	-	-	Retention TBC (Future works)	
115	*Eucalyptus siderophloia*	Northern Grey Ironbark	290							Regular	-	Thinning	-	Epicormic	-	Typical	-	-	-	20.0	91	290			-	-	-	Typical	-	-	0	0	-	-	-	Retention TBC (Future works)	
116	*Eucalyptus siderophloia*	Northern Grey Ironbark	230							One-sided	-	Thinning	-	Epicormic	-	Typical	-	-	-	20.0	72	230			-	-	-	Typical	-	-	0	0	-	-	-	Retention TBC (Future works)	
117	*Eucalyptus siderophloia*	Northern Grey Ironbark	420							Regular	-	-	-	-	-	Typical	-	-	-	23.0	132	420			-	-	-	Typical	-	-	0	0	-	-	-	Retention TBC (Future works)	
118	*Eucalyptus siderophloia*	Northern Grey Ironbark	320							Regular	-	Thinning	-	Epicormic	-	Poor	-	-	-	20.0	101	320			-	-	-	Typical	-	-	0	0	-	-	-	Retention TBC (Future works)	
119	*Acacia disparrima*	Hickory Wattle	220	80						Regular	-	-	-	-	-	Typical	-	-	-	12.0	74	234			-	-	-	Typical	-	-	0	0	-	-	-	Remove (Stage 1 VCFMP)	
120	*Eucalyptus siderophloia*	Northern Grey Ironbark	290							Regular	-	-	-	-	-	Typical	-	-	-	22.0	91	290			-	-	-	Typical	-	-	0	0	-	-	-	Remove (Stage 1 VCFMP)	
121	*Eucalyptus siderophloia*	Northern Grey Ironbark	210							Regular	-	-	-	-	-	Typical	-	-	-	19.0	66	210			-	-	-	Typical	-	-	0	0	-	-	-	Remove (Stage 1 VCFMP)	
122	*Eucalyptus siderophloia*	Northern Grey Ironbark	260							Regular	-	-	-	-	-	Typical	-	-	-	19.0	82	260			-	-	-	Typical	-	-	0	0	-	-	-	Remove (Stage 1 VCFMP)	
123	*Eucalyptus siderophloia*	Northern Grey Ironbark	200							Regular	-	-	-	-	-	Typical	-	-	-	21.0	63	200			-	-	-	Typical	-	-	0	0	-	-	-	Remove (Stage 1 VCFMP)	
124	*Eucalyptus siderophloia*	Northern Grey Ironbark	220							Regular	-	-	-	-	-	Typical	-	-	-	23.0	69	220			-	-	-	Regular	-	-	0	0	-	-	-	Remove (Stage 1 VCFMP)	
125	*Eucalyptus siderophloia*	Northern Grey Ironbark	240							Regular	-	-	-	-	-	Typical	-	Native	-	23.0	75	240			-	-	-	Typical	-	-	0	0	-	-	-	Remove (Stage 1 VCFMP)	
126	*Acacia disparrima*	Hickory Wattle	170	180, 160						Regular	-	-	-	-	-	Typical	-	-	-	16.0	93	295			-	-	-	Typical	-	-	0	0	-	-	-	Remove (Stage 1 VCFMP)	
127	*Acacia disparrima*	Hickory Wattle	200	100, 130, 150						Regular	-	-	-	-	-	Typical	-	-	-	15.0	94	299			-	-	-	Typical	-	-	0	0	-	-	-	Remove (Stage 1 VCFMP)	
128	*Eucalyptus siderophloia*	Northern Grey Ironbark	200							Regular	-	-	-	-	-	Typical	-	-	-	17.0	63	200			-	-	-	Typical	-	-	0	0	-	-	-	Remove (Stage 1 VCFMP)	
129	*Eucalyptus siderophloia*	Northern Grey Ironbark	210							Regular	-	-	-	-	-	Typical	-	-	-	21.0	66	210			-	-	-	Regular	-	-	0	0	-	-	-	Remove (Stage 1 VCFMP)	
130	*Eucalyptus siderophloia*	Northern Grey Ironbark	210							Regular	-	-	-	-	-	Typical	-	-	-	20.0	66	210			-	-	-	Typical	-	-	0	0	-	-	-	Remove (Stage 1 VCFMP)	
131	*Eucalyptus siderophloia*	Northern Grey Ironbark	200							Regular	-	-	-	-	-	Typical	-	-	-	17.0	63	200			-	-	-	Typical	-	-	0	0	-	-	-	Remove (Stage 1 VCFMP)	
132	*Eucalyptus siderophloia*	Northern Grey Ironbark	200							Regular	-	-	-	-	-	Typical	-	-	-	16.0	63	200			-	-	-	Typical	-	-	0	0	-	-	-	Remove (Stage 1 VCFMP)	
133	*Eucalyptus siderophloia*	Northern Grey Ironbark	200							Regular	-	-	-	-	-	Typical	-	Native	-	17.0	63	200			-	-	-	Regular	-	-	0	0	-	-	-	Remove (Stage 1 VCFMP)	
134	*Eucalyptus siderophloia*	Northern Grey Ironbark	220							Regular	-	-	-	-	-	Typical	-	-	-	19.0	69	220			-	-	-	Regular	-	-	0	0	-	-	-	Remove (Stage 1 VCFMP)	
135	*Eucalyptus siderophloia*	Northern Grey Ironbark	220							Regular	-	-	-	-	-	Typical	-	-	-	21.0	69	220			-	-	-	Regular	-	-	0	0	-	-	-	Remove (Stage 1 VCFMP)	
136	*Eucalyptus siderophloia*	Northern Grey Ironbark	260							Regular	-	-	-	-	-	Typical	-	-	-	18.0	82	260			-	-	-	Regular	-	-	0	0	-	-	-	Remove (Stage 1 VCFMP)	
137	*Eucalyptus siderophloia*	Northern Grey Ironbark	220							Regular	-	-	-	-	-	Typical	-	-	-	17.0	69	220			-	-	-	Regular	-	-	0	0	-	-	-	Remove (Stage 1 VCFMP)	
138	*Eucalyptus siderophloia*	Northern Grey Ironbark	210							Regular	-	-	-	-	-	Typical	-	-	-	17.0	66	210			-	-	-	Regular	-	-	0	0	-	-	-	Remove (Stage 1 VCFMP)	
139	*Eucalyptus tereticornis*	Forest Red Gum	210							Regular	-	-	-	-	-	Typical	-	-	-	17.0	66	210			-	-	-	Typical	-	-	0	0	-	-	-	Remove (Stage 1 VCFMP)	
140	*Eucalyptus siderophloia*	Northern Grey Ironbark	210							Regular	-	-	-	-	-	Typical	-	-	-	16.0	66	210			-	-	-	Typical	-	-	0	0	-	-	-	Remove (Stage 1 VCFMP)	
141	*Eucalyptus siderophloia*	Northern Grey Ironbark	220							Regular	-	-	-	-	-	Typical	-	-	-	16.0	69	220			-	-	-	Typical	-	-	0	0	-	-	-	Remove (Stage 1 VCFMP)	
142	*Eucalyptus siderophloia*	Northern Grey Ironbark	220							Regular	-	-	-	-	-	Typical	-	-	-	17.0	69	220			-	-	-	Typical	-	-	0	0	-	-	-	Remove (Stage 1 VCFMP)	
143	*Eucalyptus siderophloia*	Northern Grey Ironbark	220							Regular	-	-	-	-	-	Typical	-	-	-	19.0	69	220			-	-	-	Regular	-	-	0	0	-	-	-	Remove (Stage 1 VCFMP)	
144	*Eucalyptus siderophloia*	Northern Grey Ironbark	210							Regular	-	-	-	-	-	Typical	-	-	-	17.0	66	210			-	-	-	Typical	-	-	0	0	-	-	-	Remove (Stage 1 VCFMP)	
145	*Eucalyptus siderophloia*	Northern Grey Ironbark	270							Regular	-	-	-	-	-	Typical	-	-	-	20.0	85	270			-	-	-	Regular	-	-	0	0	-	-	-	Remove (Stage 1 VCFMP)	
146	*Eucalyptus siderophloia*	Northern Grey Ironbark	200							Regular	-	-	-	-	-	Typical	-	-	-	16.0	63	200			-	-	-	Regular	-	-	0	0	-	-	-	Remove (Stage 1 VCFMP)	
147	*Eucalyptus siderophloia*	Northern Grey Ironbark	270							Regular	-	-	-	-	-	Typical	-	-	-	17.0	85	270			-	-	-	Typical	-	-	0	0	-	-	-	Remove (Stage 1 VCFMP)	

Specimen Details									Canopy Condition Details								Trunk Condition Details						Fauna Details and Habitat Value							Retention	Additional Notes
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value		
148	*Eucalyptus siderophloia*	Northern Grey Ironbark	280	88	280	180	18.0	9.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
149	*Eucalyptus siderophloia*	Northern Grey Ironbark	280	88	280	170	17.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
150	*Eucalyptus siderophloia*	Northern Grey Ironbark	300	94	300	190	19.0	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
151	*Eucalyptus siderophloia*	Northern Grey Ironbark	290	91	290	180	18.0	10.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
152	*Eucalyptus siderophloia*	Northern Grey Ironbark	500	157	510	160	23.0	12.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
153	*Acacia disparrima*	Hickory Wattle	200	63	200	120	7.0	2.4	1.7		One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
154	*Eucalyptus siderophloia*	Northern Grey Ironbark	220	69	220	140	9.0	2.6	1.8		Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
155	*Corymbia intermedia*	Pink Bloodwood	220	69	220	140	16.0	7.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
156	*Eucalyptus siderophloia*	Northern Grey Ironbark	230	72	230	140	16.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
157	*Acacia disparrima*	Hickory Wattle	200	63	200	120	12.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Retention TBC (future works)	
158	*Eucalyptus siderophloia*	Northern Grey Ironbark	510	160	510	320	23.0	10.0	6.1	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
159	*Eucalyptus siderophloia*	Northern Grey Ironbark	350	110	350	220	18.0	8.0	4.2	2.1	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
160	*Acacia disparrima*	Hickory Wattle	200	63	200	120	9.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
161	*Eucalyptus siderophloia*	Northern Grey Ironbark	350	110	350	220	19.0	8.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
162	*Acacia disparrima*	Hickory Wattle	250	92	292	180	11.0	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Retention TBC (future works)	
163	*Eucalyptus siderophloia*	Northern Grey Ironbark	210	66	210	130	18.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Retention TBC (future works)	
164	*Acacia disparrima*	Hickory Wattle	210	66	210	130	11.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Retention TBC (future works)	
165	*Eucalyptus siderophloia*	Northern Grey Ironbark	600	188	600	370	24.0	14.0	7.2	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Retention TBC (future works)	
166	*Eucalyptus siderophloia*	Northern Grey Ironbark	200	63	200	130	16.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
167	*Eucalyptus siderophloia*	Northern Grey Ironbark	240	75	240	150	17.0	7.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
168	*Eucalyptus siderophloia*	Northern Grey Ironbark	210	66	210	130	17.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
169	*Eucalyptus siderophloia*	Northern Grey Ironbark	220	69	220	140	18.0	7.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
170	*Eucalyptus tereticornis*	Forest Red Gum	230	72	230	140	19.0	9.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Poor	-	-	-	0	-	-	-	-	Remove	
171	*Eucalyptus siderophloia*	Northern Grey Ironbark	270	85	270	170	17.0	9.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
172	*Eucalyptus tereticornis*	Forest Red Gum	280	88	280	180	16.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
173	*Melaleuca irbyana*	Swamp Tea Tree	100	31	100	60	2.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
174	*Eucalyptus siderophloia*	Northern Grey Ironbark	250	79	250	160	17.0	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
175	*Eucalyptus tereticornis*	Forest Red Gum	200	63	200	120	12.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
176	*Corymbia intermedia*	Pink Bloodwood	250	79	250	160	12.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
177	*Eucalyptus siderophloia*	Northern Grey Ironbark	250	79	250	160	15.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
178	*Acacia disparrima*	Hickory Wattle	200	63	200	120	12.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
179	*Eucalyptus siderophloia*	Northern Grey Ironbark	200	63	200	130	14.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
180	*Eucalyptus siderophloia*	Northern Grey Ironbark	200	63	200	130	14.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
181	*Eucalyptus siderophloia*	Northern Grey Ironbark	220	69	220	140	16.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
182	*Eucalyptus siderophloia*	Northern Grey Ironbark	260	82	260	170	15.0	6.0	3.1	1.9	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
183	*Corymbia citriodora*	Spotted Gum	240	75	240	150	16.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
184	*Eucalyptus siderophloia*	Northern Grey Ironbark	260	82	260	170	17.0	6.0	3.1	1.9	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
185	*Eucalyptus siderophloia*	Northern Grey Ironbark	290	91	290	190	19.0	9.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
186	*Eucalyptus siderophloia*	Northern Grey Ironbark	240	75	240	150	18.0	9.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
187	*Eucalyptus siderophloia*	Northern Grey Ironbark	290	91	290	180	17.0	8.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
188	*Acacia disparrima*	Hickory Wattle	230	85	269	140	10.0	5.0	3.2	1.9	Regular	-	Thinning	-	-	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
189	*Eucalyptus siderophloia*	Northern Grey Ironbark	250	79	250	160	19.0	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
190	*Acacia disparrima*	Hickory Wattle	200	130, 150	282	180	12.0	5.0	3.4	1.9	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
191	*Eucalyptus siderophloia*	Northern Grey Ironbark	250	79	250	160	16.0	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
192	*Acacia disparrima*	Hickory Wattle	200	170, 150	302	190	12.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
193	*Eucalyptus siderophloia*	Northern Grey Ironbark	250	79	250	160	16.0	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
194	*Eucalyptus siderophloia*	Northern Grey Ironbark	250	79	250	160	18.0	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
195	*Eucalyptus siderophloia*	Northern Grey Ironbark	220	69	220	140	16.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
196	*Eucalyptus siderophloia*	Northern Grey Ironbark	280	88	280	180	17.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
197	*Eucalyptus siderophloia*	Northern Grey Ironbark	220	69	220	140	13.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
371	*Eucalyptus siderophloia*	Northern Grey Ironbark	400	126	400	220	22.0	12.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
372	*Eucalyptus siderophloia*	Northern Grey Ironbark	370	116	370	230	9.0	2.0	4.4	2.2	Regular	-	-	-	-	Epicormic	Lopped	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
373	*Corymbia citriodora*	Spotted Gum	250	79	250	160	17.0	6.0	3.0	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
374	*Corymbia citriodora*	Spotted Gum	200	63	200	130	17.0	4.0	2.4	1.7	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
375	*Corymbia citriodora*	Spotted Gum	200	63	200	130	18.0	6.0	2.4	1.7	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
376	*Corymbia citriodora*	Spotted Gum	210	66	210	130	17.0	5.0	2.5	1.7	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
377	*Corymbia citriodora*	Spotted Gum	230	72	230	140	16.0	5.0	2.8	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
378	*Acacia disparrima*	Hickory Wattle	220	69	220	140	14.0	5.0	2.6	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
379	*Acacia disparrima*	Hickory Wattle	180	170	248	78	12.0	7.0	3.0	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
380	*Eucalyptus siderophloia*	Northern Grey Ironbark	210	66	210	130	16.0	5.0	2.5	1.7	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
381	*Eucalyptus siderophloia*	Northern Grey Ironbark	200	63	200	130	16.0	5.0	2.4	1.7	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
382	*Eucalyptus siderophloia*	Northern Grey Ironbark	200	63	200	130	17.0	6.0	2.4	1.7	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
383	*Eucalyptus siderophloia*	Northern Grey Ironbark	210	66	210	130	17.0	6.0	2.5	1.7	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
384	*Eucalyptus siderophloia*	Northern Grey Ironbark	220	69	220	140	18.0	6.0	2.6	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
385	*Eucalyptus siderophloia*	Northern Grey Ironbark	210	66	210	130	16.0	5.0	2.5	1.7	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
386	*Eucalyptus siderophloia*	Northern Grey Ironbark	250	79	250	160	19.0	8.0	3.0	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
387	*Eucalyptus siderophloia*	Northern Grey Ironbark	270	85	270	170	16.0	7.0	3.2	1.9	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
388	*Eucalyptus siderophloia*	Northern Grey Ironbark	200	63	200	120	16.0	5.0	2.4	1.7	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	

| Specimen Details | | |

Specimen Details									Canopy Condition Details								Trunk Condition Details						Fauna Details and Habitat Value							Additional Notes
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention
835	*Corymbia citriodora*	Spotted Gum	220		220	69	18.0	2.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retention TBC (Future works)
836	**DEAD/STAG**		490		490	154	25.0	6.0	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	3	-	-	-	Retain
837	*Corymbia citriodora*	Spotted Gum	300		300	94	27.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
847	*Corymbia citriodora*	Spotted Gum	230		230	72	15.0	3.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
852	*Corymbia citriodora*	Spotted Gum	270	145	306	96	15.0	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (Future works)
853	*Corymbia citriodora*	Spotted Gum	510		510	160	26.0	9.0	6.1	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (Future works)
854	*Corymbia citriodora*	Spotted Gum	540		540	170	32.0	12.0	6.5	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (Future works)
855	*Corymbia citriodora*	Spotted Gum	320		320	101	21.0	5.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (Future works)
856	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	19.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (Future works)
884	*Eucalyptus tereticornis*	Forest Red Gum	265		265	83	13.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
885	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	15.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
886	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	14.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (Future works)
887	*Eucalyptus tereticornis*	Forest Red Gum	230		230	72	12.0	4.0	2.8	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (Future works)
888	*Eucalyptus siderophloia*	Northern Grey Ironbark	330		330	104	18.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (Future works)
889	*Eucalyptus tereticornis*	Forest Red Gum	240		240	75	17.0	6.0	2.9	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (Future works)
890	*Eucalyptus tereticornis*	Forest Red Gum	300		300	94	22.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (Future works)
891	*Lophostemon suaveolens*	Brush Box	200		200	63	8.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (Future works)
892	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	17.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (Future works)
893	*Eucalyptus tereticornis*	Forest Red Gum	420		420	132	26.0	8.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (Future works)
894	*Eucalyptus tereticornis*	Forest Red Gum	480		480	151	27.0	12.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (Future works)
895	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	13.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (Future works)
896	*Eucalyptus tereticornis*	Forest Red Gum	260		260	82	18.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (Future works)
897	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	15.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (Future works)
898	*Acacia disparrima*	Hickory Wattle	200		200	63	8.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (Future works)
899	*Eucalyptus tereticornis*	Forest Red Gum	584	360	660	184	23.0	9.0	7.0	2.6	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (Future works)
900	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	16.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (Future works)
901	*Acacia disparrima*	Hickory Wattle	210		210	66	12.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (Future works)
902	*Acacia disparrima*	Hickory Wattle	280		280	88	10.0	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (Future works)
903	*Lophostemon suaveolens*	Brush Box	420		420	132	10.0	8.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (Future works)
904	*Eucalyptus tereticornis*	Forest Red Gum	310		310	97	16.0	5.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (Future works)
905	*Acacia disparrima*	Hickory Wattle	220		220	69	10.0	7.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (Future works)
906	*Eucalyptus tereticornis*	Forest Red Gum	210		210	66	16.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (Future works)
907	*Alphitonia excelsa*	Red Ash	200		200	63	10.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (Future works)
908	*Acacia disparrima*	Hickory Wattle	200		200	63	9.0	5.0	2.4	1.7	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (Future works)
909	*Acacia disparrima*	Hickory Wattle	210		210	66	9.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	Native	-	-	-	-	-	-	0	-	-	-	Retention TBC (Future works)
910	*Eucalyptus siderophloia*	Northern Grey Ironbark	560		560	176	28.0	12.0	6.7	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (Future works)
911	*Acacia disparrima*	Hickory Wattle	210		210	66	9.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (Future works)
912	*Eucalyptus tereticornis*	Forest Red Gum	480		480	151	28.0	14.0	5.8	2.4	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (Future works)
913	*Eucalyptus tereticornis*	Forest Red Gum	400		400	126	22.0	9.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (Future works)
914	*Acacia disparrima*	Hickory Wattle	210		210	66	11.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (Future works)
915	*Acacia disparrima*	Hickory Wattle	420		420	132	13.0	7.0	5.0	2.3	Regular	-	Thinning	Die-back	-	-	Poor	Minor	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Retention TBC (Future works)
916	*Acacia disparrima*	Hickory Wattle	260		260	82	9.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (Future works)
917	*Eucalyptus siderophloia*	Northern Grey Ironbark	460		460	145	22.0	9.0	5.5	2.4	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
918	*Acacia disparrima*	Hickory Wattle	210		210	66	9.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (Future works)
919	*Eucalyptus siderophloia*	Northern Grey Ironbark	385		385	121	22.0	7.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (Future works)
920	*Eucalyptus siderophloia*	Northern Grey Ironbark	310		310	97	22.0	3.0	3.7	2.0	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (Future works)
921	*Eucalyptus siderophloia*	Northern Grey Ironbark	320		320	101	18.0	5.0	3.8	2.1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (Future works)
922	*Eucalyptus siderophloia*	Northern Grey Ironbark	440		440	138	23.0	7.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
923	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	13.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
924	*Eucalyptus siderophloia*	Northern Grey Ironbark	430		430	135	26.0	11.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
925	*Eucalyptus siderophloia*	Northern Grey Ironbark	420		420	132	27.0	12.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
926	*Eucalyptus siderophloia*	Northern Grey Ironbark	230	72	230	72	17.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
927	*Eucalyptus siderophloia*	Northern Grey Ironbark	320		320	101	22.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
928	*Eucalyptus siderophloia*	Northern Grey Ironbark	500	157	500	157	27.0	14.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
929	*Acacia disparrima*	Hickory Wattle	230	72	230	72	10.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
930	*Eucalyptus siderophloia*	Northern Grey Ironbark	540	170	540	170	24.0	11.0	6.5	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
931	*Eucalyptus crebra*	Narrow-leaved Red Ironbark	330	104	330	104	21.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
932	*Acacia disparrima*	Hickory Wattle	330	104	330	104	7.0	6.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
933	*Acacia disparrima*	Hickory Wattle	200	63	200	63	8.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
934	*Eucalyptus crebra*	Narrow-leaved Red Ironbark	320	101	320	101	12.0	4.0	3.8	2.1	Regular	-	-	-	-	-	Lopped	Typical	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
935	*Eucalyptus tereticornis*	Forest Red Gum	520	163	520	163	19.0	8.0	6.2	2.5	Regular	-	-	Die-back	-	-	Lopped	Typical	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
936	*Eucalyptus siderophloia*	Northern Grey Ironbark	530	167	530	167	24.0	11.0	6.4	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
937	*Acacia disparrima*	Hickory Wattle	210	66	210	66	9.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
938	*Eucalyptus siderophloia*	Northern Grey Ironbark	385	121	385	121	26.0	11.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
939	*Eucalyptus siderophloia*	Northern Grey Ironbark	300	94	300	94	17.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
940	*Acacia disparrima*	Hickory Wattle	200	63	200	63	8.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
941	*Eucalyptus siderophloia*	Northern Grey Ironbark	485	152	485	152	26.0	12.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
942	*Acacia disparrima*	Hickory Wattle	200	63	200	63	9.0	5.0	2.4	1.7	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)

Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
			Specimen Details								Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value								
9943	*Eucalyptus siderophloia*	Northern Grey Ironbark	700		700	220	27.0	9.0	8.4	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)	
9944	**DEAD/STAG**		390		390	123	17.0	4.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)	
9945	*Angophora leiocarpa*	Smooth Barked Apple	420		420	132	19.0	9.0	5.0	2.3	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	0	Small	-	-	Remove (Stage 1 VCFMP)	
9946	*Acacia dispermma*	Hickory Wattle	230	190	298	94	9.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
9947	*Eucalyptus siderophloia*	Northern Grey Ironbark	290		290	91	19.0	5.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
9948	*Eucalyptus siderophloia*	Northern Grey Ironbark	430		430	135	26.0	9.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
9949	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	21.0	5.0	3.1	1.9	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	Native	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
9950	*Eucalyptus siderophloia*	Northern Grey Ironbark	330		330	104	28.0	11.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
9951	*Eucalyptus siderophloia*	Northern Grey Ironbark	420		420	132	26.0	9.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	0	-	Termites	-	Remove (Stage 1 VCFMP)	
9952	*Eucalyptus siderophloia*	Northern Grey Ironbark	320		320	101	18.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (future works)	
9953	*Eucalyptus siderophloia*	Northern Grey Ironbark	360		360	113	22.0	9.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (future works)	
9954	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	13.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (future works)	
9955	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	14.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (future works)	
9956	*Eucalyptus siderophloia*	Northern Grey Ironbark	290		290	91	17.0	8.0	3.5	2.0	Regular	-	Thinning	Die-back	Epicormic	-	Poor	Minor	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (future works)	
9957	*Eucalyptus siderophloia*	Northern Grey Ironbark	620		620	195	26.0	12.0	7.4	2.7	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (future works)	
9958	*Eucalyptus siderophloia*	Northern Grey Ironbark	470		470	148	25.0	12.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (future works)	
9959	*Eucalyptus tereticornis*	Forest Red Gum	200		200	63	16.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (future works)	
9960	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	12.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (future works)	
9961	*Eucalyptus siderophloia*	Northern Grey Ironbark	340		340	107	19.0	7.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (future works)	
9962	*Eucalyptus tereticornis*	Forest Red Gum	230		230	72	16.0	8.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (future works)	
9963	*Eucalyptus siderophloia*	Northern Grey Ironbark	360		360	113	18.0	8.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (future works)	
9964	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	17.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (future works)	
9965	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	21.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (future works)	
9966	*Eucalyptus siderophloia*	Northern Grey Ironbark	460		460	145	22.0	9.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
9967	*Eucalyptus siderophloia*	Northern Grey Ironbark	490		490	154	25.0	9.0	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
9968	*Eucalyptus siderophloia*	Northern Grey Ironbark	330		330	104	23.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
9969	*Eucalyptus siderophloia*	Northern Grey Ironbark	330	230	402	126	21.0	7.0	4.8	2.3	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
9970	*Eucalyptus siderophloia*	Northern Grey Ironbark	340		340	107	17.0	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termites	-	Remove (Stage 1 VCFMP)	
9971	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	13.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
9972	*Eucalyptus siderophloia*	Northern Grey Ironbark	380		380	119	23.0	9.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
9973	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	18.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
9974	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	17.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
9975	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	15.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
9976	*Eucalyptus siderophloia*	Northern Grey Ironbark	255		255	80	17.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
9977	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	13.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
9978	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	16.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
9979	*Eucalyptus siderophloia*	Northern Grey Ironbark	440		440	138	23.0	12.0	5.3	2.3	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
9980	*Eucalyptus siderophloia*	Northern Grey Ironbark	205		205	64	15.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
9981	*Eucalyptus siderophloia*	Northern Grey Ironbark	420		420	132	16.0	7.0	5.0	2.3	Regular	-	-	-	-	-	Typical	Minor	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
9982	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	15.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
9983	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	14.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
9984	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	16.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
9985	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	14.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
9986	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	14.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
9987	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	14.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
9988	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	13.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
9989	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	13.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
9990	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	16.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
9991	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	16.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
9992	*Acacia dispermma*	Hickory Wattle	230		230	72	7.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
9993	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	10.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
9994	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	13.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
9995	*Acacia dispermma*	Hickory Wattle	240	140, 160	321	101	10.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
9996	*Acacia dispermma*	Hickory Wattle	200	140	244	77	7.0	7.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
9997	*Acacia dispermma*	Hickory Wattle	170	160	233	73	9.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
9998	*Acacia dispermma*	Hickory Wattle	165	100, 120	227	71	8.0	5.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
999	*Acacia dispermma*	Hickory Wattle	250		250	79	8.0	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
1000	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	10.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
1001	*Acacia dispermma*	Hickory Wattle	230		230	72	8.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
1002	*Corymbia intermedia*	Pink Bloodwood	380		380	119	15.0	8.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
1003	*Eucalyptus siderophloia*	Northern Grey Ironbark	600		600	188	26.0	12.0	7.2	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
1004	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	13.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
1005	*Acacia dispermma*	Hickory Wattle	200		200	63	8.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
1006	*Corymbia citriodora*	Spotted Gum	360		360	113	22.0	7.0	4.3	2.2	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
1007	*Eucalyptus siderophloia*	Northern Grey Ironbark	410	150	437	137	22.0	8.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
1008	*Corymbia citriodora*	Spotted Gum	200		200	63	16.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
1009	*Corymbia citriodora*	Spotted Gum	320		320	101	17.0	5.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
1010	*Eucalyptus siderophloia*	Northern Grey Ironbark	540		540	170	26.0	11.0	6.5	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	

Specimen Details								Canopy Condition Details								Trunk Condition Details								Fauna Details and Habitat Value									
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
1011	*Corymbia citriodora*	Spotted Gum	340		340	107	19.0	7.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)	
1012	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	16.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)	
1013	*Acacia disparrima*	Hickory Wattle	240		240	75	9.0	5.0	2.9	1.8	Regular	-	Thinning	Die-back	-	-	Poor	-	Native	-	-	Typical	-	-	-	-	-	-	-	Retention TBC (future works)	
1014	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	8.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retention TBC (future works)	
1015	*Eucalyptus tereticornis*	Forest Red Gum	240		240	75	15.0	3.0	2.9	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retention TBC (future works)	
1016	*Acacia disparrima*	Hickory Wattle	230		230	72	9.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retention TBC (future works)	
1017	*Eucalyptus tereticornis*	Forest Red Gum	210		210	66	16.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retention TBC (future works)	
1018	*Acacia disparrima*	Hickory Wattle	230		230	72	8.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retention TBC (future works)	
1019	*Eucalyptus tereticornis*	Forest Red Gum	200		200	63	14.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retention TBC (future works)	
1020	*Eucalyptus tereticornis*	Forest Red Gum	260		260	82	16.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retention TBC (future works)	
1021	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	13.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retention TBC (future works)	
1022	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	12.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retention TBC (future works)	
1023	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	13.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retention TBC (future works)	
1024	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	14.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retention TBC (future works)	
1025	*Eucalyptus tereticornis*	Forest Red Gum	260		260	82	12.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
1026	*Eucalyptus tereticornis*	Forest Red Gum	200		200	63	11.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
1027	*Eucalyptus siderophloia*	Northern Grey Ironbark	320		320	101	12.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)	
1028	*Eucalyptus tereticornis*	Forest Red Gum	270		270	85	15.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)	
1029	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	12.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)	
1030	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	15.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)	
1031	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	15.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)	
1032	*Acacia disparrima*	Hickory Wattle	270		270	85	9.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)	
1033	*Acacia disparrima*	Hickory Wattle	230	180	292	92	9.0	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)	
1034	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	16.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)	
1035	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	14.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)	
1036	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	15.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)	
1037	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	14.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)	
1038	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	11.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)	
1039	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	12.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)	
1040	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	14.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)	
1041	*Eucalyptus siderophloia*	Northern Grey Ironbark	285		285	90	16.0	5.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)	
1042	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	12.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)	
1043	*Eucalyptus siderophloia*	Northern Grey Ironbark	290		290	91	15.0	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)	
1045	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	11.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)	
1046	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	11.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)	
1047	*Eucalyptus siderophloia*	Northern Grey Ironbark	230	120, 100	278	87	12.0	5.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)	
1213	*Acacia disparrima*	Hickory Wattle	230		230	72	9.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)	
1214	*Acacia disparrima*	Hickory Wattle	180	150	234	74	8.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)	
1215	*Eucalyptus siderophloia*	Northern Grey Ironbark	460		460	145	23.0	9.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)	
1216	*Corymbia citriodora*	Spotted Gum	210		210	66	14.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)	
1217	*Corymbia citriodora*	Spotted Gum	200		200	63	13.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)	
1218	*Corymbia citriodora*	Spotted Gum	200		200	63	14.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)	
1219	*Corymbia citriodora*	Spotted Gum	200		200	63	15.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)	
1220	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	12.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)	
1221	*Eucalyptus siderophloia*	Northern Grey Ironbark	245		245	77	13.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)	
1222	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	13.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)	
1223	*Acacia disparrima*	Hickory Wattle	230		230	72	8.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)	
1224	*Eucalyptus siderophloia*	Northern Grey Ironbark	590		590	185	22.0	9.0	7.1	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)	
1225	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	12.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)	
1226	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	12.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)	
1227	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	12.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)	
1228	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	12.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)	
1229	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	11.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)	
1230	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	12.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)	
1231	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	12.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)	
1232	*Eucalyptus tereticornis*	Forest Red Gum	260		260	82	15.0	6.0	3.1	1.9	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)	
1233	*Corymbia tessellaris*	Moreton Bay Ash	165	170	237	74	12.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)	
1234	*Eucalyptus siderophloia*	Northern Grey Ironbark	445		445	140	21.0	5.0	5.3	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)	
1235	*Eucalyptus siderophloia*	Northern Grey Ironbark	245		245	77	21.0	3.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)	
1236	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	21.0	3.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)	
1237	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	22.0	3.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Termites	-	Remove (Stage 1 VCFMP)	
1238	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	18.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)	
1239	*Eucalyptus siderophloia*	Northern Grey Ironbark	235		235	74	22.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)	
1240	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	23.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)	
1241	*Eucalyptus siderophloia*	Northern Grey Ironbark	290		290	91	21.0	4.0	3.5	2.0	Regular	-	-	-	-	-	Minor	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)	
1242	*Eucalyptus siderophloia*	Northern Grey Ironbark	370		370	116	24.0	6.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)	
1243	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	21.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)	
1244	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	19.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)	

| | | |

Tree ID	Specimen Details											Canopy Condition Details								Trunk Condition Details						Fauna Details and Habitat Value						Retention	Additional Notes
	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	
1783	*Corymbia citriodora*	Spotted Gum	500		500	157	22.0	12.0	6.0	2.5	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
1784	*Eucalyptus tereticornis*	Forest Red Gum	540		540	170	25.0	12.0	6.5	2.6	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
1785	*Lophostemon suaveolens*	Brush Box	200		200	63	10.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termites	-	Retain	
1805	*Eucalyptus tereticornis*	Forest Red Gum	550		550	173	26.0	14.0	6.6	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
1806	*Acacia disparrima*	Hickory Wattle	300		300	94	10.0	6.0	3.6	2.0	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (Future works)	
1807	*Acacia disparrima*	Hickory Wattle	270		270	85	10.0	6.0	3.2	1.9	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (Future works)	
1808	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	12.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (Future works)	
1809	*Acacia disparrima*	Hickory Wattle	300		300	94	10.0	6.0	3.6	2.0	Regular	-	Thinning	Die-back	epicormic	Lopped	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (Future works)	
1810	*Corymbia citriodora*	Spotted Gum	200		200	63	14.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (Future works)	
1811	*Alphitonia excelsa*	Red Ash	210		210	66	8.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (Future works)	
1812	*Acacia disparrima*	Hickory Wattle	200	283	89	26.0	8.0	4.0	3.4	1.9	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (Future works)	
1813	*Eucalyptus tereticornis*	Forest Red Gum	770		770	242	26.0	14.0	9.2	3.0	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
1814	*Corymbia citriodora*	Spotted Gum	730	400, 730	1107	348	28.0	25.0	13.3	3.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	creek bank champion tree
1815	*Eucalyptus tereticornis*	Forest Red Gum	220		220	69	12.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (Future works)	
1816	*Acacia disparrima*	Hickory Wattle	220		220	69	8.0	6.0	2.6	1.8	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (Future works)	
1817	*Acacia disparrima*	Hickory Wattle	200		200	63	8.0	6.0	2.4	1.7	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (Future works)	
1818	*Alphitonia excelsa*	Red Ash	240		240	75	12.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (Future works)	
1819	*Acacia disparrima*	Hickory Wattle	230		230	72	10.0	4.0	2.8	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (Future works)	
1820	*Corymbia citriodora*	Spotted Gum	210		210	66	12.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (Future works)	
1821	*Eucalyptus tereticornis*	Forest Red Gum	200		200	63	12.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (Future works)	
1822	*Eucalyptus tereticornis*	Forest Red Gum	200		200	63	10.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (Future works)	
1823	*Eucalyptus tereticornis*	Forest Red Gum	200		200	63	10.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (Future works)	
1824	*Acacia disparrima*	Hickory Wattle	300	200	361	113	10.0	6.0	4.3	2.2	Regular	-	Thinning	Die-back	-	Lopped	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (Future works)	
1825	*Eucalyptus siderophloia*	Northern Grey Ironbark	740		740	232	28.0	18.0	8.9	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
1826	*Eucalyptus siderophloia*	Northern Grey Ironbark	350		350	110	20.0	12.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (Future works)	
1827	*Corymbia citriodora*	Spotted Gum	300		300	94	16.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (Future works)	
1828	*Eucalyptus siderophloia*	Northern Grey Ironbark	360		360	113	16.0	8.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (Future works)	
1829	*Eucalyptus tereticornis*	Forest Red Gum	780		780	245	30.0	20.0	9.4	3.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
1830	*Alphitonia excelsa*	Red Ash	230		230	72	10.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (Future works)	
1831	*Eucalyptus siderophloia*	Northern Grey Ironbark	600		600	188	26.0	18.0	7.2	2.7	Regular	-	-	-	-	-	Typical	Major	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (Future works)	
1832	*Lophostemon suaveolens*	Brush Box	340		340	107	10.0	6.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (Future works)	
1833	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	12.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (Future works)	
1834	*Eucalyptus tereticornis*	Forest Red Gum	610		610	192	28.0	20.0	7.3	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (Future works)	
1835	*Eucalyptus tereticornis*	Forest Red Gum	200		200	63	12.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (Future works)	
1836	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	12.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
1837	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	12.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
1838	*Eucalyptus tereticornis*	Forest Red Gum	280		280	88	16.0	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
1839	*Melaleuca irbyana*	Swamp Tea Tree	250	200, 200, 200	427	134	8.0	6.0	5.1	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (Future works)	
1840	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	18.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (Future works)	
1841	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	14.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (Future works)	
1842	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	18.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (Future works)	
1843	*Acacia disparrima*	Hickory Wattle	220		220	69	6.0	6.0	2.6	1.8	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (Future works)	
1844	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	16.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (Future works)	
1845	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	16.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (Future works)	
1846	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	16.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (Future works)	
1847	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	14.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (Future works)	
1848	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	12.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (Future works)	
1849	*Eucalyptus siderophloia*	Northern Grey Ironbark	290		290	91	16.0	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
1850	*Eucalyptus tereticornis*	Forest Red Gum	240		240	75	12.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
1851	*Eucalyptus tereticornis*	Forest Red Gum	200		200	63	12.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
1852	*Acacia concurrens*	Black Wattle	300		300	94	6.0	6.0	3.6	2.0	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (Future works)	
1853	*Acacia disparrima*	Hickory Wattle	220		220	69	6.0	4.0	2.6	1.8	Regular	-	Thinning	Die-back	-	-	Poor	-	Native	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (Future works)	
1854	*Eucalyptus tereticornis*	Forest Red Gum	310		310	97	16.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (Future works)	
1855	*Eucalyptus siderophloia*	Northern Grey Ironbark	360		360	113	18.0	8.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (Future works)	
1856	*Eucalyptus tereticornis*	Forest Red Gum	260		260	82	14.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (Future works)	
1857	*Eucalyptus tereticornis*	Forest Red Gum	380		380	119	22.0	10.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (Future works)	
1858	*Eucalyptus siderophloia*	Northern Grey Ironbark	320		320	101	18.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (Future works)	
1859	*Eucalyptus tereticornis*	Forest Red Gum	440		440	138	25.0	12.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (Future works)	
1860	*Eucalyptus siderophloia*	Northern Grey Ironbark	360		360	113	20.0	10.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (Future works)	
1861	*Acacia disparrima*	Hickory Wattle	260		260	82	8.0	4.0	3.1	1.9	Regular	-	Thinning	Die-back	-	Lopped	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (Future works)	
1862	*Eucalyptus tereticornis*	Forest Red Gum	210		210	66	12.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
1863	*Eucalyptus tereticornis*	Forest Red Gum	210		210	66	12.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
1864	*Eucalyptus tereticornis*	Forest Red Gum	200		200	63	10.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (Future works)	
1865	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	15.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (Future works)	
1866	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	12.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (Future works)	
1867	*Eucalyptus tereticornis*	Forest Red Gum	320		320	101	16.0	4.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
1868	*Eucalyptus tereticornis*	Forest Red Gum	260		260	82	16.0	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
1869	*Eucalyptus tereticornis*	Forest Red Gum	380		380	119	18.0	10.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	

Specimen Details								Canopy Condition Details								Trunk Condition Details						Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
1870	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	12.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (future works)
1871	*Eucalyptus siderophloia*	Northern Grey Ironbark	880		880	276	28.0	20.0	10.5	3.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	2	-	-	-	Retain
1872	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	12.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
1873	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	12.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
1874	*Eucalyptus tereticornis*	Forest Red Gum	200		200	63	12.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
1875	*Eucalyptus tereticornis*	Forest Red Gum	280		280	88	16.0	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (future works)
1876	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	14.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (future works)
1877	*Eucalyptus tereticornis*	Forest Red Gum	220		220	69	14.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (future works)
1878	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	12.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (future works)
1879	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	10.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (future works)
1880	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	14.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (future works)
1881	*Eucalyptus tereticornis*	Forest Red Gum	200		200	63	12.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (future works)
1882	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	12.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
1883	*Eucalyptus tereticornis*	Forest Red Gum	220		220	69	12.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (future works)
1884	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	10.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (future works)
1885	*Eucalyptus tereticornis*	Forest Red Gum	200		200	63	12.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (future works)
1886	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	14.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
1887	*Eucalyptus tereticornis*	Forest Red Gum	220		220	69	12.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
1888	*Eucalyptus tereticornis*	Forest Red Gum	220		220	69	14.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
1889	*Eucalyptus tereticornis*	Forest Red Gum	210		210	66	12.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
1890	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	12.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
1891	*Eucalyptus siderophloia*	Northern Grey Ironbark	560		560	176	30.0	18.0	6.7	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	High	Remove (Stage 1 VCFMP)
1892	*Acacia disparrima*	Hickory Wattle	200		200	63	8.0	6.0	2.4	1.7	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
1893	*Eucalyptus siderophloia*	Northern Grey Ironbark	320		320	101	18.0	10.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
1894	*Eucalyptus siderophloia*	Northern Grey Ironbark	450		450	141	22.0	10.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
1895	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	12.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
1896	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	14.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
1897	*Eucalyptus tereticornis*	Forest Red Gum	220		220	69	10.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
1898	*Eucalyptus siderophloia*	Northern Grey Ironbark	240	180	255	80	14.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
1899	*Eucalyptus siderophloia*	Northern Grey Ironbark	180		255	80	14.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
1900	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	14.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
1901	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	14.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
1902	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	12.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
1903	*Acacia disparrima*	Hickory Wattle	260		260	82	10.0	6.0	3.1	1.9	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
1904	*Acacia disparrima*	Hickory Wattle	220		220	69	8.0	6.0	2.6	1.8	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
1905	*Eucalyptus siderophloia*	Northern Grey Ironbark	1250		1250	393	26.0	14.0	15.0	3.6	Regular	-	Thinning	Die-back	-	Lopped	Poor	-	Native	-	-	Typical	-	-	Large	4	-	-	High	Remove (Stage 1 VCFMP)
1906	*Eucalyptus siderophloia*	Northern Grey Ironbark	400		400	126	20.0	10.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (future works)
1907	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	14.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (future works)
1908	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	12.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (future works)
1909	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	12.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (future works)
1910	*Eucalyptus tereticornis*	Forest Red Gum	300		300	94	16.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (future works)
1911	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	12.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (future works)
1912	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	12.0	3.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (future works)
1913	*Eucalyptus tereticornis*	Forest Red Gum	220		220	69	12.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
1914	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	12.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
1915	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	12.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
1916	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	12.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (future works)
1917	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	12.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (future works)
1918	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	10.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
1919	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	12.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (future works)
1920	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	12.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (future works)
1921	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	14.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (future works)
1922	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	14.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (future works)
1923	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	12.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (future works)
1924	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	12.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (future works)
1925	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	16.0	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (future works)
1926	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	16.0	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (future works)
1927	*Acacia disparrima*	Hickory Wattle	340		340	107	14.0	8.0	4.1	2.1	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (future works)
1928	*Corymbia citriodora*	Spotted Gum	230		230	72	14.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (future works)
1929	*Eucalyptus tereticornis*	Forest Red Gum	200		200	63	10.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (future works)
1930	*Corymbia citriodora*	Spotted Gum	600		600	188	25.0	16.0	7.2	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (future works)
1931	*Lophostemon suaveolens*	Brush Box	280		280	88	14.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (future works)
1932	*Acacia disparrima*	Hickory Wattle	220		220	69	8.0	6.0	2.6	1.8	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (future works)
1933	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	14.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
1934	*Corymbia citriodora*	Spotted Gum	220		220	69	14.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (future works)
1935	*Corymbia citriodora*	Spotted Gum	200		200	63	12.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (future works)
1936	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	12.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (future works)
1937	*Angophora leiocarpa*	Smooth Barked Apple	320		320	101	18.0	10.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (future works)

Tree ID	Botanical Name	Common Name	Specimen Details										Canopy Condition Details										Trunk Condition Details						Fauna Details and Habitat Value							Retention	Additional Notes
			Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value							
1938	*Corymbia citriodora*	Spotted Gum	200		200	63	10.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	-	Retention TBC (Future works)	
1939	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	12.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	-	Retention TBC (Future works)	
1940	*Corymbia citriodora*	Spotted Gum	200		200	63	12.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	-	Retention TBC (Future works)	
1941	*Corymbia citriodora*	Spotted Gum	220		220	69	14.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	-	Retention TBC (Future works)	
1942	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	14.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	-	Retention TBC (Future works)	
1943	*Acacia disparrima*	Hickory Wattle	360		360	113	10.0	8.0	4.3	2.2	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	-	Retention TBC (Future works)	
1944	*Corymbia citriodora*	Spotted Gum	360		360	113	20.0	10.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	-	Retention TBC (Future works)	
1945	*Corymbia citriodora*	Spotted Gum	200		200	63	12.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	-	Retention TBC (Future works)	
1946	*Eucalyptus tereticornis*	Forest Red Gum	880		880	276	28.0	20.0	10.5	3.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)	
1947	*Eucalyptus siderophloia*	Northern Grey Ironbark	400		400	176	18.0	8.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	-	Retention TBC (Future works)	
1948	*Eucalyptus siderophloia*	Northern Grey Ironbark	650		650	204	28.0	18.0	7.8	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	-	Retention TBC (Future works)	
1949	*Acacia disparrima*	Hickory Wattle	300		300	94	6.0	6.0	3.6	2.0	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	-	Retention TBC (Future works)	
1950	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	14.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	-	Retention TBC (Future works)	
1951	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	12.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	-	Remove	
1952	*Eucalyptus tereticornis*	Forest Red Gum	250		250	79	12.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	-	Remove	
1953	*Eucalyptus siderophloia*	Northern Grey Ironbark	350		350	110	20.0	8.0	4.2	2.1	Regular	-	Thinning	Die-back	-	-	Poor	-	Native	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	-	Retention TBC (Future works)	
1954	*Eucalyptus tereticornis*	Forest Red Gum	230		230	72	14.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	-	Retain	
1955	*Eucalyptus siderophloia*	Northern Grey Ironbark	710		710	223	26.0	16.0	8.5	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	-	Retention TBC (Future works)	
1956	*Lophostemon suaveolens*	Brush Box	200		200	63	10.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	-	Retention TBC (Future works)	
1957	*Eucalyptus siderophloia*	Northern Grey Ironbark	600		600	188	24.0	12.0	7.2	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	-	Retention TBC (Future works)	
1958	*Eucalyptus siderophloia*	Northern Grey Ironbark	500		500	157	24.0	10.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	-	Retention TBC (Future works)	
1959	*Acacia disparrima*	Hickory Wattle	300		300	94	10.0	6.0	3.6	2.0	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	-	Retention TBC (Future works)	
1960	*Eucalyptus tereticornis*	Forest Red Gum	220		220	69	12.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	-	Remove	
1961	*Eucalyptus tereticornis*	Forest Red Gum	240		240	75	12.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	-	Remove	
1962	*Eucalyptus tereticornis*	Forest Red Gum	220		220	69	10.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	-	Remove	
1963	*Eucalyptus siderophloia*	Northern Grey Ironbark	0		0	0	4.0	0.0	0.0	0.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	-	Remove	
1964	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	10.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	-	Remove	
1965	*Eucalyptus tereticornis*	Northern Grey Ironbark	600	400	727	227	22.0	12.0	8.7	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	-	Retain	
1966	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	12.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	-	Retention TBC (Future works)	
1967	*Corymbia tessellaris*	Moreton Bay Ash	200		200	63	12.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	-	Retention TBC (Future works)	
1968	*Eucalyptus siderophloia*	Northern Grey Ironbark	420		420	132	14.0	8.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	-	Retention TBC (Future works)	
1969	*Eucalyptus siderophloia*	Northern Grey Ironbark	400		400	126	18.0	12.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	-	Retention TBC (Future works)	
1970	*Acacia disparrima*	Hickory Wattle	250		250	79	8.0	4.0	3.0	1.8	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	-	Retention TBC (Future works)	
1971	*Acacia disparrima*	Hickory Wattle	230		230	72	8.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	-	Retention TBC (Future works)	
1972	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	12.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	-	Remove	
1973	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	14.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	-	Remove	
1974	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	14.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	-	Remove	
1975	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	12.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	-	Remove	
1976	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	12.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)	
1977	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	12.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)	
1978	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	12.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)	
1979	*Eucalyptus siderophloia*	Northern Grey Ironbark	890		890	280	28.0	18.0	10.7	3.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	4	Large	-	-	-	-	-	-	-	-	-	High	Remove (Stage 1 VCFMP)	
1980	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	14.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)	
1981	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	14.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)	
1982	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	12.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)	
1983	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	14.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)	
1984	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	12.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)	
1985	*Corymbia tessellaris*	Moreton Bay Ash	220		220	69	12.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)	
1986	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	12.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)	
1987	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	12.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)	
1988	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	10.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)	
1989	*Acacia disparrima*	Hickory Wattle	300		300	94	8.0	4.0	3.6	2.0	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)	
2154	**DEAD/STAG**		510		510	160	14.0	6.0	6.1	2.5	Regular	-	Thinning	Die-back	-	Lopped	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)	
2155	*Corymbia citriodora*	Spotted Gum	200		200	63	14.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)	
2156	*Eucalyptus siderophloia*	Northern Grey Ironbark	520		520	163	24.0	14.0	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)	
2157	*Corymbia citriodora*	Spotted Gum	200		200	63	12.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)	
2158	*Corymbia citriodora*	Spotted Gum	200		200	63	14.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)	
2159	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	14.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)	
2160	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	13.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)	
2161	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	10.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)	
2162	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	13.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)	
2163	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	12.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)	
2164	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	12.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)	
2165	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	12.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)	
2166	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	12.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)	
2167	*Eucalyptus siderophloia*	Northern Grey Ironbark	310		310	97	21.0	5.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)	
2168	*Eucalyptus siderophloia*	Northern Grey Ironbark	350		350	110	21.0	6.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)	
2169	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	18.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)	

Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
					Specimen Details						Canopy Condition Details									Trunk Condition Details			Fauna Details and Habitat Value									
2170	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	19.0	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
2171	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	19.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
2172	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	19.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
2173	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	20.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
2174	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	18.0	3.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
2175	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	21.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
2176	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	18.0	3.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
2177	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	19.0	4.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
2178	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	18.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
2179	*Eucalyptus siderophloia*	Northern Grey Ironbark	350		350	110	22.0	5.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
2180	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	16.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
2181	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	16.0	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
2182	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	10.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
2183	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	10.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
2184	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	10.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
2185	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	14.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termites	-	Remove (Stage 1 VCFMP)	
2186	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	16.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
2187	*Acacia dispartima*	Hickory Wattle	260		260	82	8.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
2188	*Acacia dispartima*	Hickory Wattle	260		260	82	6.0	4.0	3.1	1.9	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
2189	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	14.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
2190	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	14.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
2191	*Acacia dispartima*	Hickory Wattle	430		430	135	6.0	6.0	5.2	2.3	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
2192	*Acacia dispartima*	Hickory Wattle	350		350	110	6.0	4.0	4.2	2.1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
2193	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	14.0	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
2194	*Acacia dispartima*	Hickory Wattle	260		260	82	6.0	4.0	3.1	1.9	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
2195	*Acacia dispartima*	Hickory Wattle	315	150, 120	250	99	6.0	4.0	3.8	2.0	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
2372	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	14.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
2373	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	14.0	4.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
2374	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	14.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
2375	*Acacia dispartima*	Hickory Wattle	300	300, 200	469	147	12.0	8.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
2376	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	16.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
2377	*Corymbia citriodora*	Spotted Gum	220		220	69	18.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
2676	*Eucalyptus moluccana*	Gum Topped Box	210		210	66	14.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
2675	*Eucalyptus tereticornis*	Forest Red Gum	240		240	75	12.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
2674	*Eucalyptus moluccana*	Gum Topped Box	240		240	75	18.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
2673	*Eucalyptus moluccana*	Gum Topped Box	250		250	79	14.0	8.0	3.0	1.8	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
2672	*Eucalyptus moluccana*	Gum Topped Box	250		250	79	14.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
2671	*Eucalyptus moluccana*	Gum Topped Box	800		800	251	24.0	12.0	9.6	3.0	One-sided	-	Thinning	Die-back	-	Lopped	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
2670	*Corymbia citriodora*	Spotted Gum	220		220	69	12.0	8.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
2669	*Corymbia citriodora*	Spotted Gum	280		280	88	18.0	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
2668	*Eucalyptus siderophloia*	Northern Grey Ironbark	740		740	232	16.0	8.0	8.9	2.9	Regular	-	Thinning	Die-back	-	Lopped	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	Termites	-	Refer Teviot Road application	
2667	*Eucalyptus moluccana*	Gum Topped Box	410		410	129	18.0	8.0	4.9	2.3	Regular	-	-	-	-	Lopped	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
2666	*Eucalyptus siderophloia*	Northern Grey Ironbark	600		600	188	16.0	8.0	7.2	2.7	Regular	-	Thinning	Die-back	-	-	Typical	Minor	-	Trunk Dmg.	-	Poor	-	-	-	0	-	Termites	-	Refer Teviot Road application	
2665	*Eucalyptus moluccana*	Gum Topped Box	340		340	107	16.0	6.0	4.1	2.1	One-sided	-	-	-	-	Lopped	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
2664	*Eucalyptus moluccana*	Gum Topped Box	750		750	236	20.0	16.0	9.0	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
2663	*Corymbia citriodora*	Spotted Gum	230		230	72	16.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
2602	*Acacia leiocalyx*	Early Flowering Black Wattle	150	150, 120	244	77	6.0	4.0	2.9	1.8	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
2601	*Eucalyptus tereticornis*	Forest Red Gum	390		390	123	20.0	12.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
2600	*Corymbia tessellaris*	Moreton Bay Ash	270		270	85	20.0	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
2599	*Acacia leiocalyx*	Early Flowering Black Wattle	220		220	69	8.0	6.0	2.6	1.8	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
2598	*Eucalyptus tereticornis*	Forest Red Gum	1120		1120	352	28.0	20.0	13.4	3.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	4	-	-	High	Refer Teviot Road application	
2530	*Corymbia citriodora*	Spotted Gum	260		260	82	26.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
2529	*Corymbia citriodora*	Spotted Gum	260		260	82	25.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
2528	*Eucalyptus moluccana*	Gum Topped Box	260		260	82	22.0	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
2527	*Eucalyptus fibrosa*	Broad-leaved Red Ironbark	320		320	101	26.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
2485	*Acacia dispartima*	Hickory Wattle	260		260	82	12.0	3.0	3.1	1.9	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
2484	*Acacia dispartima*	Hickory Wattle	290		290	91	10.0	4.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
2379	*Acacia dispartima*	Hickory Wattle	260		260	82	12.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
2376	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	16.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
2673	*Eucalyptus moluccana*	Gum Topped Box	469	300, 200	469	147	12.0	8.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
2374	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	14.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	

Tree ID	Botanical Name	Common Name	Specimen Details								Canopy Condition Details								Trunk Condition Details				Fauna Details and Habitat Value							Retention	Additional Notes
			Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value		
2800	*Eucalyptus tereticornis*	Forest Red Gum	640	201	640	2010	14.0	7.7	2.7	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
2801	*Eucalyptus siderophloia*	Northern Grey Ironbark	550	173	550	24.0	18.0	6.6	2.6	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
2802	*Eucalyptus tereticornis*	Forest Red Gum	380	119	380	16.0	10.0	4.6	2.2	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
2803	*Eucalyptus tereticornis*	Forest Red Gum	280	88	280	14.0	8.0	3.4	1.9	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
2804	*Eucalyptus siderophloia*	Northern Grey Ironbark	330	104	330	18.0	12.0	4.0	2.1	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
2805	*Eucalyptus siderophloia*	Northern Grey Ironbark	450	170	541	20.0	12.0	6.5	2.6	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	300
2806	*Eucalyptus siderophloia*	Northern Grey Ironbark	290	91	290	18.0	8.0	3.5	2.0	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
2807	*Eucalyptus tereticornis*	Forest Red Gum	270	85	270	16.0	8.0	3.2	1.9	Regular	-	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
2808	*Eucalyptus siderophloia*	Northern Grey Ironbark	460	145	460	22.0	14.0	5.5	2.4	Regular	-	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
2809	*Eucalyptus siderophloia*	Northern Grey Ironbark	230	72	230	12.0	4.0	2.8	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
2810	*Eucalyptus tereticornis*	Forest Red Gum	250	79	250	12.0	6.0	3.0	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
2811	*Eucalyptus siderophloia*	Northern Grey Ironbark	380	119	380	20.0	14.0	4.6	2.2	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
2812	*Corymbia intermedia*	Pink Bloodwood	380	119	380	20.0	12.0	4.6	2.2	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
2813	*Eucalyptus tereticornis*	Forest Red Gum	680	214	680	26.0	20.0	8.2	2.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
2814	*Lophostemon suaveolens*	Swamp Box	200	63	200	10.0	4.0	2.4	1.7	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
2815	*Corymbia tessellaris*	Moreton Bay Ash	250	79	250	10.0	4.0	3.0	1.8	Regular	-	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Poor	-	-	-	0	-	-	-	Refer Teviot Road application	
2816	*Eucalyptus tereticornis*	Forest Red Gum	340	107	340	10.0	4.0	4.1	2.1	Regular	-	Thinning	Die-back	-	-	-	Poor	Minor	-	Trunk Dmg.	-	Poor	-	-	-	0	-	-	-	Refer Teviot Road application	
2817	*Eucalyptus siderophloia*	Northern Grey Ironbark	490	154	490	20.0	8.0	5.9	2.5	One-sided	-	Thinning	Die-back	-	-	-	Poor	Major	-	Trunk Dmg.	-	Poor	-	-	-	0	-	-	-	Refer Teviot Road application	
2818	*Eucalyptus siderophloia*	Northern Grey Ironbark	220	69	220	12.0	6.0	2.6	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
2819	*Eucalyptus moluccana*	Gum Topped Box	240	75	240	16.0	8.0	2.9	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
2820	*Eucalyptus moluccana*	Gum Topped box	900	283	900	26.0	20.0	10.8	3.2	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
2821	*Corymbia citriodora*	Spotted Gum	400	126	400	20.0	12.0	4.8	2.3	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
2822	*Corymbia citriodora*	Spotted Gum	230	72	230	14.0	8.0	2.8	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
2823	*Eucalyptus siderophloia*	Northern Grey Ironbark	300	94	300	14.0	8.0	3.6	2.0	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
2824	*Eucalyptus siderophloia*	Northern Grey Ironbark	490	154	490	14.0	8.0	5.9	2.5	One-sided	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
2825	*Eucalyptus siderophloia*	Northern Grey Ironbark	780	245	780	18.0	14.0	9.4	3.0	Regular	-	Thinning	Die-back	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
2826	*Corymbia citriodora*	Spotted Gum	200	63	200	12.0	4.0	2.4	1.7	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
2827	*Corymbia citriodora*	Spotted Gum	400	126	400	20.0	10.0	4.8	2.3	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
2828	*Corymbia citriodora*	Spotted Gum	390	123	390	18.0	10.0	4.7	2.2	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
2829	*Corymbia citriodora*	Spotted Gum	360	113	360	22.0	12.0	4.3	2.2	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
2830	*Corymbia citriodora*	Spotted Gum	300	94	300	22.0	12.0	3.6	2.0	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
2831	*Corymbia citriodora*	Spotted Gum	230	72	230	20.0	8.0	2.8	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
2832	*Corymbia citriodora*	Spotted Gum	310	97	310	22.0	12.0	3.7	2.0	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
2833	*Corymbia citriodora*	Spotted Gum	230	72	230	18.0	8.0	2.8	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
2834	*Corymbia citriodora*	Spotted Gum	220	69	220	18.0	6.0	2.6	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
2835	*Corymbia citriodora*	Spotted Gum	300	94	300	24.0	10.0	3.6	2.0	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
2836	*Corymbia citriodora*	Spotted Gum	300	94	300	24.0	10.0	3.6	2.0	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
2837	*Melaleuca bibyana*	Swamp Tea Tree	300	94	300	12.0	8.0	3.6	2.0	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2838	*Corymbia citriodora*	Spotted Gum	380	119	380	22.0	10.0	4.6	2.2	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
2839	*Corymbia citriodora*	Spotted Gum	450	141	450	24.0	14.0	5.4	2.4	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
2840	*Corymbia citriodora*	Spotted Gum	290	91	290	14.0	6.0	3.5	2.0	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
2841	*Corymbia citriodora*	Spotted Gum	300	94	300	22.0	10.0	3.6	2.0	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
2842	*Corymbia citriodora*	Spotted Gum	260	82	260	16.0	6.0	3.1	1.9	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
2843	*Corymbia citriodora*	Spotted Gum	250	79	250	14.0	8.0	3.0	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
2844	*Corymbia citriodora*	Spotted Gum	360	113	360	18.0	8.0	4.3	2.2	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
2845	*Corymbia citriodora*	Spotted Gum	400	126	400	24.0	12.0	4.8	2.3	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
2846	*Eucalyptus tereticornis*	Forest Red Gum	350	110	350	16.0	8.0	4.2	2.1	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
2847	*Corymbia citriodora*	Spotted Gum	330	104	330	24.0	12.0	4.0	2.1	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
2848	*Corymbia citriodora*	Spotted Gum	360	113	360	24.0	12.0	4.3	2.2	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
2849	*Corymbia citriodora*	Spotted Gum	380	119	380	24.0	12.0	4.6	2.2	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2850	*Corymbia citriodora*	Spotted Gum	300	94	300	22.0	10.0	3.6	2.0	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2851	*Corymbia citriodora*	Spotted Gum	420	132	420	24.0	14.0	5.0	2.3	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
2852	*Eucalyptus tereticornis*	Forest Red Gum	300	94	300	20.0	12.0	3.6	2.0	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2853	*Corymbia citriodora*	Spotted Gum	300	94	300	20.0	10.0	3.6	2.0	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2854	*Corymbia citriodora*	Spotted Gum	300	94	300	22.0	10.0	3.6	2.0	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2855	*Corymbia citriodora*	Spotted Gum	320	101	320	18.0	6.0	3.8	2.1	One-sided	-	-	Die-back	-	Lopped	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
2856	*Eucalyptus moluccana*	Gum Topped Box	300	94	300	14.0	10.0	3.6	2.0	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2857	*Corymbia citriodora*	Spotted Gum	300	94	300	22.0	12.0	3.6	2.0	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
2858	*Angophora leiocarpa*	Smooth Barked Apple	300	94	300	18.0	12.0	3.6	2.0	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2859	*Corymbia citriodora*	Spotted Gum	260	82	260	18.0	8.0	3.1	1.9	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
2860	*Eucalyptus siderophloia*	Northern Grey Ironbark	260	82	260	14.0	6.0	3.1	1.9	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2861	*Eucalyptus siderophloia*	Northern Grey Ironbark	280	88	280	14.0	8.0	3.4	1.9	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2862	*Angophora leiocarpa*	Smooth Barked Apple	300	94	300	18.0	10.0	3.6	2.0	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2863	*Angophora leiocarpa*	Smooth Barked Apple	220	69	220	14.0	6.0	2.6	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2864	*Angophora leiocarpa*	Smooth Barked Apple	300	94	300	18.0	8.0	3.6	2.0	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2865	*Eucalyptus tereticornis*	Forest Red Gum	300	94	300	16.0	8.0	3.6	2.0	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2866	*Corymbia intermedia*	Pink Bloodwood	450	141	450	16.0	12.0	5.4	2.4	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2867	*Eucalyptus tereticornis*	Forest Red Gum	260	82	260	14.0	6.0	3.1	1.9	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	

Tree ID	Botanical Name	Common Name	Specimen Details							Canopy Condition Details								Trunk Condition Details					Fauna Details and Habitat Value						Additional Notes
			Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention
2868	*Eucalyptus siderophloia*	Northern Grey Ironbark	290		290	91	14.0	8.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
2869	*Corymbia tessellaris*	Forest Red Gum	300		300	94	18.0	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
2870	*Eucalyptus tereticornis*	Forest Red Gum	350		350	110	20.0	10.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
2871	*Eucalyptus tereticornis*	Forest Red Gum	400		400	126	20.0	10.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	Trunk Dmg.	Fire Dmg.	-	Poor	-	-	-	0	-	-	-	Remove
2872	*Angophora leiocarpa*	Smooth Barked Apple	380		380	119	16.0	8.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
2873	*Angophora leiocarpa*	Smooth Barked Apple	390		390	123	18.0	10.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
2874	*Angophora leiocarpa*	Smooth Barked Apple	400	340	525	165	26.0	14.0	6.3	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
2875	*Angophora leiocarpa*	Smooth Barked Apple	300		300	94	16.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
2876	*Angophora leiocarpa*	Smooth Barked Apple	250		250	79	16.0	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
2877	*Angophora leiocarpa*	Smooth Barked Apple	400		400	126	22.0	12.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
2878	*Corymbia tessellaris*	Moreton Bay Ash	300		300	94	18.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
2879	*Angophora leiocarpa*	Smooth Barked Apple	240		240	75	18.0	10.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
2880	*Eucalyptus siderophloia*	Northern Grey Ironbark	320		320	101	18.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
2881	*Corymbia citriodora*	Spotted Gum	320		320	101	18.0	10.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
2882	*Corymbia citriodora*	Spotted Gum	900	283	900	283	28.0	20.0	10.8	3.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	2	-	-	High	Refer Teviot Road application
2883	*Eucalyptus siderophloia*	Northern Grey Ironbark	210	135	250	78	14.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
2884	*Moreton Bay Ash*		210		210	66	12.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
2885	*Eucalyptus tereticornis*	Forest Red Gum	350		350	110	18.0	7.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Old	-	0	-	-	-	Refer Teviot Road application
2886	*Corymbia tessellaris*	Moreton Bay Ash	240		240	75	15.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
2938	*Eucalyptus tereticornis*	Forest Red Gum	370		370	116	20.0	11.0	4.4	2.2	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
2939	*Eucalyptus maiuccana*	Gum Topped Box	460		460	145	22.0	11.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
2940	*Eucalyptus maiuccana*	Gum Topped Box	780	245	780	245	26.0	14.0	9.4	3.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
2941	*Corymbia citriodora*	Spotted Gum	180	160	241	76	15.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
2942	*Eucalyptus siderophloia*	Northern Grey Ironbark	530		530	167	25.0	13.0	6.4	2.5	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	Small	0	-	-	-	Refer Teviot Road application
2943	*Eucalyptus maiuccana*	Gum Topped Box	340		340	107	18.0	10.0	4.1	2.1	Regular	-	-	Die-back	-	-	Typical	Minor	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
2944	*Eucalyptus maiuccana*	Gum Topped Box	550		550	173	21.0	12.0	6.6	2.6	Regular	-	-	-	-	-	Typical	-	Trunk Dmg.	-	-	Typical	-	-	-	-	-	-	Termites	Refer Teviot Road application
2945	*Corymbia citriodora*	Spotted Gum	380		480	119	24.0	8.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
2946	*Corymbia citriodora*	Spotted Gum	480		480	151	26.0	10.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
2947	*Corymbia citriodora*	Spotted Gum	260		260	82	18.0	10.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
2948	*Corymbia citriodora*	Spotted Gum	450		450	141	25.0	14.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
2949	*Corymbia citriodora*	Spotted Gum	520		520	163	27.0	12.0	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
2950	*Corymbia citriodora*	Spotted Gum	200		200	63	15.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
2951	*Corymbia citriodora*	Spotted Gum	460		460	145	24.0	11.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
2952	*Eucalyptus maiuccana*	Gum Topped Box	270		270	85	19.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
2953	*Eucalyptus maiuccana*	Gum Topped Box	500		500	157	23.0	14.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
2954	*Corymbia citriodora*	Spotted Gum	210		210	66	18.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
2955	*Eucalyptus maiuccana*	Gum Topped Box	200		200	63	17.0	6.0	2.4	1.7	One-sided	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
2956	*Corymbia citriodora*	Spotted Gum	200		200	63	15.0	4.0	2.4	1.7	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
2959	*Corymbia citriodora*	Spotted Gum	480		480	151	25.0	14.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
2960	*Eucalyptus siderophloia*	Northern Grey Ironbark	580		580	182	29.0	15.0	7.0	2.6	Regular	-	-	-	-	-	Typical	-	Introduced	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
2961	*Eucalyptus siderophloia*	Northern Grey Ironbark	700		700	220	25.0	14.0	8.4	2.8	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
2962	*Eucalyptus siderophloia*	Northern Grey Ironbark	620		620	195	27.0	16.0	7.4	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
2963	*Corymbia citriodora*	Spotted Gum	310		310	97	15.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
2964	*Eucalyptus tereticornis*	Forest Red Gum	250		250	79	18.0	6.0	3.0	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
2965	*Corymbia citriodora*	Spotted Gum	410		410	129	25.0	8.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
2966	*Corymbia citriodora*	Spotted Gum	310		310	97	22.0	8.0	3.7	2.0	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
2967	*Eucalyptus tereticornis*	Forest Red Gum	200		200	63	15.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
2968	*Eucalyptus siderophloia*	Northern Grey Ironbark	290		290	91	17.0	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
2976	*Eucalyptus maiuccana*	Gum Topped Box	440		440	138	22.0	9.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
2977	*Eucalyptus maiuccana*	Gum Topped Box	570		570	179	28.0	15.0	6.8	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
2978	*Eucalyptus maiuccana*	Gum Topped Box	360		360	113	16.0	7.0	4.3	2.2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
2981	*Eucalyptus maiuccana*	Gum Topped Box	265		265	83	15.0	6.0	3.2	1.9	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
2982	*Eucalyptus maiuccana*	Gum Topped Box	1115		1115	350	28.0	18.0	13.4	3.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Termites	0	-	-	-	Refer Teviot Road application
2998	**DEAD/STAG**		450	190	488	153	21.0	3.0	5.9	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Termites	0	-	-	-	Refer Teviot Road application
2999	*Eucalyptus siderophloia*	Northern Grey Ironbark	460		460	145	26.0	13.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
3000	*Eucalyptus siderophloia*	Northern Grey Ironbark	370		370	116	25.0	9.0	4.4	2.2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
3001	*Eucalyptus siderophloia*	Northern Grey Ironbark	320		320	101	22.0	6.0	3.8	2.1	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
3002	*Eucalyptus maiuccana*	Gum Topped Box	370		370	116	25.0	9.0	4.4	2.2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
3003	*Eucalyptus maiuccana*	Gum Topped Box	380		380	119	20.0	10.0	4.6	2.2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
3004	*Eucalyptus maiuccana*	Gum Topped Box	340		340	107	25.0	9.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
3029	*Eucalyptus maiuccana*	Gum Topped Box	335		335	105	23.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
3030	*Eucalyptus maiuccana*	Gum Topped Box	260		260	82	17.0	8.0	3.1	1.9	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
3031	*Eucalyptus maiuccana*	Gum Topped Box	370		370	116	17.0	5.0	4.4	2.2	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	Large	1	-	-	-	scratches and chews below trunk hollow
3032	*Eucalyptus maiuccana*	Gum Topped Box	240		240	75	12.0	8.0	2.9	1.8	Regular	-	Thinning	-	-	Lopped	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
3033	*Eucalyptus maiuccana*	Gum Topped Box	380		380	119	24.0	9.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
3034	*Eucalyptus maiuccana*	Gum Topped Box	260		260	82	14.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
3037	*Eucalyptus maiuccana*	Gum Topped Box	430		430	135	24.0	10.0	5.2	2.3	Regular	-	-	-	-	Lopped	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
3038	*Corymbia citriodora*	Spotted Gum	470		470	148	16.0	5.0	5.6	2.4	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application

Tree ID	Botanical Name	Common Name	Specimen Details							Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Retention	Additional Notes
			Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value		
3039	*Eucalyptus moluccana*	Gum Topped Box	210		210	66	13.0	6.0	2.5	1.7	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
3040	*Eucalyptus siderophloia*	Northern Grey Ironbark	350		350	110	20.0	8.0	4.2	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
3041	*Eucalyptus moluccana*	Gum Topped Box	860		860	270	26.0	10.0	10.3	3.1	Regular	-	-	Die-back	-	-	Typical	-	Introduced	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
3042	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	23.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
3043	*Corymbia citriodora*	Spotted Gum	285		285	90	16.0	7.0	3.4	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
3044	**DEAD/STAG**		360		360	113	14.0	3.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	potential hollows
3052	*Corymbia citriodora*	Spotted Gum	210		210	66	17.0	4.0	2.5	1.7	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
3056	*Eucalyptus moluccana*	Gum Topped Box	420		420	132	24.0	10.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	Introduced	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
3057	*Corymbia citriodora*	Spotted Gum	230		230	72	17.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
3058	*Eucalyptus moluccana*	Gum Topped Box	300		300	94	21.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	potential hollow
3059	*Eucalyptus siderophloia*	Northern Grey Ironbark	360		360	113	24.0	10.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
3060	*Corymbia intermedia*	Pink Bloodwood	330		330	104	20.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	Small	-	-	Refer Teviot Road application
3061	*Corymbia citriodora*	Spotted Gum	290		290	91	20.0	8.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
3062	*Corymbia citriodora*	Spotted Gum	240		240	75	11.0	4.0	2.9	1.8	Regular	-	-	Die-back	epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
3063	*Corymbia citriodora*	Spotted Gum	510		510	160	26.0	11.0	6.1	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
3064	*Corymbia citriodora*	Spotted Gum	250		250	79	19.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
3065	*Eucalyptus siderophloia*	Northern Grey Ironbark	370		370	116	23.0	8.0	4.4	2.2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
3066	*Corymbia citriodora*	Spotted Gum	360		360	113	22.0	8.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
3067	*Corymbia citriodora*	Spotted Gum	280		280	88	24.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
3068	**DEAD/STAG**		370		370	116	8.0	2.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
3069	*Eucalyptus siderophloia*	Northern Grey Ironbark	360		360	113	23.0	10.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	Introduced	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
3070	*Corymbia citriodora*	Spotted Gum	560		560	176	30.0	12.0	6.7	2.6	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
3071	*Corymbia citriodora*	Spotted Gum	230		230	72	17.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
3072	*Corymbia citriodora*	Spotted Gum	220		220	69	17.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
3073	*Eucalyptus siderophloia*	Northern Grey Ironbark	360		360	113	19.0	9.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
3074	*Eucalyptus siderophloia*	Northern Grey Ironbark	290		290	91	19.0	5.0	3.5	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
3075	*Corymbia citriodora*	Spotted Gum	410		410	129	26.0	13.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
3076	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	13.0	7.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termites	-	termite nest
3077	*Corymbia intermedia*	Pink Bloodwood	270		270	85	16.0	7.0	3.2	1.9	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
3078	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	23.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
3079	*Eucalyptus siderophloia*	Northern Grey Ironbark	390		390	123	22.0	8.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
3080	*Corymbia citriodora*	Spotted Gum	380		380	119	22.0	9.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
3081	*Corymbia citriodora*	Spotted Gum	850		850	267	30.0	14.0	10.2	3.1	Regular	-	-	-	-	-	Typical	Major	-	-	-	Typical	-	New	-	0	-	-	-	Refer Teviot Road application
3082	*Eucalyptus tereticornis*	Forest Red Gum	240		240	75	18.0	6.0	2.9	1.8	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
3083	*Corymbia citriodora*	Spotted Gum	260		260	82	13.0	5.0	3.1	1.9	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
3084	**DEAD/STAG**		860		860	270	13.0	2.0	10.3	3.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Large	1	-	-	-	Refer Teviot Road application
3085	*Eucalyptus moluccana*	Gum Topped Box	270		270	85	14.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
3086	*Corymbia citriodora*	Spotted Gum	310		310	97	19.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
3087	*Eucalyptus tereticornis*	Forest Red Gum	220		220	69	18.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
3088	*Corymbia citriodora*	Spotted Gum	260		260	82	19.0	7.0	3.1	1.9	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
3089	*Corymbia citriodora*	Spotted Gum	400		400	126	25.0	14.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
3090	*Eucalyptus siderophloia*	Northern Grey Ironbark	620		620	195	28.0	12.0	7.4	2.7	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
3091	*Eucalyptus siderophloia*	Northern Grey Ironbark	490		490	154	23.0	9.0	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
3092	*Corymbia citriodora*	Spotted Gum	210		210	66	19.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
3093	*Corymbia citriodora*	Spotted Gum	210		210	66	21.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
3094	*Acacia disparrima*	Hickory Wattle	150	130, 110	227	71	10.0	6.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
3095	*Corymbia citriodora*	Spotted Gum	220		220	69	19.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
3096	*Eucalyptus siderophloia*	Northern Grey Ironbark	770		770	242	31.0	16.0	9.2	3.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
3097	*Eucalyptus moluccana*	Gum Topped Box	240		240	75	18.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
3098	*Corymbia citriodora*	Spotted Gum	200		200	63	17.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
3099	*Eucalyptus tereticornis*	Forest Red Gum	220		220	69	18.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	New	-	0	-	-	-	Refer Teviot Road application
3100	*Corymbia citriodora*	Spotted Gum	220		220	69	19.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
3101	*Corymbia citriodora*	Spotted Gum	320		320	101	21.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
3102	*Eucalyptus siderophloia*	Northern Grey Ironbark	620		620	195	24.0	9.0	7.4	2.7	Regular	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	Termites	-	Refer Teviot Road application
3103	*Eucalyptus moluccana*	Gum Topped Box	200		200	63	13.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
3104	*Corymbia citriodora*	Spotted Gum	420		420	132	24.0	10.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
3105	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	22.0	9.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
3106	*Corymbia citriodora*	Spotted Gum	300		300	94	25.0	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
3107	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	20.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
3108	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	11.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
3109	*Corymbia citriodora*	Spotted Gum	550	280	617	194	26.0	16.0	7.4	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
3110	*Corymbia citriodora*	Spotted Gum	540		540	170	26.0	15.0	6.5	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
3111	*Corymbia citriodora*	Spotted Gum	400		400	126	26.0	13.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
3112	*Corymbia citriodora*	Spotted Gum	210	150	258	81	22.0	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
3113	*Melaleuca irbyana*	Swamp Tea Tree	100	100, 90, 90, 90, 60, 70	230	72	6.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
3114	*Corymbia citriodora*	Spotted Gum	260		260	82	22.0	7.0	3.1	1.9	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
3115	*Eucalyptus moluccana*	Gum Topped Box	250		250	79	19.0	9.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
3116	*Eucalyptus moluccana*	Gum Topped Box	250		250	79	18.0	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove

Tree ID	Botanical Name	Common Name	Specimen Details									Canopy Condition Details								Trunk Condition Details					Fauna Details and Habitat Value						Additional Notes
			Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	
3117	*Eucalyptus moluccana*	Gum Topped Box	240	240	75	180	6.0	2.9	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
3118	*Eucalyptus moluccana*	Gum Topped Box	220	220	69	160	6.0	2.6	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
3119	*Eucalyptus moluccana*	Gum Topped Box	240	240	75	190	6.0	2.9	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
3120	*Eucalyptus siderophloia*	Northern Grey Ironbark	120	120	38	75	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Relfer Teviot Road application	termite nest
3121	*Corymbia citriodora*	Spotted Gum	200	200	63	125	18.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
3122	*Eucalyptus siderophloia*	Northern Grey Ironbark	130	130	41	100	10.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	1	-	Termites	-	Remove	hollow in termite nest
3123	*Corymbia citriodora*	Spotted Gum	280	280	88	220	8.0	3.4	1.9	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	0	-	-	-	Remove	
3124	*Corymbia citriodora*	Spotted Gum	280	280	88	220	8.0	3.4	1.9	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Relfer Teviot Road application	
3125	*Corymbia citriodora*	Spotted Gum	240	240	75	190	7.0	2.9	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
3126	*Eucalyptus moluccana*	Gum Topped Box	280	280	88	220	17.0	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
3127	*Eucalyptus siderophloia*	Northern Grey Ironbark	480	480	151	270	22.0	14.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
3128	*Eucalyptus siderophloia*	Northern Grey Ironbark	390	390	123	230	10.0	4.7	2.2	One-sided	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
3129	*Acacia disparrima*	Hickory Wattle	190	190	82	140	9.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Relfer Teviot Road application	
3130	*Angophora leiocarpa*	Smooth Barked Apple	200	200	63	125	13.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Relfer Teviot Road application	
3131	*Eucalyptus siderophloia*	Northern Grey Ironbark	570	570	179	360	26.0	12.0	6.8	2.6	Regular	-	-	Die-back	-	-	Typical	-	Introduced	-	-	Typical	-	-	-	0	-	-	-	Relfer Teviot Road application	
3132	*Eucalyptus siderophloia*	Northern Grey Ironbark	360	360	113	230	17.0	4.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Termites	-	Relfer Teviot Road application	termite nest
3133	*Corymbia intermedia*	Pink Bloodwood	200	200	63	125	12.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Relfer Teviot Road application	
3134	*Acacia disparrima*	Hickory Wattle	330	190, 140	104	11.0	6.0	4.0	2.1	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Relfer Teviot Road application	
3135	*Acacia disparrima*	Hickory Wattle	200	140	244	77	10.0	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Relfer Teviot Road application	
3136	*Acacia disparrima*	Hickory Wattle	130	130	184	58	9.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Relfer Teviot Road application	
3137	*Acacia disparrima*	Hickory Wattle	180	140	228	72	9.0	7.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Relfer Teviot Road application	
3138	*Acacia disparrima*	Hickory Wattle	310	97	97	10.0	7.0	3.7	2.0	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Relfer Teviot Road application	
3139	*Acacia disparrima*	Hickory Wattle	160	150, 120, 70	260	82	10.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Relfer Teviot Road application	
3140	*Acacia disparrima*	Hickory Wattle	200	200	63	9.0	6.0	2.4	1.7	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Relfer Teviot Road application	
3141	*Acacia disparrima*	Hickory Wattle	220	120, 110, 110, 100	251	79	9.0	6.0	3.0	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Relfer Teviot Road application	
3142	*Acacia disparrima*	Hickory Wattle	220	220	69	10.0	5.0	2.6	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Relfer Teviot Road application	
3143	*Acacia disparrima*	Hickory Wattle	180	140, 120	258	81	11.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Relfer Teviot Road application	
3144	*Acacia disparrima*	Hickory Wattle	210	66	210	10.0	6.0	2.2	1.6	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Relfer Teviot Road application	
3145	*Angophora leiocarpa*	Smooth Barked Apple	540	540	170	340	22.0	9.0	6.5	2.6	Regular	-	-	-	-	Lopped	Typical	-	-	-	-	Typical	-	-	New	-	-	-	-	Relfer Teviot Road application	
3146	*Acacia disparrima*	Hickory Wattle	200	200	63	130	9.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	Minor	-	-	Typical	-	-	-	0	-	-	-	Relfer Teviot Road application	
3147	*Eucalyptus siderophloia*	Northern Grey Ironbark	440	440	138	270	11.0	5.3	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Relfer Teviot Road application	
3148	**DEAD/STAG**		120	120	38	75	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Termites	-	Relfer Teviot Road application	hollow in termite nest
3149	*Eucalyptus siderophloia*	Northern Grey Ironbark	150	130	198	62	14.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termites	-	Relfer Teviot Road application	termite nest
3150	*Corymbia tessellaris*	Moreton Bay Ash	380	380	119	220	17.0	7.0	4.6	2.2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	1	-	-	-	Relfer Teviot Road application	hollow in termite nest
3151	*Corymbia citriodora*	Spotted Gum	665	665	209	29.0	13.0	8.0	2.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Relfer Teviot Road application	
3224	*Corymbia citriodora*	Spotted Gum	630	630	198	29.0	11.0	7.6	2.7	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Relfer Teviot Road application	
3225	*Eucalyptus tereticornis*	Forest Red Gum	370	370	116	18.0	6.0	4.4	2.2	Regular	-	Thinning	Die-back	Epicormic	-	Poor	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Relfer Teviot Road application	
3226	*Corymbia tessellaris*	Moreton Bay Ash	450	450	141	18.0	6.0	5.4	2.4	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Relfer Teviot Road application	
3227	**DEAD/STAG**		380	380	119	16.0	4.0	4.6	2.2	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	2	-	-	-	Relfer Teviot Road application	
3228	*Alphitonia excelsa*	Red Ash	200	200	63	12.0	6.0	2.4	1.7	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Relfer Teviot Road application	
3229	*Corymbia intermedia*	Pink Bloodwood	180	140	228	72	12.0	4.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Relfer Teviot Road application	
3230	*Angophora leiocarpa*	Smooth Barked Apple	200	200	63	16.0	6.0	2.4	1.7	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Relfer Teviot Road application	
3231	*Angophora leiocarpa*	Smooth Barked Apple	250	250	79	17.0	6.0	3.0	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Relfer Teviot Road application	
3232	*Corymbia citriodora*	Spotted Gum	300	300	94	17.0	8.0	3.6	2.0	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Relfer Teviot Road application	
3233	*Corymbia citriodora*	Spotted Gum	210	210	66	19.0	6.0	2.5	1.7	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Relfer Teviot Road application	
3234	*Corymbia tessellaris*	Moreton Bay Ash	310	97	97	17.0	7.0	3.7	2.0	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Relfer Teviot Road application	
3235	*Acacia disparrima*	Hickory Wattle	310	97	110	10.0	3.7	2.0	Regular	-	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Relfer Teviot Road application	
3236	*Corymbia citriodora*	Spotted Gum	560	176	20.0	12.0	6.7	2.5	One-sided	-	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	2	-	-	-	Relfer Teviot Road application	
3237	*Corymbia citriodora*	Spotted Gum	440	138	23.0	12.0	5.3	2.3	Regular	-	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Relfer Teviot Road application	
3238	*Corymbia citriodora*	Spotted Gum	200	100	224	70	15.0	6.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Relfer Teviot Road application	
3239	**DEAD/STAG**		660	660	207	12.0	5.0	7.9	2.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Large	2	-	-	-	Relfer Teviot Road application	
3240	*Corymbia citriodora*	Spotted Gum	440	138	21.0	9.0	5.3	2.3	Regular	-	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Relfer Teviot Road application	
3241	*Eucalyptus siderophloia*	Northern Grey Ironbark	210	66	14.0	5.0	2.5	1.7	Regular	-	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Relfer Teviot Road application	
3242	*Corymbia citriodora*	Spotted Gum	290	91	22.0	10.0	3.5	2.0	Regular	-	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Relfer Teviot Road application	
3243	*Corymbia citriodora*	Spotted Gum	460	145	23.0	12.0	5.5	2.4	Regular	-	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Relfer Teviot Road application	
3244	*Corymbia citriodora*	Spotted Gum	200	63	15.0	5.0	2.4	1.7	Regular	-	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Relfer Teviot Road application	
3245	*Corymbia citriodora*	Spotted Gum	200	63	16.0	4.0	2.4	1.7	One-sided	-	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Relfer Teviot Road application	
3246	*Corymbia citriodora*	Spotted Gum	210	66	14.0	4.0	2.5	1.7	Regular	-	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Relfer Teviot Road application	
3247	*Acacia disparrima*	Hickory Wattle	260	82	18.0	5.0	3.1	1.9	Regular	-	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Relfer Teviot Road application	
3248	*Corymbia tessellaris*	Moreton Bay Ash	300	94	16.0	4.0	3.6	2.0	Regular	-	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Relfer Teviot Road application	
3249	*Corymbia tessellaris*	Moreton Bay Ash	260	82	21.0	7.0	3.1	1.9	Regular	-	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Relfer Teviot Road application	
3250	*Corymbia tessellaris*	Moreton Bay Ash	190	190	269	84	14.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Relfer Teviot Road application	
3251	*Corymbia citriodora*	Spotted Gum	240	240	75	130	13.0	3.0	2.9	1.8	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Relfer Teviot Road application	
3252	*Corymbia tessellaris*	Moreton Bay Ash	350	110	14.0	4.0	4.2	2.1	Regular	-	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Relfer Teviot Road application	
3253	*Corymbia tessellaris*	Moreton Bay Ash	240	75	16.0	5.0	2.9	1.8	Regular	-	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Relfer Teviot Road application	
3254	*Corymbia intermedia*	Pink Bloodwood	700	220	20.0	12.0	8.4	2.8	Regular	-	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Relfer Teviot Road application	
3255	*Lophostemon suaveolens*	Swamp Box	630	198	19.0	9.0	7.6	2.7	Regular	-	-	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Poor	-	-	Large	1	Small	-	-	Relfer Teviot Road application	
3256	*Corymbia intermedia*	Pink Bloodwood	230	230	72	17.0	6.0	2.8	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Relfer Teviot Road application	

Tree ID	Botanical Name	Common Name	Specimen Details									Canopy Condition Details								Trunk Condition Details					Fauna Details and Habitat Value							Additional Notes	Retention
			Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value		
3257	*Acacia concurrens*	Black Wattle	200		200	63	13.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Refer Teviot Road application	
3258	**DEAD/STAG**		710		710	223	18.0	10.0	8.5	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	3	-	-	-	-	Refer Teviot Road application	
3259	*Corymbia intermedia*	Pink Bloodwood	780		780	245	21.0	13.0	9.4	3.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Refer Teviot Road application	
3260	*Corymbia intermedia*	Pink Bloodwood	305	160	305	96	16.0	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Refer Teviot Road application	
3261	*Corymbia intermedia*	Pink Bloodwood	740		740	232	20.0	20.0	8.9	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termites	-	-	Refer Teviot Road application	
3262	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	13.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Refer Teviot Road application	
3263	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	14.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Refer Teviot Road application	
3264	**DEAD/STAG**		560		560	176	11.0	1.0	6.7	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	1	-	Large	-	-	Refer Teviot Road application	
3265	*Corymbia intermedia*	Pink Bloodwood	350		350	110	18.0	8.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Refer Teviot Road application	
3266	*Corymbia intermedia*	Pink Bloodwood	220		220	69	14.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Refer Teviot Road application	
3267	**DEAD/STAG**		380		380	119	12.0	2.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	3	-	-	-	-	Refer Teviot Road application	
3268	*Corymbia tessellaris*	Moreton Bay Ash	200		200	63	14.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Refer Teviot Road application	
3269	*Corymbia tessellaris*	Moreton Bay Ash	210		210	66	15.0	3.0	2.5	1.7	Regular	-	Thinning	-	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Refer Teviot Road application	
3270	**DEAD/STAG**		480		480	151	11.0	3.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	3	-	-	-	-	Refer Teviot Road application	
3271	*Angophora leiocarpa*	Smooth Barked Apple	260		260	82	15.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Refer Teviot Road application	
3272	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	16.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Refer Teviot Road application	
3273	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	18.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Refer Teviot Road application	
3274	*Corymbia intermedia*	Pink Bloodwood	170	80	188	59	12.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Refer Teviot Road application	
3275	*Angophora leiocarpa*	Smooth Barked Apple	200		200	63	14.0	3.0	2.4	1.7	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Refer Teviot Road application	
3276	*Angophora leiocarpa*	Smooth Barked Apple	200		200	63	16.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Refer Teviot Road application	
3277	*Corymbia intermedia*	Pink Bloodwood	200		200	63	15.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Refer Teviot Road application	
3278	*Angophora leiocarpa*	Smooth Barked Apple	200		200	63	17.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Refer Teviot Road application	
3279	*Corymbia intermedia*	Pink Bloodwood	200		200	63	16.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Refer Teviot Road application	
3280	**DEAD/STAG**		550		550	173	18.0	7.0	6.6	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	2	-	-	-	-	Refer Teviot Road application	
3281	*Angophora leiocarpa*	Smooth Barked Apple	190		190	60	16.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Refer Teviot Road application	
3282	*Corymbia citriodora*	Spotted Gum	200		200	63	15.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Refer Teviot Road application	
3283	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	13.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Refer Teviot Road application	
3284	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	16.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Refer Teviot Road application	
3285	*Angophora leiocarpa*	Smooth Barked Apple	420		420	132	19.0	11.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Refer Teviot Road application	
3286	*Petalostigma pubescens*	Quinine Bush	200		200	63	10.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Refer Teviot Road application	
3287	*Acacia disparrima*	Hickory Wattle	320		320	101	18.0	9.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Refer Teviot Road application	
3288	*Angophora leiocarpa*	Smooth Barked Apple	300		300	94	18.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Refer Teviot Road application	
3289	*Angophora leiocarpa*	Smooth Barked Apple	200		200	63	14.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Refer Teviot Road application	
3290	*Angophora leiocarpa*	Smooth Barked Apple	210		210	66	13.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Refer Teviot Road application	
3291	*Eucalyptus siderophloia*	Northern Grey Ironbark	380		380	119	17.0	8.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Refer Teviot Road application	
3292	*Angophora leiocarpa*	Smooth Barked Apple	310		310	97	17.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Refer Teviot Road application	
3293	*Acacia disparrima*	Hickory Wattle	200		200	63	10.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Refer Teviot Road application	
3294	*Angophora leiocarpa*	Smooth Barked Apple	350		350	110	23.0	9.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Refer Teviot Road application	
3295	*Corymbia tessellaris*	Moreton Bay Ash	200		200	63	16.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Refer Teviot Road application	
3296	*Eucalyptus siderophloia*	Northern Grey Ironbark	610		610	192	27.0	15.0	7.3	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Refer Teviot Road application	
3297	*Eucalyptus siderophloia*	Northern Grey Ironbark	400		400	126	19.0	9.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	-	Refer Teviot Road application	
3298	**DEAD/STAG**		420		420	132	18.0	7.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	Small	1	-	-	-	Refer Teviot Road application	
3299	*Eucalyptus siderophloia*	Northern Grey Ironbark	450		450	141	23.0	12.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Refer Teviot Road application	
3300	*Angophora leiocarpa*	Smooth Barked Apple	450		450	141	21.0	12.0	5.4	2.4	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	Small	3	-	-	-	Refer Teviot Road application	
3301	*Eucalyptus siderophloia*	Northern Grey Ironbark	290		290	91	18.0	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Refer Teviot Road application	
3302	*Eucalyptus tereticornis*	Forest Red Gum	390		390	123	17.0	9.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Refer Teviot Road application	
3303	*Eucalyptus siderophloia*	Northern Grey Ironbark	750		750	236	23.0	12.0	9.0	2.9	Regular	-	-	-	-	-	Typical	-	-	-	Trunk Dmg.	-	Poor	-	-	-	0	-	-	-	-	Refer Teviot Road application	
3304	*Angophora leiocarpa*	Smooth Barked Apple	300		300	94	16.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Refer Teviot Road application	
3305	*Lophostemon suaveolens*	Swamp Box	480		480	151	17.0	8.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Refer Teviot Road application	
3306	*Angophora leiocarpa*	Smooth Barked Apple	300		300	94	19.0	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Refer Teviot Road application	
3307	*Corymbia intermedia*	Pink Bloodwood	340		340	107	18.0	12.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Refer Teviot Road application	
3308	*Angophora leiocarpa*	Smooth Barked Apple	440		440	138	16.0	10.0	5.3	2.3	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Refer Teviot Road application	
3309	*Lophostemon suaveolens*	Swamp Box	300		300	94	12.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	Trunk Dmg.	-	Poor	-	-	-	0	-	-	-	-	Refer Teviot Road application	
3310	*Eucalyptus tereticornis*	Forest Red Gum	280		280	88	23.0	9.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Refer Teviot Road application	
3311	**DEAD/STAG**		500		500	157	14.0	5.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	Small	3	-	-	-	Refer Teviot Road application	
3312	*Eucalyptus tereticornis*	Forest Red Gum	290		290	91	17.0	7.0	3.5	2.0	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Refer Teviot Road application	
3313	*Eucalyptus siderophloia*	Northern Grey Ironbark	180		180	57	15.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Refer Teviot Road application	
3314	*Corymbia intermedia*	Pink Bloodwood	220		220	69	17.0	8.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Refer Teviot Road application	
3315	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	13.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Refer Teviot Road application	
3316	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	16.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Refer Teviot Road application	
3317	*Angophora woodsiana*	Smudgee Apple	290		290	91	14.0	5.0	3.5	2.0	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Refer Teviot Road application	
3318	*Eucalyptus tereticornis*	Forest Red Gum	670		670	210	27.0	16.0	8.0	2.8	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Refer Teviot Road application	
3319	*Angophora leiocarpa*	Smooth Barked Apple	410		410	129	15.0	4.0	4.9	2.3	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	-	Refer Teviot Road application	
3320	*Angophora leiocarpa*	Smooth Barked Apple	300		300	94	16.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Refer Teviot Road application	
3321	*Corymbia intermedia*	Pink Bloodwood	200		200	63	14.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Refer Teviot Road application	
3322	*Angophora leiocarpa*	Smooth Barked Apple	550		550	173	18.0	8.0	6.6	2.5	Regular	-	-	-	-	Lopped	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Refer Teviot Road application	
3323	*Angophora woodsiana*	Smudgee Apple	590		590	185	23.0	10.0	7.1	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Refer Teviot Road application	
3324	*Angophora leiocarpa*	Smooth Barked Apple	220		220	69	16.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Refer Teviot Road application	

Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
3325	*Acacia dispartima*	Hickory Wattle	200		200	63	11.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
3326	*Eucalyptus siderophloia*	Smooth Barked Apple	200		200	63	16.0	5.0	3.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
3327	**DEAD/STAG**		590		590	185	11.0	3.0	7.1	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	2	-	-	-	Refer Teviot Road application	
3328	*Eucalyptus tereticornis*	Forest Red Gum	370		370	116	22.0	9.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
3329	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	17.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
3330	**DEAD/STAG**		630		630	198	20.0	8.0	7.6	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	2	-	-	-	Refer Teviot Road application	
3331	*Acacia dispartima*	Hickory Wattle	200		200	63	12.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
3332	*Acacia dispartima*	Hickory Wattle	200		200	63	12.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
3333	*Eucalyptus siderophloia*	Northern Grey Ironbark	750		750	236	26.0	16.0	9.0	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
3334	*Eucalyptus siderophloia*	Northern Grey Ironbark	570		570	179	20.0	16.0	6.8	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
3335	*Eucalyptus tereticornis*	Forest Red Gum	600		600	188	25.0	17.0	7.2	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
3336	*Lophostemon suaveolens*	Swamp Box	650		650	204	18.0	11.0	7.8	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
3337	*Corymbia intermedia*	Pink Bloodwood	210		210	66	18.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
3338	*Lophostemon suaveolens*	Swamp Box	430		430	135	12.0	4.0	5.2	2.3	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
3339	*Corymbia tessellaris*	Moreton Bay Ash	200		200	63	16.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
3340	*Acacia disparrima*	Hickory Wattle	170	140	220	69	13.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
3341	*Eucalyptus tereticornis*	Forest Red Gum	350		350	110	17.0	9.0	4.2	2.1	Regular	-	-	-	-	Lopped	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
3342	*Angophora leiocarpa*	Smooth Barked Apple	200		200	63	17.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
3343	*Angophora leiocarpa*	Smooth Barked Apple	200		200	63	16.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
3344	*Angophora leiocarpa*	Smooth Barked Apple	220		220	69	14.0	7.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
3345	*Angophora leiocarpa*	Smooth Barked Apple	620		620	195	20.0	16.0	7.4	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Large	2	-	-	-	Refer Teviot Road application	
3346	*Corymbia intermedia*	Pink Bloodwood	250		250	79	16.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
3347	*Angophora leiocarpa*	Smooth Barked Apple	200		200	63	17.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
3348	*Angophora leiocarpa*	Smooth Barked Apple	200		200	63	16.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
3349	*Angophora leiocarpa*	Smooth Barked Apple	230		230	72	18.0	9.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
3350	*Angophora leiocarpa*	Smooth Barked Apple	280		280	88	15.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
3351	*Angophora leiocarpa*	Smooth Barked Apple	700		700	220	28.0	15.0	8.4	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	2	-	-	-	Refer Teviot Road application	
3352	**DEAD/STAG**		940		940	295	27.0	8.0	11.3	3.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Large	2	-	-	-	Refer Teviot Road application	
3353	*Angophora leiocarpa*	Smooth Barked Apple	210		210	66	17.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
3354	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	14.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
3355	*Corymbia citriodora*	Spotted Gum	230		230	72	18.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
3356	*Corymbia citriodora*	Spotted Gum	410		410	129	23.0	16.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
3357	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	16.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
3358	*Corymbia intermedia*	Pink Bloodwood	250		250	79	17.0	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
3359	*Corymbia citriodora*	Spotted Gum	570		570	179	28.0	18.0	6.8	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
3360	*Angophora leiocarpa*	Smooth Barked Apple	240		240	75	18.0	7.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
3361	*Corymbia citriodora*	Spotted Gum	560		560	176	27.0	7.0	6.7	2.6	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
3362	*Corymbia citriodora*	Spotted Gum	350		350	110	23.0	12.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
3449	**DEAD/STAG**		1170		1170	368	18.0	4.0	14.0	3.5	Regular	-	-	-	-	-	Poor	-	-	Trunk Dmg.	Fire Dmg.	Typical	-	-	Large	2	-	Termites	High	Refer Teviot Road application	
3450	*Angophora leiocarpa*	Smooth Barked Apple	210		210	66	14.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
3451	*Eucalyptus tereticornis*	Forest Red Gum	410		410	129	20.0	14.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
3452	**DEAD/STAG**		410		410	129	8.0	2.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Large	1	-	Termites	-	Refer Teviot Road application	
3453	*Corymbia citriodora*	Spotted Gum	220		220	69	14.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
3454	*Corymbia citriodora*	Spotted Gum	200		200	63	12.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
3455	*Eucalyptus siderophloia*	Northern Grey Ironbark	330		330	104	14.0	6.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
3456	*Corymbia citriodora*	Spotted Gum	510		510	160	22.0	18.0	6.1	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
3457	*Angophora leiocarpa*	Smooth Barked Apple	200	230	305	96	14.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
3458	*Corymbia citriodora*	Spotted Gum	230		230	72	16.0	4.0	2.8	1.8	Regular	-	-	-	-	Lopped	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
3459	*Eucalyptus tereticornis*	Forest Red Gum	320		320	101	16.0	6.0	3.8	2.1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	Trunk Dmg.	-	Poor	-	-	-	0	-	-	-	Refer Teviot Road application	
3460	*Corymbia citriodora*	Spotted Gum	300		300	94	16.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
3461	*Corymbia citriodora*	Spotted Gum	250		250	79	14.0	6.0	3.0	1.8	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
3462	*Corymbia citriodora*	Spotted Gum	200		200	63	12.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
3463	**DEAD/STAG**		340		340	107	20.0	4.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	1	-	Termites	-	Refer Teviot Road application	
3464	*Corymbia citriodora*	Spotted Gum	520		520	163	20.0	12.0	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Old	Small	1	-	-	-	Refer Teviot Road application	
3465	*Corymbia citriodora*	Spotted Gum	570		570	179	20.0	16.0	6.8	2.6	Regular	-	Thinning	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
3466	*Corymbia citriodora*	Spotted Gum	760		760	239	21.0	16.0	9.1	2.9	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
3467	*Angophora leiocarpa*	Smooth Barked Apple	330		330	104	16.0	10.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
3468	**DEAD/STAG**		340		340	107	17.0	4.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Large	3	-	Termites	-	Refer Teviot Road application	
3469	*Corymbia citriodora*	Spotted Gum	180	130	222	70	12.0	4.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
3470	*Corymbia citriodora*	Spotted Gum	230		230	72	14.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
3471	**DEAD/STAG**		520		520	163	14.0	4.0	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Large	3	-	Termites	-	Refer Teviot Road application	
3472	*Corymbia intermedia*	Pink Bloodwood	440		440	138	12.0	8.0	5.3	2.3	One-sided	-	-	Die-back	-	-	Poor	Major	-	-	-	Poor	-	-	-	0	-	-	-	Refer Teviot Road application	
3473	*Angophora leiocarpa*	Smooth Barked Apple	220	160	272	85	12.0	6.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
3474	*Corymbia tessellaris*	Moreton Bay Ash	210		210	66	12.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
3475	*Angophora leiocarpa*	Smooth Barked Apple	200		200	63	12.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
3476	*Eucalyptus tereticornis*	Forest Red Gum	260		260	82	14.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
3477	*Eucalyptus tereticornis*	Forest Red Gum	240		240	75	12.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
3478	*Corymbia intermedia*	Pink Bloodwood	200	200	283	89	12.0	6.0	3.4	1.9	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	

Tree ID	Botanical Name	Common Name	Specimen Details							Canopy Condition Details						Trunk Condition Details				Fauna Details and Habitat Value						Retention	Additional Notes
			Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	
3479	*Corymbia citriodora*	Spotted Gum	200		200	63	12.0	4.0	2.4	1.7	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
3480	*Angophora leiocarpa*	Smooth Barked Apple	200	180	269	85	0.0	0.0	3.2	1.9	Regular	Spreading	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
3481	*Corymbia intermedia*	Pink Bloodwood	300		300	94	14.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
3482	*Angophora leiocarpa*	Smooth Barked Apple	200		200	63	12.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
3483	*Angophora leiocarpa*	Smooth Barked Apple	1000		1000	314	30.0	22.0	12.0	3.3	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	Old	Large	-	2	-	-	High	Refer Teviot Road application
3485	*Angophora leiocarpa*	Smooth Barked Apple	230		240	72	14.0	4.0	2.8	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	Small	2	-	-	-	Refer Teviot Road application
3484	*Syncarpia glomulifera*	Turpentine	600		600	188	18.0	14.0	7.2	2.7	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
3486	**DEAD/STAG**				440	138	17.0	4.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	2	-	Termites	-	Refer Teviot Road application
3487	*Eucalyptus tereticornis*	Forest Red Gum	360		360	113	18.0	12.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
3488	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	12.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
3489	*Angophora leiocarpa*	Smooth Barked Apple	230		230	72	12.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
3490	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	12.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
3491	*Eucalyptus tereticornis*	Forest Red Gum	300		300	94	14.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
3492	*Eucalyptus tereticornis*	Forest Red Gum	300		300	94	14.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
3493	*Eucalyptus tereticornis*	Forest Red Gum	610		610	192	20.0	12.0	7.3	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
3494	*Acacia leiocalyx*	Early Flowering Black Wattle	230		240	72	8.0	6.0	2.8	1.8	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
3495	*Eucalyptus tereticornis*	Forest Red Gum	440		440	138	18.0	10.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
3496	*Angophora leiocarpa*	Smooth Barked Apple	300		300	94	16.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
3497	*Angophora leiocarpa*	Smooth Barked Apple	260	100	279	88	16.0	8.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
3498	*Eucalyptus tereticornis*	Forest Red Gum	860		860	270	24.0	18.0	10.3	3.1	Regular	-	Thinning	-	-	-	Typical	-	Introduced	-	-	Typical	-	Old	Small	1	-	-	-	Refer Teviot Road application
3499	*Angophora leiocarpa*	Smooth Barked Apple	200		200	63	12.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
3500	*Eucalyptus tereticornis*	Forest Red Gum	420		420	132	18.0	10.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
3501	*Corymbia intermedia*	Pink Bloodwood	200		200	63	10.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
3502	*Angophora leiocarpa*	Smooth Barked Apple	260		260	82	14.0	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
3503	*Eucalyptus tereticornis*	Forest Red Gum	200		200	63	10.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
3504	**DEAD/STAG**		650		650	204	16.0	6.0	7.8	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	2	-	Termites	-	Refer Teviot Road application
3505	*Lophostemon suaveolens*	Swamp Box	480		480	151	16.0	12.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
3506	*Acacia concurrens*	Black Wattle	290		290	91	6.0	6.0	3.5	2.0	One-sided	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Poor	-	-	-	0	-	-	-	Refer Teviot Road application
3507	*Angophora leiocarpa*	Smooth Barked Apple	740		740	232	18.0	12.0	8.9	2.9	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	Small	1	-	-	-	Refer Teviot Road application
3508	**DEAD/STAG**		1300		1300	408	16.0	4.0	15.0	3.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Large	2	-	Termites	-	Refer Teviot Road application
3509	*Angophora leiocarpa*	Smooth Barked Apple	280		280	88	12.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
3510	*Angophora leiocarpa*	Smooth Barked Apple	870		870	273	20.0	16.0	10.4	3.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	1	-	-	-	Refer Teviot Road application
3511	*Angophora leiocarpa*	Smooth Barked Apple	230		230	72	12.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
3512	*Eucalyptus tereticornis*	Forest Red Gum	300		300	94	12.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
3513	*Angophora leiocarpa*	Smooth Barked Apple	255	110	255	80	12.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	Old	-	-	0	-	-	-	Refer Teviot Road application
3514	*Eucalyptus tereticornis*	Forest Red Gum	400		400	126	14.0	10.0	4.8	2.3	One-sided	-	-	-	-	-	Typical	Major	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
3515	*Acacia leiocalyx*	Early Flowering Black Wattle	230		230	72	6.0	6.0	2.8	1.8	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
3516	*Corymbia intermedia*	Pink Bloodwood	600		600	188	22.0	16.0	7.2	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termites	-	Refer Teviot Road application
3517	*Eucalyptus tereticornis*	Forest Red Gum	200	100	224	70	10.0	4.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
3518	*Corymbia tessellaris*	Moreton Bay Ash	0		0	0	12.0	6.0	0.0	0.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
3519	*Eucalyptus tereticornis*	Forest Red Gum	320		320	101	14.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
3520	*Lophostemon suaveolens*	Swamp Box	500	180	531	167	12.0	8.0	6.4	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
3521	*Eucalyptus siderophloia*	Northern Grey Ironbark	400	400	566	178	18.0	12.0	6.8	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
3522	*Corymbia tessellaris*	Moreton Bay Ash	260		260	82	14.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
3523	**DEAD/STAG**		340		340	107	8.0	2.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Large	2	-	Termites	-	Refer Teviot Road application
3524	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	12.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
3525	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	12.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
3526	*Angophora leiocarpa*	Smooth Barked Apple	200		200	63	10.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
3527	*Angophora leiocarpa*	Smooth Barked Apple	330		330	104	16.0	6.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
3528	*Corymbia tessellaris*	Moreton Bay Ash	210		210	66	16.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
3529	*Lophostemon suaveolens*	Swamp Box	300		300	94	12.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
3530	**DEAD/STAG**		430		430	135	18.0	8.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	1	-	Termites	-	Refer Teviot Road application
3531	*Corymbia tessellaris*	Moreton Bay Ash	400		400	126	16.0	6.0	4.8	2.3	Regular	-	-	-	-	-	Typical	Minor	-	Trunk Dmg.	-	Poor	-	-	-	0	-	Termites	-	Refer Teviot Road application
3532	*Eucalyptus siderophloia*	Northern Grey Ironbark	350		350	110	16.0	6.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Poor	-	-	Small	1	-	Termites	-	Refer Teviot Road application
3533	*Corymbia intermedia*	Pink Bloodwood	550		550	173	20.0	16.0	6.6	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
3534	*Angophora leiocarpa*	Smooth Barked Apple	740		740	232	18.0	12.0	8.9	2.9	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	Small	1	-	-	-	Refer Teviot Road application
3535	*Corymbia intermedia*	Pink Bloodwood	600		600	188	20.0	10.0	7.2	2.7	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
3536	*Angophora leiocarpa*	Smooth Barked Apple	510		510	160	20.0	12.0	6.1	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	Old	Small	2	Large	-	High	Refer Teviot Road application
3537	*Angophora leiocarpa*	Smooth Barked Apple	520		520	163	20.0	10.0	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
3538	**DEAD/STAG**		1110		1110	349	24.0	10.0	13.3	3.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Large	4	-	Termites	-	Refer Teviot Road application
3539	*Corymbia intermedia*	Pink Bloodwood	300		300	94	12.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termites	-	Refer Teviot Road application
3540	*Corymbia tessellaris*	Moreton Bay Ash	240		240	75	12.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termites	-	Refer Teviot Road application
3541	**DEAD/STAG**		750		750	236	20.0	6.0	9.0	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Large	4	-	-	-	Refer Teviot Road application
3542	*Eucalyptus tereticornis*	Forest Red Gum	330		330	104	18.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
3543	*Eucalyptus tereticornis*	Forest Red Gum	380		380	119	18.0	10.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
3544	*Eucalyptus tereticornis*	Forest Red Gum	260		260	82	14.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application
3545	**DEAD/STAG**		560		560	176	10.0	4.0	6.7	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	3	-	Termites	-	Refer Teviot Road application
3546	*Corymbia intermedia*	Pink Bloodwood	190	120	225	71	10.0	4.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application

Tree ID	Botanical Name	Common Name	Specimen Details							Canopy Condition Details									Trunk Condition Details						Fauna Details and Habitat Value						Additional Notes
			Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	
3547	*Corymbia intermedia*	Pink Bloodwood	340		340	107	14.0	10.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Refer Teviot Road application
3548	*Eucalyptus tereticornis*	Forest Red Gum	420		420	132	22.0	12.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Refer Teviot Road application
3549	*Acacia leiocalyx*	Early Flowering Black Wattle	230		230	72	10.0	6.0	2.8	1.8	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	-	Refer Teviot Road application
3550	*Acacia leiocalyx*	Early Flowering Black Wattle	300		300	94	10.0	6.0	3.6	2.0	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Refer Teviot Road application
3551	*Angophora leiocarpa*	Smooth Barked Apple	260	120	286	90	14.0	8.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Refer Teviot Road application
3552	*Corymbia intermedia*	Pink Bloodwood	620		620	195	22.0	14.0	7.4	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Refer Teviot Road application
3553	*Eucalyptus tereticornis*	Forest Red Gum	400		400	126	20.0	10.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Refer Teviot Road application
3554	*Eucalyptus tereticornis*	Forest Red Gum	720		720	226	22.0	14.0	8.6	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Refer Teviot Road application
3555	*Lophostemon suaveolens*	Swamp Box	550		550	173	16.0	12.0	6.6	2.6	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Poor	-	-	-	-	-	-	-	Refer Teviot Road application
3556	*Angophora leiocarpa*	Smooth Barked Apple	600		600	188	22.0	14.0	7.2	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	Small	-	-	-	Refer Teviot Road application
3557	*Corymbia intermedia*	Pink Bloodwood	270		270	85	14.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Refer Teviot Road application
3558	*Angophora leiocarpa*	Smooth Barked Apple	220		220	69	12.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Refer Teviot Road application
3559	*Angophora leiocarpa*	Smooth Barked Apple	270		270	85	14.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Refer Teviot Road application
3560	*Angophora leiocarpa*	Smooth Barked Apple	210		210	66	10.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Refer Teviot Road application
3561	*Angophora leiocarpa*	Smooth Barked Apple	200		200	63	10.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Refer Teviot Road application
3562	*Angophora leiocarpa*	Smooth Barked Apple	300		300	94	12.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Refer Teviot Road application
3563	*Angophora leiocarpa*	Smooth Barked Apple	210		210	66	10.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Refer Teviot Road application
3564	**DEAD/STAG**		640		640	201	12.0	2.0	7.7	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	Small	4	-	-	Refer Teviot Road application
3565	*Angophora leiocarpa*	Smooth Barked Apple	240		240	75	10.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Refer Teviot Road application
3566	*Eucalyptus siderophloia*	Northern Grey Ironbark	330		330	104	12.0	10.0	4.0	2.1	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Poor	-	-	-	-	-	-	-	Refer Teviot Road application
3567	*Eucalyptus siderophloia*	Northern Grey Ironbark	790		790	248	26.0	20.0	9.5	3.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	Small	1	-	High	Refer Teviot Road application
3568	*Corymbia citriodora*	Spotted Gum	330		330	104	19.0	12.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Termites	-	Refer Teviot Road application
3569	**DEAD/STAG**		740		740	232	14.0	4.0	8.9	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Old	Small	4	-	Termites	-	Refer Teviot Road application
3589	*Eucalyptus tereticornis*	Forest Red Gum	850		850	267	33.0	25.0	10.2	3.1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	-	Retain (Stage 1 VFCMP)
3860	*Corymbia citriodora*	Spotted Gum	100		100	31	8.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCMP)
3861	*Corymbia citriodora*	Spotted Gum	170		170	53	14.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCMP)
3862	*Eucalyptus siderophloia*	Northern Grey Ironbark	130		130	41	8.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCMP)
3863	*Acacia disparrima*	Hickory Wattle	120		120	38	8.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCMP)
3864	*Acacia disparrima*	Hickory Wattle	220		220	69	10.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCMP)
3865	*Acacia disparrima*	Hickory Wattle	150	120, 120	226	71	8.0	3.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCMP)
3866	*Acacia disparrima*	Hickory Wattle	180	150	234	74	8.0	3.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCMP)
3867	*Acacia disparrima*	Hickory Wattle	130		130	41	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCMP)
3868	*Acacia disparrima*	Hickory Wattle	150		150	47	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCMP)
3869	*Acacia disparrima*	Hickory Wattle	100		100	31	8.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCMP)
3870	*Corymbia citriodora*	Spotted Gum	130		130	41	10.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCMP)
3871	*Acacia disparrima*	Hickory Wattle	130		130	41	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCMP)
3876	*Acacia disparrima*	Hickory Wattle	130		130	41	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCMP)
3877	*Corymbia citriodora*	Spotted Gum	100		100	31	6.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCMP)
3878	*Acacia disparrima*	Hickory Wattle	120		120	38	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCMP)
3879	*Corymbia citriodora*	Spotted Gum	180		180	57	15.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCMP)
3880	*Corymbia citriodora*	Spotted Gum	100		100	31	8.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCMP)
3881	*Corymbia citriodora*	Spotted Gum	100		100	31	6.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCMP)
3882	*Acacia disparrima*	Hickory Wattle	140		140	44	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCMP)
3883	*Corymbia citriodora*	Spotted Gum	130		130	41	10.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCMP)
3884	*Corymbia citriodora*	Spotted Gum	150		150	47	12.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCMP)
3885	*Corymbia citriodora*	Spotted Gum	480		480	151	24.0	8.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCMP)
3886	*Acacia disparrima*	Hickory Wattle	150		150	47	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCMP)
3887	*Acacia disparrima*	Hickory Wattle	100		100	31	5.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCMP)
3888	*Acacia disparrima*	Hickory Wattle	160		160	50	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCMP)
3889	*Eucalyptus siderophloia*	Northern Grey Ironbark	560		560	176	25.0	14.0	6.7	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCMP)
3890	*Acacia disparrima*	Hickory Wattle	120		120	38	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCMP)
3891	*Corymbia citriodora*	Spotted Gum	310	97	310	97	20.0	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCMP)
3892	*Corymbia citriodora*	Spotted Gum	100		100	31	10.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCMP)
3893	*Acacia disparrima*	Hickory Wattle	220	69	220	69	10.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCMP)
3894	*Acacia disparrima*	Hickory Wattle	140	44	140	44	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCMP)
3895	*Corymbia citriodora*	Spotted Gum	100	31	100	31	8.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCMP)
3896	*Acacia disparrima*	Hickory Wattle	100	31	100	31	5.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCMP)
3897	*Eucalyptus siderophloia*	Northern Grey Ironbark	550	173	550	173	25.0	14.0	6.6	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCMP)
3898	*Acacia disparrima*	Hickory Wattle	140	44	140	44	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCMP)
3899	*Corymbia citriodora*	Spotted Gum	150	47	150	47	12.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCMP)
3900	*Acacia disparrima*	Hickory Wattle	100	31	100	31	5.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCMP)
3901	*Acacia disparrima*	Hickory Wattle	130	41	130	41	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCMP)
3902	*Corymbia citriodora*	Spotted Gum	210	66	210	66	16.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCMP)
3903	*Corymbia citriodora*	Spotted Gum	350	110	350	110	25.0	12.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCMP)
3904	*Acacia disparrima*	Hickory Wattle	180	57	180	57	10.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCMP)
3905	*Corymbia citriodora*	Spotted Gum	100	31	100	31	8.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCMP)
3906	*Corymbia citriodora*	Spotted Gum	160	50	160	50	12.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCMP)
3907	*Acacia disparrima*	Hickory Wattle	110	100	149	47	6.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCMP)

				Specimen Details								Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value							
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
3908	*Acacia dispermma*	Hickory Wattle	130		130	41	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
3909	*Acacia dispermma*	Hickory Wattle	150	140	205	64	8.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
3910	*Corymbia citriodora*	Spotted Gum	100		100	31	8.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
3911	*Corymbia citriodora*	Spotted Gum	130		130	41	12.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
3912	*Acacia dispermma*	Hickory Wattle	140		140	44	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
3913	*Acacia dispermma*	Hickory Wattle	140		140	44	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
3914	*Acacia dispermma*	Hickory Wattle	110		110	35	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
3915	*Eucalyptus siderophloia*	Northern Grey Ironbark	460		460	145	22.0	12.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
3916	*Acacia dispermma*	Hickory Wattle	100		100	31	8.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
3917	*Acacia dispermma*	Hickory Wattle	160		160	50	10.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
3918	*Corymbia citriodora*	Spotted Gum	260		260	82	15.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
3919	*Corymbia citriodora*	Spotted Gum	130		130	41	10.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
3920	*Acacia dispermma*	Hickory Wattle	140	120	184	58	8.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
3921	*Acacia dispermma*	Hickory Wattle	110		110	35	6.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
3922	*Acacia dispermma*	Hickory Wattle	210		210	66	12.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
3923	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	24.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
3924	*Corymbia citriodora*	Spotted Gum	240		240	75	18.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
3925	*Acacia dispermma*	Hickory Wattle	110		110	35	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
3926	*Acacia dispermma*	Hickory Wattle	110		110	35	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
3927	*Corymbia citriodora*	Spotted Gum	250		250	79	14.0	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
3928	*Acacia dispermma*	Hickory Wattle	170		170	53	8.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
3929	*Acacia dispermma*	Hickory Wattle	160		160	50	12.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
3930	*Acacia dispermma*	Hickory Wattle	110		110	35	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
3931	*Corymbia citriodora*	Spotted Gum	110		110	35	12.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
3932	*Acacia dispermma*	Hickory Wattle	180		180	57	12.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
3933	*Acacia dispermma*	Hickory Wattle	150		150	47	10.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
3934	*Corymbia citriodora*	Spotted Gum	160		160	50	16.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
3935	*Acacia dispermma*	Hickory Wattle	180	150	234	74	12.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
3936	*Eucalyptus tereticornis*	Forest Red Gum	190		190	60	15.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
3937	*Acacia dispermma*	Hickory Wattle	180		180	57	10.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
3938	*Acacia dispermma*	Hickory Wattle	280		280	88	8.0	4.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
3939	*Corymbia citriodora*	Spotted Gum	110		110	35	8.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
3940	*Acacia dispermma*	Hickory Wattle	120		120	38	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
3941	*Acacia dispermma*	Hickory Wattle	160		160	50	10.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
3942	*Acacia dispermma*	Hickory Wattle	120		120	38	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
3943	*Corymbia citriodora*	Spotted Gum	210		210	66	16.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
3944	*Acacia dispermma*	Hickory Wattle	120		120	38	6.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
3945	*Corymbia citriodora*	Spotted Gum	150		150	47	14.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
3946	*Corymbia citriodora*	Spotted Gum	150		150	47	10.0	2.0	2.0	1.5	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
3947	*Angophora leiocarpa*	Smooth Barked Apple	460		460	145	24.0	12.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
3948	*Corymbia citriodora*	Spotted Gum	170		170	53	15.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
3949	*Corymbia citriodora*	Spotted Gum	130		130	41	14.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
3950	*Corymbia citriodora*	Spotted Gum	190		190	60	15.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
3951	*Acacia dispermma*	Hickory Wattle	120		120	38	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
3952	*Eucalyptus siderophloia*	Northern Grey Ironbark	110		110	35	5.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
3953	*Eucalyptus siderophloia*	Northern Grey Ironbark	120		120	38	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
3954	*Corymbia citriodora*	Spotted Gum	120		120	38	8.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
3955	*Acacia dispermma*	Hickory Wattle	140		140	44	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
3956	*Acacia dispermma*	Hickory Wattle	180		180	57	10.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
3957	*Acacia dispermma*	Hickory Wattle	110	100	149	47	8.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
3958	*Acacia dispermma*	Hickory Wattle	120		120	38	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
3959	*Acacia dispermma*	Hickory Wattle	160		160	50	12.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
3960	*Acacia dispermma*	Hickory Wattle	160		160	50	10.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
3961	*Corymbia intermedia*	Pink Bloodwood	140		140	44	10.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
3962	*Corymbia citriodora*	Spotted Gum	170		170	53	12.0	2.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
3963	*Eucalyptus siderophloia*	Northern Grey Ironbark	190		190	60	12.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
3964	*Eucalyptus siderophloia*	Northern Grey Ironbark	190		190	60	14.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
3965	*Eucalyptus siderophloia*	Northern Grey Ironbark	160		160	50	12.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
3966	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	14.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
3967	*Angophora leiocarpa*	Smooth Barked Apple	100		100	31	8.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
3968	*Angophora leiocarpa*	Smooth Barked Apple	280		280	88	16.0	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
3969	*Eucalyptus siderophloia*	Northern Grey Ironbark	100		100	31	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
3970	*Eucalyptus siderophloia*	Northern Grey Ironbark	120		120	38	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
3971	*Corymbia citriodora*	Spotted Gum	160		160	50	15.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
3972	*Corymbia citriodora*	Spotted Gum	110		110	35	8.0	2.0	2.3	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
3973	*Corymbia citriodora*	Spotted Gum	190		190	60	14.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
3974	*Corymbia citriodora*	Spotted Gum	260		260	82	22.0	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
3975	*Eucalyptus siderophloia*	Northern Grey Ironbark	100		100	31	8.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	

| | | |

| | | |

| Specimen Details | | |

Tree ID	Botanical Name	Common Name	Specimen Details								Canopy Condition Details								Trunk Condition Details								Fauna Details and Habitat Value								
			Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
4398	*Eucalyptus siderophloia*	Northern Grey Ironbark	150		150	47	14.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
4399	*Acacia dispermina*	Hickory Wattle	160		160	50	8.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
4400	*Acacia dispermina*	Hickory Wattle	150		150	47	10.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
4401	*Acacia dispermina*	Hickory Wattle	140		140	44	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
4402	*Acacia dispermina*	Hickory Wattle	180		180	57	14.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
4403	*Eucalyptus siderophloia*	Northern Grey Ironbark	150		150	47	14.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
4404	*Eucalyptus siderophloia*	Northern Grey Ironbark	100		100	31	8.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
4405	*Eucalyptus siderophloia*	Northern Grey Ironbark	100		100	31	8.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
4406	*Eucalyptus siderophloia*	Northern Grey Ironbark	120		120	38	10.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
4407	*Eucalyptus siderophloia*	Northern Grey Ironbark	100		100	31	5.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
4408	*Acacia concurrens*	Black Wattle	120		120	38	10.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
4426	*Eucalyptus siderophloia*	Northern Grey Ironbark	140		140	44	14.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
4446	*Corymbia citriodora*	Spotted Gum	220		220	69	18.0	4.0	2.6	1.8	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
4447	*Angophora leiocarpa*	Smooth Barked Apple	110		110	35	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
4448	*Angophora leiocarpa*	Smooth Barked Apple	140		140	44	15.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
4449	*Angophora leiocarpa*	Smooth Barked Apple	140		140	44	14.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
4450	*Angophora leiocarpa*	Smooth Barked Apple	170		170	53	15.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
4451	*Angophora leiocarpa*	Smooth Barked Apple	150		150	47	14.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
4452	*Angophora leiocarpa*	Smooth Barked Apple	220		220	69	17.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
4453	*Angophora leiocarpa*	Smooth Barked Apple	130		130	41	13.0	3.0	2.0	1.4	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
4454	*Eucalyptus siderophloia*	Northern Grey Ironbark	630		630	198	21.0	10.0	7.6	2.7	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
4455	*Acacia concurrens*	Black Wattle	140		140	44	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
4456	*Acacia dispermina*	Hickory Wattle	180	140	228	72	12.0	5.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
4457	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	16.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
4458	*Eucalyptus siderophloia*	Northern Grey Ironbark	160		160	50	14.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
4459	*Acacia dispermina*	Hickory Wattle	140		140	44	8.0	5.0	2.0	1.4	Irregular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
4460	*Acacia dispermina*	Hickory Wattle	140	120	184	58	12.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
4461	*Acacia dispermina*	Hickory Wattle	200		200	63	12.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
4462	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	17.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
4463	*Acacia dispermina*	Hickory Wattle	150		150	47	9.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
4464	*Eucalyptus siderophloia*	Northern Grey Ironbark	150		150	47	14.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
4505	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	18.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
4506	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	16.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
4507	*Eucalyptus siderophloia*	Northern Grey Ironbark	180		180	57	18.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
4508	*Eucalyptus siderophloia*	Northern Grey Ironbark	190		190	60	18.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
4509	*Angophora leiocarpa*	Smooth Barked Apple	150		150	47	15.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
4510	*Eucalyptus siderophloia*	Northern Grey Ironbark	180		180	57	16.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
4511	*Eucalyptus siderophloia*	Northern Grey Ironbark	310		310	97	19.0	7.0	3.7	2.0	Regular	-	Thinning	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
4512	*Eucalyptus siderophloia*	Northern Grey Ironbark	190		190	60	16.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
4513	*Eucalyptus siderophloia*	Northern Grey Ironbark	140		140	44	14.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
4514	*Eucalyptus siderophloia*	Northern Grey Ironbark	120		120	38	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
4524	*Eucalyptus siderophloia*	Northern Grey Ironbark	330		330	104	20.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
4525	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	18.0	4.0	2.5	1.7	Regular	-	-	-	-	Lopped	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
4526	*Eucalyptus siderophloia*	Northern Grey Ironbark	310		310	97	23.0	7.0	3.7	2.0	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
4527	*Eucalyptus siderophloia*	Northern Grey Ironbark	130		130	41	15.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
4528	*Eucalyptus siderophloia*	Northern Grey Ironbark	410		410	129	21.0	6.0	4.9	2.3	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
4529	*Acacia dispermina*	Hickory Wattle	230		230	72	14.0	4.0	2.8	1.8	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
4530	*Eucalyptus siderophloia*	Northern Grey Ironbark	190		190	60	17.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
4531	*Eucalyptus moluccana*	Gum Topped Box	160		160	50	14.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
4532	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	16.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
4533	*Corymbia citriodora*	Spotted Gum	170		170	53	16.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
4534	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	19.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
4535	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	19.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
4574	*Eucalyptus moluccana*	Gum Topped Box	240		240	75	18.0	7.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
4575	*Corymbia citriodora*	Spotted Gum	305		305	96	26.0	8.0	3.7	2.0	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
4576	*Eucalyptus moluccana*	Gum Topped Box	195		195	61	17.0	5.0	2.3	1.7	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
4577	*Eucalyptus siderophloia*	Northern Grey Ironbark	135		135	42	11.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
4578	*Eucalyptus moluccana*	Gum Topped Box	185		185	58	18.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
4579	*Eucalyptus siderophloia*	Northern Grey Ironbark	375		375	118	24.0	7.0	4.5	2.2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5080	*Eucalyptus moluccana*	Gum Topped Box	170		170	53	17.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5081	**DEAD/STAG**		320		320	101	19.0	1.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	2	Small	-	-	Remove (Stage 1 VCFMP)	
5082	*Eucalyptus moluccana*	Gum Topped Box	220		220	69	20.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5083	*Eucalyptus moluccana*	Gum Topped Box	165		165	52	17.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5084	*Eucalyptus siderophloia*	Northern Grey Ironbark	225		225	71	23.0	4.0	2.7	1.8	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5085	*Eucalyptus moluccana*	Gum Topped Box	300		300	94	23.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5086	*Eucalyptus moluccana*	Gum Topped Box	320		320	101	24.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5087	*Eucalyptus tricarpa*	Broad-leaved Red Ironbark	170		170	53	17.0	3.0	2.0	1.6	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5088	*Eucalyptus moluccana*	Gum Topped Box	380		380	119	27.0	9.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	

Tree ID	Botanical Name	Common Name	Specimen Details								Canopy Condition Details								Trunk Condition Details						Fauna Details and Habitat Value							Retention	Additional Notes
			Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value			
5089	*Corymbia citriodora*	Spotted Gum	145		145	46	12.0	1.0	2.0	1.5	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove (Stage 1 VCFMP)	
5090	*Eucalyptus moluccana*	Gum Topped Box	460		460	145	22.0	12.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove (Stage 1 VCFMP)	
5091	*Eucalyptus obliqua*	Broad-leaved Red Ironbark	330		330	104	23.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove (Stage 1 VCFMP)	
5092	*Eucalyptus moluccana*	Gum Topped Box	390		390	123	17.0	7.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove (Stage 1 VCFMP)	
5093	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	18.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove (Stage 1 VCFMP)	
5094	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	17.0	3.0	1.0	2.6	Regular	-	-	-	Epicormic	Lopped	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove (Stage 1 VCFMP)	
5095	*Eucalyptus siderophloia*	Northern Grey Ironbark	245		245	77	17.0	3.0	2.9	1.8	Regular	-	-	-	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove (Stage 1 VCFMP)	
5096	*Acacia disparrima*	Hickory Wattle	120		120	38	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove (Stage 1 VCFMP)	
5097	*Eucalyptus moluccana*	Gum Topped Box	360		360	113	26.0	9.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove (Stage 1 VCFMP)	
5098	*Eucalyptus siderophloia*	Northern Grey Ironbark	430		430	135	29.0	12.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove (Stage 1 VCFMP)	
5099	*Eucalyptus siderophloia*	Northern Grey Ironbark	165		165	52	19.0	3.0	2.0	1.6	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove (Stage 1 VCFMP)	
5100	*Eucalyptus siderophloia*	Northern Grey Ironbark	430		430	135	26.0	12.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove (Stage 1 VCFMP)	
5101	*Acacia disparrima*	Hickory Wattle	120		120	38	7.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove (Stage 1 VCFMP)	
5102	*Acacia disparrima*	Hickory Wattle	130		130	41	6.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove (Stage 1 VCFMP)	
5103	*Acacia disparrima*	Hickory Wattle	130		130	41	7.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove (Stage 1 VCFMP)	
5104	*Eucalyptus siderophloia*	Northern Grey Ironbark	265		265	83	23.0	7.0	3.2	1.9	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove	
5105	*Acacia disparrima*	Hickory Wattle	130		130	41	7.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove	
5106	*Eucalyptus siderophloia*	Northern Grey Ironbark	165		165	52	17.0	3.0	2.0	1.6	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove (Stage 1 VCFMP)	
5107	*Acacia disparrima*	Hickory Wattle	125		125	39	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove	
5108	*Corymbia citriodora*	Spotted Gum	395	130	416	131	23.0	9.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove (Stage 1 VCFMP)	
5109	*Eucalyptus moluccana*	Gum Topped Box	250	240	347	109	18.0	7.0	4.2	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove (Stage 1 VCFMP)	
5110	*Eucalyptus siderophloia*	Northern Grey Ironbark	410		410	129	28.0	12.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove (Stage 1 VCFMP)	
5111	*Corymbia citriodora*	Spotted Gum	400		400	126	21.0	9.0	4.8	2.3	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove	
5112	*Acacia disparrima*	Hickory Wattle	145	140	202	63	8.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove	
5113	*Acacia disparrima*	Hickory Wattle	145		145	46	8.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove	
5114	*Acacia disparrima*	Hickory Wattle	110		110	35	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove (Stage 1 VCFMP)	
5115	*Acacia disparrima*	Hickory Wattle	110	70	130	41	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove (Stage 1 VCFMP)	
5116	*Eucalyptus siderophloia*	Northern Grey Ironbark	145		145	46	10.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove (Stage 1 VCFMP)	
5117	*Acacia disparrima*	Hickory Wattle	140	50	149	47	8.0	5.0	2.8	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove	
5118	*Corymbia intermedia*	Pink Bloodwood	215		215	68	12.0	5.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove	
5119	*Acacia disparrima*	Hickory Wattle	155		155	49	6.0	4.0	2.0	1.5	One-sided	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove	
5120	*Eucalyptus siderophloia*	Northern Grey Ironbark	170		170	53	10.0	4.0	2.0	1.6	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove	
5121	*Corymbia citriodora*	Spotted Gum	130		130	41	11.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove	
5122	*Eucalyptus siderophloia*	Northern Grey Ironbark	120		120	38	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove (Stage 1 VCFMP)	
5123	*Eucalyptus siderophloia*	Northern Grey Ironbark	330		330	104	21.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove (Stage 1 VCFMP)	
5124	*Eucalyptus moluccana*	Gum Topped Box	265		265	83	21.0	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove (Stage 1 VCFMP)	
5125	*Corymbia citriodora*	Spotted Gum	155		155	49	16.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove (Stage 1 VCFMP)	
5126	*Eucalyptus siderophloia*	Northern Grey Ironbark	175		175	55	17.0	3.0	2.1	1.6	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove (Stage 1 VCFMP)	
5127	*Eucalyptus moluccana*	Gum Topped Box	165		165	52	17.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove (Stage 1 VCFMP)	
5128	*Acacia disparrima*	Hickory Wattle	165		165	52	7.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove	
5129	*Corymbia citriodora*	Spotted Gum	125		125	39	11.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove	
5130	*Acacia disparrima*	Hickory Wattle	155		155	49	8.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove	
5131	*Corymbia citriodora*	Spotted Gum	470		470	148	27.0	14.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove	
5132	*Corymbia citriodora*	Spotted Gum	110		110	35	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove	
5133	*Acacia disparrima*	Hickory Wattle	130		130	41	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove	
5134	*Corymbia citriodora*	Spotted Gum	310		310	97	27.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove (Stage 1 VCFMP)	
5135	*Acacia disparrima*	Hickory Wattle	150	130	198	62	8.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove (Stage 1 VCFMP)	
5136	*Acacia disparrima*	Hickory Wattle	105		105	33	6.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove (Stage 1 VCFMP)	
5137	*Acacia disparrima*	Hickory Wattle	100		100	31	6.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove	
5138	*Acacia disparrima*	Hickory Wattle	125		125	39	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove	
5139	*Eucalyptus siderophloia*	Northern Grey Ironbark	105		105	33	10.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove	
5140	*Corymbia citriodora*	Spotted Gum	540		540	170	25.0	12.0	6.5	2.6	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove	
5141	*Acacia disparrima*	Hickory Wattle	100		100	31	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove	
5142	*Corymbia intermedia*	Pink Bloodwood	145		145	46	10.0	2.0	2.0	1.5	Regular	-	-	Die-back	-	Lopped	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove	
5143	*Eucalyptus siderophloia*	Northern Grey Ironbark	330		330	104	25.0	9.0	4.0	2.1	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove	
5144	*Eucalyptus siderophloia*	Northern Grey Ironbark	620		620	195	27.0	12.0	7.4	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove	
5145	*Corymbia citriodora*	Spotted Gum	145		145	46	15.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove (Stage 1 VCFMP)	
5146	*Acacia disparrima*	Hickory Wattle	155		155	49	8.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove (Stage 1 VCFMP)	
5147	*Eucalyptus siderophloia*	Northern Grey Ironbark	140		140	44	12.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove (Stage 1 VCFMP)	
5148	*Acacia disparrima*	Hickory Wattle	170		170	53	8.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove	
5149	*Corymbia citriodora*	Spotted Gum	135		135	42	16.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove	
5150	*Eucalyptus siderophloia*	Northern Grey Ironbark	125		125	39	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	-	-	Remove	
5151	*Eucalyptus siderophloia*	Northern Grey Ironbark	185		185	58	21.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove (Stage 1 VCFMP)	
5152	*Corymbia citriodora*	Spotted Gum	230		230	72	18.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove (Stage 1 VCFMP)	
5153	*Eucalyptus siderophloia*	Northern Grey Ironbark	100		100	31	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove (Stage 1 VCFMP)	
5154	*Eucalyptus siderophloia*	Northern Grey Ironbark	245		245	77	19.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove (Stage 1 VCFMP)	
5155	*Corymbia citriodora*	Spotted Gum	125		125	39	9.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove (Stage 1 VCFMP)	
5156	*Acacia leiocalyx*	Early Flowering Black Wattle	110		110	35	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove (Stage 1 VCFMP)	

| Specimen Details | | |

Specimen Details									Canopy Condition Details								Trunk Condition Details						Fauna Details and Habitat Value							Retention	Additional Notes
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Remove (Stage 1 VCFMP)	
S2525	*Corymbia citriodora*	Spotted Gum	105		105	33	11.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
S2526	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	22.0	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
S2527	*Lophostemon suaveolens*	Swamp Box	210		210	66	10.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
S2528	*Acacia leiocalyx*	Early Flowering Black Wattle	145	80, 60	176	55	8.0	5.0	2.1	1.6	Regular	-	One-sided	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
S2529	*Acacia dispermina*	Hickory Wattle	180		180	57	9.0	5.0	2.2	1.6	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
S2530	*Corymbia citriodora*	Spotted Gum	120		120	38	10.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
S2531	*Corymbia citriodora*	Spotted Gum	115		115	36	12.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
S2532	*Corymbia citriodora*	Spotted Gum	135		135	42	13.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
S2533	*Acacia dispermina*	Hickory Wattle	125		125	39	9.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
S2534	*Eucalyptus tereticornis*	Forest Red Gum	125		125	39	10.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
S2535	*Angophora leiocarpa*	Smooth Barked Apple	115		115	36	11.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
S2536	*Eucalyptus siderophloia*	Northern Grey Ironbark	135		135	42	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
S2537	*Eucalyptus dura*	Gum-topped Ironbark	100		100	31	9.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
S2538	*Acacia dispermina*	Hickory Wattle	110		110	35	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
S2539	*Acacia dispermina*	Hickory Wattle	265		265	83	10.0	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
S2540	*Angophora leiocarpa*	Smooth Barked Apple	400		400	126	21.0	9.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
S2541	*Acacia dispermina*	Hickory Wattle	255		255	80	12.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
S2542	*Acacia leiocalyx*	Early Flowering Black Wattle	125	80	148	47	9.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
S2543	*Corymbia citriodora*	Spotted Gum	185		185	58	17.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
S2544	*Eucalyptus siderophloia*	Northern Grey Ironbark	145		145	46	12.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
S2545	*Acacia dispermina*	Hickory Wattle	200		200	63	10.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
S2546	*Eucalyptus siderophloia*	Northern Grey Ironbark	235		235	74	18.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
S2547	*Acacia leiocalyx*	Early Flowering Black Wattle	100		100	31	8.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
S2548	*Eucalyptus siderophloia*	Northern Grey Ironbark	330		330	104	23.0	9.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
S2549	*Acacia dispermina*	Hickory Wattle	130		130	41	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
S2550	*Corymbia intermedia*	Pink Bloodwood	190		190	60	13.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
S2551	*Alphitonia excelsa*	Red Ash	110		110	35	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
S2552	*Eucalyptus dura*	Gum-topped Ironbark	235		235	74	21.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
S2553	*Alphitonia excelsa*	Red Ash	120		120	38	9.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
S2554	*Eucalyptus siderophloia*	Northern Grey Ironbark	600		600	188	24.0	11.0	7.2	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
S2555	*Alphitonia excelsa*	Red Ash	100		100	31	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
S2556	*Eucalyptus siderophloia*	Northern Grey Ironbark	110		110	35	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
S2557	*Eucalyptus tereticornis*	Forest Red Gum	320		320	101	21.0	7.0	3.8	2.1	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
S2558	*Acacia dispermina*	Hickory Wattle	220		220	69	7.0	6.0	2.6	1.8	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
S2559	*Alphitonia excelsa*	Red Ash	100		100	31	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
S2560	*Corymbia citriodora*	Spotted Gum	155		155	49	12.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
S2561	*Eucalyptus dura*	Gum-topped Ironbark	165		165	52	9.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
S2562	*Acacia leiocalyx*	Early Flowering Black Wattle	160	140	213	67	9.0	5.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
S2563	*Acacia dispermina*	Hickory Wattle	160	110	194	61	9.0	5.0	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
S2564	*Eucalyptus tereticornis*	Forest Red Gum	490		490	154	17.0	5.0	5.9	2.5	Regular	-	-	-	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
S2565	*Acacia leiocalyx*	Early Flowering Black Wattle	150	100	180	57	9.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
S2566	*Acacia dispermina*	Hickory Wattle	125		125	39	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
S2567	*Eucalyptus tereticornis*	Forest Red Gum	300		300	94	18.0	4.0	3.6	2.0	Regular	-	-	-	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
S2568	*Acacia leiocalyx*	Early Flowering Black Wattle	100		100	31	8.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
S2569	*Alphitonia excelsa*	Red Ash	110		110	35	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
S2570	*Eucalyptus tereticornis*	Forest Red Gum	500		500	157	26.0	9.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
S2571	*Acacia dispermina*	Hickory Wattle	210	160	264	83	9.0	6.0	3.2	1.9	One-sided	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
S2572	*Eucalyptus tereticornis*	Forest Red Gum	430		430	135	23.0	9.0	5.2	2.3	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
S2573	*Corymbia intermedia*	Pink Bloodwood	190	180	262	82	14.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
S2574	*Corymbia citriodora*	Spotted Gum	280		280	88	19.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
S2575	*Eucalyptus tereticornis*	Forest Red Gum	380		380	119	27.0	9.0	4.6	2.2	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
S2576	*Acacia dispermina*	Hickory Wattle	120		120	38	7.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
S2577	*Acacia dispermina*	Hickory Wattle	125		125	39	7.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
S2578	*Acacia dispermina*	Hickory Wattle	100		100	31	8.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
S2579	*Lophostemon suaveolens*	Swamp Box	100		100	31	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
S2580	*Lophostemon suaveolens*	Swamp Box	100		100	31	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
S2581	*Eucalyptus tereticornis*	Forest Red Gum	490		490	154	27.0	11.0	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
S2582	*Angophora leiocarpa*	Smooth Barked Apple	450		450	141	22.0	11.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
S2583	*Acacia dispermina*	Hickory Wattle	140		140	44	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
S2584	*Angophora leiocarpa*	Smooth Barked Apple	300		300	94	15.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Lopped	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
S2585	*Eucalyptus tereticornis*	Forest Red Gum	200		200	63	19.0	5.0	2.4	1.7	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
S2586	*Lophostemon suaveolens*	Swamp Box	130		130	41	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
S2587	*Angophora leiocarpa*	Smooth Barked Apple	480		480	151	27.0	14.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
S2588	*Angophora leiocarpa*	Smooth Barked Apple	245		245	77	18.0	7.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
S2589	*Corymbia citriodora*	Spotted Gum	460		460	145	23.0	9.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
S2590	*Corymbia citriodora*	Spotted Gum	320		320	101	19.0	7.0	3.8	2.1	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
S2591	*Acacia dispermina*	Hickory Wattle	125		125	39	7.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
S2592	*Eucalyptus tereticornis*	Forest Red Gum	420		420	132	26.0	11.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
S2593	*Alphitonia excelsa*	Red Ash	120		120	38	9.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
S2594	*Eucalyptus siderophloia*	Northern Grey Ironbark	600		600	188	24.0	11.0	7.2	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
S2595	*Alphitonia excelsa*	Red Ash	100		100	31	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
S2596	*Eucalyptus siderophloia*	Northern Grey Ironbark	110		110	35	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
S2597	*Eucalyptus tereticornis*	Forest Red Gum	320		320	101	21.0	7.0	3.8	2.1	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
S2598	*Acacia dispermina*	Hickory Wattle	220		220	69	7.0	6.0	2.6	1.8	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
S2599	*Alphitonia excelsa*	Red Ash	100		100	31	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
S2600	*Corymbia citriodora*	Spotted Gum	155		155	49	12.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
S2601	*Eucalyptus dura*	Gum-topped Ironbark	165		165	52	9.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
S2602	*Acacia leiocalyx*	Early Flowering Black Wattle	160	140	213	67	9.0	5.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
S2603	*Acacia dispermina*	Hickory Wattle	160	110	194	61	9.0	5.0	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
S2604	*Eucalyptus tereticornis*	Forest Red Gum	490		490	154	17.0	5.0	5.9	2.5	Regular	-	-	-	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
S2605	*Acacia leiocalyx*	Early Flowering Black Wattle	150	100	180	57	9.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
S2606	*Acacia dispermina*	Hickory Wattle	125		125	39	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
S2607	*Eucalyptus tereticornis*	Forest Red Gum	300		300	94	18.0	4.0	3.6	2.0	Regular	-	-	-	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
S2608	*Acacia leiocalyx*	Early Flowering Black Wattle	100		100	31	8.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
S2609	*Alphitonia excelsa*	Red Ash	110		110	35	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
S2610	*Eucalyptus tereticornis*	Forest Red Gum	500		500	157	26.0	9.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
S2611	*Acacia dispermina*	Hickory Wattle	210	160	264	83	9.0	6.0	3.2	1.9	One-sided	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
S2612	*Eucalyptus tereticornis*	Forest Red Gum	430		430	135	23.0	9.0	5.2	2.3	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
S2613	*Corymbia intermedia*	Pink Bloodwood	190	180	262	82	14.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
S2614	*Corymbia citriodora*	Spotted Gum	280		280	88	19.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
S2615	*Eucalyptus tereticornis*	Forest Red Gum	380		380	119	27.0	9.0	4.6	2.2	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
S2616	*Acacia dispermina*	Hickory Wattle	120		120	38	7.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
S2617	*Acacia dispermina*	Hickory Wattle	125		125	39	7.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
S2618	*Acacia dispermina*	Hickory Wattle	100		100	31	8.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
S2619	*Corymbia citriodora*	Spotted Gum	135		135	42	13.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
S2620	*Corymbia citriodora*	Spotted Gum	115		115	36	12.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
S2621	*Corymbia citriodora*	Spotted Gum	120		120	38	10.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
S2622	*Acacia leiocalyx*	Early Flowering Black Wattle	160		213	67	9.0	5.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
S2623	*Acacia dispermina*	Hickory Wattle	160	110	194	61	9.0	5.0	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
S2624	*Eucalyptus tereticornis*	Forest Red Gum	490		490	154	17.0	5.0	5.9	2.5	Regular	-	-	-	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
S2625	*Corymbia citriodora*	Spotted Gum	105		105	33	11.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	

Tree ID	Botanical Name	Common Name	Specimen Details								Canopy Condition Details								Trunk Condition Details						Fauna Details and Habitat Value							Retention	Additional Notes
			Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value				
S293	*Angophora leiocarpa*	Smooth Barked Apple	270	85	270	74	16.0	12.0	2.0	3.2	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove (Stage 1 VCFMP)	
S294	*Corymbia intermedia*	Pink Bloodwood	220	85	236	74	17.0	7.0	2.0	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove	
S295	*Lophostemon suaveolens*	Swamp Box	130		130	41	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove (Stage 1 VCFMP)	
S296	*Lophostemon suaveolens*	Swamp Box	240		240	75	11.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove (Stage 1 VCFMP)	
S297	*Eucalyptus tereticornis*	Forest Red Gum	210		210	66	13.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove (Stage 1 VCFMP)	
S298	*Corymbia intermedia*	Pink Bloodwood	100		100	31	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove (Stage 1 VCFMP)	
S299	*Lophostemon suaveolens*	Swamp Box	110		110	35	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove (Stage 1 VCFMP)	
S300	*Acacia disparrima*	Hickory Wattle	100		100	31	7.0	4.0	2.4	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove (Stage 1 VCFMP)	
S301	*Angophora leiocarpa*	Smooth Barked Apple	255		255	80	19.0	8.0	3.1	1.9	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove (Stage 1 VCFMP)	
S302	*Angophora leiocarpa*	Smooth Barked Apple	155		155	49	15.0	2.0	2.0	1.5	Regular	-	Thinning	Die-back	Epicormic	Lopped	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove (Stage 1 VCFMP)	
S303	*Eucalyptus tereticornis*	Forest Red Gum	300		300	94	18.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove (Stage 1 VCFMP)	
S304	*Corymbia intermedia*	Pink Bloodwood	155		155	49	11.0	2.0	2.0	1.5	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove (Stage 1 VCFMP)	
S305	*Eucalyptus tereticornis*	Forest Red Gum	430		430	135	28.0	6.0	5.2	2.3	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove (Stage 1 VCFMP)	
S306	*Acacia disparrima*	Hickory Wattle	105		105	33	8.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove (Stage 1 VCFMP)	
S307	*Acacia disparrima*	Hickory Wattle	145	80	166	52	7.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove (Stage 1 VCFMP)	
S308	*Lophostemon suaveolens*	Swamp Box	100		100	31	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove	
S309	*Lophostemon suaveolens*	Swamp Box	100		100	31	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove	
S310	*Acacia disparrima*	Hickory Wattle	190		190	60	10.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove (Stage 1 VCFMP)	
S311	*Acacia disparrima*	Hickory Wattle	175		175	55	7.0	4.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove	
S312	*Eucalyptus tereticornis*	Forest Red Gum	320		320	101	27.0	9.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove	
S313	*Lophostemon suaveolens*	Swamp Box	150	85	172	54	9.0	3.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove (Stage 1 VCFMP)	
S314	*Lophostemon suaveolens*	Swamp Box	125		125	39	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove (Stage 1 VCFMP)	
S315	*Corymbia intermedia*	Pink Bloodwood	200		200	63	14.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	-	-	Remove	
S316	*Acacia disparrima*	Hickory Wattle	110		110	35	7.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove	
S317	*Corymbia intermedia*	Pink Bloodwood	120		120	38	13.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove (Stage 1 VCFMP)	
S318	*Corymbia intermedia*	Pink Bloodwood	230		230	72	17.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove (Stage 1 VCFMP)	
S319	*Corymbia intermedia*	Pink Bloodwood	145		145	46	12.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove (Stage 1 VCFMP)	
S320	*Corymbia intermedia*	Pink Bloodwood	265		265	83	19.0	7.0	3.2	1.9	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove (Stage 1 VCFMP)	
S321	*Angophora leiocarpa*	Spotted Gum	280		280	88	22.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove (Stage 1 VCFMP)	
S322	*Angophora leiocarpa*	Smooth Barked Apple	140		140	44	10.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove (Stage 1 VCFMP)	
S323	*Corymbia intermedia*	Pink Bloodwood	140		140	44	11.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove (Stage 1 VCFMP)	
S324	*Acacia disparrima*	Hickory Wattle	120		120	38	9.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove (Stage 1 VCFMP)	
S325	*Acacia disparrima*	Hickory Wattle	130		130	41	9.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove (Stage 1 VCFMP)	
S326	*Corymbia intermedia*	Pink Bloodwood	140		140	44	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove (Stage 1 VCFMP)	
S327	*Acacia disparrima*	Hickory Wattle	120		120	38	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove	
S328	*Acacia disparrima*	Hickory Wattle	140		140	44	9.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove	
S329	*Acacia disparrima*	Hickory Wattle	200	200	283	89	9.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	-	-	Remove	
S330	*Corymbia intermedia*	Pink Bloodwood	180		180	57	12.0	2.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove	
S331	*Corymbia intermedia*	Pink Bloodwood	200		200	63	13.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove (Stage 1 VCFMP)	
S332	*Acacia disparrima*	Hickory Wattle	160		160	50	8.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove	
S333	*Corymbia intermedia*	Pink Bloodwood	125		125	39	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove (Stage 1 VCFMP)	
S334	*Eucalyptus siderophloia*	Northern Grey Ironbark	125		125	39	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove	
S335	*Lophostemon suaveolens*	Swamp Box	115		115	36	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove	
S336	*Lophostemon suaveolens*	Swamp Box	115		115	36	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove (Stage 1 VCFMP)	
S337	*Alphitonia excelsa*	Red Ash	125		125	39	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove (Stage 1 VCFMP)	
S338	*Corymbia intermedia*	Pink Bloodwood	290		290	91	20.0	8.0	3.5	2.0	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove (Stage 1 VCFMP)	
S339	*Lophostemon suaveolens*	Swamp Box	100		100	31	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove (Stage 1 VCFMP)	
S340	*Eucalyptus tereticornis*	Forest Red Gum	120		120	38	12.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove (Stage 1 VCFMP)	
S341	*Eucalyptus tereticornis*	Forest Red Gum	120		120	38	12.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove (Stage 1 VCFMP)	
S342	*Corymbia intermedia*	Pink Bloodwood	100		100	31	8.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove (Stage 1 VCFMP)	
S343	*Angophora leiocarpa*	Smooth Barked Apple	115		115	36	12.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove (Stage 1 VCFMP)	
S344	*Corymbia intermedia*	Pink Bloodwood	115		115	36	10.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove (Stage 1 VCFMP)	
S345	*Corymbia citriodora*	Spotted Gum	245		245	77	20.0	7.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove (Stage 1 VCFMP)	
S346	*Lophostemon suaveolens*	Swamp Box	100		100	31	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove	
S347	*Alphitonia excelsa*	Red Ash	100		100	31	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove	
S348	*Lophostemon suaveolens*	Swamp Box	120		120	38	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove	
S349	*Petalostigma pubescens*	Quinine Bush	150		150	47	7.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove	
S350	*Lophostemon suaveolens*	Swamp Box	160		160	50	9.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove	
S351	*Corymbia citriodora*	Spotted Gum	230		230	72	22.0	8.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove	
S352	*Lophostemon suaveolens*	Swamp Box	105		172	33	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove (Stage 1 VCFMP)	
S353	*Corymbia intermedia*	Pink Bloodwood	160		160	50	17.0	2.0	2.0	1.5	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove (Stage 1 VCFMP)	
S354	*Alphitonia excelsa*	Red Ash	125		125	39	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove (Stage 1 VCFMP)	
S355	*Lophostemon suaveolens*	Swamp Box	100		100	31	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove (Stage 1 VCFMP)	
S356	*Lophostemon suaveolens*	Swamp Box	120		120	38	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove	
S357	*Eucalyptus tereticornis*	Forest Red Gum	340		340	107	24.0	11.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove	
S358	*Corymbia intermedia*	Pink Bloodwood	265		265	83	19.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove (Stage 1 VCFMP)	
S359	*Lophostemon suaveolens*	Swamp Box	100		100	31	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove (Stage 1 VCFMP)	
S360	*Lophostemon suaveolens*	Swamp Box	100		100	31	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove (Stage 1 VCFMP)	

| | | |

| Specimen Details | | |

Tree ID	Specimen Details								Canopy Condition Details								Trunk Condition Details						Fauna Details and Habitat Value							Retention	Additional Notes
	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value		
5682	*Eucalyptus siderophloia*	Northern Grey Ironbark	360		360	113	24.0	11.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5683	*Eucalyptus siderophloia*	Northern Grey Ironbark	140		140	44	15.0	2.0	2.0	1.4	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5684	*Eucalyptus moluccana*	Gum Topped Box	160		160	50	17.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5685	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	18.0	5.0	3.1	1.9	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5686	*Acacia disparrima*	Hickory Wattle	160		160	50	11.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5687	*Eucalyptus siderophloia*	Northern Grey Ironbark	430	135	460	145	26.0	12.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5688	*Eucalyptus siderophloia*	Northern Grey Ironbark	150		150	47	14.0	3.0	2.0	1.5	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5689	*Corymbia citriodora*	Spotted Gum	240		240	75	18.0	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5690	*Acacia disparrima*	Hickory Wattle	110	100	149	47	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5691	*Acacia disparrima*	Hickory Wattle	130		130	41	9.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5692	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	17.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5693	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	23.0	9.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5694	*Eucalyptus siderophloia*	Northern Grey Ironbark	160		160	50	12.0	2.0	2.0	1.5	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5695	*Acacia disparrima*	Hickory Wattle	160		160	50	10.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5696	*Acacia disparrima*	Hickory Wattle	150	100	180	57	11.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5697	*Corymbia citriodora*	Spotted Gum	320		320	101	22.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5708	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	15.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5709	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	12.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	Trunk Dmg.	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5710	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	18.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5711	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	18.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5712	*Eucalyptus siderophloia*	Northern Grey Ironbark	310		310	97	22.0	10.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5713	*Eucalyptus siderophloia*	Northern Grey Ironbark	190		190	60	16.0	6.0	2.3	1.6	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5714	*Eucalyptus siderophloia*	Northern Grey Ironbark	170		170	53	17.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5715	*Eucalyptus siderophloia*	Northern Grey Ironbark	400	126	420	132	25.0	10.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5716	*Acacia disparrima*	Hickory Wattle	130		130	41	13.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5717	*Acacia disparrima*	Hickory Wattle	120		120	38	12.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5718	*Eucalyptus fibrosa*	Broad-leaved Red Ironbark	260		260	82	14.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	Trunk Dmg.	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5719	*Eucalyptus siderophloia*	Northern Grey Ironbark	330		330	104	24.0	9.0	4.0	2.1	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5720	*Acacia disparrima*	Hickory Wattle	150		150	47	9.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5721	*Acacia disparrima*	Hickory Wattle	140		140	44	12.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5722	*Acacia disparrima*	Hickory Wattle	150		150	47	13.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5723	*Acacia disparrima*	Hickory Wattle	150		150	47	13.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
5724	*Eucalyptus siderophloia*	Northern Grey Ironbark	180		180	57	18.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5725	*Eucalyptus siderophloia*	Northern Grey Ironbark	290	91	300	95	21.0	5.0	3.5	2.0	Regular	-	Thinning	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5726	*Eucalyptus siderophloia*	Northern Grey Ironbark	200	63	210	66	17.0	6.0	2.4	1.7	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5727	*Eucalyptus siderophloia*	Northern Grey Ironbark	150	47	160	50	16.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5728	*Eucalyptus siderophloia*	Northern Grey Ironbark	220	69	230	72	18.0	6.0	2.6	1.8	Regular	-	-	-	-	Minor	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5729	*Eucalyptus siderophloia*	Northern Grey Ironbark	160	50	170	53	15.0	4.0	2.0	1.5	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
5730	*Acacia disparrima*	Hickory Wattle	110		110	35	14.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
5731	*Eucalyptus siderophloia*	Northern Grey Ironbark	280	88	290	91	24.0	10.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5732	*Corymbia citriodora*	Spotted Gum	350	110	370	116	24.0	12.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5733	*Corymbia citriodora*	Spotted Gum	130	41	140	44	17.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5734	*Eucalyptus siderophloia*	Northern Grey Ironbark	220	69	230	72	18.0	7.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5735	*Eucalyptus siderophloia*	Northern Grey Ironbark	150	47	160	50	15.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5736	*Eucalyptus siderophloia*	Northern Grey Ironbark	310	97	330	104	24.0	11.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5737	*Corymbia citriodora*	Spotted Gum	110	35	120	38	16.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5794	*Eucalyptus siderophloia*	Northern Grey Ironbark	410	290	490	154	29.0	12.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5795	*Acacia disparrima*	Hickory Wattle	110		110	35	10.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5796	*Acacia disparrima*	Hickory Wattle	120	100	156	49	10.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5797	*Acacia disparrima*	Hickory Wattle	120		120	38	13.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5798	*Acacia disparrima*	Hickory Wattle	100		100	31	9.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5799	*Acacia disparrima*	Hickory Wattle	110		110	35	12.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5800	*Eucalyptus siderophloia*	Northern Grey Ironbark	350	110	370	116	24.0	11.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5801	*Eucalyptus siderophloia*	Northern Grey Ironbark	150	47	160	50	16.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5802	*Eucalyptus siderophloia*	Northern Grey Ironbark	170	53	180	57	16.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5803	*Acacia disparrima*	Hickory Wattle	110		110	35	11.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5804	*Acacia disparrima*	Hickory Wattle	120		120	38	13.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5805	*Acacia disparrima*	Hickory Wattle	100		100	31	13.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5806	*Acacia disparrima*	Hickory Wattle	100	31	100	31	10.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5807	*Acacia disparrima*	Hickory Wattle	110	100	149	47	13.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5808	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	15.0	6.0	2.4	1.7	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5809	*Eucalyptus siderophloia*	Northern Grey Ironbark	100		100	31	11.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5810	*Corymbia citriodora*	Spotted Gum	100	31	100	31	11.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5811	*Acacia disparrima*	Hickory Wattle	100	31	100	31	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5812	*Acacia disparrima*	Hickory Wattle	110	35	110	35	9.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5813	*Acacia disparrima*	Hickory Wattle	100	31	100	31	10.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5814	*Corymbia citriodora*	Spotted Gum	110	35	110	35	15.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5815	*Corymbia citriodora*	Spotted Gum	120		120	38	16.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	

	Specimen Details										Canopy Condition Details						Trunk Condition Details				Fauna Details and Habitat Value							
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
S816	*Corymbia citriodora*	Spotted Gum	140		140	44	17.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
S817	*Acacia disparrima*	Hickory Wattle	170		170	53	11.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
S818	*Acacia disparrima*	Hickory Wattle	170		170	53	15.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
S819	*Acacia concurrens*	Black Wattle	100		100	31	13.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
S820	*Corymbia citriodora*	Spotted Gum	120		120	38	14.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
S821	*Eucalyptus sideroxylon*	Northern Grey Ironbark	320		320	101	22.0	10.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
S822	*Eucalyptus sideroxylon*	Northern Grey Ironbark	320		320	101	23.0	12.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
S823	*Eucalyptus sideroxylon*	Northern Grey Ironbark	190		190	60	17.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
S824	*Eucalyptus sideroxylon*	Northern Grey Ironbark	220		220	69	14.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
S825	*Corymbia citriodora*	Spotted Gum	130		130	41	15.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
S826	*Corymbia citriodora*	Spotted Gum	110		110	35	13.0	2.0	2.0	1.3	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
S827	*Eucalyptus sideroxylon*	Northern Grey Ironbark	170		170	53	18.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
S828	*Eucalyptus sideroxylon*	Northern Grey Ironbark	180		180	57	18.0	5.0	2.2	1.6	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
S829	*Eucalyptus sideroxylon*	Northern Grey Ironbark	330		330	104	25.0	9.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
S830	*Eucalyptus sideroxylon*	Northern Grey Ironbark	320		320	101	26.0	12.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
S831	*Corymbia tessellaris*	Moreton Bay Ash	220		220	69	16.0	8.0	2.6	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
S832	*Corymbia citriodora*	Spotted Gum	190		190	60	17.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
S833	*Eucalyptus sideroxylon*	Northern Grey Ironbark	290		290	91	22.0	8.0	3.5	2.0	Regular	-	Thinning	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
S834	*Eucalyptus sideroxylon*	Northern Grey Ironbark	600		600	188	22.0	8.0	7.2	2.7	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
S835	*Angophora leiocarpa*	Smooth Barked Apple	250		250	79	18.0	0.0	3.0	1.8	Regular	-	-	-	-	-	Typical	Major	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
S836	*Eucalyptus sideroxylon*	Northern Grey Ironbark	200		200	63	18.0	2.0	2.4	1.7	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
S837	*Corymbia citriodora*	Spotted Gum	110		110	35	14.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
S838	*Angophora leiocarpa*	Smooth Barked Apple	140		140	44	16.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
S839	*Angophora leiocarpa*	Smooth Barked Apple	110		110	35	15.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
S840	*Acacia disparrima*	Hickory Wattle	130	110	170	53	16.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
S841	*Acacia disparrima*	Hickory Wattle	160		160	50	14.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
S842	*Acacia disparrima*	Hickory Wattle	100		100	31	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
S843	*Eucalyptus sideroxylon*	Northern Grey Ironbark	250		250	79	7.0	2.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
S844	*Eucalyptus sideroxylon*	Northern Grey Ironbark	370		370	116	28.0	14.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
S845	*Acacia disparrima*	Hickory Wattle	120		120	38	14.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
S846	*Eucalyptus sideroxylon*	Northern Grey Ironbark	440		440	138	28.0	14.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
S847	*Eucalyptus sideroxylon*	Northern Grey Ironbark	210		210	66	19.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
S848	*Eucalyptus sideroxylon*	Northern Grey Ironbark	160		160	50	15.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
S849	*Angophora leiocarpa*	Smooth Barked Apple	260		260	82	17.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	Major	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
S850	*Acacia disparrima*	Hickory Wattle	150		150	47	13.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
S851	*Acacia disparrima*	Hickory Wattle	180		180	57	16.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
S852	*Acacia disparrima*	Hickory Wattle	150	120	192	60	14.0	7.0	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
S853	*Eucalyptus sideroxylon*	Northern Grey Ironbark	110		110	35	15.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
S854	*Eucalyptus sideroxylon*	Northern Grey Ironbark	260		260	82	22.0	10.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
S855	*Eucalyptus sideroxylon*	Northern Grey Ironbark	420		420	132	23.0	8.0	5.0	2.3	Regular	-	-	-	-	-	Typical	Major	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
S856	*Eucalyptus sideroxylon*	Northern Grey Ironbark	330	280	433	136	23.0	12.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
S857	*Eucalyptus sideroxylon*	Northern Grey Ironbark	170		170	53	18.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
S858	*Acacia disparrima*	Hickory Wattle	170	100	197	62	15.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
S859	*Acacia disparrima*	Hickory Wattle	110		110	35	9.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
S860	*Eucalyptus sideroxylon*	Northern Grey Ironbark	150		150	47	18.0	4.0	2.0	1.5	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
S861	*Eucalyptus sideroxylon*	Northern Grey Ironbark	190		190	60	17.0	4.0	2.3	1.6	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
S862	*Eucalyptus sideroxylon*	Northern Grey Ironbark	130		130	41	17.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
S863	*Eucalyptus sideroxylon*	Northern Grey Ironbark	260		260	82	20.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
S864	*Eucalyptus sideroxylon*	Northern Grey Ironbark	210		210	66	18.0	4.0	2.5	1.7	Regular	-	Thinning	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
S865	*Eucalyptus sideroxylon*	Northern Grey Ironbark	190		190	60	18.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
S866	*Eucalyptus sideroxylon*	Northern Grey Ironbark	350		350	110	20.0	8.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
S867	*Eucalyptus sideroxylon*	Northern Grey Ironbark	350		350	110	25.0	12.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
S868	*Eucalyptus sideroxylon*	Northern Grey Ironbark	280		280	88	22.0	10.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
S869	*Eucalyptus sideroxylon*	Northern Grey Ironbark	160		160	50	17.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
S870	*Acacia disparrima*	Hickory Wattle	150		150	47	6.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	Major	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
S871	*Acacia disparrima*	Hickory Wattle	100		100	31	13.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
S872	*Acacia disparrima*	Hickory Wattle	100		100	31	12.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
S873	*Acacia disparrima*	Hickory Wattle	120		120	38	13.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
S874	**DEAD/STAG**		470		470	148	17.0	1.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
S875	*Acacia disparrima*	Hickory Wattle	160		160	50	17.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
S876	*Eucalyptus tereticornis*	Forest Red Gum	120		120	38	15.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
S877	*Eucalyptus sideroxylon*	Northern Grey Ironbark	220		220	69	17.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
S878	*Eucalyptus sideroxylon*	Northern Grey Ironbark	200		200	63	18.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
S879	*Eucalyptus sideroxylon*	Northern Grey Ironbark	170		170	53	22.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
S880	*Eucalyptus sideroxylon*	Northern Grey Ironbark	250		250	79	24.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
S881	*Eucalyptus sideroxylon*	Northern Grey Ironbark	120		120	38	17.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
S882	*Eucalyptus sideroxylon*	Northern Grey Ironbark	220		220	69	20.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
S883	*Eucalyptus sideroxylon*	Northern Grey Ironbark	180		180	57	19.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	

Specimen Details									Canopy Condition Details								Trunk Condition Details						Fauna Details and Habitat Value							
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
5884	*Eucalyptus sideroph loia*	Northern Grey Ironbark	150		150	47	16.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5885	*Eucalyptus sideroph loia*	Northern Grey Ironbark	230		230	72	21.0	8.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5886	*Eucalyptus sideroph loia*	Northern Grey Ironbark	260		260	82	22.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5887	*Eucalyptus sideroph loia*	Northern Grey Ironbark	100		100	31	16.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5888	*Eucalyptus sideroph loia*	Northern Grey Ironbark	180		180	57	17.0	7.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5889	*Eucalyptus sideroph loia*	Northern Grey Ironbark	190		190	60	19.0	8.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5890	*Eucalyptus sideroph loia*	Northern Grey Ironbark	0		0	0	18.0	8.0	0.0	0.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5891	*Eucalyptus sideroph loia*	Northern Grey Ironbark	100		100	31	13.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5892	*Eucalyptus sideroph loia*	Northern Grey Ironbark	120		120	38	15.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5893	*Eucalyptus sideroph loia*	Northern Grey Ironbark	210		210	66	18.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5894	*Eucalyptus sideroph loia*	Northern Grey Ironbark	170		170	53	17.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5899	*Eucalyptus sideroph loia*	Northern Grey Ironbark	220		220	69	18.0	7.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5901	*Acacia disparrima*	Hickory Wattle	120		120	38	13.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5902	*Acacia disparrima*	Hickory Wattle	140	130	191	60	14.0	7.0	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5905	*Eucalyptus sideroph loia*	Northern Grey Ironbark	170		170	53	17.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5906	*Eucalyptus sideroph loia*	Northern Grey Ironbark	130		130	41	16.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5907	*Eucalyptus sideroph loia*	Northern Grey Ironbark	150		150	47	15.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5908	*Acacia disparrima*	Hickory Wattle	150		150	47	14.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5909	*Acacia disparrima*	Hickory Wattle	200		200	63	17.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5910	*Eucalyptus sideroph loia*	Northern Grey Ironbark	230		230	72	18.0	8.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5911	*Eucalyptus sideroph loia*	Northern Grey Ironbark	100	31	100	31	12.0	1.0	2.0	1.3	Regular	-	-	-	Epicormic	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5912	*Eucalyptus sideroph loia*	Northern Grey Ironbark	130	41	130	41	16.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5915	*Eucalyptus sideroph loia*	Northern Grey Ironbark	210	66	210	66	17.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5920	*Eucalyptus sideroph loia*	Northern Grey Ironbark	210	66	210	66	18.0	8.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5921	*Eucalyptus sideroph loia*	Northern Grey Ironbark	200	63	200	63	18.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5922	*Eucalyptus sideroph loia*	Northern Grey Ironbark	270	85	270	85	21.0	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5923	*Eucalyptus sideroph loia*	Northern Grey Ironbark	110	35	110	35	11.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5924	*Eucalyptus sideroph loia*	Northern Grey Ironbark	180	57	180	57	17.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5925	*Eucalyptus sideroph loia*	Northern Grey Ironbark	230	72	230	72	20.0	8.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5926	*Eucalyptus sideroph loia*	Northern Grey Ironbark	110	35	110	35	10.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5927	*Eucalyptus sideroph loia*	Northern Grey Ironbark	0	0	0	0	0.0	0.0	0.0	0.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5928	*Eucalyptus sideroph loia*	Northern Grey Ironbark	190	60	190	60	18.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5929	*Eucalyptus sideroph loia*	Northern Grey Ironbark	180	57	180	57	17.0	3.0	2.2	1.6	Regular	-	Thinning	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5930	*Eucalyptus sideroph loia*	Northern Grey Ironbark	180	57	180	57	16.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5931	*Acacia disparrima*	Hickory Wattle	180	57	180	57	14.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5932	*Eucalyptus sideroph loia*	Northern Grey Ironbark	220	69	220	69	17.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5933	*Eucalyptus tereticornis*	Forest Red Gum	170	53	170	53	19.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5934	*Eucalyptus sideroph loia*	Northern Grey Ironbark	280	88	280	88	18.0	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5935	*Eucalyptus sideroph loia*	Northern Grey Ironbark	100	31	100	31	13.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5936	*Angophora leiocarpa*	Smooth Barked Apple	140	44	140	44	14.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	Major	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5937	*Eucalyptus sideroph loia*	Northern Grey Ironbark	480	151	480	151	25.0	12.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5938	*Eucalyptus sideroph loia*	Northern Grey Ironbark	170	53	170	53	14.0	3.0	2.0	1.6	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5939	*Eucalyptus sideroph loia*	Northern Grey Ironbark	180	57	180	57	18.0	2.0	2.2	1.6	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5940	*Eucalyptus sideroph loia*	Northern Grey Ironbark	100	31	100	31	12.0	4.0	2.0	1.3	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5941	*Acacia disparrima*	Hickory Wattle	230	72	230	72	12.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5942	*Eucalyptus sideroph loia*	Northern Grey Ironbark	210	66	210	66	20.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5943	*Eucalyptus sideroph loia*	Northern Grey Ironbark	200	63	200	63	20.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5944	**DEAD/STAG**		300	94	300	94	16.0	1.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5945	*Angophora leiocarpa*	Smooth Barked Apple	270	85	270	85	22.0	8.0	3.2	1.9	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5946	*Acacia disparrima*	Hickory Wattle	160	50	160	50	12.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5947	*Acacia disparrima*	Hickory Wattle	120	38	120	38	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5948	*Eucalyptus sideroph loia*	Northern Grey Ironbark	220	69	220	69	12.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5949	*Eucalyptus sideroph loia*	Northern Grey Ironbark	180	57	180	57	14.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5950	*Acacia conurens*	Black Wattle	120	38	120	38	13.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5951	*Acacia disparrima*	Hickory Wattle	140	44	140	44	15.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5952	*Acacia disparrima*	Hickory Wattle	120	38	120	38	11.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5953	*Acacia disparrima*	Hickory Wattle	100	31	100	31	12.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5954	*Angophora leiocarpa*	Smooth Barked Apple	100	31	100	31	15.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5955	*Acacia disparrima*	Hickory Wattle	200	63	200	63	16.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5956	*Eucalyptus sideroph loia*	Northern Grey Ironbark	200	63	200	63	16.0	4.0	2.4	1.7	One-sided	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5957	*Eucalyptus sideroph loia*	Northern Grey Ironbark	240	75	240	75	20.0	7.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5958	*Eucalyptus sideroph loia*	Northern Grey Ironbark	550	173	550	173	25.0	13.0	6.6	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5959	*Eucalyptus sideroph loia*	Northern Grey Ironbark	180	57	180	57	16.0	5.0	2.2	1.6	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5960	**DEAD/STAG**		210	66	210	66	13.0	1.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5961	*Eucalyptus sideroph loia*	Northern Grey Ironbark	180	57	180	57	18.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5962	*Eucalyptus sideroph loia*	Northern Grey Ironbark	300	94	300	94	21.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove (Stage 1 VCFMP)	
5963	*Acacia disparrima*	Hickory Wattle	260	82	260	82	16.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5964	*Acacia disparrima*	Hickory Wattle	170	53	170	53	17.0	7.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	

Tree ID	Botanical Name	Common Name	Specimen Details							Canopy Condition Details								Trunk Condition Details						Fauna Details and Habitat Value							Additional Notes
			Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	
5965	*Acacia dispartima*	Hickory Wattle	110		110	35	12.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5966	*Acacia dispartima*	Hickory Wattle	220		220	69	16.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5967	*Eucalyptus siderophloia*	Northern Grey Ironbark	290		290	91	22.0	9.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5968	*Acacia dispartima*	Hickory Wattle	150		150	47	14.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5969	*Corymbia citriodora*	Spotted Gum	130		130	41	18.0	8.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5970	*Corymbia citriodora*	Spotted Gum	180		180	57	17.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5971	*Corymbia citriodora*	Spotted Gum	130		130	41	18.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5972	*Angophora leiocarpa*	Smooth Barked Apple	150		150	47	17.0	1.0	2.0	1.5	Regular	-	-	-	-	-	Typical	Major	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5973	*Eucalyptus siderophloia*	Northern Grey Ironbark	430		430	135	24.0	12.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5974	*Eucalyptus siderophloia*	Northern Grey Ironbark	170		170	53	18.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5975	*Angophora leiocarpa*	Smooth Barked Apple	120		120	38	15.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5976	*Angophora leiocarpa*	Smooth Barked Apple	120		120	38	15.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5977	*Angophora leiocarpa*	Smooth Barked Apple	310	97	323	97	23.0	10.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5978	**DEAD/STAG**		160		160	50	15.0	1.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5979	*Acacia dispartima*	Hickory Wattle	120		120	38	15.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5980	*Eucalyptus siderophloia*	Northern Grey Ironbark	100		100	31	17.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5981	*Eucalyptus siderophloia*	Northern Grey Ironbark	110		110	35	12.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5982	*Corymbia citriodora*	Spotted Gum	160	150	219	69	19.0	7.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5983	*Corymbia citriodora*	Spotted Gum	160		160	50	17.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5984	*Angophora leiocarpa*	Smooth Barked Apple	220		220	69	20.0	8.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5985	*Angophora leiocarpa*	Smooth Barked Apple	330		330	104	25.0	10.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5986	*Acacia dispartima*	Hickory Wattle	200		200	63	15.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5987	**DEAD/STAG**		220		220	69	15.0	1.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Termite nest	-	Remove (Stage 1 VCFMP)	
5988	*Angophora leiocarpa*	Smooth Barked Apple	210		210	66	14.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5989	*Alphitonia excelsa*	Red Ash	110		110	35	12.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5990	*Corymbia citriodora*	Spotted Gum	100		100	31	16.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5991	*Eucalyptus siderophloia*	Northern Grey Ironbark	470		470	148	26.0	12.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5992	*Corymbia citriodora*	Spotted Gum	110		110	35	17.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5993	*Corymbia citriodora*	Spotted Gum	170		170	53	17.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5994	*Angophora leiocarpa*	Smooth Barked Apple	220		220	69	16.0	7.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5995	*Angophora leiocarpa*	Smooth Barked Apple	160		160	50	14.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5996	*Angophora leiocarpa*	Smooth Barked Apple	210		210	66	19.0	8.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5997	*Angophora leiocarpa*	Smooth Barked Apple	120		120	38	15.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5998	*Angophora leiocarpa*	Smooth Barked Apple	120		120	38	16.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
5999	*Eucalyptus siderophloia*	Northern Grey Ironbark	380		380	119	26.0	10.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
6000	*Angophora leiocarpa*	Smooth Barked Apple	100	31	112	31	12.0	1.0	2.0	1.3	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
6001	*Angophora leiocarpa*	Smooth Barked Apple	310	97	323	97	22.0	11.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
6002	*Acacia dispartima*	Hickory Wattle	120		120	38	14.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
6003	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	18.0	8.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
6004	*Corymbia intermedia*	Pink Bloodwood	200		200	63	16.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
6005	*Eucalyptus siderophloia*	Northern Grey Ironbark	340	107	356	112	20.0	10.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
6032	*Eucalyptus siderophloia*	Northern Grey Ironbark	250	79	262	82	17.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
6033	*Corymbia citriodora*	Spotted Gum	130	41	136	43	15.0	1.0	2.0	1.4	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
6034	*Corymbia citriodora*	Spotted Gum	120	38	126	40	15.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
6035	*Eucalyptus siderophloia*	Northern Grey Ironbark	200	63	210	66	18.0	3.0	2.4	1.7	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
6036	*Angophora leiocarpa*	Smooth Barked Apple	130	41	136	43	17.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
6037	*Eucalyptus siderophloia*	Northern Grey Ironbark	250	79	262	82	20.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
6038	*Eucalyptus siderophloia*	Northern Grey Ironbark	220	69	232	73	19.0	8.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
6039	*Corymbia citriodora*	Spotted Gum	110	35	116	36	16.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
6040	*Corymbia citriodora*	Spotted Gum	130	41	136	43	17.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
6041	*Angophora leiocarpa*	Smooth Barked Apple	550	173	577	182	30.0	16.0	6.6	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	2	-	-	-	Remove (Stage 1 VCFMP)	
6042	*Angophora leiocarpa*	Smooth Barked Apple	440	280	522	164	28.0	16.0	6.3	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
6043	*Angophora leiocarpa*	Smooth Barked Apple	230	72	241	76	20.0	8.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
6044	*Angophora leiocarpa*	Smooth Barked Apple	330	104	346	109	25.0	12.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
6045	*Eucalyptus siderophloia*	Northern Grey Ironbark	150	47	157	49	17.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
6046	*Eucalyptus siderophloia*	Northern Grey Ironbark	200	63	210	66	22.0	8.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
6047	*Eucalyptus siderophloia*	Northern Grey Ironbark	210	66	220	69	18.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
6048	*Corymbia citriodora*	Spotted Gum	110	35	116	36	15.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
6049	*Eucalyptus siderophloia*	Northern Grey Ironbark	250	79	262	82	20.0	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
6050	*Corymbia citriodora*	Spotted Gum	130	41	136	43	17.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
6051	**DEAD/STAG**		300	94	314	99	14.0	1.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
6052	*Angophora leiocarpa*	Smooth Barked Apple	570	179	596	189	30.0	16.0	6.8	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
6053	*Eucalyptus siderophloia*	Northern Grey Ironbark	150	47	157	49	15.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
6054	*Acacia dispartima*	Hickory Wattle	130	41	136	43	10.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
6055	*Eucalyptus siderophloia*	Northern Grey Ironbark	180	57	189	60	19.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
6056	*Eucalyptus siderophloia*	Northern Grey Ironbark	160	50	168	53	20.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
6057	*Acacia dispartima*	Hickory Wattle	110	35	116	36	14.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
6058	*Corymbia citriodora*	Spotted Gum	100	31	105	33	13.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	

Specimen Details								Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value							
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
6059	*Acacia dispartima*	Hickory Wattle	120		120	38	12.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
6060	*Acacia dispartima*	Hickory Wattle	120		120	38	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
6061	*Acacia dispartima*	Hickory Wattle	120		120	38	10.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
6062	*Corymbia citriodora*	Spotted Gum	110		110	35	14.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
6063	*Eucalyptus siderophloia*	Northern Grey Ironbark	110		110	35	14.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
6065	*Acacia dispartima*	Hickory Wattle	120		120	38	14.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
6066	*Acacia dispartima*	Hickory Wattle	120		120	38	14.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
6077	*Angophora leiocarpa*	Smooth Barked Apple	270		270	85	16.0	5.0	3.2	1.9	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
6078	*Corymbia intermedia*	Pink Bloodwood	190		190	60	11.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
6079	*Eucalyptus tereticornis*	Forest Red Gum	280		280	88	18.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
6080	*Corymbia citriodora*	Spotted Gum	160		160	50	11.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
6081	*Corymbia citriodora*	Spotted Gum	140		140	44	13.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
6082	*Corymbia citriodora*	Spotted Gum	280		280	88	18.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
6083	*Lophostemon suaveolens*	Swamp Box	120		120	38	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
6084	*Corymbia citriodora*	Spotted Gum	100		100	31	11.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
6085	*Corymbia citriodora*	Spotted Gum	165		165	52	17.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
6086	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	16.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
6087	*Corymbia citriodora*	Spotted Gum	100		100	31	9.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
6088	*Acacia dispartima*	Hickory Wattle	150		150	47	9.0	5.0	2.0	1.5	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
6089	*Eucalyptus siderophloia*	Northern Grey Ironbark	110		110	35	9.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
6090	*Lophostemon suaveolens*	Swamp Box	120		120	38	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
6091	*Corymbia citriodora*	Spotted Gum	190		190	60	12.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
6092	*Corymbia citriodora*	Spotted Gum	145		145	46	12.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
6093	*Corymbia citriodora*	Spotted Gum	230		230	72	18.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
6094	*Acacia dispartima*	Hickory Wattle	140	140	198	62	7.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
6095	*Corymbia citriodora*	Spotted Gum	180		180	57	17.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
6096	*Eucalyptus siderophloia*	Northern Grey Ironbark	165	160	230	72	16.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
6097	*Corymbia citriodora*	Spotted Gum	120		120	38	15.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
6098	*Angophora leiocarpa*	Smooth Barked Apple	125		125	39	10.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
6099	*Eucalyptus siderophloia*	Northern Grey Ironbark	120		120	38	11.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
6100	*Lophostemon suaveolens*	Swamp Box	145		176	55	9.0	4.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
6101	*Corymbia citriodora*	Spotted Gum	175		175	55	21.0	7.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
6102	*Eucalyptus tereticornis*	Forest Red Gum	120		120	38	11.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
6103	*Corymbia citriodora*	Spotted Gum	125		125	39	16.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
6104	*Eucalyptus siderophloia*	Northern Grey Ironbark	140		140	44	13.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
6105	*Corymbia citriodora*	Spotted Gum	190	90	210	66	19.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
6106	*Eucalyptus siderophloia*	Northern Grey Ironbark	165		165	52	16.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
6107	*Acacia dispartima*	Hickory Wattle	145		145	46	7.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
6108	*Corymbia citriodora*	Spotted Gum	155		155	49	12.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
6109	*Corymbia citriodora*	Spotted Gum	100		100	31	10.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
6110	*Acacia dispartima*	Hickory Wattle	155		155	49	8.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
6111	*Acacia dispartima*	Hickory Wattle	150		150	47	7.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
6112	*Angophora leiocarpa*	Smooth Barked Apple	120		120	38	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
6113	*Eucalyptus siderophloia*	Northern Grey Ironbark	140		140	44	11.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
6114	*Angophora leiocarpa*	Smooth Barked Apple	130		130	41	9.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
6115	*Corymbia citriodora*	Spotted Gum	175		175	55	17.0	6.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
6116	*Corymbia citriodora*	Spotted Gum	355		355	112	21.0	8.0	4.3	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
6117	*Eucalyptus tereticornis*	Forest Red Gum	385		385	121	17.0	6.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	Old	Old	-	0	-	-	-	Remove (Stage 1 VCFMP)	
6118	*Corymbia tessellaris*	Moreton Bay Ash	140		140	44	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
6119	*Corymbia citriodora*	Spotted Gum	130		130	41	9.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
6120	*Corymbia citriodora*	Spotted Gum	235		235	74	18.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
6121	*Acacia disparrima*	Hickory Wattle	170		170	53	9.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
6122	*Eucalyptus siderophloia*	Northern Grey Ironbark	580		580	182	20.0	9.0	7.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
6123	*Corymbia citriodora*	Spotted Gum	145		145	46	5.0	1.0	2.0	1.5	Regular	-	-	-	Epicormic	Lopped	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
6124	**DEAD/STAG**		520		520	163	22.0	7.0	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
6125	*Angophora leiocarpa*	Smooth Barked Apple	100		100	31	10.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
6126	*Eucalyptus siderophloia*	Northern Grey Ironbark	125		125	39	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
6127	*Corymbia citriodora*	Spotted Gum	140		140	44	16.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
6128	*Corymbia citriodora*	Spotted Gum	275		275	86	20.0	7.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
6129	*Angophora leiocarpa*	Smooth Barked Apple	165		165	52	12.0	4.0	2.0	1.6	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
6130	*Angophora leiocarpa*	Smooth Barked Apple	155		155	49	13.0	2.0	2.0	1.5	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
6131	*Eucalyptus siderophloia*	Northern Grey Ironbark	155		155	49	16.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
6132	*Eucalyptus siderophloia*	Northern Grey Ironbark	170		170	53	16.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
6133	*Eucalyptus siderophloia*	Northern Grey Ironbark	175		175	55	16.0	5.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	Termite nest	-	-	Remove (Stage 1 VCFMP)	
6134	*Corymbia citriodora*	Spotted Gum	190		190	60	16.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
6135	*Eucalyptus siderophloia*	Northern Grey Ironbark	175		175	55	16.0	4.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
6181	*Corymbia citriodora*	Spotted Gum	165		165	52	13.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
6182	*Corymbia citriodora*	Spotted Gum	360		360	113	17.0	9.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	

Specimen Details								Canopy Condition Details								Trunk Condition Details					Fauna Details and Habitat Value							
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
6183	*Eucalyptus siderophloia*	Northern Grey Ironbark	175		175	55	11.0	6.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
6184	*Acacia disparrima*	Hickory Wattle	170	160	233	73	9.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
6297	*Eucalyptus tereticornis*	Forest Red Gum	120		120	38	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
6302	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	15.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
6303	*Eucalyptus siderophloia*	Northern Grey Ironbark	235		235	74	16.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
6304	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	12.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
6305	*Eucalyptus siderophloia*	Northern Grey Ironbark	125		125	39	12.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
6306	*Eucalyptus siderophloia*	Northern Grey Ironbark	165		165	52	14.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
6307	*Eucalyptus siderophloia*	Northern Grey Ironbark	170		170	53	11.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
6308	*Eucalyptus siderophloia*	Northern Grey Ironbark	160		160	50	11.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
6309	*Eucalyptus siderophloia*	Northern Grey Ironbark	145		145	46	11.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
6310	*Eucalyptus tereticornis*	Broad-leaved Red Ironbark	245		245	77	11.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
6311	*Eucalyptus siderophloia*	Northern Grey Ironbark	125		125	39	9.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
6312	*Eucalyptus tereticornis*	Broad-leaved Red Ironbark	125		125	39	9.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
6313	*Eucalyptus siderophloia*	Northern Grey Ironbark	330		330	104	12.0	6.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
6314	*Acacia disparrima*	Hickory Wattle	230		230	72	9.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
6315	*Eucalyptus siderophloia*	Northern Grey Ironbark	155		155	49	10.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
6316	*Eucalyptus tereticornis*	Broad-leaved Red Ironbark	155		155	49	9.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
6317	*Eucalyptus tereticornis*	Broad-leaved Red Ironbark	165		165	52	9.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
6318	*Eucalyptus tereticornis*	Broad-leaved Red Ironbark	210		210	66	11.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
6319	*Eucalyptus tereticornis*	Broad-leaved Red Ironbark	210		210	66	11.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
6320	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	12.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
6321	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	10.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
7049	*Eucalyptus siderophloia*	Northern Grey Ironbark	340		340	107	22.0	12.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
7050	*Acacia disparrima*	Hickory Wattle	100		100	31	7.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
7051	*Corymbia citriodora*	Spotted Gum	140		140	44	17.0	7.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
7052	*Corymbia citriodora*	Spotted Gum	0		0	0	14.0	4.0	0.0	0.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
7053	*Corymbia citriodora*	Spotted Gum	190		190	60	16.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
7054	*Eucalyptus siderophloia*	Northern Grey Ironbark	150		150	47	15.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
7056	*Eucalyptus siderophloia*	Northern Grey Ironbark	420	132	420	132	26.0	12.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
7057	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	17.0	12.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
7058	*Corymbia citriodora*	Spotted Gum	110		110	35	13.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
7059	*Eucalyptus siderophloia*	Northern Grey Ironbark	130		130	41	12.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
7060	*Corymbia citriodora*	Spotted Gum	140		140	44	14.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
7061	*Corymbia citriodora*	Spotted Gum	160		160	50	15.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
7062	*Eucalyptus siderophloia*	Northern Grey Ironbark	100		100	31	10.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
7068	*Eucalyptus siderophloia*	Northern Grey Ironbark	440	138	440	138	22.0	14.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove (Stage 1 VCFMP)
7069	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	17.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
7070	*Corymbia citriodora*	Spotted Gum	120		120	38	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
7071	*Corymbia citriodora*	Spotted Gum	190		190	60	12.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
7072	*Acacia disparrima*	Hickory Wattle	140		140	44	6.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
7073	*Acacia disparrima*	Hickory Wattle	130		130	41	12.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
7074	*Acacia leiocalyx*	Early Flowering Black Wattle	110	35	110	35	8.0	8.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
7075	*Acacia salicina*	Early Flowering Black Wattle	480	151	480	151	22.0	12.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
7076	*Corymbia intermedia*	Pink Bloodwood	120		120	38	10.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
7077	*Acacia disparrima*	Hickory Wattle	160		160	50	10.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
7078	*Acacia disparrima*	Hickory Wattle	156	100	156	49	10.0	8.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
7079	*Acacia disparrima*	Hickory Wattle	120		120	38	8.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
7080	*Eucalyptus siderophloia*	Northern Grey Ironbark	160		160	50	12.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
7081	*Acacia disparrima*	Hickory Wattle	130	90	158	50	8.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
7082	*Eucalyptus tereticornis*	Forest Red Gum	260		260	82	16.0	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
7083	*Eucalyptus siderophloia*	Northern Grey Ironbark	140		140	44	14.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
7084	*Eucalyptus siderophloia*	Northern Grey Ironbark	180		180	57	14.0	7.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
7085	*Corymbia citriodora*	Spotted Gum	150		150	47	14.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
7086	*Acacia disparrima*	Hickory Wattle	150	120	192	60	12.0	8.0	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
7087	*Corymbia citriodora*	Spotted Gum	260		260	82	18.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
7088	*Eucalyptus siderophloia*	Northern Grey Ironbark	120		120	38	13.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
7089	*Acacia disparrima*	Hickory Wattle	160	150	219	69	10.0	8.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
7091	*Eucalyptus siderophloia*	Northern Grey Ironbark	130		130	41	14.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
7264	*Eucalyptus moluccana*	Gum Topped Box	320		320	101	17.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
7265	*Eucalyptus siderophloia*	Northern Grey Ironbark	310		310	97	16.0	5.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
7266	*Eucalyptus moluccana*	Gum Topped Box	250		250	79	16.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
7267	*Corymbia citriodora*	Spotted Gum	210		210	66	16.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
7268	*Eucalyptus siderophloia*	Northern Grey Ironbark	340		340	107	17.0	6.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
7269	*Eucalyptus moluccana*	Gum Topped Box	280		280	88	15.0	4.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
7270	*Corymbia citriodora*	Spotted Gum	170		170	53	13.0	3.0	2.0	1.6	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
7271	*Eucalyptus moluccana*	Gum Topped Box	140		140	44	12.0	2.0	2.0	1.4	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
7272	*Eucalyptus moluccana*	Gum Topped Box	130		130	41	14.0	2.0	2.0	1.4	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)

Tree ID	Botanical Name	Common Name	Specimen Details									Canopy Condition Details								Trunk Condition Details					Fauna Details and Habitat Value							Retention	Additional Notes
			Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value			
7273	*Eucalyptus moluccana*	Gum Topped Box	220		220	690	17.0	9.0	2.6	1.8	One-sided	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
7274	*Eucalyptus moluccana*	Gum Topped Box	310		310	970	18.0	5.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
7275	*Eucalyptus tereticornis*	Broad-leaved Red Ironbark	120		120	380	9.0	1.0	2.0	1.4	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
7276	*Eucalyptus moluccana*	Gum Topped Box	290		290	910	18.0	5.0	3.5	2.0	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
7277	*Corymbia citriodora*	Spotted Gum	110		110	350	8.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
7278	*Eucalyptus moluccana*	Gum Topped Box	240		240	750	15.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
7279	*Eucalyptus moluccana*	Gum Topped Box	190		190	600	15.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
7280	*Eucalyptus siderophloia*	Northern Grey Ironbark	710		710	2230	25.0	10.0	8.5	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
7281	*Corymbia citriodora*	Spotted Gum	150		150	470	9.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
7282	*Eucalyptus siderophloia*	Northern Grey Ironbark	120		120	380	8.0	2.0	2.0	1.4	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
7283	*Eucalyptus crebra*	Narrow-leaved Red Ironbark	260		260	820	17.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
7284	*Eucalyptus moluccana*	Gum Topped Box	330		330	1040	18.0	6.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
7285	*Corymbia citriodora*	Spotted Gum	100		100	310	7.0	1.0	2.0	1.3	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
7286	*Eucalyptus fibrosa*	Broad-leaved Red Ironbark	240		240	750	15.0	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
7287	*Corymbia citriodora*	Spotted Gum	550		550	1730	20.0	8.0	6.6	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
7288	*Eucalyptus moluccana*	Gum Topped Box	260		260	820	16.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
7289	*Eucalyptus moluccana*	Gum Topped Box	160		160	500	15.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	Major	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
7290	*Corymbia citriodora*	Spotted Gum	280		280	880	18.0	5.0	3.4	1.9	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
7291	*Corymbia citriodora*	Spotted Gum	400		400	1260	17.0	8.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
7292	*Corymbia citriodora*	Spotted Gum	380		380	1190	18.0	7.0	4.6	2.2	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
7293	*Corymbia citriodora*	Spotted Gum	280		280	880	17.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
7294	*Corymbia citriodora*	Spotted Gum	220		220	690	14.0	1.0	2.6	1.8	One-sided	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
7295	*Corymbia citriodora*	Spotted Gum	260		260	820	15.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	Major	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
7296	*Corymbia citriodora*	Spotted Gum	330		330	1040	17.0	5.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
7297	*Acacia concurrens*	Black Wattle	100		100	310	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
7298	*Corymbia citriodora*	Spotted Gum	100		100	310	13.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
7299	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	690	17.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
7300	*Eucalyptus siderophloia*	Northern Grey Ironbark	150		150	470	12.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	-	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
7301	*Acacia disparrima*	Hickory Wattle	130		130	410	8.0	4.0	2.2	1.6	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
7302	*Corymbia citriodora*	Spotted Gum	180		180	570	14.0	4.0	2.2	1.6	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
7303	*Acacia disparrima*	Hickory Wattle	120		120	380	8.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
7304	*Acacia disparrima*	Hickory Wattle	140		140	440	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
7305	*Eucalyptus siderophloia*	Northern Grey Ironbark	100		100	310	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
7306	*Corymbia citriodora*	Spotted Gum	260		260	820	17.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
7307	*Corymbia citriodora*	Spotted Gum	140		140	440	14.0	3.0	2.0	1.4	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
7308	*Eucalyptus siderophloia*	Northern Grey Ironbark	120		120	380	14.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
7309	*Corymbia citriodora*	Spotted Gum	120		120	380	14.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
7310	*Corymbia citriodora*	Spotted Gum	160		160	500	15.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
7311	*Corymbia citriodora*	Spotted Gum	130		130	410	15.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
7312	*Corymbia citriodora*	Spotted Gum	110		110	350	13.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
7313	*Eucalyptus dura*	Gum-topped Ironbark	140		140	440	15.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
7314	*Eucalyptus dura*	Gum-topped Ironbark	110		110	350	14.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
7315	*Corymbia citriodora*	Spotted Gum	110		110	350	14.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
7316	*Corymbia citriodora*	Spotted Gum	200		200	630	17.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
7317	*Corymbia citriodora*	Spotted Gum	160		160	500	15.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
7318	*Eucalyptus siderophloia*	Northern Grey Ironbark	100		100	310	14.0	2.0	2.0	1.3	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
7319	*Acacia disparrima*	Hickory Wattle	210		210	660	15.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	Major	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
7320	*Eucalyptus dura*	Gum-topped Ironbark	200		200	630	15.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
7321	*Corymbia citriodora*	Spotted Gum	350		350	1100	22.0	8.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
7322	*Corymbia citriodora*	Spotted Gum	230		230	720	17.0	4.0	2.8	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
7323	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	750	16.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
7324	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	790	16.0	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
7325	*Corymbia citriodora*	Spotted Gum	120		120	380	16.0	2.0	2.0	1.4	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
7326	*Corymbia citriodora*	Spotted Gum	160		160	500	17.0	3.0	2.0	1.5	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
7327	*Corymbia citriodora*	Spotted Gum	120		120	380	14.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
7328	*Corymbia intermedia*	Pink Bloodwood	120		120	380	13.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
7329	*Eucalyptus dura*	Gum-topped Ironbark	110		110	350	14.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
7330	*Eucalyptus dura*	Gum-topped Ironbark	100		100	310	10.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
7331	*Eucalyptus dura*	Gum-topped Ironbark	120		120	380	13.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
7332	*Eucalyptus dura*	Gum-topped Ironbark	120		120	380	14.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
7333	*Corymbia citriodora*	Spotted Gum	260		260	820	21.0	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
7334	*Acacia disparrima*	Hickory Wattle	130		130	410	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
7335	*Eucalyptus dura*	Gum-topped Ironbark	100		100	310	10.0	1.0	2.0	1.3	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
7336	*Eucalyptus tereticornis*	Forest Red Gum	150		150	470	14.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
7337	*Allocasuarina littoralis*	Black She Oak	110	100	149	470	8.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
7338	*Acacia disparrima*	Hickory Wattle	130		120	410	11.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
7339	*Acacia disparrima*	Hickory Wattle	120		120	380	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
7340	*Acacia disparrima*	Hickory Wattle	130		130	410	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	

| Specimen Details | | |

Tree ID	Botanical Name	Common Name	Specimen Details							Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value							
			Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
7410	*Acacia disparrima*	Hickory Wattle	120		120	38	13.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7411	*Corymbia intermedia*	Pink Bloodwood	190		190	60	16.0	2.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7412	*Eucalyptus tereticornis*	Forest Red Gum	350		350	110	23.0	9.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7413	*Acacia disparrima*	Hickory Wattle	140		140	44	12.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7414	*Alphitonia excelsa*	Red Ash	120		120	38	13.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7415	*Corymbia citriodora*	Spotted Gum	450	210	497	156	24.0	12.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7416	*Corymbia citriodora*	Spotted Gum	220		220	69	16.0	5.0	1.0	2.6	Regular	-	-	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7417	*Corymbia citriodora*	Spotted Gum	310		310	97	18.0	5.0	3.7	2.0	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7419	*Corymbia citriodora*	Spotted Gum	430		430	135	23.0	12.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7420	*Acacia disparrima*	Hickory Wattle	120		120	38	9.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7421	*Acacia disparrima*	Hickory Wattle	220		220	69	13.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7422	*Corymbia citriodora*	Spotted Gum	220		220	69	18.0	2.0	2.6	1.8	Regular	-	-	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7423	*Corymbia citriodora*	Spotted Gum	310		310	97	19.0	5.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7424	*Corymbia citriodora*	Spotted Gum	260		260	82	17.0	5.0	3.1	1.9	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7425	*Acacia disparrima*	Hickory Wattle	120		120	38	12.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7426	*Acacia disparrima*	Hickory Wattle	110		110	35	10.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7427	*Corymbia intermedia*	Pink Bloodwood	140		140	44	14.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7428	*Corymbia intermedia*	Pink Bloodwood	200		200	63	15.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7429	*Corymbia intermedia*	Pink Bloodwood	290		290	91	20.0	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7430	*Lophostemon suaveolens*	Swamp Box	150		150	47	9.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7431	*Corymbia citriodora*	Spotted Gum	320		320	101	22.0	10.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7432	*Corymbia citriodora*	Spotted Gum	210		210	66	16.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7433	*Acacia disparrima*	Hickory Wattle	100		100	31	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7434	*Corymbia intermedia*	Pink Bloodwood	130		130	41	15.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7435	*Acacia disparrima*	Hickory Wattle	100		100	31	10.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7436	*Eucalyptus tereticornis*	Forest Red Gum	360		360	113	19.0	4.0	4.3	2.2	Regular	-	Thinning	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7437	*Corymbia citriodora*	Spotted Gum	410		410	129	20.0	7.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7438	*Corymbia citriodora*	Spotted Gum	300		300	94	22.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7439	*Corymbia citriodora*	Spotted Gum	230	140	269	85	19.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7440	*Corymbia intermedia*	Pink Bloodwood	200		200	63	15.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7441	*Corymbia citriodora*	Spotted Gum	220		220	69	15.0	2.0	2.6	1.8	Dieback	Epicormic	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7442	*Corymbia citriodora*	Spotted Gum	200		200	63	17.0	7.0	2.4	1.7	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7443	*Corymbia citriodora*	Spotted Gum	270		270	85	21.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7444	*Eucalyptus tereticornis*	Forest Red Gum	280		280	88	23.0	5.0	3.4	1.9	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7445	*Corymbia citriodora*	Spotted Gum	130		130	41	10.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7446	*Corymbia citriodora*	Spotted Gum	153		153	48	13.0	1.0	2.0	1.5	Regular	-	Thinning	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7447	*Corymbia intermedia*	Pink Bloodwood	140		140	44	15.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7448	*Eucalyptus siderophloia*	Northern Grey Ironbark	120		120	38	15.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7449	*Acacia disparrima*	Hickory Wattle	270		270	85	14.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7450	*Corymbia intermedia*	Pink Bloodwood	190		190	60	15.0	4.0	2.3	1.6	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7451	*Corymbia intermedia*	Pink Bloodwood	110		110	35	10.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7452	*Acacia concurrens*	Black Wattle	140		140	44	11.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	Major	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7453	*Lophostemon suaveolens*	Swamp Box	140		140	44	13.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7454	*Corymbia intermedia*	Pink Bloodwood	250		250	79	19.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7455	*Eucalyptus tereticornis*	Forest Red Gum	350		350	110	21.0	6.0	4.2	2.1	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7456	*Eucalyptus dura*	Gum-topped Ironbark	200		200	63	16.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7457	*Acacia disparrima*	Hickory Wattle	270		270	85	16.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7458	*Corymbia citriodora*	Spotted Gum	170		170	53	15.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7459	*Lophostemon suaveolens*	Swamp Box	150		150	47	12.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7460	*Corymbia citriodora*	Spotted Gum	260		260	82	18.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7461	*Corymbia citriodora*	Spotted Gum	210		210	66	17.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7462	*Corymbia citriodora*	Spotted Gum	160		160	50	16.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7463	*Lophostemon suaveolens*	Swamp Box	120		120	38	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7464	*Acacia disparrima*	Hickory Wattle	180		180	57	15.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7465	*Corymbia tessellaris*	Moreton Bay Ash	270		270	85	18.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7466	*Corymbia intermedia*	Pink Bloodwood	110		110	35	11.0	1.0	2.0	1.3	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7467	*Corymbia citriodora*	Spotted Gum	120		120	38	14.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7468	*Corymbia citriodora*	Spotted Gum	160		160	50	15.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7469	*Corymbia citriodora*	Spotted Gum	150		150	47	16.0	5.0	2.0	1.5	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7470	*Corymbia citriodora*	Spotted Gum	200	150	250	79	17.0	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7471	*Corymbia intermedia*	Pink Bloodwood	110		110	35	7.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7472	*Acacia concurrens*	Black Wattle	120		120	38	13.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7473	*Corymbia intermedia*	Pink Bloodwood	120		120	38	12.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7474	*Corymbia intermedia*	Pink Bloodwood	100		100	31	8.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7475	*Corymbia citriodora*	Spotted Gum	120		120	38	16.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7476	*Corymbia citriodora*	Spotted Gum	120		120	38	15.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7477	*Corymbia citriodora*	Spotted Gum	180		180	57	15.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7478	*Corymbia citriodora*	Spotted Gum	110		110	35	14.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	

Specimen Details								Canopy Condition Details								Trunk Condition Details						Fauna Details and Habitat Value							Additional Notes
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	
7479	*Corymbia citriodora*	Spotted Gum	140		140	44	16.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7480	*Corymbia intermedia*	Pink Bloodwood	110		110	35	13.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7481	*Corymbia intermedia*	Pink Bloodwood	120		120	38	14.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7482	*Corymbia citriodora*	Spotted Gum	120		120	38	17.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7483	*Corymbia citriodora*	Spotted Gum	360		360	113	22.0	10.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7484	*Eucalyptus siderophloia*	Northern Grey Ironbark	130		130	41	15.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7485	*Corymbia intermedia*	Pink Bloodwood	210		210	66	17.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7486	*Corymbia citriodora*	Spotted Gum	290		290	91	16.0	5.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	2	-	-	-	Remove (Stage 1 VCFMP)	
7487	*Allocasuarina littoralis*	Black She Oak	110		110	35	11.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7488	*Allocasuarina littoralis*	Black She Oak	110		110	35	9.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7489	*Corymbia citriodora*	Spotted Gum	110		110	35	15.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7490	*Corymbia citriodora*	Spotted Gum	150		150	47	15.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7491	*Corymbia citriodora*	Spotted Gum	100		100	31	12.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7492	*Corymbia citriodora*	Spotted Gum	180		180	57	16.0	2.0	2.2	1.6	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7493	*Corymbia citriodora*	Spotted Gum	250		250	79	20.0	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7494	*Eucalyptus tereticornis*	Forest Red Gum	150		150	47	14.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7495	*Corymbia citriodora*	Spotted Gum	130		130	41	14.0	2.0	2.0	1.4	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7496	*Corymbia citriodora*	Spotted Gum	240		240	75	18.0	7.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7497	*Corymbia intermedia*	Pink Bloodwood	130		130	41	12.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7498	*Corymbia intermedia*	Pink Bloodwood	120		120	38	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7499	*Eucalyptus tereticornis*	Forest Red Gum	120		120	38	11.0	2.0	2.0	1.4	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7500	*Corymbia intermedia*	Pink Bloodwood	120		120	38	9.0	1.0	2.0	1.4	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7501	*Corymbia citriodora*	Spotted Gum	120		120	38	13.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7502	*Corymbia citriodora*	Spotted Gum	150		150	47	12.0	2.0	2.0	1.5	Regular	-	Thinning	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7503	*Eucalyptus dura*	Gum-topped Ironbark	110		110	35	15.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain (Stage 1 VCFMP)	
7504	*Corymbia citriodora*	Spotted Gum	180		180	57	16.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain (Stage 1 VCFMP)	
7505	*Corymbia citriodora*	Spotted Gum	140		140	44	15.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain (Stage 1 VCFMP)	
7506	*Corymbia citriodora*	Spotted Gum	220		220	69	17.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain (Stage 1 VCFMP)	
7507	*Corymbia citriodora*	Spotted Gum	170		170	53	16.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain (Stage 1 VCFMP)	
7508	*Corymbia citriodora*	Spotted Gum	100		100	31	13.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain (Stage 1 VCFMP)	
7509	*Corymbia citriodora*	Spotted Gum	110		110	35	16.0	1.0	2.0	1.3	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain (Stage 1 VCFMP)	
7510	*Corymbia citriodora*	Spotted Gum	110		110	35	11.0	1.0	2.0	1.3	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain (Stage 1 VCFMP)	
7511	*Corymbia citriodora*	Spotted Gum	160		160	50	15.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain (Stage 1 VCFMP)	
7512	*Corymbia citriodora*	Spotted Gum	170	100	197	62	16.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain (Stage 1 VCFMP)	
7513	**DEAD/STAG**		0		0	0	0.0	0.0	0.0	0.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	Large	2	-	-	Retain (Stage 1 VCFMP)	
7514	*Corymbia citriodora*	Spotted Gum	140		140	44	15.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
7515	*Corymbia citriodora*	Spotted Gum	120		120	38	15.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
7516	*Corymbia tessellaris*	Moreton Bay Ash	130		130	41	12.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
7517	*Eucalyptus moluccana*	Gum Topped Box	140		140	44	13.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
7518	*Corymbia citriodora*	Spotted Gum	100		100	31	12.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
7519	**DEAD/STAG**		0		0	0	0.0	0.0	0.0	0.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Refer Teviot Road application	
7520	*Corymbia citriodora*	Spotted Gum	740		740	232	26.0	12.0	8.9	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	2	-	-	High	Refer Teviot Road application	
7521	*Corymbia citriodora*	Spotted Gum	180		180	57	13.0	5.0	2.2	1.6	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain (Stage 1 VCFMP)	
7522	*Corymbia citriodora*	Spotted Gum	220		220	69	18.0	6.0	2.6	1.8	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7523	*Corymbia citriodora*	Spotted Gum	520		520	163	25.0	12.0	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	2	-	Termite nest	-	Retain (Stage 1 VCFMP)	
7524	*Corymbia citriodora*	Spotted Gum	330		330	104	18.0	6.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain (Stage 1 VCFMP)	
7525	**DEAD/STAG**		0		0	0	0.0	0.0	0.0	0.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Large	2	-	-	-	Retain (Stage 1 VCFMP)	
7526	*Lophostemon suaveolens*	Swamp Box	100		100	31	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain (Stage 1 VCFMP)	
7527	*Corymbia citriodora*	Spotted Gum	420		420	132	22.0	12.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain (Stage 1 VCFMP)	
7528	*Corymbia intermedia*	Pink Bloodwood	140		140	44	15.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain (Stage 1 VCFMP)	
7529	*Corymbia citriodora*	Spotted Gum	140		140	44	14.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7530	*Eucalyptus dura*	Gum-topped Ironbark	110		110	35	14.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7531	*Corymbia citriodora*	Spotted Gum	110		110	35	14.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain (Stage 1 VCFMP)	
7533	*Corymbia intermedia*	Pink Bloodwood	440		440	138	23.0	10.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain (Stage 1 VCFMP)	
7534	*Corymbia intermedia*	Pink Bloodwood	640		640	201	25.0	10.0	7.7	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	1	Small	-	-	Retain (Stage 1 VCFMP)	
7535	*Corymbia intermedia*	Pink Bloodwood	200		200	63	18.0	8.0	2.4	1.7	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain (Stage 1 VCFMP)	
7536	*Corymbia intermedia*	Pink Bloodwood	400		400	126	22.0	9.0	4.8	2.3	One-sided	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain (Stage 1 VCFMP)	
7537	*Corymbia intermedia*	Pink Bloodwood	230		230	72	15.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain (Stage 1 VCFMP)	
7538	*Lophostemon suaveolens*	Swamp Box	130		130	41	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain (Stage 1 VCFMP)	
7539	*Alphitonia excelsa*	Red Ash	130		130	41	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain (Stage 1 VCFMP)	
7540	*Eucalyptus tereticornis*	Forest Red Gum	110		110	35	6.0	1.0	2.0	1.3	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain (Stage 1 VCFMP)	
7541	*Eucalyptus siderophloia*	Northern Grey Ironbark	350		350	110	17.0	7.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain (Stage 1 VCFMP)	
7545	**DEAD/STAG**		0		0	0	0.0	0.0	0.0	0.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Retain (Stage 1 VCFMP)	
7546	*Corymbia intermedia*	Pink Bloodwood	570		570	179	24.0	11.0	6.8	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	2	-	-	-	Retain (Stage 1 VCFMP)	
7547	*Corymbia intermedia*	Pink Bloodwood	360		360	113	18.0	8.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	1	Small	-	-	Retain (Stage 1 VCFMP)	
7548	*Corymbia intermedia*	Pink Bloodwood	400		400	126	21.0	10.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Large	1	-	-	-	Retain (Stage 1 VCFMP)	
7549	*Lophostemon suaveolens*	Swamp Box	130		130	41	11.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7550	*Corymbia tessellaris*	Moreton Bay Ash	220		220	69	13.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Retain (Stage 1 VCFMP)	

Specimen Details								Canopy Condition Details								Trunk Condition Details								Fauna Details and Habitat Value									
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
7613	*Corymbia citriodora*	Spotted Gum	380		380	119	26.0	14.0	4.6	2.2	One-sided	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7614	*Eucalyptus sideroxylon*	Broad-leaved Red Ironbark	200		200	63	22.0	8.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain (Stage 1 VFCMP)	
7615	*Corymbia citriodora*	Spotted Gum	140		140	44	20.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain (Stage 1 VFCMP)	
7616	*Eucalyptus tricarpa*	Broad-leaved Red Ironbark	110		110	35	10.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain (Stage 1 VFCMP)	
7617	*Eucalyptus tricarpa*	Broad-leaved Red Ironbark	120		120	38	10.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain (Stage 1 VFCMP)	
7618	*Eucalyptus moluccana*	Gum Topped Box	190		190	60	22.0	8.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain (Stage 1 VFCMP)	
7619	*Corymbia citriodora*	Spotted Gum	120		120	38	20.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain (Stage 1 VFCMP)	
7620	*Eucalyptus tricarpa*	Broad-leaved Red Ironbark	260		260	82	8.0	4.0	3.1	1.9	Regular	-	-	Die-back	Epicormic	Lopped	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain (Stage 1 VFCMP)	
7621	*Eucalyptus moluccana*	Gum Topped Box	440		440	138	26.0	14.0	5.3	2.3	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain (Stage 1 VFCMP)	
7622	*Corymbia citriodora*	Spotted Gum	180		180	57	22.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7623	*Corymbia citriodora*	Spotted Gum	550		550	173	28.0	16.0	6.6	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain (Stage 1 VFCMP)	
7624	*Eucalyptus moluccana*	Gum Topped Box	180		180	57	22.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain (Stage 1 VFCMP)	
7625	**DEAD/STAG**		140		140	44	16.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain (Stage 1 VFCMP)	
7626	*Eucalyptus tricarpa*	Broad-leaved Red Ironbark	120		120	38	12.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain (Stage 1 VFCMP)	
7627	*Corymbia citriodora*	Spotted Gum	150		150	47	12.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain (Stage 1 VFCMP)	
7628	*Eucalyptus tricarpa*	Broad-leaved Red Ironbark	280		280	88	24.0	12.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain (Stage 1 VFCMP)	
7629	*Corymbia citriodora*	Spotted Gum	420		420	132	26.0	14.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain (Stage 1 VFCMP)	
7630	*Eucalyptus tricarpa*	Broad-leaved Red Ironbark	130		130	41	12.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain (Stage 1 VFCMP)	
7631	*Corymbia citriodora*	Spotted Gum	250		250	79	24.0	12.0	3.0	1.8	One-sided	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain (Stage 1 VFCMP)	
7632	*Eucalyptus tricarpa*	Broad-leaved Red Ironbark	180		180	57	18.0	5.0	2.2	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain (Stage 1 VFCMP)	
7633	*Corymbia citriodora*	Spotted Gum	690		690	217	32.0	18.0	8.3	2.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7634	*Eucalyptus tricarpa*	Broad-leaved Red Ironbark	300		300	94	24.0	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain (Stage 1 VFCMP)	
7635	*Eucalyptus tricarpa*	Broad-leaved Red Ironbark	630		630	198	28.0	14.0	7.6	2.7	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	small	1	-	-	Retain (Stage 1 VFCMP)	
7636	*Eucalyptus sideroxylon*	Northern Grey Ironbark	720		720	226	28.0	14.0	8.6	2.9	One-sided	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Retain (Stage 1 VFCMP)	
7637	*Eucalyptus sideroxylon*	Northern Grey Ironbark	290		290	91	24.0	10.0	3.5	2.0	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain (Stage 1 VFCMP)	
7638	*Eucalyptus tricarpa*	Broad-leaved Red Ironbark	330		330	104	24.0	12.0	4.0	2.1	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain (Stage 1 VFCMP)	
7639	*Corymbia citriodora*	Spotted Gum	200		200	63	18.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain (Stage 1 VFCMP)	
7640	*Corymbia citriodora*	Spotted Gum	200		200	63	22.0	8.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain (Stage 1 VFCMP)	
7641	*Corymbia citriodora*	Spotted Gum	150		150	47	18.0	6.0	2.0	1.5	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain (Stage 1 VFCMP)	
7642	*Corymbia citriodora*	Spotted Gum	400		400	126	30.0	10.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain (Stage 1 VFCMP)	
7643	*Corymbia citriodora*	Spotted Gum	170		170	53	22.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain (Stage 1 VFCMP)	
7644	*Corymbia citriodora*	Spotted Gum	130		130	41	12.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain (Stage 1 VFCMP)	
7645	*Eucalyptus moluccana*	Gum Topped Box	220		220	69	22.0	8.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7646	*Corymbia citriodora*	Spotted Gum	510		510	160	28.0	12.0	6.1	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7647	*Corymbia citriodora*	Spotted Gum	260	130	291	91	22.0	10.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7702	*Eucalyptus sideroxylon*	Northern Grey Ironbark	320		320	101	24.0	8.0	3.8	2.1	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7703	*Corymbia citriodora*	Spotted Gum	170		170	53	14.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7704	*Corymbia citriodora*	Spotted Gum	200		200	63	22.0	8.0	2.4	1.7	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7705	*Corymbia citriodora*	Spotted Gum	340		340	107	26.0	14.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7706	*Corymbia citriodora*	Spotted Gum	370		370	116	26.0	12.0	4.4	2.2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7707	*Corymbia citriodora*	Spotted Gum	650		650	204	28.0	14.0	7.8	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7708	*Acacia disparrima*	Hickory Wattle	120		120	38	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7709	*Eucalyptus sideroxylon*	Northern Grey Ironbark	340		340	107	24.0	14.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7710	*Eucalyptus sideroxylon*	Northern Grey Ironbark	300		300	94	6.0	1.0	3.6	2.0	Regular	-	-	Die-back	Epicormic	Lopped	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7711	*Eucalyptus sideroxylon*	Northern Grey Ironbark	300		300	94	24.0	12.0	3.6	2.0	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7712	*Acacia disparrima*	Hickory Wattle	110		110	35	7.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7713	*Acacia disparrima*	Hickory Wattle	110		110	35	6.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7714	*Eucalyptus sideroxylon*	Northern Grey Ironbark	260		260	82	24.0	12.0	3.1	1.9	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7715	*Eucalyptus sideroxylon*	Northern Grey Ironbark	330		330	104	26.0	14.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7716	*Acacia disparrima*	Hickory Wattle	130		130	41	6.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7717	*Acacia disparrima*	Hickory Wattle	130		130	41	7.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7718	*Eucalyptus sideroxylon*	Northern Grey Ironbark	370		370	116	26.0	14.0	4.4	2.2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7719	*Acacia disparrima*	Hickory Wattle	110		110	35	7.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7720	*Corymbia citriodora*	Spotted Gum	260	100	240	82	22.0	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7721	*Acacia disparrima*	Hickory Wattle	120		120	38	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7722	*Eucalyptus sideroxylon*	Northern Grey Ironbark	300		300	94	26.0	14.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7723	*Acacia disparrima*	Hickory Wattle	140		140	44	6.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7724	*Acacia disparrima*	Hickory Wattle	150		150	47	8.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7725	*Acacia disparrima*	Hickory Wattle	150		150	47	6.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7726	*Corymbia citriodora*	Spotted Gum	110		110	35	20.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7727	*Eucalyptus sideroxylon*	Northern Grey Ironbark	290		290	91	24.0	14.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7728	*Eucalyptus sideroxylon*	Northern Grey Ironbark	220		220	69	22.0	8.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7729	*Eucalyptus sideroxylon*	Northern Grey Ironbark	330		330	104	24.0	10.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7730	*Eucalyptus sideroxylon*	Northern Grey Ironbark	350		350	110	24.0	12.0	4.2	2.1	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7731	*Acacia disparrima*	Hickory Wattle	110	60	125	39	6.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7732	*Acacia disparrima*	Hickory Wattle	110		110	35	5.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7733	*Eucalyptus sideroxylon*	Northern Grey Ironbark	260		260	82	24.0	12.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7734	*Eucalyptus sideroxylon*	Northern Grey Ironbark	340		340	107	24.0	12.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	

Specimen Details									Canopy Condition Details								Trunk Condition Details								Fauna Details and Habitat Value									
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
7735	*Eucalyptus siderophloia*	Northern Grey Ironbark	150		150	47	20.0	7.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7736	*Acacia dispermma*	Hickory Wattle	120		120	38	6.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7737	*Acacia dispermma*	Hickory Wattle	140		140	44	5.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7738	*Corymbia citriodora*	Spotted Gum	100		100	31	16.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7739	*Corymbia citriodora*	Spotted Gum	120		120	38	18.0	3.0	2.0	1.4	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7740	*Eucalyptus siderophloia*	Northern Grey Ironbark	150		150	47	20.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7741	*Eucalyptus siderophloia*	Northern Grey Ironbark	110		110	35	14.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7742	*Corymbia citriodora*	Spotted Gum	120		120	38	20.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7743	*Eucalyptus siderophloia*	Northern Grey Ironbark	500		500	157	24.0	14.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7744	*Acacia dispermma*	Hickory Wattle	150		150	47	8.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7745	*Acacia dispermma*	Hickory Wattle	100		100	31	5.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7746	*Acacia dispermma*	Hickory Wattle	110		110	35	6.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7747	*Eucalyptus siderophloia*	Northern Grey Ironbark	170		170	53	22.0	8.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7748	*Eucalyptus tereticornis*	Forest Red Gum	180		180	57	16.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7749	*Acacia dispermma*	Hickory Wattle	135		135	42	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7750	*Eucalyptus siderophloia*	Northern Grey Ironbark	150		150	47	14.0	5.0	2.0	1.5	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7751	*Acacia dispermma*	Hickory Wattle	120		120	38	8.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7752	*Corymbia citriodora*	Spotted Gum	110		110	35	18.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7753	*Acacia dispermma*	Hickory Wattle	110		110	35	6.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7754	*Corymbia citriodora*	Spotted Gum	240		240	75	22.0	10.0	2.9	1.8	One-sided	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7755	*Eucalyptus siderophloia*	Northern Grey Ironbark	310		310	97	24.0	14.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7756	*Eucalyptus fibrosa*	Broad-leaved Red Ironbark	190		190	60	18.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7777	*Eucalyptus siderophloia*	Northern Grey Ironbark	110		110	35	16.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7778	*Acacia dispermma*	Hickory Wattle	160	100	189	59	7.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7779	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	24.0	12.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7780	*Eucalyptus siderophloia*	Northern Grey Ironbark	170		170	53	22.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7781	*Acacia concurrens*	Black Wattle	100		100	31	6.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7782	*Acacia dispermma*	Hickory Wattle	150	47	150	47	5.0	3.0	2.0	1.5	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7783	*Eucalyptus siderophloia*	Northern Grey Ironbark	370		370	116	26.0	16.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7784	*Acacia dispermma*	Hickory Wattle	130	90	158	50	6.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7785	*Eucalyptus siderophloia*	Northern Grey Ironbark	170		170	53	20.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7786	*Eucalyptus siderophloia*	Northern Grey Ironbark	130		130	41	16.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7787	*Eucalyptus siderophloia*	Northern Grey Ironbark	330		330	104	24.0	14.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7788	*Eucalyptus siderophloia*	Northern Grey Ironbark	200	190	276	87	20.0	10.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7789	*Corymbia citriodora*	Spotted Gum	120		120	38	18.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
7790	*Corymbia citriodora*	Spotted Gum	130		130	41	20.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
7791	*Eucalyptus siderophloia*	Northern Grey Ironbark	290		290	91	24.0	12.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
7792	*Acacia dispermma*	Hickory Wattle	120		120	38	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
7793	*Eucalyptus siderophloia*	Northern Grey Ironbark	260	250	361	113	24.0	12.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
7794	*Acacia dispermma*	Hickory Wattle	110		110	35	8.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
7795	*Corymbia citriodora*	Spotted Gum	110		110	35	16.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
7796	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	24.0	12.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7797	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	24.0	14.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
7798	*Eucalyptus siderophloia*	Northern Grey Ironbark	170		170	53	20.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7799	*Corymbia citriodora*	Spotted Gum	100		100	31	14.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7800	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	24.0	12.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7801	*Eucalyptus siderophloia*	Northern Grey Ironbark	120		120	38	14.0	5.0	2.0	1.4	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7802	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	24.0	12.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7803	*Corymbia citriodora*	Spotted Gum	180		180	57	20.0	12.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7804	*Corymbia citriodora*	Spotted Gum	110		110	35	14.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7805	*Eucalyptus siderophloia*	Northern Grey Ironbark	150		150	47	18.0	4.0	2.0	1.5	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7806	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	22.0	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7807	*Corymbia citriodora*	Spotted Gum	140		140	44	18.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7808	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	20.0	6.0	2.4	1.7	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7809	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	24.0	12.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7810	*Eucalyptus siderophloia*	Northern Grey Ironbark	570		570	179	26.0	16.0	6.8	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
7811	*Eucalyptus siderophloia*	Northern Grey Ironbark	150		150	47	20.0	6.0	2.0	1.5	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7812	*Eucalyptus siderophloia*	Northern Grey Ironbark	120		120	38	10.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7813	*Corymbia citriodora*	Spotted Gum	150		150	47	22.0	7.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
7814	*Acacia dispermma*	Hickory Wattle	110		110	35	8.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
7815	*Corymbia citriodora*	Spotted Gum	140		140	44	22.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7816	*Corymbia citriodora*	Spotted Gum	210		210	66	24.0	12.0	2.5	1.7	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7817	*Acacia dispermma*	Hickory Wattle	110		110	35	8.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7818	*Corymbia citriodora*	Spotted Gum	350		350	110	24.0	14.0	4.2	2.1	Regular	-	-	Die-back	-	-	Typical	Minor	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7819	*Eucalyptus siderophloia*	Northern Grey Ironbark	130		130	41	18.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7820	*Corymbia citriodora*	Spotted Gum	150		150	47	20.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7821	*Corymbia citriodora*	Spotted Gum	330		330	104	22.0	12.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7822	*Corymbia citriodora*	Spotted Gum	310		310	97	26.0	14.0	3.7	2.0	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	

Specimen Details								Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value							Retention	Additional Notes
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value		
7824	*Corymbia citriodora*	Spotted Gum	200		200	63	20.0	8.0	2.4	1.7	One-sided	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7830	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	24.0	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7831	*Eucalyptus siderophloia*	Northern Grey Ironbark	120		120	38	18.0	5.0	2.0	1.4	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7832	*Eucalyptus siderophloia*	Northern Grey Ironbark	110		110	35	16.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7858	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	24.0	12.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7859	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	24.0	10.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7860	*Eucalyptus siderophloia*	Northern Grey Ironbark	320		320	101	26.0	14.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7861	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	8.0	2.0	3.2	1.9	Regular	-	-	Die-back	Epicormic	Lopped	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7862	*Corymbia citriodora*	Spotted Gum	120		120	38	16.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7863	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	20.0	8.0	2.8	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7864	*Eucalyptus siderophloia*	Northern Grey Ironbark	400		400	126	24.0	12.0	4.8	2.3	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7865	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	22.0	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7866	*Eucalyptus siderophloia*	Northern Grey Ironbark	370		370	116	24.0	12.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7867	*Eucalyptus siderophloia*	Northern Grey Ironbark	150		150	47	14.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7868	*Eucalyptus siderophloia*	Northern Grey Ironbark	140		140	44	20.0	6.0	2.0	1.4	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7869	*Corymbia citriodora*	Spotted Gum	340		340	107	24.0	14.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7870	*Acacia disparrima*	Hickory Wattle	110		110	35	6.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7871	*Corymbia citriodora*	Spotted Gum	140		140	44	18.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7872	*Corymbia citriodora*	Spotted Gum	180		180	57	22.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7873	*Corymbia citriodora*	Spotted Gum	120		120	38	18.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7874	*Corymbia citriodora*	Spotted Gum	100		100	31	16.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7875	*Eucalyptus siderophloia*	Northern Grey Ironbark	470		470	148	26.0	14.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7876	*Corymbia citriodora*	Spotted Gum	100		100	31	16.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7877	*Corymbia citriodora*	Spotted Gum	100		100	31	14.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7878	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	22.0	10.0	3.4	1.9	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7879	*Corymbia citriodora*	Spotted Gum	140		140	44	22.0	8.0	2.4	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7880	*Angophora leiocarpa*	Smooth Barked Apple	250		250	79	18.0	6.0	3.0	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7881	*Corymbia citriodora*	Spotted Gum	100		100	31	14.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7882	*Corymbia citriodora*	Spotted Gum	100		100	31	14.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7883	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	22.0	8.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7884	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	24.0	10.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7885	*Corymbia citriodora*	Spotted Gum	250	150	292	92	24.0	12.0	3.5	2.0	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7886	*Corymbia citriodora*	Spotted Gum	140		140	44	20.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7887	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	24.0	8.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7888	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	24.0	10.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7889	*Eucalyptus siderophloia*	Northern Grey Ironbark	140		140	44	16.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7890	*Eucalyptus siderophloia*	Northern Grey Ironbark	180		180	57	22.0	8.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7891	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	24.0	10.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7892	*Corymbia citriodora*	Spotted Gum	120		120	38	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7893	*Acacia disparrima*	Hickory Wattle	140		140	44	5.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7894	*Acacia disparrima*	Hickory Wattle	100		100	31	5.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7895	*Angophora leiocarpa*	Smooth Barked Apple	200	150	250	79	20.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7896	*Corymbia citriodora*	Spotted Gum	150		150	47	16.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7897	*Corymbia citriodora*	Spotted Gum	150		150	47	14.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7898	*Corymbia citriodora*	Spotted Gum	120		120	38	14.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7899	*Acacia disparrima*	Hickory Wattle	120		120	38	5.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7900	*Eucalyptus siderophloia*	Northern Grey Ironbark	400		400	126	24.0	12.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7901	*Acacia disparrima*	Hickory Wattle	130	120	177	56	8.0	5.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7902	*Acacia disparrima*	Hickory Wattle	120		120	38	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7903	*Eucalyptus siderophloia*	Northern Grey Ironbark	100		100	31	12.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7904	*Acacia disparrima*	Hickory Wattle	110		110	35	6.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7905	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	20.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7906	*Eucalyptus siderophloia*	Northern Grey Ironbark	140		140	44	10.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7907	*Acacia disparrima*	Hickory Wattle	100		100	31	6.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7908	*Acacia disparrima*	Hickory Wattle	120		120	38	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7909	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	24.0	12.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7910	*Acacia disparrima*	Hickory Wattle	100		100	31	5.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7911	*Acacia disparrima*	Hickory Wattle	120		120	38	7.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7912	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	24.0	12.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7913	*Angophora leiocarpa*	Smooth Barked Apple	310		310	97	22.0	12.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7914	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	26.0	14.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7915	*Eucalyptus siderophloia*	Northern Grey Ironbark	170		170	53	20.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7916	*Corymbia citriodora*	Spotted Gum	180		180	57	18.0	6.0	2.2	1.6	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7917	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	22.0	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7918	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	18.0	8.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7919	*Acacia concurrens*	Black Wattle	100		100	31	5.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7920	*Eucalyptus siderophloia*	Northern Grey Ironbark	160		160	50	18.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
7921	*Eucalyptus siderophloia*	Northern Grey Ironbark	160		160	50	20.0	8.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	

| | | |

Tree ID	Botanical Name	Common Name	Specimen Details							Canopy Condition Details								Trunk Condition Details						Fauna Details and Habitat Value							Retention	Additional Notes
			Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value		
7990	*Angophora leiocarpa*	Smooth Barked Apple	100	31	100	31	12.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
7991	*Eucalyptus siderophloia*	Northern Grey Ironbark	200	63	200	63	22.0	8.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
7992	*Eucalyptus siderophloia*	Northern Grey Ironbark	220	69	220	69	22.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
7993	*Eucalyptus siderophloia*	Northern Grey Ironbark	110	35	110	35	8.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
7994	*Angophora leiocarpa*	Smooth Barked Apple	220	69	220	69	16.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
7995	*Eucalyptus siderophloia*	Northern Grey Ironbark	400	126	400	126	14.0	4.8	2.3	-	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
7996	*Eucalyptus siderophloia*	Northern Grey Ironbark	260	82	260	82	24.0	12.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
7997	*Eucalyptus siderophloia*	Northern Grey Ironbark	190	60	190	60	18.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
7998	*Eucalyptus siderophloia*	Northern Grey Ironbark	240	75	240	75	20.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
7999	*Acacia dispermma*	Hickory Wattle	140	44	140	44	6.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
8000	*Angophora leiocarpa*	Smooth Barked Apple	130	41	130	41	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
8001	*Eucalyptus siderophloia*	Northern Grey Ironbark	370	116	370	116	26.0	16.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
8002	*Angophora leiocarpa*	Smooth Barked Apple	210	66	210	66	20.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
8003	*Angophora leiocarpa*	Smooth Barked Apple	160	50	160	50	16.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
8004	*Angophora leiocarpa*	Smooth Barked Apple	200	63	200	63	20.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
8005	*Angophora leiocarpa*	Smooth Barked Apple	180	57	180	57	16.0	3.0	2.2	1.6	Regular	-	-	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
8006	*Acacia dispermma*	Hickory Wattle	120	38	120	38	8.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
8007	*Acacia dispermma*	Hickory Wattle	140	44	140	44	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
8008	*Eucalyptus siderophloia*	Northern Grey Ironbark	280	88	280	88	20.0	6.0	3.4	1.9	One-sided	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
8009	*Eucalyptus siderophloia*	Northern Grey Ironbark	420	132	420	132	24.0	14.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
8010	*Acacia dispermma*	Hickory Wattle	210	66	210	66	6.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
8011	*Acacia dispermma*	Hickory Wattle	120	38	120	38	5.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
8012	*Acacia dispermma*	Hickory Wattle	120	38	120	38	6.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
8013	*Acacia dispermma*	Hickory Wattle	180	57	180	57	8.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
8014	*Acacia dispermma*	Hickory Wattle	100	31	100	31	6.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
8015	*Acacia dispermma*	Hickory Wattle	120	38	120	38	5.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
8016	*Eucalyptus siderophloia*	Northern Grey Ironbark	170	53	170	53	20.0	4.0	3.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
8054	*Corymbia citriodora*	Spotted Gum	130	41	130	41	14.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
8055	*Eucalyptus siderophloia*	Northern Grey Ironbark	260	82	260	82	24.0	12.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
8019	*Angophora leiocarpa*	Smooth Barked Apple	130	41	130	41	6.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
8018	*Acacia dispermma*	Hickory Wattle	120	38	120	38	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
8017	*Acacia dispermma*	Hickory Wattle	120	38	120	38	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
8020	*Corymbia citriodora*	Spotted Gum	135	90	135	42	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
8019	*Angophora leiocarpa*	Smooth Barked Apple	130	41	130	41	12.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
8054	*Corymbia citriodora*	Spotted Gum	110	35	110	35	16.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
8053	*Eucalyptus siderophloia*	Northern Grey Ironbark	250	79	0	0	24.0	12.0	3.0	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
8052	*Eucalyptus siderophloia*	Northern Grey Ironbark	0		0	0	12.0	0.0	0.0	0.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
8051	*Corymbia citriodora*	Spotted Gum	340	107	340	107	26.0	16.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
8050	*Eucalyptus siderophloia*	Northern Grey Ironbark	260	82	260	82	24.0	12.0	3.1	1.9	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
8049	*Corymbia citriodora*	Spotted Gum	430	135	280	180	28.0	18.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
8048	*Angophora leiocarpa*	Smooth Barked Apple	170	53	170	53	18.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
8047	*Eucalyptus siderophloia*	Northern Grey Ironbark	140	44	140	44	12.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
8046	*Corymbia citriodora*	Spotted Gum	300	94	300	94	26.0	14.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
8045	*Angophora leiocarpa*	Smooth Barked Apple	200	63	200	63	22.0	8.0	2.4	1.7	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
8044	*Angophora leiocarpa*	Smooth Barked Apple	120	38	120	38	8.0	2.0	2.0	1.4	Regular	-	-	Die-back	Epicormic	Lopped	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
8043	*Corymbia citriodora*	Spotted Gum	320	101	320	101	24.0	12.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
8042	*Corymbia citriodora*	Spotted Gum	160	50	160	50	20.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
8041	*Angophora leiocarpa*	Smooth Barked Apple	150	47	150	47	14.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
8040	*Corymbia citriodora*	Spotted Gum	120	38	120	38	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
8039	*Eucalyptus siderophloia*	Northern Grey Ironbark	120	38	120	38	18.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
8038	*Angophora leiocarpa*	Smooth Barked Apple	110	35	110	35	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
8037	*Angophora leiocarpa*	Smooth Barked Apple	280	88	280	88	22.0	12.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
8036	*Angophora leiocarpa*	Smooth Barked Apple	140	44	140	44	10.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
8035	*Eucalyptus siderophloia*	Northern Grey Ironbark	250	79	250	79	22.0	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
8034	*Angophora leiocarpa*	Smooth Barked Apple	230	72	230	72	18.0	6.0	2.8	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
8033	*Angophora leiocarpa*	Smooth Barked Apple	240	75	240	75	22.0	8.0	2.9	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
8032	*Angophora leiocarpa*	Smooth Barked Apple	110	35	110	35	14.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
8031	*Angophora leiocarpa*	Smooth Barked Apple	220	69	220	69	20.0	7.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
8030	*Eucalyptus siderophloia*	Northern Grey Ironbark	340	107	340	107	26.0	12.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
8029	*Corymbia citriodora*	Spotted Gum	110	35	110	35	16.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
8028	*Corymbia citriodora*	Spotted Gum	100	31	100	31	8.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
8027	*Corymbia citriodora*	Spotted Gum	100	31	100	31	14.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
8026	*Corymbia citriodora*	Spotted Gum	550	173	550	173	28.0	16.0	6.6	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
8025	*Acacia dispermma*	Hickory Wattle	150	47	150	47	10.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
8024	*Alphitonia excelsa*	Red Ash	150	47	150	47	8.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
8023	*Corymbia citriodora*	Spotted Gum	160	50	160	50	20.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
8022	*Eucalyptus siderophloia*	Northern Grey Ironbark	110	35	110	35	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
8021	*Eucalyptus siderophloia*	Northern Grey Ironbark	260	82	260	82	24.0	12.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
8020	*Corymbia citriodora*	Spotted Gum	135	90	135	42	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	

| | | |

| Specimen Details | | |

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value							
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
8243	*Eucalyptus sideroph loia*	Northern Grey Ironbark	240	180	300	94	22.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
8244	*Eucalyptus sideroph loia*	Northern Grey Ironbark	230		230	72	20.0	8.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
8245	*Acacia disparrima*	Hickory Wattle	130		130	41	14.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
8246	*Acacia concurrens*	Black Wattle	120		120	38	14.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
8247	*Acacia concurrens*	Black Wattle	100		100	31	8.0	6.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
8248	*Acacia disparrima*	Hickory Wattle	150	140	205	64	16.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
8249	*Acacia disparrima*	Hickory Wattle	160		160	50	15.0	8.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
8250	*Acacia disparrima*	Hickory Wattle	100		100	31	14.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
8251	*Acacia disparrima*	Hickory Wattle	110		110	35	14.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
8252	*Acacia disparrima*	Hickory Wattle	110		110	35	14.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
8253	*Acacia disparrima*	Hickory Wattle	100		100	31	14.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
8254	*Alphitonia excelsa*	Red Ash	110		110	35	14.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
8255	*Acacia disparrima*	Hickory Wattle	110		110	35	13.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
8256	*Acacia disparrima*	Hickory Wattle	130	120	177	56	16.0	6.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
8257	*Acacia disparrima*	Hickory Wattle	150		150	47	12.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
8258	*Acacia disparrima*	Hickory Wattle	220		220	69	15.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	Minor	-	-	Typical	-	-	-	0	-	-	-	Remove	
8259	*Acacia disparrima*	Hickory Wattle	140		140	44	14.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
8260	*Eucalyptus sideroph loia*	Northern Grey Ironbark	220		220	69	18.0	7.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
8261	*Eucalyptus sideroph loia*	Northern Grey Ironbark	190		190	60	18.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
8262	*Eucalyptus sideroph loia*	Northern Grey Ironbark	160		160	50	17.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
8263	*Eucalyptus sideroph loia*	Northern Grey Ironbark	170		170	53	15.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
8264	*Acacia disparrima*	Hickory Wattle	160		160	50	16.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
8265	*Acacia disparrima*	Hickory Wattle	140	110	178	56	14.0	6.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
8266	*Acacia disparrima*	Hickory Wattle	100		100	31	14.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
8267	*Eucalyptus sideroph loia*	Northern Grey Ironbark	170	150	227	71	18.0	8.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
8268	*Eucalyptus sideroph loia*	Northern Grey Ironbark	230		230	72	18.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
8269	*Eucalyptus sideroph loia*	Northern Grey Ironbark	190		190	60	18.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
8270	*Eucalyptus sideroph loia*	Northern Grey Ironbark	230		230	72	18.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
8271	*Acacia disparrima*	Hickory Wattle	190		190	60	15.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
8272	*Acacia disparrima*	Hickory Wattle	190		190	60	15.0	7.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
8273	*Eucalyptus sideroph loia*	Northern Grey Ironbark	140		140	44	17.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
8274	*Eucalyptus sideroph loia*	Northern Grey Ironbark	220		220	69	20.0	8.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
8275	*Eucalyptus sideroph loia*	Northern Grey Ironbark	250		250	79	18.0	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
8276	*Eucalyptus sideroph loia*	Northern Grey Ironbark	220		220	69	18.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
8277	*Eucalyptus sideroph loia*	Northern Grey Ironbark	220		220	69	20.0	9.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
8278	*Eucalyptus sideroph loia*	Northern Grey Ironbark	170		170	53	16.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
8279	*Eucalyptus sideroph loia*	Northern Grey Ironbark	200		200	63	18.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
8280	*Eucalyptus sideroph loia*	Northern Grey Ironbark	250		250	79	18.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
8281	*Eucalyptus sideroph loia*	Northern Grey Ironbark	190		190	60	17.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
8282	*Eucalyptus sideroph loia*	Northern Grey Ironbark	250		250	79	20.0	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
8283	*Eucalyptus sideroph loia*	Northern Grey Ironbark	0		0	0	18.0	4.0	0.0	0.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
8284	*Eucalyptus sideroph loia*	Northern Grey Ironbark	140		140	44	14.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
8285	*Eucalyptus sideroph loia*	Northern Grey Ironbark	300		300	94	22.0	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
8286	*Eucalyptus sideroph loia*	Northern Grey Ironbark	180		180	57	16.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
8287	*Eucalyptus sideroph loia*	Northern Grey Ironbark	120		120	38	14.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
8288	*Eucalyptus sideroph loia*	Northern Grey Ironbark	230		230	72	21.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
8289	*Eucalyptus sideroph loia*	Northern Grey Ironbark	150		150	47	17.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
8290	*Eucalyptus sideroph loia*	Northern Grey Ironbark	190		190	60	15.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
8291	*Eucalyptus sideroph loia*	Northern Grey Ironbark	180		180	57	17.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
8292	*Eucalyptus sideroph loia*	Northern Grey Ironbark	230		230	72	17.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
8293	*Acacia disparrima*	Hickory Wattle	190		190	60	17.0	7.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
8294	*Acacia disparrima*	Hickory Wattle	140		140	44	15.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
8295	*Acacia disparrima*	Hickory Wattle	150		150	47	14.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
8296	*Acacia disparrima*	Hickory Wattle	130		130	41	15.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
8297	*Eucalyptus sideroph loia*	Northern Grey Ironbark	140		140	44	14.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
8298	*Acacia disparrima*	Hickory Wattle	270		270	85	16.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
8299	*Acacia disparrima*	Hickory Wattle	190	180	262	82	16.0	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
8300	*Acacia disparrima*	Hickory Wattle	200	180	269	85	17.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
8301	*Eucalyptus sideroph loia*	Northern Grey Ironbark	130		130	41	17.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
8302	*Eucalyptus sideroph loia*	Northern Grey Ironbark	200		200	63	20.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
8303	*Eucalyptus sideroph loia*	Northern Grey Ironbark	280		280	88	18.0	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
8304	*Eucalyptus sideroph loia*	Northern Grey Ironbark	190		190	60	18.0	7.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
8305	*Eucalyptus sideroph loia*	Northern Grey Ironbark	150		150	47	17.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
8306	*Eucalyptus sideroph loia*	Northern Grey Ironbark	220		220	69	19.0	5.0	2.6	1.8	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
8307	*Acacia disparrima*	Hickory Wattle	250		250	79	13.0	0.0	3.0	1.8	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
8308	*Acacia disparrima*	Hickory Wattle	200		200	63	16.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
8309	*Acacia disparrima*	Hickory Wattle	150	150	212	67	18.0	8.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
8310	*Acacia disparrima*	Hickory Wattle	160		160	50	14.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	

| Specimen Details | | |

Tree ID	Specimen Details								Canopy Condition Details								Trunk Condition Details						Fauna Details and Habitat Value							Additional Notes
	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	
8379	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	12.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)
8380	*Acacia disparrima*	Hickory Wattle	250	200, 170	362	114	12.0	8.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)
8381	*Eucalyptus siderophloia*	Northern Grey Ironbark	340		340	107	20.0	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)
8382	*Eucalyptus siderophloia*	Northern Grey Ironbark	190		190	60	15.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)
8383	*Acacia disparrima*	Hickory Wattle	340		340	107	16.0	7.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)
8384	*Eucalyptus siderophloia*	Northern Grey Ironbark	150		150	47	14.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)
8385	*Eucalyptus siderophloia*	Northern Grey Ironbark	110		110	35	10.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)
8386	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	17.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)
8387	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	17.0	8.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)
8388	*Eucalyptus siderophloia*	Northern Grey Ironbark	150		150	47	14.0	3.0	2.0	1.5	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)
8389	*Eucalyptus siderophloia*	Northern Grey Ironbark	130		130	41	12.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)
8390	*Acacia disparrima*	Hickory Wattle	140	130	191	60	13.0	6.0	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)
8391	*Acacia disparrima*	Hickory Wattle	220		220	69	14.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)
8392	*Eucalyptus siderophloia*	Northern Grey Ironbark	160		160	50	14.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)
8393	*Eucalyptus siderophloia*	Northern Grey Ironbark	100		100	31	8.0	2.0	2.0	1.3	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)
8394	*Acacia disparrima*	Hickory Wattle	120		120	38	14.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)
8395	*Acacia disparrima*	Hickory Wattle	480		480	151	15.0	8.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)
8396	*Eucalyptus siderophloia*	Northern Grey Ironbark	120	100	156	49	10.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)
8397	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	16.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)
8398	*Acacia disparrima*	Hickory Wattle	300		300	94	17.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)
8399	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	18.0	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)
8400	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	17.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)
8401	*Acacia disparrima*	Hickory Wattle	360		360	113	14.0	5.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)
8402	*Acacia disparrima*	Hickory Wattle	330		330	104	14.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)
8403	*Acacia disparrima*	Hickory Wattle	140	110	178	56	13.0	5.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)
8404	*Eucalyptus siderophloia*	Northern Grey Ironbark	160		160	50	13.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)
8405	*Acacia disparrima*	Hickory Wattle	270		270	85	17.0	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)
8406	*Acacia disparrima*	Hickory Wattle	244	150, 120	277	100	15.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)
8407	*Eucalyptus siderophloia*	Northern Grey Ironbark	180		180	57	16.0	2.0	2.2	1.6	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)
8408	*Acacia disparrima*	Hickory Wattle	110		110	35	9.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)
8409	*Corymbia citriodora*	Spotted Gum	130		130	41	16.0	2.0	2.0	1.4	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)
8410	*Eucalyptus siderophloia*	Northern Grey Ironbark	120		120	38	13.0	3.0	2.0	1.4	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)
8411	*Corymbia citriodora*	Spotted Gum	240		240	75	20.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)
8412	*Corymbia citriodora*	Spotted Gum	200		200	63	18.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)
8413	*Corymbia citriodora*	Spotted Gum	250		250	79	20.0	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)
8414	*Acacia disparrima*	Hickory Wattle	180		180	57	15.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)
8415	*Acacia disparrima*	Hickory Wattle	170		170	53	8.0	4.0	2.0	1.6	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)
8416	*Corymbia citriodora*	Spotted Gum	220		220	69	14.0	1.0	2.6	1.8	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)
8417	*Corymbia citriodora*	Spotted Gum	220		220	69	16.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)
8418	*Corymbia citriodora*	Spotted Gum	200		200	63	16.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)
8419	*Corymbia citriodora*	Spotted Gum	200		200	63	19.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)
8420	*Corymbia citriodora*	Spotted Gum	240		240	75	22.0	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)
8421	*Corymbia citriodora*	Spotted Gum	110		110	35	13.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)
8422	*Corymbia citriodora*	Spotted Gum	130		130	41	15.0	4.0	2.0	1.4	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)
8423	*Corymbia citriodora*	Spotted Gum	310		310	97	23.0	10.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)
8424	*Corymbia citriodora*	Spotted Gum	170		170	53	17.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)
8425	*Eucalyptus siderophloia*	Northern Grey Ironbark	110		110	35	9.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove
8426	*Acacia disparrima*	Hickory Wattle	110		110	35	10.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove
8427	*Acacia disparrima*	Hickory Wattle	100		100	31	9.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove
8428	*Corymbia citriodora*	Spotted Gum	350		350	110	23.0	10.0	4.2	2.1	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	-	Remove
8429	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	16.0	6.0	3.4	1.9	Regular	-	-	-	Epicormic	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	-	Remove
8430	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	20.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove
8431	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	17.0	5.0	2.8	1.8	One-sided	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	-	Remove
8432	*Corymbia citriodora*	Spotted Gum	220		220	69	18.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove
8433	*Acacia disparrima*	Hickory Wattle	130	100	164	52	16.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove
8434	*Corymbia citriodora*	Spotted Gum	240		240	75	17.0	5.0	2.9	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove
8435	*Acacia disparrima*	Hickory Wattle	150		150	47	10.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove
8436	*Acacia disparrima*	Hickory Wattle	180		180	57	10.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove
8437	*Corymbia citriodora*	Spotted Gum	170		170	53	16.0	3.0	2.0	1.6	Regular	-	Thinning	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)
8438	*Corymbia citriodora*	Spotted Gum	130		130	41	14.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)
8439	*Corymbia citriodora*	Spotted Gum	190		190	60	18.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)
8440	*Corymbia citriodora*	Spotted Gum	120		120	38	16.0	2.0	2.0	1.4	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)
8441	*Acacia disparrima*	Hickory Wattle	220		220	69	15.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)
8442	*Corymbia citriodora*	Spotted Gum	110		110	35	16.0	2.0	2.5	1.7	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)
8443	*Corymbia citriodora*	Spotted Gum	210		210	66	20.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)
8444	*Acacia disparrima*	Hickory Wattle	140		140	44	13.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)
8445	*Eucalyptus siderophloia*	Northern Grey Ironbark	370		370	116	24.0	10.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)
8446	*Corymbia citriodora*	Spotted Gum	130		130	41	16.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)

	Specimen Details								Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value							
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
8447	*Angophora leiocarpa*	Smooth Barked Apple	160		160	50	17.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
8448	*Acacia dispartima*	Hickory Wattle	130		130	41	9.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
8449	*Corymbia citriodora*	Spotted Gum	200		200	63	18.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
8450	*Acacia dispartima*	Hickory Wattle	160		160	50	14.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
8451	*Eucalyptus siderophloia*	Northern Grey Ironbark	120		120	38	16.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
8452	*Eucalyptus siderophloia*	Northern Grey Ironbark	140		140	44	15.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
8453	*Acacia dispartima*	Hickory Wattle	340		340	107	16.0	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
8454	*Eucalyptus siderophloia*	Northern Grey Ironbark	170		170	53	16.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
8455	*Eucalyptus siderophloia*	Northern Grey Ironbark	170	150	227	71	17.0	6.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
8457	*Acacia dispartima*	Hickory Wattle	520		520	163	14.0	2.0	6.2	2.5	Regular	-	-	Die-back	-	-	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
8458	*Acacia dispartima*	Hickory Wattle	190	180	262	82	16.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
8459	*Eucalyptus siderophloia*	Northern Grey Ironbark	160	140	213	67	14.0	4.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
8460	*Corymbia citriodora*	Spotted Gum	140		140	44	18.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
8461	*Corymbia citriodora*	Spotted Gum	330		330	104	22.0	6.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
8462	*Corymbia citriodora*	Spotted Gum	130		130	41	15.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
8463	*Corymbia citriodora*	Spotted Gum	170		170	53	18.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
8464	*Corymbia citriodora*	Spotted Gum	220		220	69	16.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
8465	*Corymbia citriodora*	Spotted Gum	190		190	60	16.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
8466	*Corymbia citriodora*	Spotted Gum	160		160	50	18.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
8467	*Eucalyptus moluccana*	Gum Topped Box	110		110	35	12.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
8468	*Corymbia citriodora*	Spotted Gum	220		220	69	19.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
8469	*Eucalyptus siderophloia*	Northern Grey Ironbark	190		190	60	18.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
8470	*Acacia dispartima*	Hickory Wattle	130		130	41	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
8472	*Corymbia citriodora*	Spotted Gum	120		120	38	20.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
8471	*Corymbia citriodora*	Spotted Gum	130		130	41	18.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
8473	*Corymbia citriodora*	Spotted Gum	170		170	53	16.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
8474	*Corymbia citriodora*	Spotted Gum	240		240	75	22.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
8475	*Corymbia citriodora*	Spotted Gum	530		530	167	26.0	12.0	6.4	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
8476	*Corymbia citriodora*	Spotted Gum	180		180	57	16.0	8.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
8477	*Corymbia citriodora*	Spotted Gum	190		190	60	18.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
8478	*Corymbia citriodora*	Spotted Gum	210		210	66	18.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
8479	*Corymbia citriodora*	Spotted Gum	220		220	69	18.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
8480	*Eucalyptus moluccana*	Gum Topped Box	450		450	141	24.0	14.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
8481	*Eucalyptus moluccana*	Gum Topped Box	540		540	170	28.0	14.0	6.5	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
8482	*Corymbia citriodora*	Spotted Gum	590		590	185	26.0	12.0	7.1	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
8483	*Corymbia citriodora*	Spotted Gum	160		160	50	15.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
8484	*Eucalyptus moluccana*	Gum Topped Box	130		130	41	12.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
8485	*Eucalyptus moluccana*	Gum Topped Box	120		120	38	15.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
8486	*Eucalyptus tereticornis*	Forest Red Gum	256		256	80	24.0	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
8487	*Eucalyptus tereticornis*	Forest Red Gum	180		180	57	16.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
8488	*Eucalyptus tereticornis*	Forest Red Gum	160		160	50	16.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
8489	*Eucalyptus tereticornis*	Forest Red Gum	200		200	63	18.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
8490	*Eucalyptus tereticornis*	Forest Red Gum	160		160	50	16.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
8491	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	14.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
8492	*Eucalyptus siderophloia*	Northern Grey Ironbark	350		350	110	20.0	8.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
8493	*Eucalyptus siderophloia*	Northern Grey Ironbark	170		170	53	14.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
8494	*Acacia dispartima*	Hickory Wattle	215	80	200	68	8.0	4.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
8495	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	18.0	2.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
8496	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	16.0	4.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
8497	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	16.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
8498	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	16.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
8499	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	15.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
8500	*Acacia dispartima*	Hickory Wattle	140		226	71	8.0	6.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
8501	*Eucalyptus siderophloia*	Northern Grey Ironbark	210	140	252	79	16.0	4.0	3.0	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
8502	*Eucalyptus siderophloia*	Northern Grey Ironbark	0		0	0	10.0	4.0	0.0	0.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
8503	*Eucalyptus siderophloia*	Northern Grey Ironbark	190		190	60	14.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
8504	*Acacia dispartima*	Hickory Wattle	120		120	38	10.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
8505	*Eucalyptus siderophloia*	Northern Grey Ironbark	320		320	101	14.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
8506	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	16.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
8507	*Acacia dispartima*	Hickory Wattle	130	120, 110, 90	227	71	10.0	6.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
8508	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	18.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
8509	*Acacia dispartima*	Hickory Wattle	110	100	149	47	8.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
8510	*Eucalyptus siderophloia*	Northern Grey Ironbark	150		150	47	16.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
8511	*Eucalyptus siderophloia*	Northern Grey Ironbark	160	50	160	50	16.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
8512	*Eucalyptus siderophloia*	Northern Grey Ironbark	160	50	160	50	14.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
8513	*Eucalyptus siderophloia*	Northern Grey Ironbark	250	79	250	79	18.0	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
8514	*Eucalyptus siderophloia*	Northern Grey Ironbark	190	60	190	60	16.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
8515	*Acacia dispartima*	Hickory Wattle	290		290	91	12.0	8.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	

Tree ID	Botanical Name	Common Name	Specimen Details											Canopy Condition Details						Trunk Condition Details				Fauna Details and Habitat Value						Retention	Additional Notes
			Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value		
85516	*Acacia dispermma*	Hickory Wattle	130	80	153	48	10.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
85517	*Acacia dispermma*	Hickory Wattle	240	180, 110	320	100	12.0	6.0	3.8	2.0	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
85518	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		320	94	18.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
85519	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	16.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
85520	*Eucalyptus tetrodonta*	Early Flowering Black Wattle	140		140	44	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
85521	*Acacia dispermma*	Hickory Wattle	150		150	47	8.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
85522	*Acacia leiocalyx*	Early Flowering Black Wattle	140		140	44	8.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
85523	*Eucalyptus siderophloia*	Northern Grey Ironbark	246	140, 70	246	77	15.0	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
85524	*Eucalyptus siderophloia*	Northern Grey Ironbark	120		120	38	10.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
85525	*Eucalyptus siderophloia*	Northern Grey Ironbark	180		180	57	14.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
85526	*Eucalyptus siderophloia*	Northern Grey Ironbark	140		140	44	10.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
85527	*Acacia dispermma*	Hickory Wattle	160	130, 80	221	69	8.0	6.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
85528	*Acacia dispermma*	Hickory Wattle	140		140	44	10.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
85529	*Acacia dispermma*	Hickory Wattle	150	110, 70, 50	205	64	11.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
85530	*Eucalyptus siderophloia*	Northern Grey Ironbark	160		160	50	14.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
85531	*Eucalyptus tetrodonta*	Northern Grey Ironbark	130		130	41	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	Introduced	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
85532	*Acacia dispermma*	Hickory Wattle	290		290	91	12.0	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
85533	*Acacia dispermma*	Hickory Wattle	120		120	38	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
85534	*Eucalyptus siderophloia*	Northern Grey Ironbark	130		130	41	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
85535	*Corymbia citriodora*	Spotted Gum	160		160	50	14.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
85536	*Corymbia citriodora*	Spotted Gum	110		110	35	12.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
85537	*Eucalyptus siderophloia*	Northern Grey Ironbark	140		140	44	12.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
85538	*Corymbia citriodora*	Spotted Gum	140		140	44	12.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
85539	*Acacia dispermma*	Hickory Wattle	120		120	38	8.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
85540	*Corymbia citriodora*	Spotted Gum	540	170	540	170	26.0	12.0	6.5	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
85541	*Corymbia citriodora*	Spotted Gum	180		180	57	12.0	3.0	2.2	1.6	Regular	-	-	-	Epicormic	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	Termite nest	-	-	Remove (Stage 1 VCFMP)	
85542	*Corymbia citriodora*	Spotted Gum	210		210	66	16.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
85543	*Acacia dispermma*	Hickory Wattle	110	110	156	49	10.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
85544	*Eucalyptus siderophloia*	Northern Grey Ironbark	520	163	520	163	22.0	14.0	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
85545	*Corymbia citriodora*	Spotted Gum	190	60	190	60	18.0	8.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
85546	*Corymbia citriodora*	Spotted Gum	240	75	240	75	20.0	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
85547	*Acacia dispermma*	Hickory Wattle	130	41	130	41	12.0	7.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
85548	*Corymbia citriodora*	Spotted Gum	190	60	190	60	16.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
85549	*Acacia dispermma*	Hickory Wattle	110	35	110	35	8.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
85550	*Corymbia citriodora*	Spotted Gum	150	47	150	47	18.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
85551	*Corymbia citriodora*	Spotted Gum	230	72	230	72	14.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
85552	*Corymbia citriodora*	Spotted Gum	120	38	120	38	11.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
85553	*Corymbia citriodora*	Spotted Gum	180	57	180	57	14.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
85554	*Acacia dispermma*	Hickory Wattle	110	35	110	35	8.0	6.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
85555	*Acacia dispermma*	Hickory Wattle	270	85	270	85	12.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
85556	*Eucalyptus siderophloia*	Northern Grey Ironbark	110	90	142	45	10.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
85557	*Corymbia citriodora*	Spotted Gum	150	47	150	47	12.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
85558	*Corymbia citriodora*	Spotted Gum	190	60	190	60	14.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
85559	*Corymbia citriodora*	Spotted Gum	120	38	120	38	10.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
85560	*Corymbia citriodora*	Spotted Gum	160	50	160	50	16.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
85561	*Corymbia citriodora*	Spotted Gum	130	41	130	41	14.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
85562	*Corymbia citriodora*	Spotted Gum	410	129	220	80	4.9	2.3	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)	
85563	*Corymbia citriodora*	Spotted Gum	120	38	120	38	12.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
85564	*Corymbia citriodora*	Spotted Gum	150	47	150	47	14.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
85565	*Corymbia citriodora*	Spotted Gum	120	38	120	38	12.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
85566	*Corymbia citriodora*	Spotted Gum	130	41	130	41	16.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
85567	*Corymbia citriodora*	Spotted Gum	200	63	200	63	18.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
85568	*Corymbia citriodora*	Spotted Gum	110	35	110	35	14.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
85569	*Corymbia citriodora*	Spotted Gum	220	69	220	69	16.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
85570	*Corymbia citriodora*	Spotted Gum	170	53	170	53	18.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
85571	*Corymbia citriodora*	Spotted Gum	160	50	160	50	16.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
85572	*Corymbia citriodora*	Spotted Gum	290	91	290	91	18.0	8.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
85573	*Eucalyptus siderophloia*	Northern Grey Ironbark	150	47	150	47	14.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
85574	*Acacia dispermma*	Hickory Wattle	190	80	206	65	10.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
85575	*Acacia dispermma*	Hickory Wattle	160	130, 100	229	72	12.0	6.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
85576	*Eucalyptus siderophloia*	Northern Grey Ironbark	160	50	160	50	10.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
85577	*Acacia dispermma*	Hickory Wattle	130	41	130	41	12.0	7.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
85578	*Acacia dispermma*	Hickory Wattle	110	100, 80, 70	183	57	10.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
85579	*Eucalyptus tereticornis*	Forest Red Gum	240	200	312	98	15.0	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
85580	*Acacia dispermma*	Hickory Wattle	240		240	75	12.0	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
85581	*Eucalyptus siderophloia*	Northern Grey Ironbark	190		190	60	13.0	4.0	2.3	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
85582	*Acacia dispermma*	Hickory Wattle	160	110, 80, 60	218	69	10.0	8.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	
85583	*Acacia dispermma*	Hickory Wattle	140	80, 70	176	55	10.0	6.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)	

Specimen Details									Canopy Condition Details									Trunk Condition Details									Fauna Details and Habitat Value										
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
8584	*Acacia disparrima*	Hickory Wattle	180	100, 80	221	69	12.0	6.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)	
8585	*Acacia disparrima*	Hickory Wattle	100	50, 40	119	37	8.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)	
8586	*Acacia disparrima*	Hickory Wattle	150		150	47	10.0	8.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
8587	*Acacia disparrima*	Hickory Wattle	190		190	60	10.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
8588	*Acacia disparrima*	Hickory Wattle	150	110, 110	216	68	10.0	6.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
8589	*Acacia disparrima*	Hickory Wattle	200	180, 120	295	93	11.0	8.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
8590	*Acacia disparrima*	Hickory Wattle	180	180, 130	286	90	12.0	8.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
8591	*Acacia disparrima*	Hickory Wattle	170	150	227	71	10.0	8.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
8592	*Acacia disparrima*	Hickory Wattle	250	200	320	101	14.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
8593	*Acacia disparrima*	Hickory Wattle	250	130	256	80	11.0	6.0	3.1	1.9	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
8594	*Acacia disparrima*	Hickory Wattle	220	90	166	52	12.0	7.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
8595	*Eucalyptus siderophloia*	Northern Grey Ironbark	290		170	53	16.0	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
8596	*Acacia disparrima*	Hickory Wattle	140	90	166	52	12.0	7.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
8597	*Acacia disparrima*	Hickory Wattle	260		260	82	14.0	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
8598	*Acacia disparrima*	Hickory Wattle	220	160, 100	290	91	12.0	10.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
8599	*Eucalyptus siderophloia*	Northern Grey Ironbark	170		170	53	12.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
8600	*Corymbia citriodora*	Spotted Gum	220		220	69	14.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
8601	*Corymbia citriodora*	Spotted Gum	200		200	63	18.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
8602	*Corymbia citriodora*	Spotted Gum	160		160	50	14.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
8603	*Acacia disparrima*	Hickory Wattle	150	80	170	53	10.0	7.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
8604	*Corymbia citriodora*	Spotted Gum	150		150	47	16.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
8605	*Corymbia citriodora*	Spotted Gum	120		120	38	12.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
8606	*Corymbia citriodora*	Spotted Gum	490		490	154	22.0	8.0	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Old	-	-	-	-	-	Remove (Stage 1 VCFMP)	
8607	**DEAD/STAG**		690		690	217	24.0	10.0	8.3	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
8608	*Corymbia citriodora*	Spotted Gum	200		200	63	18.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
8609	*Corymbia citriodora*	Spotted Gum	150		150	47	18.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
8610	*Corymbia citriodora*	Spotted Gum	110		110	35	10.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
8611	*Corymbia citriodora*	Spotted Gum	260		260	82	20.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
8612	*Corymbia citriodora*	Spotted Gum	170		170	53	18.0	7.0	2.6	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
8613	*Corymbia citriodora*	Spotted Gum	280		280	88	22.0	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
8614	*Acacia disparrima*	Hickory Wattle	200	170, 110	285	89	8.0	8.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
8619	*Eucalyptus siderophloia*	Northern Grey Ironbark	0		0	0	18.0	8.0	0.0	0.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
8620	*Corymbia intermedia*	Pink Bloodwood	160		160	50	16.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
8621	**DEAD/STAG**		650		650	204	24.0	12.0	7.8	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
8622	*Acacia disparrima*	Hickory Wattle	120		120	38	12.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
8623	*Acacia disparrima*	Hickory Wattle	150		150	47	10.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
8624	*Eucalyptus siderophloia*	Northern Grey Ironbark	590	185	590	185	26.0	12.0	7.1	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
8625	*Acacia disparrima*	Hickory Wattle	150	110, 90	207	65	10.0	8.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
8626	**DEAD/STAG**		290		290	91	24.0	2.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
8627	*Corymbia citriodora*	Spotted Gum	140	50	149	47	18.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
8628	*Corymbia citriodora*	Spotted Gum	220		220	69	22.0	8.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
8629	*Corymbia citriodora*	Spotted Gum	170		170	53	18.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
8630	*Eucalyptus siderophloia*	Northern Grey Ironbark	370	116	370	116	20.0	8.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
8631	*Eucalyptus siderophloia*	Northern Grey Ironbark	170	53	170	53	16.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
8632	**DEAD/STAG**		290	91	290	91	18.0	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove (Stage 1 VCFMP)	
8633	*Corymbia citriodora*	Spotted Gum	140	44	140	44	18.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
8634	*Acacia disparrima*	Hickory Wattle	490	154	490	154	12.0	6.0	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
8635	*Acacia disparrima*	Hickory Wattle	130	41	130	41	12.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
8639	*Corymbia citriodora*	Spotted Gum	220	69	220	69	14.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
8640	*Eucalyptus tereticornis*	Forest Red Gum	390	123	390	123	14.0	8.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
8641	*Eucalyptus siderophloia*	Northern Grey Ironbark	640	201	640	201	17.0	10.0	7.7	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
8642	*Eucalyptus siderophloia*	Northern Grey Ironbark	550	173	550	173	15.0	12.0	6.6	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
8643	*Corymbia citriodora*	Spotted Gum	140	44	140	44	10.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
8644	*Acacia disparrima*	Hickory Wattle	130	41	130	41	6.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
8645	*Acacia disparrima*	Hickory Wattle	140	44	140	44	8.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
8646	*Acacia disparrima*	Hickory Wattle	220	69	220	69	12.0	8.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
8647	*Corymbia citriodora*	Spotted Gum	420	320	528	166	18.0	12.0	6.3	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
8648	*Corymbia citriodora*	Spotted Gum	120		120	38	12.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
8649	*Acacia disparrima*	Hickory Wattle	150		150	47	10.0	8.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
8650	*Eucalyptus tereticornis*	Forest Red Gum	250	79	250	79	18.0	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
8651	*Eucalyptus tereticornis*	Forest Red Gum	360	113	360	113	20.0	8.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
8652	*Angophora leiocarpa*	Smooth Barked Apple	120	38	120	38	12.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
8653	*Corymbia citriodora*	Spotted Gum	290	91	290	91	18.0	10.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
8654	*Corymbia citriodora*	Spotted Gum	380	119	380	119	18.0	10.0	4.6	2.2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	

Tree ID	Botanical Name	Common Name	Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								Retention	Additional Notes
			Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value				
8655	*Eucalyptus siderophloia*	Northern Grey Ironbark	530		530	1670	22.0	12.0	6.4	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	Remove (Stage 1 VCFMP)	
8656	*Angophora leiocarpa*	Smooth Barked Apple	240	75	240	754	14.0	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	Remove (Stage 1 VCFMP)	
8657	*Acacia disparrima*	Hickory Wattle	140	44	140	440	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	Remove	
8658	*Acacia disparrima*	Hickory Wattle	170	140	220	691	6.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	Remove	
8659	*Eucalyptus siderophloia*	Northern Grey Ironbark	120	38	120	377	10.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	Remove	
8660	*Corymbia citriodora*	Spotted Gum	120	38	120	377	14.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	Remove	
8661	*Acacia disparrima*	Hickory Wattle	110	35	110	345	8.0	6.0	2.6	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	Remove	
8662	**DEAD/STAG**		290	91	290	911	22.0	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	Remove (Stage 1 VCFMP)	
8663	*Acacia disparrima*	Hickory Wattle	140	44	140	440	6.0	8.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	Remove	
8664	*Eucalyptus siderophloia*	Northern Grey Ironbark	290	91	290	911	16.0	6.0	3.5	2.0	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	Remove	
8665	*Acacia disparrima*	Hickory Wattle	220	69	220	691	6.0	8.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	Remove	
8666	*Angophora leiocarpa*	Smooth Barked Apple	100	31	100	314	12.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	Remove	
8667	*Angophora leiocarpa*	Smooth Barked Apple	100	31	100	314	10.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	Remove	
8668	*Corymbia citriodora*	Spotted Gum	130	41	130	408	14.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	Remove	
8669	*Corymbia citriodora*	Spotted Gum	170	53	170	534	10.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	Remove	
8692	*Eucalyptus siderophloia*	Northern Grey Ironbark	250	79	250	785	16.0	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	Remove	
8693	*Eucalyptus siderophloia*	Northern Grey Ironbark	170	53	170	534	8.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	Remove	
8706	*Eucalyptus tereticornis*	Forest Red Gum	300	94	300	942	12.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	Remove	
8713	*Eucalyptus siderophloia*	Northern Grey Ironbark	460	145	460	1445	20.0	16.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	-	-	-	Remove	
8714	*Acacia disparrima*	Hickory Wattle	470	148	470	1476	10.0	6.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	Remove	
8715	*Eucalyptus siderophloia*	Northern Grey Ironbark	240	75	240	754	12.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	Remove	
8716	*Eucalyptus siderophloia*	Northern Grey Ironbark	200	63	200	628	13.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	Remove	
8717	*Acacia disparrima*	Hickory Wattle	140	100	172	540	8.0	6.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	Remove	
8718	*Acacia disparrima*	Hickory Wattle	410	129	410	1288	10.0	10.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	Remove	
8719	*Eucalyptus siderophloia*	Northern Grey Ironbark	120	38	120	377	12.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	Remove	
8720	*Corymbia citriodora*	Spotted Gum	170	53	170	534	14.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	Remove	
8721	*Acacia disparrima*	Hickory Wattle	150	130	198	622	12.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	Remove	
8722	*Acacia disparrima*	Hickory Wattle	140	130	191	600	8.0	6.0	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	Remove	
8723	*Acacia disparrima*	Hickory Wattle	230	160	280	880	10.0	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	Remove (Stage 1 VCFMP)	
8724	*Acacia disparrima*	Hickory Wattle	140	130	191	600	6.0	8.0	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	Remove (Stage 1 VCFMP)	
8725	*Eucalyptus siderophloia*	Northern Grey Ironbark	240	75	240	754	12.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	Remove (Stage 1 VCFMP)	
8726	*Eucalyptus siderophloia*	Northern Grey Ironbark	190	60	190	597	12.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	Remove (Stage 1 VCFMP)	
8738	*Eucalyptus siderophloia*	Northern Grey Ironbark	110	35	110	345	8.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	Remove (Stage 1 VCFMP)	
8739	**DEAD/STAG**		210	66	210	660	15.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	Remove (Stage 1 VCFMP)	
8740	*Acacia disparrima*	Hickory Wattle	150	110	186	584	8.0	8.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	Remove (Stage 1 VCFMP)	
8741	*Eucalyptus siderophloia*	Northern Grey Ironbark	190	60	190	597	10.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	Remove	
8742	*Acacia disparrima*	Hickory Wattle	240	100	260	817	10.0	12.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	Remove	
8743	*Acacia disparrima*	Hickory Wattle	190	130	240	754	8.0	8.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	Remove	
8744	*Acacia disparrima*	Hickory Wattle	240	180, 130	327	1031	10.0	8.0	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	Remove	
8745	*Acacia disparrima*	Hickory Wattle	220	69	220	691	12.0	8.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	-	-	-	Remove (Stage 1 VCFMP)	
8746	*Acacia disparrima*	Hickory Wattle	290	200	352	1111	12.0	10.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	-	-	-	Remove (Stage 1 VCFMP)	
8747	*Eucalyptus tereticornis*	Forest Red Gum	180	57	180	571	10.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	Remove (Stage 1 VCFMP)	
8748	*Eucalyptus siderophloia*	Northern Grey Ironbark	160	50	160	503	10.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	Remove	
8749	*Eucalyptus siderophloia*	Northern Grey Ironbark	140	44	140	440	8.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	Remove	
8750	*Corymbia citriodora*	Spotted Gum	190	60	190	597	16.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	Remove	
8751	*Eucalyptus siderophloia*	Northern Grey Ironbark	210	150	258	811	12.0	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	Remove	
8752	*Corymbia citriodora*	Spotted Gum	110	35	110	345	12.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	Remove	
8753	*Corymbia citriodora*	Spotted Gum	140	44	140	440	14.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	Remove (Stage 1 VCFMP)	
8787	*Eucalyptus siderophloia*	Northern Grey Ironbark	230	72	230	723	12.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	Remove (Stage 1 VCFMP)	
8788	*Eucalyptus siderophloia*	Northern Grey Ironbark	220	69	220	691	13.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	Remove (Stage 1 VCFMP)	
8789	*Eucalyptus siderophloia*	Northern Grey Ironbark	140	44	140	440	13.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	Remove (Stage 1 VCFMP)	
8790	*Corymbia citriodora*	Spotted Gum	340	107	340	1068	16.0	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	Remove (Stage 1 VCFMP)	
8791	*Corymbia citriodora*	Spotted Gum	140	44	140	440	14.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	Remove (Stage 1 VCFMP)	
8792	*Eucalyptus siderophloia*	Northern Grey Ironbark	150	47	150	471	12.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	Remove (Stage 1 VCFMP)	
8793	*Eucalyptus siderophloia*	Northern Grey Ironbark	210	66	210	660	12.0	8.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	Remove	
8794	*Acacia disparrima*	Hickory Wattle	200	150, 100, 100, 80	298	936	6.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	Remove	
8795	*Eucalyptus siderophloia*	Northern Grey Ironbark	140	44	140	440	10.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	Remove	
8796	*Eucalyptus tereticornis*	Forest Red Gum	110	35	110	345	8.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	Remove	
8797	*Acacia disparrima*	Hickory Wattle	190	60	190	597	6.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	Remove	
8798	*Eucalyptus siderophloia*	Northern Grey Ironbark	170	53	170	534	8.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	Remove	
8799	*Eucalyptus siderophloia*	Northern Grey Ironbark	100	50, 50	122	383	6.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	Remove	
8800	*Eucalyptus siderophloia*	Northern Grey Ironbark	130	41	130	408	8.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	Remove	
8994	*Corymbia citriodora*	Spotted Gum	100	31	100	314	10.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	Remove (Stage 1 VCFMP)	
8999	*Corymbia citriodora*	Spotted Gum	100	31	100	314	13.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	Remove (Stage 1 VCFMP)	
9399	*Corymbia citriodora*	Spotted Gum	140	44	140	440	12.0	2.0	2.0	1.4	Regular	-	-	-	Die-back	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	Remove (Stage 1 VCFMP)	
9400	*Corymbia citriodora*	Spotted Gum	250	79	250	785	22.0	8.0	3.0	1.8	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	Remove (Stage 1 VCFMP)	
9401	*Eucalyptus siderophloia*	Gum-topped Ironbark	160	50	160	503	16.0	5.0	2.0	1.5	One-sided	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	Remove (Stage 1 VCFMP)	
9403	*Eucalyptus siderophloia*	Gum-topped Ironbark	200		200	628	21.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	Remove (Stage 1 VCFMP)	

Tree ID	Botanical Name	Common Name	Specimen Details							Canopy Condition Details								Trunk Condition Details						Fauna Details and Habitat Value							Additional Notes
			Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	
9407	*Lophostemon suaveolens*	Swamp Box	110		110	35	11.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
9408	*Lophostemon suaveolens*	Swamp Box	120		120	38	11.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
9409	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	15.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
9410	*Eucalyptus siderophloia*	Northern Grey Ironbark	120		120	38	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
9411	*Corymbia citriodora*	Spotted Gum	190		190	60	16.0	5.0	2.3	1.6	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
9412	*Eucalyptus siderophloia*	Northern Grey Ironbark	160		160	50	13.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
9418	*Eucalyptus siderophloia*	Northern Grey Ironbark	140		140	44	13.0	4.0	2.0	1.4	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
9618	*Corymbia citriodora*	Spotted Gum	150		150	47	12.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
9621	*Angophora leiocarpa*	Smooth Barked Apple	220		220	69	12.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
9622	*Angophora leiocarpa*	Smooth Barked Apple	270		270	85	14.0	10.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
9623	*Angophora leiocarpa*	Smooth Barked Apple	270		270	85	13.0	7.0	3.2	1.9	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
9624	*Acacia dispermma*	Hickory Wattle	110	60	125	39	6.0	8.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
9859	*Angophora leiocarpa*	Smooth Barked Apple	120		120	38	10.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10069	*Corymbia citriodora*	Spotted Gum	250		250	79	18.0	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
10070	*Corymbia citriodora*	Spotted Gum	140		140	44	14.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
10071	*Corymbia citriodora*	Spotted Gum	140		140	44	14.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
10072	*Corymbia citriodora*	Spotted Gum	270	100	288	90	16.0	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
10073	*Corymbia citriodora*	Spotted Gum	130		130	41	12.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
10074	*Corymbia citriodora*	Spotted Gum	230		230	72	22.0	8.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
10075	*Alphitonia excelsa*	Red Ash	130		130	41	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
10076	*Acacia dispermma*	Hickory Wattle	120		120	38	5.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
10077	*Corymbia citriodora*	Spotted Gum	290		290	91	26.0	8.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
10078	*Corymbia citriodora*	Spotted Gum	160		160	50	12.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
10079	*Corymbia citriodora*	Spotted Gum	100		100	31	6.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
10080	*Corymbia citriodora*	Spotted Gum	290		290	91	24.0	8.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
10081	*Corymbia citriodora*	Spotted Gum	120		120	38	12.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
10082	*Corymbia citriodora*	Spotted Gum	120		120	38	10.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
10083	*Corymbia citriodora*	Spotted Gum	190		190	60	18.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
10084	*Eucalyptus tiboros*	Broad-leaved Red Ironbark	540		540	170	25.0	15.0	6.5	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
10085	*Corymbia citriodora*	Spotted Gum	140		140	44	12.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
10086	*Corymbia citriodora*	Spotted Gum	130		130	41	12.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
10087	*Eucalyptus tiboros*	Broad-leaved Red Ironbark	550		573	22.0	6.0	6.6	2.6	Regular	-	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
10088	*Corymbia citriodora*	Spotted Gum	220		220	69	16.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
10089	*Corymbia citriodora*	Spotted Gum	140		140	44	12.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
10090	*Corymbia citriodora*	Spotted Gum	330		330	104	25.0	12.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
10091	*Eucalyptus siderophloia*	Northern Grey Ironbark	140		140	44	10.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
10092	*Corymbia citriodora*	Spotted Gum	140		140	44	12.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
10093	*Corymbia citriodora*	Spotted Gum	290		290	91	25.0	14.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
10094	*Eucalyptus siderophloia*	Northern Grey Ironbark	130		130	41	8.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
10095	*Corymbia citriodora*	Spotted Gum	280		280	88	25.0	12.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
10096	*Eucalyptus siderophloia*	Northern Grey Ironbark	160	150	219	69	12.0	3.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
10097	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	15.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
10098	*Eucalyptus siderophloia*	Northern Grey Ironbark	130		130	41	12.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
10099	*Eucalyptus maliuccana*	Gum Topped Box	140		140	44	10.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
10100	*Corymbia citriodora*	Spotted Gum	100		100	31	8.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
10101	*Corymbia citriodora*	Spotted Gum	210		210	66	24.0	8.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
10102	*Corymbia citriodora*	Spotted Gum	120		120	38	8.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
10103	*Eucalyptus siderophloia*	Northern Grey Ironbark	120		120	38	10.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
10104	*Acacia dispermma*	Hickory Wattle	160		160	50	10.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
10105	*Corymbia citriodora*	Spotted Gum	200		200	63	22.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
10106	*Eucalyptus maliuccana*	Gum Topped Box	270		270	85	16.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
10107	*Corymbia citriodora*	Spotted Gum	250		250	79	22.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
10108	*Eucalyptus tereticornis*	Forest Red Gum	150		150	47	12.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
10109	*Corymbia citriodora*	Spotted Gum	230		230	72	24.0	8.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
10110	*Acacia dispermma*	Hickory Wattle	130		130	41	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
10111	*Corymbia citriodora*	Spotted Gum	200		200	63	16.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
10112	*Eucalyptus siderophloia*	Northern Grey Ironbark	180		180	57	14.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
10113	*Eucalyptus maliuccana*	Gum Topped Box	270		270	85	18.0	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
10114	*Eucalyptus tereticornis*	Forest Red Gum	240		240	75	16.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
10115	*Acacia dispermma*	Hickory Wattle	260		260	82	10.0	4.0	3.1	1.9	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
10116	*Eucalyptus siderophloia*	Northern Grey Ironbark	110		110	35	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
10117	*Eucalyptus tereticornis*	Forest Red Gum	150		150	47	14.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
10118	*Corymbia citriodora*	Spotted Gum	220		220	69	24.0	8.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
10119	*Eucalyptus maliuccana*	Gum Topped Box	220		220	69	15.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
10120	*Eucalyptus siderophloia*	Northern Grey Ironbark	150		150	47	12.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
10121	*Corymbia citriodora*	Spotted Gum	210		210	66	16.0	8.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
10122	*Corymbia citriodora*	Spotted Gum	240	130	273	86	25.0	8.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
10123	*Eucalyptus maliuccana*	Gum Topped Box	190		190	60	15.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	

| Specimen Details | | |

| Specimen Details | | |

Specimen Details								Canopy Condition Details								Trunk Condition Details						Fauna Details and Habitat Value							Retention	Additional Notes
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value		
10260	*Acacia dispartima*	Hickory Wattle	110		110	35	10.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)	
10261	*Eucalyptus siderophloia*	Northern Grey Ironbark	800		800	251	22.0	15.0	9.6	3.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	Small	-	-	-	Remove (Stage 1 VCFMP)	
10262	*Corymbia citriodora*	Spotted Gum	180		180	57	14.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)	
10263	*Corymbia citriodora*	Spotted Gum	240		240	75	18.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)	
10264	*Corymbia citriodora*	Spotted Gum	340		340	107	22.0	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)	
10265	*Corymbia citriodora*	Spotted Gum	160		160	50	14.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10266	*Corymbia citriodora*	Spotted Gum	280	130	309	97	25.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10267	*Corymbia citriodora*	Spotted Gum	300	250	391	123	22.0	8.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10268	*Corymbia citriodora*	Spotted Gum	130		130	41	8.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10269	*Corymbia citriodora*	Spotted Gum	250		250	79	22.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10270	*Corymbia citriodora*	Spotted Gum	250		250	79	24.0	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10271	*Eucalyptus siderophloia*	Northern Grey Ironbark	120		120	38	10.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10272	*Eucalyptus siderophloia*	Northern Grey Ironbark	180		180	57	12.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10273	*Corymbia citriodora*	Spotted Gum	110		110	35	12.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10274	*Eucalyptus siderophloia*	Northern Grey Ironbark	180		180	57	14.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10275	*Acacia dispartima*	Hickory Wattle	100		100	31	5.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10276	*Corymbia citriodora*	Spotted Gum	320	101	24.0	10.0	3.8	2.1	Regular	-	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10277	*Acacia dispartima*	Hickory Wattle	110	35	5.0	1.0	2.0	1.3	Regular	-	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10278	*Corymbia citriodora*	Spotted Gum	150	47	15.0	3.0	2.0	1.5	Regular	-	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10279	*Corymbia citriodora*	Spotted Gum	410	129	25.0	12.0	4.9	2.3	Regular	-	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10280	*Corymbia citriodora*	Spotted Gum	400	126	24.0	15.0	4.8	2.3	Regular	-	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10281	*Corymbia citriodora*	Spotted Gum	160	50	12.0	3.0	2.0	1.5	Regular	-	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10282	*Corymbia citriodora*	Spotted Gum	270	85	18.0	6.0	3.2	1.9	Regular	-	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10283	*Corymbia citriodora*	Spotted Gum	220	69	15.0	5.0	2.6	1.8	Regular	-	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10284	*Corymbia citriodora*	Spotted Gum	170	53	12.0	2.0	2.0	1.6	Regular	-	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10285	*Eucalyptus siderophloia*	Northern Grey Ironbark	160	50	10.0	2.0	2.0	1.5	Regular	-	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10286	*Corymbia citriodora*	Spotted Gum	240	75	18.0	5.0	2.9	1.8	Regular	-	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10287	**DEAD/STAG**		160		160	50	10.0	1.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	Small	1	-	-	Remove (Stage 1 VCFMP)	
10288	**DEAD/STAG**		450		450	141	24.0	3.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	Small	1	-	-	Remove (Stage 1 VCFMP)	
10289	**DEAD/STAG**		430		430	135	20.0	5.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	Small	1	-	-	Remove (Stage 1 VCFMP)	
10290	*Corymbia citriodora*	Spotted Gum	210		210	66	16.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)	
10291	*Cupaniopsis anacardioides*	Tuckeroo	200		200	63	10.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)	
10292	*Corymbia citriodora*	Spotted Gum	190		190	60	22.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)	
10293	*Corymbia citriodora*	Spotted Gum	110		110	35	10.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)	
10294	*Corymbia citriodora*	Spotted Gum	130		130	41	12.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)	
10295	**DEAD/STAG**		370		370	116	18.0	3.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	Small	1	-	-	Remove (Stage 1 VCFMP)	
10296	*Acacia dispartima*	Hickory Wattle	110		110	35	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)	
10297	*Acacia dispartima*	Hickory Wattle	110		110	35	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)	
10298	*Corymbia citriodora*	Spotted Gum	140		140	44	12.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)	
10299	*Corymbia citriodora*	Spotted Gum	270		270	85	18.0	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)	
10300	*Corymbia citriodora*	Spotted Gum	130		130	41	12.0	1.0	2.0	1.4	Regular	-	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)	
10301	*Acacia dispartima*	Hickory Wattle	140		140	44	10.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)	
10302	*Eucalyptus siderophloia*	Northern Grey Ironbark	480		480	151	28.0	15.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)	
10303	*Eucalyptus siderophloia*	Northern Grey Ironbark	500		500	157	25.0	14.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10304	*Corymbia citriodora*	Spotted Gum	150		150	47	12.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10305	*Eucalyptus siderophloia*	Northern Grey Ironbark	380		380	119	25.0	12.0	4.6	2.2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	Small	1	-	-	Remove (Stage 1 VCFMP)	
10306	*Corymbia citriodora*	Spotted Gum	100		100	31	12.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Stage 1 VCFMP)	
10307	*Corymbia citriodora*	Spotted Gum	220		220	69	18.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10308	*Corymbia citriodora*	Spotted Gum	120	38	12.0	1.0	2.0	1.4	Regular	-	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10309	*Corymbia citriodora*	Spotted Gum	210	66	22.0	5.0	2.5	1.7	Regular	-	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10310	*Acacia dispartima*	Hickory Wattle	180	57	12.0	5.0	2.2	1.6	Regular	-	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10311	*Corymbia citriodora*	Spotted Gum	230	72	18.0	5.0	2.8	1.8	Regular	-	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10312	*Acacia dispartima*	Hickory Wattle	220	69	12.0	5.0	2.6	1.8	Regular	-	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10313	*Corymbia citriodora*	Spotted Gum	150	47	14.0	3.0	2.0	1.5	Regular	-	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10314	*Corymbia citriodora*	Spotted Gum	390	123	25.0	14.0	4.7	2.2	Regular	-	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10315	*Corymbia citriodora*	Spotted Gum	100	31	6.0	1.0	2.0	1.3	Regular	-	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10316	*Corymbia citriodora*	Spotted Gum	210	66	16.0	5.0	2.5	1.7	Regular	-	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10317	*Corymbia citriodora*	Spotted Gum	160	50	14.0	3.0	2.0	1.5	Regular	-	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10318	*Corymbia citriodora*	Spotted Gum	100	31	8.0	1.0	2.0	1.3	Regular	-	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10319	*Corymbia citriodora*	Spotted Gum	200	63	22.0	6.0	2.4	1.7	Regular	-	-	-	-	-	-	-	Typical	-	-	-	-	Typical	Old	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10320	*Corymbia citriodora*	Spotted Gum	180	57	15.0	4.0	2.2	1.6	Regular	-	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10321	*Corymbia citriodora*	Spotted Gum	210	66	15.0	5.0	2.5	1.7	Regular	-	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10322	*Corymbia citriodora*	Spotted Gum	140	44	12.0	2.0	2.0	1.4	Regular	-	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10323	*Corymbia citriodora*	Spotted Gum	290	91	25.0	6.0	3.5	2.0	Regular	-	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10324	*Corymbia citriodora*	Spotted Gum	360	113	24.0	8.0	4.3	2.2	Regular	-	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10325	*Corymbia citriodora*	Spotted Gum	110	35	12.0	2.0	2.0	1.3	Regular	-	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10326	*Corymbia citriodora*	Spotted Gum	160	50	12.0	2.0	2.0	1.5	Regular	-	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10327	*Corymbia citriodora*	Spotted Gum	220	69	16.0	5.0	2.6	1.8	Regular	-	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	

Tree ID	Botanical Name	Common Name	Specimen Details							Canopy Condition Details								Trunk Condition Details						Fauna Details and Habitat Value							Additional Notes
			Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	
10328	*Corymbia citriodora*	Spotted Gum	230		230	72	26.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10329	*Eucalyptus crebra*	Narrow-leaved Red Ironbark	100		100	31	6.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10330	*Eucalyptus crebra*	Narrow-leaved Red Ironbark	100		100	31	5.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10331	*Eucalyptus siderophloia*	Northern Grey Ironbark	180		180	57	12.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10332	*Acacia disparrima*	Hickory Wattle	180	160	241	76	12.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10333	*Corymbia citriodora*	Spotted Gum	280		280	88	23.0	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10334	*Agyophora leiocarpa*	Smooth Barked Apple	220		220	69	14.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10335	*Eucalyptus crebra*	Narrow-leaved Red Ironbark	110		110	35	6.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10336	*Acacia disparrima*	Hickory Wattle	150		150	47	10.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10337	*Corymbia citriodora*	Spotted Gum	100		100	31	6.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10338	*Corymbia citriodora*	Spotted Gum	180		180	57	12.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10339	*Eucalyptus siderophloia*	Northern Grey Ironbark	510		510	160	24.0	8.0	6.1	2.5	Regular	-	-	Trunk Dmg.	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10340	*Corymbia citriodora*	Spotted Gum	230		230	72	16.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10341	**DEAD/STAG**		380		380	119	16.0	3.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	1	-	-	-	Remove (Stage 1 VCFMP)	
10342	*Corymbia citriodora*	Spotted Gum	400		400	126	24.0	8.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10343	*Eucalyptus siderophloia*	Northern Grey Ironbark	540		540	170	25.0	8.0	6.5	2.6	Regular	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10344	*Corymbia citriodora*	Spotted Gum	100		100	31	6.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10345	*Corymbia citriodora*	Spotted Gum	390		390	123	26.0	12.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10346	*Corymbia citriodora*	Spotted Gum	260		260	82	18.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10347	*Corymbia citriodora*	Spotted Gum	270		270	85	25.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10348	*Corymbia citriodora*	Spotted Gum	230		230	72	18.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10349	*Corymbia citriodora*	Spotted Gum	400		400	126	24.0	10.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10350	*Corymbia citriodora*	Spotted Gum	350		350	110	20.0	6.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10351	*Corymbia citriodora*	Spotted Gum	110		110	35	8.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10352	*Acacia disparrima*	Hickory Wattle	130		130	41	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10353	*Corymbia citriodora*	Spotted Gum	120		120	38	10.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10354	*Acacia disparrima*	Hickory Wattle	100		100	31	6.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10355	*Corymbia citriodora*	Spotted Gum	110		110	35	12.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10356	*Corymbia citriodora*	Spotted Gum	160		160	50	15.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10357	*Corymbia citriodora*	Spotted Gum	210		210	66	24.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10358	*Corymbia citriodora*	Spotted Gum	150		150	47	18.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10359	*Corymbia citriodora*	Spotted Gum	120		120	38	12.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10360	*Corymbia citriodora*	Spotted Gum	100		100	31	8.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10361	*Corymbia citriodora*	Spotted Gum	170		170	53	16.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10362	*Eucalyptus crebra*	Narrow-leaved Red Ironbark	100		100	31	6.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10363	*Corymbia citriodora*	Spotted Gum	100		100	31	6.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10364	*Eucalyptus crebra*	Narrow-leaved Red Ironbark	100		100	31	5.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10365	*Eucalyptus crebra*	Narrow-leaved Red Ironbark	230		230	72	15.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10366	*Eucalyptus crebra*	Narrow-leaved Red Ironbark	210		210	66	14.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10367	*Eucalyptus tereticornis*	Forest Red Gum	100		100	31	6.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10368	*Acacia disparrima*	Hickory Wattle	100		100	31	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10369	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	12.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10370	*Acacia disparrima*	Hickory Wattle	150	130, 110, 100	248	78	12.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10371	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	12.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10372	*Acacia disparrima*	Hickory Wattle	200	190	276	87	12.0	8.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10373	*Acacia disparrima*	Hickory Wattle	150		150	47	12.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10374	*Acacia disparrima*	Hickory Wattle	110		110	35	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10375	*Eucalyptus crebra*	Narrow-leaved Red Ironbark	120	100	156	49	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10376	*Eucalyptus siderophloia*	Northern Grey Ironbark	160		160	50	14.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10377	*Acacia disparrima*	Hickory Wattle	130		130	41	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10378	*Acacia disparrima*	Hickory Wattle	160		160	50	10.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10379	*Eucalyptus siderophloia*	Northern Grey Ironbark	180		180	57	12.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10380	*Eucalyptus siderophloia*	Northern Grey Ironbark	370		370	116	16.0	8.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10381	*Acacia disparrima*	Hickory Wattle	200		200	63	12.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10382	*Acacia disparrima*	Hickory Wattle	130		130	41	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10383	*Acacia disparrima*	Hickory Wattle	140	100	172	54	12.0	5.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10384	*Acacia disparrima*	Hickory Wattle	140	130	191	60	10.0	4.0	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10385	*Corymbia tessellaris*	Moreton Bay Ash	230		230	72	15.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10386	*Acacia leiocalyx*	Early Flowering Black Wattle	100		100	31	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10387	*Acacia disparrima*	Hickory Wattle	130		130	41	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10388	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	12.0	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10389	*Allocasuarina littoralis*	Black She Oak	130		130	41	12.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10390	*Eucalyptus siderophloia*	Northern Grey Ironbark	310		310	97	15.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10391	*Acacia disparrima*	Hickory Wattle	140	110	178	56	10.0	3.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10392	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	12.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10393	*Acacia disparrima*	Hickory Wattle	110		110	35	6.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10394	*Acacia disparrima*	Hickory Wattle	180		180	57	12.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10395	*Acacia disparrima*	Hickory Wattle	150		150	47	12.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	

| | Specimen Details | | |

Tree ID	Botanical Name	Common Name	Specimen Details							Canopy Condition Details								Trunk Condition Details						Fauna Details and Habitat Value							Additional Notes
			Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	
104964	*Corymbia citriodora*	Spotted Gum	260		260	82	12.0	12.0	3.1	1.9	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
104965	*Acacia disparrima*	Hickory Wattle	160		160	50	12.0	4.0	2.0	1.5	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
104966	*Corymbia citriodora*	Spotted Gum	150		150	47	14.0	3.0	2.0	1.5	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
104967	*Acacia disparrima*	Hickory Wattle	130		130	41	10.0	2.0	2.0	1.4	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
104968	*Corymbia citriodora*	Spotted Gum	350	240	424	133	25.0	10.0	5.1	2.3	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
104969	*Eucalyptus siderophloia*	Northern Grey Ironbark	290		290	91	25.0	8.0	3.5	2.0	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
104970	*Corymbia citriodora*	Spotted Gum	180		180	57	14.0	4.0	2.2	1.6	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
104971	*Acacia disparrima*	Hickory Wattle	150		150	47	10.0	3.0	2.0	1.5	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
104972	*Alphitonia excelsa*	Red Ash	150		150	47	12.0	2.0	2.0	1.5	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
104973	**DEAD/STAG**		460		460	145	22.0	5.0	5.5	2.4	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	Small	1	-	-	-	Remove (Stage 1 VCFMP)
104974	*Corymbia citriodora*	Spotted Gum	150		150	47	12.0	2.0	2.0	1.5	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove
104975	*Acacia disparrima*	Hickory Wattle	130		130	41	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove
104976	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	25.0	10.0	3.6	2.0	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
104977	*Corymbia citriodora*	Spotted Gum	250		250	79	20.0	8.0	3.0	1.8	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove
104978	*Corymbia citriodora*	Spotted Gum	220		220	69	16.0	5.0	2.6	1.8	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove
104979	*Eucalyptus siderophloia*	Northern Grey Ironbark	350		350	110	25.0	14.0	4.2	2.1	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove
104980	*Eucalyptus siderophloia*	Northern Grey Ironbark	550		550	173	24.0	12.0	6.6	2.6	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	Small	2	-	-	-	Remove
104981	*Acacia disparrima*	Hickory Wattle	110		110	35	6.0	1.0	2.0	1.3	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove
104982	*Acacia disparrima*	Hickory Wattle	240		240	75	12.0	4.0	2.9	1.8	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove
104983	*Acacia concurrens*	Black Wattle	150		150	47	12.0	4.0	2.0	1.5	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove
104984	*Corymbia citriodora*	Spotted Gum	180		180	57	18.0	6.0	2.2	1.6	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove
104985	*Acacia disparrima*	Hickory Wattle	150		150	47	10.0	3.0	2.0	1.5	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
104986	*Eucalyptus siderophloia*	Northern Grey Ironbark	320		320	101	24.0	8.0	3.8	2.1	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove
104987	*Corymbia citriodora*	Spotted Gum	150		150	47	14.0	3.0	2.0	1.5	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
104988	*Corymbia citriodora*	Spotted Gum	150		150	47	12.0	3.0	2.0	1.5	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove
104989	*Eucalyptus siderophloia*	Northern Grey Ironbark	790		790	248	26.0	12.0	9.5	3.0	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
104990	*Corymbia citriodora*	Spotted Gum	210		210	66	16.0	5.0	2.5	1.7	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
104991	*Eucalyptus siderophloia*	Northern Grey Ironbark	730		730	229	28.0	14.0	8.8	2.9	Regular	-	-	Die-back	-	-	-	-	Poor	-	-	-	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
104992	*Corymbia citriodora*	Spotted Gum	180		180	57	16.0	6.0	2.2	1.6	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
104993	**DEAD/STAG**		560		560	176	22.0	6.7	2.6	1.4	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	Small	1	-	-	-	Remove (Stage 1 VCFMP)
104994	*Acacia disparrima*	Hickory Wattle	130		130	41	10.0	2.0	2.0	1.4	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
104995	*Corymbia intermedia*	Pink Bloodwood	430		430	135	24.0	10.0	5.2	2.3	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
104996	*Corymbia citriodora*	Spotted Gum	420		420	132	24.0	10.0	5.0	2.3	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
104997	*Corymbia citriodora*	Spotted Gum	310		310	97	16.0	6.0	3.7	2.0	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
104998	*Acacia disparrima*	Hickory Wattle	100		100	31	6.0	1.0	2.0	1.3	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
104999	*Corymbia citriodora*	Spotted Gum	240		240	75	16.0	5.0	2.9	1.8	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
105000	*Acacia disparrima*	Hickory Wattle	190	170	255	80	14.0	8.0	3.1	1.9	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
105004	*Acacia disparrima*	Hickory Wattle	280		280	88	12.0	6.0	3.4	1.9	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
105005	*Eucalyptus siderophloia*	Northern Grey Ironbark	320		320	101	18.0	8.0	3.8	2.1	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
105006	*Eucalyptus siderophloia*	Northern Grey Ironbark	310		310	97	22.0	6.0	3.7	2.0	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
105045	*Corymbia citriodora*	Spotted Gum	250		250	79	20.0	7.0	3.0	1.8	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
105046	*Corymbia citriodora*	Spotted Gum	170		170	53	18.0	4.0	2.0	1.6	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
105047	*Corymbia citriodora*	Spotted Gum	190		190	60	20.0	4.0	2.3	1.6	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
105048	*Corymbia citriodora*	Spotted Gum	200		200	63	16.0	3.0	2.4	1.7	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
105049	*Acacia disparrima*	Hickory Wattle	180		180	57	12.0	6.0	2.2	1.6	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
105050	*Acacia disparrima*	Hickory Wattle	240		240	75	14.0	6.0	2.9	1.8	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
105051	*Corymbia citriodora*	Spotted Gum	360		360	113	22.0	6.0	4.3	2.2	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
105052	*Corymbia citriodora*	Spotted Gum	450		450	141	24.0	6.0	5.4	2.4	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
105053	*Acacia disparrima*	Hickory Wattle	120		120	38	10.0	6.0	2.0	1.4	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
105054	*Acacia disparrima*	Hickory Wattle	140	120	184	58	10.0	6.0	2.2	1.6	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
105055	*Acacia disparrima*	Hickory Wattle	130		130	41	10.0	5.0	2.0	1.4	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
105056	*Corymbia citriodora*	Spotted Gum	130		130	41	16.0	2.0	2.0	1.4	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
105057	*Acacia disparrima*	Hickory Wattle	140		140	44	12.0	5.0	2.0	1.4	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
105058	*Acacia disparrima*	Hickory Wattle	120		120	38	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
105059	*Corymbia citriodora*	Spotted Gum	290		290	91	22.0	5.0	3.5	2.0	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
105060	**DEAD/STAG**		320		320	101	16.0	4.0	3.8	2.1	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	Termite nest	-	Remove (Stage 1 VCFMP)
105061	*Eucalyptus siderophloia*	Northern Grey Ironbark	540		540	170	24.0	8.0	6.5	2.6	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove
105062	*Acacia disparrima*	Hickory Wattle	120		120	38	12.0	4.0	2.0	1.4	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
105063	*Acacia disparrima*	Hickory Wattle	190		190	60	12.0	6.0	2.3	1.6	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
105064	*Corymbia citriodora*	Spotted Gum	100		100	31	14.0	2.0	2.0	1.3	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
105065	*Acacia disparrima*	Hickory Wattle	120		120	38	12.0	3.0	2.0	1.4	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
105066	*Acacia disparrima*	Hickory Wattle	220		220	69	8.0	6.0	2.6	1.8	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
105067	*Eucalyptus siderophloia*	Northern Grey Ironbark	440		440	138	18.0	8.0	5.3	2.3	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
105068	*Acacia disparrima*	Hickory Wattle	150		150	47	14.0	5.0	2.0	1.5	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
105069	*Acacia disparrima*	Hickory Wattle	160		160	50	12.0	5.0	2.0	1.5	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
105070	*Acacia disparrima*	Hickory Wattle	180		180	57	13.0	7.0	2.2	1.6	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
105071	*Acacia disparrima*	Hickory Wattle	140	130	191	60	12.0	5.0	2.3	1.7	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
105072	*Corymbia citriodora*	Spotted Gum	170		170	53	16.0	5.0	2.0	1.5	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)

	Specimen Details								Canopy Condition Details								Trunk Condition Details								Fauna Details and Habitat Value									
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
10573	*Acacia dispermma*	Hickory Wattle	160	140	213	67	14.0	5.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10574	*Acacia dispermma*	Spotted Gum	230	230	230	72	18.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10575	*Acacia dispermma*	Hickory Wattle	120		120	38	14.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10576	*Acacia dispermma*	Hickory Wattle	450		450	141	16.0	10.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10577	*Corymbia citriodora*	Spotted Gum	170		170	53	16.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10578	*Corymbia citriodora*	Spotted Gum	190		190	60	15.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10579	*Acacia dispermma*	Hickory Wattle	130		130	41	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10580	*Angophora leiocarpa*	Smooth Barked Apple	380		380	119	22.0	8.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10581	*Acacia dispermma*	Hickory Wattle	190		190	60	10.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10582	*Acacia dispermma*	Hickory Wattle	130		130	41	12.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10583	*Corymbia citriodora*	Spotted Gum	510		510	160	24.0	12.0	6.1	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10584	*Acacia dispermma*	Hickory Wattle	120		120	38	10.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10585	*Acacia dispermma*	Hickory Wattle	120	110	163	51	8.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10586	*Eucalyptus siderophloia*	Northern Grey Ironbark	490		490	154	24.0	14.0	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10587	*Acacia dispermma*	Hickory Wattle	190		190	60	13.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10588	*Acacia dispermma*	Hickory Wattle	140	100	172	54	14.0	6.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10589	*Eucalyptus siderophloia*	Northern Grey Ironbark	330		330	104	22.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10590	*Acacia dispermma*	Hickory Wattle	140		140	44	10.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10591	*Acacia dispermma*	Hickory Wattle	160		160	50	14.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10605	*Acacia dispermma*	Hickory Wattle	160	120	200	63	12.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10606	*Acacia dispermma*	Hickory Wattle	220		220	69	12.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10607	*Eucalyptus siderophloia*	Northern Grey Ironbark	160		160	50	14.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10608	*Eucalyptus siderophloia*	Northern Grey Ironbark	180		180	57	14.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10609	*Eucalyptus siderophloia*	Northern Grey Ironbark	160		160	50	15.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10610	*Eucalyptus siderophloia*	Northern Grey Ironbark	180		180	57	16.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10611	*Eucalyptus siderophloia*	Northern Grey Ironbark	180		180	57	15.0	7.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10612	*Eucalyptus siderophloia*	Northern Grey Ironbark	120		120	38	16.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10629	*Acacia dispermma*	Hickory Wattle	180	90	201	63	16.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10630	*Acacia dispermma*	Hickory Wattle	100	90	190	60	10.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10631	*Corymbia citriodora*	Spotted Gum	110		110	35	16.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10632	*Acacia dispermma*	Hickory Wattle	130	100	164	52	12.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10633	*Acacia dispermma*	Hickory Wattle	240		240	75	14.0	3.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10634	*Acacia dispermma*	Hickory Wattle	150		150	47	10.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10635	*Corymbia citriodora*	Spotted Gum	150		150	47	12.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10636	*Corymbia citriodora*	Spotted Gum	110		110	35	16.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10637	*Acacia dispermma*	Hickory Wattle	140		140	44	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10658	*Angophora leiocarpa*	Smooth Barked Apple	150		150	47	14.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
10659	**DEAD/STAG**		450		450	141	16.0	5.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	2	-	-	-	Remove	
10660	*Acacia dispermma*	Hickory Wattle	250		250	79	14.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10661	*Acacia dispermma*	Hickory Wattle	280	170	328	103	12.0	5.0	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10662	*Acacia dispermma*	Hickory Wattle	240		240	75	12.0	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10663	*Eucalyptus siderophloia*	Northern Grey Ironbark	130		130	41	15.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10664	*Eucalyptus siderophloia*	Northern Grey Ironbark	0		0	0	15.0	4.0	0.0	0.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10665	*Eucalyptus siderophloia*	Northern Grey Ironbark	150		150	47	16.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10666	*Eucalyptus siderophloia*	Northern Grey Ironbark	180		180	57	15.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10667	*Eucalyptus tereticornis*	Forest Red Gum	100		100	31	14.0	6.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10668	*Eucalyptus siderophloia*	Northern Grey Ironbark	180		180	57	17.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10669	*Eucalyptus siderophloia*	Northern Grey Ironbark	140		140	44	14.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10670	*Eucalyptus siderophloia*	Northern Grey Ironbark	120		120	38	17.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10671	*Eucalyptus siderophloia*	Northern Grey Ironbark	130		130	41	18.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10672	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	18.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10673	*Eucalyptus tereticornis*	Forest Red Gum	110		110	35	16.0	6.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10674	*Eucalyptus moluccana*	Gum Topped Box	190		190	60	18.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10675	*Eucalyptus siderophloia*	Northern Grey Ironbark	100		100	31	12.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10676	*Eucalyptus siderophloia*	Northern Grey Ironbark	130		130	41	16.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10677	*Eucalyptus moluccana*	Gum Topped Box	110	100	149	47	16.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10678	*Eucalyptus tereticornis*	Forest Red Gum	180		180	57	17.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10679	*Acacia dispermma*	Hickory Wattle	100		100	31	14.0	6.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10680	*Eucalyptus siderophloia*	Northern Grey Ironbark	120		120	38	14.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10681	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	20.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10682	*Eucalyptus siderophloia*	Northern Grey Ironbark	100		100	31	12.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10683	*Eucalyptus siderophloia*	Northern Grey Ironbark	100		100	31	14.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10684	*Eucalyptus siderophloia*	Northern Grey Ironbark	10	110	110	35	14.0	6.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10685	*Eucalyptus moluccana*	Gum Topped Box	170		170	53	18.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10722	*Acacia dispermma*	Hickory Wattle	120		120	38	12.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10723	*Acacia dispermma*	Hickory Wattle	10	130	130	41	10.0	8.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10724	*Eucalyptus siderophloia*	Northern Grey Ironbark	190		190	60	15.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10725	*Eucalyptus siderophloia*	Northern Grey Ironbark	190		190	60	17.0	2.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	

Specimen Details								Canopy Condition Details								Trunk Condition Details								Fauna Details and Habitat Value									
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
10726	*Eucalyptus siderophloia*	Northern Grey Ironbark	170		170	53	16.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10727	*Acacia disparrima*	Hickory Wattle	170		170	53	12.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10728	*Acacia disparrima*	Hickory Wattle	260	150, 120	323	102	14.0	9.0	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10729	*Acacia disparrima*	Hickory Wattle	200	100	224	70	15.0	10.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10730	*Acacia disparrima*	Hickory Wattle	290	170	336	106	13.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10731	*Eucalyptus siderophloia*	Northern Grey Ironbark	290		290	91	16.0	5.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove (Stage 1 VCFMP)	
10732	*Acacia disparrima*	Hickory Wattle	260	150, 130	327	103	12.0	12.0	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10733	*Acacia disparrima*	Hickory Wattle	190	140, 100	256	81	14.0	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10734	*Acacia disparrima*	Hickory Wattle	190	150	242	76	12.0	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10735	*Acacia disparrima*	Hickory Wattle	280		280	88	14.0	12.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10736	*Eucalyptus siderophloia*	Northern Grey Ironbark	380		380	119	15.0	8.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10737	*Acacia disparrima*	Hickory Wattle	150	140	205	64	12.0	8.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10738	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	11.0	8.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10739	*Eucalyptus siderophloia*	Northern Grey Ironbark	220	180	284	89	16.0	8.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10740	*Eucalyptus siderophloia*	Northern Grey Ironbark	190		190	60	12.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10741	*Acacia disparrima*	Hickory Wattle	200	140	244	77	12.0	10.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10742	*Acacia disparrima*	Hickory Wattle	150	90	175	55	10.0	8.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10743	*Eucalyptus moluccana*	Gum Topped Box	370		370	116	18.0	10.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10744	*Acacia disparrima*	Hickory Wattle	180	180, 150	295	93	10.0	8.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10745	*Eucalyptus siderophloia*	Northern Grey Ironbark	130		130	41	16.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10746	*Acacia disparrima*	Hickory Wattle	240		240	75	12.0	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10747	*Eucalyptus siderophloia*	Northern Grey Ironbark	170		170	53	12.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10748	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	16.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10749	*Eucalyptus moluccana*	Gum Topped Box	270		270	85	16.0	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	Introduced	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10750	*Acacia leiocalyx*	Early Flowering Black Wattle	130		130	41	10.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10759	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	16.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10760	*Eucalyptus siderophloia*	Northern Grey Ironbark	120		120	38	12.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10761	*Angophora leiocarpa*	Smooth Barked Apple	180		180	57	14.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10762	*Acacia disparrima*	Hickory Wattle	190	100, 100	237	74	10.0	8.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
10763	*Acacia disparrima*	Hickory Wattle	400		400	126	10.0	8.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10764	*Eucalyptus siderophloia*	Northern Grey Ironbark	120		120	38	12.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10765	*Eucalyptus tereticornis*	Forest Red Gum	150		150	47	14.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10766	*Acacia disparrima*	Hickory Wattle	120		120	38	10.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10767	*Acacia disparrima*	Hickory Wattle	280		280	88	12.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10768	*Acacia disparrima*	Hickory Wattle	120	110	163	51	10.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10769	*Acacia disparrima*	Hickory Wattle	130		130	41	10.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10770	*Eucalyptus siderophloia*	Northern Grey Ironbark	160		160	50	12.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10771	*Acacia disparrima*	Hickory Wattle	210		210	66	12.0	8.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10772	*Eucalyptus siderophloia*	Northern Grey Ironbark	160		160	50	14.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10773	*Eucalyptus moluccana*	Gum Topped Box	180		180	57	14.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10774	*Corymbia citriodora*	Spotted Gum	140		140	44	14.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10775	*Corymbia citriodora*	Spotted Gum	200		200	63	12.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10776	*Eucalyptus moluccana*	Gum Topped Box	150		150	47	12.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10777	*Eucalyptus siderophloia*	Northern Grey Ironbark	100		100	31	12.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10778	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	18.0	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10779	*Acacia disparrima*	Hickory Wattle	230		230	72	16.0	8.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10780	*Eucalyptus siderophloia*	Northern Grey Ironbark	140		140	44	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10781	*Eucalyptus tereticornis*	Forest Red Gum	170		170	53	16.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10782	*Eucalyptus siderophloia*	Northern Grey Ironbark	500		500	157	18.0	12.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10783	*Acacia disparrima*	Hickory Wattle	150		150	47	8.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10784	*Acacia disparrima*	Hickory Wattle	200		200	63	8.0	8.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10814	*Angophora leiocarpa*	Smooth Barked Apple	160		160	50	10.0	8.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10815	*Eucalyptus siderophloia*	Northern Grey Ironbark	220	180	284	89	14.0	6.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10816	*Eucalyptus siderophloia*	Northern Grey Ironbark	200	63	200	63	10.0	8.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10817	*Angophora leiocarpa*	Smooth Barked Apple	290	91	290	91	15.0	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10818	*Angophora leiocarpa*	Smooth Barked Apple	130	41	130	41	8.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10819	*Eucalyptus siderophloia*	Northern Grey Ironbark	140	44	140	44	12.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10820	*Eucalyptus siderophloia*	Northern Grey Ironbark	130	41	130	41	12.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10821	*Eucalyptus siderophloia*	Northern Grey Ironbark	100	31	100	31	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10822	*Eucalyptus siderophloia*	Northern Grey Ironbark	150	47	150	47	10.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10823	*Eucalyptus siderophloia*	Northern Grey Ironbark	160	50	160	50	12.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10824	*Eucalyptus siderophloia*	Northern Grey Ironbark	220	69	220	69	14.0	8.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10825	*Eucalyptus siderophloia*	Northern Grey Ironbark	140	44	140	44	12.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10826	*Eucalyptus siderophloia*	Northern Grey Ironbark	220	69	220	69	14.0	8.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10827	*Eucalyptus siderophloia*	Northern Grey Ironbark	140	44	140	44	12.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10828	*Eucalyptus siderophloia*	Northern Grey Ironbark	100	31	100	31	8.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10840	*Eucalyptus siderophloia*	Northern Grey Ironbark	230	72	230	72	16.0	8.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
10841	*Eucalyptus siderophloia*	Northern Grey Ironbark	190		190	60	16.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	

Tree ID	Specimen Details										Canopy Condition Details						Trunk Condition Details				Fauna Details and Habitat Value						Retention	Additional Notes
	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	
10842	*Eucalyptus moluccana*	Gum Topped Box	260		260	82	19.0	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain (Stage 1 VPCMP)
10843	*Eucalyptus moluccana*	Gum Topped Box	130		130	41	17.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain (Stage 1 VPCMP)
10852	*Eucalyptus sideroxylon*	Northern Grey Ironbark	300		300	94	25.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
10854	*Corymbia citriodora*	Spotted Gum	210		210	66	17.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
10855	*Eucalyptus tereticornis*	Forest Red Gum	720		720	226	35.0	18.0	8.6	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	New	Small	1	-	-	-	Retain
10856	*Corymbia citriodora*	Spotted Gum	270		270	85	2.0	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
10857	*Corymbia citriodora*	Spotted Gum	350		350	110	30.0	13.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
10858	*Eucalyptus tereticornis*	Forest Red Gum	670		670	210	35.0	8.0	8.0	2.8	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	Small	-	1	-	-	-	Retain
10859	*Eucalyptus sideroxylon*	Northern Grey Ironbark	130		130	41	11.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
10860	*Eucalyptus tereticornis*	Forest Red Gum	610		610	192	28.0	10.0	7.3	2.7	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	New	Large	1	-	-	-	Retain
10861	*Eucalyptus sideroxylon*	Northern Grey Ironbark	140		140	44	12.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
10862	*Eucalyptus sideroxylon*	Northern Grey Ironbark	100		100	31	9.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Retain
10863	*Corymbia citriodora*	Spotted Gum	120		120	38	11.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
10864	*Corymbia citriodora*	Spotted Gum	120		120	38	12.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
10865	*Eucalyptus sideroxylon*	Northern Grey Ironbark	100		100	31	10.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
10866	*Eucalyptus moluccana*	Gum Topped Box	620	230	661	208	25.0	3.0	7.9	2.8	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Poor	-	Large	-	1	-	Termites	-	Retain
10867	*Corymbia intermedia*	Pink Bloodwood	380		380	119	19.0	13.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
10868	*Corymbia citriodora*	Spotted Gum	180		180	57	13.0	7.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
10869	*Corymbia citriodora*	Spotted Gum	670		670	210	40.0	13.0	8.0	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
10870	*Corymbia citriodora*	Spotted Gum	370		370	116	27.0	11.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
10871	*Eucalyptus tereticornis*	Forest Red Gum	600		600	188	28.0	13.0	7.2	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
10872	*Eucalyptus sideroxylon*	Northern Grey Ironbark	430		430	135	30.0	10.0	5.2	2.3	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
10873	*Angophora leiocarpa*	Smooth Barked Apple	170		170	53	11.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
10874	*Angophora leiocarpa*	Smooth Barked Apple	170		170	53	10.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
10875	*Corymbia intermedia*	Pink Bloodwood	410		410	129	28.0	11.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
10876	*Corymbia citriodora*	Spotted Gum	220		220	69	18.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
10877	*Eucalyptus sideroxylon*	Northern Grey Ironbark	420		420	132	32.0	14.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Termites	-	-	-	-	Retain
10878	*Eucalyptus sideroxylon*	Northern Grey Ironbark	190		190	60	12.0	3.0	2.3	1.6	Regular	-	Thinning	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Retain
10879	*Corymbia citriodora*	Spotted Gum	380		380	119	34.0	14.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
10880	*Corymbia citriodora*	Spotted Gum	110		110	35	13.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
10881	*Corymbia citriodora*	Spotted Gum	150		150	47	7.0	1.0	2.0	1.5	Regular	-	Thinning	-	-	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
10882	*Corymbia citriodora*	Spotted Gum	390		390	123	36.0	13.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
10883	*Corymbia citriodora*	Spotted Gum	200		200	63	17.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
10884	*Corymbia citriodora*	Spotted Gum	320	280	425	134	35.0	17.0	5.1	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
10885	*Corymbia citriodora*	Spotted Gum	420		420	132	38.0	16.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
10886	*Corymbia citriodora*	Spotted Gum	220		220	69	16.0	9.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
10887	*Corymbia citriodora*	Spotted Gum	180		180	57	23.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
10888	*Corymbia citriodora*	Spotted Gum	120		120	38	11.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
10889	*Corymbia citriodora*	Spotted Gum	230		230	72	23.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
10890	*Corymbia citriodora*	Spotted Gum	320		320	101	24.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
10891	*Corymbia citriodora*	Spotted Gum	230		230	72	15.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
10892	*Corymbia citriodora*	Spotted Gum	180		180	57	9.0	1.0	2.2	1.6	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
10893	*Corymbia citriodora*	Spotted Gum	190		190	60	22.0	10.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
10894	*Corymbia citriodora*	Spotted Gum	170		170	53	10.0	2.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
10895	*Corymbia citriodora*	Spotted Gum	230		230	72	8.0	3.0	2.8	1.8	One-sided	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Poor	-	-	Small	1	-	-	-	Retain
10896	*Corymbia citriodora*	Spotted Gum	140		140	44	15.0	7.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
10897	*Corymbia citriodora*	Spotted Gum	100		100	31	14.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
10898	*Corymbia citriodora*	Spotted Gum	410		410	129	26.0	13.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
10899	*Corymbia citriodora*	Spotted Gum	210		210	66	17.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
10900	*Eucalyptus moluccana*	Gum Topped Box	640		640	201	38.0	18.0	7.7	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	1	-	-	-	Retain
10901	*Corymbia citriodora*	Spotted Gum	110		110	35	15.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
10902	*Eucalyptus moluccana*	Gum Topped Box	610		610	192	25.0	15.0	7.3	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
10903	*Corymbia citriodora*	Spotted Gum	270		270	85	21.0	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
10904	*Corymbia citriodora*	Spotted Gum	160		160	50	14.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
10905	*Corymbia citriodora*	Spotted Gum	250		250	79	23.0	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
10906	*Eucalyptus sideroxylon*	Northern Grey Ironbark	480		480	151	26.0	11.0	5.8	2.4	Regular	-	Thinning	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Retain
10907	*Corymbia citriodora*	Spotted Gum	640		640	201	36.0	13.0	7.7	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
10908	*Corymbia citriodora*	Spotted Gum	270		270	85	24.0	8.0	3.2	1.9	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
10909	*Corymbia citriodora*	Spotted Gum	650		650	204	42.0	12.0	7.8	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Large	1	-	-	-	Retain
10910	*Corymbia citriodora*	Spotted Gum	100		100	31	12.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
10911	*Corymbia citriodora*	Spotted Gum	220		220	69	13.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
10912	*Corymbia citriodora*	Spotted Gum	110		110	35	11.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
10913	*Corymbia citriodora*	Spotted Gum	170		170	53	14.0	2.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
10914	*Corymbia citriodora*	Spotted Gum	450		450	141	29.0	12.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
10915	*Corymbia citriodora*	Spotted Gum	600		600	188	35.0	0.0	7.2	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
10916	*Corymbia citriodora*	Spotted Gum	620		620	195	36.0	14.0	7.4	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
10917	*Corymbia citriodora*	Spotted Gum	460		460	145	34.0	13.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
10918	*Corymbia citriodora*	Spotted Gum	110		110	35	11.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain

Specimen Details								Canopy Condition Details								Trunk Condition Details								Fauna Details and Habitat Value									
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
109919	*Corymbia citriodora*	Spotted Gum	140		140	44	17.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
109Z0	*Eucalyptus siderophloia*	Northern Grey Ironbark	580		580	182	34.0	16.0	7.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	1	-	-	-	Retain	
109Z1	*Corymbia citriodora*	Spotted Gum	140		140	44	23.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
109Z2	*Corymbia citriodora*	Spotted Gum	490		490	154	39.0	14.0	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
109Z3	*Corymbia citriodora*	Spotted Gum	210		210	66	21.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
109Z4	*Corymbia citriodora*	Spotted Gum	170		170	53	23.0	4.0	2.0	1.6	Regular	-	Thinning	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
109Z5	*Corymbia citriodora*	Spotted Gum	110		110	35	12.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
109Z6	*Corymbia citriodora*	Spotted Gum	140		140	44	14.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
109Z7	*Corymbia citriodora*	Spotted Gum	170		170	53	15.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
109Z8	*Eucalyptus siderophloia*	Northern Grey Ironbark	110		110	35	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
109Z9	*Corymbia citriodora*	Spotted Gum	90	80	120	38	10.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
109Y0	*Corymbia citriodora*	Spotted Gum	140		140	44	14.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
109Y1	*Corymbia citriodora*	Spotted Gum	100		100	31	5.0	1.0	2.0	1.3	Regular	-	Thinning	-	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
109Y2	*Eucalyptus siderophloia*	Northern Grey Ironbark	720		720	226	29.0	13.0	8.6	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
109Y3	*Corymbia citriodora*	Spotted Gum	420		420	132	38.0	16.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
109Y4	*Corymbia citriodora*	Spotted Gum	120		120	38	13.0	0.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
109Y5	*Corymbia citriodora*	Spotted Gum	150		150	47	17.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
109Y6	*Corymbia citriodora*	Spotted Gum	660		660	207	40.0	19.0	7.9	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
109Y7	*Corymbia citriodora*	Spotted Gum	620		620	195	38.0	13.0	7.4	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
109Z8	*Corymbia citriodora*	Spotted Gum	150		150	47	16.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
109Z9	*Corymbia citriodora*	Spotted Gum	140		140	44	15.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
109Z10	*Corymbia citriodora*	Spotted Gum	100	80	128	40	11.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
109Z11	*Corymbia citriodora*	Spotted Gum	110		110	35	10.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
109Z12	*Corymbia citriodora*	Spotted Gum	420		420	132	20.0	9.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
109Z13	*Corymbia citriodora*	Spotted Gum	330		330	104	26.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
109Z14	*Corymbia citriodora*	Spotted Gum	140		140	44	17.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
109Z15	*Corymbia citriodora*	Spotted Gum	310		310	97	18.0	5.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
109Z16	*Eucalyptus siderophloia*	Northern Grey Ironbark	460		460	145	35.0	14.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
109Z17	*Corymbia citriodora*	Spotted Gum	100		100	31	10.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
109Z18	*Corymbia citriodora*	Spotted Gum	380		380	119	26.0	9.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
109Z19	*Corymbia citriodora*	Spotted Gum	410		410	129	26.0	13.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
109Z20	*Corymbia citriodora*	Spotted Gum	400		400	145	35.0	14.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
109Z21	*Corymbia citriodora*	Spotted Gum	100		100	31	10.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
109Z22	*Corymbia citriodora*	Spotted Gum	380		380	119	26.0	9.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
109Z23	*Corymbia citriodora*	Spotted Gum	180		180	57	18.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
109Z24	*Eucalyptus siderophloia*	Northern Grey Ironbark	440		440	138	21.0	7.0	5.3	2.3	Regular	-	Thinning	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	Large	1	-	Termites	-	Retain	
109Z25	*Corymbia citriodora*	Spotted Gum	280		280	88	19.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
109Z26	*Corymbia citriodora*	Spotted Gum	130		130	41	15.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
109Z27	*Corymbia citriodora*	Spotted Gum	100		100	31	13.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
109Z28	*Corymbia citriodora*	Spotted Gum	180		180	57	15.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
109Z29	*Corymbia citriodora*	Spotted Gum	130		130	41	13.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
109Z30	*Corymbia citriodora*	Spotted Gum	160		160	50	19.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
109Z31	*Corymbia citriodora*	Spotted Gum	110		110	35	12.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
109Z32	*Corymbia citriodora*	Spotted Gum	140		140	44	13.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
109Z33	*Corymbia citriodora*	Spotted Gum	100		100	31	12.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
109Z34	*Corymbia citriodora*	Spotted Gum	140		140	44	14.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
109Z35	*Corymbia citriodora*	Spotted Gum	120		120	38	13.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
109Z36	*Corymbia citriodora*	Spotted Gum	110		110	35	13.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
109Z37	*Corymbia citriodora*	Spotted Gum	110		110	35	11.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
109Z38	*Corymbia citriodora*	Spotted Gum	140		140	44	15.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
109Z39	*Corymbia citriodora*	Spotted Gum	150		150	47	16.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
109Z40	*Corymbia citriodora*	Spotted Gum	100	80	128	40	11.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
109Z41	*Corymbia citriodora*	Spotted Gum	110		110	35	10.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
109Z42	*Corymbia citriodora*	Spotted Gum	420		420	132	20.0	9.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
109Z43	*Corymbia citriodora*	Spotted Gum	330		330	104	26.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
109Z44	*Corymbia citriodora*	Spotted Gum	140		140	44	17.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
109Z45	*Corymbia citriodora*	Spotted Gum	310		310	97	18.0	5.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
109Z46	*Eucalyptus siderophloia*	Northern Grey Ironbark	460		460	145	35.0	14.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
109Z47	*Corymbia citriodora*	Spotted Gum	100		100	31	10.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
109Z48	*Corymbia citriodora*	Spotted Gum	380		380	119	26.0	9.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
109Z49	*Corymbia citriodora*	Spotted Gum	410		410	129	26.0	13.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
110A0	*Eucalyptus miniccana*	Gum Topped Box	130		130	41	15.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
110A1	*Eucalyptus siderophloia*	Northern Grey Ironbark	500		500	157	28.0	14.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	

Specimen Details									Canopy Condition Details								Trunk Condition Details						Fauna Details and Habitat Value							Additional Notes
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention
110142	*Corymbia citriodora*	Spotted Gum	370	180	411	129	29.0	12.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
110143	*Eucalyptus siderophloia*	Northern Grey Ironbark	300	94	279	107	28.0	14.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
110144	*Corymbia citriodora*	Spotted Gum	340	107	280	88	28.0	14.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
110145	*Eucalyptus siderophloia*	Northern Grey Ironbark	130	41	130	41	14.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
110146	*Corymbia citriodora*	Spotted Gum	480	151	480	151	34.0	18.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
110147	*Corymbia citriodora*	Spotted Gum	150	47	150	47	20.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
110148	*Corymbia citriodora*	Spotted Gum	140	44	140	44	15.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
110149	*Eucalyptus siderophloia*	Northern Grey Ironbark	430	135	430	135	25.0	10.0	5.2	2.3	One-sided	-	Thinning	Die-back	Epicormic	Lopped	Poor	Major	-	Trunk Dmg.	-	Poor	-	-	-	0	-	-	-	Retain
110150	*Corymbia citriodora*	Spotted Gum	120	38	120	38	12.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
110151	*Eucalyptus siderophloia*	Northern Grey Ironbark	800	251	800	251	29.0	12.0	9.6	3.0	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termites	-	Retain
110152	*Eucalyptus siderophloia*	Northern Grey Ironbark	200	63	200	63	18.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
110153	*Eucalyptus siderophloia*	Northern Grey Ironbark	440	400	595	187	30.0	10.0	7.1	2.7	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Retain
110154	*Eucalyptus siderophloia*	Northern Grey Ironbark	110	35	110	35	12.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
110155	*Corymbia citriodora*	Spotted Gum	330	104	330	104	27.0	9.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
110156	*Corymbia citriodora*	Spotted Gum	310	97	310	97	16.0	10.0	3.7	2.0	One-sided	-	-	-	-	-	Typical	Major	-	-	-	Typical	-	-	-	0	-	-	-	Retain
110157	*Eucalyptus tereticornis*	Forest Red Gum	150	47	150	47	16.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
110158	*Corymbia citriodora*	Spotted Gum	400	126	400	126	29.0	10.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
110159	*Corymbia citriodora*	Spotted Gum	500	157	500	157	24.0	13.0	6.0	2.5	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	Small	1	-	-	-	Retain
110160	*Eucalyptus siderophloia*	Northern Grey Ironbark	470	148	470	148	27.0	10.0	5.6	2.4	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
110161	*Corymbia citriodora*	Spotted Gum	310	97	310	97	26.0	10.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
110162	*Corymbia citriodora*	Spotted Gum	240	75	240	75	28.0	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
110163	*Corymbia intermedia*	Pink Bloodwood	100	31	100	31	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
110164	*Corymbia intermedia*	Pink Bloodwood	160	50	160	50	18.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
110165	*Corymbia citriodora*	Spotted Gum	560	176	560	176	37.0	26.0	6.7	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
110166	*Corymbia citriodora*	Spotted Gum	560	176	560	176	37.0	22.0	6.7	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
110167	*Corymbia citriodora*	Spotted Gum	330	104	330	104	29.0	14.0	4.0	2.1	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
110168	*Corymbia citriodora*	Spotted Gum	180	57	180	57	18.0	5.0	2.2	1.6	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
110169	*Corymbia citriodora*	Spotted Gum	240	75	240	75	32.0	12.0	2.9	1.8	Regular	-	Thinning	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
110170	*Corymbia citriodora*	Spotted Gum	110	35	110	35	12.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
110171	*Corymbia citriodora*	Spotted Gum	170	53	170	53	24.0	7.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
110172	*Eucalyptus siderophloia*	Northern Grey Ironbark	440	138	440	138	28.0	14.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
110173	*Corymbia citriodora*	Spotted Gum	380	119	380	119	29.0	14.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
110174	*Corymbia citriodora*	Spotted Gum	250	79	250	79	23.0	10.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
110175	*Corymbia citriodora*	Spotted Gum	200	63	200	63	28.0	8.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
110176	*Corymbia citriodora*	Spotted Gum	300	94	300	94	31.0	12.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
110177	*Corymbia citriodora*	Spotted Gum	320	101	320	101	33.0	14.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
110178	*Corymbia citriodora*	Spotted Gum	250	79	250	79	30.0	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
110179	*Corymbia intermedia*	Pink Bloodwood	300	94	300	94	25.0	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
110180	*Corymbia citriodora*	Spotted Gum	130	41	130	41	15.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
110181	*Corymbia citriodora*	Spotted Gum	120	38	120	38	12.0	1.0	2.0	1.4	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
110182	*Corymbia citriodora*	Spotted Gum	240	75	240	75	20.0	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
110183	*Eucalyptus siderophloia*	Northern Grey Ironbark	390	123	390	123	30.0	8.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Retain
110184	*Corymbia citriodora*	Spotted Gum	120	38	120	38	12.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
110185	*Corymbia citriodora*	Spotted Gum	160	50	160	50	19.0	7.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
110186	*Corymbia citriodora*	Spotted Gum	440	138	440	138	33.0	18.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
110187	*Corymbia citriodora*	Spotted Gum	110	35	110	35	13.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
110188	*Corymbia citriodora*	Spotted Gum	260	82	260	82	27.0	10.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
110189	*Corymbia citriodora*	Spotted Gum	100	31	100	31	14.0	6.0	2.0	1.3	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
110190	*Corymbia citriodora*	Spotted Gum	330	104	330	104	23.0	10.0	4.0	2.1	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
110191	*Eucalyptus siderophloia*	Northern Grey Ironbark	330	104	330	104	20.0	13.0	4.0	2.1	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
110192	*Corymbia citriodora*	Spotted Gum	180	57	180	57	20.0	9.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
110193	*Corymbia citriodora*	Spotted Gum	220	69	220	69	18.0	8.0	2.6	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
110194	*Corymbia citriodora*	Spotted Gum	100	31	100	31	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
110195	*Corymbia citriodora*	Spotted Gum	180	57	180	57	17.0	8.0	2.2	1.6	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
110196	*Eucalyptus siderophloia*	Northern Grey Ironbark	360	113	360	113	27.0	18.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
110197	*Eucalyptus moluccana*	Gum Topped Box	560	176	560	176	31.0	16.0	6.7	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
110198	*Eucalyptus siderophloia*	Northern Grey Ironbark	310	97	310	97	23.0	12.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
110199	*Corymbia citriodora*	Spotted Gum	200	63	200	63	20.0	8.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
110200	*Corymbia citriodora*	Spotted Gum	160	50	160	50	22.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
110201	*Eucalyptus siderophloia*	Northern Grey Ironbark	450	141	450	141	34.0	20.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
110202	*Corymbia citriodora*	Spotted Gum	130	41	130	41	18.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
110203	*Corymbia citriodora*	Spotted Gum	240	75	240	75	23.0	10.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
110204	*Eucalyptus tereticornis*	Forest Red Gum	800	251	800	251	40.0	30.0	9.6	3.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
110205	*Eucalyptus siderophloia*	Northern Grey Ironbark	260	82	260	82	26.0	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
110206	*Corymbia citriodora*	Spotted Gum	500	157	500	157	30.0	12.0	6.0	2.5	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
110207	*Eucalyptus siderophloia*	Northern Grey Ironbark	280	88	280	88	30.0	10.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
110208	*Corymbia citriodora*	Spotted Gum	170	53	170	53	12.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
110209	*Corymbia citriodora*	Spotted Gum	450	141	450	141	37.0	12.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain

Tree ID	Botanical Name	Common Name	Specimen Details									Canopy Condition Details								Trunk Condition Details					Fauna Details and Habitat Value							Additional Notes
			Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	
111110	*Corymbia citriodora*	Spotted Gum	370		370	116	27.0	16.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
111111	*Angophora leiocarpa*	Smooth Barked Apple	290		290	91	22.0	16.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
111112	*Corymbia citriodora*	Spotted Gum	110		110	35	16.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
111113	*Corymbia citriodora*	Spotted Gum	200		200	63	14.0	2.0	2.4	1.7	Regular	-	Thinning	Die-back	Epicormic	Lopped	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
111114	*Angophora leiocarpa*	Smooth Barked Apple	260		260	82	18.0	12.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
111115	*Angophora leiocarpa*	Smooth Barked Apple	140		140	44	17.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
111116	*Corymbia citriodora*	Spotted Gum	400		400	126	30.0	16.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
111117	*Eucalyptus moluccana*	Gum Topped Box	470		470	148	28.0	12.0	5.6	2.4	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
111118	*Corymbia citriodora*	Spotted Gum	180		180	57	20.0	2.0	2.2	1.6	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
111119	*Angophora leiocarpa*	Smooth Barked Apple	240		240	75	17.0	9.0	2.9	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
111120	*Corymbia citriodora*	Spotted Gum	420		420	132	34.0	17.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
111121	*Corymbia citriodora*	Spotted Gum	600		600	188	40.0	20.0	7.2	2.7	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
111122	*Corymbia citriodora*	Spotted Gum	430		430	135	41.0	10.0	5.2	2.3	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
111123	*Eucalyptus moluccana*	Gum Topped Box	400		400	126	30.0	17.0	4.8	2.3	One-sided	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
111124	*Corymbia citriodora*	Spotted Gum	350		350	110	34.0	16.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
111125	*Corymbia citriodora*	Spotted Gum	120		120	38	13.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
111126	*Eucalyptus siderophloia*	Northern Grey Ironbark	120		120	38	10.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
111127	*Corymbia citriodora*	Spotted Gum	110		110	35	11.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
111128	*Eucalyptus siderophloia*	Northern Grey Ironbark	120		120	38	16.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
111129	*Corymbia citriodora*	Spotted Gum	560		560	176	34.0	17.0	6.7	2.6	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
111130	*Eucalyptus siderophloia*	Northern Grey Ironbark	180	110	211	66	17.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
111131	*Corymbia citriodora*	Spotted Gum	190		190	60	23.0	7.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
111132	*Corymbia citriodora*	Spotted Gum	590		590	185	28.0	20.0	7.1	2.7	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
111133	*Corymbia citriodora*	Spotted Gum	360		360	113	33.0	16.0	4.3	2.2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
111134	*Corymbia citriodora*	Spotted Gum	200		200	63	18.0	9.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
111135	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	30.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
111136	*Corymbia citriodora*	Spotted Gum	100		100	31	12.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
111137	*Corymbia citriodora*	Spotted Gum	380		380	119	31.0	10.0	4.6	2.2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
111138	*Corymbia citriodora*	Spotted Gum	100		100	31	14.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
111139	*Corymbia citriodora*	Spotted Gum	400		400	126	31.0	16.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
111140	*Corymbia citriodora*	Spotted Gum	230		230	72	22.0	9.0	2.8	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
111141	*Corymbia citriodora*	Spotted Gum	350		350	110	31.0	14.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
111142	*Corymbia citriodora*	Spotted Gum	460		460	145	33.0	16.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
111143	*Eucalyptus siderophloia*	Northern Grey Ironbark	110		110	35	10.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termites	-	-	Retain	
111144	*Corymbia citriodora*	Spotted Gum	110		110	35	18.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
111145	*Angophora leiocarpa*	Smooth Barked Apple	320		320	101	33.0	16.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
111146	*Corymbia citriodora*	Spotted Gum	600		600	188	32.0	18.0	7.2	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
111147	*Corymbia citriodora*	Spotted Gum	190		190	60	18.0	10.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
111148	*Corymbia citriodora*	Spotted Gum	360		360	113	33.0	16.0	4.3	2.2	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
111149	*Corymbia citriodora*	Spotted Gum	190	140	236	74	23.0	9.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
111150	*Corymbia citriodora*	Spotted Gum	120		120	38	18.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
111151	*Corymbia citriodora*	Spotted Gum	130		130	41	17.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
111152	*Corymbia citriodora*	Spotted Gum	320		320	101	28.0	18.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
111153	*Corymbia citriodora*	Spotted Gum	140		140	44	18.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
111154	*Corymbia citriodora*	Spotted Gum	590		590	185	35.0	18.0	7.1	2.7	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
111155	*Corymbia citriodora*	Spotted Gum	240		240	75	18.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
111156	*Corymbia citriodora*	Spotted Gum	110		110	35	16.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
111157	*Corymbia citriodora*	Spotted Gum	110		110	35	16.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
111158	*Corymbia citriodora*	Spotted Gum	160		160	50	18.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
111159	*Corymbia citriodora*	Spotted Gum	110		110	35	14.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
111160	*Corymbia citriodora*	Spotted Gum	120		120	38	14.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
111161	*Corymbia citriodora*	Spotted Gum	120		120	38	15.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
111162	*Corymbia citriodora*	Spotted Gum	660		660	207	37.0	22.0	7.9	2.8	Regular	-	Thinning	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
111163	*Corymbia intermedia*	Pink Bloodwood	190		190	60	16.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
111164	*Corymbia citriodora*	Spotted Gum	420		420	132	38.0	22.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
111165	*Corymbia citriodora*	Spotted Gum	100		100	31	17.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
111166	*Angophora leiocarpa*	Smooth Barked Apple	200		200	63	14.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
111167	*Corymbia citriodora*	Spotted Gum	240		240	75	27.0	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
111168	*Corymbia citriodora*	Spotted Gum	160		160	50	20.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
111169	*Corymbia citriodora*	Spotted Gum	260		260	82	21.0	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
111170	*Eucalyptus siderophloia*	Northern Grey Ironbark	180		180	57	21.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
111171	*Corymbia intermedia*	Pink Bloodwood	180		180	57	18.0	3.0	2.2	1.6	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
111172	*Corymbia citriodora*	Spotted Gum	220		220	69	20.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
111173	*Corymbia citriodora*	Spotted Gum	400		400	126	30.0	14.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
111174	*Corymbia citriodora*	Spotted Gum	120		120	38	15.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
111175	*Corymbia citriodora*	Spotted Gum	210		210	66	28.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
111176	*Corymbia citriodora*	Spotted Gum	190		190	60	20.0	7.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
111177	*Corymbia citriodora*	Spotted Gum	120		120	38	14.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	

| | | |

| Specimen Details | | |

Specimen Details									Canopy Condition Details								Trunk Condition Details						Fauna Details and Habitat Value							Additional Notes
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	
11334	*Eucalyptus siderophloia*	Northern Grey Ironbark	180		180	57	14.0	14.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	0	-	-	-	-	Remove
11335	*Corymbia intermedia*	Pink Bloodwood	170		170	53	14.0	13.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	0	-	-	-	-	Remove
11336	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	19.0	19.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	0	-	-	-	-	Remove
11337	*Eucalyptus tereticornis*	Forest Red Gum	330		330	104	19.0	8.0	4.0	2.1	-	Regular	Thinning	Die-back	Epicormic	-	-	Typical	-	-	-	-	Typical	-	-	0	-	-	-	-	Remove
11338	*Acacia disparrima*	Hickory Wattle	210		210	66	11.0	5.0	2.5	1.7		Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	0	-	-	-	-	Remove
11339	*Corymbia intermedia*	Pink Bloodwood	170		170	53	15.0	6.0	2.0	1.6		Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	0	-	-	-	-	Remove
11340	*Acacia disparrima*	Hickory Wattle	210		210	66	9.0	7.0	2.5	1.7		Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	0	-	-	-	-	Remove
11341	*Acacia disparrima*	Hickory Wattle	180		180	57	11.0	6.0	2.2	1.6		Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	0	-	-	-	-	Remove
11342	*Corymbia citriodora*	Spotted Gum	160		160	50	16.0	6.0	2.0	1.5		Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	0	-	-	-	-	Remove
11343	*Acacia disparrima*	Hickory Wattle	280		280	88	11.0	7.0	3.4	1.9		Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	0	-	-	-	-	Remove
11344	*Acacia disparrima*	Hickory Wattle	170		170	53	11.0	5.0	2.0	1.6		Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	0	-	-	-	-	Remove
11345	*Acacia disparrima*	Hickory Wattle	180	160	241	76	11.0	8.0	2.9	1.8		Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	0	-	-	-	-	Remove
11346	*Petalostigma pubescens*	Quinine Bush	160		160	50	8.0	5.0	2.0	1.5		Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	0	-	-	-	-	Remove
11347	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	17.0	6.0	2.4	1.7		Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	0	-	-	-	-	Remove
11348	*Angophora leiocarpa*	Smooth-barked Apple	220		220	69	19.0	7.0	2.6	1.8		Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	0	-	-	-	-	Refer Teviot Road application
11349	*Corymbia citriodora*	Spotted Gum	170		170	53	15.0	5.0	2.0	1.6		Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	0	-	-	-	-	Refer Teviot Road application
11350	*Acacia disparrima*	Hickory Wattle	260		260	82	12.0	7.0	3.1	1.9		Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	0	-	-	-	-	Refer Teviot Road application
11351	*Acacia disparrima*	Hickory Wattle	240		240	75	12.0	8.0	2.9	1.8		Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	0	-	-	-	-	Refer Teviot Road application
11352	*Lophostemon suaveolens*	Swamp Box	150		150	47	14.0	4.0	2.0	1.5		Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	0	-	-	-	-	Refer Teviot Road application
11353	*Corymbia intermedia*	Pink Bloodwood	190		190	60	12.0	5.0	2.3	1.6		Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	0	-	-	-	-	Refer Teviot Road application
11354	*Corymbia intermedia*	Pink Bloodwood	160		160	50	16.0	5.0	2.0	1.5		Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	0	-	-	-	-	Refer Teviot Road application
11355	*Acacia disparrima*	Hickory Wattle	220		220	69	14.0	8.0	2.6	1.8		Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	0	-	-	-	-	Refer Teviot Road application
11356	*Acacia disparrima*	Hickory Wattle	170		170	53	12.0	7.0	2.0	1.6		Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	0	-	-	-	-	Remove
11357	*Acacia disparrima*	Hickory Wattle	240		240	75	12.0	7.0	2.9	1.8		Regular	-	-	-	-	-	Typical	Minor	-	Trunk Dmg.	-	Typical	-	-	0	-	-	-	-	Remove
11358	*Eucalyptus siderophloia*	Northern Grey Ironbark	160		160	50	13.0	5.0	2.0	1.5		Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	0	-	-	-	-	Remove
11359	*Acacia disparrima*	Hickory Wattle	200		200	63	10.0	7.0	2.4	1.7		Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	0	-	-	-	-	Remove
11360	*Acacia disparrima*	Hickory Wattle	160		160	50	11.0	6.0	2.0	1.5		Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	0	-	-	-	-	Remove
11361	*Acacia disparrima*	Hickory Wattle	226	160	226	71	11.0	7.0	2.7	1.8		Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	0	-	-	-	-	Refer Teviot Road application
11362	*Corymbia intermedia*	Pink Bloodwood	180		180	57	17.0	5.0	2.2	1.6		Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	0	-	-	-	-	Refer Teviot Road application
11363	*Corymbia intermedia*	Pink Bloodwood	170		170	53	17.0	6.0	2.0	1.6		Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	0	-	-	-	-	Refer Teviot Road application
11364	*Acacia disparrima*	Hickory Wattle	180	150	234	74	13.0	7.0	2.8	1.8		Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	0	-	-	-	-	Refer Teviot Road application
11365	*Acacia disparrima*	Hickory Wattle	150	140	205	64	12.0	6.0	2.5	1.7		Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	0	-	-	-	-	Refer Teviot Road application
11366	*Acacia disparrima*	Hickory Wattle	170		170	53	12.0	6.0	2.0	1.6		Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	0	-	-	-	-	Refer Teviot Road application
11367	*Corymbia tessellaris*	Moreton Bay Ash	160		160	50	12.0	6.0	2.0	1.5		Regular	-	Thinning	Die-back	Epicormic	Poor	-	-	-	-	-	Typical	-	-	0	-	-	-	-	Refer Teviot Road application
11368	*Corymbia tessellaris*	Moreton Bay Ash	200		200	63	16.0	7.0	2.4	1.7		One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	0	-	-	-	-	Refer Teviot Road application
11369	*Acacia disparrima*	Hickory Wattle	160		160	50	9.0	6.0	2.0	1.5		Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	0	-	-	-	-	Refer Teviot Road application
11370	*Acacia disparrima*	Hickory Wattle	220		220	69	12.0	7.0	2.6	1.8		Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	0	-	-	-	-	Remove
11371	*Corymbia citriodora*	Spotted Gum	210		210	66	18.0	7.0	2.5	1.7		One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	0	-	-	-	-	Refer Teviot Road application
11372	*Acacia disparrima*	Hickory Wattle	170		170	53	12.0	6.0	2.0	1.6		Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	0	-	-	-	-	Refer Teviot Road application
11373	*Acacia disparrima*	Hickory Wattle	220		220	69	10.0	8.0	2.4	1.8		Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	0	-	-	-	-	Refer Teviot Road application
11374	*Acacia disparrima*	Hickory Wattle	180		180	57	8.0	7.0	2.2	1.6		Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	0	-	-	-	-	Remove
11375	*Corymbia citriodora*	Spotted Gum	160		160	50	16.0	5.0	2.0	1.5		Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	0	-	-	-	-	Remove
11376	*Eucalyptus siderophloia*	Northern Grey Ironbark	180		180	57	15.0	7.0	2.2	1.6		Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	0	-	-	-	-	Remove
11377	*Corymbia citriodora*	Spotted Gum	150		150	47	15.0	5.0	2.0	1.5		Regular	-	Thinning	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	0	-	-	-	-	Remove
11378	*Eucalyptus siderophloia*	Northern Grey Ironbark	150		150	47	13.0	4.0	2.0	1.5		Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	0	-	-	-	-	Remove
11379	*Acacia disparrima*	Hickory Wattle	280		280	88	12.0	8.0	3.4	1.9		Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	0	-	-	-	-	Remove
11380	*Lophostemon suaveolens*	Swamp Box	150		150	47	10.0	4.0	2.0	1.5		Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	0	-	-	-	-	Remove
11381	*Acacia disparrima*	Hickory Wattle	270	240	361	113	12.0	8.0	4.3	2.2		Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	0	-	-	-	-	Remove
11382	*Eucalyptus tereticornis*	Forest Red Gum	230		230	72	14.0	8.0	2.8	1.8	Irregular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	0	-	-	-	-	Remove
11383	*Eucalyptus tereticornis*	Forest Red Gum	190		190	60	17.0	5.0	2.3	1.6		Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Old	-	0	-	-	-	Remove
11384	*Acacia disparrima*	Hickory Wattle	190		190	60	11.0	7.0	2.3	1.6		Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	0	-	-	-	-	Remove
11385	*Acacia disparrima*	Hickory Wattle	300		300	94	12.0	6.0	3.6	2.0		Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	0	-	-	-	-	Remove
11386	*Eucalyptus tereticornis*	Forest Red Gum	150		150	47	10.0	3.0	2.0	1.5		Regular	-	Thinning	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	0	-	-	-	-	Remove
11387	*Angophora leiocarpa*	Smooth-barked Apple	150		150	47	14.0	6.0	2.0	1.5		Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	0	-	-	-	-	Remove
11388	*Corymbia intermedia*	Pink Bloodwood	150		150	47	9.0	2.0	2.0	1.5		Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	0	-	-	-	-	Remove
11389	*Acacia disparrima*	Hickory Wattle	220		220	69	12.0	6.0	2.6	1.8		Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	0	-	-	-	-	Remove
11390	*Angophora leiocarpa*	Smooth-barked Apple	220		220	69	17.0	7.0	2.6	1.8		One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	0	-	-	-	-	Remove
11391	*Eucalyptus tereticornis*	Forest Red Gum	260		260	82	18.0	10.0	3.1	1.9		Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Old	-	0	-	-	-	Remove
11392	*Acacia disparrima*	Hickory Wattle	180		180	57	19.0	8.0	2.2	1.6		Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	0	-	-	-	-	Remove
11393	*Angophora leiocarpa*	Smooth-barked Apple	290		290	91	22.0	12.0	3.5	2.0		One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	0	-	-	-	-	Remove
11394	*Angophora leiocarpa*	Smooth-barked Apple	180		180	57	10.0	2.0	2.2	1.6		Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	0	-	-	-	-	Remove
11395	*Eucalyptus siderophloia*	Northern Grey Ironbark	520		520	163	25.0	14.0	6.2	2.5		Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	0	-	-	-	-	Remove
11396	*Corymbia intermedia*	Pink Bloodwood	150		150	47	9.0	3.0	2.0	1.5		Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	0	-	-	-	-	Remove
11397	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	18.0	7.0	2.5	1.7		Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	0	-	-	-	-	Remove
11398	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	19.0	9.0	2.8	1.8		Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	0	-	-	-	-	Remove
11399	*Eucalyptus tereticornis*	Forest Red Gum	180		180	57	18.0	7.0	2.2	1.6		Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	0	-	-	-	-	Remove
11400	*Angophora leiocarpa*	Smooth-barked Apple	280		280	88	22.0	9.0	3.4	1.9		Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	0	-	-	-	-	Remove
11401	*Eucalyptus tereticornis*	Forest Red Gum	290		290	91	20.0	6.0	3.5	2.0		Regular	-	Thinning	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	0	-	-	-	-	Remove

Specimen Details								Canopy Condition Details								Trunk Condition Details								Fauna Details and Habitat Value									
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
11402	*Corymbia intermedia*	Pink Bloodwood	290		290	91	19.0	9.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11403	*Eucalyptus tereticornis*	Forest Red Gum	240		240	75	18.0	7.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11404	*Eucalyptus siderophloia*	Northern Grey Ironbark	290		290	91	23.0	9.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11405	*Eucalyptus siderophloia*	Northern Grey Ironbark	330		330	104	26.0	14.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
11406	*Corymbia intermedia*	Pink Bloodwood	170		170	53	16.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11407	*Corymbia intermedia*	Pink Bloodwood	200		200	63	18.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11408	*Angophora leiocarpa*	Smooth-barked Apple	220	200	297	93	21.0	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11409	*Angophora leiocarpa*	Smooth-barked Apple	250		250	79	20.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11410	*Acacia disparrima*	Hickory Wattle	170		170	53	11.0	6.0	2.0	1.6	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11411	*Angophora leiocarpa*	Smooth-barked Apple	270		270	85	21.0	13.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
11412	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	18.0	10.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11413	*Eucalyptus siderophloia*	Northern Grey Ironbark	340		340	107	22.0	15.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11414	*Eucalyptus tereticornis*	Forest Red Gum	300		300	94	21.0	13.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11415	*Lophostemon suaveolens*	Swamp Box	170		170	53	12.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11416	*Acacia disparrima*	Hickory Wattle	200		200	63	10.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11417	*Acacia disparrima*	Hickory Wattle	220		220	69	12.0	7.0	2.6	1.8	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11418	*Corymbia intermedia*	Pink Bloodwood	170		170	53	15.0	6.0	2.0	1.6	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11419	*Eucalyptus tereticornis*	Forest Red Gum	170		170	53	14.0	2.0	2.0	1.6	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11420	*Acacia disparrima*	Hickory Wattle	170		170	53	13.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11421	*Acacia disparrima*	Hickory Wattle	160		160	50	12.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11422	*Corymbia intermedia*	Pink Bloodwood	200		200	63	15.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11423	*Acacia disparrima*	Hickory Wattle	190	180	262	82	12.0	7.0	3.1	1.9	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11424	*Acacia disparrima*	Hickory Wattle	150		150	47	13.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11425	*Acacia disparrima*	Hickory Wattle	170		170	53	13.0	7.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11426	*Acacia disparrima*	Hickory Wattle	190		190	60	16.0	8.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11427	*Eucalyptus tereticornis*	Forest Red Gum	240		240	75	18.0	5.0	2.9	1.8	Regular	-	Thinning	Die-back	epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11428	*Acacia disparrima*	Hickory Wattle	170		170	53	14.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11429	*Acacia disparrima*	Hickory Wattle	170		170	53	12.0	4.0	2.0	1.6	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11430	*Acacia disparrima*	Hickory Wattle	150		150	47	12.0	6.0	2.0	1.5	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11431	*Angophora leiocarpa*	Smooth-barked Apple	300		300	94	23.0	11.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11432	*Corymbia intermedia*	Pink Bloodwood	410		410	129	20.0	11.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11433	*Acacia disparrima*	Hickory Wattle	200		200	63	14.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11434	*Acacia disparrima*	Hickory Wattle	200	170	262	82	13.0	8.0	3.1	1.9	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11435	*Lophostemon suaveolens*	Swamp Box	160	140	213	67	11.0	6.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11436	*Acacia disparrima*	Hickory Wattle	200		200	63	12.0	6.0	2.4	1.7	Regular	-	Thinning	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
11437	*Acacia disparrima*	Hickory Wattle	190		190	60	13.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11438	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	18.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11439	*Eucalyptus tereticornis*	Forest Red Gum	240		240	75	18.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11440	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	15.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11441	*Acacia disparrima*	Hickory Wattle	160		160	50	14.0	7.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11442	*Acacia disparrima*	Hickory Wattle	180		180	57	10.0	5.0	2.2	1.6	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11443	*Corymbia intermedia*	Pink Bloodwood	180		180	57	15.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11444	*Corymbia intermedia*	Pink Bloodwood	150		150	47	16.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11445	*Acacia disparrima*	Hickory Wattle	210		210	66	13.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11446	*Corymbia intermedia*	Pink Bloodwood	300		300	94	22.0	12.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
11447	*Corymbia intermedia*	Pink Bloodwood	180		180	57	16.0	7.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11448	*Eucalyptus tereticornis*	Forest Red Gum	430		430	135	22.0	13.0	5.2	2.3	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11449	*Eucalyptus tereticornis*	Forest Red Gum	220		220	69	20.0	8.0	2.6	1.8	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11450	*Acacia disparrima*	Hickory Wattle	150		150	47	10.0	6.0	2.0	1.5	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11451	*Lophostemon suaveolens*	Swamp Box	170		170	53	11.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11452	*Acacia disparrima*	Hickory Wattle	160		160	50	11.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11453	*Lophostemon suaveolens*	Swamp Box	150		150	47	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11454	*Corymbia intermedia*	Pink Bloodwood	260		260	82	19.0	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
11455	*Corymbia intermedia*	Pink Bloodwood	150		150	47	12.0	2.0	2.0	1.5	Regular	-	Thinning	Die-back	epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11456	*Eucalyptus siderophloia*	Northern Grey Ironbark	170		170	53	14.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11457	*Corymbia intermedia*	Pink Bloodwood	270		270	85	19.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11458	*Eucalyptus tereticornis*	Forest Red Gum	200		200	63	13.0	2.0	2.4	1.7	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11459	*Corymbia intermedia*	Pink Bloodwood	290		290	91	19.0	10.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11460	*Corymbia citriodora*	Spotted Gum	150		150	47	18.0	7.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Tevior Road application	
11461	*Corymbia intermedia*	Pink Bloodwood	190		190	60	15.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11462	*Acacia disparrima*	Hickory Wattle	190		190	60	12.0	6.0	2.3	1.6	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11463	*Corymbia intermedia*	Pink Bloodwood	180		180	57	14.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11464	*Eucalyptus tereticornis*	Forest Red Gum	280		280	88	15.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11465	*Eucalyptus tereticornis*	Forest Red Gum	300		300	94	19.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11466	*Acacia disparrima*	Hickory Wattle	170		170	53	14.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11467	*Acacia disparrima*	Hickory Wattle	150		150	47	13.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11468	*Acacia disparrima*	Hickory Wattle	220		220	69	13.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
11469	*Eucalyptus tereticornis*	Forest Red Gum	320		320	101	19.0	6.0	3.8	2.1	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	Old	-	0	-	-	-	Remove	

Specimen Details							Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value							
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
11470	*Eucalyptus tereticornis*	Forest Red Gum	260		260	82	17.0	5.0	3.1	1.9	Regular	-	Thinning	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11471	*Corymbia intermedia*	Pink Bloodwood	150		150	47	13.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11472	*Corymbia citriodora*	Spotted Gum	200		200	63	17.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11473	*Eucalyptus siderophloia*	Northern Grey Ironbark	360		360	113	23.0	11.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11474	*Eucalyptus tereticornis*	Forest Red Gum	210		210	66	19.0	7.0	2.5	1.7	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11475	*Corymbia citriodora*	Spotted Gum	170		170	53	17.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11476	*Lophostemon suaveolens*	Swamp Box	150		150	47	11.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11477	*Corymbia intermedia*	Pink Bloodwood	150		150	47	11.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11478	*Corymbia intermedia*	Pink Bloodwood	160		160	50	13.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11479	*Acacia leiocalyx*	Early-flowering Black Wattle	170		170	53	10.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11480	*Acacia disparrima*	Hickory Wattle	300		300	94	12.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11481	*Eucalyptus tereticornis*	Forest Red Gum	280		280	88	20.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11482	*Angophora leiocarpa*	Smooth-barked Apple	160		160	50	16.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11483	*Eucalyptus tereticornis*	Forest Red Gum	330		330	104	22.0	10.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11484	*Corymbia citriodora*	Spotted Gum	190		190	60	12.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11485	*Corymbia citriodora*	Spotted Gum	150		150	47	12.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11486	*Eucalyptus siderophloia*	Northern Grey Ironbark	290		290	91	22.0	10.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11487	*Acacia disparrima*	Hickory Wattle	150		150	47	10.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11488	*Eucalyptus siderophloia*	Northern Grey Ironbark	330		330	104	19.0	9.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11489	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	18.0	9.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11490	*Corymbia intermedia*	Pink Bloodwood	270		270	85	21.0	10.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11491	*Corymbia citriodora*	Spotted Gum	320		320	101	19.0	10.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11492	*Corymbia citriodora*	Spotted Gum	260		260	82	23.0	14.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11493	*Eucalyptus tereticornis*	Forest Red Gum	230		230	72	19.0	6.0	2.8	1.8	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11494	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	18.0	9.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11495	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	18.0	8.0	2.4	1.7	One-sided	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11496	*Eucalyptus siderophloia*	Northern Grey Ironbark	180		180	57	20.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11497	*Eucalyptus siderophloia*	Northern Grey Ironbark	340		340	107	24.0	18.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
11498	*Corymbia citriodora*	Spotted Gum	260		260	82	20.0	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11499	*Lophostemon suaveolens*	Swamp Box	170		170	53	11.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11500	*Eucalyptus siderophloia*	Northern Grey Ironbark	310		310	97	23.0	14.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11501	*Corymbia intermedia*	Pink Bloodwood	180		180	57	16.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11502	*Acacia disparrima*	Hickory Wattle	170		170	53	11.0	7.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11503	*Eucalyptus siderophloia*	Northern Grey Ironbark	370	116	416	146	24.0	14.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11504	*Acacia disparrima*	Hickory Wattle	190		190	60	10.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11505	*Acacia disparrima*	Hickory Wattle	160	150	219	69	9.0	6.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11506	*Corymbia citriodora*	Spotted Gum	180		180	57	16.0	6.0	2.2	1.6	One-sided	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11507	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	25.0	13.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11508	*Eucalyptus tereticornis*	Forest Red Gum	210		210	66	13.0	2.0	2.5	1.7	Regular	-	-	-	Epicormic	Lopped	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
11509	*Eucalyptus siderophloia*	Northern Grey Ironbark	180		180	57	8.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11510	*Angophora leiocarpa*	Smooth-barked Apple	290		290	91	20.0	7.0	3.5	2.0	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11511	*Corymbia intermedia*	Pink Bloodwood	260		260	82	20.0	8.0	3.1	1.9	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11512	*Corymbia citriodora*	Spotted Gum	270		270	85	24.0	9.0	3.2	1.9	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11513	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	23.0	9.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11514	*Acacia disparrima*	Hickory Wattle	170		170	53	8.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11515	*Corymbia citriodora*	Spotted Gum	260		260	82	23.0	7.0	3.1	1.9	Regular	-	Thinning	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11516	*Acacia disparrima*	Hickory Wattle	270		270	85	12.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11517	*Corymbia citriodora*	Spotted Gum	270		270	85	19.0	8.0	3.2	1.9	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11518	*Corymbia citriodora*	Spotted Gum	240		240	75	18.0	10.0	2.9	1.8	Regular	-	Thinning	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11519	*Corymbia citriodora*	Spotted Gum	230		230	72	22.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11520	*Corymbia citriodora*	Spotted Gum	150		150	47	11.0	3.0	2.0	1.5	Regular	-	Thinning	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11521	*Eucalyptus tereticornis*	Forest Red Gum	210		210	66	18.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11522	*Corymbia citriodora*	Spotted Gum	300		300	94	22.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11523	*Corymbia citriodora*	Spotted Gum	320	180, 170	405	127	22.0	11.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11524	*Corymbia citriodora*	Spotted Gum	200		200	63	15.0	6.0	2.4	1.7	One-sided	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11525	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	21.0	9.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11526	*Corymbia citriodora*	Spotted Gum	250		250	79	11.0	6.0	3.0	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11527	*Acacia disparrima*	Hickory Wattle	170		170	53	11.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11528	*Corymbia citriodora*	Spotted Gum	150		150	47	12.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11529	*Corymbia citriodora*	Spotted Gum	190		190	60	18.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11530	*Eucalyptus siderophloia*	Northern Grey Ironbark	160		160	50	17.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11531	*Corymbia citriodora*	Spotted Gum	160		160	50	11.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11532	*Eucalyptus siderophloia*	Northern Grey Ironbark	440	138	440	138	28.0	16.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
11533	*Corymbia citriodora*	Spotted Gum	240		240	75	19.0	7.0	2.9	1.8	Regular	-	Thinning	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11534	*Corymbia citriodora*	Spotted Gum	150		150	47	13.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11535	*Angophora leiocarpa*	Smooth-barked Apple	210		210	66	12.0	7.0	2.5	1.7	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11536	*Angophora leiocarpa*	Smooth-barked Apple	150		150	47	14.0	4.0	2.0	1.5	Regular	-	Thinning	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11537	*Angophora leiocarpa*	Smooth-barked Apple	150		150	47	14.0	5.0	2.0	1.5	Regular	-	Thinning	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	

Tree ID	Botanical Name	Common Name	Specimen Details									Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value							Additional Notes
			Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	
11538	*Angophora leiocarpa*	Smooth-barked Apple	270		270	85	20.0	9.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11539	*Angophora leiocarpa*	Smooth-barked Apple	160		160	50	15.0	5.0	2.0	1.5	Regular	-	Thinning	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11540	*Eucalyptus siderophloia*	Northern Grey Ironbark	470		470	148	22.0	11.0	5.6	2.4	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11541	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	21.0	9.0	3.2	1.9	Regular	-	Thinning	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11542	*Corymbia citriodora*	Spotted Gum	220		220	69	18.0	7.0	2.6	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11543	*Angophora leiocarpa*	Smooth-barked Apple	250		250	79	17.0	6.0	2.4	1.8	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11544	*Eucalyptus tereticornis*	Forest Red Gum	260		260	82	17.0	4.0	3.1	1.9	Regular	-	Thinning	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11545	*Angophora leiocarpa*	Smooth-barked Apple	140		140	44	11.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11546	*Eucalyptus siderophloia*	Northern Grey Ironbark	150		150	47	11.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11547	*Acacia disparrima*	Hickory Wattle	170		170	53	11.0	7.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11548	*Corymbia tessellaris*	Moreton Bay Ash	160		160	50	14.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11549	*Eucalyptus tereticornis*	Forest Red Gum	260		260	82	22.0	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11550	*Corymbia tessellaris*	Moreton Bay Ash	150		150	47	14.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11551	*Corymbia tessellaris*	Moreton Bay Ash	200		200	63	14.0	6.0	2.4	1.7	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11552	*Eucalyptus tereticornis*	Forest Red Gum	400		400	126	19.0	11.0	4.8	2.3	Regular	-	Thinning	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11553	*Acacia disparrima*	Hickory Wattle	240		240	75	8.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11554	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	18.0	7.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11555	*Eucalyptus siderophloia*	Northern Grey Ironbark	350		350	110	24.0	10.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
11556	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	20.0	4.0	2.5	1.7	Regular	-	Thinning	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11557	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	19.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11558	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	15.0	6.0	2.9	1.8	Regular	-	Thinning	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11559	*Acacia disparrima*	Hickory Wattle	170		170	53	10.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11560	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	17.0	3.0	2.5	1.7	Regular	-	-	-	Epicormic	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
11561	*Eucalyptus siderophloia*	Northern Grey Ironbark	310		310	97	25.0	14.0	3.7	2.0	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11562	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	22.0	10.0	3.0	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11563	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	22.0	12.0	3.6	2.0	Regular	-	Thinning	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11564	*Eucalyptus siderophloia*	Northern Grey Ironbark	170		170	53	18.0	7.0	2.0	1.6	Regular	-	Thinning	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11565	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	19.0	6.0	2.5	1.7	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11566	*Corymbia citriodora*	Spotted Gum	270		270	85	19.0	6.0	3.2	1.9	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11567	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	24.0	8.0	3.1	1.9	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11568	*Angophora leiocarpa*	Smooth-barked Apple	190		190	60	16.0	7.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11569	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	25.0	7.0	3.4	1.9	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11570	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	25.0	11.0	3.1	1.9	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11571	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	22.0	9.0	3.2	1.9	One-sided	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11572	*Corymbia citriodora*	Spotted Gum	160		160	50	15.0	7.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11573	*Acacia disparrima*	Hickory Wattle	150		150	47	8.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11574	*Eucalyptus siderophloia*	Northern Grey Ironbark	180		180	57	17.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11575	*Corymbia tessellaris*	Moreton Bay Ash	200		200	63	15.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11576	*Acacia disparrima*	Hickory Wattle	170		170	53	10.0	7.0	2.0	1.6	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11577	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	19.0	10.0	3.6	2.0	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11578	*Acacia disparrima*	Hickory Wattle	200		200	63	15.0	7.0	2.4	1.7	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11579	*Acacia disparrima*	Hickory Wattle	150		150	47	11.0	4.0	2.0	1.5	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11580	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	21.0	8.0	3.2	1.9	One-sided	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11581	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	18.0	9.0	3.0	1.8	Regular	-	Thinning	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
11582	*Eucalyptus siderophloia*	Northern Grey Ironbark	310		310	97	22.0	10.0	3.7	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11583	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	18.0	10.0	3.6	2.0	One-sided	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11584	*Eucalyptus siderophloia*	Northern Grey Ironbark	160		160	50	15.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11585	*Corymbia citriodora*	Spotted Gum	290		290	91	21.0	8.0	3.5	2.0	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11586	*Eucalyptus siderophloia*	Northern Grey Ironbark	340		340	107	20.0	11.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11587	*Eucalyptus siderophloia*	Northern Grey Ironbark	310		310	97	22.0	9.0	3.7	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11588	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	14.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11589	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	22.0	10.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
11590	*Angophora leiocarpa*	Smooth-barked Apple	290		290	91	21.0	12.0	3.5	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11591	*Angophora leiocarpa*	Smooth-barked Apple	220		220	69	15.0	7.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11592	*Angophora leiocarpa*	Smooth-barked Apple	240		240	75	18.0	7.0	2.9	1.8	Regular	-	Thinning	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11593	*Angophora leiocarpa*	Smooth-barked Apple	190		190	60	16.0	7.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11594	*Angophora leiocarpa*	Smooth-barked Apple	250		250	79	18.0	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11595	*Angophora leiocarpa*	Smooth-barked Apple	250		250	79	18.0	7.0	3.0	1.8	One-sided	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11596	*Eucalyptus siderophloia*	Northern Grey Ironbark	370		370	116	25.0	14.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11597	*Angophora leiocarpa*	Smooth-barked Apple	340		340	107	20.0	10.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
11598	*Acacia disparrima*	Hickory Wattle	160		160	50	10.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11599	*Eucalyptus tereticornis*	Forest Red Gum	180		180	57	17.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11600	*Eucalyptus tereticornis*	Forest Red Gum	170		170	53	15.0	5.0	2.0	1.6	Regular	-	Thinning	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11601	*Eucalyptus tereticornis*	Forest Red Gum	180		180	57	18.0	5.0	2.2	1.6	Regular	-	Thinning	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11602	*Corymbia citriodora*	Spotted Gum	180		180	57	13.0	4.0	2.2	1.6	Regular	-	Thinning	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11603	*Eucalyptus siderophloia*	Northern Grey Ironbark	180		180	57	16.0	7.0	2.2	1.6	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11604	*Angophora leiocarpa*	Smooth-barked Apple	300		300	94	19.0	12.0	3.6	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11605	*Angophora leiocarpa*	Smooth-barked Apple	190		190	60	18.0	6.0	2.3	1.6	Regular	-	Thinning	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	

Tree ID	Botanical Name	Common Name	Specimen Details								Canopy Condition Details								Trunk Condition Details						Fauna Details and Habitat Value							Additional Notes
			Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	
11606	*Eucalyptus siderophloia*	Northern Grey Ironbark	320		320	101	23.0	12.0	3.8	2.1	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
11607	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	24.0	11.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
11608	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	17.0	6.0	2.4	1.7	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
11609	*Acacia disparrima*	Hickory Wattle	170		170	53	8.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
11610	*Acacia disparrima*	Hickory Wattle	170		170	53	9.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
11611	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	22.0	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
11612	*Eucalyptus siderophloia*	Northern Grey Ironbark	190		190	60	19.0	7.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
11613	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	24.0	11.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
11614	*Acacia disparrima*	Hickory Wattle	160		160	50	9.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
11615	*Eucalyptus siderophloia*	Northern Grey Ironbark	190		190	60	18.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
11616	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	24.0	14.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
11617	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	22.0	10.0	2.9	1.8	Regular	-	Thinning	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
11618	*Eucalyptus siderophloia*	Northern Grey Ironbark	350		350	110	22.0	11.0	4.2	2.1	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	Termite nest	-	Remove
11619	*Eucalyptus siderophloia*	Northern Grey Ironbark	340		340	107	25.0	15.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
11620	*Acacia disparrima*	Hickory Wattle	150		150	47	11.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
11621	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	23.0	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
11622	*Acacia disparrima*	Hickory Wattle	190		190	60	12.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
11623	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	22.0	11.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
11624	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	21.0	8.0	2.5	1.7	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
11625	*Eucalyptus siderophloia*	Northern Grey Ironbark	190		190	60	19.0	6.0	2.3	1.6	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
11626	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	20.0	9.0	2.9	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
11627	*Acacia disparrima*	Hickory Wattle	170		170	53	13.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
11628	*Acacia disparrima*	Hickory Wattle	170		170	53	11.0	6.0	2.0	1.6	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
11629	*Acacia disparrima*	Hickory Wattle	220		220	69	8.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
11630	*Eucalyptus tereticornis*	Forest Red Gum	290		290	91	19.0	8.0	3.5	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
11631	*Acacia disparrima*	Hickory Wattle	250		250	79	12.0	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
11632	*Corymbia intermedia*	Pink Bloodwood	170		170	53	13.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
11633	*Angophora leiocarpa*	Smooth-barked Apple	260		260	82	16.0	7.0	3.1	1.9	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
11634	*Corymbia intermedia*	Pink Bloodwood	180		180	57	13.0	5.0	3.2	1.6	Regular	-	Thinning	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
11635	*Lophostemon suaveolens*	Swamp Box	150		150	47	7.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
11636	*Eucalyptus tereticornis*	Forest Red Gum	200		200	63	18.0	4.0	2.4	1.7	Regular	-	Thinning	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
11637	*Acacia disparrima*	Hickory Wattle	160		160	50	8.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
11638	**DEAD/STAG**		280		280	88	16.0	3.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove
11639	*Corymbia citriodora*	Spotted Gum	165		165	52	13.0	2.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
11640	*Corymbia citriodora*	Spotted Gum	165		165	52	13.0	2.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
11641	*Corymbia intermedia*	Pink Bloodwood	160		160	50	12.0	1.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
11642	*Corymbia intermedia*	Pink Bloodwood	260		260	82	12.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove
11643	**DEAD/STAG**		260	240	354	111	12.0	5.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Small	1	Remove
11644	*Corymbia citriodora*	Spotted Gum	150		150	47	12.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
11645	*Eucalyptus siderophloia*	Northern Grey Ironbark	340		340	107	17.0	6.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
11646	*Corymbia citriodora*	Spotted Gum	230		230	72	12.0	3.0	2.8	1.8	Regular	-	Thinning	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
11647	*Eucalyptus tereticornis*	Forest Red Gum	365		365	115	18.0	4.0	4.4	2.2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
11648	*Angophora leiocarpa*	Smooth-barked Apple	225		225	71	12.0	4.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
11649	*Angophora leiocarpa*	Smooth-barked Apple	230		230	72	12.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
11650	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	17.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
11651	*Corymbia intermedia*	Pink Bloodwood	150		150	47	9.0	1.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
11652	*Angophora leiocarpa*	Smooth-barked Apple	240		240	75	12.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
11653	*Corymbia citriodora*	Spotted Gum	150		150	47	12.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
11654	**DEAD/STAG**		270		270	85	18.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove
11655	**DEAD/STAG**		260		260	82	16.0	3.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
11656	*Corymbia citriodora*	Spotted Gum	150		150	47	10.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
11657	*Eucalyptus siderophloia*	Northern Grey Ironbark	150		150	47	11.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
11658	*Corymbia citriodora*	Spotted Gum	160		160	50	12.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
11659	*Acacia disparrima*	Hickory Wattle	240		240	75	10.0	7.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
11660	**DEAD/STAG**		420		420	132	19.0	2.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
11661	*Eucalyptus siderophloia*	Northern Grey Ironbark	460		460	145	21.0	8.0	5.5	2.4	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove
11662	*Corymbia intermedia*	Pink Bloodwood	260		260	82	16.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
11663	**DEAD/STAG**		245		245	77	16.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	Small	1	-	-	Remove
11664	*Alphitonia excelsa*	Red Ash	150		150	47	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
11665	*Corymbia intermedia*	Pink Bloodwood	155		155	49	14.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
11666	*Corymbia intermedia*	Pink Bloodwood	180		180	57	13.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
11667	*Corymbia intermedia*	Pink Bloodwood	180		180	57	12.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
11668	*Corymbia intermedia*	Pink Bloodwood	205		205	64	13.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
11669	**DEAD/STAG**		260		260	82	17.0	3.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
11670	*Corymbia intermedia*	Pink Bloodwood	270		270	85	17.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
11671	*Corymbia intermedia*	Pink Bloodwood	360		360	113	17.0	6.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
11672	*Corymbia intermedia*	Pink Bloodwood	195		195	61	17.0	4.0	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
11673	*Corymbia intermedia*	Pink Bloodwood	210		210	66	13.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove

Tree ID	Botanical Name	Common Name	Specimen Details							Canopy Condition Details								Trunk Condition Details					Fauna Details and Habitat Value							Additional Notes	Retention
			Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value		
11674	*Eucalyptus siderophloia*	Northern Grey Ironbark	175		175	55	12.0	4.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
11675	*Acacia disparrima*	Hickory Wattle	385		385	121	9.0	7.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	-	Remove
11676	*Acacia disparrima*	Hickory Wattle	220		220	69	8.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
11677	*Alphitonia excelsa*	Red Ash	165		165	52	10.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
11678	*Acacia disparrima*	Hickory Wattle	290		290	91	10.0	6.0	3.5	2.0	Regular	-	Thinning	Die-back	-	-	Poor	-	-	Trunk Dmg.	-	Poor	-	-	-	0	-	-	-	-	Remove
11679	**DEAD/STAG**		460		460	145	22.0	5.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
11680	*Alphitonia excelsa*	Red Ash	155		155	49	7.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
11681	*Petalostigma pubescens*	Quinine Bush	150		150	47	5.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
11682	*Eucalyptus siderophloia*	Northern Grey Ironbark	165		165	52	13.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	-	Remove
11683	**DEAD/STAG**		520		520	163	8.0	1.0	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
11684	*Angophora leiocarpa*	Smooth-barked Apple	260		260	82	15.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
11685	*Acacia disparrima*	Hickory Wattle	240		240	75	10.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
11686	*Acacia leiocalyx*	Early-flowering Black Wattle	155		155	49	10.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
11687	*Acacia leiocalyx*	Early-flowering Black Wattle	165		165	52	10.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
11688	*Corymbia intermedia*	Pink Bloodwood	185		185	58	10.0	1.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
11689	*Acacia disparrima*	Hickory Wattle	150		150	47	9.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
11690	*Acacia disparrima*	Hickory Wattle	210		210	66	9.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	-	Remove
11691	*Petalostigma pubescens*	Quinine Bush	155		155	49	9.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
11692	*Acacia disparrima*	Hickory Wattle	270		270	85	10.0	7.0	3.2	1.9	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
11693	*Eucalyptus siderophloia*	Northern Grey Ironbark	150		150	47	12.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
11694	*Petalostigma pubescens*	Quinine Bush	190		190	60	9.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
11695	*Petalostigma pubescens*	Quinine Bush	150		150	47	7.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
11696	*Acacia leiocalyx*	Early-flowering Black Wattle	320		320	101	10.0	7.0	3.8	2.1	Regular	-	Thinning	Die-back	-	-	Poor	Mirror	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	-	Remove
11697	*Lophostemon suaveolens*	Swamp Box	165		165	52	9.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
11698	*Lophostemon suaveolens*	Swamp Box	150		150	47	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
11699	*Lophostemon suaveolens*	Swamp Box	155		155	49	7.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
11700	*Eucalyptus siderophloia*	Northern Grey Ironbark	150		150	47	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
11701	*Acacia disparrima*	Hickory Wattle	220		220	69	10.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
11702	*Acacia disparrima*	Hickory Wattle	195		195	61	9.0	5.0	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
11703	*Acacia disparrima*	Hickory Wattle	210		210	66	10.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
11704	*Eucalyptus tereticornis*	Forest Red Gum	230		230	72	21.0	5.0	2.8	1.8	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
11741	*Acacia disparrima*	Hickory Wattle	160		160	50	10.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
11740	*Acacia disparrima*	Hickory Wattle	155	125	199	63	10.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
11739	*Eucalyptus siderophloia*	Northern Grey Ironbark	160		160	50	13.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
11738	*Acacia disparrima*	Hickory Wattle	214	130	170	67	9.0	5.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
11737	*Acacia disparrima*	Hickory Wattle	160		160	50	9.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
11736	*Acacia disparrima*	Hickory Wattle	160		160	50	7.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
11735	*Eucalyptus tereticornis*	Forest Red Gum	480		480	151	23.0	9.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
11734	*Acacia disparrima*	Hickory Wattle	165		165	52	9.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
11733	*Eucalyptus siderophloia*	Northern Grey Ironbark	150		150	47	9.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	-	Remove
11732	*Acacia disparrima*	Hickory Wattle	400	126	400	126	11.0	6.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
11731	*Acacia disparrima*	Hickory Wattle	160	130	206	65	9.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
11730	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	21.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
11729	*Acacia disparrima*	Hickory Wattle	155		155	49	9.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
11728	*Acacia disparrima*	Hickory Wattle	230		230	72	12.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
11727	*Angophora leiocarpa*	Smooth-barked Apple	165		165	52	13.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
11726	*Acacia leiocalyx*	Early-flowering Black Wattle	150		150	47	9.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
11725	*Eucalyptus siderophloia*	Northern Grey Ironbark	185		185	58	16.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
11724	*Eucalyptus siderophloia*	Northern Grey Ironbark	530		530	167	23.0	9.0	6.4	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
11723	*Eucalyptus siderophloia*	Northern Grey Ironbark	155		155	49	11.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
11722	*Eucalyptus tereticornis*	Forest Red Gum	150		150	47	9.0	2.0	2.0	1.5	One-sided	-	-	-	-	-	Typical	Major	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
11721	*Acacia disparrima*	Hickory Wattle	200		200	63	10.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
11720	*Eucalyptus siderophloia*	Northern Grey Ironbark	150		150	47	10.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
11719	*Acacia disparrima*	Hickory Wattle	230		230	72	9.0	6.0	2.8	1.8	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
11718	*Eucalyptus siderophloia*	Northern Grey Ironbark	195		195	61	17.0	5.0	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
11717	*Eucalyptus siderophloia*	Northern Grey Ironbark	150		150	47	12.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
11716	*Eucalyptus siderophloia*	Northern Grey Ironbark	190		190	60	18.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
11715	*Acacia disparrima*	Hickory Wattle	150	150	212	67	7.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
11714	*Eucalyptus siderophloia*	Northern Grey Ironbark	420		420	132	20.0	8.0	5.0	2.3	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
11713	*Eucalyptus tereticornis*	Forest Red Gum	150		150	47	12.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
11712	*Lophostemon suaveolens*	Swamp Box	185		185	58	7.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
11711	*Lophostemon suaveolens*	Swamp Box	160		160	50	10.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
11710	*Corymbia intermedia*	Pink Bloodwood	165		165	52	16.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
11709	*Eucalyptus tereticornis*	Forest Red Gum	160		160	50	16.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
11708	*Eucalyptus siderophloia*	Northern Grey Ironbark	420		420	132	21.0	8.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
11707	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	18.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
11706	*Acacia disparrima*	Hickory Wattle	160		160	50	9.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
11705	*Eucalyptus siderophloia*	Northern Grey Ironbark	320		320	101	18.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
11704	*Eucalyptus tereticornis*	Forest Red Gum	230		230	72	21.0	5.0	2.8	1.8	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
11703	*Acacia disparrima*	Hickory Wattle	210		210	66	10.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
11702	*Acacia disparrima*	Hickory Wattle	195		195	61	9.0	5.0	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
11701	*Acacia disparrima*	Hickory Wattle	220		220	69	10.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
11700	*Eucalyptus siderophloia*	Northern Grey Ironbark	150		150	47	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
11699	*Lophostemon suaveolens*	Swamp Box	155		155	49	7.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
11698	*Lophostemon suaveolens*	Swamp Box	150		150	47	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
11697	*Lophostemon suaveolens*	Swamp Box	165		165	52	9.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
11696	*Acacia leiocalyx*	Early-flowering Black Wattle	320		320	101	10.0	7.0	3.8	2.1	Regular	-	Thinning	Die-back	-	-	Poor	Mirror	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	-	Remove
11695	*Petalostigma pubescens*	Quinine Bush	150		150	47	7.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
11694	*Petalostigma pubescens*	Quinine Bush	190		190	60	9.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
11693	*Eucalyptus siderophloia*	Northern Grey Ironbark	150		150	47	12.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
11692	*Acacia disparrima*	Hickory Wattle	270		270	85	10.0	7.0	3.2	1.9	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
11691	*Petalostigma pubescens*	Quinine Bush	155		155	49	9.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
11690	*Acacia disparrima*	Hickory Wattle	210		210	66	9.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	-	Remove
11689	*Acacia disparrima*	Hickory Wattle	150		150	47	9.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
11688	*Corymbia intermedia*	Pink Bloodwood	185		185	58	10.0	1.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
11687	*Acacia leiocalyx*	Early-flowering Black Wattle	165		165	52	10.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
11686	*Acacia leiocalyx*	Early-flowering Black Wattle	155		155	49	10.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
11685	*Acacia disparrima*	Hickory Wattle	240		240	75	10.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
11684	*Angophora leiocarpa*	Smooth-barked Apple	260		260	82	15.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
11683	**DEAD/STAG**		520		520	163	8.0	1.0	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
11682	*Eucalyptus siderophloia*	Northern Grey Ironbark	165		165	52	13.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	-	Remove
11681	*Petalostigma pubescens*	Quinine Bush	150		150	47	5.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
11680	*Alphitonia excelsa*	Red Ash	155		155	49	7.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
11679	**DEAD/STAG**		460		460	145	22.0	5.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
11678	*Acacia disparrima*	Hickory Wattle	290		290	91	10.0	6.0	3.5	2.0	Regular	-	Thinning	Die-back	-	-	Poor	-	-	Trunk Dmg.	-	Poor	-	-	-	0	-	-	-	-	Remove
11677	*Alphitonia excelsa*	Red Ash	165		165	52	10.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
11676	*Acacia disparrima*	Hickory Wattle	220		220	69	8.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
11675	*Acacia disparrima*	Hickory Wattle	385		385	121	9.0	7.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	-	Remove
11674	*Eucalyptus siderophloia*	Northern Grey Ironbark	175		175	55	12.0	4.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove

Tree ID	Botanical Name	Common Name	Specimen Details										Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value							Additional Notes
			Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	
117742	*Acacia dispartima*	Hickory Wattle	165	135	213	67	11.0	6.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
117743	*Eucalyptus tereticornis*	Forest Red Gum	430	135	430	135	24.0	9.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
117744	*Corymbia tessellaris*	Moreton Bay Ash	185	58	185	58	13.0	4.0	2.2	1.6	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
117745	*Corymbia intermedia*	Pink Bloodwood	150	47	150	47	12.0	2.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
117746	*Eucalyptus tereticornis*	Northern Grey Ironbark	170	53	170	53	12.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
117747	*Angophora leiocarpa*	Smooth-barked Apple	150	47	150	47	11.0	4.0	2.0	1.5	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
117748	*Acacia dispartima*	Hickory Wattle	165	80, 60	193	61	7.0	5.0	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
117749	*Corymbia tessellaris*	Moreton Bay Ash	160	50	160	50	12.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
117750	*Corymbia tessellaris*	Moreton Bay Ash	240	75	240	75	18.0	7.0	2.9	1.8	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
117751	*Eucalyptus tereticornis*	Forest Red Gum	610	192	610	192	26.0	8.0	7.3	2.7	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
117752	*Angophora leiocarpa*	Smooth-barked Apple	460	170	490	154	22.0	9.0	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
117753	*Angophora leiocarpa*	Smooth-barked Apple	195	165	255	80	16.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
117754	*Angophora leiocarpa*	Smooth-barked Apple	320	101	320	101	18.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
117755	*Angophora leiocarpa*	Smooth-barked Apple	290	91	290	91	19.0	8.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
117756	*Corymbia citriodora*	Spotted Gum	230	72	290	72	17.0	2.0	2.8	1.8	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
117757	*Corymbia intermedia*	Pink Bloodwood	290	91	290	91	17.0	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
117758	*Corymbia intermedia*	Pink Bloodwood	150	47	150	47	8.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
117759	*Eucalyptus siderophloia*	Northern Grey Ironbark	220	69	220	69	18.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
117760	*Eucalyptus tereticornis*	Forest Red Gum	460	145	460	145	24.0	9.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
117761	*Angophora leiocarpa*	Smooth-barked Apple	240	75	240	75	19.0	7.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
117762	*Acacia dispartima*	Hickory Wattle	150	100	180	57	9.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
117763	**DEAD/STAG**		560		560	176	26.0	7.0	6.7	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
117764	*Acacia dispartima*	Hickory Wattle	160	50	160	50	10.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
117765	*Acacia dispartima*	Hickory Wattle	155	49	155	49	9.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
117766	*Eucalyptus siderophloia*	Northern Grey Ironbark	460	145	460	145	17.0	6.0	5.5	2.4	Regular	-	-	-	-	Lopped	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
117767	*Corymbia tessellaris*	Moreton Bay Ash	195	61	195	61	17.0	6.0	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
117768	*Corymbia intermedia*	Pink Bloodwood	440	138	440	138	19.0	8.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Poor	-	-	-	0	-	-	-	Remove	
117769	*Eucalyptus siderophloia*	Northern Grey Ironbark	320	101	320	101	17.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
117770	*Corymbia tessellaris*	Moreton Bay Ash	264	130	264	83	18.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
117771	*Acacia dispartima*	Hickory Wattle	150	47	150	47	9.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
117772	*Angophora leiocarpa*	Smooth-barked Apple	150	47	150	47	8.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
117773	*Acacia dispartima*	Hickory Wattle	220	69	220	69	10.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
117774	*Eucalyptus siderophloia*	Northern Grey Ironbark	430	135	430	135	23.0	9.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
117775	*Corymbia intermedia*	Pink Bloodwood	195	61	195	61	14.0	4.0	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
117776	*Eucalyptus tereticornis*	Forest Red Gum	210	66	210	66	19.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
117777	*Acacia dispartima*	Hickory Wattle	170	53	170	53	10.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
117778	*Acacia dispartima*	Hickory Wattle	170	53	170	53	9.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
117779	*Lophostemon suaveolens*	Swamp Box	240	72	240	72	10.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
117780	*Acacia dispartima*	Hickory Wattle	210	66	210	66	10.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
117781	*Acacia dispartima*	Hickory Wattle	190	60	190	60	9.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
117782	*Acacia dispartima*	Hickory Wattle	240	75	240	75	10.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
117783	*Eucalyptus tereticornis*	Forest Red Gum	275	86	275	86	18.0	7.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
117784	*Corymbia intermedia*	Pink Bloodwood	265	130	295	93	18.0	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
117785	*Corymbia intermedia*	Pink Bloodwood	430	130	449	141	19.0	8.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
117786	*Acacia leiocalyx*	Ear/-fleveling Black Wattle	185	58	185	58	11.0	6.0	2.2	1.6	Regular	-	Thinning	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
117787	*Eucalyptus tereticornis*	Forest Red Gum	490	154	490	154	22.0	7.0	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
117788	*Acacia leiocalyx*	Ear/-fleveling Black Wattle	165	52	165	52	9.0	3.0	2.0	1.6	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
117789	*Acacia dispartima*	Hickory Wattle	230	72	230	72	10.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
117790	*Eucalyptus tereticornis*	Forest Red Gum	300	94	300	94	21.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
117791	*Acacia dispartima*	Hickory Wattle	185	58	185	58	9.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
117792	*Acacia dispartima*	Hickory Wattle	195	61	195	61	8.0	5.0	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
117793	*Eucalyptus siderophloia*	Northern Grey Ironbark	360	113	360	113	23.0	8.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
117794	*Acacia dispartima*	Hickory Wattle	150	47	150	47	8.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
117795	*Corymbia intermedia*	Pink Bloodwood	175	55	175	55	10.0	1.0	2.1	1.6	Regular	-	-	-	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
117796	*Corymbia intermedia*	Pink Bloodwood	300	300	424	133	19.0	8.0	5.1	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
117797	*Corymbia tessellaris*	Moreton Bay Ash	330	104	330	104	21.0	8.0	4.0	2.1	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
117798	*Eucalyptus siderophloia*	Northern Grey Ironbark	320	101	320	101	24.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
117799	*Acacia dispartima*	Hickory Wattle	150	47	150	47	8.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
117800	*Corymbia tessellaris*	Moreton Bay Ash	440	138	440	138	26.0	9.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
117801	*Eucalyptus siderophloia*	Northern Grey Ironbark	390	123	390	123	20.0	7.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
117802	*Eucalyptus siderophloia*	Northern Grey Ironbark	260	82	260	82	21.0	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
117803	*Eucalyptus tereticornis*	Forest Red Gum	410	129	410	129	23.0	8.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
117804	*Eucalyptus tereticornis*	Forest Red Gum	320	101	320	101	23.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
117805	*Eucalyptus siderophloia*	Northern Grey Ironbark	185	58	185	58	17.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
117806	*Corymbia intermedia*	Pink Bloodwood	150	47	150	47	10.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
117807	*Acacia dispartima*	Hickory Wattle	220	69	220	69	7.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
117808	*Eucalyptus siderophloia*	Northern Grey Ironbark	360	113	360	113	24.0	8.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
117809	*Acacia dispartima*	Hickory Wattle	190	170	255	80	8.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	

Tree ID	Botanical Name	Common Name	Specimen Details											Canopy Condition Details								Trunk Condition Details						Fauna Details and Habitat Value							Additional Notes
			Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	
118810	*Acacia dispartima*	Hickory Wattle	165		165	52	8.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
118811	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	21.0	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
118812	*Acacia dispartima*	Hickory Wattle	320	180	367	115	11.0	7.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
118813	*Alphitonia excelsa*	Red Ash	160		160	50	9.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
118814	*Corymbia intermedia*	Pink Bloodwood	160		160	50	10.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
118815	*Corymbia intermedia*	Pink Bloodwood	180	90	201	63	12.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
118816	*Corymbia intermedia*	Pink Bloodwood	155		155	49	11.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
118817	**DEAD/STAG**		285		285	90	22.0	5.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
118818	*Acacia dispartima*	Hickory Wattle	360		360	113	11.0	7.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
118819	*Acacia dispartima*	Hickory Wattle	230		230	72	10.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
118820	*Acacia dispartima*	Hickory Wattle	185	160	245	77	11.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
118821	**DEAD/STAG**		585		585	184	28.0	6.0	7.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
118822	*Alphitonia excelsa*	Red Ash	150		150	47	7.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
118823	*Corymbia intermedia*	Pink Bloodwood	280		280	88	17.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
118824	*Acacia dispartima*	Hickory Wattle	185		185	58	10.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
118825	*Acacia dispartima*	Hickory Wattle	160		160	50	11.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
118826	**DEAD/STAG**		485		485	152	26.0	9.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
118827	*Eucalyptus tereticornis*	Forest Red Gum	270		270	85	21.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
118828	*Acacia dispartima*	Hickory Wattle	240		240	75	10.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
118829	*Eucalyptus tereticornis*	Forest Red Gum	590		590	185	24.0	9.0	7.1	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
118830	**DEAD/STAG**		300		300	94	25.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
118831	**DEAD/STAG**		240		240	75	21.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
118832	*Acacia dispartima*	Hickory Wattle	160		160	50	9.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
118833	*Corymbia intermedia*	Pink Bloodwood	200		200	63	14.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
118834	*Corymbia intermedia*	Pink Bloodwood	185		185	58	12.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
118835	*Corymbia citriodora*	Spotted Gum	230		230	72	14.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
118836	*Alphitonia excelsa*	Red Ash	155		155	49	9.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
118837	*Acacia dispartima*	Hickory Wattle	230		230	72	10.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
118838	*Eucalyptus tereticornis*	Forest Red Gum	460		460	145	23.0	8.0	5.5	2.4	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
118839	*Angophora leiocarpa*	Smooth-barked Apple	165		165	52	16.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
118840	*Corymbia intermedia*	Pink Bloodwood	165		165	52	13.0	2.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
118841	*Corymbia intermedia*	Pink Bloodwood	490		490	154	21.0	9.0	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
118842	*Acacia dispartima*	Hickory Wattle	170		170	53	9.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
118843	*Petalostigma pubescens*	Quinine Bush	175		175	55	8.0	5.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
118844	*Petalostigma pubescens*	Quinine Bush	150		150	47	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
118845	*Lophostemon suaveolens*	Swamp Box	150		150	47	7.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
118846	*Corymbia intermedia*	Pink Bloodwood	220		220	69	17.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
118847	*Lophostemon suaveolens*	Swamp Box	165		165	52	7.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
118848	*Acacia dispartima*	Hickory Wattle	155		155	49	7.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
118849	*Acacia dispartima*	Hickory Wattle	155		155	49	8.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
118850	*Acacia dispartima*	Hickory Wattle	165		165	52	10.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
118851	*Alphitonia excelsa*	Red Ash	150		150	47	9.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
118852	*Eucalyptus siderophloia*	Northern Grey Ironbark	155		155	49	16.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
118853	*Corymbia citriodora*	Spotted Gum	150		150	47	17.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
118854	*Corymbia citriodora*	Spotted Gum	165		165	52	18.0	7.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
118855	*Corymbia citriodora*	Spotted Gum	160		160	50	17.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
118856	*Corymbia citriodora*	Spotted Gum	155		155	49	17.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
118857	*Acacia dispartima*	Hickory Wattle	190		190	60	9.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
118858	*Corymbia intermedia*	Pink Bloodwood	210		210	66	16.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
118859	*Eucalyptus tereticornis*	Forest Red Gum	590		590	185	22.0	7.0	7.1	2.7	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
118860	*Corymbia intermedia*	Pink Bloodwood	585		585	184	20.0	8.0	7.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
118861	*Eucalyptus tereticornis*	Forest Red Gum	470		470	148	23.0	9.0	5.6	2.4	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
118862	*Lophostemon suaveolens*	Swamp Box	200		200	63	11.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
118863	*Corymbia intermedia*	Pink Bloodwood	160		160	50	9.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
118864	*Acacia dispartima*	Hickory Wattle	165		165	52	9.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
118865	*Acacia dispartima*	Hickory Wattle	220		220	69	10.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
118866	*Corymbia intermedia*	Pink Bloodwood	420		420	132	20.0	8.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
118867	*Eucalyptus tereticornis*	Forest Red Gum	590		590	185	22.0	7.0	7.1	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
118868	*Corymbia intermedia*	Pink Bloodwood	165		165	52	12.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
118869	*Acacia dispartima*	Hickory Wattle	175		175	55	10.0	4.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
118870	*Eucalyptus tereticornis*	Forest Red Gum	520		520	163	23.0	9.0	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
118871	*Angophora leiocarpa*	Smooth-barked Apple	160		160	50	9.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
118872	*Alphitonia excelsa*	Red Ash	165		165	52	7.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
118873	*Corymbia intermedia*	Pink Bloodwood	350	150	381	120	18.0	7.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
118874	*Acacia dispartima*	Hickory Wattle	160		160	50	9.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
118875	*Lophostemon suaveolens*	Swamp Box	270		270	85	12.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
118876	*Acacia dispartima*	Hickory Wattle	150		150	47	9.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
118877	*Eucalyptus siderophloia*	Northern Grey Ironbark	360		360	113	19.0	8.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	

Tree ID	Botanical Name	Common Name	Specimen Details								Canopy Condition Details								Trunk Condition Details						Fauna Details and Habitat Value							Additional Notes
			Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	
11878	*Corymbia intermedia*	Pink Bloodwood	360		360	113	19.0	7.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
11879	*Swamp Box*		155		155	49	9.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
11880	*Acacia disparrima*	Hickory Wattle	170	160	233	73	9.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
11881	*Acacia disparrima*	Hickory Wattle	160		160	50	8.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
11882	*Acacia disparrima*	Hickory Wattle	175		175	55	9.0	5.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
11883	*Eucalyptus tereticornis*	Forest Red Gum	720		720	226	26.0	12.0	8.6	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
11884	*Acacia disparrima*	Hickory Wattle	190	160	248	78	7.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
11885	*Acacia disparrima*	Hickory Wattle	150		150	47	6.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
11886	*Corymbia intermedia*	Pink Bloodwood	210	160	264	83	14.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
11887	*Eucalyptus tereticornis*	Forest Red Gum	590		590	185	18.0	8.0	7.1	2.7	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
11888	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	17.0	7.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
11889	*Alphitonia excelsa*	Red Ash	160		160	50	13.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
11890	*Eucalyptus tereticornis*	Forest Red Gum	420		420	132	19.0	8.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
11891	*Acacia leiocalyx*	Early-flowering Black Wattle	165		165	52	8.0	5.0	2.0	1.6	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
11892	*Corymbia intermedia*	Pink Bloodwood	210		210	66	17.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
11893	*Eucalyptus tereticornis*	Forest Red Gum	460		460	145	19.0	4.0	5.5	2.4	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
11894	*Eucalyptus tereticornis*	Forest Red Gum	230		230	72	19.0	4.0	2.8	1.8	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
11895	*Eucalyptus tereticornis*	Forest Red Gum	480	280	556	175	23.0	9.0	6.7	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
11896	*Eucalyptus tereticornis*	Forest Red Gum	230		230	72	19.0	8.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
11897	*Angophora leiocarpa*	Smooth-barked Apple	290		290	91	17.0	8.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
11898	*Eucalyptus tereticornis*	Forest Red Gum	320	300	439	138	22.0	8.0	5.3	2.3	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
11899	*Eucalyptus tereticornis*	Forest Red Gum	270		270	85	21.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
11900	*Corymbia intermedia*	Pink Bloodwood	230		230	72	17.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
11901	*Eucalyptus tereticornis*	Forest Red Gum	370		370	116	21.0	5.0	4.4	2.2	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
11902	*Eucalyptus tereticornis*	Forest Red Gum	300		300	94	18.0	7.0	3.6	2.0	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
11903	*Angophora leiocarpa*	Smooth-barked Apple	270		270	85	22.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
11904	*Alphitonia excelsa*	Red Ash	165		165	52	10.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
11905	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		285	72	19.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
11906	*Eucalyptus siderophloia*	Northern Grey Ironbark	305		305	96	18.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove
11907	*Corymbia citriodora*	Spotted Gum	430		430	135	23.0	9.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
11908	*Angophora leiocarpa*	Smooth-barked Apple	195		195	61	16.0	5.0	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
11909	*Corymbia tessellaris*	Moreton Bay Ash	170		170	53	15.0	3.0	2.0	1.6	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
11910	*Angophora leiocarpa*	Smooth-barked Apple	330	230	402	126	24.0	9.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
11911	*Acacia disparrima*	Hickory Wattle	200		200	63	10.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
11912	*Angophora leiocarpa*	Smooth-barked Apple	220		220	69	17.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
11913	*Corymbia citriodora*	Spotted Gum	300		300	94	21.0	9.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
11914	*Corymbia intermedia*	Pink Bloodwood	280		280	88	20.0	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
11915	*Corymbia citriodora*	Spotted Gum	190		190	60	15.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	0	-	-	-	Remove
11916	*Angophora leiocarpa*	Smooth-barked Apple	300		300	94	19.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
11917	*Eucalyptus siderophloia*	Northern Grey Ironbark	330		330	104	22.0	9.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
11918	*Angophora leiocarpa*	Smooth-barked Apple	310		310	97	22.0	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
11919	*Corymbia citriodora*	Spotted Gum	150		150	47	11.0	1.0	2.0	1.5	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove
11920	*Eucalyptus siderophloia*	Northern Grey Ironbark	410		410	129	24.0	9.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
11921	*Acacia leiocalyx*	Early-flowering Black Wattle	185		185	58	8.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	0	-	-	-	Remove
11922	*Angophora leiocarpa*	Smooth-barked Apple	460		460	145	23.0	9.0	5.5	2.4	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	0	-	-	-	Remove
11923	*Angophora leiocarpa*	Smooth-barked Apple	160		160	50	13.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
11924	*Eucalyptus tereticornis*	Forest Red Gum	460		460	145	22.0	9.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
11925	*Corymbia intermedia*	Pink Bloodwood	170		170	53	13.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
11926	*Angophora leiocarpa*	Smooth-barked Apple	205		205	64	18.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
11927	**DEAD/STAG**		300		300	94	18.0	9.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
11928	*Angophora leiocarpa*	Smooth-barked Apple	165		165	52	16.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
11929	*Corymbia citriodora*	Spotted Gum	195		195	61	19.0	6.0	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
11930	*Corymbia citriodora*	Spotted Gum	220		220	69	17.0	7.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
11931	*Corymbia citriodora*	Spotted Gum	190	140	236	74	17.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
11932	*Corymbia citriodora*	Spotted Gum	150		150	47	12.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
11933	*Angophora leiocarpa*	Smooth-barked Apple	165		165	52	17.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
11934	*Corymbia tessellaris*	Moreton Bay Ash	165		165	52	17.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
11935	*Angophora leiocarpa*	Smooth-barked Apple	220		220	69	18.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
11936	*Corymbia citriodora*	Spotted Gum	285		285	90	22.0	8.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
11937	*Eucalyptus tereticornis*	Forest Red Gum	390		390	123	24.0	8.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
11938	*Eucalyptus siderophloia*	Northern Grey Ironbark	265		265	83	19.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
11939	*Acacia disparrima*	Hickory Wattle	165	125	207	65	9.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
11940	*Acacia leiocalyx*	Early-flowering Black Wattle	155		155	49	7.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
11941	*Angophora leiocarpa*	Smooth-barked Apple	150		150	47	11.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
11942	*Angophora leiocarpa*	Smooth-barked Apple	165		165	52	13.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
11943	*Alphitonia excelsa*	Red Ash	150		150	47	7.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
11944	*Eucalyptus siderophloia*	Northern Grey Ironbark	285		285	90	19.0	8.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove
11945	*Angophora leiocarpa*	Smooth-barked Apple	480		480	151	23.0	9.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove

Tree ID	Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value								
	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
11946	*Eucalyptus tereticornis*	Forest Red Gum	175		175	55	16.0	3.0	2.1	1.6	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11947	*Eucalyptus tereticornis*	Forest Red Gum	420	132	211.0	660	8.0	5.0	2.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11948	*Angophora leiocarpa*	Smooth-barked Apple	160	50	12.0	40	4.0	2.0	1.5	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11949	*Acacia dispartima*	Hickory Wattle	165	52	8.0	26	4.0	2.0	1.6	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11950	*Acacia dispartima*	Hickory Wattle	300	94	10.0	300	6.0	3.6	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11951	*Eucalyptus tereticornis*	Forest Red Gum	310	97	22.0	690	7.0	3.7	2.0	2.0	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11952	*Angophora leiocarpa*	Smooth-barked Apple	165	52	13.0	410	4.0	2.0	1.6	1.7	One-sided	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11953	*Corymbia citriodora*	Spotted Gum	155	100	184	580	10.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11954	*Corymbia citriodora*	Spotted Gum	300		22.0	940	7.0	3.6	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11955	*Corymbia citriodora*	Spotted Gum	260	82	21.0	660	7.0	3.1	1.9	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11956	*Corymbia citriodora*	Spotted Gum	275	86	19.0	610	8.0	3.3	1.9	1.9	One-sided	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11957	*Angophora leiocarpa*	Smooth-barked Apple	420	132	23.0	900	9.0	5.0	2.3	2.3	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	0	-	-	-	Remove	
11958	*Eucalyptus tereticornis*	Northern Grey Ironbark	260	82	19.0	610	5.0	3.1	1.9	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11959	*Eucalyptus tereticornis*	Forest Red Gum	480	151	26.0	940	9.0	5.8	2.4	2.4	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11960	*Eucalyptus siderophloia*	Northern Grey Ironbark	360	113	22.0	720	8.0	4.3	2.2	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11961	*Acacia dispartima*	Hickory Wattle	160	50	9.0	290	5.0	2.0	1.5	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11962	*Eucalyptus siderophloia*	Northern Grey Ironbark	620	195	21.0	870	8.0	7.4	2.7	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11963	*Acacia dispartima*	Hickory Wattle	230	72	7.0	230	6.0	2.8	1.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11964	*Corymbia citriodora*	Spotted Gum	380	119	23.0	760	8.0	4.6	2.2	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11965	*Eucalyptus tereticornis*	Forest Red Gum	175	55	16.0	510	3.0	2.1	1.6	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11966	*Acacia dispartima*	Hickory Wattle	160	50	7.0	160	4.0	2.0	1.5	1.5	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11967	*Acacia dispartima*	Hickory Wattle	260	82	10.0	320	6.0	3.1	1.9	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11968	*Acacia dispartima*	Hickory Wattle	165	145	220	690	9.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11969	*Angophora leiocarpa*	Smooth-barked Apple	150		47	150	12.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11970	*Corymbia tessellaris*	Moreton Bay Ash	260	82	18.0	580	6.0	3.1	1.9	1.9	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11971	*Eucalyptus siderophloia*	Northern Grey Ironbark	185	58	17.0	550	5.0	2.2	1.6	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11972	*Eucalyptus siderophloia*	Northern Grey Ironbark	240	75	19.0	600	9.0	2.9	1.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11973	*Eucalyptus siderophloia*	Northern Grey Ironbark	155	49	13.0	410	4.0	2.0	1.5	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11974	*Acacia dispartima*	Hickory Wattle	155	49	8.0	260	5.0	2.0	1.5	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11975	**DEAD/STAG**		330	104	22.0	690	5.0	4.0	2.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11976	**DEAD/STAG**		430	135	25.0	900	9.0	5.2	2.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11977	*Eucalyptus siderophloia*	Northern Grey Ironbark	390	123	23.0	900	9.0	4.7	2.2	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11978	*Eucalyptus siderophloia*	Northern Grey Ironbark	460	145	23.0	900	9.0	5.5	2.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11979	*Corymbia citriodora*	Spotted Gum	180	57	17.0	530	5.0	2.2	1.6	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11980	*Eucalyptus siderophloia*	Northern Grey Ironbark	285	90	21.0	800	8.0	3.4	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11981	*Eucalyptus siderophloia*	Northern Grey Ironbark	370	116	24.0	900	9.0	4.4	2.2	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11982	*Eucalyptus siderophloia*	Northern Grey Ironbark	360	113	21.0	700	9.0	4.3	2.2	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
11983	*Eucalyptus tereticornis*	Forest Red Gum	140	44	13.0	400	4.0	2.0	1.4	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11984	*Alphitonia excelsa*	Red Ash	155	49	8.0	260	4.0	2.0	1.5	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11985	*Eucalyptus siderophloia*	Northern Grey Ironbark	470	148	23.0	940	9.0	5.6	2.4	One-sided	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11986	*Acacia dispartima*	Hickory Wattle	150	47	7.0	240	4.0	2.0	1.5	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11987	*Alphitonia excelsa*	Red Ash	150	47	7.0	240	3.0	2.0	1.5	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11988	*Acacia dispartima*	Hickory Wattle	185	58	7.0	240	5.0	2.2	1.6	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11989	*Corymbia citriodora*	Spotted Gum	165	52	15.0	470	4.0	2.0	1.6	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11990	*Acacia dispartima*	Hickory Wattle	165	52	7.0	240	5.0	2.0	1.6	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11991	*Eucalyptus tereticornis*	Forest Red Gum	195	61	18.0	570	5.0	2.3	1.7	1.7	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11992	*Eucalyptus tereticornis*	Forest Red Gum	165	52	18.0	570	3.0	2.0	1.6	1.6	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11993	*Acacia dispartima*	Hickory Wattle	220	165	27.5	860	10.0	7.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11994	*Acacia dispartima*	Hickory Wattle	150		47	150	9.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11995	*Eucalyptus siderophloia*	Northern Grey Ironbark	295	93	23.0	930	7.0	3.5	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11996	*Eucalyptus siderophloia*	Northern Grey Ironbark	210	66	19.0	590	5.0	2.5	1.7	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11997	*Eucalyptus siderophloia*	Northern Grey Ironbark	285	90	22.0	700	7.0	3.4	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11998	*Eucalyptus siderophloia*	Northern Grey Ironbark	220	69	17.0	540	6.0	2.6	1.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
11999	*Acacia dispartima*	Hickory Wattle	150	47	6.0	190	4.0	2.0	1.5	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12000	*Eucalyptus siderophloia*	Northern Grey Ironbark	160	50	15.0	470	3.0	2.0	1.5	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12001	*Eucalyptus siderophloia*	Northern Grey Ironbark	220	130	16.0	500	5.0	3.1	1.9	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12002	*Acacia dispartima*	Hickory Wattle	155	49	9.0	280	5.0	2.0	1.5	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12003	*Acacia dispartima*	Hickory Wattle	150	47	8.0	250	4.0	2.0	1.5	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12004	*Eucalyptus siderophloia*	Northern Grey Ironbark	460	145	26.0	900	9.0	5.5	2.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	Termite nest	-	-	Remove	
12005	*Acacia dispartima*	Hickory Wattle	155	49	9.0	280	4.0	2.0	1.5	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12006	*Acacia dispartima*	Hickory Wattle	175	55	9.0	290	5.0	2.1	1.6	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12007	*Eucalyptus siderophloia*	Northern Grey Ironbark	360	113	18.0	570	5.0	4.3	2.2	2.2	Regular	-	Thinning	Die-back	Epicormic	Lopped	Poor	-	-	Trunk Dmg.	-	Poor	-	-	-	0	-	-	-	Remove	
12008	*Acacia dispartima*	Hickory Wattle	165	52	6.0	190	6.0	2.0	1.6	1.6	Regular	-	-	-	-	-	Typical	Major	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12009	*Corymbia citriodora*	Spotted Gum	410	129	22.0	810	8.0	4.9	2.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12010	*Eucalyptus tereticornis*	Forest Red Gum	280	88	17.0	560	7.0	3.4	1.9	1.9	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12011	*Acacia dispartima*	Hickory Wattle	170	53	9.0	270	5.0	2.0	1.6	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	Termite nest	-	-	Remove	
12012	*Eucalyptus siderophloia*	Northern Grey Ironbark	155	49	13.0	410	4.0	2.0	1.5	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12013	*Acacia dispartima*	Hickory Wattle	185		58	185	9.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	

Tree ID	Botanical Name	Common Name	Specimen Details								Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Notes
			Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	
12014	*Acacia dispermina*	Hickory Wattle	180		180	57	9.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	Trunk DMg.	-	Typical	-	-	-	0	-	-	Remove	
12015	*Corymbia intermedia*	Pink Bloodwood	300		300	94	18.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
12016	*Corymbia intermedia*	Pink Bloodwood	175		175	55	13.0	5.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12017	*Eucalyptus siderophloia*	Northern Grey Ironbark	185		185	58	16.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12018	*Alphitonia excelsa*	Red Ash	155		155	49	9.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12019	*Corymbia intermedia*	Pink Bloodwood	165		165	52	12.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12020	*Acacia dispermina*	Hickory Wattle	170		170	53	10.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12021	*Eucalyptus siderophloia*	Northern Grey Ironbark	780		780	245	27.0	14.0	9.4	3.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
12022	*Eucalyptus tereticornis*	Forest Red Gum	200		200	63	16.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12023	*Acacia dispermina*	Hickory Wattle	160		160	50	9.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12024	*Acacia dispermina*	Hickory Wattle	150		150	47	8.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12025	*Eucalyptus siderophloia*	Northern Grey Ironbark	285		285	90	19.0	7.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
12026	*Acacia dispermina*	Hickory Wattle	165		165	52	10.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12027	*Acacia dispermina*	Hickory Wattle	195		195	61	10.0	6.0	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12028	*Acacia dispermina*	Hickory Wattle	150		150	47	9.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12029	*Acacia dispermina*	Hickory Wattle	180		180	57	9.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12030	*Eucalyptus tereticornis*	Forest Red Gum	330		330	104	21.0	5.0	4.0	2.1	One-sided	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12031	*Eucalyptus siderophloia*	Northern Grey Ironbark	310		310	97	22.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12032	*Corymbia citriodora*	Spotted Gum	360		360	113	24.0	9.0	4.3	2.2	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12033	*Alphitonia excelsa*	Red Ash	155		155	49	8.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12034	*Acacia dispermina*	Hickory Wattle	185		185	58	8.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12035	*Acacia dispermina*	Hickory Wattle	160		160	50	7.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12036	*Eucalyptus siderophloia*	Northern Grey Ironbark	320		320	101	21.0	5.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12037	*Acacia dispermina*	Hickory Wattle	195		195	61	11.0	6.0	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12038	*Eucalyptus tereticornis*	Forest Red Gum	360		360	113	23.0	7.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12039	*Acacia dispermina*	Hickory Wattle	185		185	58	9.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12040	*Eucalyptus siderophloia*	Northern Grey Ironbark	370		370	116	24.0	9.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12041	*Eucalyptus siderophloia*	Northern Grey Ironbark	195		195	61	18.0	5.0	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12042	*Acacia dispermina*	Hickory Wattle	210		210	66	10.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12043	*Eucalyptus siderophloia*	Northern Grey Ironbark	310		310	97	23.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12044	**DEAD/STAG**		230		230	72	23.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12045	*Eucalyptus siderophloia*	Northern Grey Ironbark	165		165	52	12.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12046	*Eucalyptus siderophloia*	Northern Grey Ironbark	400		400	126	26.0	9.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12047	*Angophora leiocarpa*	Smooth-barked Apple	390		390	123	22.0	9.0	4.7	2.2	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12048	*Acacia dispermina*	Hickory Wattle	150		150	47	9.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12049	*Acacia dispermina*	Hickory Wattle	155		155	49	8.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12050	*Eucalyptus siderophloia*	Northern Grey Ironbark	180		180	57	21.0	4.0	2.2	1.6	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12051	*Eucalyptus siderophloia*	Northern Grey Ironbark	165		165	52	17.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12052	**DEAD/STAG**		320		320	101	21.0	3.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12053	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	18.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12054	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	25.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12055	*Eucalyptus siderophloia*	Northern Grey Ironbark	165		165	52	22.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12056	*Corymbia intermedia*	Pink Bloodwood	165		165	52	17.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12057	*Eucalyptus siderophloia*	Northern Grey Ironbark	360		360	113	26.0	9.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12058	*Acacia dispermina*	Hickory Wattle	165		165	52	7.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12059	*Eucalyptus siderophloia*	Northern Grey Ironbark	320		320	101	23.0	9.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12060	*Eucalyptus siderophloia*	Northern Grey Ironbark	165		165	52	17.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12061	*Eucalyptus siderophloia*	Northern Grey Ironbark	245		245	77	18.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12062	**DEAD/STAG**		260	190	322	101	17.0	7.0	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12063	*Acacia dispermina*	Hickory Wattle	165		165	52	8.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12064	*Angophora leiocarpa*	Smooth-barked Apple	310		310	97	18.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12065	*Eucalyptus siderophloia*	Northern Grey Ironbark	670		670	210	26.0	11.0	8.0	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12066	*Eucalyptus siderophloia*	Northern Grey Ironbark	165		165	52	18.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12067	*Corymbia tessellaris*	Moreton Bay Ash	155		155	49	11.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12068	*Eucalyptus siderophloia*	Northern Grey Ironbark	460		460	145	26.0	9.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12069	*Eucalyptus siderophloia*	Northern Grey Ironbark	340		340	107	22.0	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12070	*Eucalyptus siderophloia*	Northern Grey Ironbark	420		420	132	22.0	9.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12071	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	16.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12072	*Alphitonia excelsa*	Red Ash	150		150	47	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12073	*Eucalyptus siderophloia*	Northern Grey Ironbark	420		420	132	24.0	9.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12074	*Acacia dispermina*	Hickory Wattle	170		170	53	9.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12075	*Eucalyptus siderophloia*	Northern Grey Ironbark	510		510	160	26.0	11.0	6.1	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12076	*Eucalyptus siderophloia*	Northern Grey Ironbark	150		150	47	11.0	1.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12077	*Acacia dispermina*	Hickory Wattle	210		210	66	7.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12078	*Acacia dispermina*	Hickory Wattle	160		160	50	9.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12079	*Acacia dispermina*	Hickory Wattle	230		230	72	8.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12080	*Corymbia citriodora*	Spotted Gum	160		160	50	17.0	2.0	2.0	1.5	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12081	*Corymbia intermedia*	Pink Bloodwood	270		270	85	17.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	

Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) (AS 4970-2009)	Trunk Circumference (cm) (AS 4970-2009)	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
			Specimen Details								Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value								
12082	*Acacia dispartima*	Hickory Wattle	185	170	251	79	9.0	7.0	3.0	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12083	*Corymbia citriodora*	Spotted Gum	230		230	72	21.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12084	*Eucalyptus tereticornis*	Forest Red Gum	185		185	58	19.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12085	*Angophora leiocarpa*	Smooth-barked Apple	560	160, 160	604	190	26.0	12.0	7.2	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12086	*Acacia dispartima*	Hickory Wattle	230		230	72	11.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12087	*Acacia dispartima*	Hickory Wattle	165	125	207	65	11.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12088	*Angophora leiocarpa*	Smooth-barked Apple	320		320	101	22.0	9.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12089	*Acacia dispartima*	Hickory Wattle	220		220	69	11.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12090	*Eucalyptus tereticornis*	Forest Red Gum	380		380	119	26.0	11.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12091	*Corymbia citriodora*	Spotted Gum	630		630	198	27.0	14.0	7.6	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12092	*Acacia dispartima*	Hickory Wattle	165	125	207	65	7.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12093	*Acacia dispartima*	Hickory Wattle	190		190	60	8.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12094	*Angophora leiocarpa*	Smooth-barked Apple	620		620	195	17.0	8.0	7.4	2.7	Regular	-	-	-	Epicormic	Lopped	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12095	*Acacia dispartima*	Hickory Wattle	155		155	49	8.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12096	*Acacia dispartima*	Hickory Wattle	200		200	63	8.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12097	*Eucalyptus tereticornis*	Forest Red Gum	450		450	141	23.0	7.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12098	*Eucalyptus tereticornis*	Forest Red Gum	285		285	90	21.0	7.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12099	*Angophora leiocarpa*	Smooth-barked Apple	275		275	86	19.0	8.0	3.3	1.9	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12100	*Angophora leiocarpa*	Smooth-barked Apple	185		185	58	12.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12101	*Eucalyptus tereticornis*	Forest Red Gum	180		180	57	11.0	3.0	2.2	1.6	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12102	*Melaleuca bracteata*	Swamp Tea Tree	140	130, 150, 145, 150, 135	347	109	5.0	6.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12103	*Acacia dispartima*	Hickory Wattle	190		190	60	7.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12104	*Acacia dispartima*	Hickory Wattle	210		210	66	6.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12105	*Eucalyptus tereticornis*	Forest Red Gum	340		340	107	17.0	5.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12106	*Eucalyptus tereticornis*	Forest Red Gum	300		300	94	20.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12107	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	12.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12108	*Eucalyptus siderophloia*	Northern Grey Ironbark	400		400	126	21.0	6.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12109	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	12.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12110	*Angophora leiocarpa*	Smooth-barked Apple	480		480	151	17.0	8.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12111	*Eucalyptus siderophloia*	Northern Grey Ironbark	180		180	57	12.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12112	*Eucalyptus siderophloia*	Northern Grey Ironbark	205		205	64	17.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12113	*Eucalyptus tereticornis*	Forest Red Gum	255		255	80	17.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12114	*Eucalyptus tereticornis*	Forest Red Gum	160		160	50	13.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12115	*Acacia dispartima*	Hickory Wattle	170		170	53	7.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12116	*Acacia dispartima*	Hickory Wattle	165		165	52	6.0	5.0	2.0	1.6	One-sided	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12117	*Eucalyptus tereticornis*	Forest Red Gum	260		260	82	9.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12118	*Eucalyptus tereticornis*	Forest Red Gum	260		260	82	18.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12119	*Acacia dispartima*	Hickory Wattle	165		165	52	6.0	5.0	2.0	1.6	One-sided	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12120	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	12.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12121	*Eucalyptus tereticornis*	Forest Red Gum	300		300	94	20.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12122	*Eucalyptus tereticornis*	Forest Red Gum	340		340	107	17.0	5.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12123	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	14.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12124	*Eucalyptus tereticornis*	Forest Red Gum	180		180	57	13.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12125	*Acacia dispartima*	Hickory Wattle	210		210	66	9.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12126	*Eucalyptus siderophloia*	Northern Grey Ironbark	190		190	60	11.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12127	*Eucalyptus siderophloia*	Northern Grey Ironbark	660		660	207	22.0	9.0	7.9	2.8	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
12128	*Eucalyptus siderophloia*	Northern Grey Ironbark	150		150	47	12.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12129	*Eucalyptus siderophloia*	Northern Grey Ironbark	175		175	55	12.0	4.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12130	*Acacia dispartima*	Hickory Wattle	205		205	64	9.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12131	*Eucalyptus siderophloia*	Northern Grey Ironbark	310		310	97	17.0	5.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12132	*Eucalyptus siderophloia*	Northern Grey Ironbark	205		205	64	17.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12133	*Eucalyptus tereticornis*	Forest Red Gum	300		300	94	15.0	3.0	3.6	2.0	One-sided	-	Thinning	Die-back	Epicormic	Lopped	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12134	*Acacia dispartima*	Hickory Wattle	190		190	60	7.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12135	*Acacia dispartima*	Hickory Wattle	160		160	50	7.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12136	*Eucalyptus tereticornis*	Forest Red Gum	370		370	116	21.0	7.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12137	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	19.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12138	**DEAD/STAG**		300		300	94	18.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12139	*Eucalyptus siderophloia*	Northern Grey Ironbark	380		380	119	21.0	10.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12140	*Eucalyptus siderophloia*	Northern Grey Ironbark	380		380	119	22.0	6.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12141	*Eucalyptus siderophloia*	Northern Grey Ironbark	190		190	60	16.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12142	*Acacia dispartima*	Hickory Wattle	150	125	195	61	6.0	5.0	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12143	*Eucalyptus tereticornis*	Forest Red Gum	255		255	80	17.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12144	*Eucalyptus tereticornis*	Forest Red Gum	160		160	50	13.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12145	*Acacia dispartima*	Hickory Wattle	170		170	53	7.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12146	*Acacia dispartima*	Hickory Wattle	165		165	52	6.0	5.0	2.0	1.6	One-sided	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12147	*Acacia dispartima*	Hickory Wattle	260		260	82	9.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12148	*Eucalyptus tereticornis*	Forest Red Gum	260		260	82	18.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12149	*Allocasuarina littoralis*	Black She-oak	150		150	47	9.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	

| Specimen Details | | |

Tree ID	Botanical Name	Common Name	Specimen Details										Canopy Condition Details								Trunk Condition Details				Fauna Details and Habitat Value						Additional Notes
			Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	
12218	*Acacia dispermina*	Hickory Wattle	170	130	214	67	7.0	6.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12219	*Eucalyptus siderophloia*	Northern Grey Ironbark	180	57	180	57	12.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12220	*Eucalyptus siderophloia*	Northern Grey Ironbark	160	50	160	50	12.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12221	*Corymbia tessellaris*	Moreton Bay Ash	200	63	200	63	15.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12222	*Eucalyptus siderophloia*	Northern Grey Ironbark	300	94	300	94	17.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
12223	*Melaleuca trbyana*	Swamp Tea Tree	180	160, 150, 130	312	98	7.0	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12224	*Eucalyptus siderophloia*	Northern Grey Ironbark	330	190	381	120	18.0	7.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12225	*Acacia dispermina*	Hickory Wattle	205		205	64	10.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12226	*Eucalyptus siderophloia*	Northern Grey Ironbark	225		225	71	17.0	5.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12227	*Eucalyptus siderophloia*	Northern Grey Ironbark	165		165	52	12.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12228	*Acacia dispermina*	Hickory Wattle	200		200	63	9.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12229	*Acacia dispermina*	Hickory Wattle	165	90	188	59	9.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12230	*Acacia dispermina*	Hickory Wattle	185		185	58	9.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12231	*Acacia dispermina*	Hickory Wattle	150	130	198	62	9.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12232	*Eucalyptus tereticornis*	Forest Red Gum	140	100	172	54	12.0	3.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12233	*Acacia dispermina*	Hickory Wattle	230		230	72	10.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12234	*Eucalyptus siderophloia*	Northern Grey Ironbark	320	101	320	101	15.0	5.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12235	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	15.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12236	*Eucalyptus tereticornis*	Forest Red Gum	310		310	97	18.0	5.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12237	*Eucalyptus moluccana*	Gum-topped Box	310		310	97	18.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12238	*Acacia dispermina*	Hickory Wattle	185		185	58	6.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12239	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	19.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
12240	*Eucalyptus siderophloia*	Northern Grey Ironbark	160		160	50	11.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12241	*Acacia dispermina*	Hickory Wattle	200	120	233	73	9.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12242	*Eucalyptus siderophloia*	Northern Grey Ironbark	330		330	104	17.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12243	*Eucalyptus siderophloia*	Northern Grey Ironbark	360		360	113	19.0	7.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12244	*Eucalyptus siderophloia*	Northern Grey Ironbark	150		150	47	11.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12245	*Eucalyptus siderophloia*	Northern Grey Ironbark	185		185	58	16.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12246	*Eucalyptus siderophloia*	Northern Grey Ironbark	255		255	80	15.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12247	*Acacia dispermina*	Hickory Wattle	230		230	72	7.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12248	*Acacia dispermina*	Hickory Wattle	170		170	53	7.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12249	*Eucalyptus siderophloia*	Northern Grey Ironbark	285		285	90	19.0	7.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12250	*Acacia dispermina*	Hickory Wattle	250		250	79	8.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12251	*Eucalyptus siderophloia*	Northern Grey Ironbark	440		440	138	21.0	7.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12252	*Acacia dispermina*	Hickory Wattle	150		150	47	7.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12253	*Acacia dispermina*	Hickory Wattle	260		260	82	8.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12254	*Acacia dispermina*	Hickory Wattle	200		200	63	7.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12255	*Acacia dispermina*	Hickory Wattle	200	190	276	87	8.0	5.0	3.3	1.9	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
12256	*Acacia dispermina*	Hickory Wattle	220		220	69	7.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12257	*Eucalyptus siderophloia*	Northern Grey Ironbark	195		195	61	13.0	4.0	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12258	*Acacia dispermina*	Hickory Wattle	190		190	60	8.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12259	*Eucalyptus siderophloia*	Northern Grey Ironbark	195		195	61	17.0	4.0	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12260	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	18.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12261	*Eucalyptus siderophloia*	Northern Grey Ironbark	165		165	52	16.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12262	*Eucalyptus siderophloia*	Northern Grey Ironbark	245		245	77	17.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12263	*Acacia dispermina*	Hickory Wattle	170	170	240	76	7.0	5.0	2.9	1.8	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12264	*Acacia dispermina*	Hickory Wattle	210		210	66	7.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12265	*Acacia dispermina*	Hickory Wattle	150	150	212	67	6.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12266	*Eucalyptus siderophloia*	Northern Grey Ironbark	245		245	77	17.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12267	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	17.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12268	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	18.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12269	*Eucalyptus siderophloia*	Northern Grey Ironbark	640	201	23.0	8.0	7.7	2.7	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
12270	*Acacia dispermina*	Hickory Wattle	195		195	61	7.0	5.0	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12271	*Acacia dispermina*	Hickory Wattle	175		175	55	7.0	4.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12272	*Eucalyptus siderophloia*	Northern Grey Ironbark	290		290	91	17.0	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12273	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	17.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12274	*Eucalyptus siderophloia*	Northern Grey Ironbark	165		165	52	13.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12275	*Acacia dispermina*	Hickory Wattle	170	170	240	76	8.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12276	*Eucalyptus siderophloia*	Northern Grey Ironbark	245	77	18.0	7.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
12277	*Eucalyptus siderophloia*	Northern Grey Ironbark	150	47	12.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12278	*Eucalyptus siderophloia*	Northern Grey Ironbark	220	69	13.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12279	*Eucalyptus siderophloia*	Northern Grey Ironbark	270	85	18.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12280	*Eucalyptus siderophloia*	Northern Grey Ironbark	280	88	17.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12281	*Eucalyptus siderophloia*	Northern Grey Ironbark	190	60	18.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12282	*Eucalyptus siderophloia*	Northern Grey Ironbark	255	80	13.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12283	*Eucalyptus tereticornis*	Forest Red Gum	250	79	18.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12284	*Acacia dispermina*	Hickory Wattle	270	170	319	100	8.0	7.0	3.8	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12285	*Eucalyptus siderophloia*	Northern Grey Ironbark	185		185	58	9.0	3.0	2.2	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	

| Specimen Details | | |

| Specimen Details | | |

Specimen Details								Canopy Condition Details								Trunk Condition Details								Fauna Details and Habitat Value									
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
12422	*Acacia dispartima*	Hickory Wattle	200		200	63	7.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12423	*Eucalyptus siderophloia*	Northern Grey Ironbark	245		245	77	14.0	19.0	8.0	4.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
12424	*Eucalyptus siderophloia*	Northern Grey Ironbark	410		410	129	19.0	8.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
12425	*Acacia dispartima*	Hickory Wattle	180	145	231	73	7.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12426	*Eucalyptus siderophloia*	Northern Grey Ironbark	320		320	101	19.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12427	*Acacia dispartima*	Hickory Wattle	155	145	212	67	7.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12428	*Eucalyptus siderophloia*	Northern Grey Ironbark	360		360	113	20.0	7.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12429	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	17.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12430	*Eucalyptus siderophloia*	Northern Grey Ironbark	265		265	83	18.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12431	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	17.0	7.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12432	*Acacia dispartima*	Hickory Wattle	175	180	251	79	7.0	5.0	3.0	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12433	*Acacia dispartima*	Hickory Wattle	220		220	69	7.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12434	*Acacia dispartima*	Hickory Wattle	180	170, 160	295	93	7.0	5.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12435	*Eucalyptus tereticornis*	Forest Red Gum	165		165	52	15.0	2.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12436	*Eucalyptus siderophloia*	Northern Grey Ironbark	155		155	49	12.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12437	*Corymbia citriodora*	Spotted Gum	150		150	47	12.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12438	*Eucalyptus tereticornis*	Forest Red Gum	220		220	69	17.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12439	*Eucalyptus tereticornis*	Forest Red Gum	270		270	85	16.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12440	*Eucalyptus tereticornis*	Forest Red Gum	310		310	97	17.0	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12441	*Corymbia tessellaris*	Moreton Bay Ash	180	130	222	70	13.0	5.0	2.7	1.8	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12442	*Alphitonia excelsa*	Red Ash	160		160	50	9.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12443	*Corymbia citriodora*	Spotted Gum	165		165	52	12.0	2.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12444	*Acacia dispartima*	Hickory Wattle	185		185	58	8.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12445	*Eucalyptus siderophloia*	Northern Grey Ironbark	195		195	61	12.0	4.0	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
12446	*Acacia dispartima*	Hickory Wattle	185		185	58	7.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12447	*Corymbia citriodora*	Spotted Gum	175		175	55	12.0	2.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12448	*Acacia dispartima*	Hickory Wattle	150		150	47	7.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12449	*Acacia dispartima*	Hickory Wattle	175		175	55	7.0	5.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12450	*Acacia dispartima*	Hickory Wattle	235		235	74	8.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12451	*Corymbia citriodora*	Spotted Gum	180		180	57	15.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12452	*Acacia leiocalyx*	Early-flowering Black Wattle	150		150	47	7.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12453	**DEAD/STAG**		510		510	160	24.0	8.0	6.1	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12454	*Acacia dispartima*	Hickory Wattle	165		165	52	7.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12455	*Acacia dispartima*	Hickory Wattle	210		210	66	7.0	3.0	2.5	1.7	Regular	-	-	-	Lopped	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
12456	*Corymbia citriodora*	Spotted Gum	600		600	188	24.0	11.0	7.2	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12457	*Acacia dispartima*	Hickory Wattle	150	100	180	57	7.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12458	*Eucalyptus siderophloia*	Northern Grey Ironbark	150		150	47	11.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12459	*Acacia dispartima*	Hickory Wattle	165		165	52	7.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12460	*Acacia dispartima*	Hickory Wattle	230		230	72	8.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12461	*Acacia dispartima*	Hickory Wattle	210		210	66	8.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12462	*Corymbia citriodora*	Spotted Gum	200		200	63	17.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12463	*Eucalyptus siderophloia*	Northern Grey Ironbark	150		150	47	13.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12464	*Eucalyptus siderophloia*	Northern Grey Ironbark	150		150	47	11.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12465	*Acacia dispartima*	Hickory Wattle	160		160	50	7.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12466	*Eucalyptus siderophloia*	Northern Grey Ironbark	160		160	50	10.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12467	*Eucalyptus siderophloia*	Northern Grey Ironbark	185		185	58	12.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12468	*Corymbia citriodora*	Spotted Gum	155		155	49	13.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12469	*Acacia dispartima*	Hickory Wattle	220	170	278	87	7.0	6.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12470	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	17.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12471	*Acacia dispartima*	Hickory Wattle	185	195	269	84	7.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12472	*Acacia dispartima*	Hickory Wattle	150		150	47	6.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12473	*Angophora leiocarpa*	Smooth-barked Apple	320	101	320	101	18.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12474	**DEAD/STAG**		360		360	113	23.0	6.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12475	*Acacia dispartima*	Hickory Wattle	230		230	72	8.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12476	*Acacia dispartima*	Hickory Wattle	165		165	52	7.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12477	*Acacia dispartima*	Hickory Wattle	160	90	184	58	8.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12478	*Corymbia citriodora*	Spotted Gum	160		160	50	12.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12479	*Corymbia citriodora*	Spotted Gum	260		260	82	20.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12480	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	19.0	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12481	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	16.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12482	*Acacia dispartima*	Hickory Wattle	200	140	244	77	7.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12483	*Acacia dispartima*	Hickory Wattle	160		160	50	7.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12484	*Melaleuca irbyana*	Swamp Tea Tree	260	200, 150	361	113	7.0	7.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12485	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	18.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12486	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	17.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12487	*Eucalyptus siderophloia*	Northern Grey Ironbark	155		155	49	11.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12488	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	16.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12489	*Eucalyptus siderophloia*	Northern Grey Ironbark	190		190	60	16.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	

Specimen Details									Canopy Condition Details								Trunk Condition Details						Fauna Details and Habitat Value							
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
12490	**DEAD/STAG**		205		205	64	17.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12491	*Eucalyptus siderophloia*	Northern Grey Ironbark	165		165	52	13.0	2.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12492	*Corymbia citriodora*	Spotted Gum	330		330	104	22.0	6.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12493	*Corymbia citriodora*	Spotted Gum	165		165	52	17.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12494	**DEAD/STAG**		660		660	207	11.0	3.0	7.9	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Small	-	3	-	-	-	Remove	
12495	*Eucalyptus siderophloia*	Northern Grey Ironbark	165		165	52	12.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12496	*Corymbia citriodora*	Spotted Gum	160		160	50	16.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12497	*Corymbia citriodora*	Spotted Gum	155		155	49	14.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12498	*Eucalyptus siderophloia*	Northern Grey Ironbark	350		350	110	18.0	6.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
12499	*Eucalyptus siderophloia*	Northern Grey Ironbark	190		190	60	18.0	7.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12500	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	17.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12501	*Lophostemon suaveolens*	Swamp Box	160		160	50	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12502	*Eucalyptus tereticornis*	Forest Red Gum	260		260	82	14.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12503	*Lophostemon suaveolens*	Swamp Box	150		150	47	8.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12504	*Lophostemon suaveolens*	Swamp Box	200		200	63	10.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12505	*Lophostemon suaveolens*	Swamp Box	150		150	47	6.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12506	*Corymbia citriodora*	Spotted Gum	280		280	88	16.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12507	*Eucalyptus siderophloia*	Northern Grey Ironbark	320		320	101	15.0	5.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12508	*Acacia disparrima*	Hickory Wattle	150		150	47	13.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12509	*Acacia disparrima*	Hickory Wattle	230		230	72	14.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12510	*Acacia disparrima*	Hickory Wattle	160		160	50	10.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12511	*Eucalyptus tereticornis*	Forest Red Gum	300		300	94	15.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12512	*Eucalyptus tereticornis*	Forest Red Gum	190		190	60	18.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12513	*Corymbia intermedia*	Pink Bloodwood	150		150	47	7.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12514	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	20.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12515	*Eucalyptus tereticornis*	Forest Red Gum	270	220	348	109	15.0	7.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12516	*Eucalyptus tereticornis*	Forest Red Gum	280		280	88	16.0	4.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12517	*Acacia disparrima*	Hickory Wattle	180	100	206	65	10.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12518	*Angophora leiocarpa*	Smooth-barked Apple	420		420	132	20.0	10.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12519	*Acacia disparrima*	Hickory Wattle	150		150	47	12.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12520	*Angophora leiocarpa*	Smooth-barked Apple	330		330	104	19.0	10.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12521	*Eucalyptus tereticornis*	Forest Red Gum	360		360	113	22.0	5.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12522	*Eucalyptus tereticornis*	Forest Red Gum	330		330	104	19.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12523	*Eucalyptus tereticornis*	Forest Red Gum	360		360	113	20.0	7.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12524	**DEAD/STAG**		220		220	69	17.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12525	*Acacia disparrima*	Hickory Wattle	160		160	50	10.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12526	*Eucalyptus tereticornis*	Forest Red Gum	240		240	75	19.0	7.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12527	*Acacia disparrima*	Hickory Wattle	160		160	50	10.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12528	*Eucalyptus tereticornis*	Forest Red Gum	250		250	79	22.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12529	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	19.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12530	*Acacia disparrima*	Hickory Wattle	160		160	50	8.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12531	*Corymbia intermedia*	Pink Bloodwood	190		190	60	14.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12532	*Corymbia tessellaris*	Moreton Bay Ash	160		160	50	8.0	1.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12533	*Acacia disparrima*	Hickory Wattle	260		260	82	12.0	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12534	*Corymbia intermedia*	Pink Bloodwood	170		170	53	16.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12535	*Acacia disparrima*	Hickory Wattle	250		250	79	14.0	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12536	*Eucalyptus tereticornis*	Forest Red Gum	180		180	57	12.0	1.0	2.2	1.6	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12537	*Eucalyptus tereticornis*	Forest Red Gum	150		150	47	12.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12538	*Eucalyptus siderophloia*	Northern Grey Ironbark	370		370	116	26.0	12.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12539	*Acacia disparrima*	Hickory Wattle	360		360	113	12.0	10.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12540	*Angophora leiocarpa*	Smooth-barked Apple	230		230	72	15.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12541	*Acacia disparrima*	Hickory Wattle	150		150	47	8.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12542	*Corymbia intermedia*	Pink Bloodwood	230		230	72	16.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12543	*Alphitonia excelsa*	Red Ash	190		190	60	12.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12544	*Acacia disparrima*	Hickory Wattle	210		210	66	13.0	8.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12545	*Eucalyptus tereticornis*	Forest Red Gum	320		320	101	25.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12546	*Acacia disparrima*	Hickory Wattle	150		150	47	11.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12547	*Eucalyptus tereticornis*	Forest Red Gum	330		330	104	13.0	4.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
12548	*Acacia disparrima*	Hickory Wattle	190		190	60	9.0	8.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12549	*Eucalyptus tereticornis*	Forest Red Gum	210		210	66	8.0	4.0	2.5	1.7	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12550	*Eucalyptus tereticornis*	Forest Red Gum	260		260	82	19.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12551	*Acacia concurrens*	Black Wattle	180		180	57	9.0	7.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12552	*Eucalyptus tereticornis*	Forest Red Gum	270		270	85	20.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12553	*Eucalyptus tereticornis*	Forest Red Gum	330		330	104	20.0	6.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
12554	*Eucalyptus tereticornis*	Forest Red Gum	150		150	47	12.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12555	*Eucalyptus tereticornis*	Forest Red Gum	320		320	101	18.0	5.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12556	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	16.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12557	*Eucalyptus tereticornis*	Forest Red Gum	240		240	75	18.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	

Tree ID	Botanical Name	Common Name	Specimen Details								Canopy Condition Details								Trunk Condition Details						Fauna Details and Habitat Value						Additional Notes	Retention
			Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value		
12558	*Eucalyptus siderophloia*	Northern Grey Ironbark	550	173	550	27.0	14.0	6.6	2.6	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	1	-	-	-	-	Remove	
12559	*Eucalyptus tereticornis*	Forest Red Gum	350	110	350	19.0	8.0	4.2	2.1	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
12560	*Corymbia citriodora*	Spotted Gum	280	88	280	18.0	6.0	3.4	1.9	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
12561	*Corymbia citriodora*	Spotted Gum	160	50	160	14.0	5.0	2.0	1.5	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
12562	*Eucalyptus siderophloia*	Northern Grey Ironbark	150	47	150	8.0	4.0	2.0	1.5	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
12563	*Corymbia intermedia*	Pink Bloodwood	150	47	150	10.0	4.0	2.0	1.5	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
12564	*Acacia disparrima*	Hickory Wattle	150	47	150	8.0	5.0	2.0	1.5	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
12565	*Eucalyptus siderophloia*	Northern Grey Ironbark	160	50	160	9.0	3.0	2.0	1.5	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
12566	*Acacia disparrima*	Hickory Wattle	150	47	150	8.0	6.0	2.0	1.5	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
12567	*Acacia disparrima*	Hickory Wattle	190	190, 190	329	103	12.0	10.0	3.9	Regular	-	-	-	-	2.1	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Refer Teviot Road application	
12568	*Acacia disparrima*	Hickory Wattle	160	160	226	71	8.0	4.0	2.7	1.8	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Refer Teviot Road application	
12569	*Eucalyptus tereticornis*	Forest Red Gum	160	50	160	14.0	5.0	2.0	1.5	Regular	-	Thinning	Die-back	Epicormic	-	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
12570	*Corymbia intermedia*	Pink Bloodwood	280	88	280	26.0	9.0	3.4	1.9	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
12571	*Eucalyptus tereticornis*	Forest Red Gum	160	50	160	14.0	3.0	2.0	1.5	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
12572	*Eucalyptus tereticornis*	Forest Red Gum	200	63	200	17.0	3.0	2.4	1.7	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
12573	*Eucalyptus tereticornis*	Forest Red Gum	200	63	200	19.0	5.0	2.4	1.7	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
12574	*Acacia disparrima*	Hickory Wattle	180	57	180	10.0	8.0	2.2	1.6	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
12575	*Eucalyptus siderophloia*	Northern Grey Ironbark	300	94	300	25.0	6.0	3.6	2.0	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
12576	*Eucalyptus siderophloia*	Northern Grey Ironbark	210	66	210	17.0	6.0	2.5	1.7	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
12577	*Acacia disparrima*	Hickory Wattle	160	50	160	10.0	5.0	2.0	1.5	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
12578	*Corymbia citriodora*	Spotted Gum	200	87	276	18.0	5.0	3.3	1.9	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	190
12579	*Eucalyptus siderophloia*	Northern Grey Ironbark	170	53	170	8.0	7.0	2.0	1.6	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
12580	*Eucalyptus siderophloia*	Northern Grey Ironbark	220	69	220	17.0	5.0	2.6	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
12581	*Eucalyptus siderophloia*	Northern Grey Ironbark	240	75	240	17.0	5.0	2.9	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
12582	*Eucalyptus tereticornis*	Forest Red Gum	170	53	170	16.0	2.0	2.0	1.6	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
12583	*Acacia disparrima*	Hickory Wattle	210	66	210	10.0	8.0	2.5	1.7	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
12584	*Acacia disparrima*	Hickory Wattle	190	60	190	12.0	6.0	2.3	1.6	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
12585	*Eucalyptus tereticornis*	Forest Red Gum	210	66	210	19.0	4.0	2.5	1.7	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
12586	*Acacia disparrima*	Hickory Wattle	170	53	170	10.0	8.0	2.6	1.6	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
12587	*Eucalyptus tereticornis*	Forest Red Gum	160	50	160	13.0	3.0	2.0	1.5	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
12588	*Corymbia citriodora*	Spotted Gum	220	69	220	17.0	4.0	2.6	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
12589	*Eucalyptus tereticornis*	Forest Red Gum	240	75	240	20.0	4.0	2.9	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
12590	*Angophora leiocarpa*	Smooth-barked Apple	360	113	360	27.0	10.0	4.3	2.2	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
12591	*Eucalyptus tereticornis*	Forest Red Gum	280	88	280	27.0	8.0	3.4	1.9	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
12592	*Eucalyptus siderophloia*	Northern Grey Ironbark	250	79	250	25.0	9.0	3.0	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
12593	*Eucalyptus siderophloia*	Northern Grey Ironbark	190	60	190	18.0	4.0	2.3	1.6	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
12594	*Eucalyptus siderophloia*	Northern Grey Ironbark	270	85	270	24.0	7.0	3.2	1.9	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
12595	*Eucalyptus siderophloia*	Northern Grey Ironbark	260	82	260	16.0	7.0	3.1	1.9	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
12596	*Corymbia tessellaris*	Moreton Bay Ash	290	91	290	18.0	8.0	3.5	2.0	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
12597	*Acacia disparrima*	Hickory Wattle	230	72	230	4.0	8.0	2.8	1.8	Regular	-	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	-	Remove	
12598	*Eucalyptus siderophloia*	Northern Grey Ironbark	200	63	200	18.0	7.0	2.4	1.7	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
12599	*Eucalyptus siderophloia*	Northern Grey Ironbark	200	63	200	18.0	5.0	2.4	1.7	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
12600	*Angophora leiocarpa*	Smooth-barked Apple	250	79	250	18.0	6.0	3.0	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
12601	*Eucalyptus siderophloia*	Northern Grey Ironbark	260	82	260	19.0	5.0	3.1	1.9	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
12602	*Angophora leiocarpa*	Smooth-barked Apple	250	79	250	17.0	8.0	3.0	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
12603	*Eucalyptus tereticornis*	Forest Red Gum	190	60	190	20.0	5.0	2.3	1.6	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
12604	*Eucalyptus tereticornis*	Forest Red Gum	180	57	180	20.0	7.0	2.2	1.6	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
12605	*Corymbia tessellaris*	Moreton Bay Ash	160	50	160	18.0	3.0	2.0	1.5	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
12606	*Corymbia tessellaris*	Moreton Bay Ash	200	63	200	16.0	4.0	2.4	1.7	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
12607	*Eucalyptus tereticornis*	Forest Red Gum	180	57	180	20.0	4.0	2.2	1.6	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
12608	*Eucalyptus tereticornis*	Forest Red Gum	160	50	160	20.0	3.0	2.0	1.5	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
12609	*Eucalyptus siderophloia*	Northern Grey Ironbark	200	63	200	20.0	5.0	2.4	1.7	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
12610	*Eucalyptus tereticornis*	Forest Red Gum	190	60	190	19.0	8.0	2.3	1.6	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
12611	*Angophora leiocarpa*	Smooth-barked Apple	320	101	320	22.0	8.0	3.8	2.1	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
12612	*Eucalyptus tereticornis*	Forest Red Gum	190	60	190	17.0	4.0	2.3	1.6	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
12613	*Eucalyptus tereticornis*	Forest Red Gum	300	94	300	24.0	6.0	3.6	2.0	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
12614	*Eucalyptus siderophloia*	Northern Grey Ironbark	170	53	170	15.0	4.0	2.0	1.6	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
12615	*Eucalyptus tereticornis*	Forest Red Gum	240	75	240	21.0	6.0	2.9	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
12616	*Eucalyptus tereticornis*	Forest Red Gum	180	57	180	19.0	1.0	2.2	1.6	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
12617	*Corymbia tessellaris*	Moreton Bay Ash	200	63	200	17.0	8.0	2.4	1.7	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
12618	*Corymbia tessellaris*	Moreton Bay Ash	150	47	150	16.0	6.0	2.0	1.5	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
12619	*Eucalyptus tereticornis*	Forest Red Gum	250	79	250	17.0	5.0	3.0	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
12620	*Acacia disparrima*	Hickory Wattle	200	98	313	16.0	10.0	3.8	2.0	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	180, 160
12621	*Acacia disparrima*	Hickory Wattle	150	64	205	10.0	6.0	2.5	1.7	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	140
12622	*Acacia disparrima*	Hickory Wattle	240	75	240	12.0	6.0	2.9	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
12623	*Acacia disparrima*	Hickory Wattle	240	75	240	10.0	8.0	2.9	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
12624	*Angophora leiocarpa*	Smooth-barked Apple	340	107	340	25.0	10.0	4.1	2.1	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
12625	*Corymbia citriodora*	Spotted Gum	230	72	230	18.0	7.0	2.8	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	

| Specimen Details | | |

Tree ID	Botanical Name	Common Name	Specimen Details									Canopy Condition Details								Trunk Condition Details					Fauna Details and Habitat Value							Retention	Additional Notes
			Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value		
12694	*Eucalyptus siderophloia*	Northern Grey Ironbark	420		420	132	28.0	10.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12695	*Acacia disparrima*	Hickory Wattle	220		220	69	10.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12696	*Acacia disparrima*	Hickory Wattle	180		180	57	10.0	12.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12697	*Corymbia citriodora*	Spotted Gum	190		190	60	14.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12698	*Eucalyptus siderophloia*	Northern Grey Ironbark	170		170	53	16.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12699	*Acacia disparrima*	Hickory Wattle	190		190	60	10.0	8.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12700	*Acacia disparrima*	Hickory Wattle	220	190	291	91	12.0	10.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12701	**DEAD/STAG**		640		640	201	22.0	10.0	7.7	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Small	3	-	Termite nest	-	-	Remove	
12702	*Eucalyptus siderophloia*	Northern Grey Ironbark	430		430	135	22.0	12.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12703	*Acacia disparrima*	Hickory Wattle	180		180	57	12.0	10.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12704	*Acacia disparrima*	Hickory Wattle	210		210	66	12.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12705	*Eucalyptus tereticornis*	Forest Red Gum	220		220	69	20.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12706	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	17.0	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12707	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	17.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12708	*Eucalyptus siderophloia*	Northern Grey Ironbark	150		150	47	12.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12709	*Eucalyptus siderophloia*	Northern Grey Ironbark	160		160	50	15.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12710	*Eucalyptus siderophloia*	Northern Grey Ironbark	190		190	60	15.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12711	*Eucalyptus siderophloia*	Northern Grey Ironbark	330		330	104	20.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12712	*Acacia disparrima*	Hickory Wattle	190		190	60	12.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12713	*Acacia disparrima*	Hickory Wattle	210		210	66	10.0	10.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12714	*Eucalyptus siderophloia*	Northern Grey Ironbark	480		480	151	28.0	12.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Small	1	-	Termite nest	-	-	Remove	
12715	*Acacia disparrima*	Hickory Wattle	180		180	57	8.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12716	*Acacia disparrima*	Hickory Wattle	200		200	63	8.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12717	*Acacia disparrima*	Hickory Wattle	240		240	75	15.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12718	*Acacia disparrima*	Hickory Wattle	190		190	60	8.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12719	*Eucalyptus siderophloia*	Northern Grey Ironbark	390		390	123	26.0	10.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12720	*Eucalyptus siderophloia*	Northern Grey Ironbark	420		420	132	26.0	12.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12721	*Eucalyptus tereticornis*	Forest Red Gum	190		190	60	18.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12722	*Eucalyptus siderophloia*	Northern Grey Ironbark	600		600	188	29.0	12.0	7.2	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Small	1	-	-	-	-	Remove	
12723	*Acacia disparrima*	Hickory Wattle	180		180	57	12.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12724	*Acacia disparrima*	Hickory Wattle	150		150	47	10.0	8.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12725	*Corymbia citriodora*	Spotted Gum	250		250	79	19.0	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12726	*Eucalyptus siderophloia*	Northern Grey Ironbark	180		180	57	16.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12727	*Eucalyptus tereticornis*	Forest Red Gum	160		160	50	17.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12728	*Acacia disparrima*	Hickory Wattle	190		190	60	12.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12729	*Eucalyptus siderophloia*	Northern Grey Ironbark	170		170	53	17.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12730	*Eucalyptus tereticornis*	Forest Red Gum	160		160	50	16.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12731	*Acacia disparrima*	Hickory Wattle	220		220	69	15.0	10.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12732	*Eucalyptus siderophloia*	Northern Grey Ironbark	380		380	119	22.0	6.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12733	*Eucalyptus siderophloia*	Northern Grey Ironbark	330		330	104	23.0	10.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12734	*Acacia disparrima*	Hickory Wattle	150		150	47	8.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12735	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	22.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12736	*Eucalyptus siderophloia*	Northern Grey Ironbark	150		150	47	16.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12737	*Acacia disparrima*	Hickory Wattle	150		150	47	14.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12738	*Eucalyptus siderophloia*	Northern Grey Ironbark	330		330	104	18.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
12739	*Acacia disparrima*	Hickory Wattle	160	150	219	69	16.0	8.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12740	*Acacia disparrima*	Hickory Wattle	180		180	57	14.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12741	*Corymbia intermedia*	Pink Bloodwood	160		160	50	14.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12742	*Eucalyptus siderophloia*	Northern Grey Ironbark	580		580	182	28.0	10.0	7.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Small	2	-	Termite nest	-	-	Remove	
12743	*Acacia disparrima*	Hickory Wattle	180		180	57	10.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12744	*Acacia disparrima*	Hickory Wattle	150		150	47	10.0	8.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12745	*Acacia disparrima*	Hickory Wattle	180		180	57	10.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12746	*Acacia disparrima*	Hickory Wattle	150		150	47	8.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12747	*Corymbia citriodora*	Spotted Gum	160	150	219	69	15.0	6.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12748	*Acacia disparrima*	Hickory Wattle	230		230	72	8.0	10.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12749	*Eucalyptus siderophloia*	Northern Grey Ironbark	600		600	188	28.0	12.0	7.2	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12750	*Acacia disparrima*	Hickory Wattle	190		190	60	12.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12751	*Acacia disparrima*	Hickory Wattle	250	180	308	97	12.0	10.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12752	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	17.0	8.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12753	*Eucalyptus siderophloia*	Northern Grey Ironbark	160		160	50	17.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12754	*Acacia disparrima*	Hickory Wattle	190		190	60	10.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
12755	*Acacia disparrima*	Hickory Wattle	170		170	53	4.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12756	*Eucalyptus siderophloia*	Northern Grey Ironbark	360		360	113	20.0	9.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12757	*Acacia disparrima*	Hickory Wattle	210		210	66	10.0	8.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12758	*Acacia disparrima*	Hickory Wattle	160	120	200	63	12.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12759	*Acacia disparrima*	Hickory Wattle	200		200	63	10.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12760	*Acacia disparrima*	Hickory Wattle	220		220	69	12.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12761	*Acacia disparrima*	Hickory Wattle	180		180	57	10.0	8.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	

| Specimen Details | | |

Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
12830	*Corymbia citriodora*	Spotted Gum	220		220	69	6.0	2.6	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12831	*Eucalyptus cretata*	Narrow-leaved Red Ironbark	280		280	88	24.0	11.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12832	*Eucalyptus cretata*	Narrow-leaved Red Ironbark	320		320	101	24.0	11.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12833	*Eucalyptus cretata*	Narrow-leaved Red Ironbark	320		320	101	25.0	13.0	3.8	2.1	One-sided	Spreading	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
12834	*Eucalyptus cretata*	Narrow-leaved Red Ironbark	320		320	101	25.0	12.0	3.8	2.1	Regular	-	-	Die-back	-	-	Typical	-	Introduced	-	-	Typical	-	-	-	0	-	-	-	Remove	
12835	*Acacia dispermina*	Hickory Wattle	180		180	57	11.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12836	*Corymbia citriodora*	Spotted Gum	240		240	75	18.0	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12837	*Eucalyptus cretata*	Narrow-leaved Red Ironbark	360		360	113	26.0	14.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12838	*Eucalyptus cretata*	Narrow-leaved Red Ironbark	180		180	57	17.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12839	*Eucalyptus cretata*	Narrow-leaved Red Ironbark	290		290	91	23.0	11.0	3.5	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12840	*Eucalyptus cretata*	Narrow-leaved Red Ironbark	290		290	91	23.0	12.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12841	*Eucalyptus cretata*	Narrow-leaved Red Ironbark	300		300	94	24.0	14.0	3.6	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12842	*Eucalyptus cretata*	Narrow-leaved Red Ironbark	270		270	85	23.0	10.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12843	*Corymbia intermedia*	Pink Bloodwood	170		170	53	12.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12844	*Eucalyptus cretata*	Narrow-leaved Red Ironbark	290		290	91	24.0	13.0	3.5	2.0	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12845	*Eucalyptus cretata*	Narrow-leaved Red Ironbark	270		270	85	25.0	13.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12846	*Corymbia intermedia*	Pink Bloodwood	150		150	47	12.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12847	*Corymbia intermedia*	Pink Bloodwood	180		180	57	15.0	4.0	2.2	1.6	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12848	*Eucalyptus cretata*	Narrow-leaved Red Ironbark	150		150	47	11.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12849	*Eucalyptus cretata*	Narrow-leaved Red Ironbark	310		310	97	28.0	15.0	3.7	2.0	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12850	*Eucalyptus siderophloia*	Northern Grey Ironbark	290		290	91	25.0	13.0	3.5	2.0	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12851	*Eucalyptus tetetricornis*	Forest Red Gum	210		210	66	15.0	4.0	2.5	1.7	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12852	*Acacia dispermina*	Hickory Wattle	170		170	53	10.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12853	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	19.0	4.0	3.1	1.9	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12854	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	18.0	6.0	2.9	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12855	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	18.0	5.0	2.9	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12856	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	24.0	11.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12857	*Eucalyptus cretata*	Narrow-leaved Red Ironbark	280		280	88	27.0	13.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	Introduced	-	-	Typical	-	-	-	0	-	-	-	Remove	
12858	*Eucalyptus tetetricornis*	Forest Red Gum	370		370	116	25.0	13.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12859	*Eucalyptus tetetricornis*	Forest Red Gum	370		370	116	20.0	9.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12860	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	18.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12861	*Eucalyptus siderophloia*	Northern Grey Ironbark	160		160	50	16.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12862	*Eucalyptus siderophloia*	Northern Grey Ironbark	190		190	60	15.0	5.0	2.3	1.6	One-sided	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12863	*Eucalyptus siderophloia*	Northern Grey Ironbark	150		150	47	14.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12864	*Eucalyptus siderophloia*	Northern Grey Ironbark	290		290	91	21.0	11.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12865	*Eucalyptus cretata*	Narrow-leaved Red Ironbark	280		280	88	29.0	16.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12866	*Eucalyptus siderophloia*	Northern Grey Ironbark	310		310	97	26.0	13.0	3.7	2.0	Regular	-	-	Die-back	-	-	Typical	-	Introduced	-	-	Typical	-	-	-	0	-	-	-	Remove	
12867	*Eucalyptus siderophloia*	Northern Grey Ironbark	180		180	57	16.0	4.0	2.2	1.6	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12868	*Eucalyptus siderophloia*	Northern Grey Ironbark	310		310	97	26.0	13.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12869	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	13.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12870	*Corymbia citriodora*	Spotted Gum	290		290	91	17.0	2.0	3.5	2.0	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12871	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	19.0	10.0	2.6	1.8	Regular	-	Thinning	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12872	*Eucalyptus siderophloia*	Northern Grey Ironbark	310		310	97	24.0	9.0	3.7	2.0	Regular	-	Thinning	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12873	*Eucalyptus siderophloia*	Northern Grey Ironbark	320		320	101	23.0	12.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12874	*Eucalyptus siderophloia*	Northern Grey Ironbark	180		180	57	17.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12875	*Eucalyptus siderophloia*	Northern Grey Ironbark	170		170	53	12.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12876	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	21.0	9.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12877	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	21.0	11.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12878	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	17.0	6.0	2.8	1.8	One-sided	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12879	*Eucalyptus siderophloia*	Northern Grey Ironbark	170		170	53	10.0	4.0	2.0	1.6	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12880	*Eucalyptus siderophloia*	Northern Grey Ironbark	190		190	60	15.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12881	*Eucalyptus siderophloia*	Northern Grey Ironbark	180		180	57	17.0	6.0	2.2	1.6	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12882	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	20.0	8.0	2.9	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12883	*Eucalyptus siderophloia*	Northern Grey Ironbark	150		150	47	11.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12884	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	24.0	11.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12885	**DEAD/STAG**		520		520	163	22.0	10.0	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	1	-	-	-	Remove	
12886	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	24.0	12.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12887	*Corymbia citriodora*	Spotted Gum	240		240	75	17.0	5.0	2.9	1.8	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12888	*Eucalyptus siderophloia*	Northern Grey Ironbark	180		180	57	11.0	5.0	2.2	1.6	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12889	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	28.0	9.0	3.0	1.8	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12890	*Eucalyptus siderophloia*	Northern Grey Ironbark	190		190	60	16.0	4.0	2.3	1.6	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12891	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	25.0	8.0	3.4	1.9	One-sided	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12892	*Eucalyptus siderophloia*	Northern Grey Ironbark	330		330	104	24.0	12.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12893	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	20.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	Introduced	-	-	Typical	-	-	-	0	-	-	-	Remove	
12894	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	23.0	11.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12895	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	19.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12896	*Eucalyptus siderophloia*	Northern Grey Ironbark	170		170	53	12.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
12897	*Eucalyptus cretata*	Narrow-leaved Red Ironbark	250		250	79	26.0	13.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	

Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Specimen Details						Canopy Condition Details						Trunk Condition Details						Fauna Details and Habitat Value							Additional Notes
					Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	
12898	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	23.0	12.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
12899	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	24.0	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove
12900	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	24.0	11.0	3.2	1.9	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
12901	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	24.0	11.0	3.0	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
12902	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	21.0	11.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
12903	*Eucalyptus siderophloia*	Northern Grey Ironbark	170		170	53	12.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
12904	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	26.0	14.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
12905	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	24.0	15.0	2.8	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
12906	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	20.0	7.0	2.5	1.7	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
12907	*Eucalyptus siderophloia*	Northern Grey Ironbark	350		350	110	25.0	12.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
12908	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	20.0	12.0	2.9	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
12909	*Eucalyptus siderophloia*	Northern Grey Ironbark	180		180	57	16.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
12910	*Eucalyptus siderophloia*	Northern Grey Ironbark	190		190	60	11.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
12911	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	19.0	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
12912	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	16.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
12913	*Eucalyptus siderophloia*	Northern Grey Ironbark	170		170	53	11.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
12914	*Eucalyptus siderophloia*	Northern Grey Ironbark	170		170	53	16.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
12915	*Eucalyptus siderophloia*	Northern Grey Ironbark	180		180	57	16.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
12916	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	21.0	10.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
12917	*Eucalyptus siderophloia*	Northern Grey Ironbark	290		290	91	19.0	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
12918	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	25.0	14.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
12919	*Eucalyptus siderophloia*	Northern Grey Ironbark	150		150	47	10.0	3.0	2.0	1.5	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
12920	*Eucalyptus siderophloia*	Northern Grey Ironbark	350		350	110	22.0	14.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
12921	*Eucalyptus siderophloia*	Northern Grey Ironbark	160		160	50	13.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
12922	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	17.0	6.0	2.9	1.8	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
12923	*Corymbia citriodora*	Spotted Gum	190		190	60	19.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
12924	*Corymbia citriodora*	Spotted Gum	250		250	79	21.0	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
12925	*Corymbia citriodora*	Spotted Gum	180		180	57	11.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
12926	*Corymbia citriodora*	Spotted Gum	210		210	66	17.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
12927	*Corymbia citriodora*	Spotted Gum	320		320	101	21.0	10.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
12928	*Eucalyptus siderophloia*	Northern Grey Ironbark	330		330	104	23.0	14.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
12929	*Eucalyptus siderophloia*	Northern Grey Ironbark	310		310	97	23.0	11.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
12930	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	19.0	7.0	3.0	1.8	Irregular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
12931	*Eucalyptus melliodora*	Gum-topped Box	400	126	400	126	23.0	12.0	4.8	2.3	Regular	-	-	Die-back	-	-	Typical	-	Introduced	-	-	Typical	-	-	-	0	-	-	-	Remove
12932	*Eucalyptus siderophloia*	Northern Grey Ironbark	150		150	47	10.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
12933	*Eucalyptus tereticornis*	Forest Red Gum	450		450	141	23.0	13.0	5.4	2.4	Regular	-	-	Die-back	Epicormic	-	Typical	-	Introduced	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove
12934	*Eucalyptus siderophloia*	Northern Grey Ironbark	170		170	53	14.0	4.0	2.0	1.6	One-sided	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
12935	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	19.0	7.0	3.0	1.8	One-sided	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
12936	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	19.0	7.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
12937	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	12.0	4.0	2.6	1.8	Regular	-	Thinning	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
12938	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	19.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
12939	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	22.0	7.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
12940	*Corymbia citriodora*	Spotted Gum	150		150	47	14.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
12941	*Eucalyptus siderophloia*	Northern Grey Ironbark	190		190	60	14.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
12942	*Corymbia citriodora*	Spotted Gum	330	104	330	104	23.0	12.0	4.0	2.1	Irregular	-	-	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
12943	*Corymbia citriodora*	Spotted Gum	240		240	75	18.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
12944	*Corymbia citriodora*	Spotted Gum	220		220	69	20.0	8.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
12945	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	19.0	6.0	2.9	1.8	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
12946	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	18.0	9.0	3.0	1.8	One-sided	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
12947	*Acacia disparrima*	Hickory Wattle	170		170	53	10.0	3.0	2.0	1.6	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
12948	*Eucalyptus siderophloia*	Northern Grey Ironbark	150		150	47	16.0	4.0	2.0	1.5	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
12949	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	20.0	9.0	3.4	1.9	Regular	-	Thinning	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
12950	*Acacia disparrima*	Hickory Wattle	170		170	53	5.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
12951	*Eucalyptus siderophloia*	Northern Grey Ironbark	330	104	330	104	19.0	8.0	4.0	2.1	Regular	-	Thinning	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
12952	*Corymbia citriodora*	Spotted Gum	330		330	104	23.0	12.0	4.0	2.1	Regular	-	Thinning	Die-back	Epicormic	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove
12953	*Eucalyptus siderophloia*	Northern Grey Ironbark	180		180	57	16.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
12954	*Eucalyptus siderophloia*	Northern Grey Ironbark	180		180	57	18.0	6.0	2.2	1.6	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
12955	*Acacia disparrima*	Hickory Wattle	170		170	53	5.0	4.0	2.0	1.6	One-sided	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove
12956	*Acacia disparrima*	Hickory Wattle	190		190	60	9.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
12957	*Corymbia citriodora*	Spotted Gum	150		150	47	10.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
12958	*Corymbia citriodora*	Spotted Gum	150		150	47	10.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
12959	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	14.0	6.0	2.9	1.8	Regular	-	-	Die-back	-	-	Typical	-	Introduced	-	-	Typical	-	-	-	0	-	-	-	Remove
12960	*Eucalyptus siderophloia*	Northern Grey Ironbark	340	107	340	107	23.0	14.0	4.1	2.1	Regular	-	-	Die-back	-	-	Typical	-	Introduced	-	-	Typical	-	-	-	0	-	-	-	Remove
12961	*Angophora leiocarpa*	Smooth-barked Apple	210		210	66	19.0	10.0	2.5	1.7	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
12962	*Eucalyptus siderophloia*	Northern Grey Ironbark	320	101	320	101	19.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove
12963	*Acacia disparrima*	Hickory Wattle	170	53	170	53	6.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
12964	*Eucalyptus siderophloia*	Northern Grey Ironbark	180	57	180	57	18.0	7.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
12965	*Acacia disparrima*	Hickory Wattle	180		180	57	8.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove

| Specimen Details | | |

Specimen Details								Canopy Condition Details										Trunk Condition Details								Fauna Details and Habitat Value									
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
13034	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	18.0	7.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13035	*Eucalyptus siderophloia*	Northern Grey Ironbark	160		160	50	14.0	3.0	2.0	1.5	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13036	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	22.0	10.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13037	*Corymbia citriodora*	Spotted Gum	150		150	47	13.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13038	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	16.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13039	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	21.0	10.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13040	*Eucalyptus tereticornis*	Forest Red Gum	170		170	53	16.0	5.0	2.0	1.6	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13041	*Eucalyptus siderophloia*	Northern Grey Ironbark	320		320	101	19.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13042	*Eucalyptus siderophloia*	Northern Grey Ironbark	170		170	53	11.0	2.0	2.0	1.6	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13043	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	66	23.0	10.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13044	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	21.0	10.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13045	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	21.0	10.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13046	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	18.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13047	*Corymbia intermedia*	Pink Bloodwood	150		150	47	9.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13048	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	22.0	12.0	3.4	1.9	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13049	*Acacia disparrima*	Hickory Wattle	170		170	53	9.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13050	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	17.0	7.0	2.4	1.7	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13051	*Eucalyptus siderophloia*	Northern Grey Ironbark	370		370	116	25.0	13.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13052	*Acacia disparrima*	Hickory Wattle	160		160	50	7.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13053	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	18.0	6.0	2.9	1.8	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
13054	*Eucalyptus siderophloia*	Northern Grey Ironbark	170		170	53	11.0	3.0	2.0	1.6	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13055	*Corymbia citriodora*	Spotted Gum	200		200	63	21.0	6.0	2.4	1.7	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13056	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	18.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13057	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	20.0	7.0	2.5	1.7	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13058	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	21.0	9.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13059	*Eucalyptus siderophloia*	Northern Grey Ironbark	180		180	57	16.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13060	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	21.0	10.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13061	*Eucalyptus siderophloia*	Northern Grey Ironbark	160		160	50	16.0	5.0	2.0	1.5	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13062	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	22.0	12.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13063	*Eucalyptus siderophloia*	Northern Grey Ironbark	330	160	367	115	19.0	12.0	4.4	2.2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13064	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	20.0	9.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13065	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	21.0	7.0	3.1	1.9	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13066	*Eucalyptus siderophloia*	Northern Grey Ironbark	340		340	107	21.0	11.0	4.1	2.1	One-sided	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13067	*Eucalyptus siderophloia*	Northern Grey Ironbark	190		190	60	18.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13068	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	20.0	9.0	3.0	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13069	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	19.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13070	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	17.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13071	*Eucalyptus siderophloia*	Northern Grey Ironbark	290	91	290	91	23.0	9.0	3.5	2.0	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13072	*Eucalyptus siderophloia*	Northern Grey Ironbark	160		160	50	14.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13073	*Eucalyptus siderophloia*	Northern Grey Ironbark	150		150	47	15.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13074	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	18.0	7.0	2.4	1.7	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13075	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	17.0	6.0	2.6	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13076	*Eucalyptus siderophloia*	Northern Grey Ironbark	190		190	60	17.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13077	*Eucalyptus tereticornis*	Forest Red Gum	170		170	53	16.0	5.0	2.0	1.6	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13078	*Eucalyptus siderophloia*	Northern Grey Ironbark	320	101	320	101	19.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13079	*Eucalyptus siderophloia*	Northern Grey Ironbark	170		170	53	11.0	2.0	2.0	1.6	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13080	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	21.0	7.0	2.4	1.7	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13081	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	23.0	10.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13082	*Eucalyptus crebra*	Narrow-leaved Red Ironbark	200		200	63	21.0	10.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13083	*Eucalyptus siderophloia*	Northern Grey Ironbark	150		150	47	12.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13084	*Eucalyptus siderophloia*	Northern Grey Ironbark	190		190	60	15.0	5.0	2.3	1.6	One-sided	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13085	*Eucalyptus siderophloia*	Northern Grey Ironbark	330	104	330	104	22.0	11.0	4.0	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13086	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	21.0	11.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13087	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	21.0	10.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13088	*Acacia leiocalyx*	Early-flowering Black Wattle	180		180	57	11.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13089	**DEAD/STAG**		430		430	135	18.0	9.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	1	-	-	-	Remove	
13090	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	19.0	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13091	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	19.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13092	*Eucalyptus siderophloia*	Northern Grey Ironbark	230	72	230	72	19.0	8.0	2.8	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13093	*Eucalyptus siderophloia*	Northern Grey Ironbark	250	79	250	79	19.0	10.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13094	*Eucalyptus siderophloia*	Northern Grey Ironbark	150	47	150	47	10.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13095	*Eucalyptus siderophloia*	Northern Grey Ironbark	380	119	380	119	25.0	16.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
13096	*Eucalyptus siderophloia*	Northern Grey Ironbark	180	57	180	57	15.0	6.0	2.2	1.6	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
13097	*Eucalyptus siderophloia*	Northern Grey Ironbark	230	72	230	72	17.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13098	*Eucalyptus siderophloia*	Northern Grey Ironbark	210	66	210	66	18.0	6.0	2.5	1.7	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13099	*Eucalyptus siderophloia*	Northern Grey Ironbark	260	82	260	82	23.0	10.0	3.1	1.9	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13100	**DEAD/STAG**		170	53	170	53	14.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13101	*Eucalyptus siderophloia*	Northern Grey Ironbark	280	88	280	88	22.0	10.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	

Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
T1302	*Eucalyptus siderophloia*	Northern Grey Ironbark	170		170	53	14.0	5.0	2.0	1.6	Regular	-	Thinning	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
T1303	*Corymbia citriodora*	Spotted Gum	240		240	75	19.0	7.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
T1304	*Corymbia citriodora*	Spotted Gum	150		150	47	9.0	3.0	2.0	1.5	Regular	-	-	-	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
T1305	*Corymbia citriodora*	Spotted Gum	220		220	69	19.0	6.0	2.6	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
T1306	*Corymbia citriodora*	Spotted Gum	170		170	53	16.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
T1307	*Eucalyptus siderophloia*	Northern Grey Ironbark	170		170	53	16.0	5.0	2.0	1.6	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
T1308	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	23.0	13.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
T1309	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	21.0	11.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
T1310	*Corymbia citriodora*	Spotted Gum	200		200	63	19.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
T1311	*Corymbia citriodora*	Spotted Gum	270		270	85	21.0	9.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
T1312	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	19.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
T1313	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	24.0	8.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
T1314	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	22.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	Termite nest	-	-	Remove	
T1315	*Eucalyptus siderophloia*	Northern Grey Ironbark	290		290	91	23.0	8.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
T1316	*Corymbia citriodora*	Spotted Gum	160		160	50	15.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
T1317	*Corymbia citriodora*	Spotted Gum	160		160	50	16.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
T1318	*Eucalyptus siderophloia*	Northern Grey Ironbark	160		160	50	15.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
T1319	*Eucalyptus siderophloia*	Northern Grey Ironbark	330		330	104	20.0	12.0	4.0	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
T1320	*Eucalyptus siderophloia*	Northern Grey Ironbark	320		320	101	25.0	10.0	3.8	2.1	Regular	-	-	Die-back	Epicormic	-	Typical	-	Introduced	-	-	Typical	-	-	-	0	-	-	-	Remove	
T1321	*Corymbia citriodora*	Spotted Gum	370		370	116	24.0	16.0	4.4	2.2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
T1322	*Eucalyptus siderophloia*	Northern Grey Ironbark	390		390	123	26.0	17.0	4.7	2.2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
T1323	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	20.0	6.0	3.2	1.9	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
T1324	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	19.0	6.0	2.9	1.8	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
T1325	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	17.0	10.0	3.6	2.0	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	Termite nest	-	-	Remove	
T1326	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	16.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
T1327	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	15.0	4.0	2.4	1.7	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
T1328	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	21.0	9.0	3.4	1.9	One-sided	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
T1329	*Corymbia citriodora*	Spotted Gum	190		190	60	15.0	5.0	2.3	1.6	Regular	-	Thinning	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
T1330	*Corymbia citriodora*	Spotted Gum	220		220	69	17.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
T1331	*Corymbia citriodora*	Spotted Gum	220		220	69	15.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
T1332	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	21.0	10.0	3.4	1.9	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
T1333	*Eucalyptus siderophloia*	Northern Grey Ironbark	370		370	116	24.0	14.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
T1334	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	16.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
T1335	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	19.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
T1336	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	21.0	9.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
T1337	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	17.0	6.0	2.8	1.8	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
T1338	*Corymbia intermedia*	Pink Bloodwood	170		170	53	10.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
T1339	*Eucalyptus siderophloia*	Northern Grey Ironbark	310		310	97	25.0	14.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
T1340	*Eucalyptus siderophloia*	Northern Grey Ironbark	290		290	91	19.0	10.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
T1341	*Eucalyptus siderophloia*	Northern Grey Ironbark	190		190	60	12.0	4.0	2.3	1.6	Regular	-	Thinning	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
T1342	*Corymbia citriodora*	Spotted Gum	160		160	50	18.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
T1343	*Eucalyptus siderophloia*	Northern Grey Ironbark	170		170	53	19.0	6.0	2.6	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
T1344	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	18.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
T1345	*Corymbia citriodora*	Spotted Gum	280		280	88	17.0	6.0	3.4	1.9	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
T1346	*Corymbia citriodora*	Spotted Gum	240		240	75	17.0	8.0	2.9	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
T1347	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	23.0	12.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
T1348	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	23.0	11.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
T1349	*Corymbia citriodora*	Spotted Gum	150		150	47	12.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
T1350	*Eucalyptus siderophloia*	Northern Grey Ironbark	340		340	107	27.0	16.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
T1351	*Eucalyptus siderophloia*	Northern Grey Ironbark	350		350	110	26.0	13.0	4.2	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
T1352	*Corymbia intermedia*	Pink Bloodwood	200		200	63	14.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
T1353	*Eucalyptus siderophloia*	Northern Grey Ironbark	340		340	107	25.0	14.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
T1354	*Eucalyptus siderophloia*	Northern Grey Ironbark	340		340	107	17.0	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
T1355	*Eucalyptus siderophloia*	Northern Grey Ironbark	160		160	50	4.0	2.0	2.0	1.5	Regular	-	-	-	Epicormic	Lopped	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
T1356	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	17.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	Termite nest	-	-	Remove	
T1357	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	22.0	13.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
T1358	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	22.0	11.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
T1359	*Eucalyptus siderophloia*	Northern Grey Ironbark	290		290	91	21.0	6.0	3.5	2.0	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
T1360	*Eucalyptus siderophloia*	Northern Grey Ironbark	330		330	104	22.0	15.0	4.0	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
T1361	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	20.0	6.0	3.1	1.9	Regular	-	Thinning	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
T1362	*Eucalyptus siderophloia*	Northern Grey Ironbark	180		180	57	18.0	6.0	2.2	1.6	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
T1363	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	18.0	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
T1364	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	18.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
T1365	*Eucalyptus siderophloia*	Northern Grey Ironbark	290		290	91	22.0	12.0	3.5	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
T1366	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	19.0	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
T1367	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	17.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
T1368	*Eucalyptus siderophloia*	Northern Grey Ironbark	370		370	116	27.0	15.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
T1369	*Eucalyptus siderophloia*	Northern Grey Ironbark	270	200	336	106	17.0	7.0	4.0	2.1	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	

| Specimen Details | | |

Specimen Details								Canopy Condition Details							Structural Root Zone (m)	Tree Protection Zone (m)	Spread (m)	Height (m)	Trunk Circumference (cm) (AS 4970-2009)	Total DBH (mm) (AS 4970-2009)	Additional Trunks DBH (mm)	Trunk DBH (mm)	Common Name	Botanical Name	Tree ID
Canopy Form	Spreading	Thinning	Die-back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Regular	-	-	Die-back

Tree ID	Botanical Name	Common Name	Specimen Details								Canopy Condition Details								Trunk Condition Details						Fauna Details and Habitat Value						Retention	Additional Notes
			Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	
13306	*Corymbia citriodora*	Spotted Gum	280		280	88	20.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13307	*Eucalyptus siderophloia*	Northern Grey Ironbark	360		360	113	22.0	16.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13308	*Eucalyptus siderophloia*	Northern Grey Ironbark	340		340	107	26.0	14.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13309	*Corymbia citriodora*	Spotted Gum	190		190	60	15.0	5.0	2.3	1.6	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13310	*Corymbia citriodora*	Spotted Gum	180		180	57	20.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13311	*Corymbia citriodora*	Spotted Gum	170		170	53	20.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13312	*Corymbia citriodora*	Spotted Gum	150		150	47	16.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13313	*Corymbia citriodora*	Spotted Gum	210		210	66	22.0	8.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13314	*Corymbia citriodora*	Spotted Gum	200		200	63	18.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13315	*Corymbia citriodora*	Spotted Gum	160		160	50	16.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13316	*Corymbia citriodora*	Spotted Gum	200		200	63	18.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13317	*Eucalyptus siderophloia*	Northern Grey Ironbark	310		310	97	21.0	8.0	3.7	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13318	*Eucalyptus siderophloia*	Northern Grey Ironbark	150		150	47	16.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13319	*Corymbia citriodora*	Spotted Gum	170		170	53	17.0	5.0	2.0	1.6	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13320	*Corymbia citriodora*	Spotted Gum	230		230	72	22.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13321	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	18.0	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Termite nest	-	Remove	
13322	*Eucalyptus siderophloia*	Northern Grey Ironbark	540		540	170	27.0	15.0	6.5	2.6	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
13323	*Corymbia citriodora*	Spotted Gum	220	140	261	82	17.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13324	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	12.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13325	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	9.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13326	*Acacia disparrima*	Hickory Wattle	190		190	60	5.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	Minor	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
13327	*Eucalyptus tereticornis*	Forest Red Gum	160		160	50	16.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13328	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	18.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13329	*Corymbia citriodora*	Spotted Gum	170		170	53	10.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13330	*Acacia disparrima*	Hickory Wattle	150		150	47	6.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13331	*Eucalyptus siderophloia*	Northern Grey Ironbark	350		350	110	22.0	12.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13332	*Corymbia citriodora*	Spotted Gum	230		230	72	20.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13333	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	22.0	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13334	*Corymbia citriodora*	Spotted Gum	180		180	57	16.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13335	*Corymbia citriodora*	Spotted Gum	380		380	119	24.0	14.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13336	*Eucalyptus tereticornis*	Forest Red Gum	320		320	101	22.0	10.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13337	*Angophora leiocarpa*	Smooth-barked Apple	230		230	72	18.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13338	*Angophora leiocarpa*	Smooth-barked Apple	320		320	101	20.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13339	*Angophora leiocarpa*	Smooth-barked Apple	300		300	94	16.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13340	*Acacia disparrima*	Hickory Wattle	160		160	50	8.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13341	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	20.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13342	*Eucalyptus siderophloia*	Northern Grey Ironbark	190		190	60	16.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13343	*Angophora leiocarpa*	Smooth-barked Apple	240		240	75	16.0	6.0	2.9	1.8	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13344	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	22.0	7.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13345	*Angophora leiocarpa*	Smooth-barked Apple	350		350	110	20.0	7.0	4.2	2.1	Regular	-	-	-	-	-	Minor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13346	*Acacia disparrima*	Hickory Wattle	170		170	53	8.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13347	*Corymbia tessellaris*	Moreton Bay Ash	160	70	175	55	14.0	5.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13348	*Eucalyptus siderophloia*	Northern Grey Ironbark	380		380	119	24.0	10.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13349	*Corymbia citriodora*	Spotted Gum	300		300	94	24.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13350	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	22.0	10.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13351	*Angophora leiocarpa*	Smooth-barked Apple	300		300	94	20.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13352	*Eucalyptus siderophloia*	Northern Grey Ironbark	320		320	101	22.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13353	*Acacia disparrima*	Hickory Wattle	180		180	57	6.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13354	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	20.0	6.0	2.5	1.7	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13355	*Eucalyptus siderophloia*	Northern Grey Ironbark	340		340	107	22.0	10.0	4.1	2.1	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13356	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	20.0	6.0	2.6	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13357	*Eucalyptus siderophloia*	Northern Grey Ironbark	340		340	107	24.0	10.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
13358	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	8.0	2.0	3.4	1.9	Regular	-	-	-	Epicormic	Lopped	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13359	*Acacia disparrima*	Hickory Wattle	230		230	72	8.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13360	*Eucalyptus siderophloia*	Northern Grey Ironbark	440		440	138	24.0	8.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13361	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	20.0	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13362	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	22.0	10.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13363	*Eucalyptus siderophloia*	Northern Grey Ironbark	320		320	101	24.0	14.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13364	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	16.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13365	*Eucalyptus siderophloia*	Northern Grey Ironbark	420		420	132	26.0	14.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13366	*Eucalyptus tereticornis*	Forest Red Gum	200		200	63	22.0	8.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13367	*Acacia disparrima*	Hickory Wattle	170		170	53	7.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13368	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	18.0	6.0	2.8	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13369	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	24.0	12.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13370	*Eucalyptus siderophloia*	Northern Grey Ironbark	340		340	107	24.0	10.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13371	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	22.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13372	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	20.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13373	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	20.0	6.0	2.8	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	

	Specimen Details								Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
13374	*Eucalyptus siderophloia*	Northern Grey Ironbark	350		350	110	22.0	12.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13375	*Eucalyptus siderophloia*	Northern Grey Ironbark	170		170	53	12.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13376	*Eucalyptus siderophloia*	Northern Grey Ironbark	170		170	53	12.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13377	*Eucalyptus tereticornis*	Forest Red Gum	180		180	57	9.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13378	*Eucalyptus siderophloia*	Northern Grey Ironbark	160		160	50	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13379	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	20.0	8.0	3.6	2.0	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13380	*Angophora leiocarpa*	Smooth-barked Apple	190		190	60	8.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13381	*Eucalyptus siderophloia*	Northern Grey Ironbark	160		160	50	20.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13382	*Eucalyptus siderophloia*	Northern Grey Ironbark	460		460	145	22.0	14.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13383	*Acacia disparrima*	Hickory Wattle	200		200	63	8.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13384	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	22.0	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13385	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	22.0	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13386	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	22.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13387	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	20.0	6.0	2.4	1.7	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13388	*Eucalyptus siderophloia*	Northern Grey Ironbark	170		170	53	20.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13389	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	22.0	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13390	*Eucalyptus siderophloia*	Northern Grey Ironbark	330		330	104	24.0	14.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13391	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	24.0	10.0	3.0	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13392	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	16.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13393	*Eucalyptus siderophloia*	Northern Grey Ironbark	180		180	57	18.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13394	*Eucalyptus siderophloia*	Northern Grey Ironbark	170		170	53	14.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13395	*Eucalyptus siderophloia*	Northern Grey Ironbark	160		160	50	14.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13396	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	5.0	2.0	2.5	1.7	Regular	-	-	-	Epicormic	Lopped	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13397	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	20.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13398	*Eucalyptus siderophloia*	Northern Grey Ironbark	310		310	97	24.0	10.0	3.7	2.0	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13399	*Eucalyptus siderophloia*	Northern Grey Ironbark	150		150	47	10.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13400	*Eucalyptus siderophloia*	Northern Grey Ironbark	430		430	135	24.0	12.0	5.2	2.3	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13401	*Eucalyptus siderophloia*	Northern Grey Ironbark	430		430	135	22.0	10.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13402	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	18.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13403	*Acacia disparrima*	Hickory Wattle	180		180	57	5.0	4.0	2.2	1.6	One-sided	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13404	*Eucalyptus siderophloia*	Northern Grey Ironbark	360		360	113	24.0	12.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13405	*Eucalyptus siderophloia*	Northern Grey Ironbark	340		340	107	26.0	14.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13406	*Eucalyptus siderophloia*	Northern Grey Ironbark	420		420	132	24.0	14.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13407	*Acacia disparrima*	Hickory Wattle	160		160	50	5.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13408	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	22.0	10.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13409	*Eucalyptus siderophloia*	Northern Grey Ironbark	180		180	57	16.0	5.0	2.2	1.6	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13410	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	22.0	10.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13411	*Eucalyptus siderophloia*	Northern Grey Ironbark	190		190	60	20.0	6.0	2.3	1.6	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13412	*Eucalyptus siderophloia*	Northern Grey Ironbark	320		320	101	26.0	14.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13413	*Eucalyptus siderophloia*	Northern Grey Ironbark	160		160	50	16.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13414	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	24.0	12.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13415	*Eucalyptus siderophloia*	Northern Grey Ironbark	340		340	107	26.0	16.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13416	*Eucalyptus siderophloia*	Northern Grey Ironbark	370		370	116	24.0	14.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13417	*Acacia disparrima*	Hickory Wattle	160		160	50	6.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13418	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	20.0	8.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13419	*Acacia disparrima*	Hickory Wattle	200		200	63	7.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13420	*Eucalyptus siderophloia*	Northern Grey Ironbark	420		420	132	26.0	14.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13421	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	24.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13422	*Eucalyptus siderophloia*	Northern Grey Ironbark	360		360	113	22.0	14.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13423	*Corymbia citriodora*	Spotted Gum	200		200	63	20.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13424	*Corymbia citriodora*	Spotted Gum	150		150	47	18.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13425	*Eucalyptus siderophloia*	Northern Grey Ironbark	190		190	60	16.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13426	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	16.0	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13427	*Corymbia citriodora*	Spotted Gum	160		160	50	12.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13428	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	18.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13429	*Corymbia citriodora*	Spotted Gum	220		220	69	22.0	8.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13430	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	22.0	10.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13431	*Corymbia citriodora*	Spotted Gum	160		160	50	22.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13432	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	22.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13433	*Corymbia citriodora*	Spotted Gum	200		200	63	16.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13434	*Eucalyptus siderophloia*	Northern Grey Ironbark	320		320	101	24.0	12.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13435	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	24.0	12.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13436	*Corymbia citriodora*	Spotted Gum	180		180	57	20.0	6.0	2.2	1.6	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13437	*Eucalyptus siderophloia*	Northern Grey Ironbark	330		330	104	20.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13438	*Corymbia citriodora*	Spotted Gum	510		510	160	24.0	12.0	6.1	2.5	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13439	*Eucalyptus siderophloia*	Northern Grey Ironbark	270	260	375	118	22.0	10.0	4.5	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13440	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	22.0	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13441	*Eucalyptus siderophloia*	Northern Grey Ironbark	160		160	50	16.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	

Specimen Details							Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
13442	*Corymbia citriodora*	Spotted Gum	170		170	53	20.0	6.0	2.0	1.6	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13443	*Corymbia citriodora*	Spotted Gum	190		190	60	20.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13444	*Corymbia citriodora*	Spotted Gum	250		250	79	20.0	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13445	*Angophora leiocarpa*	Smooth-barked Apple	190		190	60	14.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13446	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	20.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13447	*Corymbia citriodora*	Spotted Gum	160		160	50	14.0	3.0	1.5	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13448	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	22.0	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13449	*Eucalyptus staeri*	Gum-topped box	450		450	141	24.0	12.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13450	*Angophora melocarpa*	Smooth-barked Apple	220		220	69	10.0	5.0	2.6	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13451	*Eucalyptus siderophloia*	Northern Grey Ironbark	160		160	50	12.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13452	*Eucalyptus siderophloia*	Northern Grey Ironbark	400		400	126	26.0	12.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13453	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	18.0	7.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13454	*Eucalyptus siderophloia*	Northern Grey Ironbark	340		340	107	22.0	8.0	4.1	2.1	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13455	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	20.0	8.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13456	*Eucalyptus siderophloia*	Northern Grey Ironbark	360		360	113	26.0	14.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13457	*Eucalyptus siderophloia*	Northern Grey Ironbark	180		180	57	20.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13458	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	14.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13459	*Acacia disparrima*	Hickory Wattle	160		160	50	8.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13460	*Eucalyptus siderophloia*	Northern Grey Ironbark	380		380	119	28.0	16.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13461	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	22.0	8.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13462	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	22.0	6.0	2.6	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13463	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	22.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13464	*Eucalyptus siderophloia*	Northern Grey Ironbark	350		350	110	24.0	12.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13465	*Eucalyptus siderophloia*	Northern Grey Ironbark	350		350	110	16.0	3.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13466	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	24.0	12.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13467	*Eucalyptus siderophloia*	Northern Grey Ironbark	150		150	47	14.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13468	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	16.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13469	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	22.0	10.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13470	*Acacia disparrima*	Hickory Wattle	170		170	53	6.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13471	*Corymbia citriodora*	Spotted Gum	240		240	75	20.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13472	*Corymbia citriodora*	Spotted Gum	240		240	75	20.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13473	*Eucalyptus siderophloia*	Northern Grey Ironbark	430		430	135	24.0	12.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13474	*Eucalyptus siderophloia*	Northern Grey Ironbark	320		320	101	22.0	12.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13475	*Eucalyptus siderophloia*	Northern Grey Ironbark	320	270	419	132	22.0	12.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13476	*Eucalyptus staeri*	Gum-topped box	450		450	141	20.0	12.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13477	*Eucalyptus siderophloia*	Northern Grey Ironbark	180	100	206	65	12.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13478	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	10.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13479	*Eucalyptus siderophloia*	Northern Grey Ironbark	430		430	135	24.0	10.0	5.2	2.3	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13480	*Acacia disparrima*	Hickory Wattle	150	140	205	64	8.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13481	*Eucalyptus siderophloia*	Northern Grey Ironbark	160		160	50	18.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13482	*Eucalyptus siderophloia*	Northern Grey Ironbark	350		350	110	22.0	12.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13483	*Eucalyptus siderophloia*	Northern Grey Ironbark	180		180	57	12.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13484	*Eucalyptus siderophloia*	Northern Grey Ironbark	340		340	107	24.0	12.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13485	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	22.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13486	*Eucalyptus siderophloia*	Northern Grey Ironbark	170		170	53	16.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13487	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	24.0	12.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13488	*Eucalyptus siderophloia*	Northern Grey Ironbark	150		150	47	14.0	4.0	2.0	1.5	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13489	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	24.0	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13490	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	20.0	6.0	2.4	1.7	One-sided	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13491	*Eucalyptus siderophloia*	Northern Grey Ironbark	160		160	50	20.0	4.0	2.0	1.5	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13492	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	20.0	6.0	2.4	1.7	One-sided	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13493	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	22.0	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13494	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	18.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13495	*Eucalyptus siderophloia*	Northern Grey Ironbark	420		420	132	26.0	14.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13496	*Eucalyptus siderophloia*	Northern Grey Ironbark	160		160	50	8.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13497	*Acacia disparrima*	Hickory Wattle	150		150	47	9.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13498	*Acacia disparrima*	Hickory Wattle	150		150	47	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13499	*Eucalyptus siderophloia*	Northern Grey Ironbark	380		380	119	24.0	12.0	4.6	2.2	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13500	*Acacia disparrima*	Hickory Wattle	180		180	57	8.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13501	*Acacia disparrima*	Hickory Wattle	170		170	53	8.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13502	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	20.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13503	*Eucalyptus siderophloia*	Northern Grey Ironbark	170		170	53	12.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13504	*Acacia disparrima*	Hickory Wattle	170		170	53	8.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13505	*Eucalyptus siderophloia*	Northern Grey Ironbark	180		180	57	16.0	4.0	2.2	1.6	Regular	-	-	-	Epicormic	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
13506	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	20.0	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13507	*Eucalyptus siderophloia*	Northern Grey Ironbark	170		170	53	10.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13508	*Eucalyptus siderophloia*	Northern Grey Ironbark	440		440	138	26.0	14.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13509	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	8.0	2.0	2.4	1.7	Regular	-	-	-	Epicormic	Lopped	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	

Specimen Details								Canopy Condition Details								Trunk Condition Details						Fauna Details and Habitat Value							
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
13510	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	14.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13511	*Eucalyptus siderophloia*	Northern Grey Ironbark	180		180	57	20.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13512	*Eucalyptus siderophloia*	Northern Grey Ironbark	180		180	57	16.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13513	*Eucalyptus siderophloia*	Northern Grey Ironbark	310		310	97	22.0	10.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13514	*Corymbia citriodora*	Spotted Gum	240		240	75	20.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13515	*Corymbia citriodora*	Spotted Gum	270		270	85	20.0	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13516	*Eucalyptus siderophloia*	Northern Grey Ironbark	190		190	60	22.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13517	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	22.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13518	*Eucalyptus siderophloia*	Northern Grey Ironbark	310		310	97	22.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13519	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	22.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13520	*Eucalyptus siderophloia*	Northern Grey Ironbark	160		160	50	12.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13521	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	22.0	10.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13522	*Eucalyptus siderophloia*	Northern Grey Ironbark	320		320	101	24.0	10.0	3.8	2.1	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13523	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	22.0	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13524	*Eucalyptus siderophloia*	Northern Grey Ironbark	180		180	57	18.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13525	*Eucalyptus siderophloia*	Northern Grey Ironbark	160		160	50	18.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13526	*Corymbia citriodora*	Spotted Gum	160		160	50	18.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13527	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	22.0	8.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13528	*Eucalyptus siderophloia*	Northern Grey Ironbark	340		340	107	22.0	12.0	4.1	2.1	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13529	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	16.0	1.0	2.6	1.8	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13530	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	20.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13531	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	22.0	10.0	3.1	1.9	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13532	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	22.0	6.0	3.4	1.9	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13533	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	22.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13534	*Eucalyptus siderophloia*	Northern Grey Ironbark	180		180	57	20.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13535	*Eucalyptus siderophloia*	Northern Grey Ironbark	360		360	113	24.0	14.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13536	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	22.0	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13537	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	24.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13538	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	22.0	8.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13539	*Eucalyptus siderophloia*	Northern Grey Ironbark	320		320	101	24.0	14.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13540	*Eucalyptus siderophloia*	Northern Grey Ironbark	380		380	119	24.0	12.0	4.6	2.2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13541	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	20.0	8.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13542	*Eucalyptus siderophloia*	Northern Grey Ironbark	350		350	110	20.0	10.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13543	*Eucalyptus siderophloia*	Northern Grey Ironbark	450		450	141	26.0	16.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13544	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	22.0	12.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13545	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	22.0	8.0	2.8	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13546	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	10.0	2.0	2.8	1.8	Regular	-	-	-	Epicormic	Lopped	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13547	*Eucalyptus siderophloia*	Northern Grey Ironbark	160		160	50	10.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13548	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	18.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13549	*Eucalyptus siderophloia*	Northern Grey Ironbark	380		380	119	24.0	12.0	4.6	2.2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13550	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	20.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13551	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	18.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13552	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	22.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13553	*Corymbia intermedia*	Pink Bloodwood	230		230	72	14.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13554	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	14.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13555	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	12.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13556	*Corymbia citriodora*	Spotted Gum	260		260	82	20.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13557	*Corymbia citriodora*	Spotted Gum	160		160	50	12.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13558	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	16.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13559	*Angophora leiocarpa*	Smooth-barked Apple	200		200	63	16.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13560	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	18.0	6.0	3.0	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13561	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	20.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13562	*Eucalyptus siderophloia*	Northern Grey Ironbark	330		330	104	20.0	4.0	4.0	2.1	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13563	*Eucalyptus siderophloia*	Northern Grey Ironbark	350		350	110	24.0	8.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13564	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	20.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13565	*Eucalyptus siderophloia*	Northern Grey Ironbark	180		180	57	14.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13566	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	14.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13567	*Acacia disparrima*	Hickory Wattle	140		140	44	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13568	*Eucalyptus siderophloia*	Northern Grey Ironbark	400		400	126	24.0	14.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13569	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	16.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13570	*Eucalyptus siderophloia*	Northern Grey Ironbark	150		150	47	12.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13571	*Eucalyptus siderophloia*	Northern Grey Ironbark	330		330	104	22.0	8.0	4.0	2.1	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13572	*Eucalyptus siderophloia*	Northern Grey Ironbark	150		150	47	10.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13573	*Eucalyptus siderophloia*	Northern Grey Ironbark	160		160	50	12.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13574	*Eucalyptus siderophloia*	Northern Grey Ironbark	170		170	53	20.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13575	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	22.0	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13576	*Eucalyptus siderophloia*	Northern Grey Ironbark	170		170	53	16.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13577	*Eucalyptus siderophloia*	Northern Grey Ironbark	190		190	60	12.0	6.0	2.3	1.6	Regular	-	-	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	

Tree ID	Botanical Name	Common Name	Specimen Details									Canopy Condition Details								Trunk Condition Details				Fauna Details and Habitat Value						Additional Notes
			Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	
13578	*Eucalyptus siderophloia*	Northern Grey Ironbark	320		320	101	14.0	6.0	3.8	2.1	One-sided	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove
13579	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		260	82	20.0	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove
13580	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	14.0	5.0	2.4	1.7	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove
13581	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	14.0	4.0	2.9	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove
13582	*Angophora leiocarpa*	Smooth-barked Apple	170		170	53	14.0	3.0	2.0	1.6	Regular	-	-	-	Epicormic	Lopped	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	-	Remove
13583	*Angophora leiocarpa*	Smooth-barked Apple	180		180	57	12.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove
13584	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	16.0	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove
13585	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	22.0	7.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove
13586	*Eucalyptus siderophloia*	Northern Grey Ironbark	160		160	50	16.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove
13587	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	22.0	10.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove
13588	*Eucalyptus siderophloia*	Northern Grey Ironbark	150		150	47	18.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove
13589	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	22.0	10.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove
13590	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	20.0	10.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove
13591	*Acacia disparrima*	Hickory Wattle	150		150	47	8.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove
13592	*Eucalyptus siderophloia*	Northern Grey Ironbark	360		360	113	18.0	8.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove
13593	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	18.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	-	Remove
13594	*Eucalyptus siderophloia*	Northern Grey Ironbark	190		190	60	18.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove
13595	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	22.0	10.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove
13596	*Corymbia citriodora*	Spotted Gum	250		250	79	18.0	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove
13597	*Eucalyptus siderophloia*	Northern Grey Ironbark	150		150	47	14.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove
13598	*Eucalyptus siderophloia*	Northern Grey Ironbark	320		320	101	20.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove
13599	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	20.0	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove
13600	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	20.0	8.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove
13601	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	18.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove
13602	*Eucalyptus siderophloia*	Northern Grey Ironbark	320		320	101	24.0	8.0	3.8	2.1	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove
13603	*Eucalyptus siderophloia*	Northern Grey Ironbark	260	150	300	94	20.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove
13604	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	16.0	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove
13605	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	20.0	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove
13606	*Eucalyptus siderophloia*	Northern Grey Ironbark	170		170	53	14.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove
13607	*Eucalyptus siderophloia*	Northern Grey Ironbark	360		360	113	24.0	12.0	4.3	2.2	Regular	-	-	-	Epicormic	Lopped	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	-	Remove
13608	*Eucalyptus siderophloia*	Northern Grey Ironbark	330		330	104	20.0	12.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove
13609	*Corymbia citriodora*	Spotted Gum	150		150	47	8.0	1.0	2.0	1.5	Regular	-	-	-	Epicormic	Lopped	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	-	Remove
13610	*Eucalyptus siderophloia*	Northern Grey Ironbark	170		170	53	20.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove
13611	*Corymbia citriodora*	Spotted Gum	150		150	47	22.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove
13612	*Corymbia citriodora*	Spotted Gum	220		220	69	20.0	6.0	2.6	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove
13613	*Corymbia citriodora*	Spotted Gum	180		180	57	20.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove
13614	*Corymbia citriodora*	Spotted Gum	200		200	63	20.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove
13615	*Corymbia citriodora*	Spotted Gum	160		160	50	18.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove
13616	*Corymbia citriodora*	Spotted Gum	230		230	72	24.0	12.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove
13617	*Corymbia citriodora*	Spotted Gum	190		190	60	20.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove
13618	*Eucalyptus siderophloia*	Northern Grey Ironbark	360		360	113	24.0	14.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove
13619	*Eucalyptus siderophloia*	Northern Grey Ironbark	380	160	412	130	24.0	12.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove
13620	*Acacia disparrima*	Hickory Wattle	160		160	50	16.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove
13621	*Eucalyptus siderophloia*	Northern Grey Ironbark	170		170	53	8.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	-	Remove
13622	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		290	72	22.0	6.0	2.8	1.8	Regular	-	Thinning	Die-back	Epicormic	-	-	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove
13623	*Eucalyptus siderophloia*	Northern Grey Ironbark	530		530	167	22.0	12.0	6.4	2.5	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	-	Remove
13624	*Eucalyptus siderophloia*	Northern Grey Ironbark	440		440	138	26.0	14.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove
13625	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	22.0	8.0	3.1	1.9	Regular	-	-	Die-back	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove
13626	*Corymbia citriodora*	Spotted Gum	170		170	53	20.0	4.0	2.0	1.6	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove
13627	*Eucalyptus siderophloia*	Northern Grey Ironbark	320		320	101	22.0	10.0	3.8	2.1	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove
13628	*Corymbia citriodora*	Spotted Gum	160		160	50	14.0	4.0	2.0	1.5	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove
13629	*Eucalyptus siderophloia*	Northern Grey Ironbark	320		320	101	24.0	8.0	3.8	2.1	Regular	-	-	Die-back	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove
13630	*Eucalyptus siderophloia*	Northern Grey Ironbark	400		400	126	24.0	12.0	4.8	2.3	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove
13631	*Corymbia citriodora*	Spotted Gum	200		200	63	22.0	10.0	2.4	1.7	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove
13632	*Corymbia citriodora*	Spotted Gum	170		170	53	18.0	6.0	2.0	1.6	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove
13633	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	22.0	10.0	2.6	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove
13634	*Eucalyptus siderophloia*	Northern Grey Ironbark	170		170	53	18.0	6.0	2.0	1.6	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove
13635	*Eucalyptus siderophloia*	Northern Grey Ironbark	160		160	50	18.0	5.0	2.0	1.5	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove
13636	*Corymbia citriodora*	Spotted Gum	160		160	50	20.0	6.0	2.0	1.5	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove
13637	*Corymbia citriodora*	Spotted Gum	200		200	63	20.0	8.0	2.4	1.7	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove
13638	*Corymbia citriodora*	Spotted Gum	200		200	63	20.0	6.0	2.4	1.7	Regular	-	-	Die-back	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove
13639	*Eucalyptus siderophloia*	Northern Grey Ironbark	320		320	101	22.0	12.0	3.8	2.1	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove
13640	*Corymbia citriodora*	Spotted Gum	180		180	57	20.0	6.0	2.2	1.6	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove
13641	*Eucalyptus siderophloia*	Northern Grey Ironbark	350		350	110	24.0	12.0	4.2	2.1	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove
13642	*Corymbia citriodora*	Spotted Gum	180		180	57	22.0	8.0	2.2	1.6	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove
13643	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	24.0	12.0	3.0	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove
13644	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	22.0	8.0	3.6	2.0	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove
13645	*Eucalyptus siderophloia*	Northern Grey Ironbark	170		170	53	20.0	6.0	2.0	1.6	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove

	Specimen Details									Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
13646	*Eucalyptus siderophloia*	Northern Grey Ironbark	320		320	101	24.0	14.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	0	-	-	-	-	Remove
13647	*Eucalyptus siderophloia*	Northern Grey Ironbark	400		400	126	24.0	12.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	0	-	-	-	-	Remove
13648	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	20.0	6.0	2.4	1.7	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	0	-	-	-	-	Remove
13649	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	22.0	10.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	0	-	-	-	-	Remove
13650	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	18.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	0	-	-	-	-	Remove
13651	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	22.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	0	-	-	-	-	Remove
13652	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	20.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	0	-	-	-	-	Remove
13653	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	20.0	8.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	0	-	-	-	-	Remove
13654	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	22.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	0	-	-	-	-	Remove
13655	*Eucalyptus siderophloia*	Northern Grey Ironbark	320		320	101	24.0	10.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	0	-	-	-	-	Remove
13656	*Eucalyptus siderophloia*	Northern Grey Ironbark	440		440	138	26.0	16.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	0	-	-	-	-	Remove
13657	*Angophora leiocarpa*	Smooth-barked Apple	280		280	88	20.0	6.0	3.4	1.9	One-sided	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	0	-	-	-	-	Remove
13658	*Eucalyptus siderophloia*	Northern Grey Ironbark	380		380	119	24.0	12.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	0	-	-	-	-	Remove
13659	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	22.0	8.0	3.6	2.0	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	0	-	-	-	-	Remove
13660	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	24.0	12.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	0	-	-	-	-	Remove
13661	*Eucalyptus siderophloia*	Northern Grey Ironbark	380		380	119	26.0	14.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	0	-	-	-	-	Remove
13662	*Eucalyptus siderophloia*	Northern Grey Ironbark	170		170	53	20.0	5.0	2.0	1.6	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	0	-	-	-	-	Remove
13663	*Angophora leiocarpa*	Smooth-barked Apple	160		160	50	10.0	4.0	2.0	1.5	Regular	-	-	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	0	-	-	-	-	Remove
13664	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	22.0	8.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	0	-	-	-	-	Remove
13665	*Eucalyptus siderophloia*	Northern Grey Ironbark	320		320	101	22.0	8.0	3.8	2.1	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	0	-	-	-	-	Remove
13666	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	20.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	0	-	-	-	-	Remove
13667	*Corymbia citriodora*	Spotted Gum	340		340	107	24.0	12.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	0	-	-	-	-	Remove
13668	*Eucalyptus siderophloia*	Northern Grey Ironbark	650		650	204	24.0	12.0	7.8	2.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	0	-	-	-	-	Remove
13669	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	18.0	6.0	2.4	1.7	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	0	-	-	-	-	Remove
13670	*Eucalyptus siderophloia*	Northern Grey Ironbark	160		160	50	14.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	0	-	-	-	-	Remove
13671	*Corymbia citriodora*	Spotted Gum	170		170	53	22.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	0	-	-	-	-	Remove
13672	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	24.0	10.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	0	-	-	-	-	Remove
13673	*Eucalyptus siderophloia*	Northern Grey Ironbark	410		410	129	26.0	14.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	0	-	-	-	-	Remove
13674	*Eucalyptus siderophloia*	Northern Grey Ironbark	170		170	53	20.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	0	-	-	-	-	Remove
13675	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	22.0	10.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	0	-	-	-	-	Remove
13676	*Angophora leiocarpa*	Smooth-barked Apple	180		180	57	16.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	0	-	-	-	-	Remove
13677	*Eucalyptus siderophloia*	Northern Grey Ironbark	320		320	101	24.0	12.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	0	-	-	-	-	Remove
13678	*Acacia disparrima*	Hickory Wattle	180		180	57	8.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	0	-	-	-	-	Remove
13679	*Eucalyptus siderophloia*	Northern Grey Ironbark	340		340	107	24.0	12.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	0	-	-	-	-	Remove
13680	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	20.0	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	0	-	-	-	-	Remove
13681	*Angophora leiocarpa*	Smooth-barked Apple	200		200	63	16.0	6.0	2.4	1.7	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	0	-	-	-	-	Remove
13682	*Eucalyptus siderophloia*	Northern Grey Ironbark	160		160	50	20.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	0	-	-	-	-	Remove
13683	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	22.0	10.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	0	-	-	-	-	Remove
13684	*Eucalyptus siderophloia*	Northern Grey Ironbark	160		160	50	12.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	0	-	-	-	-	Remove
13685	*Eucalyptus siderophloia*	Northern Grey Ironbark	340		340	107	22.0	12.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	0	-	-	-	-	Remove
13686	*Eucalyptus siderophloia*	Northern Grey Ironbark	160		160	50	18.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	0	-	-	-	-	Remove
13687	*Corymbia citriodora*	Spotted Gum	160		160	50	20.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	0	-	-	-	-	Remove
13688	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	22.0	10.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	0	-	-	-	-	Remove
13689	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	24.0	10.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	0	-	-	-	-	Remove
13690	*Corymbia citriodora*	Spotted Gum	170		170	53	18.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)
13691	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	22.0	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	0	-	-	-	-	Remove
13692	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	24.0	12.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)
13693	*Eucalyptus siderophloia*	Northern Grey Ironbark	190		190	60	20.0	8.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)
13694	*Angophora leiocarpa*	Smooth-barked Apple	240		240	75	14.0	6.0	2.9	1.8	Regular	-	-	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	0	-	-	-	-	Remove
13695	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	22.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	0	-	-	-	-	Remove
13696	*Acacia disparrima*	Hickory Wattle	160		160	50	8.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	0	-	-	-	-	Remove
13697	*Eucalyptus siderophloia*	Northern Grey Ironbark	380	119	22.0	10.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)
13698	*Eucalyptus siderophloia*	Northern Grey Ironbark	170	53	20.0	6.0	2.0	1.6	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)
13699	*Angophora leiocarpa*	Smooth-barked Apple	180	57	18.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)
13700	*Eucalyptus siderophloia*	Northern Grey Ironbark	160	50	14.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	0	-	-	-	-	Remove
13701	*Eucalyptus siderophloia*	Northern Grey Ironbark	230	72	22.0	8.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	0	-	-	-	-	Remove
13702	*Eucalyptus siderophloia*	Northern Grey Ironbark	200	63	18.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	0	-	-	-	-	Remove
13703	*Eucalyptus siderophloia*	Northern Grey Ironbark	300	94	22.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	0	-	-	-	-	Remove
13704	*Eucalyptus siderophloia*	Northern Grey Ironbark	280	88	20.0	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	0	-	-	-	-	Remove
13705	*Eucalyptus siderophloia*	Northern Grey Ironbark	220	69	20.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	0	-	-	-	-	Remove
13706	*Acacia disparrima*	Hickory Wattle	160	50	8.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	0	-	-	-	-	Remove
13707	*Acacia disparrima*	Hickory Wattle	160	50	6.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	0	-	-	-	-	Remove
13708	*Eucalyptus siderophloia*	Northern Grey Ironbark	180	76	18.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	0	-	-	-	-	Remove
13709	*Corymbia citriodora*	Spotted Gum	210	66	14.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	0	-	-	-	-	Remove
13710	*Eucalyptus siderophloia*	Northern Grey Ironbark	150	47	14.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	0	-	-	-	-	Remove
13711	*Eucalyptus siderophloia*	Northern Grey Ironbark	190	74	14.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	0	-	-	-	-	Remove
13712	*Eucalyptus siderophloia*	Northern Grey Ironbark	440	138	24.0	12.0	5.3	2.3	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	0	-	-	-	-	Remove
13713	*Eucalyptus siderophloia*	Northern Grey Ironbark	340	107	3.0	1.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	0	-	-	-	-	Remove

Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
				Specimen Details							Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value									
13714	*Eucalyptus siderophloia*	Northern Grey Ironbark	190		190	60	16.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
13715	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	22.0	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13716	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	22.0	10.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13717	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	20.0	7.0	2.9	1.8	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
13718	*Corymbia citriodora*	Spotted Gum	160		160	50	14.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13719	*Eucalyptus siderophloia*	Northern Grey Ironbark	180		180	57	14.0	5.0	2.2	1.6	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13720	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	22.0	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13721	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	22.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13722	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	20.0	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13723	*Acacia disparrima*	Hickory Wattle	160		160	50	14.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13724	*Eucalyptus siderophloia*	Northern Grey Ironbark	190		190	60	14.0	6.0	2.3	1.6	Regular	-	-	-	Epicormic	Lopped	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13725	*Eucalyptus siderophloia*	Northern Grey Ironbark	340		340	107	8.0	4.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
13726	*Eucalyptus siderophloia*	Northern Grey Ironbark	170		170	53	4.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
13727	*Eucalyptus siderophloia*	Northern Grey Ironbark	290		290	91	20.0	8.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
13728	*Eucalyptus siderophloia*	Northern Grey Ironbark	330		330	104	22.0	10.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
13729	*Eucalyptus siderophloia*	Northern Grey Ironbark	170		170	53	20.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
13730	*Corymbia intermedia*	Pink Bloodwood	170		170	53	12.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13731	*Eucalyptus siderophloia*	Northern Grey Ironbark	170		170	53	16.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
13732	*Corymbia intermedia*	Pink Bloodwood	170		170	53	14.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
13733	*Eucalyptus siderophloia*	Northern Grey Ironbark	150		150	47	12.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
13734	*Acacia disparrima*	Hickory Wattle	160		160	50	6.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13735	*Corymbia citriodora*	Spotted Gum	150		150	47	14.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13736	*Acacia disparrima*	Hickory Wattle	170		170	53	6.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13737	*Acacia disparrima*	Hickory Wattle	160		160	50	6.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13738	*Eucalyptus siderophloia*	Northern Grey Ironbark	440		440	138	22.0	12.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13739	*Eucalyptus siderophloia*	Northern Grey Ironbark	160		160	50	12.0	4.0	2.0	1.5	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13740	*Eucalyptus siderophloia*	Northern Grey Ironbark	150		150	47	10.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13741	*Corymbia citriodora*	Spotted Gum	230		230	72	22.0	10.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13742	*Acacia disparrima*	Hickory Wattle	200		200	63	10.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13743	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	22.0	10.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13744	*Corymbia citriodora*	Spotted Gum	160		160	50	20.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13745	*Eucalyptus siderophloia*	Northern Grey Ironbark	360		360	113	20.0	7.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13746	*Corymbia citriodora*	Spotted Gum	150		150	47	18.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13747	*Corymbia citriodora*	Spotted Gum	200		200	63	16.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13748	*Eucalyptus siderophloia*	Northern Grey Ironbark	320		320	101	22.0	10.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13749	*Eucalyptus siderophloia*	Northern Grey Ironbark	340		340	107	24.0	12.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13750	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	6.0	2.0	3.4	1.9	Regular	-	-	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13751	*Eucalyptus siderophloia*	Northern Grey Ironbark	330		330	104	24.0	12.0	4.0	2.1	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13752	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	22.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13753	*Eucalyptus siderophloia*	Northern Grey Ironbark	290		290	91	22.0	6.0	3.5	2.0	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13754	*Melaleuca bryorum*	Swamp Tea Tree	120	120, 60, 90	201	63	6.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13755	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	22.0	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13756	*Acacia disparrima*	Hickory Wattle	170		170	53	6.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13757	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	22.0	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13758	*Corymbia citriodora*	Spotted Gum	160		160	50	18.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13759	*Corymbia citriodora*	Spotted Gum	220		220	69	20.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13760	*Corymbia citriodora*	Spotted Gum	160		160	50	16.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13761	*Corymbia citriodora*	Spotted Gum	150		150	47	16.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13762	*Eucalyptus siderophloia*	Northern Grey Ironbark	150		150	47	16.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13763	*Corymbia citriodora*	Spotted Gum	230		230	72	18.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13764	*Acacia disparrima*	Hickory Wattle	160		160	50	6.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13765	*Acacia disparrima*	Hickory Wattle	160		160	50	8.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13766	*Acacia disparrima*	Hickory Wattle	200		200	63	8.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	Major	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13767	*Acacia disparrima*	Hickory Wattle	160		160	50	7.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13768	*Acacia disparrima*	Hickory Wattle	200		200	63	8.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13769	*Corymbia citriodora*	Spotted Gum	170		170	53	18.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13770	*Acacia disparrima*	Hickory Wattle	160		160	50	6.0	4.0	2.0	1.5	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13771	*Eucalyptus siderophloia*	Northern Grey Ironbark	160		160	50	14.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13772	*Corymbia citriodora*	Spotted Gum	240		240	75	22.0	10.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13773	*Corymbia citriodora*	Spotted Gum	180		180	57	22.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13774	*Acacia disparrima*	Hickory Wattle	180		180	57	7.0	4.0	2.2	1.6	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13775	*Eucalyptus siderophloia*	Northern Grey Ironbark	150		150	47	12.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13777	*Corymbia citriodora*	Spotted Gum	330		330	104	26.0	14.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13778	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	20.0	8.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13779	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	14.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13780	*Corymbia citriodora*	Spotted Gum	280		280	88	20.0	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13781	*Eucalyptus siderophloia*	Northern Grey Ironbark	150		150	47	18.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	

| Specimen Details | | |

Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
13850	*Eucalyptus siderophloia*	Northern Grey Ironbark	170		170	53	15.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13851	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	18.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13852	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	17.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13853	*Eucalyptus siderophloia*	Northern Grey Ironbark	170		170	53	15.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13854	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	15.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13855	*Corymbia citriodora*	Spotted Gum	180		180	57	18.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13856	*Eucalyptus siderophloia*	Northern Grey Ironbark	180		180	57	16.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13857	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	17.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13858	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	17.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13859	*Corymbia citriodora*	Spotted Gum	360		360	113	19.0	8.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13860	*Corymbia citriodora*	Spotted Gum	200		200	63	17.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13861	*Corymbia citriodora*	Spotted Gum	310		310	97	22.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13862	*Corymbia citriodora*	Spotted Gum	190		190	60	16.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13863	*Corymbia citriodora*	Spotted Gum	320		320	101	22.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13864	*Corymbia citriodora*	Spotted Gum	250		250	79	17.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13865	*Corymbia citriodora*	Spotted Gum	210		210	66	16.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13866	*Corymbia citriodora*	Spotted Gum	160		160	50	13.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13867	*Eucalyptus siderophloia*	Northern Grey Ironbark	170		170	53	14.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13868	*Corymbia citriodora*	Spotted Gum	370		370	116	21.0	7.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13869	*Corymbia citriodora*	Spotted Gum	280		280	88	19.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13870	*Corymbia citriodora*	Spotted Gum	190		190	60	19.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13871	*Eucalyptus siderophloia*	Northern Grey Ironbark	170		170	53	14.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13872	*Corymbia citriodora*	Spotted Gum	150		150	47	14.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13873	*Corymbia citriodora*	Spotted Gum	190		190	60	19.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13874	*Corymbia citriodora*	Spotted Gum	170		170	53	16.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13875	*Corymbia citriodora*	Spotted Gum	190		190	60	18.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13876	*Corymbia citriodora*	Spotted Gum	220		220	69	20.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13877	*Corymbia citriodora*	Spotted Gum	270		270	85	19.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13878	*Corymbia citriodora*	Spotted Gum	180		180	57	16.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13879	*Corymbia citriodora*	Spotted Gum	190		190	60	21.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13880	*Corymbia citriodora*	Spotted Gum	550		550	173	22.0	10.0	6.6	2.6	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13881	*Eucalyptus siderophloia*	Northern Grey Ironbark	320		320	101	19.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13882	*Eucalyptus siderophloia*	Northern Grey Ironbark	370		370	116	17.0	6.0	4.4	2.2	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13883	*Corymbia citriodora*	Spotted Gum	270		270	85	21.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13884	*Corymbia citriodora*	Spotted Gum	250		250	79	20.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13885	*Corymbia citriodora*	Spotted Gum	200		200	63	16.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13886	*Corymbia citriodora*	Spotted Gum	150		150	47	13.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13887	*Corymbia citriodora*	Spotted Gum	300		300	94	19.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13888	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	16.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13889	*Corymbia citriodora*	Spotted Gum	260		260	82	20.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13890	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	16.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13891	*Eucalyptus siderophloia*	Northern Grey Ironbark	190		190	60	14.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13892	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	16.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13893	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	17.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13894	*Eucalyptus siderophloia*	Northern Grey Ironbark	180		180	57	16.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13895	*Eucalyptus siderophloia*	Northern Grey Ironbark	180		180	57	10.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13896	*Eucalyptus siderophloia*	Northern Grey Ironbark	280	200	344	108	17.0	6.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
13897	*Acacia disparrima*	Hickory Wattle	290		290	91	8.0	5.0	3.5	2.0	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13898	*Eucalyptus siderophloia*	Northern Grey Ironbark	190		190	60	15.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13899	*Eucalyptus siderophloia*	Northern Grey Ironbark	180		180	57	14.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13900	*Eucalyptus siderophloia*	Northern Grey Ironbark	170		170	53	14.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13901	*Acacia disparrima*	Hickory Wattle	240		240	75	9.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13902	*Corymbia citriodora*	Spotted Gum	310		310	97	22.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13903	*Corymbia citriodora*	Spotted Gum	220		220	69	18.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13904	*Corymbia citriodora*	Spotted Gum	280		280	88	18.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13905	*Corymbia citriodora*	Spotted Gum	190		190	60	17.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13906	*Corymbia citriodora*	Spotted Gum	160		160	50	15.0	4.0	2.0	1.5	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13907	*Corymbia citriodora*	Spotted Gum	200		200	63	17.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
13908	*Corymbia citriodora*	Spotted Gum	190		190	60	16.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
13909	*Corymbia citriodora*	Spotted Gum	160		160	50	15.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
13910	*Corymbia citriodora*	Spotted Gum	150		150	47	16.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13911	*Corymbia citriodora*	Spotted Gum	180		180	57	18.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13912	*Corymbia citriodora*	Spotted Gum	190		190	60	17.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13913	*Corymbia citriodora*	Spotted Gum	270		270	85	18.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13914	*Corymbia citriodora*	Spotted Gum	160		160	50	16.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13915	*Corymbia citriodora*	Spotted Gum	270		270	85	18.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13916	*Corymbia citriodora*	Spotted Gum	310		310	97	18.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
13917	*Eucalyptus siderophloia*	Northern Grey Ironbark	150		150	47	10.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	

| Specimen Details | | |

| Specimen Details | | |

| | | |

Specimen Details									Canopy Condition Details									Trunk Condition Details								Fauna Details and Habitat Value									
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Additional Notes	Retention
14122	*Corymbia citriodora*	Spotted Gum	280		280	880	19.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
14123	*Eucalyptus siderophloia*	Northern Grey Ironbark	170		170	530	12.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
14124	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	690	14.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
14125	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	630	16.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
14126	*Eucalyptus siderophloia*	Northern Grey Ironbark	180		180	570	16.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
14127	*Eucalyptus siderophloia*	Northern Grey Ironbark	160		160	500	12.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
14128	*Eucalyptus siderophloia*	Northern Grey Ironbark	160		160	500	12.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
14129	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	690	13.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
14130	*Eucalyptus siderophloia*	Northern Grey Ironbark	150		150	470	10.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
14131	*Eucalyptus siderophloia*	Northern Grey Ironbark	150		150	470	10.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
14132	*Eucalyptus siderophloia*	Northern Grey Ironbark	180		180	570	14.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
14133	*Corymbia citriodora*	Spotted Gum	160	120	200	630	12.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
14134	*Corymbia citriodora*	Spotted Gum	210		210	660	17.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
14135	*Corymbia citriodora*	Spotted Gum	180		180	570	16.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
14136	*Corymbia citriodora*	Spotted Gum	280		280	880	21.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
14137	*Corymbia citriodora*	Spotted Gum	160		160	500	15.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
14138	*Corymbia citriodora*	Spotted Gum	180		180	570	16.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
14139	*Corymbia citriodora*	Spotted Gum	420		420	132	23.0	8.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
14140	*Eucalyptus siderophloia*	Northern Grey Ironbark	150	100	180	57	11.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
14141	*Eucalyptus siderophloia*	Northern Grey Ironbark	160		160	50	12.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
14142	*Acacia disparrima*	Hickory Wattle	230		230	72	10.0	6.0	2.8	1.8	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
14143	*Eucalyptus siderophloia*	Northern Grey Ironbark	160		160	50	12.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
14144	*Eucalyptus siderophloia*	Northern Grey Ironbark	190		190	60	12.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
14145	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	12.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
14146	*Corymbia citriodora*	Spotted Gum	230		230	72	17.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
14147	*Eucalyptus siderophloia*	Northern Grey Ironbark	180		180	570	14.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
14148	*Eucalyptus siderophloia*	Northern Grey Ironbark	170		170	53	12.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
14149	*Corymbia citriodora*	Spotted Gum	310		310	97	23.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
14150	*Eucalyptus siderophloia*	Northern Grey Ironbark	150		150	47	10.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
14151	*Corymbia citriodora*	Spotted Gum	310		310	97	24.0	9.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
14152	*Corymbia citriodora*	Spotted Gum	240		240	75	19.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
14153	*Corymbia citriodora*	Spotted Gum	280		280	88	18.0	7.0	3.4	1.9	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
14154	*Corymbia citriodora*	Spotted Gum	240		240	75	17.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
14155	**DEAD/STAG**		550		550	173	16.0	5.0	6.6	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	2	-	-	-		Remove
14156	*Corymbia citriodora*	Spotted Gum	150		150	47	15.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
14157	*Corymbia citriodora*	Spotted Gum	240		240	75	23.0	7.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
14158	*Corymbia citriodora*	Spotted Gum	210		210	66	18.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
14159	*Corymbia citriodora*	Spotted Gum	280		280	88	27.0	10.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
14160	*Corymbia citriodora*	Spotted Gum	180		180	57	16.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
14161	*Corymbia citriodora*	Spotted Gum	250		250	79	21.0	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
14162	*Corymbia citriodora*	Spotted Gum	170		170	53	18.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
14163	*Corymbia citriodora*	Spotted Gum	220		220	69	21.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
14164	*Corymbia citriodora*	Spotted Gum	190		190	60	20.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
14165	*Corymbia citriodora*	Spotted Gum	240		240	75	23.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
14166	*Corymbia citriodora*	Spotted Gum	210		210	66	18.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
14167	*Acacia disparrima*	Hickory Wattle	200		200	63	9.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
14168	*Eucalyptus siderophloia*	Northern Grey Ironbark	150		150	47	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
14169	*Corymbia citriodora*	Spotted Gum	180		180	57	19.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
14170	*Corymbia citriodora*	Spotted Gum	190		190	60	16.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
14171	*Corymbia citriodora*	Spotted Gum	240		240	75	18.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
14172	*Corymbia citriodora*	Spotted Gum	170		170	53	16.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
14173	*Corymbia citriodora*	Spotted Gum	250		250	79	18.0	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
14174	*Corymbia citriodora*	Spotted Gum	250		250	79	18.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
14175	*Corymbia citriodora*	Spotted Gum	160		160	50	16.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
14176	*Corymbia citriodora*	Spotted Gum	210		210	66	19.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-		Remove
14177	*Corymbia citriodora*	Spotted Gum	200		200	63	17.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
14178	*Eucalyptus siderophloia*	Northern Grey Ironbark	160		160	50	10.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
14179	*Eucalyptus siderophloia*	Northern Grey Ironbark	160		160	50	12.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
14180	*Eucalyptus siderophloia*	Northern Grey Ironbark	150		150	47	12.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
14181	*Corymbia citriodora*	Spotted Gum	200		200	63	18.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
14182	*Corymbia citriodora*	Spotted Gum	320		320	101	23.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
14183	*Corymbia citriodora*	Spotted Gum	210		210	66	17.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
14184	*Corymbia citriodora*	Spotted Gum	240		240	75	21.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
14185	*Corymbia citriodora*	Spotted Gum	150		150	47	12.0	3.0	2.0	1.5	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
14186	*Eucalyptus siderophloia*	Northern Grey Ironbark	150		150	47	12.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
14187	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	13.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-		Remove
14188	*Eucalyptus siderophloia*	Northern Grey Ironbark	160		160	50	13.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
14189	*Corymbia citriodora*	Spotted Gum	270		270	85	19.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove

Specimen Details								Canopy Condition Details								Trunk Condition Details								Fauna Details and Habitat Value									
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
14190	*Corymbia citriodora*	Spotted Gum	320		320	101	25.0	10.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14191	*Corymbia citriodora*	Spotted Gum	320		320	101	21.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14192	*Corymbia citriodora*	Spotted Gum	270		270	85	21.0	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14193	*Eucalyptus siderophloia*	Northern Grey Ironbark	180		180	57	13.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14194	*Corymbia citriodora*	Spotted Gum	240		240	75	18.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14195	*Acacia disparrima*	Hickory Wattle	278	170	278	87	9.0	6.0	3.3	1.9	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14196	*Corymbia citriodora*	Spotted Gum	260		260	82	18.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14197	*Corymbia citriodora*	Spotted Gum	170		170	53	15.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14198	*Eucalyptus siderophloia*	Northern Grey Ironbark	150		150	47	11.0	2.0	2.0	1.5	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14199	*Eucalyptus siderophloia*	Northern Grey Ironbark	170		170	53	12.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14200	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	21.0	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14201	*Acacia disparrima*	Hickory Wattle	180		180	57	8.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14202	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	16.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14203	*Eucalyptus siderophloia*	Northern Grey Ironbark	190		190	60	14.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14204	*Eucalyptus siderophloia*	Northern Grey Ironbark	180		180	57	16.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14205	*Eucalyptus siderophloia*	Northern Grey Ironbark	180		180	57	16.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14206	*Corymbia citriodora*	Spotted Gum	280		280	88	22.0	8.0	3.4	1.9	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14207	*Eucalyptus siderophloia*	Northern Grey Ironbark	160		160	50	9.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14208	*Eucalyptus siderophloia*	Northern Grey Ironbark	180		180	57	10.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14209	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	19.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14210	*Corymbia citriodora*	Spotted Gum	230		230	72	20.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14211	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	18.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14212	*Corymbia citriodora*	Spotted Gum	170		170	53	14.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14213	*Eucalyptus siderophloia*	Northern Grey Ironbark	160		160	50	11.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14214	*Corymbia citriodora*	Spotted Gum	220		220	69	18.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14215	*Corymbia citriodora*	Spotted Gum	170		170	53	17.0	2.0	2.0	1.6	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14216	*Eucalyptus siderophloia*	Northern Grey Ironbark	170		170	53	14.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14217	*Eucalyptus siderophloia*	Northern Grey Ironbark	150		150	47	12.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14218	*Acacia disparrima*	Hickory Wattle	160		160	50	8.0	5.0	2.4	1.7	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14219	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	16.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14220	*Eucalyptus siderophloia*	Northern Grey Ironbark	180		180	57	15.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14221	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	18.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14222	*Eucalyptus maluccana*	Gum-topped Box	240		240	75	19.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14223	*Eucalyptus siderophloia*	Northern Grey Ironbark	190		190	60	16.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14224	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	19.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14225	*Acacia disparrima*	Hickory Wattle	197	100	197	62	8.0	5.0	2.4	1.7	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14226	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	16.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14227	*Eucalyptus siderophloia*	Northern Grey Ironbark	150		150	47	9.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14228	*Eucalyptus siderophloia*	Northern Grey Ironbark	150		150	47	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14229	*Acacia disparrima*	Hickory Wattle	230		230	72	9.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14230	*Eucalyptus siderophloia*	Northern Grey Ironbark	150		150	47	10.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14231	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	14.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
14232	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	16.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14233	*Corymbia citriodora*	Spotted Gum	330		330	104	19.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14234	*Eucalyptus siderophloia*	Northern Grey Ironbark	150		150	47	8.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14235	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	14.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14236	*Melaleuca bhyana*	Swamp Tea Tree	250	180	308	97	6.0	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14237	*Eucalyptus siderophloia*	Northern Grey Ironbark	150		150	47	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14238	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	18.0	7.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14239	*Corymbia citriodora*	Spotted Gum	280		280	88	22.0	8.0	3.4	1.9	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14240	*Eucalyptus siderophloia*	Northern Grey Ironbark	160		160	50	9.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14241	*Eucalyptus siderophloia*	Northern Grey Ironbark	180		180	57	10.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14242	*Corymbia citriodora*	Spotted Gum	250		250	79	19.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14243	*Corymbia citriodora*	Spotted Gum	170		170	53	18.0	3.0	2.0	1.6	Irregular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14244	*Corymbia citriodora*	Spotted Gum	230		230	72	20.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14245	*Corymbia citriodora*	Spotted Gum	200		200	63	18.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14246	*Corymbia citriodora*	Spotted Gum	170		170	53	14.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14247	*Eucalyptus siderophloia*	Northern Grey Ironbark	160		160	50	11.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14248	*Eucalyptus siderophloia*	Northern Grey Ironbark	160		160	50	10.0	3.0	2.0	1.5	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14249	*Corymbia citriodora*	Spotted Gum	220		220	69	18.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14250	*Corymbia citriodora*	Spotted Gum	170		170	53	17.0	2.0	2.0	1.6	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14251	*Eucalyptus siderophloia*	Northern Grey Ironbark	170		170	53	14.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14252	*Eucalyptus siderophloia*	Northern Grey Ironbark	150		150	47	12.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14253	*Corymbia citriodora*	Spotted Gum	280		280	88	22.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14254	*Corymbia citriodora*	Spotted Gum	190		190	60	17.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14255	*Corymbia citriodora*	Spotted Gum	160		160	50	16.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14256	*Corymbia citriodora*	Spotted Gum	180		180	57	18.0	2.0	2.2	1.6	Regular	-	Thinning	Die-back	-	-	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
14257	*Corymbia citriodora*	Spotted Gum	170		170	53	16.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	

Specimen Details								Canopy Condition Details								Trunk Condition Details								Fauna Details and Habitat Value									
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
14258	*Corymbia citriodora*	Spotted Gum	360		360	113	24.0	9.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14259	*Corymbia citriodora*	Spotted Gum	160		160	50	17.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14260	*Corymbia citriodora*	Spotted Gum	230		230	72	19.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14261	*Corymbia citriodora*	Spotted Gum	150		150	47	17.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14262	*Corymbia citriodora*	Spotted Gum	190		190	60	21.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14263	*Corymbia citriodora*	Spotted Gum	170		170	53	16.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14264	*Eucalyptus siderophloia*	Northern Grey Ironbark	180		180	57	16.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14265	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	14.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14266	*Eucalyptus siderophloia*	Northern Grey Ironbark	190		190	60	13.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14267	*Corymbia citriodora*	Spotted Gum	230	120	259	81	21.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14268	*Corymbia citriodora*	Spotted Gum	320		320	101	23.0	9.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14269	*Corymbia citriodora*	Spotted Gum	310		310	97	20.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14270	*Acacia disparrima*	Hickory Wattle	160		160	50	7.0	4.0	2.0	1.5	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14271	*Acacia disparrima*	Hickory Wattle	220		220	69	9.0	6.0	2.6	1.8	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14272	*Acacia disparrima*	Hickory Wattle	150		150	47	6.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14273	*Corymbia citriodora*	Spotted Gum	240		240	75	17.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14274	*Corymbia citriodora*	Spotted Gum	250		250	79	19.0	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14275	*Corymbia citriodora*	Spotted Gum	280		280	88	24.0	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14276	*Corymbia citriodora*	Spotted Gum	190		190	60	19.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14277	*Corymbia citriodora*	Spotted Gum	200		200	63	18.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14278	*Corymbia citriodora*	Spotted Gum	250		250	79	21.0	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14279	*Corymbia citriodora*	Spotted Gum	240		240	75	20.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14280	*Corymbia citriodora*	Spotted Gum	180		180	57	16.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14281	*Corymbia citriodora*	Spotted Gum	150		150	47	15.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14282	*Angophora leiocarpa*	Smooth-barked Apple	180		180	57	14.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14283	*Corymbia citriodora*	Spotted Gum	210		210	66	22.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14284	*Corymbia citriodora*	Spotted Gum	190		190	60	22.0	5.0	2.3	1.6	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14285	*Corymbia citriodora*	Spotted Gum	200		200	63	19.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14286	*Corymbia citriodora*	Spotted Gum	200		200	63	19.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14287	*Angophora leiocarpa*	Smooth-barked Apple	170		170	53	15.0	2.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14288	*Corymbia citriodora*	Spotted Gum	170		170	53	19.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14289	*Corymbia citriodora*	Spotted Gum	250		250	79	24.0	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14290	*Corymbia citriodora*	Spotted Gum	150		150	47	14.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14291	*Corymbia citriodora*	Spotted Gum	260		260	82	22.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14292	*Corymbia citriodora*	Spotted Gum	230		230	72	20.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14293	*Corymbia citriodora*	Spotted Gum	230		230	72	20.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14294	*Corymbia citriodora*	Spotted Gum	150		150	47	14.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14295	*Corymbia citriodora*	Spotted Gum	340		340	107	23.0	7.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14296	*Corymbia citriodora*	Spotted Gum	270		270	85	26.0	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14297	*Eucalyptus siderophloia*	Northern Grey Ironbark	310		310	97	20.0	7.0	3.7	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
14298	*Corymbia citriodora*	Spotted Gum	160		160	50	17.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14299	*Corymbia citriodora*	Spotted Gum	200		200	63	17.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14300	*Corymbia citriodora*	Spotted Gum	150		150	47	16.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14301	*Corymbia citriodora*	Spotted Gum	220		220	69	21.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14302	*Corymbia citriodora*	Spotted Gum	170		170	53	17.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14303	*Corymbia citriodora*	Spotted Gum	170		170	53	16.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14304	*Corymbia intermedia*	Pink Bloodwood	160		160	50	12.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14305	*Acacia disparrima*	Hickory Wattle	150		150	47	7.0	3.0	2.0	1.5	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14306	*Corymbia citriodora*	Spotted Gum	150		150	47	17.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14307	*Corymbia citriodora*	Spotted Gum	200		200	63	22.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14308	*Corymbia citriodora*	Spotted Gum	260		260	82	22.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14309	*Corymbia citriodora*	Spotted Gum	210		210	66	20.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14310	*Corymbia citriodora*	Spotted Gum	170		170	53	18.0	5.0	2.0	1.6	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14311	*Corymbia citriodora*	Spotted Gum	310		310	97	23.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14312	*Corymbia citriodora*	Spotted Gum	200		200	63	20.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14313	*Corymbia citriodora*	Spotted Gum	200		200	63	18.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14314	*Corymbia citriodora*	Spotted Gum	220		220	69	18.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14315	*Corymbia citriodora*	Spotted Gum	170		170	53	17.0	2.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14316	*Corymbia citriodora*	Spotted Gum	160		160	50	16.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14317	*Corymbia citriodora*	Spotted Gum	240		240	75	26.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14318	*Corymbia citriodora*	Spotted Gum	240		240	75	19.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14319	*Corymbia citriodora*	Spotted Gum	190		190	60	17.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14320	*Corymbia citriodora*	Spotted Gum	220		220	69	18.0	4.0	2.6	1.8	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14321	*Corymbia citriodora*	Spotted Gum	150		150	47	16.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14322	*Acacia disparrima*	Hickory Wattle	180		180	57	7.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14323	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	11.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14324	*Eucalyptus siderophloia*	Northern Grey Ironbark	150		150	47	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14325	*Eucalyptus siderophloia*	Northern Grey Ironbark	190		190	60	14.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	

| | | | | Specimen Details | | | |

Tree ID	Botanical Name	Common Name	Specimen Details																Canopy Condition Details								Trunk Condition Details					Fauna Details and Habitat Value							Additional Notes	Retention
			Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value						
14394	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	20.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	Remove	Remove
14395	*Eucalyptus siderophloia*	Northern Grey Ironbark	180		180	57	18.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	Remove	Remove
14396	*Acacia disparrima*	Hickory Wattle	160	140, 100	235	74	9.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	Remove	Remove
14397	*Acacia disparrima*	Hickory Wattle	200	140	244	77	8.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	Remove	Remove
14398	*Eucalyptus siderophloia*	Northern Grey Ironbark	150		150	47	9.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	Remove	Remove
14399	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	18.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	Remove	Remove
14400	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	18.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	Remove	Remove
14401	*Acacia leiocalyx*	Early-flowering Black Wattle	170		170	53	7.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	Remove	Remove
14402	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	17.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	Remove	Remove
14403	*Eucalyptus siderophloia*	Northern Grey Ironbark	170		170	53	15.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	Remove	Remove
14404	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	17.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	Remove	Remove
14405	*Eucalyptus siderophloia*	Northern Grey Ironbark	180		180	57	18.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	Remove	Remove
14406	*Eucalyptus siderophloia*	Northern Grey Ironbark	160		160	50	17.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	Remove	Remove
14407	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	17.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	Remove	Remove
14408	*Eucalyptus siderophloia*	Northern Grey Ironbark	160		160	50	13.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	Remove	Remove
14409	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	18.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	Remove	Remove
14410	*Eucalyptus siderophloia*	Northern Grey Ironbark	180		180	57	16.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	Remove	Remove
14411	*Eucalyptus siderophloia*	Northern Grey Ironbark	140		140	44	12.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	Remove	Remove
14412	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	20.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	Remove	Remove
14413	*Eucalyptus siderophloia*	Northern Grey Ironbark	170		170	53	18.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	Remove	Remove
14414	*Eucalyptus siderophloia*	Northern Grey Ironbark	180		180	57	19.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	Remove	Remove
14415	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	18.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	Remove	Remove
14416	*Eucalyptus siderophloia*	Northern Grey Ironbark	180	170	248	78	18.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	Remove	Remove
14417	*Eucalyptus siderophloia*	Northern Grey Ironbark	180		180	57	17.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	Remove	Remove
14418	*Eucalyptus siderophloia*	Northern Grey Ironbark	170		170	53	18.0	5.0	2.0	1.6	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	Remove	Remove
14419	*Acacia disparrima*	Hickory Wattle	170	170, 140, 120	303	95	12.0	8.0	3.6	2.0	Regular	-	Thinning	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	Remove	Remove
14420	*Eucalyptus siderophloia*	Northern Grey Ironbark	150		150	47	17.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	Remove	Remove
14421	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	18.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	Remove	Remove
14422	*Eucalyptus siderophloia*	Northern Grey Ironbark	160	140	213	67	14.0	4.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	Remove	Remove
14423	*Eucalyptus siderophloia*	Northern Grey Ironbark	190		190	60	15.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	Remove	Remove
14424	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	20.0	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	Remove	Remove
14425	*Eucalyptus siderophloia*	Northern Grey Ironbark	230	210	311	98	17.0	7.0	3.7	2.0	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	Remove	Remove
14426	*Eucalyptus siderophloia*	Spotted Gum	210		210	66	23.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	Remove	Remove
14427	*Eucalyptus siderophloia*	Spotted Gum	220		220	69	23.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	Remove	Remove
14428	*Eucalyptus siderophloia*	Spotted Gum	170		170	53	18.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	Remove	Remove
14429	*Eucalyptus siderophloia*	Spotted Gum	160		160	50	17.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	Remove	Remove
14430	*Eucalyptus siderophloia*	Spotted Gum	170		170	53	17.0	4.0	2.0	1.6	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	Remove	Remove
14431	*Eucalyptus siderophloia*	Spotted Gum	230		230	72	24.0	8.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	Remove	Remove
14432	*Eucalyptus siderophloia*	Spotted Gum	150		150	47	16.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	Remove	Remove
14433	*Eucalyptus siderophloia*	Spotted Gum	260		260	82	25.0	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	Remove	Remove
14434	*Eucalyptus siderophloia*	Northern Grey Ironbark	460		460	145	23.0	11.0	5.5	2.4	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	Remove	Remove
14435	*Eucalyptus siderophloia*	Spotted Gum	420		420	132	27.0	13.0	5.0	2.3	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	Remove	Remove
14436	*Eucalyptus siderophloia*	Spotted Gum	170		170	53	19.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	Remove	Remove
14437	*Eucalyptus siderophloia*	Spotted Gum	180		180	57	24.0	9.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	Remove	Remove
14438	*Eucalyptus siderophloia*	Spotted Gum	180		180	57	16.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	Remove	Remove
14439	*Eucalyptus siderophloia*	Spotted Gum	180		180	57	16.0	5.0	2.2	1.6	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	Remove	Remove
14440	*Eucalyptus siderophloia*	Northern Grey Ironbark	470		470	148	23.0	13.0	5.6	2.4	Regular	-	-	Die-back	Epicormic	-	Typical	-	Introduced	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	Remove	Remove
14441	*Eucalyptus siderophloia*	Spotted Gum	150		150	47	13.0	5.0	2.0	1.5	Irregular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	Remove	Remove
14442	*Eucalyptus siderophloia*	Spotted Gum	300		300	94	26.0	14.0	3.6	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	Remove	Remove
14443	*Eucalyptus siderophloia*	Spotted Gum	170		170	53	14.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Old	-	0	-	-	-	-	-	-	-	-	-	Remove	Remove
14444	*Acacia disparrima*	Hickory Wattle	150		150	47	11.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	Remove	Remove
14445	*Eucalyptus siderophloia*	Spotted Gum	190		190	60	17.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	Remove	Remove
14446	*Eucalyptus siderophloia*	Spotted Gum	370		370	116	25.0	12.0	4.4	2.2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	Remove	Remove
14447	*Eucalyptus siderophloia*	Spotted Gum	230		230	72	16.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	Remove	Remove
14448	*Eucalyptus siderophloia*	Spotted Gum	160		160	50	15.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	Remove	Remove
14449	*Eucalyptus siderophloia*	Spotted Gum	160		160	50	16.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	Remove	Remove
14450	*Eucalyptus siderophloia*	Northern Grey Ironbark	150		150	47	14.0	5.0	2.0	1.5	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	Remove	Remove
14451	*Eucalyptus siderophloia*	Northern Grey Ironbark	160		160	50	13.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	Remove	Remove
14452	*Corymbia citriodora*	Spotted Gum	220		220	69	17.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	Remove	Remove
14453	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	23.0	11.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	Remove	Remove
14454	*Eucalyptus crebra*	Narrow-leaved Red Ironbark	370		370	116	26.0	14.0	4.4	2.2	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	Remove	Remove
14455	*Eucalyptus siderophloia*	Northern Grey Ironbark	170		170	53	17.0	6.0	2.0	1.6	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	Remove	Remove
14456	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	20.0	10.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	Remove	Remove
14457	*Eucalyptus siderophloia*	Northern Grey Ironbark	160		160	50	12.0	6.0	2.0	1.5	Irregular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	Remove	Remove
14458	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	17.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	Remove	Remove
14459	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	18.0	8.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	Remove	Remove
14460	*Eucalyptus siderophloia*	Northern Grey Ironbark	160		160	50	10.0	4.0	2.0	1.5	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	Remove	Remove
14461	*Corymbia citriodora*	Spotted Gum	170		170	53	17.0	6.0	2.0	1.6	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	Remove	Remove

Tree ID	Botanical Name	Common Name	Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value							Additional Notes	
			Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	
14462	*Corymbia citriodora*	Spotted Gum	230		230	72	24.0	12.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14463	*Corymbia citriodora*	Spotted Gum	180		180	57	17.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14464	*Corymbia citriodora*	Spotted Gum	160		160	50	20.0	7.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14465	*Corymbia citriodora*	Spotted Gum	170		170	53	16.0	7.0	2.0	1.6	Regular	-	Thinning	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14466	*Corymbia citriodora*	Spotted Gum	190		190	60	17.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14467	*Corymbia citriodora*	Spotted Gum	170		170	53	18.0	6.0	2.0	1.6	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14468	*Corymbia citriodora*	Spotted Gum	240		240	75	20.0	9.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14469	*Corymbia citriodora*	Spotted Gum	150		150	47	17.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14470	*Corymbia citriodora*	Spotted Gum	210		210	66	17.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14471	*Eucalyptus siderophloia*	Northern Grey Ironbark	170		170	53	10.0	5.0	2.0	1.6	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14472	*Corymbia citriodora*	Spotted Gum	260		260	82	19.0	10.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Old	-	0	-	-	-	Remove	
14473	*Corymbia citriodora*	Spotted Gum	190		190	60	15.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14474	*Eucalyptus tereticornis*	Forest Red Gum	280		280	88	21.0	12.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Old	-	0	-	-	-	Remove	
14475	*Corymbia citriodora*	Spotted Gum	270		270	85	19.0	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14476	*Eucalyptus siderophloia*	Northern Grey Ironbark	180		180	57	13.0	5.0	2.2	1.6	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14477	*Eucalyptus siderophloia*	Northern Grey Ironbark	190		190	60	16.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14478	*Eucalyptus siderophloia*	Northern Grey Ironbark	160		160	50	14.0	6.0	2.0	1.5	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14479	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	17.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14480	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	18.0	7.0	2.5	1.7	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
14481	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	20.0	9.0	3.0	1.8	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14482	*Eucalyptus siderophloia*	Northern Grey Ironbark	170		170	53	16.0	7.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14483	*Eucalyptus siderophloia*	Northern Grey Ironbark	170		170	53	15.0	6.0	2.0	1.6	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14484	*Corymbia citriodora*	Spotted Gum	210		210	66	17.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14485	*Corymbia citriodora*	Spotted Gum	200		200	63	17.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14486	*Eucalyptus siderophloia*	Northern Grey Ironbark	170		170	53	15.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14487	*Corymbia citriodora*	Spotted Gum	260		260	82	21.0	10.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14488	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	17.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14489	*Eucalyptus siderophloia*	Northern Grey Ironbark	150		150	47	14.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14490	*Corymbia citriodora*	Spotted Gum	170		170	53	14.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
14491	*Acacia disparrima*	Hickory Wattle	200		200	63	14.0	5.0	2.4	1.7	Regular	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
14492	*Corymbia citriodora*	Spotted Gum	170		170	53	15.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
14493	*Corymbia citriodora*	Spotted Gum	160		160	50	11.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14494	*Corymbia citriodora*	Spotted Gum	150		150	47	14.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
14495	*Corymbia citriodora*	Spotted Gum	160		160	50	15.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14496	*Corymbia citriodora*	Spotted Gum	150		150	47	13.0	5.0	2.0	1.5	Regular	-	-	-	Epicormic	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
14497	*Eucalyptus siderophloia*	Northern Grey Ironbark	460		460	145	22.0	13.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14498	*Corymbia citriodora*	Spotted Gum	170		170	53	13.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14499	*Acacia disparrima*	Hickory Wattle	220		220	69	11.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14500	*Eucalyptus moluccana*	Gum-topped box	160		160	50	13.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14501	*Acacia disparrima*	Hickory Wattle	210		210	66	13.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14502	*Corymbia citriodora*	Spotted Gum	150		150	47	14.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14503	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	14.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14504	*Eucalyptus siderophloia*	Northern Grey Ironbark	160		160	50	13.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14505	*Corymbia citriodora*	Spotted Gum	150		150	47	15.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14506	*Eucalyptus siderophloia*	Northern Grey Ironbark	160		160	50	11.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14507	*Eucalyptus siderophloia*	Northern Grey Ironbark	180		180	57	13.0	5.0	2.2	1.6	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14508	*Eucalyptus siderophloia*	Northern Grey Ironbark	180		180	57	14.0	5.0	2.2	1.6	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14509	*Corymbia citriodora*	Spotted Gum	230		230	72	20.0	8.0	2.8	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14510	*Acacia disparrima*	Hickory Wattle	170		170	53	9.0	6.0	2.0	1.6	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14511	*Eucalyptus siderophloia*	Northern Grey Ironbark	180		180	57	13.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14512	*Eucalyptus siderophloia*	Northern Grey Ironbark	180		180	57	13.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14513	*Eucalyptus siderophloia*	Northern Grey Ironbark	150		150	47	12.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14514	*Corymbia citriodora*	Spotted Gum	320		320	101	22.0	12.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14515	*Acacia disparrima*	Hickory Wattle	190		190	60	10.0	6.0	2.3	1.6	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14516	*Eucalyptus siderophloia*	Northern Grey Ironbark	430		430	135	26.0	15.0	5.2	2.3	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14517	*Acacia disparrima*	Hickory Wattle	190		190	60	11.0	5.0	2.3	1.6	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14518	*Acacia disparrima*	Hickory Wattle	160	140	213	67	12.0	5.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14519	*Acacia disparrima*	Hickory Wattle	180		180	57	12.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14520	*Corymbia citriodora*	Spotted Gum	160		160	50	13.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14521	*Acacia disparrima*	Hickory Wattle	200		200	63	8.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14522	*Acacia disparrima*	Hickory Wattle	180		180	57	12.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14523	*Eucalyptus siderophloia*	Northern Grey Ironbark	180		180	57	13.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14524	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	15.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14525	*Eucalyptus moluccana*	Gum-topped box	170		170	53	15.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14526	*Acacia disparrima*	Hickory Wattle	150	130	198	62	7.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14527	*Eucalyptus moluccana*	Gum-topped box	240		240	75	19.0	8.0	2.9	1.8	Regular	-	Thinning	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14528	*Eucalyptus siderophloia*	Northern Grey Ironbark	150		150	47	15.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14529	*Eucalyptus siderophloia*	Northern Grey Ironbark	160		160	50	13.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	

Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
14530	*Acacia dispermma*	Hickory Wattle	210		210	66	11.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
14531	*Acacia dispermma*	Hickory Wattle	170		170	53	7.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14532	*Eucalyptus sideroph loia*	Northern Grey Ironbark	180		180	57	14.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14533	*Eucalyptus sideroph loia*	Northern Grey Ironbark	210		210	66	14.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14534	*Eucalyptus sideroph loia*	Northern Grey Ironbark	160		160	50	16.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14535	*Eucalyptus sideroph loia*	Northern Grey Ironbark	190		190	60	14.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14536	*Eucalyptus sideroph loia*	Northern Grey Ironbark	150		150	47	13.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14537	*Eucalyptus sideroph loia*	Northern Grey Ironbark	200		200	63	16.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14538	*Eucalyptus sideroph loia*	Northern Grey Ironbark	160		160	50	17.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14539	*Acacia dispermma*	Hickory Wattle	160		160	50	11.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14540	*Eucalyptus sideroph loia*	Northern Grey Ironbark	150		150	47	16.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14541	*Acacia dispermma*	Hickory Wattle	210		210	66	10.0	6.0	2.5	1.7	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14542	*Eucalyptus sideroph loia*	Northern Grey Ironbark	210		210	66	20.0	8.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14543	*Eucalyptus sideroph loia*	Northern Grey Ironbark	150		150	47	14.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14544	*Acacia dispermma*	Hickory Wattle	220		220	69	10.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14545	*Eucalyptus sideroph loia*	Northern Grey Ironbark	280		280	88	18.0	7.0	3.4	1.9	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14546	*Eucalyptus sideroph loia*	Northern Grey Ironbark	200		200	63	18.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14547	*Eucalyptus sideroph loia*	Northern Grey Ironbark	190		190	60	17.0	6.0	2.3	1.6	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14548	*Acacia dispermma*	Hickory Wattle	190		190	60	10.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14549	*Acacia dispermma*	Hickory Wattle	190		190	60	10.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14550	*Acacia dispermma*	Hickory Wattle	170		170	53	10.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14551	*Eucalyptus sideroph loia*	Northern Grey Ironbark	170		170	53	17.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14552	*Eucalyptus sideroph loia*	Northern Grey Ironbark	190		190	60	17.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14553	*Eucalyptus sideroph loia*	Northern Grey Ironbark	200		200	63	18.0	7.0	2.4	1.7	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14554	*Eucalyptus sideroph loia*	Northern Grey Ironbark	150		150	47	15.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14555	*Eucalyptus sideroph loia*	Northern Grey Ironbark	150		150	47	13.0	5.0	2.0	1.5	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14556	*Eucalyptus sideroph loia*	Northern Grey Ironbark	160		160	50	12.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14557	*Eucalyptus sideroph loia*	Northern Grey Ironbark	150		150	47	15.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14558	*Acacia dispermma*	Hickory Wattle	200		200	63	10.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14559	*Eucalyptus sideroph loia*	Northern Grey Ironbark	190		190	60	14.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14560	*Acacia dispermma*	Hickory Wattle	230		230	72	12.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14561	*Acacia dispermma*	Hickory Wattle	190		190	60	10.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14562	*Acacia dispermma*	Hickory Wattle	150		150	47	11.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14563	*Eucalyptus sideroph loia*	Northern Grey Ironbark	190		190	60	18.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14564	*Eucalyptus sideroph loia*	Northern Grey Ironbark	190		190	60	14.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14565	*Eucalyptus sideroph loia*	Northern Grey Ironbark	170		170	53	18.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14566	*Corymbia intermedia*	Pink Bloodwood	260		260	82	11.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14567	*Eucalyptus sideroph loia*	Northern Grey Ironbark	190		190	60	18.0	7.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14568	*Eucalyptus sideroph loia*	Northern Grey Ironbark	210		210	66	14.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14569	*Eucalyptus sideroph loia*	Northern Grey Ironbark	160		160	50	15.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14570	*Eucalyptus sideroph loia*	Northern Grey Ironbark	160		160	50	14.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14571	*Corymbia citriodora*	Spotted Gum	290		290	91	26.0	10.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14572	*Acacia dispermma*	Hickory Wattle	170		170	53	7.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14573	*Acacia dispermma*	Hickory Wattle	160	150	219	69	11.0	6.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14574	*Acacia dispermma*	Hickory Wattle	160		160	50	10.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14575	*Acacia dispermma*	Hickory Wattle	190		190	60	11.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14576	*Acacia dispermma*	Hickory Wattle	170	140	220	69	12.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14577	*Acacia dispermma*	Hickory Wattle	170		170	53	9.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14578	*Eucalyptus sideroph loia*	Northern Grey Ironbark	170		170	53	15.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14579	*Acacia dispermma*	Hickory Wattle	280		280	88	14.0	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14580	*Acacia dispermma*	Hickory Wattle	170		170	53	9.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14581	*Acacia dispermma*	Hickory Wattle	200		200	63	13.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14582	*Acacia dispermma*	Hickory Wattle	170		170	53	10.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
14583	*Acacia dispermma*	Hickory Wattle	160		160	50	12.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14584	*Acacia dispermma*	Hickory Wattle	200	150	250	79	11.0	4.0	3.0	1.8	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14585	*Acacia dispermma*	Hickory Wattle	170	160	233	73	11.0	5.0	2.8	1.8	Regular	-	-	Die-back	-	Lopped	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14586	*Acacia dispermma*	Hickory Wattle	160		160	50	10.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14587	*Acacia dispermma*	Hickory Wattle	180		180	57	10.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14588	*Acacia dispermma*	Hickory Wattle	180		180	57	11.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14589	*Acacia dispermma*	Hickory Wattle	160		160	50	11.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14590	*Acacia dispermma*	Hickory Wattle	160		160	50	11.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14591	*Eucalyptus sideroph loia*	Northern Grey Ironbark	220		220	69	18.0	7.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	Introduced	-	-	Typical	-	-	-	0	-	-	-	Remove	
14592	*Eucalyptus sideroph loia*	Northern Grey Ironbark	200		200	63	15.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14593	*Acacia dispermma*	Hickory Wattle	150		150	47	10.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14594	*Acacia dispermma*	Hickory Wattle	180		180	57	11.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14595	*Acacia dispermma*	Hickory Wattle	170		170	53	11.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14596	*Acacia dispermma*	Hickory Wattle	170		170	53	12.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14597	*Corymbia intermedia*	Pink Bloodwood	160		160	50	12.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	

Tree ID	Botanical Name	Common Name	Specimen Details									Canopy Condition Details								Trunk Condition Details					Fauna Details and Habitat Value							Additional Notes	Retention
			Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value		
14598	*Corymbia intermedia*	Pink Bloodwood	160		160	50	13.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
14599	*Corymbia citriodora*	Spotted Gum	180		180	57	17.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
14600	*Eucalyptus sideroph loia*	Northern Grey Ironbark	190		190	60	10.0	3.0	2.3	1.6	Regular	-	-	-	Epicormic	Lopped	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
14601	*Acacia disparrima*	Hickory Wattle	150		150	47	10.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
14602	*Acacia disparrima*	Hickory Wattle	160		160	50	12.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
14603	*Acacia disparrima*	Hickory Wattle	170		170	53	11.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
14604	*Acacia disparrima*	Hickory Wattle	160		160	50	11.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
14605	*Acacia disparrima*	Hickory Wattle	160		160	50	10.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
14606	*Acacia disparrima*	Hickory Wattle	160		160	50	11.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
14607	*Acacia disparrima*	Hickory Wattle	220		220	69	11.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
14608	*Eucalyptus sideroph loia*	Northern Grey Ironbark	210		210	66	14.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
14609	*Acacia disparrima*	Hickory Wattle	269	180	200	85	9.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
14610	*Eucalyptus sideroph loia*	Northern Grey Ironbark	190		190	60	6.0	3.0	2.3	1.6	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
14611	*Acacia disparrima*	Hickory Wattle	160		160	50	6.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
14612	*Acacia disparrima*	Hickory Wattle	200		200	63	8.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
14613	*Acacia disparrima*	Hickory Wattle	160		160	50	7.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
14614	*Acacia disparrima*	Hickory Wattle	180		180	57	8.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
14615	*Corymbia citriodora*	Spotted Gum	190		190	60	17.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
14616	*Eucalyptus sideroph loia*	Northern Grey Ironbark	160		160	50	16.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-		Remove
14617	*Corymbia citriodora*	Spotted Gum	230		230	72	17.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
14618	*Corymbia citriodora*	Spotted Gum	220		220	69	17.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
14619	*Corymbia citriodora*	Spotted Gum	150		150	47	13.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
14620	*Corymbia citriodora*	Spotted Gum	310		310	97	24.0	13.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
14621	*Corymbia citriodora*	Spotted Gum	210		210	66	20.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
14622	*Acacia disparrima*	Hickory Wattle	210		210	66	7.0	4.0	2.5	1.7	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
14623	*Corymbia citriodora*	Spotted Gum	220		220	69	20.0	8.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
14624	*Eucalyptus sideroph loia*	Northern Grey Ironbark	180		180	57	16.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
14625	*Corymbia citriodora*	Spotted Gum	290		290	91	26.0	12.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
14626	*Corymbia citriodora*	Spotted Gum	280		280	88	21.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
14627	*Corymbia citriodora*	Spotted Gum	270		270	85	23.0	9.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
14628	*Corymbia citriodora*	Spotted Gum	180		180	57	15.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
14629	*Corymbia citriodora*	Spotted Gum	150		150	47	14.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
14630	*Corymbia citriodora*	Spotted Gum	160		160	50	16.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
14631	*Corymbia citriodora*	Spotted Gum	260		260	82	22.0	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
14632	*Corymbia citriodora*	Spotted Gum	180		180	57	17.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
14633	*Corymbia citriodora*	Spotted Gum	190		190	60	18.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
14634	*Corymbia citriodora*	Spotted Gum	190		190	60	17.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
14635	*Corymbia citriodora*	Spotted Gum	240		240	75	23.0	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
14636	*Corymbia citriodora*	Spotted Gum	150		150	47	15.0	4.0	2.0	1.5	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
14637	*Corymbia citriodora*	Spotted Gum	250		250	79	24.0	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
14638	*Corymbia citriodora*	Spotted Gum	250		250	79	21.0	10.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
14639	*Corymbia citriodora*	Spotted Gum	170		170	53	18.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
14640	*Corymbia citriodora*	Spotted Gum	260		260	82	22.0	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
14641	*Corymbia citriodora*	Spotted Gum	220		220	69	17.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
14642	*Acacia disparrima*	Hickory Wattle	170		170	53	10.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
14643	*Eucalyptus sideroph loia*	Northern Grey Ironbark	170		170	53	14.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
14644	*Eucalyptus sideroph loia*	Northern Grey Ironbark	180		180	57	13.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
14645	*Eucalyptus sideroph loia*	Northern Grey Ironbark	200		200	63	15.0	4.0	2.4	1.7	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
14646	*Eucalyptus sideroph loia*	Northern Grey Ironbark	190		190	60	13.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
14647	*Eucalyptus sideroph loia*	Northern Grey Ironbark	200		200	63	16.0	6.0	2.4	1.7	One-sided	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
14648	*Eucalyptus sideroph loia*	Northern Grey Ironbark	230		230	72	17.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
14649	*Corymbia citriodora*	Spotted Gum	230		230	72	22.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
14650	*Corymbia citriodora*	Spotted Gum	250		250	79	23.0	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
14651	*Corymbia citriodora*	Spotted Gum	280		280	88	18.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
14652	*Acacia disparrima*	Hickory Wattle	160		160	50	5.0	4.0	2.0	1.5	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
14653	*Eucalyptus sideroph loia*	Northern Grey Ironbark	160		160	50	10.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
14654	*Eucalyptus sideroph loia*	Northern Grey Ironbark	160		160	50	12.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
14655	*Corymbia citriodora*	Spotted Gum	270		270	85	18.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
14656	*Eucalyptus sideroph loia*	Northern Grey Ironbark	230		230	72	16.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
14657	*Acacia disparrima*	Hickory Wattle	200		200	63	8.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	Trunk Dmg.	-	-	Typical	-	-	-	0	-	-	-		Remove
14658	*Eucalyptus sideroph loia*	Northern Grey Ironbark	190		190	60	18.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
14659	*Acacia disparrima*	Hickory Wattle	200	150	250	79	10.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
14660	*Eucalyptus sideroph loia*	Northern Grey Ironbark	190		190	60	16.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
14661	*Acacia disparrima*	Hickory Wattle	170		170	53	8.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
14662	*Acacia disparrima*	Hickory Wattle	180		180	57	11.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
14663	*Eucalyptus sideroph loia*	Northern Grey Ironbark	170		170	53	15.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
14664	*Eucalyptus sideroph loia*	Northern Grey Ironbark	180		180	57	17.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
14665	*Eucalyptus sideroph loia*	Northern Grey Ironbark	190		190	60	18.0	7.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove

Tree ID	Botanical Name	Common Name	Specimen Details									Canopy Condition Details								Trunk Condition Details					Fauna Details and Habitat Value							Retention	Additional Notes
			Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value			
14666	*Eucalyptus siderophloia*	Northern Grey Ironbark	190		190	60	20.0	7.0	2.3	1.6	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove	
14667	*Acacia disparrima*	Hickory Wattle	170		170	53	5.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove	
14668	*Acacia disparrima*	Hickory Wattle	170		170	53	10.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove	
14669	*Eucalyptus siderophloia*	Northern Grey Ironbark	160		160	50	15.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove	
14670	*Eucalyptus siderophloia*	Northern Grey Ironbark	190		190	60	16.0	6.0	2.3	1.6	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove	
14671	*Eucalyptus crebra*	Narrow-leaved Red Ironbark	240		240	75	19.0	7.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove	
14672	*Eucalyptus siderophloia*	Northern Grey Ironbark	190		190	60	17.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove	
14673	*Eucalyptus siderophloia*	Northern Grey Ironbark	150		150	47	14.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove	
14674	*Eucalyptus siderophloia*	Northern Grey Ironbark	150		150	47	12.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove	
14675	*Acacia disparrima*	Hickory Wattle	160	150	219	69	10.0	4.0	2.6	1.7	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove	
14676	*Eucalyptus siderophloia*	Northern Grey Ironbark	190		190	60	13.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove	
14677	*Eucalyptus siderophloia*	Northern Grey Ironbark	160		160	50	13.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove	
14678	*Corymbia citriodora*	Spotted Gum	240		240	75	20.0	7.0	2.9	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove	
14679	*Corymbia citriodora*	Spotted Gum	280		280	88	21.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove	
14680	*Eucalyptus siderophloia*	Northern Grey Ironbark	160		160	50	12.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove	
14681	*Acacia disparrima*	Hickory Wattle	160		160	50	11.0	6.0	2.0	1.5	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove	
14682	*Acacia disparrima*	Hickory Wattle	180		180	57	11.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove	
14683	*Eucalyptus siderophloia*	Northern Grey Ironbark	160		160	50	17.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove	
14684	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	19.0	6.0	2.5	1.7	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove	
14685	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	19.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove	
14686	*Acacia disparrima*	Hickory Wattle	160		160	50	11.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove	
14687	*Corymbia citriodora*	Spotted Gum	210		210	66	19.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove	
14688	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	19.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove	
14689	*Eucalyptus siderophloia*	Northern Grey Ironbark	160		160	50	17.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove	
14690	*Eucalyptus siderophloia*	Northern Grey Ironbark	150		150	47	12.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove	
14691	*Corymbia citriodora*	Spotted Gum	210		210	66	16.0	6.0	2.5	1.7	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove	
14692	*Corymbia citriodora*	Spotted Gum	150		150	47	17.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove	
14693	*Eucalyptus siderophloia*	Northern Grey Ironbark	540	170	540	170	21.0	15.0	6.5	2.6	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove	
14694	*Acacia disparrima*	Hickory Wattle	190		190	60	11.0	4.0	2.3	1.6	Regular	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	-	-	Remove	
14695	*Acacia disparrima*	Hickory Wattle	150		150	47	10.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove	
14696	*Acacia disparrima*	Hickory Wattle	200		200	63	13.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove	
14697	*Eucalyptus siderophloia*	Northern Grey Ironbark	170		170	53	13.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove	
14698	*Eucalyptus siderophloia*	Northern Grey Ironbark	170		170	53	13.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove	
14699	*Corymbia citriodora*	Spotted Gum	210		210	66	19.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove	
14700	*Eucalyptus siderophloia*	Northern Grey Ironbark	160		160	50	10.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove	
14701	*Corymbia citriodora*	Spotted Gum	260		260	82	20.0	7.0	3.1	1.9	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove	
14702	*Corymbia citriodora*	Spotted Gum	180		180	57	14.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove	
14703	*Eucalyptus siderophloia*	Northern Grey Ironbark	160		160	50	11.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove	
14704	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	12.0	5.0	2.9	1.8	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove	
14705	*Corymbia citriodora*	Spotted Gum	250		250	79	19.0	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove	
14706	*Eucalyptus moluccana*	Gum-topped Box	190		190	60	16.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove	
14707	*Eucalyptus moluccana*	Gum-topped Box	200		200	63	17.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove	
14708	*Corymbia citriodora*	Spotted Gum	210		210	66	18.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove	
14709	*Eucalyptus siderophloia*	Northern Grey Ironbark	150		150	47	13.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove	
14710	*Eucalyptus tereticornis*	Forest Red Gum	150		150	47	11.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove	
14711	*Eucalyptus siderophloia*	Northern Grey Ironbark	150		150	47	14.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove	
14712	*Corymbia citriodora*	Spotted Gum	210		210	66	18.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove	
14713	*Corymbia citriodora*	Spotted Gum	220		220	69	20.0	9.0	2.6	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove	
14714	*Corymbia citriodora*	Spotted Gum	250		250	79	21.0	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove	
14715	*Acacia disparrima*	Hickory Wattle	200		200	63	11.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove	
14716	*Corymbia citriodora*	Spotted Gum	170		170	53	18.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove	
14717	*Corymbia citriodora*	Spotted Gum	150		150	47	12.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove	
14718	*Corymbia citriodora*	Spotted Gum	170		170	53	15.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove	
14719	*Eucalyptus siderophloia*	Northern Grey Ironbark	160		160	50	13.0	4.0	2.0	1.5	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	-	-	Remove	
14720	*Corymbia citriodora*	Spotted Gum	310		310	97	25.0	14.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove	
14721	*Corymbia citriodora*	Spotted Gum	170		170	53	14.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove	
14722	*Corymbia citriodora*	Spotted Gum	250		250	79	23.0	11.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove	
14723	*Corymbia citriodora*	Spotted Gum	160		160	50	14.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove	
14724	*Corymbia citriodora*	Spotted Gum	210		210	66	19.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove	
14725	*Eucalyptus moluccana*	Gum-topped Box	260		260	82	19.0	7.0	3.1	1.9	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove	
14726	*Corymbia citriodora*	Spotted Gum	180		180	57	17.0	6.0	2.2	1.6	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove	
14727	*Eucalyptus tereticornis*	Forest Red Gum	180		180	57	14.0	4.0	2.2	1.6	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove	
14728	*Eucalyptus moluccana*	Gum-topped Box	150		150	47	16.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove	
14729	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	20.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove	
14730	*Eucalyptus siderophloia*	Northern Grey Ironbark	170		170	53	14.0	4.0	2.0	1.6	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove	
14731	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	21.0	8.0	2.6	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove	
14732	*Eucalyptus siderophloia*	Northern Grey Ironbark	160		160	50	16.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove	
14733	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	14.0	5.0	2.4	1.7	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove	

	Specimen Details								Canopy Condition Details								Trunk Condition Details						Fauna Details and Habitat Value							
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
14734	*Eucalyptus siderophloia*	Northern Grey Ironbark	180		180	57	15.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14735	*Acacia disparrima*	Hickory Wattle	150		150	47	7.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
14736	*Eucalyptus siderophloia*	Northern Grey Ironbark	150		150	47	15.5	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14737	*Acacia disparrima*	Hickory Wattle	180		180	57	8.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14738	*Eucalyptus siderophloia*	Northern Grey Ironbark	150		150	47	11.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14739	*Eucalyptus siderophloia*	Northern Grey Ironbark	180		180	57	13.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14740	*Eucalyptus siderophloia*	Northern Grey Ironbark	180		180	57	15.5	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14741	*Eucalyptus moluccana*	Gum-topped Box	190		190	60	18.0	7.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14742	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	16.0	7.0	3.2	1.9	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14743	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	16.0	5.0	2.5	1.7	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14744	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	16.0	5.0	2.5	1.7	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14745	Spotted Gum	Hickory Wattle	270		270	85	13.0	4.0	2.0	1.5	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14746	*Corymbia citriodora*	Spotted Gum	270		270	85	17.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14747	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	21.0	7.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14748	*Eucalyptus siderophloia*	Northern Grey Ironbark	160		160	50	13.0	5.0	2.0	1.5	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14749	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	16.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14750	*Corymbia citriodora*	Spotted Gum	200		200	63	18.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14751	*Eucalyptus siderophloia*	Northern Grey Ironbark	160		160	50	14.0	4.0	2.0	1.5	One-sided	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14752	*Corymbia citriodora*	Spotted Gum	210		210	66	19.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14753	*Corymbia citriodora*	Spotted Gum	270		270	85	19.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14754	*Corymbia citriodora*	Spotted Gum	260		260	82	20.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14755	*Corymbia citriodora*	Spotted Gum	170		170	53	14.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14756	*Corymbia citriodora*	Spotted Gum	180		180	57	15.5	5.0	2.2	1.6	Regular	-	Thinning	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14757	*Eucalyptus siderophloia*	Northern Grey Ironbark	770	242	770	242	26.0	15.0	9.2	3.0	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14758	*Eucalyptus siderophloia*	Northern Grey Ironbark	150		150	47	14.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14759	*Corymbia citriodora*	Spotted Gum	170		170	53	16.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14760	*Corymbia citriodora*	Spotted Gum	200		200	63	18.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14761	*Corymbia citriodora*	Spotted Gum	170	160	233	73	17.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14762	*Corymbia citriodora*	Spotted Gum	150		150	47	17.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14763	*Corymbia citriodora*	Spotted Gum	230		230	72	19.0	6.0	2.8	1.8	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14764	*Corymbia citriodora*	Spotted Gum	320		320	101	27.0	15.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14765	*Corymbia citriodora*	Spotted Gum	170		170	53	12.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14766	*Eucalyptus siderophloia*	Northern Grey Ironbark	180		180	57	18.0	7.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14767	*Eucalyptus siderophloia*	Northern Grey Ironbark	170		170	53	14.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14768	*Eucalyptus siderophloia*	Northern Grey Ironbark	150		150	47	14.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14769	*Eucalyptus siderophloia*	Northern Grey Ironbark	180		180	57	17.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14770	*Eucalyptus siderophloia*	Northern Grey Ironbark	150		150	47	15.5	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14771	*Corymbia citriodora*	Spotted Gum	270		270	85	22.0	10.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14772	*Corymbia citriodora*	Spotted Gum	260		260	82	20.0	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14773	*Eucalyptus siderophloia*	Northern Grey Ironbark	180		180	57	12.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14774	*Eucalyptus siderophloia*	Northern Grey Ironbark	150		150	47	12.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14775	*Eucalyptus siderophloia*	Northern Grey Ironbark	190		190	60	20.0	8.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14776	*Eucalyptus siderophloia*	Northern Grey Ironbark	170		170	53	18.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14777	*Acacia disparrima*	Hickory Wattle	200		200	63	12.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14778	*Eucalyptus siderophloia*	Northern Grey Ironbark	180		180	57	18.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14779	*Eucalyptus siderophloia*	Northern Grey Ironbark	170		170	53	17.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14780	*Acacia disparrima*	Hickory Wattle	190		190	60	15.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14781	*Acacia disparrima*	Hickory Wattle	190		190	60	17.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
14782	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	16.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14783	*Eucalyptus siderophloia*	Northern Grey Ironbark	190		190	60	17.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14784	*Eucalyptus siderophloia*	Northern Grey Ironbark	150		150	47	12.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14785	*Eucalyptus siderophloia*	Northern Grey Ironbark	150		150	47	16.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14786	*Acacia disparrima*	Hickory Wattle	230		230	72	9.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14787	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	15.0	5.0	2.4	1.7	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14788	*Corymbia citriodora*	Spotted Gum	290		290	91	19.0	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14789	*Acacia disparrima*	Hickory Wattle	210		210	66	10.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14790	*Eucalyptus siderophloia*	Northern Grey Ironbark	190		190	60	17.0	6.0	2.3	1.6	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14791	*Eucalyptus siderophloia*	Northern Grey Ironbark	170		170	53	14.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14792	*Eucalyptus siderophloia*	Northern Grey Ironbark	170		170	53	12.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14793	*Eucalyptus siderophloia*	Northern Grey Ironbark	160		160	50	12.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	0	-	-	-	Remove	
14794	*Corymbia citriodora*	Spotted Gum	340		340	107	22.0	10.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14795	*Corymbia citriodora*	Spotted Gum	300		300	94	20.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14796	*Corymbia citriodora*	Spotted Gum	230		230	72	17.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14797	*Corymbia citriodora*	Spotted Gum	220		220	69	20.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14798	*Corymbia citriodora*	Spotted Gum	320		320	101	21.0	9.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
14799	*Corymbia citriodora*	Spotted Gum	240	160	288	91	20.0	6.0	3.5	2.0	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14800	*Corymbia citriodora*	Spotted Gum	180		180	57	16.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14801	*Corymbia citriodora*	Spotted Gum	200		200	63	19.0	6.0	2.4	1.7	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	

Specimen Details									Canopy Condition Details								Trunk Condition Details						Fauna Details and Habitat Value							Retention	Additional Notes
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
14802	*Corymbia citriodora*	Spotted Gum	240		240	75	19.0	7.0	2.9	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14803	*Acacia dispartima*	Hickory Wattle	170		170	53	11.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14804	*Corymbia citriodora*	Spotted Gum	300		300	94	19.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14805	*Corymbia citriodora*	Spotted Gum	280		280	88	19.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14806	*Corymbia citriodora*	Spotted Gum	290		290	91	21.0	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14807	*Corymbia citriodora*	Spotted Gum	200		200	63	20.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14808	*Eucalyptus sideroph loia*	Northern Grey Ironbark	170		170	53	15.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14809	*Eucalyptus sideroph loia*	Northern Grey Ironbark	190		190	60	17.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14810	*Eucalyptus sideroph loia*	Northern Grey Ironbark	190		190	60	13.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14811	*Eucalyptus sideroph loia*	Northern Grey Ironbark	170		170	53	12.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14812	*Eucalyptus sideroph loia*	Northern Grey Ironbark	170		170	53	15.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14813	*Eucalyptus sideroph loia*	Northern Grey Ironbark	150		150	47	15.0	5.0	2.0	1.5	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14814	*Eucalyptus sideroph loia*	Northern Grey Ironbark	180		180	57	16.0	5.0	2.2	1.6	Regular	-	Die-back	Epicormic	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14815	*Eucalyptus sideroph loia*	Northern Grey Ironbark	290		290	91	11.0	4.0	3.5	2.0	Regular	-	-	Epicormic	Lopped	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14816	*Eucalyptus sideroph loia*	Northern Grey Ironbark	240		240	75	14.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14817	*Eucalyptus sideroph loia*	Northern Grey Ironbark	180		180	57	14.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14818	*Acacia dispartima*	Hickory Wattle	150		150	47	11.0	4.0	2.0	1.5	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14819	*Eucalyptus sideroph loia*	Northern Grey Ironbark	190		190	60	15.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14820	*Eucalyptus sideroph loia*	Northern Grey Ironbark	220		220	69	19.0	7.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14821	*Eucalyptus sideroph loia*	Northern Grey Ironbark	190		190	60	16.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14822	*Eucalyptus sideroph loia*	Northern Grey Ironbark	210		210	66	17.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14823	*Eucalyptus sideroph loia*	Northern Grey Ironbark	160		160	50	18.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14824	*Eucalyptus sideroph loia*	Northern Grey Ironbark	150		150	47	16.0	5.0	2.0	1.5	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14825	*Eucalyptus sideroph loia*	Northern Grey Ironbark	210		210	66	18.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14826	*Eucalyptus sideroph loia*	Northern Grey Ironbark	170		170	53	15.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14827	*Corymbia citriodora*	Spotted Gum	270		270	85	19.0	8.0	3.2	1.9	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14828	*Eucalyptus sideroph loia*	Northern Grey Ironbark	150		150	47	16.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14829	*Acacia dispartima*	Hickory Wattle	170		170	53	12.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14830	*Eucalyptus sideroph loia*	Northern Grey Ironbark	220		220	69	19.0	7.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14831	*Eucalyptus sideroph loia*	Northern Grey Ironbark	230		230	72	18.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14832	*Eucalyptus sideroph loia*	Northern Grey Ironbark	150		150	47	10.0	4.0	2.0	1.5	Regular	-	-	-	Epicormic	Lopped	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14833	*Eucalyptus sideroph loia*	Northern Grey Ironbark	150		150	47	14.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14834	*Eucalyptus sideroph loia*	Northern Grey Ironbark	200		200	63	15.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14835	*Eucalyptus sideroph loia*	Northern Grey Ironbark	180		180	57	14.0	4.0	2.2	1.6	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14836	*Eucalyptus sideroph loia*	Northern Grey Ironbark	230		230	72	18.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
14837	*Eucalyptus sideroph loia*	Northern Grey Ironbark	220		220	69	17.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14838	*Eucalyptus sideroph loia*	Northern Grey Ironbark	220		220	69	18.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14839	*Eucalyptus sideroph loia*	Northern Grey Ironbark	180		180	57	18.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14840	*Eucalyptus sideroph loia*	Northern Grey Ironbark	230		230	72	17.0	7.0	2.8	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14841	*Eucalyptus sideroph loia*	Northern Grey Ironbark	200		200	63	17.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14842	*Acacia dispartima*	Hickory Wattle	160		160	50	12.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14843	*Eucalyptus sideroph loia*	Northern Grey Ironbark	150		150	47	14.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14844	*Eucalyptus sideroph loia*	Northern Grey Ironbark	200		200	63	19.0	7.0	2.4	1.7	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14845	*Eucalyptus sideroph loia*	Northern Grey Ironbark	190		190	60	18.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14846	*Eucalyptus sideroph loia*	Northern Grey Ironbark	300		300	94	18.0	6.0	3.6	2.0	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14847	*Eucalyptus sideroph loia*	Northern Grey Ironbark	200		200	63	19.0	7.0	2.4	1.7	Die-back	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14848	*Eucalyptus sideroph loia*	Northern Grey Ironbark	220		220	69	20.0	7.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14849	*Eucalyptus sideroph loia*	Northern Grey Ironbark	250		250	79	18.0	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14850	*Acacia dispartima*	Hickory Wattle	250		250	79	12.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14851	*Eucalyptus sideroph loia*	Northern Grey Ironbark	250		250	79	14.0	6.0	3.0	1.8	Regular	-	Thinning	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14852	*Eucalyptus sideroph loia*	Northern Grey Ironbark	150		150	47	17.0	5.0	2.0	1.5	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
14853	*Eucalyptus sideroph loia*	Northern Grey Ironbark	200		200	63	19.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14854	*Eucalyptus sideroph loia*	Northern Grey Ironbark	180		180	57	17.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14855	*Eucalyptus sideroph loia*	Northern Grey Ironbark	210		210	66	19.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14856	*Eucalyptus sideroph loia*	Northern Grey Ironbark	190		190	60	16.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14857	*Melaleuca bryana*	Swamp Tea Tree	170	140, 130, 110	278	87	8.0	6.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14858	*Eucalyptus sideroph loia*	Northern Grey Ironbark	210		210	66	15.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14859	*Eucalyptus moliccana*	Gum-topped Box	260		260	82	17.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14860	*Eucalyptus sideroph loia*	Northern Grey Ironbark	210		210	66	18.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
14861	*Eucalyptus sideroph loia*	Northern Grey Ironbark	230		230	72	16.0	6.0	2.8	1.8	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14862	*Acacia dispartima*	Hickory Wattle	220		220	69	10.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14863	*Eucalyptus sideroph loia*	Northern Grey Ironbark	170		170	53	14.0	4.0	2.0	1.6	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14864	*Eucalyptus sideroph loia*	Northern Grey Ironbark	180		180	57	18.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14865	*Eucalyptus sideroph loia*	Northern Grey Ironbark	200		200	63	18.0	8.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14866	*Eucalyptus sideroph loia*	Northern Grey Ironbark	230		230	72	18.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14867	*Eucalyptus sideroph loia*	Northern Grey Ironbark	170		170	53	17.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14868	*Eucalyptus sideroph loia*	Northern Grey Ironbark	200		200	63	16.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
14869	*Eucalyptus sideroph loia*	Northern Grey Ironbark	260		260	82	20.0	9.0	3.1	1.9	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	

| Specimen Details | | |

| Specimen Details | | |

| Specimen Details | | |

Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
				Specimen Details							Canopy Condition Details									Trunk Condition Details			Fauna Details and Habitat Value								
15074	*Eucalyptus siderophloia*	Northern Grey Ironbark	340		340	107	23.0	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15075	*Eucalyptus siderophloia*	Northern Grey Ironbark	360		360	113	23.0	11.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15076	*Eucalyptus siderophloia*	Northern Grey Ironbark	330		330	104	21.0	10.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15077	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	11.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15078	*Eucalyptus moluccana*	Gum-topped Box	450		450	141	22.0	10.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15079	*Eucalyptus moluccana*	Gum-topped Box	800		800	251	25.0	14.0	9.6	3.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15080	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	11.0	4.0	2.5	1.7	Irregular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15081	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	16.0	5.0	3.1	1.9	One-sided	-	Thinning	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove
15082	*Eucalyptus moluccana*	Gum-topped Box	360		360	113	10.0	7.0	4.3	2.2	One-sided	-	-	-	-	Lopped	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove
15083	**DEAD/STAG**		320		320	101	20.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15084	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	16.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15085	*Eucalyptus siderophloia*	Northern Grey Ironbark	380		380	119	23.0	11.0	4.6	2.2	Irregular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15086	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	14.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15087	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	12.0	3.0	2.8	1.8	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15088	*Eucalyptus siderophloia*	Northern Grey Ironbark	280	270	389	122	18.0	7.0	4.7	2.2	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15089	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	14.0	7.0	2.8	1.8	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove
15090	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	18.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15091	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	17.0	6.0	2.8	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15092	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	16.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15093	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	16.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove
15094	*Acacia disparrima*	Hickory Wattle	330		330	104	11.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15095	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	18.0	7.0	3.1	1.9	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15096	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	13.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15097	*Eucalyptus moluccana*	Gum-topped Box	230		230	72	17.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15098	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	12.0	5.0	2.8	1.8	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15099	*Acacia disparrima*	Hickory Wattle	210		210	66	10.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15100	*Acacia disparrima*	Hickory Wattle	220		220	69	10.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15101	*Eucalyptus siderophloia*	Northern Grey Ironbark	290		290	91	19.0	10.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15102	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	18.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15103	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	18.0	7.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15104	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	15.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15105	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	17.0	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove
15106	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	18.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15107	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	17.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15108	*Acacia disparrima*	Hickory Wattle	240		240	75	11.0	5.0	2.9	1.8	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15109	*Acacia disparrima*	Hickory Wattle	240		240	75	10.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15110	*Eucalyptus siderophloia*	Northern Grey Ironbark	420		420	132	18.0	9.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15111	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	17.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15112	*Acacia disparrima*	Hickory Wattle	260	260	368	116	12.0	8.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15113	*Acacia disparrima*	Hickory Wattle	230		230	72	11.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15114	*Eucalyptus siderophloia*	Northern Grey Ironbark	290		290	91	16.0	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15115	*Acacia disparrima*	Hickory Wattle	200		200	63	7.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15116	*Acacia disparrima*	Hickory Wattle	320		320	101	13.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15117	*Acacia disparrima*	Hickory Wattle	230		230	72	13.0	6.0	2.8	1.8	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15118	*Acacia disparrima*	Hickory Wattle	210		210	66	11.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15119	*Acacia disparrima*	Hickory Wattle	200	180	269	85	10.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15120	*Acacia disparrima*	Hickory Wattle	270		270	85	11.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove
15121	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	15.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15122	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	13.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15123	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	19.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15124	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	17.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15125	*Eucalyptus siderophloia*	Northern Grey Ironbark	350		350	110	19.0	8.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15126	*Acacia disparrima*	Hickory Wattle	260	230	347	109	10.0	7.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15127	*Acacia disparrima*	Hickory Wattle	220	190	291	91	12.0	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15128	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	16.0	7.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15129	*Eucalyptus tereticornis*	Forest Red Gum	270		270	85	20.0	9.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15130	*Corymbia citriodora*	Spotted Gum	220		220	69	14.0	8.0	2.6	1.8	Irregular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	New	-	0	-	-	Remove
15131	*Acacia disparrima*	Hickory Wattle	260		260	82	12.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
15132	*Acacia disparrima*	Hickory Wattle	260	230	347	109	13.0	7.0	4.2	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
15133	*Acacia disparrima*	Hickory Wattle	240		240	75	12.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
15134	*Acacia disparrima*	Hickory Wattle	230		230	72	13.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15135	*Corymbia citriodora*	Spotted Gum	310		310	97	19.0	10.0	3.7	2.0	Irregular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15136	*Corymbia citriodora*	Spotted Gum	330		330	104	20.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	New	-	-	0	-	-	Remove	
15137	*Acacia disparrima*	Hickory Wattle	200		200	63	11.0	6.0	2.4	1.7	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15138	*Acacia disparrima*	Hickory Wattle	230	160	280	88	14.0	8.0	3.4	1.9	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
15139	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	12.0	5.0	2.4	1.7	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
15140	*Acacia disparrima*	Hickory Wattle	210		210	66	7.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15141	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	16.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	

| | | |

Specimen Details							Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value							
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
15210	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	19.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15211	*Acacia disparrima*	Hickory Wattle	270	200	336	106	6.0	5.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove
15212	*Corymbia citriodora*	Spotted Gum	270		270	85	23.0	9.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15213	*Corymbia citriodora*	Spotted Gum	300		300	94	23.0	9.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15214	*Corymbia citriodora*	Spotted Gum	290		290	91	22.0	10.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15215	*Corymbia citriodora*	Spotted Gum	230		230	72	20.0	9.0	2.8	1.8	Irregular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15216	*Corymbia citriodora*	Spotted Gum	200		200	63	17.0	6.0	2.4	1.7	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15217	*Eucalyptus moluccana*	Gum-topped Box	260		260	82	16.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15218	*Eucalyptus moluccana*	Gum-topped Box	270		270	85	18.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15219	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	16.0	6.0	2.5	1.7	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15220	*Corymbia citriodora*	Spotted Gum	290		290	91	23.0	12.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
15221	*Acacia disparrima*	Hickory Wattle	270		270	85	11.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
15222	*Acacia disparrima*	Hickory Wattle	210		210	66	10.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15223	*Acacia disparrima*	Hickory Wattle	190	150	242	76	11.0	7.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15224	*Acacia disparrima*	Hickory Wattle	230		230	72	11.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15225	*Acacia disparrima*	Hickory Wattle	200	170	262	82	11.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15226	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	12.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15227	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	13.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15228	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	15.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15229	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	14.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15230	*Acacia disparrima*	Hickory Wattle	230		230	72	9.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15231	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	16.0	8.0	3.2	1.9	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15232	*Acacia disparrima*	Hickory Wattle	250		250	79	11.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15233	*Acacia disparrima*	Hickory Wattle	200	170	262	82	10.0	6.0	3.1	1.9	Regular	-	Thinning	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove
15234	*Acacia disparrima*	Hickory Wattle	200		200	63	10.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15235	*Acacia disparrima*	Hickory Wattle	190	170	255	80	12.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15236	*Acacia disparrima*	Hickory Wattle	210		210	66	12.0	5.0	2.5	1.7	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15237	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	18.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15238	*Acacia disparrima*	Hickory Wattle	240	170	294	92	8.0	5.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15239	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	13.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15240	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	15.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15241	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	15.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15242	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	19.0	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15243	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	17.0	6.0	2.9	1.8	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove
15244	*Acacia disparrima*	Hickory Wattle	200		200	63	6.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15245	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	21.0	9.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15246	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	18.0	10.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15247	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	12.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15248	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	18.0	8.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15249	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	20.0	10.0	3.4	1.9	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove
15250	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	18.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15251	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	16.0	3.0	2.4	1.7	Regular	-	Thinning	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15252	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	16.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15253	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	18.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15254	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	18.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15255	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	17.0	7.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15256	*Acacia disparrima*	Hickory Wattle	220		220	69	9.0	5.0	2.6	1.8	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15257	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	19.0	7.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15258	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	17.0	6.0	2.6	1.8	Irregular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15259	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	18.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15260	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	18.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15261	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	16.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15262	*Acacia disparrima*	Hickory Wattle	220		220	69	10.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15263	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	15.0	6.0	2.4	1.7	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15264	*Eucalyptus siderophloia*	Northern Grey Ironbark	330		330	104	22.0	11.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15265	*Acacia disparrima*	Hickory Wattle	210	170	270	85	9.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15266	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	20.0	12.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15267	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	15.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15268	*Acacia disparrima*	Hickory Wattle	230	200	305	96	10.0	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15269	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	14.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15270	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	21.0	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove
15271	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	18.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15272	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	20.0	8.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15273	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	20.0	9.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15274	*Acacia disparrima*	Hickory Wattle	230	220	318	100	10.0	6.0	3.8	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15275	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	17.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15276	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	16.0	6.0	2.6	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15277	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	19.0	10.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove

	Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value							
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
15278	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	18.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15279	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	17.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15280	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	20.0	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15281	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	16.0	7.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15282	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	17.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15283	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	17.0	5.0	2.4	1.7	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15284	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	18.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15285	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	21.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15286	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	19.0	7.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15287	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	17.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15288	*Eucalyptus tereticornis*	Forest Red Gum	230	200	305	96	17.0	9.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Old	-	0	-	-	-	Remove	
15289	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	17.0	7.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15290	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	14.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15291	*Acacia disparrima*	Hickory Wattle	200	180, 180	324	102	10.0	7.0	3.9	2.1	Regular	-	Thinning	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
15292	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	20.0	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
15293	*Corymbia citriodora*	Spotted Gum	210		210	66	18.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15294	*Corymbia citriodora*	Spotted Gum	230		230	72	18.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15295	*Corymbia citriodora*	Spotted Gum	220		220	69	19.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15296	*Acacia disparrima*	Hickory Wattle	220		220	69	10.0	5.0	2.6	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
15297	*Eucalyptus siderophloia*	Northern Grey Ironbark	470		470	148	20.0	8.0	5.6	2.4	Regular	-	-	-	Epicormic	Lopped	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
15298	*Eucalyptus siderophloia*	Northern Grey Ironbark	150		150	47	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15299	*Melaleuca rhygnd*	Swamp Tea Tree	190	180	262	82	6.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15300	*Eucalyptus siderophloia*	Northern Grey Ironbark	160		160	50	9.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15301	*Acacia disparrima*	Hickory Wattle	150	140, 130	243	76	9.0	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15302	*Acacia disparrima*	Hickory Wattle	160		160	50	8.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15303	*Acacia disparrima*	Hickory Wattle	200		200	63	8.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15304	*Eucalyptus siderophloia*	Northern Grey Ironbark	150		150	47	10.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15305	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	14.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15306	*Eucalyptus siderophloia*	Northern Grey Ironbark	160		160	50	10.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15307	*Eucalyptus siderophloia*	Northern Grey Ironbark	150		150	47	11.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15308	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	14.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15309	*Eucalyptus siderophloia*	Northern Grey Ironbark	170		170	53	14.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15310	*Eucalyptus siderophloia*	Northern Grey Ironbark	150		150	47	10.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15311	*Eucalyptus siderophloia*	Northern Grey Ironbark	150		150	47	10.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15312	*Eucalyptus siderophloia*	Northern Grey Ironbark	150		150	47	14.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15313	*Eucalyptus siderophloia*	Northern Grey Ironbark	160		160	50	14.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15314	*Eucalyptus siderophloia*	Northern Grey Ironbark	170		170	53	14.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15315	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	14.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15316	*Eucalyptus siderophloia*	Northern Grey Ironbark	170	170	240	76	14.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15317	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	15.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15318	*Eucalyptus siderophloia*	Northern Grey Ironbark	170		170	53	14.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15319	*Eucalyptus siderophloia*	Northern Grey Ironbark	160		160	50	14.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15320	*Eucalyptus siderophloia*	Northern Grey Ironbark	180		180	57	14.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15321	*Eucalyptus siderophloia*	Northern Grey Ironbark	160		160	50	14.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15322	*Eucalyptus siderophloia*	Northern Grey Ironbark	160		160	50	15.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15323	*Eucalyptus siderophloia*	Northern Grey Ironbark	160		160	50	14.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15324	*Eucalyptus siderophloia*	Northern Grey Ironbark	150		150	47	13.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15325	*Eucalyptus siderophloia*	Northern Grey Ironbark	170		170	53	14.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15326	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	15.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15327	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	15.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15328	*Acacia disparrima*	Hickory Wattle	160	160	226	71	8.0	7.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15329	*Eucalyptus siderophloia*	Northern Grey Ironbark	180		180	57	15.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15330	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	15.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15331	*Eucalyptus siderophloia*	Northern Grey Ironbark	180		180	57	10.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15332	*Acacia disparrima*	Hickory Wattle	190		190	60	10.0	7.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15333	*Acacia disparrima*	Hickory Wattle	180	180	255	80	8.0	10.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15334	*Eucalyptus siderophloia*	Northern Grey Ironbark	170		170	53	11.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15335	*Eucalyptus siderophloia*	Northern Grey Ironbark	170		170	53	11.0	2.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15336	*Acacia disparrima*	Hickory Wattle	200		200	63	8.0	9.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15337	*Acacia disparrima*	Hickory Wattle	210		210	66	8.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15338	*Acacia disparrima*	Hickory Wattle	170		170	53	8.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15339	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	12.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15340	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	9.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15341	*Eucalyptus siderophloia*	Northern Grey Ironbark	320		320	101	13.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15342	*Eucalyptus siderophloia*	Northern Grey Ironbark	350		350	110	16.0	6.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15343	*Eucalyptus siderophloia*	Northern Grey Ironbark	190		190	60	15.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15344	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	15.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15345	*Eucalyptus siderophloia*	Northern Grey Ironbark	180		180	57	14.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	

	Specimen Details							Canopy Condition Details							Trunk Condition Details							Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
15346	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	880	15.0	7.0	3.4	1.9	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15347	*Acacia disparrima*	Hickory Wattle	150	140	205	640	7.0	5.0	2.2	1.7	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15348	*Acacia disparrima*	Hickory Wattle	180		180	570	7.0	5.0	2.2	1.6	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15349	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	850	12.0	5.0	3.2	1.9	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15350	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	720	12.0	4.0	2.8	1.8	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15351	*Eucalyptus siderophloia*	Northern Grey Ironbark	180	180	255	800	8.0	4.0	3.1	1.9	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15352	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	660	11.0	5.0	2.5	1.7	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15353	*Eucalyptus siderophloia*	Northern Grey Ironbark	190		190	600	11.0	5.0	2.3	1.6	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15354	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	630	11.0	6.0	2.4	1.7	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15355	*Acacia disparrima*	Hickory Wattle	180		180	570	5.0	4.0	2.2	1.6	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15356	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	940	17.0	9.0	3.6	2.0	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15357	*Eucalyptus siderophloia*	Northern Grey Ironbark	170		170	530	11.0	4.0	2.0	1.6	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15358	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	660	12.0	4.0	2.5	1.7	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15359	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	750	13.0	5.0	2.9	1.8	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15360	*Acacia disparrima*	Hickory Wattle	150	100	180	570	7.0	6.0	2.2	1.6	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15361	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	790	9.0	4.0	3.0	1.8	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15362	*Acacia disparrima*	Hickory Wattle	170		170	530	7.0	8.0	2.0	1.6	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15363	*Eucalyptus siderophloia*	Northern Grey Ironbark	160		160	500	9.0	4.0	2.0	1.5	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15364	*Corymbia citriodora*	Spotted Gum	280		280	880	16.0	9.0	3.4	1.9	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15365	*Acacia disparrima*	Hickory Wattle	250		250	790	9.0	7.0	3.0	1.8	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15366	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	750	10.0	4.0	2.9	1.8	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15367	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	720	12.0	6.0	2.8	1.8	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15368	*Acacia disparrima*	Hickory Wattle	150	150	212	670	8.0	7.0	2.5	1.7	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15369	*Eucalyptus siderophloia*	Northern Grey Ironbark	150		150	470	8.0	4.0	2.0	1.5	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15370	*Eucalyptus tereticornis*	Forest Red Gum	360		360	1130	15.0	8.0	4.3	2.2	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15371	*Eucalyptus siderophloia*	Northern Grey Ironbark	240	220	326	1020	16.0	7.0	3.9	2.1	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15372	*Eucalyptus siderophloia*	Northern Grey Ironbark	160		160	500	9.0	2.0	2.0	1.5	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15373	*Acacia disparrima*	Hickory Wattle	280		280	880	9.0	7.0	3.4	1.9	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15374	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	720	13.0	8.0	2.8	1.8	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15375	*Eucalyptus siderophloia*	Northern Grey Ironbark	310		310	970	16.0	9.0	3.7	2.0	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15376	*Acacia disparrima*	Hickory Wattle	160		160	500	7.0	4.0	2.0	1.5	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15377	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	790	13.0	4.0	3.0	1.8	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15378	*Eucalyptus siderophloia*	Northern Grey Ironbark	150		150	470	10.0	4.0	2.0	1.5	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15379	*Eucalyptus siderophloia*	Northern Grey Ironbark	170		170	530	11.0	4.0	2.0	1.6	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15380	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	690	11.0	3.0	2.6	1.8	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15381	*Eucalyptus siderophloia*	Northern Grey Ironbark	200	180	269	850	13.0	6.0	3.2	1.9	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15382	*Acacia disparrima*	Hickory Wattle	150		150	470	7.0	3.0	2.0	1.5	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15383	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	790	13.0	6.0	3.0	1.8	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15384	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	630	13.0	5.0	2.4	1.7	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15385	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	630	12.0	4.0	2.4	1.7	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15386	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	660	13.0	4.0	2.5	1.7	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15387	*Eucalyptus siderophloia*	Northern Grey Ironbark	170		170	530	8.0	4.0	2.0	1.6	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15388	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	720	12.0	4.0	2.8	1.8	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15389	*Eucalyptus siderophloia*	Northern Grey Ironbark	150		150	470	8.0	2.0	2.0	1.5	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15390	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	880	14.0	7.0	3.4	1.9	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15391	*Eucalyptus siderophloia*	Northern Grey Ironbark	180	170	248	780	8.0	3.0	3.0	1.8	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15392	*Acacia disparrima*	Hickory Wattle	190		190	600	6.0	4.0	2.3	1.6	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15393	*Eucalyptus siderophloia*	Northern Grey Ironbark	190		190	600	10.0	4.0	2.3	1.6	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15394	*Acacia disparrima*	Hickory Wattle	160		160	500	7.0	6.0	2.0	1.5	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15395	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	790	14.0	6.0	3.0	1.8	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15396	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	750	15.0	6.0	2.9	1.8	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15397	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	720	14.0	4.0	2.8	1.8	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15398	*Acacia disparrima*	Hickory Wattle	180		180	570	7.0	4.0	2.2	1.6	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15399	*Acacia disparrima*	Hickory Wattle	220		220	690	8.0	5.0	2.6	1.8	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15400	*Acacia disparrima*	Hickory Wattle	190	160	248	780	8.0	7.0	3.0	1.8	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15401	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	690	11.0	5.0	2.6	1.8	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15402	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	790	10.0	7.0	3.0	1.8	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15403	*Eucalyptus siderophloia*	Northern Grey Ironbark	180		180	570	13.0	4.0	2.2	1.6	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15404	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	820	13.0	8.0	3.1	1.9	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15405	*Eucalyptus siderophloia*	Northern Grey Ironbark	190		190	600	13.0	5.0	2.3	1.6	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15406	*Eucalyptus siderophloia*	Northern Grey Ironbark	160		160	500	13.0	4.0	2.0	1.5	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15407	*Acacia disparrima*	Hickory Wattle	170		170	530	7.0	5.0	2.0	1.6	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15408	*Eucalyptus siderophloia*	Northern Grey Ironbark	180		180	570	15.0	4.0	2.2	1.6	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15409	*Acacia disparrima*	Hickory Wattle	150		150	470	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15410	*Acacia disparrima*	Hickory Wattle	150		150	470	8.0	4.0	2.0	1.5	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
15411	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	790	15.0	8.0	3.0	1.8	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
15412	*Eucalyptus siderophloia*	Northern Grey Ironbark	170		170	530	14.0	2.0	2.0	1.6	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)
15413	*Eucalyptus siderophloia*	Northern Grey Ironbark	190		190	600	13.0	2.0	2.3	1.6	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)

Specimen Details								Canopy Condition Details								Trunk Condition Details								Fauna Details and Habitat Value									
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
15414	*Eucalyptus siderophloia*	Northern Grey Ironbark	190		190	60	13.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
15415	*Eucalyptus siderophloia*	Northern Grey Ironbark	190		190	60	13.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15416	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	10.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15417	*Acacia dispermma*	Hickory Wattle	280		280	88	10.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
15418	*Acacia dispermma*	Hickory Wattle	150		150	47	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
15419	*Acacia dispermma*	Hickory Wattle	160	150, 140	260	82	9.0	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
15420	*Eucalyptus siderophloia*	Northern Grey Ironbark	150		150	47	8.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15421	*Acacia dispermma*	Hickory Wattle	170		170	53	6.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15422	*Eucalyptus siderophloia*	Northern Grey Ironbark	150		150	47	8.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
15423	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	10.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
15424	*Acacia dispermma*	Hickory Wattle	170		170	53	5.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
15425	*Eucalyptus siderophloia*	Northern Grey Ironbark	150		150	47	9.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
15426	*Acacia dispermma*	Hickory Wattle	160		160	50	9.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
15427	*Acacia dispermma*	Hickory Wattle	230		230	72	9.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
15428	*Acacia dispermma*	Hickory Wattle	180	180	255	80	8.0	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15429	*Acacia dispermma*	Hickory Wattle	190		190	60	8.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15430	*Acacia dispermma*	Hickory Wattle	210		210	66	10.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15431	*Acacia dispermma*	Hickory Wattle	190		190	60	7.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
15432	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	15.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
15433	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	16.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
15434	*Acacia dispermma*	Hickory Wattle	230		230	72	9.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
15435	*Acacia dispermma*	Hickory Wattle	250	200	320	101	9.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
15436	*Eucalyptus siderophloia*	Northern Grey Ironbark	160		160	50	11.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCFMP)	
15437	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	12.0	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15438	*Eucalyptus siderophloia*	Northern Grey Ironbark	190		190	60	10.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15439	*Eucalyptus siderophloia*	Northern Grey Ironbark	150		150	47	9.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15440	*Acacia dispermma*	Hickory Wattle	210		210	66	8.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15441	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	10.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15442	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	12.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15443	*Corymbia citriodora*	Spotted Gum	280	160	322	101	14.0	6.0	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15444	*Eucalyptus siderophloia*	Northern Grey Ironbark	160		160	50	8.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15445	*Eucalyptus siderophloia*	Northern Grey Ironbark	170		170	53	10.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15446	*Eucalyptus siderophloia*	Northern Grey Ironbark	160		160	50	8.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15447	*Eucalyptus siderophloia*	Northern Grey Ironbark	170		170	53	8.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15448	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	12.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15449	*Eucalyptus tereticornis*	Forest Red Gum	240		240	75	14.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15450	*Eucalyptus siderophloia*	Northern Grey Ironbark	150		150	47	8.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15451	*Corymbia citriodora*	Spotted Gum	200		200	63	16.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15452	*Corymbia citriodora*	Spotted Gum	200		200	63	15.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15453	*Melaleuca bibyana*	Swamp Tea Tree	250		250	79	5.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15454	*Melaleuca bibyana*	Swamp Tea Tree	160	160	226	71	4.0	5.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15455	*Melaleuca bibyana*	Swamp Tea Tree	180	180	255	80	7.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15456	*Corymbia citriodora*	Spotted Gum	300		300	94	17.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15457	*Corymbia citriodora*	Spotted Gum	300		300	94	16.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15458	*Acacia dispermma*	Hickory Wattle	200	180	269	85	8.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15459	*Eucalyptus siderophloia*	Northern Grey Ironbark	220	160	272	85	14.0	5.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15460	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	15.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15461	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	15.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15462	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	11.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15463	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	16.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15464	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	8.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15465	*Eucalyptus siderophloia*	Northern Grey Ironbark	200	200	283	89	15.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15466	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	13.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15467	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	15.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15468	*Eucalyptus siderophloia*	Northern Grey Ironbark	310		310	97	16.0	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15469	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	14.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15470	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	16.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15471	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	14.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15472	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	12.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15473	*Acacia dispermma*	Hickory Wattle	200		200	63	8.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15474	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	16.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15475	*Eucalyptus moluccana*	Gum-Topped Box	330		330	104	16.0	6.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15476	*Eucalyptus moluccana*	Gum-Topped Box	220		220	69	16.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15477	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	16.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15478	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	16.0	7.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15479	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	17.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15480	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	17.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15481	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	17.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	

Specimen Details								Canopy Condition Details								Trunk Condition Details								Fauna Details and Habitat Value									
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
15482	*Acacia dispartima*	Hickory Wattle	200		200	63	8.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
DEAD/STAG			540		540	170	16.0	3.0	6.5	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	3	-	-	-	Remove	
15484	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	15.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15485	*Acacia dispartima*	Hickory Wattle	220		220	69	9.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15486	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	14.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15487	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	15.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15488	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	14.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15489	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	16.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15490	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	14.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15491	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	14.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15492	*Acacia dispartima*	Hickory Wattle	220		220	69	9.0	7.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15493	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	16.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15494	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	16.0	7.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15495	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	15.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15496	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	15.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15497	*Eucalyptus moluccana*	Gum-topped Box	200		200	63	8.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15498	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	14.0	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15499	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	15.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15500	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	16.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15501	*Eucalyptus moluccana*	Gum-topped Box	230		230	72	14.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15502	*Eucalyptus moluccana*	Gum-topped Box	250		250	79	14.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15503	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	16.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15504	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	16.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15505	*Acacia dispartima*	Hickory Wattle	220		220	69	9.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15506	*Acacia dispartima*	Hickory Wattle	200		200	63	9.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15507	*Acacia dispartima*	Hickory Wattle	220		220	69	9.0	7.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15508	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	15.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15509	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	16.0	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15510	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	16.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15511	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	15.0	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15512	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	14.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15513	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	14.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15514	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	13.0	2.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15515	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	14.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15516	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	15.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15517	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	14.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15518	*Eucalyptus siderophloia*	Northern Grey Ironbark	290		290	91	15.0	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15519	*Eucalyptus siderophloia*	Northern Grey Ironbark	310		310	97	16.0	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15520	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	16.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15521	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	15.0	7.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15522	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	15.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15523	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	16.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15524	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	16.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15525	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	16.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15526	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	16.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15527	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	16.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15528	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	16.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15529	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	14.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15530	*Acacia dispartima*	Hickory Wattle	200	190, 190	335	105	10.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15531	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	17.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15532	*Eucalyptus siderophloia*	Northern Grey Ironbark	320		320	101	16.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15533	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	17.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15534	*Eucalyptus siderophloia*	Northern Grey Ironbark	340		340	107	16.0	6.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15535	*Eucalyptus siderophloia*	Northern Grey Ironbark	350		350	110	16.0	8.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15536	*Eucalyptus siderophloia*	Northern Grey Ironbark	310		310	97	16.0	5.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15537	*Eucalyptus siderophloia*	Northern Grey Ironbark	320		320	101	16.0	5.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15538	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	16.0	4.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15539	*Acacia dispartima*	Hickory Wattle	300		300	94	9.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15540	*Acacia dispartima*	Hickory Wattle	240		240	75	7.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15541	*Eucalyptus siderophloia*	Northern Grey Ironbark	350		350	110	16.0	8.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15542	*Acacia dispartima*	Hickory Wattle	230	180	292	92	12.0	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15543	*Acacia dispartima*	Hickory Wattle	220		220	69	8.0	8.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15544	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	15.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15545	*Acacia dispartima*	Hickory Wattle	200	180, 160	313	98	7.0	5.0	3.8	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15546	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	16.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15547	*Acacia dispartima*	Hickory Wattle	240		240	75	8.0	7.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15548	*Acacia dispartima*	Hickory Wattle	270	260, 190	420	132	9.0	8.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15549	*Acacia dispartima*	Hickory Wattle	230	200, 180	354	111	9.0	8.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	

				Specimen Details								Canopy Condition Details								Trunk Condition Details						Fauna Details and Habitat Value									
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
15550	*Acacia dispermma*	Hickory Wattle	300		300	94	9.0	7.0	3.6	2.1	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	-	Remove
15551	*Acacia dispermma*	Hickory Wattle	250	220	333	105	10.0	8.0	4.0	2.1	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	-	Remove
15552	*Acacia dispermma*	Hickory Wattle	200	160	256	80	9.0	7.0	3.1	1.9	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	-	Remove
15553	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	14.0	5.0	2.5	1.7	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	-	Remove
15554	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	16.0	6.0	2.9	1.8	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	-	Remove
15555	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	15.0	6.0	2.4	1.7	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	-	Remove
15556	*Acacia dispermma*	Hickory Wattle	260		260	82	9.0	7.0	3.1	1.9	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	-	Remove
15557	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	16.0	6.0	3.0	1.8	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	-	Remove
15558	*Acacia dispermma*	Hickory Wattle	220	220	311	98	9.0	8.0	3.7	2.0	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	-	Remove
15559	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	14.0	5.0	2.4	1.7	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	-	Remove
15560	*Acacia dispermma*	Hickory Wattle	200		200	63	10.0	5.0	2.4	1.7	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	-	Remove
15561	*Corymbia citriodora*	Spotted Gum	230		230	72	14.0	7.0	2.8	1.8	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	-	Remove
15562	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	15.0	6.0	3.0	1.8	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	-	Remove (Stage 1 VCFMP)
15563	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	16.0	4.0	2.8	1.8	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	-	Remove
15564	*Corymbia citriodora*	Spotted Gum	310	150	344	108	18.0	8.0	4.1	2.1	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	-	Remove
15565	*Eucalyptus tereticornis*	Forest Red Gum	250		250	79	14.0	5.0	3.0	1.8	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	-	Remove
15566	*Acacia dispermma*	Hickory Wattle	290	220, 180	406	128	9.0	8.0	4.9	2.3	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	-	Remove
15567	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	15.0	6.0	3.6	2.0	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	-	Remove
15568	*Eucalyptus maliccana*	Gum-topped Box	200		200	63	14.0	5.0	2.4	1.7	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	-	Remove
15569	*Eucalyptus maliccana*	Gum-topped Box	310		310	97	16.0	5.0	3.7	2.0	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	-	Remove
15570	*Acacia dispermma*	Hickory Wattle	300		300	94	8.0	7.0	3.6	2.0	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	-	Remove
15571	*Eucalyptus tereticornis*	Forest Red Gum	250		250	79	15.0	4.0	3.0	1.8	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	-	Remove
15572	*Eucalyptus maliccana*	Gum-topped Box	380	360	523	164	17.0	7.0	6.3	2.5	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	-	Remove
15573	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	16.0	4.0	3.0	1.8	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	-	Remove
15574	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	14.0	4.0	2.6	1.8	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	-	Remove
15575	*Eucalyptus maliccana*	Gum-topped Box	200	170	262	82	15.0	5.0	3.1	1.9	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	-	Remove
15576	*Acacia dispermma*	Hickory Wattle	250		250	79	8.0	7.0	3.0	1.8	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	-	Remove
15577	*Eucalyptus maliccana*	Gum-topped Box	280		280	88	15.0	8.0	3.4	1.9	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	-	Remove
15578	*Acacia dispermma*	Hickory Wattle	220		220	69	16.0	8.0	2.6	1.8	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	-	Remove
15579	*Acacia dispermma*	Hickory Wattle	300		300	94	11.0	9.0	3.6	2.0	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	-	Remove
15580	*Acacia dispermma*	Hickory Wattle	240	180	300	94	9.0	7.0	3.6	2.0	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	-	Remove
15581	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	15.0	6.0	3.2	1.9	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	-	Remove
15582	*Eucalyptus siderophloia*	Northern Grey Ironbark	290		290	91	17.0	6.0	3.5	2.0	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	-	Remove
15583	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	15.0	4.0	2.4	1.7	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	-	Remove
15584	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	15.0	4.0	3.0	1.8	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	-	Remove
15585	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	15.0	3.0	2.6	1.8	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	-	Remove
15586	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	17.0	6.0	3.5	2.0	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	-	Remove
15587	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	17.0	6.0	3.2	1.9	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	-	Remove
15588	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	16.0	7.0	2.6	1.8	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	-	Remove
15589	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	14.0	4.0	2.8	1.8	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	-	Remove
15590	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	16.0	7.0	3.2	1.9	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	-	Remove
15591	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	12.0	4.0	2.4	1.7	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	-	Remove
15592	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	12.0	5.0	2.9	1.8	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	-	Remove
15593	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	15.0	6.0	3.6	2.0	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	-	Remove
15594	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	14.0	5.0	2.4	1.7	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	-	Remove
15595	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	16.0	5.0	2.6	1.8	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	-	Remove
15596	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	9.0	4.0	2.4	1.7	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	-	Remove
15597	*Acacia dispermma*	Hickory Wattle	220		220	69	8.0	7.0	2.6	1.8	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	-	Remove
15598	*Acacia dispermma*	Hickory Wattle	220	160	272	85	9.0	8.0	3.3	1.9	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	-	Remove
15599	*Acacia dispermma*	Hickory Wattle	200	200	283	89	9.0	8.0	3.4	1.9	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	-	Remove
15600	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	9.0	4.0	2.4	1.7	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	-	Remove
15601	*Eucalyptus tereticornis*	Forest Red Gum	200		200	63	15.0	3.0	2.4	1.7	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	-	Remove
15602	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	10.0	4.0	2.4	1.7	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	-	Remove
15603	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	13.0	4.0	3.4	1.9	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	-	Remove
15604	*Eucalyptus siderophloia*	Northern Grey Ironbark	280	160	322	101	16.0	6.0	3.9	2.1	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	-	Remove
15605	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	15.0	6.0	3.4	1.9	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	-	Remove
15606	*Eucalyptus tereticornis*	Forest Red Gum	300		300	94	14.0	7.0	3.6	2.0	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	-	Remove
15607	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	15.0	6.0	2.8	1.8	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	-	Remove
15608	*Acacia dispermma*	Hickory Wattle	200		200	63	9.0	6.0	2.4	1.7	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	-	Remove
15609	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	16.0	4.0	2.8	1.8	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	-	Remove
15610	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	16.0	5.0	2.8	1.8	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	-	Remove
15611	*Acacia dispermma*	Hickory Wattle	260	200	328	103	9.0	5.0	3.9	2.1	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	-	Remove
15612	*Acacia dispermma*	Hickory Wattle	300		300	94	10.0	9.0	3.6	2.0	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	-	Remove
15613	*Eucalyptus maliccana*	Gum-topped Box	200		200	63	10.0	4.0	2.4	1.7	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	-	Remove
15614	*Eucalyptus maliccana*	Gum-topped Box	250		250	79	13.0	6.0	3.0	1.8	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	-	Remove
15615	*Eucalyptus siderophloia*	Northern Grey Ironbark	350		350	110	14.0	7.0	4.2	2.1	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	-	Remove
15616	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	16.0	7.0	3.1	1.9	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	-	Remove
15617	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	15.0	5.0	3.1	1.9	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	-	Remove

Specimen Details										Canopy Condition Details										Trunk Condition Details										Fauna Details and Habitat Value											
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
15618	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	15.0	6.0	3.1	1.9	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15619	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	16.0	5.0	3.2	1.9	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15620	*Acacia disparrima*	Hickory Wattle	200		200	63	8.0	4.0	2.4	1.7	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15621	*Acacia disparrima*	Hickory Wattle	240		240	75	8.0	7.0	2.9	1.8	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15622	*Acacia disparrima*	Hickory Wattle	300		300	94	8.0	7.0	3.6	2.0	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15623	*Corymbia citriodora*	Spotted Gum	240		240	75	15.0	5.0	2.9	1.8	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15624	*Eucalyptus moluccana*	Gum-topped Box	300		300	94	16.0	5.0	3.6	2.0	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15625	*Acacia disparrima*	Hickory Wattle	220		220	69	11.0	5.0	2.6	1.8	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15626	*Eucalyptus moluccana*	Gum-topped Box	200		200	63	14.0	4.0	2.4	1.7	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15627	*Eucalyptus moluccana*	Gum-topped Box	280		280	88	15.0	7.0	3.4	1.9	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15628	*Eucalyptus moluccana*	Gum-topped Box	290		290	91	15.0	6.0	3.5	2.0	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15629	*Eucalyptus moluccana*	Gum-topped Box	200		200	63	12.0	4.0	2.4	1.7	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15630	*Corymbia citriodora*	Spotted Gum	240		240	75	15.0	4.0	2.9	1.8	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15631	*Eucalyptus moluccana*	Gum-topped Box	250		250	79	15.0	4.0	3.0	1.8	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15632	*Corymbia citriodora*	Spotted Gum	240		240	75	15.0	5.0	2.9	1.8	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15633	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	13.0	4.0	2.5	1.7	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15634	*Corymbia citriodora*	Spotted Gum	240		240	75	16.0	5.0	2.9	1.8	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15635	*Corymbia citriodora*	Spotted Gum	270		270	85	16.0	5.0	3.2	1.9	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15636	*Eucalyptus moluccana*	Gum-topped Box	220		220	69	14.0	5.0	2.6	1.8	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15637	*Eucalyptus moluccana*	Gum-topped Box	280		280	88	17.0	6.0	3.4	1.9	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15638	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	12.0	5.0	2.4	1.7	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15639	*Corymbia citriodora*	Spotted Gum	200		200	63	16.0	4.0	2.4	1.7	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15640	*Eucalyptus moluccana*	Gum-topped Box	200		200	63	15.0	4.0	2.4	1.7	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15641	*Corymbia citriodora*	Spotted Gum	230		230	72	15.0	4.0	2.8	1.8	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15642	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	10.0	4.0	2.4	1.7	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15643	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	14.0	4.0	2.6	1.8	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15644	*Corymbia citriodora*	Spotted Gum	270		270	85	17.0	6.0	3.2	1.9	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCF-MP)	
15645	*Corymbia citriodora*	Spotted Gum	210		210	66	16.0	5.0	2.5	1.7	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove (Stage 1 VCF-MP)	
15646	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	12.0	3.0	2.4	1.7	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15647	*Eucalyptus siderophloia*	Northern Grey Ironbark	250	160	256	80	8.0	7.0	3.1	1.9	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15648	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	14.0	6.0	3.2	1.9	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15649	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	14.0	7.0	3.2	1.9	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15650	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	13.0	5.0	2.6	1.8	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15651	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	13.0	6.0	2.6	1.8	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15652	*Eucalyptus moluccana*	Gum-topped Box	290		290	91	15.0	7.0	3.5	2.0	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15653	*Corymbia citriodora*	Spotted Gum	260		260	82	14.0	5.0	3.1	1.9	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15654	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	14.0	8.0	3.0	1.8	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15655	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	14.0	6.0	2.8	1.8	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15656	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	14.0	8.0	3.0	1.8	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15657	*Acacia disparrima*	Hickory Wattle	200	160	256	80	8.0	7.0	3.1	1.9	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15658	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	14.0	6.0	3.2	1.9	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15659	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	14.0	7.0	3.2	1.9	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15660	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	13.0	5.0	2.6	1.8	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15661	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	13.0	6.0	2.6	1.8	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15662	*Eucalyptus siderophloia*	Northern Grey Ironbark	290		290	91	15.0	7.0	3.5	2.0	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15663	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	14.0	5.0	3.1	1.9	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15664	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	12.0	4.0	2.4	1.7	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15665	*Eucalyptus siderophloia*	Northern Grey Ironbark	320		320	101	15.0	6.0	3.8	2.1	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15666	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	14.0	4.0	2.9	1.8	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15667	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	14.0	2.0	2.4	1.7	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15668	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	14.0	3.0	2.6	1.8	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15669	*Eucalyptus siderophloia*	Northern Grey Ironbark	350		350	110	15.0	7.0	4.2	2.1	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15670	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	16.0	4.0	2.9	1.8	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15671	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	15.0	4.0	2.6	1.8	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15672	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	15.0	4.0	2.6	1.8	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15673	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	13.0	4.0	2.4	1.7	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15674	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	15.0	4.0	2.6	1.8	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15675	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	16.0	5.0	2.6	1.8	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15676	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	15.0	5.0	2.9	1.8	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15677	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	15.0	5.0	2.6	1.8	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15678	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	16.0	7.0	2.9	1.8	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15679	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	16.0	5.0	3.1	1.9	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15680	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	17.0	5.0	2.6	1.8	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15681	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	16.0	3.0	2.4	1.7	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15682	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	16.0	4.0	2.4	1.7	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15683	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	17.0	7.0	3.1	1.9	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15684	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	15.0	5.0	2.6	1.8	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15685	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	16.0	7.0	3.0	1.8	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	

Tree ID	Specimen Details								Canopy Condition Details								Trunk Condition Details								Fauna Details and Habitat Value									
	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
15686	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	14.0	7.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15687	*Eucalyptus moluccana*	Gum-topped box	270		270	85	16.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15688	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	16.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15689	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	16.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15690	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	15.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15691	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	17.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15692	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	16.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15693	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	17.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15694	*Acacia disparrima*	Hickory Wattle	200		200	63	11.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15695	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	15.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15696	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	14.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15697	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	15.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15698	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	16.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15699	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	16.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15700	*Eucalyptus siderophloia*	Northern Grey Ironbark	290		290	91	17.0	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15701	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	13.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15702	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	13.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15703	*Acacia disparrima*	Hickory Wattle	200		200	63	8.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15704	*Eucalyptus siderophloia*	Northern Grey Ironbark	480		480	151	17.0	8.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15705	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	16.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15706	*Eucalyptus siderophloia*	Northern Grey Ironbark	200	180	269	85	16.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15707	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	15.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15708	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	16.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15709	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	17.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15710	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	16.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15711	*Eucalyptus siderophloia*	Northern Grey Ironbark	200	180	269	85	15.0	4.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15712	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	17.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15713	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	17.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15714	*Eucalyptus moluccana*	Gum-topped box	220		220	69	17.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15715	*Acacia disparrima*	Hickory Wattle	200		200	63	9.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15716	*Corymbia citriodora*	Spotted Gum	220		220	69	14.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15717	*Corymbia citriodora*	Spotted Gum	360		360	113	18.0	8.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15718	*Corymbia citriodora*	Spotted Gum	220		220	69	16.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15719	*Corymbia citriodora*	Spotted Gum	200		200	63	16.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15720	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	14.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15721	*Corymbia citriodora*	Spotted Gum	270		270	85	22.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15722	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	13.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15723	*Eucalyptus siderophloia*	Northern Grey Ironbark	375		375	118	18.0	8.0	4.5	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15724	*Eucalyptus siderophloia*	Northern Grey Ironbark	320		320	101	17.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15725	*Eucalyptus siderophloia*	Northern Grey Ironbark	360		360	113	17.0	8.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15726	*Melaleuca bypnum*	Swamp Tea Tree	200	180, 160, 170, 130, 180	420	132	6.0	7.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15727	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	17.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15728	*Acacia disparrima*	Hickory Wattle	200		200	63	6.0	5.0	2.4	1.7	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15729	*Eucalyptus moluccana*	Gum-topped box	340		340	107	19.0	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15730	*Eucalyptus moluccana*	Gum-topped box	220		220	69	17.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15731	*Eucalyptus moluccana*	Gum-topped box	330		330	104	19.0	10.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15732	*Eucalyptus moluccana*	Gum-topped box	265		265	83	17.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15733	*Acacia disparrima*	Hickory Wattle	260		260	82	9.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15734	*Eucalyptus siderophloia*	Northern Grey Ironbark	485		485	152	23.0	11.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15735	*Corymbia citriodora*	Spotted Gum	235		235	74	18.0	3.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15736	*Corymbia citriodora*	Spotted Gum	240		240	75	18.0	4.0	2.9	-	Thinning	-	Epicormic	-	Poor	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15737	*Corymbia citriodora*	Spotted Gum	210		210	66	18.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15738	*Corymbia citriodora*	Spotted Gum	230		230	72	19.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15739	*Corymbia citriodora*	Spotted Gum	465		465	146	19.0	6.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
15740	*Corymbia citriodora*	Spotted Gum	220		220	69	17.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Tevior Road application	
15741	*Corymbia citriodora*	Spotted Gum	560		560	176	26.0	12.0	6.7	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15742	*Eucalyptus moluccana*	Gum-topped box	585		585	184	26.0	12.0	7.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Tevior Road application	
15743	*Corymbia citriodora*	Spotted Gum	370		370	116	19.0	7.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15744	*Eucalyptus tereticornis*	Forest Red Gum	200		200	63	13.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15745	*Eucalyptus moluccana*	Gum-topped box	220		220	69	17.0	6.0	2.6	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15746	*Eucalyptus tereticornis*	Forest Red Gum	250		250	79	16.0	6.0	3.0	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15747	*Eucalyptus moluccana*	Gum-topped box	600		600	188	26.0	12.0	7.2	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15748	*Eucalyptus moluccana*	Gum-topped box	460		460	145	23.0	9.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Refer Tevior Road application	
15749	*Eucalyptus moluccana*	Gum-topped box	250		250	79	18.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15750	*Corymbia citriodora*	Spotted Gum	410		410	129	26.0	9.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15751	*Corymbia citriodora*	Spotted Gum	265		265	83	21.0	5.0	3.2	1.9	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15752	*Eucalyptus siderophloia*	Northern Grey Ironbark	500		500	157	23.0	11.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15753	*Corymbia citriodora*	Spotted Gum	400		400	126	22.0	9.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	

Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
15754	*Eucalyptus moluccana*	Gum-topped Box	230		230	72	16.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15755	*Eucalyptus crebra*	Narrow-leaved Red Ironbark	350		350	110	20.0	6.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15756	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	18.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15757	*Corymbia citriodora*	Spotted Gum	270		270	85	22.0	6.0	4.0	1.9	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15758	*Corymbia citriodora*	Spotted Gum	320		320	101	19.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Tevior Road application	
15759	*Eucalyptus moluccana*	Spotted Gum	440		440	138	23.0	5.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15760	*Eucalyptus crebra*	Narrow-leaved Red Ironbark	275		275	86	19.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15761	*Corymbia citriodora*	Spotted Gum	310		310	97	24.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15762	*Eucalyptus moluccana*	Gum-topped Box	340		340	107	24.0	9.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15763	*Corymbia citriodora*	Spotted Gum	330		330	104	24.0	6.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15764	*Eucalyptus moluccana*	Gum-topped Box	200		200	63	14.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15765	*Corymbia citriodora*	Spotted Gum	200		200	63	17.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15766	*Corymbia citriodora*	Spotted Gum			490	154	27.0	12.0	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15767	**DEAD/STAG**		430		430	135	25.0	7.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15768	*Corymbia citriodora*	Spotted Gum	460		460	145	23.0	11.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15769	*Corymbia citriodora*	Spotted Gum	260		260	82	19.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15770	*Corymbia citriodora*	Spotted Gum	430		430	135	27.0	12.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15771	*Eucalyptus siderophloia*	Northern Grey Ironbark	490		490	154	23.0	9.0	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15772	*Corymbia citriodora*	Spotted Gum	620		620	195	26.0	11.0	7.4	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15773	*Eucalyptus crebra*	Narrow-leaved Red Ironbark	275		275	86	21.0	7.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15774	*Corymbia citriodora*	Spotted Gum	265		265	83	17.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15775	*Corymbia citriodora*	Spotted Gum	440		440	138	27.0	11.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Tevior Road application	
15776	*Eucalyptus moluccana*	Gum-topped Box	220		220	69	14.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Tevior Road application	
15777	*Corymbia citriodora*	Spotted Gum	440		440	138	25.0	12.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Tevior Road application	
15778	*Corymbia citriodora*	Spotted Gum	400		400	126	26.0	9.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Tevior Road application	
15779	*Corymbia citriodora*	Spotted Gum	265		265	83	21.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15780	*Corymbia citriodora*	Spotted Gum	280		280	88	17.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Tevior Road application	
15781	*Corymbia citriodora*	Spotted Gum	460		460	145	25.0	11.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Tevior Road application	
15782	*Corymbia citriodora*	Spotted Gum	470		470	148	26.0	11.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15783	*Eucalyptus moluccana*	Gum-topped Box	360		360	113	22.0	9.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15784	*Corymbia citriodora*	Spotted Gum	400		400	126	17.0	11.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15785	*Corymbia citriodora*	Spotted Gum	200		200	63	17.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15786	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	19.0	7.0	3.2	1.9	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Tevior Road application	
15787	*Corymbia citriodora*	Spotted Gum	260	160, 210	371	116	19.0	5.0	4.4	2.2	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Tevior Road application	
15788	*Eucalyptus siderophloia*	Northern Grey Ironbark	380		380	119	22.0	9.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Tevior Road application	
15789	*Corymbia citriodora*	Spotted Gum	440		440	138	26.0	9.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Tevior Road application	
15790	*Corymbia citriodora*	Spotted Gum	290		290	91	21.0	8.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Tevior Road application	
15791	*Corymbia citriodora*	Spotted Gum	350		350	110	21.0	9.0	4.2	2.1	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15792	*Eucalyptus tereticornis*	Forest Red Gum	340		340	107	22.0	6.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15793	*Eucalyptus siderophloia*	Northern Grey Ironbark	265		265	83	18.0	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15794	*Corymbia citriodora*	Spotted Gum	220		220	69	17.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15795	*Corymbia citriodora*	Spotted Gum	560		560	176	28.0	12.0	6.7	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15796	*Corymbia citriodora*	Spotted Gum	300		300	94	21.0	9.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15797	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	16.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Tevior Road application	
15798	*Corymbia citriodora*	Spotted Gum	285		285	90	23.0	9.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Tevior Road application	
15799	*Corymbia citriodora*	Spotted Gum	270		270	85	18.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Tevior Road application	
15800	*Eucalyptus siderophloia*	Northern Grey Ironbark	390		390	123	23.0	11.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Refer Tevior Road application	
15801	**DEAD/STAG**		560		560	176	5.0	1.0	6.7	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15802	*Eucalyptus moluccana*	Gum-topped Box	260		260	82	17.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15803	*Eucalyptus tereticornis*	Forest Red Gum	270		270	85	19.0	7.0	3.2	1.9	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15804	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	19.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15805	*Eucalyptus siderophloia*	Northern Grey Ironbark	420		420	132	23.0	11.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15806	**DEAD/STAG**		340		340	107	22.0	5.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15807	*Eucalyptus crebra*	Narrow-leaved Red Ironbark	210		210	66	18.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15808	*Eucalyptus moluccana*	Gum-topped Box	230		230	72	17.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15809	*Corymbia citriodora*	Spotted Gum	240		240	75	21.0	7.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Tevior Road application	
15810	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	17.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	Minor	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Refer Tevior Road application	
15811	*Corymbia citriodora*	Spotted Gum	340		340	107	25.0	11.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Tevior Road application	
15812	*Corymbia citriodora*	Spotted Gum	580		580	182	27.0	14.0	7.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15813	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	17.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15814	*Corymbia citriodora*	Spotted Gum	240		240	75	18.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15815	*Corymbia citriodora*	Spotted Gum	200		200	63	18.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15816	*Corymbia citriodora*	Spotted Gum	200		200	63	21.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15817	*Corymbia citriodora*	Spotted Gum	200		200	63	21.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15818	*Corymbia citriodora*	Spotted Gum	230		230	72	21.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15819	*Corymbia citriodora*	Spotted Gum	240		240	75	23.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15820	*Corymbia citriodora*	Spotted Gum	200		200	63	19.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15821	*Corymbia citriodora*	Spotted Gum	210		210	66	21.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15784	*Corymbia citriodora*	Spotted Gum	400		400	126	17.0	11.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	

Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
			Specimen Details								Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value								
15822	*Corymbia citriodora*	Spotted Gum	210		210	66	21.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15823	*Eucalyptus moluccana*	Gum-topped box	220		220	69	17.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15824	*Eucalyptus crebra*	Narrow-leaved Red Ironbark	275		275	86	18.0	5.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15825	*Angophora leiocarpa*	Smooth-barked Apple	205		205	64	17.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15826	*Eucalyptus crebra*	Narrow-leaved Red Ironbark	230		230	72	17.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15827	*Eucalyptus tereticornis*	Forest Red Gum	200		200	63	16.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15828	*Eucalyptus tereticornis*	Forest Red Gum	210		210	66	16.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
15829	*Corymbia citriodora*	Spotted Gum	300		300	94	21.0	6.0	3.6	2.0	One-sided	-	-	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
15830	*Corymbia citriodora*	Spotted Gum	240		240	75	18.0	3.0	2.9	1.8	Regular	-	-	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
15831	*Corymbia citriodora*	Spotted Gum	320		320	101	23.0	9.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
15832	*Corymbia citriodora*	Spotted Gum	360		360	113	22.0	8.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
15833	*Corymbia citriodora*	Spotted Gum	590		590	185	29.0	14.0	7.1	2.7	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
15834	*Corymbia citriodora*	Spotted Gum	220		220	69	17.0	5.0	2.6	1.8	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15835	**DEAD/STAG**		520		520	163	22.0	9.0	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15836	*Eucalyptus crebra*	Narrow-leaved Red Ironbark	200		200	63	14.0	2.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15837	*Eucalyptus tereticornis*	Forest Red Gum	280		280	88	21.0	9.0	3.4	1.9	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15838	*Corymbia citriodora*	Spotted Gum	600		600	188	28.0	12.0	7.2	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15839	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	13.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15840	*Corymbia citriodora*	Spotted Gum	320		320	101	22.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15841	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	17.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15842	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	17.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15843	*Corymbia citriodora*	Spotted Gum	220		220	69	19.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15844	*Corymbia citriodora*	Spotted Gum	210		210	66	17.0	4.0	2.5	1.7	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15845	*Corymbia citriodora*	Spotted Gum	390		390	123	23.0	11.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15846	*Corymbia citriodora*	Spotted Gum	470		470	148	27.0	11.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
15847	*Corymbia citriodora*	Spotted Gum	220		220	69	18.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
15848	*Corymbia citriodora*	Spotted Gum	460		460	145	28.0	11.0	5.5	2.4	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15849	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	17.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15850	*Corymbia citriodora*	Spotted Gum	380		380	119	23.0	9.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15851	*Corymbia citriodora*	Spotted Gum	230		230	72	22.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15852	*Corymbia citriodora*	Spotted Gum	520		520	163	26.0	11.0	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15853	*Corymbia citriodora*	Spotted Gum	480		480	151	28.0	9.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15854	*Corymbia citriodora*	Spotted Gum	470		470	148	26.0	11.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	Trunk Dmg.	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
15855	*Corymbia citriodora*	Spotted Gum	390		390	123	25.0	11.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15856	*Corymbia citriodora*	Spotted Gum	465		465	146	27.0	11.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15857	*Corymbia citriodora*	Spotted Gum	240		240	75	19.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15858	*Eucalyptus siderophloia*	Northern Grey Ironbark	390		390	123	26.0	9.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15859	*Corymbia citriodora*	Spotted Gum	250	210	326	103	21.0	9.0	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15860	*Corymbia citriodora*	Spotted Gum	485		485	152	25.0	14.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15861	*Corymbia citriodora*	Spotted Gum	200		200	63	19.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15862	*Corymbia citriodora*	Spotted Gum	270		270	85	19.0	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15863	*Corymbia citriodora*	Spotted Gum	275		275	86	23.0	8.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
15864	*Corymbia citriodora*	Spotted Gum	385		385	121	19.0	10.0	4.5	2.2	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15865	*Corymbia citriodora*	Spotted Gum	255		255	80	22.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15866	*Corymbia citriodora*	Spotted Gum	680		680	214	29.0	14.0	8.2	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
15867	*Corymbia citriodora*	Spotted Gum	385		385	121	22.0	9.0	4.5	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15868	**DEAD/STAG**		700		700	220	30.0	11.0	8.4	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	3	-	-	-	Remove	
15869	*Corymbia citriodora*	Spotted Gum	380		380	119	26.0	9.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15870	*Corymbia citriodora*	Spotted Gum	310		310	97	23.0	9.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15871	*Corymbia citriodora*	Spotted Gum	600		600	188	26.0	11.0	7.2	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15872	**DEAD/STAG**		460		460	145	22.0	5.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15873	*Eucalyptus siderophloia*	Northern Grey Ironbark	520		520	163	27.0	9.0	6.2	2.5	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15874	*Eucalyptus siderophloia*	Northern Grey Ironbark	440		440	138	28.0	9.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15875	*Eucalyptus siderophloia*	Northern Grey Ironbark	460		460	145	24.0	9.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15876	*Corymbia citriodora*	Spotted Gum	220		220	69	19.0	7.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15877	*Corymbia citriodora*	Spotted Gum	265		265	83	19.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15878	*Corymbia citriodora*	Spotted Gum	530		530	167	28.0	12.0	6.4	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15879	**DEAD/STAG**		300		300	94	21.0	3.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15880	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	21.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15881	*Eucalyptus siderophloia*	Northern Grey Ironbark	390		390	123	23.0	10.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15882	*Corymbia citriodora*	Spotted Gum	540		540	170	27.0	12.0	6.5	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15883	*Corymbia citriodora*	Spotted Gum	440		440	138	29.0	13.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15884	*Corymbia citriodora*	Spotted Gum	225		225	71	21.0	7.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15885	*Corymbia citriodora*	Spotted Gum	265		265	83	22.0	9.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15886	*Corymbia citriodora*	Spotted Gum	230		230	72	22.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15887	*Corymbia citriodora*	Spotted Gum	200		200	63	18.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15888	*Corymbia citriodora*	Spotted Gum	270		270	85	20.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15889	*Corymbia citriodora*	Spotted Gum	200		200	63	19.0	1.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	

Specimen Details									Canopy Condition Details								Trunk Condition Details						Fauna Details and Habitat Value							Additional Notes
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	
15890	*Corymbia citriodora*	Spotted Gum	275								Regular	-	Thinning	Die-back			Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15891	**DEAD/STAG**		410								Regular	-	-	-			Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
15892	*Corymbia citriodora*	Spotted Gum	420								Regular	-	-	-			Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15893	*Corymbia citriodora*	Spotted Gum	390								Regular	-	-	-			Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15894	*Eucalyptus siderophloia*	Northern Grey Ironbark	275								One-sided	-	-	-			Typical	Minor	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
15895	*Corymbia citriodora*	Spotted Gum	260								Regular	-	-	-			Typical	Minor	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15896	*Corymbia citriodora*	Spotted Gum	395								Regular	-	-	-			Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15897	*Corymbia citriodora*	Spotted Gum	385								Regular	-	-	-			Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15898	*Corymbia citriodora*	Spotted Gum	545								Regular	-	-	-			Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15899	*Corymbia citriodora*	Spotted Gum	510								Regular	-	-	-			Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15900	*Eucalyptus siderophloia*	Northern Grey Ironbark	485								Regular	-	-	-			Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15901	**DEAD/STAG**		270								Regular	-	-	-			Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15902	*Eucalyptus siderophloia*	Northern Grey Ironbark	445								Regular	-	-	-			Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15903	*Eucalyptus siderophloia*	Northern Grey Ironbark	380								Regular	-	-	-			Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15904	*Corymbia citriodora*	Spotted Gum	230								Regular	-	-	-			Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15905	*Corymbia citriodora*	Spotted Gum	220								Regular	-	-	-			Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15906	*Corymbia citriodora*	Spotted Gum	260								Regular	-	-	-			Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15907	*Corymbia citriodora*	Spotted Gum	200								Regular	-	-	-			Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15908	*Corymbia citriodora*	Spotted Gum	260								Regular	-	-	-			Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15909	*Eucalyptus siderophloia*	Northern Grey Ironbark	500								Regular	-	-	-			Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15910	*Eucalyptus siderophloia*	Northern Grey Ironbark	390								Regular	-	-	-			Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15911	*Corymbia citriodora*	Spotted Gum	460								Regular	-	-	-			Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15912	*Corymbia citriodora*	Spotted Gum	280								Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15913	*Corymbia citriodora*	Spotted Gum	260								Regular	-	-	-			Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15914	*Corymbia citriodora*	Spotted Gum	360								Regular	-	-	-			Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
15915	*Corymbia citriodora*	Spotted Gum	325								Regular	-	-	-			Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
15916	*Corymbia citriodora*	Spotted Gum	270								Regular	-	-	-			Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
15917	*Corymbia citriodora*	Spotted Gum	250								Regular	-	-	-			Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
15918	*Corymbia citriodora*	Spotted Gum	330								Regular	-	-	-			Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15919	*Corymbia citriodora*	Spotted Gum	340								Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15920	*Corymbia citriodora*	Spotted Gum	280								Regular	-	-	-			Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15921	*Corymbia citriodora*	Spotted Gum	480								Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15922	*Eucalyptus siderophloia*	Northern Grey Ironbark	255								Regular	-	-	-			Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15923	*Eucalyptus siderophloia*	Northern Grey Ironbark	200								Regular	-	-	-			Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
15924	*Eucalyptus moluccana*	Gum-topped Box	290								Regular	-	-	-			Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15925	*Corymbia citriodora*	Spotted Gum	400								Regular	-	Thinning	Die-back			Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15926	*Eucalyptus siderophloia*	Northern Grey Ironbark	230								One-sided	-	-	-			Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15927	*Eucalyptus siderophloia*	Northern Grey Ironbark	230								Regular	-	-	-			Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
15928	*Corymbia citriodora*	Spotted Gum	240								Regular	-	-	-			Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
15929	*Corymbia citriodora*	Spotted Gum	285								Regular	-	-	-			Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
15930	*Angophora leiocarpa*	Smooth-barked Apple	310								Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
15931	*Eucalyptus siderophloia*	Northern Grey Ironbark	230								Regular	-	-	-			Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Refer Teviot Road application	
15932	*Eucalyptus moluccana*	Gum-topped Box	290								Regular	-	-	-			Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15933	*Eucalyptus siderophloia*	Northern Grey Ironbark	310								Regular	-	-	-			Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15934	*Corymbia intermedia*	Pink Bloodwood	200								Regular	-	-	-			Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15935	*Corymbia citriodora*	Spotted Gum	285								Regular	-	Thinning	Die-back			Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15936	*Eucalyptus siderophloia*	Northern Grey Ironbark	220								One-sided	-	-	-			Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15937	*Eucalyptus siderophloia*	Northern Grey Ironbark	255								Regular	-	-	-			Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15938	*Eucalyptus siderophloia*	Northern Grey Ironbark	440								Regular	-	-	-			Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15939	*Eucalyptus siderophloia*	Northern Grey Ironbark	420								Regular	-	-	-			Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15940	*Corymbia citriodora*	Spotted Gum	420								Regular	-	-	-			Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15941	*Eucalyptus siderophloia*	Northern Grey Ironbark	420								Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15942	*Corymbia intermedia*	Pink Bloodwood	200								Regular	-	-	-			Typical	Minor	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15943	*Eucalyptus siderophloia*	Northern Grey Ironbark	300								Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15944	*Eucalyptus siderophloia*	Northern Grey Ironbark	420								Regular	-	-	-			Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15945	*Eucalyptus siderophloia*	Northern Grey Ironbark	460								Regular	-	-	-			Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15946	*Eucalyptus siderophloia*	Northern Grey Ironbark	285								Regular	-	-	-			Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15947	*Corymbia citriodora*	Spotted Gum	365								Regular	-	-	-			Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15948	*Corymbia intermedia*	Pink Bloodwood	230								Regular	-	-	-			Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15949	*Eucalyptus siderophloia*	Northern Grey Ironbark	210								Regular	-	-	-			Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15950	*Eucalyptus siderophloia*	Northern Grey Ironbark	260								Regular	-	-	-			Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15951	*Eucalyptus siderophloia*	Northern Grey Ironbark	200								Regular	-	-	-			Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15952	*Eucalyptus siderophloia*	Northern Grey Ironbark	220								Regular	-	-	-			Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15953	*Eucalyptus siderophloia*	Northern Grey Ironbark	220								Regular	-	-	-			Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15954	*Eucalyptus siderophloia*	Northern Grey Ironbark	220								Regular	-	-	-			Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15955	*Eucalyptus siderophloia*	Northern Grey Ironbark	310								Regular	-	-	-			Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15956	*Eucalyptus siderophloia*	Northern Grey Ironbark	230								Regular	-	-	-			Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
15957	*Eucalyptus siderophloia*	Northern Grey Ironbark	310								Regular	-	-	-			Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	

| Specimen Details | | |

Specimen Details								Canopy Condition Details								Trunk Condition Details								Fauna Details and Habitat Value									
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
16026	*Eucalyptus siderophloia*	Northern Grey Ironbark	265		265	83	21.0	7.0	3.2	1.9	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16027	*Eucalyptus siderophloia*	Northern Grey Ironbark	320		320	101	18.0	7.0	3.8	2.1	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16028	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	19.0	6.0	2.4	1.7	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16029	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	17.0	7.0	2.8	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16030	*Eucalyptus siderophloia*	Northern Grey Ironbark	285		285	90	17.0	7.0	3.4	2.0	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16031	*Eucalyptus siderophloia*	Northern Grey Ironbark	285		285	90	19.0	8.0	3.4	2.0	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16032	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	17.0	5.0	2.6	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16033	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	16.0	5.0	2.4	1.7	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16034	*Eucalyptus siderophloia*	Northern Grey Ironbark	235		235	74	18.0	7.0	2.8	1.7	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16035	*Eucalyptus siderophloia*	Northern Grey Ironbark	275		275	86	20.0	7.0	3.3	1.9	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16036	*Eucalyptus siderophloia*	Northern Grey Ironbark	235		235	74	17.0	7.0	2.8	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16037	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	17.0	6.0	2.9	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16038	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	19.0	7.0	2.9	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16039	*Eucalyptus siderophloia*	Northern Grey Ironbark	225		225	71	17.0	7.0	2.7	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16040	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	17.0	5.0	2.4	1.7	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16041	*Eucalyptus siderophloia*	Northern Grey Ironbark	245		245	77	19.0	7.0	2.9	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16042	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	17.0	5.0	2.5	1.7	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16043	*Eucalyptus siderophloia*	Northern Grey Ironbark	330		330	104	21.0	7.0	4.0	2.1	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16044	*Acacia disparrima*	Hickory Wattle	230		230	72	9.0	5.0	2.8	1.8	Regular	-	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16045	*Acacia disparrima*	Hickory Wattle	230		230	72	10.0	6.0	2.8	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16046	*Acacia disparrima*	Hickory Wattle	240		240	75	9.0	6.0	2.9	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16047	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	17.0	6.0	2.8	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16048	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	20.0	7.0	3.4	1.9	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16049	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	17.0	5.0	2.5	1.7	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16050	*Eucalyptus siderophloia*	Northern Grey Ironbark	285		285	90	18.0	7.0	3.4	2.0	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16051	*Eucalyptus siderophloia*	Northern Grey Ironbark	235		235	74	18.0	7.0	2.8	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16052	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	17.0	5.0	2.5	1.7	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16053	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	17.0	5.0	2.5	1.7	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16054	*Acacia disparrima*	Hickory Wattle	200	180	269	85	9.0	6.0	3.2	1.9	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16055	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	17.0	5.0	2.4	1.7	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16056	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	19.0	6.0	2.8	1.7	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16057	*Eucalyptus siderophloia*	Northern Grey Ironbark	285		285	90	19.0	8.0	3.4	2.0	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16058	*Eucalyptus siderophloia*	Northern Grey Ironbark	265		265	83	17.0	6.0	3.2	1.9	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16059	*Eucalyptus siderophloia*	Northern Grey Ironbark	275		275	86	18.0	7.0	3.3	1.9	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16060	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	17.0	7.0	2.8	1.7	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16061	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	17.0	6.0	2.6	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16062	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	17.0	7.0	2.8	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16063	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	17.0	5.0	2.5	1.7	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16064	*Acacia disparrima*	Hickory Wattle	200	180, 150	308	97	10.0	6.0	3.7	2.0	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16065	*Acacia disparrima*	Hickory Wattle	210		210	66	18.0	7.0	2.5	1.7	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16066	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	17.0	6.0	2.4	1.7	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16067	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	17.0	7.0	2.6	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16068	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	16.0	5.0	2.4	1.7	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16069	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	17.0	6.0	2.4	1.7	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16070	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	19.0	7.0	2.5	1.7	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16071	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	18.0	7.0	2.9	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16072	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	17.0	5.0	2.5	1.7	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16073	*Eucalyptus siderophloia*	Northern Grey Ironbark	310		310	97	19.0	8.0	3.7	2.0	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16074	*Acacia disparrima*	Hickory Wattle	220	190, 100	307	97	9.0	6.0	3.7	2.0	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16075	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	17.0	9.0	3.4	1.9	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16076	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	17.0	7.0	2.8	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16077	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	17.0	6.0	2.9	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16078	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	17.0	5.0	2.4	1.7	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16079	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	16.0	5.0	2.5	1.7	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
16080	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	17.0	6.0	2.8	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16081	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	17.0	7.0	2.8	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16082	*Acacia disparrima*	Hickory Wattle	290		290	91	10.0	6.0	3.5	2.0	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16083	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	17.0	6.0	2.4	1.7	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16084	*Eucalyptus siderophloia*	Northern Grey Ironbark	345		345	108	22.0	7.0	4.1	2.1	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16085	*Acacia disparrima*	Hickory Wattle	210	130	247	78	9.0	6.0	3.0	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16086	*Eucalyptus siderophloia*	Northern Grey Ironbark	290		290	91	21.0	7.0	3.5	2.0	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16087	*Eucalyptus siderophloia*	Northern Grey Ironbark	320		320	101	21.0	9.0	3.8	2.1	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16088	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	17.0	7.0	2.6	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16089	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	17.0	7.0	3.4	1.9	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16090	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	18.0	7.0	2.6	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16091	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	18.0	8.0	3.4	1.9	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16092	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	17.0	5.0	2.8	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16093	*Eucalyptus siderophloia*	Northern Grey Ironbark	310		310	97	19.0	7.0	3.7	2.0	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	

| | | |

Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
			Specimen Details								Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value								
16162	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	17.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16163	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	17.0	9.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16164	*Eucalyptus siderophloia*	Northern Grey Ironbark	310		310	97	17.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16165	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	17.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16166	*Eucalyptus siderophloia*	Northern Grey Ironbark	320		320	101	18.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16167	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	17.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16168	*Eucalyptus siderophloia*	Northern Grey Ironbark	330		330	104	19.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16169	*Eucalyptus siderophloia*	Northern Grey Ironbark	265		265	83	17.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16170	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	13.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16171	*Eucalyptus siderophloia*	Northern Grey Ironbark	340		340	107	18.0	7.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16172	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	17.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16173	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	17.0	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16174	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	17.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16175	*Eucalyptus siderophloia*	Northern Grey Ironbark	265		265	83	17.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16176	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	17.0	7.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16177	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	17.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16178	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	17.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16179	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	18.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16180	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	15.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16181	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	17.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16182	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	15.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16183	*Acacia disparrima*	Hickory Wattle	200	160, 150	297	93	9.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16184	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	16.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16185	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	17.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16186	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	16.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16187	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	17.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16188	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	17.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16189	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	17.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16190	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	17.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16191	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	17.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16192	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	17.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16193	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	17.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16194	*Eucalyptus siderophloia*	Northern Grey Ironbark	265		265	83	18.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16195	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	17.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16196	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	17.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16197	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	17.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16198	*Eucalyptus siderophloia*	Northern Grey Ironbark	320		320	101	19.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16199	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	17.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
16200	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	17.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16201	*Eucalyptus siderophloia*	Northern Grey Ironbark	255		255	80	18.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16202	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	18.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16203	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	17.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16204	*Eucalyptus siderophloia*	Northern Grey Ironbark	265		265	83	18.0	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16205	*Eucalyptus siderophloia*	Northern Grey Ironbark	265		265	83	16.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
16206	*Eucalyptus siderophloia*	Northern Grey Ironbark	265		265	83	17.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16207	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	13.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16208	*Eucalyptus siderophloia*	Northern Grey Ironbark	320		320	101	18.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16209	*Eucalyptus siderophloia*	Northern Grey Ironbark	200	200	283	89	16.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16210	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	17.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16211	*Eucalyptus siderophloia*	Northern Grey Ironbark	320		320	101	18.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16212	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	15.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16213	*Eucalyptus siderophloia*	Northern Grey Ironbark	200	130	239	75	16.0	3.0	2.9	1.8	Regular	-	Thinning	Die-back	-	-	Poor	-	-	Trunk Dmg.	-	Poor	-	-	-	0	-	-	-	Remove	
16214	*Eucalyptus siderophloia*	Northern Grey Ironbark	255		255	80	17.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16215	*Eucalyptus siderophloia*	Northern Grey Ironbark	265		265	83	17.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16216	*Eucalyptus siderophloia*	Northern Grey Ironbark	235		235	74	18.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16217	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	17.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16218	*Eucalyptus siderophloia*	Northern Grey Ironbark	330		330	104	21.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16219	*Acacia disparrima*	Hickory Wattle	380		380	119	11.0	8.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16220	*Eucalyptus siderophloia*	Northern Grey Ironbark	255		255	80	17.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16221	*Acacia disparrima*	Hickory Wattle	345		345	108	11.0	7.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16222	*Eucalyptus siderophloia*	Northern Grey Ironbark	205		205	64	16.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16223	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	16.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16224	*Eucalyptus siderophloia*	Northern Grey Ironbark	255		255	80	17.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16225	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	18.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16226	*Eucalyptus siderophloia*	Northern Grey Ironbark	225		225	71	17.0	6.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16227	*Eucalyptus siderophloia*	Northern Grey Ironbark	265		265	83	17.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16228	*Eucalyptus siderophloia*	Northern Grey Ironbark	245		245	77	18.0	7.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16229	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	16.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	

Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
				Specimen Details							Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
16230	*Eucalyptus siderophloia*	Northern Grey Ironbark	215		215	68	17.0	5.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
16231	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	16.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16232	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	17.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16233	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	17.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16234	*Eucalyptus siderophloia*	Northern Grey Ironbark	200	170	262	82	17.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16235	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	17.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16236	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	17.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16237	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	15.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16238	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	16.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16239	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	16.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16240	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	17.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16241	*Eucalyptus siderophloia*	Northern Grey Ironbark	215		215	68	16.0	5.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16242	*Eucalyptus siderophloia*	Northern Grey Ironbark	265		265	83	16.0	6.0	3.2	1.9	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16243	*Eucalyptus siderophloia*	Northern Grey Ironbark	220	190	291	91	16.0	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16244	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	16.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16245	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	16.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16246	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	17.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16247	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	17.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16248	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	16.0	6.0	2.6	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16249	*Acacia disparrima*	Hickory Wattle	230		230	72	10.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16250	*Acacia disparrima*	Hickory Wattle	200		200	63	10.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16251	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	16.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16252	*Corymbia intermedia*	Pink Bloodwood	210	170	270	85	15.0	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16253	*Eucalyptus siderophloia*	Northern Grey Ironbark	265		265	83	17.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16254	*Eucalyptus siderophloia*	Northern Grey Ironbark	260	160	305	96	16.0	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16255	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	18.0	7.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16256	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	16.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16257	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	16.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16258	*Eucalyptus siderophloia*	Northern Grey Ironbark	255		255	80	16.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16259	*Eucalyptus siderophloia*	Northern Grey Ironbark	255		255	80	17.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16260	*Acacia disparrima*	Hickory Wattle	200	190,130,120,130	353	111	9.0	6.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16261	*Acacia disparrima*	Hickory Wattle	200	160, 140, 110, 130	338	106	8.0	6.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16262	*Eucalyptus siderophloia*	Northern Grey Ironbark	235		235	74	17.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16263	*Eucalyptus siderophloia*	Northern Grey Ironbark	235		235	74	17.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16264	*Eucalyptus tereticornis*	Forest Red Gum	310		310	97	17.0	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16265	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	18.0	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16266	*Eucalyptus siderophloia*	Northern Grey Ironbark	245		245	77	17.0	7.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16267	*Eucalyptus siderophloia*	Northern Grey Ironbark	230	160	280	88	16.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16268	*Acacia disparrima*	Hickory Wattle	280		280	88	10.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16269	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	16.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16270	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	16.0	7.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16271	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	17.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16272	*Eucalyptus tereticornis*	Forest Red Gum	240		240	75	17.0	5.0	2.9	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16273	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	17.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16274	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	17.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16275	*Eucalyptus tereticornis*	Forest Red Gum	300		300	94	17.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16276	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	17.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16277	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	17.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16278	*Eucalyptus tereticornis*	Forest Red Gum	255		255	80	17.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16279	*Eucalyptus siderophloia*	Northern Grey Ironbark	255		255	80	17.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16280	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	17.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16281	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	18.0	7.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16282	*Eucalyptus siderophloia*	Northern Grey Ironbark	360		360	113	18.0	8.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16283	*Corymbia intermedia*	Pink Bloodwood	220		220	69	16.0	5.0	2.6	1.8	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16284	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	18.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16285	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	17.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16286	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	17.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16287	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	15.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16288	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	17.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16289	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	16.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16290	*Eucalyptus siderophloia*	Northern Grey Ironbark	200	180	269	85	17.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16291	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	17.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16292	*Eucalyptus siderophloia*	Northern Grey Ironbark	190	180	262	82	17.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16293	*Eucalyptus siderophloia*	Northern Grey Ironbark	440		440	138	22.0	9.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16294	**DEAD/STAG**		485		485	152	23.0	7.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16295	**DEAD/STAG**		260		260	82	11.0	3.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	2	-	-	-	Remove	
16296	**DEAD/STAG**		560		560	176	9.0	1.0	6.7	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	1	-	-	-	Remove	
16297	**DEAD/STAG**		375		375	118	21.0	6.0	4.5	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	3	-	-	-	Remove	

Tree ID	Botanical Name	Common Name	Specimen Details								Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value							Additional Notes
			Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	
16298	**DEAD/STAG**		620		620	195	26.0	11.0	7.4	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	3	-	Termite nest	-	Remove	
16299	**DEAD/STAG**		400		400	126	24.0	5.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	Small	2	-	-	-	Remove	
16300	*Eucalyptus siderophloia*	Northern Grey Ironbark	275		275	86	13.0	6.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove
16301	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	17.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove
16302	*Corymbia citriodora*	Spotted Gum	230		230	72	19.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove
16303	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	17.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
16304	*Corymbia citriodora*	Spotted Gum	245		245	77	21.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
16305	*Corymbia citriodora*	Spotted Gum	200		200	63	21.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
16306	*Corymbia citriodora*	Spotted Gum	200		200	63	22.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
16307	*Corymbia citriodora*	Spotted Gum	200		200	63	21.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
16308	*Corymbia citriodora*	Spotted Gum	200		200	63	26.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
16309	*Corymbia citriodora*	Spotted Gum	220		220	69	23.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
16310	*Corymbia citriodora*	Spotted Gum	485		485	152	32.0	12.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
16311	*Eucalyptus siderophloia*	Northern Grey Ironbark	480		480	151	21.0	9.0	5.8	2.4	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
16312	*Eucalyptus siderophloia*	Northern Grey Ironbark	510		510	160	22.0	9.0	6.1	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
16313	*Corymbia citriodora*	Spotted Gum	560		560	176	34.0	14.0	6.7	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
16314	*Corymbia citriodora*	Spotted Gum	320		320	101	27.0	9.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
16315	*Corymbia citriodora*	Spotted Gum	270		270	85	20.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
16316	*Corymbia citriodora*	Spotted Gum	380		380	119	28.0	9.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
16317	*Corymbia citriodora*	Spotted Gum	320		320	101	26.0	9.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
16318	*Corymbia citriodora*	Spotted Gum	256	160	256	80	19.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
16319	*Corymbia citriodora*	Spotted Gum	200		200	63	18.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
16320	*Corymbia citriodora*	Spotted Gum	565		565	177	32.0	12.0	6.8	2.6	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	-	Remove
16321	*Corymbia citriodora*	Spotted Gum	200		200	63	23.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
16322	*Corymbia citriodora*	Spotted Gum	200		200	63	20.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
16323	*Corymbia citriodora*	Spotted Gum	285		285	90	23.0	9.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
16324	*Eucalyptus siderophloia*	Northern Grey Ironbark	390		390	123	25.0	9.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
16325	*Corymbia citriodora*	Spotted Gum	690		690	217	33.0	12.0	8.3	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
16326	**DEAD/STAG**		350		350	110	7.0	3.0	4.2	2.1	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	Small	1	-	-	-	Remove
16327	*Corymbia citriodora*	Spotted Gum	495		495	156	28.0	12.0	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove
16328	*Corymbia citriodora*	Spotted Gum	230		230	72	17.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove
16329	*Eucalyptus siderophloia*	Northern Grey Ironbark	340		340	107	24.0	11.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
16330	*Corymbia citriodora*	Spotted Gum	420		420	132	30.0	12.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
16331	*Corymbia citriodora*	Spotted Gum	260		260	82	22.0	9.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
16332	*Corymbia citriodora*	Spotted Gum	240		240	75	23.0	7.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
16333	*Corymbia citriodora*	Spotted Gum	200		200	63	21.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
16334	*Eucalyptus siderophloia*	Northern Grey Ironbark	385		385	121	25.0	12.0	4.5	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
16335	*Corymbia citriodora*	Spotted Gum	330		330	104	23.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
16336	*Corymbia citriodora*	Spotted Gum	200		200	63	18.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
16337	*Eucalyptus siderophloia*	Northern Grey Ironbark	340		340	107	23.0	7.0	4.1	2.1	Regular	-	Thinning	Die-back	Epicormic	-	Typical	Minor	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
16338	*Corymbia citriodora*	Spotted Gum	230		230	72	23.0	8.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
16339	*Corymbia citriodora*	Spotted Gum	210		210	66	20.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
16340	*Corymbia citriodora*	Spotted Gum	235		235	74	19.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
16341	*Corymbia citriodora*	Spotted Gum	230		230	72	22.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
16342	*Corymbia citriodora*	Spotted Gum	630		630	198	32.0	12.0	7.6	2.7	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
16343	*Corymbia citriodora*	Spotted Gum	265		265	83	23.0	9.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
16344	*Corymbia citriodora*	Spotted Gum	530		530	167	34.0	12.0	6.4	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
16345	*Corymbia citriodora*	Spotted Gum	230		230	72	17.0	5.0	2.8	1.8	Regular	-	Thinning	Die-back	-	-	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	-	Remove
16346	*Corymbia citriodora*	Spotted Gum	585		585	184	33.0	14.0	7.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
16347	*Corymbia citriodora*	Spotted Gum	260		260	82	21.0	9.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
16348	*Corymbia citriodora*	Spotted Gum	600		600	188	34.0	12.0	7.2	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
16349	*Eucalyptus siderophloia*	Northern Grey Ironbark	265		265	83	18.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
16350	*Corymbia citriodora*	Spotted Gum	490		490	154	30.0	8.0	5.9	2.5	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
16351	*Corymbia citriodora*	Spotted Gum	640		640	201	33.0	13.0	7.7	2.7	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
16352	*Corymbia citriodora*	Spotted Gum	510		510	160	32.0	9.0	6.1	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
16353	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	16.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	-	Remove
16354	*Corymbia citriodora*	Spotted Gum	520		520	163	29.0	11.0	6.2	2.5	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	-	Remove
16355	*Corymbia citriodora*	Spotted Gum	200	130	239	75	19.0	7.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
16356	*Corymbia citriodora*	Spotted Gum	210		210	66	21.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
16357	*Corymbia citriodora*	Spotted Gum	230		230	72	27.0	8.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
16358	*Corymbia citriodora*	Spotted Gum	300		300	94	22.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
16359	*Eucalyptus siderophloia*	Northern Grey Ironbark	340		340	107	24.0	11.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
16360	*Corymbia citriodora*	Spotted Gum	360		360	113	27.0	11.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
16361	**DEAD/STAG**		380		380	119	30.0	7.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	Small	2	-	-	-	Remove
16362	*Corymbia citriodora*	Spotted Gum	330		330	104	21.0	9.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
16363	*Corymbia citriodora*	Spotted Gum	595		595	187	30.0	14.0	7.1	2.7	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
16364	*Corymbia citriodora*	Spotted Gum	330		330	104	26.0	9.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
16365	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	19.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove

| Specimen Details | | |

Tree ID	Botanical Name	Common Name	Specimen Details									Canopy Condition Details								Trunk Condition Details					Fauna Details and Habitat Value							Additional Notes
			Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	
16434	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	17.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
16435	*Eucalyptus siderophloia*	Northern Grey Ironbark	430		430	135	29.0	14.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
16436	*Corymbia citriodora*	Spotted Gum	220		220	69	22.0	8.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
16437	*Corymbia citriodora*	Spotted Gum	450		450	141	24.0	11.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
16438	*Corymbia citriodora*	Spotted Gum	265		265	83	21.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	Introduced	-	-	Typical	-	-	-	0	-	-	-	Remove
16439	**DEAD/STAG**		510		510	160	22.0	9.0	6.1	2.5	Regular	-	-	-	-	-	Typical	-	Introduced	-	-	Typical	-	-	-	0	-	-	-	Remove
16440	*Corymbia citriodora*	Spotted Gum	620		620	195	32.0	14.0	7.4	2.7	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
16441	*Corymbia citriodora*	Spotted Gum	370		370	116	24.0	7.0	4.4	2.2	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
16442	*Corymbia intermedia*	Pink Bloodwood	470		470	148	23.0	9.0	5.6	2.4	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
16443	*Corymbia citriodora*	Spotted Gum	510		510	160	31.0	13.0	6.1	2.5	Regular	-	Thinning	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
16444	*Corymbia citriodora*	Spotted Gum	200		200	63	17.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
16445	*Corymbia citriodora*	Spotted Gum	290		290	91	19.0	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
16446	*Corymbia citriodora*	Spotted Gum	480		480	151	32.0	11.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
16447	*Corymbia citriodora*	Spotted Gum	200		200	63	17.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
16448	*Corymbia citriodora*	Spotted Gum	240		240	75	21.0	7.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
16449	*Corymbia citriodora*	Spotted Gum	560		560	176	28.0	12.0	6.7	2.6	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
16450	*Eucalyptus crebra*	Narrow-leaved Red Ironbark	290		290	91	23.0	7.0	3.5	2.0	One-sided	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
16451	*Corymbia citriodora*	Spotted Gum	245		245	77	22.0	7.0	2.9	1.8	One-sided	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
16452	*Corymbia citriodora*	Spotted Gum	550		550	173	27.0	12.0	6.6	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
16453	*Eucalyptus siderophloia*	Northern Grey Ironbark	350		350	110	22.0	7.0	4.2	2.1	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove
16454	*Corymbia citriodora*	Spotted Gum	340		340	107	26.0	9.0	4.1	2.1	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
16455	*Corymbia citriodora*	Spotted Gum	540		540	170	29.0	11.0	6.5	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
16456	*Corymbia citriodora*	Spotted Gum	310		310	97	23.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
16457	**DEAD/STAG**		400	200	447	140	29.0	5.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
16458	*Eucalyptus siderophloia*	Northern Grey Ironbark	480		480	151	32.0	12.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
16459	*Corymbia citriodora*	Spotted Gum	500		500	157	28.0	13.0	6.0	2.5	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
16460	*Corymbia citriodora*	Spotted Gum	210		210	66	22.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
16461	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	17.0	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
16462	*Melaleuca nyborg*	Swamp Tea Tree	90		90	28	5.0	3.0	2.0	1.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
16463	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	17.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
16464	*Eucalyptus tereticornis*	Forest Red Gum	230		230	72	17.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
16465	*Eucalyptus tereticornis*	Forest Red Gum	235		235	74	17.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
16466	*Eucalyptus tereticornis*	Forest Red Gum	265		265	83	18.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
16467	*Eucalyptus siderophloia*	Northern Grey Ironbark	225		225	71	15.0	5.0	1.0	2.7	Regular	-	-	-	-	Lopped	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
16468	*Eucalyptus tereticornis*	Forest Red Gum	270		270	85	18.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
16469	*Eucalyptus tereticornis*	Forest Red Gum	270		270	85	17.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
16470	*Eucalyptus siderophloia*	Northern Grey Ironbark	290		290	91	15.0	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
16471	*Eucalyptus tereticornis*	Forest Red Gum	450		450	141	18.0	7.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
16472	*Eucalyptus moluccana*	Gum-topped Box	380		380	119	19.0	8.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
16473	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	17.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
16474	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	16.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
16475	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	17.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
16476	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	17.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
16477	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	17.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
16478	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	17.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
16479	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	16.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
16480	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	13.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
16481	*Eucalyptus siderophloia*	Northern Grey Ironbark	255		255	80	17.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
16482	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	16.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
16483	*Eucalyptus siderophloia*	Northern Grey Ironbark	285		285	90	17.0	7.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
16484	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	17.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
16485	*Eucalyptus siderophloia*	Northern Grey Ironbark	210	160	264	83	17.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
16486	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	17.0	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
16487	*Eucalyptus tereticornis*	Forest Red Gum	320		320	101	17.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
16488	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	15.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
16489	*Eucalyptus siderophloia*	Northern Grey Ironbark	245		245	77	16.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
16490	*Acacia disparrima*	Hickory Wattle	260		260	82	10.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
16491	*Acacia disparrima*	Hickory Wattle	240	180	300	94	10.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
16492	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	17.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
16493	*Eucalyptus tereticornis*	Forest Red Gum	245		245	77	16.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
16494	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	13.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
16495	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	14.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
16496	*Eucalyptus siderophloia*	Northern Grey Ironbark	290		290	91	17.0	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	0	-	-	-	Remove
16497	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	16.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
16498	**DEAD/STAG**		680		680	214	29.0	9.0	8.2	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	3	-	-	-	Remove
16499	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	18.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
16500	*Corymbia intermedia*	Pink Bloodwood	440		440	138	19.0	9.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
16501	*Eucalyptus siderophloia*	Northern Grey Ironbark	580		580	182	23.0	11.0	7.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove

Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
16502	*Corymbia citriodora*	Spotted Gum	740		740	232	27.0	14.0	8.9	2.9	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16503	*Eucalyptus siderophloia*	Northern Grey Ironbark	540		540	170	21.0	14.0	6.5	2.6	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	0	-	-	-	Remove	
16504	*Eucalyptus sideroxylon*	Northern Grey Ironbark	260		260	82	16.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
16505	*Eucalyptus tereticornis*	Forest Red Gum	290		290	91	18.0	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16506	*Acacia disparrima*	Hickory Wattle	255		255	80	10.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16507	*Eucalyptus sideroxylon*	Northern Grey Ironbark	295		295	93	16.0	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16508	*Corymbia intermedia*	Pink Bloodwood	430		430	135	21.0	9.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16509	*Eucalyptus tereticornis*	Forest Red Gum	255		255	80	17.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16510	*Eucalyptus sideroxylon*	Northern Grey Ironbark	290		290	91	18.0	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16511	*Eucalyptus sideroxylon*	Northern Grey Ironbark	215		215	68	17.0	6.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16512	*Eucalyptus sideroxylon*	Northern Grey Ironbark	200		200	63	17.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16513	*Eucalyptus sideroxylon*	Northern Grey Ironbark	200	170	262	82	17.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16514	*Eucalyptus sideroxylon*	Northern Grey Ironbark	220		220	69	16.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16515	*Eucalyptus tereticornis*	Forest Red Gum	250	160	297	93	15.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16516	*Eucalyptus sideroxylon*	Northern Grey Ironbark	220		220	69	13.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16517	*Eucalyptus sideroxylon*	Northern Grey Ironbark	200		200	63	16.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16518	*Eucalyptus sideroxylon*	Northern Grey Ironbark	190	190	269	84	16.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16519	*Eucalyptus sideroxylon*	Northern Grey Ironbark	235		235	74	16.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16520	*Eucalyptus sideroxylon*	Northern Grey Ironbark	225		225	71	16.0	6.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16521	*Eucalyptus sideroxylon*	Northern Grey Ironbark	240		240	75	15.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16522	*Eucalyptus sideroxylon*	Northern Grey Ironbark	210		210	66	17.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16523	*Eucalyptus tereticornis*	Forest Red Gum	240		240	75	16.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16524	*Eucalyptus sideroxylon*	Northern Grey Ironbark	250		250	79	15.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16525	*Eucalyptus tereticornis*	Forest Red Gum	270		270	85	11.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
16526	**DEAD/STAG**		330	230	402	126	26.0	9.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16527	*Eucalyptus sideroxylon*	Northern Grey Ironbark	265		265	83	17.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16528	*Corymbia citriodora*	Spotted Gum	320		320	101	23.0	9.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16529	*Eucalyptus sideroxylon*	Northern Grey Ironbark	200		200	63	16.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16530	*Corymbia citriodora*	Spotted Gum	210		210	66	21.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16531	*Corymbia citriodora*	Spotted Gum	240		240	75	18.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16532	*Corymbia citriodora*	Spotted Gum	210		210	66	19.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16533	*Eucalyptus sideroxylon*	Northern Grey Ironbark	200		200	63	12.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16534	*Corymbia citriodora*	Spotted Gum	320		320	101	22.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16535	*Corymbia citriodora*	Spotted Gum	210		210	66	18.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16536	*Corymbia citriodora*	Spotted Gum	260		260	82	21.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16537	*Corymbia citriodora*	Spotted Gum	580		580	182	32.0	12.0	7.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16538	*Corymbia citriodora*	Spotted Gum	480		480	151	30.0	11.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16539	*Eucalyptus sideroxylon*	Northern Grey Ironbark	255		255	80	18.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16540	**DEAD/STAG**		330		330	104	31.0	7.0	4.0	2.1	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16541	*Corymbia citriodora*	Spotted Gum	330		330	104	29.0	12.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16542	*Corymbia citriodora*	Spotted Gum	480		480	151	31.0	3.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16543	**DEAD/STAG**		480		480	151	31.0	3.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16544	*Corymbia citriodora*	Spotted Gum	230		230	72	21.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16545	*Corymbia citriodora*	Spotted Gum	420		420	132	29.0	11.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
16546	*Corymbia citriodora*	Spotted Gum	520		520	163	33.0	12.0	6.2	2.5	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16547	*Corymbia citriodora*	Spotted Gum	690		690	217	32.0	14.0	8.3	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16548	*Corymbia citriodora*	Spotted Gum	630		630	198	36.0	16.0	7.6	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16549	*Eucalyptus sideroxylon*	Northern Grey Ironbark	630		630	198	32.0	14.0	7.6	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16550	*Corymbia citriodora*	Spotted Gum	430		430	135	33.0	12.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16551	*Corymbia citriodora*	Spotted Gum	520		520	163	35.0	12.0	6.2	2.5	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16552	*Corymbia citriodora*	Spotted Gum	690		690	217	32.0	14.0	8.3	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16553	*Corymbia citriodora*	Spotted Gum	630		630	198	36.0	16.0	7.6	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16554	*Corymbia citriodora*	Spotted Gum	430		430	135	33.0	12.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16555	*Corymbia citriodora*	Spotted Gum	370		370	116	32.0	11.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16556	*Corymbia citriodora*	Spotted Gum	200		200	63	22.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16557	*Corymbia citriodora*	Spotted Gum	210		210	66	21.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16558	*Corymbia citriodora*	Spotted Gum	340		340	107	23.0	11.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16559	*Corymbia citriodora*	Spotted Gum	400		400	126	30.0	12.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	

| Specimen Details | | |

Specimen Details										Canopy Condition Details								Trunk Condition Details						Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
16638	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	15.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16639	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	16.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16640	*Eucalyptus tereticornis*	Forest Red Gum	210		210	66	16.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16641	*Eucalyptus siderophloia*	Northern Grey Ironbark	340		340	107	18.0	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16642	*Eucalyptus siderophloia*	Northern Grey Ironbark	320		320	101	18.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16643	*Eucalyptus siderophloia*	Northern Grey Ironbark	275		275	86	16.0	6.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16644	*Eucalyptus tereticornis*	Forest Red Gum	260		260	82	16.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16645	*Corymbia citriodora*	Spotted Gum	360		360	113	18.0	7.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16646	*Corymbia intermedia*	Pink Bloodwood	300	120	323	102	13.0	6.0	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16647	*Eucalyptus tereticornis*	Forest Red Gum	315		315	99	17.0	6.0	3.8	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16648	*Eucalyptus tereticornis*	Forest Red Gum	510		510	160	21.0	9.0	6.1	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16649	*Acacia dispermma*	Hickory Wattle	230		240	72	10.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
16650	*Corymbia citriodora*	Spotted Gum	240	220, 140	354	111	19.0	7.0	4.3	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16651	*Eucalyptus tereticornis*	Forest Red Gum	610		610	192	22.0	9.0	7.3	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16652	*Eucalyptus siderophloia*	Northern Grey Ironbark	340		340	107	17.0	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16653	*Corymbia citriodora*	Spotted Gum	200		200	63	16.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16654	*Acacia dispermma*	Hickory Wattle	330		330	104	10.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16655	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	12.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16656	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	12.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16657	*Eucalyptus siderophloia*	Northern Grey Ironbark	410		410	129	18.0	11.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	Introduced	-	-	Typical	-	-	-	0	-	-	-	Remove	
16658	*Eucalyptus siderophloia*	Northern Grey Ironbark	365		365	115	17.0	9.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
16659	*Eucalyptus tereticornis*	Forest Red Gum	360		360	113	18.0	7.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16660	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	12.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16661	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	12.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16662	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	13.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16663	*Melaleuca rhynna*	Swamp Tea Tree	150		150	47	5.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16664	*Eucalyptus siderophloia*	Northern Grey Ironbark	310	310	438	138	17.0	8.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16665	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	13.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16666	*Corymbia citriodora*	Spotted Gum	680		680	214	24.0	11.0	8.2	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16667	*Eucalyptus siderophloia*	Northern Grey Ironbark	510		510	160	20.0	9.0	6.1	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16668	*Acacia dispermma*	Hickory Wattle	260		260	82	10.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16669	*Acacia dispermma*	Hickory Wattle	250	200, 200	377	119	7.0	9.0	4.5	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16690	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	11.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16691	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	16.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16692	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	16.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16693	*Acacia dispermma*	Hickory Wattle	250	230	340	107	8.0	9.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16694	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	17.0	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16695	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	17.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16696	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	16.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16697	*Eucalyptus siderophloia*	Northern Grey Ironbark	330		330	104	17.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16698	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	17.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16699	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	16.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16700	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	10.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16701	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	16.0	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16702	*Eucalyptus siderophloia*	Northern Grey Ironbark	290		290	91	16.0	8.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16703	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	16.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16704	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	17.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16705	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	18.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
16706	*Eucalyptus sideroph loia*	Northern Grey Ironbark	200		200	63	18.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16707	*Eucalyptus sideroph loia*	Northern Grey Ironbark	200		200	63	14.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16708	*Eucalyptus sideroph loia*	Northern Grey Ironbark	240		240	75	16.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16709	*Eucalyptus sideroph loia*	Northern Grey Ironbark	210		210	66	14.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16710	*Eucalyptus sideroph loia*	Northern Grey Ironbark	210		210	66	15.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16711	*Eucalyptus sideroph loia*	Northern Grey Ironbark	220		220	69	16.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16712	*Eucalyptus sideroph loia*	Northern Grey Ironbark	230		230	72	16.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16713	*Eucalyptus sideroph loia*	Northern Grey Ironbark	200		200	63	16.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16714	*Eucalyptus sideroph loia*	Northern Grey Ironbark	230		230	72	16.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16715	*Eucalyptus sideroph loia*	Northern Grey Ironbark	210		210	66	12.0	2.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16716	*Melaleuca nesophyana*	Swamp Tea Tree	85	30, 30, 30, 30, 30, 30	220	69	12.0	2.0	2.0	1.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16717	*Eucalyptus sideroph loia*	Northern Grey Ironbark	220		220	69	12.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16718	*Acacia disparrima*	Hickory Wattle	150	140, 140	248	78	8.0	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16719	*Eucalyptus sideroph loia*	Northern Grey Ironbark	220		220	69	15.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16720	*Eucalyptus sideroph loia*	Northern Grey Ironbark	260		260	82	17.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16721	*Eucalyptus sideroph loia*	Northern Grey Ironbark	260		260	82	17.0	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16722	*Eucalyptus sideroph loia*	Northern Grey Ironbark	210		210	66	15.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16723	*Acacia disparrima*	Hickory Wattle	250		250	79	13.0	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16724	*Eucalyptus sideroph loia*	Northern Grey Ironbark	250		250	79	16.0	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16725	*Eucalyptus sideroph loia*	Northern Grey Ironbark	230		230	72	16.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16726	*Acacia disparrima*	Hickory Wattle	250	150, 150	328	103	7.0	9.0	3.9	2.1	Regular	-	Thinning	Die-back	-	-	Typical	-	Native	-	-	Typical	-	-	-	0	-	-	-	Remove	
16727	*Eucalyptus sideroph loia*	Northern Grey Ironbark	300		300	94	17.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16728	*Eucalyptus sideroph loia*	Northern Grey Ironbark	200	180	269	85	15.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16729	*Eucalyptus sideroph loia*	Northern Grey Ironbark	230	220	318	100	16.0	8.0	3.8	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16730	*Corymbia intermedia*	Pink Bloodwood	200	170	262	82	12.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16731	*Eucalyptus sideroph loia*	Northern Grey Ironbark	260	220	341	107	18.0	9.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16732	*Eucalyptus sideroph loia*	Northern Grey Ironbark	290		290	91	16.0	9.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16733	*Eucalyptus sideroph loia*	Northern Grey Ironbark	230		230	72	17.0	8.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16734	*Eucalyptus sideroph loia*	Northern Grey Ironbark	200		200	63	15.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16735	*Eucalyptus sideroph loia*	Northern Grey Ironbark	250		250	79	15.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16736	*Eucalyptus sideroph loia*	Northern Grey Ironbark	250		250	79	15.0	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16737	*Corymbia intermedia*	Pink Bloodwood	200	180	269	85	15.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16738	*Eucalyptus sideroph loia*	Northern Grey Ironbark	280		280	88	17.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16739	**DEAD/STAG**		330		330	104	10.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	0	-	-	-	Remove	
16740	*Eucalyptus sideroph loia*	Northern Grey Ironbark	210		210	66	12.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16741	*Eucalyptus sideroph loia*	Northern Grey Ironbark	280		280	88	17.0	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16742	*Eucalyptus sideroph loia*	Northern Grey Ironbark	220		220	69	15.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16743	*Eucalyptus sideroph loia*	Northern Grey Ironbark	230		230	72	16.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16744	*Eucalyptus sideroph loia*	Northern Grey Ironbark	220		220	69	15.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16745	*Eucalyptus sideroph loia*	Northern Grey Ironbark	200		200	63	15.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16746	*Eucalyptus tereticornis*	Forest Red Gum	220		220	69	12.0	2.0	2.6	1.8	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16747	*Corymbia citriodora*	Spotted Gum	200		200	63	12.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16748	*Eucalyptus sideroph loia*	Northern Grey Ironbark	200	130	239	75	10.0	3.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16749	*Corymbia citriodora*	Spotted Gum	580		580	182	31.0	12.0	7.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16750	*Corymbia citriodora*	Spotted Gum	700		700	220	30.0	13.0	8.4	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16751	*Corymbia citriodora*	Spotted Gum	490		490	154	28.0	10.0	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16752	*Corymbia citriodora*	Spotted Gum	350		350	110	28.0	13.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16753	*Corymbia citriodora*	Spotted Gum	490		490	154	28.0	13.0	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16754	*Acacia disparrima*	Hickory Wattle	260	160	305	96	8.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16755	*Corymbia citriodora*	Spotted Gum	210	100	233	73	19.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16756	*Eucalyptus sideroph loia*	Northern Grey Ironbark	290		290	91	22.0	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
16757	*Corymbia citriodora*	Spotted Gum	250		250	79	22.0	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16758	*Corymbia citriodora*	Spotted Gum	370		370	116	22.0	10.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16759	*Corymbia citriodora*	Spotted Gum	340		340	107	24.0	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16760	*Corymbia citriodora*	Spotted Gum	220		220	69	20.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16761	*Corymbia citriodora*	Spotted Gum	230		230	72	17.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16762	*Corymbia citriodora*	Spotted Gum	460		460	145	24.0	10.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16763	*Corymbia citriodora*	Spotted Gum	210		210	66	20.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16764	*Corymbia citriodora*	Spotted Gum	230		230	72	22.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16765	*Corymbia citriodora*	Spotted Gum	230		230	72	22.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16766	*Corymbia citriodora*	Spotted Gum	260		260	82	18.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16767	*Corymbia citriodora*	Spotted Gum	210		210	66	17.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16768	*Corymbia citriodora*	Spotted Gum	200		200	63	17.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16769	*Corymbia citriodora*	Spotted Gum	250		250	79	17.0	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16770	*Corymbia citriodora*	Spotted Gum	220		220	69	18.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16771	*Corymbia citriodora*	Spotted Gum	260		260	82	24.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16772	*Acacia disparrima*	Hickory Wattle	270		270	85	10.0	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16773	*Corymbia citriodora*	Spotted Gum	230		230	72	25.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	

| Specimen Details | | |

| Specimen Details | | |

| Specimen Details | | |

Specimen Details									Canopy Condition Details									Trunk Condition Details									Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
16978	*Corymbia citriodora*	Spotted Gum	260		260	82	22.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
16979	*Corymbia citriodora*	Spotted Gum	470		470	148	26.0	14.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
16980	*Corymbia citriodora*	Spotted Gum	280		280	88	20.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
16981	*Corymbia citriodora*	Spotted Gum	350		350	110	22.0	8.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
16982	*Corymbia citriodora*	Spotted Gum	570		570	179	29.0	13.0	6.8	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
16983	*Corymbia citriodora*	Spotted Gum	200		200	63	17.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
16984	*Corymbia citriodora*	Spotted Gum	380		380	119	28.0	10.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
16985	*Corymbia citriodora*	Spotted Gum	230		230	72	18.0	10.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
16986	*Corymbia citriodora*	Spotted Gum	260		260	82	17.0	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
16987	*Corymbia citriodora*	Spotted Gum	460		460	145	26.0	12.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16988	*Corymbia citriodora*	Spotted Gum	270		270	85	18.0	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16989	*Corymbia citriodora*	Spotted Gum	370		370	116	18.0	10.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16990	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	6.0	1.0	3.2	1.9	Regular	-	Thinning	Die-back	Epicormic	Lopped	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16991	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	18.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16992	*Eucalyptus siderophloia*	Northern Grey Ironbark	710	223	731	310	12.0	8.5	2.9	Regular	-	-	Die-back	Epicormic	-	-	Typical	-	-	-	-	Typical	-	-	Small	3	-	-	-	Remove	
16993	*Corymbia citriodora*	Spotted Gum	320	101	335	105	22.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16994	*Corymbia intermedia*	Pink Bloodwood	520	163	545	171	18.0	9.0	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
16995	*Corymbia citriodora*	Spotted Gum	420	132	440	138	22.0	8.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16996	*Corymbia citriodora*	Spotted Gum	390	123	409	129	24.0	6.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16997	*Corymbia citriodora*	Spotted Gum	490	154	514	162	27.0	14.0	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16998	*Corymbia citriodora*	Spotted Gum	400	126	419	132	27.0	14.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
16999	*Eucalyptus siderophloia*	Northern Grey Ironbark	260	82	272	86	19.0	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17000	*Eucalyptus siderophloia*	Northern Grey Ironbark	330	104	346	109	19.0	2.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17001	*Corymbia citriodora*	Spotted Gum	450	141	471	148	22.0	12.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17002	*Corymbia citriodora*	Spotted Gum	450	141	471	148	25.0	14.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17003	*Corymbia citriodora*	Spotted Gum	520	163	545	171	28.0	13.0	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17004	*Corymbia citriodora*	Spotted Gum	360	113	378	119	22.0	8.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17005	*Corymbia citriodora*	Spotted Gum	250	79	265	83	15.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17006	*Corymbia citriodora*	Spotted Gum	550	173	583	183	30.0	14.0	6.6	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17007	*Corymbia citriodora*	Spotted Gum	270	85	286	90	16.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17008	*Corymbia citriodora*	Spotted Gum	720	226	756	238	30.0	12.0	8.6	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17009	*Corymbia citriodora*	Spotted Gum	480	151	504	159	26.0	8.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17010	*Corymbia citriodora*	Spotted Gum	200	63	212	67	12.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17011	*Corymbia citriodora*	Spotted Gum	240	75	254	80	18.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17012	*Corymbia citriodora*	Spotted Gum	250	79	265	83	17.0	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17013	*Corymbia citriodora*	Spotted Gum	290	91	307	96	19.0	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17014	*Corymbia citriodora*	Spotted Gum	660	207	693	218	25.0	12.0	7.9	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17015	*Corymbia citriodora*	Spotted Gum	520	163	545	171	30.0	14.0	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17016	*Corymbia citriodora*	Spotted Gum	420	132	441	139	29.0	14.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17017	*Corymbia citriodora*	Spotted Gum	530	167	556	175	28.0	10.0	6.4	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17018	*Corymbia citriodora*	Spotted Gum	340	107	357	112	25.0	6.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17019	*Corymbia citriodora*	Spotted Gum	540	170	567	178	28.0	12.0	6.5	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17020	*Corymbia citriodora*	Spotted Gum	420	132	441	139	27.0	8.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17021	*Corymbia citriodora*	Spotted Gum	300	94	315	99	22.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17022	*Eucalyptus siderophloia*	Northern Grey Ironbark	420	132	441	139	17.0	8.0	5.0	2.3	-	Thinning	Die-back	-	-	-	Poor	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
17023	*Corymbia citriodora*	Spotted Gum	370	116	388	122	22.0	10.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17024	*Corymbia citriodora*	Spotted Gum	230	72	242	76	16.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17025	*Corymbia citriodora*	Spotted Gum	310	97	325	102	19.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17026	*Corymbia citriodora*	Spotted Gum	220	69	231	73	16.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17027	*Corymbia citriodora*	Spotted Gum	360	113	378	119	23.0	10.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17028	*Corymbia citriodora*	Spotted Gum	450	141	471	148	26.0	12.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17029	*Corymbia citriodora*	Spotted Gum	240	75	254	80	15.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17030	*Corymbia citriodora*	Spotted Gum	600	188	630	198	30.0	12.0	7.2	2.7	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
17031	*Corymbia citriodora*	Spotted Gum	440	138	462	145	18.0	10.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17032	*Corymbia citriodora*	Spotted Gum	260	82	272	86	17.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17033	**DEAD/STAG**		200	63	212	67	12.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17034	*Corymbia citriodora*	Spotted Gum	240	75	254	80	17.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17035	*Corymbia citriodora*	Spotted Gum	210	66	223	71	17.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17036	*Eucalyptus siderophloia*	Northern Grey Ironbark	230	72	242	76	15.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17037	*Acacia disparrima*	Hickory Wattle	250	111	354	111	9.0	8.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17038	*Eucalyptus siderophloia*	Northern Grey Ironbark	500	157	500	157	24.0	12.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17039	*Eucalyptus siderophloia*	Northern Grey Ironbark	260	82	260	82	14.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17040	*Acacia disparrima*	Hickory Wattle	250	79	250	79	10.0	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17041	*Eucalyptus siderophloia*	Northern Grey Ironbark	200	63	200	63	15.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17042	*Eucalyptus siderophloia*	Northern Grey Ironbark	220	69	220	69	16.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17043	*Acacia disparrima*	Hickory Wattle	270	85	270	85	10.0	4.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17044	*Eucalyptus siderophloia*	Northern Grey Ironbark	240	75	240	75	10.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17045	*Eucalyptus siderophloia*	Northern Grey Ironbark	200	63	200	63	14.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value							
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
17046	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	16.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17047	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	16.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17048	*Acacia disparrima*	Hickory Wattle	300	250	391	123	8.0	9.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17049	*Eucalyptus siderophloia*	Northern Grey Ironbark	390		390	123	17.0	8.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17050	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	15.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17051	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	18.0	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17052	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	18.0	7.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17053	*Acacia disparrima*	Hickory Wattle	250	100	269	85	9.0	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17054	*Eucalyptus tereticornis*	Forest Red Gum	220		220	69	12.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17055	*Melaleuca irbygna*	Swamp Tea Tree	40	40, 40, 40, 20, 20	85	27	2.0	3.0	2.0	1.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17056	*Eucalyptus tereticornis*	Forest Red Gum	250		250	79	12.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17057	*Corymbia citriodora*	Spotted Gum	290		290	91	18.0	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17058	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	18.0	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17059	*Eucalyptus tereticornis*	Forest Red Gum	370		370	116	16.0	8.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17060	*Acacia disparrima*	Hickory Wattle	350	200	403	127	10.0	9.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17061	*Melaleuca irbygna*	Swamp Tea Tree	250		250	79	5.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17062	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	15.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17063	*Melaleuca irbygna*	Swamp Tea Tree	50	50, 50, 50, 30	104	33	3.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17064	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	15.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17065	*Eucalyptus siderophloia*	Northern Grey Ironbark	450		450	141	17.0	14.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17066	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	14.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17067	*Acacia disparrima*	Hickory Wattle	250	150	292	92	7.0	5.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17068	*Eucalyptus siderophloia*	Northern Grey Ironbark	360		360	113	17.0	7.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17069	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	12.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17070	*Eucalyptus siderophloia*	Northern Grey Ironbark	330		330	104	16.0	6.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17071	*Acacia disparrima*	Hickory Wattle	240	200	312	98	7.0	5.0	3.7	2.0	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17072	*Eucalyptus siderophloia*	Northern Grey Ironbark	330		330	104	16.0	6.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17073	*Eucalyptus siderophloia*	Northern Grey Ironbark	340		340	107	16.0	7.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17074	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	14.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17075	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	15.0	4.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17076	*Eucalyptus maliuscana*	Gum-topped Box	350		350	110	17.0	7.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17077	*Eucalyptus siderophloia*	Northern Grey Ironbark	270	190	330	104	16.0	6.0	4.0	2.1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17078	*Eucalyptus maliuscana*	Gum-topped Box	340		340	107	15.0	6.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17079	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	12.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17080	*Corymbia citriodora*	Spotted Gum	210		210	66	14.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17081	*Eucalyptus maliuscana*	Gum-topped Box	220		220	69	12.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17082	*Eucalyptus maliuscana*	Gum-topped Box	220		220	69	12.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17083	*Corymbia citriodora*	Spotted Gum	450		450	141	20.0	8.0	5.4	2.4	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17084	*Corymbia citriodora*	Spotted Gum	300		300	94	17.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17085	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	14.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
17086	*Corymbia citriodora*	Spotted Gum	280		280	88	17.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17087	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	11.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17088	*Corymbia citriodora*	Spotted Gum	220		220	69	16.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17089	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	16.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	Termite nest	-	Remove	
17090	*Acacia disparrima*	Hickory Wattle	300		300	94	10.0	7.0	3.6	2.0	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17091	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	14.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17092	*Corymbia citriodora*	Spotted Gum	200		200	63	17.0	3.0	2.4	1.7	Irregular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17093	*Eucalyptus siderophloia*	Northern Grey Ironbark	200	180, 180	324	102	14.0	5.0	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17094	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	13.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17095	*Acacia disparrima*	Hickory Wattle	240		240	75	8.0	5.0	2.9	1.8	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17096	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	13.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17097	*Corymbia citriodora*	Spotted Gum	290		290	91	17.0	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17098	*Corymbia citriodora*	Spotted Gum	200		200	63	14.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17099	**DEAD/STAG**		S80		S80	182	16.0	6.0	7.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	4	-	-	-	Remove	
17100	*Eucalyptus maliuscana*	Gum-topped Box	220		220	69	14.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17101	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	15.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17102	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	14.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17103	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	16.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17104	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	10.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17105	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	12.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17106	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	15.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17107	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	16.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17108	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	15.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17109	*Corymbia citriodora*	Spotted Gum	210		210	66	16.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17110	*Corymbia citriodora*	Spotted Gum	220		220	69	16.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17111	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	14.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17112	*Corymbia citriodora*	Spotted Gum	230		230	72	18.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17113	*Eucalyptus maliuscana*	Gum-topped Box	270		270	85	15.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	

Tree ID	Botanical Name	Common Name	Specimen Details								Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Notes
			Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	
17114	*Corymbia citriodora*	Spotted Gum	280		280	880	18.0	6.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17115	*Corymbia citriodora*	Spotted Gum	270		270	850	18.0	6.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17116	*Corymbia citriodora*	Spotted Gum	200		200	630	11.0	2.0	2.4	1.7		Regular	-	-	-	-	-	Typical	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17117	*Corymbia citriodora*	Spotted Gum	210		210	660	14.0	4.0	2.5	1.7		Regular	-	-	-	-	-	Typical	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17118	*Corymbia citriodora*	Spotted Gum	230		230	720	17.0	5.0	2.8	1.8		Regular	-	-	-	-	-	Typical	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17119	*Corymbia citriodora*	Spotted Gum	200		200	630	16.0	6.0	2.4	1.7		Regular	-	-	-	-	-	Typical	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17120	*Corymbia citriodora*	Spotted Gum	310		310	970	17.0	5.0	3.7	2.0		Regular	-	Thinning	Die-back	-	-	Poor	-	-	Trunk Dmg.	-	-	Typical	-	-	-	0	-	-	-	Remove
17121	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	880	15.0	6.0	3.4	1.9		Regular	-	-	-	-	-	Typical	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17122	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	880	14.0	6.0	3.4	1.9		Regular	-	-	-	-	-	Typical	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17123	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	720	13.0	5.0	2.8	1.8		Regular	-	-	-	-	-	Typical	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17124	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	660	12.0	5.0	2.5	1.7		Regular	-	-	-	-	-	Typical	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17125	*Melaleuca irbyana*	Swamp Tea Tree	190	160, 170, 140, 130	357	1120	8.0	6.0	4.3	2.1		Regular	-	-	-	-	-	Typical	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17126	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	750	16.0	7.0	2.9	1.8		Regular	-	-	-	-	-	Typical	-	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove
17127	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	790	11.0	5.0	3.0	1.8		Regular	-	-	-	-	-	Typical	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17128	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	630	12.0	3.0	2.4	1.7		Regular	-	Thinning	-	-	-	Typical	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17129	*Corymbia citriodora*	Spotted Gum	270		270	850	16.0	4.0	3.2	1.9		Regular	-	-	-	-	-	Typical	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17130	*Corymbia citriodora*	Spotted Gum	190		190	600	9.0	2.0	2.3	1.6		Regular	-	-	-	-	-	Typical	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17131	*Corymbia citriodora*	Spotted Gum	210		210	660	17.0	5.0	2.5	1.7		Regular	-	-	-	-	-	Typical	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17132	*Corymbia citriodora*	Spotted Gum	230		230	720	18.0	5.0	2.8	1.8		Regular	-	-	-	-	-	Typical	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17133	*Corymbia citriodora*	Spotted Gum	230		230	720	17.0	5.0	2.8	1.8		Regular	-	-	-	-	-	Typical	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17134	*Corymbia citriodora*	Spotted Gum	250		250	790	17.0	5.0	3.0	1.8		Regular	-	-	-	-	-	Typical	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17135	*Corymbia citriodora*	Spotted Gum	420		420	1320	19.0	9.0	5.0	2.3		Regular	-	Thinning	-	-	-	Typical	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17136	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	750	14.0	5.0	2.9	1.8		Regular	-	-	-	-	-	Typical	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17137	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	880	15.0	6.0	3.4	1.9		Regular	-	-	-	-	-	Typical	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17138	*Acacia disparrima*	Hickory Wattle	280		280	880	8.0	6.0	3.4	1.9		Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17139	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	630	10.0	4.0	2.4	1.7		Regular	-	-	-	-	-	Typical	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17140	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	660	9.0	2.0	2.5	1.7		Regular	-	-	-	-	-	Typical	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17141	*Acacia leiocalyx*	Early-flowering Black Wattle	200		200	630	7.0	4.0	2.4	1.7		Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17142	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	720	15.0	5.0	2.8	1.8		Regular	-	-	-	-	-	Typical	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17143	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	660	17.0	4.0	2.5	1.7		Regular	-	-	-	-	-	Typical	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17144	*Corymbia citriodora*	Spotted Gum	220		220	690	18.0	6.0	2.6	1.8		Regular	-	-	-	-	-	Typical	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17145	*Corymbia citriodora*	Spotted Gum	200		200	630	14.0	4.0	2.4	1.7		Regular	-	-	-	-	-	Typical	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17146	*Corymbia citriodora*	Spotted Gum	290		290	910	19.0	6.0	3.5	2.0		Regular	-	-	-	-	-	Typical	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17147	*Angophora leiocarpa*	Smooth-barked Apple	210		210	660	16.0	4.0	2.5	1.7		Regular	-	-	-	-	-	Typical	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17148	*Corymbia citriodora*	Spotted Gum	210		210	660	17.0	5.0	2.5	1.7		Regular	-	-	-	-	-	Typical	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17149	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	660	17.0	6.0	2.5	1.7		Regular	-	-	-	-	-	Typical	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17150	*Corymbia tessellaris*	Moreton Bay Ash	200		200	630	14.0	5.0	2.4	1.7		Regular	-	-	-	-	-	Typical	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17151	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	630	15.0	5.0	2.4	1.7		Regular	-	-	-	-	-	Typical	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17152	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	750	17.0	5.0	2.9	1.8		Regular	-	-	-	-	Lopped	Typical	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17153	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	660	15.0	4.0	2.5	1.7		Regular	-	-	-	-	-	Typical	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17154	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	690	16.0	5.0	2.6	1.8		Regular	-	-	-	-	-	Typical	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17155	*Eucalyptus siderophloia*	Northern Grey Ironbark	320		320	1010	18.0	7.0	3.8	2.1		Regular	-	-	-	-	-	Typical	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17156	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	790	17.0	5.0	3.0	1.8		Regular	-	-	-	-	-	Typical	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17157	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	720	15.0	5.0	2.8	1.8		Regular	-	-	-	-	-	Typical	-	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove
17158	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	690	16.0	5.0	2.6	1.8		Regular	-	-	-	-	-	Typical	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17159	*Eucalyptus molyccana*	Gum-topped Box	220		220	690	17.0	6.0	2.6	1.8		Regular	-	-	-	-	-	Typical	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17160	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	630	16.0	3.0	2.4	1.7		Regular	-	-	-	-	-	Typical	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17161	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	690	16.0	4.0	2.6	1.8		Regular	-	-	-	-	-	Typical	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17162	*Angophora leiocarpa*	Smooth-barked Apple	250		250	790	12.0	5.0	3.0	1.8		Regular	-	-	-	-	-	Typical	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17163	*Corymbia citriodora*	Spotted Gum	230		230	720	16.0	4.0	2.8	1.8		Regular	-	-	-	-	-	Typical	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17164	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	690	18.0	6.0	2.6	1.8		Regular	-	-	-	-	-	Typical	-	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove
17165	*Corymbia citriodora*	Spotted Gum	200		200	630	16.0	5.0	2.4	1.7		Regular	-	-	-	-	-	Typical	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17166	*Acacia disparrima*	Hickory Wattle	230		230	720	8.0	6.0	2.8	1.8		Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17167	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	720	16.0	4.0	2.8	1.8		Regular	-	-	-	-	-	Typical	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17168	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	720	17.0	6.0	2.8	1.8		Regular	-	-	-	-	-	Typical	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17169	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	630	16.0	4.0	2.4	1.7		Regular	-	-	-	-	-	Typical	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17170	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	880	18.0	7.0	3.4	1.9		Regular	-	-	-	-	-	Typical	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17171	*Corymbia citriodora*	Spotted Gum	390		390	1230	19.0	7.0	4.7	2.2		Regular	-	-	-	-	-	Typical	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17172	*Corymbia citriodora*	Spotted Gum	210		210	660	18.0	5.0	2.5	1.7		Regular	-	-	-	-	-	Typical	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17173	*Corymbia citriodora*	Spotted Gum	230		230	720	17.0	5.0	2.8	1.8		Regular	-	-	-	-	-	Typical	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17174	*Angophora leiocarpa*	Smooth-barked Apple	240		240	750	17.0	5.0	2.9	1.8		Regular	-	-	-	-	-	Typical	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17175	*Corymbia citriodora*	Spotted Gum	200		200	630	16.0	5.0	2.4	1.7		Regular	-	-	-	-	-	Typical	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17176	*Corymbia citriodora*	Spotted Gum	220		220	690	18.0	6.0	2.6	1.8		Regular	-	-	-	-	-	Typical	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17177	*Corymbia citriodora*	Spotted Gum	210		210	660	17.0	5.0	2.5	1.7		Regular	-	-	-	-	-	Typical	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17178	*Corymbia citriodora*	Spotted Gum	220		220	690	17.0	7.0	2.6	1.8		Regular	-	-	-	-	-	Typical	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17179	*Corymbia citriodora*	Spotted Gum	350		350	1100	20.0	8.0	4.2	2.1		Regular	-	-	-	-	-	Typical	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17180	*Eucalyptus siderophloia*	Northern Grey Ironbark	400		400	1260	17.0	6.0	4.8	2.3		Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove
17181	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	750	16.0	5.0	2.9	1.8		Regular	-	-	-	-	-	Typical	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove

| Specimen Details | | |

Specimen Details								Canopy Condition Details								Trunk Condition Details								Fauna Details and Habitat Value									
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
17250	*Eucalyptus siderophloia*	Northern Grey Ironbark	390		390	123	25.0	9.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	0	-	-	-	-	Remove	
17251	*Eucalyptus siderophloia*	Northern Grey Ironbark	420		420	132	22.0	10.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	0	-	-	-	-	Remove	
17252	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	19.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	0	-	-	-	-	Remove	
17253	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	16.0	7.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	0	-	-	-	-	Remove	
17254	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	17.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	0	-	-	-	-	Remove	
17255	*Eucalyptus siderophloia*	Northern Grey Ironbark	420		420	132	21.0	8.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	0	-	-	-	-	Remove	
17256	*Eucalyptus siderophloia*	Northern Grey Ironbark	220	160	272	85	14.0	5.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	0	-	-	-	-	Remove	
17257	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	13.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	0	-	-	-	-	Remove	
17258	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	13.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	0	-	-	-	-	Remove	
17259	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	17.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	0	-	-	-	-	Remove	
17260	*Eucalyptus siderophloia*	Northern Grey Ironbark	280	270	389	122	14.0	6.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	0	-	-	-	-	Remove	
17261	*Eucalyptus siderophloia*	Northern Grey Ironbark	260	250	361	113	16.0	7.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	0	-	-	-	-	Remove	
17262	*Acacia disparrima*	Hickory Wattle	250	160, 150, 130	357	112	8.0	6.0	4.3	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	0	-	-	-	-	Remove	
17263	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	12.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	0	-	-	-	-	Remove	
17264	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	13.0	4.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	0	-	-	-	-	Remove	
17265	*Acacia disparrima*	Hickory Wattle	230	170, 150	323	101	8.0	5.0	3.9	2.1	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	-	-	-	-	0	-	-	-	-	Remove	
17266	*Acacia disparrima*	Hickory Wattle	230	180	292	92	9.0	5.0	3.5	2.0	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	-	-	-	-	0	-	-	-	-	Remove	
17267	*Eucalyptus siderophloia*	Northern Grey Ironbark	250	210	326	103	16.0	5.0	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	0	-	-	-	-	Remove	
17268	*Acacia disparrima*	Hickory Wattle	260		260	82	8.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	0	-	-	-	-	Remove	
17269	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	14.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	0	-	-	-	-	Remove	
17270	*Eucalyptus siderophloia*	Northern Grey Ironbark	340		340	107	18.0	6.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	0	-	-	-	-	Remove	
17271	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	16.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	0	-	-	-	-	Remove	
17272	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	11.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	0	-	-	-	-	Remove	
17273	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	17.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	0	-	-	-	-	Remove	
17274	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	14.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	0	-	-	-	-	Remove	
17275	*Eucalyptus moluccana*	Gum-topped Box	210		210	66	14.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	0	-	-	-	-	Remove	
17276	*Eucalyptus siderophloia*	Northern Grey Ironbark	350		350	110	18.0	5.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	0	-	-	-	-	Remove	
17277	*Acacia disparrima*	Hickory Wattle	200		200	63	9.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	0	-	-	-	-	Remove	
17278	*Corymbia citriodora*	Spotted Gum	420		420	132	20.0	7.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	0	-	-	-	-	Remove	
17279	*Eucalyptus siderophloia*	Northern Grey Ironbark	440		440	138	18.0	7.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	0	-	-	-	-	Remove	
17280	*Acacia disparrima*	Hickory Wattle	190	120, 100	246	77	7.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	0	-	-	-	-	Remove	
17281	*Eucalyptus siderophloia*	Northern Grey Ironbark	330		330	104	18.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	0	-	-	-	-	Remove	
17282	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	16.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	0	-	-	-	-	Remove	
17283	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	17.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	0	-	-	-	-	Remove	
17284	*Eucalyptus siderophloia*	Northern Grey Ironbark	320		320	101	18.0	5.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	0	-	-	-	-	Remove	
17285	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	17.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	0	-	-	-	-	Remove	
17286	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	18.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	0	-	-	-	-	Remove	
17287	*Eucalyptus siderophloia*	Northern Grey Ironbark	370	116	19.0	7.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	-	0	-	-	-	-	Remove	
17288	*Eucalyptus siderophloia*	Northern Grey Ironbark	280	88	18.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	-	0	-	-	-	-	Remove	
17289	*Eucalyptus siderophloia*	Northern Grey Ironbark	200	63	18.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	-	0	-	-	-	-	Remove	
17290	*Eucalyptus siderophloia*	Northern Grey Ironbark	220	69	17.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	-	0	-	-	-	-	Remove	
17291	*Eucalyptus siderophloia*	Northern Grey Ironbark	240	75	16.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	-	0	-	-	-	-	Remove	
17292	*Eucalyptus siderophloia*	Northern Grey Ironbark	320	101	17.0	5.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	-	0	-	-	-	-	Remove	
17293	*Eucalyptus siderophloia*	Northern Grey Ironbark	220	69	18.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	-	0	-	-	-	-	Remove	
17294	*Eucalyptus siderophloia*	Northern Grey Ironbark	220	69	16.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	-	0	-	-	-	-	Remove	
17295	*Eucalyptus siderophloia*	Northern Grey Ironbark	300	94	17.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	-	0	-	-	-	-	Remove	
17296	*Acacia disparrima*	Hickory Wattle	280	88	9.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	-	0	-	-	-	-	Remove	
17297	*Acacia disparrima*	Hickory Wattle	240	75	9.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	-	0	-	-	-	-	Remove	
17298	*Acacia disparrima*	Hickory Wattle	260	82	7.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	-	0	-	-	-	-	Remove	
17299	*Corymbia citriodora*	Spotted Gum	240	75	16.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	-	0	-	-	-	-	Remove	
17300	*Acacia disparrima*	Hickory Wattle	180	170	248	78	8.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	0	-	-	-	-	Remove	
17301	*Eucalyptus siderophloia*	Northern Grey Ironbark	270	85	18.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	-	0	-	-	-	-	Remove	
17302	*Eucalyptus siderophloia*	Northern Grey Ironbark	260	82	16.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	-	0	-	-	-	-	Remove	
17303	*Eucalyptus siderophloia*	Northern Grey Ironbark	290	91	18.0	8.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	-	0	-	-	-	-	Remove	
17304	*Eucalyptus siderophloia*	Northern Grey Ironbark	240	75	18.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	-	0	-	-	-	-	Remove	
17305	*Eucalyptus siderophloia*	Northern Grey Ironbark	270	85	18.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	-	0	-	-	-	-	Remove	
17306	*Eucalyptus siderophloia*	Northern Grey Ironbark	290	91	18.0	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	-	0	-	-	-	-	Remove	
17307	*Eucalyptus moluccana*	Gum-topped Box	290	230	370	116	18.0	7.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	0	-	-	-	-	Remove	
17308	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	18.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	0	-	-	-	-	Remove	
17309	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	17.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	0	-	-	-	-	Remove	
17310	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	16.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	0	-	-	-	-	Remove	
17311	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	17.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	0	-	-	-	-	Remove	
17312	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	17.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	0	-	-	-	-	Remove	
17313	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	16.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	0	-	-	-	-	Remove	
17314	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	17.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	0	-	-	-	-	Remove	
17315	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	17.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	0	-	-	-	-	Remove	
17316	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	18.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	0	-	-	-	-	Remove	
17317	*Eucalyptus siderophloia*	Northern Grey Ironbark	220	130	256	80	17.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	0	-	-	-	-	Remove	

Specimen Details								Canopy Condition Details								Trunk Condition Details								Fauna Details and Habitat Value									
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
17318	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	16.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17319	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	14.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17320	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	18.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17321	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	17.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17322	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	16.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17323	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	16.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17324	*Eucalyptus siderophloia*	Northern Grey Ironbark	840	170	857	269	23.0	11.0	10.3	3.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
17325	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	16.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17326	*Acacia disparrima*	Hickory Wattle	220		220	69	9.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17327	*Acacia disparrima*	Hickory Wattle	200	190	276	87	10.0	6.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17328	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	19.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17329	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	19.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17330	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	18.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17331	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	17.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17332	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	16.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17333	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	16.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17334	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	18.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17335	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	18.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17336	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	17.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17337	*Eucalyptus siderophloia*	Northern Grey Ironbark	350		350	110	20.0	7.0	4.2	2.1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17338	*Eucalyptus siderophloia*	Northern Grey Ironbark	500		500	157	22.0	9.0	6.0	2.5	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17339	*Eucalyptus siderophloia*	Northern Grey Ironbark	490		490	154	23.0	12.0	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17340	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	18.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17341	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	16.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17342	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	17.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17343	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	16.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17344	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	16.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17345	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	16.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17346	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	18.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17347	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	17.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17348	*Acacia disparrima*	Hickory Wattle	200		200	63	16.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17349	*Eucalyptus siderophloia*	Northern Grey Ironbark	450		450	141	21.0	7.0	5.4	2.4	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
17350	*Eucalyptus siderophloia*	Northern Grey Ironbark	420		420	132	20.0	8.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17351	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	16.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17352	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	12.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17353	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	14.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17354	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	14.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17355	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	14.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17356	*Eucalyptus siderophloia*	Northern Grey Ironbark	160	150	219	69	10.0	4.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17357	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	11.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17358	*Acacia disparrima*	Hickory Wattle	230		230	72	7.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17359	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	14.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
17360	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	14.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17361	*Acacia disparrima*	Hickory Wattle	200		200	63	8.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17362	*Eucalyptus siderophloia*	Northern Grey Ironbark	550		550	173	22.0	10.0	6.6	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17363	*Angophora leiocarpa*	Smooth-barked Apple	220		220	69	15.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17364	*Acacia disparrima*	Hickory Wattle	240	200	312	98	10.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17365	*Acacia disparrima*	Hickory Wattle	250	170	302	95	9.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17366	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	18.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
17367	*Corymbia citriodora*	Spotted Gum	220		220	69	17.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17368	*Eucalyptus siderophloia*	Northern Grey Ironbark	320		320	101	16.0	5.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17369	*Eucalyptus siderophloia*	Northern Grey Ironbark	460		460	145	18.0	6.0	5.5	2.4	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17370	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	16.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17371	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	14.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17372	*Eucalyptus siderophloia*	Northern Grey Ironbark	310		310	97	17.0	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17373	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	16.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17374	*Acacia disparrima*	Hickory Wattle	210		210	66	7.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17375	*Angophora leiocarpa*	Smooth-barked Apple	280		280	88	16.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17376	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	17.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17377	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	18.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17378	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	16.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17379	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	15.0	4.0	2.4	1.7	Regular	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
17380	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	16.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17381	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	17.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17382	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	17.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17383	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	16.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17384	*Eucalyptus siderophloia*	Northern Grey Ironbark	190		190	60	17.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17385	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	18.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	

| | Specimen Details | | |

Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
17454	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	18.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17455	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	18.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17456	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	17.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17457	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	17.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17458	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	17.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17459	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	16.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17460	*Eucalyptus siderophloia*	Northern Grey Ironbark	290		290	91	16.0	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17461	**DEAD/STAG**		870		870	273	18.0	7.0	10.4	3.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Small	-	2	-	-	-	Remove	
17462	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	18.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17463	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	16.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17464	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	14.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17465	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	15.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17466	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	16.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17467	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	14.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17468	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	16.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17469	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	16.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17470	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	16.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17471	*Acacia disparrima*	Hickory Wattle	210		210	66	8.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17472	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	17.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17473	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	18.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17474	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	17.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17475	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	17.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17476	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	16.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17477	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	16.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17478	*Eucalyptus siderophloia*	Northern Grey Ironbark	200	190	276	87	16.0	6.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17479	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	17.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17480	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	15.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17481	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	18.0	7.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17482	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	17.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17483	*Eucalyptus siderophloia*	Northern Grey Ironbark	460		460	145	17.0	8.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17484	*Eucalyptus siderophloia*	Northern Grey Ironbark	390		390	123	17.0	7.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17485	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	15.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17486	*Eucalyptus siderophloia*	Northern Grey Ironbark	370		370	116	18.0	8.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17487	*Eucalyptus siderophloia*	Northern Grey Ironbark	350		350	110	17.0	9.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
17488	*Eucalyptus siderophloia*	Northern Grey Ironbark	380		380	119	18.0	7.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17489	*Eucalyptus siderophloia*	Northern Grey Ironbark	330		330	104	16.0	6.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17490	*Acacia disparrima*	Hickory Wattle	380		380	119	13.0	9.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
17491	*Acacia disparrima*	Hickory Wattle	280		280	88	13.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17492	*Acacia disparrima*	Hickory Wattle	330	250	414	130	15.0	9.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17493	*Eucalyptus siderophloia*	Northern Grey Ironbark	390		390	123	18.0	7.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17494	*Corymbia citriodora*	Spotted Gum	370		370	116	19.0	7.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17495	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	17.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17496	**DEAD/STAG**		330		330	104	13.0	2.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
17497	**DEAD/STAG**		300		300	94	9.0	4.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17498	*Corymbia citriodora*	Spotted Gum	450		450	141	19.0	7.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17499	*Eucalyptus tereticornis*	Forest Red Gum	310		310	97	17.0	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17500	*Corymbia citriodora*	Spotted Gum	300		300	94	17.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17501	*Corymbia citriodora*	Spotted Gum	380		380	119	19.0	7.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17502	*Eucalyptus siderophloia*	Northern Grey Ironbark	890		890	280	26.0	12.0	10.7	3.2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Retain	
17503	*Acacia disparrima*	Hickory Wattle	390		390	123	16.0	10.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17504	*Acacia disparrima*	Hickory Wattle	300	250	391	123	14.0	8.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17505	*Acacia disparrima*	Hickory Wattle	420	220	474	149	17.0	7.0	5.7	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17506	*Acacia disparrima*	Hickory Wattle	300		300	94	13.0	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17507	*Eucalyptus siderophloia*	Northern Grey Ironbark	310		310	97	18.0	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17508	*Eucalyptus siderophloia*	Northern Grey Ironbark	470		470	148	20.0	10.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17509	*Corymbia citriodora*	Spotted Gum	260		260	82	19.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17510	*Acacia disparrima*	Hickory Wattle	250		250	79	15.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17511	*Acacia disparrima*	Hickory Wattle	220	150, 140	301	95	12.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17512	*Corymbia citriodora*	Spotted Gum	330		330	104	18.0	6.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17513	*Eucalyptus siderophloia*	Northern Grey Ironbark	380		380	119	22.0	9.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
17514	*Eucalyptus siderophloia*	Northern Grey Ironbark	900		900	283	25.0	9.0	10.8	3.2	Regular	-	-	-	-	-	Typical	-	Native	Trunk Dmg.	-	Typical	-	-	-	Small	1	-	Termite nest	-	Remove	
17515	*Corymbia citriodora*	Spotted Gum	370		370	116	19.0	8.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17516	*Corymbia intermedia*	Pink Bloodwood	540		540	170	20.0	8.0	6.5	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17517	*Eucalyptus siderophloia*	Northern Grey Ironbark	670		670	210	26.0	10.0	8.0	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	Small	0	-	-	Remove	
17518	*Eucalyptus siderophloia*	Northern Grey Ironbark	380		380	119	16.0	7.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17519	*Eucalyptus siderophloia*	Northern Grey Ironbark	550		550	173	25.0	8.0	6.6	2.6	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
17520	*Eucalyptus siderophloia*	Northern Grey Ironbark	380		380	119	21.0	9.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17521	*Eucalyptus siderophloia*	Northern Grey Ironbark	520		520	163	27.0	9.0	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	

Tree ID	Botanical Name	Common Name	Specimen Details								Canopy Condition Details								Trunk Condition Details								Fauna Details and Habitat Value								
			Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
17522	*Eucalyptus siderophloia*	Northern Grey Ironbark	490		490	154	25.0	8.0	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
17523	*Acacia disparrima*	Hickory Wattle	290	200, 200	405	127	14.0	10.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
17524	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	16.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
17525	*Eucalyptus siderophloia*	Northern Grey Ironbark	290		290	91	18.0	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17526	*Acacia disparrima*	Hickory Wattle	310		310	97	13.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17527	*Acacia disparrima*	Hickory Wattle	280		280	88	15.0	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17528	*Acacia disparrima*	Hickory Wattle	360		360	113	15.0	8.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17529	*Acacia disparrima*	Hickory Wattle	260		260	82	10.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17530	*Acacia disparrima*	Hickory Wattle	400	300	500	157	12.0	8.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17531	*Acacia disparrima*	Hickory Wattle	300	250, 250	464	146	12.0	10.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17532	*Acacia disparrima*	Hickory Wattle	310	250	398	125	15.0	8.0	4.8	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17533	*Acacia disparrima*	Hickory Wattle	380	380, 250, 250	643	202	15.0	10.0	7.7	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17534	*Acacia disparrima*	Hickory Wattle	300	200, 130	383	120	13.0	7.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17535	*Acacia disparrima*	Hickory Wattle	200	190	276	87	15.0	8.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17536	*Acacia disparrima*	Hickory Wattle	300	200	361	113	9.0	7.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17537	*Acacia disparrima*	Hickory Wattle	260	250, 250, 250	505	159	13.0	8.0	6.1	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17538	*Acacia disparrima*	Hickory Wattle	340	140	368	116	15.0	8.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17539	*Acacia disparrima*	Hickory Wattle	300	250, 150	418	131	13.0	8.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17540	*Acacia disparrima*	Hickory Wattle	350	150	381	120	14.0	10.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17541	*Acacia disparrima*	Hickory Wattle	350	250, 250	497	156	16.0	8.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17542	*Eucalyptus tereticornis*	Forest Red Gum	430		430	135	19.0	6.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	0	-	-	-	Remove	
17543	*Corymbia intermedia*	Pink Bloodwood	220		220	69	13.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17544	*Corymbia tessellaris*	Moreton Bay Ash	380		380	119	24.0	7.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17545	*Eucalyptus siderophloia*	Northern Grey Ironbark	270	85	270	85	18.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
17546	*Corymbia citriodora*	Spotted Gum	270	85	270	85	18.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17547	*Corymbia citriodora*	Spotted Gum	600	188	600	188	24.0	14.0	7.2	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17548	*Eucalyptus siderophloia*	Northern Grey Ironbark	350		350	110	19.0	8.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17549	*Eucalyptus tereticornis*	Forest Red Gum	420		420	132	20.0	8.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17550	*Corymbia intermedia*	Pink Bloodwood	300	94	360	113	18.0	5.0	3.6	2.0	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
17551	**DEAD/STAG**		360	113	360	113	14.0	9.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17552	*Corymbia intermedia*	Pink Bloodwood	320	101	320	101	18.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
17553	*Eucalyptus siderophloia*	Northern Grey Ironbark	550	173	550	173	26.0	10.0	6.6	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17554	**DEAD/STAG**		350	260	436	137	17.0	3.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	1	-	-	-	Remove	
17555	*Eucalyptus siderophloia*	Northern Grey Ironbark	350		350	110	22.0	8.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17556	*Eucalyptus siderophloia*	Northern Grey Ironbark	550	173	550	173	19.0	8.0	6.6	2.6	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
17557	**DEAD/STAG**		300	94	300	94	10.0	3.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17558	**DEAD/STAG**		500	157	500	157	14.0	1.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17559	**DEAD/STAG**		450	141	450	141	14.0	3.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17560	*Eucalyptus siderophloia*	Northern Grey Ironbark	480	151	480	151	24.0	9.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17561	*Acacia disparrima*	Hickory Wattle	280	88	280	88	18.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17562	*Eucalyptus tereticornis*	Forest Red Gum	200	63	200	63	17.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17563	*Eucalyptus siderophloia*	Northern Grey Ironbark	250	79	250	79	21.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17564	*Acacia disparrima*	Hickory Wattle	240	75	240	75	8.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17565	*Acacia disparrima*	Hickory Wattle	370	116	370	116	17.0	8.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17566	*Acacia disparrima*	Hickory Wattle	250	200, 150	354	111	12.0	8.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17567	*Acacia disparrima*	Hickory Wattle	280	88	280	88	12.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17568	*Acacia disparrima*	Hickory Wattle	360	260	444	140	14.0	10.0	5.3	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17569	*Acacia disparrima*	Hickory Wattle	270	150, 130	335	105	16.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17570	*Eucalyptus tereticornis*	Forest Red Gum	410		410	129	20.0	8.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17571	*Acacia disparrima*	Hickory Wattle	500		500	157	17.0	9.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17572	*Corymbia tessellaris*	Moreton Bay Ash	240		240	75	19.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17573	*Eucalyptus tereticornis*	Forest Red Gum	210	66	210	66	17.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17574	*Acacia disparrima*	Hickory Wattle	300	150, 150	367	115	14.0	9.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17575	*Eucalyptus tereticornis*	Forest Red Gum	200	63	200	63	17.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17576	*Petaltostigma pubescens*	Quinine Tree	380	119	380	119	12.0	7.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
17577	*Eucalyptus tereticornis*	Forest Red Gum	520	163	520	163	22.0	10.0	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17578	*Angophora leiocarpa*	Rusty Gum	250	79	250	79	12.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17579	*Corymbia intermedia*	Pink Bloodwood	400	180	439	138	23.0	10.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17580	*Eucalyptus tereticornis*	Forest Red Gum	260		260	82	19.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17581	*Corymbia citriodora*	Spotted Gum	240		240	75	17.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17582	*Acacia disparrima*	Hickory Wattle	350	160, 160	417	131	16.0	8.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17583	*Acacia disparrima*	Hickory Wattle	200	150, 150	292	92	12.0	9.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17584	*Acacia disparrima*	Hickory Wattle	210	66	210	66	12.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17585	*Eucalyptus moluccana*	Gum-topped Box	300	94	300	94	14.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17586	*Acacia concurrens*	Black Wattle	280	250	375	118	16.0	8.0	4.5	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17587	*Acacia disparrima*	Hickory Wattle	350	350	495	156	16.0	10.0	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17588	*Acacia disparrima*	Hickory Wattle	300	200	361	113	13.0	7.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17589	*Eucalyptus tereticornis*	Forest Red Gum	280		280	88	16.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	

Specimen Details									Canopy Condition Details								Trunk Condition Details				Fauna Details and Habitat Value							Additional Notes
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention
17590	*Acacia dispartima*	Hickory Wattle	300	270	404	127	18.0	7.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17591	*Acacia dispartima*	Hickory Wattle	330	320	460	144	15.0	10.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17592	*Acacia dispartima*	Hickory Wattle	330	260, 260	494	155	14.0	10.0	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17594	*Eucalyptus siderophloia*	Northern Grey Ironbark	280	280	404	127	18.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (future works)
17595	*Eucalyptus siderophloia*	Northern Grey Ironbark	340	340	460	144	20.0	7.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17596	*Eucalyptus siderophloia*	Northern Grey Ironbark	260	260	329	103	18.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17597	*Eucalyptus siderophloia*	Northern Grey Ironbark	300	300	404	127	19.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Retention TBC (future works)
17598	*Eucalyptus siderophloia*	Northern Grey Ironbark	300	300	424	133	18.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (future works)
17599	*Eucalyptus siderophloia*	Northern Grey Ironbark	330	330	467	147	21.0	9.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (future works)
17600	*Eucalyptus siderophloia*	Northern Grey Ironbark	350	110	424	133	19.0	8.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (future works)
17601	*Eucalyptus siderophloia*	Northern Grey Ironbark	280	88	404	127	18.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (future works)
17602	*Eucalyptus siderophloia*	Northern Grey Ironbark	300	94	424	133	19.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17603	*Eucalyptus siderophloia*	Northern Grey Ironbark	270	85	382	120	19.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17604	*Eucalyptus siderophloia*	Northern Grey Ironbark	300	94	424	133	22.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17605	*Eucalyptus siderophloia*	Northern Grey Ironbark	280	88	396	124	18.0	10.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17606	*Eucalyptus siderophloia*	Northern Grey Ironbark	300	94	424	133	20.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17607	*Eucalyptus siderophloia*	Northern Grey Ironbark	340	180	385	121	22.0	9.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17608	*Eucalyptus siderophloia*	Northern Grey Ironbark	200	63	270	85	17.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17609	*Acacia dispartima*	Hickory Wattle	250	79	300	94	16.0	9.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17610	*Eucalyptus siderophloia*	Northern Grey Ironbark	300	94	424	133	21.0	9.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17611	*Eucalyptus siderophloia*	Northern Grey Ironbark	360	113	509	160	23.0	10.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove
17612	*Eucalyptus siderophloia*	Northern Grey Ironbark	320	101	452	142	23.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17613	*Eucalyptus tereticornis*	Forest Red Gum	260	230	347	109	21.0	8.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17614	*Eucalyptus siderophloia*	Northern Grey Ironbark	300	94	424	133	21.0	9.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17615	*Eucalyptus siderophloia*	Northern Grey Ironbark	270	85	382	120	19.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17616	*Eucalyptus siderophloia*	Northern Grey Ironbark	240	75	339	106	16.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Poor	-	-	-	0	-	-	-	Remove
17617	*Eucalyptus siderophloia*	Northern Grey Ironbark	300	94	424	133	21.0	9.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17618	*Eucalyptus siderophloia*	Northern Grey Ironbark	290	91	410	129	21.0	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17619	*Eucalyptus siderophloia*	Northern Grey Ironbark	270	85	382	120	22.0	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17620	*Eucalyptus siderophloia*	Northern Grey Ironbark	290	91	410	129	23.0	8.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17621	*Eucalyptus siderophloia*	Northern Grey Ironbark	270	85	382	120	19.0	9.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17622	*Eucalyptus siderophloia*	Northern Grey Ironbark	390	123	553	174	23.0	8.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17623	*Eucalyptus siderophloia*	Northern Grey Ironbark	400	126	565	178	18.0	6.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove
17624	*Eucalyptus siderophloia*	Northern Grey Ironbark	300	94	424	133	20.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17625	*Eucalyptus siderophloia*	Northern Grey Ironbark	300	94	424	133	16.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17626	*Eucalyptus siderophloia*	Northern Grey Ironbark	430	135	602	190	22.0	10.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17627	*Eucalyptus siderophloia*	Northern Grey Ironbark	300	94	424	133	21.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17628	*Eucalyptus siderophloia*	Northern Grey Ironbark	320	101	452	142	20.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17629	*Eucalyptus siderophloia*	Northern Grey Ironbark	270	85	382	120	19.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17630	*Eucalyptus siderophloia*	Northern Grey Ironbark	300	290	417	131	19.0	9.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17631	*Eucalyptus siderophloia*	Northern Grey Ironbark	300	94	424	133	16.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17632	*Eucalyptus siderophloia*	Northern Grey Ironbark	290	91	410	129	18.0	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17633	*Acacia dispartima*	Hickory Wattle	400	126	565	178	14.0	10.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17634	*Eucalyptus siderophloia*	Northern Grey Ironbark	280	88	396	124	20.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17635	*Eucalyptus siderophloia*	Northern Grey Ironbark	230	72	324	102	18.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17636	*Eucalyptus siderophloia*	Northern Grey Ironbark	260	82	367	115	19.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17637	*Eucalyptus siderophloia*	Northern Grey Ironbark	320	101	452	142	17.0	9.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17638	*Eucalyptus siderophloia*	Northern Grey Ironbark	240	75	339	106	17.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17639	*Eucalyptus siderophloia*	Northern Grey Ironbark	280	88	396	124	18.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17640	*Eucalyptus siderophloia*	Northern Grey Ironbark	300	94	424	133	22.0	9.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17641	*Acacia dispartima*	Hickory Wattle	350	110	495	156	19.0	9.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17642	*Eucalyptus siderophloia*	Northern Grey Ironbark	290	91	410	129	19.0	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17643	*Eucalyptus siderophloia*	Northern Grey Ironbark	200	63	283	89	15.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17644	*Acacia dispartima*	Hickory Wattle	200	150	250	79	12.0	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17645	*Acacia dispartima*	Hickory Wattle	230	72	230	72	12.0	9.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17646	*Acacia dispartima*	Hickory Wattle	270	160	314	99	18.0	8.0	3.8	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17647	*Acacia dispartima*	Hickory Wattle	300	94	424	133	14.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17648	*Eucalyptus siderophloia*	Northern Grey Ironbark	210	66	297	93	21.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17649	*Acacia dispartima*	Hickory Wattle	210	66	297	93	14.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17650	*Eucalyptus tereticornis*	Forest Red Gum	300	94	424	133	18.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17651	*Acacia dispartima*	Hickory Wattle	300	94	424	133	10.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17652	*Acacia dispartima*	Hickory Wattle	300	94	424	133	12.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17653	*Corymbia intermedia*	Pink Bloodwood	260	82	367	115	15.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17654	*Eucalyptus siderophloia*	Northern Grey Ironbark	300	94	424	133	21.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17655	*Eucalyptus siderophloia*	Northern Grey Ironbark	370	116	520	163	20.0	8.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17656	*Eucalyptus siderophloia*	Northern Grey Ironbark	360	113	509	160	21.0	8.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17657	*Eucalyptus siderophloia*	Northern Grey Ironbark	410	129	580	182	18.0	6.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value							
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
17658	*Corymbia citriodora*	Spotted Gum	300	200	361	113	21.0	6.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17659	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	17.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17660	*Acacia disparrima*	Hickory Wattle	260	260	368	116	12.0	7.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17661	*Acacia disparrima*	Hickory Wattle	260	120	286	90	14.0	7.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17662	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	16.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17663	*Eucalyptus siderophloia*	Northern Grey Ironbark	350		350	110	16.0	7.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17664	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	19.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17665	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	18.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17666	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	16.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17667	*Eucalyptus siderophloia*	Northern Grey Ironbark	260	170	311	98	12.0	10.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17668	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	14.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17669	*Eucalyptus siderophloia*	Northern Grey Ironbark	170		170	53	14.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17670	*Acacia disparrima*	Hickory Wattle	340		340	107	17.0	6.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17671	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	16.0	4.0	3.6	2.0	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17672	*Corymbia intermedia*	Pink Bloodwood	210		210	66	16.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
17673	*Acacia disparrima*	Hickory Wattle	260		260	82	16.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
17674	*Acacia disparrima*	Hickory Wattle	250		250	79	16.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
17675	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	16.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
17676	*Corymbia citriodora*	Spotted Gum	420		420	132	20.0	6.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
17677	*Corymbia citriodora*	Spotted Gum	200		200	63	16.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
17678	**DEAD/STAG**		320		320	101	14.0	2.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
17679	*Acacia disparrima*	Hickory Wattle	250		250	79	15.0	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17680	**DEAD/STAG**		700		700	220	22.0	6.0	8.4	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17681	*Angophora leiocarpa*	Rusty Gum	340		340	107	22.0	7.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17682	*Corymbia citriodora*	Spotted Gum	200		200	63	18.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17683	*Corymbia citriodora*	Spotted Gum	560		560	176	20.0	9.0	6.7	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17684	*Corymbia citriodora*	Spotted Gum	260		260	82	18.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17685	*Corymbia citriodora*	Spotted Gum	410		410	129	22.0	8.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17686	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	18.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17687	*Corymbia citriodora*	Spotted Gum	200		200	63	15.0	1.0	2.4	1.7	Regular	-	Thinning	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17688	*Corymbia citriodora*	Spotted Gum	200		200	63	19.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17689	*Corymbia citriodora*	Spotted Gum	430		430	135	26.0	9.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17690	*Corymbia citriodora*	Spotted Gum	260		260	82	20.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17691	*Corymbia citriodora*	Spotted Gum	450		450	141	24.0	6.0	5.4	2.4	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17692	*Eucalyptus siderophloia*	Northern Grey Ironbark	400		400	126	19.0	5.0	4.8	2.3	Regular	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
17693	*Corymbia citriodora*	Spotted Gum	430		430	135	26.0	9.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17694	*Corymbia citriodora*	Spotted Gum	290		290	91	22.0	4.0	3.5	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17695	**DEAD/STAG**		370		370	116	18.0	3.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17696	*Corymbia citriodora*	Spotted Gum	370		370	116	27.0	8.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17697	*Corymbia citriodora*	Spotted Gum	770		770	242	31.0	14.0	9.2	3.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17698	*Eucalyptus siderophloia*	Northern Grey Ironbark	350		350	110	19.0	8.0	4.2	2.1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17699	*Eucalyptus siderophloia*	Northern Grey Ironbark	500		500	157	20.0	8.0	6.0	2.5	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17700	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	15.0	3.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17701	*Corymbia citriodora*	Spotted Gum	290		290	91	22.0	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17702	**DEAD/STAG**		750		750	236	23.0	5.0	9.0	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17703	*Corymbia citriodora*	Spotted Gum	370		370	116	24.0	8.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17704	*Corymbia citriodora*	Spotted Gum	320		320	101	27.0	9.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17705	*Corymbia citriodora*	Spotted Gum	480		480	151	28.0	8.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17706	*Corymbia citriodora*	Spotted Gum	380		380	119	20.0	9.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17707	*Corymbia citriodora*	Spotted Gum	220		220	69	17.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17708	*Corymbia citriodora*	Spotted Gum	350		350	110	22.0	10.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17709	*Corymbia citriodora*	Spotted Gum	340		340	107	22.0	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17710	*Corymbia citriodora*	Spotted Gum	300		300	94	26.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17711	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	22.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17712	*Corymbia citriodora*	Spotted Gum	210		210	66	17.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17713	*Corymbia citriodora*	Spotted Gum	270		270	85	17.0	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17714	*Eucalyptus siderophloia*	Northern Grey Ironbark	370		370	116	30.0	9.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17715	*Acacia disparrima*	Hickory Wattle	270		270	85	16.0	10.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17716	*Corymbia citriodora*	Spotted Gum	200		200	63	18.0	8.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17717	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	16.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17718	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	20.0	10.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17719	*Melaleuca bhyngna*	Swamp Tea-tree	130	150	198	62	6.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17720	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	15.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17721	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	17.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17722	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	16.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17723	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	19.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17724	*Eucalyptus tereticornis*	Forest Red Gum	320		320	101	19.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17725	*Eucalyptus tereticornis*	Forest Red Gum	290		290	91	18.0	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
17726	*Eucalyptus siderophloia*	Northern Grey Ironbark	280	280	280	88	18.0	11.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17727	*Eucalyptus siderophloia*	Northern Grey Ironbark	210	210	210	66	18.0	10.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17728	*Acacia disparrima*	Hickory Wattle	340	340	340	107	18.0	10.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17729	*Acacia disparrima*	Hickory Wattle	330	330	330	104	14.0	12.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17730	*Eucalyptus tereticornis*	Forest Red Gum	450	450	450	141	19.0	8.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17731	*Eucalyptus siderophloia*	Northern Grey Ironbark	240	240	240	75	22.0	7.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17732	*Eucalyptus tereticornis*	Forest Red Gum	240	240	240	75	17.0	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17733	*Eucalyptus siderophloia*	Northern Grey Ironbark	260	260	260	82	19.0	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17734	*Eucalyptus siderophloia*	Northern Grey Ironbark	300	300	300	94	19.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17735	*Acacia disparrima*	Hickory Wattle	360	360	360	113	16.0	12.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17736	*Eucalyptus tereticornis*	Forest Red Gum	210	210	210	66	17.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17737	*Eucalyptus siderophloia*	Northern Grey Ironbark	250	250	250	79	22.0	9.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17738	*Eucalyptus tereticornis*	Forest Red Gum	310	310	310	97	19.0	9.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17739	*Eucalyptus siderophloia*	Northern Grey Ironbark	250	250	250	79	22.0	9.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17740	*Eucalyptus siderophloia*	Northern Grey Ironbark	210	210	210	66	16.0	8.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17741	*Acacia disparrima*	Hickory Wattle	440	440	440	138	12.0	13.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17742	*Acacia disparrima*	Hickory Wattle	270	220	348	109	16.0	10.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17743	*Acacia disparrima*	Hickory Wattle	170	170, 170	294	93	11.0	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17744	*Acacia disparrima*	Hickory Wattle	250	150	292	92	13.0	8.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17745	*Acacia disparrima*	Hickory Wattle	320	270	419	132	16.0	9.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17746	*Acacia disparrima*	Hickory Wattle	400	400	400	126	16.0	8.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17747	*Acacia disparrima*	Hickory Wattle	360	300	469	147	17.0	12.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17748	*Acacia disparrima*	Hickory Wattle	420	200	465	146	15.0	10.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17749	*Acacia disparrima*	Hickory Wattle	400		400	126	12.0	12.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
17750	*Eucalyptus tereticornis*	Forest Red Gum	360		360	113	18.0	8.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
17751	*Eucalyptus moluccana*	Gum-topped Box	200		200	63	14.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17752	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	15.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17753	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	16.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17754	*Corymbia citriodora*	Spotted Gum	280		280	88	17.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17755	*Corymbia citriodora*	Spotted Gum	220		220	69	19.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17756	*Corymbia citriodora*	Spotted Gum	190		190	60	18.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17757	*Corymbia citriodora*	Spotted Gum	220		220	69	18.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17758	*Corymbia citriodora*	Spotted Gum	220		220	69	20.0	7.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17759	*Corymbia citriodora*	Spotted Gum	220		220	69	18.0	7.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17760	*Corymbia citriodora*	Spotted Gum	260		260	82	21.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17761	*Eucalyptus siderophloia*	Northern Grey Ironbark	340		340	107	24.0	10.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17762	*Corymbia citriodora*	Spotted Gum	490		490	154	24.0	11.0	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17763	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	18.0	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17764	*Corymbia citriodora*	Spotted Gum	230		230	72	19.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17765	*Corymbia citriodora*	Spotted Gum	200		200	63	22.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17766	*Corymbia citriodora*	Spotted Gum	210		210	66	18.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17767	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	19.0	9.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17768	*Corymbia citriodora*	Spotted Gum	210		210	66	22.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17769	*Eucalyptus tereticornis*	Forest Red Gum	200		200	63	17.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17770	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	24.0	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17771	**DEAD/STAG**		850		850	267	24.0	7.0	10.2	3.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17772	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	19.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17773	*Eucalyptus siderophloia*	Northern Grey Ironbark	460		460	145	26.0	12.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17774	*Eucalyptus siderophloia*	Northern Grey Ironbark	320		320	101	20.0	9.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17775	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	17.0	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17776	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	19.0	8.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17777	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	17.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17778	*Eucalyptus siderophloia*	Northern Grey Ironbark	480		480	151	26.0	12.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17779	*Eucalyptus siderophloia*	Northern Grey Ironbark	420		420	132	24.0	8.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17780	*Eucalyptus siderophloia*	Northern Grey Ironbark	380		380	119	19.0	8.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17781	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	21.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17782	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	22.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17783	*Eucalyptus siderophloia*	Northern Grey Ironbark	290		290	91	18.0	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17784	*Eucalyptus siderophloia*	Northern Grey Ironbark	450		450	141	26.0	11.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17785	*Corymbia citriodora*	Spotted Gum	200		200	63	17.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17786	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	18.0	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
17787	*Corymbia citriodora*	Spotted Gum	330		330	104	25.0	8.0	4.0	2.1	Regular	-	-	-	-	Die-back	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17788	*Corymbia citriodora*	Spotted Gum	340		340	107	20.0	12.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17789	*Corymbia citriodora*	Spotted Gum	430		430	135	22.0	12.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17790	*Corymbia citriodora*	Spotted Gum	720		720	226	22.0	10.0	8.6	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17791	*Eucalyptus siderophloia*	Northern Grey Ironbark	420		420	132	21.0	10.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17792	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	12.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
17793	*Eucalyptus siderophloia*	Northern Grey Ironbark	250	220	333	105	22.0	9.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	

Tree ID	Botanical Name	Common Name	Specimen Details							Canopy Condition Details							Trunk Condition Details				Fauna Details and Habitat Value						Additional Notes
			Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	
17794	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	16.0	8.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17795	*Corymbia citriodora*	Spotted Gum	200		200	63	14.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17796	*Eucalyptus siderophloia*	Northern Grey Ironbark	500		500	157	25.0	14.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17797	*Eucalyptus siderophloia*	Northern Grey Ironbark	350		350	110	26.0	9.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17798	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	22.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17799	*Eucalyptus siderophloia*	Northern Grey Ironbark	330		330	104	19.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17800	*Eucalyptus siderophloia*	Northern Grey Ironbark	340		340	107	22.0	9.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17801	**DEAD/STAG**		300		300	94	14.0	4.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17802	*Corymbia citriodora*	Spotted Gum	540	280, 280	670	210	28.0	13.0	8.0	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17803	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	23.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17804	*Eucalyptus siderophloia*	Northern Grey Ironbark	400		400	126	23.0	8.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	0	-	-	-	Remove
17805	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	24.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17806	*Corymbia citriodora*	Spotted Gum	570		570	179	28.0	14.0	6.8	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17807	*Corymbia citriodora*	Spotted Gum	220		220	69	15.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17808	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	20.0	1.0	3.1	1.9	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17809	*Corymbia citriodora*	Spotted Gum	230		230	72	24.0	8.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17810	*Corymbia citriodora*	Spotted Gum	230		230	72	21.0	6.0	2.8	1.8	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17811	*Corymbia citriodora*	Spotted Gum	450		450	141	28.0	10.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17812	**DEAD/STAG**		430		430	135	12.0	4.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	1	-	-	-	Remove
17813	*Corymbia citriodora*	Spotted Gum	200		200	63	16.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17814	**DEAD/STAG**		500		500	157	17.0	6.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17815	*Corymbia citriodora*	Spotted Gum	310		310	97	27.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17816	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	16.0	2.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17817	*Corymbia citriodora*	Spotted Gum	540		540	170	20.0	7.0	6.5	2.6	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove
17818	*Corymbia citriodora*	Spotted Gum	220		220	69	14.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17819	*Corymbia citriodora*	Spotted Gum	261	140	261	82	17.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17820	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	14.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17821	*Corymbia citriodora*	Spotted Gum	320		320	101	21.0	9.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17822	*Corymbia citriodora*	Spotted Gum	440		440	138	26.0	9.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17823	*Corymbia citriodora*	Spotted Gum	320		320	101	14.0	4.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17824	*Corymbia citriodora*	Spotted Gum	510		510	160	27.0	10.0	6.1	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17825	*Corymbia citriodora*	Spotted Gum	280		280	88	18.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17826	*Corymbia citriodora*	Spotted Gum	200		200	63	17.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17827	*Corymbia citriodora*	Spotted Gum	230		230	72	19.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17828	*Corymbia citriodora*	Spotted Gum	280		280	88	26.0	9.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17829	*Eucalyptus siderophloia*	Northern Grey Ironbark	480		480	151	26.0	11.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17830	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	20.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17831	*Corymbia citriodora*	Spotted Gum	240		240	75	19.0	7.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17832	*Eucalyptus siderophloia*	Northern Grey Ironbark	350		350	110	24.0	10.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17833	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	21.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17834	*Corymbia citriodora*	Spotted Gum	200		200	63	19.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17835	*Corymbia citriodora*	Spotted Gum	310		310	97	22.0	9.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17836	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	18.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17837	*Eucalyptus siderophloia*	Northern Grey Ironbark	400		400	126	22.0	6.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17838	*Eucalyptus siderophloia*	Northern Grey Ironbark	450		450	141	22.0	9.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17839	*Eucalyptus siderophloia*	Northern Grey Ironbark	400		400	126	26.0	9.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17840	*Eucalyptus siderophloia*	Northern Grey Ironbark	440		440	138	30.0	12.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17841	*Corymbia citriodora*	Spotted Gum	450		450	141	29.0	12.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17842	*Corymbia citriodora*	Spotted Gum	370		370	116	26.0	12.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17843	*Corymbia citriodora*	Spotted Gum	350		350	110	18.0	9.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17844	*Eucalyptus siderophloia*	Northern Grey Ironbark	430	180	466	146	28.0	12.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17845	*Eucalyptus siderophloia*	Northern Grey Ironbark	540		540	170	29.0	12.0	6.5	2.6	Die-back	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17846	*Eucalyptus siderophloia*	Northern Grey Ironbark	400		400	126	26.0	10.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17847	*Corymbia intermedia*	Pink Bloodwood	480		480	151	26.0	14.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17848	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	17.0	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17849	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	18.0	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17850	*Corymbia tessellaris*	Moreton Bay Ash	280		280	88	18.0	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17851	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	19.0	8.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17852	*Acacia disparrima*	Hickory Wattle	270		270	85	12.0	10.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17853	*Eucalyptus tereticornis*	Forest Red Gum	250		250	79	21.0	9.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17854	*Acacia disparrima*	Hickory Wattle	290	220	364	114	14.0	12.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
17855	*Eucalyptus siderophloia*	Northern Grey Ironbark	430		430	135	18.0	9.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
17856	*Acacia disparrima*	Hickory Wattle	340	300	453	142	12.0	12.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
17857	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	13.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
17858	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	19.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
17859	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		244	69	19.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
17860	*Eucalyptus tereticornis*	Forest Red Gum	200	140	244	77	16.0	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
17861	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	19.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain

Tree ID	Botanical Name	Common Name	Specimen Details									Canopy Condition Details								Trunk Condition Details					Fauna Details and Habitat Value							Retention	Additional Notes
			Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value		
17862	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	16.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Retain	
17863	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	15.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Retain	
17864	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	14.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Retain	
17865	*Eucalyptus siderophloia*	Northern Grey Ironbark	380		380	119	19.0	9.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	-	Retain	
17866	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	19.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Retain	
17867	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	19.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Retain	
17868	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	16.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Retain	
17869	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	18.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Retain	
17870	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	19.0	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Retain	
17871	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	17.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Retain	
17872	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	16.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Retain	
17873	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	18.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
17874	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	22.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Retain	
17875	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	16.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
17876	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	20.0	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
17877	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	15.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
17878	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	22.0	8.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
17879	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	19.0	7.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
17880	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	19.0	10.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
17881	*Eucalyptus tereticornis*	Forest Red Gum	300		300	94	15.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Retain	
17882	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	17.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Retain	
17883	*Acacia disparrima*	Hickory Wattle	220		220	69	14.0	8.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
17884	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	18.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
17885	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	16.0	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
17886	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	16.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
17887	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	19.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
17888	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	15.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
17889	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	18.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
17890	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	19.0	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Retain	
17891	*Forest Red Gum*	*Forest Red Gum*	210		210	66	15.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Retain	
17892	*Eucalyptus tereticornis*	Forest Red Gum	420		420	132	20.0	9.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Retain	
17893	*Acacia disparrima*	Hickory Wattle	380		380	119	12.0	9.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Retain	
17894	*Acacia disparrima*	Hickory Wattle	400		400	126	14.0	10.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Retain	
17895	*Eucalyptus tereticornis*	Forest Red Gum	430		430	135	17.0	7.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Retain	
17896	*Corymbia intermedia*	Pink Bloodwood	200	160	256	80	15.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Retain	
17897	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	21.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Retain	
17898	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	18.0	7.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Retain	
17899	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	19.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Retain	
17900	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	17.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Retain	
17901	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	18.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
17902	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	19.0	9.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Retain	
17903	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	18.0	8.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Retain	
17904	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	18.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Retain	
17905	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	20.0	9.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Retain	
17906	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	19.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Retain	
17907	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	16.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
17908	*Acacia disparrima*	Hickory Wattle	350		350	110	13.0	10.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Retain	
17909	*Corymbia intermedia*	Pink Bloodwood	270		270	85	15.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Retain	
17910	*Corymbia intermedia*	Pink Bloodwood	260		260	82	15.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Retain	
17911	*Corymbia intermedia*	Pink Bloodwood	320		320	101	16.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
17912	*Eucalyptus tereticornis*	Forest Red Gum	300		300	94	20.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
17913	*Eucalyptus tereticornis*	Forest Red Gum	590		590	185	18.0	10.0	7.1	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
17914	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	16.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
17915	*Eucalyptus tereticornis*	Forest Red Gum	320		320	101	18.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
17916	*Eucalyptus tereticornis*	Forest Red Gum	590		590	185	21.0	9.0	7.1	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
17917	*Eucalyptus tereticornis*	Forest Red Gum	380		380	119	22.0	9.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
17918	*Acacia disparrima*	Hickory Wattle	250	250, 250	433	136	12.0	11.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
17919	*Eucalyptus tereticornis*	Forest Red Gum	260		260	82	17.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
17920	*Eucalyptus tereticornis*	Forest Red Gum	420		420	132	22.0	9.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
17921	*Eucalyptus tereticornis*	Forest Red Gum	650		650	204	25.0	14.0	7.8	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
17922	*Acacia disparrima*	Hickory Wattle	380	280, 220	521	164	14.0	12.0	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
17923	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	17.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
17924	*Eucalyptus siderophloia*	Northern Grey Ironbark	340		340	107	19.0	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
17925	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	22.0	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
17926	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	17.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
17927	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	14.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
17928	*Eucalyptus siderophloia*	Northern Grey Ironbark	730		730	229	25.0	12.0	8.8	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
17929	*Angophora leiocarpa*	Rusty Gum	340		340	107	21.0	10.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	

Tree ID	Botanical Name	Common Name	Specimen Details																Canopy Condition Details								Trunk Condition Details					Fauna Details and Habitat Value							Retention	Additional Notes
			Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value						
17930	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	17.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	Remove
17931	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	14.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	Remove
17932	*Corymbia citriodora*	Spotted Gum	550		550	173	24.0	10.0	6.6	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	Remove
17933	**DEAD/STAG**		360		360	113	15.0	5.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	Remove
17934	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	17.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	Remove
17935	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	18.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	Remove
17936	*Eucalyptus siderophloia*	Northern Grey Ironbark	190		190	60	17.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	Remove
17937	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	20.0	2.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	Remove
17938	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	22.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	Remove
17939	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	15.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	Remove
17940	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	20.0	7.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	Remove
17941	*Acacia disparrima*	Hickory Wattle	280	220	356	112	15.0	12.0	4.3	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	Remove
17942	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	20.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	Remove
17943	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	19.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	Remove
17944	*Eucalyptus siderophloia*	Northern Grey Ironbark	710	223	710	223	26.0	12.0	8.5	2.9	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	Remove
17945	*Eucalyptus moluccana*	Gum-topped Box	210		210	66	17.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	Remove
17946	*Eucalyptus siderophloia*	Northern Grey Ironbark	590	185	590	185	26.0	12.0	7.1	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	Remove
17947	*Eucalyptus siderophloia*	Northern Grey Ironbark	270	85	270	85	19.0	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	Remove
17948	*Eucalyptus siderophloia*	Northern Grey Ironbark	240	75	240	75	18.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	Remove
17949	*Eucalyptus siderophloia*	Northern Grey Ironbark	200	63	200	63	19.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	Remove
17950	*Eucalyptus siderophloia*	Northern Grey Ironbark	280	88	280	88	21.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	Remove
17951	*Eucalyptus siderophloia*	Northern Grey Ironbark	480	151	480	151	22.0	12.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	Remove
17952	*Eucalyptus siderophloia*	Northern Grey Ironbark	280	88	280	88	23.0	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	Remove
17953	*Eucalyptus siderophloia*	Northern Grey Ironbark	320	101	320	101	19.0	10.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	Remove
17954	*Eucalyptus tereticornis*	Forest Red Gum	240	220	326	102	17.0	9.0	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	Remove
17955	*Eucalyptus siderophloia*	Northern Grey Ironbark	290	91	290	91	20.0	9.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	Remove
17956	*Eucalyptus siderophloia*	Northern Grey Ironbark	220	69	220	69	19.0	7.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	Remove
17957	*Eucalyptus siderophloia*	Northern Grey Ironbark	220	69	220	69	17.0	8.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	Remove
17958	*Eucalyptus siderophloia*	Northern Grey Ironbark	300	94	300	94	22.0	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	Remove
17959	*Eucalyptus siderophloia*	Northern Grey Ironbark	330	104	330	104	18.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	Remove
17960	*Eucalyptus siderophloia*	Northern Grey Ironbark	220	69	220	69	15.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	Remove
17961	*Acacia disparrima*	Hickory Wattle	250	79	250	79	14.0	9.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	Remove
17962	*Eucalyptus siderophloia*	Northern Grey Ironbark	210	66	210	66	18.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	Remove
17963	*Eucalyptus siderophloia*	Northern Grey Ironbark	460	145	460	145	24.0	9.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	Remove
17964	*Corymbia citriodora*	Spotted Gum	350	110	350	110	22.0	10.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	Retain
17965	*Corymbia citriodora*	Spotted Gum	270	85	270	85	15.0	4.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	Retain
17966	*Corymbia citriodora*	Spotted Gum	670	210	670	210	28.0	10.0	8.0	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	Retain
17967	*Corymbia citriodora*	Spotted Gum	240	75	240	75	16.0	7.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	Retain
17968	*Corymbia citriodora*	Spotted Gum	410	129	410	129	25.0	8.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	Retain
17969	*Corymbia citriodora*	Spotted Gum	210	66	210	66	12.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	Retain
17970	*Corymbia citriodora*	Spotted Gum	340	107	340	107	26.0	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	Retain
17971	*Corymbia citriodora*	Spotted Gum	210	66	210	66	18.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	Retain
17972	*Corymbia citriodora*	Spotted Gum	620	195	620	195	25.0	12.0	7.4	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	Retain
17973	*Eucalyptus siderophloia*	Northern Grey Ironbark	680	214	680	214	26.0	9.0	8.2	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	Retain
17974	*Corymbia citriodora*	Spotted Gum	270	85	270	85	17.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	Retain
17975	*Corymbia citriodora*	Spotted Gum	330	104	330	104	20.0	4.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	Retain
17976	*Corymbia citriodora*	Spotted Gum	200	63	200	63	18.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	Retain
17977	*Corymbia citriodora*	Spotted Gum	540	170	540	170	29.0	8.0	6.5	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	Remove
17978	*Eucalyptus moluccana*	Gum-topped Box	200	63	200	63	15.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	Retain
17979	*Eucalyptus moluccana*	Gum-topped Box	200	63	200	63	16.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	Retain
17980	*Corymbia citriodora*	Spotted Gum	380	119	380	119	30.0	9.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	Retain
17981	*Corymbia citriodora*	Spotted Gum	620	195	620	195	27.0	11.0	7.4	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	Retain
17982	*Corymbia citriodora*	Spotted Gum	200	63	200	63	14.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	Retain
17983	*Corymbia citriodora*	Spotted Gum	480	151	480	151	32.0	10.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	Remove
17984	*Corymbia citriodora*	Spotted Gum	270	85	270	85	24.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	Remove
17985	*Corymbia citriodora*	Spotted Gum	700	220	700	220	32.0	12.0	8.4	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	Retain
17986	**DEAD/STAG**		490	154	490	154	16.0	1.0	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	Remove
17987	*Corymbia citriodora*	Spotted Gum	580	182	580	182	28.0	10.0	7.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	Retain
17988	*Corymbia citriodora*	Spotted Gum	650	204	650	204	31.0	14.0	7.8	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	Retain
17989	*Corymbia citriodora*	Spotted Gum	480	151	480	151	30.0	11.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	Retain
17990	*Corymbia citriodora*	Spotted Gum	550	173	550	173	32.0	9.0	6.6	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	Retain
17991	*Corymbia citriodora*	Spotted Gum	490	154	490	154	30.0	10.0	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	Retain
17992	*Corymbia citriodora*	Spotted Gum	290	91	290	91	27.0	5.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	Remove
17993	*Corymbia citriodora*	Spotted Gum	560	176	560	176	29.0	12.0	6.7	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	Retain
17994	**DEAD/STAG**		400	126	400	126	16.0	1.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	Remove
17995	*Corymbia citriodora*	Spotted Gum	530	167	530	167	28.0	9.0	6.4	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	Retain
17996	*Corymbia citriodora*	Spotted Gum	500	157	500	157	27.0	8.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	Retain
17997	*Corymbia citriodora*	Spotted Gum	200	63	200	63	17.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	-	-	-	Retain

Specimen Details								Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
17998	*Corymbia citriodora*	Spotted Gum	670		670	210	27.0	9.0	8.0	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
17999	*Corymbia citriodora*	Spotted Gum	420		420	132	25.0	8.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
18000	*Corymbia citriodora*	Spotted Gum	410		410	129	27.0	6.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
18001	**DEAD/STAG**		1080		1080	339	24.0	3.0	13.0	3.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
18002	*Corymbia citriodora*	Spotted Gum	430		430	135	29.0	8.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
18003	*Corymbia citriodora*	Spotted Gum	580		580	182	28.0	10.0	7.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
18004	*Corymbia citriodora*	Spotted Gum	470		470	148	29.0	12.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
18005	*Eucalyptus sideroph loia*	Northern Grey Ironbark	210		210	66	15.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18006	*Eucalyptus sideroph loia*	Northern Grey Ironbark	310		310	97	28.0	9.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18007	*Corymbia citriodora*	Spotted Gum	260		260	82	18.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18008	*Corymbia citriodora*	Spotted Gum	220		220	69	21.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18009	*Corymbia citriodora*	Spotted Gum	200		200	63	21.0	3.0	2.4	1.7	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18010	*Corymbia citriodora*	Spotted Gum	200		200	63	22.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18011	*Corymbia citriodora*	Spotted Gum	340		340	107	28.0	9.0	4.1	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18012	*Corymbia citriodora*	Spotted Gum	200		200	63	23.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18013	*Corymbia citriodora*	Spotted Gum	380		380	119	30.0	10.0	4.6	2.2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18014	*Eucalyptus sideroph loia*	Northern Grey Ironbark	250		250	79	27.0	6.0	3.0	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18015	*Corymbia citriodora*	Spotted Gum	210		210	66	23.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18016	*Corymbia citriodora*	Spotted Gum	480		480	151	30.0	12.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18017	*Corymbia citriodora*	Spotted Gum	220		220	69	18.0	7.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
18018	**DEAD/STAG**		330		330	104	14.0	4.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.		Typical	-	-	-	0	-	Termite nest	-	Remove	
18019	*Corymbia citriodora*	Spotted Gum	210		210	66	15.0	6.0	2.5	1.7	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18020	*Corymbia citriodora*	Spotted Gum	210		210	66	25.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18021	*Corymbia citriodora*	Spotted Gum	470		470	148	30.0	12.0	5.6	2.4	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18022	*Corymbia citriodora*	Spotted Gum	200		200	63	16.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18023	*Corymbia citriodora*	Spotted Gum	390		390	123	30.0	10.0	4.7	2.2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	Trunk Dmg.	-	Poor	-	-	-	0	-	-	-	Remove	
18024	*Corymbia citriodora*	Spotted Gum	250		250	79	20.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18025	*Corymbia citriodora*	Spotted Gum	440		440	138	25.0	12.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18026	*Acacia disparrima*	Hickory Wattle	250		250	79	11.0	9.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18027	*Corymbia citriodora*	Spotted Gum	230		230	72	23.0	6.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18028	*Corymbia citriodora*	Spotted Gum	330		330	104	25.0	9.0	4.0	2.1	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18029	*Corymbia citriodora*	Spotted Gum	380		380	119	30.0	10.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18030	*Corymbia citriodora*	Spotted Gum	230		230	72	18.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18031	*Corymbia citriodora*	Spotted Gum	200		200	63	20.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18032	*Corymbia intermedia*	Pink Bloodwood	190		190	60	13.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18033	*Corymbia citriodora*	Spotted Gum	210		210	66	15.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18034	*Corymbia citriodora*	Spotted Gum	220		220	69	23.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18035	*Corymbia citriodora*	Spotted Gum	250		250	79	27.0	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18036	*Corymbia citriodora*	Spotted Gum	210		210	66	23.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18037	*Corymbia citriodora*	Spotted Gum	260		260	82	20.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18038	*Corymbia citriodora*	Spotted Gum	220		220	69	19.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18039	*Corymbia citriodora*	Spotted Gum	230		230	72	23.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18040	*Corymbia citriodora*	Spotted Gum	290		290	91	26.0	9.0	3.5	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18041	*Corymbia citriodora*	Spotted Gum	200		200	63	25.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18042	*Corymbia citriodora*	Spotted Gum	290		290	91	30.0	9.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18043	*Corymbia citriodora*	Spotted Gum	200		200	63	16.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18044	*Corymbia citriodora*	Spotted Gum	230		230	72	22.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18045	*Corymbia citriodora*	Spotted Gum	220		220	69	20.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18046	*Corymbia citriodora*	Spotted Gum	280		280	88	30.0	11.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18047	*Corymbia citriodora*	Spotted Gum	240		240	75	25.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18048	*Corymbia citriodora*	Spotted Gum	240		240	75	19.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18049	*Corymbia citriodora*	Spotted Gum	200		200	63	21.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18050	*Corymbia citriodora*	Spotted Gum	210		210	66	20.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18051	*Corymbia intermedia*	Pink Bloodwood	220		220	69	14.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18052	*Acacia disparrima*	Hickory Wattle	360	170	398	125	8.0	6.0	4.8	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18053	*Corymbia intermedia*	Pink Bloodwood	220		220	69	13.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18054	*Corymbia citriodora*	Spotted Gum	230		230	72	21.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18055	*Corymbia citriodora*	Spotted Gum	250		250	79	28.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18056	*Corymbia intermedia*	Pink Bloodwood	200		200	63	17.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18057	*Corymbia citriodora*	Spotted Gum	200		200	63	28.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18058	*Acacia disparrima*	Hickory Wattle	250	200	320	101	9.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18059	*Corymbia intermedia*	Pink Bloodwood	190		190	60	12.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18060	*Corymbia citriodora*	Spotted Gum	210		210	66	24.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18061	*Acacia disparrima*	Hickory Wattle	360	300	469	147	6.0	6.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18062	*Corymbia intermedia*	Pink Bloodwood	180	170, 170	300	94	18.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	0	-	-	-	Remove	
18063	*Corymbia citriodora*	Spotted Gum	220		220	69	20.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18064	*Acacia disparrima*	Hickory Wattle	320		320	101	8.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18065	*Eucalyptus tereticornis*	Forest Red Gum	220		220	69	20.0	7.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	

Specimen Details								Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value							
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
18066	*Acacia dispermina*	Hickory Wattle	420		420	132	14.0	8.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18067	*Corymbia intermedia*	Pink Bloodwood	240		240	75	19.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18068	*Acacia dispermina*	Hickory Wattle	220		475	149	12.0	10.0	5.7	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18069	*Acacia dispermina*	Hickory Wattle	240	240, 230, 200, 120, 100	482	151	8.0	9.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18070	*Acacia dispermina*	Hickory Wattle	310	280	418	131	9.0	8.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
18071	*Acacia dispermina*	Hickory Wattle	220	210, 150	339	107	8.0	7.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18072	*Acacia dispermina*	Hickory Wattle	220	200, 200	358	113	9.0	6.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18073	*Acacia dispermina*	Hickory Wattle	270		270	85	8.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18074	*Acacia dispermina*	Hickory Wattle	280	270, 210	442	139	4.0	6.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
18075	*Acacia dispermina*	Hickory Wattle	210	150, 100	277	87	8.0	5.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18076	*Corymbia intermedia*	Pink Bloodwood	190	180	262	82	17.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18077	*Acacia dispermina*	Hickory Wattle	220	220	311	98	7.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18078	*Acacia dispermina*	Hickory Wattle	180	180	255	80	9.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18079	*Acacia dispermina*	Hickory Wattle	200		200	63	9.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18080	*Corymbia intermedia*	Pink Bloodwood	190		190	60	16.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18081	*Acacia dispermina*	Hickory Wattle	300	230	378	119	8.0	6.0	4.5	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18082	*Eucalyptus tereticornis*	Forest Red Gum	260		260	82	15.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18083	*Acacia dispermina*	Hickory Wattle	190	150	242	76	8.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18084	*Eucalyptus stellulata*	Northern Grey Ironbark	200		200	63	19.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18085	*Eucalyptus tereticornis*	Forest Red Gum	330		330	104	28.0	9.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18086	*Acacia dispermina*	Hickory Wattle	320	250	406	128	7.0	7.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18087	*Corymbia intermedia*	Pink Bloodwood	230		230	72	20.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18088	*Corymbia intermedia*	Pink Bloodwood	210	200	290	91	14.0	5.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18089	*Corymbia intermedia*	Pink Bloodwood	250		250	79	14.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18090	*Eucalyptus tereticornis*	Forest Red Gum	250		250	79	16.0	6.0	3.0	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18091	*Eucalyptus tereticornis*	Forest Red Gum	220		220	69	13.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18092	*Acacia dispermina*	Hickory Wattle	270	230, 150	385	121	8.0	7.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18093	**DEAD/STAG**		480	460	665	209	21.0	8.0	8.0	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	2	Small	-	-	Remove	1 small stick nest
18094	*Acacia dispermina*	Hickory Wattle	270		270	85	13.0	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18095	*Corymbia citriodora*	Spotted Gum	200		200	63	19.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18096	*Eucalyptus stellulata*	Northern Grey Ironbark	200	170	255	80	17.0	10.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18097	*Corymbia intermedia*	Pink Bloodwood	260		260	82	18.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18098	*Acacia dispermina*	Hickory Wattle	190	190, 150	308	97	6.0	5.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18099	*Corymbia intermedia*	Pink Bloodwood	200	140	244	77	15.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18100	*Eucalyptus tereticornis*	Forest Red Gum	240		240	75	20.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18101	*Acacia dispermina*	Hickory Wattle	270	100, 100	305	96	9.0	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18102	*Acacia dispermina*	Hickory Wattle	220	220, 130	337	106	9.0	5.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18103	*Acacia dispermina*	Hickory Wattle	210	100, 100	253	80	8.0	6.0	3.0	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18104	*Corymbia intermedia*	Pink Bloodwood	200		200	63	18.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18105	*Corymbia citriodora*	Spotted Gum	300		300	94	30.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18106	*Eucalyptus tereticornis*	Forest Red Gum	220		220	69	22.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18107	*Acacia dispermina*	Hickory Wattle	190	170	255	80	17.0	10.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18108	*Corymbia intermedia*	Pink Bloodwood	200		200	63	17.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18109	*Corymbia intermedia*	Pink Bloodwood	300		300	94	20.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18110	*Eucalyptus tereticornis*	Forest Red Gum	200		200	63	16.0	6.0	2.4	1.7	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18111	*Corymbia intermedia*	Pink Bloodwood	200		200	63	15.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18112	*Corymbia intermedia*	Pink Bloodwood	220		220	69	15.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18113	*Eucalyptus tereticornis*	Forest Red Gum	240		240	75	16.0	5.0	2.9	1.8	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18114	*Eucalyptus tereticornis*	Forest Red Gum	270		270	85	17.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18115	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	22.0	8.0	3.2	1.9	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18116	*Eucalyptus tereticornis*	Forest Red Gum	200		200	63	18.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18117	*Eucalyptus tereticornis*	Forest Red Gum	200		200	63	18.0	6.0	2.4	1.7	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18118	*Corymbia intermedia*	Pink Bloodwood	190		190	60	20.0	7.0	2.3	1.6	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18119	*Corymbia intermedia*	Pink Bloodwood	200		200	63	19.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18120	*Acacia dispermina*	Hickory Wattle	170	160, 150	277	87	9.0	6.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18121	*Corymbia intermedia*	Pink Bloodwood	190		190	60	17.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18122	*Eucalyptus tereticornis*	Forest Red Gum	210		210	66	15.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18123	*Corymbia intermedia*	Pink Bloodwood	220		220	69	16.0	2.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18124	*Corymbia intermedia*	Pink Bloodwood	220	120	251	79	18.0	5.0	3.0	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18125	*Corymbia intermedia*	Pink Bloodwood	210		210	66	15.0	6.0	2.5	1.7	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18126	*Eucalyptus tereticornis*	Forest Red Gum	220		220	69	18.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18127	*Corymbia intermedia*	Pink Bloodwood	210		210	66	13.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18128	*Acacia dispermina*	Hickory Wattle	330		330	104	10.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18129	*Acacia dispermina*	Hickory Wattle	240	190	306	96	8.0	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18130	*Acacia dispermina*	Hickory Wattle	280	120	305	96	9.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18131	*Acacia dispermina*	Hickory Wattle	240	230, 160, 160, 140	426	134	10.0	8.0	5.1	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18132	*Corymbia intermedia*	Pink Bloodwood	270		270	85	20.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18133	*Eucalyptus tereticornis*	Forest Red Gum	260		260	82	18.0	5.0	3.1	1.9	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	

Specimen Details									Canopy Condition Details								Trunk Condition Details						Fauna Details and Habitat Value							
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
18134	*Eucalyptus siderophloia*	Northern Grey Ironbark	270	270	85	17.0	9.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
18135	*Acacia disparrima*	Hickory Wattle	200	180, 150, 120, 100	345	109	9.0	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18136	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	16.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18137	*Acacia disparrima*	Hickory Wattle	320	210, 210, 190	476	150	9.0	8.0	5.7	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18138	*Acacia disparrima*	Hickory Wattle	160	130, 130, 110, 100	314	99	8.0	7.0	3.8	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18139	*Acacia disparrima*	Hickory Wattle	210	130	247	78	8.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18140	*Eucalyptus tereticornis*	Forest Red Gum	210		210	66	15.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18141	*Eucalyptus tereticornis*	Forest Red Gum	280		280	88	16.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18142	*Eucalyptus tereticornis*	Forest Red Gum	250		250	79	15.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18143	*species a HS photos*		240	230	332	104	11.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18144	*Acacia disparrima*	Hickory Wattle	220	210	304	96	8.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18145	*Eucalyptus tereticornis*	Forest Red Gum	240		240	75	19.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18146	*Eucalyptus tereticornis*	Forest Red Gum	210		210	66	16.0	3.0	2.5	1.7	Regular	-	Thinning	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18147	*Eucalyptus tereticornis*	Forest Red Gum	230		210	72	18.0	6.0	2.8	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18148	*Eucalyptus tereticornis*	Forest Red Gum	210		210	66	19.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18149	*Eucalyptus tereticornis*	Northern Grey Ironbark	200		200	63	21.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18150	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	20.0	5.0	3.0	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18151	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	19.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18152	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	20.0	5.0	2.9	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18153	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	19.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18154	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	22.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18155	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	18.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18156	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	21.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18157	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	20.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18158	**DEAD/STAG**		400		400	126	10.0	1.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	1	-	-	-	Remove	
18159	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	17.0	2.0	2.5	1.7	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18160	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	20.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18161	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	16.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18162	*Eucalyptus siderophloia*	Northern Grey Ironbark	320		320	101	26.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18163	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	22.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18164	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	19.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18165	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	19.0	6.0	3.0	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18166	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	17.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18167	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	23.0	6.0	2.6	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18168	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	19.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18169	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	19.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18170	*Eucalyptus siderophloia*	Northern Grey Ironbark	310		310	97	26.0	7.0	3.7	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18171	*Eucalyptus siderophloia*	Northern Grey Ironbark	460		460	145	30.0	13.0	5.5	2.4	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18172	*Eucalyptus tereticornis*	Forest Red Gum	210		210	66	18.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18173	*Eucalyptus siderophloia*	Northern Grey Ironbark	170	160	233	73	18.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18174	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	19.0	6.0	3.1	1.9	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18175	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	23.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18176	*Acacia disparrima*	Hickory Wattle	270		270	85	9.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18177	*Eucalyptus tereticornis*	Forest Red Gum	210		210	66	18.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18178	*Eucalyptus tereticornis*	Forest Red Gum	210		210	66	19.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18179	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	17.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18180	*Acacia disparrima*	Hickory Wattle	280		280	88	9.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18181	*Acacia disparrima*	Hickory Wattle	220	170, 170	326	102	9.0	8.0	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18182	*Corymbia intermedia*	Pink Bloodwood	230		230	72	22.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18183	*Eucalyptus siderophloia*	Northern Grey Ironbark	170	140	220	69	17.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18184	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	18.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18185	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	20.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18186	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	19.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18187	*Eucalyptus tereticornis*	Forest Red Gum	230		230	72	21.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18188	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	26.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18189	*Acacia disparrima*	Hickory Wattle	250	180	308	97	8.0	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18190	*Acacia disparrima*	Hickory Wattle	230	170	286	90	8.0	6.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18191	*Acacia disparrima*	Hickory Wattle	220	190	291	91	4.0	5.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18192	*Acacia disparrima*	Hickory Wattle	250		250	79	10.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18193	*Corymbia intermedia*	Pink Bloodwood	200		200	63	20.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18194	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	24.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18195	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	25.0	9.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18196	*Corymbia intermedia*	Pink Bloodwood	200		200	63	22.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18197	*Eucalyptus tereticornis*	Forest Red Gum	320		320	101	24.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18198	*Acacia disparrima*	Hickory Wattle	260		260	82	9.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18199	**DEAD/STAG**		380		380	119	30.0	5.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	3	-	-	-	Remove	
18200	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	22.0	6.0	2.8	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18201	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	19.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	

| Specimen Details | | |

Tree ID	Botanical Name	Common Name	Specimen Details										Canopy Condition Details								Trunk Condition Details					Fauna Details and Habitat Value							Retention	Additional Notes
			Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
18270	*Acacia dispermina*	Hickory Wattle	220	220	311	98	9.0	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18271	*Acacia dispermina*	Hickory Wattle	360	110	360	113	10.0	8.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18272	*Eucalyptus tereticornis*	Forest Red Gum	220	69	220	69	16.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18273	*Eucalyptus siderophloia*	Northern Grey Ironbark	260	82	260	82	24.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18274	*Acacia dispermina*	Hickory Wattle	250	210	326	103	13.0	7.0	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18275	*Corymbia intermedia*	Pink Bloodwood	170	160	233	73	16.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18276	*Eucalyptus tereticornis*	Forest Red Gum	530	167	530	167	30.0	10.0	6.4	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18277	*Corymbia intermedia*	Pink Bloodwood	292	180	292	92	17.0	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
18278	*Eucalyptus tereticornis*	Forest Red Gum	390		390	123	26.0	8.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
18279	*Acacia dispermina*	Hickory Wattle	300		300	94	9.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18280	*Corymbia intermedia*	Pink Bloodwood	240		240	75	19.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18281	*Acacia dispermina*	Hickory Wattle	270		270	85	8.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18282	*Acacia dispermina*	Hickory Wattle	200		200	63	19.0	8.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18283	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	19.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18284	*Eucalyptus siderophloia*	Northern Grey Ironbark	310		310	97	19.0	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18285	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	22.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18286	*Eucalyptus tereticornis*	Forest Red Gum	200		200	63	16.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18287	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	17.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18288	*Acacia dispermina*	Hickory Wattle	260		260	82	13.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18289	*Acacia dispermina*	Hickory Wattle	240		240	75	13.0	7.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18290	*Eucalyptus siderophloia*	Northern Grey Ironbark	280	88	280	88	24.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18291	*Eucalyptus siderophloia*	Northern Grey Ironbark	230	72	230	72	18.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18292	*Eucalyptus siderophloia*	Northern Grey Ironbark	220	69	220	69	19.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18293	*Eucalyptus siderophloia*	Northern Grey Ironbark	200	63	200	63	18.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18294	*Eucalyptus siderophloia*	Northern Grey Ironbark	300	94	300	94	17.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18295	*Acacia dispermina*	Hickory Wattle	350	110	350	110	13.0	6.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18296	*Acacia dispermina*	Hickory Wattle	180	160, 160, 150, 110	344	108	7.0	5.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18297	*Acacia dispermina*	Hickory Wattle	290	180, 180	386	121	5.0	5.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18298	*Acacia dispermina*	Hickory Wattle	270	230, 230, 220	477	150	5.0	6.0	5.7	2.4	Regular	-	-	Die-back	-	-	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
18299	*Acacia dispermina*	Hickory Wattle	450	300	450	141	8.0	6.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18300	*Acacia dispermina*	Hickory Wattle	320	300	439	138	9.0	6.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18301	*Eucalyptus tereticornis*	Forest Red Gum	220		220	69	18.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18302	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	17.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18303	*Eucalyptus siderophloia*	Northern Grey Ironbark	200	150	250	79	17.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18304	*Eucalyptus siderophloia*	Northern Grey Ironbark	580	182	580	182	30.0	10.0	7.0	2.6	Regular	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
18305	*Acacia dispermina*	Hickory Wattle	270	200, 180, 140, 120	423	133	9.0	8.0	5.1	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18306	*Eucalyptus siderophloia*	Northern Grey Ironbark	260	82	260	82	19.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18307	*Acacia dispermina*	Hickory Wattle	270	240	361	113	8.0	7.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18308	*Eucalyptus siderophloia*	Northern Grey Ironbark	200	63	200	63	13.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18309	*Acacia dispermina*	Hickory Wattle	260	82	260	82	8.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18310	*Eucalyptus siderophloia*	Northern Grey Ironbark	250	79	250	79	15.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18311	*Acacia dispermina*	Hickory Wattle	250	240	347	109	8.0	6.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18312	*Eucalyptus siderophloia*	Northern Grey Ironbark	220	69	220	69	19.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18313	*Eucalyptus siderophloia*	Northern Grey Ironbark	200	63	200	63	16.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18314	*Acacia dispermina*	Hickory Wattle	320	200	377	119	8.0	7.0	4.5	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18315	*Acacia dispermina*	Hickory Wattle	270	250	368	116	8.0	6.0	4.4	2.2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18316	*Acacia dispermina*	Hickory Wattle	250	230	340	107	8.0	5.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18317	*Corymbia citriodora*	Spotted Gum	470		470	148	25.0	9.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18318	*Angophora leiocarpa*	Rusty Gum	300		300	94	18.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18319	*Angophora leiocarpa*	Rusty Gum	360		360	113	20.0	6.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18320	*Eucalyptus tereticornis*	Forest Red Gum	320		320	101	17.0	5.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18321	*Eucalyptus siderophloia*	Northern Grey Ironbark	450	141	450	141	24.0	9.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18322	*Eucalyptus siderophloia*	Northern Grey Ironbark	360	113	360	113	26.0	8.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18323	*Eucalyptus siderophloia*	Northern Grey Ironbark	480	151	480	151	26.0	9.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18324	*Corymbia citriodora*	Spotted Gum	330	104	330	104	20.0	7.0	4.0	2.1	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18325	*Corymbia citriodora*	Spotted Gum	710	223	710	223	26.0	12.0	8.5	2.9	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18326	*Corymbia citriodora*	Spotted Gum	300	94	300	94	17.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18327	*Corymbia citriodora*	Spotted Gum	310	97	310	97	25.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18328	**DEAD/STAG**		600	188	600	188	23.0	7.0	7.2	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18329	**DEAD/STAG**		510	160	510	160	20.0	2.0	6.1	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18330	*Eucalyptus siderophloia*	Northern Grey Ironbark	690	217	690	217	27.0	14.0	8.3	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18331	*Eucalyptus siderophloia*	Northern Grey Ironbark	710	223	710	223	27.0	14.0	8.5	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	Termite nest	-	-	Remove	
18332	*Eucalyptus siderophloia*	Northern Grey Ironbark	300	94	300	94	19.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18333	*Melaleuca irbyana*	Swamp Tea-tree	210	66	210	66	9.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18334	*Melaleuca irbyana*	Swamp Tea-tree	180	57	180	57	10.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18335	*Melaleuca irbyana*	Swamp Tea-tree	60	27	85	27	3.0	2.0	2.0	1.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18336	*Melaleuca irbyana*	Swamp Tea-tree	370	230	436	137	12.0	10.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18337	**DEAD/STAG**		590		590	185	20.0	7.0	7.1	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	

Specimen Details								Canopy Condition Details								Trunk Condition Details								Fauna Details and Habitat Value									
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
18338	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	18.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18339	*Eucalyptus siderophloia*	Northern Grey Ironbark	620		620	195	24.0	9.0	7.4	2.7	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
18340	*Eucalyptus siderophloia*	Northern Grey Ironbark	350		350	110	16.0	6.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18341	*Eucalyptus siderophloia*	Northern Grey Ironbark	450		450	141	19.0	8.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18342	*Eucalyptus siderophloia*	Northern Grey Ironbark	450		450	141	15.0	7.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18343	*Eucalyptus siderophloia*	Northern Grey Ironbark	470		470	148	24.0	9.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18344	*Eucalyptus siderophloia*	Northern Grey Ironbark	470		470	148	18.0	8.0	5.6	2.4	Regular	-	Thinning	Die-back	-	-	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
18345	*Corymbia citriodora*	Spotted Gum	400	150	427	134	19.0	8.0	5.1	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18346	*Eucalyptus siderophloia*	Northern Grey Ironbark	310		310	97	20.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18347	*Eucalyptus siderophloia*	Northern Grey Ironbark	400		400	126	18.0	8.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18348	*Eucalyptus siderophloia*	Northern Grey Ironbark	630		630	198	20.0	11.0	7.6	2.7	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
18349	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	16.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18350	*Eucalyptus siderophloia*	Northern Grey Ironbark	450		450	141	16.0	7.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
18351	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	17.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18352	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	18.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18353	*Acacia disparrima*	Hickory Wattle	300		300	94	13.0	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18354	*Eucalyptus siderophloia*	Northern Grey Ironbark	330		330	104	21.0	10.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18355	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	15.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18356	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	16.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
18357	*Eucalyptus siderophloia*	Northern Grey Ironbark	370		370	116	17.0	8.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18358	*Eucalyptus siderophloia*	Northern Grey Ironbark	310		310	97	18.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18359	*Eucalyptus siderophloia*	Northern Grey Ironbark	310		310	97	19.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18360	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	19.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18361	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	19.0	9.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18362	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	17.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18363	**DEAD/STAG**		390		390	123	8.0	4.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
18364	*Eucalyptus siderophloia*	Northern Grey Ironbark	330		330	104	16.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18365	*Eucalyptus siderophloia*	Northern Grey Ironbark	320		320	101	17.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18366	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	16.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18367	*Eucalyptus siderophloia*	Northern Grey Ironbark	480		480	151	24.0	10.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
18368	**DEAD/STAG**		1130		1130	355	25.0	8.0	13.6	3.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18369	*Eucalyptus siderophloia*	Northern Grey Ironbark	600		600	188	23.0	12.0	7.2	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18370	*Eucalyptus siderophloia*	Northern Grey Ironbark	360		360	113	18.0	7.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18371	*Eucalyptus siderophloia*	Northern Grey Ironbark	460		460	145	25.0	9.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18372	*Eucalyptus siderophloia*	Northern Grey Ironbark	440		440	138	27.0	9.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18373	**DEAD/STAG**		970		970	305	20.0	1.0	11.6	3.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Large	1	-	-	-	Remove	
18374	*Eucalyptus siderophloia*	Northern Grey Ironbark	440		440	138	18.0	7.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18375	*Corymbia citriodora*	Spotted Gum	400		400	126	20.0	9.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18376	*Eucalyptus siderophloia*	Northern Grey Ironbark	330		330	104	16.0	6.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18377	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	20.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18378	*Eucalyptus siderophloia*	Northern Grey Ironbark	410		410	129	22.0	10.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
18379	*Eucalyptus siderophloia*	Northern Grey Ironbark	340		340	107	16.0	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18380	**DEAD/STAG**		500		500	157	16.0	2.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18381	*Eucalyptus siderophloia*	Northern Grey Ironbark	790		790	248	25.0	8.0	9.5	3.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18382	*Eucalyptus siderophloia*	Northern Grey Ironbark	470		470	148	25.0	11.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18383	*Eucalyptus siderophloia*	Northern Grey Ironbark	430		430	135	22.0	7.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18384	*Eucalyptus siderophloia*	Northern Grey Ironbark	470		470	148	27.0	9.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18385	*Eucalyptus siderophloia*	Northern Grey Ironbark	440		440	138	24.0	9.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18386	*Eucalyptus siderophloia*	Northern Grey Ironbark	450		450	141	23.0	9.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18387	*Eucalyptus siderophloia*	Northern Grey Ironbark	450		450	141	21.0	9.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18388	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	17.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18389	*Eucalyptus siderophloia*	Northern Grey Ironbark	480		480	151	20.0	8.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18390	*Eucalyptus siderophloia*	Northern Grey Ironbark	440		440	138	21.0	9.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18391	*Eucalyptus miliuccana*	Gum-topped Box	390		390	123	21.0	10.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18392	*Eucalyptus siderophloia*	Northern Grey Ironbark	330		330	104	17.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18393	*Eucalyptus siderophloia*	Northern Grey Ironbark	690		690	217	27.0	13.0	8.3	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18394	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	18.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18395	*Eucalyptus siderophloia*	Northern Grey Ironbark	570		570	179	25.0	9.0	6.8	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18396	*Acacia disparrima*	Hickory Wattle	330		330	104	9.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18397	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	17.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18398	*Eucalyptus siderophloia*	Northern Grey Ironbark	390		390	123	19.0	10.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18399	*Eucalyptus siderophloia*	Northern Grey Ironbark	400		400	126	16.0	7.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18400	*Melaleuca irbyana*	Swamp Tea-tree	200	190, 190, 150, 150, 140	420	132	9.0	7.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18401	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	16.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18402	*Eucalyptus siderophloia*	Northern Grey Ironbark	320		320	101	18.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18403	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	17.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18404	*Melaleuca irbyana*	Swamp Tea-tree	190	140, 80	249	78	6.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18405	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	16.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	

| Specimen Details | | |

Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
			Specimen Details								Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value								
18474	*Eucalyptus tereticornis*	Forest Red Gum	320		320	101	16.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
18475	*Eucalyptus tereticornis*	Forest Red Gum	300		300	94	14.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
18476	*Acacia dispermma*	Hickory Wattle	440		440	138	9.0	6.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18477	*Acacia dispermma*	Hickory Wattle	280		280	88	8.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18478	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	10.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18479	*Acacia dispermma*	Hickory Wattle	300		300	94	10.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18480	*Acacia dispermma*	Hickory Wattle	320		320	101	10.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18481	*Acacia dispermma*	Hickory Wattle	480		480	151	13.0	9.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18482	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	16.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18483	*Acacia dispermma*	Hickory Wattle	290		290	91	12.0	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18484	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	12.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18485	*Lophostemon suaveolens*	Swamp Box	220		220	69	14.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18486	*Acacia dispermma*	Hickory Wattle	300	220	372	117	12.0	8.0	4.5	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18487	*Eucalyptus siderophloia*	Northern Grey Ironbark	300	250	391	123	15.0	5.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18488	*Eucalyptus siderophloia*	Northern Grey Ironbark	340		340	107	22.0	7.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18489	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	18.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18490	*Acacia dispermma*	Hickory Wattle	280	220	356	112	9.0	6.0	4.3	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18491	*Acacia dispermma*	Hickory Wattle	270	240	361	113	10.0	5.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18492	**DEAD/STAG**		320		320	101	14.0	2.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18493	*Acacia dispermma*	Hickory Wattle	300		300	94	12.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18494	*Corymbia citriodora*	Spotted Gum	350		350	110	14.0	5.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18495	*Acacia dispermma*	Hickory Wattle	300	150	335	105	9.0	6.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18496	**DEAD/STAG**		310		310	97	13.0	2.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18497	**DEAD/STAG**		560		560	176	16.0	4.0	6.7	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18498	*Acacia dispermma*	Hickory Wattle	310		310	97	12.0	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18499	*Corymbia citriodora*	Spotted Gum	260		260	82	17.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18500	*Corymbia citriodora*	Spotted Gum	230		230	72	15.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18501	*Corymbia citriodora*	Spotted Gum	230		230	72	14.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18502	*Corymbia citriodora*	Spotted Gum	700		700	220	27.0	14.0	8.4	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18503	*Corymbia citriodora*	Spotted Gum	320		320	101	17.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18504	*Corymbia citriodora*	Spotted Gum	270		270	85	17.0	4.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18505	*Eucalyptus siderophloia*	Northern Grey Ironbark	770		770	242	24.0	11.0	9.2	3.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
18506	*Corymbia citriodora*	Spotted Gum	270		270	85	15.0	3.0	3.2	1.9	Regular	-	-	Die-back	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18507	*Corymbia citriodora*	Spotted Gum	330		330	104	17.0	4.0	4.0	2.1	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18508	*Eucalyptus siderophloia*	Northern Grey Ironbark	430		430	135	17.0	7.0	5.2	2.3	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18509	**DEAD/STAG**		370		370	116	16.0	1.0	4.4	2.2	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18510	*Corymbia citriodora*	Spotted Gum	300		300	94	17.0	6.0	3.6	2.0	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18511	*Corymbia citriodora*	Spotted Gum	370		370	116	18.0	6.0	4.4	2.2	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18512	*Corymbia citriodora*	Spotted Gum	450		450	141	22.0	8.0	5.4	2.4	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18513	*Corymbia citriodora*	Spotted Gum	410		410	129	21.0	8.0	4.9	2.3	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18514	**DEAD/STAG**		430		430	135	19.0	3.0	5.2	2.3	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18515	*Corymbia citriodora*	Spotted Gum	330	220	397	125	18.0	4.0	4.8	2.2	Regular	-	-	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18516	*Eucalyptus siderophloia*	Northern Grey Ironbark	490		490	154	20.0	6.0	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18517	*Corymbia citriodora*	Spotted Gum	320		320	101	23.0	3.0	3.8	2.1	Regular	-	-	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18518	**DEAD/STAG**		470		470	148	16.0	3.0	5.6	2.4	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18519	**DEAD/STAG**		480		480	151	19.0	6.0	5.8	2.4	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	1	-	-	-	Remove	
18520	*Eucalyptus siderophloia*	Northern Grey Ironbark	290		290	91	9.0	3.0	3.5	2.0	Regular	-	-	Die-back	Epicormic	-	Trunk Dmg.	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18521	*Corymbia citriodora*	Spotted Gum	320		320	101	22.0	4.0	3.8	2.1	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18522	*Corymbia citriodora*	Spotted Gum	360		360	113	22.0	5.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18523	*Corymbia citriodora*	Spotted Gum	570		570	179	24.0	6.0	6.8	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18524	*Eucalyptus siderophloia*	Northern Grey Ironbark	380		380	119	24.0	7.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
18525	*Eucalyptus siderophloia*	Northern Grey Ironbark	570		570	179	26.0	10.0	6.8	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
18526	**DEAD/STAG**		660		660	207	19.0	7.0	7.9	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18527	*Corymbia citriodora*	Spotted Gum	420	150	446	140	19.0	8.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18528	**DEAD/STAG**		470		470	148	23.0	5.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	1	-	-	-	Remove	
18529	**DEAD/STAG**		450	400	602	189	23.0	7.0	7.2	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	1	-	Termite nest	-	Remove	
18530	*Corymbia citriodora*	Spotted Gum	530		530	167	26.0	10.0	6.4	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18531	*Corymbia citriodora*	Spotted Gum	290		290	91	18.0	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18532	*Eucalyptus siderophloia*	Northern Grey Ironbark	360		360	113	18.0	6.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
18533	*Corymbia citriodora*	Spotted Gum	390		390	123	17.0	6.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18534	*Corymbia citriodora*	Spotted Gum	330		330	104	22.0	6.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18535	*Angophora leiocarpa*	Rusty Gum	300	200	361	113	12.0	7.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18536	*Angophora leiocarpa*	Rusty Gum	400		400	126	19.0	5.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18537	*Angophora leiocarpa*	Rusty Gum	350		350	110	13.0	5.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18538	*Angophora leiocarpa*	Rusty Gum	550		550	173	26.0	10.0	6.6	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18539	*Eucalyptus siderophloia*	Northern Grey Ironbark	360		360	113	18.0	8.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18540	*Angophora leiocarpa*	Rusty Gum	400		400	126	23.0	9.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18541	*Angophora leiocarpa*	Rusty Gum	480		480	151	26.0	10.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	

Specimen Details								Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value							
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
18542	*Corymbia citriodora*	Spotted Gum	300		300	94	25.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18543	*Corymbia citriodora*	Spotted Gum	370		370	116	25.0	6.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18544	*Corymbia citriodora*	Spotted Gum	300		300	94	26.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18545	*Corymbia citriodora*	Spotted Gum	380		380	119	20.0	8.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18546	*Corymbia citriodora*	Spotted Gum	450		450	141	19.0	9.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18547	*Acacia disparrima*	Hickory Wattle	290		326	103	9.0	6.0	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18548	*Acacia disparrima*	Hickory Wattle	320		320	101	13.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18549	*Eucalyptus tereticornis*	Forest Red Gum	300	260, 160	428	134	17.0	7.0	5.1	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18550	*Acacia disparrima*	Hickory Wattle	300		300	94	10.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18551	*Acacia disparrima*	Hickory Wattle	360	250	438	138	12.0	8.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18552	*Acacia disparrima*	Hickory Wattle	270	200	336	106	8.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18553	*Acacia disparrima*	Hickory Wattle	290		290	91	10.0	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18554	*Corymbia citriodora*	Spotted Gum	340		340	107	14.0	7.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18555	*Acacia disparrima*	Hickory Wattle	220	220	311	98	7.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18556	*Corymbia citriodora*	Spotted Gum	280		280	88	18.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18557	*Angophora leiocarpa*	Rusty Gum	280		280	88	16.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18558	*Acacia disparrima*	Hickory Wattle	280		280	88	12.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18559	*Eucalyptus siderophloia*	Northern Grey Ironbark	240	200	312	98	17.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18560	*Corymbia citriodora*	Spotted Gum	290		290	91	18.0	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18561	**DEAD/STAG**		480		480	151	19.0	2.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18562	*Eucalyptus siderophloia*	Northern Grey Ironbark	580		580	182	18.0	8.0	7.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18563	*Corymbia citriodora*	Spotted Gum	420		420	132	22.0	9.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18564	*Corymbia citriodora*	Spotted Gum	350		350	110	24.0	9.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18565	*Eucalyptus siderophloia*	Northern Grey Ironbark	390		390	123	12.0	8.0	4.7	2.2	Regular	-	-	-	-	Lopped	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
18566	*Eucalyptus siderophloia*	Northern Grey Ironbark	620		620	195	24.0	12.0	7.4	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18567	*Eucalyptus siderophloia*	Northern Grey Ironbark	590		590	185	24.0	12.0	7.1	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18568	*Eucalyptus siderophloia*	Northern Grey Ironbark	400	300	500	157	22.0	12.0	6.0	2.5	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18569	*Eucalyptus siderophloia*	Northern Grey Ironbark	330		330	104	22.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18570	*Melaleuca irbyana*	Swamp Tea-tree	220	150	266	84	6.0	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18571	*Corymbia citriodora*	Spotted Gum	380		380	119	22.0	8.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18572	*Eucalyptus siderophloia*	Northern Grey Ironbark	400		400	126	24.0	8.0	4.8	2.3	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18573	*Eucalyptus siderophloia*	Northern Grey Ironbark	470		470	148	22.0	10.0	5.6	2.4	One-sided	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18574	*Corymbia citriodora*	Spotted Gum	530		530	167	22.0	8.0	6.4	2.5	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18575	*Corymbia citriodora*	Spotted Gum	370		370	116	24.0	8.0	4.4	2.2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18576	*Eucalyptus siderophloia*	Northern Grey Ironbark	330		330	104	22.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18577	*Eucalyptus siderophloia*	Northern Grey Ironbark	680		680	214	24.0	12.0	8.2	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18578	*Eucalyptus siderophloia*	Northern Grey Ironbark	340		340	107	22.0	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18579	*Eucalyptus siderophloia*	Northern Grey Ironbark	240	200	312	98	16.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18580	*Eucalyptus siderophloia*	Northern Grey Ironbark	330		330	104	20.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18581	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	14.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18582	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	18.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18583	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	16.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18584	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	12.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18585	*Eucalyptus siderophloia*	Northern Grey Ironbark	320		320	101	14.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18586	*Eucalyptus siderophloia*	Northern Grey Ironbark	420		420	132	20.0	8.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18587	*Eucalyptus siderophloia*	Northern Grey Ironbark	320		320	101	14.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18588	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	18.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18589	*Eucalyptus siderophloia*	Northern Grey Ironbark	320		320	101	20.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18590	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	16.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18591	*Eucalyptus siderophloia*	Northern Grey Ironbark	320		320	101	22.0	10.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18592	*Eucalyptus siderophloia*	Northern Grey Ironbark	320		320	101	20.0	10.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18593	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	18.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18594	*Eucalyptus siderophloia*	Northern Grey Ironbark	320		320	101	16.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18595	*Eucalyptus siderophloia*	Northern Grey Ironbark	340		340	107	20.0	10.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18596	*Eucalyptus siderophloia*	Northern Grey Ironbark	340		340	107	20.0	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18597	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	20.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18598	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	18.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18599	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	18.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18601	*Eucalyptus siderophloia*	Northern Grey Ironbark	320		320	101	18.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18602	*Eucalyptus siderophloia*	Northern Grey Ironbark	320		320	101	18.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18603	*Eucalyptus siderophloia*	Northern Grey Ironbark	720		720	226	22.0	12.0	8.6	2.9	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18604	*Corymbia citriodora*	Spotted Gum	300		300	94	20.0	6.0	3.6	2.0	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18605	*Eucalyptus siderophloia*	Northern Grey Ironbark	480		480	151	22.0	10.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	0	-	-	-	Remove	
18606	*Eucalyptus siderophloia*	Northern Grey Ironbark	460		460	145	24.0	10.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18607	*Eucalyptus siderophloia*	Northern Grey Ironbark	470		470	148	18.0	6.0	5.6	2.4	Regular	-	-	Die-back	Epicormic	-	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
18608	*Eucalyptus siderophloia*	Northern Grey Ironbark	520		520	163	8.0	5.0	6.2	2.5	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
18609	*Eucalyptus siderophloia*	Northern Grey Ironbark	450		450	141	24.0	12.0	5.4	2.4	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	

| | | |

Specimen Details								Canopy Condition Details								Trunk Condition Details						Fauna Details and Habitat Value									
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
18678	*Corymbia citriodora*	Spotted Gum	420		420	132	30.0	10.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18679	*Corymbia citriodora*	Spotted Gum	340		340	107	24.0	12.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18680	*Corymbia citriodora*	Spotted Gum	550		550	173	28.0	16.0	6.6	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18681	*Corymbia citriodora*	Spotted Gum	250	250	354	111	22.0	8.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18682	*Corymbia citriodora*	Spotted Gum	300		300	94	22.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18683	*Corymbia citriodora*	Spotted Gum	270		270	85	22.0	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18684	*Angophora leiocarpa*	Rusty Gum	300		300	94	20.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18685	*Corymbia citriodora*	Spotted Gum	250		250	79	22.0	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18686	*Corymbia citriodora*	Spotted Gum	270		270	85	20.0	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18687	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	18.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18688	*Corymbia citriodora*	Spotted Gum	300		300	94	12.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18689	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	14.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18690	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	10.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18691	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	12.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18692	*Acacia disparrima*	Hickory Wattle	420		420	132	8.0	6.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18693	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	12.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18694	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	12.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18695	*Eucalyptus siderophloia*	Northern Grey Ironbark	320		320	101	16.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18696	*Eucalyptus siderophloia*	Northern Grey Ironbark	580		580	182	22.0	10.0	7.0	2.6	Regular	-	-	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18697	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	12.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18698	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	14.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18699	*Acacia disparrima*	Hickory Wattle	280		280	88	8.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18700	*Eucalyptus siderophloia*	Northern Grey Ironbark	290		290	91	16.0	8.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18701	*Eucalyptus siderophloia*	Northern Grey Ironbark	330		330	104	18.0	6.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18702	*Acacia disparrima*	Hickory Wattle	360		360	113	6.0	7.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18703	*Acacia disparrima*	Hickory Wattle	320		320	101	4.0	5.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18704	*Acacia disparrima*	Hickory Wattle	420		420	132	8.0	5.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18705	*Acacia disparrima*	Hickory Wattle	340		340	107	5.0	6.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18706	*Corymbia intermedia*	Pink Bloodwood	250	180	308	97	12.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18707	*Acacia disparrima*	Hickory Wattle	320		320	101	7.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18709	*Eucalyptus siderophloia*	Northern Grey Ironbark	540		540	170	22.0	12.0	6.5	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18710	*Eucalyptus siderophloia*	Northern Grey Ironbark	380		380	119	18.0	8.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18711	*Eucalyptus siderophloia*	Northern Grey Ironbark	560		560	176	24.0	12.0	6.7	2.6	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18712	*Eucalyptus siderophloia*	Northern Grey Ironbark	440		440	138	20.0	8.0	5.3	2.3	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18713	*Eucalyptus siderophloia*	Northern Grey Ironbark	330		330	104	20.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18714	*Eucalyptus siderophloia*	Northern Grey Ironbark	290		290	91	20.0	8.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18715	*Corymbia citriodora*	Spotted Gum	300		300	94	24.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18716	*Corymbia citriodora*	Spotted Gum	330		330	104	24.0	10.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18717	**DEAD/STAG**		1500		1500	471	18.0	6.0	15.0	3.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Small	3	-	-	-	-	Remove	
18718	**DEAD/STAG**		660		660	207	22.0	8.0	7.9	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Large	1	-	-	-	-	Remove	
18719	*Acacia disparrima*	Hickory Wattle	270		270	85	7.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18720	*Acacia disparrima*	Hickory Wattle	260		260	82	8.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18721	*Eucalyptus tereticornis*	Forest Red Gum	420		420	132	18.0	10.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18722	*Lophostemon suaveolens*	Swamp Box	610		610	192	14.0	8.0	7.3	2.7	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
18723	*Eucalyptus tereticornis*	Forest Red Gum	340		340	107	10.0	6.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18724	*Eucalyptus siderophloia*	Northern Grey Ironbark	320		320	101	14.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18725	*Eucalyptus tereticornis*	Forest Red Gum	360		360	113	10.0	8.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18726	*Eucalyptus tereticornis*	Forest Red Gum	200		200	63	8.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18727	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	8.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18728	*Acacia disparrima*	Hickory Wattle	320		320	101	8.0	5.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18729	*Acacia disparrima*	Hickory Wattle	320		320	101	6.0	4.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18730	*Acacia disparrima*	Hickory Wattle	270		270	85	5.0	4.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18731	*Eucalyptus tereticornis*	Forest Red Gum	350		350	110	10.0	6.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18732	*Corymbia intermedia*	Pink Bloodwood	630		630	198	18.0	8.0	7.6	2.7	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18733	*Lophostemon suaveolens*	Swamp Box	320		320	101	8.0	4.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18734	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	20.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18735	*Corymbia intermedia*	Pink Bloodwood	250		250	79	8.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18736	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	8.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18737	*Acacia disparrima*	Hickory Wattle	330	140	358	113	6.0	5.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18738	*Eucalyptus siderophloia*	Northern Grey Ironbark	350		350	110	20.0	8.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18739	*Eucalyptus siderophloia*	Northern Grey Ironbark	360		360	113	20.0	8.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18740	*Corymbia intermedia*	Pink Bloodwood	300	140, 140	359	113	20.0	8.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18741	*Eucalyptus siderophloia*	Northern Grey Ironbark	370		370	116	22.0	8.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18742	*Eucalyptus siderophloia*	Northern Grey Ironbark	400		400	126	22.0	10.0	4.8	2.3	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18743	*Eucalyptus siderophloia*	Northern Grey Ironbark	370		370	116	24.0	12.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18744	*Corymbia intermedia*	Pink Bloodwood	360		360	113	20.0	8.0	4.3	2.2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18745	*Eucalyptus siderophloia*	Northern Grey Ironbark	330		330	104	20.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	

Tree ID	Botanical Name	Common Name	Specimen Details									Canopy Condition Details								Trunk Condition Details					Fauna Details and Habitat Value							Additional Notes	Retention
			Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value		
18746	*Eucalyptus siderophloia*	Northern Grey Ironbark	330		330	104	22.0	6.0	4.0	2.1	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-		Remove
18747	*Eucalyptus siderophloia*	Northern Grey Ironbark	270	220	348	109	22.0	8.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-		Remove
18748	*Corymbia citriodora*	Spotted Gum	300		300	94	22.0	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-		Remove
18749	*Corymbia citriodora*	Spotted Gum	350		350	110	24.0	8.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-		Remove
18750	*Corymbia citriodora*	Spotted Gum	350		350	110	24.0	8.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-		Remove
18751	*Acacia disparrima*	Hickory Wattle	340		340	107	6.0	5.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-		Remove
18752	*Corymbia citriodora*	Spotted Gum	240		240	75	22.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-		Remove
18753	*Eucalyptus siderophloia*	Northern Grey Ironbark	200	200	283	89	8.0	4.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-		Remove
18754	*Acacia disparrima*	Hickory Wattle	210	210	297	93	8.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-		Remove
18755	*Acacia disparrima*	Hickory Wattle	400		400	126	8.0	6.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-		Remove
18756	*Corymbia citriodora*	Spotted Gum	250		250	79	22.0	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-		Remove
18757	*Corymbia citriodora*	Spotted Gum	300		300	94	20.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-		Remove
18758	*Corymbia citriodora*	Spotted Gum	290		290	91	20.0	8.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-		Remove
18759	*Corymbia citriodora*	Spotted Gum	320		320	101	24.0	12.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-		Remove
18760	*Corymbia citriodora*	Spotted Gum	780		780	245	26.0	16.0	9.4	3.0	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	0	-	-	-	-		Remove
18761	*Acacia disparrima*	Hickory Wattle	460		460	145	8.0	5.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-		Remove
18762	*Corymbia citriodora*	Spotted Gum	320		320	101	22.0	10.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-		Remove
18763	*Corymbia citriodora*	Spotted Gum	320		320	101	20.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-		Remove
18764	*Eucalyptus siderophloia*	Northern Grey Ironbark	610		610	192	26.0	14.0	7.3	2.7	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-		Remove
18765	*Corymbia citriodora*	Spotted Gum	300		300	94	22.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-		Remove
18766	*Corymbia citriodora*	Spotted Gum	470		470	148	24.0	10.0	5.6	2.4	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-		Remove
18767	*Corymbia citriodora*	Spotted Gum	370		370	116	26.0	14.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-		Remove
18768	*Corymbia citriodora*	Spotted Gum	440		440	138	24.0	8.0	5.3	2.3	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	-		Remove
18769	*Corymbia citriodora*	Spotted Gum	330		330	104	26.0	14.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-		Remove
18770	*Eucalyptus siderophloia*	Northern Grey Ironbark	320		320	101	24.0	12.0	3.8	2.1	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-		Remove
18771	*Corymbia citriodora*	Spotted Gum	440		440	138	28.0	14.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-		Remove
18772	*Eucalyptus siderophloia*	Northern Grey Ironbark	330		330	104	24.0	10.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-		Remove
18773	*Corymbia citriodora*	Spotted Gum	440		440	138	26.0	12.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-		Remove
18774	*Corymbia citriodora*	Spotted Gum	300		300	94	24.0	8.0	3.6	2.0	Regular	-	Thinning	Die-back	-	-	Typical	Minor	-	-	-	Typical	-	-	-	0	-	-	-	-		Remove
18775	*Corymbia citriodora*	Spotted Gum	370		370	116	28.0	14.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-		Remove
18776	*Corymbia citriodora*	Spotted Gum	480		480	151	24.0	10.0	5.8	2.4	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-		Remove
18797	*Corymbia citriodora*	Spotted Gum	500		500	157	30.0	12.0	6.0	2.5	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-		Remove
18798	*Corymbia citriodora*	Spotted Gum	320		320	101	24.0	10.0	3.8	2.1	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-		Remove
18799	*Corymbia citriodora*	Spotted Gum	600		600	188	24.0	10.0	7.2	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-		Remove
18800	*Corymbia citriodora*	Spotted Gum	630		630	198	28.0	16.0	7.6	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-		Remove
18801	*Corymbia citriodora*	Spotted Gum	340		340	107	26.0	12.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-		Remove
18802	*Corymbia citriodora*	Spotted Gum	400		400	126	28.0	14.0	4.8	2.3	Regular	-	-	-	Epicormic	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	-		Remove
18803	*Corymbia citriodora*	Spotted Gum	380		380	119	26.0	14.0	4.6	2.2	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-		Remove
18804	*Corymbia citriodora*	Spotted Gum	400		400	126	26.0	12.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-		Remove
18805	*Corymbia citriodora*	Spotted Gum	410		410	129	26.0	8.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-		Remove
18806	*Corymbia citriodora*	Spotted Gum	300		300	94	24.0	8.0	3.6	2.0	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-		Remove
18807	*Corymbia citriodora*	Spotted Gum	430		430	135	22.0	10.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-		Remove
18808	*Corymbia citriodora*	Spotted Gum	290		290	91	24.0	8.0	3.5	2.0	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-		Remove
18809	*Corymbia citriodora*	Spotted Gum	260		260	82	10.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-		Remove
18810	*Acacia disparrima*	Hickory Wattle	350		350	110	7.0	6.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-		Remove
18811	*Corymbia citriodora*	Spotted Gum	470		470	148	22.0	10.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-		Remove
18812	*Acacia disparrima*	Hickory Wattle	350		350	110	6.0	5.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-		Remove
18813	*Acacia disparrima*	Hickory Wattle	340	340	481	151	6.0	6.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-		Remove

Tree ID	Botanical Name	Common Name	Specimen Details							Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Notes
			Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention
18814	*Corymbia intermedia*	Pink Bloodwood	330	360	488	153	16.0	8.0	5.9	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
18815	*Eucalyptus tereticornis*	Forest Red Gum	400	1Z6	20.0	8.0	6.0	4.8	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Old	-	0	-	-	-	Remove
18816	*Eucalyptus tereticornis*	Forest Red Gum	260	82	10.0	6.0	3.1	1.9	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
18817	*Eucalyptus tereticornis*	Forest Red Gum	280	88	18.0	6.0	3.4	1.9	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
18818	*Acacia dispartima*	Hickory Wattle	450	141	7.0	5.0	5.4	2.4	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
18819	*Acacia dispartima*	Hickory Wattle	320	101	6.0	5.0	3.8	2.1	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Old	-	0	-	-	-	Remove
18820	*Eucalyptus tereticornis*	Forest Red Gum	320	101	12.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	Poor	-	-	-	-	-	Typical	Old	-	0	-	-	-	-	Remove
18821	*Eucalyptus siderophloia*	Northern Grey Ironbark	400	1Z6	14.0	6.0	4.8	2.3	Regular	-	-	Die-back	Epicormic	Lopped	Poor	-	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	-	Remove
18822	*Eucalyptus siderophloia*	Northern Grey Ironbark	610	192	26.0	14.0	7.3	2.7	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
18823	*Angophora leiocarpa*	Rusty Gum	350	110	22.0	10.0	4.2	2.1	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
18824	*Angophora leiocarpa*	Rusty Gum	320	101	16.0	8.0	3.8	2.1	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
18825	*Angophora leiocarpa*	Rusty Gum	260	82	12.0	7.0	3.1	1.9	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
18826	*Angophora leiocarpa*	Rusty Gum	320	101	16.0	8.0	3.8	2.1	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
18827	*Eucalyptus siderophloia*	Northern Grey Ironbark	260	82	22.0	7.0	3.1	1.9	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
18828	*Corymbia citriodora*	Spotted Gum	270	85	20.0	8.0	3.2	1.9	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
18829	*Eucalyptus siderophloia*	Northern Grey Ironbark	650	204	26.0	14.0	7.8	2.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
18830	*Corymbia citriodora*	Spotted Gum	280	88	22.0	8.0	3.4	1.9	One-sided	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
18831	*Corymbia citriodora*	Spotted Gum	210	66	20.0	5.0	2.5	1.7	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Retain
18832	*Corymbia citriodora*	Spotted Gum	330	104	26.0	7.0	4.0	2.1	Regular	-	-	Die-back	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Retain
18833	*Corymbia citriodora*	Spotted Gum	460	145	25.0	8.0	5.5	2.4	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Retain
18834	*Corymbia citriodora*	Spotted Gum	240	75	18.0	6.0	2.9	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Retain
18835	*Eucalyptus siderophloia*	Northern Grey Ironbark	540	170	32.0	15.0	6.5	2.6	Regular	-	-	Die-back	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Retain
18836	*Corymbia citriodora*	Spotted Gum	200	63	13.0	3.0	2.4	1.7	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Old	-	0	-	-	-	-	Remove
18837	*Corymbia citriodora*	Spotted Gum	480	151	28.0	12.0	5.8	2.4	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Old	-	0	-	-	-	-	Remove
18838	*Corymbia intermedia*	Pink Bloodwood	260	82	12.0	5.0	3.1	1.9	Regular	-	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	-	Remove
18839	*Corymbia citriodora*	Spotted Gum	440	138	21.0	6.0	5.3	2.3	Regular	-	Thinning	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
18840	*Corymbia citriodora*	Spotted Gum	360	113	19.0	9.0	4.3	2.2	Regular	-	-	Die-back	Epicormic	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
18841	*Corymbia citriodora*	Spotted Gum	550	173	28.0	14.0	6.6	2.6	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
18842	*Corymbia citriodora*	Spotted Gum	250	79	17.0	5.0	3.0	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
18843	*Corymbia citriodora*	Spotted Gum	300	94	19.0	5.0	3.6	2.0	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
18844	*Corymbia citriodora*	Spotted Gum	250	79	22.0	7.0	3.0	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
18845	**DEAD/STAG**		320	101	7.0	2.0	3.8	2.1	Regular	-	-	-	-	-	Lopped	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove
18846	*Corymbia citriodora*	Spotted Gum	280	88	19.0	8.0	3.4	1.9	Regular	-	-	Die-back	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
18847	**DEAD/STAG**		450	141	27.0	8.0	5.4	2.4	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
18848	*Eucalyptus siderophloia*	Northern Grey Ironbark	230	72	12.0	4.0	2.8	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove
18849	*Corymbia citriodora*	Spotted Gum	250	79	16.0	6.0	3.0	1.8	Irregular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
18850	*Corymbia citriodora*	Spotted Gum	410	129	24.0	7.0	4.9	2.3	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
18851	*Eucalyptus siderophloia*	Northern Grey Ironbark	270	85	24.0	7.0	3.2	1.9	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
18852	*Corymbia citriodora*	Spotted Gum	240	75	17.0	4.0	2.9	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
18853	*Corymbia citriodora*	Spotted Gum	230	72	17.0	4.0	2.8	1.8	Regular	-	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	-	Remove
18854	*Eucalyptus siderophloia*	Northern Grey Ironbark	370	116	22.0	6.0	4.4	2.2	Regular	-	-	Die-back	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
18855	**DEAD/STAG**		430	135	16.0	3.0	5.2	2.3	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
18856	*Corymbia citriodora*	Spotted Gum	260	82	19.0	7.0	3.1	1.9	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Old	-	-	-	-	-	-	Remove
18857	**DEAD/STAG**		300	94	22.0	9.0	3.6	2.0	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
18858	*Corymbia citriodora*	Spotted Gum	370	116	28.0	9.0	4.4	2.2	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
18859	*Corymbia citriodora*	Spotted Gum	200	63	15.0	6.0	2.4	1.7	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
18860	**DEAD/STAG**		240	75	13.0	4.0	2.9	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
18861	*Corymbia citriodora*	Spotted Gum	250	79	16.0	7.0	3.0	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
18862	**DEAD/STAG**		410	129	15.0	5.0	4.9	2.3	One-sided	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
18863	*Corymbia citriodora*	Spotted Gum	260	82	26.0	9.0	3.1	1.9	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
18864	*Corymbia citriodora*	Spotted Gum	260	82	21.0	6.0	3.1	1.9	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
18865	*Corymbia citriodora*	Spotted Gum	210	66	19.0	5.0	2.5	1.7	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
18866	*Acacia dispartima*	Hickory Wattle	230	96	14.0	6.0	3.7	2.0	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
18867	*Eucalyptus siderophloia*	Northern Grey Ironbark	220	69	17.0	5.0	2.6	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
18868	*Eucalyptus siderophloia*	Northern Grey Ironbark	210	66	13.0	4.0	2.5	1.7	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
18869	*Eucalyptus siderophloia*	Northern Grey Ironbark	210	66	15.0	5.0	2.5	1.7	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
18870	*Eucalyptus siderophloia*	Northern Grey Ironbark	210	66	10.0	3.0	2.5	1.7	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
18871	*Corymbia citriodora*	Spotted Gum	210	66	15.0	4.0	2.5	1.7	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
18872	*Eucalyptus siderophloia*	Northern Grey Ironbark	250	79	16.0	5.0	3.0	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
18873	*Acacia disparrima*	Hickory Wattle	250	79	9.0	5.0	3.0	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
18874	*Eucalyptus siderophloia*	Northern Grey Ironbark	250	79	12.0	4.0	3.0	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
18875	*Eucalyptus siderophloia*	Northern Grey Ironbark	260	82	20.0	6.0	3.1	1.9	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
18876	*Eucalyptus tereticornis*	Forest Red Gum	270	85	19.0	7.0	3.2	1.9	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
18877	*Eucalyptus siderophloia*	Northern Grey Ironbark	270	85	14.0	4.0	3.2	1.9	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
18878	*Eucalyptus siderophloia*	Northern Grey Ironbark	318	100	14.0	5.0	3.8	2.0	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
18879	*Eucalyptus siderophloia*	Northern Grey Ironbark	250	79	14.0	4.0	3.0	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
18880	*Eucalyptus siderophloia*	Northern Grey Ironbark	250	79	18.0	4.0	3.0	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
18881	*Eucalyptus siderophloia*	Northern Grey Ironbark	230	72	19.0	5.0	2.8	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove

| Specimen Details | | |

Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
18950	*Corymbia citriodora*	Spotted Gum	420		420	132	20.0	4.0	5.0	2.3	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18951	*Corymbia citriodora*	Spotted Gum	330		330	104	26.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18952	*Corymbia citriodora*	Spotted Gum	330		330	104	24.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18953	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	19.0	6.0	2.6	1.8	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18954	*Corymbia citriodora*	Spotted Gum	330		330	104	24.0	9.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18955	**DEAD/STAG**		300		300	94	18.0	4.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18956	*Eucalyptus siderophloia*	Northern Grey Ironbark	360		360	113	26.0	8.0	4.3	2.2	Regular	-	-	Die-back	-	Lopped	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18957	*Corymbia citriodora*	Spotted Gum	230		230	72	13.0	4.0	2.8	1.8	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18958	*Corymbia citriodora*	Spotted Gum	280	260	382	120	24.0	7.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18959	*Corymbia citriodora*	Spotted Gum	370		370	116	23.0	8.0	4.4	2.2	One-sided	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18960	*Corymbia citriodora*	Spotted Gum	260		260	82	19.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18961	*Corymbia citriodora*	Spotted Gum	230		230	72	18.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18962	*Corymbia citriodora*	Spotted Gum	290		290	91	23.0	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18963	*Corymbia citriodora*	Spotted Gum	240		240	75	19.0	4.0	2.9	1.8	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18964	*Corymbia citriodora*	Spotted Gum	260		260	82	20.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18965	*Corymbia citriodora*	Spotted Gum	480	250	541	170	25.0	11.0	6.5	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	Old	-	-	0	-	-	-	Remove	
18966	*Corymbia citriodora*	Spotted Gum	430		430	135	27.0	8.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18967	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	18.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18968	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	13.0	3.0	3.0	1.8	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18969	**DEAD/STAG**		260		260	82	18.0	1.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18970	*Corymbia intermedia*	Pink Bloodwood	200		200	63	12.0	2.0	2.4	1.7	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18971	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	30.0	12.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18972	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	18.0	4.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18973	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	19.0	4.0	3.4	1.9	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18974	*Eucalyptus siderophloia*	Northern Grey Ironbark	240	270	361	113	19.0	4.0	4.3	2.2	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18975	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	16.0	9.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18976	*Eucalyptus siderophloia*	Northern Grey Ironbark	400		400	126	22.0	8.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
18977	*Eucalyptus siderophloia*	Northern Grey Ironbark	390		390	123	29.0	13.0	4.7	2.2	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
18978	**DEAD/STAG**		450		450	141	24.0	13.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18979	Forest Red Gum		370		370	116	20.0	7.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18980	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	20.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18981	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	21.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18982	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	15.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18983	*Eucalyptus siderophloia*	Northern Grey Ironbark	290		290	91	24.0	8.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18984	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	23.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	Introduced	-	-	Typical	-	-	-	0	-	-	-	Remove	
18985	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	26.0	8.0	3.0	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18986	*Eucalyptus siderophloia*	Northern Grey Ironbark	320		320	101	28.0	10.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18987	*Eucalyptus siderophloia*	Northern Grey Ironbark	320		320	101	17.0	6.0	3.8	2.1	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18988	**DEAD/STAG**		230		230	72	16.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18989	**DEAD/STAG**		330		330	104	18.0	5.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18990	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	12.0	3.0	2.9	1.8	One-sided	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
18991	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	15.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18992	*Acacia disparrima*	Hickory Wattle	280		280	88	11.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18993	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	15.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18994	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	18.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18995	*Acacia disparrima*	Hickory Wattle	240	230	332	104	10.0	5.0	4.0	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18996	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	11.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18997	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	15.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
18998	*Acacia disparrima*	Hickory Wattle	260	220	341	107	12.0	6.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
18999	*Acacia disparrima*	Hickory Wattle	320		320	101	10.0	5.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19000	*Eucalyptus siderophloia*	Forest Red Gum	320		320	101	18.0	5.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	Old	-	-	0	-	-	-	Remove	
19001	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	10.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19002	*Acacia disparrima*	Hickory Wattle	300	250, 250, 200	505	159	10.0	6.0	6.1	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
19003	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	12.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
19004	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	18.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
19005	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	18.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
19006	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	18.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
19007	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	19.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
19008	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	19.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
19009	*Acacia disparrima*	Hickory Wattle	250		250	79	12.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
19010	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	18.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19011	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	19.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19012	*Eucalyptus tereticornis*	Forest Red Gum	330		330	104	22.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
19013	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	14.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
19014	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	21.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19015	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	18.0	4.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19016	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	17.0	5.0	3.4	1.9	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19017	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	16.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	

Specimen Details								Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
19018	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	25.0	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19019	*Eucalyptus siderophloia*	Northern Grey Ironbark	330		330	104	19.0	6.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19020	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	18.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19021	*Eucalyptus siderophloia*	Northern Grey Ironbark	390		390	123	16.0	6.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19022	*Eucalyptus siderophloia*	Northern Grey Ironbark	340		340	107	15.5	5.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19023	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	11.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19024	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	14.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19025	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	17.0	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19026	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	12.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19027	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	17.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19028	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	18.0	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19029	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	16.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19030	*Eucalyptus moluccana*	Gum-topped Box	220		220	69	16.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19031	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	14.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19032	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	15.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19033	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	15.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19034	*Acacia disparrima*	Hickory Wattle	350		350	110	14.0	5.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19035	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	19.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19036	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	19.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19037	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	19.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19038	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	15.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19039	*Eucalyptus tereticornis*	Forest Red Gum	210		210	66	14.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19040	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	16.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19041	*Eucalyptus tereticornis*	Forest Red Gum	240		240	75	18.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Old	-	0	-	-	-	Remove
19042	*Eucalyptus tereticornis*	Forest Red Gum	220		220	69	18.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19043	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	24.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19044	*Eucalyptus tereticornis*	Forest Red Gum	220		220	69	18.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Old	-	0	-	-	-	Remove
19045	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	17.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19046	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	15.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove
19047	*Eucalyptus tereticornis*	Forest Red Gum	230		230	72	16.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19048	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	17.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19049	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	12.0	3.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19050	*Melaleuca bracteata*	Swamp Tea-tree	30	20, 10	37	12	3.0	2.0	2.0	0.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19051	*Eucalyptus tereticornis*	Forest Red Gum	230		230	72	14.0	3.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Old	-	0	-	-	-	Remove
19052	*Eucalyptus tereticornis*	Forest Red Gum	290		290	91	19.0	5.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19053	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	14.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19054	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	16.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19055	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	16.0	5.0	3.0	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19056	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	18.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19057	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	14.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19058	*Acacia disparrima*	Hickory Wattle	250	230, 200	394	124	10.0	6.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19059	*Acacia disparrima*	Hickory Wattle	290	190	347	109	12.0	4.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove
19060	*Acacia disparrima*	Hickory Wattle	220	190	291	91	7.0	4.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19061	*Acacia disparrima*	Hickory Wattle	230	200, 170	349	110	10.0	5.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19062	*Acacia disparrima*	Hickory Wattle	320		320	101	7.0	4.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19063	*Eucalyptus tereticornis*	Forest Red Gum	550	370	663	208	25.0	14.0	8.0	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19064	*Acacia disparrima*	Hickory Wattle	250	230	340	107	8.0	5.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19065	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	14.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19066	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	14.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19067	*Eucalyptus siderophloia*	Northern Grey Ironbark	320		320	101	20.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19068	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	18.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19069	*Eucalyptus siderophloia*	Northern Grey Ironbark	290		290	91	23.0	8.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19070	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	18.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove
19071	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	19.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19072	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	25.0	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19073	**DEAD/STAG**		390		390	123	23.0	5.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Old	-	0	-	-	-	Remove
19074	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	19.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19075	*Eucalyptus siderophloia*	Northern Grey Ironbark	350		350	110	22.0	6.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19076	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	21.0	4.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19077	*Eucalyptus siderophloia*	Northern Grey Ironbark	410		410	129	25.0	8.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19078	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	19.0	5.0	2.8	1.8	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19079	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	15.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19080	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	19.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19081	*Acacia disparrima*	Hickory Wattle	240		240	75	15.0	7.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19082	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	21.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19083	*Eucalyptus siderophloia*	Northern Grey Ironbark	1000		1000	314	33.0	9.0	12.0	3.3	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	Small	1	-	-	-	Remove
19084	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	18.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19085	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	18.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove

Tree ID	Botanical Name	Common Name	Specimen Details								Canopy Condition Details								Trunk Condition Details						Fauna Details and Habitat Value							Additional Notes	Retention
			Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value			
19086	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	18.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove
19087	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	19.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove
19088	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	16.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove
19089	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	16.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove
19090	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	18.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove
19091	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	18.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove
19092	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	18.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove
19093	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	18.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove
19094	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	21.0	8.0	3.1	1.9	Regular	-	-	-	Epicormic	-	Typical	-	Trunk Dmg.	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove
19095	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	18.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove
19096	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	18.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove
19097	*Eucalyptus siderophloia*	Northern Grey Ironbark	330		330	104	19.0	6.0	4.0	2.1	One-sided	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove
19098	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	18.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove
19099	*Eucalyptus siderophloia*	Northern Grey Ironbark	340		340	107	24.0	10.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove
19100	*Eucalyptus siderophloia*	Northern Grey Ironbark	530		530	167	28.0	12.0	6.4	2.5	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove
19101	*Eucalyptus siderophloia*	Northern Grey Ironbark	340		340	107	26.0	7.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Retain
19102	*Eucalyptus siderophloia*	Northern Grey Ironbark	290		290	91	26.0	7.0	3.5	2.0	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove
19103	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	19.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove
19104	*Eucalyptus siderophloia*	Northern Grey Ironbark	390		390	123	24.0	14.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove
19105	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	15.0	4.0	2.6	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	-	-	Remove
19106	*Eucalyptus siderophloia*	Northern Grey Ironbark	410		410	129	27.0	11.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove
19107	*Eucalyptus siderophloia*	Northern Grey Ironbark	520		520	163	26.0	12.0	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove
19108	*Eucalyptus siderophloia*	Northern Grey Ironbark	460		460	145	27.0	12.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove
19109	*Eucalyptus siderophloia*	Northern Grey Ironbark	290		290	91	22.0	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove
19110	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	15.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove
19111	*Eucalyptus siderophloia*	Northern Grey Ironbark	390		390	123	26.0	10.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove
19112	*Eucalyptus siderophloia*	Northern Grey Ironbark	290		290	91	14.0	4.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove
19113	*Eucalyptus siderophloia*	Spotted Gum	280		280	88	21.0	9.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove
19114	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	20.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove
19115	*Eucalyptus siderophloia*	Spotted Gum	330		330	104	26.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove
19116	*Eucalyptus siderophloia*	Spotted Gum	220		220	69	19.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove
19117	*Eucalyptus siderophloia*	Spotted Gum	250		250	79	19.0	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove
19118	*Eucalyptus siderophloia*	Spotted Gum	210		210	66	18.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove
19119	*Eucalyptus siderophloia*	Spotted Gum	250		250	79	19.0	5.0	3.0	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove
19120	*Eucalyptus siderophloia*	Spotted Gum	230		230	72	18.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove
19121	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	19.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove
19122	**DEAD/STAG**		370		370	116	25.0	8.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove
19123	**DEAD/STAG**		790		790	248	15.0	4.0	9.5	3.0	Regular	-	-	-	Trunk Dmg.	-	Typical	-	-	-	-	Typical	-	-	Small	1	-	-	-	-	-	Remove
19124	*Corymbia citriodora*	Spotted Gum	390		390	123	21.0	5.0	4.7	2.2	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove
19125	*Corymbia citriodora*	Spotted Gum	520		520	163	26.0	12.0	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	-	-	Remove
19126	**DEAD/STAG**		380		380	119	24.0	8.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove
19127	**DEAD/STAG**		350		350	110	16.0	2.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove
19128	**DEAD/STAG**		280		280	88	17.0	4.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove
19129	*Corymbia citriodora*	Spotted Gum	270		270	85	20.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove
19130	*Corymbia citriodora*	Spotted Gum	310		310	97	25.0	11.0	3.7	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	-	-	Remove
19131	*Corymbia citriodora*	Spotted Gum	440		440	138	27.0	11.0	5.3	2.3	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	Old	-	0	-	-	-	-	Remove
19132	*Corymbia citriodora*	Spotted Gum	250		250	79	19.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove
19133	*Corymbia citriodora*	Spotted Gum	220		220	69	16.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove
19134	*Corymbia citriodora*	Spotted Gum	390		390	123	26.0	6.0	4.7	2.2	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove
19135	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	19.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove
19136	*Corymbia citriodora*	Spotted Gum	380		380	119	24.0	6.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove
19137	*Corymbia citriodora*	Spotted Gum	310		310	97	21.0	5.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove
19138	*Eucalyptus moluccana*	Gum-topped Box	200		200	63	18.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove
19139	*Eucalyptus moluccana*	Gum-topped Box	200		200	63	14.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove
19140	*Corymbia citriodora*	Spotted Gum	220		220	69	19.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove
19141	*Corymbia citriodora*	Spotted Gum	280		280	88	23.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Retention TBC (future works)
19142	*Corymbia citriodora*	Spotted Gum	560		560	176	26.0	8.0	6.7	2.6	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Retain
19143	*Corymbia citriodora*	Spotted Gum	290		290	91	23.0	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove
19144	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	25.0	7.0	3.6	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove
19145	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	22.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove
19146	*Corymbia citriodora*	Spotted Gum	330		330	104	26.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Old	-	0	-	-	-	-	Remove
19147	*Corymbia citriodora*	Spotted Gum	280	220	356	112	23.0	7.0	4.3	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove
19148	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	26.0	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove
19149	*Corymbia citriodora*	Spotted Gum	390		390	123	28.0	10.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Old	-	0	-	-	-	-	Remove
19150	*Corymbia citriodora*	Spotted Gum	200		200	63	18.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove
19151	*Corymbia citriodora*	Spotted Gum	250		250	79	17.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove
19152	*Corymbia citriodora*	Spotted Gum	300		300	94	24.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove
19153	*Corymbia citriodora*	Spotted Gum	310		310	97	25.0	9.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	Remove

Tree ID	Botanical Name	Common Name	Specimen Details											Canopy Condition Details								Trunk Condition Details					Fauna Details and Habitat Value						Additional Notes	Retention
			Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value		
19154	*Corymbia citriodora*	Spotted Gum	240		240	75	19.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19155	**DEAD/STAG**		390		390	123	23.0	5.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19156	*Corymbia citriodora*	Spotted Gum	410		410	129	28.0	8.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19157	*Corymbia citriodora*	Spotted Gum	220		220	69	20.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19158	*Corymbia citriodora*	Spotted Gum	360		360	113	30.0	12.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19159	*Corymbia citriodora*	Spotted Gum	300		300	94	16.0	4.0	3.6	2.0	Regular	-	-	-	Epicormic	Lopped	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19160	*Corymbia citriodora*	Spotted Gum	220		220	69	22.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19161	*Corymbia citriodora*	Spotted Gum	230		230	72	21.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19162	**DEAD/STAG**		300		300	94	22.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19163	*Corymbia citriodora*	Spotted Gum	200	100	224	70	16.0	4.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19164	*Corymbia citriodora*	Spotted Gum	290		290	91	22.0	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19165	*Corymbia citriodora*	Spotted Gum	290		290	91	30.0	10.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19166	*Corymbia citriodora*	Spotted Gum	370		370	116	32.0	11.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19167	*Corymbia citriodora*	Spotted Gum	280		280	88	25.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19168	*Corymbia citriodora*	Spotted Gum	380		380	119	26.0	9.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19169	*Corymbia citriodora*	Spotted Gum	310		310	97	18.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19170	*Corymbia citriodora*	Spotted Gum	390		390	123	26.0	8.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19171	*Corymbia citriodora*	Spotted Gum	450		450	141	29.0	11.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19172	*Corymbia citriodora*	Spotted Gum	250		250	79	24.0	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19173	*Corymbia citriodora*	Spotted Gum	200		200	63	19.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19174	*Corymbia citriodora*	Spotted Gum	390		390	123	24.0	7.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19175	*Corymbia citriodora*	Spotted Gum	210		210	66	14.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19176	*Melaleuca bhyrna*	Swamp Tea-tree	140	140, 100, 100, 100	263	83	5.0	4.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
19177	*Corymbia citriodora*	Spotted Gum	200		200	63	14.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19178	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	14.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19179	*Corymbia citriodora*	Spotted Gum	220		220	69	17.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19180	*Corymbia citriodora*	Spotted Gum	330		330	104	21.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19181	*Corymbia citriodora*	Spotted Gum	200		200	63	15.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19182	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	12.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19183	*Corymbia citriodora*	Spotted Gum	230		230	72	17.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
19184	*Corymbia citriodora*	Spotted Gum	410		410	129	30.0	12.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19185	*Corymbia citriodora*	Spotted Gum	340		340	107	24.0	9.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19186	*Corymbia citriodora*	Spotted Gum	370		370	116	15.0	3.0	4.4	2.2	Regular	-	-	-	Lopped	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19187	*Corymbia citriodora*	Spotted Gum	820		820	258	32.0	13.0	9.8	3.0	Regular	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
19188	**DEAD/STAG**		350		350	110	25.0	4.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19189	*Corymbia citriodora*	Spotted Gum	540		540	170	25.0	8.0	6.5	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19190	*Corymbia citriodora*	Spotted Gum	200		200	63	17.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19191	*Corymbia citriodora*	Spotted Gum	260		260	82	23.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19192	*Acacia disparrima*	Hickory Wattle	320	260, 240	477	150	9.0	6.0	5.7	2.4	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
19193	*Acacia disparrima*	Hickory Wattle	250		250	79	7.0	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19194	*Acacia disparrima*	Hickory Wattle	220	190, 150, 130, 100	366	115	10.0	5.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19195	*Acacia disparrima*	Hickory Wattle	270	250, 190	414	130	11.0	5.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
19196	*Acacia disparrima*	Spotted Gum	220		220	69	15.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19197	*Corymbia citriodora*	Spotted Gum	250		250	79	19.0	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19198	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	16.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19199	*Eucalyptus tereticornis*	Forest Red Gum	230		230	72	16.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19200	*Acacia disparrima*	Hickory Wattle	270		270	85	9.0	4.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19201	*Acacia disparrima*	Hickory Wattle	220	210, 170	348	109	7.0	5.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19202	*Acacia disparrima*	Hickory Wattle	260		260	82	6.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19203	*Acacia disparrima*	Hickory Wattle	370		370	116	11.0	4.0	4.4	2.2	Regular	-	-	-	-	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19204	*Corymbia citriodora*	Spotted Gum	230		230	72	18.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19205	*Corymbia citriodora*	Spotted Gum	210		210	66	17.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19206	*Corymbia citriodora*	Spotted Gum	200		200	63	17.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19207	*Acacia disparrima*	Hickory Wattle	270		270	85	11.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19208	*Corymbia citriodora*	Spotted Gum	360		360	113	22.0	7.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
19209	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	21.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19210	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	26.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19211	*Corymbia citriodora*	Spotted Gum	420		420	132	30.0	10.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19212	*Corymbia citriodora*	Spotted Gum	470		470	148	25.0	10.0	5.6	2.4	Regular	-	-	Die-back	-	-	Typical	Minor	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19213	*Corymbia citriodora*	Spotted Gum	570		570	179	32.0	13.0	6.8	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19214	*Corymbia citriodora*	Spotted Gum	210		210	66	17.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19215	*Corymbia citriodora*	Spotted Gum	210		210	66	19.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19216	*Corymbia citriodora*	Spotted Gum	200		200	63	16.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19217	*Corymbia citriodora*	Spotted Gum	200		200	63	18.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19218	*Corymbia citriodora*	Spotted Gum	200		200	63	19.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19219	*Corymbia citriodora*	Spotted Gum	210		210	66	21.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19220	*Corymbia citriodora*	Spotted Gum	210		210	66	18.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19221	*Corymbia citriodora*	Spotted Gum	220		220	69	15.0	3.0	2.6	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	

| Specimen Details | | |

Tree ID	Botanical Name	Common Name	Specimen Details						Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value							Additional Notes	Retention
			Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value		
19290	*Corymbia tessellaris*	Moreton Bay Ash	200		200	63	16.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19291	*Acacia disparrima*	Hickory Wattle	380		380	119	12.0	5.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19292	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	14.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19293	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	14.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19294	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	15.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19295	*Eucalyptus siderophloia*	Northern Grey Ironbark	340	107	22.0	6.0	4.1	2.1	Regular	-	-	Die-back	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19296	*Acacia disparrima*	Hickory Wattle	180	150, 140	273	86	7.0	4.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19297	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	12.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19298	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	19.0	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19299	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	17.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19300	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	15.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19301	*Eucalyptus tereticornis*	Forest Red Gum	200		200	63	15.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19302	*Eucalyptus tereticornis*	Forest Red Gum	220		220	69	14.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19303	*Eucalyptus tereticornis*	Forest Red Gum	250		250	79	15.0	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19304	*Eucalyptus tereticornis*	Forest Red Gum	240		240	75	14.0	3.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19305	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	13.0	3.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19306	*Eucalyptus tereticornis*	Forest Red Gum	230		230	72	18.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19307	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	19.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19308	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	18.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove
19309	*Eucalyptus tereticornis*	Forest Red Gum	200		200	63	13.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19310	*Eucalyptus siderophloia*	Northern Grey Ironbark	170	140	220	69	15.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19311	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	16.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19312	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	13.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19313	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	16.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19314	**DEAD/STAG**		680		680	214	25.0	8.0	8.2	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19315	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	17.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19316	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	13.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19317	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	18.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19318	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	14.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19319	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	18.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove
19318	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	14.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19320	*Acacia disparrima*	Hickory Wattle	250		250	79	11.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19319	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	18.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove
19321	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	17.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19322	*Acacia disparrima*	Hickory Wattle	220		220	69	10.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19323	*Eucalyptus tereticornis*	Forest Red Gum	220		220	69	10.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19324	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	19.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19325	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	16.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19326	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	15.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19327	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	20.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19328	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	18.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19329	*Corymbia intermedia*	Pink Bloodwood	170		233	73	16.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19330	*Acacia disparrima*	Hickory Wattle	270		270	85	10.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19331	*Acacia disparrima*	Hickory Wattle	280	220	356	112	10.0	5.0	4.3	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19332	*Eucalyptus tereticornis*	Forest Red Gum	200		200	63	12.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19333	*Corymbia intermedia*	Pink Bloodwood	250		250	79	15.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19334	*Corymbia intermedia*	Pink Bloodwood	170	170	240	76	16.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19335	*Corymbia intermedia*	Pink Bloodwood	200		200	63	18.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19336	*Corymbia intermedia*	Pink Bloodwood	170	160	233	73	13.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19337	*Eucalyptus tereticornis*	Forest Red Gum	200		200	63	14.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19338	*Eucalyptus tereticornis*	Forest Red Gum	270		270	85	16.0	4.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19339	*Acacia disparrima*	Hickory Wattle	280		280	88	11.0	4.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19340	*Corymbia intermedia*	Pink Bloodwood	200		200	63	18.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19341	*Acacia disparrima*	Hickory Wattle	280		280	88	11.0	4.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19342	*Corymbia intermedia*	Pink Bloodwood	200		200	63	14.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19343	*Corymbia intermedia*	Pink Bloodwood	200		200	63	18.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19344	*Corymbia intermedia*	Pink Bloodwood	200		200	63	14.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19345	*Corymbia intermedia*	Pink Bloodwood	370		370	116	24.0	8.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove
19346	*Acacia disparrima*	Hickory Wattle	180	130, 120	252	79	9.0	4.0	3.0	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19347	*Acacia disparrima*	Hickory Wattle	220	170, 160, 130	346	109	10.0	5.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19348	*Acacia disparrima*	Hickory Wattle	350		350	110	11.0	5.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19349	*Eucalyptus tereticornis*	Forest Red Gum	1600		1600	503	32.0	16.0	15.0	4.0	Regular	-	-	-	-	-	Typical	Both	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19350	*Acacia disparrima*	Hickory Wattle	350		350	110	9.0	5.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19351	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	12.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19352	*Eucalyptus tereticornis*	Forest Red Gum	210		210	66	10.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19353	*Acacia disparrima*	Hickory Wattle	250	170, 160, 160	378	119	11.0	5.0	4.5	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19354	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	17.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19355	*Eucalyptus siderophloia*	Northern Grey Ironbark	200	180	269	85	16.0	4.0	3.2	1.9	Regular	-	-	-	-	-	Typical	Both	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19356	*Eucalyptus siderophloia*	Northern Grey Ironbark	160	150	219	69	14.0	3.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19357	*Corymbia citriodora*	Spotted Gum	220		220	69	19.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove

| | | | | | Specimen Details | | | | |

Specimen Details								Canopy Condition Details								Trunk Condition Details								Fauna Details and Habitat Value									
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
19426	*Eucalyptus sideroph loia*	Northern Grey Ironbark	250		250	79	15.0	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19427	*Eucalyptus sideroph loia*	Northern Grey Ironbark	200		200	63	14.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19428	*Eucalyptus tereticornis*	Forest Red Gum	300		300	94	16.0	4.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19429	*Eucalyptus sideroph loia*	Northern Grey Ironbark	260		260	82	16.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19430	*Acacia disparrima*	Hickory Wattle	260	250, 190, 190	450	141	9.0	5.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19431	*Eucalyptus sideroph loia*	Northern Grey Ironbark	210		210	66	14.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19432	*Acacia disparrima*	Hickory Wattle	310		310	97	13.0	5.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
19433	*Acacia disparrima*	Hickory Wattle	250		250	79	10.0	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19434	*Eucalyptus tereticornis*	Forest Red Gum	240		240	75	14.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19435	*Eucalyptus sideroph loia*	Northern Grey Ironbark	220		220	69	13.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19436	*Eucalyptus tereticornis*	Forest Red Gum	220		220	69	16.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19437	*Acacia disparrima*	Hickory Wattle	270		270	85	10.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19438	**DEAD/STAG**		410		410	129	20.0	3.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Removal	termite nest w/ hollow
19439	*Eucalyptus sideroph loia*	Northern Grey Ironbark	250		250	79	17.0	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19440	*Eucalyptus sideroph loia*	Northern Grey Ironbark	210		210	66	14.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19441	*Eucalyptus sideroph loia*	Northern Grey Ironbark	240		240	75	19.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19442	*Eucalyptus sideroph loia*	Northern Grey Ironbark	230		230	72	18.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19443	*Corymbia intermedia*	Pink Bloodwood	262	170	262	82	16.0	4.0	3.1	1.9	Regular	-	-	-	epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19444	*Eucalyptus sideroph loia*	Northern Grey Ironbark	200		200	63	15.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19445	*Eucalyptus sideroph loia*	Northern Grey Ironbark	210		210	66	19.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19446	*Eucalyptus sideroph loia*	Northern Grey Ironbark	200		200	63	18.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19447	*Eucalyptus sideroph loia*	Northern Grey Ironbark	240		240	75	18.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19448	*Eucalyptus sideroph loia*	Northern Grey Ironbark	200		200	63	16.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19449	*Eucalyptus tereticornis*	Forest Red Gum	200		200	63	17.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19450	*Eucalyptus sideroph loia*	Northern Grey Ironbark	230		230	72	17.0	3.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19451	*Eucalyptus sideroph loia*	Northern Grey Ironbark	220		220	69	18.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19452	*Eucalyptus sideroph loia*	Northern Grey Ironbark	200		200	63	17.0	3.0	2.4	1.7	Regular	-	-	-	Die-back	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19453	*Corymbia intermedia*	Pink Bloodwood	200		200	63	19.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19454	*Eucalyptus sideroph loia*	Northern Grey Ironbark	200		200	63	15.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19455	*Acacia disparrima*	Hickory Wattle	250	190	292	92	10.0	5.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19456	*Acacia disparrima*	Hickory Wattle	220	190	291	91	10.0	5.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19457	*Eucalyptus sideroph loia*	Northern Grey Ironbark	260		260	82	17.0	3.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19458	*Corymbia intermedia*	Pink Bloodwood	170	150	227	71	15.0	3.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19459	*Eucalyptus sideroph loia*	Northern Grey Ironbark	240		240	75	16.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19460	*Eucalyptus sideroph loia*	Northern Grey Ironbark	220		220	69	14.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19461	*Acacia disparrima*	Hickory Wattle	270		270	85	10.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19462	*Eucalyptus sideroph loia*	Northern Grey Ironbark	300		300	94	14.0	3.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19463	*Acacia disparrima*	Hickory Wattle	270		270	85	6.0	4.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19464	*Corymbia intermedia*	Pink Bloodwood	300		300	94	19.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
19465	*Eucalyptus sideroph loia*	Northern Grey Ironbark	190		190	60	14.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19466	*Acacia disparrima*	Hickory Wattle	250	210, 180, 150	402	126	10.0	5.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19467	*Acacia disparrima*	Hickory Wattle	200	200, 150	320	101	10.0	5.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
19468	*Acacia disparrima*	Hickory Wattle	190	170	255	80	6.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19469	*Acacia disparrima*	Hickory Wattle	300		300	94	6.0	4.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19470	*Acacia disparrima*	Hickory Wattle	310	260	405	127	9.0	6.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19471	*Acacia disparrima*	Hickory Wattle	270		270	85	6.0	4.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19472	*Eucalyptus sideroph loia*	Northern Grey Ironbark	270		270	85	18.0	4.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19473	*Eucalyptus sideroph loia*	Northern Grey Ironbark	280		280	88	19.0	4.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19474	*Eucalyptus sideroph loia*	Northern Grey Ironbark	180		180	57	14.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19475	*Eucalyptus sideroph loia*	Northern Grey Ironbark	180		180	57	11.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19476	*Eucalyptus sideroph loia*	Northern Grey Ironbark	200		200	63	18.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19477	*Eucalyptus sideroph loia*	Northern Grey Ironbark	200		200	63	16.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19478	*Acacia disparrima*	Hickory Wattle	250	200	320	101	12.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19479	*Acacia disparrima*	Hickory Wattle	300	170	345	108	12.0	6.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19480	*Eucalyptus sideroph loia*	Northern Grey Ironbark	210		210	66	16.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19481	*Acacia disparrima*	Hickory Wattle	260		260	82	1.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19482	*Eucalyptus sideroph loia*	Northern Grey Ironbark	300		300	94	18.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19483	*Eucalyptus sideroph loia*	Northern Grey Ironbark	200		200	63	17.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19484	*Eucalyptus sideroph loia*	Northern Grey Ironbark	200		200	63	17.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19485	*Acacia disparrima*	Hickory Wattle	350		350	110	12.0	5.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19486	*Eucalyptus sideroph loia*	Northern Grey Ironbark	250		250	79	19.0	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19487	*Eucalyptus sideroph loia*	Northern Grey Ironbark	240		240	75	18.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19488	*Eucalyptus sideroph loia*	Northern Grey Ironbark	280		280	88	18.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19489	*Eucalyptus tereticornis*	Forest Red Gum	270		270	88	17.0	4.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19490	*Eucalyptus sideroph loia*	Northern Grey Ironbark	220		220	69	18.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19491	*Acacia disparrima*	Hickory Wattle	270		270	85	10.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19492	*Eucalyptus tereticornis*	Forest Red Gum	180		180	57	14.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19493	*Acacia disparrima*	Hickory Wattle	270	200, 190	386	121	10.0	5.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	

Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
19494	*Corymbia citriodora*	Spotted Gum	380		380	119	26.0	6.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19495	*Eucalyptus siderophloia*	Northern Grey Ironbark	330		330	104	23.0	6.0	4.0	2.1	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
19496	*Eucalyptus siderophloia*	Northern Grey Ironbark	310		310	97	19.0	5.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
19497	*Corymbia citriodora*	Spotted Gum	330		330	104	26.0	6.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
19498	*Corymbia citriodora*	Spotted Gum	290		290	91	18.0	5.0	3.5	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19499	*Corymbia citriodora*	Spotted Gum	260		260	82	19.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19500	*Corymbia citriodora*	Spotted Gum	550		550	173	24.0	8.0	6.6	2.6	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	Old	-	-	0	-	-	-	Remove	
19501	*Corymbia citriodora*	Spotted Gum	340		340	107	25.0	6.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19502	*Corymbia citriodora*	Spotted Gum	380		380	119	27.0	7.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19503	*Eucalyptus moluccana*	Gum-topped box	310		310	97	24.0	5.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19504	*Eucalyptus moluccana*	Gum-topped box	300		300	94	19.0	5.0	3.6	2.0	Regular	-	-	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19505	*Corymbia citriodora*	Spotted Gum	360		360	113	26.0	8.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19506	*Corymbia citriodora*	Spotted Gum	390		390	123	19.0	6.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Old	-	0	-	-	-	Remove	
19507	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	16.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19508	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	15.0	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19509	*Eucalyptus siderophloia*	Northern Grey Ironbark	310		310	97	18.0	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19510	**DEAD/STAG**		530		530	167	19.0	5.0	6.4	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19511	*Eucalyptus siderophloia*	Northern Grey Ironbark	740		740	232	25.0	8.0	8.9	2.9	Regular	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	Small	2	-	Termite nest	-	Remove	half chopped at base - hazard
19512	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	17.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19513	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	16.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19514	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	16.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19515	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	16.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19516	*Eucalyptus siderophloia*	Northern Grey Ironbark	310		310	97	18.0	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19517	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	16.0	4.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19518	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	16.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19519	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	15.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19520	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	16.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19521	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	15.0	4.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19522	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	18.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19523	*Eucalyptus siderophloia*	Northern Grey Ironbark	390		390	123	25.0	9.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19524	*Eucalyptus siderophloia*	Northern Grey Ironbark	350		350	110	18.0	6.0	4.2	2.1	Regular	-	-	Die-back	Epicormic	-	Typical	-	Native	-	-	Typical	-	-	-	0	-	-	-	Remove	
19525	*Eucalyptus seeana*	Narrow-leaved Red Gum	350	280	448	141	17.0	6.0	5.4	2.4	Irregular	-	Thinning	-	Epicormic	-	Typical	Mirror	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19526	*Eucalyptus siderophloia*	Northern Grey Ironbark	330		330	104	18.0	5.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19527	*Eucalyptus tereticornis*	Forest Red Gum	340		340	107	24.0	9.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	New	New	-	0	-	-	-	Remove	
19528	*Eucalyptus siderophloia*	Northern Grey Ironbark	320		320	101	19.0	5.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19529	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	15.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19530	*Eucalyptus siderophloia*	Northern Grey Ironbark	330		330	104	15.0	4.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19531	*Eucalyptus siderophloia*	Northern Grey Ironbark	320		320	101	19.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19532	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	19.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19533	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	18.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19534	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	18.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19535	*Eucalyptus siderophloia*	Northern Grey Ironbark	390		390	123	20.0	7.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19536	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	20.0	6.0	3.6	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19537	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	20.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19538	*Eucalyptus siderophloia*	Northern Grey Ironbark	320		320	101	18.0	5.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19539	*Eucalyptus tereticornis*	Forest Red Gum	290		290	91	19.0	4.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19540	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	17.0	4.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
19541	*Corymbia citriodora*	Spotted Gum	340		340	107	20.0	6.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19542	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	19.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19543	*Eucalyptus siderophloia*	Northern Grey Ironbark	390		390	123	25.0	9.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19544	*Melaleuca irbyana*	Swamp Tea-tree	150		150	47	8.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19545	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	18.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19546	*Eucalyptus siderophloia*	Northern Grey Ironbark	330		330	104	19.0	6.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19547	**DEAD/STAG**		700		700	220	15.0	6.0	8.4	2.8	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	New	New	-	0	-	-	-	Remove	
19548	*Eucalyptus tereticornis*	Forest Red Gum	550		550	173	22.0	7.0	6.6	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	New	New	-	0	-	-	-	Remove	
19549	*Eucalyptus siderophloia*	Northern Grey Ironbark	390		390	123	23.0	8.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19550	*Corymbia intermedia*	Pink Bloodwood	360	220	422	133	18.0	6.0	5.1	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19551	*Eucalyptus tereticornis*	Forest Red Gum	240	200	312	98	17.0	5.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	Old	-	-	0	-	-	-	Remove	
19552	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	18.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Regular	
19553	*Eucalyptus siderophloia*	Northern Grey Ironbark	390		390	123	18.0	4.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
19554	*Eucalyptus siderophloia*	Northern Grey Ironbark	340		340	107	18.0	6.0	4.1	2.1	One-sided	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
19555	*Melaleuca irbyana*	Swamp Tea-tree	70		70	22	3.0	1.0	2.0	1.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19556	*Melaleuca irbyana*	Swamp Tea-tree	30		30	9	2.0	1.0	2.0	0.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19557	*Melaleuca irbyana*	Swamp Tea-tree	30		30	9	1.0	1.0	2.0	0.8	Regular	-	-	Die-back	-	Lopped	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19558	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	16.0	3.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19559	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	19.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19560	*Eucalyptus tereticornis*	Forest Red Gum	320		320	101	18.0	5.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	Old	-	-	0	-	-	-	Remove	
19561	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	14.0	3.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove	

Tree ID	Botanical Name	Common Name	Specimen Details							Canopy Condition Details								Trunk Condition Details				Fauna Details and Habitat Value						Additional Notes	Retention
			Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value		
19562	*Eucalyptus siderophloia*	Northern Grey Ironbark	320		320	101	19.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove
19563	*Eucalyptus seeana*	Narrow-leaved Red Gum	300	290	417	131	15.0	7.0	5.0	2.3	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove
19564	*Eucalyptus siderophloia*	Northern Grey Ironbark	390		390	123	20.0	9.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove
19565	*Eucalyptus siderophloia*	Northern Grey Ironbark	400		400	126	21.0	6.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove
19566	*Eucalyptus siderophloia*	Northern Grey Ironbark	320	220	388	122	18.0	6.0	4.7	2.2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove
19567	*Eucalyptus siderophloia*	Northern Grey Ironbark	350		350	110	22.0	8.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove
19568	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	18.0	5.0	3.6	2.0	Regular	-	-	Die-back	Epicormic	-	Typical	-	Native	-	-	Typical	-	-	-	-	-	-	-	Remove
19569	*Corymbia intermedia*	Pink Bloodwood	300		300	94	17.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove
19570	*Eucalyptus siderophloia*	Northern Grey Ironbark	420		420	132	20.0	5.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retention TBC (future works)
19571	*Acacia disparrima*	Hickory Wattle	300	250	391	123	10.0	6.0	4.7	2.2	Regular	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	-	Retention TBC (future works)
19572	*Corymbia intermedia*	Pink Bloodwood	300		300	94	17.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove
19573	*Eucalyptus siderophloia*	Northern Grey Ironbark	310		310	97	16.0	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove
19574	*Acacia disparrima*	Hickory Wattle	415	220, 200	415	130	8.0	5.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove
19575	*Acacia disparrima*	Hickory Wattle	330		330	104	7.0	4.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	-	Remove
19576	*Acacia disparrima*	Hickory Wattle	270	190	330	104	9.0	4.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove
19577	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	16.0	4.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove
19578	*Acacia disparrima*	Hickory Wattle	310		310	97	10.0	4.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove
19579	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	9.0	4.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove
19580	*Eucalyptus siderophloia*	Northern Grey Ironbark	330		330	104	14.0	4.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove
19581	*Corymbia citriodora*	Spotted Gum	280		280	88	22.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Old	-	0	-	-	-	Remove
19582	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	15.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19583	*Eucalyptus siderophloia*	Northern Grey Ironbark	250	220	333	105	16.0	4.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19584	*Eucalyptus siderophloia*	Northern Grey Ironbark	560		560	176	25.0	10.0	6.7	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19585	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	18.0	4.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19586	*Eucalyptus siderophloia*	Northern Grey Ironbark	290		290	91	16.0	4.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19587	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	15.0	3.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19588	*Eucalyptus siderophloia*	Northern Grey Ironbark	210	190	283	89	15.0	4.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19589	*Corymbia citriodora*	Spotted Gum	260		260	82	17.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19590	*Corymbia citriodora*	Spotted Gum	410		410	129	20.0	6.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	New	-	0	-	-	-	Remove
19591	*Corymbia citriodora*	Spotted Gum	350		350	110	24.0	6.0	4.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove
19592	*Corymbia citriodora*	Spotted Gum	430		430	135	25.0	7.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	New	-	0	-	-	-	Remove
19593	*Eucalyptus siderophloia*	Northern Grey Ironbark	360		360	113	26.0	7.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove
19594	*Corymbia citriodora*	Spotted Gum	340		340	107	24.0	6.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Old	-	0	-	-	-	Remove
19595	*Eucalyptus siderophloia*	Northern Grey Ironbark	400		400	126	22.0	6.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove
19596	*Corymbia citriodora*	Spotted Gum	420		420	132	20.0	6.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19597	*Corymbia citriodora*	Spotted Gum	410		410	129	27.0	10.0	4.9	2.3	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	New	Small	1	-	-	-	Remove
19598	*Eucalyptus siderophloia*	Northern Grey Ironbark	360		360	113	14.0	4.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19599	*Acacia disparrima*	Hickory Wattle	300		300	94	9.0	4.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19600	*Eucalyptus siderophloia*	Northern Grey Ironbark	310		310	97	19.0	5.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19601	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	18.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19602	*Eucalyptus siderophloia*	Northern Grey Ironbark	340		340	107	19.0	6.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19603	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	13.0	4.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove
19604	*Eucalyptus siderophloia*	Northern Grey Ironbark	290		290	91	12.0	4.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19605	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	14.0	3.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19606	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	14.0	4.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19607	*Alphitonia excelsa*	Red Ash	260		260	82	10.0	4.0	3.1	1.9	Regular	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove
19608	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	20.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19609	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	18.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19610	*Acacia disparrima*	Hickory Wattle	310		310	97	8.0	4.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19611	*Eucalyptus moluccana*	Gum-topped box	300		300	94	14.0	3.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19612	**DEAD/STAG**		300		300	94	12.0	2.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19613	**DEAD/STAG**		550		550	173	24.0	9.0	6.6	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19614	*Corymbia citriodora*	Spotted Gum	360		360	113	23.0	7.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19615	*Corymbia citriodora*	Spotted Gum	270		270	85	22.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19616	*Corymbia citriodora*	Spotted Gum	300		300	94	17.0	4.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19617	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	17.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19618	*Eucalyptus moluccana*	Gum-topped box	270		270	85	16.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19619	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	14.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19620	*Acacia disparrima*	Hickory Wattle	220	200, 190	353	111	7.0	4.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19621	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	18.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19622	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	19.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19623	*Corymbia citriodora*	Spotted Gum	330		330	104	24.0	10.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19624	*Eucalyptus siderophloia*	Northern Grey Ironbark	440		440	138	26.0	12.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19625	*Corymbia citriodora*	Spotted Gum	330		330	104	20.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19626	*Eucalyptus siderophloia*	Northern Grey Ironbark	270	220	348	109	16.0	5.0	4.2	2.1	Regular	-	-	-	Epicormic	Lopped	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove
19627	*Eucalyptus siderophloia*	Northern Grey Ironbark	310		310	97	16.0	4.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19628	*Corymbia intermedia*	Pink Bloodwood	270		270	85	16.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove
19629	*Eucalyptus siderophloia*	Northern Grey Ironbark	290		290	91	19.0	5.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove

Tree ID	Botanical Name	Common Name	Specimen Details							Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Notes
			Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	
19630	*Eucalyptus siderophloia*	Northern Grey Ironbark	800		800	251	25.0	7.0	9.6	3.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19631	*Eucalyptus siderophloia*	Northern Grey Ironbark	350	110	350	110	21.0	7.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19632	*Acacia disparrima*	Hickory Wattle	300	94	300	94	8.0	4.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19633	*Acacia disparrima*	Hickory Wattle	210	180, 180	330	104	9.0	4.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19634	*Acacia disparrima*	Hickory Wattle	350		350	110	9.0	5.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19635	*Acacia disparrima*	Hickory Wattle	320	210	383	120	12.0	6.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19636	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	17.0	6.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19637	*Melaleuca irbyana*	Swamp Tea-tree	260	82	260	82	8.0	3.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19638	*Melaleuca irbyana*	Swamp Tea-tree	70	60	92	29	5.0	2.0	2.0	1.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19639	*Eucalyptus moluccana*	Gum-topped box	300		300	94	19.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19640	*Corymbia citriodora*	Spotted Gum	290		290	91	17.0	5.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19641	*Eucalyptus tereticornis*	Forest Red Gum	290		290	91	20.0	5.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19642	*Eucalyptus moluccana*	Gum-topped box	310		310	97	18.0	5.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19643	*Corymbia citriodora*	Spotted Gum	300		300	94	22.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19644	*Eucalyptus moluccana*	Gum-topped box	310		310	97	18.0	5.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19645	*Eucalyptus siderophloia*	Northern Grey Ironbark	320		320	101	19.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19646	*Eucalyptus siderophloia*	Northern Grey Ironbark	310		310	97	18.0	5.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19647	*Acacia disparrima*	Hickory Wattle	300		300	94	10.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19648	*Eucalyptus siderophloia*	Northern Grey Ironbark	330		330	104	18.0	4.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19649	*Melaleuca irbyana*	Swamp Tea-tree	200	150	250	79	7.0	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19650	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	18.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19651	*Acacia disparrima*	Hickory Wattle	370		370	116	10.0	6.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19652	*Acacia disparrima*	Hickory Wattle	320		320	101	8.0	5.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove
19653	*Eucalyptus siderophloia*	Northern Grey Ironbark	290		290	91	15.0	5.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19654	*Eucalyptus siderophloia*	Northern Grey Ironbark	290		290	91	18.0	6.0	3.5	2.0	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19655	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	17.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19656	*Acacia disparrima*	Hickory Wattle	300		300	94	8.0	4.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove
19657	*Angophora leiocarpa*	Rusty Gum	360	230	427	134	23.0	7.0	5.1	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Old	-	-	-	-	-	Remove
19658	*Acacia disparrima*	Hickory Wattle	400		400	126	12.0	6.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19659	*Eucalyptus siderophloia*	Northern Grey Ironbark	400		400	126	24.0	7.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19660	*Acacia disparrima*	Hickory Wattle	350		350	110	13.0	4.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19687	*Corymbia citriodora*	Spotted Gum	420	132	420	132	21.0	10.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	New	-	0	-	-	-	Remove
19688	*Corymbia citriodora*	Spotted Gum	390	123	390	123	20.0	6.0	4.7	2.2	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	Old	-	0	-	-	-	Remove
19689	*Corymbia citriodora*	Spotted Gum	300	94	300	94	18.0	5.0	3.6	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	Old	-	0	-	-	-	Remove
19690	*Corymbia citriodora*	Spotted Gum	490	154	490	154	25.0	12.0	5.9	2.5	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	Old	-	0	-	-	-	Remove
19691	*Corymbia citriodora*	Spotted Gum	540	170	540	170	25.0	11.0	6.5	2.6	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19692	**DEAD/STAG**				330	104	19.0	2.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19693	*Eucalyptus crebra*	Narrow-leaved Red Ironbark	640		640	201	27.0	10.0	7.7	2.7	Regular	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove
19694	*Corymbia citriodora*	Spotted Gum	430		430	135	23.0	10.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19695	*Corymbia citriodora*	Spotted Gum	250		250	79	19.0	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19696	*Corymbia citriodora*	Spotted Gum	400		400	126	30.0	11.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19697	*Corymbia citriodora*	Spotted Gum	330		330	104	21.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Old	-	0	-	-	-	Remove

Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Specimen Details								Canopy Condition Details								Trunk Condition Details					Fauna Details and Habitat Value							Additional Notes
					Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	
19698	*Corymbia citriodora*	Spotted Gum	300		300	94	20.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
19699	*Corymbia citriodora*	Spotted Gum	300		300	94	21.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Old	-	0	-	-	-	-	Remove	
19700	*Corymbia citriodora*	Spotted Gum	320		320	101	19.0	5.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
19701	*Corymbia citriodora*	Spotted Gum	310		310	97	18.0	4.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
19702	*Corymbia citriodora*	Spotted Gum	320		320	101	18.0	5.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	New	-	0	-	-	-	-	Remove	
19703	*Corymbia citriodora*	Spotted Gum	280		280	88	19.0	6.0	3.4	1.9	One-sided	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
19704	*Corymbia citriodora*	Spotted Gum	350		350	110	23.0	5.0	4.2	2.1	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
19705	*Corymbia citriodora*	Spotted Gum	280		280	88	19.0	5.0	3.4	1.9	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
19706	*Corymbia citriodora*	Spotted Gum	270		270	85	21.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	New	-	0	-	-	-	-	Remove	
19707	*Corymbia citriodora*	Spotted Gum	300		300	94	22.0	6.0	3.6	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
19708	*Corymbia citriodora*	Spotted Gum	520		520	163	26.0	11.0	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Old	-	0	-	-	-	-	Remove	
19709	*Corymbia citriodora*	Spotted Gum	300		300	94	25.0	7.0	3.6	2.0	One-sided	-	-	Die-back	Epicormic	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	-	Remove	
19710	*Corymbia citriodora*	Spotted Gum	310		310	97	22.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Old	-	0	-	-	-	-	Remove	
19711	*Corymbia citriodora*	Spotted Gum	320		320	101	23.0	8.0	3.8	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
19712	*Corymbia citriodora*	Spotted Gum	350		350	110	22.0	8.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
19713	*Corymbia citriodora*	Spotted Gum	290		290	91	18.0	5.0	3.5	2.0	Regular	-	Thinning	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
19714	*Corymbia citriodora*	Spotted Gum	320		320	101	19.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
19715	**DEAD/STAG**		260		260	82	20.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
19716	*Corymbia citriodora*	Spotted Gum	510		510	160	26.0	12.0	6.1	2.5	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
19717	*Corymbia citriodora*	Spotted Gum	260		260	82	19.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
19718	*Corymbia citriodora*	Spotted Gum	340		340	107	23.0	7.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
19719	*Corymbia citriodora*	Spotted Gum	290		290	91	19.0	5.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
19720	*Corymbia citriodora*	Spotted Gum	290		290	91	16.0	5.0	3.5	2.0	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
19721	*Corymbia citriodora*	Spotted Gum	380		380	119	19.0	6.0	4.6	2.2	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
19722	*Corymbia citriodora*	Spotted Gum	360		360	113	23.0	7.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
19723	*Corymbia citriodora*	Spotted Gum	330		330	104	19.0	6.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
19724	*Corymbia citriodora*	Spotted Gum	350		350	110	24.0	11.0	4.2	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
19725	*Corymbia citriodora*	Spotted Gum	320		320	101	22.0	7.0	3.8	2.1	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
19726	*Corymbia citriodora*	Spotted Gum	340		340	107	22.0	7.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
19727	*Corymbia citriodora*	Spotted Gum	290		290	91	22.0	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
19728	*Corymbia citriodora*	Spotted Gum	580		580	182	27.0	10.0	7.0	2.6	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
19729	*Corymbia citriodora*	Spotted Gum	320		320	101	19.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
19730	**DEAD/STAG**		400		400	126	18.0	5.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
19731	*Corymbia citriodora*	Spotted Gum	280		280	88	19.0	6.0	3.4	1.9	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
19732	*Corymbia citriodora*	Spotted Gum	420		420	132	20.0	8.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
19733	*Corymbia citriodora*	Spotted Gum	470		470	148	27.0	11.0	5.6	2.4	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
19734	*Eucalyptus siderophloia*	Northern Grey Ironbark	700		700	220	32.0	11.0	8.4	2.8	Regular	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	-	Remove	
19735	*Corymbia citriodora*	Spotted Gum	290		290	91	16.0	4.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
19736	*Corymbia citriodora*	Spotted Gum	330		330	104	22.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
19737	*Corymbia citriodora*	Spotted Gum	760		760	239	30.0	11.0	9.1	2.9	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
19738	**DEAD/STAG**		450		450	141	17.0	5.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Old	-	0	-	-	-	-	Remove	
19739	*Corymbia citriodora*	Spotted Gum	380		380	119	19.0	7.0	4.6	2.2	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
19740	*Corymbia citriodora*	Spotted Gum	320		320	101	21.0	7.0	3.8	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
19741	*Corymbia citriodora*	Spotted Gum	450		450	141	21.0	7.0	5.4	2.4	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
19742	*Eucalyptus tereticornis*	Forest Red Gum	330		330	104	20.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
19743	*Corymbia citriodora*	Spotted Gum	350		350	110	24.0	6.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
19744	*Eucalyptus moluccana*	Gum-topped Box	380		380	119	24.0	8.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
19745	*Corymbia citriodora*	Spotted Gum	330		330	104	19.0	5.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
19746	*Corymbia citriodora*	Spotted Gum	400		400	126	20.0	7.0	4.8	2.3	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
19747	*Eucalyptus siderophloia*	Northern Grey Ironbark	630		630	198	20.0	7.0	7.6	2.7	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	-	Remove	
19748	*Corymbia citriodora*	Spotted Gum	370		370	116	20.0	8.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
19749	*Corymbia citriodora*	Spotted Gum	430		430	135	23.0	10.0	5.2	2.3	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
19750	*Corymbia citriodora*	Spotted Gum	320		320	101	19.0	7.0	3.8	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
19751	*Corymbia citriodora*	Spotted Gum	490		490	154	26.0	11.0	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Old	-	0	-	-	-	-	Remove	
19752	*Corymbia citriodora*	Spotted Gum	360		360	113	24.0	7.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Old	-	0	-	-	-	-	Remove	
19753	**DEAD/STAG**		370		370	116	16.0	3.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
19754	*Corymbia citriodora*	Spotted Gum	340		340	107	24.0	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
19755	*Corymbia citriodora*	Spotted Gum	330		330	104	24.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
19756	*Corymbia citriodora*	Spotted Gum	350		350	110	24.0	8.0	4.2	2.1	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
19757	*Corymbia citriodora*	Spotted Gum	280		280	88	24.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
19758	*Eucalyptus tereticornis*	Forest Red Gum	320		320	101	21.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
19759	*Corymbia citriodora*	Spotted Gum	390		390	123	23.0	8.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
19760	*Corymbia citriodora*	Spotted Gum	450		450	141	24.0	7.0	5.4	2.4	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
19761	*Corymbia citriodora*	Spotted Gum	340		340	107	22.0	7.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
19762	*Corymbia citriodora*	Spotted Gum	430		430	135	25.0	11.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
19763	*Eucalyptus siderophloia*	Northern Grey Ironbark	480		480	151	25.0	10.0	5.8	2.4	Irregular	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	-	Remove	
19764	*Corymbia citriodora*	Spotted Gum	320		320	101	21.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
19765	*Corymbia citriodora*	Spotted Gum	360		360	113	21.0	7.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	

Specimen Details									Canopy Condition Details								Trunk Condition Details					Fauna Details and Habitat Value							Additional Notes
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention
19766	*Corymbia citriodora*	Spotted Gum	300		300	94	18.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19767	*Corymbia citriodora*	Spotted Gum	310		310	97	24.0	10.0	3.7	2.0	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19768	**DEAD/STAG**		340		340	107	9.0	1.0	4.1	2.1	Regular	-	-	-	-	Lopped	Typical	-	-	-	-	Typical	-	-	Large	1	-	-	-	Remove
19769	*Corymbia citriodora*	Spotted Gum	300		300	94	19.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19770	*Eucalyptus moluccana*	Gum-topped box	400		400	126	22.0	8.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19771	*Corymbia citriodora*	Spotted Gum	470		470	148	25.0	7.0	5.6	2.4	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	New	-	-	-	-	Remove
19772	*Corymbia citriodora*	Spotted Gum	460		460	145	27.0	10.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19773	*Corymbia citriodora*	Spotted Gum	420		420	132	25.0	9.0	5.0	2.3	One-sided	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19774	*Corymbia citriodora*	Spotted Gum	260		260	82	20.0	5.0	3.1	1.9	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Old	-	-	-	-	Remove
19775	*Corymbia citriodora*	Spotted Gum	350		350	110	24.0	7.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19776	*Corymbia citriodora*	Spotted Gum	320		320	101	20.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Old	-	-	-	-	Remove
19777	*Corymbia citriodora*	Spotted Gum	250		250	79	20.0	5.0	3.0	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19778	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	19.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19779	*Corymbia citriodora*	Spotted Gum	330		330	104	24.0	6.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19780	*Corymbia citriodora*	Spotted Gum	290		290	91	19.0	5.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19781	*Corymbia citriodora*	Spotted Gum	330		330	104	30.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19782	*Corymbia citriodora*	Spotted Gum	350		350	110	26.0	8.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19783	*Corymbia citriodora*	Spotted Gum	280		280	88	22.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove
19784	*Corymbia citriodora*	Spotted Gum	290		290	91	26.0	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19785	*Corymbia citriodora*	Spotted Gum	230		230	72	24.0	5.0	2.8	1.8	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19786	*Corymbia citriodora*	Spotted Gum	260		260	82	24.0	6.0	3.1	1.9	Irregular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19787	*Corymbia citriodora*	Spotted Gum	320		320	101	25.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19788	*Corymbia citriodora*	Spotted Gum	330		330	104	23.0	6.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19789	*Corymbia citriodora*	Spotted Gum	380		380	119	27.0	7.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove
19790	*Corymbia citriodora*	Spotted Gum	270		270	85	21.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19791	*Corymbia citriodora*	Spotted Gum	330		330	104	22.0	7.0	4.0	2.1	Regular	-	-	-	Epicormic	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove
19792	*Corymbia citriodora*	Spotted Gum	290		290	91	19.0	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19793	*Corymbia citriodora*	Spotted Gum	340		340	107	19.0	6.0	4.1	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19794	*Corymbia citriodora*	Spotted Gum	300		300	94	18.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19795	*Corymbia citriodora*	Spotted Gum	340		340	107	21.0	5.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19796	*Corymbia citriodora*	Spotted Gum	290		290	91	19.0	5.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Old	-	-	-	-	Remove
19797	*Corymbia citriodora*	Spotted Gum	340		340	107	19.0	8.0	4.1	2.1	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19798	*Corymbia citriodora*	Spotted Gum	290		290	91	19.0	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19799	*Corymbia citriodora*	Spotted Gum	260		260	82	19.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19800	*Corymbia citriodora*	Spotted Gum	300		300	94	22.0	6.0	3.6	2.0	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19801	*Corymbia citriodora*	Spotted Gum	260		260	82	19.0	4.0	3.1	1.9	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19802	*Corymbia citriodora*	Spotted Gum	320		320	101	20.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19803	*Corymbia citriodora*	Spotted Gum	330		330	104	18.0	5.0	4.0	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19804	*Corymbia citriodora*	Spotted Gum	370		370	116	32.0	13.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Old	-	-	-	-	Remove
19805	*Corymbia citriodora*	Spotted Gum	290		290	91	29.0	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19806	*Corymbia citriodora*	Spotted Gum	310		310	97	26.0	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19807	*Corymbia citriodora*	Spotted Gum	360		360	113	30.0	8.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19808	*Corymbia citriodora*	Spotted Gum	340		340	107	28.0	7.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19809	*Corymbia citriodora*	Spotted Gum	260		260	82	24.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19810	*Eucalyptus siderophloia*	Northern Grey Ironbark	430		430	135	24.0	7.0	5.2	2.3	Irregular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19811	*Corymbia citriodora*	Spotted Gum	600		600	188	30.0	12.0	7.2	2.7	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove
19812	*Corymbia citriodora*	Spotted Gum	650		650	204	30.0	8.0	7.8	2.8	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	Old	-	-	-	-	Remove
19813	*Eucalyptus moluccana*	Gum-topped box	270		270	85	19.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19814	*Corymbia citriodora*	Spotted Gum	300		300	94	24.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19815	*Corymbia citriodora*	Spotted Gum	310		310	97	24.0	8.0	3.7	2.0	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19816	*Corymbia citriodora*	Spotted Gum	380		380	119	25.0	8.0	4.6	2.2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19817	*Eucalyptus moluccana*	Gum-topped box	550		550	173	25.0	9.0	6.6	2.6	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove
19818	*Corymbia citriodora*	Spotted Gum	520		520	163	30.0	8.0	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19819	*Corymbia citriodora*	Spotted Gum	300		300	94	18.0	3.0	3.6	2.0	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19820	*Corymbia citriodora*	Spotted Gum	280	210	350	110	26.0	6.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19821	*Corymbia citriodora*	Spotted Gum	340		340	107	24.0	7.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19822	*Eucalyptus moluccana*	Gum-topped box	330		330	104	26.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19823	*Corymbia citriodora*	Spotted Gum	300		300	94	26.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19824	*Corymbia citriodora*	Spotted Gum	290		290	91	23.0	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19825	*Corymbia citriodora*	Spotted Gum	260		260	82	19.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19826	*Corymbia citriodora*	Spotted Gum	350		350	110	24.0	7.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19827	*Corymbia citriodora*	Spotted Gum	270		270	85	20.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19828	*Corymbia citriodora*	Spotted Gum	300		300	94	24.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19829	*Corymbia citriodora*	Spotted Gum	290		290	91	24.0	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19830	*Corymbia citriodora*	Spotted Gum	320		320	101	25.0	10.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19831	*Eucalyptus moluccana*	Gum-topped box	310		310	97	21.0	6.0	3.7	2.0	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19832	*Corymbia citriodora*	Spotted Gum	380		380	119	26.0	6.0	4.6	2.2	Epicormic	-	-	Die-back	-	-	Typical	Minor	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19833	*Eucalyptus moluccana*	Gum-topped box	420		420	132	30.0	7.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove

Tree ID	Botanical Name	Common Name	Specimen Details							Canopy Condition Details								Trunk Condition Details						Fauna Details and Habitat Value							Additional Notes
			Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	
19834	*Eucalyptus moluccana*	Gum-topped Box	370		370	1160	23.0	6.0	4.4	2.2	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19835	*Corymbia citriodora*	Spotted Gum	310		310	970	17.0	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19836	*Corymbia citriodora*	Spotted Gum	320		320	1010	19.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19837	*Corymbia citriodora*	Spotted Gum	350		350	1100	32.0	8.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19838	*Corymbia citriodora*	Spotted Gum	250		250	790	20.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19839	*Corymbia citriodora*	Spotted Gum	410		410	1290	19.0	6.0	4.9	2.3	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19840	*Corymbia citriodora*	Spotted Gum	250		250	790	17.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	New	-	0	-	-	-	Remove
19841	*Corymbia citriodora*	Spotted Gum	250		250	790	18.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19842	*Corymbia citriodora*	Spotted Gum	300		300	940	15.0	3.0	3.6	2.0	Regular	-	-	Die-back	Epicormic	Lopped	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19843	*Corymbia citriodora*	Spotted Gum	300		300	940	20.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19844	*Corymbia citriodora*	Spotted Gum	280		280	880	20.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19845	*Corymbia citriodora*	Spotted Gum	280		280	880	17.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19846	*Eucalyptus siderophloia*	Northern Grey Ironbark	570		570	1790	20.0	8.0	6.8	2.6	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19847	*Corymbia citriodora*	Spotted Gum	310		310	970	18.0	6.0	3.7	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove
19848	*Corymbia citriodora*	Spotted Gum	290		290	910	21.0	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19849	*Corymbia citriodora*	Spotted Gum	300		300	940	21.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19850	*Corymbia citriodora*	Spotted Gum	270		270	850	18.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19851	*Corymbia citriodora*	Spotted Gum	330		330	1040	20.0	6.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove
19852	*Corymbia citriodora*	Spotted Gum	270		270	850	17.0	3.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19853	*Corymbia citriodora*	Spotted Gum	300		300	940	18.0	4.0	3.6	2.0	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19854	*Eucalyptus tereticornis*	Forest Red Gum	980		980	3080	32.0	11.0	11.8	3.3	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	Trunk Dmg.	-	Typical	-	Small	6	0	-	-	-	Remove
19855	*Corymbia citriodora*	Spotted Gum	350		350	1110	21.0	7.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove
19856	*Eucalyptus moluccana*	Gum-topped Box	1300		1300	4080	28.0	9.0	15.0	3.7	Regular	-	-	Die-back	Epicormic	Lopped	Poor	-	-	Trunk Dmg.	-	Typical	-	Large	5	0	-	-	-	Remove
19857	*Corymbia citriodora*	Spotted Gum	430		430	1350	24.0	8.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19858	*Corymbia intermedia*	Pink Bloodwood	330		330	1040	18.0	6.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19859	*Corymbia citriodora*	Spotted Gum	380		380	1190	19.0	5.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19860	*Corymbia citriodora*	Spotted Gum	310		310	970	19.0	5.0	3.7	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19861	*Corymbia citriodora*	Spotted Gum	230		230	720	17.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19862	*Corymbia citriodora*	Spotted Gum	240		240	750	18.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19863	*Corymbia citriodora*	Spotted Gum	500		500	1570	21.0	8.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Old	-	0	-	-	-	Remove
19864	*Corymbia citriodora*	Spotted Gum	260		260	820	18.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Old	-	0	-	-	-	Remove
19865	*Corymbia citriodora*	Spotted Gum	320		320	1010	21.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19866	*Eucalyptus moluccana*	Gum-topped Box	230		230	720	17.0	5.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19867	*Corymbia citriodora*	Spotted Gum	350		350	1110	26.0	7.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19868	*Corymbia citriodora*	Spotted Gum	360		360	1130	9.0	6.0	4.3	2.2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19869	*Eucalyptus moluccana*	Gum-topped Box	290		290	910	8.8	4.0	3.5	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19870	*Acacia disparrima*	Hickory Wattle	250	190, 160	352	1110	9.0	5.0	4.2	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19871	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	940	16.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19872	*Acacia disparrima*	Hickory Wattle	330	210	391	1230	9.0	7.0	4.7	2.2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19873	*Acacia disparrima*	Hickory Wattle	290		290	910	9.0	6.0	3.5	2.0	Regular	-	-	Die-back	-	Trunk Dmg.	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19874	*Eucalyptus siderophloia*	Northern Grey Ironbark	230	220	318	1000	17.0	6.0	3.8	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19875	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	880	18.0	6.0	3.4	1.9	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19876	*Acacia disparrima*	Hickory Wattle	340		340	1070	9.0	6.0	4.1	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19877	*Eucalyptus siderophloia*	Northern Grey Ironbark	330		330	1040	25.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19878	*Acacia disparrima*	Hickory Wattle	220	190	291	910	5.0	5.0	3.5	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19879	*Acacia disparrima*	Hickory Wattle	290		290	910	6.0	4.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19880	*Acacia disparrima*	Hickory Wattle	230	190	298	940	6.0	4.0	3.6	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19881	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	850	17.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19882	*Acacia disparrima*	Hickory Wattle	210	210, 200, 190	405	1270	11.0	6.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19883	*Acacia disparrima*	Hickory Wattle	240	240	339	1070	7.0	6.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19884	*Acacia disparrima*	Hickory Wattle	220	150	266	840	6.0	5.0	3.2	1.9	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19885	*Acacia disparrima*	Hickory Wattle	200	180, 180, 170, 160	399	1250	11.0	7.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19886	*Acacia disparrima*	Hickory Wattle	300		300	940	9.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19887	*Corymbia citriodora*	Spotted Gum	340		340	1070	27.0	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19888	*Eucalyptus siderophloia*	Northern Grey Ironbark	290		290	910	15.0	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19889	*Acacia disparrima*	Hickory Wattle	250	200, 170, 140	389	1220	9.0	8.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19890	*Corymbia citriodora*	Spotted Gum	260		260	820	26.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19891	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	880	24.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove
19892	*Acacia disparrima*	Hickory Wattle	280	170, 150	360	1130	6.0	5.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19893	*Corymbia citriodora*	Spotted Gum	280	150	318	100	23.0	7.0	3.8	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19894	*Acacia disparrima*	Hickory Wattle	250	170	302	95	7.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19895	*Acacia disparrima*	Hickory Wattle	200	190	276	87	7.0	5.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19896	*Acacia disparrima*	Hickory Wattle	240		340	107	9.0	5.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19897	*Acacia disparrima*	Hickory Wattle	330	270	426	134	11.0	7.0	5.1	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19898	*Acacia disparrima*	Hickory Wattle	250	200	320	101	11.0	6.0	3.8	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19899	*Acacia disparrima*	Hickory Wattle	260	210, 180	380	119	11.0	6.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19900	*Eucalyptus crebra*	Narrow-leaved Red Ironbark	320		320	101	26.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
19901	*Eucalyptus siderophloia*	Northern Grey Ironbark	310		310	97	25.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove

| Specimen Details | | |

Specimen Details								Canopy Condition Details								Trunk Condition Details								Fauna Details and Habitat Value									
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
19970	*Acacia dispermma*	Hickory Wattle	240	210	319	100	8.0	6.0	3.8	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19971	*Acacia dispermma*	Hickory Wattle	270		270	85	5.0	4.0	3.2	1.9	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19972	*Eucalyptus siderophloia*	Northern Grey Ironbark	370		370	116	23.0	9.0	4.4	2.2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19973	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	22.0	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19974	*Eucalyptus siderophloia*	Northern Grey Ironbark	410		410	129	28.0	14.0	4.9	2.3	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19975	*Acacia dispermma*	Hickory Wattle	220	220	311	98	11.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19976	*Acacia dispermma*	Hickory Wattle	220	210	304	96	9.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19977	*Acacia dispermma*	Hickory Wattle	250	150	292	92	9.0	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19978	*Acacia dispermma*	Hickory Wattle	260	240	354	111	7.0	5.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19979	*Acacia dispermma*	Hickory Wattle	250	220, 160	369	116	8.0	5.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19980	*Acacia dispermma*	Hickory Wattle	290	160	331	104	9.0	5.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19981	*Acacia dispermma*	Hickory Wattle	300	270	404	127	11.0	9.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19982	*Acacia dispermma*	Hickory Wattle	280	130	309	97	11.0	6.0	3.7	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19983	*Angophora leiocarpa*	Rusty Gum	310		310	97	26.0	10.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19984	*Acacia dispermma*	Hickory Wattle	410		410	129	9.0	7.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19985	*Acacia dispermma*	Hickory Wattle	240	230	332	104	10.0	6.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19986	*Angophora leiocarpa*	Rusty Gum	340	110	357	112	27.0	14.0	4.3	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19987	*Angophora leiocarpa*	Rusty Gum	250	210	326	103	25.0	13.0	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19988	*Acacia dispermma*	Hickory Wattle	230	200, 150	340	107	10.0	8.0	4.1	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19989	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	22.0	9.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19990	*Eucalyptus siderophloia*	Northern Grey Ironbark	310	97	310	97	23.0	11.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19991	*Eucalyptus siderophloia*	Northern Grey Ironbark	380		380	119	30.0	15.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19992	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	24.0	9.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19993	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	19.0	8.0	3.6	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19994	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	19.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19995	*Acacia dispermma*	Hickory Wattle	210	200	290	91	11.0	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19996	*Acacia dispermma*	Hickory Wattle	310		310	97	6.0	5.0	3.7	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19997	*Acacia dispermma*	Hickory Wattle	310	130	336	106	11.0	8.0	4.0	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19998	*Acacia dispermma*	Hickory Wattle	180	140, 120, 110, 100	297	93	7.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
19999	*Angophora leiocarpa*	Rusty Gum	290		290	91	20.0	12.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20000	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	30.0	9.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20001	*Angophora leiocarpa*	Rusty Gum	290	91	290	91	31.0	8.0	3.5	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20002	*Acacia dispermma*	Hickory Wattle	230	180	292	92	9.0	6.0	3.5	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20003	*Acacia dispermma*	Hickory Wattle	300	280, 270	491	154	9.0	8.0	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20004	*Corymbia intermedia*	Pink Bloodwood	260		260	82	10.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	Termite nest	-	-	Remove	
20005	*Acacia dispermma*	Hickory Wattle	480		480	151	8.0	9.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20006	*Acacia dispermma*	Hickory Wattle	270		270	85	8.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20007	*Acacia dispermma*	Hickory Wattle	250		250	79	7.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20008	*Acacia dispermma*	Hickory Wattle	300		300	94	7.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20009	*Eucalyptus siderophloia*	Northern Grey Ironbark	510		510	160	16.0	7.0	6.1	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20010	*Acacia dispermma*	Hickory Wattle	300	220, 180, 230, 170, 120, 140, 160	559	176	8.0	7.0	6.7	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20011	*Acacia dispermma*	Hickory Wattle	360	220, 130	441	139	10.0	7.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20012	*Eucalyptus siderophloia*	Northern Grey Ironbark	360		360	113	17.0	6.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20013	*Acacia dispermma*	Hickory Wattle	250		250	79	10.0	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20014	*Eucalyptus siderophloia*	Northern Grey Ironbark	360		360	113	18.0	6.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20015	*Acacia dispermma*	Hickory Wattle	220	190, 190	347	109	10.0	8.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20016	*Eucalyptus siderophloia*	Northern Grey Ironbark	310		310	97	18.0	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20017	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	17.0	3.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20018	*Acacia dispermma*	Hickory Wattle	230	160, 150	318	100	10.0	9.0	3.8	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20019	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	17.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20020	*Acacia dispermma*	Hickory Wattle	300	180	350	110	11.0	7.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20021	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	17.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20022	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	13.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20023	*Acacia dispermma*	Hickory Wattle	260	150	300	94	8.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20024	*Eucalyptus tereticornis*	Forest Red Gum	420		420	132	17.0	7.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20025	*Eucalyptus siderophloia*	Northern Grey Ironbark	290		290	91	18.0	5.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20026	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	14.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20027	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	17.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20028	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	18.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20029	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	18.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20030	*Acacia dispermma*	Hickory Wattle	250		250	79	9.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20031	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	14.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20032	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	14.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20033	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	16.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20034	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	15.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20035	*Eucalyptus moluccana*	Gum-topped box	260		260	82	18.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20036	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	15.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20037	*Acacia dispermma*	Hickory Wattle	200	170, 150	302	95	8.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	

Tree ID	Botanical Name	Common Name	Specimen Details							Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value							
			Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
Z0038	*Acacia dispermina*	Hickory Wattle	220	200, 160	338	106	10.0	6.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0039	*Acacia dispermina*	Hickory Wattle	220	200, 200	358	113	12.0	7.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0040	*Acacia dispermina*	Hickory Wattle	230	210	311	98	7.0	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0041	*Eucalyptus sideroph loia*	Northern Grey Ironbark	310		310	97	16.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0042	*Eucalyptus sideroph loia*	Northern Grey Ironbark	200		200	63	16.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0043	*Acacia dispermina*	Hickory Wattle	280	200, 180	388	122	12.0	6.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0044	*Acacia dispermina*	Hickory Wattle	200	190	276	87	8.0	7.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0045	*Eucalyptus sideroph loia*	Northern Grey Ironbark	290		290	91	17.0	5.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0046	*Acacia dispermina*	Hickory Wattle	180	160, 150	284	89	8.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0047	*Eucalyptus sideroph loia*	Northern Grey Ironbark	420		420	132	19.0	8.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0048	*Acacia dispermina*	Hickory Wattle	290		290	91	9.0	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0049	*Eucalyptus sideroph loia*	Northern Grey Ironbark	200		200	63	16.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0050	*Acacia dispermina*	Hickory Wattle	250	250	354	111	10.0	8.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0051	*Eucalyptus sideroph loia*	Northern Grey Ironbark	280		280	88	17.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0052	*Acacia dispermina*	Hickory Wattle	220	200, 140	329	103	8.0	5.0	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0053	*Acacia dispermina*	Hickory Wattle	320		320	101	11.0	5.0	3.8	2.1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0054	*Acacia dispermina*	Hickory Wattle	260	220	341	107	10.0	7.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0055	*Eucalyptus sideroph loia*	Northern Grey Ironbark	260		260	82	16.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0056	*Eucalyptus sideroph loia*	Northern Grey Ironbark	240		240	75	16.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0057	*Acacia dispermina*	Hickory Wattle	290	230, 220, 140	453	142	11.0	7.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0058	*Acacia dispermina*	Hickory Wattle	530		530	167	13.0	9.0	6.4	2.5	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0059	*Acacia dispermina*	Hickory Wattle	260	200	328	103	9.0	6.0	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0060	*Acacia dispermina*	Hickory Wattle	340	140	368	116	9.0	7.0	4.4	2.2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0061	*Acacia dispermina*	Hickory Wattle	200	180	269	85	10.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0062	*Acacia dispermina*	Hickory Wattle	180	170, 160	295	93	9.0	5.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0063	*Corymbia intermedia*	Pink Bloodwood	370		370	116	18.0	7.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0064	*Acacia dispermina*	Hickory Wattle	200	140, 110, 140, 120	325	102	10.0	8.0	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0065	*Eucalyptus sideroph loia*	Northern Grey Ironbark	580		580	182	17.0	8.0	7.0	2.6	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	Small	1	-	-	-	Remove	
Z0066	*Acacia dispermina*	Hickory Wattle	300	220	372	117	9.0	6.0	4.5	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0067	*Acacia dispermina*	Hickory Wattle	340		340	107	10.0	6.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0068	*Eucalyptus sideroph loia*	Northern Grey Ironbark	210	66	210	66	15.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0069	*Acacia dispermina*	Hickory Wattle	300		300	94	10.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0070	*Eucalyptus sideroph loia*	Northern Grey Ironbark	200		200	63	14.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0071	*Acacia dispermina*	Hickory Wattle	250		250	79	10.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0072	*Eucalyptus sideroph loia*	Northern Grey Ironbark	210		210	66	10.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0073	*Eucalyptus sideroph loia*	Northern Grey Ironbark	240		240	75	14.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0074	*Acacia dispermina*	Hickory Wattle	280	260	382	120	11.0	7.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0075	*Eucalyptus sideroph loia*	Northern Grey Ironbark	200		200	63	15.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	Termite nest	-	-	Remove	
Z0076	*Acacia dispermina*	Hickory Wattle	270	220, 200	402	126	10.0	7.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0077	*Eucalyptus sideroph loia*	Northern Grey Ironbark	240		240	75	16.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0078	*Corymbia intermedia*	Pink Bloodwood	220		220	69	16.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0079	*Acacia dispermina*	Hickory Wattle	160	160	226	71	12.0	7.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0080	*Acacia dispermina*	Hickory Wattle	310		310	97	12.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0081	*Acacia dispermina*	Hickory Wattle	180	130, 130	257	81	7.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0082	*Melaleuca hypana*	Swamp Tea-tree	150	100, 50	187	59	4.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0083	*Eucalyptus tereticornis*	Forest Red Gum	280		280	88	15.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0084	*Melaleuca hypana*	Swamp Tea-tree	80	50, 40, 40, 40, 40, 40, 40, 30, 30, 20	149	47	4.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0085	*Acacia dispermina*	Hickory Wattle	220	150	266	84	10.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0086	*Eucalyptus sideroph loia*	Northern Grey Ironbark	260		260	82	16.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0087	*Corymbia intermedia*	Pink Bloodwood	260		260	82	16.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0088	*Eucalyptus sideroph loia*	Northern Grey Ironbark	220		220	69	14.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0089	*Eucalyptus sideroph loia*	Northern Grey Ironbark	240		240	75	16.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0090	*Corymbia intermedia*	Pink Bloodwood	200		200	63	10.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0091	*Eucalyptus sideroph loia*	Northern Grey Ironbark	200		200	63	16.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0092	*Eucalyptus sideroph loia*	Northern Grey Ironbark	230		230	72	17.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0093	*Eucalyptus sideroph loia*	Northern Grey Ironbark	210	66	210	66	15.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0094	*Eucalyptus sideroph loia*	Northern Grey Ironbark	200	63	200	63	12.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0095	*Eucalyptus sideroph loia*	Northern Grey Ironbark	230	72	230	72	18.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0096	*Eucalyptus sideroph loia*	Northern Grey Ironbark	230	72	230	72	18.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0097	*Acacia dispermina*	Hickory Wattle	250		250	79	12.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0098	*Eucalyptus sideroph loia*	Northern Grey Ironbark	250		250	79	16.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0099	*Eucalyptus sideroph loia*	Northern Grey Ironbark	240		240	75	16.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0100	*Eucalyptus sideroph loia*	Northern Grey Ironbark	240		240	75	16.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0101	*Eucalyptus sideroph loia*	Northern Grey Ironbark	200	63	200	63	15.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0102	*Eucalyptus tereticornis*	Forest Red Gum	380	119	380	119	18.0	7.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0103	*Eucalyptus sideroph loia*	Northern Grey Ironbark	230		230	72	17.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0104	*Acacia dispermina*	Hickory Wattle	330		402	126	12.0	5.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0105	*Acacia dispermina*	Hickory Wattle	280	170, 160	365	115	11.0	7.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	

| | | |

Tree ID	Botanical Name	Common Name	Specimen Details							Canopy Condition Details								Trunk Condition Details						Fauna Details and Habitat Value							Additional Notes
			Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	
201174	*Eucalyptus siderophloia*	Northern Grey Ironbark	200	63	200	630	17.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
201175	*Eucalyptus siderophloia*	Northern Grey Ironbark	280	88	280	880	17.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
201176	*Acacia disparrima*	Hickory Wattle	270	150	309	970	7.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
201177	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	790	15.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
201178	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	660	10.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
201179	*Acacia disparrima*	Hickory Wattle	310	290	424	1330	9.0	7.0	5.1	2.3	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
201180	*Eucalyptus siderophloia*	Northern Grey Ironbark	400		400	1260	20.0	7.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
201181	**DEAD/STAG**		370		370	1160	6.0	1.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
201182	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	720	17.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
201183	*Eucalyptus siderophloia*	Northern Grey Ironbark	330		330	1040	22.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
201184	*Eucalyptus siderophloia*	Northern Grey Ironbark	380	260	460	1450	19.0	8.0	5.5	2.4	Regular	-	Thinning	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove
201185	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	750	17.0	5.0	2.9	1.8	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
201186	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	820	17.0	5.0	3.1	1.9	Regular	-	Thinning	Die-back	-	-	Typical	-	Native	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove
201187	*Eucalyptus siderophloia*	Northern Grey Ironbark	380		380	1190	20.0	7.0	4.6	2.2	Regular	-	Thinning	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove
201188	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	720	19.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
201189	*Eucalyptus siderophloia*	Northern Grey Ironbark	240	120	268	840	16.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
201190	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	750	18.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
201191	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	630	18.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
201192	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	880	19.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
201193	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	750	16.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
201194	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	690	17.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
201195	*Eucalyptus siderophloia*	Northern Grey Ironbark	350		350	1100	21.0	8.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
201196	*Eucalyptus siderophloia*	Northern Grey Ironbark	290		290	910	17.0	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
201197	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	820	17.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
201198	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	720	18.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
201199	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	720	17.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
201200	*Acacia disparrima*	Hickory Wattle	250		250	790	9.0	6.0	3.0	1.8	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
201201	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	630	17.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
201202	*Eucalyptus siderophloia*	Northern Grey Ironbark	240	180	269	850	17.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove
201203	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	630	17.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
201204	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	630	18.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
201205	*Acacia disparrima*	Hickory Wattle	300	230	378	1190	8.0	7.0	4.5	2.2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	Trunk Dmg.	-	Poor	-	-	-	0	-	-	-	Remove
201206	*Acacia disparrima*	Hickory Wattle	350		350	1100	9.0	8.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
201207	*Acacia disparrima*	Hickory Wattle	200	200, 160	325	1020	12.0	7.0	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
201208	*Acacia disparrima*	Hickory Wattle	250	250, 240, 140, 170, 110, 100	503	1580	14.0	9.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
201209	*Acacia disparrima*	Hickory Wattle	190	190, 160	313	980	12.0	7.0	3.8	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
201210	*Acacia disparrima*	Hickory Wattle	360	240, 160	461	1450	9.0	8.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
201211	*Eucalyptus tetetcornis*	Forest Red Gum	200	63	200	630	16.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
201212	*Acacia disparrima*	Hickory Wattle	370	180, 240, 260	543	1700	11.0	10.0	6.5	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
201213	*Corymbia citriodora*	Spotted Gum	640		640	2010	25.0	12.0	7.7	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
201214	*Acacia disparrima*	Hickory Wattle	240	220, 120	347	1090	8.0	6.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
201215	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	720	16.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
201216	*Acacia disparrima*	Hickory Wattle	230	140	269	850	9.0	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
201217	*Corymbia citriodora*	Spotted Gum	600		600	1880	22.0	10.0	7.2	2.7	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
201218	*Acacia disparrima*	Hickory Wattle	290	91	290	910	10.0	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
201219	*Corymbia citriodora*	Spotted Gum	610		610	1920	24.0	11.0	7.3	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
202220	**DEAD/STAG**		360		360	1130	14.0	4.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
202221	*Eucalyptus tetetcornis*	Forest Red Gum	490		490	1540	22.0	11.0	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
202222	*Corymbia citriodora*	Spotted Gum	290		290	910	19.0	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
202223	*Corymbia citriodora*	Spotted Gum	590		590	1850	25.0	10.0	7.1	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
202224	*Corymbia citriodora*	Spotted Gum	360		360	1130	22.0	7.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
202225	*Corymbia intermedia*	Pink Bloodwood	250		250	790	16.0	5.0	3.0	1.8	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
202226	*Corymbia citriodora*	Spotted Gum	500		500	1570	23.0	8.0	6.0	2.5	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
202227	*Corymbia citriodora*	Spotted Gum	220		220	690	18.0	4.0	2.6	1.8	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
202228	*Corymbia citriodora*	Spotted Gum	270		270	850	19.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
202229	*Corymbia citriodora*	Spotted Gum	420		420	1320	24.0	7.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
202230	*Corymbia citriodora*	Spotted Gum	290		290	910	20.0	4.0	3.5	2.0	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
202231	*Acacia disparrima*	Hickory Wattle	260		260	820	7.0	7.0	3.1	1.9	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
202232	*Corymbia citriodora*	Spotted Gum	540		540	1700	26.0	8.0	6.5	2.6	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
202233	*Corymbia citriodora*	Spotted Gum	310		310	970	18.0	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
202234	*Acacia disparrima*	Hickory Wattle	270	140	304	960	8.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
202235	*Corymbia citriodora*	Spotted Gum	220		220	690	16.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
202236	*Corymbia citriodora*	Spotted Gum	590	185	590	1850	27.0	12.0	7.1	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
202237	*Eucalyptus siderophloia*	Northern Grey Ironbark	200	63	200	630	10.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove
202238	*Corymbia citriodora*	Spotted Gum	200	63	200	630	20.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
202239	*Acacia disparrima*	Hickory Wattle	310	97	310	970	8.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
202240	*Corymbia citriodora*	Spotted Gum	340	107	340	1070	19.0	6.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
202241	*Corymbia citriodora*	Spotted Gum	310	97	310	970	17.0	5.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove

				Specimen Details										Canopy Condition Details							Trunk Condition Details				Fauna Details and Habitat Value						Retention	Additional Notes
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	
Z0242	*Corymbia citriodora*	Spotted Gum	500		500	157	21.0	7.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0243	*Corymbia citriodora*	Spotted Gum	400		400	126	22.0	7.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0244	*Corymbia citriodora*	Spotted Gum	580		580	182	19.0	8.0	7.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0245	*Corymbia citriodora*	Spotted Gum	530		530	167	22.0	8.0	6.4	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0246	*Eucalyptus moluccana*	Gum-topped Box	370		370	116	22.0	6.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0247	*Eucalyptus siderophloia*	Northern Grey Ironbark	310		310	97	16.0	5.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0248	*Corymbia citriodora*	Spotted Gum	310		310	97	16.0	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0249	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	16.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
Z0250	*Acacia disparrima*	Hickory Wattle	250	210	326	103	8.0	6.0	3.9	2.1	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0251	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	16.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0252	*Eucalyptus siderophloia*	Northern Grey Ironbark	290		290	91	16.0	5.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0253	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	15.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0254	*Eucalyptus siderophloia*	Northern Grey Ironbark	290		290	91	16.0	5.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0255	*Eucalyptus siderophloia*	Northern Grey Ironbark	310		310	97	18.0	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0256	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	16.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0257	*Angophora leiocarpa*	Rusty Gum	300		300	94	16.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0258	**DEAD/STAG**				570	179	16.0	5.0	6.8	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0259	*Eucalyptus siderophloia*	Northern Grey Ironbark	760		760	239	24.0	8.0	9.1	2.9	Regular	-	Thinning	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
Z0260	*Eucalyptus siderophloia*	Northern Grey Ironbark	310		310	97	18.0	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0261	*Eucalyptus siderophloia*	Northern Grey Ironbark	290		290	91	16.0	5.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0262	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	15.0	4.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0263	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	15.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0264	*Acacia disparrima*	Hickory Wattle	310		310	97	8.0	5.0	3.7	2.0	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0265	*Eucalyptus siderophloia*	Northern Grey Ironbark	340		340	107	16.0	7.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0266	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	15.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0267	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	14.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0268	*Acacia disparrima*	Hickory Wattle	260	200, 140	357	112	8.0	5.0	4.3	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0269	*Acacia disparrima*	Hickory Wattle	340		340	107	8.0	6.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0270	*Acacia disparrima*	Hickory Wattle	260	200, 180, 160	407	128	8.0	6.0	4.9	2.3	Regular	-	Thinning	Die-back	-	-	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
Z0271	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	14.0	4.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0272	*Acacia disparrima*	Hickory Wattle	230	180, 100	309	97	8.0	5.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0273	*Eucalyptus tereticornis*	Forest Red Gum	300		300	94	17.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0274	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	16.0	4.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0275	*Eucalyptus siderophloia*	Northern Grey Ironbark	440		440	138	23.0	7.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0276	*Eucalyptus siderophloia*	Northern Grey Ironbark	420		420	132	23.0	7.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0277	*Eucalyptus siderophloia*	Northern Grey Ironbark	440		440	138	22.0	7.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0278	*Corymbia citriodora*	Spotted Gum	620		620	195	23.0	10.0	7.4	2.7	Regular	-	Thinning	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
Z0279	*Lophostemon suaveolens*	Swamp Box	310		310	97	15.0	5.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0280	*Corymbia citriodora*	Spotted Gum	300		300	94	16.0	7.0	3.6	2.0	Regular	-	Thinning	Die-back	-	-	Typical	Lopped	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0281	*Eucalyptus siderophloia*	Northern Grey Ironbark	320		320	101	18.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	Epicormic	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0282	*Eucalyptus siderophloia*	Northern Grey Ironbark	350		350	110	18.0	7.0	4.2	2.1	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
Z0283	*Corymbia intermedia*	Pink Bloodwood	310		310	97	18.0	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0284	*Eucalyptus siderophloia*	Northern Grey Ironbark	380		380	119	18.0	7.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0285	*Eucalyptus siderophloia*	Northern Grey Ironbark	310		310	97	17.0	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0286	*Eucalyptus siderophloia*	Northern Grey Ironbark	460		460	145	19.0	6.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
Z0287	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	20.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0288	*Corymbia citriodora*	Spotted Gum	320		320	101	17.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0289	*Eucalyptus siderophloia*	Northern Grey Ironbark	330		330	104	21.0	7.0	4.0	2.1	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0290	*Eucalyptus tereticornis*	Forest Red Gum	340		340	107	20.0	6.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0291	*Corymbia citriodora*	Spotted Gum	420		420	132	23.0	8.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0292	*Eucalyptus siderophloia*	Northern Grey Ironbark	340		340	107	21.0	7.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0293	*Eucalyptus siderophloia*	Northern Grey Ironbark	300	200	361	113	18.0	6.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0294	*Corymbia citriodora*	Spotted Gum	350		350	110	19.0	6.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
Z0295	*Lophostemon suaveolens*	Swamp Box	220	160	272	85	14.0	5.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0296	*Corymbia citriodora*	Spotted Gum	430		430	135	23.0	9.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0297	*Eucalyptus siderophloia*	Northern Grey Ironbark	380	250	455	143	19.0	8.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
Z0298	*Eucalyptus tereticornis*	Forest Red Gum	300		300	94	17.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0299	*Eucalyptus tereticornis*	Forest Red Gum	440	230	496	156	23.0	9.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0300	*Eucalyptus tereticornis*	Forest Red Gum	400		400	126	18.0	7.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0301	*Eucalyptus siderophloia*	Northern Grey Ironbark	480		480	151	24.0	9.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0302	*Eucalyptus tereticornis*	Forest Red Gum	350		350	110	19.0	6.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0303	*Eucalyptus tereticornis*	Forest Red Gum	440		440	138	23.0	7.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0304	*Eucalyptus siderophloia*	Northern Grey Ironbark	450		450	141	21.0	7.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0305	*Eucalyptus tereticornis*	Forest Red Gum	440		440	138	23.0	8.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0306	*Corymbia intermedia*	Pink Bloodwood	300		300	94	17.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0307	*Eucalyptus siderophloia*	Northern Grey Ironbark	650		650	204	23.0	10.0	7.8	2.8	Regular	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
Z0308	*Corymbia intermedia*	Pink Bloodwood	690		690	217	21.0	9.0	8.3	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0309	*Eucalyptus siderophloia*	Northern Grey Ironbark	520		520	163	18.0	8.0	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	

Tree ID	Botanical Name	Common Name	Specimen Details											Canopy Condition Details								Trunk Condition Details					Fauna Details and Habitat Value						Additional Notes
			Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	
Z0310	*Eucalyptus seeana*	Narrow-leaved Red Gum	400	190	443	139	20.0	7.0	5.3	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
Z0311	*Eucalyptus siderophloia*	Northern Grey Ironbark	390		390	123	20.0	6.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
Z0312	*Eucalyptus tereticornis*	Forest Red Gum	320		320	101	16.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
Z0313	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	18.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
Z0314	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	17.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
Z0315	*Corymbia intermedia*	Pink Bloodwood	320		320	101	16.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
Z0316	*Eucalyptus siderophloia*	Northern Grey Ironbark	310		310	97	16.0	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
Z0317	*Eucalyptus siderophloia*	Northern Grey Ironbark	310		310	97	16.0	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
Z0318	*Eucalyptus siderophloia*	Northern Grey Ironbark	240	220	326	102	16.0	7.0	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
Z0319	*Eucalyptus siderophloia*	Northern Grey Ironbark	320		320	101	16.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
Z0320	*Acacia disparrima*	Hickory Wattle	240	200	312	98	10.0	5.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
Z0321	*Melaleuca irbyana*	Swamp Tea-tree	180	150, 140	273	86	7.0	4.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
Z0322	*Eucalyptus siderophloia*	Northern Grey Ironbark	290		290	91	16.0	4.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
Z0323	*Eucalyptus siderophloia*	Northern Grey Ironbark	380		380	119	16.0	6.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
Z0324	*Eucalyptus siderophloia*	Northern Grey Ironbark	210	180	277	87	15.0	5.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
Z0325	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	15.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
Z0326	*Eucalyptus siderophloia*	Northern Grey Ironbark	380		380	119	21.0	7.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
Z0327	*Eucalyptus siderophloia*	Northern Grey Ironbark	310		310	97	17.0	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
Z0328	*Eucalyptus siderophloia*	Northern Grey Ironbark	310		310	97	16.0	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
Z0329	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	17.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
Z0330	*Acacia disparrima*	Hickory Wattle	390		390	123	8.0	6.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
Z0331	*Eucalyptus moluccana*	Gum-topped Box	330		330	104	16.0	5.0	4.0	2.1	Regular	-	-	Thinning	Die-back	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
Z0332	*Acacia disparrima*	Hickory Wattle	300		300	94	7.0	3.0	3.6	2.0	Regular	-	-	Thinning	Die-back	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
Z0333	*Corymbia citriodora*	Spotted Gum	380		380	119	21.0	7.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
Z0334	*Corymbia citriodora*	Spotted Gum	310		310	97	23.0	5.0	3.7	2.0	Regular	-	-	-	Die-back	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
Z0335	*Corymbia citriodora*	Spotted Gum	360		360	113	25.0	7.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
Z0336	*Corymbia citriodora*	Spotted Gum	340		340	107	23.0	6.0	4.1	2.1	Regular	-	-	-	Die-back	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
Z0337	*Corymbia citriodora*	Spotted Gum	300		300	94	19.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	-	Remove
Z0338	*Corymbia citriodora*	Spotted Gum	420		420	132	23.0	8.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
Z0339	*Corymbia citriodora*	Spotted Gum	420		420	132	22.0	8.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
Z0340	**DEAD/STAG**		460		460	145	17.0	3.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	Small	1	-	-	-	Remove
Z0341	*Corymbia citriodora*	Spotted Gum	570		570	179	24.0	10.0	6.8	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
Z0342	*Corymbia citriodora*	Spotted Gum	373		373	117	22.0	7.0	4.5	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
Z0343	*Corymbia citriodora*	Spotted Gum	650		650	204	25.0	10.0	7.8	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
Z0344	*Eucalyptus siderophloia*	Northern Grey Ironbark	540		540	170	22.0	8.0	6.5	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
Z0345	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	16.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
Z0346	*Eucalyptus siderophloia*	Northern Grey Ironbark	400		400	126	21.0	6.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	-	Remove
Z0347	*Eucalyptus siderophloia*	Northern Grey Ironbark	350		350	110	24.0	6.0	4.2	2.1	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
Z0348	*Eucalyptus siderophloia*	Northern Grey Ironbark	370		370	116	23.0	7.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
Z0349	*Eucalyptus siderophloia*	Northern Grey Ironbark	370		370	116	23.0	8.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
Z0350	*Eucalyptus siderophloia*	Northern Grey Ironbark	380		380	119	21.0	7.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
Z0351	*Eucalyptus siderophloia*	Northern Grey Ironbark	400		400	126	21.0	6.0	4.8	2.3	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
Z0352	*Eucalyptus siderophloia*	Northern Grey Ironbark	360		360	113	23.0	8.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
Z0353	*Eucalyptus siderophloia*	Northern Grey Ironbark	500	160	525	165	24.0	8.0	6.3	2.5	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	-	Remove
Z0354	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	16.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
Z0355	*Eucalyptus siderophloia*	Northern Grey Ironbark	320		320	101	15.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
Z0356	*Eucalyptus moluccana*	Gum-topped Box	310		310	97	18.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
Z0357	*Angophora leiocarpa*	Rusty Gum	300		300	94	17.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
Z0358	*Eucalyptus siderophloia*	Northern Grey Ironbark	390		390	123	18.0	6.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
Z0359	*Eucalyptus moluccana*	Gum-topped Box	390		390	123	18.0	6.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
Z0360	*Eucalyptus siderophloia*	Northern Grey Ironbark	360		360	113	20.0	7.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
Z0361	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	18.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
Z0362	*Angophora leiocarpa*	Rusty Gum	340	140	358	113	17.0	6.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
Z0363	*Eucalyptus tereticornis*	Forest Red Gum	320		320	101	16.0	5.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
Z0364	*Eucalyptus siderophloia*	Northern Grey Ironbark	320		320	101	17.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
Z0365	*Eucalyptus siderophloia*	Northern Grey Ironbark	310		310	97	18.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
Z0366	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	16.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
Z0367	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	16.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
Z0368	*Eucalyptus siderophloia*	Northern Grey Ironbark	330	104	330	104	18.0	6.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
Z0369	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	16.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
Z0370	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	17.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	-	Remove
Z0371	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	16.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
Z0372	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	16.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
Z0373	*Eucalyptus moluccana*	Gum-topped Box	320		320	101	17.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
Z0374	*Corymbia citriodora*	Spotted Gum	430		430	135	22.0	7.0	5.2	2.3	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
Z0375	*Corymbia citriodora*	Spotted Gum	300		300	94	25.0	9.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
Z0376	*Corymbia citriodora*	Spotted Gum	320		320	101	19.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
Z0377	*Melaleuca irbyana*	Swamp Tea-tree	170	150	227	71	8.0	5.0	2.7	1.8	Regular	-	-	-	-	Lopped	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	-	Remove

Specimen Details								Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
20378	*Corymbia citriodora*	Spotted Gum	320		320	101	23.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20379	*Corymbia citriodora*	Spotted Gum	300		300	94	19.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20380	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	18.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20381	*Corymbia citriodora*	Spotted Gum	330		330	104	23.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20382	*Angophora leiocarpa*	Rusty Gum	770		770	242	23.0	10.0	9.2	3.0	Regular	-	Thinning	Die-back	-	-	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
20383	*Eucalyptus moluccana*	Gum-topped Box	380		380	119	18.0	7.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20384	*Acacia disparrima*	Hickory Wattle	200	200, 180	335	105	7.0	5.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20385	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	18.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20386	*Eucalyptus siderophloia*	Northern Grey Ironbark	370		370	116	18.0	7.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20387	*Eucalyptus siderophloia*	Northern Grey Ironbark	330		330	104	17.0	6.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20388	*Eucalyptus siderophloia*	Northern Grey Ironbark	310		310	97	19.0	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20389	*Eucalyptus siderophloia*	Northern Grey Ironbark	320		320	101	19.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20390	*Eucalyptus siderophloia*	Northern Grey Ironbark	400		400	126	20.0	8.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20391	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	17.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20392	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	18.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20393	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	23.0	9.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20394	*Angophora leiocarpa*	Rusty Gum	300		300	94	18.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20395	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	17.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20396	*Eucalyptus siderophloia*	Northern Grey Ironbark	350		350	110	23.0	9.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20397	*Eucalyptus siderophloia*	Northern Grey Ironbark	310		310	97	17.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20398	*Eucalyptus siderophloia*	Northern Grey Ironbark	330		330	104	18.0	6.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20399	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	17.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20400	*Eucalyptus siderophloia*	Northern Grey Ironbark	320		320	101	18.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20401	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	18.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20402	*Eucalyptus siderophloia*	Northern Grey Ironbark	310		310	97	18.0	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20403	*Acacia disparrima*	Hickory Wattle	300	200	361	113	14.0	6.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20404	*Eucalyptus siderophloia*	Northern Grey Ironbark	310		310	97	17.0	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20405	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	17.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20406	*Eucalyptus siderophloia*	Northern Grey Ironbark	310		310	97	18.0	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20407	*Eucalyptus moluccana*	Gum-topped Box	360		360	113	17.0	6.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20408	*Angophora leiocarpa*	Rusty Gum	320		320	101	17.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20409	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	16.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20410	*Eucalyptus moluccana*	Gum-topped Box	300		300	94	17.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20411	*Corymbia citriodora*	Spotted Gum	320		320	101	22.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20412	*Eucalyptus tereticornis*	Forest Red Gum	300		300	94	17.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20413	*Corymbia citriodora*	Spotted Gum	420		420	132	23.0	8.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20414	*Corymbia citriodora*	Spotted Gum	430		430	135	24.0	8.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20415	*Corymbia citriodora*	Spotted Gum	300		300	94	8.0	2.0	3.6	2.0	Regular	-	-	-	Epicormic	Lopped	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20416	*Corymbia citriodora*	Spotted Gum	330		330	104	18.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20417	*Corymbia citriodora*	Spotted Gum	310		310	97	19.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20418	*Corymbia citriodora*	Spotted Gum	310		310	97	17.0	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20419	*Corymbia citriodora*	Spotted Gum	300		300	94	18.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20420	*Eucalyptus moluccana*	Gum-topped Box	530		530	167	19.0	9.0	6.4	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20421	*Eucalyptus siderophloia*	Northern Grey Ironbark	310		310	97	18.0	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20422	*Eucalyptus moluccana*	Gum-topped Box	300		300	94	18.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20423	*Eucalyptus siderophloia*	Northern Grey Ironbark	360		360	113	16.0	6.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20424	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	18.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20425	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	18.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20426	*Eucalyptus siderophloia*	Northern Grey Ironbark	320		320	101	19.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20427	*Eucalyptus siderophloia*	Northern Grey Ironbark	320		320	101	19.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20428	*Eucalyptus siderophloia*	Northern Grey Ironbark	330		330	104	18.0	6.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20429	*Acacia disparrima*	Hickory Wattle	350		350	110	9.0	6.0	4.2	2.1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20430	*Acacia disparrima*	Hickory Wattle	240	180, 170	345	108	8.0	5.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20431	*Eucalyptus moluccana*	Gum-topped Box	550		550	173	22.0	10.0	6.6	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20432	*Corymbia citriodora*	Spotted Gum	300		300	94	18.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20433	*Corymbia citriodora*	Spotted Gum	300		300	94	20.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20434	*Eucalyptus moluccana*	Gum-topped Box	300		300	94	17.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20435	*Eucalyptus moluccana*	Gum-topped Box	500		500	157	20.0	9.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20436	*Eucalyptus moluccana*	Gum-topped Box	340		340	107	19.0	6.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20437	*Eucalyptus moluccana*	Gum-topped Box	310		310	97	19.0	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20438	*Corymbia citriodora*	Spotted Gum	320		320	101	21.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20439	*Corymbia citriodora*	Spotted Gum	420		420	132	12.0	5.0	5.0	2.3	Regular	-	Thinning	Die-back	-	Lopped	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20440	*Corymbia citriodora*	Spotted Gum	400		400	126	23.0	8.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20441	*Corymbia citriodora*	Spotted Gum	420		420	132	24.0	9.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20442	*Corymbia citriodora*	Spotted Gum	300		300	94	18.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20443	*Corymbia citriodora*	Spotted Gum	300		300	94	23.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
20444	*Corymbia citriodora*	Spotted Gum	300		300	94	23.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20445	*Corymbia citriodora*	Spotted Gum	480		480	151	25.0	10.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	

Specimen Details									Canopy Condition Details								Trunk Condition Details						Fauna Details and Habitat Value							
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
Z0446	*Corymbia citriodora*	Spotted Gum	450		450	141	24.0	9.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0447	*Corymbia citriodora*	Spotted Gum	1000		1000	314	23.0	10.0	12.0	3.3	Regular	-	Die-back	3.3	-	-	Typical	-	-	-	-	Typical	-	-	large	1	-	-	-	Remove	
Z0448	*Corymbia citriodora*	Spotted Gum	340		340	107	8.0	2.0	4.1	2.1	Regular	-	-	-	Epicormic	Lopped	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0449	*Corymbia citriodora*	Spotted Gum	300		300	94	19.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0450	*Corymbia citriodora*	Spotted Gum	320		320	101	18.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0451	*Corymbia citriodora*	Spotted Gum	350		350	110	20.0	6.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
Z0452	*Corymbia citriodora*	Spotted Gum	300		300	94	18.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0453	*Corymbia citriodora*	Spotted Gum	370		370	116	18.0	7.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0454	*Corymbia citriodora*	Spotted Gum	420		420	132	19.0	8.0	5.0	2.3	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0455	*Eucalyptus tereticornis*	Forest Red Gum	1100		1100	346	25.0	10.0	13.2	3.4	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0456	*Corymbia citriodora*	Spotted Gum	300		300	94	17.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0457	*Corymbia citriodora*	Spotted Gum	300	140	331	104	17.0	6.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0458	*Corymbia citriodora*	Spotted Gum	340		340	107	11.0	5.0	4.1	2.1	Regular	-	-	-	Epicormic	Lopped	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0459	*Corymbia citriodora*	Spotted Gum	300		300	94	20.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0460	*Corymbia citriodora*	Spotted Gum	320		320	101	19.0	5.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0461	*Corymbia citriodora*	Spotted Gum	300		300	94	18.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0462	*Corymbia citriodora*	Spotted Gum	350		350	110	19.0	7.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0463	*Corymbia citriodora*	Spotted Gum	420		420	132	20.0	7.0	5.0	2.3	Regular	-	Die-back	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0464	*Corymbia citriodora*	Spotted Gum	520		520	163	22.0	9.0	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0465	*Corymbia citriodora*	Spotted Gum	380		380	119	23.0	7.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0466	*Corymbia citriodora*	Spotted Gum	420		420	132	21.0	7.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0467	*Corymbia citriodora*	Spotted Gum	610		610	192	24.0	9.0	7.3	2.7	Regular	-	Die-back	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0468	*Corymbia citriodora*	Spotted Gum	390		390	123	22.0	9.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0469	*Corymbia citriodora*	Spotted Gum	450		450	141	24.0	12.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0470	*Corymbia citriodora*	Spotted Gum	340		340	107	21.0	7.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0471	*Corymbia citriodora*	Spotted Gum	410		410	129	24.0	10.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0472	*Corymbia citriodora*	Spotted Gum	450		450	141	24.0	9.0	5.4	2.4	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0473	*Corymbia citriodora*	Spotted Gum	320		320	101	18.0	7.0	3.8	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0474	*Corymbia citriodora*	Spotted Gum	370		370	116	25.0	10.0	4.4	2.2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0475	*Corymbia citriodora*	Spotted Gum	390		390	123	25.0	9.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0476	*Corymbia citriodora*	Spotted Gum	460		460	145	26.0	12.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0477	*Corymbia citriodora*	Spotted Gum	400		400	126	23.0	9.0	4.8	2.3	Regular	-	Die-back	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0478	*Corymbia citriodora*	Spotted Gum	300		300	94	19.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0479	*Corymbia citriodora*	Spotted Gum	360		360	113	17.0	3.0	4.3	2.2	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0480	*Corymbia citriodora*	Spotted Gum	400		400	126	22.0	7.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0481	*Corymbia citriodora*	Spotted Gum	360		360	113	22.0	9.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0482	*Corymbia citriodora*	Spotted Gum	340		340	107	24.0	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0483	*Corymbia citriodora*	Spotted Gum	350		350	110	18.0	9.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0484	*Corymbia citriodora*	Spotted Gum	340		340	107	18.0	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0485	*Corymbia citriodora*	Spotted Gum	420		420	132	24.0	10.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0486	*Corymbia citriodora*	Spotted Gum	300		300	94	23.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0487	*Corymbia citriodora*	Spotted Gum	310		310	97	20.0	7.0	3.7	2.0	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0488	*Corymbia citriodora*	Spotted Gum	380		380	119	24.0	11.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0489	**DEAD/STAG**		330		330	104	16.0	6.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0490	*Corymbia citriodora*	Spotted Gum	340		340	107	25.0	11.0	4.1	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0491	*Corymbia citriodora*	Spotted Gum	360		360	113	23.0	8.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0492	**DEAD/STAG**		340	200	394	124	16.0	5.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0493	*Corymbia citriodora*	Spotted Gum	360		360	113	22.0	7.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0494	*Corymbia citriodora*	Spotted Gum	330		330	104	25.0	9.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0495	*Corymbia citriodora*	Spotted Gum	330		330	104	23.0	11.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0496	*Corymbia citriodora*	Spotted Gum	590		590	185	27.0	15.0	7.1	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0497	*Corymbia citriodora*	Spotted Gum	420		420	132	26.0	10.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0498	*Corymbia citriodora*	Spotted Gum	430		430	135	25.0	11.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0499	*Corymbia citriodora*	Spotted Gum	390		390	123	24.0	9.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0500	*Corymbia citriodora*	Spotted Gum	300		300	94	21.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0501	*Corymbia citriodora*	Spotted Gum	390		390	123	28.0	9.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0502	*Corymbia citriodora*	Spotted Gum	350		350	110	26.0	8.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0503	*Corymbia citriodora*	Spotted Gum	330		330	104	25.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0504	*Corymbia citriodora*	Spotted Gum	480		480	151	31.0	11.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0505	*Corymbia citriodora*	Spotted Gum	400		400	126	23.0	9.0	4.8	2.3	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0506	*Corymbia citriodora*	Spotted Gum	370		370	116	23.0	7.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0507	*Corymbia citriodora*	Spotted Gum	450		450	141	30.0	14.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0508	*Corymbia citriodora*	Spotted Gum	370		370	116	28.0	10.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0509	*Corymbia citriodora*	Spotted Gum	310		310	97	21.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0510	*Corymbia citriodora*	Spotted Gum	660		660	207	28.0	12.0	7.9	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0511	*Corymbia citriodora*	Spotted Gum	320		320	101	23.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z0512	*Corymbia citriodora*	Spotted Gum	600		600	188	27.0	11.0	7.2	2.7	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	large	2	-	-	-	Remove	
Z0513	*Corymbia citriodora*	Spotted Gum	650		650	204	25.0	10.0	7.8	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	

Specimen Details								Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
20514	*Eucalyptus siderophloia*	Northern Grey Ironbark	550		550	173	28.0	11.0	6.6	2.6	Regular	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
20515	*Corymbia citriodora*	Spotted Gum	380		380	119	22.0	10.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20516	*Corymbia citriodora*	Spotted Gum	310		310	97	26.0	9.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20517	*Corymbia citriodora*	Spotted Gum	510		510	160	26.0	14.0	6.1	2.5	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20518	*Corymbia citriodora*	Spotted Gum	450		450	141	26.0	11.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20519	*Corymbia citriodora*	Spotted Gum	490		490	154	27.0	11.0	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20520	*Corymbia citriodora*	Spotted Gum	390		390	123	23.0	9.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20521	*Corymbia citriodora*	Spotted Gum	410		410	129	28.0	12.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20522	*Corymbia citriodora*	Spotted Gum	300		300	94	18.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20523	*Corymbia citriodora*	Spotted Gum	690		690	217	29.0	14.0	8.3	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20524	*Corymbia citriodora*	Spotted Gum	420		420	132	21.0	11.0	5.0	2.3	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20525	*Corymbia citriodora*	Spotted Gum	430		430	135	26.0	12.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20526	*Corymbia citriodora*	Spotted Gum	420		420	132	28.0	13.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20527	*Corymbia citriodora*	Spotted Gum	440		440	138	25.0	10.0	5.3	2.3	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20528	*Corymbia citriodora*	Spotted Gum	390		390	123	27.0	10.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20529	*Corymbia citriodora*	Spotted Gum	340		340	107	19.0	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20530	*Corymbia citriodora*	Spotted Gum	370		370	116	24.0	9.0	4.4	2.2	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20531	*Corymbia citriodora*	Spotted Gum	630		630	198	10.0	2.0	7.6	2.7	Regular	-	-	Die-back	Epicormic	Lopped	Typical	-	-	Trunk Dmg.	-	Poor	-	-	Large	3	-	-	-	Remove	
20532	*Corymbia citriodora*	Spotted Gum	650		650	204	29.0	14.0	7.8	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20533	*Corymbia citriodora*	Spotted Gum	320		320	101	28.0	12.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20534	*Corymbia citriodora*	Spotted Gum	600		600	188	27.0	14.0	7.2	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20535	*Eucalyptus siderophloia*	Northern Grey Ironbark	680		680	214	26.0	9.0	8.2	2.8	Regular	-	-	-	-	-	Typical	-	Introduced	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
20536	*Corymbia citriodora*	Spotted Gum	390		390	123	25.0	9.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
20537	*Corymbia citriodora*	Spotted Gum	340		340	107	22.0	7.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20538	*Corymbia citriodora*	Spotted Gum	590		590	185	25.0	14.0	7.1	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20539	*Corymbia citriodora*	Spotted Gum	300		300	94	19.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20540	*Corymbia citriodora*	Spotted Gum	450		450	141	20.0	7.0	5.4	2.4	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20541	*Corymbia citriodora*	Spotted Gum	440		440	138	29.0	13.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20542	*Corymbia citriodora*	Spotted Gum	310		310	97	21.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20543	*Corymbia citriodora*	Spotted Gum	310		310	97	22.0	7.0	3.7	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20544	**DEAD/STAG**		600		600	188	9.0	1.0	7.2	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Large	1	-	-	-	Remove	
20545	*Corymbia citriodora*	Spotted Gum	480		480	151	25.0	9.0	5.8	2.4	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20546	**DEAD/STAG**		420		420	132	17.0	3.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	2	-	-	-	Remove	
20547	*Corymbia citriodora*	Spotted Gum	300		300	94	20.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20548	*Corymbia citriodora*	Spotted Gum	450		450	141	30.0	15.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20549	*Corymbia citriodora*	Spotted Gum	340		340	107	19.0	7.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20550	*Corymbia citriodora*	Spotted Gum	300		300	94	18.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20551	*Corymbia citriodora*	Spotted Gum	310		310	97	20.0	7.0	3.7	2.0	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20552	*Corymbia citriodora*	Spotted Gum	340		340	107	24.0	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20553	*Corymbia citriodora*	Spotted Gum	400		400	126	28.0	10.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20554	*Corymbia citriodora*	Spotted Gum	370		370	116	29.0	13.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20555	*Corymbia citriodora*	Spotted Gum	370		370	116	22.0	8.0	4.4	2.2	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20556	*Corymbia citriodora*	Spotted Gum	800		800	251	33.0	16.0	9.5	3.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20557	*Corymbia citriodora*	Spotted Gum	390		390	123	22.0	9.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20558	*Eucalyptus moluccana*	Gum-topped box	300		300	94	19.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20559	*Corymbia citriodora*	Spotted Gum	330		330	104	28.0	9.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20560	*Corymbia citriodora*	Spotted Gum	360		360	113	28.0	8.0	4.3	2.2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20561	*Corymbia citriodora*	Spotted Gum	420		420	132	21.0	7.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20562	*Corymbia citriodora*	Spotted Gum	360		360	113	30.0	10.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20563	*Corymbia citriodora*	Spotted Gum	300		300	94	28.0	9.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20564	*Corymbia citriodora*	Spotted Gum	330		330	104	20.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20565	*Corymbia citriodora*	Spotted Gum	340		340	107	22.0	7.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20566	*Corymbia citriodora*	Spotted Gum	370		370	116	21.0	8.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20567	*Corymbia citriodora*	Spotted Gum	400		400	126	24.0	8.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20568	*Corymbia citriodora*	Spotted Gum	400		400	126	21.0	6.0	4.8	2.3	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20569	*Corymbia citriodora*	Spotted Gum	930		930	292	28.0	12.0	11.2	3.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Large	6	-	-	-	Remove	
20570	*Corymbia citriodora*	Spotted Gum	350		350	110	23.0	8.0	4.2	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20571	*Eucalyptus siderophloia*	Northern Grey Ironbark	630		630	198	23.0	8.0	7.6	2.7	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
20572	*Corymbia citriodora*	Spotted Gum	300		300	94	19.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20573	*Corymbia citriodora*	Spotted Gum	420		420	132	22.0	6.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20574	*Corymbia citriodora*	Spotted Gum	540		540	170	28.0	10.0	6.5	2.6	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20575	**DEAD/STAG**		470		470	148	19.0	6.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20576	*Corymbia citriodora*	Spotted Gum	330		330	104	18.0	6.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20577	*Corymbia citriodora*	Spotted Gum	310		310	97	21.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20578	*Eucalyptus moluccana*	Gum-topped box	580		580	182	28.0	13.0	7.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20579	*Corymbia citriodora*	Spotted Gum	370		370	116	27.0	14.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20580	*Corymbia citriodora*	Spotted Gum	420		420	132	27.0	10.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20581	*Eucalyptus moluccana*	Gum-topped box	350		350	110	22.0	8.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	

Specimen Details								Canopy Condition Details								Trunk Condition Details						Fauna Details and Habitat Value							
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
20582	*Corymbia citriodora*	Spotted Gum	550		550	173	29.0	12.0	6.6	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20583	*Corymbia citriodora*	Spotted Gum	530		530	167	28.0	11.0	6.4	2.5	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20584	*Corymbia citriodora*	Spotted Gum	570		570	179	30.0	12.0	6.8	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20585	*Corymbia citriodora*	Spotted Gum	800		800	251	32.0	15.0	9.6	3.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20586	*Eucalyptus siderophloia*	Northern Grey Ironbark	620		620	195	28.0	10.0	7.4	2.7	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20587	*Corymbia citriodora*	Spotted Gum	350		350	110	23.0	7.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20588	*Eucalyptus siderophloia*	Northern Grey Ironbark	570		570	179	26.0	8.0	6.8	2.6	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20589	**DEAD/STAG**		390		390	123	19.0	7.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20590	*Eucalyptus siderophloia*	Northern Grey Ironbark	550		550	173	14.0	3.0	6.6	2.6	Regular	-	-	Die-back	Epicormic	Lopped	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
20591	*Corymbia citriodora*	Spotted Gum	380		380	119	16.0	2.0	4.6	2.2	Regular	-	-	Die-back	Epicormic	Lopped	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20592	*Corymbia citriodora*	Spotted Gum	430		430	135	25.0	10.0	5.2	2.3	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20593	*Corymbia citriodora*	Spotted Gum	400		400	126	20.0	8.0	4.8	2.3	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20594	*Eucalyptus moluccana*	Gum-topped Box	400		400	126	23.0	10.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20595	*Corymbia citriodora*	Spotted Gum	300		300	94	19.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20596	*Corymbia citriodora*	Spotted Gum	300		300	94	9.0	2.0	3.6	2.0	Regular	-	-	Die-back	Epicormic	Lopped	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20597	*Corymbia citriodora*	Spotted Gum	330		330	104	21.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20598	*Corymbia citriodora*	Spotted Gum	360		360	113	19.0	6.0	4.3	2.2	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20599	*Corymbia citriodora*	Spotted Gum	300		300	94	18.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20600	*Corymbia citriodora*	Spotted Gum	310		310	97	19.0	5.0	3.7	2.0	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20601	*Corymbia citriodora*	Spotted Gum	300		300	94	18.0	3.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20602	*Eucalyptus moluccana*	Gum-topped Box	330		330	104	16.0	6.0	4.0	2.1	Regular	-	-	Die-back	-	-	Typical	Minor	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
20603	*Corymbia citriodora*	Spotted Gum	400		400	126	28.0	9.0	4.8	2.3	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20604	*Corymbia citriodora*	Spotted Gum	360		360	113	26.0	9.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
20605	*Corymbia citriodora*	Spotted Gum	360		360	113	21.0	7.0	4.3	2.2	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20606	*Corymbia citriodora*	Spotted Gum	390		390	123	26.0	11.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20607	*Eucalyptus moluccana*	Gum-topped Box	490		490	154	29.0	13.0	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20608	*Corymbia citriodora*	Spotted Gum	310		310	97	17.0	6.0	3.7	2.0	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20609	*Corymbia citriodora*	Spotted Gum	330		330	104	22.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20610	*Corymbia citriodora*	Spotted Gum	330		330	104	22.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
20611	*Corymbia citriodora*	Spotted Gum	300		300	94	23.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20612	*Corymbia citriodora*	Spotted Gum	300		300	94	26.0	9.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20613	*Corymbia citriodora*	Spotted Gum	350		350	110	26.0	9.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
20614	**DEAD/STAG**		380		380	119	16.0	4.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20615	*Corymbia citriodora*	Spotted Gum	450		450	141	22.0	11.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20616	*Corymbia citriodora*	Spotted Gum	300		300	94	20.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20617	*Corymbia citriodora*	Spotted Gum	410		410	129	24.0	10.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20618	*Corymbia citriodora*	Spotted Gum	340		340	107	21.0	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20619	*Corymbia citriodora*	Spotted Gum	350		350	110	21.0	7.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
20620	*Corymbia citriodora*	Spotted Gum	300		300	94	22.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20621	**DEAD/STAG**		530		530	167	18.0	6.0	6.4	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20622	*Corymbia citriodora*	Spotted Gum	300		300	94	18.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20623	*Corymbia citriodora*	Spotted Gum	350		350	110	18.0	7.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20624	*Corymbia citriodora*	Spotted Gum	640		640	201	21.0	13.0	7.7	2.7	Regular	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
20625	*Corymbia citriodora*	Spotted Gum	450		450	141	22.0	8.0	5.4	2.4	Regular	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
20626	*Corymbia citriodora*	Spotted Gum	300		300	94	18.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20627	*Corymbia citriodora*	Spotted Gum	300		300	94	18.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20628	*Corymbia citriodora*	Spotted Gum	340		340	107	24.0	9.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20629	*Corymbia citriodora*	Spotted Gum	300		300	94	21.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20630	*Acacia disparrima*	Hickory Wattle	220	200, 180	348	109	9.0	6.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20631	*Acacia disparrima*	Hickory Wattle	370		370	116	9.0	7.0	4.4	2.2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20632	*Eucalyptus siderophloia*	Northern Grey Ironbark	310		310	97	16.0	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20633	*Eucalyptus siderophloia*	Northern Grey Ironbark	310		310	97	18.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20634	*Eucalyptus moluccana*	Gum-topped Box	300		300	94	18.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20635	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	18.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20636	*Eucalyptus siderophloia*	Northern Grey Ironbark	310		310	97	18.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20637	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	18.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20638	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	17.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20639	*Acacia disparrima*	Hickory Wattle	300	180	350	110	13.0	5.0	4.2	2.1	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20640	*Eucalyptus siderophloia*	Northern Grey Ironbark	370		370	116	18.0	7.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20641	*Acacia disparrima*	Hickory Wattle	300		300	94	14.0	6.0	3.6	2.0	Regular	-	Thinning	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
20642	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	18.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20643	*Eucalyptus siderophloia*	Northern Grey Ironbark	350		350	110	16.0	8.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20644	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	17.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20645	*Eucalyptus siderophloia*	Northern Grey Ironbark	290		290	91	17.0	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20646	*Acacia disparrima*	Hickory Wattle	310		310	97	12.0	5.0	3.7	2.0	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20647	*Acacia disparrima*	Hickory Wattle	200	170, 160	307	97	11.0	2.0	3.7	2.0	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20648	*Eucalyptus siderophloia*	Northern Grey Ironbark	350		350	110	18.0	8.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20649	*Acacia disparrima*	Hickory Wattle	330		330	104	13.0	7.0	4.0	2.1	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	

Specimen Details								Canopy Condition Details								Trunk Condition Details						Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
20650	*Acacia disparrima*	Hickory Wattle	300	94	300	94	10.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20651	*Eucalyptus siderophloia*	Northern Grey Ironbark	300	94	300	94	16.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20652	*Eucalyptus siderophloia*	Northern Grey Ironbark	300	94	300	94	18.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20653	*Acacia disparrima*	Hickory Wattle	320	101	320	101	10.0	7.0	3.6	2.0	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
20654	*Acacia disparrima*	Hickory Wattle	260	220	341	107	9.0	7.0	4.1	2.1	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20655	*Eucalyptus siderophloia*	Northern Grey Ironbark	300	94	300	94	17.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
20656	*Eucalyptus siderophloia*	Northern Grey Ironbark	850	267	850	267	27.0	11.0	10.2	3.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20657	*Eucalyptus siderophloia*	Northern Grey Ironbark	450	141	450	141	23.0	8.0	5.4	2.4	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20658	*Eucalyptus siderophloia*	Northern Grey Ironbark	350	110	350	110	21.0	7.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20659	*Eucalyptus siderophloia*	Northern Grey Ironbark	570	280	635	200	23.0	12.0	7.6	2.7	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20660	*Eucalyptus siderophloia*	Northern Grey Ironbark	300	94	300	94	17.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20661	*Eucalyptus siderophloia*	Northern Grey Ironbark	310	97	310	97	18.0	6.0	3.7	2.0	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20662	*Melaleuca hypnum*	Swamp Tea-tree	60	50, 40, 30	93	29	4.0	2.0	2.0	1.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20663	*Eucalyptus siderophloia*	Northern Grey Ironbark	300	94	300	94	17.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20664	*Eucalyptus siderophloia*	Northern Grey Ironbark	340	107	340	107	18.0	7.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20665	*Eucalyptus siderophloia*	Northern Grey Ironbark	300	94	300	94	18.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20666	*Corymbia intermedia*	Pink Bloodwood	320	101	320	101	17.0	5.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20667	*Eucalyptus siderophloia*	Northern Grey Ironbark	300	94	300	94	18.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20668	*Eucalyptus siderophloia*	Northern Grey Ironbark	250	200	320	101	17.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20669	*Eucalyptus siderophloia*	Northern Grey Ironbark	300	94	300	94	18.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20670	*Eucalyptus siderophloia*	Northern Grey Ironbark	300	94	300	94	18.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20671	*Eucalyptus siderophloia*	Northern Grey Ironbark	300	94	300	94	18.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20672	*Eucalyptus siderophloia*	Northern Grey Ironbark	300	94	300	94	18.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20673	*Eucalyptus siderophloia*	Northern Grey Ironbark	360	113	400	113	20.0	8.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20674	*Eucalyptus siderophloia*	Northern Grey Ironbark	700	220	700	220	28.0	13.0	8.4	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20675	*Eucalyptus siderophloia*	Northern Grey Ironbark	560	176	560	176	21.0	9.0	6.7	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20676	*Eucalyptus siderophloia*	Northern Grey Ironbark	590	185	590	185	29.0	14.0	7.1	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	large	1	-	-	-	Remove	
20677	*Eucalyptus siderophloia*	Northern Grey Ironbark	580	182	580	182	26.0	11.0	7.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20678	*Eucalyptus siderophloia*	Northern Grey Ironbark	550	173	550	173	27.0	12.0	6.6	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20679	**DEAD/STAG**		750	236	750	236	28.0	9.0	9.0	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
20680	*Eucalyptus siderophloia*	Northern Grey Ironbark	790	248	790	248	28.0	13.0	9.5	3.0	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20681	*Eucalyptus siderophloia*	Northern Grey Ironbark	330	104	330	104	18.0	6.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20682	*Acacia disparrima*	Hickory Wattle	470	148	470	148	9.0	8.0	5.6	2.4	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20683	*Eucalyptus siderophloia*	Northern Grey Ironbark	300	94	300	94	16.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20684	*Eucalyptus siderophloia*	Northern Grey Ironbark	300	94	300	94	17.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20685	*Eucalyptus siderophloia*	Northern Grey Ironbark	300	94	300	94	18.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20686	*Acacia disparrima*	Hickory Wattle	290	150	326	103	12.0	6.0	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20687	*Eucalyptus siderophloia*	Northern Grey Ironbark	300	94	300	94	16.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20688	*Eucalyptus siderophloia*	Northern Grey Ironbark	600	188	600	188	29.0	12.0	7.2	2.7	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20689	*Eucalyptus siderophloia*	Northern Grey Ironbark	570	430	714	224	28.0	10.0	8.6	2.9	Regular	-	Thinning	Die-back	Trunk Dmg.	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20690	*Eucalyptus siderophloia*	Northern Grey Ironbark	460	145	460	145	27.0	11.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20691	*Eucalyptus siderophloia*	Northern Grey Ironbark	310	97	310	97	19.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20692	*Eucalyptus siderophloia*	Northern Grey Ironbark	800	251	800	251	23.0	12.0	9.5	3.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20693	**DEAD/STAG**		600	188	600	188	20.0	7.0	7.2	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20694	*Eucalyptus siderophloia*	Northern Grey Ironbark	390	123	390	123	19.0	7.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20695	*Eucalyptus siderophloia*	Northern Grey Ironbark	300	94	300	94	20.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20696	*Eucalyptus siderophloia*	Northern Grey Ironbark	320	101	320	101	18.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20697	*Acacia disparrima*	Hickory Wattle	300	94	300	94	9.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20698	*Eucalyptus siderophloia*	Northern Grey Ironbark	290	91	290	91	17.0	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
20699	*Acacia disparrima*	Hickory Wattle	340	107	340	107	9.0	6.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20700	*Acacia disparrima*	Hickory Wattle	370	200	421	132	10.0	8.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (future works)	
20701	*Acacia disparrima*	Hickory Wattle	210	140	252	79	9.0	5.0	3.0	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20702	*Acacia disparrima*	Hickory Wattle	250	200, 110	339	106	9.0	6.0	4.1	2.1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20703	*Acacia disparrima*	Hickory Wattle	280	200, 160	379	119	10.0	6.0	4.6	2.2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20704	*Acacia disparrima*	Hickory Wattle	320	101	320	101	10.0	5.0	3.8	2.1	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20705	*Eucalyptus siderophloia*	Northern Grey Ironbark	300	94	300	94	17.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20706	*Angophora leiocarpa*	Rusty Gum	300	94	300	94	17.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20707	*Eucalyptus siderophloia*	Northern Grey Ironbark	300	94	300	94	16.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20708	*Angophora leiocarpa*	Rusty Gum	390	123	390	123	19.0	8.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20709	*Eucalyptus siderophloia*	Northern Grey Ironbark	330	104	330	104	16.0	6.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20710	*Melaleuca trhynna*	Swamp Tea-tree	250	110, 120, 90, 60, 60, 60	250	78	4.0	3.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20711	*Acacia disparrima*	Hickory Wattle	280	200, 160	379	119	10.0	6.0	4.6	2.2	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20712	*Acacia disparrima*	Hickory Wattle	300	94	300	94	10.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20713	*Eucalyptus siderophloia*	Northern Grey Ironbark	300	94	300	94	17.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20714	*Eucalyptus siderophloia*	Northern Grey Ironbark	320	101	320	101	17.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20715	*Eucalyptus siderophloia*	Northern Grey Ironbark	300	94	300	94	16.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20716	*Eucalyptus siderophloia*	Northern Grey Ironbark	400	176	400	176	16.0	8.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20717	*Eucalyptus siderophloia*	Northern Grey Ironbark	300	94	300	94	17.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	

Tree ID	Botanical Name	Common Name	Specimen Details									Canopy Condition Details								Trunk Condition Details				Fauna Details and Habitat Value							Retention	Additional Notes
			Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	
20718	**DEAD/STAG**		740		740	232	18.0	5.0	8.9	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	2	-	-	-	Remove	w/ fig
20719	*Acacia dispermina*	Hickory Wattle	400		400	126	11.0	7.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20720	*Acacia dispermina*	Hickory Wattle	210	190, 170, 150	363	114	8.0	6.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20721	*Acacia dispermina*	Hickory Wattle	390	250	463	146	10.0	7.0	5.6	2.4	Regular	-	Thinning	Die-back	-	-	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
20722	*Acacia dispermina*	Hickory Wattle	250	180	308	97	8.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20723	*Acacia dispermina*	Hickory Wattle	300	110	320	100	9.0	6.0	3.8	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20724	*Melaleuca irbygna*	Swamp Tea-tree	110	100, 90, 70, 60, 60, 50, 40, 30	217	68	4.0	3.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20725	*Melaleuca irbygna*	Swamp Tea-tree	10	10	14	4	1.0	1.0	2.0	0.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20726	**DEAD/STAG**		660	207	660	207	18.0	7.0	7.9	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20727	**DEAD/STAG**		580	182	580	182	15.0	3.0	7.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	2	-	-	-	Remove	
20728	*Acacia dispermina*	Hickory Wattle	200	190	276	87	9.0	6.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20729	*Acacia dispermina*	Hickory Wattle	250	190	314	99	10.0	7.0	3.8	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20730	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	16.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20731	*Acacia dispermina*	Hickory Wattle	240	150	283	89	9.0	4.0	3.4	1.9	Regular	-	Thinning	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
20732	*Angophora leiocarpa*	Rusty Gum	360		360	113	18.0	8.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20733	*Acacia dispermina*	Hickory Wattle	280	250, 180	416	131	11.0	8.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20734	*Angophora leiocarpa*	Rusty Gum	300		300	94	18.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20735	*Acacia dispermina*	Hickory Wattle	360		360	113	8.0	6.0	4.3	2.2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
20736	*Eucalyptus tereticornis*	Forest Red Gum	300		300	94	17.0	5.0	3.6	2.0	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20737	*Angophora leiocarpa*	Rusty Gum	420		420	132	19.0	7.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20738	*Eucalyptus siderophloia*	Northern Grey Ironbark	340		340	107	17.0	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20739	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	18.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20740	*Eucalyptus siderophloia*	Northern Grey Ironbark	370		370	116	19.0	7.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20741	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	18.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20742	*Eucalyptus tereticornis*	Forest Red Gum	300		300	94	17.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20743	*Eucalyptus siderophloia*	Northern Grey Ironbark	600		600	188	26.0	13.0	7.2	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20744	*Acacia dispermina*	Hickory Wattle	260	180	316	99	12.0	7.0	3.8	2.0	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
20745	*Eucalyptus siderophloia*	Northern Grey Ironbark	310		310	97	18.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20746	*Acacia dispermina*	Hickory Wattle	280	160	322	101	12.0	6.0	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20747	*Angophora leiocarpa*	Rusty Gum	360		360	113	20.0	8.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20748	*Acacia dispermina*	Hickory Wattle	330	104	330	104	18.0	6.0	4.0	2.1	Regular	-	-	Die-back	-	-	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
20749	*Eucalyptus siderophloia*	Northern Grey Ironbark	310		310	97	18.0	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20750	*Eucalyptus siderophloia*	Northern Grey Ironbark	330		330	104	18.0	6.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20751	*Eucalyptus siderophloia*	Northern Grey Ironbark	320		320	101	14.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20752	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	14.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20753	*Eucalyptus siderophloia*	Northern Grey Ironbark	360		360	113	17.0	9.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20754	*Eucalyptus siderophloia*	Northern Grey Ironbark	420		420	132	18.0	9.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20755	**DEAD/STAG**		420		420	132	19.0	7.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	3	-	-	-	Remove	
20756	*Acacia dispermina*	Hickory Wattle	300		300	94	12.0	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20757	*Acacia dispermina*	Hickory Wattle	300		300	94	12.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20758	*Acacia dispermina*	Hickory Wattle	230	230	325	102	11.0	7.0	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20759	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	17.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20760	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	19.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20761	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	17.0	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20762	*Eucalyptus siderophloia*	Northern Grey Ironbark	320		320	101	17.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20763	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	17.0	6.0	2.9	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20764	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	15.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20765	*Eucalyptus siderophloia*	Northern Grey Ironbark	530		530	167	19.0	12.0	6.4	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20766	*Melaleuca irbygna*	Swamp Tea-tree	100	80, 90, 70, 60, 70, 50	201	63	5.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20767	*Corymbia citriodora*	Spotted Gum	330		330	104	21.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20768	*Corymbia citriodora*	Spotted Gum	410		410	129	21.0	8.0	4.9	2.3	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20769	*Corymbia citriodora*	Spotted Gum	220		220	69	16.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20770	**DEAD/STAG**		620		620	195	18.0	7.0	7.4	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	5	-	-	-	Remove	
20771	*Corymbia citriodora*	Spotted Gum	660		660	207	26.0	14.0	7.9	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	0	-	-	-	Remove	
20772	*Corymbia citriodora*	Spotted Gum	700		700	220	29.0	14.0	8.4	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20773	**DEAD/STAG**		365	165	401	126	9.0	1.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	0	-	-	-	Remove	
20774	**DEAD/STAG**		490		490	154	9.0	3.0	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	4	-	Termite nest	-	Remove	
20775	*Eucalyptus siderophloia*	Northern Grey Ironbark	460		460	145	21.0	9.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	0	-	-	-	Remove	
20776	*Corymbia citriodora*	Spotted Gum	450		450	141	28.0	9.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20777	*Eucalyptus siderophloia*	Northern Grey Ironbark	310		310	97	20.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
20778	*Eucalyptus siderophloia*	Northern Grey Ironbark	810		810	254	32.0	15.0	9.7	3.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20779	*Corymbia citriodora*	Spotted Gum	510		510	160	24.0	9.0	6.1	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20780	*Eucalyptus siderophloia*	Northern Grey Ironbark	440		440	138	23.0	11.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
20781	*Corymbia citriodora*	Spotted Gum	410		410	129	23.0	8.0	4.9	2.3	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20782	*Corymbia citriodora*	Spotted Gum	370	200	421	132	23.0	9.0	5.0	2.3	Regular	-	-	-	-	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20783	*Corymbia citriodora*	Spotted Gum	590		590	185	28.0	13.0	7.1	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20784	*Corymbia citriodora*	Spotted Gum	510		510	160	26.0	7.0	6.1	2.5	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
20785	*Corymbia citriodora*	Spotted Gum	300		300	94	16.0	5.0	3.6	2.0	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	Trunk Dmg.	-	Poor	-	-	-	0	-	-	-	Remove	

Specimen Details								Canopy Condition Details								Trunk Condition Details								Fauna Details and Habitat Value									
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
Z0786	*Corymbia citriodora*	Spotted Gum	630	198	630	32.0	9.0	7.6	2.7	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
Z0787	*Eucalyptus siderophloia*	Northern Grey Ironbark	580	182	580	23.0	11.0	7.0	2.6	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
Z0788	*Corymbia citriodora*	Spotted Gum	290	91	290	20.0	8.0	3.5	2.0	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
Z0789	*Corymbia citriodora*	Spotted Gum	480	151	480	26.0	13.0	5.8	2.4	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
Z0790	*Eucalyptus siderophloia*	Northern Grey Ironbark	430	135	430	26.0	11.0	5.2	2.3	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
Z0791	*Corymbia citriodora*	Spotted Gum	560	176	560	26.0	11.0	6.7	2.6	Regular	-	Thinning	Die-back	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
Z0792	*Eucalyptus siderophloia*	Northern Grey Ironbark	340	107	340	15.0	9.0	4.1	2.1	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
Z0793	*Eucalyptus siderophloia*	Northern Grey Ironbark	390	123	390	18.0	7.0	4.7	2.2	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
Z0794	**DEAD/STAG**		310	220	380	18.0	2.0	4.6	2.2	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Termite nest	-	Remove	
Z0795	**DEAD/STAG**		320	101	320	17.0	4.0	3.8	2.1	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
Z0796	*Eucalyptus siderophloia*	Northern Grey Ironbark	330	104	330	21.0	9.0	4.0	2.1	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
Z0797	*Eucalyptus siderophloia*	Northern Grey Ironbark	370	116	370	25.0	9.0	4.4	2.2	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
Z0798	**DEAD/STAG**		320	101	320	18.0	5.0	3.8	2.1	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Termite nest	-	Remove	
Z0799	*Eucalyptus siderophloia*	Northern Grey Ironbark	240	75	240	18.0	5.0	2.9	1.8	Regular	-	Thinning	Die-back	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
Z0800	**DEAD/STAG**		580	182	580	23.0	8.0	7.0	2.6	Regular	-	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	Small	3	-	-	Remove	
Z0801	*Eucalyptus siderophloia*	Northern Grey Ironbark	280	88	280	17.0	8.0	3.4	1.9	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
Z0802	*Eucalyptus siderophloia*	Northern Grey Ironbark	275	86	275	13.0	7.0	3.3	1.9	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
Z0803	*Eucalyptus siderophloia*	Northern Grey Ironbark	280	88	280	12.0	7.0	3.4	1.9	Regular	-	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
Z0804	*Eucalyptus siderophloia*	Northern Grey Ironbark	740	232	740	28.0	14.0	8.9	2.9	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Termite nest	-	Remove	
Z0805	*Eucalyptus siderophloia*	Northern Grey Ironbark	790	248	790	29.0	14.0	9.5	3.0	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
Z0806	*Eucalyptus siderophloia*	Northern Grey Ironbark	320	300, 290, 260, 150, 100	614	193	12.0	14.0	7.4	2.7	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
Z0807	*Acacia disparrima*	Hickory Wattle	300	170, 140, 180	413	130	10.0	8.0	5.0	2.3	Regular	-	Thinning	Die-back	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
Z0808	*Acacia disparrima*	Hickory Wattle	500	270, 320, 300	718	226	12.0	12.0	8.4	2.9	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
Z0809	*Acacia disparrima*	Hickory Wattle	310	360, 270	546	172	10.0	12.0	6.6	2.6	Regular	-	Thinning	Die-back	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
Z0810	*Acacia disparrima*	Hickory Wattle	340	107	340	11.0	9.0	4.1	2.1	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
Z0811	*Acacia disparrima*	Hickory Wattle	330	220, 190, 160	468	147	9.0	12.0	5.6	2.4	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
Z0812	*Acacia disparrima*	Hickory Wattle	320	160, 145, 230	449	141	10.0	11.0	5.4	2.4	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
Z0813	*Acacia disparrima*	Hickory Wattle	300	94	300	9.0	9.0	3.6	2.0	Regular	-	Thinning	Die-back	-	-	-	Poor	Minor	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
Z0814	*Acacia disparrima*	Hickory Wattle	330	104	330	8.0	8.0	4.0	2.1	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
Z0815	*Acacia disparrima*	Hickory Wattle	480	151	480	10.0	12.0	5.8	2.4	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Small	-	Remove	
Z0816	*Acacia disparrima*	Hickory Wattle	330	104	330	10.0	8.0	4.0	2.1	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
Z0817	*Corymbia citriodora*	Spotted Gum	300	94	300	17.0	8.0	3.6	2.0	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
Z0818	*Acacia disparrima*	Hickory Wattle	490	154	490	10.0	10.0	5.9	2.5	Regular	-	Thinning	Die-back	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
Z0819	*Acacia disparrima*	Hickory Wattle	300	290, 210	467	147	10.0	7.0	5.6	2.4	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
Z0820	*Acacia disparrima*	Hickory Wattle	380	119	380	10.0	9.0	4.6	2.2	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
Z0821	*Acacia disparrima*	Hickory Wattle	320	162	515	10.0	11.0	6.2	2.5	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
Z0822	*Corymbia tessellaris*	Moreton Bay Ash	255	80	255	10.0	5.0	3.1	1.9	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
Z0823	*Acacia disparrima*	Hickory Wattle	410	176	560	10.0	12.0	6.7	2.6	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
Z0824	*Acacia disparrima*	Hickory Wattle	420	171	545	10.0	12.0	6.5	2.6	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
Z0825	*Acacia disparrima*	Hickory Wattle	330	126	402	11.0	9.0	4.8	2.3	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
Z0826	*Acacia disparrima*	Hickory Wattle	360	183	584	9.0	11.0	7.0	2.6	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
Z0827	*Acacia disparrima*	Hickory Wattle	450	173	552	9.0	11.0	6.6	2.6	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
Z0828	*Corymbia tessellaris*	Moreton Bay Ash	340	107	340	17.0	8.0	4.1	2.1	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
Z0829	*Acacia disparrima*	Hickory Wattle	470	148	470	10.0	10.0	5.6	2.4	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
Z0830	*Acacia disparrima*	Hickory Wattle	300	129	410	9.0	9.0	4.9	2.3	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
Z0831	*Acacia disparrima*	Hickory Wattle	300	260	397	125	9.0	7.0	4.8	2.2	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
Z0832	*Acacia disparrima*	Hickory Wattle	320	260, 220, 300, 210	594	187	9.0	10.0	7.1	2.7	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
Z0833	*Acacia disparrima*	Hickory Wattle	300	280, 260, 160, 200	549	173	9.0	11.0	6.6	2.6	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
Z0834	*Eucalyptus siderophloia*	Northern Grey Ironbark	285	90	285	16.0	7.0	3.4	2.0	Regular	-	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	Termite nest	-	Remove	
Z0835	*Acacia disparrima*	Hickory Wattle	290	280, 200, 180	485	152	9.0	9.0	5.8	2.4	Regular	-	Thinning	Die-back	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
Z0836	*Eucalyptus siderophloia*	Northern Grey Ironbark	235	74	235	14.0	6.0	2.8	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
Z0837	*Eucalyptus moluccana*	Gum-topped Box	255	80	255	18.0	7.0	3.1	1.9	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
Z0838	*Eucalyptus siderophloia*	Northern Grey Ironbark	360	113	360	19.0	8.0	4.3	2.2	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
Z0839	*Eucalyptus siderophloia*	Northern Grey Ironbark	470	148	470	22.0	9.0	5.6	2.4	Regular	-	Thinning	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
Z0840	*Eucalyptus siderophloia*	Northern Grey Ironbark	380	119	380	19.0	7.0	4.6	2.2	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
Z0841	*Eucalyptus siderophloia*	Northern Grey Ironbark	280	88	280	17.0	7.0	3.4	1.9	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
Z0842	*Eucalyptus siderophloia*	Northern Grey Ironbark	280	88	280	19.0	8.0	3.4	1.9	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
Z0843	*Eucalyptus siderophloia*	Northern Grey Ironbark	260	82	260	17.0	8.0	3.1	1.9	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
Z0844	*Eucalyptus siderophloia*	Northern Grey Ironbark	260	82	260	17.0	6.0	3.1	1.9	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
Z0845	*Eucalyptus siderophloia*	Northern Grey Ironbark	270	85	270	16.0	7.0	3.2	1.9	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
Z0846	*Eucalyptus siderophloia*	Northern Grey Ironbark	240	75	240	13.0	6.0	2.9	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
Z0847	*Eucalyptus siderophloia*	Northern Grey Ironbark	240	75	240	17.0	7.0	2.9	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
Z0848	*Eucalyptus siderophloia*	Northern Grey Ironbark	260	82	260	14.0	7.0	3.1	1.9	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
Z0849	*Eucalyptus siderophloia*	Northern Grey Ironbark	485	152	485	19.0	11.0	5.8	2.4	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
Z0850	*Eucalyptus siderophloia*	Northern Grey Ironbark	455	143	455	23.0	11.0	5.5	2.4	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
Z0851	*Eucalyptus siderophloia*	Northern Grey Ironbark	320	101	320	19.0	7.0	3.8	2.1	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
Z0852	*Eucalyptus siderophloia*	Northern Grey Ironbark	260	82	260	17.0	7.0	3.1	1.9	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
Z0853	*Eucalyptus siderophloia*	Northern Grey Ironbark	270	85	270	17.0	6.0	3.2	1.9	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	

Specimen Details								Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value							
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
20854	Eucalyptus siderophloia	Northern Grey Ironbark	260		260	82	17.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
20855	Corymbia intermedia	Pink Bloodwood	265		265	83	16.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
20856	Eucalyptus siderophloia	Northern Grey Ironbark	265		265	83	17.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
20857	Eucalyptus siderophloia	Northern Grey Ironbark	265		265	83	17.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
20858	Eucalyptus siderophloia	Northern Grey Ironbark	300		300	94	18.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
20859	Eucalyptus tereticornis	Northern Grey Ironbark	295		295	93	17.0	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
20860	Eucalyptus siderophloia	Northern Grey Ironbark	260		260	82	17.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
20861	Eucalyptus siderophloia	Northern Grey Ironbark	260		260	82	16.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
20862	Corymbia intermedia	Pink Bloodwood	255		255	80	13.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
20863	Acacia disparrima	Hickory Wattle	310		310	97	9.0	9.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
20864	Eucalyptus siderophloia	Northern Grey Ironbark	530		530	167	19.0	12.0	6.4	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
20865	Eucalyptus siderophloia	Northern Grey Ironbark	620		620	195	19.0	12.0	7.4	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
20866	Eucalyptus siderophloia	Northern Grey Ironbark	500		500	157	20.0	9.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
20867	Eucalyptus siderophloia	Northern Grey Ironbark	400		400	126	19.0	7.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
20868	Acacia disparrima	Hickory Wattle	480		480	151	10.0	10.0	5.8	2.4	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
20869	Eucalyptus siderophloia	Northern Grey Ironbark	320		320	101	13.0	8.0	3.8	2.1	Regular	-	-	-	-	Lopped	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
20870	Eucalyptus siderophloia	Northern Grey Ironbark	300		300	94	17.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
20871	Eucalyptus siderophloia	Northern Grey Ironbark	270		270	85	17.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
20872	Eucalyptus siderophloia	Northern Grey Ironbark	350		350	110	17.0	5.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
20873	Eucalyptus siderophloia	Northern Grey Ironbark	300		300	94	17.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
20874	Eucalyptus siderophloia	Northern Grey Ironbark	480		480	151	20.0	9.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
20875	Eucalyptus tereticornis	Forest Red Gum	300		300	94	18.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
20876	Eucalyptus tereticornis	Forest Red Gum	220		220	69	17.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
20877	Eucalyptus siderophloia	Northern Grey Ironbark	320		320	101	17.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove
20878	Eucalyptus tereticornis	Forest Red Gum	320		320	101	18.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
20879	Eucalyptus tereticornis	Forest Red Gum	280		280	88	19.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
20880	Eucalyptus siderophloia	Northern Grey Ironbark	330		330	104	19.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
20881	Eucalyptus siderophloia	Northern Grey Ironbark	400		400	126	22.0	9.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
20882	Eucalyptus siderophloia	Northern Grey Ironbark	330		330	104	22.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove
20883	Eucalyptus siderophloia	Northern Grey Ironbark	420		420	132	17.0	8.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
20884	Eucalyptus tereticornis	Forest Red Gum	280		280	88	17.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
20885	Eucalyptus siderophloia	Northern Grey Ironbark	360		360	113	17.0	8.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove
20886	Eucalyptus tereticornis	Forest Red Gum	285		285	90	17.0	7.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
20887	Eucalyptus tereticornis	Forest Red Gum	285		285	90	17.0	7.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
20888	Eucalyptus tereticornis	Forest Red Gum	720		720	226	32.0	14.0	8.6	2.9	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
20889	Corymbia intermedia	Pink Bloodwood	460		460	145	24.0	9.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
20890	Eucalyptus siderophloia	Northern Grey Ironbark	400		400	126	23.0	9.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	Large	-	-	Remove
20891	Eucalyptus tereticornis	Forest Red Gum	680		680	214	22.0	14.0	8.2	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
20892	Eucalyptus siderophloia	Northern Grey Ironbark	420		420	132	21.0	9.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove
20893	Eucalyptus tereticornis	Forest Red Gum	470		470	148	19.0	10.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
20894	Eucalyptus tereticornis	Forest Red Gum	460		460	145	19.0	11.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
20895	Corymbia citriodora	Spotted Gum	470		470	148	22.0	9.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
20896	Eucalyptus siderophloia	Northern Grey Ironbark	300	200	361	113	18.0	7.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
20897	Eucalyptus siderophloia	Northern Grey Ironbark	330		330	104	19.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove
20898	Eucalyptus tereticornis	Forest Red Gum	320		320	101	18.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
20899	Corymbia intermedia	Pink Bloodwood	260		260	82	13.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
20900	Eucalyptus siderophloia	Northern Grey Ironbark	295		295	93	20.0	6.0	3.5	2.0	Regular	-	-	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
20901	Eucalyptus tereticornis	Forest Red Gum	255		255	80	17.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
20902	Eucalyptus siderophloia	Northern Grey Ironbark	260		260	82	17.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
20903	Corymbia citriodora	Spotted Gum	280		280	88	19.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
20904	Corymbia citriodora	Spotted Gum	285		285	90	19.0	7.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
20905	Corymbia citriodora	Spotted Gum	260		260	82	19.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
20906	Eucalyptus tereticornis	Forest Red Gum	265		265	83	17.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
20907	Corymbia citriodora	Spotted Gum	285		285	90	18.0	7.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
20908	Corymbia citriodora	Spotted Gum	360		360	113	24.0	8.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
20909	Eucalyptus siderophloia	Northern Grey Ironbark	300		300	94	17.0	9.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
20910	Corymbia tessellaris	Moreton Bay Ash	270		270	85	17.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
20911	Acacia disparrima	Hickory Wattle	410		527	166	11.0	12.0	6.3	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
20912	Melaleuca irbyana	Swamp Tea-tree	100	50	112	35	5.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
20913	Eucalyptus siderophloia	Northern Grey Ironbark	580		580	182	19.0	9.0	7.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (future works)
20914	Eucalyptus siderophloia	Northern Grey Ironbark	420		420	132	18.0	8.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
20915	Eucalyptus siderophloia	Northern Grey Ironbark	220		220	69	13.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
20916	Eucalyptus siderophloia	Northern Grey Ironbark	355		355	112	19.0	8.0	4.3	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
20917	Eucalyptus siderophloia	Northern Grey Ironbark	330		330	104	19.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove
20918	Eucalyptus siderophloia	Northern Grey Ironbark	320		320	101	17.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
20919	Eucalyptus siderophloia	Northern Grey Ironbark	380		380	119	18.0	8.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
20920	Eucalyptus siderophloia	Northern Grey Ironbark	320		320	101	20.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
20921	Eucalyptus siderophloia	Northern Grey Ironbark	300		300	94	18.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove

	Specimen Details								Canopy Condition Details							Trunk Condition Details				Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
20922	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	19.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
20923	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	17.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
20924	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	17.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
20925	*Eucalyptus siderophloia*	Northern Grey Ironbark	320		320	101	18.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
20926	*Eucalyptus siderophloia*	Northern Grey Ironbark	340		340	107	19.0	7.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
20927	*Eucalyptus siderophloia*	Northern Grey Ironbark	290		290	91	18.0	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
20928	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	18.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
20929	*Eucalyptus siderophloia*	Northern Grey Ironbark	290		290	91	19.0	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
20930	*Eucalyptus siderophloia*	Northern Grey Ironbark	320		320	101	18.0	9.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (future works)
20931	*Acacia disparrima*	Hickory Wattle	280		280	88	10.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (future works)
20932	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	14.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
20933	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	15.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
20934	*Acacia disparrima*	Hickory Wattle	230	240, 110	350	110	10.0	7.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
20935	*Eucalyptus siderophloia*	Northern Grey Ironbark	360		360	113	19.0	7.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
20936	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	18.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
20937	*Eucalyptus siderophloia*	Northern Grey Ironbark	275		275	86	17.0	6.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
20938	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	16.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove
20939	*Melaleuca irbygna*	Swamp Tea-tree	160		160	50	6.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
20940	*Eucalyptus siderophloia*	Northern Grey Ironbark	330		330	104	20.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
20941	*Eucalyptus siderophloia*	Northern Grey Ironbark	320		320	101	18.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
20942	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	13.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
20943	*Melaleuca irbygna*	Swamp Tea-tree	230	170	286	90	7.0	6.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
20944	*Eucalyptus siderophloia*	Northern Grey Ironbark	420		420	132	20.0	8.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
20945	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	16.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
20946	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	15.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
20947	*Eucalyptus siderophloia*	Northern Grey Ironbark	350		350	110	19.0	8.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
20948	*Eucalyptus siderophloia*	Northern Grey Ironbark	285		285	90	12.0	5.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove
20949	*Eucalyptus siderophloia*	Northern Grey Ironbark	340		340	107	17.0	7.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
20950	*Eucalyptus siderophloia*	Northern Grey Ironbark	470		470	148	19.0	8.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
20951	*Eucalyptus siderophloia*	Northern Grey Ironbark	310		310	97	18.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
20952	*Eucalyptus siderophloia*	Northern Grey Ironbark	360		360	113	18.0	9.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
20953	*Eucalyptus siderophloia*	Northern Grey Ironbark	340		340	107	17.0	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
20954	*Corymbia tessellaris*	Moreton Bay Ash	230		230	72	16.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
20955	*Acacia disparrima*	Hickory Wattle	380		380	119	10.0	9.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
20956	*Acacia disparrima*	Hickory Wattle	340	260	428	134	9.0	9.0	5.1	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
20957	*Eucalyptus siderophloia*	Northern Grey Ironbark	360		360	113	19.0	7.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
20958	*Eucalyptus tereticornis*	Forest Red Gum	395		395	124	19.0	11.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
20959	*Eucalyptus siderophloia*	Northern Grey Ironbark	310		310	97	19.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
20960	*Eucalyptus siderophloia*	Northern Grey Ironbark	380		380	119	18.0	8.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
20961	*Eucalyptus siderophloia*	Northern Grey Ironbark	340		340	107	17.0	7.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
20962	*Eucalyptus siderophloia*	Northern Grey Ironbark	330		330	104	17.0	9.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
20963	*Eucalyptus siderophloia*	Northern Grey Ironbark	320		320	101	17.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
20964	*Acacia disparrima*	Hickory Wattle	510		510	160	10.0	10.0	6.1	2.5	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	0	-	-	-	Remove
20965	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	17.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
20966	*Eucalyptus tereticornis*	Forest Red Gum	420		420	132	18.0	8.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
20967	*Eucalyptus siderophloia*	Northern Grey Ironbark	310		310	97	16.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
20968	*Corymbia intermedia*	Pink Bloodwood	375		375	118	19.0	9.0	4.5	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
20969	*Corymbia intermedia*	Pink Bloodwood	424	200, 130	424	133	17.0	9.0	5.1	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
20970	*Corymbia intermedia*	Pink Bloodwood	345		345	108	15.0	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove
20971	*Acacia disparrima*	Hickory Wattle	280	260, 150, 30	412	129	9.0	7.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
20972	*Acacia disparrima*	Hickory Wattle	380	220	439	138	9.0	8.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
20973	*Acacia disparrima*	Hickory Wattle	300	94	300	94	9.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	0	-	-	-	Remove
20974	*Corymbia citriodora*	Spotted Gum	430		430	135	22.0	9.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
20975	*Corymbia citriodora*	Spotted Gum	260		260	82	18.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
20976	*Acacia disparrima*	Hickory Wattle	440	320	544	171	9.0	9.0	6.5	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
20977	*Eucalyptus siderophloia*	Northern Grey Ironbark	330		330	104	19.0	9.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
20978	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	15.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
20979	**DEAD/STAG**		290		290	91	22.0	5.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove
20980	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	19.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
20981	*Eucalyptus siderophloia*	Northern Grey Ironbark	430		430	135	23.0	11.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
20982	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	20.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
20983	*Eucalyptus siderophloia*	Northern Grey Ironbark	370		370	116	25.0	9.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
20984	*Eucalyptus siderophloia*	Northern Grey Ironbark	265		265	83	18.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
20985	*Eucalyptus siderophloia*	Northern Grey Ironbark	385		385	121	23.0	8.0	4.6	2.2	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
20986	*Eucalyptus siderophloia*	Northern Grey Ironbark	430		430	135	21.0	8.0	5.2	2.3	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
20987	*Eucalyptus siderophloia*	Northern Grey Ironbark	285		285	90	21.0	7.0	3.4	2.0	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
20988	*Eucalyptus siderophloia*	Northern Grey Ironbark	460		460	145	25.0	9.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	0	-	-	-	Remove
20989	*Eucalyptus siderophloia*	Northern Grey Ironbark	400		400	126	25.0	9.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
Z1099O	*Eucalyptus siderophloia*	Northern Grey Ironbark	Z70		270	85	21.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z1099I	*Eucalyptus siderophloia*	Northern Grey Ironbark	Z65		365	115	25.0	9.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z1099Z	*Eucalyptus siderophloia*	Northern Grey Ironbark	Z60		260	82	21.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z1099S	*Eucalyptus siderophloia*	Northern Grey Ironbark	Z85		285	90	21.0	6.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove
Z1099H	*Eucalyptus siderophloia*	Northern Grey Ironbark	Z70		370	116	22.0	7.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z1099G	*Eucalyptus siderophloia*	Northern Grey Ironbark	Z20		520	163	26.0	12.0	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z1099F	*Melaleuca trbyana*	Swamp Tea-tree	Z20	120, 120, 120	240	75	6.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z1099W	*Melaleuca trbyana*	Swamp Tea-tree	Z20		170	53	6.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z1099B	*Eucalyptus siderophloia*	Northern Grey Ironbark	Z00	200	283	89	12.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z1099I	*Eucalyptus siderophloia*	Northern Grey Ironbark	Z20		320	101	14.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z1100O	*Eucalyptus siderophloia*	Northern Grey Ironbark	Z00		300	94	18.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z1100I	*Acacia disparrima*	Hickory Wattle	Z80	300	484	152	11.0	9.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z1100Z	*Acacia disparrima*	Hickory Wattle	Z65		365	115	9.0	9.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z1100J	*Eucalyptus siderophloia*	Northern Grey Ironbark	Z85		285	90	17.0	8.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z1100H	*Eucalyptus siderophloia*	Northern Grey Ironbark	Z70		270	85	16.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove
Z1100G	*Eucalyptus siderophloia*	Northern Grey Ironbark	Z60		360	113	19.0	9.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z1100E	*Eucalyptus siderophloia*	Northern Grey Ironbark	Z65		265	83	17.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z1100C	*Eucalyptus siderophloia*	Northern Grey Ironbark	Z00		300	94	20.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove
Z1100B	*Eucalyptus siderophloia*	Northern Grey Ironbark	Z20		320	101	17.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z1101O	*Eucalyptus siderophloia*	Northern Grey Ironbark	Z80		280	88	17.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z1101I	*Eucalyptus siderophloia*	Northern Grey Ironbark	Z80		380	119	18.0	8.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove
Z1101E	*Eucalyptus siderophloia*	Northern Grey Ironbark	Z90		290	91	17.0	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove
Z1101B	*Eucalyptus siderophloia*	Northern Grey Ironbark	Z00		300	94	17.0	9.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z1101N	*Eucalyptus siderophloia*	Northern Grey Ironbark	Z65		265	83	17.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z1101K	*Eucalyptus siderophloia*	Northern Grey Ironbark	Z35		235	74	17.0	8.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z1101G	*Eucalyptus siderophloia*	Northern Grey Ironbark	Z70		270	85	16.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z1101C	*Eucalyptus siderophloia*	Northern Grey Ironbark	Z50		250	79	16.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z1100Y	*Eucalyptus siderophloia*	Northern Grey Ironbark	Z50		250	79	16.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z1101H	*Eucalyptus siderophloia*	Northern Grey Ironbark	Z40		240	75	16.0	6.0	3.1	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z1101Y	*Eucalyptus siderophloia*	Northern Grey Ironbark	Z40		240	107	16.0	6.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z1102O	*Eucalyptus siderophloia*	Northern Grey Ironbark	Z50		250	79	16.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z1102I	*Eucalyptus siderophloia*	Northern Grey Ironbark	Z40		240	107	16.0	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z1102E	*Angophora leiocarpa*	Rusty Gum	Z90		290	91	16.0	9.0	3.5	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z1102B	*Angophora leiocarpa*	Rusty Gum	Z80		280	88	16.0	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z1102N	*Angophora leiocarpa*	Rusty Gum	Z90		290	91	17.0	8.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z1102K	*Angophora leiocarpa*	Rusty Gum	Z70		270	85	17.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z1102G	*Angophora leiocarpa*	Rusty Gum	Z60		260	82	16.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z1102C	*Eucalyptus siderophloia*	Northern Grey Ironbark	Z50		250	79	16.0	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z1102Y	*Eucalyptus siderophloia*	Northern Grey Ironbark	Z30		230	72	15.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z1102H	*Eucalyptus siderophloia*	Northern Grey Ironbark	Z60		260	82	16.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z1102E	*Eucalyptus siderophloia*	Northern Grey Ironbark	Z10		410	129	18.0	11.0	4.9	2.3	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove
Z1103O	*Eucalyptus siderophloia*	Northern Grey Ironbark	Z30		330	104	16.0	8.0	4.0	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z1103I	*Eucalyptus siderophloia*	Northern Grey Ironbark	Z70		570	179	18.0	11.0	6.8	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z1103E	*Angophora leiocarpa*	Rusty Gum	Z70		270	85	9.0	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z1103B	*Eucalyptus malticcana*	Gum-topped Box	Z00		300	94	18.0	11.0	3.6	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Trunk Dmg.	-	-	-	0	-	-	-	Remove
Z1103N	*Acacia disparrima*	Hickory Wattle	Z90	210	358	112	9.0	7.0	4.3	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Trunk Dmg.	-	-	-	0	-	-	-	Remove
Z1103K	*Acacia disparrima*	Hickory Wattle	Z80		280	88	9.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z1103G	*Eucalyptus siderophloia*	Northern Grey Ironbark	Z80		280	88	16.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z1103C	*Eucalyptus siderophloia*	Northern Grey Ironbark	Z20		320	101	16.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z1103B	*Eucalyptus siderophloia*	Northern Grey Ironbark	Z80		280	88	16.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z1103Y	*Eucalyptus siderophloia*	Northern Grey Ironbark	Z80		380	119	17.0	14.0	4.6	2.2	Regular	-	-	Die-back	-	-	Typical	-	Introduced	-	-	Typical	-	-	-	0	-	-	-	Remove
Z1104O	*Eucalyptus siderophloia*	Northern Grey Ironbark	Z80		380	119	18.0	7.0	4.6	2.2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z1104I	*Eucalyptus siderophloia*	Northern Grey Ironbark	Z50		250	79	16.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z1104E	*Acacia disparrima*	Hickory Wattle	Z20	210	304	96	9.0	6.0	3.6	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z1104B	*Acacia disparrima*	Hickory Wattle	Z40		240	75	9.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z1104N	*Acacia disparrima*	Hickory Wattle	Z10	200	290	91	8.0	5.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z1104K	*Acacia disparrima*	Hickory Wattle	Z40	230	332	104	8.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z1104G	*Eucalyptus siderophloia*	Northern Grey Ironbark	Z40		340	107	14.0	6.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z1104C	*Acacia disparrima*	Hickory Wattle	Z50	180, 180, 120	376	118	8.0	6.0	4.5	2.2	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z1104B	*Acacia disparrima*	Hickory Wattle	Z50	230, 160	375	118	7.0	8.0	4.5	2.2	Regular	-	-	Die-back	-	-	Typical	-	-	-	Trunk Dmg.	-	-	-	-	0	-	-	-	Remove
Z1104Y	*Eucalyptus siderophloia*	Northern Grey Ironbark	Z30		330	104	17.0	11.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z1105O	*Eucalyptus siderophloia*	Northern Grey Ironbark	Z90		290	91	16.0	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z1105I	*Eucalyptus siderophloia*	Northern Grey Ironbark	Z80		280	88	11.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z1105E	*Eucalyptus siderophloia*	Northern Grey Ironbark	Z20		320	101	19.0	9.0	3.8	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z1105B	*Eucalyptus siderophloia*	Northern Grey Ironbark	Z30		330	104	16.0	6.0	4.0	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	Trunk Dmg.	-	-	-	-	0	-	-	-	Remove
Z1105N	*Eucalyptus siderophloia*	Northern Grey Ironbark	Z00		300	94	15.0	7.0	3.6	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove
Z1105K	*Eucalyptus siderophloia*	Northern Grey Ironbark	Z60		260	82	15.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z1105G	*Eucalyptus siderophloia*	Northern Grey Ironbark	Z20	101	320	101	16.0	7.0	3.8	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z1105C	*Eucalyptus siderophloia*	Northern Grey Ironbark	Z50	79	250	79	16.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z1105Y	*Eucalyptus siderophloia*	Northern Grey Ironbark	Z50		250	79	16.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z1106H	*Eucalyptus siderophloia*	Northern Grey Ironbark	Z70		270	85	16.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z1106E	*Eucalyptus siderophloia*	Northern Grey Ironbark	Z40	107	340	107	16.0	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z1106B	*Eucalyptus siderophloia*	Northern Grey Ironbark	Z50	79	250	79	16.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z1106N	*Eucalyptus siderophloia*	Northern Grey Ironbark	Z60	91	290	91	16.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z1106K	*Eucalyptus siderophloia*	Northern Grey Ironbark	Z35		235	74	17.0	8.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z1106G	*Eucalyptus siderophloia*	Northern Grey Ironbark	Z65	83	265	83	17.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z1106C	*Eucalyptus siderophloia*	Northern Grey Ironbark	Z00	94	300	94	17.0	9.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z1106B	*Eucalyptus siderophloia*	Northern Grey Ironbark	Z90	91	290	91	17.0	8.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z1106Y	*Eucalyptus siderophloia*	Northern Grey Ironbark	Z80	88	280	88	17.0	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z1107O	*Eucalyptus siderophloia*	Northern Grey Ironbark	Z80	88	280	88	17.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z1107I	*Eucalyptus siderophloia*	Northern Grey Ironbark	Z80	119	380	119	18.0	8.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove
Z1107E	*Eucalyptus siderophloia*	Northern Grey Ironbark	Z70	85	270	85	16.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove
Z1107B	*Eucalyptus siderophloia*	Northern Grey Ironbark	Z80	119	380	119	19.0	9.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z1107N	*Eucalyptus siderophloia*	Northern Grey Ironbark	Z00	94	300	94	20.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove
Z1107K	*Eucalyptus siderophloia*	Northern Grey Ironbark	Z20	101	320	101	17.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z1107G	*Eucalyptus siderophloia*	Northern Grey Ironbark	Z80	88	280	88	17.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z1107C	*Eucalyptus siderophloia*	Northern Grey Ironbark	Z80	119	380	119	18.0	8.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z1107B	*Eucalyptus siderophloia*	Northern Grey Ironbark	Z90	91	290	91	17.0	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove
Z1107Y	*Eucalyptus siderophloia*	Northern Grey Ironbark	Z50	79	250	79	16.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z1108O	*Eucalyptus siderophloia*	Northern Grey Ironbark	Z50	79	250	79	16.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z1108I	*Eucalyptus siderophloia*	Northern Grey Ironbark	Z40	107	340	107	16.0	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z1108E	*Eucalyptus siderophloia*	Northern Grey Ironbark	Z50	79	250	79	16.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z1108B	*Eucalyptus siderophloia*	Northern Grey Ironbark	Z60	91	290	91	16.0	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z1108N	*Eucalyptus siderophloia*	Northern Grey Ironbark	Z70	85	270	85	16.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z1108K	*Eucalyptus siderophloia*	Northern Grey Ironbark	Z35	74	235	74	16.0	8.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z1108G	*Eucalyptus siderophloia*	Northern Grey Ironbark	Z65	83	265	83	16.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z1108C	*Eucalyptus siderophloia*	Northern Grey Ironbark	Z00	94	300	94	16.0	9.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z1108B	*Eucalyptus siderophloia*	Northern Grey Ironbark	Z90	91	290	91	16.0	8.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z1108Y	*Eucalyptus siderophloia*	Northern Grey Ironbark	Z80	88	280	88	16.0	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z1109O	*Eucalyptus siderophloia*	Northern Grey Ironbark	Z80	88	280	88	16.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z1109I	*Eucalyptus siderophloia*	Northern Grey Ironbark	Z80	119	380	119	18.0	8.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove
Z1109E	*Eucalyptus siderophloia*	Northern Grey Ironbark	Z70	85	270	85	16.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove
Z1109B	*Eucalyptus siderophloia*	Northern Grey Ironbark	Z80	119	380	119	19.0	9.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z1109N	*Eucalyptus siderophloia*	Northern Grey Ironbark	Z00	94	300	94	20.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove
Z1109K	*Eucalyptus siderophloia*	Northern Grey Ironbark	Z20	101	320	101	17.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z1109G	*Eucalyptus siderophloia*	Northern Grey Ironbark	Z80	88	280	88	17.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z1109C	*Eucalyptus siderophloia*	Northern Grey Ironbark	Z80	119	380	119	18.0	8.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z1109B	*Eucalyptus siderophloia*	Northern Grey Ironbark	Z90	91	290	91	16.0	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove
Z1109Y	*Eucalyptus siderophloia*	Northern Grey Ironbark	Z50	79	250	79	16.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z1110O	*Eucalyptus siderophloia*	Northern Grey Ironbark	Z50	79	250	79	16.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z1110I	*Eucalyptus siderophloia*	Northern Grey Ironbark	Z40	107	340	107	16.0	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z1110E	*Angophora leiocarpa*	Rusty Gum	Z90	91	290	91	16.0	9.0	3.5	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z1110B	*Eucalyptus siderophloia*	Northern Grey Ironbark	Z65		365	115	25.0	9.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z1110N	*Eucalyptus siderophloia*	Northern Grey Ironbark	Z60		260	82	21.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z1110K	*Eucalyptus siderophloia*	Northern Grey Ironbark	Z85		285	90	21.0	6.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove
Z1110G	*Eucalyptus siderophloia*	Northern Grey Ironbark	Z70		370	116	22.0	7.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z1110C	*Eucalyptus siderophloia*	Northern Grey Ironbark	Z20		520	163	26.0	12.0	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z1110B	*Melaleuca trbyana*	Swamp Tea-tree	Z20	120, 120, 120	240	75	6.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z1110W	*Melaleuca trbyana*	Swamp Tea-tree	Z20		170	53	6.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z1110Y	*Eucalyptus siderophloia*	Northern Grey Ironbark	Z00	200	283	89	12.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z1111O	*Eucalyptus siderophloia*	Northern Grey Ironbark	Z20		320	101	14.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z1111I	*Eucalyptus siderophloia*	Northern Grey Ironbark	Z30		300	94	18.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z1111E	*Acacia disparrima*	Hickory Wattle	Z80	300	484	152	11.0	9.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z1111B	*Acacia disparrima*	Hickory Wattle	Z65		365	115	9.0	9.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z1111N	*Eucalyptus siderophloia*	Northern Grey Ironbark	Z

Specimen Details								Canopy Condition Details								Trunk Condition Details								Fauna Details and Habitat Value									
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
21058	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	17.0	9.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21059	*Eucalyptus siderophloia*	Northern Grey Ironbark	360		360	113	16.0	10.0	4.3	2.2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
21060	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	17.0	9.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21061	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	17.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21062	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	14.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21063	*Acacia disparrima*	Hickory Wattle	250		354	111	7.0	4.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21064	*Acacia concurrens*	Black Wattle	240		240	75	6.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21065	*Acacia disparrima*	Hickory Wattle	230	200	305	96	6.0	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21066	*Eucalyptus siderophloia*	Northern Grey Ironbark	290		290	91	15.0	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21067	*Acacia disparrima*	Hickory Wattle	200		200	63	8.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21068	*Acacia disparrima*	Hickory Wattle	260		260	82	7.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21069	*Acacia disparrima*	Hickory Wattle	260		260	82	8.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21070	*Acacia disparrima*	Hickory Wattle	180	150	234	74	7.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21071	*Acacia concurrens*	Black Wattle	200		200	63	6.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21072	*Acacia concurrens*	Black Wattle	210		210	66	5.0	5.0	2.5	1.7	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21073	*Acacia disparrima*	Hickory Wattle	310	280	418	131	8.0	7.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21074	*Acacia disparrima*	Hickory Wattle	320		320	101	8.0	5.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21075	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	10.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21076	*Acacia disparrima*	Hickory Wattle	220	220, 170	355	111	9.0	7.0	4.3	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21077	*Acacia disparrima*	Hickory Wattle	270		270	85	10.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21078	*Acacia disparrima*	Hickory Wattle	420		420	132	8.0	5.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21079	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	14.0	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21080	*Eucalyptus siderophloia*	Northern Grey Ironbark	480		480	151	12.0	7.0	5.8	2.4	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21081	*Eucalyptus siderophloia*	Northern Grey Ironbark	430		430	135	19.0	9.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	Introduced	-	-	Typical	-	-	-	0	-	-	-	Remove	
21082	*Acacia concurrens*	Black Wattle	240		240	75	7.0	5.0	2.9	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21083	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	16.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21084	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	17.0	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21085	*Acacia disparrima*	Hickory Wattle	290	190, 150	378	119	7.0	6.0	4.5	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21086	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	14.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21087	**DEAD/STAG**		360	190	407	128	9.0	3.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	2	-	-	-	Remove	2 chimney hollows
21088	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	15.0	6.0	3.1	1.9	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21089	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	17.0	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21090	*Acacia disparrima*	Hickory Wattle	220	190	291	91	9.0	8.0	3.5	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21091	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	16.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21092	*Acacia disparrima*	Hickory Wattle	290		290	91	9.0	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21093	*Acacia disparrima*	Hickory Wattle	200	170	262	82	9.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21094	*Acacia disparrima*	Hickory Wattle	240	210, 170, 170	399	125	8.0	6.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21095	*Acacia disparrima*	Hickory Wattle	290		290	91	11.0	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21096	*Acacia disparrima*	Hickory Wattle	240		240	75	7.0	6.0	2.9	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21097	*Acacia disparrima*	Hickory Wattle	300	210	366	115	9.0	8.0	4.4	2.2	Regular	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
21098	*Acacia disparrima*	Hickory Wattle	310	200	369	116	8.0	5.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21099	*Acacia disparrima*	Hickory Wattle	250		250	79	9.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
21100	*Acacia disparrima*	Hickory Wattle	240		240	75	8.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21101	*Acacia disparrima*	Hickory Wattle	200		200	63	9.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21102	*Acacia disparrima*	Hickory Wattle	320		320	101	9.0	7.0	3.8	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21103	*Acacia disparrima*	Hickory Wattle	250		250	79	9.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21104	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	15.0	6.0	3.2	1.9	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21105	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	15.0	7.0	3.0	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21106	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	15.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
21107	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	16.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21108	*Acacia disparrima*	Hickory Wattle	220	170, 160	321	101	8.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21109	*Acacia disparrima*	Hickory Wattle	260		260	82	9.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21110	*Acacia disparrima*	Hickory Wattle	240	230	332	104	10.0	6.0	4.0	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21111	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	14.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21112	*Acacia disparrima*	Hickory Wattle	250		250	79	10.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21113	*Acacia disparrima*	Hickory Wattle	240		240	75	8.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21114	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	17.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21115	*Acacia disparrima*	Hickory Wattle	260		260	82	10.0	6.0	3.1	1.9	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21116	*Eucalyptus siderophloia*	Northern Grey Ironbark	220	210	304	96	14.0	6.0	3.6	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21117	*Acacia disparrima*	Hickory Wattle	300		300	94	9.0	7.0	3.6	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21118	*Acacia disparrima*	Hickory Wattle	220	200, 130, 100	340	107	8.0	6.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21119	*Eucalyptus tereticornis*	Forest Red Gum	310		310	97	18.0	10.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21120	*Acacia disparrima*	Hickory Wattle	270	260	375	118	9.0	7.0	4.5	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21121	*Corymbia tessellaris*	Moreton Bay Ash	200	200	283	89	17.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21122	*Corymbia intermedia*	Pink Bloodwood	260		260	82	17.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21123	*Acacia disparrima*	Hickory Wattle	230		230	72	8.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21124	**DEAD/STAG**		300		384	121	17.0	5.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	2	-	-	-	Remove	
21125	*Lophostemon suaveolens*	Swamp Box	240	180	300	94	10.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	

Tree ID	Botanical Name	Common Name	Specimen Details							Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
			Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
21126	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	16.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21127	*Corymbia intermedia*	Pink Bloodwood	240		240	75	16.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21128	*Acacia disparrima*	Hickory Wattle	230		230	72	8.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21129	*Lophostemon suaveolens*	Swamp Box	240		240	75	14.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21130	*Eucalyptus teretiornis*	Forest Red Gum	360		360	113	18.0	7.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21131	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	16.0	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21132	*Eucalyptus siderophloia*	Northern Grey Ironbark	430		430	135	19.0	11.0	5.2	2.3	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21133	*Eucalyptus teretiornis*	Forest Red Gum	280		280	88	17.0	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21134	*Eucalyptus teretiornis*	Forest Red Gum	260	170	311	98	19.0	9.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21135	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	17.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21136	*Eucalyptus siderophloia*	Northern Grey Ironbark	350		350	110	19.0	12.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
21137	*Eucalyptus siderophloia*	Northern Grey Ironbark	440		440	138	19.0	13.0	5.3	2.3	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21138	*Lophostemon suaveolens*	Swamp Box	240		240	75	15.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21139	*Corymbia tessellaris*	Moreton Bay Ash	360		360	113	18.0	14.0	4.3	2.2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21140	*Acacia disparrima*	Hickory Wattle	300		300	94	9.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21141	*Acacia disparrima*	Hickory Wattle	290		290	91	9.0	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Poor	-	-	-	0	-	-	-	Remove	
21142	*Acacia disparrima*	Hickory Wattle	180	170	248	78	7.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21143	*Acacia disparrima*	Hickory Wattle	250	240, 210, 190	448	141	9.0	8.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
21144	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	16.0	4.0	3.6	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21145	*Corymbia intermedia*	Pink Bloodwood	280		280	88	18.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21146	*Corymbia intermedia*	Pink Bloodwood	290		290	91	17.0	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21147	**DEAD/STAG**		410	190	452	142	18.0	5.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	Small	-	-	-	Remove	1x stick nest
21148	*Corymbia intermedia*	Pink Bloodwood	360		360	113	19.0	9.0	4.3	2.2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21149	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	12.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
21150	*Eucalyptus siderophloia*	Northern Grey Ironbark	320		320	101	14.0	10.0	3.8	2.1	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21151	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	12.0	9.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21152	*Eucalyptus teretiornis*	Forest Red Gum	320		320	101	20.0	15.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	1	-	-	-	Remove	
21153	*Eucalyptus seeana*	Narrow-leaved Red Gum	320		320	101	20.0	12.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	1	-	-	-	Remove	
21154	*Corymbia citriodora*	Spotted Gum	310		310	97	20.0	10.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21155	**DEAD/STAG**		290		290	91	18.0	5.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	low	Remove	
21156	*Corymbia citriodora*	Spotted Gum	510		510	160	25.0	12.0	6.1	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	1	-	-	-	Remove	
21157	*Corymbia citriodora*	Spotted Gum	350		350	110	22.0	10.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21158	*Corymbia citriodora*	Spotted Gum	290		290	91	16.0	9.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21159	*Corymbia citriodora*	Spotted Gum	300		300	94	17.0	10.0	3.6	2.0	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21160	**DEAD/STAG**		360		360	113	18.0	5.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	Small	-	-	low	Remove	
21161	*Eucalyptus siderophloia*	Northern Grey Ironbark	340		340	107	22.0	10.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21162	*Eucalyptus siderophloia*	Northern Grey Ironbark	380		380	119	26.0	15.0	4.6	2.2	Regular	-	-	-	Native	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21163	**DEAD/STAG**		240		240	75	18.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	Large	-	-	Remove	
21164	*Eucalyptus siderophloia*	Northern Grey Ironbark	315		315	99	22.0	11.0	3.8	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21165	*Corymbia citriodora*	Spotted Gum	340		340	107	24.0	12.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	3	-	-	-	Remove	
21166	*Melaleuca bybyana*	Swamp Tea-tree	160	85, 70, 110, 125, 95, 160	323	101	4.0	8.0	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21167	*Acacia disparrima*	Hickory Wattle	290	155	329	103	8.0	10.0	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21168	*Corymbia intermedia*	Pink Bloodwood	330		330	104	18.0	10.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21169	**DEAD/STAG**		300	200, 130, 200	432	136	8.0	3.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21170	*Acacia disparrima*	Hickory Wattle	290		290	91	6.0	10.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21171	*Acacia disparrima*	Hickory Wattle	300	140, 260	421	132	8.0	8.0	5.1	2.3	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21172	*Corymbia intermedia*	Pink Bloodwood	410	280	496	156	16.0	10.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	0	-	-	-	Remove	
21173	*Acacia disparrima*	Hickory Wattle	310		310	97	9.0	10.0	3.7	2.0	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21174	*Eucalyptus siderophloia*	Northern Grey Ironbark	310		310	97	12.0	12.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	Large	1	-	Termite nest	low	Remove	split in trunk
21175	*Eucalyptus siderophloia*	Northern Grey Ironbark	340		340	107	15.0	10.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21176	*Eucalyptus siderophloia*	Northern Grey Ironbark	310		310	97	18.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21177	*Eucalyptus siderophloia*	Northern Grey Ironbark	320		320	101	22.0	10.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	1	-	Termite nest	-	Remove	
21178	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	18.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21179	*Eucalyptus siderophloia*	Northern Grey Ironbark	420		420	132	22.0	8.0	5.0	2.3	Regular	-	-	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	Small	1	-	-	-	Remove	
21180	*Corymbia intermedia*	Pink Bloodwood	290	130	318	100	19.0	9.0	3.8	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21181	*Corymbia intermedia*	Pink Bloodwood	285		285	90	19.0	10.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21182	*Acacia disparrima*	Hickory Wattle	285		285	90	9.0	8.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21183	*Acacia disparrima*	Hickory Wattle	280		280	88	7.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21184	*Acacia disparrima*	Hickory Wattle	200	230	305	96	9.0	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	Introduced	-	Typical	-	-	-	0	-	-	-	Remove	
21185	*Acacia disparrima*	Hickory Wattle	160	160	226	71	6.0	6.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21186	*Acacia disparrima*	Hickory Wattle	195		195	61	6.0	6.0	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21187	*Acacia disparrima*	Hickory Wattle	280	285, 260	477	150	11.0	8.0	5.7	2.4	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	trunk split
21188	*Corymbia citriodora*	Spotted Gum	340		340	107	24.0	10.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21189	*Corymbia citriodora*	Spotted Gum	280		280	88	14.0	9.0	4.0	2.1	Regular	-	-	-	One-sided	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21190	*Eucalyptus siderophloia*	Northern Grey Ironbark	500		500	157	25.0	14.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	1	-	-	-	Remove	
21191	*Melaleuca bybyana*	Swamp Tea-tree	250	120, 50	282	89	7.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
21192	*Acacia disparrima*	Hickory Wattle	280		280	88	6.0	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21193	*Eucalyptus tereticornis*	Forest Red Gum	260		260	82	15.0	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	Old	-	-	-	-	-	-	Remove	

Tree ID	Botanical Name	Common Name	Specimen Details											Canopy Condition Details								Trunk Condition Details				Fauna Details and Habitat Value							Retention	Additional Notes
			Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value					
Z1194	**DEAD/STAG**		200	180	269	85	5.0	2.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	Remove	
Z1195	*Eucalyptus siderophloia*	Northern Grey Ironbark	295		295	93	16.0	10.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	Remove	
Z1196	*Acacia disparrima*	Hickory Wattle	265	160, 120, 165	371	116	6.0	5.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	Remove	
Z1197	*Eucalyptus siderophloia*	Northern Grey Ironbark	295		295	93	22.0	12.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	-	-	-	Remove	
Z1198	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	15.0	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	Remove	
Z1199	*Eucalyptus siderophloia*	Northern Grey Ironbark	285		285	90	16.0	10.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	Remove	
Z1200	*Eucalyptus siderophloia*	Northern Grey Ironbark	290		290	91	16.0	8.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	Remove	
Z1201	*Eucalyptus siderophloia*	Northern Grey Ironbark	285		285	90	20.0	8.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	Remove	
Z1202	*Acacia disparrima*	Hickory Wattle	275		275	86	7.0	5.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	Remove	
Z1203	*Eucalyptus siderophloia*	Northern Grey Ironbark	265	200	332	104	12.0	9.0	4.0	2.1	Regular	-	-	-	epicormic	-	Typical	-	-	-	-	Typical	-	-	-	1	-	-	-	-	-	-	Remove	
Z1204	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	15.0	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	-	-	-	Remove	
Z1205	*Eucalyptus siderophloia*	Northern Grey Ironbark	330		330	104	18.0	10.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	-	-	-	Remove	
Z1206	*Eucalyptus siderophloia*	Northern Grey Ironbark	295		295	93	18.0	10.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	Remove	
Z1207	**DEAD/STAG**		300	195	358	112	10.0	10.0	4.3	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	-	-	-	Remove	
Z1208	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	14.0	9.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	Remove	
Z1209	*Eucalyptus siderophloia*	Northern Grey Ironbark	265		265	83	15.0	9.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	Remove	
Z1210	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	15.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	Remove	
Z1211	*Acacia disparrima*	Hickory Wattle	260	200	328	103	12.0	11.0	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	Small	Termite nest	-	-	-	-	Remove	
Z1212	*Eucalyptus siderophloia*	Northern Grey Ironbark	265		265	83	15.0	10.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	Remove	
Z1213	*Eucalyptus siderophloia*	Northern Grey Ironbark	330		330	104	17.0	12.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	-	-	-	Remove	
Z1214	*Acacia disparrima*	Hickory Wattle	315	160	353	111	8.0	12.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	-	-	-	Remove	
Z1215	*Corymbia intermedia*	Pink Bloodwood	265		265	83	10.0	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	Introduced	-	-	Typical	-	-	-	0	-	-	-	-	-	-	Remove	
Z1216	*Acacia disparrima*	Hickory Wattle	265	110	287	90	6.0	8.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	Remove	
Z1217	*Corymbia citriodora*	Spotted Gum	275		275	86	18.0	8.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	Remove	
Z1218	*Eucalyptus siderophloia*	Northern Grey Ironbark	295		295	93	17.0	10.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	Remove	
Z1219	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	20.0	8.0	3.1	1.9	Regular	-	-	-	epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	Remove	
Z1220	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	20.0	6.0	3.1	1.9	Regular	-	-	-	epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	Remove	
Z1221	*Eucalyptus siderophloia*	Northern Grey Ironbark	310	120	332	104	23.0	9.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	Native	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	-	-	-	Remove	
Z1222	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	24.0	9.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	Remove	
Z1223	*Eucalyptus siderophloia*	Northern Grey Ironbark	340		340	107	24.0	12.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	0	-	Termite nest	-	-	-	-	Remove	
Z1224	*Eucalyptus siderophloia*	Northern Grey Ironbark	265		265	83	18.0	9.0	3.2	1.9	Regular	-	-	-	epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	Remove	
Z1225	*Acacia disparrima*	Hickory Wattle	260		260	82	7.0	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	Remove	
Z1226	*Acacia disparrima*	Hickory Wattle	290		290	91	9.0	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	-	-	-	Remove	
Z1227	*Acacia disparrima*	Hickory Wattle	260	180, 260	409	129	7.0	12.0	4.9	2.3	Regular	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	-	-	-	Remove	
Z1228	*Acacia disparrima*	Hickory Wattle	320		320	101	9.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	-	-	-	Remove	
Z1229	*Eucalyptus siderophloia*	Northern Grey Ironbark	335		335	105	18.0	10.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	Remove	
Z1230	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	12.0	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	Remove	
Z1231	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	16.0	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	Remove	
Z1232	*Eucalyptus siderophloia*	Northern Grey Ironbark	310		310	97	16.0	10.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	-	-	-	Remove	
Z1233	*Acacia disparrima*	Hickory Wattle	260	190	322	101	6.0	8.0	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	-	-	-	Remove	
Z1234	*Corymbia citriodora*	Spotted Gum	320		320	101	15.0	9.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	Remove	
Z1235	*Corymbia citriodora*	Spotted Gum	345		345	108	18.0	10.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	Remove	
Z1236	*Eucalyptus seeana*	Narrow-leaved Red Gum	310		310	97	14.0	10.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	Introduced	-	-	Typical	-	-	-	0	-	-	-	-	-	-	Remove	
Z1237	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	14.0	9.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	Remove	
Z1238	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	12.0	9.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	Remove	
Z1239	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	12.0	10.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	Remove	
Z1240	*Eucalyptus siderophloia*	Northern Grey Ironbark	285		285	90	14.0	9.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	Remove	
Z1241	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	14.0	8.0	2.9	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	Remove	
Z1242	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	16.0	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	Remove	
Z1243	*Eucalyptus siderophloia*	Northern Grey Ironbark	265		265	83	16.0	10.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	Remove	
Z1244	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	17.0	10.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	Remove	
Z1245	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	14.0	9.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	Remove	
Z1246	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	15.0	9.0	3.0	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	Remove	
Z1247	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	22.0	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	Remove	
Z1248	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	18.0	12.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	Remove	
Z1249	*Eucalyptus siderophloia*	Northern Grey Ironbark	255		255	80	16.0	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	Small	Termite nest	-	-	-	-	Remove	
Z1250	*Eucalyptus siderophloia*	Northern Grey Ironbark	290		290	91	16.0	12.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	Remove	
Z1251	*Eucalyptus siderophloia*	Northern Grey Ironbark	310		310	97	17.0	12.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	Remove	
Z1252	*Eucalyptus siderophloia*	Northern Grey Ironbark	290		290	91	15.0	11.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	Remove	
Z1253	*Eucalyptus siderophloia*	Northern Grey Ironbark	285		285	90	15.0	10.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	Remove	
Z1254	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	12.0	9.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	Remove	
Z1255	*Eucalyptus siderophloia*	Northern Grey Ironbark	340		340	107	16.0	12.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	Remove	
Z1256	*Eucalyptus siderophloia*	Northern Grey Ironbark	315		315	99	16.0	10.0	3.8	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	Large	-	-	-	-	-	Remove	
Z1257	*Eucalyptus siderophloia*	Northern Grey Ironbark	340		340	107	15.0	10.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	Remove	
Z1258	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	11.0	11.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	Remove	
Z1259	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	15.0	10.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	Remove	
Z1260	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	15.0	10.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	Remove	
Z1261	*Eucalyptus siderophloia*	Northern Grey Ironbark	285		285	90	16.0	12.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-	-	Remove	

Tree ID	Botanical Name	Common Name	Specimen Details									Canopy Condition Details								Trunk Condition Details					Fauna Details and Habitat Value							Retention	Additional Notes
			Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value		
21262	*Eucalyptus siderophloia*	Northern Grey Ironbark	290		290	91	15.0	10.0	3.5	2.0	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove	
21263	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	15.0	12.0	3.2	1.9	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove	
21264	*Eucalyptus siderophloia*	Northern Grey Ironbark	285		285	90	17.0	10.0	3.4	2.0	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove	
21265	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	17.0	11.0	3.0	1.8	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove	
21266	*Eucalyptus siderophloia*	Northern Grey Ironbark	290		290	91	18.0	12.0	3.5	2.0	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove	
21267	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	14.0	9.0	3.1	1.9	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove	
21268	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	17.0	12.0	3.0	1.8	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove	
21269	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	14.0	11.0	3.4	1.9	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove	
21270	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	16.0	12.0	3.4	1.9	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove	
21271	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	15.0	8.0	3.0	1.8	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove	
21272	*Eucalyptus seeana*	Narrow-leaved Red Gum	280		280	88	15.0	9.0	3.4	1.9	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove	
21273	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	14.0	10.0	3.2	1.9	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove	
21274	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	11.0	8.0	3.4	1.9	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove	
21275	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	12.0	8.0	3.0	1.8	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove	
21276	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	15.0	9.0	3.1	1.9	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove	
21277	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	16.0	10.0	3.2	1.9	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove	
21278	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	12.0	8.0	3.0	1.8	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove	
21279	*Eucalyptus siderophloia*	Northern Grey Ironbark	260	260	368	116	15.0	12.0	4.4	2.2	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove	
21280	*Melaleuca bracteata*	Swamp Tea-tree	90	80, 40, 100	162	51	5.0	4.0	2.0	1.5	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	Large	-	-		Remove	
21281	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	14.0	10.0	3.0	1.8	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove	
21282	*Acacia disparrima*	Hickory Wattle	250		250	79	6.0	9.0	3.0	1.8	Regular	-	-	-	-	-	-	-	-	Trunk Dmg.	-	Poor	-	-	-	0	-	-	-		Remove	
21283	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	16.0	10.0	3.1	1.9	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove	
21284	*Eucalyptus siderophloia*	Northern Grey Ironbark	275		275	86	15.0	11.0	3.3	1.9	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove	
21285	*Acacia disparrima*	Hickory Wattle	250		250	79	5.0	9.0	3.0	1.8	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove	
21286	*Acacia disparrima*	Hickory Wattle	260	220, 200, 135	417	131	7.0	12.0	5.0	2.3	Regular	-	-	-	-	-	-	-	-	Trunk Dmg.	-	Poor	-	-	-	0	-	-	-		Remove	
21287	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	15.0	9.0	3.2	1.9	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove	
21288	*Eucalyptus siderophloia*	Northern Grey Ironbark	265		265	83	17.0	11.0	6.0	3.2	Regular	-	-	-	-	Epicormic	-	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove	
21289	*Eucalyptus moluccana*	Gum-topped Box	260		260	82	15.0	8.0	3.1	1.9	One-sided	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove	
21290	*Eucalyptus moluccana*	Gum-topped Box	320		320	101	19.0	10.0	3.8	2.1	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	Old	-	-	-	-		Remove	
21291	*Eucalyptus siderophloia*	Northern Grey Ironbark	310		310	97	20.0	14.0	3.7	2.0	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	Large	-	-		Remove	
21292	*Eucalyptus tereticornis*	Forest Red Gum	490		490	154	23.0	14.0	5.9	2.5	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove	
21293	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	24.0	10.0	3.0	1.8	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove	
21294	*Eucalyptus siderophloia*	Northern Grey Ironbark	340		340	107	20.0	14.0	4.1	2.1	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove	
21295	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	9.0	8.0	2.6	1.8	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove	
21296	*Eucalyptus siderophloia*	Northern Grey Ironbark	330		330	104	12.0	12.0	4.0	2.1	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove	
21297	*Corymbia tessellaris*	Moreton Bay Ash	240		240	75	14.0	9.0	2.9	1.8	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove	
21298	*Acacia disparrima*	Hickory Wattle	260	170	311	98	5.0	9.0	3.7	2.0	Regular	-	-	-	-	-	-	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-		Remove	
21299	*Acacia disparrima*	Hickory Wattle	260	250	361	113	8.0	10.0	4.3	2.2	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove	
21300	*Acacia disparrima*	Hickory Wattle	310	220	380	119	8.0	12.0	4.6	2.2	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove	
21301	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	16.0	10.0	3.4	1.9	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove	
21302	*Angophora leiocarpa*	Rusty Gum	265		265	83	17.0	12.0	3.2	1.9	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove	
21303	*Acacia disparrima*	Hickory Wattle	260	200	328	103	9.0	10.0	3.9	2.1	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove	
21304	*Acacia disparrima*	Hickory Wattle	320		320	101	8.0	10.0	3.8	2.1	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	Small	-	-		Remove	
21305	*Acacia disparrima*	Hickory Wattle	310		310	97	9.0	8.0	3.7	2.0	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove	
21306	*Acacia disparrima*	Hickory Wattle	300		300	94	9.0	10.0	3.6	2.0	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove	
21307	*Acacia disparrima*	Hickory Wattle	260	200	328	103	8.0	10.0	3.9	2.1	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove	
21308	*Acacia disparrima*	Hickory Wattle	290		290	91	7.0	6.0	3.5	2.0	One-sided	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove	
21309	*Corymbia intermedia*	Pink Bloodwood	260	135	293	92	12.0	12.0	3.5	2.0	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove	
21310	*Acacia disparrima*	Hickory Wattle	250		250	79	7.0	8.0	3.0	1.8	Regular	-	-	Die-back	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove	
21311	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	17.0	10.0	3.2	1.9	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove	
21312	**DEAD/STAG**		290		290	91	6.0	2.0	3.5	2.0	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	1	-	-	-		Remove	
21313	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	16.0	9.0	3.0	1.8	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove	
21314	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	14.0	12.0	3.1	1.9	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove	
21315	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	16.0	12.0	3.0	1.8	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove	
21316	*Eucalyptus seeana*	Narrow-leaved Red Gum	380		380	119	20.0	14.0	4.6	2.2	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	Old	-	-	-	-		Remove	
21317	*Acacia disparrima*	Hickory Wattle	250	190	314	99	8.0	9.0	3.8	2.0	Regular	-	-	-	-	-	-	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-		Remove	
21318	*Acacia disparrima*	Hickory Wattle	250		250	79	7.0	6.0	3.0	1.8	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove	
21319	*Eucalyptus siderophloia*	Northern Grey Ironbark	290		290	91	18.0	10.0	3.5	2.0	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove	
21320	*Acacia disparrima*	Hickory Wattle	240		240	75	8.0	8.0	2.9	1.8	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove	
21321	*Acacia disparrima*	Hickory Wattle	260	250	361	113	6.0	12.0	4.3	2.2	Regular	-	-	Die-back	-	-	-	-	-	-	-	Poor	-	-	-	0	-	-	-		Remove	
21322	*Acacia disparrima*	Hickory Wattle	290		290	91	9.0	8.0	3.5	2.0	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove	
21323	*Acacia disparrima*	Hickory Wattle	270		270	85	8.0	12.0	3.2	1.9	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove	
21324	*Acacia disparrima*	Hickory Wattle	260	250	361	113	9.0	11.0	4.3	2.2	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove	
21325	*Acacia disparrima*	Hickory Wattle	250	180	308	97	8.0	11.0	3.7	2.0	Regular	-	-	Die-back	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove	
21326	*Eucalyptus siderophloia*	Northern Grey Ironbark	295		295	93	15.0	10.0	3.5	2.0	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove	
21327	*Acacia disparrima*	Hickory Wattle	260	160, 190	360	113	9.0	12.0	4.3	2.2	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove	
21328	**DEAD/STAG**		360		360	113	15.0	5.0	4.3	2.2	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	Small	2	-	-	-		Remove	
21329	*Acacia disparrima*	Hickory Wattle	260		260	82	9.0	9.0	3.1	1.9	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove	

Tree ID	Specimen Details								Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Notes
	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	
21330	*Eucalyptus tereticornis*	Forest Red Gum	310		310	97	19.0	10.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
21331	*Corymbia intermedia*	Pink Bloodwood	270		270	85	18.0	12.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
21332	*Acacia dispermma*	Hickory Wattle	260		260	82	9.0	12.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
21333	*Acacia dispermma*	Hickory Wattle	265		265	83	9.0	10.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
21334	*Corymbia citriodora*	Spotted Gum	250		250	79	18.0	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
21335	*Corymbia citriodora*	Spotted Gum	255		255	80	18.0	10.0	3.1	1.9	Regular	-	-	Die-back	-	-	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove
21336	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	11.0	14.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
21337	*Eucalyptus siderophloia*	Northern Grey Ironbark	255		255	80	17.0	16.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
21338	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	17.0	10.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
21339	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	19.0	10.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
21340	**DEAD/STAG**		600		600	188	24.0	12.0	7.2	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	2	-	-	High	Remove
21341	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	22.0	12.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
21342	*Eucalyptus siderophloia*	Northern Grey Ironbark	255		255	80	22.0	14.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
21343	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	20.0	15.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
21344	*Eucalyptus siderophloia*	Northern Grey Ironbark	285		285	90	23.0	14.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	Termite nest	-	-	Remove
21345	*Eucalyptus siderophloia*	Northern Grey Ironbark	275		275	86	24.0	15.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
21346	*Eucalyptus siderophloia*	Northern Grey Ironbark	330		330	104	25.0	16.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	Termite nest	-	-	Remove
21347	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	23.0	14.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
21348	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	25.0	14.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
21349	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	20.0	12.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
21350	*Eucalyptus siderophloia*	Northern Grey Ironbark	330		330	104	25.0	10.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	Termite nest	-	-	Remove
21351	*Eucalyptus siderophloia*	Northern Grey Ironbark	310		310	97	25.0	14.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
21352	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	23.0	12.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	Termite nest	-	-	Remove
21353	*Eucalyptus siderophloia*	Northern Grey Ironbark	275		275	86	24.0	12.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
21354	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	24.0	12.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	Termite nest	-	-	Remove
21355	*Eucalyptus siderophloia*	Northern Grey Ironbark	275		275	86	19.0	14.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	Termite nest	-	-	Remove
21356	*Corymbia intermedia*	Pink Bloodwood	260		260	82	22.0	14.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
21357	*Eucalyptus siderophloia*	Northern Grey Ironbark	440	195	481	151	22.0	11.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	Both	Trunk Dmg.	-	Poor	-	-	Small	2	-	-	-	Remove	large trunk dead possibly hollow in trunk
21358	*Acacia dispermma*	Hickory Wattle	280		280	88	10.0	15.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	0	-	-	-	Remove	
21359	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	23.0	14.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21360	*Acacia dispermma*	Hickory Wattle	260	240	354	111	10.0	10.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21361	*Eucalyptus siderophloia*	Northern Grey Ironbark	400		400	126	28.0	15.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	Introduced	-	-	Typical	-	-	-	0	-	-	-	Remove	
21362	*Eucalyptus siderophloia*	Northern Grey Ironbark	365		365	115	28.0	15.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21363	*Eucalyptus siderophloia*	Northern Grey Ironbark	255		255	80	27.0	14.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21364	*Eucalyptus siderophloia*	Northern Grey Ironbark	245		245	77	18.0	9.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21365	*Eucalyptus siderophloia*	Northern Grey Ironbark	245		245	77	23.0	12.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21366	*Eucalyptus siderophloia*	Northern Grey Ironbark	290		290	91	17.0	14.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21367	*Acacia dispermma*	Hickory Wattle	260	120, 155	326	102	10.0	9.0	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21368	*Eucalyptus tereticornis*	Forest Red Gum	270		270	85	24.0	15.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21369	*Acacia dispermma*	Hickory Wattle	260	255	364	114	8.0	12.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21370	*Acacia dispermma*	Hickory Wattle	200		332	104	11.0	14.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21371	*Eucalyptus tereticornis*	Forest Red Gum	280		280	88	20.0	14.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
21372	*Acacia dispermma*	Hickory Wattle	250		250	79	12.0	10.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21373	*Eucalyptus siderophloia*	Northern Grey Ironbark	285		285	90	23.0	12.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21374	*Corymbia tessellaris*	Moreton Bay Ash	320		320	101	24.0	15.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
21375	*Acacia dispermma*	Hickory Wattle	250		250	79	11.0	9.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21376	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	23.0	9.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21377	*Eucalyptus siderophloia*	Northern Grey Ironbark	255		255	80	22.0	10.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21378	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	22.0	10.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21379	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	25.0	12.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21380	*Eucalyptus siderophloia*	Northern Grey Ironbark	255		255	80	24.0	9.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21381	*Corymbia tessellaris*	Moreton Bay Ash	240		240	75	18.0	12.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21382	*Eucalyptus microcorys*	Tallowwood	220		220	69	14.0	12.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21383	*Eucalyptus microcorys*	Tallowwood	275		275	86	24.0	10.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21384	*Eucalyptus tereticornis*	Forest Red Gum	270		270	85	24.0	10.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21385	**DEAD/STAG**		330		330	104	9.0	1.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Large	1	-	-	-	Remove	
21386	*Eucalyptus microcorys*	Tallowwood	250		250	79	19.0	9.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21387	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	24.0	12.0	3.2	1.9	Regular	-	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21388	*Eucalyptus siderophloia*	Northern Grey Ironbark	270	260	375	118	26.0	16.0	4.5	2.2	Regular	-	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21389	*Eucalyptus siderophloia*	Northern Grey Ironbark	265		265	83	25.0	14.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21390	*Acacia dispermma*	Hickory Wattle	420		420	132	14.0	12.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21391	**DEAD/STAG**		800		800	251	12.0	3.0	9.6	3.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Large	2	-	-	High	Remove	
21392	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	24.0	12.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21393	*Eucalyptus siderophloia*	Northern Grey Ironbark	295		295	93	25.0	14.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21394	*Eucalyptus siderophloia*	Northern Grey Ironbark	395	360	534	168	28.0	12.0	6.4	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	1	-	-	-	Remove	
21395	*Eucalyptus siderophloia*	Northern Grey Ironbark	275		275	86	25.0	14.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21396	*Corymbia intermedia*	Pink Bloodwood	250		250	79	17.0	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21397	*Acacia dispermma*	Hickory Wattle	680		680	214	15.0	12.0	8.2	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	

Specimen Details									Canopy Condition Details							Trunk Condition Details				Fauna Details and Habitat Value						
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
21398	*Acacia dispermma*	Hickory Wattle	250	180	308	97	14.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21399	*Acacia dispermma*	Hickory Wattle	650		650	204	15.0	12.0	7.8	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21400	*Acacia dispermma*	Hickory Wattle	400	300, 250, 250	612	192	14.0	12.0	7.3	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21401	*Corymbia intermedia*	Pink Bloodwood	340		340	107	17.0	9.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21402	*Acacia dispermma*	Hickory Wattle	360		360	113	14.0	8.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21403	*Acacia dispermma*	Hickory Wattle	250	200, 200	377	119	12.0	12.0	4.5	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21404	*Acacia dispermma*	Hickory Wattle	260		260	82	14.0	9.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
21405	*Acacia dispermma*	Hickory Wattle	250		250	79	9.0	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21406	*Eucalyptus tereticornis*	Forest Red Gum	370		370	116	21.0	10.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21407	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	23.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21408	*Acacia dispermma*	Hickory Wattle	370		370	116	11.0	8.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21409	*Eucalyptus siderophloia*	Northern Grey Ironbark	380		380	119	21.0	9.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21410	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	18.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21411	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	16.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21412	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	16.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21413	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	17.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21414	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	16.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21415	*Eucalyptus siderophloia*	Northern Grey Ironbark	400		400	126	20.0	9.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21416	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	21.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21417	*Acacia dispermma*	Hickory Wattle	280	180, 180	378	119	15.0	8.0	4.5	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21418	*Acacia dispermma*	Hickory Wattle	270	150	309	97	14.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21419	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	21.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21420	*Acacia dispermma*	Hickory Wattle	300		300	94	14.0	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21421	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	18.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21422	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	20.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21423	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	18.0	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21424	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	18.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21425	*Acacia dispermma*	Hickory Wattle	320	160	358	112	16.0	13.0	4.3	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21426	*Acacia dispermma*	Hickory Wattle	360	300	469	147	16.0	8.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21427	*Eucalyptus tereticornis*	Forest Red Gum	260		260	82	17.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21428	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	18.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
21429	***DEAD/STAG***		340		340	107	17.0	4.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21460	*Acacia dispermma*	Hickory Wattle	260	200	328	103	16.0	10.0	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21461	*Corymbia citriodora*	Spotted Gum	200		200	63	17.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21462	*Corymbia citriodora*	Spotted Gum	230		230	72	18.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21463	*Corymbia citriodora*	Spotted Gum	230		230	72	20.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21464	*Melaleuca irbyana*	Swamp Tea-tree	120		147	46	5.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21465	*Acacia dispermma*	Hickory Wattle	260	190, 190	374	117	14.0	9.0	4.5	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	

Specimen Details								Canopy Condition Details								Trunk Condition Details								Fauna Details and Habitat Value									
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
214666	*Corymbia intermedia*	Pink Bloodwood	490		490	154	24.0	11.0	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
214667	*Acacia disparrima*	Hickory Wattle	260	200	328	103	10.0	6.0	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
214668	*Corymbia citriodora*	Spotted Gum	330		330	104	19.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
214669	*Acacia disparrima*	Hickory Wattle	450	200, 180	524	165	16.0	10.0	6.3	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
214670	*Eucalyptus tereticornis*	Forest Red Gum	200		200	63	16.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
214671	*Acacia disparrima*	Hickory Wattle	410		410	129	14.0	8.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
214672	*Corymbia citriodora*	Spotted Gum	500		500	157	24.0	9.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
214673	*Corymbia intermedia*	Pink Bloodwood	200	180, 180, 180	370	116	15.0	7.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
214674	*Corymbia citriodora*	Spotted Gum	260		260	82	18.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
214675	*Acacia disparrima*	Hickory Wattle	390	320	504	158	15.0	10.0	6.1	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
214676	*Acacia disparrima*	Hickory Wattle	290	280	403	127	15.0	9.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
214677	*Acacia disparrima*	Hickory Wattle	280		280	88	16.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
214678	*Eucalyptus siderophloia*	Northern Grey Ironbark	400		400	126	22.0	8.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
214679	*Acacia disparrima*	Hickory Wattle	250		250	79	14.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
214680	*Acacia disparrima*	Hickory Wattle	260	260, 160, 160, 140	454	143	15.0	10.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
214681	*Acacia disparrima*	Hickory Wattle	250	200, 200	377	119	16.0	9.0	4.5	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
214682	*Acacia disparrima*	Hickory Wattle	250	180	308	97	13.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
214683	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	16.0	3.0	2.4	1.7	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
214684	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	14.0	3.0	2.5	1.7	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
214685	*Eucalyptus siderophloia*	Northern Grey Ironbark	360		360	113	26.0	9.0	4.3	2.2	Regular	-	-	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
214686	*Eucalyptus siderophloia*	Northern Grey Ironbark	320		320	101	24.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
214687	*Eucalyptus tereticornis*	Forest Red Gum	330	160	367	115	18.0	6.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
214688	*Eucalyptus siderophloia*	Northern Grey Ironbark	400		400	126	25.0	8.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
214689	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	16.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
214690	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	15.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
214691	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	16.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
214692	*Eucalyptus siderophloia*	Northern Grey Ironbark	400		400	126	27.0	10.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
214693	*Eucalyptus siderophloia*	Northern Grey Ironbark	350	110	350	110	25.0	7.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
214694	*Eucalyptus siderophloia*	Northern Grey Ironbark	250	79	370	116	22.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
214695	*Eucalyptus siderophloia*	Northern Grey Ironbark	370		370	116	27.0	9.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
214696	*Eucalyptus tereticornis*	Forest Red Gum	330		330	104	22.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
214697	*Eucalyptus siderophloia*	Northern Grey Ironbark	340		340	107	20.0	10.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
214698	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	19.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
214699	**DEAD/STAG**		310		310	97	18.0	2.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	Small	1	-	Termite nest	-	Remove	
215000	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	17.0	8.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
215001	*Eucalyptus siderophloia*	Northern Grey Ironbark	340		340	107	25.0	9.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
215002	*Corymbia intermedia*	Pink Bloodwood	200		200	63	17.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
215003	*Eucalyptus siderophloia*	Northern Grey Ironbark	330		330	104	24.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
215004	*Eucalyptus siderophloia*	Northern Grey Ironbark	340		340	107	25.0	7.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
215005	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	19.0	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
215006	*Eucalyptus siderophloia*	Northern Grey Ironbark	330	104	330	104	27.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	Trunk Dmg.	-	-	-	-	0	-	-	-	Remove	
215007	*Eucalyptus siderophloia*	Northern Grey Ironbark	280	88	280	88	17.0	5.0	3.4	1.9	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
215008	*Eucalyptus siderophloia*	Northern Grey Ironbark	280	88	280	88	25.0	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	Small	-	-	Remove	
215009	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	26.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
215010	*Corymbia intermedia*	Pink Bloodwood	220		220	69	16.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
215011	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	18.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
215012	**DEAD/STAG**		250		250	79	17.0	3.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
215013	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	17.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
215014	*Eucalyptus siderophloia*	Northern Grey Ironbark	330	104	330	104	24.0	9.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
215015	*Eucalyptus siderophloia*	Northern Grey Ironbark	340	107	340	107	27.0	11.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
215016	*Eucalyptus siderophloia*	Northern Grey Ironbark	220	69	220	69	28.0	7.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
215017	*Eucalyptus siderophloia*	Northern Grey Ironbark	270	85	270	85	21.0	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
215018	*Eucalyptus tereticornis*	Forest Red Gum	270	85	270	85	16.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
215019	*Corymbia intermedia*	Pink Bloodwood	230	72	230	72	19.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
215020	*Eucalyptus siderophloia*	Northern Grey Ironbark	220	69	220	69	17.0	2.0	2.6	1.8	Regular	-	-	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
215021	*Eucalyptus siderophloia*	Northern Grey Ironbark	330	104	330	104	25.0	12.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
215022	*Eucalyptus siderophloia*	Northern Grey Ironbark	230	72	230	72	16.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
215023	*Eucalyptus siderophloia*	Northern Grey Ironbark	230	72	230	72	17.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
215024	*Eucalyptus siderophloia*	Northern Grey Ironbark	200	63	200	63	18.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
215025	*Eucalyptus siderophloia*	Northern Grey Ironbark	260	82	260	82	22.0	10.0	3.1	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
215026	*Eucalyptus siderophloia*	Northern Grey Ironbark	200	63	200	63	23.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
215027	*Eucalyptus siderophloia*	Northern Grey Ironbark	250	79	250	79	16.0	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
215028	*Eucalyptus siderophloia*	Northern Grey Ironbark	190	60	190	60	20.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
215029	*Eucalyptus siderophloia*	Northern Grey Ironbark	200	63	200	63	18.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
215030	*Eucalyptus siderophloia*	Northern Grey Ironbark	200	63	200	63	18.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
215031	*Eucalyptus siderophloia*	Northern Grey Ironbark	200	63	200	63	21.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
215032	*Eucalyptus siderophloia*	Northern Grey Ironbark	190	60	190	60	20.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
215033	*Eucalyptus siderophloia*	Northern Grey Ironbark	200	63	200	63	17.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	

Specimen Details								Canopy Condition Details								Trunk Condition Details								Fauna Details and Habitat Value									
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
21534	*Eucalyptus sideroph loia*	Northern Grey Ironbark	250		250	79	18.0	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21535	*Eucalyptus sideroph loia*	Northern Grey Ironbark	270		270	85	19.0	4.0	3.2	1.9	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21536	*Eucalyptus sideroph loia*	Northern Grey Ironbark	260		260	82	20.0	6.0	3.1	1.9	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21537	*Eucalyptus sideroph loia*	Northern Grey Ironbark	290		290	91	22.0	8.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21538	*Eucalyptus sideroph loia*	Northern Grey Ironbark	350	250	430	135	25.0	7.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
21539	*Eucalyptus sideroph loia*	Northern Grey Ironbark	230		230	72	17.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21540	*Eucalyptus sideroph loia*	Northern Grey Ironbark	200		200	63	15.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21541	*Eucalyptus sideroph loia*	Northern Grey Ironbark	200		200	63	18.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21542	*Eucalyptus sideroph loia*	Northern Grey Ironbark	260		260	82	19.0	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21543	*Eucalyptus sideroph loia*	Northern Grey Ironbark	230		230	72	21.0	8.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21544	*Eucalyptus sideroph loia*	Northern Grey Ironbark	280		280	88	22.0	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21545	*Acacia dispermina*	Hickory Wattle	260	200	328	103	12.0	8.0	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21546	*Acacia concurrens*	Black Wattle	300		300	94	13.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21547	*Eucalyptus sideroph loia*	Northern Grey Ironbark	200		200	63	18.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
21548	*Eucalyptus sideroph loia*	Northern Grey Ironbark	210		210	66	18.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21549	*Eucalyptus sideroph loia*	Northern Grey Ironbark	200		200	63	17.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21550	*Eucalyptus sideroph loia*	Northern Grey Ironbark	250		250	79	20.0	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21551	*Eucalyptus sideroph loia*	Northern Grey Ironbark	230		230	72	18.0	9.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21552	*Eucalyptus sideroph loia*	Northern Grey Ironbark	200		200	63	22.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21553	*Eucalyptus sideroph loia*	Northern Grey Ironbark	200		200	63	18.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21554	*Eucalyptus sideroph loia*	Northern Grey Ironbark	200		200	63	20.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21555	*Eucalyptus sideroph loia*	Northern Grey Ironbark	560		560	176	28.0	12.0	6.7	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21556	*Acacia dispermina*	Hickory Wattle	250		250	79	8.0	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21557	*Eucalyptus sideroph loia*	Northern Grey Ironbark	220		220	69	20.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21558	*Eucalyptus sideroph loia*	Northern Grey Ironbark	200		200	63	21.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21559	*Eucalyptus sideroph loia*	Northern Grey Ironbark	210		210	66	18.0	8.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21560	*Eucalyptus sideroph loia*	Northern Grey Ironbark	220		220	69	23.0	7.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21561	*Eucalyptus sideroph loia*	Northern Grey Ironbark	200		200	63	17.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21562	*Eucalyptus sideroph loia*	Northern Grey Ironbark	200		200	63	18.0	6.0	2.4	1.7	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21563	*Eucalyptus sideroph loia*	Northern Grey Ironbark	230		230	72	19.0	6.0	2.8	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21564	*Acacia dispermina*	Hickory Wattle	260		260	82	14.0	10.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21565	*Eucalyptus sideroph loia*	Northern Grey Ironbark	210		210	66	16.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21566	*Eucalyptus sideroph loia*	Northern Grey Ironbark	200		200	63	16.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21567	*Eucalyptus sideroph loia*	Northern Grey Ironbark	270		270	85	18.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21568	*Eucalyptus sideroph loia*	Northern Grey Ironbark	250		250	79	18.0	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21569	*Eucalyptus sideroph loia*	Northern Grey Ironbark	240		240	75	18.0	7.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21570	*Eucalyptus sideroph loia*	Northern Grey Ironbark	200		200	63	18.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21571	*Eucalyptus sideroph loia*	Northern Grey Ironbark	230		230	72	19.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21572	*Eucalyptus sideroph loia*	Northern Grey Ironbark	240		240	75	19.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21573	*Eucalyptus sideroph loia*	Northern Grey Ironbark	260		260	82	17.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21574	**DEAD/STAG**		480		480	151	22.0	5.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21575	*Eucalyptus sideroph loia*	Northern Grey Ironbark	240		240	75	20.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21576	*Eucalyptus sideroph loia*	Northern Grey Ironbark	200		200	63	20.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21577	*Eucalyptus sideroph loia*	Northern Grey Ironbark	200		200	63	18.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21578	*Eucalyptus sideroph loia*	Northern Grey Ironbark	220		220	69	18.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21579	*Eucalyptus sideroph loia*	Northern Grey Ironbark	210		210	66	18.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21580	*Eucalyptus sideroph loia*	Northern Grey Ironbark	440		440	138	25.0	9.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21581	*Eucalyptus sideroph loia*	Northern Grey Ironbark	290		290	91	20.0	8.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21582	*Eucalyptus sideroph loia*	Northern Grey Ironbark	220		220	69	15.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21583	*Eucalyptus sideroph loia*	Northern Grey Ironbark	310		310	97	20.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21584	*Eucalyptus sideroph loia*	Northern Grey Ironbark	200		200	63	17.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21585	*Acacia dispermina*	Hickory Wattle	250		250	79	14.0	10.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21586	*Acacia dispermina*	Hickory Wattle	280	170, 170	369	116	15.0	9.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21587	*Eucalyptus sideroph loia*	Northern Grey Ironbark	250	150	292	92	22.0	8.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21588	*Eucalyptus sideroph loia*	Northern Grey Ironbark	270		270	85	18.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	Introduced	-	-	Typical	-	-	-	0	-	-	-	Remove	
21589	*Eucalyptus sideroph loia*	Northern Grey Ironbark	250		250	79	20.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21590	*Eucalyptus sideroph loia*	Northern Grey Ironbark	240		240	75	8.0	3.0	2.9	1.8	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21591	*Eucalyptus sideroph loia*	Northern Grey Ironbark	320		320	101	28.0	9.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21592	*Eucalyptus sideroph loia*	Northern Grey Ironbark	330		330	104	25.0	6.0	4.0	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21593	*Eucalyptus sideroph loia*	Northern Grey Ironbark	210		210	66	27.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21594	*Corymbia intermedia*	Pink Bloodwood	200		200	63	16.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21595	**DEAD/STAG**		500		500	157	17.0	5.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	1	-	-	-	Remove	
21596	*Angophora woodsiana*	Smudgee	220		220	69	17.0	7.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21597	**DEAD/STAG**		420		420	132	18.0	7.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21598	*Eucalyptus sideroph loia*	Northern Grey Ironbark	600		600	188	26.0	9.0	7.2	2.7	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
21599	*Eucalyptus sideroph loia*	Northern Grey Ironbark	460		460	145	27.0	7.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21600	*Corymbia intermedia*	Pink Bloodwood	300	180	350	110	17.0	7.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21601	*Eucalyptus sideroph loia*	Northern Grey Ironbark	550		550	173	25.0	10.0	6.6	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	

Specimen Details									Canopy Condition Details								Trunk Condition Details						Fauna Details and Habitat Value							Additional Notes
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention
21602	*Corymbia intermedia*	Pink Bloodwood	210		210	66	19.0	5.0	2.5	1.7	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
21603	*Eucalyptus siderophloia*	Northern Grey Ironbark	620		620	195	29.0	14.0	7.4	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
21604	*Corymbia intermedia*	Pink Bloodwood	210		210	66	18.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
21605	*Corymbia intermedia*	Pink Bloodwood	200		200	63	14.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
21606	*Corymbia intermedia*	Pink Bloodwood	220		220	69	15.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
21607	*Corymbia tractyphloia*	Brown Bloodwood	250		250	79	20.0	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
21608	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	21.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
21609	*Corymbia intermedia*	Pink Bloodwood	210		210	66	17.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
21610	*Eucalyptus siderophloia*	Northern Grey Ironbark	530		530	167	29.0	11.0	6.4	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
21611	*Corymbia intermedia*	Pink Bloodwood	250		250	79	17.0	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
21612	*Eucalyptus tereticornis*	Forest Red Gum	220		220	69	17.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
21613	*Eucalyptus tereticornis*	Forest Red Gum	660		660	207	29.0	12.0	7.9	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
21614	**DEAD/STAG**		430		430	135	23.0	7.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
21615	*Eucalyptus tereticornis*	Forest Red Gum	630		630	198	26.0	12.0	7.6	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
21616	*Acacia disparrima*	Hickory Wattle	300	200	361	113	15.0	10.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
21617	*Acacia disparrima*	Hickory Wattle	270	170	319	100	15.0	9.0	3.8	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
21618	*Corymbia citriodora*	Spotted Gum	220		220	69	22.0	8.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
21619	*Corymbia citriodora*	Spotted Gum	210		210	66	19.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
21620	*Eucalyptus siderophloia*	Northern Grey Ironbark	480		480	151	20.0	12.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove
21621	*Acacia disparrima*	Hickory Wattle	280	120	305	96	15.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
21622	**DEAD/STAG**		1020		1020	320	19.0	8.0	12.2	3.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	2	-	-	-	Remove
21623	*Acacia disparrima*	Hickory Wattle	330		330	104	16.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
21624	*Acacia disparrima*	Hickory Wattle	260	120	286	90	15.0	10.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove
21625	*Corymbia citriodora*	Spotted Gum	200		200	63	18.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
21626	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	16.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
21627	**DEAD/STAG**		710		710	223	24.0	7.0	8.5	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	3	-	Termite nest	-	Remove
21628	*Corymbia citriodora*	Spotted Gum	200		200	63	20.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
21629	*Acacia disparrima*	Hickory Wattle	250		250	79	12.0	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
21630	*Corymbia citriodora*	Spotted Gum	240		240	75	22.0	7.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
21631	*Corymbia citriodora*	Spotted Gum	240		240	75	19.0	7.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
21632	*Corymbia intermedia*	Pink Bloodwood	200		200	63	16.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
21633	*Corymbia citriodora*	Spotted Gum	250		250	79	17.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
21634	**DEAD/STAG**		520		520	163	27.0	7.0	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
21635	*Acacia disparrima*	Hickory Wattle	260		260	82	14.0	8.0	3.1	1.9	Regular	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove
21636	*Corymbia citriodora*	Spotted Gum	280		280	88	16.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
21637	*Corymbia citriodora*	Spotted Gum	620		620	195	22.0	9.0	7.4	2.7	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
21638	*Acacia disparrima*	Hickory Wattle	260	200	328	103	14.0	8.0	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
21639	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	17.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove
21640	*Corymbia citriodora*	Spotted Gum	270		270	85	16.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
21641	*Corymbia citriodora*	Spotted Gum	260		260	82	17.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
21642	*Corymbia citriodora*	Spotted Gum	310		310	97	22.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
21643	*Eucalyptus tereticornis*	Forest Red Gum	340		340	107	15.0	5.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
21644	*Corymbia citriodora*	Spotted Gum	270		270	85	17.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
21645	*Corymbia citriodora*	Spotted Gum	250		250	79	16.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
21646	*Corymbia citriodora*	Spotted Gum	280		280	88	17.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
21647	*Acacia disparrima*	Hickory Wattle	330		330	104	14.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
21648	*Acacia disparrima*	Hickory Wattle	280		280	88	13.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (future works)
21649	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	16.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
21650	*Eucalyptus siderophloia*	Northern Grey Ironbark	320		320	101	15.0	5.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
21651	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	12.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
21652	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	20.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
21653	*Eucalyptus siderophloia*	Northern Grey Ironbark	350		350	110	17.0	6.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (future works)
21654	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	15.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
21655	*Eucalyptus siderophloia*	Northern Grey Ironbark	360		360	113	17.0	7.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (future works)
21656	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	17.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
21657	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	14.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (future works)
21658	*Eucalyptus siderophloia*	Northern Grey Ironbark	330		330	104	19.0	6.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Retention TBC (future works)
21659	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	17.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (future works)
21660	*Eucalyptus siderophloia*	Northern Grey Ironbark	320		320	101	18.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Retention TBC (future works)
21661	*Eucalyptus siderophloia*	Northern Grey Ironbark	340		340	107	20.0	7.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
21662	*Melaleuca bryorra*	Swamp Tea-tree	120	120, 100, 80, 80	227	71	6.0	5.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
21663	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	17.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
21664	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	18.0	4.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove
21665	*Eucalyptus siderophloia*	Northern Grey Ironbark	320		320	101	19.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (future works)
21666	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	18.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (future works)
21667	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	17.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (future works)
21668	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	17.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (future works)
21669	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	17.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove

Specimen Details								Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
21670	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	19.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (future works)	
21671	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	17.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (future works)	
21672	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	17.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (future works)	
21673	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	15.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (future works)	
21674	*Eucalyptus siderophloia*	Northern Grey Ironbark	330		330	104	18.0	5.0	4.0	2.1	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Removе	
21675	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	20.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Removе	
21676	*Eucalyptus siderophloia*	Northern Grey Ironbark	310		310	97	19.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Removе	
21677	*Eucalyptus siderophloia*	Northern Grey Ironbark	290		290	91	20.0	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Removе	
21678	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	18.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retention TBC (future works)	
21679	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	17.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Removе	
21680	*Acacia disparrima*	Hickory Wattle	340	330	474	149	14.0	10.0	5.7	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Removе	
21681	*Eucalyptus siderophloia*	Northern Grey Ironbark	390		390	123	16.0	7.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Removе	
21682	*Acacia disparrima*	Hickory Wattle	300		300	94	14.0	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Removе	
21683	*Acacia disparrima*	Hickory Wattle	310		310	97	14.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Removе	
21684	*Eucalyptus siderophloia*	Northern Grey Ironbark	350		350	110	20.0	9.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Removе	
21685	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	8.0	4.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Removе	
21686	*Acacia disparrima*	Hickory Wattle	310		310	97	10.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Removе	
21687	*Eucalyptus siderophloia*	Northern Grey Ironbark	290		290	91	17.0	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Removе	
21688	*Eucalyptus siderophloia*	Northern Grey Ironbark	360		360	113	18.0	7.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Removе	
21689	*Acacia disparrima*	Hickory Wattle	300		300	94	10.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Removе	
21690	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	17.0	9.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Removе	
21691	*Acacia disparrima*	Hickory Wattle	250	150, 150	328	103	6.0	10.0	3.9	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Removе	
21692	*Eucalyptus siderophloia*	Northern Grey Ironbark	330		330	104	16.0	6.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Removе	
21693	*Eucalyptus siderophloia*	Northern Grey Ironbark	330		330	104	17.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Removе	
21694	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	18.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Removе	
21695	*Eucalyptus siderophloia*	Northern Grey Ironbark	310		310	97	18.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Removе	
21696	*Eucalyptus siderophloia*	Northern Grey Ironbark	350		350	110	19.0	6.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Removе	
21697	*Eucalyptus siderophloia*	Northern Grey Ironbark	330		330	104	18.0	6.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Removе	
21698	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	18.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Removе	
21699	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	17.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Removе	
21700	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	16.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Removе	
21737	**DEAD/STAG**		630		630	198	17.0	7.0	7.6	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	2	-	-	-	Removе	
21736	**DEAD/STAG**		460		460	145	20.0	6.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Removе	
21735	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	16.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Removе	
21734	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	16.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Removе	
21733	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	16.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Removе	
21732	*Eucalyptus siderophloia*	Northern Grey Ironbark	290		290	91	14.0	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Removе	
21731	*Corymbia citriodora*	Spotted Gum	260		260	82	17.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Removе	
21730	*Eucalyptus siderophloia*	Northern Grey Ironbark	290		290	91	15.0	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Removе	
21729	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	16.0	4.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Removе	
21728	*Eucalyptus siderophloia*	Northern Grey Ironbark	310		310	97	17.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Removе	
21727	*Eucalyptus siderophloia*	Northern Grey Ironbark	390		390	123	16.0	6.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Removе	
21726	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	17.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Removе	
21725	*Eucalyptus siderophloia*	Northern Grey Ironbark	320		320	101	17.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Removе	
21724	*Eucalyptus siderophloia*	Northern Grey Ironbark	320		320	101	17.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Removе	
21723	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	17.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Removе	
21722	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	18.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Removе	
21721	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	18.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Removе	
21720	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	18.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Removе	
21719	*Eucalyptus siderophloia*	Northern Grey Ironbark	250	150	292	92	16.0	5.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Removе	
21718	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	18.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Removе	
21717	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	17.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Removе	
21716	*Eucalyptus siderophloia*	Northern Grey Ironbark	320		320	101	16.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Removе	
21715	*Eucalyptus siderophloia*	Northern Grey Ironbark	330		330	104	17.0	6.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Removе	
21714	*Eucalyptus siderophloia*	Northern Grey Ironbark	340		340	107	6.0	3.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Removе	
21713	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	15.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Removе	
21712	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	17.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Removе	
21711	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	17.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Removе	
21710	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	17.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Removе	
21709	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	13.0	4.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Removе	
21708	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	18.0	4.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Removе	
21707	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	17.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Removе	
21706	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	18.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Removе	
21705	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	18.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Removе	
21704	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	17.0	6.0	3.0	1.8	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Removе	
21703	*Eucalyptus siderophloia*	Northern Grey Ironbark	290		290	91	17.0	5.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Removе	
21702	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	19.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Removе	
21701	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	18.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Removе	
21700	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	16.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Removе	
21699	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	17.0	4.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Removе	
21698	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	18.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Removе	

| Specimen Details | | |

Tree ID	Botanical Name	Common Name	Specimen Details							Canopy Condition Details							Trunk Condition Details				Fauna Details and Habitat Value						Retention	Additional Notes
			Trunk DBH (mm)	Total DBH (mm) [AS 4970-2009]	Additional Trunks DBH (mm)	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value		
21806	*Acacia dispartima*	Hickory Wattle	280	375	200, 150	118	10.0	8.0	4.5	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21807	*Acacia dispartima*	Hickory Wattle	300	394		94	14.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21808	*Acacia dispartima*	Hickory Wattle	300	394		94	6.0	8.0	3.6	2.0	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21809	*Eucalyptus siderophloia*	Northern Grey Ironbark	320	320		101	18.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21810	*Eucalyptus siderophloia*	Northern Grey Ironbark	270	270		85	18.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21811	*Eucalyptus tereticornis*	Forest Red Gum	250	250		79	16.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21812	*Acacia dispartima*	Hickory Wattle	300	361	200	113	8.0	8.0	4.3	2.2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21813	*Acacia dispartima*	Hickory Wattle	280	280		88	8.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21814	*Eucalyptus tereticornis*	Forest Red Gum	240	240		75	13.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21815	*Acacia dispartima*	Hickory Wattle	410	410		129	14.0	9.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21816	*Acacia dispartima*	Hickory Wattle	280	516	250, 250, 250	162	12.0	8.0	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21817	*Acacia dispartima*	Hickory Wattle	330	330		104	13.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21818	*Eucalyptus siderophloia*	Northern Grey Ironbark	290	290		91	17.0	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21819	*Angophora leiocarpa*	Rusty Gum	320	320		101	16.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21820	*Eucalyptus siderophloia*	Northern Grey Ironbark	280	280		88	15.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21821	*Eucalyptus tereticornis*	Forest Red Gum	250	250		79	16.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21822	*Eucalyptus siderophloia*	Northern Grey Ironbark	510	510		160	23.0	10.0	6.1	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21823	**DEAD/STAG**		420	420		132	15.0	4.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	2	-	-	-	Remove	
21824	*Eucalyptus siderophloia*	Northern Grey Ironbark	290	290		91	18.0	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21825	*Angophora leiocarpa*	Rusty Gum	290	290		91	19.0	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21826	*Acacia dispartima*	Hickory Wattle	270	270		85	13.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	0	-	-	-	Remove	
21827	*Eucalyptus tereticornis*	Forest Red Gum	280	280		88	16.0	3.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21828	*Eucalyptus tereticornis*	Forest Red Gum	350	350		110	25.0	4.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21829	*Eucalyptus tereticornis*	Forest Red Gum	370	370		116	25.0	8.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21830	*Corymbia intermedia*	Pink Bloodwood	280	280		88	15.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21831	**DEAD/STAG**		610	610		192	20.0	4.0	7.3	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21832	*Corymbia intermedia*	Pink Bloodwood	300	345	170	108	17.0	6.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21833	*Eucalyptus siderophloia*	Northern Grey Ironbark	280	280		88	20.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21834	*Corymbia citriodora*	Spotted Gum	240	240		75	15.0	9.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Retain	
21835	*Corymbia citriodora*	Spotted Gum	355	355		112	22.0	8.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
21836	**DEAD/STAG**		480	480		151	22.0	8.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	1	-	-	-	Retain	1 small hollow possible
21837	**DEAD/STAG**		335	335		105	12.0	1.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
21838	*Corymbia citriodora*	Spotted Gum	245	245		77	18.0	8.0	2.9	1.8	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
21839	*Corymbia citriodora*	Spotted Gum	400	400		126	25.0	12.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
21840	*Eucalyptus creata*	Narrow-leaved Red Ironbark	310	310		97	18.0	10.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
21841	*Eucalyptus siderophloia*	Northern Grey Ironbark	320	320		101	24.0	12.0	3.8	2.1	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
21842	*Corymbia citriodora*	Spotted Gum	225	225		71	20.0	10.0	2.7	1.8	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
21843	*Corymbia citriodora*	Spotted Gum	450	450		141	23.0	14.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
21844	*Corymbia citriodora*	Spotted Gum	440	440		138	27.0	16.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
21845	*Corymbia citriodora*	Spotted Gum	310	310		97	27.0	15.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
21846	*Corymbia citriodora*	Spotted Gum	310	310		97	28.0	14.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
21847	*Eucalyptus siderophloia*	Northern Grey Ironbark	445	445		140	30.0	18.0	5.3	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
21848	*Eucalyptus siderophloia*	Northern Grey Ironbark	275	275		86	27.0	14.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
21849	*Eucalyptus siderophloia*	Northern Grey Ironbark	490	490		154	30.0	18.0	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
21850	*Corymbia citriodora*	Spotted Gum	335	335		105	24.0	14.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
21851	*Eucalyptus siderophloia*	Northern Grey Ironbark	300	300		94	27.0	14.0	3.6	2.0	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
21852	*Corymbia intermedia*	Pink Bloodwood	370	370		116	27.0	20.0	4.4	2.2	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Retain	
21853	*Eucalyptus creata*	Narrow-leaved Red Ironbark	430	430		135	24.0	6.0	5.2	2.3	Regular	-	Thinning	-	-	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
21854	*Corymbia intermedia*	Pink Bloodwood	290	290		91	23.0	14.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
21855	*Corymbia intermedia*	Pink Bloodwood	450	450		141	24.0	12.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
21856	*Eucalyptus creata*	Narrow-leaved Red Ironbark	345	345		108	29.0	18.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
21857	*Eucalyptus siderophloia*	Northern Grey Ironbark	335	335		105	28.0	14.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
21858	*Eucalyptus siderophloia*	Northern Grey Ironbark	320	320		101	27.0	15.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
21859	*Corymbia intermedia*	Pink Bloodwood	320	320		101	23.0	14.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
21860	*Corymbia intermedia*	Pink Bloodwood	260	260		82	24.0	12.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
21861	*Eucalyptus siderophloia*	Northern Grey Ironbark	340	340		107	25.0	12.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
21862	*Corymbia citriodora*	Spotted Gum	410	410		129	25.0	14.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	Small	1	-	-	-	Retain	
21863	*Corymbia citriodora*	Spotted Gum	415	415		130	29.0	16.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
21864	*Corymbia citriodora*	Spotted Gum	250	250		79	22.0	10.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
21865	*Corymbia citriodora*	Spotted Gum	320	320		101	30.0	14.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
21866	*Corymbia citriodora*	Spotted Gum	350	350		110	24.0	12.0	4.2	2.1	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
21867	*Corymbia citriodora*	Spotted Gum	400	400		126	30.0	15.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
21868	*Corymbia citriodora*	Spotted Gum	320	320		101	25.0	15.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
21869	*Corymbia citriodora*	Spotted Gum	350	350		110	26.0	14.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
21870	*Corymbia citriodora*	Spotted Gum	290	290		91	27.0	12.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
21871	**DEAD/STAG**		500	500		157	19.0	10.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Large	2	-	-	-	Retain	
21872	*Corymbia citriodora*	Spotted Gum	240	240		75	26.0	12.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
21873	*Eucalyptus siderophloia*	Northern Grey Ironbark	215	215		68	16.0	5.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	

Tree ID	Botanical Name	Common Name	Specimen Details						Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Notes
			Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention
21874	*Eucalyptus siderophloia*	Northern Grey Ironbark	335	180	380	119	27.0	15.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Terminite nest	-	Retain
21875	*Corymbia citriodora*	Spotted Gum	435		435	137	27.0	14.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
21876	*Corymbia citriodora*	Spotted Gum	320		320	101	22.0	15.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
21877	*Corymbia citriodora*	Spotted Gum	335		335	105	26.0	14.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
21878	*Eucalyptus crebra*	Narrow-leaved Red Ironbark	290		290	91	24.0	12.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Large	2	-	-	-	Retain
21879	**DEAD/STAG**		380		380	119	24.0	14.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
21880	*Corymbia citriodora*	Spotted Gum	350		350	110	28.0	16.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
21881	*Eucalyptus siderophloia*	Northern Grey Ironbark	440		440	138	28.0	14.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
21882	*Corymbia citriodora*	Spotted Gum	475		475	149	28.0	15.0	5.7	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
21883	*Corymbia citriodora*	Spotted Gum	380		380	119	25.0	15.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
21884	*Eucalyptus siderophloia*	Northern Grey Ironbark	340		340	107	25.0	12.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
21885	*Corymbia citriodora*	Spotted Gum	525		525	165	28.0	15.0	6.3	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
21886	*Corymbia citriodora*	Spotted Gum	400		400	126	25.0	15.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
21887	*Corymbia citriodora*	Spotted Gum	275		275	86	27.0	12.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
21888	*Corymbia citriodora*	Spotted Gum	370		370	116	28.0	14.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
21889	*Corymbia citriodora*	Spotted Gum	270		270	85	25.0	12.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
21890	*Corymbia citriodora*	Spotted Gum	340		340	107	28.0	14.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
21891	*Corymbia citriodora*	Spotted Gum	210		210	66	20.0	11.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
21892	*Corymbia citriodora*	Spotted Gum	365		365	115	25.0	14.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
21893	*Corymbia citriodora*	Spotted Gum	535		535	168	28.0	15.0	6.4	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
21894	*Corymbia citriodora*	Spotted Gum	550		550	173	30.0	16.0	6.6	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
21895	*Corymbia intermedia*	Pink Bloodwood	340		340	107	26.0	15.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	1	-	-	-	Retain
21896	*Corymbia citriodora*	Spotted Gum	275		275	86	26.0	15.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
21897	*Corymbia citriodora*	Spotted Gum	330		330	104	26.0	14.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
21898	*Corymbia citriodora*	Spotted Gum	360		360	113	29.0	17.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
21899	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	16.0	12.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
21900	**DEAD/STAG**		290		290	91	15.0	1.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	1	-	-	-	Retain
21901	*Corymbia citriodora*	Spotted Gum	280		280	88	29.0	14.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
21902	*Corymbia citriodora*	Spotted Gum	335		335	105	28.0	14.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
21903	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	27.0	18.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
21904	*Corymbia intermedia*	Pink Bloodwood	270		270	85	27.0	15.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
21905	*Corymbia tessellaris*	Moreton Bay Ash	240		240	75	14.0	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
21906	*Eucalyptus siderophloia*	Northern Grey Ironbark	390		390	123	31.0	15.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
21907	**DEAD/STAG**		400		400	126	24.0	9.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	1	-	-	-	small hollow possible
21908	*Eucalyptus siderophloia*	Northern Grey Ironbark	445		445	140	25.0	15.0	5.3	2.4	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Retain
21909	*Eucalyptus siderophloia*	Northern Grey Ironbark	360		360	113	28.0	17.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Retain
21910	**DEAD/STAG**		445		445	140	24.0	12.0	5.3	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	2	-	-	-	Retain
21911	*Corymbia citriodora*	Spotted Gum	440		440	138	29.0	17.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
21912	**DEAD/STAG**		360		360	113	27.0	10.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	1	-	-	-	Retain
21913	*Corymbia citriodora*	Spotted Gum	480		480	151	31.0	18.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
21914	*Corymbia citriodora*	Spotted Gum	305		305	96	25.0	12.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
21915	*Corymbia citriodora*	Spotted Gum	280		280	88	24.0	14.0	3.4	1.9	Regular	-	-	Epicormic	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
21916	*Corymbia citriodora*	Spotted Gum	395		395	124	29.0	15.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
21917	*Eucalyptus siderophloia*	Northern Grey Ironbark	255		255	80	25.0	14.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
21918	*Eucalyptus siderophloia*	Northern Grey Ironbark	305		305	96	27.0	14.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
21919	*Corymbia citriodora*	Spotted Gum	300		300	94	24.0	14.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
21920	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	25.0	12.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
21921	*Eucalyptus crebra*	Narrow-leaved Red Ironbark	375		375	118	25.0	14.0	4.5	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
21922	*Eucalyptus crebra*	Narrow-leaved Red Ironbark	300		300	94	26.0	14.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
21923	*Eucalyptus siderophloia*	Northern Grey Ironbark	440		440	138	32.0	19.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Retain
21924	**DEAD/STAG**		345		345	108	26.0	9.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	1	-	-	-	small hollow possible
21925	*Eucalyptus siderophloia*	Northern Grey Ironbark	385		385	121	28.0	15.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
21926	*Eucalyptus siderophloia*	Northern Grey Ironbark	285		285	90	27.0	12.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
21927	*Eucalyptus siderophloia*	Northern Grey Ironbark	375		375	118	28.0	15.0	4.5	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
21928	*Corymbia citriodora*	Spotted Gum	440		440	138	30.0	16.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
21929	*Eucalyptus siderophloia*	Northern Grey Ironbark	415		415	130	8.0	10.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	crown missing
21930	*Corymbia intermedia*	Pink Bloodwood	350		350	110	27.0	16.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
21931	*Corymbia intermedia*	Pink Bloodwood	240		240	75	14.0	9.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
21932	*Corymbia citriodora*	Spotted Gum	405		405	127	31.0	16.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
21933	*Corymbia citriodora*	Spotted Gum	300		300	94	26.0	16.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
21934	*Corymbia intermedia*	Pink Bloodwood	315		315	99	18.0	16.0	3.8	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
21935	*Eucalyptus siderophloia*	Northern Grey Ironbark	410		410	129	33.0	19.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
21936	**DEAD/STAG**		350		350	110	18.0	7.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	1	-	-	-	1 small hollow possible
21937	*Acacia disparrima*	Hickory Wattle	260	230	347	109	11.0	9.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
21938	*Corymbia intermedia*	Pink Bloodwood	320		320	101	24.0	16.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
21939	*Corymbia intermedia*	Pink Bloodwood	290		290	91	24.0	14.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
21940	*Corymbia intermedia*	Pink Bloodwood	445		445	140	31.0	18.0	5.3	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
21941	**DEAD/STAG**		380		380	119	10.0	2.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	1	-	-	-	Retain

Tree ID	Botanical Name	Common Name	Specimen Details											Canopy Condition Details								Trunk Condition Details						Fauna Details and Habitat Value							Additional Notes
			Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	
21942	*Corymbia intermedia*	Pink Bloodwood	300		300	94	22.0	14.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
21943	*Corymbia intermedia*	Pink Bloodwood	250		250	79	17.0	12.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
21944	*Corymbia intermedia*	Pink Bloodwood	535		535	168	30.0	20.0	6.4	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	1	-	Termite nest	-	Retain	
21945	**DEAD/STAG**		390		390	123	18.0	8.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	1	-	-	-	Remove	
21946	*Eucalyptus siderophloia*	Northern Grey Ironbark	425		425	134	33.0	20.0	5.1	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
21947	*Corymbia intermedia*	Pink Bloodwood	255		255	80	14.0	10.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
21948	*Corymbia intermedia*	Pink Bloodwood	390		390	123	25.0	16.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
21949	*Corymbia intermedia*	Pink Bloodwood	300		300	94	22.0	16.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
21950	*Angophora leiocarpa*	Rusty Gum	305		305	96	22.0	12.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
21951	*Corymbia citriodora*	Spotted Gum	310		310	97	15.0	10.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Retain	
21952	*Eucalyptus siderophloia*	Northern Grey Ironbark	520		520	163	30.0	20.0	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	2	-	-	-	Retain	
21953	*Corymbia citriodora*	Spotted Gum	410		410	129	26.0	18.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Retain	
21954	*Corymbia intermedia*	Pink Bloodwood	345		345	108	24.0	16.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
21955	*Eucalyptus siderophloia*	Northern Grey Ironbark	380		380	119	25.0	15.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
21956	*Corymbia intermedia*	Pink Bloodwood	260		260	82	15.0	12.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
21957	*Corymbia intermedia*	Pink Bloodwood	335		335	105	22.0	14.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Retain	
21958	*Acacia disparrima*	Hickory Wattle	285	180	337	106	11.0	9.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Retain	
21959	*Eucalyptus carnea*	Broad-leaved White Mahogany	335		335	105	18.0	10.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
21960	*Lophostemon suaveolens*	Swamp Box	410		410	129	25.0	15.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
21961	*Corymbia intermedia*	Pink Bloodwood	320		320	101	21.0	12.0	3.8	2.1	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
21962	*Eucalyptus tereticornis*	Forest Red Gum	305		305	96	20.0	10.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Retain	
21963	*Eucalyptus seeana*	Narrow-leaved Red Gum	315		315	99	21.0	10.0	3.8	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
21964	*Eucalyptus tereticornis*	Forest Red Gum	320		320	101	22.0	11.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
21965	*Eucalyptus tereticornis*	Forest Red Gum	595		595	187	28.0	15.0	7.1	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
21966	*Eucalyptus tereticornis*	Forest Red Gum	355		355	112	24.0	14.0	4.3	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
21967	*Eucalyptus tereticornis*	Forest Red Gum	305		305	96	18.0	12.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
21968	**DEAD/STAG**		370		370	116	25.0	10.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	1	-	-	-	Retain	
21969	*Eucalyptus tereticornis*	Forest Red Gum	275		275	86	20.0	9.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
21970	*Eucalyptus tereticornis*	Forest Red Gum	450		450	141	27.0	15.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	0	-	-	-	Retain	
21971	*Lophostemon suaveolens*	Swamp Box	245		245	77	14.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
21972	*Corymbia intermedia*	Pink Bloodwood	280		280	88	16.0	11.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
21973	*Lophostemon suaveolens*	Swamp Box	260		260	82	14.0	9.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
21974	*Eucalyptus siderophloia*	Northern Grey Ironbark	420		420	132	22.0	10.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
21975	*Lophostemon suaveolens*	Swamp Box	280		280	88	20.0	10.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
21976	*Corymbia intermedia*	Pink Bloodwood	315		315	99	22.0	14.0	3.8	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
21977	*Eucalyptus siderophloia*	Northern Grey Ironbark	570		570	179	29.0	15.0	6.8	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
21978	*Eucalyptus crebra*	Narrow-leaved Red Ironbark	360		360	113	28.0	16.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
21979	*Eucalyptus tereticornis*	Forest Red Gum	355		355	112	23.0	16.0	4.3	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
21980	*Eucalyptus tereticornis*	Forest Red Gum	300		300	94	24.0	12.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
21981	*Eucalyptus tereticornis*	Forest Red Gum	365		365	115	24.0	14.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
21982	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	20.0	9.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
21983	*Eucalyptus siderophloia*	Northern Grey Ironbark	380		380	119	30.0	18.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
21984	*Eucalyptus tereticornis*	Forest Red Gum	260		260	82	20.0	9.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
21985	*Eucalyptus tereticornis*	Forest Red Gum	400		400	126	30.0	17.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
21986	*Eucalyptus tereticornis*	Forest Red Gum	480		480	151	29.0	15.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21987	*Eucalyptus siderophloia*	Northern Grey Ironbark	350		350	110	25.0	10.0	4.2	2.1	Regular	-	-	-	-	-	Typical	Native	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
21988	*Corymbia intermedia*	Pink Bloodwood	380		380	119	16.0	6.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
21989	*Corymbia citriodora*	Spotted Gum	210		210	66	23.0	8.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
21990	*Eucalyptus crebra*	Narrow-leaved Red Ironbark	490		490	154	24.0	7.0	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Retain	
21991	*Corymbia intermedia*	Pink Bloodwood	300		300	94	14.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
21992	*Eucalyptus siderophloia*	Northern Grey Ironbark	570		570	179	26.0	13.0	6.8	2.6	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Retain	
21993	*Corymbia citriodora*	Spotted Gum	830		830	261	28.0	13.0	10.0	3.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
21994	*Eucalyptus siderophloia*	Northern Grey Ironbark	530	190	563	177	28.0	12.0	6.8	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
21995	**DEAD/STAG**		890		890	280	24.0	6.0	10.7	3.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	2	-	-	-	Remove	
21996	*Corymbia citriodora*	Spotted Gum	540		540	170	26.0	13.0	6.5	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
21997	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	16.0	4.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Retain	
21998	*Corymbia citriodora*	Spotted Gum	380		380	119	22.0	8.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
21999	*Eucalyptus crebra*	Narrow-leaved Red Ironbark	330		330	104	18.0	7.0	4.0	2.1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
22000	*Eucalyptus siderophloia*	Northern Grey Ironbark	410		410	129	19.0	10.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
22001	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	16.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
22002	*Corymbia citriodora*	Spotted Gum	600		600	188	28.0	13.0	7.2	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22003	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	17.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
22004	**DEAD/STAG**		320		320	101	17.0	1.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Retain	
22005	*Corymbia intermedia*	Pink Bloodwood	430		430	135	17.0	6.0	5.2	2.3	One-sided	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
22006	*Eucalyptus siderophloia*	Northern Grey Ironbark	520		520	163	28.0	14.0	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22007	*Corymbia citriodora*	Spotted Gum	660		660	207	29.0	16.0	7.9	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22008	*Eucalyptus siderophloia*	Northern Grey Ironbark	530		530	167	25.0	7.0	6.4	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22009	*Corymbia citriodora*	Spotted Gum	680		680	214	28.0	15.0	8.2	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	

Specimen Details									Canopy Condition Details								Trunk Condition Details				Fauna Details and Habitat Value							
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
220?10	*Acacia dispartima*	Hickory Wattle	320		320	101	14.0	10.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
220?11	*Corymbia intermedia*	Pink Bloodwood	380		380	119	19.0	8.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
220?12	*Eucalyptus siderophloia*	Northern Grey Ironbark	520		520	163	27.0	9.0	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Retain	
220?13	*Eucalyptus siderophloia*	Northern Grey Ironbark	590	185	2.8.0	10.0	7.1	2.7	Regular	-	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
220?14	*Corymbia intermedia*	Pink Bloodwood	440	138	20.0	10.0	5.3	2.3	Regular	-	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
220?15	*Corymbia intermedia*	Pink Bloodwood	580	182	27.0	15.0	7.0	2.6	Regular	-	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
220?16	*Eucalyptus siderophloia*	Northern Grey Ironbark	370	116	26.0	8.0	4.4	2.2	Regular	-	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
220?17	*Eucalyptus siderophloia*	Northern Grey Ironbark	370	116	18.0	7.0	4.4	2.2	Regular	-	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
220?18	*Corymbia intermedia*	Pink Bloodwood	390	123	24.0	9.0	4.7	2.2	Regular	-	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
220?19	*Eucalyptus siderophloia*	Northern Grey Ironbark	370	116	17.0	7.0	4.4	2.2	Regular	-	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
220?20	*Eucalyptus siderophloia*	Northern Grey Ironbark	600	188	28.0	14.0	7.2	2.7	Regular	-	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
220?21	*Corymbia intermedia*	Pink Bloodwood	300	94	15.0	6.0	3.6	2.0	Regular	-	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
220?22	*Corymbia intermedia*	Pink Bloodwood	320	101	17.0	7.0	3.8	2.1	Regular	-	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
220?23	*Corymbia intermedia*	Pink Bloodwood	420	132	24.0	9.0	5.0	2.3	Regular	-	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
220?24	*Eucalyptus siderophloia*	Northern Grey Ironbark	580	182	27.0	8.0	7.0	2.6	Regular	-	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
220?25	*Eucalyptus siderophloia*	Northern Grey Ironbark	460	145	25.0	8.0	5.5	2.4	Regular	-	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
220?26	*Eucalyptus siderophloia*	Northern Grey Ironbark	290	91	16.0	5.0	3.5	2.0	Regular	-	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
220?27	*Eucalyptus crebra*	Narrow-leaved Red Ironbark	410	129	24.0	9.0	4.9	2.3	Regular	-	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
220?28	*Corymbia citriodora*	Spotted Gum	560	176	26.0	9.0	6.7	2.6	Regular	-	-	-	Die-back	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
220?29	*Eucalyptus siderophloia*	Northern Grey Ironbark	310	97	16.0	7.0	3.7	2.0	Regular	-	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
220?30	*Eucalyptus siderophloia*	Northern Grey Ironbark	600	188	27.0	11.0	7.2	2.7	Regular	-	-	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Retain	
220?31	*Corymbia citriodora*	Spotted Gum	570	179	27.0	11.0	6.8	2.6	Regular	-	-	-	Die-back	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
220?32	*Corymbia citriodora*	Spotted Gum	860	270	29.0	11.0	10.3	3.1	Regular	-	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
220?33	*Eucalyptus siderophloia*	Northern Grey Ironbark	380	119	20.0	7.0	4.6	2.2	Regular	-	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
220?34	*Corymbia citriodora*	Spotted Gum	500	157	29.0	11.0	6.0	2.5	Regular	-	-	-	Die-back	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
220?35	*Corymbia citriodora*	Spotted Gum	480	151	29.0	9.0	5.8	2.4	Regular	-	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
220?36	*Corymbia citriodora*	Spotted Gum	470	148	25.0	10.0	5.6	2.4	Regular	-	-	-	Die-back	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
220?37	**DEAD/STAG**		610	192	20.0	5.0	7.3	2.7	Regular	-	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	1	-	-	-	Retain	
220?38	*Corymbia citriodora*	Spotted Gum	630	198	28.0	15.0	7.6	2.7	Regular	-	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
220?39	*Eucalyptus siderophloia*	Northern Grey Ironbark	650	204	20.0	8.0	7.8	2.8	Regular	-	Thinning	Die-back	Epicormic	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	Termite nest	-	Retain	
220?40	*Corymbia citriodora*	Spotted Gum	770	242	28.0	14.0	9.2	3.0	Regular	-	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
220?41	*Eucalyptus siderophloia*	Northern Grey Ironbark	610	192	25.0	9.0	7.3	2.7	Regular	-	-	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Retain	
220?42	*Eucalyptus siderophloia*	Northern Grey Ironbark	440	138	21.0	9.0	5.3	2.3	Regular	-	-	-	Die-back	-	-	-	Typical	-	-	-	-	Typical	New	-	-	0	-	Termite nest	-	Retain	
220?43	**DEAD/STAG**		680	214	24.0	5.0	8.2	2.8	Regular	-	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	1	-	-	-	Remove	
220?44	*Corymbia citriodora*	Spotted Gum	690	217	30.0	15.0	8.3	2.8	Regular	-	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
220?45	*Corymbia citriodora*	Spotted Gum	650	204	26.0	10.0	7.8	2.8	Regular	-	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
220?46	*Corymbia citriodora*	Spotted Gum	310	97	18.0	5.0	3.7	2.0	Regular	-	-	-	Die-back	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
220?47	*Corymbia citriodora*	Spotted Gum	510	160	26.0	10.0	6.1	2.5	Regular	-	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
220?48	*Corymbia intermedia*	Pink Bloodwood	420	132	16.0	6.0	5.0	2.3	Regular	-	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
220?49	*Corymbia citriodora*	Spotted Gum	450	141	21.0	10.0	5.4	2.4	Regular	-	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
220?50	*Angophora leiocarpa*	Rusty Gum	260	82	15.0	6.0	3.1	1.9	Regular	-	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
220?51	*Corymbia citriodora*	Spotted Gum	300	94	20.0	8.0	3.6	2.0	Regular	-	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
220?52	*Corymbia citriodora*	Spotted Gum	450	141	24.0	7.0	5.4	2.4	Regular	-	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
220?53	*Corymbia citriodora*	Spotted Gum	500	157	20.0	7.0	6.0	2.5	Regular	-	-	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Retain	
220?54	*Angophora leiocarpa*	Rusty Gum	310	97	17.0	8.0	3.7	2.0	Regular	-	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
220?55	*Corymbia citriodora*	Spotted Gum	280	88	18.0	7.0	3.4	1.9	Regular	-	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
220?56	*Corymbia citriodora*	Spotted Gum	480	151	27.0	11.0	5.8	2.4	Regular	-	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
220?57	*Eucalyptus siderophloia*	Northern Grey Ironbark	370	116	17.0	7.0	4.4	2.2	Regular	-	-	-	Die-back	Epicormic	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
220?58	*Corymbia citriodora*	Spotted Gum	480	151	31.0	10.0	5.8	2.4	Regular	-	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
220?59	*Corymbia citriodora*	Spotted Gum	660	207	24.0	14.0	7.9	2.8	Regular	-	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
220?60	*Corymbia citriodora*	Spotted Gum	410	129	20.0	5.0	4.9	2.3	Regular	-	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
220?61	*Corymbia citriodora*	Spotted Gum	630	198	29.0	12.0	7.6	2.7	Regular	-	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
220?62	*Eucalyptus siderophloia*	Northern Grey Ironbark	300	94	14.0	7.0	3.6	2.0	Regular	-	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
220?63	*Eucalyptus siderophloia*	Northern Grey Ironbark	650	204	18.0	10.0	7.8	2.8	Regular	-	-	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
220?64	*Corymbia citriodora*	Spotted Gum	340	107	19.0	5.0	4.1	2.1	Regular	-	-	-	Die-back	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
220?65	*Corymbia citriodora*	Spotted Gum	350	110	25.0	9.0	4.2	2.1	Regular	-	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
220?66	*Corymbia citriodora*	Spotted Gum	710	223	32.0	12.0	8.5	2.9	Regular	-	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
220?67	*Corymbia citriodora*	Spotted Gum	310	97	18.0	7.0	3.7	2.0	Regular	-	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
220?68	*Corymbia citriodora*	Spotted Gum	430	135	20.0	8.0	5.2	2.3	Regular	-	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
220?69	*Corymbia citriodora*	Spotted Gum	480	151	22.0	8.0	5.8	2.4	Regular	-	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
220?70	*Corymbia citriodora*	Spotted Gum	480	151	24.0	5.0	5.8	2.4	Regular	-	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
220?71	*Corymbia citriodora*	Spotted Gum	600	188	25.0	8.0	7.2	2.7	Regular	-	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
220?72	*Corymbia intermedia*	Pink Bloodwood	380	119	19.0	8.0	4.6	2.2	Regular	-	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
220?73	*Corymbia citriodora*	Spotted Gum	300	94	20.0	6.0	3.6	2.0	Regular	-	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
220?74	*Corymbia citriodora*	Spotted Gum	750	236	27.0	9.0	9.0	2.9	Regular	-	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
220?75	*Corymbia citriodora*	Spotted Gum	470	148	24.0	9.0	5.6	2.4	Regular	-	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
220?76	*Corymbia citriodora*	Spotted Gum	750	236	28.0	12.0	9.0	2.9	Regular	-	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
220?77	*Corymbia intermedia*	Pink Bloodwood	350	110	15.0	8.0	4.2	2.1	Regular	-	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	

Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value									
22078	*Corymbia citriodora*	Spotted Gum	490		490	154	18.0	9.0	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	-
22079	*Corymbia citriodora*	Spotted Gum	590		590	185	28.0	15.0	7.1	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	-
22080	*Corymbia citriodora*	Spotted Gum	470		470	148	27.0	11.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	-
22081	*Corymbia citriodora*	Spotted Gum	550		550	173	21.0	9.0	6.6	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	-
22082	*Corymbia citriodora*	Spotted Gum	510		510	160	19.0	7.0	6.1	2.5	Regular	-	Thinning	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	-
22083	*Corymbia citriodora*	Spotted Gum	510		510	160	22.0	9.0	6.1	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	-
22084	*Corymbia citriodora*	Spotted Gum	510		510	160	22.0	12.0	6.1	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	-
22085	*Eucalyptus siderophloia*	Northern Grey Ironbark	510		510	160	26.0	12.0	6.1	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	-
22086	**DEAD/STAG**		540		540	170	25.0	2.0	6.5	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	-
22087	*Corymbia citriodora*	Spotted Gum	380		380	119	20.0	8.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	-
22088	*Corymbia citriodora*	Spotted Gum	530		530	167	23.0	9.0	6.4	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	-
22089	*Corymbia citriodora*	Spotted Gum	690		690	217	27.0	12.0	8.3	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	-
22090	*Corymbia citriodora*	Spotted Gum	450		450	141	22.0	7.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	-
22091	*Corymbia citriodora*	Spotted Gum	560		560	176	29.0	10.0	6.7	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	-
22092	*Eucalyptus siderophloia*	Northern Grey Ironbark	440		440	138	24.0	10.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	-
22093	*Corymbia intermedia*	Pink Bloodwood	390		390	123	23.0	8.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	-
22094	*Eucalyptus siderophloia*	Northern Grey Ironbark	370		370	116	16.0	6.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	-
22095	*Corymbia tessellaris*	Moreton Bay Ash	350		350	110	18.0	6.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	-
22096	*Eucalyptus siderophloia*	Northern Grey Ironbark	400	350	532	167	28.0	9.0	6.4	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	-
22097	*Eucalyptus cretata*	Narrow-leaved Red Ironbark	380		380	119	16.0	4.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	-
22098	*Corymbia citriodora*	Spotted Gum	500		500	157	25.0	8.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	-
22099	*Corymbia tessellaris*	Moreton Bay Ash	320		320	101	15.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	-
22100	*Eucalyptus siderophloia*	Northern Grey Ironbark	460		460	145	20.0	10.0	5.5	2.4	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	-
22101	*Eucalyptus siderophloia*	Northern Grey Ironbark	420		420	132	22.0	9.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	-
22102	*Petalostigma pubescens*	Quinine Tree	300		300	94	12.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	-
22103	*Corymbia citriodora*	Spotted Gum	360		360	113	20.0	6.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	-
22104	*Petalostigma pubescens*	Quinine Tree	300		300	94	12.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	-
22105	**DEAD/STAG**		420		420	132	17.0	6.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	-
22106	*Corymbia tessellaris*	Moreton Bay Ash	250		250	79	14.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	-
22107	*Corymbia intermedia*	Pink Bloodwood	300		300	94	16.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	-
22108	*Corymbia citriodora*	Spotted Gum	610		610	192	28.0	13.0	7.3	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	-
22109	*Eucalyptus siderophloia*	Northern Grey Ironbark	630		630	198	20.0	9.0	7.6	2.7	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Retain	-
22110	*Corymbia citriodora*	Spotted Gum	1020		1020	320	28.0	14.0	12.2	3.3	Regular	-	Thinning	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	-
22111	**DEAD/STAG**		380		380	119	18.0	7.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	-
22112	*Eucalyptus siderophloia*	Northern Grey Ironbark	400		400	126	26.0	8.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	-
22113	*Eucalyptus siderophloia*	Northern Grey Ironbark	360		360	113	23.0	8.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	-
22114	*Eucalyptus cretata*	Narrow-leaved Red Ironbark	390		390	123	22.0	8.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	-
22115	*Eucalyptus cretata*	Narrow-leaved Red Ironbark	480		480	151	25.0	9.0	5.8	2.4	Regular	-	Thinning	Die-back	-	-	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	Termite nest	-	Remove	-
22116	*Eucalyptus cretata*	Narrow-leaved Red Ironbark	390		390	123	25.0	9.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	-
22117	*Corymbia citriodora*	Spotted Gum	300		300	94	23.0	7.0	3.6	2.0	One-sided	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	-
22118	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	17.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	-
22119	*Corymbia citriodora*	Spotted Gum	640		640	201	26.0	9.0	7.7	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	-
22120	*Corymbia citriodora*	Spotted Gum	500		500	157	23.0	10.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	-
22121	*Eucalyptus siderophloia*	Northern Grey Ironbark	500		500	157	22.0	11.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Retain	-
22122	*Eucalyptus siderophloia*	Northern Grey Ironbark	450		450	141	18.0	7.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	-
22123	*Corymbia citriodora*	Spotted Gum	590		590	185	24.0	11.0	7.1	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	-
22124	*Corymbia intermedia*	Pink Bloodwood	360		360	113	22.0	8.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	-
22125	*Corymbia citriodora*	Spotted Gum	610		610	192	28.0	16.0	7.3	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	-
22126	*Corymbia intermedia*	Pink Bloodwood	340		340	107	18.0	7.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	-
22127	*Corymbia intermedia*	Pink Bloodwood	300		300	94	15.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Retain	-
22128	*Eucalyptus siderophloia*	Northern Grey Ironbark	620		620	195	26.0	13.0	7.4	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	-
22129	**DEAD/STAG**		390		390	123	19.0	2.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	-
22130	*Eucalyptus siderophloia*	Northern Grey Ironbark	550		550	173	26.0	9.0	6.6	2.6	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	-
22131	**DEAD/STAG**		350		350	110	18.0	1.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	-
22132	**DEAD/STAG**		430		430	135	20.0	5.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	-
22133	*Eucalyptus siderophloia*	Northern Grey Ironbark	480		480	151	27.0	13.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	-
22134	*Corymbia intermedia*	Pink Bloodwood	480		480	151	27.0	9.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	-
22135	*Corymbia intermedia*	Pink Bloodwood	330		330	104	16.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	-
22136	**DEAD/STAG**		320		320	101	5.0	2.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	1	-	-	-	Retain	-
22137	*Corymbia citriodora*	Spotted Gum	280		280	88	17.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	-
22138	*Eucalyptus siderophloia*	Northern Grey Ironbark	580		580	182	24.0	9.0	7.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	-
22139	**DEAD/STAG**		740		740	232	19.0	5.0	8.9	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	2	-	-	-	Retain	-
22140	*Corymbia citriodora*	Spotted Gum	310		310	97	22.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	-
22141	*Corymbia intermedia*	Pink Bloodwood	400		400	126	20.0	7.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	-
22142	*Eucalyptus siderophloia*	Northern Grey Ironbark	550		550	173	24.0	9.0	6.6	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	-
22143	*Corymbia intermedia*	Pink Bloodwood	330		330	104	20.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	-
22144	*Lophostemon suaveolens*	Swamp Box	350		350	110	16.0	8.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	-
22145	*Corymbia intermedia*	Pink Bloodwood	440		440	138	15.0	6.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	-

Specimen Details								Canopy Condition Details							Trunk Condition Details				Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
22146	**DEAD/STAG**		450		450	141	18.0	2.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Retain	
22147	*Corymbia intermedia*	Pink Bloodwood	500		500	157	25.0	9.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
22148	*Corymbia intermedia*	Pink Bloodwood	550		550	173	24.0	9.0	6.6	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22149	*Corymbia intermedia*	Pink Bloodwood	330		330	104	16.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
22150	*Eucalyptus siderophloia*	Northern Grey Ironbark	630		630	198	21.0	9.0	7.6	2.7	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	Termite nest	-	Retain	
22151	*Corymbia intermedia*	Pink Bloodwood	300		300	94	17.0	4.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Retain	
22152	**DEAD/STAG**		450		450	141	17.0	3.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	2	-	-	-	Remove	
22153	**DEAD/STAG**		360		360	113	15.0	3.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	1	-	-	-	Remove	
22154	*Corymbia intermedia*	Pink Bloodwood	470		470	148	22.0	8.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
22155	*Eucalyptus siderophloia*	Northern Grey Ironbark	660		660	207	26.0	10.0	7.9	2.8	Regular	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
22156	*Corymbia intermedia*	Pink Bloodwood	360		360	113	17.0	7.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22157	**DEAD/STAG**		420		420	132	17.0	6.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22158	*Corymbia intermedia*	Pink Bloodwood	350		350	110	22.0	8.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
22159	*Eucalyptus siderophloia*	Northern Grey Ironbark	660		660	207	27.0	13.0	7.9	2.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
22160	*Corymbia intermedia*	Pink Bloodwood	410	280	300	129	22.0	10.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
22161	*Lophostemon suaveolens*	Swamp Box	330		330	104	18.0	6.0	4.0	2.1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
22162	*Eucalyptus siderophloia*	Northern Grey Ironbark	660		660	207	28.0	10.0	7.9	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22163	**DEAD/STAG**		590		590	185	18.0	6.0	7.1	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	2	-	-	-	Remove	
22164	*Eucalyptus tereticornis*	Forest Red Gum	380		380	119	22.0	5.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
22165	*Eucalyptus tereticornis*	Forest Red Gum	690		690	217	27.0	10.0	8.3	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22166	*Angophora leiocarpa*	Rusty Gum	400		400	126	21.0	9.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22167	*Corymbia intermedia*	Pink Bloodwood	380		380	119	18.0	9.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
22168	*Eucalyptus siderophloia*	Northern Grey Ironbark	510		510	160	18.0	10.0	6.1	2.5	Regular	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Retain	
22169	*Eucalyptus tereticornis*	Forest Red Gum	660		660	207	24.0	9.0	7.9	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
22170	*Eucalyptus tereticornis*	Forest Red Gum	750		750	236	26.0	9.0	9.0	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22171	**DEAD/STAG**		490		490	154	18.0	5.0	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22172	**DEAD/STAG**		380		380	119	18.0	6.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
22173	*Corymbia intermedia*	Pink Bloodwood	590		590	185	26.0	12.0	7.1	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22174	*Eucalyptus tereticornis*	Forest Red Gum	550		550	173	28.0	6.0	6.6	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22175	*Eucalyptus tereticornis*	Forest Red Gum	490		490	154	25.0	9.0	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22176	*Eucalyptus tereticornis*	Forest Red Gum	310		310	97	18.0	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
22177	**DEAD/STAG**		550		550	173	25.0	3.0	6.6	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
22178	*Lophostemon suaveolens*	Swamp Box	310		310	97	19.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
22179	*Eucalyptus tereticornis*	Forest Red Gum	740		740	232	26.0	8.0	8.9	2.9	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
22180	*Eucalyptus siderophloia*	Northern Grey Ironbark	430		430	135	19.0	6.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	Termite nest	-	Retain	
22181	*Eucalyptus tereticornis*	Forest Red Gum	680		680	214	26.0	12.0	8.2	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
22182	*Lophostemon suaveolens*	Swamp Box	300		300	94	15.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22183	*Lophostemon suaveolens*	Swamp Box	250		250	79	14.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22184	*Corymbia intermedia*	Pink Bloodwood	280		280	88	19.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
22185	*Eucalyptus siderophloia*	Northern Grey Ironbark	650		650	204	27.0	9.0	7.8	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
22186	*Eucalyptus siderophloia*	Northern Grey Ironbark	550		550	173	25.0	6.0	6.6	2.6	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
22187	*Eucalyptus siderophloia*	Northern Grey Ironbark	660		660	207	29.0	13.0	7.9	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22188	*Eucalyptus tereticornis*	Forest Red Gum	820		820	258	28.0	14.0	9.8	3.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22189	*Lophostemon suaveolens*	Swamp Box	320		320	101	18.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
22190	*Lophostemon suaveolens*	Swamp Box	300		300	94	18.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
22191	*Eucalyptus crebra*	Narrow-leaved Red Ironbark	440		440	138	22.0	7.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
22192	*Lophostemon suaveolens*	Swamp Box	350		350	110	17.0	5.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
22193	*Lophostemon suaveolens*	Swamp Box	300		300	94	16.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22194	*Lophostemon suaveolens*	Swamp Box	330		330	104	19.0	6.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
22195	*Corymbia intermedia*	Pink Bloodwood	450		450	141	24.0	9.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
22196	*Lophostemon suaveolens*	Swamp Box	350		350	110	17.0	5.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
22197	*Lophostemon suaveolens*	Swamp Box	300		300	94	15.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
22198	*Eucalyptus crebra*	Narrow-leaved Red Ironbark	500		500	157	27.0	8.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
22199	*Lophostemon suaveolens*	Swamp Box	360		360	113	15.0	7.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
22200	*Eucalyptus tereticornis*	Forest Red Gum	510		510	160	22.0	7.0	6.1	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22201	*Eucalyptus tereticornis*	Forest Red Gum	400		400	126	20.0	7.0	4.8	2.3	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22202	*Eucalyptus tereticornis*	Forest Red Gum	440		440	138	24.0	8.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22203	*Eucalyptus tereticornis*	Forest Red Gum	460		460	145	21.0	8.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
22204	*Eucalyptus tereticornis*	Forest Red Gum	730		730	229	28.0	10.0	8.8	2.9	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	0	-	-	-	Retain	
22205	*Eucalyptus tereticornis*	Forest Red Gum	410		410	129	24.0	7.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22206	*Corymbia tessellaris*	Moreton Bay Ash	920		920	289	24.0	12.0	11.0	3.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
22207	*Eucalyptus crebra*	Narrow-leaved Red Ironbark	590		590	185	27.0	14.0	7.1	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22208	*Corymbia tessellaris*	Moreton Bay Ash	590		590	185	16.0	5.0	7.1	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22209	**DEAD/STAG**		450		450	141	19.0	3.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	0	-	-	-	Retain	
22210	**DEAD/STAG**		300		300	94	19.0	3.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	0	-	-	-	Retain	
22211	*Eucalyptus siderophloia*	Northern Grey Ironbark	320		320	101	19.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	0	-	-	-	Retain	
22212	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	18.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	0	-	-	-	Retain	
22213	*Corymbia citriodora*	Spotted Gum	700		700	220	18.0	15.0	8.4	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Old	-	0	-	-	-	Remove	

Tree ID	Specimen Details							Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Retention	Additional Notes
	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	
22214	*Eucalyptus crebra*	Narrow-leaved Red Ironbark	700		700	220	15.0	8.0	8.4	2.8	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
22215	*Corymbia citriodora*	Spotted Gum	370		370	116	24.0	12.0	4.4	2.2	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
22216	*Corymbia citriodora*	Spotted Gum	360		360	113	24.0	8.0	4.3	2.2	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
22217	*Corymbia citriodora*	Spotted Gum	310	270	411	129	15.0	8.0	4.9	2.3	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
22218	*Corymbia citriodora*	Spotted Gum	300		300	94	19.0	8.0	3.6	2.0	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
22219	*Eucalyptus moluccana*	Gum-topped Box	310		310	97	14.0	8.0	3.7	2.0	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
22220	*Corymbia citriodora*	Spotted Gum	350		350	110	22.0	13.0	4.2	2.1	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
22221	*Corymbia citriodora*	Spotted Gum	380		380	119	18.0	10.0	4.6	2.2	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
22222	*Corymbia citriodora*	Spotted Gum	380		380	119	21.0	12.0	4.6	2.2	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
22223	*Corymbia citriodora*	Spotted Gum	320		320	101	22.0	8.0	3.8	2.1	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
22224	*Eucalyptus crebra*	Narrow-leaved Red Ironbark	310		310	97	19.0	9.0	3.7	2.0	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
22225	*Eucalyptus moluccana*	Gum-topped Box	310		310	97	18.0	9.0	3.7	2.0	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
22226	*Corymbia citriodora*	Spotted Gum	320		320	101	18.0	9.0	3.8	2.1	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
22227	*Corymbia citriodora*	Spotted Gum	320		320	101	20.0	11.0	3.8	2.1	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
22228	*Corymbia citriodora*	Spotted Gum	320	250	406	128	14.0	11.0	4.9	2.3	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
22229	*Eucalyptus moluccana*	Gum-topped Box	520		520	163	17.0	10.0	6.2	2.5	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
22230	*Melaleuca irbyana*	Swamp Tea-tree	100		100	31	5.0	3.0	2.0	1.3	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
22231	*Melaleuca irbyana*	Swamp Tea-tree	50		50	16	3.0	3.0	2.0	0.9	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
22232	*Corymbia citriodora*	Spotted Gum	360		360	113	18.0	7.0	4.3	2.2	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
22233	*Corymbia citriodora*	Spotted Gum	300		300	94	18.0	5.0	3.6	2.0	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
22234	*Corymbia citriodora*	Spotted Gum	310		310	97	17.0	6.0	3.7	2.0	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
22235	*Corymbia citriodora*	Spotted Gum	310		310	97	18.0	7.0	3.7	2.0	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
22236	*Eucalyptus moluccana*	Gum-topped Box	380		380	119	17.0	8.0	4.6	2.2	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
22237	*Corymbia citriodora*	Spotted Gum	310		310	97	18.0	7.0	3.7	2.0	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
22238	*Corymbia citriodora*	Spotted Gum	310		310	97	17.0	6.0	3.7	2.0	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
22239	*Corymbia citriodora*	Spotted Gum	380		380	119	22.0	10.0	4.6	2.2	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
22240	*Corymbia citriodora*	Spotted Gum	380		380	119	18.0	7.0	4.6	2.2	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
22241	*Corymbia citriodora*	Spotted Gum	340		340	107	16.0	5.0	4.1	2.1	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
22242	*Corymbia citriodora*	Spotted Gum	320		320	101	23.0	7.0	3.8	2.1	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
22243	*Corymbia citriodora*	Spotted Gum	310		310	97	22.0	8.0	3.7	2.0	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
22244	*Corymbia citriodora*	Spotted Gum	350		350	110	21.0	8.0	4.2	2.1	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
22245	*Corymbia citriodora*	Spotted Gum	360		360	113	20.0	8.0	4.3	2.2	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
22246	*Corymbia citriodora*	Spotted Gum	350		350	110	14.0	10.0	4.2	2.1	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
22247	*Eucalyptus moluccana*	Gum-topped Box	440	260	511	161	17.0	10.0	6.1	2.5	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	large	-	-	Remove
22248	*Eucalyptus moluccana*	Gum-topped Box	450		450	141	19.0	9.0	5.4	2.4	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
22249	*Corymbia citriodora*	Spotted Gum	410		410	129	17.0	14.0	4.9	2.3	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
22250	*Eucalyptus tereticornis*	Forest Red Gum	510		510	160	17.0	8.0	6.1	2.5	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
22251	*Corymbia citriodora*	Spotted Gum	340		340	107	20.0	8.0	4.1	2.1	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
22252	*Corymbia citriodora*	Spotted Gum	310		310	97	19.0	7.0	3.7	2.0	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
22253	*Corymbia citriodora*	Spotted Gum	310		310	97	18.0	8.0	3.7	2.0	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
22254	*Corymbia citriodora*	Spotted Gum	350		350	110	18.0	9.0	4.2	2.1	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
22255	*Corymbia citriodora*	Spotted Gum	350		350	110	16.0	5.0	4.2	2.1	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
22256	*Corymbia citriodora*	Spotted Gum	320		320	101	15.0	8.0	3.8	2.1	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
22257	*Corymbia citriodora*	Spotted Gum	300		300	94	21.0	5.0	3.6	2.0	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
22258	*Eucalyptus tereticornis*	Forest Red Gum	370		370	116	18.0	6.0	4.4	2.2	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
22259	*Corymbia citriodora*	Spotted Gum	300		300	94	18.0	9.0	3.6	2.0	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
22260	*Corymbia citriodora*	Spotted Gum	300		300	94	17.0	5.0	3.6	2.0	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
22261	*Corymbia citriodora*	Spotted Gum	300		300	94	20.0	6.0	3.6	2.0	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
22262	*Corymbia citriodora*	Spotted Gum	380		380	119	21.0	10.0	4.6	2.2	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
22263	*Corymbia citriodora*	Spotted Gum	310		310	97	20.0	6.0	3.7	2.0	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
22264	*Eucalyptus tereticornis*	Forest Red Gum	300		300	94	15.0	7.0	3.6	2.0	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
22265	*Corymbia citriodora*	Spotted Gum	300		300	94	17.0	7.0	3.6	2.0	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
22266	*Corymbia citriodora*	Spotted Gum	780		780	245	20.0	13.0	9.4	3.0	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
22267	*Corymbia citriodora*	Spotted Gum	310		310	97	18.0	10.0	3.7	2.0	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
22268	*Corymbia citriodora*	Spotted Gum	310		310	97	17.0	12.0	3.7	2.0	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
22269	*Corymbia citriodora*	Spotted Gum	360		360	113	17.0	8.0	4.3	2.2	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
22270	*Corymbia citriodora*	Spotted Gum	390		390	123	22.0	10.0	4.7	2.2	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
22271	*Corymbia citriodora*	Spotted Gum	380		380	119	18.0	7.0	4.6	2.2	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
22272	*Corymbia citriodora*	Spotted Gum	300		300	94	18.0	7.0	3.6	2.0	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
22273	*Corymbia citriodora*	Spotted Gum	310		310	97	20.0	11.0	3.7	2.0	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
22274	*Corymbia citriodora*	Spotted Gum	320		320	101	16.0	8.0	3.8	2.1	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
22275	*Corymbia citriodora*	Spotted Gum	330		330	104	22.0	5.0	4.0	2.1	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
22276	*Corymbia citriodora*	Spotted Gum	350		350	110	23.0	11.0	4.2	2.1	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
22277	*Corymbia citriodora*	Spotted Gum	310		310	97	17.0	12.0	3.7	2.0	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
22278	*Corymbia citriodora*	Spotted Gum	380		380	119	20.0	12.0	4.6	2.2	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
22279	*Corymbia citriodora*	Spotted Gum	310		310	97	18.0	10.0	3.7	2.0	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
22280	*Corymbia citriodora*	Spotted Gum	310		310	97	17.0	7.0	3.7	2.0	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
22281	*Corymbia citriodora*	Spotted Gum	300		300	94	20.0	7.0	3.6	2.0	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove

| | | |

Specimen Details								Canopy Condition Details								Trunk Condition Details						Fauna Details and Habitat Value									
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
22350	*Corymbia citriodora*	Spotted Gum	340		340	107	19.0	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22351	*Eucalyptus crebra*	Narrow-leaved Red Ironbark	330		330	104	18.0	6.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22352	*Eucalyptus crebra*	Narrow-leaved Red Ironbark	310		310	97	17.0	10.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22353	*Corymbia citriodora*	Spotted Gum	280		280	88	18.0	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22354	*Eucalyptus crebra*	Narrow-leaved Red Ironbark	270		270	85	15.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22355	*Eucalyptus crebra*	Narrow-leaved Red Ironbark	600		600	188	13.0	4.0	7.2	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	3	-	-	-	Remove	
22356	*Corymbia citriodora*	Spotted Gum	300		300	94	15.0	4.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22357	*Corymbia citriodora*	Spotted Gum	340		340	107	22.0	12.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22358	*Corymbia citriodora*	Spotted Gum	260		260	82	13.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22359	*Corymbia intermedia*	Pink Bloodwood	250		250	79	17.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22360	*Corymbia citriodora*	Spotted Gum	400	250	472	148	24.0	12.0	5.7	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22361	*Corymbia citriodora*	Spotted Gum	280		280	88	23.0	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22362	*Corymbia citriodora*	Spotted Gum	310		310	97	24.0	10.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22363	*Corymbia citriodora*	Spotted Gum	430		430	135	22.0	8.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22364	*Corymbia citriodora*	Spotted Gum	300		300	94	18.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22365	*Corymbia citriodora*	Spotted Gum	360		360	113	23.0	10.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22366	*Eucalyptus crebra*	Narrow-leaved Red Ironbark	300		300	94	12.0	3.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22367	*Corymbia citriodora*	Spotted Gum	280		280	88	17.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22368	*Corymbia citriodora*	Spotted Gum	320		320	101	22.0	12.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22369	*Corymbia citriodora*	Spotted Gum	320		320	101	18.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22370	*Corymbia citriodora*	Spotted Gum	280		280	88	18.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22371	*Corymbia citriodora*	Spotted Gum	310		310	97	18.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22372	*Corymbia citriodora*	Spotted Gum	300		300	94	19.0	9.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22373	*Corymbia citriodora*	Spotted Gum	340		340	107	24.0	10.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22374	*Corymbia citriodora*	Spotted Gum	290		290	91	18.0	5.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22375	*Corymbia citriodora*	Spotted Gum	310		310	97	18.0	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22376	*Corymbia citriodora*	Spotted Gum	440		440	138	20.0	13.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22377	*Corymbia citriodora*	Spotted Gum	310		310	97	21.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22378	*Corymbia citriodora*	Spotted Gum	350		350	110	17.0	6.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22379	*Corymbia citriodora*	Spotted Gum	340		340	107	22.0	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22380	*Corymbia citriodora*	Spotted Gum	340		340	107	20.0	7.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22381	*Corymbia citriodora*	Spotted Gum	310		310	97	20.0	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22382	*Corymbia citriodora*	Spotted Gum	640		640	201	22.0	13.0	7.7	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22383	*Corymbia citriodora*	Spotted Gum	310		310	97	20.0	4.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22384	*Corymbia citriodora*	Spotted Gum	300		300	94	22.0	9.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22385	*Corymbia citriodora*	Spotted Gum	300		300	94	18.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22386	*Corymbia citriodora*	Spotted Gum	250		250	79	19.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22387	*Corymbia citriodora*	Spotted Gum	350		350	110	18.0	7.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22388	*Corymbia citriodora*	Spotted Gum	410		410	129	22.0	10.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22389	*Corymbia citriodora*	Spotted Gum	310		310	97	16.0	9.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22390	*Corymbia citriodora*	Spotted Gum	310		310	97	17.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22391	*Corymbia citriodora*	Spotted Gum	250		250	79	18.0	9.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22392	*Corymbia citriodora*	Spotted Gum	230		230	72	16.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22393	*Corymbia citriodora*	Spotted Gum	200		200	63	17.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22394	*Corymbia citriodora*	Spotted Gum	250		250	79	18.0	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22395	*Corymbia citriodora*	Spotted Gum	330		330	104	20.0	4.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22396	*Corymbia citriodora*	Spotted Gum	300		300	94	16.0	4.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22397	*Corymbia citriodora*	Spotted Gum	330		330	104	20.0	6.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22398	*Corymbia citriodora*	Spotted Gum	380		380	119	20.0	8.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22399	*Corymbia citriodora*	Spotted Gum	310		310	97	21.0	5.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22400	*Corymbia citriodora*	Spotted Gum	350		350	110	21.0	8.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22401	*Eucalyptus tereticornis*	Forest Red Gum	370		370	116	22.0	8.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22402	*Corymbia citriodora*	Spotted Gum	240		240	75	18.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22403	*Corymbia citriodora*	Spotted Gum	260		260	82	16.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22404	*Eucalyptus tereticornis*	Forest Red Gum	320		320	101	18.0	10.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	Old	Old	-	0	-	-	-	Remove	
22405	*Corymbia citriodora*	Spotted Gum	290		290	91	17.0	8.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22406	*Corymbia citriodora*	Spotted Gum	300		300	94	19.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22407	*Corymbia citriodora*	Spotted Gum	260		260	82	20.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22408	*Corymbia citriodora*	Spotted Gum	270		270	85	17.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22409	*Corymbia citriodora*	Spotted Gum	310		310	97	17.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22410	*Corymbia citriodora*	Spotted Gum	330		330	104	17.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22411	*Eucalyptus tereticornis*	Forest Red Gum	250		250	79	14.0	3.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22412	*Corymbia citriodora*	Spotted Gum	380		380	119	18.0	12.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22413	*Corymbia citriodora*	Spotted Gum	260		260	82	16.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22414	*Corymbia citriodora*	Spotted Gum	320		320	101	21.0	10.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22415	*Corymbia citriodora*	Spotted Gum	250		250	79	17.0	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22416	*Corymbia citriodora*	Spotted Gum	260		260	82	16.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22417	*Corymbia citriodora*	Spotted Gum	280		280	88	19.0	4.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	

Tree ID	Botanical Name	Common Name	Specimen Details							Canopy Condition Details								Trunk Condition Details						Fauna Details and Habitat Value							Additional Notes
			Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	
22418	*Corymbia citriodora*	Spotted Gum	230		230	72	18.0	5.0	2.8	1.8	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove
22419	*Corymbia citriodora*	Spotted Gum	310		310	97	19.0	4.0	3.7	2.0	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove
22420	*Corymbia citriodora*	Spotted Gum	350		350	110	22.0	8.0	4.2	2.1	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove
22421	*Corymbia citriodora*	Spotted Gum	250		250	79	19.0	5.0	3.0	1.8	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove
22422	*Corymbia citriodora*	Spotted Gum	270		270	85	18.0	6.0	3.2	1.9	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove
22423	*Corymbia citriodora*	Spotted Gum	260		260	82	19.0	6.0	3.1	1.9	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove
22424	*Corymbia citriodora*	Spotted Gum	340		340	107	20.0	8.0	4.1	2.1	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove
22425	*Corymbia citriodora*	Spotted Gum	410		410	129	22.0	12.0	4.9	2.3	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove
22426	*Corymbia citriodora*	Spotted Gum	310	150	344	108	20.0	7.0	4.1	2.1	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove
22427	*Corymbia citriodora*	Spotted Gum	290		290	91	17.0	9.0	3.5	2.0	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove
22428	*Eucalyptus tereticornis*	Forest Red Gum	230		230	72	16.0	7.0	2.8	1.8	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove
22429	*Corymbia citriodora*	Spotted Gum	330		330	104	17.0	11.0	4.0	2.1	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove
22430	*Corymbia citriodora*	Spotted Gum	300		300	94	18.0	12.0	3.6	2.0	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove
22431	*Corymbia citriodora*	Spotted Gum	410		410	129	18.0	13.0	4.9	2.3	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove
22432	*Corymbia citriodora*	Spotted Gum	350		350	110	16.0	10.0	4.2	2.1	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove
22433	*Corymbia citriodora*	Spotted Gum	300		300	94	20.0	11.0	3.6	2.0	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove
22434	*Corymbia citriodora*	Spotted Gum	300		300	94	21.0	6.0	3.6	2.0	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove
22435	*Corymbia citriodora*	Spotted Gum	350		350	110	23.0	14.0	4.2	2.1	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove
22436	*Corymbia citriodora*	Spotted Gum	280		280	88	18.0	6.0	3.4	1.9	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove
22437	*Corymbia citriodora*	Spotted Gum	300		300	94	20.0	4.0	3.6	2.0	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove
22438	*Corymbia citriodora*	Spotted Gum	330		330	104	20.0	7.0	4.0	2.1	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove
22439	*Corymbia citriodora*	Spotted Gum	400		400	126	23.0	12.0	4.8	2.3	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove
22440	*Acacia dispermа*	Hickory Wattle	450	340	564	177	9.0	10.0	6.8	2.6	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove
22441	*Corymbia citriodora*	Spotted Gum	280		280	88	20.0	5.0	3.4	1.9	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove
22442	*Corymbia citriodora*	Spotted Gum	300		300	94	14.0	8.0	3.6	2.0	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove
22443	*Corymbia citriodora*	Spotted Gum	300		300	94	16.0	7.0	3.6	2.0	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove
22444	*Corymbia citriodora*	Spotted Gum	270		270	85	14.0	5.0	3.2	1.9	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove
22445	*Eucalyptus tereticornis*	Forest Red Gum	500		500	157	21.0	8.0	6.0	2.5	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove
22446	*Melaleuca nyhgma*	Swamp Tea-tree	230	80	244	77	5.0	7.0	2.9	1.8	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove
22447	*Corymbia citriodora*	Spotted Gum	360		360	113	12.0	5.0	4.3	2.2	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove
22448	*Corymbia citriodora*	Spotted Gum	300		300	94	15.0	7.0	3.6	2.0	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove
22449	*Corymbia citriodora*	Spotted Gum	330		330	104	18.0	6.0	4.0	2.1	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove
22450	*Eucalyptus tereticornis*	Forest Red Gum	450		450	141	21.0	8.0	5.4	2.2	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove
22451	*Corymbia citriodora*	Spotted Gum	340		340	107	15.0	12.0	4.1	2.1	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Retain
22452	*Corymbia citriodora*	Spotted Gum	280		280	88	20.0	7.0	3.4	1.9	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Retain
22453	*Corymbia citriodora*	Spotted Gum	330		330	104	21.0	8.0	4.0	2.1	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Retain
22454	*Corymbia citriodora*	Spotted Gum	400		400	126	22.0	10.0	4.8	2.3	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove
22455	*Eucalyptus moluccana*	Gum-topped Box	450	350	570	179	16.0	10.0	6.8	2.6	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Retain
22456	*Eucalyptus moluccana*	Gum-topped Box	500		500	157	14.0	6.0	6.0	2.5	Regular	-	-	-	-	-	-	-	-	-	-	-	-	Small	1	-	-	-	-	Retain
22457	*Eucalyptus moluccana*	Gum-topped Box	350		350	110	17.0	4.0	4.2	2.1	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Retain
22458	*Eucalyptus moluccana*	Gum-topped Box	300		300	94	14.0	6.0	3.6	2.0	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Retain
22459	*Corymbia citriodora*	Spotted Gum	370		370	116	20.0	8.0	4.4	2.2	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Retain
22460	*Corymbia citriodora*	Spotted Gum	340		340	107	21.0	7.0	4.1	2.1	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Retain
22461	*Corymbia citriodora*	Spotted Gum	360		360	113	23.0	11.0	4.3	2.2	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Retain
22462	*Corymbia citriodora*	Spotted Gum	360		360	113	23.0	8.0	4.3	2.2	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Retain
22463	*Eucalyptus crebra*	Narrow-leaved Red Ironbark	300		300	94	17.0	7.0	3.6	2.0	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove
22464	*Eucalyptus tereticornis*	Forest Red Gum	370		370	116	14.0	7.0	4.4	2.2	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove
22465	*Corymbia citriodora*	Spotted Gum	380		380	119	23.0	8.0	4.6	2.2	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove
22466	*Corymbia citriodora*	Spotted Gum	420		420	132	23.0	9.0	5.0	2.3	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove
22467	*Eucalyptus moluccana*	Gum-topped Box	480		480	151	24.0	12.0	5.8	2.4	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove
22468	*Corymbia citriodora*	Spotted Gum	320	110	338	106	23.0	8.0	4.1	2.1	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove
22469	*Corymbia citriodora*	Spotted Gum	450		450	141	24.0	12.0	5.4	2.4	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove
22470	*Corymbia citriodora*	Spotted Gum	430		430	135	23.0	10.0	5.2	2.3	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove
22471	*Corymbia citriodora*	Spotted Gum	900		900	283	25.0	16.0	10.8	3.2	Regular	-	-	-	-	-	-	-	-	-	-	-	-	New	-	0	-	-	-	Remove
22472	*Corymbia citriodora*	Spotted Gum	310		310	97	17.0	6.0	3.7	2.0	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove
22473	*Eucalyptus crebra*	Narrow-leaved Red Ironbark	370		370	116	21.0	7.0	4.4	2.2	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove
22474	*Eucalyptus tereticornis*	Forest Red Gum	360		360	113	18.0	6.0	4.3	2.2	Regular	-	-	-	-	-	-	-	-	-	-	-	-	Old	-	0	-	-	-	Remove
22475	*Eucalyptus tereticornis*	Forest Red Gum	290		290	91	9.0	3.0	3.5	2.0	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove
22476	*Eucalyptus tereticornis*	Forest Red Gum	280		280	88	19.0	5.0	3.4	1.9	Regular	-	-	-	-	-	-	-	-	-	-	-	-	Old	-	0	-	-	-	Remove
22477	*Corymbia citriodora*	Spotted Gum	260		260	82	20.0	4.0	3.1	1.9	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove
22478	*Eucalyptus tereticornis*	Forest Red Gum	290		290	91	20.0	5.0	3.5	2.0	Regular	-	-	-	-	-	-	-	-	-	-	-	-	Old	-	0	-	-	-	Remove
22479	*Eucalyptus crebra*	Narrow-leaved Red Ironbark	330		330	104	18.0	10.0	4.0	2.1	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove
22480	*Corymbia citriodora*	Spotted Gum	340		340	107	25.0	9.0	4.1	2.1	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove
22481	*Corymbia citriodora*	Spotted Gum	310		310	97	26.0	6.0	3.7	2.0	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove
22482	*Corymbia citriodora*	Spotted Gum	340		340	107	24.0	5.0	4.1	2.1	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove
22483	*Corymbia intermedia*	Pink Bloodwood	290		290	91	18.0	8.0	3.5	2.0	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove
22484	*Eucalyptus crebra*	Narrow-leaved Red Ironbark	380		380	119	19.0	9.0	4.6	2.2	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove
22485	*Corymbia citriodora*	Spotted Gum	370		370	116	22.0	8.0	4.4	2.2	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Retain

Specimen Details									Canopy Condition Details								Trunk Condition Details						Fauna Details and Habitat Value							Additional Notes
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention
22486	*Corymbia citriodora*	Spotted Gum	260		260	82	20.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
22487	*Corymbia citriodora*	Spotted Gum	300		300	94	18.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
22488	*Corymbia citriodora*	Spotted Gum	490		490	154	24.0	12.0	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
22489	*Corymbia citriodora*	Spotted Gum	330		330	104	22.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
22490	*Eucalyptus maliuccana*	Gum-topped Box	300		300	94	19.0	11.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
22491	*Corymbia citriodora*	Spotted Gum	400		400	126	24.0	10.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
22492	*Corymbia citriodora*	Spotted Gum	360		360	113	25.0	10.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
22493	*Corymbia citriodora*	Spotted Gum	350		350	110	20.0	11.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
22494	*Corymbia citriodora*	Spotted Gum	280		280	88	25.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
22495	*Corymbia citriodora*	Spotted Gum	390		390	123	26.0	12.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
22496	*Corymbia citriodora*	Spotted Gum	210		210	66	22.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
22497	*Corymbia citriodora*	Spotted Gum	350		350	110	24.0	10.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
22498	*Corymbia citriodora*	Spotted Gum	230		230	72	14.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
22499	*Corymbia citriodora*	Spotted Gum	340		340	107	25.0	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
22500	*Corymbia citriodora*	Spotted Gum	340		340	107	26.0	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
22501	*Corymbia citriodora*	Spotted Gum	420		420	132	26.0	10.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
22502	*Eucalyptus maliuccana*	Gum-topped Box	260		260	82	17.0	10.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
22503	*Corymbia citriodora*	Spotted Gum	380		380	119	21.0	13.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
22504	*Eucalyptus maliuccana*	Gum-topped Box	270		270	85	15.0	9.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
22505	*Corymbia citriodora*	Spotted Gum	420		420	132	26.0	9.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
22506	*Corymbia citriodora*	Spotted Gum	380		380	119	19.0	7.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
22507	*Corymbia citriodora*	Spotted Gum	310		310	97	18.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
22508	*Corymbia citriodora*	Spotted Gum	244	80	230	77	15.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	Old	-	0	-	-	-	-	Remove
22509	*Eucalyptus maliuccana*	Gum-topped Box	230		230	72	14.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
22510	*Corymbia citriodora*	Spotted Gum	320		320	101	18.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
22511	*Corymbia citriodora*	Spotted Gum	430		430	135	25.0	14.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
22512	*Eucalyptus maliuccana*	Gum-topped Box	280		280	88	16.0	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
22513	*Corymbia citriodora*	Spotted Gum	280		280	88	16.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
22514	*Corymbia citriodora*	Spotted Gum	250		250	79	28.0	16.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
22515	*Corymbia citriodora*	Spotted Gum	260		260	82	17.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
22516	*Corymbia citriodora*	Spotted Gum	260		260	82	18.0	9.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
22517	*Corymbia citriodora*	Spotted Gum	220		220	69	15.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
22518	*Corymbia citriodora*	Spotted Gum	220		220	69	16.0	7.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
22519	*Corymbia citriodora*	Spotted Gum	220		220	69	16.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
22520	*Corymbia citriodora*	Spotted Gum	230		230	72	14.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
22521	*Corymbia citriodora*	Spotted Gum	240		240	75	20.0	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
22522	*Corymbia citriodora*	Spotted Gum	220		220	69	17.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
22523	*Corymbia citriodora*	Spotted Gum	240		240	75	19.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
22524	*Corymbia citriodora*	Spotted Gum	220		220	69	20.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
22525	*Corymbia citriodora*	Spotted Gum	200		200	63	21.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
22526	*Corymbia citriodora*	Spotted Gum	220		220	69	20.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
22527	*Corymbia citriodora*	Spotted Gum	260		260	82	18.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
22528	*Corymbia citriodora*	Spotted Gum	250		250	79	17.0	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
22529	*Eucalyptus maliuccana*	Gum-topped Box	230		230	72	16.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
22530	*Corymbia citriodora*	Spotted Gum	300		300	94	20.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
22531	*Eucalyptus tereticornis*	Forest Red Gum	700		700	220	16.0	10.0	8.4	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
22532	*Eucalyptus tereticornis*	Forest Red Gum	900	220	926	291	22.0	12.0	11.1	3.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
22533	*Melaleuca irbyana*	Swamp Tea-tree	400		400	126	5.0	5.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
22534	*Melaleuca irbyana*	Swamp Tea-tree	280	260	382	120	6.0	8.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
22535	*Eucalyptus tereticornis*	Forest Red Gum	430		430	135	18.0	10.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
22536	*Melaleuca irbyana*	Swamp Tea-tree	280		280	88	5.0	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
22537	*Melaleuca irbyana*	Swamp Tea-tree	250		250	79	5.0	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
22538	*Melaleuca irbyana*	Swamp Tea-tree	200	100	224	70	6.0	4.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
22539	*Corymbia intermedia*	Pink Bloodwood	290	220	364	114	17.0	5.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
22540	*Eucalyptus tereticornis*	Forest Red Gum	470		470	148	18.0	4.0	5.6	2.4	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	Old	-	0	-	-	-	-	Remove
22541	*Eucalyptus tereticornis*	Forest Red Gum	450		450	141	20.0	6.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	Old	-	0	-	-	-	-	Remove
22542	*Eucalyptus tereticornis*	Forest Red Gum	240		240	75	16.0	3.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	Old	-	0	-	-	-	-	Remove
22543	*Eucalyptus tereticornis*	Forest Red Gum	300		300	94	14.0	2.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
22544	*Eucalyptus tereticornis*	Forest Red Gum	300		300	94	19.0	4.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	Old	-	0	-	-	-	-	Remove
22545	*Eucalyptus tereticornis*	Forest Red Gum	190		190	60	11.0	2.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
22546	*Eucalyptus tereticornis*	Forest Red Gum	250		250	79	16.0	3.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
22547	*Corymbia citriodora*	Spotted Gum	240		240	75	13.0	3.0	2.9	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	Old	-	0	-	-	-	-	Remove
22548	*Eucalyptus tereticornis*	Forest Red Gum	270		270	85	12.0	2.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
22549	**DEAD/STAG**		820		820	258	22.0	5.0	9.8	3.0	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	3	Small	-	-	Remove
22550	*Corymbia intermedia*	Pink Bloodwood	270		270	85	13.0	4.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
22551	*Eucalyptus tereticornis*	Forest Red Gum	310		310	97	22.0	6.0	3.7	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
22552	*Corymbia tessellaris*	Moreton Bay Ash	180		180	57	10.0	3.0	2.2	1.6	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
22553	*Corymbia intermedia*	Pink Bloodwood	320		320	101	15.0	4.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove

Tree ID	Botanical Name	Common Name	Specimen Details									Canopy Condition Details								Trunk Condition Details				Fauna Details and Habitat Value						Additional Notes
			Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention
Z2554	*Corymbia tessellaris*	Moreton Bay Ash	140		140	44	10.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z2555	*Acacia disparrima*	Hickory Wattle	350		350	110	12.0	5.0	4.2	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove
Z2556	*Corymbia intermedia*	Pink Bloodwood	270		270	85	15.0	3.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z2557	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	16.0	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z2558	*Acacia disparrima*	Hickory Wattle	260	190	322	101	14.0	4.0	3.9	2.1	One-sided	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z2559	*Acacia disparrima*	Hickory Wattle	300	150	335	105	14.0	4.0	4.0	2.1	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z2560	*Corymbia citriodora*	Spotted Gum	210		210	66	12.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z2561	*Acacia disparrima*	Hickory Wattle	340		340	107	14.0	5.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z2562	*Corymbia intermedia*	Pink Bloodwood	160		160	50	10.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z2563	*Acacia disparrima*	Hickory Wattle	220	210	304	96	12.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z2564	*Corymbia citriodora*	Spotted Gum	260		260	82	15.0	3.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z2565	*Acacia disparrima*	Hickory Wattle	340		340	107	13.0	5.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z2566	*Acacia disparrima*	Hickory Wattle	260		260	82	4.0	6.0	3.1	1.9	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove
Z2567	*Acacia disparrima*	Hickory Wattle	260	190	322	101	12.0	4.0	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z2568	*Corymbia citriodora*	Spotted Gum	180		180	57	15.0	2.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z2569	*Acacia disparrima*	Hickory Wattle	260		260	82	11.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z2570	*Corymbia citriodora*	Spotted Gum	240		240	75	16.0	2.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z2571	*Corymbia citriodora*	Spotted Gum	220		220	69	14.0	1.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z2572	**DEAD/STAG**		300		300	94	14.0	1.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z2573	*Corymbia citriodora*	Spotted Gum	170		170	53	11.0	2.0	2.0	1.6	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z2574	*Corymbia citriodora*	Spotted Gum	180		180	57	10.0	1.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z2575	*Eucalyptus creba*	Narrow-leaved Red Ironbark	320		320	101	19.0	4.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z2576	*Corymbia citriodora*	Spotted Gum	300	170	345	108	22.0	6.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z2577	*Corymbia citriodora*	Spotted Gum	180		180	57	14.0	2.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove
Z2578	*Corymbia citriodora*	Spotted Gum	270		270	85	21.0	4.0	3.2	1.9	Regular	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove
Z2579	*Corymbia citriodora*	Spotted Gum	190		190	60	12.0	3.0	2.3	1.6	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z2580	*Corymbia citriodora*	Spotted Gum	270		270	85	22.0	4.0	3.2	1.9	One-sided	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	Termite nest	-	Remove
Z2581	*Corymbia citriodora*	Spotted Gum	250		250	79	18.0	3.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z2582	*Corymbia citriodora*	Spotted Gum	230		230	72	19.0	4.0	2.8	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z2583	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	19.0	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z2584	*Corymbia citriodora*	Spotted Gum	250		250	79	18.0	4.0	3.0	1.8	One-sided	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove
Z2585	*Eucalyptus tereticornis*	Forest Red Gum	200		200	63	13.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z2586	*Corymbia citriodora*	Spotted Gum	230		230	72	18.0	3.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z2587	*Corymbia citriodora*	Spotted Gum	270		270	85	18.0	3.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z2588	*Corymbia citriodora*	Spotted Gum	200		200	63	14.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z2589	*Eucalyptus tereticornis*	Forest Red Gum	170		170	53	11.0	2.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z2590	*Corymbia citriodora*	Spotted Gum	200		200	63	14.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z2591	*Corymbia citriodora*	Spotted Gum	240		240	75	19.0	3.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z2592	*Corymbia citriodora*	Spotted Gum	280		280	88	22.0	4.0	3.4	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z2593	*Corymbia citriodora*	Spotted Gum	280		280	88	20.0	4.0	3.4	1.9	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z2594	*Corymbia citriodora*	Spotted Gum	280		280	88	21.0	4.0	3.4	1.9	One-sided	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove
Z2595	*Corymbia citriodora*	Spotted Gum	230		230	72	16.0	3.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z2596	*Corymbia intermedia*	Pink Bloodwood	220		220	69	13.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z2597	*Corymbia citriodora*	Spotted Gum	250		250	79	14.0	3.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z2598	*Corymbia citriodora*	Spotted Gum	310		310	97	16.0	3.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z2599	*Corymbia citriodora*	Spotted Gum	260		260	82	18.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z2600	*Corymbia citriodora*	Spotted Gum	250		250	79	19.0	3.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z2601	*Corymbia citriodora*	Spotted Gum	380		380	119	25.0	6.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove
Z2602	*Eucalyptus tereticornis*	Forest Red Gum	250		250	79	16.0	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z2603	*Eucalyptus tereticornis*	Forest Red Gum	280		280	88	16.0	4.0	3.4	1.9	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z2604	*Eucalyptus tereticornis*	Forest Red Gum	200		200	63	17.0	3.0	2.4	1.7	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z2605	*Corymbia citriodora*	Spotted Gum	300		300	94	21.0	4.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z2606	*Eucalyptus tereticornis*	Forest Red Gum	190		190	60	6.0	1.0	2.3	1.6	Regular	-	-	-	-	Lopped	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z2607	*Corymbia citriodora*	Spotted Gum	200		200	63	16.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z2608	*Eucalyptus tereticornis*	Forest Red Gum	250		250	79	13.0	3.0	3.0	1.8	One-sided	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z2609	*Corymbia citriodora*	Spotted Gum	250		250	79	23.0	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z2610	**DEAD/STAG**		280		280	88	17.0	4.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z2611	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	15.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove
Z2612	*Corymbia citriodora*	Spotted Gum	170		170	53	14.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z2613	*Eucalyptus tereticornis*	Forest Red Gum	260		260	82	21.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z2614	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	15.0	4.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z2615	*Corymbia citriodora*	Spotted Gum	270		270	85	19.0	4.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z2616	*Corymbia citriodora*	Spotted Gum	230		230	72	13.0	3.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z2617	*Corymbia citriodora*	Spotted Gum	260		260	82	19.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z2618	*Corymbia intermedia*	Pink Bloodwood	260		260	82	19.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z2619	*Corymbia citriodora*	Spotted Gum	340		340	107	19.0	5.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z2620	*Corymbia citriodora*	Spotted Gum	250		250	79	16.0	4.0	3.0	1.8	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
Z2621	*Corymbia tessellaris*	Moreton Bay Ash	200		200	63	12.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove

Tree ID	Botanical Name	Common Name	Specimen Details									Canopy Condition Details								Trunk Condition Details						Fauna Details and Habitat Value							Additional Notes	Retention
			Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value			
22662	*Eucalyptus tereticornis*	Forest Red Gum	290	91	290	91	21.0	3.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-		Remove
22663	*Eucalyptus tereticornis*	Forest Red Gum	290	-	290	91	12.0	3.0	3.5	2.0	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	-	-		Remove
22664	*Corymbia citriodora*	Spotted Gum	170	140	220	69	16.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-		Remove
22665	*Acacia dispartima*	Hickory Wattle	340	-	340	107	8.0	3.0	4.1	2.1	Poor	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-		Remove
22666	*Corymbia citriodora*	Spotted Gum	300	-	300	94	19.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-		Remove
22667	*Acacia dispartima*	Hickory Wattle	240	190	306	96	7.0	3.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-		Remove
22668	*Eucalyptus tereticornis*	Forest Red Gum	320	-	320	101	21.0	5.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-		Remove
22669	*Eucalyptus siderophloia*	Northern Grey Ironbark	330	-	330	104	23.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-		Remove
22670	*Eucalyptus tereticornis*	Forest Red Gum	320	-	320	101	19.0	4.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-		Remove
22671	*Eucalyptus siderophloia*	Northern Grey Ironbark	230	-	230	72	12.0	3.0	2.8	1.8	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-		Remove
22672	*Corymbia citriodora*	Spotted Gum	230	150	275	86	16.0	4.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-		Remove
22673	*Corymbia citriodora*	Spotted Gum	260	160	305	96	19.0	4.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-		Remove
22674	*Acacia dispartima*	Hickory Wattle	250	190	314	99	9.0	4.0	3.8	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-		Remove
22675	*Corymbia citriodora*	Spotted Gum	270	-	270	85	18.0	4.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-		Remove
22676	*Corymbia citriodora*	Spotted Gum	240	-	240	75	18.0	3.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-		Remove
22677	*Corymbia citriodora*	Spotted Gum	250	-	250	79	19.0	3.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-		Remove
22678	*Corymbia citriodora*	Spotted Gum	340	220	405	127	22.0	6.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-		Remove
22679	*Corymbia citriodora*	Spotted Gum	170	-	170	53	13.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-		Remove
22680	*Acacia dispartima*	Hickory Wattle	250	-	250	79	11.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	-	-		Remove
22681	*Corymbia citriodora*	Spotted Gum	320	-	320	101	20.0	4.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	-	-		Remove
22682	*Corymbia citriodora*	Spotted Gum	360	-	360	113	20.0	4.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-		Remove
22683	*Corymbia citriodora*	Spotted Gum	210	-	210	66	18.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-		Remove
22684	*Corymbia citriodora*	Spotted Gum	220	-	220	69	16.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-		Remove
22685	*Corymbia citriodora*	Spotted Gum	240	-	240	75	16.0	3.0	2.9	1.8	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-		Remove
22686	*Corymbia citriodora*	Spotted Gum	250	-	250	79	17.0	3.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-		Remove
22687	*Eucalyptus siderophloia*	Northern Grey Ironbark	310	-	310	97	17.0	4.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-		Remove
22688	*Corymbia citriodora*	Spotted Gum	250	-	250	79	16.0	3.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-		Remove
22689	*Corymbia citriodora*	Spotted Gum	380	-	380	119	20.0	5.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	-		Remove

| Specimen Details | | |

Specimen Details								Canopy Condition Details								Trunk Condition Details						Fauna Details and Habitat Value							Retention	Additional Notes
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value		
22758	*Corymbia citriodora*	Spotted Gum	360		360	113	24.0	7.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22759	*Corymbia citriodora*	Spotted Gum	310		310	97	22.0	5.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
22760	*Corymbia citriodora*	Spotted Gum	230		230	72	19.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22761	*Corymbia citriodora*	Spotted Gum	310		310	97	25.0	5.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22762	*Corymbia citriodora*	Spotted Gum	250		250	79	19.0	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22763	*Corymbia citriodora*	Spotted Gum	230		230	72	19.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22764	*Corymbia citriodora*	Spotted Gum	290		290	91	24.0	5.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22765	*Corymbia citriodora*	Spotted Gum	270		270	85	24.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22766	*Corymbia citriodora*	Spotted Gum	250		250	79	17.0	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22767	*Corymbia citriodora*	Spotted Gum	240		240	75	18.0	2.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22768	*Corymbia citriodora*	Spotted Gum	260		260	82	19.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22769	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	17.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22770	*Corymbia citriodora*	Spotted Gum	300		300	94	25.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22771	*Corymbia citriodora*	Spotted Gum	260		260	82	19.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22772	*Corymbia citriodora*	Spotted Gum	260		260	82	19.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22773	*Corymbia citriodora*	Spotted Gum	240		240	75	16.0	3.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22774	*Corymbia citriodora*	Spotted Gum	380		380	119	26.0	7.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22775	*Corymbia citriodora*	Spotted Gum	290		290	91	19.0	4.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22776	*Corymbia citriodora*	Spotted Gum	320		320	101	23.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22777	*Corymbia citriodora*	Spotted Gum	290		290	91	24.0	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22778	*Corymbia citriodora*	Spotted Gum	260		260	82	18.0	3.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22779	*Corymbia citriodora*	Spotted Gum	290		290	91	23.0	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22780	*Corymbia citriodora*	Spotted Gum	280		280	88	18.0	3.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22781	*Corymbia citriodora*	Spotted Gum	210		210	66	18.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22782	*Corymbia citriodora*	Spotted Gum	250		250	79	19.0	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22783	*Corymbia intermedia*	Pink Bloodwood	230		230	72	14.0	3.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22784	*Corymbia citriodora*	Spotted Gum	280		280	88	19.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22785	*Corymbia dallachiana*	Dallachy's Gum	250		250	79	19.0	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22786	*Corymbia citriodora*	Spotted Gum	310		310	97	23.0	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22787	*Corymbia citriodora*	Spotted Gum	220		220	69	19.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22788	*Corymbia citriodora*	Spotted Gum	220		220	69	19.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22789	*Corymbia citriodora*	Spotted Gum	270		270	85	20.0	4.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22790	*Corymbia citriodora*	Spotted Gum	280		280	88	21.0	4.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22791	*Corymbia citriodora*	Spotted Gum	240		240	75	20.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22792	*Eucalyptus siderophloia*	Northern Grey Ironbark	440		440	138	16.0	6.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
22793	*Corymbia citriodora*	Spotted Gum	330		330	104	21.0	5.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22794	*Corymbia citriodora*	Spotted Gum	310		310	97	21.0	5.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22795	*Corymbia citriodora*	Spotted Gum	290		290	91	23.0	5.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22796	*Corymbia citriodora*	Spotted Gum	280		280	88	17.0	2.0	3.4	1.9	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22797	*Corymbia citriodora*	Spotted Gum	210		210	66	16.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22798	*Corymbia citriodora*	Spotted Gum	300		300	94	14.0	3.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22799	*Corymbia citriodora*	Spotted Gum	260		260	82	19.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22800	*Corymbia citriodora*	Spotted Gum	280		280	88	18.0	4.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22801	*Corymbia citriodora*	Spotted Gum	250		250	79	23.0	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22802	*Corymbia citriodora*	Spotted Gum	260		260	82	21.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22803	*Corymbia citriodora*	Spotted Gum	280		280	88	22.0	4.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22804	*Corymbia citriodora*	Spotted Gum	260		260	82	18.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22805	*Corymbia citriodora*	Spotted Gum	340		340	107	23.0	6.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22806	**DEAD/STAG**		680		680	214	15.0	3.0	8.2	2.8	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	Large	2	-	-	-	Remove	
22807	*Corymbia citriodora*	Spotted Gum	270		270	85	15.0	3.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22808	*Corymbia citriodora*	Spotted Gum	280		280	88	20.0	4.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22809	*Corymbia citriodora*	Spotted Gum	260		260	82	19.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22810	*Corymbia citriodora*	Spotted Gum	380		380	119	26.0	8.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22811	*Eucalyptus siderophloia*	Northern Grey Ironbark	350		350	110	25.0	7.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22812	*Corymbia citriodora*	Spotted Gum	310		310	97	23.0	6.0	3.7	2.0	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22813	*Corymbia citriodora*	Spotted Gum	380		380	119	19.0	5.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22814	*Corymbia citriodora*	Spotted Gum	380		380	119	20.0	5.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22815	*Corymbia citriodora*	Spotted Gum	240		240	75	18.0	3.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22816	*Corymbia citriodora*	Spotted Gum	260		260	82	19.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22817	*Corymbia citriodora*	Spotted Gum	300		300	94	20.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22818	*Corymbia citriodora*	Spotted Gum	270		270	85	23.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22819	*Corymbia citriodora*	Spotted Gum	260		260	82	23.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22820	*Corymbia citriodora*	Spotted Gum	210		210	66	17.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22821	*Corymbia citriodora*	Spotted Gum	270		270	85	22.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22822	*Corymbia citriodora*	Spotted Gum	290		290	91	21.0	5.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22823	*Corymbia citriodora*	Spotted Gum	290		290	91	19.0	4.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22824	*Corymbia citriodora*	Spotted Gum	230		230	72	20.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22825	*Corymbia intermedia*	Pink Bloodwood	230		230	72	12.0	3.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Termite nest	0	-	-	-	Remove	

Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
22826	*Corymbia citriodora*	Spotted Gum	290		290	91	16.0	5.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
22827	*Corymbia citriodora*	Spotted Gum	340		340	107	18.0	4.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
22828	*Corymbia citriodora*	Spotted Gum	280		280	88	20.0	4.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
22829	*Corymbia citriodora*	Spotted Gum	340		340	107	25.0	7.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22830	*Corymbia citriodora*	Spotted Gum	340		340	107	20.0	4.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22831	*Corymbia citriodora*	Spotted Gum	320		320	101	24.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22832	*Corymbia citriodora*	Spotted Gum	220		220	69	20.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22833	*Corymbia citriodora*	Spotted Gum	260		260	82	24.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22834	*Corymbia citriodora*	Spotted Gum	240		240	75	18.0	3.0	2.9	1.8	One-sided	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22835	*Corymbia citriodora*	Spotted Gum	340		340	107	14.0	3.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22836	*Corymbia citriodora*	Spotted Gum	320		320	101	23.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22837	*Corymbia citriodora*	Spotted Gum	290		290	91	19.0	5.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22838	*Corymbia citriodora*	Spotted Gum	300		300	94	22.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22839	*Corymbia citriodora*	Spotted Gum	270		270	85	21.0	4.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22840	*Corymbia citriodora*	Spotted Gum	300		300	94	19.0	4.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22841	*Corymbia citriodora*	Spotted Gum	270		270	85	19.0	4.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22842	*Corymbia citriodora*	Spotted Gum	240		240	75	17.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22843	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	17.0	4.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22844	*Corymbia citriodora*	Spotted Gum	250		250	79	15.0	3.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22845	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	16.0	3.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
22846	*Corymbia citriodora*	Spotted Gum	220		220	69	17.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22847	*Corymbia citriodora*	Spotted Gum	280		280	88	21.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22848	*Corymbia citriodora*	Spotted Gum	320		320	101	22.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22849	*Corymbia citriodora*	Spotted Gum	320		320	101	20.0	5.0	3.8	2.1	Regular	-	-	-	-	Lopped	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22850	*Corymbia citriodora*	Spotted Gum	270		270	85	16.0	4.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22851	*Corymbia citriodora*	Spotted Gum	260		260	82	19.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22852	*Corymbia citriodora*	Spotted Gum	280		280	88	21.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22853	*Corymbia citriodora*	Spotted Gum	230		230	72	19.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22854	*Corymbia citriodora*	Spotted Gum	220		220	69	19.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22855	*Corymbia citriodora*	Spotted Gum	230		230	72	17.0	3.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22856	*Corymbia citriodora*	Spotted Gum	300		300	94	22.0	5.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22857	*Corymbia citriodora*	Spotted Gum	250		250	79	18.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22858	*Corymbia citriodora*	Spotted Gum	270		270	85	25.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22859	*Corymbia citriodora*	Spotted Gum	270		270	85	22.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22860	*Corymbia citriodora*	Spotted Gum	310		310	97	17.0	4.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22861	*Corymbia citriodora*	Spotted Gum	270		270	85	19.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22862	*Eucalyptus siderophloia*	Northern Grey Ironbark	320		320	101	24.0	12.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22863	*Corymbia citriodora*	Spotted Gum	300		300	94	22.0	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22864	*Eucalyptus siderophloia*	Northern Grey Ironbark	460		460	145	24.0	14.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
22865	*Eucalyptus siderophloia*	Northern Grey Ironbark	990		990	311	28.0	18.0	11.9	3.3	Regular	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	Old	-	Small	3	-	-	-	Remove	
22866	*Corymbia citriodora*	Spotted Gum	320		320	101	24.0	14.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22867	*Eucalyptus siderophloia*	Northern Grey Ironbark	330		330	104	24.0	12.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22868	*Corymbia intermedia*	Pink Bloodwood	320		320	101	20.0	10.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22869	*Corymbia citriodora*	Spotted Gum	380		380	119	24.0	12.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22870	*Corymbia citriodora*	Spotted Gum	300		300	94	22.0	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22871	*Corymbia citriodora*	Spotted Gum	330		330	104	24.0	12.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22872	*Corymbia citriodora*	Spotted Gum	320		320	101	22.0	10.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22873	*Corymbia citriodora*	Spotted Gum	420		420	132	24.0	14.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22874	*Corymbia citriodora*	Spotted Gum	350		350	110	24.0	12.0	4.2	2.1	One-sided	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22875	*Corymbia intermedia*	Pink Bloodwood	340		340	107	22.0	10.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22876	*Corymbia intermedia*	Pink Bloodwood	340		340	107	20.0	10.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22877	*Corymbia citriodora*	Spotted Gum	320		320	101	24.0	10.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22878	*Eucalyptus siderophloia*	Northern Grey Ironbark	380		380	119	24.0	12.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22879	*Eucalyptus siderophloia*	Northern Grey Ironbark	350		350	110	24.0	12.0	4.2	2.1	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22880	*Corymbia citriodora*	Spotted Gum	350		350	110	24.0	12.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22881	**DEAD/STAG**		820		820	258	18.0	2.0	9.8	3.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	2	-	-	-	Remove	
22882	*Corymbia citriodora*	Spotted Gum	360		360	113	22.0	10.0	4.3	2.2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22883	*Eucalyptus siderophloia*	Northern Grey Ironbark	430		430	135	24.0	12.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22884	*Eucalyptus siderophloia*	Northern Grey Ironbark	340		340	107	24.0	12.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22885	*Corymbia citriodora*	Spotted Gum	360		360	113	24.0	14.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22886	*Corymbia citriodora*	Spotted Gum	320		320	101	22.0	10.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22887	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	20.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22888	*Eucalyptus siderophloia*	Northern Grey Ironbark	320		320	101	20.0	10.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22889	*Corymbia citriodora*	Spotted Gum	300		300	94	24.0	14.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22890	*Corymbia citriodora*	Spotted Gum	340		340	107	24.0	12.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22891	*Eucalyptus crebra*	Narrow-leaved Red Ironbark	310		310	97	20.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22892	*Corymbia citriodora*	Spotted Gum	300		300	94	24.0	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
22893	**DEAD/STAG**		700		700	220	22.0	6.0	8.4	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	2	-	-	-	Remove	

| | | |

Specimen Details								Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
Z2962	*Corymbia citriodora*	Spotted Gum	300			94	22.0	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z2963	*Corymbia intermedia*	Pink Bloodwood	300			94	20.0	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z2964	*Corymbia intermedia*	Pink Bloodwood	300			94	20.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z2965	*Corymbia intermedia*	Pink Bloodwood	300	200	361	113	20.0	8.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z2966	*Corymbia citriodora*	Spotted Gum	300		400	94	20.0	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z2967	*Corymbia citriodora*	Spotted Gum	400		400	126	24.0	14.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z2968	*Lophostemon suaveolens*	Swamp Box	500		500	157	20.0	8.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	Fire Dmg.	Poor	-	-	-	0	-	-	-	Remove	
Z2969	*Corymbia intermedia*	Pink Bloodwood	300		300	94	20.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z2970	*Corymbia intermedia*	Pink Bloodwood	360	180	402	126	22.0	12.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z2971	*Lophostemon suaveolens*	Swamp Box	300		300	94	20.0	8.0	6.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z2972	*Eucalyptus siderophloia*	Northern Grey Ironbark	360		360	113	20.0	8.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z2973	*Corymbia intermedia*	Pink Bloodwood	330		330	104	20.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z2974	*Eucalyptus siderophloia*	Northern Grey Ironbark	460		460	145	24.0	8.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z2975	*Eucalyptus siderophloia*	Northern Grey Ironbark	350		350	110	22.0	12.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z2976	*Corymbia intermedia*	Pink Bloodwood	300		300	94	20.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z2977	*Corymbia citriodora*	Spotted Gum	300		300	94	20.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z2978	*Corymbia intermedia*	Pink Bloodwood	320		320	101	22.0	10.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z2979	*Eucalyptus siderophloia*	Northern Grey Ironbark	340		340	107	22.0	10.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z2980	*Corymbia intermedia*	Pink Bloodwood	300		300	94	20.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z2981	*Corymbia citriodora*	Spotted Gum	330		330	104	24.0	12.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z2982	*Corymbia citriodora*	Spotted Gum	300		300	94	22.0	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z2983	*Corymbia intermedia*	Pink Bloodwood	330		330	104	22.0	10.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z2984	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	22.0	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z2985	*Corymbia intermedia*	Pink Bloodwood	300		300	94	20.0	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z2986	*Eucalyptus siderophloia*	Northern Grey Ironbark	450		450	141	24.0	14.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z2987	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	22.0	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z2988	*Corymbia citriodora*	Spotted Gum	300		300	94	24.0	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z2989	*Corymbia citriodora*	Spotted Gum	340		340	107	15.0	6.0	4.1	2.1	Regular	-	-	-	Die-back	Epicormic	Lopped	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z2990	*Corymbia citriodora*	Spotted Gum	340		340	107	24.0	12.0	4.1	2.1	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z2991	*Corymbia citriodora*	Spotted Gum	300		300	94	22.0	10.0	3.6	2.0	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z2992	*Corymbia citriodora*	Spotted Gum	340		340	107	24.0	12.0	4.1	2.1	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
Z2993	*Corymbia citriodora*	Spotted Gum	300		300	94	24.0	12.0	3.6	2.0	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
Z2994	*Corymbia intermedia*	Pink Bloodwood	300		300	94	22.0	8.0	3.6	2.0	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
Z2995	*Eucalyptus siderophloia*	Northern Grey Ironbark	310		310	97	20.0	8.0	3.7	2.0	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
Z2996	*Eucalyptus siderophloia*	Northern Grey Ironbark	430		430	135	24.0	12.0	5.2	2.3	Regular	-	-	-	Die-back	epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z2997	*Angophora leiocarpa*	Rusty Gum	300		300	94	22.0	10.0	3.6	2.0	Regular	-	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z2998	*Corymbia citriodora*	Spotted Gum	360	200	412	129	24.0	12.0	4.9	2.3	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z2999	*Eucalyptus siderophloia*	Northern Grey Ironbark	400		400	126	24.0	14.0	4.8	2.3	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3000	*Eucalyptus siderophloia*	Northern Grey Ironbark	340		340	107	24.0	12.0	4.1	2.1	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3001	*Eucalyptus siderophloia*	Northern Grey Ironbark	430		430	135	24.0	12.0	5.2	2.3	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3002	*Eucalyptus siderophloia*	Northern Grey Ironbark	340		340	107	24.0	12.0	4.1	2.1	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3003	*Eucalyptus siderophloia*	Northern Grey Ironbark	350		350	110	24.0	12.0	4.2	2.1	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3004	*Eucalyptus siderophloia*	Northern Grey Ironbark	350		350	110	24.0	14.0	4.2	2.1	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3005	*Corymbia intermedia*	Pink Bloodwood	400		400	126	22.0	12.0	4.8	2.3	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3006	*Eucalyptus siderophloia*	Northern Grey Ironbark	330		330	104	24.0	12.0	4.0	2.1	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3007	*Corymbia intermedia*	Pink Bloodwood	300		300	94	22.0	10.0	3.6	2.0	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3008	*Eucalyptus siderophloia*	Northern Grey Ironbark	340		340	107	22.0	10.0	4.1	2.1	Regular	-	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3009	*Corymbia intermedia*	Pink Bloodwood	320		320	101	24.0	14.0	3.8	2.1	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3010	**DEAD/STAG**		450		450	141	16.0	1.0	5.4	2.4	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	2	-	-	-	Remove	
Z3011	*Corymbia citriodora*	Spotted Gum	330		330	104	24.0	12.0	4.0	2.1	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3012	*Corymbia citriodora*	Spotted Gum	420		420	132	26.0	14.0	5.0	2.3	One-sided	-	-	Die-back	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3013	*Corymbia citriodora*	Spotted Gum	300		300	94	22.0	10.0	3.6	2.0	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3014	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	22.0	10.0	3.6	2.0	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3015	*Alphitonia excelsa*	Red Ash	340		340	107	20.0	12.0	4.1	2.1	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3016	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	24.0	12.0	3.6	2.0	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3017	*Eucalyptus siderophloia*	Northern Grey Ironbark	500		500	157	22.0	12.0	6.0	2.5	Regular	-	-	Die-back	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3018	*Corymbia intermedia*	Pink Bloodwood	300		300	94	22.0	10.0	3.6	2.0	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3019	*Lophostemon suaveolens*	Swamp Box	380		380	119	16.0	8.0	4.6	2.2	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3020	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	20.0	8.0	3.6	2.0	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3021	*Eucalyptus siderophloia*	Northern Grey Ironbark	330		330	104	20.0	10.0	4.0	2.1	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3022	*Eucalyptus siderophloia*	Northern Grey Ironbark	360		360	113	24.0	12.0	4.3	2.2	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3023	*Eucalyptus siderophloia*	Northern Grey Ironbark	360		360	113	24.0	10.0	4.3	2.2	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3024	*Eucalyptus siderophloia*	Northern Grey Ironbark	350		350	110	24.0	12.0	4.2	2.1	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3025	*Eucalyptus siderophloia*	Northern Grey Ironbark	330		330	104	16.0	8.0	4.0	2.1	Regular	-	-	Die-back	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3026	*Corymbia citriodora*	Spotted Gum	330		330	104	24.0	10.0	4.0	2.1	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3027	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	18.0	6.0	3.6	2.0	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3028	*Corymbia intermedia*	Pink Bloodwood	340		340	107	18.0	8.0	4.1	2.1	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3029	*Corymbia citriodora*	Spotted Gum	300		300	94	22.0	10.0	3.6	2.0	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	

Specimen Details									Canopy Condition Details								Trunk Condition Details				Fauna Details and Habitat Value									
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
Z3030	*Eucalyptus siderophloia*	Northern Grey Ironbark	420		420	132	24.0	14.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3031	*Eucalyptus siderophloia*	Northern Grey Ironbark	320		320	101	22.0	12.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3032	*Angophora leiocarpa*	Rusty Gum	410		410	129	22.0	10.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3033	*Eucalyptus siderophloia*	Northern Grey Ironbark	400		400	126	22.0	8.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3034	*Corymbia citriodora*	Spotted Gum	430		430	135	20.0	10.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	native bees
Z3035	*Corymbia citriodora*	Spotted Gum	300		300	94	22.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3036	*Corymbia citriodora*	Spotted Gum	350		350	110	24.0	14.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3037	*Corymbia citriodora*	Spotted Gum	1055		1055	331	28.0	16.0	12.7	3.4	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	Trunk Dmg.	-	Typical	-	Old	Large	1	-	-	-	Remove	
Z3038	*Corymbia citriodora*	Spotted Gum	330		330	104	22.0	10.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3039	*Corymbia citriodora*	Spotted Gum	300		300	94	22.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3040	*Corymbia citriodora*	Spotted Gum	300		300	94	22.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3041	*Corymbia citriodora*	Spotted Gum	330		330	104	24.0	12.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3042	*Corymbia citriodora*	Spotted Gum	330		330	104	22.0	12.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3043	*Corymbia citriodora*	Spotted Gum	340		340	107	22.0	8.0	4.1	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
Z3044	*Corymbia citriodora*	Spotted Gum	350		350	110	24.0	12.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3045	*Corymbia citriodora*	Spotted Gum	320		320	101	24.0	8.0	3.8	2.1	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3046	*Corymbia citriodora*	Spotted Gum	300		300	94	24.0	12.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
Z3047	*Corymbia citriodora*	Spotted Gum	340		340	107	22.0	10.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3048	*Corymbia citriodora*	Spotted Gum	320		320	101	24.0	12.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3049	*Corymbia citriodora*	Spotted Gum	340		340	107	24.0	12.0	4.1	2.1	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3050	*Corymbia citriodora*	Spotted Gum	360		360	113	22.0	10.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
Z3051	*Corymbia citriodora*	Spotted Gum	360		360	113	26.0	14.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3052	*Corymbia citriodora*	Spotted Gum	320		320	101	22.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
Z3053	*Corymbia citriodora*	Spotted Gum	300		300	94	22.0	8.0	3.6	2.0	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3054	*Corymbia citriodora*	Spotted Gum	300		300	94	22.0	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3055	*Corymbia citriodora*	Spotted Gum	350		350	110	24.0	14.0	4.2	2.1	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3056	*Corymbia citriodora*	Spotted Gum	340		340	107	24.0	12.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3057	*Corymbia citriodora*	Spotted Gum	300		300	94	20.0	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3058	*Corymbia tessellaris*	Moreton Bay Ash	300		300	94	22.0	12.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3059	*Corymbia tessellaris*	Moreton Bay Ash	280		280	88	24.0	10.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3060	*Corymbia tessellaris*	Moreton Bay Ash	300		300	94	20.0	6.0	3.6	2.0	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3061	*Corymbia intermedia*	Pink Bloodwood	560		560	176	24.0	14.0	6.7	2.6	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3062	*Corymbia citriodora*	Spotted Gum	340		340	107	24.0	12.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3063	*Corymbia citriodora*	Spotted Gum	340		340	107	22.0	10.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3064	*Corymbia citriodora*	Spotted Gum	360		360	113	24.0	12.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3065	*Corymbia citriodora*	Spotted Gum	380		380	119	24.0	12.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3066	*Eucalyptus siderophloia*	Northern Grey Ironbark	860		860	270	26.0	16.0	10.3	3.1	Regular	-	-	Die-back	-	-	Typical	Minor	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3067	*Eucalyptus siderophloia*	Northern Grey Ironbark	370		370	116	20.0	10.0	4.4	2.2	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3068	*Corymbia tessellaris*	Moreton Bay Ash	340		340	107	16.0	6.0	4.1	2.1	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3069	*Eucalyptus siderophloia*	Northern Grey Ironbark	340		340	107	22.0	10.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3070	*Eucalyptus siderophloia*	Northern Grey Ironbark	380		380	119	22.0	10.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3071	*Eucalyptus siderophloia*	Northern Grey Ironbark	320		320	101	18.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3072	*Corymbia citriodora*	Spotted Gum	300		300	94	20.0	8.0	3.6	2.0	One-sided	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3073	*Corymbia citriodora*	Spotted Gum	330		330	104	22.0	10.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3074	*Eucalyptus siderophloia*	Northern Grey Ironbark	340		340	107	20.0	8.0	4.1	2.1	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3075	*Eucalyptus siderophloia*	Northern Grey Ironbark	330		330	104	18.0	6.0	4.0	2.1	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3076	*Eucalyptus siderophloia*	Northern Grey Ironbark	340		340	107	20.0	6.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3077	*Eucalyptus siderophloia*	Northern Grey Ironbark	320		320	101	20.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3078	*Eucalyptus siderophloia*	Northern Grey Ironbark	320		320	101	22.0	12.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3079	*Corymbia citriodora*	Spotted Gum	330		330	104	24.0	10.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3080	*Eucalyptus siderophloia*	Northern Grey Ironbark	330		330	104	22.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3081	*Corymbia tessellaris*	Moreton Bay Ash	350		350	110	22.0	12.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3082	*Corymbia citriodora*	Spotted Gum	380		380	119	24.0	10.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3083	*Corymbia citriodora*	Spotted Gum	400		400	126	24.0	12.0	4.8	2.3	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3084	*Corymbia citriodora*	Spotted Gum	330		330	104	24.0	8.0	4.0	2.1	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3085	*Corymbia citriodora*	Spotted Gum	360		360	113	22.0	8.0	4.3	2.2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3086	*Corymbia citriodora*	Spotted Gum	320		320	101	24.0	12.0	3.8	2.1	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3087	*Corymbia citriodora*	Spotted Gum	340		340	107	24.0	10.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3088	*Corymbia citriodora*	Spotted Gum	300		300	94	20.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3089	*Corymbia citriodora*	Spotted Gum	280		280	88	24.0	10.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3090	*Corymbia citriodora*	Spotted Gum	300		300	94	22.0	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3091	*Corymbia citriodora*	Spotted Gum	300		300	94	18.0	6.0	3.6	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3092	*Corymbia citriodora*	Spotted Gum	340		340	107	22.0	8.0	4.1	2.1	One-sided	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3093	*Corymbia citriodora*	Spotted Gum	300		300	94	22.0	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3094	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	14.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3095	*Corymbia citriodora*	Spotted Gum	340		340	107	24.0	10.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3096	*Corymbia citriodora*	Spotted Gum	340		340	107	24.0	10.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
Z3097	*Corymbia citriodora*	Spotted Gum	350		350	110	24.0	12.0	4.2	2.1	One-sided	-	-	-	-	-	Typical	Minor	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	

Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Z3098	*Corymbia citriodora*	Spotted Gum	410		410	129	26.0	14.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
Z3099	*Corymbia citriodora*	Spotted Gum	370		370	116	26.0	14.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3100	*Corymbia citriodora*	Spotted Gum	300		300	94	20.0	8.0	3.6	2.0	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3101	*Corymbia citriodora*	Spotted Gum	360		360	113	26.0	14.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3102	*Corymbia citriodora*	Spotted Gum	330		330	104	22.0	12.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3103	*Corymbia citriodora*	Spotted Gum	320		320	101	24.0	12.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3104	*Corymbia citriodora*	Spotted Gum	300		300	94	20.0	8.0	3.6	2.0	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3105	*Eucalyptus tereticornis*	Forest Red Gum	400		400	126	24.0	20.0	8.0	2.3	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
Z3106	*Corymbia citriodora*	Spotted Gum	360		360	113	24.0	12.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3107	*Corymbia citriodora*	Spotted Gum	320		320	101	22.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3108	*Corymbia citriodora*	Spotted Gum	320		320	101	22.0	10.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3109	*Corymbia citriodora*	Spotted Gum	310		310	97	22.0	10.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3110	*Corymbia citriodora*	Spotted Gum	420		420	132	26.0	14.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3111	*Corymbia citriodora*	Spotted Gum	320		320	101	22.0	10.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3112	*Corymbia citriodora*	Spotted Gum	320		320	101	22.0	10.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3113	*Corymbia citriodora*	Spotted Gum	320		320	101	24.0	12.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3114	*Corymbia tessellaris*	Moreton Bay Ash	300		300	94	14.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3115	*Eucalyptus siderophloia*	Northern Grey Ironbark	350		350	110	22.0	8.0	4.2	2.1	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3116	*Corymbia citriodora*	Spotted Gum	320		320	101	20.0	6.0	3.8	2.1	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3117	*Corymbia citriodora*	Spotted Gum	330		330	104	24.0	12.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3118	*Corymbia citriodora*	Spotted Gum	330		330	104	22.0	10.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3119	*Eucalyptus tereticornis*	Forest Red Gum	300		300	94	20.0	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3120	*Corymbia citriodora*	Spotted Gum	300		300	94	22.0	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3121	*Corymbia citriodora*	Spotted Gum	340		340	107	22.0	12.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3122	*Corymbia citriodora*	Spotted Gum	460		460	145	24.0	14.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3123	*Corymbia citriodora*	Spotted Gum	370		370	116	24.0	12.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3124	*Corymbia citriodora*	Spotted Gum	420		420	132	26.0	14.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3125	*Corymbia citriodora*	Spotted Gum	380		380	119	24.0	12.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3126	*Eucalyptus siderophloia*	Northern Grey Ironbark	310		310	97	22.0	12.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3127	*Corymbia citriodora*	Spotted Gum	330		330	104	24.0	14.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3128	*Corymbia citriodora*	Spotted Gum	370		370	116	26.0	14.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3129	*Corymbia citriodora*	Spotted Gum	380		380	119	24.0	14.0	4.6	2.2	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3130	*Corymbia citriodora*	Spotted Gum	340		340	107	20.0	8.0	4.1	2.1	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3131	*Corymbia citriodora*	Spotted Gum	430		430	135	24.0	14.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3132	*Corymbia citriodora*	Spotted Gum	340		340	107	24.0	12.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3133	*Corymbia citriodora*	Spotted Gum	300		300	94	20.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3134	*Corymbia citriodora*	Spotted Gum	340		340	107	22.0	8.0	4.1	2.1	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3135	*Corymbia citriodora*	Spotted Gum	300		300	94	22.0	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3136	*Corymbia citriodora*	Spotted Gum	350		350	110	22.0	8.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3137	*Corymbia citriodora*	Spotted Gum	300		300	94	18.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3138	*Corymbia citriodora*	Spotted Gum	420		420	132	24.0	12.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3139	*Corymbia citriodora*	Spotted Gum	330		330	104	22.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3140	*Corymbia citriodora*	Spotted Gum	370		370	116	26.0	14.0	4.6	2.2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3141	*Corymbia citriodora*	Spotted Gum	330		330	104	22.0	10.0	4.0	2.1	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3142	*Eucalyptus siderophloia*	Northern Grey Ironbark	340		340	107	22.0	8.0	4.1	2.1	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3143	*Corymbia citriodora*	Spotted Gum	300		300	94	22.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3144	*Eucalyptus siderophloia*	Northern Grey Ironbark	330		330	104	22.0	10.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3145	*Eucalyptus siderophloia*	Northern Grey Ironbark	320		320	101	24.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3146	*Eucalyptus siderophloia*	Northern Grey Ironbark	320		320	101	22.0	10.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3147	*Eucalyptus siderophloia*	Northern Grey Ironbark	400		400	126	24.0	12.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3148	*Corymbia citriodora*	Spotted Gum	300		300	94	20.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3149	*Corymbia citriodora*	Spotted Gum	330		330	104	22.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3150	*Corymbia citriodora*	Spotted Gum	320		320	101	24.0	12.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3151	*Corymbia citriodora*	Spotted Gum	300		300	94	22.0	8.0	3.6	2.0	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3152	*Eucalyptus siderophloia*	Northern Grey Ironbark	430		430	135	22.0	8.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3153	*Eucalyptus siderophloia*	Northern Grey Ironbark	400		400	126	24.0	12.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3154	*Corymbia citriodora*	Spotted Gum	300		300	94	22.0	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3155	*Corymbia citriodora*	Spotted Gum	370		370	116	22.0	12.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3156	*Eucalyptus siderophloia*	Northern Grey Ironbark	450		450	141	20.0	10.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3157	*Corymbia citriodora*	Spotted Gum	360		360	113	22.0	10.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3158	*Eucalyptus tereticornis*	Forest Red Gum	320		320	101	20.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
Z3159	*Corymbia citriodora*	Spotted Gum	300		300	94	22.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3160	*Corymbia citriodora*	Spotted Gum	310		310	97	22.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3161	*Corymbia citriodora*	Spotted Gum	350		350	110	22.0	8.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3162	*Corymbia citriodora*	Spotted Gum	300		300	94	20.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3163	*Corymbia citriodora*	Spotted Gum	340		340	107	24.0	12.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3164	*Corymbia citriodora*	Spotted Gum	370		370	116	24.0	12.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z3165	*Corymbia citriodora*	Spotted Gum	330		330	104	22.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	Major	-	-	-	Typical	-	-	-	0	-	-	-	Remove	

Specimen Details									Canopy Condition Details								Trunk Condition Details						Fauna Details and Habitat Value							
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
23166	*Corymbia citriodora*	Spotted Gum	350		350	110	22.0	8.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
23167	*Corymbia citriodora*	Spotted Gum	320		320	101	24.0	8.0	3.8	2.1	One-sided	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	-	Remove
23168	*Corymbia citriodora*	Spotted Gum	300		300	94	22.0	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
23169	*Eucalyptus siderophloia*	Northern Grey Ironbark	350		350	110	24.0	10.0	4.2	2.1	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
23170	*Corymbia citriodora*	Spotted Gum	400		400	126	24.0	12.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	-	Remove
23171	*Corymbia citriodora*	Spotted Gum	350		350	110	24.0	12.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
23172	*Corymbia citriodora*	Spotted Gum	340		340	107	24.0	12.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
23173	*Corymbia citriodora*	Spotted Gum	280		280	88	22.0	10.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
23174	*Corymbia citriodora*	Spotted Gum	300		300	94	22.0	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
23175	*Corymbia citriodora*	Spotted Gum	280		280	88	20.0	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
23176	*Corymbia citriodora*	Spotted Gum	300		300	94	24.0	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
23177	*Corymbia citriodora*	Spotted Gum	360		360	113	24.0	12.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
23178	*Corymbia citriodora*	Spotted Gum	320		320	101	22.0	12.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
23179	*Eucalyptus tereticornis*	Forest Red Gum	400		400	126	20.0	8.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
23180	*Corymbia citriodora*	Spotted Gum	310		310	97	20.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
23181	*Corymbia citriodora*	Spotted Gum	300		300	94	20.0	8.0	3.6	2.0	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
23182	*Corymbia citriodora*	Spotted Gum	400		400	126	20.0	12.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
23183	*Corymbia citriodora*	Spotted Gum	330		330	104	22.0	10.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
23184	*Corymbia citriodora*	Spotted Gum	430		430	135	22.0	8.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
23185	*Melaleuca rhyzana*	Swamp Tea-tree	160	150	219	69	8.0	4.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
23186	*Corymbia citriodora*	Spotted Gum	320		320	101	24.0	12.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
23187	*Corymbia citriodora*	Spotted Gum	330		330	104	22.0	10.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
23188	*Corymbia citriodora*	Spotted Gum	360		360	113	24.0	8.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
23189	*Corymbia citriodora*	Spotted Gum	810		810	254	26.0	14.0	9.7	3.0	Regular	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	-	Remove
23190	*Corymbia citriodora*	Spotted Gum	300	130	327	103	20.0	8.0	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
23191	*Corymbia citriodora*	Spotted Gum	370		370	116	26.0	14.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
23192	*Corymbia citriodora*	Spotted Gum	330		330	104	24.0	12.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
23193	*Corymbia citriodora*	Spotted Gum	350		350	110	24.0	12.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
23194	*Corymbia citriodora*	Spotted Gum	310		310	97	24.0	12.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
23195	*Corymbia citriodora*	Spotted Gum	430		430	135	26.0	14.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
23196	*Corymbia citriodora*	Spotted Gum	300		300	94	24.0	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
23197	**DEAD/STAG**		630		630	198	14.0	1.0	7.6	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	Large	1	-	-	-	Remove
23198	*Corymbia citriodora*	Spotted Gum	380		380	119	26.0	14.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
23199	*Corymbia citriodora*	Spotted Gum	240		240	75	22.0	12.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
23200	*Corymbia citriodora*	Spotted Gum	360		360	113	22.0	12.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
23201	*Corymbia citriodora*	Spotted Gum	370		370	116	26.0	14.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
23202	*Corymbia citriodora*	Spotted Gum	340		340	107	22.0	10.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
23203	*Corymbia citriodora*	Spotted Gum	320		320	101	22.0	10.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
23204	*Corymbia citriodora*	Spotted Gum	380		380	119	24.0	14.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
23205	*Corymbia citriodora*	Spotted Gum	400		400	126	22.0	14.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
23206	*Corymbia citriodora*	Spotted Gum	460		460	145	26.0	14.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
23207	*Corymbia citriodora*	Spotted Gum	330		330	104	22.0	12.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
23208	*Corymbia citriodora*	Spotted Gum	300		300	94	22.0	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
23209	*Corymbia citriodora*	Spotted Gum	310		310	97	22.0	10.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
23210	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	20.0	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
23211	*Corymbia citriodora*	Spotted Gum	300		300	94	20.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
23212	*Corymbia citriodora*	Spotted Gum	300		300	94	22.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
23213	*Corymbia citriodora*	Spotted Gum	320		320	101	20.0	10.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
23214	*Corymbia citriodora*	Spotted Gum	310		310	97	20.0	10.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
23215	*Corymbia citriodora*	Spotted Gum	460		460	145	22.0	12.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
23216	*Corymbia citriodora*	Spotted Gum	310		310	97	20.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
23217	*Corymbia citriodora*	Spotted Gum	360		360	113	22.0	8.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
23218	*Corymbia intermedia*	Pink Bloodwood	300		300	94	18.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
23219	*Corymbia citriodora*	Spotted Gum	300		300	94	20.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
23220	*Corymbia citriodora*	Spotted Gum	320		320	101	16.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
23221	*Corymbia citriodora*	Spotted Gum	320		320	101	22.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
23222	*Corymbia intermedia*	Pink Bloodwood	410		410	129	22.0	8.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
23223	*Corymbia citriodora*	Spotted Gum	370		370	116	20.0	8.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
23224	*Corymbia citriodora*	Spotted Gum	340		340	107	22.0	10.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
23225	*Corymbia citriodora*	Spotted Gum	320		320	101	20.0	6.0	3.8	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	-	Remove
23226	*Corymbia citriodora*	Spotted Gum	420		420	132	22.0	10.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
23227	**DEAD/STAG**		610		610	192	22.0	3.0	7.3	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	Small	2	-	-	-	Remove
23228	*Corymbia citriodora*	Spotted Gum	320		320	101	22.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
23229	*Corymbia citriodora*	Spotted Gum	350		350	110	22.0	8.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
23230	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	18.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
23231	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		382	120	22.0	8.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
23232	*Melaleuca rhyzana*	Swamp Tea-tree	80		80	25	4.0	3.0	2.0	1.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
23233	*Melaleuca rhyzana*	Swamp Tea-tree	180	150	294	74	6.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
23234	*Eucalyptus tereticornis*	Forest Red Gum	310	60	316	99	22.0	8.0	3.8	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23235	*Eucalyptus tereticornis*	Forest Red Gum	360		360	113	22.0	8.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23236	*Corymbia citriodora*	Spotted Gum	440		440	138	26.0	14.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23237	*Corymbia citriodora*	Spotted Gum	330		330	104	22.0	10.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23238	*Corymbia citriodora*	Spotted Gum	360		360	113	22.0	8.0	4.3	2.2	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23240	*Corymbia citriodora*	Spotted Gum	420		420	132	22.0	8.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23241	*Corymbia citriodora*	Spotted Gum	340		340	107	24.0	14.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23242	*Eucalyptus tereticornis*	Forest Red Gum	330		330	104	22.0	8.0	4.0	2.1	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23243	*Corymbia citriodora*	Spotted Gum	330		330	104	20.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23244	*Corymbia citriodora*	Spotted Gum	320		320	101	24.0	10.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23245	*Corymbia citriodora*	Spotted Gum	360		360	113	22.0	10.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23246	*Corymbia citriodora*	Spotted Gum	330		330	104	22.0	10.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23247	*Corymbia citriodora*	Spotted Gum	320		320	101	22.0	10.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23248	*Corymbia citriodora*	Spotted Gum	320		320	101	22.0	10.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23249	*Corymbia citriodora*	Spotted Gum	380		380	119	24.0	12.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23250	*Corymbia citriodora*	Spotted Gum	370		370	116	24.0	12.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23251	*Corymbia citriodora*	Spotted Gum	390		390	123	20.0	8.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23252	*Corymbia citriodora*	Spotted Gum	300		300	94	24.0	12.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23253	*Corymbia citriodora*	Spotted Gum	310		310	97	22.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23254	*Corymbia citriodora*	Spotted Gum	360		360	113	26.0	14.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23255	*Corymbia citriodora*	Spotted Gum	300		300	94	22.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23256	*Corymbia citriodora*	Spotted Gum	330		330	104	22.0	10.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23257	*Corymbia citriodora*	Spotted Gum	330		330	104	24.0	12.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23258	*Corymbia citriodora*	Spotted Gum	320		320	101	24.0	12.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23259	*Corymbia citriodora*	Spotted Gum	330		330	104	24.0	12.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23260	*Eucalyptus siderophloia*	Northern Grey Ironbark	320		320	101	20.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23261	*Corymbia citriodora*	Spotted Gum	300		300	94	20.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23262	*Corymbia citriodora*	Spotted Gum	350		350	110	24.0	12.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23263	*Corymbia citriodora*	Spotted Gum	320		320	101	20.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23264	*Corymbia citriodora*	Spotted Gum	420		420	132	24.0	14.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23265	*Corymbia citriodora*	Spotted Gum	380		380	119	22.0	12.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23266	*Corymbia citriodora*	Spotted Gum	300		300	94	22.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23267	*Corymbia citriodora*	Spotted Gum	350		350	110	22.0	12.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23268	*Corymbia citriodora*	Spotted Gum	400		400	126	24.0	12.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23269	*Corymbia citriodora*	Spotted Gum	350		350	110	22.0	12.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Old	-	-	-	-	Remove	
23270	*Corymbia citriodora*	Spotted Gum	330		330	104	22.0	12.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23271	*Corymbia citriodora*	Spotted Gum	320		320	101	22.0	12.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23272	*Corymbia citriodora*	Spotted Gum	300		300	94	22.0	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23273	*Corymbia citriodora*	Spotted Gum	330		330	104	22.0	10.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23274	*Corymbia citriodora*	Spotted Gum	340		340	107	24.0	10.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23275	*Corymbia citriodora*	Spotted Gum	360		360	113	22.0	8.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23276	*Corymbia citriodora*	Spotted Gum	300		300	94	22.0	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23277	*Corymbia citriodora*	Spotted Gum	320		320	101	20.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23278	*Corymbia citriodora*	Spotted Gum	330		330	104	24.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23279	*Corymbia citriodora*	Spotted Gum	310		310	97	20.0	8.0	3.7	2.0	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23280	*Corymbia citriodora*	Spotted Gum	310		310	97	20.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23281	*Corymbia citriodora*	Spotted Gum	310		310	97	22.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23282	*Corymbia citriodora*	Spotted Gum	310		310	97	24.0	10.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23283	*Corymbia citriodora*	Spotted Gum	320		320	101	24.0	12.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23284	*Corymbia citriodora*	Spotted Gum	310		310	97	24.0	12.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23285	*Corymbia citriodora*	Spotted Gum	310		310	97	24.0	10.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23286	*Corymbia citriodora*	Spotted Gum	330		330	104	24.0	10.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23287	*Corymbia citriodora*	Spotted Gum	350		350	110	24.0	14.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23288	*Corymbia citriodora*	Spotted Gum	220		220	69	8.0	7.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23289	*Corymbia citriodora*	Spotted Gum	300		300	94	20.0	9.0	3.6	2.0	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23290	*Corymbia citriodora*	Spotted Gum	300		300	94	22.0	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23291	*Corymbia citriodora*	Spotted Gum	330		330	104	20.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23292	*Corymbia citriodora*	Spotted Gum	400		400	126	26.0	14.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23293	*Corymbia citriodora*	Spotted Gum	340		340	107	24.0	12.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23294	*Eucalyptus crebra*	Narrow-leaved Red Ironbark	360		360	113	24.0	12.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23295	*Corymbia citriodora*	Spotted Gum	340		340	107	24.0	12.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Old	-	-	-	-	Remove	
23296	*Corymbia citriodora*	Spotted Gum	350		350	110	26.0	14.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23297	*Acacia disparrima*	Hickory Wattle	300		300	94	10.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23298	*Eucalyptus siderophloia*	Northern Grey Ironbark	380		380	119	24.0	12.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23299	*Corymbia citriodora*	Spotted Gum	360		360	113	26.0	14.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23300	*Corymbia citriodora*	Spotted Gum	320		320	101	24.0	12.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23301	*Corymbia citriodora*	Spotted Gum	320		320	101	22.0	12.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	

Specimen Details								Canopy Condition Details							Trunk Condition Details				Fauna Details and Habitat Value							
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
23302	*Corymbia citriodora*	Spotted Gum	350		350	110	26.0	14.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23303	*Corymbia citriodora*	Spotted Gum	360		360	113	26.0	14.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23304	*Corymbia citriodora*	Spotted Gum	320		320	101	24.0	10.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23305	*Corymbia citriodora*	Spotted Gum	320		320	101	20.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23306	*Corymbia citriodora*	Spotted Gum	380		380	119	26.0	14.0	4.6	2.2	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23307	**DEAD/STAG**		630		630	198	18.0	5.0	7.6	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	3	-	-	-	Remove	
23308	*Corymbia citriodora*	Spotted Gum	300		300	94	20.0	8.0	3.6	2.0	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23309	*Corymbia citriodora*	Spotted Gum	340		340	107	26.0	14.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23310	*Corymbia citriodora*	Spotted Gum	380		380	119	26.0	14.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23311	*Corymbia citriodora*	Spotted Gum	300		300	94	22.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23312	*Corymbia citriodora*	Spotted Gum	360		360	113	22.0	12.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23313	*Corymbia citriodora*	Spotted Gum	300		300	94	22.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23314	*Corymbia citriodora*	Spotted Gum	300		300	94	22.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23315	*Corymbia citriodora*	Spotted Gum	380		380	119	22.0	8.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23316	*Corymbia citriodora*	Spotted Gum	260		260	82	24.0	12.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23317	*Corymbia citriodora*	Spotted Gum	360		360	113	24.0	12.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23318	*Corymbia citriodora*	Spotted Gum	340		340	107	24.0	12.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23319	**DEAD/STAG**		860		860	270	22.0	8.0	10.3	3.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Old	-	-	-	-	Remove	
23320	*Corymbia citriodora*	Spotted Gum	360		360	113	22.0	8.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23321	*Eucalyptus moluccana*	Gum-topped Box	440		440	138	22.0	12.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23322	*Eucalyptus siderophloia*	Northern Grey Ironbark	920		920	289	24.0	14.0	11.0	3.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23323	*Corymbia citriodora*	Spotted Gum	380		380	119	22.0	10.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23324	*Corymbia intermedia*	Pink Bloodwood	330		330	104	22.0	10.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23325	*Eucalyptus moluccana*	Gum-topped Box	340		340	107	22.0	10.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23326	*Corymbia citriodora*	Spotted Gum	370		370	116	24.0	10.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23327	*Eucalyptus siderophloia*	Northern Grey Ironbark	770		770	242	26.0	14.0	9.2	3.0	Regular	-	-	Die-back	-	-	Typical	-	Introduced	-	-	Typical	-	-	-	0	-	-	Retain	
23328	*Corymbia citriodora*	Spotted Gum	340		340	107	24.0	12.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23329	*Corymbia citriodora*	Spotted Gum	310		310	97	20.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23330	*Eucalyptus moluccana*	Gum-topped Box	540		540	170	22.0	14.0	6.5	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23331	*Eucalyptus moluccana*	Gum-topped Box	320		320	101	22.0	8.0	3.8	2.1	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23332	*Corymbia citriodora*	Spotted Gum	300	200	361	113	24.0	14.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23333	*Eucalyptus moluccana*	Gum-topped Box	350		350	110	24.0	12.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23334	*Corymbia citriodora*	Spotted Gum	400		400	126	26.0	14.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23335	*Corymbia citriodora*	Spotted Gum	300		300	94	22.0	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Old	-	-	-	-	Remove	
23336	**DEAD/STAG**		500		500	157	22.0	6.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	Introduced	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
23337	*Corymbia citriodora*	Spotted Gum	430		430	135	22.0	10.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23338	*Corymbia citriodora*	Spotted Gum	300		300	94	24.0	12.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23339	*Corymbia tessellaris*	Moreton Bay Ash	300		300	94	18.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23340	*Corymbia citriodora*	Spotted Gum	340		340	107	22.0	8.0	4.1	2.1	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23341	*Corymbia citriodora*	Spotted Gum	300		300	94	22.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23342	*Narrow-leaved Red Ironbark*		670		670	210	22.0	14.0	8.0	2.8	Regular	-	-	Die-back	-	-	Typical	Minor	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23343	*Corymbia citriodora*	Spotted Gum	300		300	94	22.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23344	*Corymbia citriodora*	Spotted Gum	310		310	97	24.0	12.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23345	*Corymbia citriodora*	Spotted Gum	330		330	104	22.0	10.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Old	-	-	-	-	Remove	
23346	*Corymbia citriodora*	Spotted Gum	340		340	107	24.0	10.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23347	*Corymbia citriodora*	Spotted Gum	340		340	107	26.0	10.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23348	*Melaleuca bryana*	Swamp Tea-tree	100	70, 70	141	44	4.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23349	*Corymbia citriodora*	Spotted Gum	400		400	126	24.0	12.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23350	*Corymbia citriodora*	Spotted Gum	400		400	126	24.0	12.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23351	*Acacia disparrima*	Hickory Wattle	440		440	138	8.0	7.0	5.3	2.3	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23352	*Corymbia citriodora*	Spotted Gum	440		440	138	24.0	14.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23353	*Corymbia citriodora*	Spotted Gum	380		380	119	10.0	4.0	4.6	2.2	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23354	*Corymbia citriodora*	Spotted Gum	340		340	107	24.0	12.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23355	*Corymbia citriodora*	Spotted Gum	350		350	110	22.0	12.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23356	*Corymbia citriodora*	Spotted Gum	330		330	104	22.0	10.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23357	*Eucalyptus tereticornis*	Forest Red Gum	350		350	110	22.0	10.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
23358	*Corymbia citriodora*	Spotted Gum	320		320	101	22.0	10.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
23359	*Corymbia citriodora*	Spotted Gum	340		340	107	24.0	12.0	4.1	2.1	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23360	*Corymbia citriodora*	Spotted Gum	310		310	97	24.0	12.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23361	*Eucalyptus tereticornis*	Forest Red Gum	390		390	123	24.0	12.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Old	-	-	-	-	Remove	
23362	*Eucalyptus tereticornis*	Forest Red Gum	330		330	104	22.0	10.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Old	-	-	-	-	Remove	
23363	*Corymbia citriodora*	Spotted Gum	570		570	179	26.0	14.0	6.8	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23364	*Corymbia citriodora*	Spotted Gum	310		310	97	24.0	10.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23365	*Eucalyptus tereticornis*	Forest Red Gum	300		300	94	22.0	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23366	*Eucalyptus tereticornis*	Forest Red Gum	340		340	107	22.0	10.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Old	-	-	-	-	Remove	
23367	*Corymbia citriodora*	Spotted Gum	330		330	104	22.0	10.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23368	*Corymbia citriodora*	Spotted Gum	340		340	107	20.0	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23369	*Eucalyptus tereticornis*	Forest Red Gum	340		340	107	22.0	10.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Old	-	0	-	-	-	Remove	

Tree ID	Botanical Name	Common Name	Specimen Details							Canopy Condition Details								Trunk Condition Details						Fauna Details and Habitat Value							Additional Notes
			Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	
23370	*Angophora leiocarpa*	Rusty Gum	350		350	110	22.0	8.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
23371	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	22.0	12.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
23372	*Corymbia citriodora*	Spotted Gum	300		300	94	20.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
23373	*Corymbia citriodora*	Spotted Gum	360		360	113	24.0	12.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	Old	-	-	0	-	-	-	Remove
23374	*Corymbia citriodora*	Spotted Gum	320		320	101	24.0	12.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
23375	*Corymbia citriodora*	Spotted Gum	300		300	94	22.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
23376	*Angophora leiocarpa*	Rusty Gum	320		320	101	22.0	10.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
23377	*Eucalyptus siderophloia*	Northern Grey Ironbark	450		450	141	20.0	12.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
23378	*Corymbia citriodora*	Spotted Gum	320		320	101	20.0	10.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
23379	*Acacia disparrima*	Hickory Wattle	370		370	116	12.0	7.0	4.4	2.2	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	0	-	-	-	Remove
23380	*Eucalyptus tereticornis*	Forest Red Gum	340		340	107	20.0	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
23381	*Corymbia citriodora*	Spotted Gum	280		280	88	20.0	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
23382	*Corymbia citriodora*	Spotted Gum	380		380	119	20.0	8.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
23383	*Corymbia citriodora*	Spotted Gum	340		340	107	22.0	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
23384	*Acacia disparrima*	Hickory Wattle	340		340	107	8.0	6.0	4.1	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
23385	*Eucalyptus siderophloia*	Northern Grey Ironbark	580		580	182	24.0	10.0	7.0	2.6	Regular	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove
23386	*Eucalyptus siderophloia*	Spotted Gum	320		320	101	16.0	8.0	3.8	2.1	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
23387	*Eucalyptus moluccana*	Gum-topped box	470		470	148	24.0	12.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
23388	*Eucalyptus moluccana*	Gum-topped box	530		530	167	22.0	10.0	6.4	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
23389	*Eucalyptus moluccana*	Gum-topped box	420		420	132	24.0	12.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
23390	*Corymbia citriodora*	Spotted Gum	380		380	119	22.0	10.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
23391	*Corymbia citriodora*	Spotted Gum	300		300	94	24.0	12.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
23392	*Corymbia citriodora*	Spotted Gum	420		420	132	22.0	10.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	Old	-	-	0	-	-	-	Retain
23393	*Eucalyptus moluccana*	Gum-topped box	430		430	135	22.0	10.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	Old	-	-	0	-	-	-	Retain
23394	*Corymbia citriodora*	Spotted Gum	400		400	126	22.0	10.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Old	-	0	-	-	-	Retain
23395	*Eucalyptus moluccana*	Gum-topped box	420		594	187	24.0	14.0	7.1	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
23396	*Corymbia citriodora*	Spotted Gum	450		450	141	24.0	12.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
23397	*Corymbia citriodora*	Spotted Gum	330		330	104	22.0	10.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
23398	*Corymbia citriodora*	Spotted Gum	360		360	113	22.0	8.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
23399	*Corymbia citriodora*	Spotted Gum	340		340	107	18.0	8.0	4.1	2.1	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
23400	*Corymbia citriodora*	Spotted Gum	400		400	126	22.0	10.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
23401	*Corymbia citriodora*	Spotted Gum	390		458	144	22.0	10.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
23402	*Eucalyptus tereticornis*	Forest Red Gum	350		350	110	20.0	8.0	4.2	2.1	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	Old	-	-	0	-	-	-	Retain
23403	*Corymbia citriodora*	Spotted Gum	300		300	94	20.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
23404	*Corymbia citriodora*	Spotted Gum	460	200	502	158	24.0	14.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
23405	*Corymbia citriodora*	Spotted Gum	370		370	116	20.0	10.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
23406	*Corymbia citriodora*	Spotted Gum	440		440	138	26.0	14.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
23407	*Eucalyptus moluccana*	Gum-topped Box	630		630	198	24.0	12.0	7.6	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
23408	*Eucalyptus moluccana*	Gum-topped Box	450		450	141	20.0	10.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
23409	*Corymbia citriodora*	Spotted Gum	380		380	119	16.0	10.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
23410	*Corymbia citriodora*	Spotted Gum	410		410	129	22.0	10.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	Old	-	-	0	-	-	-	Remove
23411	*Corymbia citriodora*	Spotted Gum	300		300	94	20.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
23412	*Corymbia citriodora*	Spotted Gum	290	200	352	111	22.0	8.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
23413	*Eucalyptus tereticornis*	Forest Red Gum	310		310	97	16.0	8.0	3.7	2.0	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	Old	-	-	0	-	-	-	Remove
23414	*Corymbia citriodora*	Spotted Gum	330		330	104	20.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
23415	*Corymbia citriodora*	Spotted Gum	350		350	110	22.0	10.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
23416	*Corymbia citriodora*	Spotted Gum	340		340	107	6.0	4.0	4.1	2.1	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove
23417	*Corymbia citriodora*	Spotted Gum	340		340	107	20.0	12.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
23418	*Corymbia citriodora*	Spotted Gum	360		360	113	20.0	8.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
23419	*Corymbia citriodora*	Spotted Gum	230		230	72	14.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
23420	*Corymbia citriodora*	Spotted Gum	260		260	82	20.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
23421	*Corymbia citriodora*	Spotted Gum	350		350	110	22.0	8.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
23422	*Corymbia citriodora*	Spotted Gum	240		240	75	20.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
23423	*Corymbia citriodora*	Spotted Gum	340		340	107	20.0	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
23424	*Eucalyptus tereticornis*	Forest Red Gum	920		920	289	20.0	12.0	11.0	3.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	Old	-	-	0	-	-	-	Remove
23425	*Corymbia citriodora*	Spotted Gum	280		280	88	14.0	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
23426	*Eucalyptus tereticornis*	Forest Red Gum	420		420	132	16.0	8.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	Old	Old	-	0	-	-	-	Retain
23427	*Eucalyptus tereticornis*	Forest Red Gum	530	260	590	185	18.0	10.0	7.1	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Old	-	0	-	-	-	Retain
23428	*Eucalyptus moluccana*	Gum-topped Box	700	340	778	244	6.0	10.0	9.3	3.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
23429	*Corymbia citriodora*	Spotted Gum	280		280	88	18.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
23430	*Corymbia citriodora*	Spotted Gum	290		290	91	18.0	8.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
23431	*Corymbia citriodora*	Spotted Gum	310		310	97	18.0	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
23432	*Corymbia citriodora*	Spotted Gum	400		400	126	16.0	6.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
23433	*Corymbia citriodora*	Spotted Gum	320		320	101	16.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
23434	*Corymbia citriodora*	Spotted Gum	320		320	101	22.0	10.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
23435	*Corymbia citriodora*	Spotted Gum	300		300	94	16.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
23436	*Corymbia citriodora*	Spotted Gum	440		440	138	14.0	8.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
23437	*Corymbia citriodora*	Spotted Gum	340		340	107	20.0	10.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove

Specimen Details								Canopy Condition Details								Trunk Condition Details								Fauna Details and Habitat Value									
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
23438	*Corymbia citriodora*	Spotted Gum	320		320	101	8.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23439	*Corymbia citriodora*	Spotted Gum	400		400	126	22.0	10.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23440	*Acacia dispartima*	Hickory Wattle	320	240, 230, 220, 140	530	167	8.0	10.0	6.4	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23441	*Acacia dispartima*	Hickory Wattle	330		330	104	9.0	6.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23442	*Eucalyptus moluccana*	Gum-topped Box	370		370	116	22.0	8.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
23443	*Corymbia citriodora*	Spotted Gum	300		300	94	18.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
23444	*Corymbia citriodora*	Spotted Gum	300		300	94	20.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
23445	*Corymbia citriodora*	Spotted Gum	360		360	113	14.0	6.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23446	*Eucalyptus baileyana*	Swamp Tea-tree	200	180	269	85	6.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23448	*Corymbia citriodora*	Spotted Gum	340		340	107	23.0	7.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23449	*Corymbia citriodora*	Spotted Gum	440		440	138	24.0	7.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23450	*Corymbia citriodora*	Spotted Gum	280		280	88	22.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23451	*Corymbia citriodora*	Spotted Gum	360		360	113	23.0	8.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23452	*Corymbia citriodora*	Spotted Gum	420		420	132	26.0	7.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23453	*Corymbia citriodora*	Spotted Gum	330		330	104	23.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23454	*Corymbia citriodora*	Spotted Gum	300		300	94	21.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23455	*Corymbia citriodora*	Spotted Gum	300		300	94	25.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23456	*Corymbia citriodora*	Spotted Gum	260		260	82	17.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23457	*Corymbia citriodora*	Spotted Gum	330		330	104	23.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23458	*Corymbia citriodora*	Spotted Gum	300		300	94	21.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23459	**DEAD/STAG**		370		370	116	28.0	12.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23460	*Corymbia citriodora*	Spotted Gum	290		290	91	23.0	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23461	*Corymbia citriodora*	Spotted Gum	350	210	408	128	27.0	7.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23462	*Corymbia citriodora*	Spotted Gum	335		335	105	22.0	9.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23463	*Eucalyptus moluccana*	Gum-topped Box	380		380	119	22.0	9.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23464	*Corymbia citriodora*	Spotted Gum	320		320	101	25.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23465	*Corymbia citriodora*	Spotted Gum	250		250	79	19.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23466	*Corymbia citriodora*	Spotted Gum	385		385	121	24.0	9.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23467	*Corymbia citriodora*	Spotted Gum	285		285	90	23.0	7.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23468	*Eucalyptus moluccana*	Gum-topped Box	320		320	101	19.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
23469	*Corymbia citriodora*	Spotted Gum	270		270	85	23.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23470	*Corymbia citriodora*	Spotted Gum	400		400	126	25.0	11.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23471	*Corymbia citriodora*	Spotted Gum	320		320	101	23.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23472	*Corymbia citriodora*	Spotted Gum	360		360	113	23.0	9.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23473	*Corymbia citriodora*	Spotted Gum	370		370	116	27.0	12.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23474	*Eucalyptus moluccana*	Gum-topped Box	350		350	110	18.0	8.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23475	*Corymbia citriodora*	Spotted Gum	300		300	94	23.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23476	*Corymbia citriodora*	Spotted Gum	310		310	97	22.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23477	*Corymbia citriodora*	Spotted Gum	280		280	88	19.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23478	*Corymbia citriodora*	Spotted Gum	280		280	88	18.0	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23479	*Eucalyptus moluccana*	Gum-topped Box	500		500	157	27.0	14.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23480	*Corymbia citriodora*	Spotted Gum	285		285	90	20.0	7.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23481	*Corymbia citriodora*	Spotted Gum	380		380	119	27.0	8.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23482	**DEAD/STAG**		600		600	188	13.0	4.0	7.2	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23483	*Corymbia citriodora*	Spotted Gum	300		300	94	26.0	9.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23484	*Eucalyptus moluccana*	Gum-topped Box	285		285	90	19.0	9.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23485	*Corymbia citriodora*	Spotted Gum	365		365	115	26.0	11.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23486	*Corymbia citriodora*	Spotted Gum	385		385	121	23.0	9.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23487	*Corymbia citriodora*	Spotted Gum	400		400	126	26.0	12.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23488	*Eucalyptus moluccana*	Gum-topped Box	375		375	118	18.0	9.0	4.5	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23489	*Corymbia citriodora*	Spotted Gum	420		420	132	32.0	9.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23490	*Corymbia citriodora*	Spotted Gum	340		340	107	26.0	9.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23491	*Corymbia citriodora*	Spotted Gum	320		320	101	30.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23492	*Corymbia citriodora*	Spotted Gum	300		300	94	26.0	9.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23493	*Corymbia citriodora*	Spotted Gum	300		300	94	26.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23494	*Corymbia citriodora*	Spotted Gum	270		270	85	23.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23495	*Corymbia citriodora*	Spotted Gum	270		270	85	23.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23496	*Corymbia citriodora*	Spotted Gum	300		300	94	23.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23497	*Corymbia citriodora*	Spotted Gum	385		385	121	26.0	9.0	4.6	2.2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23498	*Corymbia citriodora*	Spotted Gum	340		340	107	23.0	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23499	*Corymbia citriodora*	Spotted Gum	330		330	104	23.0	9.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23500	*Corymbia citriodora*	Spotted Gum	350		350	110	23.0	4.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23501	*Corymbia citriodora*	Spotted Gum	340		340	107	25.0	9.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23502	*Corymbia citriodora*	Spotted Gum	340	210	400	126	27.0	13.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23503	*Corymbia citriodora*	Spotted Gum	360		360	113	24.0	11.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23504	*Corymbia citriodora*	Spotted Gum	360		360	113	26.0	12.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23505	*Corymbia citriodora*	Spotted Gum	300		300	94	24.0	9.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23506	*Corymbia citriodora*	Spotted Gum	270		270	85	22.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23507	*Corymbia citriodora*	Spotted Gum	325		325	102	29.0	8.0	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	

| Specimen Details | | |

Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
23576	*Corymbia citriodora*	Spotted Gum	310		310	97	19.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
23577	*Corymbia citriodora*	Spotted Gum	355		355	112	22.0	9.0	4.3	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
23578	*Corymbia citriodora*	Spotted Gum	345		345	108	26.0	12.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
23579	*Eucalyptus creata*	Narrow-leaved Red Ironbark	370		370	116	20.0	7.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
23580	*Corymbia citriodora*	Spotted Gum	340		340	107	28.0	12.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
23581	*Corymbia citriodora*	Spotted Gum	340		340	107	27.0	9.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
23582	*Corymbia citriodora*	Spotted Gum	390		390	123	24.0	9.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
23583	*Corymbia citriodora*	Spotted Gum	360		360	113	27.0	12.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
23584	*Corymbia citriodora*	Spotted Gum	300		300	94	22.0	8.0	3.6	2.0	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
23585	*Corymbia citriodora*	Spotted Gum	300		300	94	23.0	9.0	3.6	2.0	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
23586	*Corymbia citriodora*	Spotted Gum	385		385	121	29.0	13.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
23587	*Corymbia citriodora*	Spotted Gum	320		320	101	23.0	9.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
23588	*Corymbia citriodora*	Spotted Gum	300		300	94	19.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
23589	**DEAD/STAG**		600		600	188	21.0	9.0	7.2	2.7	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	Small	2	-	-	-	-	Remove
23590	*Corymbia citriodora*	Spotted Gum	310		310	97	27.0	11.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	-	Remove
23591	*Corymbia citriodora*	Spotted Gum	290		290	91	21.0	8.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
23592	*Eucalyptus creata*	Narrow-leaved Red Ironbark	340		340	107	22.0	9.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
23593	*Corymbia citriodora*	Spotted Gum	300		300	94	24.0	9.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
23594	*Corymbia citriodora*	Spotted Gum	420		420	132	32.0	14.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
23595	*Corymbia citriodora*	Spotted Gum	280		280	88	23.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
23596	*Corymbia citriodora*	Spotted Gum	330		330	104	21.0	9.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
23597	*Corymbia citriodora*	Spotted Gum	300		300	94	22.0	9.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
23598	*Corymbia citriodora*	Spotted Gum	300		300	94	21.0	9.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
23599	*Corymbia citriodora*	Spotted Gum	380		380	119	26.0	12.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
23600	*Corymbia citriodora*	Spotted Gum	340		340	107	26.0	11.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
23601	*Corymbia citriodora*	Spotted Gum	370	170	407	128	23.0	9.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
23602	*Corymbia citriodora*	Spotted Gum	460		460	145	33.0	13.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
23603	*Corymbia citriodora*	Spotted Gum	360		360	113	24.0	9.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
23604	*Corymbia citriodora*	Spotted Gum	410		410	129	29.0	11.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
23605	*Corymbia citriodora*	Spotted Gum	310		310	97	19.0	9.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
23606	*Corymbia citriodora*	Spotted Gum	420		420	132	27.0	9.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
23607	*Corymbia citriodora*	Spotted Gum	300		300	94	24.0	9.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
23608	*Corymbia citriodora*	Spotted Gum	380		380	119	24.0	9.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
23609	*Corymbia citriodora*	Spotted Gum	285		285	90	26.0	9.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
23610	*Corymbia citriodora*	Spotted Gum	390		390	123	26.0	11.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
23611	*Corymbia citriodora*	Spotted Gum	300		300	94	23.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	-	Remove
23612	*Corymbia citriodora*	Spotted Gum	360		360	113	31.0	9.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
23613	*Corymbia citriodora*	Spotted Gum	320		320	101	26.0	9.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
23614	*Corymbia citriodora*	Spotted Gum	320		320	101	28.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
23615	*Corymbia citriodora*	Spotted Gum	300		300	94	24.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
23616	*Corymbia citriodora*	Spotted Gum	370		370	116	32.0	12.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
23617	*Corymbia citriodora*	Spotted Gum	380		380	119	29.0	11.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
23618	*Corymbia citriodora*	Spotted Gum	350		350	110	27.0	8.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
23619	*Corymbia citriodora*	Spotted Gum	405		405	127	32.0	11.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
23620	*Corymbia citriodora*	Spotted Gum	380		380	119	28.0	9.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
23621	*Corymbia citriodora*	Spotted Gum	320		320	101	26.0	9.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
23622	*Corymbia citriodora*	Spotted Gum	320		320	101	23.0	11.0	3.8	2.1	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
23623	*Corymbia citriodora*	Spotted Gum	475		475	149	32.0	13.0	5.7	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
23624	*Corymbia citriodora*	Spotted Gum	330		330	104	27.0	13.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
23625	*Corymbia citriodora*	Spotted Gum	470		470	148	29.0	14.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
23626	*Corymbia intermedia*	Pink Bloodwood	280		280	88	14.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
23627	*Corymbia citriodora*	Spotted Gum	485		485	152	30.0	13.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
23628	*Corymbia citriodora*	Spotted Gum	420		420	132	28.0	13.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
23629	*Corymbia citriodora*	Spotted Gum	360		360	113	31.0	9.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
23630	*Corymbia citriodora*	Spotted Gum	440		440	138	27.0	12.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
23631	*Corymbia citriodora*	Spotted Gum	285		285	90	22.0	7.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
23632	*Corymbia citriodora*	Spotted Gum	320		320	101	25.0	9.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
23633	*Corymbia citriodora*	Spotted Gum	290		290	91	17.0	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
23634	*Corymbia citriodora*	Spotted Gum	290		290	91	17.0	5.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
23635	*Corymbia citriodora*	Spotted Gum	310		310	97	21.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
23636	*Corymbia citriodora*	Spotted Gum	520		520	163	33.0	11.0	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	-	Remove
23637	*Corymbia citriodora*	Spotted Gum	330		330	104	23.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
23638	*Eucalyptus creata*	Narrow-leaved Red Ironbark	320		320	101	19.0	9.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
23639	*Corymbia citriodora*	Spotted Gum	300		300	94	22.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
23640	*Eucalyptus creata*	Narrow-leaved Red Ironbark	285		285	90	17.0	7.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
23641	*Eucalyptus creata*	Narrow-leaved Red Ironbark	450		450	141	19.0	9.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
23642	*Corymbia citriodora*	Spotted Gum	420		420	132	29.0	9.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove
23643	*Corymbia citriodora*	Spotted Gum	340		340	107	21.0	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove

Specimen Details										Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value							Retention	Additional Notes
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
236744	*Corymbia citriodora*	Spotted Gum	360		360	113	22.0	8.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
236745	*Corymbia citriodora*	Spotted Gum	300		300	94	22.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
236746	*Corymbia citriodora*	Spotted Gum	330		330	104	21.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
236747	*Eucalyptus crebra*	Narrow-leaved Red Ironbark	320		320	101	18.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
236748	**DEAD/STAG**		500		500	157	22.0	7.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
236749	*Corymbia intermedia*	Pink Bloodwood	265		265	83	17.0	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
236750	*Corymbia citriodora*	Spotted Gum	360		360	113	24.0	9.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
236751	*Corymbia citriodora*	Spotted Gum	320		320	101	22.0	9.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
236752	*Corymbia citriodora*	Spotted Gum	370		370	116	26.0	11.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
236753	**DEAD/STAG**		540		540	170	8.0	1.0	6.5	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
236754	*Corymbia citriodora*	Spotted Gum	460		460	145	32.0	12.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
236755	*Corymbia citriodora*	Spotted Gum	300		300	94	21.0	9.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
236756	*Corymbia citriodora*	Spotted Gum	285		285	90	19.0	8.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
236757	*Corymbia citriodora*	Spotted Gum	340		340	107	23.0	11.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
236758	*Corymbia citriodora*	Spotted Gum	300		300	94	21.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
236759	*Eucalyptus crebra*	Narrow-leaved Red Ironbark	320		320	101	21.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
236760	*Eucalyptus tereticornis*	Forest Red Gum	340		340	107	21.0	9.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
236761	*Corymbia citriodora*	Spotted Gum	360		360	113	21.0	9.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
236762	*Corymbia citriodora*	Spotted Gum	330		330	104	24.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
236763	*Corymbia citriodora*	Spotted Gum	310		310	97	21.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
236764	*Eucalyptus crebra*	Narrow-leaved Red Ironbark	290		290	91	21.0	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
236765	*Corymbia citriodora*	Spotted Gum	300		300	94	19.0	11.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
236766	*Corymbia citriodora*	Spotted Gum	330		330	104	24.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
236767	*Corymbia citriodora*	Spotted Gum	360		360	113	26.0	9.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
236768	*Corymbia citriodora*	Spotted Gum	300		300	94	21.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
236769	*Eucalyptus moluccana*	Gum-topped Box	400		400	126	25.0	7.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
236770	*Corymbia citriodora*	Spotted Gum	330		330	104	25.0	9.0	4.0	2.1	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
236771	*Corymbia citriodora*	Spotted Gum	320		320	101	21.0	7.0	3.8	2.1	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
236772	**DEAD/STAG**		360		360	113	23.0	7.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
236773	*Eucalyptus crebra*	Narrow-leaved Red Ironbark	270		270	85	21.0	9.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
236774	*Eucalyptus crebra*	Narrow-leaved Red Ironbark	410		410	129	23.0	9.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
236775	*Corymbia citriodora*	Spotted Gum	310		310	97	23.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
236776	*Corymbia citriodora*	Spotted Gum	400		400	126	27.0	10.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
236777	*Corymbia citriodora*	Spotted Gum	410		410	129	28.0	11.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
236778	*Corymbia citriodora*	Spotted Gum	380		380	119	26.0	11.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
236779	*Corymbia citriodora*	Spotted Gum	370		370	116	23.0	7.0	4.4	2.2	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
236780	*Corymbia citriodora*	Spotted Gum	280		280	88	22.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
236781	*Eucalyptus crebra*	Narrow-leaved Red Ironbark	320		320	101	22.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
236782	**DEAD/STAG**		380		380	119	31.0	12.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
236783	*Eucalyptus crebra*	Narrow-leaved Red Ironbark	400		400	126	21.0	11.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
236784	*Corymbia citriodora*	Spotted Gum	300		300	94	22.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
236785	**DEAD/STAG**		400		400	126	17.0	1.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
236786	*Corymbia citriodora*	Spotted Gum	290		290	91	21.0	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
236787	*Corymbia citriodora*	Spotted Gum	300		300	94	23.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
236788	*Corymbia citriodora*	Spotted Gum	300		300	94	23.0	9.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
236789	*Corymbia citriodora*	Spotted Gum	290		290	91	23.0	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
236790	*Corymbia citriodora*	Spotted Gum	400		400	126	33.0	12.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
236791	*Corymbia citriodora*	Spotted Gum	300		300	94	23.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
236792	*Corymbia citriodora*	Spotted Gum	300		300	94	23.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
236793	*Corymbia citriodora*	Spotted Gum	265		265	83	22.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
236794	*Corymbia citriodora*	Spotted Gum	265		265	83	18.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
236795	*Corymbia citriodora*	Spotted Gum	290		290	91	24.0	8.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
236796	*Corymbia citriodora*	Spotted Gum	300		300	94	22.0	7.0	3.6	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
236797	*Corymbia citriodora*	Spotted Gum	320		320	101	21.0	9.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
236798	*Corymbia citriodora*	Spotted Gum	360		360	113	23.0	9.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
236699	*Corymbia citriodora*	Spotted Gum	285		285	90	19.0	7.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
237700	*Corymbia citriodora*	Spotted Gum	290		290	91	23.0	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
237701	*Corymbia citriodora*	Spotted Gum	350		350	110	24.0	9.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
237702	*Corymbia citriodora*	Spotted Gum	390		390	123	29.0	11.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
237703	*Corymbia citriodora*	Spotted Gum	290		290	91	26.0	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
237704	*Eucalyptus crebra*	Narrow-leaved Red Ironbark	275		275	86	19.0	7.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
237705	*Eucalyptus crebra*	Narrow-leaved Red Ironbark	320		320	101	22.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
237706	*Corymbia citriodora*	Spotted Gum	400		400	126	29.0	14.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
237707	*Corymbia citriodora*	Spotted Gum	410		410	129	29.0	11.0	4.9	2.3	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
237708	*Corymbia citriodora*	Spotted Gum	380		380	119	31.0	12.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
237709	*Corymbia citriodora*	Spotted Gum	300		300	94	23.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
237710	*Corymbia citriodora*	Spotted Gum	310		310	97	26.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
237711	*Corymbia citriodora*	Spotted Gum	450		450	141	27.0	13.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	

Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
23712	*Corymbia citriodora*	Spotted Gum	365		365	115	26.0	7.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23713	*Corymbia citriodora*	Spotted Gum	320		320	101	22.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23714	*Corymbia citriodora*	Spotted Gum	430		430	135	24.0	11.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23715	*Corymbia citriodora*	Spotted Gum	380		380	119	22.0	13.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23716	*Corymbia intermedia*	Pink Bloodwood	300		300	94	17.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23717	*Corymbia citriodora*	Spotted Gum	330		330	104	26.0	12.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23718	*Corymbia citriodora*	Spotted Gum	380		380	119	28.0	9.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23719	*Eucalyptus tereticornis*	Forest Red Gum	360		360	113	21.0	8.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23720	*Corymbia citriodora*	Spotted Gum	300		300	94	22.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23721	*Corymbia citriodora*	Spotted Gum	440		440	138	23.0	11.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23722	*Corymbia citriodora*	Spotted Gum	310		310	97	26.0	9.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23723	*Corymbia citriodora*	Spotted Gum	380		380	119	26.0	9.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23724	*Corymbia citriodora*	Spotted Gum	320		320	101	23.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23725	*Corymbia citriodora*	Spotted Gum	265		265	83	18.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23726	*Corymbia citriodora*	Spotted Gum	320		320	101	23.0	9.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23727	*Corymbia citriodora*	Spotted Gum	420		420	132	23.0	9.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23728	*Corymbia citriodora*	Spotted Gum	310		310	97	21.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23729	*Corymbia citriodora*	Spotted Gum	320		320	101	23.0	9.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23730	*Corymbia citriodora*	Spotted Gum	330		330	104	26.0	11.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23731	*Acacia disparrima*	Hickory Wattle	300	210	366	115	10.0	7.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23732	*Corymbia citriodora*	Spotted Gum	300		300	94	23.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23733	*Corymbia citriodora*	Spotted Gum	390		390	123	26.0	12.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23734	*Corymbia citriodora*	Spotted Gum	270		270	85	26.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23735	*Eucalyptus crebra*	Narrow-leaved Red Ironbark	320		320	101	19.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23736	*Corymbia citriodora*	Spotted Gum	300		300	94	25.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23737	*Corymbia citriodora*	Spotted Gum	340		340	107	26.0	9.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23738	*Corymbia citriodora*	Spotted Gum	300		300	94	24.0	9.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23739	*Corymbia citriodora*	Spotted Gum	410		410	129	29.0	12.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23740	*Corymbia citriodora*	Spotted Gum	300		300	94	25.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23741	*Corymbia citriodora*	Spotted Gum	300		300	94	25.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23742	*Corymbia citriodora*	Spotted Gum	300		300	94	22.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23743	*Eucalyptus crebra*	Narrow-leaved Red Ironbark	280		280	88	19.0	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23744	*Corymbia citriodora*	Spotted Gum	300		300	94	23.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23745	*Corymbia citriodora*	Spotted Gum	340		340	107	26.0	7.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23746	*Corymbia citriodora*	Spotted Gum	310		310	97	22.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23747	*Corymbia citriodora*	Spotted Gum	320		320	101	22.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23748	*Corymbia citriodora*	Spotted Gum	580		580	182	32.0	13.0	7.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23749	*Corymbia citriodora*	Spotted Gum	320		320	101	23.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23750	**DEAD/STAG**		760		760	239	33.0	9.0	9.1	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Large	3	-	-	High	Remove	
23751	*Corymbia citriodora*	Spotted Gum	360		360	113	27.0	9.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23752	*Corymbia citriodora*	Spotted Gum	270	160	314	99	24.0	7.0	3.8	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23753	*Corymbia citriodora*	Spotted Gum	365		365	115	26.0	9.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23754	*Corymbia citriodora*	Spotted Gum	330		330	104	24.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23755	*Corymbia citriodora*	Spotted Gum	330		330	104	22.0	9.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23756	*Corymbia citriodora*	Spotted Gum	290		290	91	24.0	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23757	*Corymbia citriodora*	Spotted Gum	260		260	82	17.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23758	*Corymbia citriodora*	Spotted Gum	320		320	101	23.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23759	*Corymbia citriodora*	Spotted Gum	310		310	97	18.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23760	*Corymbia citriodora*	Spotted Gum	300		300	94	26.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23761	*Corymbia citriodora*	Spotted Gum	300		300	94	23.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23762	*Corymbia citriodora*	Spotted Gum	300		300	94	25.0	9.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23763	*Eucalyptus crebra*	Narrow-leaved Red Ironbark	290		290	91	17.0	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23764	*Corymbia citriodora*	Spotted Gum	320		320	101	23.0	9.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23765	*Corymbia citriodora*	Spotted Gum	285		285	90	23.0	7.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23766	*Corymbia citriodora*	Spotted Gum	280		280	88	22.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23767	*Corymbia citriodora*	Spotted Gum	330		330	104	23.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23768	*Corymbia citriodora*	Spotted Gum	300		300	94	23.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23769	*Corymbia citriodora*	Spotted Gum	345		345	108	23.0	9.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23770	*Corymbia citriodora*	Spotted Gum	320	150	353	111	22.0	7.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23771	*Corymbia citriodora*	Spotted Gum	320		320	101	24.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23772	*Corymbia citriodora*	Spotted Gum	420		420	132	26.0	9.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23773	*Eucalyptus crebra*	Narrow-leaved Red Ironbark	360		360	113	19.0	8.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
23774	*Corymbia citriodora*	Spotted Gum	360		360	113	18.0	7.0	4.3	2.2	Regular	-	-	-	-	Lopped	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23775	*Corymbia citriodora*	Spotted Gum	320		320	101	23.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23776	*Corymbia citriodora*	Spotted Gum	460		460	145	26.0	12.0	5.5	2.4	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23777	*Corymbia citriodora*	Spotted Gum	355		355	112	26.0	12.0	4.3	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23778	*Corymbia citriodora*	Spotted Gum	320		320	101	22.0	9.0	3.8	2.1	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23779	*Corymbia citriodora*	Spotted Gum	290		290	91	17.0	8.0	3.5	2.0	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	

| Specimen Details | | |

Tree ID	Botanical Name	Common Name	Specimen Details							Canopy Condition Details							Trunk Condition Details				Fauna Details and Habitat Value							Retention	Additional Notes
			Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value		
23848	Corymbia citriodora	Spotted Gum	290		290	91	19.0	9.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23849	Corymbia citriodora	Spotted Gum	310		310	97	17.0	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23850	Corymbia citriodora	Spotted Gum	290		290	91	19.0	6.0	3.5	2.0	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	Trunk Dmg.	-	Poor	-	-	-	0	-	-	-	Remove	
23851	Corymbia citriodora	Spotted Gum	310		310	97	24.0	14.0	3.7	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23852	Corymbia citriodora	Spotted Gum	290		290	91	17.0	8.0	3.5	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23853	**DEAD/STAG**		470		470	148	14.0	1.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	large	1	-	-	-	Remove	chimney hollow
23854	Corymbia citriodora	Spotted Gum	320		320	101	18.0	7.0	3.8	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	large	0	-	-	-	Remove	
23855	Corymbia citriodora	Spotted Gum	580		580	182	19.0	12.0	7.0	2.6	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	large	1	-	-	-	Remove	hollow at base
23856	Corymbia citriodora	Spotted Gum	300		300	94	17.0	5.0	3.6	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23857	Corymbia citriodora	Spotted Gum	270		270	85	18.0	10.0	3.2	1.9	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23858	Corymbia citriodora	Spotted Gum	390	320	504	158	21.0	14.0	6.1	2.5	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23859	Eucalyptus sideraphloia	Northern Grey Ironbark	480		480	151	18.0	11.0	5.8	2.4	Regular	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	small	2	-	-	-	Remove	
23860	Corymbia citriodora	Spotted Gum	310		310	97	18.0	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23861	Corymbia citriodora	Spotted Gum	300		300	94	16.0	9.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23862	Corymbia citriodora	Spotted Gum	340		340	107	21.0	11.0	4.1	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
23863	Corymbia citriodora	Spotted Gum	330		330	104	24.0	13.0	4.0	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23864	Corymbia citriodora	Spotted Gum	310		310	97	18.0	10.0	3.7	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23865	Corymbia citriodora	Spotted Gum	390		390	123	18.0	16.0	4.7	2.2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23866	Corymbia citriodora	Spotted Gum	300		300	94	18.0	9.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	small	-	-	Remove	stick nest
23867	Corymbia citriodora	Spotted Gum	270		270	85	17.0	9.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23868	Corymbia citriodora	Spotted Gum	310		310	97	18.0	11.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23869	Corymbia citriodora	Spotted Gum	390		390	123	20.0	9.0	4.7	2.2	Irregular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23870	Corymbia citriodora	Spotted Gum	290		290	91	18.0	10.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23871	Corymbia citriodora	Spotted Gum	320		320	101	20.0	11.0	3.8	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23872	Corymbia citriodora	Spotted Gum	800		800	251	25.0	14.0	9.6	3.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	large	3	-	-	-	Remove	
23873	Corymbia citriodora	Spotted Gum	380		380	119	19.0	11.0	4.6	2.2	Regular	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
23874	Corymbia citriodora	Spotted Gum	310		310	97	20.0	12.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23875	Corymbia citriodora	Spotted Gum	340		340	107	21.0	11.0	4.1	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23876	Corymbia citriodora	Spotted Gum	300		300	94	17.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23877	Eucalyptus sideraphloia	Northern Grey Ironbark	390		390	123	17.0	12.0	4.7	2.2	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23878	Corymbia citriodora	Spotted Gum	370		370	116	19.0	11.0	4.4	2.2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23879	Corymbia citriodora	Spotted Gum	290		290	91	19.0	9.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23880	Corymbia citriodora	Spotted Gum	300		300	94	24.0	12.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23881	Corymbia citriodora	Spotted Gum	290		290	91	18.0	10.0	3.5	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23882	Corymbia citriodora	Spotted Gum	290		290	91	18.0	6.0	3.5	2.0	Irregular	-	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23883	Corymbia citriodora	Spotted Gum	300		300	94	18.0	6.0	3.6	2.0	Regular	-	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23884	Eucalyptus sideraphloia	Northern Grey Ironbark	590		590	185	23.0	16.0	7.1	2.7	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
23885	Corymbia citriodora	Spotted Gum	280		280	88	17.0	5.0	3.4	1.9	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23886	Corymbia citriodora	Spotted Gum	300		300	94	22.0	11.0	3.6	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23887	Eucalyptus sideraphloia	Northern Grey Ironbark	280		280	88	17.0	9.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23888	Eucalyptus sideraphloia	Northern Grey Ironbark	300		300	94	16.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23889	Eucalyptus sideraphloia	Northern Grey Ironbark	360		360	113	18.0	10.0	4.3	2.2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23890	Eucalyptus sideraphloia	Northern Grey Ironbark	280		280	88	15.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23891	Corymbia citriodora	Spotted Gum	310		310	97	17.0	9.0	3.7	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23892	Corymbia citriodora	Spotted Gum	510		510	160	21.0	16.0	6.1	2.5	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23893	Eucalyptus sideraphloia	Northern Grey Ironbark	470		470	148	18.0	9.0	5.6	2.4	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23894	Corymbia citriodora	Spotted Gum	330	150	362	114	17.0	8.0	4.3	2.2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23895	Eucalyptus sideraphloia	Northern Grey Ironbark	450		450	141	19.0	13.0	5.4	2.4	Regular	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
23896	Eucalyptus sideraphloia	Northern Grey Ironbark	280		280	88	15.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23897	Eucalyptus sideraphloia	Gum-topped Box	340		340	107	18.0	10.0	4.1	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
23898	Corymbia citriodora	Spotted Gum	310		310	97	19.0	13.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23899	Corymbia citriodora	Spotted Gum	290		290	91	18.0	9.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23900	Eucalyptus sideraphloia	Gum-topped Box	290		290	91	17.0	9.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23901	Eucalyptus sideraphloia	Gum-topped Box	280		280	88	18.0	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23902	Eucalyptus sideraphloia	Northern Grey Ironbark	300		300	94	19.0	11.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
23903	Corymbia citriodora	Spotted Gum	300		300	94	18.0	11.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23904	Eucalyptus sideraphloia	Northern Grey Ironbark	300		300	94	19.0	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23905	Corymbia citriodora	Spotted Gum	270		270	85	18.0	9.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23906	Corymbia citriodora	Spotted Gum	290		290	91	18.0	10.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23907	Corymbia citriodora	Spotted Gum	270	120	295	93	19.0	9.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23908	Eucalyptus sideraphloia	Northern Grey Ironbark	290		290	91	18.0	8.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
23909	Eucalyptus moluccana	Gum-topped Box	330		330	104	23.0	12.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23910	Eucalyptus moluccana	Gum-topped Box	380		380	119	25.0	13.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23911	Corymbia citriodora	Spotted Gum	280		280	88	19.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23912	Corymbia citriodora	Spotted Gum	300		300	94	25.0	11.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23913	Corymbia citriodora	Spotted Gum	300		300	94	21.0	11.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23914	Corymbia citriodora	Spotted Gum	300		300	94	20.0	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23915	**DEAD/STAG**		370		370	116	15.0	4.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	small	3	-	-	-	Remove	

Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
			Specimen Details								Canopy Condition Details									Trunk Condition Details				Fauna Details and Habitat Value								
23916	*Corymbia citriodora*	Spotted Gum	290		290	91	18.0	9.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23917	*Corymbia citriodora*	Spotted Gum	290		290	91	25.0	12.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23918	*Corymbia citriodora*	Spotted Gum	280		280	88	18.0	9.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23919	*Eucalyptus moluccana*	Gum-topped Box	330		330	104	18.0	8.0	4.0	2.1	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23920	*Eucalyptus siderophloia*	Northern Grey Ironbark	380		380	119	23.0	12.0	4.6	2.2	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
23921	*Corymbia citriodora*	Spotted Gum	290		290	91	21.0	11.0	3.5	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23922	*Corymbia citriodora*	Spotted Gum	280		280	88	21.0	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23923	*Corymbia citriodora*	Spotted Gum	300		300	94	19.0	11.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23924	*Corymbia citriodora*	Spotted Gum	280		280	88	20.0	12.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23925	*Corymbia citriodora*	Spotted Gum	300		300	94	20.0	11.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23926	*Corymbia citriodora*	Spotted Gum	330		330	104	23.0	12.0	4.0	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23927	*Corymbia citriodora*	Spotted Gum	470		470	148	19.0	13.0	5.6	2.4	Regular	-	Thinning	Die-back	-	-	Poor	-	-	Trunk Dmg.	-	Poor	-	Old	Large	3	-	-	-	Remove	2 large 1 small
23928	*Corymbia citriodora*	Spotted Gum	300		300	94	18.0	12.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23929	*Corymbia citriodora*	Spotted Gum	310		310	97	22.0	14.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23930	*Corymbia citriodora*	Spotted Gum	360		360	113	21.0	12.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23931	*Corymbia citriodora*	Spotted Gum	370		370	116	20.0	9.0	4.4	2.2	Irregular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23932	*Corymbia citriodora*	Spotted Gum	290		290	91	20.0	11.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23933	**DEAD/STAG**		360		360	113	10.0	1.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	Large	1	-	-	-	-	-	Termite nest	-	Remove	chimney hollow
23934	*Corymbia citriodora*	Spotted Gum	330		330	104	25.0	12.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
23935	*Corymbia citriodora*	Spotted Gum	310		310	97	22.0	10.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23936	*Corymbia citriodora*	Spotted Gum	270		270	85	20.0	9.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23937	*Corymbia citriodora*	Spotted Gum	280		280	88	20.0	6.0	3.4	1.9	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23938	*Corymbia citriodora*	Spotted Gum	310		310	97	21.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23939	*Corymbia citriodora*	Spotted Gum	280		280	88	19.0	9.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23940	*Corymbia citriodora*	Spotted Gum	300		300	94	22.0	9.0	3.6	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23941	*Corymbia citriodora*	Spotted Gum	310		310	97	20.0	10.0	3.7	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23942	*Corymbia citriodora*	Spotted Gum	280		280	88	20.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23943	*Corymbia citriodora*	Spotted Gum	300		300	94	19.0	12.0	3.6	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23944	*Corymbia citriodora*	Spotted Gum	290		290	91	21.0	11.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23945	*Corymbia citriodora*	Spotted Gum	300		300	94	20.0	13.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23946	*Corymbia citriodora*	Spotted Gum	300		300	94	24.0	15.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
23947	**DEAD/STAG**		320		320	101	10.0	1.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	chimney hollow
23948	*Corymbia citriodora*	Spotted Gum	300		300	94	22.0	12.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23949	*Corymbia citriodora*	Spotted Gum	330		330	104	23.0	13.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23950	*Corymbia citriodora*	Spotted Gum	300		300	94	21.0	11.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23951	*Corymbia citriodora*	Spotted Gum	280		280	88	20.0	11.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23952	*Corymbia citriodora*	Spotted Gum	270		270	85	16.0	9.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23953	*Corymbia citriodora*	Spotted Gum	410		410	129	19.0	12.0	4.9	2.3	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23954	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	18.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
23955	*Corymbia citriodora*	Spotted Gum	280		280	88	17.0	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23956	*Corymbia citriodora*	Spotted Gum	280		280	88	19.0	10.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23957	*Corymbia citriodora*	Spotted Gum	300		300	94	19.0	9.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23958	*Corymbia citriodora*	Spotted Gum	280		280	88	19.0	10.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23959	*Corymbia citriodora*	Spotted Gum	300		300	94	22.0	11.0	3.6	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23960	*Eucalyptus crebra*	Narrow-leaved Red Ironbark	300		300	94	19.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23961	*Corymbia citriodora*	Spotted Gum	320		320	101	19.0	10.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23962	*Corymbia citriodora*	Spotted Gum	300		300	94	24.0	12.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23963	*Corymbia citriodora*	Spotted Gum	270		270	85	17.0	9.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23964	*Corymbia citriodora*	Spotted Gum	300		300	94	24.0	13.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23965	*Corymbia citriodora*	Spotted Gum	300		300	94	25.0	16.0	3.6	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23966	*Corymbia citriodora*	Spotted Gum	280		280	88	20.0	9.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23967	*Corymbia citriodora*	Spotted Gum	290		290	91	15.0	5.0	3.5	2.0	Regular	Spreading	-	Die-back	-	Lopped	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
23968	*Corymbia citriodora*	Spotted Gum	300		300	94	19.0	7.0	3.6	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23969	*Eucalyptus siderophloia*	Northern Grey Ironbark	320		320	101	20.0	10.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
23970	*Corymbia citriodora*	Spotted Gum	430		430	135	24.0	12.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23971	**DEAD/STAG**		700		700	220	18.0	9.0	8.4	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	2	-	-	-	Remove	
23972	*Corymbia citriodora*	Spotted Gum	280		280	88	20.0	9.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23973	*Corymbia citriodora*	Spotted Gum	300		300	94	20.0	8.0	3.6	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
23974	*Corymbia citriodora*	Spotted Gum	300		300	94	23.0	13.0	3.6	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23975	*Corymbia citriodora*	Spotted Gum	270		270	85	20.0	9.0	3.2	1.9	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23976	*Corymbia citriodora*	Spotted Gum	270		270	85	19.0	9.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23977	*Corymbia citriodora*	Spotted Gum	280		280	88	19.0	13.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23978	*Corymbia citriodora*	Spotted Gum	340		340	107	21.0	12.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23979	**DEAD/STAG**		360		360	113	12.0	1.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	Large	1	-	-	-	-	-	-	-	Remove	chimney hollow
23980	*Corymbia citriodora*	Spotted Gum	310		310	97	20.0	10.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23981	**DEAD/STAG**		300		300	94	9.0	1.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	Large	1	-	-	-	-	-	-	-	Remove	chimney hollow
23982	*Corymbia citriodora*	Spotted Gum	300		300	94	26.0	15.0	3.6	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
23983	*Corymbia citriodora*	Spotted Gum	270		270	85	19.0	12.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	

Tree ID	Botanical Name	Common Name	Specimen Details							Canopy Condition Details								Trunk Condition Details						Fauna Details and Habitat Value						Retention	Additional Notes
			Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value		
2398 4	*Corymbia citriodora*	Spotted Gum	300		300	94	17.0	12.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2398 5	*Corymbia citriodora*	Spotted Gum	330		330	104	19.0	9.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2398 6	*Corymbia citriodora*	Spotted Gum	330		330	104	23.0	12.0	4.0	2.1	Irregular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
2398 7	*Corymbia citriodora*	Spotted Gum	270		270	85	19.0	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2398 8	*Corymbia citriodora*	Spotted Gum	270		270	85	17.0	9.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2398 9	*Corymbia citriodora*	Spotted Gum	260		260	82	19.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2399 0	*Corymbia citriodora*	Spotted Gum	340		340	107	22.0	11.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2399 1	*Corymbia citriodora*	Spotted Gum	280		280	88	19.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2399 2	*Corymbia citriodora*	Spotted Gum	310		310	97	19.0	11.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2399 3	*Corymbia citriodora*	Spotted Gum	310		310	97	14.0	1.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Large	1	-	-	-	Remove	chimney hollow
2399 4	*Corymbia citriodora*	Spotted Gum	280		280	88	21.0	10.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2399 5	*Corymbia citriodora*	Spotted Gum	270	240	361	113	19.0	10.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2399 6	*Corymbia citriodora*	Spotted Gum	300		300	94	20.0	13.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2399 7	*Corymbia citriodora*	Spotted Gum	320		320	101	23.0	11.0	3.8	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
2399 8	*Eucalyptus siderophloia*	Northern Grey Ironbark	350		350	110	19.0	12.0	4.2	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
2399 9	*Corymbia citriodora*	Spotted Gum	310		310	97	26.0	16.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2400 0	*Corymbia citriodora*	Northern Grey Ironbark	370		370	116	23.0	17.0	4.4	2.2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2400 1	*Eucalyptus moluccana*	Gum-topped Box	440		440	138	22.0	12.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
2400 2	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	21.0	11.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2400 3	*Corymbia citriodora*	Spotted Gum	310		310	97	24.0	9.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2400 4	*Corymbia citriodora*	Spotted Gum	310		310	97	25.0	13.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2400 5	*Eucalyptus tereticornis*	Forest Red Gum	290		290	91	15.0	4.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2400 6	*Corymbia citriodora*	Spotted Gum	330		330	104	21.0	11.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2400 7	*Corymbia citriodora*	Spotted Gum	300		300	94	18.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2400 8	*Corymbia citriodora*	Spotted Gum	320		320	101	19.0	9.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2400 9	*Corymbia citriodora*	Spotted Gum	300		300	94	18.0	9.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2401 0	*Corymbia citriodora*	Spotted Gum	280		280	88	18.0	9.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2401 1	*Corymbia citriodora*	Spotted Gum	300		300	94	19.0	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2401 2	*Corymbia citriodora*	Spotted Gum	280		280	88	18.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2401 3	*Eucalyptus siderophloia*	Northern Grey Ironbark	570		570	179	25.0	14.0	6.8	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2401 4	*Corymbia citriodora*	Spotted Gum	270		270	85	25.0	14.0	6.8	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2401 5	*Corymbia citriodora*	Spotted Gum	290	91	290	20.0	10.0	3.5	2.0	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2405 0	*Corymbia citriodora*	Spotted Gum	300		300	94	20.0	9.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2405 1	*Corymbia citriodora*	Spotted Gum	300		300	94	20.0	11.0	3.6	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2405 2	*Corymbia citriodora*	Spotted Gum	270		270	85	18.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2405 3	*Eucalyptus siderophloia*	Northern Grey Ironbark	570		570	179	25.0	14.0	6.8	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2405 4	*Corymbia citriodora*	Spotted Gum	270		270	85	18.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2405 5	*Corymbia citriodora*	Spotted Gum	290		290	91	20.0	10.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	

Tree ID	Specimen Details								Canopy Condition Details								Trunk Condition Details						Fauna Details and Habitat Value							Retention	Additional Notes
	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value		
24052	*Corymbia citriodora*	Spotted Gum	320		320	101	23.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24053	*Corymbia citriodora*	Spotted Gum	280	220	356	112	18.0	12.0	4.3	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24054	*Corymbia citriodora*	Spotted Gum	300		300	94	19.0	8.0	3.6	2.0	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
24055	*Corymbia citriodora*	Spotted Gum	300		300	94	18.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24056	*Corymbia citriodora*	Spotted Gum	320		320	101	22.0	13.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24057	*Corymbia citriodora*	Spotted Gum	300		300	94	19.0	9.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24058	*Corymbia citriodora*	Spotted Gum	320		320	101	19.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24059	*Corymbia citriodora*	Spotted Gum	290		290	91	18.0	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24060	*Corymbia citriodora*	Spotted Gum	330		330	104	22.0	11.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24061	*Corymbia citriodora*	Spotted Gum	280		280	88	18.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24062	*Eucalyptus siderophloia*	Northern Grey Ironbark	290		290	91	17.0	5.0	3.5	2.0	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
24063	*Eucalyptus moluccana*	Gum-topped Box	530		530	167	24.0	16.0	6.4	2.5	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
24064	*Eucalyptus fibrosa*	Red Ironbark	280		280	88	17.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24065	*Corymbia citriodora*	Spotted Gum	300		300	94	18.0	11.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24066	*Eucalyptus moluccana*	Gum-topped Box	520		520	163	23.0	15.0	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24067	*Eucalyptus siderophloia*	Northern Grey Ironbark	430		430	135	13.0	2.0	5.2	2.3	Regular	-	-	-	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24068	**DEAD/STAG**		300		300	94	4.0	1.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24069	*Corymbia citriodora*	Spotted Gum	280		280	88	22.0	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24070	*Eucalyptus siderophloia*	Northern Grey Ironbark	390		390	123	20.0	10.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24071	*Eucalyptus fibrosa*	Red Ironbark	390		390	123	15.0	7.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
24072	*Corymbia citriodora*	Spotted Gum	300		300	94	18.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24073	*Corymbia citriodora*	Spotted Gum	290		290	91	18.0	8.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24074	**DEAD/STAG**		440		440	138	20.0	7.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	2	-	-	-	Remove	
24075	*Corymbia citriodora*	Spotted Gum	280		280	88	18.0	9.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24076	*Corymbia citriodora*	Spotted Gum	290		290	91	18.0	10.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24077	*Eucalyptus tereticornis*	Forest Red Gum	290		290	91	17.0	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24078	*Corymbia citriodora*	Spotted Gum	350		350	110	18.0	10.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24079	*Corymbia citriodora*	Spotted Gum	310		310	97	19.0	9.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24080	*Corymbia citriodora*	Spotted Gum	290		290	91	18.0	11.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24081	*Eucalyptus crebra*	Narrow-leaved Red Ironbark	340		340	107	19.0	11.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24082	*Eucalyptus moluccana*	Gum-topped Box	310		310	97	19.0	11.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24083	*Corymbia citriodora*	Spotted Gum	310		310	97	19.0	10.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24084	*Eucalyptus tereticornis*	Forest Red Gum	350		350	110	20.0	8.0	4.2	2.1	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24085	*Eucalyptus tereticornis*	Forest Red Gum	330		330	104	20.0	11.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24086	**DEAD/STAG**		400		400	126	7.0	1.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Large	1	-	-	-	Remove	chimney hollow
24087	*Corymbia citriodora*	Spotted Gum	300		300	94	19.0	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24088	*Eucalyptus tereticornis*	Forest Red Gum	340		340	107	18.0	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24089	*Corymbia citriodora*	Spotted Gum	310		310	97	19.0	9.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24090	*Corymbia citriodora*	Spotted Gum	290		290	91	19.0	10.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24091	*Corymbia citriodora*	Spotted Gum	310		310	97	16.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24092	**DEAD/STAG**		350		350	110	18.0	7.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	2	-	-	-	Remove	
24093	*Eucalyptus siderophloia*	Northern Grey Ironbark	310		310	97	17.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24094	*Corymbia citriodora*	Spotted Gum	520		520	163	18.0	7.0	6.2	2.5	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
24095	*Corymbia citriodora*	Spotted Gum	300		300	94	17.0	9.0	3.6	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24096	*Eucalyptus tereticornis*	Forest Red Gum	350		350	110	17.0	12.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24097	*Eucalyptus tereticornis*	Forest Red Gum	360		360	113	17.0	13.0	4.3	2.2	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24098	*Eucalyptus moluccana*	Gum-topped Box	310		310	97	18.0	10.0	3.7	2.0	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24099	**DEAD/STAG**		590		590	185	15.0	3.0	7.1	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Large	2	-	-	-	Remove	2x chimney hollow
24100	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	18.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24101	*Corymbia citriodora*	Spotted Gum	330		330	104	18.0	9.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24102	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	17.0	9.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24103	**DEAD/STAG**		310		310	97	17.0	2.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24104	*Eucalyptus moluccana*	Gum-topped Box	400		400	126	19.0	15.0	4.8	2.3	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
24105	*Eucalyptus siderophloia*	Northern Grey Ironbark	370		370	116	18.0	14.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24106	*Eucalyptus siderophloia*	Northern Grey Ironbark	290		290	91	18.0	11.0	3.5	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24107	*Eucalyptus siderophloia*	Northern Grey Ironbark	290		290	91	18.0	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24108	*Corymbia citriodora*	Spotted Gum	270	220	348	109	18.0	9.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24109	*Corymbia citriodora*	Spotted Gum	330		330	104	18.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
24110	*Corymbia citriodora*	Spotted Gum	300		300	94	18.0	11.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24111	*Corymbia citriodora*	Spotted Gum	330		330	104	21.0	15.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24112	*Corymbia citriodora*	Spotted Gum	300		300	94	20.0	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24113	*Corymbia citriodora*	Spotted Gum	280		280	88	17.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24114	*Corymbia citriodora*	Spotted Gum	270		270	85	19.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24115	*Corymbia citriodora*	Spotted Gum	300		300	94	21.0	14.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24116	*Eucalyptus siderophloia*	Northern Grey Ironbark	330		330	104	18.0	6.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24117	*Corymbia citriodora*	Spotted Gum	320		320	101	19.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24118	*Corymbia citriodora*	Spotted Gum	290		290	91	17.0	8.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24119	*Corymbia citriodora*	Spotted Gum	300		300	94	19.0	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	

Tree ID	Botanical Name	Common Name	Specimen Details							Canopy Condition Details								Trunk Condition Details					Fauna Details and Habitat Value						Additional Notes
			Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention
24120	*Corymbia citriodora*	Spotted Gum	280		280	88	18.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
24121	*Corymbia citriodora*	Spotted Gum	260	190	322	101	16.0	8.0	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
24122	*Eucalyptus crebra*	Narrow-leaved Red Ironbark	380		380	119	21.0	16.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
24123	*Corymbia citriodora*	Spotted Gum	290		290	91	19.0	9.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
24124	*Angophora leiocarpa*	Rusty Gum	270		270	85	14.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
24125	*Angophora leiocarpa*	Rusty Gum	270		270	85	15.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
24126	*Corymbia citriodora*	Spotted Gum	270	230	355	111	17.0	12.0	4.3	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
24127	**DEAD/STAG**		290		290	91	19.0	5.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	3	-	-	-	Remove
24128	*Corymbia citriodora*	Spotted Gum	280		280	88	16.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
24129	*Corymbia citriodora*	Spotted Gum	290		290	91	16.0	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
24130	*Corymbia citriodora*	Spotted Gum	300		300	94	16.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
24131	*Eucalyptus moluccana*	Gum-topped Box	320		320	101	16.0	7.0	3.8	2.1	Regular	-	-	-	Epicormic	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove
24132	*Eucalyptus moluccana*	Gum-topped Box	310		310	97	18.0	9.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
24133	*Corymbia citriodora*	Spotted Gum	320		320	101	18.0	13.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
24134	*Corymbia citriodora*	Spotted Gum	300		300	94	17.0	12.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
24135	*Corymbia citriodora*	Spotted Gum	290		290	91	18.0	10.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
24136	**DEAD/STAG**		300		300	94	18.0	3.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	1	-	-	-	Remove
24137	*Corymbia citriodora*	Spotted Gum	310		310	97	18.0	12.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
24138	*Corymbia citriodora*	Spotted Gum	280	240	369	116	17.0	14.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
24139	*Corymbia citriodora*	Spotted Gum	300		300	94	17.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
24140	*Eucalyptus moluccana*	Gum-topped Box	320	200	377	119	16.0	6.0	4.5	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
24141	*Corymbia citriodora*	Spotted Gum	250		250	79	14.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
24142	*Corymbia citriodora*	Spotted Gum	300		300	94	19.0	11.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
24143	**DEAD/STAG**		310		310	97	15.0	5.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
24144	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	23.0	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
24145	*Eucalyptus siderophloia*	Northern Grey Ironbark	285		285	90	24.0	12.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
24146	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	25.0	12.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
24147	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	26.0	12.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
24148	*Eucalyptus siderophloia*	Northern Grey Ironbark	450	141	450	141	28.0	18.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	Termite nest	-	Remove
24149	*Corymbia tessellaris*	Moreton Bay Ash	305	60	311	98	28.0	14.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
24150	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	23.0	12.0	3.6	2.0	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
24151	*Eucalyptus siderophloia*	Northern Grey Ironbark	275		275	86	10.0	10.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	Large	1	-	-	-	Remove
24152	*Corymbia tessellaris*	Moreton Bay Ash	350		350	110	26.0	17.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
24153	*Corymbia tessellaris*	Moreton Bay Ash	300		300	94	28.0	16.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
24154	*Eucalyptus moluccana*	Gum-topped Box	300		300	94	24.0	15.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
24155	**DEAD/STAG**		270		270	85	24.0	9.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	1	-	Low	possible hollow, digging at base	Remove
24156	*Eucalyptus fibrosa*	Red Ironbark	300		300	94	24.0	16.0	3.6	2.0	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
24157	*Corymbia citriodora*	Spotted Gum	275		275	86	25.0	16.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
24158	*Eucalyptus moluccana*	Gum-topped Box	260		260	82	24.0	15.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
24159	*Corymbia citriodora*	Spotted Gum	285		285	90	26.0	15.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
24160	*Eucalyptus moluccana*	Gum-topped Box	315		315	99	26.0	14.0	3.8	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
24161	*Melaleuca bracteata*	Swamp Tea-tree	120	160	200	63	14.0	8.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
24162	**DEAD/STAG**		245		245	77	23.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	1	-	-	possible hollow	Remove
24163	*Corymbia citriodora*	Spotted Gum	250		250	79	24.0	14.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
24164	*Eucalyptus moluccana*	Gum-topped Box	335		335	105	25.0	14.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove
24165	**DEAD/STAG**		265		265	83	20.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	1	-	-	-	Remove
24166	**DEAD/STAG**		310		310	97	25.0	9.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	1	-	Termite nest	-	Remove
24167	**DEAD/STAG**		290		290	91	25.0	8.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	1	-	-	-	Remove
24168	*Eucalyptus moluccana*	Gum-topped Box	275		275	86	23.0	17.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Poor	-	-	-	0	-	-	-	other trunk topped just below bh
24169	*Eucalyptus moluccana*	Gum-topped Box	280		280	88	26.0	18.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
24170	*Eucalyptus moluccana*	Gum-topped Box	290		290	91	26.0	12.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
24171	*Eucalyptus moluccana*	Gum-topped Box	270		270	85	23.0	12.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove
24172	*Corymbia citriodora*	Spotted Gum	255		255	80	26.0	14.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
24173	*Corymbia citriodora*	Spotted Gum	240		240	75	24.0	14.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
24174	*Corymbia citriodora*	Spotted Gum	230	190	298	94	24.0	16.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
24175	*Corymbia citriodora*	Spotted Gum	340		340	107	28.0	18.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove
24176	**DEAD/STAG**		275	130	304	96	14.0	4.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	1	-	-	-	Remove
24177	**DEAD/STAG**		400		400	126	24.0	10.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	1	-	Low	-	Remove
24178	*Angophora leiocarpa*	Rusty Gum	290		290	91	26.0	12.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
24179	*Corymbia citriodora*	Spotted Gum	345		345	108	27.0	17.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
24180	*Eucalyptus fibrosa*	Red Ironbark	320		320	101	28.0	16.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove
24181	*Corymbia citriodora*	Spotted Gum	310		310	97	28.0	14.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
24182	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	21.0	12.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
24183	*Corymbia citriodora*	Spotted Gum	250		250	79	12.0	9.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Poor	-	-	-	0	-	-	-	trunk topped
24184	*Corymbia citriodora*	Spotted Gum	260		260	82	24.0	10.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
24185	*Corymbia citriodora*	Spotted Gum	250		250	79	25.0	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
24186	*Corymbia citriodora*	Spotted Gum	250		250	79	22.0	12.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
24187	*Corymbia citriodora*	Spotted Gum	260		260	82	25.0	14.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove

Specimen Details									Canopy Condition Details								Trunk Condition Details						Fauna Details and Habitat Value							
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
241188	*Eucalyptus moluccana*	Gum-topped Box	280	280	280	88	24.0	15.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
241189	*Corymbia citriodora*	Spotted Gum	245	245	245	77	20.0	9.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Large	1	-	-	-	Remove	
241190	*Corymbia citriodora*	Spotted Gum	255	255	255	80	26.0	11.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
241191	*Eucalyptus moluccana*	Gum-topped Box	295	295	295	93	24.0	12.0	3.5	2.0	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
241192	*Eucalyptus moluccana*	Gum-topped Box	265	265	265	83	25.0	14.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	Poor	Typical	-	-	-	0	-	-	-	Remove	
241193	*Corymbia citriodora*	Spotted Gum	290	290	290	91	27.0	15.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
241194	*Corymbia citriodora*	Spotted Gum	270	270	270	85	25.0	12.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
241195	**DEAD/STAG**		440		440	138	11.0	1.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	Small	Termite nest	-	Remove	possible nest in termite nest
241196	*Eucalyptus moluccana*	Gum-topped Box	255	255	255	80	28.0	12.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
241197	*Eucalyptus siderophloia*	Northern Grey Ironbark	260	260	260	82	24.0	16.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
241198	*Eucalyptus moluccana*	Gum-topped Box	300	300	300	94	28.0	15.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
241199	*Eucalyptus tricarpa*	Red Ironbark	300	300	300	94	26.0	12.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
241200	*Eucalyptus moluccana*	Gum-topped Box	250	250	250	79	25.0	10.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
241201	*Eucalyptus moluccana*	Gum-topped Box	310	310	310	97	25.0	14.0	3.7	2.0	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
241202	*Eucalyptus tricarpa*	Red Ironbark	300	300	300	94	22.0	16.0	3.6	2.0	Regular	-	-	-	-	-	Epicormic	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
241203	*Eucalyptus moluccana*	Gum-topped Box	295	295	295	93	23.0	12.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	Small	-	-	Remove	1 small stick nest
241204	*Eucalyptus moluccana*	Gum-topped Box	290	290	290	91	20.0	14.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
241205	*Eucalyptus moluccana*	Gum-topped Box	310	310	310	97	24.0	18.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
241206	*Eucalyptus moluccana*	Gum-topped Box	335	335	335	105	24.0	14.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
241207	*Eucalyptus tricarpa*	Red Ironbark	280	280	280	88	24.0	16.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
241208	*Eucalyptus moluccana*	Gum-topped Box	280	280	280	88	26.0	18.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
241209	*Eucalyptus tricarpa*	Red Ironbark	285	285	285	90	24.0	12.0	3.4	2.0	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
241210	*Eucalyptus tricarpa*	Red Ironbark	300	300	300	94	25.0	15.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
241211	*Eucalyptus tricarpa*	Red Ironbark	280	280	280	88	19.0	15.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
241212	*Eucalyptus tricarpa*	Red Ironbark	340	340	340	107	28.0	18.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
241213	*Eucalyptus tricarpa*	Red Ironbark	315	315	315	99	14.0	12.0	3.8	2.0	Regular	-	-	-	Epicormic	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	Large	1	-	-	-	Remove	trunk damage with possible hollow
241214	*Eucalyptus tricarpa*	Red Ironbark	500	500	500	157	29.0	19.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
241215	*Corymbia citriodora*	Spotted Gum	260	260	260	82	23.0	14.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
241216	*Corymbia citriodora*	Spotted Gum	255	255	255	80	23.0	14.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
241217	*Corymbia citriodora*	Spotted Gum	315	315	315	99	25.0	14.0	3.8	2.0	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
241218	*Corymbia citriodora*	Spotted Gum	260	260	260	82	19.0	12.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
241219	*Corymbia citriodora*	Spotted Gum	250	250	250	79	21.0	12.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
241220	*Eucalyptus siderophloia*	Northern Grey Ironbark	345	345	345	108	24.0	16.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
241221	*Corymbia citriodora*	Spotted Gum	285	285	285	90	24.0	15.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
241222	*Corymbia citriodora*	Spotted Gum	275	275	275	86	26.0	15.0	3.3	1.9	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
241223	*Corymbia citriodora*	Spotted Gum	260	260	260	82	25.0	15.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
241224	*Corymbia citriodora*	Spotted Gum	275	275	275	86	24.0	15.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
241225	**DEAD/STAG**		335		335	105	29.0	16.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	1	-	-	-	Remove	
241226	*Corymbia citriodora*	Spotted Gum	285	285	285	90	26.0	16.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
241227	*Corymbia citriodora*	Spotted Gum	295	295	295	93	27.0	12.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
241228	*Corymbia citriodora*	Spotted Gum	265	265	265	83	27.0	14.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
241229	*Corymbia citriodora*	Spotted Gum	270	270	270	85	27.0	12.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
241230	*Corymbia citriodora*	Spotted Gum	300	300	300	94	28.0	15.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
241231	*Eucalyptus siderophloia*	Northern Grey Ironbark	275	275	275	86	24.0	16.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
241232	*Corymbia citriodora*	Spotted Gum	275	275	275	86	28.0	18.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
241233	*Corymbia citriodora*	Spotted Gum	285	285	285	90	29.0	19.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
241234	*Corymbia citriodora*	Spotted Gum	330	330	330	104	25.0	14.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
241235	*Corymbia citriodora*	Spotted Gum	305	305	305	96	28.0	16.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
241236	*Corymbia citriodora*	Spotted Gum	270	270	270	85	20.0	12.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
241237	*Corymbia citriodora*	Spotted Gum	330	330	330	104	29.0	14.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
241238	*Corymbia citriodora*	Spotted Gum	270	270	270	85	27.0	16.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
241239	*Corymbia citriodora*	Spotted Gum	300	300	300	94	28.0	18.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
241240	*Corymbia citriodora*	Spotted Gum	315	315	315	99	28.0	17.0	3.8	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
241241	*Corymbia citriodora*	Spotted Gum	275	275	275	86	25.0	16.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
241242	*Corymbia citriodora*	Spotted Gum	270	270	270	85	27.0	14.0	3.2	1.9	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
241243	*Eucalyptus moluccana*	Gum-topped Box	260	260	260	82	25.0	14.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
241244	*Corymbia citriodora*	Spotted Gum	290	290	290	91	28.0	16.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
241245	*Corymbia citriodora*	Spotted Gum	260	260	260	82	28.0	16.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
241246	*Corymbia citriodora*	Spotted Gum	270	270	270	85	24.0	14.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
241247	*Corymbia citriodora*	Spotted Gum	295	295	295	93	29.0	18.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
241248	*Corymbia citriodora*	Spotted Gum	360	360	360	113	29.0	18.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
241249	*Corymbia citriodora*	Spotted Gum	250	250	250	79	26.0	16.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
241250	*Eucalyptus siderophloia*	Northern Grey Ironbark	315	315	315	99	18.0	16.0	3.8	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
241251	*Corymbia citriodora*	Spotted Gum	280	280	280	88	20.0	16.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
241252	*Eucalyptus siderophloia*	Northern Grey Ironbark	250	250	250	79	16.0	12.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
241253	*Eucalyptus siderophloia*	Northern Grey Ironbark	335	335	335	105	22.0	18.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
241254	*Corymbia citriodora*	Spotted Gum	275	275	275	86	22.0	14.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
241255	*Corymbia citriodora*	Spotted Gum	310	310	310	97	28.0	12.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	

Tree ID	Botanical Name	Common Name	Specimen Details									Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Retention	Additional Notes
			Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value		
24256	*Corymbia citriodora*	Spotted Gum	280		280	88	28.0	14.0	3.4	-	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24257	*Corymbia citriodora*	Spotted Gum	310		310	97	27.0	15.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24258	*Eucalyptus tereticornis*	Forest Red Gum	275		275	86	26.0	14.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24259	*Corymbia citriodora*	Spotted Gum	255		255	80	16.0	12.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24260	*Corymbia citriodora*	Spotted Gum	280		280	88	26.0	10.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24261	*Corymbia citriodora*	Spotted Gum	280		280	88	29.0	15.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24262	*Eucalyptus seeana*	Narrow-leaved Red Gum	300		300	94	25.0	15.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24263	*Eucalyptus siderophloia*	Northern Grey Ironbark	370	95	382	120	28.0	18.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
24264	*Corymbia citriodora*	Spotted Gum	265		265	83	26.0	16.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24265	*Corymbia citriodora*	Spotted Gum	330		330	104	28.0	17.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24266	*Corymbia citriodora*	Spotted Gum	285		285	90	28.0	17.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24267	*Corymbia citriodora*	Spotted Gum	245		245	77	22.0	16.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24268	*Corymbia citriodora*	Spotted Gum	275		275	86	27.0	15.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24269	*Eucalyptus moluccana*	Gum-topped Box	250		250	79	21.0	12.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24270	*Eucalyptus siderophloia*	Northern Grey Ironbark	380		380	119	24.0	12.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24271	*Corymbia citriodora*	Spotted Gum	445		445	140	29.0	22.0	5.3	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	Old	-	-	0	-	-	-	Remove	
24272	*Eucalyptus tereticornis*	Forest Red Gum	300		300	94	27.0	16.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24273	*Corymbia citriodora*	Spotted Gum	365		365	115	29.0	16.0	4.4	2.2	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24274	*Corymbia citriodora*	Spotted Gum	275		275	86	28.0	14.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24275	*Corymbia citriodora*	Spotted Gum	270		270	85	28.0	16.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24276	*Corymbia citriodora*	Spotted Gum	345		345	108	29.0	18.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24277	*Corymbia citriodora*	Spotted Gum	255		255	80	28.0	17.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24278	*Corymbia citriodora*	Spotted Gum	250		250	79	27.0	14.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24279	*Corymbia citriodora*	Spotted Gum	385		385	121	29.0	18.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24280	*Eucalyptus moluccana*	Gum-topped Box	280		280	88	25.0	14.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24281	**DEAD/STAG**		360		360	113	11.0	1.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	large	-	1	-	-	-	Remove	1 large stick nest
24282	*Corymbia citriodora*	Spotted Gum	255		255	80	27.0	14.0	3.1	1.9	Regular	-	-	-	-	-	Typical	Major	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24283	*Corymbia citriodora*	Spotted Gum	255		255	80	15.0	12.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24284	*Corymbia citriodora*	Spotted Gum	260		260	82	22.0	17.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24285	*Corymbia citriodora*	Spotted Gum	300		300	94	27.0	14.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24286	*Corymbia citriodora*	Spotted Gum	270		270	85	28.0	16.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24287	*Corymbia citriodora*	Spotted Gum	310		310	97	30.0	14.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24288	*Corymbia citriodora*	Spotted Gum	280		280	88	24.0	17.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24289	*Corymbia citriodora*	Spotted Gum	250		250	79	29.0	14.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24290	*Corymbia citriodora*	Spotted Gum	300		300	94	30.0	16.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24291	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	26.0	18.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24292	*Corymbia citriodora*	Spotted Gum	260		260	82	28.0	17.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24293	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	25.0	14.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24294	*Eucalyptus siderophloia*	Northern Grey Ironbark	325		325	102	28.0	18.0	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24295	*Eucalyptus tereticornis*	Forest Red Gum	255		255	80	26.0	12.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24296	*Eucalyptus siderophloia*	Northern Grey Ironbark	255		255	80	28.0	15.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24297	*Eucalyptus siderophloia*	Northern Grey Ironbark	320		320	101	30.0	18.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
24298	*Eucalyptus siderophloia*	Northern Grey Ironbark	320		320	101	29.0	19.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24299	*Eucalyptus siderophloia*	Northern Grey Ironbark	430		430	135	28.0	18.0	5.2	2.3	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24300	*Eucalyptus siderophloia*	Northern Grey Ironbark	410		410	129	30.0	19.0	4.9	2.3	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
24301	*Eucalyptus seeana*	Narrow-leaved Red Gum	410		410	129	31.0	15.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	Old	-	0	-	-	-	-	Remove	
24302	*Corymbia citriodora*	Spotted Gum	280		280	88	24.0	14.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24303	*Corymbia citriodora*	Spotted Gum	250		250	79	25.0	12.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24304	*Corymbia citriodora*	Spotted Gum	300		300	94	26.0	14.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24305	*Corymbia citriodora*	Spotted Gum	270		270	85	27.0	16.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24306	*Corymbia citriodora*	Spotted Gum	275		275	86	28.0	15.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24307	*Corymbia citriodora*	Spotted Gum	265		265	83	28.0	16.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24308	*Corymbia citriodora*	Spotted Gum	280		280	88	27.0	15.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24309	*Corymbia citriodora*	Spotted Gum	330	175	374	117	29.0	18.0	4.5	2.2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
24310	*Eucalyptus siderophloia*	Northern Grey Ironbark	265		265	83	28.0	14.0	3.2	1.9	Regular	-	-	-	Epicormic	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
24311	*Corymbia citriodora*	Spotted Gum	260		260	82	27.0	14.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24312	*Corymbia citriodora*	Spotted Gum	260		260	82	29.0	15.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24313	*Corymbia citriodora*	Spotted Gum	290		290	91	28.0	16.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24314	*Eucalyptus siderophloia*	Northern Grey Ironbark	350		350	110	25.0	15.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Poor	-	-	-	0	-	-	-	Regrow	
24315	*Eucalyptus fibrosa*	Red Ironbark	250		250	79	25.0	14.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24316	*Corymbia citriodora*	Spotted Gum	265		265	83	26.0	15.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24317	*Corymbia citriodora*	Spotted Gum	280		280	88	27.0	15.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24318	*Corymbia citriodora*	Spotted Gum	350		350	110	29.0	17.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24319	*Corymbia citriodora*	Spotted Gum	275	115	298	94	29.0	17.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24320	*Corymbia citriodora*	Spotted Gum	355		355	112	30.0	17.0	4.3	2.1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Poor	-	-	-	0	-	-	-	Remove	
24321	*Corymbia citriodora*	Spotted Gum	280		280	88	24.0	15.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24322	*Corymbia citriodora*	Spotted Gum	265	235	354	111	28.0	17.0	4.3	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24323	*Corymbia citriodora*	Spotted Gum	300		300	94	28.0	15.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	

Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
24324	*Corymbia citriodora*	Spotted Gum	260		260	82	29.0	14.0	3.1	1.9	Regular	-	-	-	epicormic	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
24325	*Corymbia citriodora*	Spotted Gum	300		300	94	27.0	15.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24326	*Corymbia citriodora*	Spotted Gum	260		260	82	24.0	15.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24327	*Corymbia citriodora*	Spotted Gum	480		480	151	31.0	18.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24328	*Eucalyptus moluccana*	Gum-topped Box	285		285	90	26.0	15.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24329	*Corymbia citriodora*	Spotted Gum	250		250	79	26.0	14.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24330	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	27.0	14.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
24331	*Corymbia citriodora*	Spotted Gum	290		290	91	27.0	15.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24332	*Corymbia citriodora*	Spotted Gum	250		250	79	27.0	14.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
24333	*Corymbia citriodora*	Spotted Gum	270		270	85	28.0	15.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24334	*Corymbia citriodora*	Spotted Gum	255		255	80	28.0	16.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24335	*Corymbia citriodora*	Spotted Gum	260		260	82	28.0	14.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24336	*Corymbia citriodora*	Spotted Gum	255		255	80	28.0	17.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24337	*Corymbia citriodora*	Spotted Gum	315		315	99	28.0	14.0	3.8	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24338	*Corymbia citriodora*	Spotted Gum	250		250	79	26.0	14.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24339	*Eucalyptus fibrosa*	Red Ironbark	310		310	97	25.0	15.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
24340	*Corymbia citriodora*	Spotted Gum	255		255	80	24.0	14.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24341	*Corymbia citriodora*	Spotted Gum	260		260	82	28.0	14.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24342	*Eucalyptus fibrosa*	Red Ironbark	275		275	86	26.0	15.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24343	*Eucalyptus fibrosa*	Red Ironbark	345		345	108	27.0	15.0	4.1	2.1	Regular	-	-	-	epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24344	*Eucalyptus fibrosa*	Red Ironbark	270		270	85	25.0	16.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24345	*Eucalyptus fibrosa*	Red Ironbark	375		375	118	28.0	15.0	4.5	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
24346	*Corymbia citriodora*	Spotted Gum	250		250	79	27.0	14.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24347	*Corymbia citriodora*	Spotted Gum	350	215	411	129	31.0	20.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
24348	*Corymbia citriodora*	Spotted Gum	275		275	86	28.0	14.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24349	*Corymbia citriodora*	Spotted Gum	255	145	293	92	27.0	14.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24350	*Corymbia citriodora*	Spotted Gum	300	230	378	119	29.0	15.0	4.5	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24351	*Corymbia citriodora*	Spotted Gum	265		265	83	27.0	14.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24352	*Eucalyptus fibrosa*	Red Ironbark	300		300	94	28.0	16.0	3.6	2.0	Regular	-	-	-	epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
24353	*Corymbia citriodora*	Spotted Gum	290		290	91	29.0	17.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24354	*Corymbia citriodora*	Spotted Gum	320		320	101	29.0	17.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24355	*Corymbia citriodora*	Spotted Gum	280		280	88	28.0	14.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24356	*Corymbia citriodora*	Spotted Gum	280		280	88	28.0	16.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24357	*Eucalyptus fibrosa*	Red Ironbark	265		265	83	26.0	17.0	3.2	1.9	Regular	-	-	-	epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24358	*Eucalyptus fibrosa*	Red Ironbark	260		260	82	27.0	15.0	3.1	1.9	Regular	-	-	-	epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24359	*Corymbia citriodora*	Spotted Gum	250		250	79	29.0	17.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24360	*Corymbia citriodora*	Spotted Gum	290		290	91	29.0	17.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24361	*Corymbia citriodora*	Spotted Gum	275	120	300	94	31.0	16.0	3.6	2.0	Regular	-	-	-	epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24362	*Corymbia citriodora*	Spotted Gum	260		260	82	29.0	17.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24363	*Corymbia citriodora*	Spotted Gum	275		275	86	31.0	16.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24364	*Corymbia citriodora*	Spotted Gum	270		270	85	28.0	16.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24365	*Eucalyptus moluccana*	Gum-topped Box	370		370	116	29.0	17.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24366	*Corymbia citriodora*	Spotted Gum	275		275	86	28.0	14.0	3.3	1.9	Regular	-	-	-	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24367	*Corymbia citriodora*	Spotted Gum	260		260	82	27.0	18.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24368	*Corymbia citriodora*	Spotted Gum	260		260	82	29.0	17.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24369	*Eucalyptus moluccana*	Gum-topped Box	260		260	82	27.0	16.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24370	*Corymbia citriodora*	Spotted Gum	270		270	85	28.0	17.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24371	*Corymbia citriodora*	Spotted Gum	265		265	83	29.0	18.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24372	*Corymbia citriodora*	Spotted Gum	270		270	85	30.0	14.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24373	*Corymbia citriodora*	Spotted Gum	460		460	145	29.0	18.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	2	-	-	-	Remove	
24374	*Corymbia citriodora*	Spotted Gum	300		300	94	30.0	19.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24375	*Corymbia citriodora*	Spotted Gum	320		320	101	32.0	18.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24376	*Corymbia citriodora*	Spotted Gum	300		300	94	29.0	17.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24377	*Corymbia citriodora*	Spotted Gum	290		290	91	31.0	18.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24378	*Eucalyptus siderophloia*	Northern Grey Ironbark	430		430	135	29.0	19.0	5.2	2.3	Regular	-	-	-	epicormic	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	Small	1	-	-	-	Remove	
24379	*Corymbia citriodora*	Spotted Gum	280		280	88	30.0	17.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	1	-	-	-	Remove	
24380	*Corymbia citriodora*	Spotted Gum	290		290	91	31.0	16.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24381	*Corymbia citriodora*	Spotted Gum	590		590	185	30.0	20.0	7.1	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	2	large	-	-	Remove	1 large stick nest
24382	*Corymbia citriodora*	Spotted Gum	280		280	88	27.0	14.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
24383	*Corymbia citriodora*	Spotted Gum	285		285	90	29.0	17.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24384	*Corymbia citriodora*	Spotted Gum	250		250	79	28.0	12.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24385	*Corymbia citriodora*	Spotted Gum	390		390	123	32.0	19.0	4.7	2.2	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24386	*Corymbia citriodora*	Spotted Gum	265		265	83	28.0	16.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24387	*Corymbia citriodora*	Spotted Gum	310		310	97	28.0	17.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24388	*Corymbia citriodora*	Spotted Gum	265		265	83	28.0	18.0	3.2	1.9	Regular	-	-	-	epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24389	*Corymbia citriodora*	Spotted Gum	265		265	83	26.0	14.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24390	*Corymbia citriodora*	Spotted Gum	320		320	101	29.0	17.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24391	*Corymbia citriodora*	Spotted Gum	290		290	91	27.0	18.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	

Tree ID	Botanical Name	Common Name	Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Retention	Additional Notes
			Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value		
24392	*Corymbia citriodora*	Spotted Gum	290		290	91	31.0	17.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	-	Remove	
24393	*Corymbia citriodora*	Spotted Gum	315		315	99	29.0	17.0	3.8	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
24394	*Corymbia citriodora*	Spotted Gum	305		305	96	29.0	16.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
24395	*Eucalyptus siderophloia*	Northern Grey Ironbark	295		295	93	32.0	18.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	-	Remove	
24396	*Corymbia citriodora*	Spotted Gum	260		260	82	32.0	16.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
24397	*Corymbia citriodora*	Spotted Gum	270		270	85	30.0	15.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
24398	*Corymbia citriodora*	Spotted Gum	265		265	83	30.0	18.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
24399	*Corymbia citriodora*	Spotted Gum	260		260	82	31.0	14.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
24400	*Corymbia citriodora*	Spotted Gum	315		315	99	29.0	18.0	3.8	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
24401	*Corymbia citriodora*	Spotted Gum	280		280	88	29.0	16.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
24402	*Corymbia citriodora*	Spotted Gum	260		260	82	27.0	16.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	-	Remove	
24403	*Corymbia citriodora*	Spotted Gum	290		290	91	28.0	16.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
24404	*Corymbia citriodora*	Spotted Gum	255		255	80	29.0	17.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
24405	*Corymbia citriodora*	Spotted Gum	275		275	86	28.0	17.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
24406	*Corymbia citriodora*	Spotted Gum	255		255	80	27.0	14.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
24407	*Corymbia citriodora*	Spotted Gum	330		330	104	28.0	19.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
24408	*Corymbia citriodora*	Spotted Gum	285		285	90	29.0	18.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
24409	*Eucalyptus siderophloia*	Northern Grey Ironbark	275		275	86	28.0	16.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	-	Remove	
24410	*Corymbia citriodora*	Spotted Gum	285		285	90	29.0	18.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
24411	*Corymbia citriodora*	Spotted Gum	335		335	105	30.0	17.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
24412	*Corymbia citriodora*	Spotted Gum	300		300	94	30.0	18.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
24413	*Corymbia citriodora*	Spotted Gum	255		255	80	29.0	16.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
24414	*Corymbia citriodora*	Spotted Gum	265		265	83	31.0	17.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
24415	*Corymbia citriodora*	Spotted Gum	300		300	94	30.0	17.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
24416	*Corymbia citriodora*	Spotted Gum	280		280	88	29.0	17.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
24417	*Corymbia citriodora*	Spotted Gum	290		290	91	31.0	18.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
24418	*Corymbia citriodora*	Spotted Gum	280		280	88	32.0	17.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
24419	*Corymbia citriodora*	Spotted Gum	270		270	85	29.0	18.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
24420	*Corymbia citriodora*	Spotted Gum	280		280	88	30.0	16.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
24421	**DEAD/STAG**		355		355	112	29.0	9.0	4.3	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
24422	*Corymbia citriodora*	Spotted Gum	325		325	102	32.0	18.0	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
24423	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	29.0	16.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	-	Remove	
24424	*Corymbia citriodora*	Spotted Gum	400		400	126	30.0	19.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
24425	**DEAD/STAG**		320		320	101	24.0	5.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
24426	*Corymbia citriodora*	Spotted Gum	290		290	91	30.0	18.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
24427	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	29.0	18.0	3.6	2.0	Regular	-	-	-	Epicormic	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	Termite nest	-	-	Remove	
24428	*Corymbia citriodora*	Spotted Gum	265		265	83	31.0	17.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
24429	*Corymbia citriodora*	Spotted Gum	280		280	88	29.0	15.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
24430	*Corymbia citriodora*	Spotted Gum	290		290	91	33.0	15.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
24431	*Corymbia citriodora*	Spotted Gum	315		315	99	33.0	17.0	3.8	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
24432	*Corymbia citriodora*	Spotted Gum	265		265	83	28.0	16.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
24433	*Corymbia citriodora*	Spotted Gum	280		280	88	33.0	17.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
24434	*Corymbia citriodora*	Spotted Gum	340		340	107	35.0	20.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
24435	*Corymbia citriodora*	Spotted Gum	300		300	94	26.0	17.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
24436	*Corymbia citriodora*	Spotted Gum	305		305	96	28.0	16.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
24437	*Corymbia citriodora*	Spotted Gum	315		315	99	30.0	18.0	3.8	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
24438	*Corymbia citriodora*	Spotted Gum	310		310	97	31.0	19.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
24439	*Corymbia citriodora*	Spotted Gum	325		325	102	29.0	19.0	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
24440	**DEAD/STAG**		385		385	121	15.0	1.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Large	1	-	Termite nest	-	-	Remove	
24441	*Corymbia citriodora*	Spotted Gum	280		280	88	30.0	18.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
24442	*Corymbia citriodora*	Spotted Gum	300		300	94	29.0	17.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
24443	*Corymbia citriodora*	Spotted Gum	360		360	113	33.0	18.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
24444	*Corymbia citriodora*	Spotted Gum	250		250	79	27.0	15.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
24445	*Corymbia citriodora*	Spotted Gum	340		340	107	32.0	18.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
24446	*Corymbia citriodora*	Spotted Gum	260		260	82	31.0	17.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
24447	*Corymbia citriodora*	Spotted Gum	295		295	93	30.0	14.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
24448	*Corymbia citriodora*	Spotted Gum	290		290	91	28.0	17.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
24449	*Corymbia citriodora*	Spotted Gum	265		265	83	28.0	15.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
24450	*Corymbia citriodora*	Spotted Gum	270		270	85	30.0	15.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
24451	*Corymbia citriodora*	Spotted Gum	380	135	403	127	32.0	18.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
24452	*Corymbia citriodora*	Spotted Gum	365		365	115	29.0	18.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	-	Remove	
24453	*Eucalyptus molyuccana*	Gum-Topped Box	340		340	107	30.0	17.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	Native	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	-	Remove	
24454	*Corymbia citriodora*	Spotted Gum	305		305	96	17.0	12.0	3.7	2.0	Regular	-	-	-	Epicormic	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	Large	1	-	-	-	-	Remove	crown fallen out, possible hollow
24455	*Corymbia citriodora*	Spotted Gum	280		280	88	32.0	18.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
24456	**DEAD/STAG**		400		400	126	27.0	12.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Large	2	-	-	-	-	Remove	
24457	*Corymbia citriodora*	Spotted Gum	300		300	94	32.0	17.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Poor	-	-	-	0	-	-	-	-	Remove	
24458	*Eucalyptus molyuccana*	Gum-Topped Box	290		290	91	28.0	16.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	-	Remove	
24459	**DEAD/STAG**		420		420	132	24.0	4.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Large	1	-	-	-	-	Remove	

| Specimen Details | | |

Tree ID	Botanical Name	Common Name	Specimen Details											Canopy Condition Details								Trunk Condition Details				Fauna Details and Habitat Value						Retention	Additional Notes
			Trunk DBH (mm)	Total DBH (mm) [AS 4970-2009]	Additional Trunks DBH (mm)	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	
2456528	*Corymbia citriodora*	Spotted Gum	295	295		930	27.0	12.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2456529	**DEAD/STAG**		320	320		1010	9.0	1.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2456530	*Corymbia citriodora*	Spotted Gum	255	255		800	29.0	12.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2456531	*Eucalyptus siderophloia*	Northern Grey Ironbark	390	390		1230	33.0	20.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
2456532	*Corymbia citriodora*	Spotted Gum	370	370		1160	32.0	16.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2456533	*Corymbia citriodora*	Spotted Gum	265	265		830	24.0	12.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2456534	*Corymbia citriodora*	Spotted Gum	275	275		860	24.0	14.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2456535	*Corymbia citriodora*	Spotted Gum	250	250		790	24.0	12.0	3.0	1.8	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2456536	*Corymbia citriodora*	Spotted Gum	285	285		900	25.0	14.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2456537	*Corymbia citriodora*	Spotted Gum	250	250		790	22.0	12.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2456538	*Corymbia citriodora*	Spotted Gum	270	270		850	25.0	12.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2456539	*Corymbia citriodora*	Spotted Gum	270	270		850	24.0	14.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2456540	*Corymbia citriodora*	Spotted Gum	270	270		850	24.0	14.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2456541	*Corymbia citriodora*	Spotted Gum	395	395		1240	28.0	17.0	4.7	2.2	Regular	-	-	-	Epicormic	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	Small	-	-	-	Remove	2 small hollow possible
2456542	**DEAD/STAG**		495	495		1560	17.0	2.0	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	Small	-	Termite nest	-	Remove	
2456543	*Corymbia citriodora*	Spotted Gum	270	270		850	22.0	12.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2456544	*Corymbia citriodora*	Spotted Gum	270	270		850	24.0	11.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2456545	*Corymbia citriodora*	Spotted Gum	275	275		860	24.0	12.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2456546	*Corymbia citriodora*	Spotted Gum	260	260		820	25.0	11.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2456547	*Corymbia citriodora*	Spotted Gum	260	260		820	24.0	14.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2456548	*Eucalyptus crebra*	Narrow-leaved Red Ironbark	295	295		930	22.0	10.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
2456549	*Corymbia citriodora*	Spotted Gum	284	89	135	892	25.0	10.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2456550	*Corymbia citriodora*	Spotted Gum	260	82		260	17.0	9.0	3.1	1.9	Regular	-	Thinning	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2456551	*Corymbia citriodora*	Spotted Gum	310	97		310	17.0	10.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2456552	*Corymbia citriodora*	Spotted Gum	305	96		970	22.0	9.0	3.7	2.0	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2456553	*Corymbia citriodora*	Spotted Gum	250	79		250	16.0	9.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2456554	*Corymbia citriodora*	Spotted Gum	270	85		270	23.0	10.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2456555	*Eucalyptus siderophloia*	Northern Grey Ironbark	325	102		325	18.0	10.0	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2456556	**DEAD/STAG**		300	94		1000	16.0	1.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	Large	-	-	-	Remove	
2456557	*Corymbia citriodora*	Spotted Gum	285	90		285	18.0	11.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2456558	*Corymbia citriodora*	Spotted Gum	250	79		250	17.0	9.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2456559	*Eucalyptus moluccana*	Gum-topped Box	440	138		440	18.0	12.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
2456560	*Corymbia citriodora*	Spotted Gum	250	79		250	19.0	11.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2456561	*Corymbia citriodora*	Spotted Gum	255	80		255	19.0	10.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2456562	*Corymbia citriodora*	Spotted Gum	290	91		290	23.0	14.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2456563	*Corymbia citriodora*	Spotted Gum	295	93		295	20.0	10.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2456564	*Eucalyptus moluccana*	Gum-topped Box	320	101		320	24.0	12.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2456565	*Corymbia citriodora*	Spotted Gum	290	91		290	11.0	10.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2456566	*Eucalyptus siderophloia*	Northern Grey Ironbark	680	214		2900	11.0	8.2	2.8	Regular	-	-	-	-	Epicormic	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	Large	3	-	Termite nest	High	Remove	
2456567	*Corymbia citriodora*	Spotted Gum	250	79		250	22.0	12.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2456568	*Eucalyptus moluccana*	Gum-topped Box	280	88		280	21.0	12.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2456569	*Corymbia citriodora*	Spotted Gum	310	97		310	19.0	12.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2456570	**DEAD/STAG**		440	138		440	20.0	5.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	Large	1	-	-	Remove	
2456571	*Corymbia citriodora*	Spotted Gum	260	82		260	24.0	10.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2456572	*Corymbia citriodora*	Spotted Gum	285	90		285	23.0	9.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2456573	*Corymbia citriodora*	Spotted Gum	245	77		245	20.0	11.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2456574	*Eucalyptus siderophloia*	Northern Grey Ironbark	265	83		265	23.0	12.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2456575	*Corymbia citriodora*	Spotted Gum	235	74		235	24.0	9.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2456576	*Corymbia citriodora*	Spotted Gum	230	72		230	24.0	10.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2456577	*Corymbia citriodora*	Spotted Gum	260	82		260	24.0	11.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2456578	*Eucalyptus moluccana*	Narrow-leaved Red Gum	230	72		230	24.0	9.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2456579	*Eucalyptus moluccana*	Gum-topped Box	260	82		260	22.0	9.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2456580	*Corymbia citriodora*	Spotted Gum	260	82		260	22.0	11.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2456581	*Corymbia citriodora*	Spotted Gum	250	79		250	18.0	10.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2456582	**DEAD/STAG**		200	63		200	9.0	1.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	Small	1	-	-	Remove	
2456583	*Eucalyptus moluccana*	Gum-topped Box	260	82		260	17.0	10.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2456584	*Eucalyptus moluccana*	Gum-topped Box	260	82		260	23.0	10.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2456585	**DEAD/STAG**		250	79		250	22.0	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	Small	1	-	-	Remove	
2456586	*Eucalyptus siderophloia*	Northern Grey Ironbark	260	82		260	18.0	12.0	3.1	1.9	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2456587	*Corymbia citriodora*	Spotted Gum	270	85		270	21.0	9.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
2456588	*Corymbia citriodora*	Spotted Gum	260	82		260	21.0	12.0	3.1	1.9	Regular	-	Thinning	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2456589	*Eucalyptus moluccana*	Gum-topped Box	445	140		445	25.0	20.0	5.3	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	Small	1	-	-	Remove	
2456590	*Eucalyptus tereticornis*	Forest Red Gum	210	66		210	11.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2456591	*Acacia disparrima*	Hickory Wattle	280	88	115	280	10.0	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
2456592	*Eucalyptus siderophloia*	Northern Grey Ironbark	450	141		450	25.0	16.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2456593	*Eucalyptus siderophloia*	Northern Grey Ironbark	355	112		355	27.0	14.0	4.3	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2456594	*Eucalyptus siderophloia*	Northern Grey Ironbark	370	116		370	27.0	11.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2456595	*Eucalyptus seeana*	Narrow-leaved Red Gum	265	83		265	16.0	9.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	

Specimen Details								Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value							
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
246596	*Corymbia citriodora*	Spotted Gum	390		390	123	25.0	14.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
246597	*Corymbia citriodora*	Spotted Gum	270		270	85	24.0	10.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
246598	*Corymbia citriodora*	Spotted Gum	250		250	79	24.0	11.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
246599	*Corymbia citriodora*	Spotted Gum	280		280	88	24.0	10.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
246600	*Corymbia citriodora*	Spotted Gum	260		260	82	25.0	11.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
246601	*Corymbia citriodora*	Spotted Gum	315		315	99	25.0	12.0	3.8	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
246602	*Corymbia citriodora*	Spotted Gum	270		270	85	24.0	12.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
246603	*Corymbia citriodora*	Spotted Gum	275		275	86	25.0	12.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
246604	*Corymbia citriodora*	Spotted Gum	265		265	83	22.0	9.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
246605	*Corymbia citriodora*	Spotted Gum	310		310	97	22.0	10.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
246606	*Corymbia citriodora*	Spotted Gum	295	115	317	99	26.0	12.0	3.8	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
246607	*Corymbia citriodora*	Spotted Gum	275		275	86	22.0	14.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
246608	*Corymbia citriodora*	Spotted Gum	290		290	91	28.0	14.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
246609	*Corymbia citriodora*	Spotted Gum	260		260	82	26.0	12.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
246610	*Corymbia citriodora*	Spotted Gum	300		300	94	25.0	15.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
246611	*Corymbia citriodora*	Spotted Gum	245		245	77	26.0	12.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
246612	*Corymbia citriodora*	Spotted Gum	250		250	79	25.0	14.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
246613	*Corymbia citriodora*	Spotted Gum	300		300	94	27.0	14.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
246614	*Corymbia citriodora*	Spotted Gum	250		250	79	25.0	12.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
246615	*Eucalyptus seeana*	Narrow-leaved Red Gum	255		255	80	16.0	10.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
246616	*Eucalyptus moluccana*	Gum-topped Box	255		255	80	15.0	10.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
246617	*Corymbia citriodora*	Spotted Gum	260		260	82	26.0	12.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
246618	*Corymbia citriodora*	Spotted Gum	350		350	110	27.0	12.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
246619	*Acacia dispermma*	Hickory Wattle	310		310	97	9.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
246620	*Corymbia citriodora*	Spotted Gum	335		335	105	29.0	12.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
246621	*Corymbia citriodora*	Spotted Gum	265		265	83	27.0	11.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
246622	*Corymbia citriodora*	Spotted Gum	345		345	108	27.0	14.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
246623	*Melaleuca bhyana*	Swamp Tea-tree	135	135,130	231	73	5.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
246624	*Eucalyptus moluccana*	Gum-topped Box	625		625	196	27.0	19.0	7.5	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
246625	*Eucalyptus moluccana*	Gum-topped Box	260		260	82	19.0	9.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
246626	*Eucalyptus moluccana*	Gum-topped Box	270		270	85	20.0	11.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
246627	*Eucalyptus siderophloia*	Northern Grey Ironbark	490		490	154	24.0	19.0	5.9	2.5	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
246628	*Melaleuca bhyana*	Swamp Tea-tree	165	80, 95, 95, 105, 130, 95, 120, 80, 150, 110, 90	390	123	8.0	12.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
246629	*Eucalyptus moluccana*	Gum-topped Box	340		340	107	11.0	9.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
246630	*Eucalyptus moluccana*	Gum-topped Box	275		275	86	11.0	8.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
246631	*Corymbia citriodora*	Spotted Gum	260		260	82	26.0	10.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
246632	*Corymbia citriodora*	Spotted Gum	255		255	80	22.0	10.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
246633	*Eucalyptus tereticornis*	Forest Red Gum	450		450	141	29.0	19.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
246634	*Corymbia citriodora*	Spotted Gum	250		250	79	26.0	11.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
246635	*Corymbia citriodora*	Spotted Gum	265		265	83	28.0	12.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
246636	*Corymbia citriodora*	Spotted Gum	250		250	79	22.0	11.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
246637	*Corymbia citriodora*	Spotted Gum	280		280	88	26.0	12.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
246638	*Corymbia citriodora*	Spotted Gum	290		290	91	16.0	14.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
246639	*Corymbia citriodora*	Spotted Gum	270	150	309	97	17.0	11.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
246640	*Corymbia citriodora*	Spotted Gum	270		270	85	26.0	11.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
246641	*Corymbia citriodora*	Spotted Gum	270		270	85	22.0	10.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
246642	*Corymbia citriodora*	Spotted Gum	320		320	101	26.0	12.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
246643	*Corymbia citriodora*	Spotted Gum	330		330	104	22.0	12.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
246644	*Corymbia citriodora*	Spotted Gum	250		250	79	26.0	11.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
246645	*Corymbia citriodora*	Spotted Gum	260		260	82	19.0	11.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
246646	*Eucalyptus tereticornis*	Forest Red Gum	700		700	220	29.0	26.0	8.4	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
246647	*Eucalyptus tereticornis*	Forest Red Gum	480		480	151	28.0	16.0	5.8	2.4	Regular	-	Thinning	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
246648	*Corymbia citriodora*	Spotted Gum	365		365	115	26.0	11.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
246649	*Eucalyptus moluccana*	Gum-topped Box	290		290	91	26.0	9.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
246650	*Eucalyptus moluccana*	Gum-topped Box	270		270	85	16.0	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
246651	*Corymbia citriodora*	Spotted Gum	265		265	83	27.0	10.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
246652	*Corymbia citriodora*	Spotted Gum	300		300	94	27.0	12.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
246653	*Eucalyptus moluccana*	Gum-topped Box	270		270	85	24.0	9.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
246654	*Corymbia citriodora*	Spotted Gum	260		260	82	27.0	14.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
246655	*Corymbia citriodora*	Spotted Gum	255		255	80	27.0	15.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
246656	*Eucalyptus moluccana*	Gum-topped Box	360		360	113	24.0	12.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
246657	*Eucalyptus moluccana*	Gum-topped Box	255		255	80	19.0	9.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
246658	*Corymbia citriodora*	Spotted Gum	250		250	79	24.0	11.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
246659	*Corymbia citriodora*	Spotted Gum	290		290	91	26.0	12.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
246660	*Corymbia citriodora*	Spotted Gum	310		310	97	27.0	16.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
246661	*Corymbia citriodora*	Spotted Gum	270		270	85	28.0	14.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
246662	*Corymbia citriodora*	Spotted Gum	280		280	88	26.0	9.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
246663	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	27.0	16.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	

Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
2466'4	Corymbia citriodora	Spotted Gum	305		305	96	27.0	15.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2466'5	Corymbia citriodora	Spotted Gum	310		310	97	27.0	10.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2466'6	Eucalyptus siderophloia	Northern Grey Ironbark	280		280	88	21.0	10.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2466'7	Eucalyptus siderophloia	Northern Grey Ironbark	305		305	96	28.0	12.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2466'8	Corymbia citriodora	Spotted Gum	250		250	79	27.0	9.0	3.0	1.8	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2466'9	Eucalyptus siderophloia	Northern Grey Ironbark	255		255	80	24.0	10.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2466'0	Corymbia citriodora	Spotted Gum	260		260	82	26.0	11.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2466'1	Corymbia citriodora	Spotted Gum	270		270	85	26.0	14.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2466'2	Corymbia tessellaris	Moreton Bay Ash	270		270	85	26.0	14.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2466'3	Corymbia citriodora	Spotted Gum	345		345	108	26.0	15.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2466'4	Corymbia citriodora	Spotted Gum	260		260	82	30.0	15.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2466'5	Eucalyptus siderophloia	Northern Grey Ironbark	350		350	110	30.0	14.0	4.2	2.1	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2466'6	Eucalyptus siderophloia	Northern Grey Ironbark	275		275	86	25.0	14.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2466'7	DEAD/STAG		300		300	94	10.0	1.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Large	1	-	-	-	Remove	
2466'8	DEAD/STAG		255		255	80	11.0	1.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Large	1	-	-	-	Remove	
2466'9	Corymbia citriodora	Spotted Gum	230		230	72	22.0	12.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2468'0	Eucalyptus siderophloia	Northern Grey Ironbark	280		280	88	23.0	15.0	3.4	1.9	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2468'1	Corymbia citriodora	Spotted Gum	255		255	80	26.0	10.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2468'2	Eucalyptus siderophloia	Northern Grey Ironbark	340		340	107	27.0	15.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2468'3	Corymbia citriodora	Spotted Gum	285		285	90	27.0	14.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2468'4	Eucalyptus moluccana	Gum-topped Box	340		340	107	30.0	18.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2468'5	Corymbia citriodora	Spotted Gum	260		260	82	29.0	14.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2468'6	Corymbia citriodora	Spotted Gum	280		280	88	30.0	15.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2468'7	Corymbia citriodora	Spotted Gum	270		270	85	28.0	14.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2468'8	DEAD/STAG		330		330	104	23.0	6.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	2	-	Termite nest	-	Remove	
2468'9	Corymbia citriodora	Spotted Gum	290	150	285	91	29.0	15.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2469'0	Corymbia citriodora	Spotted Gum	285		322	101	28.0	14.0	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2469'1	Corymbia citriodora	Spotted Gum	280		280	88	28.0	15.0	3.4	1.9	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2469'2	DEAD/STAG		250		250	79	12.0	1.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	1	-	-	-	Remove	
2469'3	Eucalyptus siderophloia	Northern Grey Ironbark	295		295	93	31.0	17.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2469'4	Corymbia citriodora	Spotted Gum	295		295	93	31.0	17.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2469'5	Corymbia citriodora	Spotted Gum	310		310	97	27.0	10.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2469'6	Eucalyptus siderophloia	Northern Grey Ironbark	280		280	88	21.0	10.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2466'7	Eucalyptus siderophloia	Northern Grey Ironbark	305		305	96	27.0	12.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2466'8	Corymbia citriodora	Spotted Gum	250		250	79	27.0	9.0	3.0	1.8	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2466'9	Eucalyptus siderophloia	Northern Grey Ironbark	255		255	80	24.0	10.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2467'0	Corymbia citriodora	Spotted Gum	260		260	82	26.0	11.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2467'1	Corymbia citriodora	Spotted Gum	270		270	85	26.0	14.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2467'2	Corymbia citriodora	Spotted Gum	280		280	88	28.0	12.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2467'3	Corymbia citriodora	Spotted Gum	260		260	82	27.0	12.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2467'4	Corymbia citriodora	Spotted Gum	270		270	85	28.0	11.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2467'5	Eucalyptus siderophloia	Northern Grey Ironbark	280		280	88	28.0	12.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2467'6	Eucalyptus siderophloia	Northern Grey Ironbark	250		250	79	15.0	10.0	3.0	1.8	Regular	-	-	-	Trunk Dmg.	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2467'7	Corymbia citriodora	Spotted Gum	260		260	82	20.0	12.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2467'8	DEAD/STAG		280		280	88	22.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2467'9	DEAD/STAG		300		300	94	18.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	1	-	-	-	Remove	
2467'0	Corymbia citriodora	Spotted Gum	300		300	94	31.0	16.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2467'1	Corymbia citriodora	Spotted Gum	255		255	80	26.0	15.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	

Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Specimen Details								Canopy Condition Details								Trunk Condition Details					Fauna Details and Habitat Value							Additional Notes
					Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	
24732	*Corymbia citriodora*	Spotted Gum	335		335	105	28.0	17.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove	
24733	*Corymbia citriodora*	Spotted Gum	280		280	88	27.0	15.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove	
24734	*Eucalyptus sideophloia*	Northern Grey Ironbark	270		270	85	26.0	11.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove	
24735	*Eucalyptus microcorys*	Tallowwood	295		295	93	29.0	15.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	-	-	Remove	
24736	*Corymbia citriodora*	Spotted Gum	280		280	88	30.0	15.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove	
24737	*Corymbia citriodora*	Spotted Gum	270		270	85	29.0	14.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove	
24738	*Corymbia citriodora*	Spotted Gum	250		250	79	27.0	12.0	3.0	1.8	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove	
24739	**DEAD/STAG**		425		425	134	10.0	1.0	5.1	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Large	1	-	-	-	-	Remove	
24740	*Corymbia citriodora*	Spotted Gum	275		275	86	25.0	15.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove	
24741	*Corymbia citriodora*	Spotted Gum	255		255	80	26.0	15.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove	
24742	*Corymbia citriodora*	Spotted Gum	250		250	79	29.0	15.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove	
24743	**DEAD/STAG**		355		355	112	12.0	1.0	4.3	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Large	1	-	-	-	-	Remove	
24744	*Corymbia citriodora*	Spotted Gum	250		250	79	27.0	14.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove	
24745	*Corymbia citriodora*	Spotted Gum	300		300	94	29.0	17.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove	
24746	*Corymbia citriodora*	Spotted Gum	280		280	88	29.0	14.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove	
24747	*Corymbia citriodora*	Spotted Gum	300		300	94	28.0	15.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove	
24748	*Eucalyptus sideophloia*	Northern Grey Ironbark	265		265	83	25.0	16.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove	
24749	*Corymbia citriodora*	Spotted Gum	255		255	80	27.0	14.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove	
24750	*Corymbia citriodora*	Spotted Gum	250		250	79	24.0	14.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove	
24751	*Eucalyptus sideophloia*	Northern Grey Ironbark	320		320	101	27.0	14.0	3.8	2.1	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove	
24752	*Eucalyptus sideophloia*	Northern Grey Ironbark	255		255	80	19.0	15.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove	
24753	*Corymbia citriodora*	Spotted Gum	280		280	88	29.0	15.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove	
24754	*Corymbia citriodora*	Spotted Gum	250		250	79	24.0	14.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove	
24755	*Corymbia citriodora*	Spotted Gum	325		325	102	28.0	15.0	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove	
24756	*Eucalyptus fibrosa*	Red Ironbark	350		350	110	29.0	14.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove	
24757	*Corymbia citriodora*	Spotted Gum	300		300	94	28.0	15.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	1	-	-	-	-	Remove	
24758	*Corymbia citriodora*	Spotted Gum	280		280	88	29.0	14.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove	
24759	*Corymbia citriodora*	Spotted Gum	260		260	82	28.0	15.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove	
24760	*Corymbia citriodora*	Spotted Gum	255		255	80	29.0	15.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove	
24761	*Corymbia citriodora*	Spotted Gum	305		305	96	28.0	15.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove	
24762	*Corymbia citriodora*	Spotted Gum	310		310	97	30.0	16.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove	
24763	*Corymbia citriodora*	Spotted Gum	250		250	79	25.0	14.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove	
24764	*Corymbia citriodora*	Spotted Gum	260		260	82	28.0	15.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove	
24765	*Corymbia citriodora*	Spotted Gum	285		285	90	29.0	14.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove	
24766	*Corymbia citriodora*	Spotted Gum	265		265	83	29.0	14.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove	
24767	*Corymbia citriodora*	Spotted Gum	290		290	91	30.0	15.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove	
24768	*Corymbia citriodora*	Spotted Gum	310		310	97	29.0	14.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove	
24769	*Eucalyptus sideophloia*	Northern Grey Ironbark	250		250	79	27.0	14.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove	
24770	*Eucalyptus sideophloia*	Northern Grey Ironbark	400		400	126	32.0	18.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	1	-	-	-	-	Remove	
24771	*Eucalyptus sideophloia*	Northern Grey Ironbark	300		300	94	28.0	12.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	-	-	Remove	
24772	*Corymbia citriodora*	Spotted Gum	305		305	96	29.0	15.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove	
24773	*Eucalyptus sideophloia*	Northern Grey Ironbark	305		305	96	27.0	15.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	-	-	Remove	
24774	*Corymbia citriodora*	Spotted Gum	305		305	96	24.0	14.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove	
24775	*Eucalyptus sideophloia*	Northern Grey Ironbark	280		280	88	27.0	14.0	3.4	1.9	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	Small	-	-	-	-	-	-	-	Remove	
24776	*Corymbia citriodora*	Spotted Gum	250		250	79	28.0	14.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove	
24777	*Eucalyptus sideophloia*	Northern Grey Ironbark	250		250	79	26.0	12.0	3.0	1.8	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove	
24778	*Eucalyptus sideophloia*	Northern Grey Ironbark	280		280	88	27.0	10.0	3.4	1.9	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove	
24779	*Eucalyptus sideophloia*	Northern Grey Ironbark	270		270	85	28.0	14.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove	
24780	*Eucalyptus sideophloia*	Northern Grey Ironbark	320		320	101	29.0	14.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove	
24781	*Eucalyptus sideophloia*	Northern Grey Ironbark	290		290	91	28.0	14.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove	
24782	*Corymbia citriodora*	Spotted Gum	255		255	80	27.0	15.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove	
24783	*Corymbia citriodora*	Spotted Gum	280		280	88	27.0	16.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove	
24784	*Corymbia citriodora*	Spotted Gum	325		325	102	27.0	14.0	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove	
24785	*Eucalyptus crebra*	Narrow-leaved Red Ironbark	300		300	94	29.0	15.0	3.6	2.0	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove	
24786	*Corymbia citriodora*	Spotted Gum	305		305	96	28.0	14.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove	
24787	*Corymbia citriodora*	Spotted Gum	255		255	80	27.0	15.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove	
24788	*Corymbia citriodora*	Spotted Gum	280		280	88	27.0	15.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove	
24789	*Corymbia citriodora*	Spotted Gum	300		300	94	28.0	14.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove	
24790	*Corymbia citriodora*	Spotted Gum	270		270	85	26.0	12.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove	
24791	*Corymbia citriodora*	Spotted Gum	360		360	113	29.0	15.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove	
24792	*Corymbia citriodora*	Spotted Gum	320		320	101	29.0	14.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove	
24793	*Corymbia citriodora*	Spotted Gum	290		290	91	28.0	15.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove	
24794	*Eucalyptus sideophloia*	Northern Grey Ironbark	290		290	91	27.0	12.0	3.5	2.0	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove	
24795	*Corymbia citriodora*	Spotted Gum	535		535	168	29.0	20.0	6.4	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Large	2	-	-	-	High	Remove	
24796	*Corymbia citriodora*	Spotted Gum	290		290	91	26.0	16.0	3.5	2.0	Regular	-	-	-	Epicormic	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	-	-	Remove	
24797	*Corymbia citriodora*	Spotted Gum	350		350	110	26.0	15.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove	
24798	*Eucalyptus seeana*	Narrow-leaved Red Gum	290		290	91	27.0	12.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove	
24799	*Eucalyptus sideophloia*	Northern Grey Ironbark	260		260	82	25.0	12.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove	

Specimen Details									Canopy Condition Details								Trunk Condition Details					Fauna Details and Habitat Value									
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
24800	*Eucalyptus siderophloia*	Northern Grey Ironbark	275	240	365	115	23.0	10.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Poor	-	-	-	0	-	-	-	Remove	
24801	*Corymbia citriodora*	Spotted Gum	270		270	85	23.0	14.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	0	-	-	-	Remove	
24802	*Corymbia citriodora*	Spotted Gum	285		270	90	26.0	14.0	3.4	2.0	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	-	-	-	-	0	-	-	-	Remove	
24803	*Corymbia citriodora*	Spotted Gum	310		310	97	26.0	12.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	-	-	-	-	0	-	-	-	Remove	
24804	*Corymbia citriodora*	Spotted Gum	260	105	280	88	29.0	14.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	0	-	-	-	Remove	
24805	*Corymbia citriodora*	Spotted Gum	300		300	94	29.0	12.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	0	-	-	-	Remove	
24806	*Corymbia citriodora*	Spotted Gum	250		250	79	27.0	14.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	0	-	-	-	Remove	
24807	*Corymbia citriodora*	Spotted Gum	260		260	82	28.0	12.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	0	-	-	-	Remove	
24808	*Corymbia citriodora*	Spotted Gum	260		260	82	27.0	12.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	0	-	-	-	Remove	
24809	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	27.0	15.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	0	-	Termite nest	-	Remove	
24810	*Corymbia citriodora*	Spotted Gum	315		315	99	27.0	15.0	3.8	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	0	-	-	-	Remove	
24811	*Corymbia citriodora*	Spotted Gum	305		305	96	28.0	14.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	0	-	-	-	Remove	
24812	*Corymbia citriodora*	Spotted Gum	275		275	86	28.0	12.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	0	-	-	-	Remove	
24813	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	28.0	12.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	0	-	-	-	Remove	
24814	*Corymbia citriodora*	Spotted Gum	240		240	75	27.0	12.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	0	-	-	-	Remove	
24815	*Corymbia citriodora*	Spotted Gum	285		285	90	29.0	15.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	0	-	-	-	Remove	
24816	*Corymbia citriodora*	Spotted Gum	300		300	94	29.0	14.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	-	-	-	-	0	-	-	-	Remove	
24817	*Corymbia citriodora*	Spotted Gum	295		295	93	28.0	15.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	0	-	-	-	Remove	
24818	*Corymbia citriodora*	Spotted Gum	310		310	97	29.0	14.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	0	-	-	-	Remove	
24819	*Corymbia citriodora*	Spotted Gum	320		320	101	28.0	17.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	-	-	-	-	0	-	-	-	Remove	
24820	*Corymbia citriodora*	Spotted Gum	255		255	80	27.0	14.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	0	-	-	-	Remove	
24821	*Corymbia citriodora*	Spotted Gum	300		300	94	28.0	15.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	0	-	-	-	Remove	
24822	*Corymbia citriodora*	Spotted Gum	385		385	121	31.0	18.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	0	-	-	-	Remove	
24823	*Corymbia citriodora*	Spotted Gum	285		285	90	29.0	16.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	0	-	-	-	Remove	
24824	*Corymbia citriodora*	Spotted Gum	250		250	79	28.0	15.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	0	-	-	-	Remove	
24825	*Corymbia citriodora*	Spotted Gum	255		255	80	27.0	14.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	0	-	-	-	Remove	
24826	*Corymbia citriodora*	Spotted Gum	250		250	79	27.0	12.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	0	-	-	-	Remove	
24827	*Corymbia citriodora*	Spotted Gum	265		265	83	25.0	15.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	0	-	-	-	Remove	
24828	*Corymbia citriodora*	Spotted Gum	395	240, 160	424	124	27.0	15.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	0	large	-	-	Remove	
24829	*Corymbia citriodora*	Spotted Gum	310		310	97	30.0	15.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	0	-	-	-	Remove	
24830	*Eucalyptus siderophloia*	Northern Grey Ironbark	265		265	83	24.0	14.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	0	-	-	-	Remove	
24831	*Eucalyptus siderophloia*	Northern Grey Ironbark	255		255	80	27.0	14.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	0	-	-	-	Remove	
24832	*Eucalyptus siderophloia*	Northern Grey Ironbark	320		320	101	28.0	15.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	0	-	-	-	Remove	
24833	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	25.0	12.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	0	-	-	-	Remove	
24834	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	27.0	15.0	3.2	1.9	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	-	-	-	-	0	-	-	-	Remove	
24835	*Eucalyptus siderophloia*	Northern Grey Ironbark	255		255	80	28.0	14.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	0	-	-	-	Remove	
24836	*Eucalyptus siderophloia*	Northern Grey Ironbark	255		255	80	28.0	12.0	3.1	1.9	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	-	-	-	-	0	-	-	-	Remove	
24837	*Eucalyptus crebra*	Narrow-leaved Red Ironbark	265		265	83	28.0	12.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	0	-	-	-	Remove	
24838	*Eucalyptus siderophloia*	Northern Grey Ironbark	285		285	90	27.0	14.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	0	-	-	-	Remove	
24839	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	25.0	14.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	0	-	-	-	Remove	
24840	*Corymbia tessellaris*	Moreton Bay Ash	270		270	85	24.0	12.0	3.2	1.9	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	-	-	-	-	0	-	-	-	Remove	
24841	*Eucalyptus crebra*	Narrow-leaved Red Ironbark	250		250	79	27.0	14.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	0	-	Termite nest	-	Remove	
24842	*Eucalyptus moluccana*	Gum-topped Box	310		310	97	28.0	12.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	0	-	-	-	Remove	
24843	*Corymbia citriodora*	Spotted Gum	280		280	88	29.0	15.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	0	-	-	-	Remove	
24844	*Eucalyptus siderophloia*	Northern Grey Ironbark	350		350	110	30.0	14.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	0	-	-	-	Remove	
24845	*Eucalyptus crebra*	Narrow-leaved Red Ironbark	275		275	86	30.0	15.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	0	-	-	-	Remove	
24846	*Corymbia citriodora*	Spotted Gum	270		270	85	28.0	15.0	3.2	1.9	Regular	-	Thinning	-	-	-	Typical	-	-	Trunk Dmg.	-	-	-	-	-	0	-	-	-	Remove	
24847	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	24.0	15.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	0	-	-	-	Remove	
24848	*Corymbia citriodora*	Spotted Gum	310		310	97	26.0	15.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	0	-	-	-	Remove	
24849	*Corymbia citriodora*	Spotted Gum	250		250	79	28.0	15.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	0	-	-	-	Remove	
24850	*Corymbia citriodora*	Spotted Gum	275		275	86	29.0	14.0	3.3	1.9	Regular	-	Thinning	-	-	-	Typical	-	-	Trunk Dmg.	-	-	-	-	-	0	-	-	-	Remove	
24851	*Corymbia citriodora*	Spotted Gum	300		300	94	29.0	15.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	0	-	-	-	Remove	
24852	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	29.0	17.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	0	-	-	-	Remove	
24853	*Corymbia citriodora*	Spotted Gum	415		415	130	29.0	17.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	0	-	-	-	Remove	
24854	*Corymbia citriodora*	Spotted Gum	255		255	80	29.0	12.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	0	-	-	-	Remove	
24855	*Corymbia citriodora*	Spotted Gum	275		275	86	28.0	14.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	0	-	-	-	Remove	
24856	*Corymbia citriodora*	Spotted Gum	275		275	86	27.0	15.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	0	-	-	-	Remove	
24857	*Corymbia citriodora*	Spotted Gum	250		250	79	28.0	15.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	0	-	-	-	Remove	
24858	*Eucalyptus crebra*	Narrow-leaved Red Ironbark	285		285	90	26.0	15.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	0	-	-	-	Remove	
24859	**DEAD/STAG**		290		290	91	18.0	4.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	1	-	-	-	Remove	
24860	*Corymbia citriodora*	Spotted Gum	275		275	86	27.0	15.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	0	-	-	-	Remove	
24861	*Corymbia citriodora*	Spotted Gum	290	90, 90	317	99	28.0	12.0	3.8	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	0	-	-	-	Remove	
24862	*Corymbia citriodora*	Spotted Gum	260		260	82	26.0	12.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	-	-	-	-	0	-	-	-	Remove	
24863	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	27.0	12.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	-	-	-	-	0	-	-	-	Remove	
24864	*Corymbia citriodora*	Spotted Gum	280		280	88	27.0	16.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	-	-	-	-	0	-	-	-	Remove	
24865	*Corymbia citriodora*	Spotted Gum	350		350	110	30.0	17.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	-	-	-	Small	1	-	-	-	Remove	
24866	*Corymbia citriodora*	Spotted Gum	285		285	90	29.0	16.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	Small	0	-	-	-	Remove	
24867	*Corymbia citriodora*	Spotted Gum	325		325	102	30.0	17.0	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Poor	-	-	Small	1	-	-	-	Remove	

Specimen Details									Canopy Condition Details								Trunk Condition Details						Fauna Details and Habitat Value							
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
24868	*Corymbia citriodora*	Spotted Gum	300		300	94	28.0	16.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
24869	*Corymbia citriodora*	Spotted Gum	280		280	88	27.0	15.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
24870	*Corymbia citriodora*	Spotted Gum	300		300	94	28.0	15.0	3.6	2.0	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
24871	*Corymbia citriodora*	Spotted Gum	260		260	82	30.0	15.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
24872	*Corymbia citriodora*	Spotted Gum	305		305	96	30.0	17.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
24873	*Corymbia citriodora*	Spotted Gum	275		275	86	28.0	17.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
24874	**DEAD/STAG**		300		300	94	20.0	4.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
24875	*Corymbia citriodora*	Spotted Gum	250		250	79	28.0	15.0	3.0	1.8	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
24876	*Corymbia citriodora*	Spotted Gum	250		250	79	27.0	12.0	3.0	1.8	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
24877	*Corymbia citriodora*	Spotted Gum	310		310	97	30.0	17.0	3.7	2.0	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
24878	*Corymbia citriodora*	Spotted Gum	290		290	91	30.0	16.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
24879	*Corymbia citriodora*	Spotted Gum	280		280	88	29.0	15.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
24880	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	30.0	15.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
24881	*Corymbia citriodora*	Spotted Gum	250		250	79	30.0	15.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
24882	*Corymbia citriodora*	Spotted Gum	330		330	104	28.0	16.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
24883	*Eucalyptus moluccana*	Gum-topped Box	410		410	129	31.0	19.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
24884	*Corymbia citriodora*	Spotted Gum	255	220	337	106	30.0	17.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
24885	*Corymbia citriodora*	Spotted Gum	250		250	79	26.0	14.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
24886	*Corymbia citriodora*	Spotted Gum	255		255	80	27.0	14.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
24887	*Corymbia citriodora*	Spotted Gum	260		260	82	12.0	5.0	3.1	1.9	Regular	-	-	-	-	Lopped	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	-	damage to tree, no crown
24888	**DEAD/STAG**		305		305	96	27.0	14.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
24889	*Corymbia citriodora*	Spotted Gum	255		255	80	27.0	15.0	3.1	1.9	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
24890	*Corymbia citriodora*	Spotted Gum	315		315	99	28.0	16.0	3.8	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
24891	*Corymbia citriodora*	Spotted Gum	340		340	107	30.0	14.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
24892	*Corymbia citriodora*	Spotted Gum	305		305	96	26.0	16.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
24893	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	28.0	15.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
24894	*Corymbia citriodora*	Spotted Gum	260		260	82	22.0	14.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
24894	*Corymbia citriodora*	Spotted Gum	250		250	79	27.0	12.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
24895	*Corymbia citriodora*	Spotted Gum	320	200	320	101	27.0	15.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
24896	*Corymbia citriodora*	Spotted Gum	310		310	97	28.0	16.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24897	*Corymbia citriodora*	Spotted Gum	270		270	85	26.0	14.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24898	*Corymbia citriodora*	Spotted Gum	300		300	94	29.0	15.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
24899	*Corymbia citriodora*	Spotted Gum	260		260	82	25.0	14.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24900	*Corymbia citriodora*	Spotted Gum	270		270	85	29.0	14.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24901	*Corymbia citriodora*	Spotted Gum	290		290	91	29.0	17.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24902	*Corymbia citriodora*	Spotted Gum	285		285	90	30.0	15.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24903	*Eucalyptus siderophloia*	Northern Grey Ironbark	285		285	90	29.0	15.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24904	*Corymbia citriodora*	Spotted Gum	305		305	96	30.0	17.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24905	*Corymbia citriodora*	Spotted Gum	240		240	75	24.0	14.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24906	*Corymbia citriodora*	Spotted Gum	340		340	107	32.0	18.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24907	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	25.0	12.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24908	*Corymbia citriodora*	Spotted Gum	255		255	80	27.0	12.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24909	*Corymbia citriodora*	Spotted Gum	290		290	91	28.0	15.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24910	*Eucalyptus moluccana*	Gum-topped Box	265		265	83	27.0	14.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24911	*Eucalyptus siderophloia*	Northern Grey Ironbark	320		320	101	29.0	16.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24912	*Corymbia citriodora*	Spotted Gum	255		255	80	29.0	15.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24913	*Corymbia citriodora*	Spotted Gum	265		265	83	28.0	12.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24914	*Corymbia citriodora*	Spotted Gum	260		260	82	28.0	15.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24915	*Corymbia citriodora*	Spotted Gum	275		275	86	30.0	16.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24916	*Corymbia citriodora*	Spotted Gum	250		250	79	24.0	12.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24917	*Corymbia citriodora*	Spotted Gum	260		260	82	26.0	14.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24918	*Corymbia citriodora*	Spotted Gum	260		260	82	24.0	15.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24919	*Corymbia citriodora*	Spotted Gum	255		255	80	27.0	14.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24920	*Eucalyptus siderophloia*	Northern Grey Ironbark	255		255	80	28.0	15.0	3.1	1.9	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24921	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	27.0	15.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24922	*Corymbia citriodora*	Spotted Gum	250		250	79	29.0	16.0	3.0	1.8	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24923	*Corymbia citriodora*	Spotted Gum	290		290	91	29.0	16.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24924	*Corymbia citriodora*	Spotted Gum	250		250	79	28.0	14.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24925	*Corymbia citriodora*	Spotted Gum	315		315	99	30.0	16.0	3.8	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24926	*Corymbia citriodora*	Spotted Gum	270		270	85	27.0	14.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24927	*Corymbia citriodora*	Spotted Gum	310		310	97	25.0	16.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24928	*Corymbia citriodora*	Spotted Gum	315		315	99	27.0	15.0	3.8	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24929	*Corymbia citriodora*	Spotted Gum	300		300	94	28.0	15.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24930	*Eucalyptus siderophloia*	Northern Grey Ironbark	320		320	101	29.0	16.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24931	*Corymbia citriodora*	Spotted Gum	365		365	115	29.0	16.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
24932	*Eucalyptus siderophloia*	Northern Grey Ironbark	330		330	104	29.0	17.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24933	*Eucalyptus siderophloia*	Northern Grey Ironbark	350		350	110	30.0	17.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
24934	*Corymbia citriodora*	Spotted Gum	250		250	101	27.0	15.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24935	*Corymbia intermedia*	Pink Bloodwood	265		265	83	28.0	15.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	

Tree ID	Botanical Name	Common Name	Specimen Details							Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Retention	Additional Notes
			Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) (AS 4970-2009)	Trunk Circumference (cm) (AS 4970-2009)	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	
24936	*Corymbia citriodora*	Spotted Gum	255			80	28.0	15.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24937	*Angophora leiocarpa*	Rusty Gum	335			105	24.0	12.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24938	*Corymbia citriodora*	Spotted Gum	310			97	29.0	15.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24939	*Corymbia citriodora*	Spotted Gum	255			80	27.0	14.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24940	*Corymbia citriodora*	Spotted Gum	265			83	24.0	10.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	one trunk previously lopped
24941	*Eucalyptus siderophloia*	Northern Grey Ironbark	270	115	293	92	28.0	14.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24942	*Corymbia citriodora*	Spotted Gum	250		250	79	27.0	14.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24943	*Eucalyptus siderophloia*	Northern Grey Ironbark	305		305	96	29.0	16.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24944	*Corymbia citriodora*	Spotted Gum	335		335	105	30.0	16.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24945	*Corymbia citriodora*	Spotted Gum	335		335	105	26.0	14.0	4.0	2.1	Regular	-	-	-	-	Lopped	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24946	*Corymbia citriodora*	Spotted Gum	305		305	96	27.0	15.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24947	*Corymbia citriodora*	Spotted Gum	290		290	91	30.0	14.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
24948	*Corymbia citriodora*	Spotted Gum	250		250	79	28.0	14.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
24949	*Corymbia citriodora*	Spotted Gum	265		265	83	25.0	15.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24950	*Corymbia citriodora*	Spotted Gum	280	35	282	89	29.0	14.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
24951	*Corymbia citriodora*	Spotted Gum	270		270	85	27.0	16.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24952	*Corymbia citriodora*	Spotted Gum	245		245	77	24.0	15.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24953	*Corymbia citriodora*	Spotted Gum	250		250	79	26.0	15.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24954	*Corymbia citriodora*	Spotted Gum	255		255	80	25.0	14.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24955	*Corymbia citriodora*	Spotted Gum	270		270	85	27.0	15.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24956	*Corymbia citriodora*	Spotted Gum	275		275	86	27.0	15.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24957	*Corymbia citriodora*	Spotted Gum	275		275	86	28.0	15.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24958	*Corymbia citriodora*	Spotted Gum	250		250	79	27.0	14.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24959	*Corymbia citriodora*	Spotted Gum	300		300	94	27.0	14.0	3.6	2.0	Regular	-	-	-	Epicormic	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
24960	*Corymbia citriodora*	Spotted Gum	270		270	85	29.0	14.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24961	*Corymbia citriodora*	Spotted Gum	255		255	80	29.0	14.0	3.1	1.9	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24962	*Corymbia citriodora*	Spotted Gum	310		310	97	29.0	15.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24963	*Corymbia citriodora*	Spotted Gum	265		265	83	27.0	14.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24964	*Corymbia citriodora*	Spotted Gum	250		250	79	26.0	14.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24965	*Corymbia citriodora*	Spotted Gum	320		320	101	28.0	16.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24966	*Angophora leiocarpa*	Rusty Gum	390		390	123	30.0	19.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24967	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	29.0	16.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24968	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	28.0	14.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24969	*Eucalyptus siderophloia*	Northern Grey Ironbark	275		275	86	27.0	14.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24970	*Corymbia intermedia*	Pink Bloodwood	260	230	347	109	28.0	14.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24971	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	27.0	16.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24972	*Corymbia citriodora*	Spotted Gum	250		250	79	24.0	15.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24973	*Corymbia citriodora*	Spotted Gum	270		270	85	28.0	14.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24974	*Corymbia citriodora*	Spotted Gum	270		270	85	28.0	15.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24975	*Eucalyptus siderophloia*	Northern Grey Ironbark	290		290	91	28.0	16.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24976	*Corymbia citriodora*	Spotted Gum	270		270	85	30.0	14.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24977	*Corymbia citriodora*	Spotted Gum	250		250	79	27.0	14.0	3.0	1.8	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24978	*Eucalyptus creba*	Narrow-leaved Red Ironbark	250		250	79	26.0	14.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24979	*Angophora leiocarpa*	Rusty Gum	285		285	90	30.0	16.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24980	*Corymbia citriodora*	Spotted Gum	265		265	83	28.0	16.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24981	*Corymbia citriodora*	Spotted Gum	280		280	88	29.0	16.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24982	*Corymbia citriodora*	Spotted Gum	260		260	82	28.0	15.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24983	*Corymbia citriodora*	Spotted Gum	285		285	90	26.0	9.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24984	*Corymbia citriodora*	Spotted Gum	300		300	94	29.0	17.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24985	*Eucalyptus moluccana*	Gum-topped Box	350		350	110	28.0	16.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24986	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	25.0	14.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24987	*Corymbia citriodora*	Spotted Gum	260		260	82	25.0	14.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24988	*Corymbia citriodora*	Spotted Gum	270		270	85	27.0	14.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24989	*Corymbia citriodora*	Spotted Gum	335		335	105	26.0	15.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24990	*Eucalyptus creba*	Narrow-leaved Red Ironbark	255		255	80	24.0	15.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24991	*Eucalyptus siderophloia*	Northern Grey Ironbark	290		290	91	28.0	14.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24992	*Eucalyptus siderophloia*	Northern Grey Ironbark	255		255	80	28.0	12.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24993	*Corymbia citriodora*	Spotted Gum	405		405	127	30.0	18.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24994	*Corymbia citriodora*	Spotted Gum	275		275	86	29.0	16.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24995	*Corymbia citriodora*	Spotted Gum	245		245	77	28.0	14.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24996	*Corymbia citriodora*	Spotted Gum	265		265	83	18.0	14.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24997	*Corymbia citriodora*	Spotted Gum	355		355	112	28.0	15.0	4.3	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24998	*Corymbia citriodora*	Spotted Gum	235		235	74	25.0	14.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
24999	*Eucalyptus seeana*	Narrow-leaved Red Gum	280		280	88	25.0	14.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
25000	*Corymbia citriodora*	Spotted Gum	240		240	75	27.0	15.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
25001	*Corymbia citriodora*	Spotted Gum	260		260	82	26.0	15.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
25002	*Corymbia citriodora*	Spotted Gum	265		265	83	18.0	9.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	1	-	-	-	Remove	Isolkeet nesting in hollow
25003	*Corymbia citriodora*	Spotted Gum	270		270	85	29.0	12.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	

Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Z5004	*Corymbia citriodora*	Spotted Gum	300		300	94	28.0	12.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5005	*Eucalyptus siderophloia*	Northern Grey Ironbark	320		320	101	26.0	15.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5006	*Corymbia citriodora*	Spotted Gum	270		270	85	27.0	14.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5007	*Corymbia citriodora*	Spotted Gum	305		305	96	30.0	16.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5008	*Corymbia citriodora*	Spotted Gum	310		310	97	28.0	15.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5009	*Corymbia citriodora*	Spotted Gum	260		260	82	27.0	12.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
Z5010	*Corymbia citriodora*	Spotted Gum	290	220	364	114	26.0	15.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
Z5011	*Corymbia citriodora*	Spotted Gum	240		240	75	24.0	12.0	2.9	1.8	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
Z5012	*Corymbia citriodora*	Spotted Gum	280		280	88	30.0	14.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5013	*Corymbia citriodora*	Spotted Gum	330		330	104	27.0	12.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5014	*Corymbia citriodora*	Spotted Gum	335		335	105	28.0	14.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5015	*Corymbia citriodora*	Spotted Gum	250		250	79	24.0	14.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5016	*Corymbia citriodora*	Spotted Gum	325		325	102	26.0	14.0	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5017	*Corymbia citriodora*	Spotted Gum	250		250	79	29.0	15.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5018	*Corymbia citriodora*	Spotted Gum	245		245	77	23.0	10.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5019	*Corymbia citriodora*	Spotted Gum	300		300	94	28.0	15.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5020	*Eucalyptus siderophloia*	Northern Grey Ironbark	265		265	83	25.0	14.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5021	**DEAD/STAG**		260		260	82	22.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	2	-	-	-	Remove	
Z5022	*Corymbia citriodora*	Spotted Gum	275		275	86	30.0	14.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5023	*Corymbia citriodora*	Spotted Gum	250		250	79	27.0	12.0	3.0	1.8	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5024	*Corymbia citriodora*	Spotted Gum	275		275	86	28.0	14.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5025	*Corymbia citriodora*	Spotted Gum	300		300	94	26.0	15.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
Z5026	*Corymbia citriodora*	Spotted Gum	270		270	85	27.0	14.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5027	*Angophora leiocarpa*	Rusty Gum	255		255	80	28.0	14.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5028	*Corymbia citriodora*	Spotted Gum	315		315	99	29.0	15.0	3.8	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5029	*Corymbia citriodora*	Spotted Gum	255		255	80	27.0	15.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5030	*Corymbia citriodora*	Spotted Gum	285		285	90	28.0	14.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5031	*Corymbia citriodora*	Spotted Gum	260		260	82	29.0	14.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5032	*Corymbia citriodora*	Spotted Gum	250		250	79	29.0	14.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5033	**DEAD/STAG**		260		260	82	20.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	1	-	-	-	Remove	
Z5034	*Corymbia citriodora*	Spotted Gum	240		240	75	28.0	15.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5035	*Corymbia citriodora*	Spotted Gum	360		360	113	29.0	14.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
Z5036	*Corymbia citriodora*	Spotted Gum	275		275	86	30.0	15.0	3.3	1.9	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5037	**DEAD/STAG**		285		285	90	27.0	12.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5038	*Corymbia citriodora*	Spotted Gum	250		250	79	27.0	14.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5039	*Corymbia citriodora*	Spotted Gum	350		350	110	32.0	17.0	4.2	2.1	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5040	*Corymbia citriodora*	Spotted Gum	305		305	96	29.0	16.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5041	**DEAD/STAG**		250		250	79	16.0	2.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	1	-	-	-	Remove	
Z5042	*Corymbia citriodora*	Spotted Gum	270		270	85	30.0	14.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5043	*Corymbia citriodora*	Spotted Gum	345		345	108	32.0	16.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5044	*Corymbia citriodora*	Spotted Gum	290		290	91	28.0	15.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5045	*Corymbia citriodora*	Spotted Gum	270		270	85	31.0	14.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5046	*Corymbia citriodora*	Spotted Gum	260		260	82	27.0	12.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5047	*Corymbia citriodora*	Spotted Gum	300		300	94	30.0	17.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5048	*Corymbia citriodora*	Spotted Gum	280		280	88	27.0	14.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5049	*Corymbia tessellaris*	Moreton Bay Ash	300		300	94	28.0	18.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5050	*Corymbia citriodora*	Spotted Gum	255		255	80	28.0	14.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5051	*Eucalyptus siderophloia*	Northern Grey Ironbark	310		310	97	31.0	18.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5052	*Corymbia citriodora*	Spotted Gum	260		260	82	31.0	15.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5053	*Eucalyptus siderophloia*	Northern Grey Ironbark	430		430	135	34.0	18.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5054	*Corymbia citriodora*	Spotted Gum	265		265	83	28.0	15.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5055	*Eucalyptus seeana*	Narrow-leaved Red Gum	265		265	83	27.0	14.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5056	*Corymbia citriodora*	Spotted Gum	300		300	94	30.0	14.0	3.6	2.0	Regular	-	Thinning	-	-	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5057	*Corymbia citriodora*	Spotted Gum	275		275	86	28.0	14.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5058	*Corymbia citriodora*	Spotted Gum	330		330	104	31.0	16.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5059	*Corymbia citriodora*	Spotted Gum	250		250	79	28.0	15.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5060	*Corymbia citriodora*	Spotted Gum	300		300	94	31.0	16.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5061	*Corymbia citriodora*	Spotted Gum	285		285	90	29.0	15.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5062	*Corymbia citriodora*	Spotted Gum	280		280	88	29.0	14.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5063	*Corymbia citriodora*	Spotted Gum	285		285	90	28.0	16.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5064	*Corymbia citriodora*	Spotted Gum	260		260	82	27.0	14.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5065	*Corymbia citriodora*	Spotted Gum	255		255	80	27.0	14.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5066	*Corymbia citriodora*	Spotted Gum	280		280	88	27.0	14.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5067	*Corymbia citriodora*	Spotted Gum	325		325	102	28.0	14.0	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5068	*Corymbia citriodora*	Spotted Gum	300		300	94	28.0	15.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5069	*Eucalyptus siderophloia*	Northern Grey Ironbark	290		290	91	30.0	17.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5070	*Corymbia citriodora*	Spotted Gum	300		300	94	26.0	17.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5071	*Corymbia citriodora*	Spotted Gum	300		300	94	30.0	16.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	

Tree ID	Botanical Name	Common Name	Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value							Retention	Additional Notes
			Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value		
Z5072	*Corymbia citriodora*	Spotted Gum	265		265	83	21.0	12.0	3.2	1.9	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5073	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	25.0	14.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5074	*Eucalyptus siderophloia*	Northern Grey Ironbark	235		235	74	24.0	10.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5075	*Corymbia citriodora*	Spotted Gum	250		250	79	24.0	12.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5076	*Angophora leiocarpa*	Rusty Gum	300		300	94	26.0	14.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5077	*Corymbia citriodora*	Spotted Gum	290		290	91	27.0	14.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5078	**DEAD/STAG**		320		320	101	26.0	15.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Small	1	-	-	-	-	Remove	
Z5079	*Angophora leiocarpa*	Rusty Gum	300		300	94	32.0	16.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5080	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	28.0	15.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5081	*Corymbia citriodora*	Spotted Gum	240		240	75	26.0	15.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5082	*Corymbia citriodora*	Spotted Gum	270		270	85	29.0	16.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5083	*Eucalyptus siderophloia*	Northern Grey Ironbark	320		320	101	29.0	15.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5084	*Corymbia citriodora*	Spotted Gum	300		300	94	31.0	16.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5085	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	30.0	17.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5086	*Corymbia citriodora*	Spotted Gum	295		295	93	30.0	14.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5087	*Acacia excelsa*	Ironwood	280		280	88	12.0	10.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
Z5088	*Corymbia citriodora*	Spotted Gum	260		260	82	30.0	15.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5089	*Corymbia citriodora*	Spotted Gum	285		285	90	29.0	14.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5090	*Corymbia citriodora*	Spotted Gum	265		265	83	24.0	8.0	3.2	1.9	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5091	**DEAD/STAG**		255		255	80	27.0	10.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5092	*Corymbia citriodora*	Spotted Gum	270		270	85	30.0	15.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5093	*Angophora leiocarpa*	Rusty Gum	310		310	97	26.0	15.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
Z5094	*Corymbia citriodora*	Spotted Gum	235		235	74	21.0	10.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5095	*Corymbia citriodora*	Spotted Gum	285		285	90	29.0	15.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5096	*Corymbia citriodora*	Spotted Gum	300		300	94	18.0	14.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5097	*Corymbia citriodora*	Spotted Gum	300		300	94	27.0	15.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5098	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	20.0	14.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5099	*Angophora leiocarpa*	Rusty Gum	300		300	94	20.0	14.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5100	*Eucalyptus siderophloia*	Northern Grey Ironbark	290		290	91	20.0	14.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5101	*Angophora leiocarpa*	Rusty Gum	300		300	94	22.0	15.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5102	*Corymbia intermedia*	Pink Bloodwood	275	150	313	98	18.0	12.0	3.8	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5103	*Corymbia citriodora*	Spotted Gum	270		270	85	17.0	12.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5104	*Eucalyptus crebra*	Narrow-leaved Red Ironbark	270		270	85	19.0	14.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5105	*Corymbia citriodora*	Spotted Gum	280		280	88	21.0	15.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5106	*Corymbia citriodora*	Spotted Gum	290		290	91	23.0	15.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5107	*Angophora leiocarpa*	Rusty Gum	290		290	91	24.0	16.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5108	*Corymbia citriodora*	Spotted Gum	285		285	90	24.0	14.0	3.4	2.0	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5109	*Corymbia citriodora*	Spotted Gum	270		270	85	21.0	14.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5110	*Angophora leiocarpa*	Rusty Gum	325		325	102	28.0	18.0	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5111	*Corymbia citriodora*	Spotted Gum	290		290	91	24.0	15.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5112	*Eucalyptus crebra*	Narrow-leaved Red Ironbark	270		270	85	23.0	14.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5113	*Eucalyptus siderophloia*	Northern Grey Ironbark	355		355	112	23.0	17.0	4.3	2.1	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5114	*Corymbia citriodora*	Spotted Gum	260		260	82	24.0	16.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5115	*Corymbia citriodora*	Spotted Gum	550		550	173	22.0	19.0	6.6	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Small	3	-	-	-	-	Remove	
Z5116	*Eucalyptus siderophloia*	Northern Grey Ironbark	310		310	97	24.0	14.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
Z5117	*Corymbia citriodora*	Spotted Gum	250		250	79	23.0	12.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5118	*Corymbia citriodora*	Spotted Gum	290		290	91	22.0	15.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5119	*Corymbia citriodora*	Spotted Gum	290		290	91	25.0	12.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5120	*Corymbia citriodora*	Spotted Gum	290		290	91	23.0	14.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5121	*Corymbia citriodora*	Spotted Gum	305		305	96	25.0	15.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5122	*Corymbia citriodora*	Spotted Gum	290		290	91	25.0	14.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
Z5123	*Corymbia citriodora*	Spotted Gum	310		310	97	25.0	16.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5124	*Corymbia citriodora*	Spotted Gum	250	130	282	89	22.0	14.0	3.4	1.9	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5125	*Corymbia citriodora*	Spotted Gum	285		285	90	24.0	14.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5126	*Corymbia citriodora*	Spotted Gum	310		310	97	26.0	14.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5127	*Corymbia citriodora*	Spotted Gum	310		310	97	25.0	14.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5128	*Corymbia citriodora*	Spotted Gum	280		280	88	25.0	12.0	3.4	1.9	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5129	*Corymbia citriodora*	Spotted Gum	310		310	97	24.0	15.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5130	*Corymbia citriodora*	Spotted Gum	270		270	85	23.0	15.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5131	*Corymbia citriodora*	Spotted Gum	290		290	91	25.0	14.0	3.5	2.0	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5132	*Corymbia citriodora*	Spotted Gum	275		275	86	26.0	14.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5133	*Corymbia citriodora*	Spotted Gum	305		305	96	25.0	14.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5134	*Corymbia citriodora*	Spotted Gum	275		275	86	27.0	14.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5135	*Corymbia citriodora*	Spotted Gum	285		285	90	27.0	15.0	3.4	2.0	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5136	**DEAD/STAG**		310		310	97	16.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Small	1	-	Termite nest	-	-	Remove	
Z5137	*Corymbia citriodora*	Spotted Gum	250		250	79	24.0	14.0	3.0	1.8	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5138	*Corymbia citriodora*	Spotted Gum	305		305	96	25.0	15.0	3.7	2.0	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5139	*Corymbia citriodora*	Spotted Gum	270		270	85	25.0	15.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	

Specimen Details								Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
Z5140	*Corymbia citriodora*	Spotted Gum	260		260	82	27.0	15.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5141	*Corymbia citriodora*	Spotted Gum	250		250	79	25.0	14.0	3.0	1.8	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5142	*Corymbia citriodora*	Spotted Gum	270		270	85	26.0	15.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
Z5143	*Corymbia citriodora*	Spotted Gum	255		255	80	26.0	14.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5144	*Corymbia citriodora*	Spotted Gum	380		380	119	27.0	16.0	4.6	2.2	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5145	*Corymbia citriodora*	Spotted Gum	285		285	90	8.0	1.0	3.4	2.0	Regular	-	-	-	Epicormic	Lopped	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	trunk damaged missing crown
Z5146	*Eucalyptus seeana*	Narrow-leaved Red Gum	310		310	97	24.0	14.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	1	-	Termite nest	-	Remove	
Z5147	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	18.0	15.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
Z5148	*Corymbia citriodora*	Spotted Gum	305		305	96	27.0	16.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5149	*Corymbia citriodora*	Spotted Gum	320		320	101	25.0	14.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5150	*Corymbia citriodora*	Spotted Gum	280		280	88	26.0	14.0	3.4	1.9	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5151	*Corymbia citriodora*	Spotted Gum	280		280	88	28.0	15.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5152	*Corymbia citriodora*	Spotted Gum	280		280	88	24.0	14.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5153	**DEAD/STAG**		270		270	85	12.0	2.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	Small	1	-	-	Remove	
Z5154	*Eucalyptus siderophloia*	Northern Grey Ironbark	610		610	192	29.0	20.0	7.3	2.7	Regular	-	Thinning	-	Epicormic	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	Small	3	-	-	-	Remove	
Z5155	*Corymbia citriodora*	Spotted Gum	255		255	80	26.0	12.0	3.1	1.9	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5156	*Corymbia citriodora*	Spotted Gum	325		325	102	28.0	16.0	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5157	*Corymbia citriodora*	Spotted Gum	270		270	85	24.0	14.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
Z5158	*Corymbia citriodora*	Spotted Gum	340		340	107	28.0	16.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5159	*Eucalyptus crebra*	Narrow-leaved Red Ironbark	280		280	88	23.0	14.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5160	*Corymbia citriodora*	Spotted Gum	250		250	79	22.0	12.0	3.0	1.8	Regular	-	-	-	Epicormic	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
Z5161	*Corymbia citriodora*	Spotted Gum	265		265	83	23.0	14.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5162	*Corymbia citriodora*	Spotted Gum	270		270	85	29.0	15.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5163	*Corymbia citriodora*	Spotted Gum	265		265	83	28.0	14.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5164	*Corymbia citriodora*	Spotted Gum	280		280	88	23.0	14.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5165	*Corymbia citriodora*	Spotted Gum	310		310	97	27.0	17.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5166	*Corymbia citriodora*	Spotted Gum	280		280	88	27.0	15.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5167	*Corymbia citriodora*	Spotted Gum	310		310	97	26.0	14.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5168	*Corymbia citriodora*	Spotted Gum	310		310	97	26.0	14.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5169	*Corymbia citriodora*	Spotted Gum	260		260	82	25.0	15.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5170	*Corymbia citriodora*	Spotted Gum	255		255	80	25.0	12.0	3.1	1.9	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5171	*Corymbia citriodora*	Spotted Gum	310		310	97	26.0	16.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5172	*Corymbia citriodora*	Spotted Gum	285		285	90	27.0	15.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5173	*Corymbia citriodora*	Spotted Gum	270		270	85	27.0	16.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5174	*Corymbia citriodora*	Spotted Gum	260		260	82	24.0	14.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5175	*Corymbia citriodora*	Spotted Gum	280		280	88	28.0	14.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5176	*Corymbia citriodora*	Spotted Gum	280		280	88	25.0	15.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5177	*Corymbia citriodora*	Spotted Gum	300		300	94	29.0	16.0	3.6	2.0	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5178	*Corymbia citriodora*	Spotted Gum	250		250	79	24.0	12.0	3.0	1.8	Regular	-	Die-back	-	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5179	*Corymbia citriodora*	Spotted Gum	290		290	91	27.0	15.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5180	*Corymbia citriodora*	Spotted Gum	270		270	85	26.0	15.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5181	*Eucalyptus siderophloia*	Northern Grey Ironbark	320		320	101	30.0	17.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5182	*Corymbia citriodora*	Spotted Gum	290		290	91	27.0	17.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5183	*Corymbia intermedia*	Pink Bloodwood	400		400	126	28.0	18.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5184	*Corymbia intermedia*	Pink Bloodwood	260		260	82	26.0	15.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5185	*Eucalyptus siderophloia*	Northern Grey Ironbark	345		345	108	30.0	16.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5186	**DEAD/STAG**		430		430	135	14.0	1.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	Small	1	-	-	Remove	
Z5187	*Lophostemon suaveolens*	Swamp Box	250		250	79	21.0	12.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5188	*Corymbia intermedia*	Pink Bloodwood	325		325	102	28.0	16.0	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5189	*Eucalyptus siderophloia*	Northern Grey Ironbark	320		320	101	25.0	12.0	3.8	2.1	Regular	-	-	-	-	-	Typical	Major	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5190	*Corymbia citriodora*	Spotted Gum	295		295	93	27.0	15.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5191	*Corymbia intermedia*	Pink Bloodwood	270		270	85	26.0	14.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5192	*Corymbia citriodora*	Spotted Gum	250		250	79	22.0	14.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5193	*Corymbia intermedia*	Pink Bloodwood	260		260	82	28.0	15.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5194	*Corymbia citriodora*	Spotted Gum	280		280	88	28.0	16.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5195	*Corymbia intermedia*	Pink Bloodwood	280		280	88	26.0	15.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5196	*Corymbia citriodora*	Spotted Gum	290		290	91	30.0	16.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5197	*Eucalyptus siderophloia*	Northern Grey Ironbark	265		265	83	28.0	15.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5198	*Eucalyptus siderophloia*	Northern Grey Ironbark	335		335	105	29.0	17.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5199	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	29.0	16.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
Z5200	*Corymbia citriodora*	Spotted Gum	250		250	79	25.0	14.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
Z5201	*Eucalyptus siderophloia*	Northern Grey Ironbark	370		370	116	32.0	17.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5202	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	29.0	16.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5203	*Eucalyptus siderophloia*	Northern Grey Ironbark	290		290	91	27.0	16.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5204	*Corymbia citriodora*	Spotted Gum	260		260	82	28.0	16.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5205	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	27.0	16.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5206	*Eucalyptus crebra*	Narrow-leaved Red Ironbark	350		350	110	28.0	17.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z5207	*Corymbia intermedia*	Pink Bloodwood	290		290	91	30.0	17.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	

Tree ID	Botanical Name	Common Name	Specimen Details								Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value							Additional Notes	Retention
			Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value		
Z5208	*Eucalyptus crebra*	Narrow-leaved Red Ironbark	305		305	96	30.0	16.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
Z5209	*Eucalyptus siderophloia*	Northern Grey Ironbark	335		335	105	28.0	19.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
Z5210	*Lophostemon suaveolens*	Swamp Box	255		255	80	21.0	12.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
Z5211	*Eucalyptus crebra*	Narrow-leaved Red Ironbark	300		300	94	29.0	17.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
Z5212	*Corymbia intermedia*	Pink Bloodwood	250		250	79	27.0	15.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
Z5213	*Corymbia intermedia*	Pink Bloodwood	300		300	94	29.0	16.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
Z5214	*Corymbia citriodora*	Spotted Gum	330		330	104	30.0	18.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
Z5215	*Corymbia citriodora*	Spotted Gum	280		280	88	29.0	16.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
Z5216	*Eucalyptus crebra*	Narrow-leaved Red Ironbark	340		340	107	31.0	15.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
Z5217	*Eucalyptus siderophloia*	Northern Grey Ironbark	355		355	112	33.0	17.0	4.3	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
Z5218	*Corymbia intermedia*	Pink Bloodwood	300		300	94	25.0	16.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
Z5219	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	28.0	15.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-		Remove
Z5220	*Eucalyptus siderophloia*	Northern Grey Ironbark	290		290	91	29.0	15.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
Z5221	*Eucalyptus microcorys*	Tallowwood	270		270	85	24.0	15.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
Z5222	*Eucalyptus crebra*	Narrow-leaved Red Ironbark	320		320	101	28.0	16.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
Z5223	*Eucalyptus siderophloia*	Northern Grey Ironbark	320		320	101	30.0	17.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
Z5224	*Corymbia tactiphora*	Brown Bloodwood	360		360	113	26.0	17.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
Z5225	*Corymbia citriodora*	Spotted Gum	350		350	110	31.0	17.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
Z5226	*Corymbia citriodora*	Spotted Gum	270		270	85	26.0	17.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
Z5227	*Eucalyptus siderophloia*	Northern Grey Ironbark	285		285	90	28.0	17.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
Z5228	*Corymbia citriodora*	Spotted Gum	335		335	105	29.0	18.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-		Remove
Z5229	*Eucalyptus siderophloia*	Northern Grey Ironbark	310		310	97	29.0	16.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
Z5230	*Corymbia citriodora*	Spotted Gum	265		265	83	15.0	12.0	3.2	1.9	Regular	-	-	-	-	Lopped	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
Z5231	*Corymbia citriodora*	Spotted Gum	280		280	88	12.0	4.0	3.4	1.9	Regular	-	-	-	-	Lopped	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
Z5232	*Corymbia citriodora*	Spotted Gum	300		300	94	26.0	14.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
Z5233	*Corymbia citriodora*	Spotted Gum	315		315	99	24.0	15.0	3.8	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
Z5234	*Corymbia citriodora*	Spotted Gum	310		310	97	25.0	14.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
Z5235	*Corymbia citriodora*	Spotted Gum	305		305	96	28.0	14.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-		Remove
Z5236	*Corymbia citriodora*	Spotted Gum	260		260	82	24.0	12.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
Z5237	*Corymbia citriodora*	Spotted Gum	260		260	82	18.0	12.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-		Remove
Z5238	*Corymbia citriodora*	Spotted Gum	260		260	82	24.0	14.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
Z5239	*Corymbia citriodora*	Spotted Gum	300		300	94	25.0	15.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
Z5240	*Corymbia citriodora*	Spotted Gum	280		280	88	24.0	14.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
Z5241	*Corymbia citriodora*	Spotted Gum	310		310	97	25.0	17.0	3.7	2.0	Regular	-	-	-	epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
Z5242	*Corymbia citriodora*	Spotted Gum	270		270	85	18.0	10.0	3.2	1.9	Regular	-	-	-	-	Lopped	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-		Remove
Z5243	*Corymbia citriodora*	Spotted Gum	265		265	83	17.0	14.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
Z5244	*Corymbia citriodora*	Spotted Gum	375	265	459	144	28.0	17.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	smaller trunk dead	Remove
Z5245	*Corymbia tessellaris*	Moreton Bay Ash	245		245	77	20.0	12.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
Z5246	*Corymbia citriodora*	Spotted Gum	280		280	88	30.0	15.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
Z5247	*Eucalyptus tessellaris*	Moreton Bay Ash	300		300	94	21.0	12.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
Z5248	*Eucalyptus siderophloia*	Northern Grey Ironbark	295		295	93	26.0	15.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
Z5249	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	26.0	15.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-		Remove
Z5250	*Corymbia citriodora*	Spotted Gum	255		255	80	24.0	14.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
Z5251	*Eucalyptus tessellaris*	Moreton Bay Ash	310		310	97	22.0	15.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-		Remove
Z5252	*Eucalyptus siderophloia*	Northern Grey Ironbark	295		295	93	27.0	14.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
Z5253	*Corymbia citriodora*	Spotted Gum	290		290	91	28.0	15.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
Z5254	*Corymbia citriodora*	Spotted Gum	310		310	97	28.0	14.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
Z5255	*Corymbia citriodora*	Spotted Gum	280		280	88	27.0	14.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
Z5256	*Eucalyptus crebra*	Narrow-leaved Red Ironbark	290		290	91	28.0	15.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-		Remove
Z5257	*Corymbia citriodora*	Spotted Gum	305		305	96	28.0	15.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
Z5258	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	27.0	15.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
Z5259	*Corymbia citriodora*	Spotted Gum	280		280	88	28.0	15.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
Z5260	**DEAD/STAG**		300		300	94	22.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-		Remove
Z5261	*Eucalyptus crebra*	Narrow-leaved Red Ironbark	300		300	94	29.0	16.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
Z5262	*Corymbia tessellaris*	Moreton Bay Ash	275		275	86	26.0	14.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
Z5263	*Corymbia citriodora*	Spotted Gum	270		270	85	28.0	15.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
Z5264	*Corymbia citriodora*	Spotted Gum	310		310	97	25.0	15.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
Z5265	*Corymbia citriodora*	Spotted Gum	275		275	86	28.0	14.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
Z5266	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	20.0	14.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	Small	-	-		Remove
Z5267	*Corymbia citriodora*	Spotted Gum	315		315	99	27.0	16.0	3.8	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
Z5268	*Corymbia citriodora*	Spotted Gum	290		290	91	24.0	14.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-		Remove
Z5269	*Corymbia citriodora*	Spotted Gum	305		305	96	28.0	16.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-		Remove
Z5270	*Corymbia citriodora*	Spotted Gum	305		305	96	29.0	15.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
Z5271	*Corymbia citriodora*	Spotted Gum	270		270	85	26.0	14.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
Z5272	*Corymbia citriodora*	Spotted Gum	260	205	331	104	27.0	14.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
Z5273	*Corymbia citriodora*	Spotted Gum	280		280	88	28.0	15.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
Z5274	*Corymbia citriodora*	Spotted Gum	385		385	121	27.0	12.0	4.6	2.2	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove
Z5275	*Corymbia citriodora*	Spotted Gum	250		250	79	27.0	14.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-		Remove

Specimen Details									Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								Retention	Additional Notes
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value		
25276	*Corymbia citriodora*	Spotted Gum	280		280	880	29.0	15.0	3.4	-	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
25277	*Corymbia citriodora*	Spotted Gum	270		270	850	24.0	15.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
25278	*Corymbia citriodora*	Spotted Gum	280		280	880	25.0	14.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
25279	*Corymbia citriodora*	Spotted Gum	340		340	1070	26.0	15.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
25280	*Corymbia citriodora*	Spotted Gum	345		345	1080	26.0	15.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
25281	*Corymbia citriodora*	Spotted Gum	285		285	900	26.0	14.0	3.4	2.0	Regular	-	-	-	Epicormic	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
25282	*Corymbia citriodora*	Spotted Gum	265		265	830	25.0	12.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
25283	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	940	24.0	12.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
25284	*Corymbia citriodora*	Spotted Gum	300		300	940	28.0	14.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
25285	*Corymbia citriodora*	Spotted Gum	300		300	940	27.0	15.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
25286	*Corymbia citriodora*	Spotted Gum	280		280	880	26.0	14.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
25287	*Corymbia citriodora*	Spotted Gum	280		280	880	25.0	14.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
25288	*Corymbia citriodora*	Spotted Gum	360		360	1130	30.0	17.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
25289	*Corymbia citriodora*	Spotted Gum	280		280	880	29.0	15.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
25290	*Corymbia citriodora*	Spotted Gum	285		285	900	25.0	14.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
25291	*Corymbia citriodora*	Spotted Gum	280		280	880	27.0	15.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
25292	*Corymbia citriodora*	Spotted Gum	320		320	1010	26.0	14.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
25293	*Corymbia citriodora*	Spotted Gum	305		305	960	24.0	12.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
25294	*Corymbia citriodora*	Spotted Gum	280		280	880	28.0	15.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
25295	*Eucalyptus creata*	Narrow-leaved Red Ironbark	310		310	970	29.0	14.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
25296	*Corymbia citriodora*	Spotted Gum	305		305	960	27.0	15.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
25297	*Eucalyptus creata*	Narrow-leaved Red Ironbark	415		415	1300	26.0	15.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
25298	*Eucalyptus creata*	Narrow-leaved Red Ironbark	285		285	900	26.0	14.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
25299	*Corymbia citriodora*	Spotted Gum	285		285	900	27.0	15.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
25300	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	940	25.0	14.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
25301	*Corymbia citriodora*	Spotted Gum	310		310	970	28.0	14.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
25302	*Corymbia citriodora*	Spotted Gum	305		305	960	28.0	15.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	Small	Termite nest	-	Remove	
25303	*Eucalyptus siderophloia*	Northern Grey Ironbark	290		290	910	25.0	14.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
25304	*Corymbia citriodora*	Spotted Gum	320		320	1010	30.0	16.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
25305	*Corymbia citriodora*	Spotted Gum	290		290	910	29.0	12.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
25306	*Corymbia citriodora*	Spotted Gum	310		310	970	30.0	14.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
25307	*Corymbia citriodora*	Spotted Gum	300	200	361	1130	28.0	15.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
25308	*Eucalyptus crebra*	Narrow-leaved Red Ironbark	265		265	830	25.0	14.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	Small	Termite nest	-	Remove	nest in termite nest
25309	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	820	25.0	14.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
25310	*Corymbia citriodora*	Spotted Gum	340		340	1070	28.0	15.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
25311	*Corymbia citriodora*	Spotted Gum	255		255	800	23.0	15.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
25312	*Corymbia citriodora*	Spotted Gum	285		285	900	27.0	15.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
25313	*Corymbia citriodora*	Spotted Gum	260		260	820	30.0	12.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
25314	*Corymbia citriodora*	Spotted Gum	305		305	960	26.0	14.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
25315	*Corymbia citriodora*	Spotted Gum	310		310	970	29.0	15.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
25316	*Angophora leiocarpa*	Rusty Gum	310		310	970	29.0	16.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
25317	*Eucalyptus siderophloia*	Northern Grey Ironbark	365		365	1150	27.0	15.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
25318	*Corymbia citriodora*	Spotted Gum	295		295	930	30.0	16.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
25319	*Corymbia citriodora*	Spotted Gum	280		280	880	27.0	14.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
25320	*Corymbia citriodora*	Spotted Gum	320		320	1010	31.0	17.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
25321	*Corymbia citriodora*	Spotted Gum	290		290	910	27.0	14.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
25322	*Corymbia citriodora*	Spotted Gum	305		305	960	28.0	16.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
25323	*Corymbia citriodora*	Spotted Gum	335		335	1050	30.0	16.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
25324	*Corymbia citriodora*	Spotted Gum	250		250	790	23.0	15.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
25325	*Corymbia citriodora*	Spotted Gum	290		290	910	28.0	15.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
25326	*Corymbia citriodora*	Spotted Gum	280		280	880	27.0	14.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
25327	*Eucalyptus siderophloia*	Northern Grey Ironbark	340		340	1070	24.0	14.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
25328	*Corymbia citriodora*	Spotted Gum	260	250	361	1130	28.0	15.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
25329	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	880	25.0	14.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
25330	*Corymbia citriodora*	Spotted Gum	290		290	910	28.0	14.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
25331	*Eucalyptus siderophloia*	Northern Grey Ironbark	330		330	1040	30.0	15.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
25332	*Corymbia citriodora*	Spotted Gum	280	120	305	960	30.0	16.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
25333	*Eucalyptus siderophloia*	Northern Grey Ironbark	275		275	860	29.0	15.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
25334	*Corymbia citriodora*	Spotted Gum	260	140	295	930	29.0	15.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
25335	*Corymbia citriodora*	Spotted Gum	300		300	940	26.0	16.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
25336	*Corymbia citriodora*	Spotted Gum	335		335	1050	31.0	18.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
25337	*Corymbia citriodora*	Spotted Gum	300		300	940	27.0	15.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
25338	*Corymbia citriodora*	Spotted Gum	280		280	880	27.0	15.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
25339	*Corymbia citriodora*	Spotted Gum	280		280	880	24.0	14.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
25340	*Corymbia citriodora*	Spotted Gum	295		295	930	27.0	14.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
25341	*Corymbia citriodora*	Spotted Gum	320		320	1010	27.0	15.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
25342	*Corymbia citriodora*	Spotted Gum	255		255	80	26.0	15.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
25343	*Corymbia citriodora*	Spotted Gum	320		320	101	31.0	18.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	

Tree ID	Botanical Name	Common Name	Specimen Details							Canopy Condition Details									Trunk Condition Details							Fauna Details and Habitat Value								Additional Notes	Retention
			Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value					
253744	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	29.0	15.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-					Remove
253745	*Corymbia citriodora*	Spotted Gum	305	185	357	112	26.0	15.0	4.3	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-					Remove
253746	*Corymbia citriodora*	Spotted Gum	270		270	85	26.0	14.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-					Remove
253747	*Corymbia citriodora*	Spotted Gum	300		300	94	28.0	15.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-					Remove
253748	*Corymbia citriodora*	Spotted Gum	285		285	90	29.0	15.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-					Remove
253749	*Eucalyptus siderophloia*	Northern Grey Ironbark	540		540	170	35.0	21.0	6.5	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-					Remove
253750	*Corymbia citriodora*	Spotted Gum	285		285	90	28.0	15.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-					Remove
253751	*Corymbia citriodora*	Spotted Gum	300		300	94	28.0	16.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-					Remove
253752	**DEAD/STAG**		360		360	113	24.0	12.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	Small	2	-	-	-					Remove
253753	*Corymbia citriodora*	Spotted Gum	360		360	113	30.0	15.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-					Remove
253754	*Corymbia citriodora*	Spotted Gum	305		305	96	30.0	15.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-					Remove
253755	*Corymbia citriodora*	Spotted Gum	280		280	88	25.0	14.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-					Remove
253756	*Corymbia citriodora*	Spotted Gum	360		360	113	29.0	16.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-					Remove
253757	*Eucalyptus seeana*	Narrow-leaved Red Gum	360		360	113	26.0	16.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-					Remove
253758	*Eucalyptus seeana*	Narrow-leaved Red Gum	240		240	75	22.0	12.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-					Remove
253759	*Corymbia intermedia*	Pink Bloodwood	350		350	110	25.0	14.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-					Remove
253760	*Eucalyptus creba*	Narrow-leaved Red Ironbark	260		260	82	25.0	15.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-					Remove
253761	*Corymbia citriodora*	Spotted Gum	300		300	94	28.0	14.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-					Remove
253762	*Corymbia intermedia*	Pink Bloodwood	260		260	82	23.0	14.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-					Remove
253763	*Eucalyptus creba*	Narrow-leaved Red Ironbark	305		305	96	29.0	15.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-					Remove
253764	*Eucalyptus tereticornis*	Forest Red Gum	305		305	96	24.0	12.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-					Remove
253765	*Corymbia citriodora*	Spotted Gum	330		330	104	28.0	16.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-					Remove
253766	*Corymbia citriodora*	Spotted Gum	240		240	75	25.0	12.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-					Remove
253767	*Eucalyptus siderophloia*	Northern Grey Ironbark	500		500	157	29.0	16.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-					Remove
253768	*Corymbia citriodora*	Spotted Gum	325	205	384	121	25.0	17.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-					Remove
253769	*Corymbia citriodora*	Spotted Gum	345		345	108	27.0	15.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-					Remove
253770	*Corymbia citriodora*	Spotted Gum	315		315	99	26.0	14.0	3.8	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-					Remove
253771	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	25.0	14.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-					Remove
253772	*Corymbia citriodora*	Spotted Gum	260		260	82	24.0	11.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-					Remove
253773	*Corymbia citriodora*	Spotted Gum	315		315	99	25.0	14.0	3.8	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-					Remove
253774	*Acacia disparrima*	Hickory Wattle	285		285	90	9.0	12.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	Termite nest	-					Remove
253775	*Corymbia citriodora*	Spotted Gum	260		260	82	24.0	12.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-					Remove
253776	*Corymbia citriodora*	Spotted Gum	290		290	91	26.0	15.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-					Remove
253777	*Eucalyptus tereticornis*	Forest Red Gum	345		345	108	23.0	15.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-					Remove
253778	*Corymbia citriodora*	Spotted Gum	290		290	91	25.0	12.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-					Remove
253779	*Corymbia intermedia*	Pink Bloodwood	290		290	91	22.0	11.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-					Remove
253780	*Corymbia citriodora*	Spotted Gum	380		380	119	28.0	16.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-					Remove
253781	*Corymbia citriodora*	Spotted Gum	250		250	79	25.0	12.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-					Remove
253782	*Corymbia citriodora*	Spotted Gum	250		250	79	23.0	12.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-					Remove
253783	*Corymbia citriodora*	Spotted Gum	250		250	79	25.0	12.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-					Remove
253784	*Corymbia intermedia*	Pink Bloodwood	310		310	97	24.0	11.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-					Remove
253785	*Eucalyptus tereticornis*	Forest Red Gum	330		330	104	27.0	14.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-					Remove
253786	*Eucalyptus seeana*	Narrow-leaved Red Gum	275		275	86	24.0	12.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-					Remove
253787	*Eucalyptus creba*	Narrow-leaved Red Ironbark	270		270	85	28.0	15.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-					Remove
253788	*Eucalyptus seeana*	Narrow-leaved Red Gum	260		260	82	24.0	12.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-					Remove
253789	*Eucalyptus siderophloia*	Northern Grey Ironbark	370		370	116	28.0	15.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-					Remove
253790	*Corymbia intermedia*	Pink Bloodwood	260		260	82	23.0	10.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-					Remove
253791	*Eucalyptus siderophloia*	Northern Grey Ironbark	345		345	108	29.0	16.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-					Remove
253792	*Corymbia citriodora*	Spotted Gum	340		340	107	27.0	16.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-					Remove
253793	*Eucalyptus creba*	Narrow-leaved Red Ironbark	305		305	96	25.0	16.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-					Remove
253794	**DEAD/STAG**		500		500	157	23.0	6.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	2	-	-	-					Remove
253795	*Corymbia citriodora*	Spotted Gum	295	185	348	109	26.0	15.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-					Remove
253796	*Eucalyptus tereticornis*	Forest Red Gum	260		260	82	24.0	12.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-					Remove
253797	*Eucalyptus tereticornis*	Forest Red Gum	260		260	82	25.0	12.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-					Remove
253798	*Eucalyptus tereticornis*	Forest Red Gum	305		305	96	25.0	12.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-					Remove
253799	*Corymbia citriodora*	Spotted Gum	250		250	79	23.0	10.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-					Remove
253800	*Corymbia citriodora*	Spotted Gum	260		260	82	25.0	11.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-					Remove
253801	*Eucalyptus tereticornis*	Forest Red Gum	250		250	79	23.0	11.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-					Remove
253802	*Corymbia citriodora*	Spotted Gum	330		330	104	25.0	11.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-					Remove
253803	*Eucalyptus tereticornis*	Forest Red Gum	260		260	82	25.0	12.0	3.1	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-					Remove
253804	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	24.0	12.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-					Remove
253805	*Corymbia intermedia*	Pink Bloodwood	280		280	88	26.0	12.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-					Remove
253806	*Corymbia citriodora*	Spotted Gum	300		300	94	28.0	15.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-					Remove
253807	*Corymbia tessellaris*	Moreton Bay Ash	260		260	82	22.0	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-					Remove
253808	*Corymbia tessellaris*	Moreton Bay Ash	315		315	99	22.0	16.0	3.8	2.0	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-					Remove
253809	**DEAD/STAG**		380		380	119	24.0	12.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	1	-	-	-					Remove
253810	*Corymbia citriodora*	Spotted Gum	300		300	94	28.0	15.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-					Remove
253811	*Eucalyptus siderophloia*	Northern Grey Ironbark	315		315	99	29.0	15.0	3.8	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-					Remove

Specimen Details								Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value							
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
254612	*Corymbia tessellaris*	Moreton Bay Ash	320		320	101	26.0	14.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
254613	*Corymbia tessellaris*	Moreton Bay Ash	260		260	82	24.0	12.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
254614	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	23.0	14.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
254615	*Eucalyptus siderophloia*	Northern Grey Ironbark	335		335	105	29.0	15.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
254616	*Eucalyptus tereticornis*	Forest Red Gum	250		250	79	19.0	14.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
254617	*Eucalyptus tereticornis*	Forest Red Gum	255		255	80	18.0	14.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
254618	*Corymbia intermedia*	Pink Bloodwood	290		290	91	29.0	15.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
254619	*Eucalyptus tereticornis*	Forest Red Gum	280		280	88	27.0	14.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	small	-	-	-	Remove	
254620	**DEAD/STAG**		400		400	126	26.0	7.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	small	1	-	-	Remove	
254621	*Eucalyptus creba*	Narrow-leaved Red Ironbark	345		345	108	27.0	14.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
254622	*Corymbia citriodora*	Spotted Gum	300		300	94	27.0	14.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
254623	*Corymbia citriodora*	Spotted Gum	270		270	85	25.0	12.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
254624	*Corymbia citriodora*	Spotted Gum	320		320	101	26.0	15.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
254625	*Corymbia citriodora*	Spotted Gum	275		275	86	27.0	15.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
254626	*Corymbia citriodora*	Spotted Gum	270		270	85	23.0	12.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
254627	*Corymbia citriodora*	Spotted Gum	270		270	85	24.0	12.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
254628	*Corymbia citriodora*	Spotted Gum	235		235	74	22.0	12.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
254629	*Corymbia citriodora*	Spotted Gum	200		200	63	25.0	11.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
254630	*Corymbia citriodora*	Spotted Gum	230		230	72	24.0	12.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
254631	*Eucalyptus creba*	Narrow-leaved Red Ironbark	255		255	80	26.0	15.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
254632	*Corymbia citriodora*	Spotted Gum	220		220	69	22.0	10.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
254633	*Corymbia citriodora*	Spotted Gum	225		225	71	21.0	10.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
254634	*Corymbia citriodora*	Spotted Gum	255		255	80	24.0	12.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
254635	*Corymbia citriodora*	Spotted Gum	325		325	102	26.0	12.0	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
254636	*Corymbia citriodora*	Spotted Gum	270		270	85	24.0	12.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
254637	*Corymbia citriodora*	Spotted Gum	355		355	112	27.0	15.0	4.3	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
254638	*Corymbia citriodora*	Spotted Gum	230		230	72	24.0	11.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
254639	*Corymbia citriodora*	Spotted Gum	280		280	88	27.0	12.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
254640	*Corymbia citriodora*	Spotted Gum	240		240	75	22.0	11.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
254641	*Corymbia citriodora*	Spotted Gum	255		255	80	25.0	14.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
254642	*Corymbia citriodora*	Spotted Gum	310		310	97	26.0	14.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
254643	**DEAD/STAG**		500		500	157	20.0	8.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	small	2	-	-	Remove	
254644	*Corymbia citriodora*	Spotted Gum	250		250	79	22.0	12.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
254645	*Corymbia citriodora*	Spotted Gum	300		300	94	25.0	14.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
254646	*Corymbia citriodora*	Spotted Gum	250	60	257	81	23.0	12.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
254647	*Eucalyptus siderophloia*	Northern Grey Ironbark	290		290	91	20.0	15.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
254648	*Corymbia citriodora*	Spotted Gum	255		255	80	24.0	12.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
254649	*Acacia disparrima*	Hickory Wattle	265	190, 170	368	116	12.0	10.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
254650	*Corymbia intermedia*	Pink Bloodwood	235		235	74	15.0	8.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
254651	*Corymbia citriodora*	Spotted Gum	200		200	63	20.0	10.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
254652	*Corymbia citriodora*	Spotted Gum	280		280	88	25.0	14.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
254653	*Eucalyptus siderophloia*	Northern Grey Ironbark	245		245	77	22.0	12.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
254654	*Corymbia citriodora*	Spotted Gum	400		400	126	29.0	16.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
254655	*Corymbia citriodora*	Spotted Gum	315		315	99	22.0	14.0	3.8	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
254656	**DEAD/STAG**				390	123	9.0	1.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
254657	*Corymbia citriodora*	Spotted Gum	300		300	94	23.0	15.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
254658	*Corymbia citriodora*	Spotted Gum	320		320	101	25.0	15.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
254659	*Corymbia citriodora*	Spotted Gum	260		260	82	25.0	15.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
254660	*Corymbia citriodora*	Spotted Gum	255		255	80	25.0	15.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
254661	*Corymbia citriodora*	Spotted Gum	295		295	93	29.0	15.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
254662	*Corymbia citriodora*	Spotted Gum	290		290	91	28.0	14.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
254663	*Corymbia citriodora*	Spotted Gum	250		250	79	27.0	12.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
254664	*Eucalyptus siderophloia*	Northern Grey Ironbark	370		370	116	29.0	16.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
254665	*Corymbia intermedia*	Pink Bloodwood	260		260	82	27.0	14.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
254666	*Corymbia intermedia*	Pink Bloodwood	295		295	93	27.0	14.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
254667	*Corymbia citriodora*	Spotted Gum	290		290	91	28.0	14.0	3.5	2.0	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
254668	*Eucalyptus seeana*	Narrow-leaved Red Gum	260		260	82	28.0	15.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
254669	*Corymbia intermedia*	Pink Bloodwood	550		550	173	32.0	18.0	6.6	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
254670	*Eucalyptus creba*	Narrow-leaved Red Ironbark	380		380	119	29.0	16.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
254671	*Eucalyptus siderophloia*	Northern Grey Ironbark	380		380	119	24.0	15.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
254672	*Eucalyptus siderophloia*	Northern Grey Ironbark	315		315	99	27.0	14.0	3.8	2.0	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	0	-	-	-	Remove	
254673	*Eucalyptus tereticornis*	Forest Red Gum	250		250	79	22.0	11.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
254674	*Corymbia tessellaris*	Moreton Bay Ash	225		225	71	24.0	9.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
254675	*Eucalyptus tereticornis*	Forest Red Gum	310		310	97	25.0	12.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
254676	*Eucalyptus siderophloia*	Northern Grey Ironbark	370		370	116	24.0	15.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
254677	*Acacia disparrima*	Hickory Wattle	290		290	91	11.0	9.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
254678	*Corymbia citriodora*	Spotted Gum	305		305	96	24.0	14.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
254679	*Corymbia citriodora*	Spotted Gum	280		280	88	26.0	15.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	

Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
	Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value								
254680	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	23.0	15.0	3.1	1.9	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
254681	*Corymbia citriodora*	Spotted Gum	230		230	72	25.0	14.0	2.8	1.8	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
254682	*Corymbia citriodora*	Spotted Gum	265		265	83	25.0	12.0	3.2	1.9	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
254683	*Corymbia citriodora*	Spotted Gum	280		280	88	25.0	14.0	3.4	1.9	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
254684	*Corymbia citriodora*	Spotted Gum	305		305	96	27.0	15.0	3.7	2.0	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
254685	*Eucalyptus tereticornis*	Forest Red Gum	265		265	83	22.0	12.0	3.2	1.9	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
254686	*Corymbia citriodora*	Spotted Gum	265		265	83	25.0	9.0	3.2	1.9	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
254687	*Corymbia citriodora*	Spotted Gum	280		280	88	25.0	14.0	3.4	1.9	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
254688	*Corymbia citriodora*	Spotted Gum	255		255	80	24.0	15.0	3.1	1.9	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
254689	*Corymbia citriodora*	Spotted Gum	300		300	94	28.0	16.0	3.6	2.0	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
254690	*Corymbia citriodora*	Spotted Gum	230		230	72	25.0	14.0	2.8	1.8	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
254691	*Corymbia citriodora*	Spotted Gum	235		235	74	24.0	12.0	2.8	1.8	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
254692	*Corymbia citriodora*	Spotted Gum	305		305	96	25.0	14.0	3.7	2.0	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
254693	*Corymbia citriodora*	Spotted Gum	210		210	66	11.0	5.0	2.5	1.7	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
254694	*Corymbia citriodora*	Spotted Gum	280		280	88	28.0	12.0	3.4	1.9	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
254695	*Corymbia citriodora*	Spotted Gum	260		260	82	24.0	14.0	3.1	1.9	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
254696	*Corymbia citriodora*	Spotted Gum	350		350	110	26.0	14.0	4.2	2.1	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
254697	*Corymbia citriodora*	Spotted Gum	270		270	85	24.0	14.0	3.2	1.9	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
254698	*Corymbia citriodora*	Spotted Gum	230		230	72	27.0	12.0	2.8	1.8	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
254699	*Eucalyptus siderophloia*	Northern Grey Ironbark	265		265	83	22.0	12.0	3.2	1.9	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
254500	*Corymbia citriodora*	Spotted Gum	270		270	85	24.0	14.0	3.2	1.9	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
254501	*Corymbia citriodora*	Spotted Gum	260		260	82	25.0	14.0	3.1	1.9	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
254502	*Corymbia citriodora*	Spotted Gum	250		250	79	25.0	14.0	3.0	1.8	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
254503	*Corymbia citriodora*	Spotted Gum	230		230	72	22.0	12.0	2.8	1.8	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
254504	*Eucalyptus moluccana*	Gum-topped Box	240		240	75	25.0	12.0	2.9	1.8	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
254505	*Corymbia citriodora*	Spotted Gum	250		250	79	24.0	14.0	3.0	1.8	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
254506	*Corymbia citriodora*	Spotted Gum	300		300	94	26.0	15.0	3.6	2.0	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
254507	*Corymbia citriodora*	Spotted Gum	260		260	82	26.0	14.0	3.1	1.9	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
254508	*Corymbia citriodora*	Spotted Gum	305		305	96	27.0	14.0	3.7	2.0	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
254509	*Corymbia citriodora*	Spotted Gum	275		275	86	26.0	14.0	3.3	1.9	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
254510	*Corymbia citriodora*	Spotted Gum	325		325	102	26.0	15.0	3.9	2.1	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
254511	*Melaleuca irbyana*	Swamp Tea-tree	100		100	31	6.0	4.0	2.0	1.3	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
254512	*Corymbia citriodora*	Spotted Gum	310		310	97	26.0	12.0	3.7	2.0	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
254513	*Corymbia citriodora*	Spotted Gum	360		360	113	27.0	15.0	4.3	2.2	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
254514	*Corymbia citriodora*	Spotted Gum	250		250	79	25.0	14.0	3.0	1.8	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
254515	*Corymbia citriodora*	Spotted Gum	260		260	82	24.0	14.0	3.1	1.9	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
254516	*Corymbia citriodora*	Spotted Gum	270		270	85	27.0	14.0	3.2	1.9	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
254517	*Corymbia citriodora*	Spotted Gum	290		290	91	26.0	15.0	3.5	2.0	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
254518	*Corymbia citriodora*	Spotted Gum	265		265	83	25.0	15.0	3.2	1.9	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
254519	*Eucalyptus crebra*	Narrow-leaved Red Ironbark	265		265	83	27.0	16.0	3.2	1.9	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
254520	*Corymbia citriodora*	Spotted Gum	275		275	86	27.0	15.0	3.3	1.9	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
254521	*Corymbia citriodora*	Spotted Gum	275		275	86	25.0	14.0	3.3	1.9	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
254522	*Eucalyptus crebra*	Narrow-leaved Red Ironbark	280		280	88	18.0	9.0	3.4	1.9	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
254523	*Corymbia citriodora*	Spotted Gum	270		270	85	25.0	12.0	3.2	1.9	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
254524	*Corymbia citriodora*	Spotted Gum	280		280	88	28.0	15.0	3.4	1.9	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
254525	*Corymbia intermedia*	Pink Bloodwood	245		245	77	18.0	9.0	2.9	1.8	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
254526	*Corymbia citriodora*	Spotted Gum	270		270	85	26.0	15.0	3.2	1.9	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
254527	*Corymbia citriodora*	Spotted Gum	250		250	79	24.0	14.0	3.0	1.8	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
254528	*Corymbia citriodora*	Spotted Gum	320		320	101	30.0	17.0	3.8	2.1	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
254529	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	24.0	12.0	3.0	1.8	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
254530	*Eucalyptus crebra*	Narrow-leaved Red Ironbark	240		240	75	25.0	12.0	2.9	1.8	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
254531	*Acacia disparrima*	Hickory Wattle	240		240	75	10.0	8.0	2.9	1.8	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
254532	*Corymbia citriodora*	Spotted Gum	270		270	85	24.0	12.0	3.2	1.9	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
254533	*Corymbia citriodora*	Spotted Gum	290		290	91	28.0	15.0	3.5	2.0	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
254534	*Corymbia intermedia*	Pink Bloodwood	280	250	375	118	20.0	12.0	4.5	2.2	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
254535	*Eucalyptus siderophloia*	Northern Grey Ironbark	450		450	141	18.0	12.0	5.4	2.4	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	Small	1	-	Termite nest	-	Remove	
254536	*Corymbia citriodora*	Spotted Gum	270		270	85	28.0	14.0	3.2	1.9	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
254537	*Corymbia citriodora*	Spotted Gum	300		300	94	28.0	15.0	3.6	2.0	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
254538	*Corymbia citriodora*	Spotted Gum	275		275	86	27.0	14.0	3.3	1.9	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
254539	*Corymbia citriodora*	Spotted Gum	230		230	72	28.0	14.0	2.8	1.8	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
254540	*Corymbia citriodora*	Spotted Gum	270		270	85	25.0	12.0	3.2	1.9	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	Small	1	-	-	-	Remove	
254541	**DEAD/STAG**		200		200	63	5.0	1.0	2.4	1.7	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
254542	*Corymbia citriodora*	Spotted Gum	255		255	80	25.0	14.0	3.1	1.9	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
254543	*Corymbia citriodora*	Spotted Gum	250		250	79	26.0	15.0	3.0	1.8	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
254544	*Corymbia citriodora*	Spotted Gum	240		240	75	25.0	12.0	2.9	1.8	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
254545	*Corymbia citriodora*	Spotted Gum	285		285	90	26.0	14.0	3.4	2.0	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
254546	*Corymbia citriodora*	Spotted Gum	290		290	91	28.0	15.0	3.5	2.0	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
254547	*Corymbia citriodora*	Spotted Gum	310		310	97	29.0	14.0	3.7	2.0	Regular	-	-	-	-	-	-	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	

Tree ID	Botanical Name	Common Name	Specimen Details						Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								Retention	Additional Notes
			Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value		
2554 8	*Eucalyptus tereticornis*	Forest Red Gum	210		210	660	16.0	8.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2554 9	*Corymbia citriodora*	Spotted Gum	325		325	1025	28.0	15.0	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2555 0	*Corymbia citriodora*	Spotted Gum	260		260	820	24.0	14.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2555 1	*Corymbia citriodora*	Spotted Gum	265		265	830	28.0	14.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2555 2	*Corymbia citriodora*	Spotted Gum	260		260	820	27.0	14.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2555 3	*Corymbia citriodora*	Spotted Gum	265		265	830	26.0	12.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2555 4	*Corymbia citriodora*	Spotted Gum	330		330	1040	30.0	15.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2555 5	*Corymbia citriodora*	Spotted Gum	230		230	720	24.0	14.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2555 6	*Melaleuca irbyana*	Swamp Tea-tree	170	150, 80	240	760	6.0	2.9	1.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2555 7	**DEAD/STAG**		580		580	1820	22.0	10.0	7.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	2	-	Termite nest	-	Remove	
2555 8	*Corymbia citriodora*	Spotted Gum	250		250	790	24.0	14.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2555 9	*Corymbia citriodora*	Spotted Gum	270		270	850	28.0	15.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2556 0	*Corymbia citriodora*	Spotted Gum	250		250	790	25.0	12.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2556 1	*Corymbia citriodora*	Spotted Gum	300		300	940	29.0	15.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2556 2	*Corymbia citriodora*	Spotted Gum	250		250	790	28.0	14.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2556 3	*Corymbia citriodora*	Spotted Gum	260		260	820	25.0	14.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2556 4	*Eucalyptus siderophloia*	Northern Grey Ironbark	255		255	800	23.0	12.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2556 5	*Corymbia citriodora*	Spotted Gum	655		655	2060	34.0	18.0	7.9	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	1	-	-	-	Remove	1 small hollow possible
2556 6	*Corymbia citriodora*	Spotted Gum	310		310	970	28.0	14.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2556 7	*Corymbia citriodora*	Spotted Gum	255		255	800	26.0	14.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2556 8	*Corymbia citriodora*	Spotted Gum	260		260	820	25.0	14.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2556 9	*Corymbia citriodora*	Spotted Gum	255		255	800	26.0	14.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2557 0	*Corymbia citriodora*	Spotted Gum	325		325	1020	26.0	14.0	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2557 1	*Eucalyptus siderophloia*	Northern Grey Ironbark	300	280	410	1290	21.0	8.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2557 2	*Corymbia citriodora*	Spotted Gum	310		310	970	23.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2557 3	*Corymbia citriodora*	Spotted Gum	300		300	940	24.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2557 4	*Eucalyptus siderophloia*	Northern Grey Ironbark	310		310	970	21.0	3.7	2.0	Regular	-	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
2557 5	*Eucalyptus mollucana*	Gum-topped Box	300		300	940	18.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2557 6	*Eucalyptus siderophloia*	Northern Grey Ironbark	310		310	970	21.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
2557 7	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	790	18.0	7.0	3.4	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
2557 8	*Eucalyptus siderophloia*	Northern Grey Ironbark	600		600	1880	26.0	9.0	7.2	2.7	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
2557 9	*Corymbia citriodora*	Spotted Gum	280		280	880	24.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2558 0	*Eucalyptus mollucana*	Gum-topped Box	420		420	1320	24.0	9.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2558 1	*Corymbia citriodora*	Spotted Gum	450		450	1410	18.0	9.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2558 2	*Eucalyptus siderophloia*	Northern Grey Ironbark	390		390	1230	20.0	7.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2558 3	*Eucalyptus fibrosa*	Red Ironbark	670		670	2100	25.0	9.0	8.0	2.8	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
2558 4	*Eucalyptus fibrosa*	Red Ironbark	330		330	1040	21.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2558 5	*Eucalyptus mollucana*	Gum-topped Box	340		340	1070	26.0	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2558 6	*Corymbia citriodora*	Spotted Gum	260		260	820	19.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2558 7	*Eucalyptus mollucana*	Gum-topped Box	480		480	1510	22.0	7.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
2558 8	*Eucalyptus mollucana*	Gum-topped Box	330		330	1040	19.0	6.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
2558 9	*Eucalyptus mollucana*	Gum-topped Box	340		340	1070	22.0	7.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2559 0	*Eucalyptus mollucana*	Gum-topped Box	300		300	940	21.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2559 1	**DEAD/STAG**		320		320	1010	22.0	5.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2559 2	*Eucalyptus mollucana*	Gum-topped Box	510		510	1600	28.0	10.0	6.1	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2559 3	*Eucalyptus mollucana*	Gum-topped Box	350		350	1110	25.0	7.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2559 4	*Eucalyptus mollucana*	Gum-topped Box	280		280	880	19.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2559 5	*Eucalyptus mollucana*	Gum-topped Box	330		330	1040	21.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2559 6	*Eucalyptus mollucana*	Gum-topped Box	290		290	910	18.0	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2559 7	*Eucalyptus siderophloia*	Northern Grey Ironbark	390		390	1230	28.0	9.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
2558 0	*Eucalyptus mollucana*	Gum-topped Box	580		580	1820	24.0	9.0	7.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2561 3	*Corymbia citriodora*	Spotted Gum	330		330	1040	24.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2561 4	*Corymbia citriodora*	Spotted Gum	270		270	850	19.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2561 5	*Eucalyptus siderophloia*	Northern Grey Ironbark	330		330	1040	24.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2561 6	*Eucalyptus mollucana*	Gum-topped Box	290		290	910	19.0	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2561 7	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	940	19.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2561 8	*Eucalyptus mollucana*	Gum-topped Box	350		350	1100	24.0	9.0	4.4	2.1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
2561 9	*Corymbia citriodora*	Spotted Gum	280		280	880	24.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2562 0	*Corymbia citriodora*	Spotted Gum	280		280	880	24.0	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2562 1	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	880	23.0	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2562 2	*Corymbia citriodora*	Spotted Gum	350		350	1100	23.0	7.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2562 3	*Corymbia citriodora*	Spotted Gum	480		480	1510	22.0	7.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
2562 4	*Eucalyptus mollucana*	Gum-topped Box	330		330	1040	19.0	6.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
2562 5	*Eucalyptus mollucana*	Gum-topped Box	340		340	1070	22.0	7.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2562 6	*Eucalyptus mollucana*	Gum-topped Box	300		300	940	21.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2562 7	**DEAD/STAG**		320		320	1010	22.0	5.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2562 8	*Eucalyptus mollucana*	Gum-topped Box	510		510	1600	28.0	10.0	6.1	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2562 9	*Eucalyptus mollucana*	Gum-topped Box	350		350	1110	25.0	7.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2563 0	*Corymbia citriodora*	Spotted Gum	280		280	880	24.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2563 1	*Corymbia citriodora*	Spotted Gum	260		260	820	24.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2563 2	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	880	23.0	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2563 3	*Corymbia citriodora*	Spotted Gum	350		350	1100	23.0	7.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2563 4	*Corymbia citriodora*	Spotted Gum	480		480	1510	22.0	7.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
2563 5	*Eucalyptus mollucana*	Gum-topped Box	330		330	1040	19.0	6.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
2563 6	*Eucalyptus mollucana*	Gum-topped Box	340		340	1070	22.0	7.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2563 7	*Eucalyptus mollucana*	Gum-topped Box	300		300	940	21.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2563 8	*Corymbia citriodora*	Spotted Gum	320		320	1010	22.0	5.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2563 9	*Eucalyptus mollucana*	Gum-topped Box	510		510	1600	28.0	10.0	6.1	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2564 0	*Eucalyptus mollucana*	Gum-topped Box	350		350	1110	25.0	7.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2564 1	*Corymbia citriodora*	Spotted Gum	280		280	880	19.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2564 2	*Corymbia citriodora*	Spotted Gum	260		260	820	24.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2564 3	*Corymbia citriodora*	Spotted Gum	255		255	800	24.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2564 4	*Corymbia citriodora*	Spotted Gum	260		260	820	25.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2564 5	*Corymbia citriodora*	Spotted Gum	260		260	820	25.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2564 6	*Corymbia citriodora*	Spotted Gum	310		310	970	28.0	14.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2564 7	*Corymbia citriodora*	Spotted Gum	250		250	790	28.0	14.0	3.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2564 8	*Corymbia citriodora*	Spotted Gum	300		300	940	29.0	15.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2564 9	*Corymbia citriodora*	Spotted Gum	250		250	790	25.0	12.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2565 0	*Corymbia citriodora*	Spotted Gum	270		270	850	28.0	15.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2565 1	*Corymbia citriodora*	Spotted Gum	250		250	790	24.0	14.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2565 2	*Eucalyptus mollucana*	Gum-topped Box	580		580	1820	24.0	9.0	7.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2565 3	*Corymbia citriodora*	Spotted Gum	330		330	1040	24.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2565 4	*Eucalyptus mollucana*	Gum-topped Box	270		270	850	19.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2565 5	*Eucalyptus mollucana*	Gum-topped Box	330		330	1040	24.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2565 6	*Eucalyptus mollucana*	Gum-topped Box	290		290	910	18.0	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2565 7	*Eucalyptus mollucana*	Gum-topped Box	390		390	1230	28.0	9.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
2561 2	*Eucalyptus mollucana*	Gum-topped Box	580		580	1820	24.0	9.0	7.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2561 3	*Corymbia citriodora*	Spotted Gum	330		330	1040	24.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2561 4	*Eucalyptus mollucana*	Gum-topped Box	270		270	850	19.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2561 5	*Eucalyptus siderophloia*	Northern Grey Ironbark	354	250	111	1820	18.0	7.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
2557 6	*Corymbia citriodora*	Spotted Gum	280		280	880	24.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2557 8	*Eucalyptus mollucana*	Gum-topped Box	300		300	940	18.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2557 9	*Eucalyptus siderophloia*	Northern Grey Ironbark	310		310	970	21.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
2558 0	*Eucalyptus mollucana*	Gum-topped Box	580		580	1820	24.0	9.0	7.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2561 3	*Corymbia citriodora*	Spotted Gum	330		330	1040	24.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2561 4	*Eucalyptus mollucana*	Gum-topped Box	270		270	850	19.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2561 5	*Eucalyptus siderophloia*	Northern Grey Ironbark	354	250	111	1820	18.0	7.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
2557 7	*Corymbia citriodora*	Spotted Gum	280		280	880	24.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
2557 8	*Eucalyptus siderophloia*	Northern Grey Ironbark	609		609	1880	26.0	9.0	7.2	2.7	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
2561 5	*Corymbia citriodora*	Spotted Gum	330		330	1040	21.0	11.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	

Tree ID	Botanical Name	Common Name	Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								Retention	Additional Notes
			Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value				
256616	*Corymbia citriodora*	Spotted Gum	310		310	97	18.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-					Remove	
256617	*Eucalyptus moluccana*	Gum-topped Box	580	182	580	182	26.0	6.0	7.0	2.6	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-					Remove	
256618	*Corymbia citriodora*	Spotted Gum	280	88	280	88	23.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-					Remove	
256619	*Corymbia citriodora*	Spotted Gum	260	82	260	82	15.0	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-					Remove	
256620	*Eucalyptus tereticornis*	Forest Red Gum	310	97	310	97	23.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-					Remove	
256621	*Corymbia citriodora*	Spotted Gum	370	116	370	116	25.0	6.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-					Remove	
256622	*Corymbia citriodora*	Spotted Gum	260	82	260	82	17.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-					Remove	
256623	*Eucalyptus siderophloia*	Northern Grey Ironbark	360	113	360	113	18.0	7.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	New	-	-	0	-	Termite nest	-					Remove	
256624	*Corymbia citriodora*	Spotted Gum	300	230	378	119	19.0	9.0	4.5	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-					Remove	
256625	*Eucalyptus moluccana*	Gum-topped Box	350	110	350	110	25.0	5.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-					Remove	
256626	*Corymbia citriodora*	Spotted Gum	280	88	280	88	24.0	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-					Remove	
256627	*Eucalyptus moluccana*	Gum-topped Box	300	94	300	94	26.0	9.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-					Remove	
256628	*Eucalyptus moluccana*	Gum-topped Box	450	141	450	141	18.0	9.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-					Remove	
256629	*Corymbia citriodora*	Spotted Gum	390	123	390	123	19.0	8.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-					Remove	
256630	*Corymbia citriodora*	Spotted Gum	290	91	290	91	21.0	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-					Remove	
256631	*Corymbia citriodora*	Spotted Gum	360	113	360	113	28.0	8.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-					Remove	
256632	*Eucalyptus moluccana*	Gum-topped Box	300	94	300	94	21.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-					Remove	
256633	*Eucalyptus moluccana*	Gum-topped Box	400	126	400	126	23.0	8.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-					Remove	
256634	*Eucalyptus siderophloia*	Northern Grey Ironbark	440	138	440	138	21.0	6.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-					Remove	
256635	*Corymbia citriodora*	Spotted Gum	290	150	326	103	23.0	8.0	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-					Remove	
256636	*Eucalyptus siderophloia*	Northern Grey Ironbark	310	97	310	97	24.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-					Remove	
256637	*Eucalyptus siderophloia*	Northern Grey Ironbark	320	101	320	101	22.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-					Remove	
256638	*Eucalyptus moluccana*	Gum-topped Box	340	107	340	107	18.0	6.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-					Remove	
256639	*Corymbia citriodora*	Spotted Gum	370	116	370	116	19.0	7.0	4.4	2.2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-					Remove	
256640	*Corymbia citriodora*	Spotted Gum	330	104	330	104	22.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-					Remove	
256641	*Corymbia citriodora*	Spotted Gum	320	101	320	101	24.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-					Remove	
256642	*Corymbia citriodora*	Spotted Gum	310	97	310	97	18.0	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-					Remove	
256643	*Corymbia citriodora*	Spotted Gum	300	94	300	94	24.0	9.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-					Remove	
256644	*Corymbia citriodora*	Spotted Gum	400	126	400	126	24.0	8.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-					Remove	
256645	*Corymbia citriodora*	Spotted Gum	300	94	300	94	21.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-					Remove	
256646	*Corymbia citriodora*	Spotted Gum	370	116	370	116	26.0	14.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-					Remove	
256647	*Corymbia citriodora*	Spotted Gum	330	104	330	104	28.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-					Remove	
256648	*Eucalyptus siderophloia*	Northern Grey Ironbark	420	370	560	176	29.0	12.0	6.7	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-					Remove	
256649	*Corymbia citriodora*	Spotted Gum	310	97	310	97	25.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-					Remove	
256650	*Corymbia citriodora*	Spotted Gum	300	94	300	94	18.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-					Remove	
256651	*Corymbia citriodora*	Spotted Gum	300	94	300	94	21.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-					Remove	
256652	*Corymbia citriodora*	Spotted Gum	340	107	340	107	26.0	7.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-					Remove	
256653	*Corymbia citriodora*	Spotted Gum	310	97	310	97	27.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-					Remove	
256654	*Corymbia citriodora*	Spotted Gum	270	85	270	85	18.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-					Remove	
256655	*Corymbia citriodora*	Spotted Gum	260	82	260	82	20.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-					Remove	
256656	*Corymbia citriodora*	Spotted Gum	280	88	280	88	27.0	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-					Remove	
256657	*Corymbia citriodora*	Spotted Gum	250	79	250	79	21.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-					Remove	
256658	*Corymbia citriodora*	Spotted Gum	310	97	310	97	23.0	9.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-					Remove	
256659	*Corymbia citriodora*	Spotted Gum	310	97	310	97	19.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-					Remove	
256660	*Corymbia citriodora*	Spotted Gum	300	94	300	94	24.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-					Remove	
256661	*Corymbia citriodora*	Spotted Gum	330	104	330	104	24.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-					Remove	
256662	*Eucalyptus siderophloia*	Northern Grey Ironbark	390	123	390	123	27.0	10.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-					Remove	
256663	*Corymbia citriodora*	Spotted Gum	310	97	310	97	19.0	7.0	3.7	2.0	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-					Remove	
256664	*Corymbia citriodora*	Spotted Gum	280	88	280	88	16.0	7.0	3.4	1.9	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-					Remove	
256665	*Corymbia citriodora*	Spotted Gum	300	94	300	94	23.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-					Remove	
256666	*Corymbia citriodora*	Spotted Gum	290	91	290	91	26.0	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-					Remove	
256667	*Corymbia citriodora*	Spotted Gum	300	94	300	94	28.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-					Remove	
256668	*Eucalyptus moluccana*	Gum-topped Box	380	119	380	119	23.0	8.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-					Remove	
256669	*Corymbia citriodora*	Spotted Gum	300	94	300	94	25.0	8.0	3.6	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-					Remove	
256670	*Corymbia citriodora*	Spotted Gum	300	94	300	94	25.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-					Remove	
256671	*Corymbia citriodora*	Spotted Gum	320	101	320	101	27.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-					Remove	
256672	*Corymbia citriodora*	Spotted Gum	530	167	530	167	29.0	12.0	6.4	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-					Remove	
256673	*Corymbia citriodora*	Spotted Gum	290	91	290	91	21.0	5.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-					Remove	
256674	*Corymbia citriodora*	Spotted Gum	300	94	300	94	18.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-					Remove	
256675	*Eucalyptus moluccana*	Gum-topped Box	300	94	300	94	27.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-					Remove	
256676	*Corymbia citriodora*	Spotted Gum	330	104	330	104	25.0	9.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-					Remove	
256677	*Corymbia citriodora*	Spotted Gum	300	94	300	94	25.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-					Remove	
256678	*Corymbia citriodora*	Spotted Gum	330	104	330	104	18.0	6.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-					Remove	
256679	*Eucalyptus siderophloia*	Northern Grey Ironbark	780	245	780	245	32.0	15.0	9.4	3.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-					Remove	
256680	*Eucalyptus siderophloia*	Red Ironbark	310	97	310	97	24.0	9.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-					Remove	
256681	*Eucalyptus tibrosa*	Red Ironbark	340	107	340	107	22.0	6.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-					Remove	
256682	*Eucalyptus tibrosa*	Red Ironbark	370	116	370	116	25.0	8.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-					Remove	
256683	*Eucalyptus tibrosa*	Red Ironbark	420	132	420	132	19.0	19.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-					Remove	

| | | |

Specimen Details								Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value							
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
257252	*Corymbia citriodora*	Spotted Gum	300		300	94	25.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
257253	*Corymbia citriodora*	Spotted Gum	290		290	91	22.0	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
257254	*Corymbia citriodora*	Spotted Gum	380		380	119	26.0	8.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
257255	*Corymbia citriodora*	Spotted Gum	360		360	113	26.0	8.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
257256	*Corymbia citriodora*	Spotted Gum	300		300	94	24.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
257257	*Corymbia citriodora*	Spotted Gum	550		550	173	28.0	10.0	6.6	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
257258	*Corymbia citriodora*	Spotted Gum	340		340	107	21.0	7.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
257259	*Corymbia citriodora*	Spotted Gum	370		370	116	25.0	7.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
257260	*Corymbia citriodora*	Spotted Gum	350		350	110	24.0	9.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
257261	*Corymbia citriodora*	Spotted Gum	320		320	101	28.0	9.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
257262	*Corymbia citriodora*	Spotted Gum	280		280	88	22.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
257263	*Corymbia citriodora*	Spotted Gum	330		330	104	24.0	10.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
257264	*Corymbia citriodora*	Spotted Gum	290	170	336	106	27.0	9.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
257265	*Corymbia citriodora*	Spotted Gum	310		310	97	26.0	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	-	Remove	
257266	*Corymbia citriodora*	Spotted Gum	300		300	94	25.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
257267	*Corymbia citriodora*	Spotted Gum	340		340	107	25.0	6.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
257268	*Corymbia citriodora*	Spotted Gum	320		320	101	18.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
257269	*Eucalyptus moluccana*	Gum-topped Box	470		470	148	24.0	8.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
257270	*Corymbia citriodora*	Spotted Gum	310		310	97	20.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
257271	*Corymbia citriodora*	Spotted Gum	320		320	101	24.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
257272	*Eucalyptus siderophloia*	Northern Grey Ironbark	340		340	107	22.0	6.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
257273	*Eucalyptus siderophloia*	Northern Grey Ironbark	410		410	129	25.0	9.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
257274	*Corymbia citriodora*	Spotted Gum	440		440	138	26.0	8.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
257275	*Eucalyptus siderophloia*	Northern Grey Ironbark	570		570	179	26.0	12.0	6.8	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
257276	*Corymbia citriodora*	Spotted Gum	570		570	179	26.0	11.0	6.8	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
257277	*Eucalyptus siderophloia*	Northern Grey Ironbark	420		420	132	24.0	9.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
257278	*Eucalyptus siderophloia*	Northern Grey Ironbark	320		320	101	22.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
257279	*Acacia dispermina*	Hickory Wattle	350		350	110	10.0	12.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
257280	*Eucalyptus tereticornis*	Forest Red Gum	340		340	107	18.0	6.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
257581	*Corymbia citriodora*	Spotted Gum	440		440	138	20.0	7.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
257582	*Eucalyptus tereticornis*	Forest Red Gum	490		490	154	25.0	8.0	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
257583	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	20.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Introduced	-	-	-	-	Typical	-	-	-	-	-	Termite nest	-	Remove	
257584	*Eucalyptus siderophloia*	Northern Grey Ironbark	440		440	138	27.0	10.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
257585	*Eucalyptus siderophloia*	Northern Grey Ironbark	390		390	123	20.0	8.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
257586	*Eucalyptus siderophloia*	Northern Grey Ironbark	540		540	170	24.0	11.0	6.5	2.6	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	Termite nest	-	Remove	
257587	*Eucalyptus tereticornis*	Forest Red Gum	690		690	217	24.0	12.0	8.3	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
257588	*Eucalyptus tereticornis*	Forest Red Gum	430		430	135	22.0	8.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
257589	*Corymbia citriodora*	Spotted Gum	380		380	119	20.0	7.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
257590	*Corymbia citriodora*	Spotted Gum	320		320	101	18.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
257591	*Corymbia citriodora*	Spotted Gum	300		300	94	19.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
257592	*Corymbia citriodora*	Spotted Gum	340		340	107	24.0	7.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	-	Remove	
257593	*Corymbia citriodora*	Spotted Gum	280		280	88	16.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
257594	*Corymbia citriodora*	Spotted Gum	300		300	94	22.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
257595	*Eucalyptus siderophloia*	Northern Grey Ironbark	600		600	188	26.0	11.0	7.2	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
257596	*Corymbia citriodora*	Spotted Gum	250		250	79	16.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
257597	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	23.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
257598	*Eucalyptus tereticornis*	Forest Red Gum	320		320	101	24.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
257599	*Eucalyptus moluccana*	Gum-topped Box	640		640	201	25.0	12.0	7.7	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
257600	*Eucalyptus tereticornis*	Forest Red Gum	470		470	148	27.0	9.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
257801	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	21.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
257802	*Corymbia citriodora*	Spotted Gum	290		290	91	21.0	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
257803	*Eucalyptus siderophloia*	Northern Grey Ironbark	360		360	113	26.0	7.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
257804	*Eucalyptus siderophloia*	Northern Grey Ironbark	420		420	132	28.0	10.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Termite nest	-	Remove	
257805	*Corymbia citriodora*	Spotted Gum	400		400	126	25.0	8.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
257806	*Corymbia citriodora*	Spotted Gum	260		260	82	19.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain	
257807	*Corymbia citriodora*	Spotted Gum	280		280	88	24.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
257808	*Corymbia citriodora*	Spotted Gum	630		630	198	27.0	10.0	7.6	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
257809	*Corymbia citriodora*	Spotted Gum	320		320	101	25.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
257810	*Corymbia citriodora*	Spotted Gum	300		300	94	28.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
257811	*Corymbia citriodora*	Spotted Gum	340		340	107	26.0	7.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
257812	*Corymbia citriodora*	Spotted Gum	310		310	97	28.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
257813	*Corymbia citriodora*	Spotted Gum	340		340	107	26.0	9.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
257814	*Corymbia citriodora*	Spotted Gum	680		680	214	26.0	9.0	8.2	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain	
257815	*Corymbia citriodora*	Spotted Gum	280		280	88	22.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
257816	*Corymbia citriodora*	Spotted Gum	300		300	94	27.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
257817	*Eucalyptus moluccana*	Gum-topped Box	540		540	170	24.0	8.0	6.5	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
257818	*Corymbia citriodora*	Spotted Gum	420	420	594	187	30.0	14.0	7.1	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
257819	*Eucalyptus moluccana*	Gum-topped Box	290		290	91	18.0	5.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	

Specimen Details									Canopy Condition Details								Trunk Condition Details							Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
258620	*Eucalyptus moluccana*	Gum-topped Box	320		320	101	18.0	7.0	3.8	2.1	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove	
258621	*Corymbia citriodora*	Spotted Gum	270		270	85	25.0	5.0	3.2	1.9	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove	
258622	*Corymbia citriodora*	Spotted Gum	320		320	101	26.0	8.0	3.8	2.1	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove	
258623	*Corymbia citriodora*	Spotted Gum	300		300	94	22.0	6.0	3.6	2.0	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Retain	
258624	*Corymbia citriodora*	Spotted Gum	350		350	110	26.0	9.0	4.2	2.1	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove	
258625	*Corymbia citriodora*	Spotted Gum	440		440	138	24.0	8.0	5.3	2.3	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove	
258626	*Acacia dispartima*	Hickory Wattle	320		320	101	14.0	8.0	3.8	2.1	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove	
258627	*Corymbia citriodora*	Spotted Gum	460		460	145	21.0	8.0	5.5	2.4	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove	
258628	*Corymbia citriodora*	Spotted Gum	430		430	135	26.0	7.0	5.2	2.3	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove	
258629	*Corymbia citriodora*	Spotted Gum	400	370	545	171	26.0	11.0	6.5	2.6	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove	
258630	*Corymbia citriodora*	Spotted Gum	350		350	110	25.0	6.0	4.2	2.1	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove	
258631	*Corymbia citriodora*	Spotted Gum	390		390	123	23.0	8.0	4.7	2.2	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove	
258632	*Corymbia citriodora*	Spotted Gum	280		280	88	19.0	4.0	3.4	1.9	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove	
258633	*Corymbia citriodora*	Spotted Gum	310		310	97	25.0	7.0	3.7	2.0	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove	
258634	*Corymbia citriodora*	Spotted Gum	360		360	113	25.0	8.0	4.3	2.2	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove	
258635	*Eucalyptus siderophloia*	Northern Grey Ironbark	390		390	123	22.0	9.0	4.7	2.2	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove	
258636	*Corymbia citriodora*	Spotted Gum	280		280	88	18.0	5.0	3.4	1.9	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove	
258637	*Corymbia citriodora*	Spotted Gum	280		280	88	21.0	6.0	3.4	1.9	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove	
258638	*Corymbia citriodora*	Spotted Gum	330		330	104	25.0	8.0	4.0	2.1	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove	
258639	*Corymbia citriodora*	Spotted Gum	330		330	104	24.0	9.0	4.0	2.1	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove	
258640	*Corymbia citriodora*	Spotted Gum	330		330	104	25.0	8.0	4.0	2.1	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove	
258641	*Corymbia citriodora*	Spotted Gum	290		290	91	18.0	7.0	3.5	2.0	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove	
258642	*Melaleuca lateritia*	Swamp Tea-tree	370		220	116	12.0	5.0	4.4	2.2	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove	
258643	*Eucalyptus siderophloia*	Northern Grey Ironbark	360		360	113	20.0	7.0	4.3	2.2	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove	
258644	*Eucalyptus tereticornis*	Forest Red Gum	270		270	85	18.0	4.0	3.2	1.9	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove	
258645	*Eucalyptus tereticornis*	Forest Red Gum	490		490	154	25.0	12.0	5.9	2.5	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove	
258646	*Eucalyptus seeana*	Narrow-leaved Red Gum	260		260	82	24.0	7.0	3.1	1.9	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove	
258647	*Eucalyptus seeana*	Narrow-leaved Red Gum	300		300	94	22.0	8.0	3.6	2.0	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove	
258648	*Eucalyptus seeana*	Narrow-leaved Red Gum	320		320	101	26.0	9.0	3.8	2.1	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove	
258649	*Eucalyptus seeana*	Narrow-leaved Red Gum	300		310	97	24.0	7.0	3.6	2.0	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove	
258650	*Eucalyptus seeana*	Narrow-leaved Red Gum	310		310	97	24.0	7.0	3.7	2.0	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove	
258651	*Eucalyptus siderophloia*	Northern Grey Ironbark	390		390	123	17.0	8.0	4.7	2.2	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	termite nest	-	Remove	
258652	*Eucalyptus siderophloia*	Northern Grey Ironbark	320		320	101	22.0	9.0	3.8	2.1	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove	
258653	*Eucalyptus seeana*	Narrow-leaved Red Gum	250		250	79	24.0	6.0	3.0	1.8	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove	
258654	*Eucalyptus siderophloia*	Northern Grey Ironbark	390		390	123	26.0	8.0	4.7	2.2	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove	
258655	*Eucalyptus moluccana*	Gum-topped Box	260		260	82	21.0	7.0	3.1	1.9	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove	
258656	*Eucalyptus seeana*	Narrow-leaved Red Gum	340		340	107	24.0	9.0	4.1	2.1	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove	
258657	*Eucalyptus moluccana*	Gum-topped Box	300		300	94	24.0	8.0	3.6	2.0	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove	
258658	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	24.0	7.0	3.6	2.0	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove	
258659	*Eucalyptus siderophloia*	Northern Grey Ironbark	390		390	123	26.0	8.0	4.7	2.2	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove	
258660	*Eucalyptus siderophloia*	Northern Grey Ironbark	340		340	107	23.0	8.0	4.1	2.1	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove	
258661	*Eucalyptus siderophloia*	Northern Grey Ironbark	370		370	116	18.0	5.0	4.4	2.2	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove	
258662	*Eucalyptus seeana*	Narrow-leaved Red Gum	430		430	135	24.0	9.0	5.2	2.3	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove	
258663	*Eucalyptus siderophloia*	Northern Grey Ironbark	520		520	163	22.0	10.0	6.2	2.5	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove	
258664	*Eucalyptus siderophloia*	Northern Grey Ironbark	350		350	110	22.0	7.0	4.2	2.1	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove	
258665	*Eucalyptus siderophloia*	Northern Grey Ironbark	380		380	119	25.0	7.0	4.6	2.2	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove	
258666	*Eucalyptus seeana*	Narrow-leaved Red Gum	380		380	119	25.0	8.0	4.6	2.2	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove	
258667	*Eucalyptus siderophloia*	Northern Grey Ironbark	290		290	91	22.0	6.0	3.5	2.0	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove	
258668	*Corymbia citriodora*	Spotted Gum	340		340	107	20.0	6.0	4.1	2.1	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove	
258669	*Corymbia citriodora*	Spotted Gum	280		280	88	18.0	6.0	3.4	1.9	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove	
258670	*Corymbia citriodora*	Spotted Gum	280		280	88	20.0	5.0	3.4	1.9	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove	
258671	*Corymbia citriodora*	Spotted Gum	340		340	107	22.0	6.0	4.1	2.1	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove	
258672	*Corymbia citriodora*	Spotted Gum	260	120	286	90	22.0	6.0	3.4	2.0	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove	
258673	*Corymbia citriodora*	Spotted Gum	260	220	341	107	6.0	7.0	4.1	2.1	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove	
258674	*Corymbia citriodora*	Spotted Gum	300		300	94	22.0	7.0	3.6	2.0	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove	
258675	*Corymbia citriodora*	Spotted Gum	300		300	94	24.0	7.0	3.6	2.0	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove	
258676	*Angophora leiocarpa*	Rusty Gum	300		300	94	25.0	6.0	3.6	2.0	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove	
258677	*Corymbia citriodora*	Spotted Gum	310		310	97	24.0	7.0	3.7	2.0	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove	
258678	*Corymbia citriodora*	Spotted Gum	290		290	91	20.0	6.0	3.5	2.0	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove	
258679	*Angophora leiocarpa*	Rusty Gum	290		290	91	25.0	5.0	3.5	2.0	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove	
258680	*Corymbia citriodora*	Spotted Gum	290		290	91	24.0	6.0	3.5	2.0	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove	
258681	*Corymbia citriodora*	Spotted Gum	300	150	335	105	19.0	5.0	4.0	2.1	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove	
258682	*Corymbia citriodora*	Spotted Gum	350		350	110	25.0	8.0	4.2	2.1	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove	
258683	*Corymbia citriodora*	Spotted Gum	320		320	101	24.0	6.0	3.8	2.1	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove	
258684	*Corymbia citriodora*	Spotted Gum	290		290	91	26.0	5.0	3.5	2.0	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove	
258685	*Corymbia citriodora*	Spotted Gum	280		280	88	25.0	5.0	3.4	1.9	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove	
258686	*Corymbia citriodora*	Spotted Gum	300		300	94	22.0	7.0	3.6	2.0	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove	
258687	*Corymbia citriodora*	Spotted Gum	370		370	116	26.0	7.0	4.4	2.2	Regular	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	Remove	

Tree ID	Botanical Name	Common Name	Specimen Details							Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value							Retention	Additional Notes
			Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value		
258688	*Corymbia citriodora*	Spotted Gum	370		370	116	27.0	8.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
258689	*Corymbia citriodora*	Spotted Gum	270		270	85	20.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
258690	*Corymbia citriodora*	Spotted Gum	320		320	101	20.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
258691	*Angophora leiocarpa*	Rusty Gum	340		340	107	22.0	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
258692	*Corymbia citriodora*	Spotted Gum	290		290	91	23.0	5.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
258693	*Corymbia citriodora*	Spotted Gum	300		300	94	23.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
258694	*Corymbia citriodora*	Spotted Gum	350		350	110	26.0	8.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
258695	*Corymbia citriodora*	Spotted Gum	310		310	97	24.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
258696	*Corymbia citriodora*	Spotted Gum	290		290	91	26.0	5.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
258697	*Corymbia citriodora*	Spotted Gum	300		300	94	23.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
258898	*Angophora leiocarpa*	Rusty Gum	270		270	85	17.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
258899	*Corymbia citriodora*	Spotted Gum	290		290	91	23.0	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
258900	*Corymbia citriodora*	Spotted Gum	270		270	85	18.0	4.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
258901	*Corymbia citriodora*	Spotted Gum	330		330	104	23.0	5.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
258902	*Corymbia citriodora*	Spotted Gum	290		290	91	18.0	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
258903	*Corymbia citriodora*	Spotted Gum	300		300	94	25.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
258904	*Corymbia citriodora*	Spotted Gum	290		290	91	23.0	8.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
258905	*Corymbia citriodora*	Spotted Gum	350		350	110	23.0	6.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
258906	*Corymbia citriodora*	Spotted Gum	350		350	110	25.0	7.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
258907	*Corymbia citriodora*	Spotted Gum	290	200	352	111	19.0	7.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
258908	*Corymbia citriodora*	Spotted Gum	270		270	85	24.0	5.0	3.2	1.9	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
258909	*Corymbia citriodora*	Spotted Gum	270		270	85	18.0	4.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
258910	*Eucalyptus siderophloia*	Northern Grey Ironbark	520		520	163	22.0	6.0	6.2	2.5	Regular	-	-	-	-	-	Typical	-	Trunk Dmg.	-	-	Typical	-	-	-	0	-	-	-	Remove	
258911	*Corymbia citriodora*	Spotted Gum	290		290	91	24.0	5.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
258912	*Corymbia citriodora*	Spotted Gum	270	170	319	100	19.0	7.0	3.8	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
258913	*Corymbia citriodora*	Spotted Gum	310		310	97	26.0	9.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
258914	*Corymbia citriodora*	Spotted Gum	370		370	116	26.0	7.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
258915	*Corymbia citriodora*	Spotted Gum	300		300	94	20.0	9.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
258916	*Corymbia citriodora*	Spotted Gum	280		280	88	20.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
258917	*Eucalyptus moluccana*	Gum-topped Box	270		270	85	18.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
258918	*Corymbia citriodora*	Spotted Gum	320		320	101	20.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
258919	*Corymbia citriodora*	Spotted Gum	300		300	94	22.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
258920	*Angophora leiocarpa*	Rusty Gum	310		310	97	22.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
258921	*Corymbia citriodora*	Spotted Gum	270		270	85	19.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
258922	*Corymbia citriodora*	Spotted Gum	330		330	104	20.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
258923	*Corymbia citriodora*	Spotted Gum	260		260	82	20.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
258924	*Eucalyptus siderophloia*	Northern Grey Ironbark	450		450	141	26.0	10.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
258925	*Corymbia citriodora*	Spotted Gum	300		300	94	26.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
258926	*Angophora leiocarpa*	Rusty Gum	330		330	104	25.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
258927	*Corymbia citriodora*	Spotted Gum	290		290	91	23.0	8.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
258928	*Corymbia citriodora*	Spotted Gum	300		300	94	26.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
258929	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	22.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
258930	*Angophora leiocarpa*	Rusty Gum	350		350	110	22.0	7.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
258931	*Corymbia citriodora*	Spotted Gum	400		400	126	22.0	12.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	Trunk Dmg.	-	-	Typical	-	-	-	0	-	-	-	Remove	
258932	*Corymbia citriodora*	Spotted Gum	300		300	94	24.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
258933	*Corymbia citriodora*	Spotted Gum	270		270	85	22.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
258934	*Eucalyptus tereticornis*	Forest Red Gum	390		390	123	22.0	9.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
258935	*Corymbia citriodora*	Spotted Gum	280		280	88	20.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
258936	*Corymbia citriodora*	Spotted Gum	250		250	79	20.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
258937	*Corymbia citriodora*	Spotted Gum	300		300	94	23.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
258938	*Corymbia citriodora*	Spotted Gum	300		300	94	23.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
258939	*Corymbia citriodora*	Spotted Gum	280		280	88	22.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
258940	*Corymbia citriodora*	Spotted Gum	360		360	113	25.0	10.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
258941	*Corymbia citriodora*	Spotted Gum	320		320	101	23.0	9.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain	
258942	*Corymbia citriodora*	Spotted Gum	350		350	110	26.0	10.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
258943	*Corymbia citriodora*	Spotted Gum	260		260	82	21.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
258944	*Corymbia citriodora*	Spotted Gum	330		330	104	24.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
258945	*Corymbia citriodora*	Spotted Gum	300		300	94	24.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
258946	*Corymbia citriodora*	Spotted Gum	230		230	72	18.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
258947	*Corymbia citriodora*	Spotted Gum	290		290	91	20.0	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
258948	*Corymbia citriodora*	Spotted Gum	320		320	101	24.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
258949	*Corymbia citriodora*	Spotted Gum	300		300	94	26.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
258950	*Corymbia citriodora*	Spotted Gum	300		300	94	26.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
258951	*Corymbia citriodora*	Spotted Gum	280		280	88	24.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
258952	*Corymbia citriodora*	Spotted Gum	260		260	82	22.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
258953	*Corymbia citriodora*	Spotted Gum	240		240	75	18.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
258954	*Corymbia citriodora*	Spotted Gum	300		300	94	21.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
258955	*Corymbia citriodora*	Spotted Gum	310	200	369	116	23.0	8.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	

Tree ID	Botanical Name	Common Name	Specimen Details											Canopy Condition Details							Trunk Condition Details				Fauna Details and Habitat Value						Additional Notes
			Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention
25956	*Corymbia intermedia*	Pink Bloodwood	260		260	82	18.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
25957	*Corymbia citriodora*	Spotted Gum	370		370	116	25.0	8.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
25958	*Corymbia citriodora*	Spotted Gum	280		280	88	22.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
25959	*Corymbia citriodora*	Spotted Gum	280		280	88	20.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
25960	*Corymbia citriodora*	Spotted Gum	340		340	107	24.0	7.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
25961	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	21.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove
25962	*Eucalyptus moluccana*	Gum-topped Box	420		420	132	26.0	8.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
25963	*Eucalyptus siderophloia*	Northern Grey Ironbark	320		320	101	24.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
25964	*Eucalyptus siderophloia*	Northern Grey Ironbark	490		490	154	26.0	10.0	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
25965	*Corymbia citriodora*	Spotted Gum	290		290	91	24.0	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
25966	*Corymbia citriodora*	Spotted Gum	310		310	97	20.0	10.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
25967	*Corymbia citriodora*	Spotted Gum	270		270	85	19.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
25968	*Corymbia citriodora*	Spotted Gum	290		290	91	22.0	9.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
25969	*Corymbia citriodora*	Spotted Gum	270		270	85	22.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
25970	*Corymbia citriodora*	Spotted Gum	260		260	82	22.0	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
25971	*Eucalyptus moluccana*	Gum-topped Box	300		300	94	22.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
25972	*Corymbia citriodora*	Spotted Gum	280		280	88	22.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
25973	*Corymbia citriodora*	Spotted Gum	280		280	88	20.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
25974	*Eucalyptus tereticornis*	Forest Red Gum	510		510	160	24.0	12.0	6.1	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
25975	*Angophora leiocarpa*	Rusty Gum	280		280	88	18.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
25976	*Eucalyptus tereticornis*	Forest Red Gum	300		300	94	20.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
25977	*Corymbia citriodora*	Spotted Gum	300		300	94	22.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
25978	*Acacia disparrima*	Hickory Wattle	400		400	126	11.0	8.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
25979	*Acacia disparrima*	Hickory Wattle	450		450	141	12.0	6.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
25980	*Acacia disparrima*	Hickory Wattle	320		320	101	12.0	11.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
25981	*Acacia disparrima*	Hickory Wattle	320		320	101	14.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
25982	*Eucalyptus tereticornis*	Forest Red Gum	400		400	126	22.0	9.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
25983	*Eucalyptus moluccana*	Gum-topped Box	310		310	97	21.0	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
25984	*Angophora leiocarpa*	Rusty Gum	382	270	382	120	16.0	5.0	4.5	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
25985	*Corymbia citriodora*	Spotted Gum	560		560	176	27.0	8.0	6.7	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
25986	*Eucalyptus crebra*	Narrow-leaved Red Ironbark	370		370	116	24.0	12.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
25987	*Corymbia citriodora*	Spotted Gum	270		270	85	21.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
25988	*Corymbia citriodora*	Spotted Gum	310		310	97	25.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
25989	*Eucalyptus crebra*	Narrow-leaved Red Ironbark	280		280	88	18.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
25990	*Corymbia citriodora*	Spotted Gum	630		630	198	28.0	10.0	7.6	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
25991	*Eucalyptus tereticornis*	Forest Red Gum	330		330	104	22.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
25992	*Eucalyptus moluccana*	Gum-topped Box	510		510	160	26.0	9.0	6.1	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
25993	*Corymbia citriodora*	Spotted Gum	400		400	126	24.0	8.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
25994	*Angophora leiocarpa*	Rusty Gum	520		520	163	23.0	8.0	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
25995	*Corymbia citriodora*	Spotted Gum	320		320	101	21.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
25996	*Corymbia citriodora*	Spotted Gum	630		630	198	28.0	15.0	7.6	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
25997	*Corymbia citriodora*	Spotted Gum	260		260	82	22.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
25998	*Corymbia citriodora*	Spotted Gum	280		280	88	24.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
25999	*Corymbia citriodora*	Spotted Gum	280		280	88	23.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
26000	*Corymbia citriodora*	Spotted Gum	270		270	85	25.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
26001	*Corymbia citriodora*	Spotted Gum	280		280	88	24.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
26002	*Corymbia citriodora*	Spotted Gum	280		280	88	25.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
26003	*Corymbia citriodora*	Spotted Gum	310		310	97	24.0	10.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
26004	*Corymbia citriodora*	Spotted Gum	270		270	85	23.0	9.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
26005	*Corymbia citriodora*	Spotted Gum	490		490	154	29.0	10.0	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
26006	*Corymbia citriodora*	Spotted Gum	290		290	91	26.0	11.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
26007	*Corymbia citriodora*	Spotted Gum	260		260	82	24.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
26008	*Corymbia citriodora*	Spotted Gum	350		350	110	21.0	9.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
26009	*Corymbia citriodora*	Spotted Gum	520		520	163	27.0	12.0	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
26010	*Corymbia citriodora*	Spotted Gum	390		390	123	28.0	10.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
26011	**DEAD/STAG**		660		660	207	10.0	2.0	7.9	2.8	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	Termite nest	-	Remove
26012	*Corymbia citriodora*	Spotted Gum	330		330	104	25.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
26013	*Eucalyptus siderophloia*	Northern Grey Ironbark	610		610	192	26.0	11.0	7.3	2.7	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove
26014	*Corymbia citriodora*	Spotted Gum	390		390	123	23.0	9.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
26015	*Eucalyptus moluccana*	Gum-topped Box	390		390	123	24.0	10.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
26016	*Corymbia citriodora*	Spotted Gum	280		280	88	17.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
26017	*Corymbia citriodora*	Spotted Gum	260		260	82	18.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
26018	*Angophora leiocarpa*	Rusty Gum	300		300	94	20.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
26019	*Angophora leiocarpa*	Rusty Gum	300		300	94	20.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
26020	*Acacia disparrima*	Hickory Wattle	300		300	94	14.0	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Retain
26021	*Corymbia citriodora*	Spotted Gum	250		250	79	18.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
26022	*Acacia disparrima*	Hickory Wattle	300		300	94	15.0	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
26023	*Corymbia citriodora*	Spotted Gum	330		330	104	16.0	14.0	4.0	2.1	Regular	-	-	-	-	-	Typical	Major	-	-	-	Typical	-	-	-	0	-	-	-	Retain

| | | |

| Specimen Details | | |

Tree ID	Specimen Details										Canopy Condition Details						Trunk Condition Details						Fauna Details and Habitat Value							Retention	Additional Notes
	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	
26160	*Corymbia citriodora*	Spotted Gum	310		310	970	21.0	4.0	3.7	2.0	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26161	*Corymbia citriodora*	Spotted Gum	410		410	1290	22.0	11.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26162	*Eucalyptus siderophloia*	Northern Grey Ironbark	450		450	1410	26.0	10.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26163	*Corymbia citriodora*	Spotted Gum	560		560	1760	25.0	10.0	6.7	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26164	*Corymbia citriodora*	Spotted Gum	370		370	1160	26.0	8.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26165	*Corymbia citriodora*	Spotted Gum	360		360	1130	20.0	6.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26166	*Corymbia citriodora*	Spotted Gum	390		390	1230	23.0	7.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26167	*Corymbia citriodora*	Spotted Gum	330		330	1040	22.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26168	*Corymbia citriodora*	Spotted Gum	300		300	940	23.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26169	*Corymbia citriodora*	Spotted Gum	300		300	940	21.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26170	*Corymbia citriodora*	Spotted Gum	290		290	910	20.0	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26171	*Corymbia citriodora*	Spotted Gum	280		280	880	20.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26172	*Corymbia citriodora*	Spotted Gum	360	170	398	1250	24.0	9.0	4.8	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26173	*Corymbia citriodora*	Spotted Gum	340		340	1070	23.0	7.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26174	*Corymbia citriodora*	Spotted Gum	390		390	1230	23.0	8.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26175	*Angophora leiocarpa*	Rusty Gum	320		320	1010	20.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26176	*Corymbia citriodora*	Spotted Gum	500		500	1570	22.0	8.0	6.0	2.5	Regular	-	-	Die-back	Epicormic	-	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
26177	*Eucalyptus siderophloia*	Northern Grey Ironbark	540		540	1700	25.0	11.0	6.5	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
26178	*Eucalyptus siderophloia*	Northern Grey Ironbark	320		320	1010	26.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26179	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	940	22.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26180	**DEAD/STAG**		360		360	1130	22.0	8.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26181	*Corymbia citriodora*	Spotted Gum	380		380	1190	20.0	8.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26182	*Corymbia citriodora*	Spotted Gum	350		350	1100	24.0	8.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26183	*Corymbia citriodora*	Spotted Gum	290		290	910	24.0	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26184	*Corymbia intermedia*	Pink Bloodwood	340		340	1070	24.0	11.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26185	*Eucalyptus siderophloia*	Northern Grey Ironbark	310		310	970	22.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26186	*Corymbia citriodora*	Spotted Gum	320		320	1010	26.0	6.0	3.8	2.1	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26187	*Corymbia tessellaris*	Moreton Bay Ash	300		300	940	17.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26188	*Corymbia citriodora*	Spotted Gum	300		300	940	22.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26189	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	940	25.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26190	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	940	25.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26191	*Eucalyptus siderophloia*	Northern Grey Ironbark	350		350	1100	23.0	8.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26192	*Corymbia citriodora*	Spotted Gum	300		300	940	22.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26193	*Corymbia citriodora*	Spotted Gum	320		320	1010	27.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26194	*Eucalyptus siderophloia*	Northern Grey Ironbark	320		320	1010	24.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
26195	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	940	20.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26196	*Corymbia citriodora*	Spotted Gum	380		380	1190	24.0	10.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26197	*Corymbia citriodora*	Spotted Gum	310		310	970	23.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26198	*Corymbia citriodora*	Spotted Gum	360		360	1130	24.0	10.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26199	*Corymbia citriodora*	Spotted Gum	280	260	382	1200	24.0	10.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26200	*Eucalyptus siderophloia*	Northern Grey Ironbark	350		350	1100	22.0	11.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26201	*Corymbia citriodora*	Spotted Gum	390		390	1230	23.0	7.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26202	*Corymbia citriodora*	Spotted Gum	280		280	880	22.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26203	*Corymbia citriodora*	Spotted Gum	270		270	850	21.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26204	*Corymbia citriodora*	Spotted Gum	300		300	940	22.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26205	*Corymbia citriodora*	Spotted Gum	280		280	880	17.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26206	*Corymbia citriodora*	Spotted Gum	250		250	790	16.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26207	*Corymbia citriodora*	Spotted Gum	270		270	850	24.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26208	*Corymbia citriodora*	Spotted Gum	240		240	750	17.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26209	*Corymbia citriodora*	Spotted Gum	300		300	940	21.0	4.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26210	*Corymbia citriodora*	Spotted Gum	270		270	850	19.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26211	*Corymbia citriodora*	Spotted Gum	300		300	940	23.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26212	*Corymbia citriodora*	Spotted Gum	320		320	1010	24.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26213	*Corymbia citriodora*	Spotted Gum	300		300	940	25.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26214	*Corymbia citriodora*	Spotted Gum	570		570	1790	28.0	13.0	6.8	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26215	*Corymbia citriodora*	Spotted Gum	340		340	1070	25.0	7.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26216	*Corymbia citriodora*	Spotted Gum	310		310	970	23.0	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26217	*Corymbia citriodora*	Spotted Gum	280		280	880	20.0	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26218	*Corymbia citriodora*	Spotted Gum	380		380	1190	26.0	6.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26219	*Corymbia citriodora*	Spotted Gum	320		320	1010	23.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26220	*Corymbia citriodora*	Spotted Gum	410		410	1290	28.0	10.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
26221	*Corymbia citriodora*	Spotted Gum	340		340	1070	26.0	7.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26222	*Corymbia citriodora*	Spotted Gum	300		300	940	22.0	4.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26223	*Corymbia citriodora*	Spotted Gum	260		260	820	18.0	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26224	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	940	22.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26225	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	850	23.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26226	**DEAD/STAG**		460		460	1450	20.0	3.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26227	*Corymbia citriodora*	Spotted Gum	280		280	880	22.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	

Specimen Details							Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
26228	*Corymbia citriodora*	Spotted Gum	280		280	880	25.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26229	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	820	23.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26230	*Corymbia tessellaris*	Moreton Bay Ash	300		300	940	20.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26231	*Eucalyptus siderophloia*	Northern Grey Ironbark	350		350	1110	26.0	8.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
26232	*Corymbia citriodora*	Spotted Gum	300		300	940	25.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26233	*Corymbia citriodora*	Spotted Gum	370		370	1160	22.0	6.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26234	*Corymbia citriodora*	Spotted Gum	310		310	970	25.0	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26235	*Corymbia citriodora*	Spotted Gum	340		340	1070	25.0	7.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26236	*Corymbia citriodora*	Spotted Gum	290	180	341	1070	24.0	7.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26237	*Eucalyptus miniccana*	Gum-topped Box	480		480	1510	25.0	9.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26238	*Corymbia citriodora*	Spotted Gum	330		330	1040	22.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26239	*Corymbia citriodora*	Spotted Gum	320		320	1010	18.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26240	*Corymbia citriodora*	Spotted Gum	420		420	1320	26.0	9.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26241	*Corymbia citriodora*	Spotted Gum	400		400	1260	25.0	6.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26242	*Corymbia citriodora*	Spotted Gum	270		270	850	24.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26243	*Corymbia citriodora*	Spotted Gum	310		310	970	22.0	8.0	3.7	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26244	*Corymbia citriodora*	Spotted Gum	270		270	850	21.0	7.0	3.2	1.9	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26245	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	940	24.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26246	*Corymbia citriodora*	Spotted Gum	790		790	2480	29.0	12.0	9.5	3.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26247	*Corymbia citriodora*	Spotted Gum	320		320	1010	25.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26248	*Corymbia citriodora*	Spotted Gum	350	250, 150	456	1430	27.0	9.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26249	*Corymbia citriodora*	Spotted Gum	380		380	1190	26.0	12.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26250	*Corymbia citriodora*	Spotted Gum	340		340	1070	26.0	9.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26251	*Corymbia citriodora*	Spotted Gum	350		350	1110	24.0	8.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26252	*Corymbia citriodora*	Spotted Gum	290		290	910	22.0	8.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26253	*Corymbia citriodora*	Spotted Gum	290		290	910	23.0	8.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26254	*Corymbia citriodora*	Spotted Gum	330		330	1040	25.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
26255	*Corymbia citriodora*	Spotted Gum	300		300	940	24.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26256	*Corymbia citriodora*	Spotted Gum	300		300	940	24.0	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26257	*Corymbia citriodora*	Spotted Gum	350		350	1110	25.0	9.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26258	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	940	20.0	6.0	3.6	2.0	Regular	-	Thinning	Die-back	Epicormic	-	Poor	Minor	-	Trunk Dmg.	-	Poor	-	-	-	0	-	-	-	Remove	
26259	*Eucalyptus siderophloia*	Northern Grey Ironbark	450		450	1410	25.0	9.0	5.4	2.4	Regular	-	Thinning	Die-back	Epicormic	-	Poor	Minor	-	Trunk Dmg.	Fire Dmg.	Typical	-	-	-	0	-	-	-	Remove	
26260	*Corymbia citriodora*	Spotted Gum	410		410	1290	25.0	10.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26261	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	940	21.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
26262	**DEAD/STAG**		300		300	940	18.0	1.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
26263	*Corymbia citriodora*	Spotted Gum	290		290	910	23.0	8.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26264	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	880	20.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26265	*Eucalyptus siderophloia*	Northern Grey Ironbark	340		340	1070	24.0	7.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26266	*Eucalyptus siderophloia*	Northern Grey Ironbark	320		320	1010	20.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26267	*Eucalyptus miniccana*	Gum-topped Box	320		320	1010	22.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26268	*Corymbia citriodora*	Spotted Gum	360		360	1130	24.0	8.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26269	*Corymbia citriodora*	Spotted Gum	360		360	1130	26.0	7.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26270	*Eucalyptus crebra*	Narrow-leaved Red Ironbark	300		300	940	24.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26271	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	940	20.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26272	*Eucalyptus siderophloia*	Northern Grey Ironbark	340		340	1070	25.0	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26273	*Corymbia citriodora*	Spotted Gum	300		300	940	23.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26274	*Corymbia citriodora*	Spotted Gum	310		310	970	25.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26275	*Corymbia citriodora*	Spotted Gum	290		290	910	22.0	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26276	*Corymbia citriodora*	Spotted Gum	350		350	1110	26.0	8.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
26277	*Corymbia citriodora*	Spotted Gum	300		300	940	23.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26278	*Corymbia citriodora*	Spotted Gum	290		290	910	25.0	8.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26279	*Corymbia citriodora*	Spotted Gum	280		280	880	23.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26280	*Corymbia citriodora*	Spotted Gum	270		270	850	24.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26281	*Corymbia citriodora*	Spotted Gum	350		350	1110	25.0	7.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26282	*Corymbia citriodora*	Spotted Gum	300		300	940	25.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26283	*Corymbia citriodora*	Spotted Gum	310	170	354	111	25.0	7.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26284	*Corymbia intermedia*	Pink Bloodwood	300	280	410	129	24.0	12.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26285	*Corymbia citriodora*	Spotted Gum	300		300	94	25.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26286	*Corymbia citriodora*	Spotted Gum	360		360	113	26.0	8.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26287	*Corymbia citriodora*	Spotted Gum	320		320	101	26.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26288	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	24.0	12.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
26289	*Corymbia citriodora*	Spotted Gum	300		300	94	25.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26290	*Corymbia citriodora*	Spotted Gum	370		370	116	25.0	9.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26291	*Eucalyptus crebra*	Narrow-leaved Red Ironbark	280		280	88	24.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26292	*Eucalyptus crebra*	Narrow-leaved Red Ironbark	310		310	97	25.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26293	*Eucalyptus crebra*	Narrow-leaved Red Ironbark	270		270	85	23.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
26294	*Corymbia citriodora*	Spotted Gum	330		330	104	26.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26295	*Eucalyptus siderophloia*	Northern Grey Ironbark	290		290	91	24.0	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	

Specimen Details									Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
Z6296	*Corymbia citriodora*	Spotted Gum	250		250	79	21.0	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z6297	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	24.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z6298	*Eucalyptus siderophloia*	Northern Grey Ironbark	310		310	97	24.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z6299	*Eucalyptus siderophloia*	Northern Grey Ironbark	340		340	107	26.0	9.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z6300	*Eucalyptus crebra*	Narrow-leaved Red Ironbark	310		310	97	25.0	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z6301	*Angophora leiocarpa*	Rusty Gum	360		360	113	26.0	9.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z6302	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	25.0	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z6303	*Corymbia citriodora*	Spotted Gum	390		390	123	26.0	9.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z6304	**DEAD/STAG**		450		450	141	24.0	3.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	small	1	-	-	-	Remove	
Z6305	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	25.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z6306	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	25.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
Z6307	*Eucalyptus crebra*	Narrow-leaved Red Ironbark	320		320	101	24.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
Z6308	*Corymbia citriodora*	Spotted Gum	290		290	91	26.0	5.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z6309	*Corymbia citriodora*	Spotted Gum	310		310	97	27.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z6310	*Corymbia citriodora*	Spotted Gum	350		350	110	28.0	8.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z6311	*Corymbia citriodora*	Spotted Gum	420		420	132	25.0	9.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
Z6312	*Corymbia citriodora*	Spotted Gum	330		330	104	24.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z6313	*Corymbia citriodora*	Spotted Gum	330		330	104	25.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z6314	*Eucalyptus siderophloia*	Northern Grey Ironbark	790		790	248	22.0	7.0	9.5	3.0	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Poor	-	-	-	0	-	-	-	Remove	
Z6315	*Eucalyptus siderophloia*	Northern Grey Ironbark	330		330	104	26.0	9.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z6316	*Corymbia citriodora*	Spotted Gum	310		310	97	26.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z6317	*Corymbia citriodora*	Spotted Gum	300		300	94	26.0	4.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z6318	*Corymbia citriodora*	Spotted Gum	340		340	107	26.0	7.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z6319	*Corymbia citriodora*	Spotted Gum	490		490	154	26.0	7.0	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z6320	*Corymbia citriodora*	Spotted Gum	290		290	91	24.0	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z6321	*Corymbia citriodora*	Spotted Gum	300		300	94	27.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z6322	*Corymbia citriodora*	Spotted Gum	350		350	110	26.0	6.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z6323	*Corymbia citriodora*	Spotted Gum	590		590	185	26.0	12.0	7.1	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z6324	*Eucalyptus siderophloia*	Northern Grey Ironbark	310		310	97	27.0	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z6325	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	17.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z6326	*Eucalyptus siderophloia*	Northern Grey Ironbark	360		360	113	26.0	8.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z6327	*Corymbia citriodora*	Spotted Gum	310		310	97	25.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z6328	*Corymbia citriodora*	Spotted Gum	340		340	107	22.0	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z6329	*Corymbia citriodora*	Spotted Gum	290		290	91	23.0	8.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
Z6330	*Eucalyptus crebra*	Narrow-leaved Red Ironbark	300		300	94	27.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z6331	*Eucalyptus crebra*	Narrow-leaved Red Ironbark	280		280	88	22.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z6332	*Eucalyptus siderophloia*	Northern Grey Ironbark	410		410	129	25.0	8.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
Z6333	*Corymbia citriodora*	Spotted Gum	380		380	119	25.0	7.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z6334	*Eucalyptus siderophloia*	Northern Grey Ironbark	290		290	91	22.0	8.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z6335	*Corymbia citriodora*	Spotted Gum	280		280	88	20.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z6336	*Angophora leiocarpa*	Rusty Gum	330		330	104	24.0	9.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z6337	*Eucalyptus siderophloia*	Northern Grey Ironbark	350		350	110	25.0	9.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	Termite nest	-	-	Remove	
Z6338	*Eucalyptus crebra*	Narrow-leaved Red Ironbark	300		300	94	22.0	6.0	3.6	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z6339	*Angophora leiocarpa*	Rusty Gum	350		350	110	22.0	6.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z6340	*Eucalyptus crebra*	Narrow-leaved Red Ironbark	310		310	97	24.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z6341	*Corymbia intermedia*	Pink Bloodwood	300		300	94	22.0	8.0	3.6	2.0	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z6342	*Corymbia citriodora*	Spotted Gum	280		280	88	22.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z6343	*Eucalyptus siderophloia*	Northern Grey Ironbark	290		290	91	24.0	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z6344	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	22.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z6345	*Eucalyptus siderophloia*	Northern Grey Ironbark	290		290	91	22.0	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z6346	*Corymbia citriodora*	Spotted Gum	420		420	132	28.0	5.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z6347	*Corymbia citriodora*	Spotted Gum	350		350	110	25.0	8.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z6348	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	20.0	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z6349	*Corymbia citriodora*	Spotted Gum	370		370	116	26.0	7.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z6350	*Corymbia citriodora*	Spotted Gum	300		300	94	24.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z6351	*Corymbia citriodora*	Spotted Gum	380		380	119	27.0	9.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z6352	*Corymbia citriodora*	Spotted Gum	380		380	119	26.0	7.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z6353	*Corymbia citriodora*	Spotted Gum	350		350	110	26.0	8.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z6354	*Corymbia citriodora*	Spotted Gum	320		320	101	26.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
Z6355	*Corymbia citriodora*	Spotted Gum	340		340	107	24.0	6.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z6356	*Corymbia citriodora*	Spotted Gum	350		350	110	26.0	8.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z6357	*Corymbia citriodora*	Spotted Gum	350		350	110	27.0	9.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z6358	*Corymbia citriodora*	Spotted Gum	300		300	94	24.0	9.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z6359	*Corymbia citriodora*	Spotted Gum	320		320	101	24.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z6360	*Corymbia citriodora*	Spotted Gum	290		290	91	22.0	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z6361	*Corymbia citriodora*	Spotted Gum	340		340	107	25.0	7.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z6362	*Corymbia citriodora*	Spotted Gum	340		340	107	25.0	5.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
Z6363	*Corymbia citriodora*	Spotted Gum	400		400	126	26.0	8.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	

	Specimen Details								Canopy Condition Details								Trunk Condition Details						Fauna Details and Habitat Value							Retention	Additional Notes
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	
26464	*Corymbia citriodora*	Spotted Gum	310	190, 190	410	129	22.0	8.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26465	*Corymbia citriodora*	Spotted Gum	320	101	240	75	24.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26466	*Corymbia citriodora*	Spotted Gum	300	94	240	75	24.0	8.0	3.6	2.6	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26467	*Eucalyptus siderophloia*	Northern Grey Ironbark	290	91	230	70	23.0	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26468	*Corymbia citriodora*	Spotted Gum	350	110	270	70	24.0	7.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26469	*Corymbia citriodora*	Spotted Gum	320	101	240	70	24.0	7.0	3.8	2.1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26470	*Corymbia citriodora*	Spotted Gum	380	119	270	90	22.0	9.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26471	*Eucalyptus siderophloia*	Northern Grey Ironbark	290	91	230	70	23.0	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26472	*Eucalyptus tereticornis*	Forest Red Gum	280	88	240	70	22.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26473	*Corymbia citriodora*	Spotted Gum	300	94	240	70	22.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26474	*Corymbia citriodora*	Spotted Gum	280	88	230	70	22.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
26475	*Corymbia citriodora*	Spotted Gum	330	104	250	70	25.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26476	*Eucalyptus siderophloia*	Northern Grey Ironbark	300	94	240	80	25.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26477	*Eucalyptus siderophloia*	Northern Grey Ironbark	280	88	240	70	24.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26478	*Corymbia citriodora*	Spotted Gum	380	119	240	70	24.0	7.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26479	*Corymbia citriodora*	Spotted Gum	300	94	250	60	25.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26480	*Corymbia citriodora*	Spotted Gum	310	97	250	70	25.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26481	*Corymbia citriodora*	Spotted Gum	270	85	240	70	24.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26482	*Corymbia citriodora*	Spotted Gum	360	113	270	90	27.0	9.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26483	*Corymbia citriodora*	Spotted Gum	330	104	250	70	25.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26484	*Corymbia citriodora*	Spotted Gum	280	88	230	70	23.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
26485	*Corymbia citriodora*	Spotted Gum	280	88	220	70	22.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26486	*Eucalyptus tereticornis*	Forest Red Gum	280	88	240	70	22.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26487	*Corymbia citriodora*	Spotted Gum	300	94	220	70	22.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26488	*Corymbia citriodora*	Spotted Gum	300	94	240	80	24.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26489	*Eucalyptus siderophloia*	Northern Grey Ironbark	280	88	240	70	24.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26490	*Corymbia citriodora*	Spotted Gum	290	91	200	60	20.0	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26491	*Eucalyptus siderophloia*	Northern Grey Ironbark	290	91	260	80	26.0	8.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26492	*Eucalyptus cretata*	Narrow-leaved Red Ironbark	490	154	280	90	28.0	9.0	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
26493	*Eucalyptus cretata*	Narrow-leaved Red Ironbark	270	85	260	70	26.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26494	*Corymbia citriodora*	Spotted Gum	320	101	240	70	24.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26495	*Eucalyptus siderophloia*	Northern Grey Ironbark	360	113	270	80	27.0	8.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26496	*Eucalyptus siderophloia*	Northern Grey Ironbark	300	94	260	80	26.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26497	*Eucalyptus siderophloia*	Northern Grey Ironbark	440	138	270	90	22.0	6.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26498	*Eucalyptus siderophloia*	Northern Grey Ironbark	300	94	240	70	24.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26499	*Corymbia citriodora*	Spotted Gum	300	94	240	70	24.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26500	*Eucalyptus siderophloia*	Northern Grey Ironbark	280	88	230	70	23.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26501	*Corymbia citriodora*	Spotted Gum	300	94	240	70	24.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26502	*Corymbia citriodora*	Spotted Gum	300	94	250	70	25.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26503	*Corymbia citriodora*	Spotted Gum	300	94	260	60	26.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26504	*Corymbia citriodora*	Spotted Gum	320	101	250	80	25.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26505	*Eucalyptus siderophloia*	Northern Grey Ironbark	540	170	270	120	27.0	6.5	2.6	Regular	-	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
26506	*Eucalyptus siderophloia*	Northern Grey Ironbark	440	138	280	90	28.0	9.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26507	*Eucalyptus siderophloia*	Northern Grey Ironbark	440	138	270	90	22.0	6.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26508	*Corymbia citriodora*	Spotted Gum	300	94	240	90	24.0	9.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26509	*Corymbia citriodora*	Spotted Gum	290	91	250	60	25.0	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26510	*Corymbia citriodora*	Spotted Gum	280	88	220	30	22.0	3.0	3.4	1.9	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26511	*Corymbia citriodora*	Spotted Gum	330	104	240	60	24.0	6.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26512	*Eucalyptus siderophloia*	Northern Grey Ironbark	410	161	514	310	28.0	10.0	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26513	*Eucalyptus siderophloia*	Northern Grey Ironbark	380	119	270	70	27.0	7.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26514	*Corymbia tessellaris*	Moreton Bay Ash	280	88	250	90	25.0	9.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26515	*Eucalyptus tereticornis*	Forest Red Gum	320	101	240	70	24.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26516	*Eucalyptus siderophloia*	Northern Grey Ironbark	300	94	250	80	25.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26517	*Eucalyptus siderophloia*	Northern Grey Ironbark	320	101	270	80	27.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26518	*Eucalyptus siderophloia*	Northern Grey Ironbark	770	242	300	120	28.0	9.2	3.0	Regular	-	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	Small	1	-	-	-	Remove	
26519	*Corymbia citriodora*	Spotted Gum	300	94	220	120	22.0	12.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26520	*Corymbia citriodora*	Spotted Gum	420	132	280	120	28.0	12.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26521	*Corymbia citriodora*	Spotted Gum	290	91	240	80	24.0	8.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26522	*Corymbia citriodora*	Spotted Gum	300	94	240	80	24.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26523	*Corymbia citriodora*	Spotted Gum	250	79	240	60	24.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26524	*Eucalyptus tereticornis*	Forest Red Gum	370	116	250	110	25.0	11.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26525	*Eucalyptus siderophloia*	Northern Grey Ironbark	290	91	260	80	26.0	8.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26526	*Eucalyptus siderophloia*	Northern Grey Ironbark	270	85	240	80	24.0	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26527	*Eucalyptus siderophloia*	Northern Grey Ironbark	290	103	326	150	27.0	8.0	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26528	*Corymbia citriodora*	Spotted Gum	380	119	260	100	26.0	10.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26529	*Corymbia citriodora*	Spotted Gum	410	129	250	100	25.0	10.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26530	*Corymbia citriodora*	Spotted Gum	290	91	250	60	25.0	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26531	*Corymbia citriodora*	Spotted Gum	350	110	260	90	26.0	9.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	

| Specimen Details | | |

	Specimen Details								Canopy Condition Details								Trunk Condition Details						Fauna Details and Habitat Value							
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
26500	*Corymbia citriodora*	Spotted Gum	300		300	94	18.0	4.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26501	*Corymbia citriodora*	Spotted Gum	280		280	88	20.0	4.0	3.4	1.9	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26502	*Corymbia citriodora*	Spotted Gum	280		280	88	20.0	4.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26503	*Eucalyptus siderophloia*	Northern Grey Ironbark	290		290	91	19.0	4.0	3.5	2.0	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26504	*Corymbia citriodora*	Spotted Gum	280		280	88	19.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26505	*Corymbia citriodora*	Spotted Gum	260		260	82	18.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26506	*Corymbia citriodora*	Spotted Gum	300		300	94	10.0	1.0	3.6	2.0	Regular	-	-	-	Epicormic	Lopped	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
26507	*Angophora leiocarpa*	Rusty Gum	320		320	101	21.0	5.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26508	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	15.0	4.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
26509	*Corymbia citriodora*	Spotted Gum	350		350	110	23.0	4.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26510	*Corymbia citriodora*	Spotted Gum	250		250	79	17.0	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26511	*Corymbia citriodora*	Spotted Gum	360		360	113	21.0	7.0	4.3	2.2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26512	*Corymbia citriodora*	Spotted Gum	280		280	88	20.0	4.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26513	*Corymbia citriodora*	Spotted Gum	250		250	79	17.0	3.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26514	*Corymbia citriodora*	Spotted Gum	270		270	85	22.0	3.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26515	*Corymbia citriodora*	Spotted Gum	340		340	107	22.0	5.0	4.1	2.1	Regular	-	-	-	Epicormic	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
26516	*Corymbia citriodora*	Spotted Gum	290		290	91	23.0	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26517	*Corymbia citriodora*	Spotted Gum	300		300	94	20.0	5.0	3.6	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26518	*Corymbia citriodora*	Spotted Gum	300		300	94	19.0	4.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26519	*Corymbia citriodora*	Spotted Gum	320		320	101	20.0	4.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26520	*Corymbia citriodora*	Spotted Gum	310		310	97	16.0	4.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26521	*Eucalyptus siderophloia*	Northern Grey Ironbark	310		310	97	21.0	5.0	3.7	2.0	Regular	-	-	-	Epicormic	-	Typical	-	-	Trunk Dmg.	Fire Dmg.	Typical	-	-	-	0	-	-	-	Remove	
26522	*Eucalyptus siderophloia*	Northern Grey Ironbark	360		360	113	21.0	6.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
26523	*Eucalyptus siderophloia*	Northern Grey Ironbark	330		330	104	20.0	4.0	4.0	2.1	Regular	-	-	-	Epicormic	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
26524	*Corymbia citriodora*	Spotted Gum	300		300	94	16.0	4.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26525	*Corymbia citriodora*	Spotted Gum	330		330	104	23.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26526	*Corymbia citriodora*	Spotted Gum	330		330	104	24.0	5.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26527	*Corymbia citriodora*	Spotted Gum	330		330	104	24.0	6.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26528	*Corymbia citriodora*	Spotted Gum	240		240	75	19.0	3.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26529	*Corymbia citriodora*	Spotted Gum	340		340	107	19.0	5.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26530	*Corymbia citriodora*	Spotted Gum	300		300	94	24.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26531	*Eucalyptus siderophloia*	Northern Grey Ironbark	320		320	101	20.0	5.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26532	*Corymbia citriodora*	Spotted Gum	310		310	97	14.0	4.0	3.7	2.0	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26533	*Corymbia citriodora*	Spotted Gum	290		290	91	19.0	5.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26534	*Corymbia tractyphloia*	Brown Bloodwood	300		300	94	20.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26535	*Corymbia citriodora*	Spotted Gum	280		280	88	19.0	4.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26536	*Corymbia tractyphloia*	Brown Bloodwood	280		280	88	15.0	3.0	3.4	1.9	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26537	*Corymbia citriodora*	Spotted Gum	310		310	97	20.0	5.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26538	*Corymbia citriodora*	Spotted Gum	260		260	82	16.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26539	*Corymbia citriodora*	Spotted Gum	260		260	82	16.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26540	*Corymbia citriodora*	Spotted Gum	430		430	135	16.0	4.0	5.2	2.3	Regular	-	-	-	Epicormic	Lopped	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26541	*Corymbia citriodora*	Spotted Gum	300		300	94	24.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26542	*Eucalyptus siderophloia*	Northern Grey Ironbark	290		290	91	18.0	4.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
26543	*Corymbia citriodora*	Spotted Gum	280		280	88	19.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
26544	*Corymbia citriodora*	Spotted Gum	280		280	88	18.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26545	*Corymbia citriodora*	Spotted Gum	320		320	101	21.0	4.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
26546	*Corymbia tractyphloia*	Brown Bloodwood	380		380	119	20.0	5.0	4.6	2.2	Regular	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	Fire Dmg.	Typical	-	-	-	0	-	-	-	Remove	
26547	*Corymbia citriodora*	Spotted Gum	260		260	82	18.0	3.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26548	*Corymbia citriodora*	Spotted Gum	280		280	88	19.0	4.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26549	*Corymbia citriodora*	Spotted Gum	320		320	101	22.0	5.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
26550	*Corymbia citriodora*	Spotted Gum	320		320	101	21.0	5.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26551	*Corymbia citriodora*	Spotted Gum	260		260	82	19.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26552	*Corymbia citriodora*	Spotted Gum	330		330	104	19.0	4.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26553	*Corymbia citriodora*	Spotted Gum	240		240	75	19.0	3.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26554	*Corymbia citriodora*	Spotted Gum	660		660	207	24.0	6.0	7.9	2.8	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26555	*Corymbia citriodora*	Spotted Gum	280		280	88	18.0	4.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26556	*Corymbia citriodora*	Spotted Gum	250		250	79	17.0	3.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26557	*Corymbia citriodora*	Spotted Gum	300		300	94	21.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26558	*Corymbia citriodora*	Spotted Gum	260		260	82	18.0	3.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26559	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	19.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26560	*Eucalyptus siderophloia*	Northern Grey Ironbark	310		310	97	22.0	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26561	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	17.0	3.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
26562	*Corymbia citriodora*	Spotted Gum	280		280	88	20.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26563	*Corymbia citriodora*	Spotted Gum	300		300	94	19.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	Old	-	-	-	Remove	
26564	*Corymbia citriodora*	Spotted Gum	360		360	113	23.0	4.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
26565	*Corymbia citriodora*	Spotted Gum	280		280	88	21.0	4.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	Old	-	-	-	Remove	
26566	*Corymbia citriodora*	Spotted Gum	870		870	273	27.0	7.0	10.4	3.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	Old	New	-	0	-	-	-	Remove	
26567	*Corymbia citriodora*	Spotted Gum	420		420	132	25.0	6.0	5.0	2.3	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	Old	-	0	-	-	-	Remove	

Tree ID	Botanical Name	Common Name	Specimen Details									Canopy Condition Details								Trunk Condition Details					Fauna Details and Habitat Value						Additional Notes	Retention
			Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
26568	Corymbia citriodora	Spotted Gum	290		290	91	22.0	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	Remove
26569	Corymbia citriodora	Spotted Gum	250		250	79	20.0	3.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	Remove
26570	Corymbia citriodora	Spotted Gum	300		300	94	21.0	5.0	3.6	2.0	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	Remove
26571	Corymbia citriodora	Spotted Gum	300		300	94	17.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	Remove
26572	Corymbia citriodora	Spotted Gum	320		320	101	20.0	5.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	Remove
26573	Corymbia citriodora	Spotted Gum	340		340	107	25.0	6.0	4.1	2.1	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	Remove
26574	Corymbia citriodora	Spotted Gum	290	260	389	122	21.0	5.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	Remove
26575	Corymbia citriodora	Spotted Gum	290		290	91	21.0	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	Remove
26576	Corymbia citriodora	Spotted Gum	750		750	236	32.0	7.0	9.0	2.9	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	Old	Large	1	-	-	-	Remove	Remove
26577	Corymbia citriodora	Spotted Gum	320		320	101	21.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	Remove
26578	Corymbia citriodora	Spotted Gum	310		310	97	21.0	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	Remove
26579	Corymbia intermedia	Pink Bloodwood	250		250	79	13.0	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	Remove
26580	Eucalyptus siderophloia	Northern Grey Ironbark	430		430	135	23.0	5.0	5.2	2.3	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	Remove
26581	Corymbia citriodora	Spotted Gum	290		290	91	20.0	4.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	Remove
26582	Eucalyptus siderophloia	Northern Grey Ironbark	380		380	119	23.0	7.0	4.6	2.2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove	Remove
26583	Corymbia citriodora	Spotted Gum	310		310	97	21.0	5.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	Remove
26584	Corymbia citriodora	Spotted Gum	290		290	91	21.0	5.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	Remove
26585	Corymbia intermedia	Pink Bloodwood	270		270	85	16.0	3.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	Remove
26586	Corymbia citriodora	Spotted Gum	250		250	79	16.0	3.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	Remove
26587	Corymbia citriodora	Spotted Gum	270		270	85	20.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	Remove
26588	Corymbia citriodora	Spotted Gum	290		290	91	20.0	4.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	Remove
26589	Corymbia citriodora	Spotted Gum	380		380	119	19.0	4.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	Remove
26590	Corymbia citriodora	Spotted Gum	280		280	88	19.0	3.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	Remove
26591	Corymbia citriodora	Spotted Gum	380		380	119	21.0	5.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	Small	-	-	Remove	Remove
26592	Corymbia citriodora	Spotted Gum	300		300	94	14.0	3.0	3.6	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	Remove
26593	Corymbia citriodora	Spotted Gum	290		290	91	16.0	3.0	3.5	2.0	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	Remove
26594	Eucalyptus siderophloia	Northern Grey Ironbark	270		270	85	19.0	4.0	3.2	1.9	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	Remove
26595	Corymbia citriodora	Spotted Gum	300		300	94	21.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	Remove
26596	Corymbia citriodora	Spotted Gum	310		310	97	24.0	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	Remove
26597	Corymbia citriodora	Spotted Gum	310		310	97	18.0	4.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	Remove
26598	Eucalyptus siderophloia	Northern Grey Ironbark	280		280	88	14.0	4.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	Remove
26599	Corymbia citriodora	Spotted Gum	340		340	107	22.0	6.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	Remove
26600	Corymbia citriodora	Spotted Gum	290		290	91	19.0	5.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	Remove
26601	Corymbia citriodora	Spotted Gum	320		320	101	22.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	Remove
26602	Eucalyptus siderophloia	Northern Grey Ironbark	370		370	116	19.0	6.0	4.4	2.2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	Remove
26603	Eucalyptus siderophloia	Northern Grey Ironbark	300		300	94	18.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	Remove
26604	Eucalyptus siderophloia	Northern Grey Ironbark	270		270	85	18.0	4.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	Remove
26605	Corymbia citriodora	Spotted Gum	290		290	91	20.0	5.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	Remove
26606	Eucalyptus siderophloia	Northern Grey Ironbark	370		370	116	22.0	7.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	Remove
26607	Corymbia citriodora	Spotted Gum	260		260	82	14.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	Remove
26608	Corymbia citriodora	Spotted Gum	270		270	85	18.0	4.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	Remove
26609	Corymbia citriodora	Spotted Gum	280		280	88	19.0	4.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	Remove
26610	Eucalyptus siderophloia	Northern Grey Ironbark	280		280	88	17.0	4.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	Remove
26611	Corymbia citriodora	Spotted Gum	290		290	91	18.0	3.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	Remove
26612	Eucalyptus siderophloia	Northern Grey Ironbark	280		280	88	16.0	4.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	Remove
26613	Corymbia citriodora	Spotted Gum	260		260	82	14.0	3.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	Remove
26614	Corymbia citriodora	Spotted Gum	320		320	101	24.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	Remove
26615	Corymbia citriodora	Spotted Gum	270		270	85	20.0	4.0	3.2	1.9	Irregular	-	-	-	Epicormic	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	Remove
26616	Eucalyptus moluccana	Gum-topped Box	380	200	429	135	21.0	4.0	5.2	2.3	Irregular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	Remove
26617	Corymbia citriodora	Spotted Gum	300		300	94	18.0	3.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	Remove
26618	Corymbia citriodora	Spotted Gum	270		270	85	17.0	3.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	Remove
26619	Corymbia citriodora	Spotted Gum	390		390	123	20.0	4.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	Remove
26620	Corymbia citriodora	Spotted Gum	280		280	88	14.0	3.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	Remove
26621	Corymbia citriodora	Spotted Gum	280		280	88	21.0	4.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	Remove
26622	Corymbia intermedia	Pink Bloodwood	422	240, 190	290	132	18.0	4.0	5.1	2.3	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	Termite nest	-	Remove	Remove
26623	Corymbia citriodora	Spotted Gum	270		270	85	17.0	4.0	3.2	1.9	Regular	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	Remove
26624	Eucalyptus siderophloia	Northern Grey Ironbark	250		250	79	19.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove	Remove
26625	Corymbia citriodora	Spotted Gum	260		260	82	22.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	Remove
26626	**DEAD/STAG**		270		270	85	22.0	2.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	Remove
26627	Corymbia citriodora	Spotted Gum	330		330	104	25.0	4.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	Remove
26628	Corymbia citriodora	Spotted Gum	320		320	101	27.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	Remove
26629	Corymbia citriodora	Spotted Gum	250		250	79	18.0	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	Remove
26630	Corymbia citriodora	Spotted Gum	330		330	104	24.0	5.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	Remove
26631	Corymbia citriodora	Spotted Gum	320		320	101	24.0	3.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	Remove
26632	Corymbia citriodora	Spotted Gum	300		300	94	24.0	6.0	3.6	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	Remove
26633	Corymbia citriodora	Spotted Gum	630		630	198	10.0	1.0	7.6	2.7	Regular	-	-	-	Epicormic	Lopped	Typical	-	-	-	-	Typical	-	-	New	-	-	-	-	Remove	Remove
26634	Corymbia citriodora	Spotted Gum	300		300	94	14.0	3.0	3.6	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	Remove
26635	Corymbia citriodora	Spotted Gum	280		280	88	20.0	4.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	Remove

Specimen Details									Canopy Condition Details								Trunk Condition Details							Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
266636	*Corymbia citriodora*	Spotted Gum	270		270	85	24.0	4.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
266637	*Corymbia citriodora*	Spotted Gum	290		290	91	19.0	4.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
266638	*Corymbia citriodora*	Spotted Gum	250		250	79	15.0	3.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
266639	*Corymbia citriodora*	Spotted Gum	320		320	101	18.0	4.0	3.8	2.1	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Poor	-	-	-	0	-	-	-	Remove	
266640	*Corymbia citriodora*	Spotted Gum	290		290	91	18.0	3.0	3.5	2.0	Regular	-	Thinning	-	Epicormic	-	Poor	-	-	-	-	Poor	-	-	-	0	-	-	-	Remove	
266641	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	12.0	3.0	3.1	1.9	Regular	-	-	-	Epicormic	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
266642	*Corymbia citriodora*	Spotted Gum	270		270	85	19.0	5.0	3.2	1.9	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
266643	*Corymbia citriodora*	Spotted Gum	310		310	97	23.0	5.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
266644	*Corymbia citriodora*	Spotted Gum	260		260	82	14.0	3.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
266645	*Eucalyptus siderophloia*	Northern Grey Ironbark	370		370	116	21.0	5.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
266646	*Corymbia citriodora*	Spotted Gum	260	180	316	99	18.0	5.0	3.8	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
266647	*Corymbia citriodora*	Spotted Gum	260		260	82	22.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
266648	*Corymbia citriodora*	Spotted Gum	280		280	88	24.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
266649	*Corymbia citriodora*	Spotted Gum	250		250	79	20.0	3.0	3.0	1.8	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
266650	*Corymbia citriodora*	Spotted Gum	290		290	91	22.0	5.0	3.5	2.0	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
266651	*Corymbia citriodora*	Spotted Gum	280		280	88	20.0	4.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
266652	*Corymbia citriodora*	Spotted Gum	280		280	88	22.0	5.0	3.4	1.9	Irregular	-	Thinning	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
266653	*Corymbia citriodora*	Spotted Gum	230		230	72	16.0	3.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
266654	*Corymbia citriodora*	Spotted Gum	280		280	88	26.0	5.0	3.4	1.9	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
266655	*Corymbia citriodora*	Spotted Gum	300		300	94	22.0	4.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
266656	*Corymbia citriodora*	Spotted Gum	270		270	85	26.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
266657	*Corymbia citriodora*	Spotted Gum	390		390	123	22.0	6.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
266658	*Eucalyptus siderophloia*	Northern Grey Ironbark	170		170	53	14.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
266659	*Corymbia citriodora*	Spotted Gum	290		290	91	24.0	6.0	3.5	2.0	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
266660	*Corymbia citriodora*	Spotted Gum	290		290	91	24.0	6.0	3.5	2.0	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
266661	*Corymbia citriodora*	Spotted Gum	270		270	85	22.0	3.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
266662	*Corymbia citriodora*	Spotted Gum	260		260	82	25.0	5.0	3.1	1.9	Regular	-	Thinning	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
266663	*Corymbia citriodora*	Spotted Gum	290		290	91	23.0	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
266664	*Corymbia citriodora*	Spotted Gum	240		240	75	20.0	4.0	2.9	1.8	Regular	-	-	-	Epicormic	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
266665	*Corymbia citriodora*	Spotted Gum	290		290	91	19.0	5.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
266666	*Corymbia citriodora*	Spotted Gum	270		270	85	18.0	3.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
266667	*Corymbia citriodora*	Spotted Gum	260		260	82	23.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
266668	*Corymbia citriodora*	Spotted Gum	350		350	110	23.0	6.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
266669	*Corymbia citriodora*	Spotted Gum	300		300	94	24.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
266670	*Corymbia citriodora*	Spotted Gum	370		370	116	22.0	5.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
266671	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	15.0	3.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
266672	*Corymbia citriodora*	Spotted Gum	290		290	91	24.0	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
266673	*Corymbia citriodora*	Spotted Gum	300		300	94	19.0	4.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
266674	*Corymbia citriodora*	Spotted Gum	330		330	104	23.0	5.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
266675	*Corymbia citriodora*	Spotted Gum	290		290	91	25.0	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
266676	*Corymbia citriodora*	Spotted Gum	310		310	97	20.0	5.0	3.7	2.0	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
266677	*Corymbia citriodora*	Spotted Gum	250		250	79	17.0	3.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
266678	*Corymbia citriodora*	Spotted Gum	270		270	85	20.0	3.0	3.2	1.9	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
266679	*Corymbia citriodora*	Spotted Gum	280		280	88	20.0	4.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
266680	*Corymbia citriodora*	Spotted Gum	230		230	72	18.0	4.0	2.8	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
266681	*Eucalyptus siderophloia*	Northern Grey Ironbark	290		290	91	19.0	4.0	3.5	2.0	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
266682	*Corymbia citriodora*	Spotted Gum	280		280	88	24.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
266683	*Corymbia citriodora*	Spotted Gum	240		240	75	19.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
266684	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	23.0	5.0	3.6	2.0	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
266685	*Corymbia citriodora*	Spotted Gum	280		280	88	20.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
266686	*Corymbia citriodora*	Spotted Gum	300		300	94	24.0	7.0	3.6	2.0	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
266687	*Corymbia citriodora*	Spotted Gum	270		270	85	21.0	5.0	3.2	1.9	One-sided	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
266688	*Corymbia tessellaris*	Moreton Bay Ash	330		330	104	24.0	6.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
266689	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	13.0	3.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove	
266690	*Corymbia citriodora*	Spotted Gum	380		380	119	24.0	7.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
266691	*Corymbia citriodora*	Spotted Gum	290		290	91	19.0	5.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
266692	*Corymbia tessellaris*	Moreton Bay Ash	250		250	79	17.0	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
266693	*Corymbia citriodora*	Spotted Gum	270		270	85	23.0	5.0	3.2	1.9	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
266694	*Corymbia citriodora*	Spotted Gum	270		270	85	17.0	6.0	3.2	1.9	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
266695	*Corymbia citriodora*	Spotted Gum	310		310	97	22.0	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
266696	*Corymbia tessellaris*	Moreton Bay Ash	280		280	88	22.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
266697	*Corymbia tessellaris*	Moreton Bay Ash	280	160	322	101	17.0	5.0	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
266698	*Corymbia citriodora*	Spotted Gum	230		230	72	14.0	3.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
266699	*Corymbia tessellaris*	Moreton Bay Ash	260		260	82	16.0	3.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove	
266700	*Corymbia citriodora*	Spotted Gum	320		320	101	22.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
266701	*Corymbia citriodora*	Spotted Gum	360		360	113	25.0	7.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
266702	*Corymbia citriodora*	Spotted Gum	260		260	82	16.0	3.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	
266703	*Corymbia citriodora*	Spotted Gum	250		250	79	18.0	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove	

Tree ID	Specimen Details									Canopy Condition Details						Trunk Condition Details				Fauna Details and Habitat Value						Additional Notes	Retention
	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Number of Hollows	Nest	Termite Nest	Habitat Value	
26704	*Corymbia citriodora*	Spotted Gum	260		260	82	21.0	4.0	3.1	Regular	-	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove
26705	*Corymbia citriodora*	Spotted Gum	320		320	101	25.0	7.0	3.8	Regular	-	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove
26706	*Corymbia citriodora*	Spotted Gum	290		290	91	24.0	6.0	3.5	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
26707	*Corymbia citriodora*	Spotted Gum	260		260	82	20.0	4.0	3.1	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
26708	*Corymbia citriodora*	Spotted Gum	230		230	72	19.0	3.0	2.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
26709	*Corymbia citriodora*	Spotted Gum	270		270	85	19.0	4.0	3.2	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
26710	*Corymbia citriodora*	Spotted Gum	250		250	79	21.0	4.0	3.0	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
26711	*Corymbia citriodora*	Spotted Gum	280		280	88	20.0	5.0	3.4	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
26712	*Corymbia citriodora*	Spotted Gum	270		270	85	26.0	7.0	3.2	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
26713	*Corymbia citriodora*	Spotted Gum	280		280	88	23.0	5.0	3.4	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
26714	*Corymbia citriodora*	Spotted Gum	300		300	94	20.0	4.0	3.6	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
26715	*Corymbia citriodora*	Spotted Gum	330		330	104	22.0	6.0	4.0	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
26716	*Corymbia citriodora*	Spotted Gum	280		280	88	20.0	6.0	3.4	One-sided	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
26717	*Corymbia citriodora*	Spotted Gum	330		330	104	22.0	6.0	4.0	Regular	-	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove
26718	*Corymbia citriodora*	Spotted Gum	270		270	85	16.0	3.0	3.2	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
26719	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	19.0	4.0	3.1	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
26720	*Corymbia citriodora*	Spotted Gum	260		260	82	18.0	4.0	3.1	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
26721	*Corymbia citriodora*	Spotted Gum	300		300	94	19.0	4.0	3.6	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
26722	*Corymbia citriodora*	Spotted Gum	250		250	79	21.0	3.0	3.0	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
26723	*Corymbia citriodora*	Spotted Gum	270		270	85	22.0	7.0	3.2	One-sided	-	-	Die-back	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
26724	*Corymbia citriodora*	Spotted Gum	250		250	79	18.0	3.0	3.0	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	Termite nest	-	Remove
26725	*Corymbia citriodora*	Spotted Gum	250		250	79	19.0	4.0	3.0	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
26726	*Corymbia citriodora*	Spotted Gum	270		270	85	19.0	4.0	3.2	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
26727	**DEAD/STAG**		270		270	85	19.0	3.0	3.2	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
26728	*Corymbia citriodora*	Spotted Gum	250		250	79	20.0	3.0	3.0	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
26729	*Eucalyptus siderophloia*	Northern Grey Ironbark	370		370	116	22.0	5.0	4.4	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
26730	*Corymbia citriodora*	Spotted Gum	330		330	104	21.0	4.0	4.0	Regular	-	-	Die-back	-	-	-	Poor	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
26731	*Corymbia citriodora*	Spotted Gum	290		290	91	22.0	6.0	3.5	One-sided	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
26732	*Corymbia citriodora*	Spotted Gum	260		260	82	23.0	5.0	3.1	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
26733	*Corymbia citriodora*	Spotted Gum	300		300	94	24.0	6.0	3.6	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
26734	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	75	14.0	3.0	2.9	Regular	-	-	-	-	Epicormic	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove
26735	*Corymbia citriodora*	Spotted Gum	330		330	104	24.0	7.0	4.0	Regular	-	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove
26736	*Corymbia citriodora*	Spotted Gum	290		290	91	21.0	4.0	3.5	Regular	-	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove
26737	*Corymbia citriodora*	Spotted Gum	240		240	75	21.0	4.0	2.9	Regular	-	-	Die-back	Epicormic	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
26738	*Corymbia citriodora*	Spotted Gum	270		270	85	20.0	3.0	3.2	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
26739	*Corymbia citriodora*	Spotted Gum	290		290	91	23.0	3.0	3.5	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
26740	*Corymbia citriodora*	Spotted Gum	330		330	104	23.0	5.0	4.0	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
26741	*Corymbia citriodora*	Spotted Gum	260		260	82	21.0	4.0	3.1	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
26742	*Corymbia citriodora*	Spotted Gum	200		200	63	16.0	3.0	2.4	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
26743	*Eucalyptus siderophloia*	Northern Grey Ironbark	190		190	60	10.0	2.0	2.3	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	0	-	-	-	Remove
26744	*Corymbia citriodora*	Spotted Gum	330		330	104	24.0	6.0	4.0	One-sided	-	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove
26745	*Corymbia citriodora*	Spotted Gum	280		280	88	21.0	5.0	3.4	One-sided	-	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	0	-	-	-	Remove