Vegetation Clearing & Fauna Management Plan

Economic Development Queensland (EDQ)

ROL - 6, Everleigh
Greenbank

Everleigh mirvac

CONTENTS

7598 E 02 ROL6 VCFMP B -- Vegetation Clearing Notes
7598 E 03 ROL6 VCFMP C -- Fauna Notes
7598 E 04 ROL6 VCFMP D -- Clearing Summary
7598 E 05 ROL6 VCFMP D -- Detail Sheet Context
7598 E 06 - 38 ROL6 VCFMP D -- Detail Sheets
7598 E 39 ROL6 VCFMP D -- Clearing Direction
Appendix A -- Tree Schedule

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV2020/1131

Date: 13 July 2021

Queensland Government

SHG Contact
Dr Andrew Davies
Phone: (07) 3251 9455

saunders havill group

1:5,000

Vegetation Clearing and Fauna Management Plan - *Notes*

INTRODUCTION

The Environmental Management Division of the Saunders Havill Group (**SHG**) was engaged by **MIRVAC Ltd** to prepare a Vegetation Management Plan (VMP) for ROL 6 located in the Everleigh Project.

The purpose of this plan is to manage the vegetation removal process within the clearing area. The clearing area of ROL 6 retains the Phased School Site vegetation clearing approval over the majority of its area. This VCFMP is intended to support the development application to EDQ for ROL 6. The clearing works will follow general principles for vegetation clearing documented on this sheet and all EDQ specific requirements. This VCFMP has been produced by overlaying the following site datasets to determine impacts and disturbance on existing vegetation:

1. GPS/survey accurate tree data including specimen details & features (**SHG**,2018-2020)
2. Site Inspection of Existing Habitat features (SHG, 2020)
3. ROL 6 Layout Plans (URBIS, 2020)
4. ROL 6 civil design plans (Premise, 2020)
5. Arborist inspection (TBC)

PROJECT MANAGEMENT

Vegetation management and its processes are an integral part of the construction and operational works phases. The site supervisor is responsible for all onsite works including overseeing vegetation clearing, health and safety of fauna and adhering to **EDQ**'s conditions and guidelines, as well as the Australian Standards - Protection of Trees on Development Sites AS4970-2009 and Pruning of Amenity Trees AS4373-1996.

The project arborist (with minimum AQF Level 5 in Arboriculture and minimum 5 years' experience) is responsible for: undertaking all appropriate arboricultural measures prior to the commencement of any earthworks on site to ensure the survival and long-term health of existing trees to be retained. These measures may include soil decompaction, soil aeration, fertilising, mulching, watering, root or crown reduction and hazard reduction or as otherwise determined by the arborist. The site arborist is also required to direct and supervise all works within TPZs of trees to be retained, and perform arboricultural care requirements where necessary.

The roles and responsibilities of the Fauna Spotter-catcher are provided on *Sheet 3*.

SITE CONTACTS

Site and consulting contacts for queries relating to vegetation clearing include:

Client Contact:
MIRVAC Ltd
Mr Jason Augustine
Ph (07) 3959 5960

Environmental Contact:
Saunders Havill Group
Dr Andrew Davies
Ph (07) 3251 9444

Site Contractor:
To be advised

Site Arborist:
To be advised

Site Fauna spotter-catcher:
To be advised
(Refer to *Fauna Management Plan*)

Site Bushfire Consultant:
To be advised

CLEARING PHASES AND PROCESS

PHASE 1 - Tree Protection Fencing to be installed

Fencing to be installed prior to the commencement of any clearing works on the site. Tree protection fencing to be located at or beyond 12 x diameter at breast height (DBH) (AS4970-2009 Protection of trees on development sites)—unless approved by the appointed arborist.

PHASE 2 - Fauna Inspections and Management

Undertake necessary fauna management requirements prior to clearing works - as a minimum, this should include the specifications listed on sheet 3, and a pre-clearance report provided to the Environment Coordinator and Site Supervisor.

PHASE 3 - Pre-start Meeting

Fencing shall be in place at the time of the pre-start meeting for inspection and sign off by the Environment Coordinator and Site Supervisor.

PHASE 4 - Undertake Bulk Clearing

Undertake wholesale removal of vegetation once all necessary pre-works checks have been provided. Clearing will occur in the direction outlined in *sheet 67* of this VCFMP, and managed by the appointed fauna spotter-catcher to allow all fauna unimpeded movement south towards the currently retained vegetation over future stages.

Vegetation clearing techniques:

i. By utilising the most appropriate machinery and equipment during vegetation clearing, the probability of injury or death of wildlife during clearing can be significantly reduced or eliminated while still maintaining an efficient vegetation removal process.

ii. Suggested techniques are as follows: (a) a vertical tree grab attachment on an excavator (30 tonne) can be used to pull entire trees in size up to 30-40cm diameter at a height measured at 1.3 metres above ground level and lay them down in a steady controlled fashion, allowing inspection by a fauna spotter-catcher (b) where large trees are too large for a vertical tree grab and have been identified, an elevated work platform or where practical, cherry picker should be used in conjunction with a chainsaw operator and fauna spotter-catcher. Alternatively, careful removal of hollow section from habitat tree and gentle lowering for inspection by fauna spotter-catcher (c) the use of bulldozers to clear vegetation is limited to vegetation that has been thoroughly inspected by a fauna spotter-catcher and is found to contain no fauna or potential habitat. Bulldozers are not to be used to push over large trees that contain hollows or other habitat features.

NOTE: Dogs are not permitted onsite at all times during construction. Construction works including clearing must occur between the hours of 6.30am and 6.30pm.

ACCESS AND STOCKPILING

A vegetation stockpiling location is to be designated in an easily accessible area outside of TPZs. An indicative vegetation stockpiling location has been allocated adjacent to the waterway corridor, allowing for material to be easily utilised for future rehabilitation works. This location is subject to minor change according to cut/fill activities and intended location for reuse.

Cleared vegetation free of weeds is to be reused on or off the project site. Recycling techniques include mulching, tub-grinding, wood chipping and salvage (e.g. custom milling). Trees with identified hollows should have the hollow section preserved and should be suitably mounted on nearby or adjacent suitable trees.

MAINTENANCE

After tree clearing works on site, an analysis of the vegetation's health and growth should be undertaken by the project arborist to determine specific maintenance needs. Follow up maintenance works should be carried out on retained vegetation where required.

Tree Protection Zone - Detail (not to scale)



Tree Protection Fencing - Detail (not to scale)



saunders havill group

CLIENT: mirvac

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THIS DRAWING. ALL DIMENSIONS ARE IN MILLIMETRES UNLESS NOTED OTHERWISE. STAGED IN CLIENT DRAWING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER DETAILED REQUIREMENTS AND DETAILED DRAWINGS OF ALL SERVICES.

REFERENCES:

AS4970-2009 Protection of trees on development sites

Vegetation clearing techniques (Logan City Council, 2019)

AMENDMENTS:

Issue	Date	Description	Checked
A	14/07/2020	Client Draft	AD
B	20/07/2020	Lodgement	AD

PROJECT: Everleigh

environmental management

PLAN OF: Vegetation Clearing & Fauna Management Plan

DATE:	20/07/2020	CHECKED:	AD
CLIENT REF.:	7598	DRAWN:	TC
DRAWING No.:	7598 E 02 ROL6 VCFMP B		

Vegetation Clearing and Fauna Management Plan - *Fauna Management Notes*

INTRODUCTION

The Fauna Management specification on this *VCFMP* is designed to protect native animals and control/manage impacts during the vegetation clearing works. The clearing area occurs within the ROL 6 application area. Common species associated with semi-urban/urban/bushland landscapes were spotted at the clearing area during the ecological survey. Koalas have been spotted in and around the ROL 6 area in various ecological surveys. The fauna management specifications and principles incorporated in this *VCFMP* applies generically to all native animals and focuses on avoiding conflicts and incorporating measures to minimize disturbance. Compliance with this section of the *VCFMP* is compulsory and incorporates the use of expert consultants including a Fauna Spotter (holding a valid Wildlife Rehabilitation Permit issued by the **Department of Environment and Science**.

FAUNA IMPACTS

Clearing of vegetation provides an obvious source of impact to existing habitat and animal safety. More specifically the existing vegetation provides habitat, movement and protection opportunities for some fauna through both regrowth and canopy trees. These opportunities are to be altered during and post vegetation clearing works.

CONSTRUCTION IMPACTS

- Direct removal of site vegetation
- Loss of habitat
- Noise, vibration and dust
- Erosion and sedimentation
- Threats associated with open cuts etc. and fauna entrapment
- Loss of food sources
- Excavation/compaction/changes in ground levels
- Altering hydrological flows
- Fragmentation of habitat

OPERATIONAL IMPACTS

- Weed introduction (garden escapees)
- Increased hydrology with increased hardstand
- Altering of run-off chemical and nutrient components (quality)
- Barriers to fauna movement
- Vehicles and pedestrian movement and trespass
- Introduction of domestic and predatory species

Fauna Management Schedule

Ref:	Management Item	Responsibility	Timing	Reporting
1.0 PRE CLEARING				
1.1	**TEMPORARY FENCING** Prior to the commencement of works and to be inspected by the site Environmental Coordinator—Delineate areas where vegetation is proposed to be retained with exclusion fencing to prevent accidental felling. Clearing is to be undertaken in accordance with AS 4970-2009 Protection of Trees on Development Sites. ▪ Fencing shall be fauna friendly ▪ No clearing, stockpiling, site access, earthworks, storage, etc. is to occur within the temporary protection fencing. ▪ Only approved weed management works to occur within the temporary protection fencing ▪ Fencing to be reinstated immediately if damaged or knocked down, any damage to retained trees to be immediately reported to Project Arborist. ▪ Fencing to remain until the completion of all site works.	SITE SUPERVISOR	Prior to the commencement of clearing	Inspected by Environmental Coordinator
1.2	**CONTRACTOR EDUCATION & AWARENESS** All site contractors and subcontractors will be made aware of their responsibilities to protect native fauna. The Fauna Management notes on this VCFMP is provided as a working document to assist on-site management and protection of native animals. This generally will form part of education and training on a broader work place health and safety but as a minimum will include: ▪ Copy of VCFMP kept on-site (Site Office). ▪ General education and awareness notification of contractors and sub-contractors involved in activities potentially impacting native animals as part of site induction – contractors must know the location of the VCFMP, key phone numbers and who to report to if they breach the VCFMP. A list of relevant contact phone numbers as listed on these drawings is kept in a visible and accessible location in the site office.	SITE SUPERVISOR / THE PROPONENT	Prior to the commencement of clearing and as part of the site induction for new staff and sub-contractors	SITE SUPERVISOR
2.0 VEGETATION CLEARING				
2.1	**SPOTTER / RELOCATOR** Immediately prior to the commencement of clearing of native vegetation a daily visual inspection of the area must be carried out by the fauna spotter-catcher. Furthermore, the fauna spotter-catcher is to be present on site during all clearing operations to supervise and direct clearing works, and to respond to any situations that may arise in relation to fauna. In the event of an animal being located, a suitable buffer area (as determined by the fauna spotter-catcher) should be established around the animal's location that excludes machinery until it has relocated at its own accord (usually overnight). If an animal requires relocating this must be undertaken by a suitably qualified fauna expert holding appropriate permits from the **Department of Environment & Science**. For some fauna, specific permit requirements may apply. If vegetation is left stockpiled for more than 24 hours or overnight, the fauna spotter-catcher must inspect the vegetation prior to chipping or removal from site. The Fauna Spotter-catcher will manage the care of any injured or orphaned wildlife (e.g. veterinary attention or delivery to a wildlife carer). Any native fauna listed as a threatened species under the Nature Conservation (Wildlife) Regulation 2006 that are injured or orphaned by the development process, must be reported to the **Department of Environment & Science** (1300 130 372). Any other injured or orphaned fauna must be reported through the Rehabilitation Permit return process by the Fauna Spotter-catcher. The Site Supervisor is responsible for the safe management of site fauna and implementation of these specific fauna requirements.	SITE SUPERVISOR	Prior to the commencement, and during clearing	Inspected by the Fauna Spotter-catcher
2.2	**SPECIFIC KOALA MANAGEMENT NOTES** A Koala Spotter is a person who holds a tertiary qualification in Biology or Zoology, or who is demonstrably experienced in the identification and location of Koalas in their natural habitat. For example, a koala keeper employed by a licensed Wildlife exhibitor (i.e. a zoo) may be capable of demonstrating competence in locating Koala's. Prior to the commencement and during felling operations, it is the responsibility of the Koala spotter to be present at the site of felling operations identify any tree at the site within which a Koala is present, as well as any tree that has a crown which is intermeshed or overlapping with such a tree; and advise the person who is authorised to conduct the felling operation, or that persons' representative, of the precise location of each such tree Management Item.	SITE SUPERVISOR	Prior to the commencement, and during clearing	Inspected by the Fauna Spotter-catcher
2.3	**CLEARING PATTERN / FAUNA FLUSHING** Clearing occurs once the fauna spotter-catcher gives sign off the clearing stage is clear of all native species and all necessary permits are obtained. The intended clearing directions is out from existing cleared areas towards currently retained vegetation. Clearing direction is subject to amendment by the fauna spotter-catcher. At the completion of operational works, the fauna spotter-catcher must provide certification to the environmental coordinator that all works were undertaken in accordance with these fauna management requirements.	SITE SUPERVISOR	Prior to the commencement, and during clearing	Inspected by the Fauna Spotter-catcher

saunders havill group

CLIENT: mirvac

DISCLAIMER:
THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY LOSS OR DAMAGE ARISING FROM THE UNAUTHORISED USE OF THESE DRAWINGS BY ANY THIRD PARTY.
CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES, ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.
PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED TO OBTAIN EXISTING UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:
AS4970-2009 Protection of trees on development sites

AMENDMENTS:

Issue	Date	Description	Checked
A	14/07/2020	Client Draft	AD
B	20/07/2020	Lodgement	AD
C	29/09/2020	RFI	AD

PROJECT: Everleigh

environmental management

PLAN OF: Vegetation Clearing & Fauna Management Plan

DATE:	29/09/2020	CHECKED:	AD
CLIENT REF.:	7598	DRAWN:	TC
DRAWING No.:	7598 E 03 ROL6 VCFMP C		



GPS Tree plot

- Tree to remove in ROL-6 works extent
- Tree to remove in ROL-6 works extent already approved for removal in State School application
- Tree to remove in ROL-6 bushfire management area
- Tree to remove in ROL-6 bushfire management area already approved for removal in State School application
- Tree approved for removal in State School application not apart of ROL-6 application
- Adjacent tree to retain during ROL-6 works
- Everleigh project boundary
- EPBC referral boundary
- ROL6 boundary
- ROL6 civil works vegetation clearing area
- ROL6 bushfire management vegetation clearing area
- ROL6 openspace design
- Waterway/lake design
- Approved Phase 1 school site clearing
- Approved Phase 2 school site clearing
- Cut area
- Fill area

Vegetation Clearing & Fauna Management Plan - *Clearing Summary*

saunders havill group

CLIENT: mirvac

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

Engineering drawing (Premise, 2020)

Layout drawing (URBIS, 2020)

AMENDMENTS:

Issue	Date	Description	Checked
A	14/07/2020	Client Draft	AD
B	20/07/2020	Lodgement	AD
D	22/04/2021	additional clearing	LT

0 50 100 200 300 400 m

1:5,800 @ A3

PROJECT: Everleigh

environmental management

PLAN OF: Vegetation Clearing & Fauna Management Plan

DATE:	22/04/2021	CHECKED:	LT
CLIENT REF:	7598	DRAWN:	TC
DRAWING No:	7598 E 04 ROL6 VCFMP D		



Everleigh project boundary

Everleigh master plan

ROL6 civil works vegetation clearing area

ROL6 bushfire management vegetation clearing area

ROL6 openspace design

Cut area

Fill area

Vegetation Clearing & Fauna Management Plan - *Detail sheet context*

saunders havill group

CLIENT: mirvac

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CAN NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

Engineering drawing (Premise, 2020)

Layout drawing (URBIS, 2020)

AMENDMENTS:

Issue	Date	Description	Checked
A	14/07/2020	Client Draft	AD
B	20/07/2020	Lodgement	AD
D	22/04/2021	additional clearing	LT

0 50 100 200 300 m

1:5,000 @ A3

PROJECT: Everleigh

environmental management

PLAN OF: Vegetation Clearing & Fauna Management Plan

DATE:	22/04/2021	CHECKED:	LT
CLIENT REF:	7598	DRAWN:	TC
DRAWING No:	7598 E 05 ROL6 VCFMP D		



GPS Tree plot

- Tree to remove in ROL-6 works extent
- Tree to remove in ROL-6 works extent already approved for removal in State School application
- Tree to remove in ROL-6 bushfire management area
- Tree to remove in ROL-6 bushfire management area already approved for removal in State School application
- Tree approved for removal in State School application not apart of ROL-6 application
- Adjacent tree to retain during ROL-6 works
- Everleigh master plan design (outside of ROL-6 application)
- ROL6 Boundary
- ROL6 civil works vegetation clearing area
- ROL6 bushfire management vegetation clearing area
- Project stage boundaries
- ROL6 Layout & civil design
- ROL6 Design contours
- Sports field layout design
- S — ROL6 services design (sewer)
- W — ROL 6 services design (water)
- SW — ROL6 services design (stormwater)
- Approved Phase 1 school site clearing
- Approved Phase 2 school site clearing
- Existing contours
- Q100 — Q100 floodline
- Tree protection fencing
- Cut area
- Fill area

Vegetation Clearing & Fauna Management Plan - *Detail sheet - 06*

saunders havill group

CLIENT:

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWING BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

Engineering drawing (Premise, 2020)

Layout drawing (URBS, 2020)

AMENDMENTS:

Issue	Date	Description	Checked
A	14/07/2020	Client Draft	AD
B	20/07/2020	Lodgement	AD
D	22/04/2021	additional clearing	LT

0 10 20 m

1:400 @ A3

PROJECT:

Everleigh

environmental management

PLAN OF: Vegetation Clearing & Fauna Management Plan

DATE:	22/04/2021	CHECKED:	LT
CLIENT REF:	7598	DRAWN:	TC
DRAWING No:	7598 E 06 ROL6 VCFMP D		



GPS Tree plot

- Tree to remove in ROL-6 works extent
- Tree to remove in ROL-6 works extent already approved for removal in State School application
- Tree to remove in ROL-6 bushfire management area
- Tree to remove in ROL-6 bushfire management area already approved for removal in State School application
- Tree approved for removal in State School application not apart of ROL-6 application
- Adjacent tree to retain during ROL-6 works
- Everleigh master plan design (outside of ROL-6 application)
- ROL6 Boundary
- ROL6 civil works vegetation clearing area
- ROL6 bushfire management vegetation clearing area
- Project stage boundaries
- ROL6 Layout & civil design
- ROL6 Design contours
- Sports field layout design
- S — ROL6 services design (sewer)
- W — ROL 6 services design (water)
- SW — ROL6 services design (stormwater)
- Approved Phase 1 school site clearing
- Approved Phase 2 school site clearing
- Existing contours
- Q100 — Q100 floodline
- Tree protection fencing
- Cut area
- Fill area

Vegetation Clearing & Fauna Management Plan - *Detail sheet - 07*

saunders havill group

CLIENT:

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

Engineering drawing (Premise, 2020)

Layout drawing (URBIS, 2020)

AMENDMENTS:

Issue	Date	Description	Checked
A	14/07/2020	Client Draft	AD
B	20/07/2020	Lodgement	AD
D	22/04/2021	additional clearing	LT

0 10 20 m

1:400 @ A3

PROJECT:

Everleigh

environmental management

PLAN OF:

Vegetation Clearing & Fauna Management Plan

DATE:	22/04/2021	CHECKED:	LT
CLIENT REF:	7598	DRAWN:	TC
DRAWING No:	7598 E 07 ROL6 VCFMP D		



GPS Tree plot

- Tree to remove in ROL-6 works extent
- Tree to remove in ROL-6 works extent already approved for removal in State School application
- Tree to remove in ROL-6 bushfire management area
- Tree to remove in ROL-6 bushfire management area already approved for removal in State School application
- Tree approved for removal in State School application not apart of ROL-6 application
- Adjacent tree to retain during ROL-6 works
- Everleigh master plan design (outside of ROL-6 application)
- ROL6 Boundary
- ROL6 civil works vegetation clearing area
- ROL6 bushfire management vegetation clearing area
- Project stage boundaries
- ROL6 Layout & civil design
- ROL6 Design contours
- Sports field layout design
- S — ROL6 services design (sewer)
- W — ROL 6 services design (water)
- SW — ROL6 services design (stormwater)
- Q100 — Q100 floodline
- Approved Phase 2 school site clearing
- Existing contours
- Approved Phase 1 school site clearing
- Tree protection fencing
- Cut area
- Fill area

Vegetation Clearing & Fauna Management Plan - *Detail sheet - 08*

saunders havill group

CLIENT:

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

Engineering drawing (Premise, 2020)

Layout drawing (URBIS, 2020)

AMENDMENTS:

Issue	Date	Description	Checked
A	14/07/2020	Client Draft	AD
B	20/07/2020	Lodgement	AD
D	22/04/2021	additional clearing	LT

0 10 20 m

1:400 @ A3

PROJECT: Everleigh

environmental management

PLAN OF: Vegetation Clearing & Fauna Management Plan

DATE: 22/04/2021	CHECKED: LT
CLIENT REF: 7598	DRAWN: TC
DRAWING No: 7598 E 08 ROL6 VCFMP D	



GPS Tree plot

- Tree to remove in ROL-6 works extent
- Tree to remove in ROL-6 works extent already approved for removal in State School application
- Tree to remove in ROL-6 bushfire management area
- Tree to remove in ROL-6 bushfire management area already approved for removal in State School application
- Tree approved for removal in State School application not apart of ROL-6 application
- Adjacent tree to retain during ROL-6 works
- Everleigh master plan design (outside of ROL-6 application)
- ROL6 Boundary
- ROL6 civil works vegetation clearing area
- ROL6 bushfire management vegetation clearing area
- Project stage boundaries
- ROL6 Layout & civil design
- ROL6 Design contours
- Sports field layout design
- S — ROL6 services design (sewer)
- W — ROL 6 services design (water)
- SW — ROL6 services design (stormwater)
- Approved Phase 1 school site clearing
- Approved Phase 2 school site clearing
- Existing contours
- Q100 — Q100 floodline
- Tree protection fencing
- Cut area
- Fill area

Vegetation Clearing & Fauna Management Plan - *Detail sheet - 09*

saunders havill group

CLIENT:

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWING BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

Engineering drawing (Premise, 2020)

Layout drawing (URBIS, 2020)

AMENDMENTS:

Issue	Date	Description	Checked
A	14/07/2020	Client Draft	AD
B	20/07/2020	Lodgement	AD
D	22/04/2021	additional clearing	LT

0 10 20 m

1:400 @ A3

PROJECT:

Everleigh

environmental management

PLAN OF: Vegetation Clearing & Fauna Management Plan

DATE:	22/04/2021	CHECKED:	LT
CLIENT REF:	7598	DRAWN:	TC
DRAWING No:	7598 E 09 ROL6 VCFMP D		



GPS Tree plot

- Tree to remove in ROL-6 works extent
- Tree to remove in ROL-6 works extent already approved for removal in State School application
- Tree to remove in ROL-6 bushfire management area
- Tree to remove in ROL-6 bushfire management area already approved for removal in State School application
- Tree approved for removal in State School application not apart of ROL-6 application
- Adjacent tree to retain during ROL-6 works
- Everleigh master plan design (outside of ROL-6 application)
- ROL6 Boundary
- ROL6 civil works vegetation clearing area
- ROL6 bushfire management vegetation clearing area
- Project stage boundaries
- ROL6 Layout & civil design
- ROL6 Design contours
- Sports field layout design
- S — ROL6 services design (sewer)
- W — ROL 6 services design (water)
- SW — ROL6 services design (stormwater)
- Approved Phase 1 school site clearing
- Approved Phase 2 school site clearing
- Existing contours
- Q100 — Q100 floodline
- Tree protection fencing
- Cut area
- Fill area

Vegetation Clearing & Fauna Management Plan - *Detail sheet - 10*

saunders havill group

CLIENT:

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT, SAUNDERS HAVILL GROUP CAN NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION. AND DO NOT SCALE FROM THESE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

Engineering drawing (Premise, 2020)

Layout drawing (URBIS, 2020)

AMENDMENTS:

Issue	Date	Description	Checked
A	14/07/2020	Client Draft	AD
B	20/07/2020	Lodgement	AD
D	22/04/2021	additional clearing	LT

0 10 20 m

1:400 @ A3

PROJECT: Everleigh

environmental management

PLAN OF: Vegetation Clearing & Fauna Management Plan

DATE:	22/04/2021	CHECKED:	LT
CLIENT REF:	7598	DRAWN:	TC
DRAWING No:	7598 E 1 0 ROL6 VCFMP D		



GPS Tree plot

- Tree to remove in ROL-6 works extent
- Tree to remove in ROL-6 works extent already approved for removal in State School application
- Tree to remove in ROL-6 bushfire management area
- Tree to remove in ROL-6 bushfire management area already approved for removal in State School application
- Tree approved for removal in State School application not apart of ROL-6 application
- Adjacent tree to retain during ROL-6 works
- Everleigh master plan design (outside of ROL-6 application)
- ROL6 Boundary
- ROL6 civil works vegetation clearing area
- ROL6 bushfire management vegetation clearing area
- Project stage boundaries
- ROL6 Layout & civil design
- ROL6 Design contours
- Sports field layout design
- S — ROL6 services design (sewer)
- W — ROL 6 services design (water)
- SW — ROL6 services design (stormwater)
- Approved Phase 1 school site clearing
- Approved Phase 2 school site clearing
- Existing contours
- Q100 — Q100 floodline
- Tree protection fencing
- Cut area
- Fill area

Vegetation Clearing & Fauna Management Plan - *Detail sheet - 11*

saunders havill group

CLIENT:

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

Engineering drawing (Premise, 2020)

Layout drawing (URBIS, 2020)

AMENDMENTS:

Issue	Date	Description	Checked
A	14/07/2020	Client Draft	AD
B	20/07/2020	Lodgement	AD
D	22/04/2021	additional clearing	LT

0 10 20 m

1:400 @ A3

PROJECT: Everleigh

environmental management

PLAN OF: Vegetation Clearing & Fauna Management Plan

DATE:	22/04/2021	CHECKED:	LT
CLIENT REF:	7598	DRAWN:	TC
DRAWING No:	7598 E 1 1 ROL6 VCFMP D		



GPS Tree plot

- Tree to remove in ROL-6 works extent
- Tree to remove in ROL-6 works extent already approved for removal in State School application
- Tree to remove in ROL-6 bushfire management area
- Tree to remove in ROL-6 bushfire management area already approved for removal in State School application
- Tree approved for removal in State School application not apart of ROL-6 application
- Adjacent tree to retain during ROL-6 works
- Everleigh master plan design (outside of ROL-6 application)
- ROL6 Boundary
- ROL6 civil works vegetation clearing area
- ROL6 bushfire management vegetation clearing area
- Project stage boundaries
- ROL6 Layout & civil design
- ROL6 Design contours
- Sports field layout design
- S — ROL6 services design (sewer)
- W — ROL 6 services design (water)
- SW — ROL6 services design (stormwater)
- Approved Phase 1 school site clearing
- Approved Phase 2 school site clearing
- Existing contours
- Q100 — Q100 floodline
- Tree protection fencing
- Cut area
- Fill area

Vegetation Clearing & Fauna Management Plan - *Detail sheet - 12*

saunders havill group

CLIENT:

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CAN NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWING BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

Engineering drawing (Premise, 2020)

Layout drawing (URBIS, 2020)

AMENDMENTS:

Issue	Date	Description	Checked
A	14/07/2020	Client Draft	AD
B	20/07/2020	Lodgement	AD
D	22/04/2021	additional clearing	LT

0 10 20 m

1:400 @ A3

PROJECT: Everleigh

environmental management

PLAN OF: Vegetation Clearing & Fauna Management Plan

DATE:	22/04/2021	CHECKED:	LT
CLIENT REF:	7598	DRAWN:	TC
DRAWING No:	7598 E 1 2 ROL6 VCFMP D		



GPS Tree plot

- Tree to remove in ROL-6 works extent
- Tree to remove in ROL-6 works extent already approved for removal in State School application
- Tree to remove in ROL-6 bushfire management area
- Tree to remove in ROL-6 bushfire management area already approved for removal in State School application
- Tree approved for removal in State School application not apart of ROL-6 application
- Adjacent tree to retain during ROL-6 works
- Everleigh master plan design (outside of ROL-6 application)
- ROL6 Boundary
- ROL6 civil works vegetation clearing area
- ROL6 bushfire management vegetation clearing area
- Project stage boundaries
- ROL6 Layout & civil design
- ROL6 Design contours
- Sports field layout design
- S — ROL6 services design (sewer)
- W — ROL 6 services design (water)
- SW — ROL6 services design (stormwater)
- Approved Phase 1 school site clearing
- Approved Phase 2 school site clearing
- Existing contours
- Q100 — Q100 floodline
- Tree protection fencing
- Cut area
- Fill area

Vegetation Clearing & Fauna Management Plan - *Detail sheet - 13*

saunders havill group

CLIENT:

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CAN NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

Engineering drawing (Premise, 2020)

Layout drawing (URBIS, 2020)

AMENDMENTS:

Issue	Date	Description	Checked
A	14/07/2020	Client Draft	AD
B	20/07/2020	Lodgement	AD
D	22/04/2021	additional clearing	LT

0 10 20 m

1:400 @ A3

PROJECT:

Everleigh

environmental management

PLAN OF: Vegetation Clearing & Fauna Management Plan

DATE:	22/04/2021	CHECKED:	LT
CLIENT REF:	7598	DRAWN:	TC
DRAWING No:	7598 E 1 3 ROL6 VCFMP D		



GPS Tree plot

- Tree to remove in ROL-6 works extent
- Tree to remove in ROL-6 works extent already approved for removal in State School application
- Tree to remove in ROL-6 bushfire management area
- Tree to remove in ROL-6 bushfire management area already approved for removal in State School application
- Tree approved for removal in State School application not apart of ROL-6 application
- Adjacent tree to retain during ROL-6 works
- Everleigh master plan design (outside of ROL-6 application)
- ROL6 Boundary
- ROL6 civil works vegetation clearing area
- ROL6 bushfire management vegetation clearing area
- Project stage boundaries
- ROL6 Layout & civil design
- ROL6 Design contours
- Sports field layout design
- S — ROL6 services design (sewer)
- W — ROL 6 services design (water)
- SW — ROL6 services design (stormwater)
- Approved Phase 1 school site clearing
- Approved Phase 2 school site clearing
- Existing contours
- Q100 — Q100 floodline
- Tree protection fencing
- Cut area
- Fill area

Vegetation Clearing & Fauna Management Plan - *Detail sheet - 14*

saunders havill group

CLIENT:

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CAN NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWING BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

Engineering drawing (Premise, 2020)

Layout drawing (URBIS, 2020)

AMENDMENTS:

Issue	Date	Description	Checked
A	14/07/2020	Client Draft	AD
B	20/07/2020	Lodgement	AD
D	22/04/2021	additional clearing	LT

0 10 20 m

1:400 @ A3

PROJECT:

Everleigh

environmental management

PLAN OF:

Vegetation Clearing & Fauna Management Plan

DATE:	22/04/2021	CHECKED:	LT
CLIENT REF:	7598	DRAWN:	TC
DRAWING No.:	7598 E 14 ROL6 VCFMP D		



GPS Tree plot

- Tree to remove in ROL-6 works extent
- Tree to remove in ROL-6 works extent already approved for removal in State School application
- Tree to remove in ROL-6 bushfire management area
- Tree to remove in ROL-6 bushfire management area already approved for removal in State School application
- Tree approved for removal in State School application not apart of ROL-6 application
- Adjacent tree to retain during ROL-6 works
- Everleigh master plan design (outside of ROL-6 application)
- ROL6 Boundary
- ROL6 civil works vegetation clearing area
- ROL6 bushfire management vegetation clearing area
- Project stage boundaries
- ROL6 Layout & civil design
- ROL6 Design contours
- Sports field layout design
- S — ROL6 services design (sewer)
- W — ROL 6 services design (water)
- SW — ROL6 services design (stormwater)
- Approved Phase 1 school site clearing
- Approved Phase 2 school site clearing
- Existing contours
- Q100 — Q100 floodline
- Tree protection fencing
- Cut area
- Fill area

Vegetation Clearing & Fauna Management Plan - *Detail sheet - 15*

saunders havill group

CLIENT:

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CAN NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

Engineering drawing (Premise, 2020)

Layout drawing (URBS, 2020)

AMENDMENTS:

Issue	Date	Description	Checked
A	14/07/2020	Client Draft	AD
B	20/07/2020	Lodgement	AD
D	22/04/2021	additional clearing	LT

0 10 20 m

1:400 @ A3

PROJECT:

Everleigh

environmental management

PLAN OF: Vegetation Clearing & Fauna Management Plan

DATE:	22/04/2021	CHECKED:	LT
CLIENT REF:	7598	DRAWN:	TC
DRAWING No:	7598 E 15 ROL6 VCFMP D		

GPS Tree plot

- Tree to remove in ROL-6 works extent
- Tree to remove in ROL-6 works extent already approved for removal in State School application
- Tree to remove in ROL-6 bushfire management area
- Tree to remove in ROL-6 bushfire management area already approved for removal in State School application
- Tree approved for removal in State School application not apart of ROL-6 application
- Adjacent tree to retain during ROL-6 works
- Everleigh master plan design (outside of ROL-6 application)
- ROL6 Boundary
- ROL6 civil works vegetation clearing area
- ROL6 bushfire management vegetation clearing area
- Project stage boundaries
- ROL6 Layout & civil design
- ROL6 Design contours
- Sports field layout design
- S — ROL6 services design (sewer)
- W — ROL 6 services design (water)
- SW — ROL6 services design (stormwater)
- Approved Phase 1 school site clearing
- Approved Phase 2 school site clearing
- Existing contours
- Q100 — Q100 floodline
- Tree protection fencing
- Cut area
- Fill area

Vegetation Clearing & Fauna Management Plan - *Detail sheet - 16*

saunders havill group

CLIENT:

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

Engineering drawing (Premise, 2020)

Layout drawing (URBIS, 2020)

AMENDMENTS:

Issue	Date	Description	Checked
A	14/07/2020	Client Draft	AD
B	20/07/2020	Lodgement	AD
D	22/04/2021	additional clearing	LT

0 10 20 m

1:400 @ A3

PROJECT:

Everleigh

environmental management

PLAN OF:

Vegetation Clearing & Fauna Management Plan

DATE:	22/04/2021	CHECKED:	LT
CLIENT REF:	7598	DRAWN:	TC
DRAWING No:	7598 E 1 6 ROL6 VCFMP D		

GPS Tree plot

- Tree to remove in ROL-6 works extent
- Tree to remove in ROL-6 works extent already approved for removal in State School application
- Tree to remove in ROL-6 bushfire management area
- Tree to remove in ROL-6 bushfire management area already approved for removal in State School application
- Tree approved for removal in State School application not apart of ROL-6 application
- Adjacent tree to retain during ROL-6 works
- Everleigh master plan design (outside of ROL-6 application)
- ROL6 Boundary
- ROL6 civil works vegetation clearing area
- ROL6 bushfire management vegetation clearing area
- Project stage boundaries
- ROL6 Layout & civil design
- ROL6 Design contours
- Sports field layout design
- S — ROL6 services design (sewer)
- W — ROL 6 services design (water)
- SW — ROL6 services design (stormwater)
- Approved Phase 1 school site clearing
- Approved Phase 2 school site clearing
- Existing contours
- Q100 — Q100 floodline
- Tree protection fencing
- Cut area
- Fill area

Vegetation Clearing & Fauna Management Plan - *Detail sheet - 17*

saunders havill group

CLIENT:

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY OR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

Engineering drawing (Premise, 2020)

Layout drawing (URBIS, 2020)

AMENDMENTS:

Issue	Date	Description	Checked
A	14/07/2020	Client Draft	AD
B	20/07/2020	Lodgement	AD
D	22/04/2021	additional clearing	LT

0 10 20 m

1:400 @ A3

PROJECT:

Everleigh

environmental management

PLAN OF: Vegetation Clearing & Fauna Management Plan

DATE:	22/04/2021	CHECKED:	LT
CLIENT REF:	7598	DRAWN:	TC
DRAWING No:	7598 E 17 ROL6 VCFMP D		



GPS Tree plot

- Tree to remove in ROL-6 works extent
- Tree to remove in ROL-6 works extent already approved for removal in State School application
- Tree to remove in ROL-6 bushfire management area
- Tree to remove in ROL-6 bushfire management area already approved for removal in State School application
- Tree approved for removal in State School application not apart of ROL-6 application
- Adjacent tree to retain during ROL-6 works
- Everleigh master plan design (outside of ROL-6 application)
- ROL6 Boundary
- ROL6 civil works vegetation clearing area
- ROL6 bushfire management vegetation clearing area
- Project stage boundaries
- ROL6 Layout & civil design
- ROL6 Design contours
- Sports field layout design
- S — ROL6 services design (sewer)
- W — ROL 6 services design (water)
- SW — ROL6 services design (stormwater)
- Approved Phase 1 school site clearing
- Approved Phase 2 school site clearing
- Existing contours
- Q100 — Q100 floodline
- Tree protection fencing
- Cut area
- Fill area

Vegetation Clearing & Fauna Management Plan - *Detail sheet - 18*

saunders havill group

CLIENT:

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

Engineering drawing (Premise, 2020)

Layout drawing (URBIS, 2020)

AMENDMENTS:

Issue	Date	Description	Checked
A	14/07/2020	Client Draft	AD
B	20/07/2020	Lodgement	AD
D	22/04/2021	additional clearing	LT

0 10 20 m

1:400 @ A3

PROJECT: Everleigh

environmental management

PLAN OF: Vegetation Clearing & Fauna Management Plan

DATE:	22/04/2021	CHECKED:	LT
CLIENT REF:	7598	DRAWN:	TC
DRAWING No:	7598 E 18 ROL6 VCFMP D		



GPS Tree plot

- Tree to remove in ROL-6 works extent
- Tree to remove in ROL-6 works extent already approved for removal in State School application
- Tree to remove in ROL-6 bushfire management area
- Tree to remove in ROL-6 bushfire management area already approved for removal in State School application
- Tree approved for removal in State School application not apart of ROL-6 application
- Adjacent tree to retain during ROL-6 works
- Everleigh master plan design (outside of ROL-6 application)
- ROL6 Boundary
- ROL6 civil works vegetation clearing area
- ROL6 bushfire management vegetation clearing area
- Project stage boundaries
- ROL6 Layout & civil design
- ROL6 Design contours
- Sports field layout design
- S — ROL6 services design (sewer)
- W — ROL 6 services design (water)
- SW — ROL6 services design (stormwater)
- Approved Phase 1 school site clearing
- Approved Phase 2 school site clearing
- Existing contours
- Q100 — Q100 floodline
- Tree protection fencing
- Cut area
- Fill area

Vegetation Clearing & Fauna Management Plan - *Detail sheet - 19*

saunders havill group

CLIENT:

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

Engineering drawing (Premise, 2020)

Layout drawing (URBIS, 2020)

AMENDMENTS:

Issue	Date	Description	Checked
A	14/07/2020	Client Draft	AD
B	20/07/2020	Lodgement	AD
D	22/04/2021	additional clearing	LT

0 10 20 m

1:400 @ A3

PROJECT: Everleigh

environmental management

PLAN OF: Vegetation Clearing & Fauna Management Plan

DATE:	22/04/2021	CHECKED:	LT
CLIENT REF:	7598	DRAWN:	TC
DRAWING No:	7598 E 19 ROL6 VCFMP D		



GPS Tree plot

- Tree to remove in ROL-6 works extent
- Tree to remove in ROL-6 works extent already approved for removal in State School application
- Tree to remove in ROL-6 bushfire management area
- Tree to remove in ROL-6 bushfire management area already approved for removal in State School application
- Tree approved for removal in State School application not apart of ROL-6 application
- Adjacent tree to retain during ROL-6 works
- Everleigh master plan design (outside of ROL-6 application)
- ROL6 Boundary
- ROL6 civil works vegetation clearing area
- ROL6 bushfire management vegetation clearing area
- Project stage boundaries
- ROL6 Layout & civil design
- ROL6 Design contours
- Sports field layout design
- S — ROL6 services design (sewer)
- W — ROL 6 services design (water)
- SW — ROL6 services design (stormwater)
- Approved Phase 1 school site clearing
- Approved Phase 2 school site clearing
- Existing contours
- Q100 — Q100 floodline
- Tree protection fencing
- Cut area
- Fill area

Vegetation Clearing & Fauna Management Plan - *Detail sheet - 20*

saunders havill group

CLIENT:

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY OR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

Engineering drawing (Premise, 2020)

Layout drawing (URBIS, 2020)

AMENDMENTS:

Issue	Date	Description	Checked
A	14/07/2020	Client Draft	AD
B	20/07/2020	Lodgement	AD
D	22/04/2021	additional clearing	LT

0 10 20 m

1:400 @ A3

PROJECT:

Everleigh

environmental management

PLAN OF: Vegetation Clearing & Fauna Management Plan

DATE:	22/04/2021	CHECKED:	LT
CLIENT REF:	7598	DRAWN:	TC
DRAWING No:	7598 E 20 ROL6 VCFMP D		

GPS Tree plot

- Tree to remove in ROL-6 works extent
- Tree to remove in ROL-6 works extent already approved for removal in State School application
- Tree to remove in ROL-6 bushfire management area
- Tree to remove in ROL-6 bushfire management area already approved for removal in State School application
- Tree approved for removal in State School application not apart of ROL-6 application
- Adjacent tree to retain during ROL-6 works
- Everleigh master plan design (outside of ROL-6 application)
- ROL6 Boundary
- ROL6 civil works vegetation clearing area
- ROL6 bushfire management vegetation clearing area
- Project stage boundaries
- ROL6 Layout & civil design
- ROL6 Design contours
- Sports field layout design
- S — ROL6 services design (sewer)
- W — ROL 6 services design (water)
- SW — ROL6 services design (stormwater)
- Approved Phase 1 school site clearing
- Approved Phase 2 school site clearing
- Existing contours
- Q100 — Q100 floodline
- Tree protection fencing
- Cut area
- Fill area

Vegetation Clearing & Fauna Management Plan - *Detail sheet - 21*

saunders havill group

CLIENT:

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

Engineering drawing (Premise, 2020)

Layout drawing (URBS, 2020)

AMENDMENTS:

Issue	Date	Description	Checked
A	14/07/2020	Client Draft	AD
B	20/07/2020	Lodgement	AD
D	22/04/2021	additional clearing	LT

0 10 20 m

1:400 @ A3

PROJECT:

Everleigh

environmental management

PLAN OF:

Vegetation Clearing & Fauna Management Plan

DATE:	22/04/2021	CHECKED:	LT
CLIENT REF:	7598	DRAWN:	TC
DRAWING No:	7598 E 21 ROL6 VCFMP D		



GPS Tree plot

- Tree to remove in ROL-6 works extent
- Tree to remove in ROL-6 works extent already approved for removal in State School application
- Tree to remove in ROL-6 bushfire management area
- Tree to remove in ROL-6 bushfire management area already approved for removal in State School application
- Tree approved for removal in State School application not apart of ROL-6 application
- Adjacent tree to retain during ROL-6 works
- Everleigh master plan design (outside of ROL-6 application)
- ROL6 Boundary
- ROL6 civil works vegetation clearing area
- ROL6 bushfire management vegetation clearing area
- Project stage boundaries
- ROL6 Layout & civil design
- ROL6 Design contours
- Sports field layout design
- S — ROL6 services design (sewer)
- W — ROL 6 services design (water)
- SW — ROL6 services design (stormwater)
- Approved Phase 1 school site clearing
- Approved Phase 2 school site clearing
- Existing contours
- Q100 — Q100 floodline
- Tree protection fencing
- Cut area
- Fill area

Vegetation Clearing & Fauna Management Plan - *Detail sheet - 22*

saunders havill group

CLIENT:

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY OR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

Engineering drawing (Premise, 2020)

Layout drawing (URBIS, 2020)

AMENDMENTS:

Issue	Date	Description	Checked
A	14/07/2020	Client Draft	AD
B	20/07/2020	Lodgement	AD
D	22/04/2021	additional clearing	LT

0 10 20 m

1:400 @ A3

PROJECT:

Everleigh

environmental management

PLAN OF:

Vegetation Clearing & Fauna Management Plan

DATE:	22/04/2021	CHECKED:	LT
CLIENT REF:	7598	DRAWN:	TC
DRAWING No:	7598 E 22 ROL6 VCFMP D		

GPS Tree plot

- Tree to remove in ROL-6 works extent
- Tree to remove in ROL-6 works extent already approved for removal in State School application
- Tree to remove in ROL-6 bushfire management area
- Tree to remove in ROL-6 bushfire management area already approved for removal in State School application
- Tree approved for removal in State School application not apart of ROL-6 application
- Adjacent tree to retain during ROL-6 works
- Everleigh master plan design (outside of ROL-6 application)
- ROL6 Boundary
- ROL6 civil works vegetation clearing area
- ROL6 bushfire management vegetation clearing area
- Project stage boundaries
- ROL6 Layout & civil design
- ROL6 Design contours
- Sports field layout design
- S — ROL6 services design (sewer)
- W — ROL 6 services design (water)
- SW — ROL6 services design (stormwater)
- Approved Phase 1 school site clearing
- Approved Phase 2 school site clearing
- Existing contours
- Q100 — Q100 floodline
- Tree protection fencing
- Cut area
- Fill area

Vegetation Clearing & Fauna Management Plan - *Detail sheet - 23*

saunders havill group

CLIENT:

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY EXCAVATION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER INFORMATION REGARDING SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

Engineering drawing (Premise, 2020)

Layout drawing (URBIS, 2020)

AMENDMENTS:

Issue	Date	Description	Checked
A	14/07/2020	Client Draft	AD
B	20/07/2020	Lodgement	AD
D	22/04/2021	additional clearing	LT

0 10 20 m

1:400 @ A3

PROJECT:

Everleigh

environmental management

PLAN OF: Vegetation Clearing & Fauna Management Plan

DATE: 22/04/2021	CHECKED: LT
CLIENT REF: 7598	DRAWN: TC
DRAWING No: 7598 E 23 ROL6 VCFMP D	



GPS Tree plot

- Tree to remove in ROL-6 works extent
- Tree to remove in ROL-6 works extent already approved for removal in State School application
- Tree to remove in ROL-6 bushfire management area
- Tree to remove in ROL-6 bushfire management area already approved for removal in State School application
- Tree approved for removal in State School application not apart of ROL-6 application
- Adjacent tree to retain during ROL-6 works
- Everleigh master plan design (outside of ROL-6 application)
- ROL6 Boundary
- ROL6 civil works vegetation clearing area
- ROL6 bushfire management vegetation clearing area
- Project stage boundaries
- ROL6 Layout & civil design
- ROL6 Design contours
- Sports field layout design
- S — ROL6 services design (sewer)
- W — ROL 6 services design (water)
- SW — ROL6 services design (stormwater)
- Approved Phase 1 school site clearing
- Approved Phase 2 school site clearing
- Existing contours
- Q100 — Q100 floodline
- Tree protection fencing
- Cut area
- Fill area

Vegetation Clearing & Fauna Management Plan - *Detail sheet - 24*

saunders havill group

CLIENT:

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWING BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

Engineering drawing (Premise, 2020)

Layout drawing (URBS, 2020)

AMENDMENTS:

Issue	Date	Description	Checked
A	14/07/2020	Client Draft	AD
B	20/07/2020	Lodgement	AD
D	22/04/2021	additional clearing	LT

0 10 20 m

1:400 @ A3

PROJECT: Everleigh

environmental management

PLAN OF: Vegetation Clearing & Fauna Management Plan

DATE:	22/04/2021	CHECKED:	LT
CLIENT REF:	7598	DRAWN:	TC
DRAWING No:	7598 E 24 ROL6 VCFMP D		

GPS Tree plot

- Tree to remove in ROL-6 works extent
- Tree to remove in ROL-6 works extent already approved for removal in State School application
- Tree to remove in ROL-6 bushfire management area
- Tree to remove in ROL-6 bushfire management area already approved for removal in State School application
- Tree approved for removal in State School application not apart of ROL-6 application
- Adjacent tree to retain during ROL-6 works
- Everleigh master plan design (outside of ROL-6 application)
- ROL6 Boundary
- ROL6 civil works vegetation clearing area
- ROL6 bushfire management vegetation clearing area
- Project stage boundaries
- ROL6 Layout & civil design
- ROL6 Design contours
- Sports field layout design
- S — ROL6 services design (sewer)
- W — ROL 6 services design (water)
- SW — ROL6 services design (stormwater)
- Approved Phase 1 school site clearing
- Approved Phase 2 school site clearing
- Existing contours
- Q100 — Q100 floodline
- Tree protection fencing
- Cut area
- Fill area

Vegetation Clearing & Fauna Management Plan - *Detail sheet - 25*

saunders havill group

CLIENT:

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWING BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

Engineering drawing (Premise, 2020)

Layout drawing (URBIS, 2020)

AMENDMENTS:

Issue	Date	Description	Checked
A	14/07/2020	Client Draft	AD
B	20/07/2020	Lodgement	AD
D	22/04/2021	additional clearing	LT

0 10 20 m

1:400 @ A3

PROJECT:

Everleigh

environmental management

PLAN OF: Vegetation Clearing & Fauna Management Plan

DATE: 22/04/2021	CHECKED: LT
CLIENT REF: 7598	DRAWN: TC
DRAWING No: 7598 E 25 ROL6 VCFMP D	



GPS Tree plot

- Tree to remove in ROL-6 works extent
- Tree to remove in ROL-6 works extent already approved for removal in State School application
- Tree to remove in ROL-6 bushfire management area
- Tree to remove in ROL-6 bushfire management area already approved for removal in State School application
- Tree approved for removal in State School application not apart of ROL-6 application
- Adjacent tree to retain during ROL-6 works
- Everleigh master plan design (outside of ROL-6 application)
- ROL6 Boundary
- ROL6 civil works vegetation clearing area
- ROL6 bushfire management vegetation clearing area
- Project stage boundaries
- ROL6 Layout & civil design
- ROL6 Design contours
- Sports field layout design
- S — ROL6 services design (sewer)
- W — ROL 6 services design (water)
- SW — ROL6 services design (stormwater)
- Approved Phase 1 school site clearing
- Approved Phase 2 school site clearing
- Existing contours
- Q100 — Q100 floodline
- Tree protection fencing
- Cut area
- Fill area

Vegetation Clearing & Fauna Management Plan - *Detail sheet - 26*

saunders havill group

CLIENT:

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

Engineering drawing (Premise, 2020)

Layout drawing (URBIS, 2020)

AMENDMENTS:

Issue	Date	Description	Checked
A	14/07/2020	Client Draft	AD
B	20/07/2020	Lodgement	AD
D	22/04/2021	additional clearing	LT

0 10 20 m

1:400 @ A3

PROJECT:

Everleigh

environmental management

PLAN OF: Vegetation Clearing & Fauna Management Plan

DATE:	22/04/2021	CHECKED:	LT
CLIENT REF:	7598	DRAWN:	TC
DRAWING No:	7598 E 26 ROL6 VCFMP D		



GPS Tree plot

- Tree to remove in ROL-6 works extent
- Tree to remove in ROL-6 works extent already approved for removal in State School application
- Tree to remove in ROL-6 bushfire management area
- Tree to remove in ROL-6 bushfire management area already approved for removal in State School application
- Tree approved for removal in State School application not apart of ROL-6 application
- Adjacent tree to retain during ROL-6 works
- Everleigh master plan design (outside of ROL-6 application)
- ROL6 Boundary
- ROL6 civil works vegetation clearing area
- ROL6 bushfire management vegetation clearing area
- Project stage boundaries
- ROL6 Layout & civil design
- ROL6 Design contours
- Sports field layout design
- S — ROL6 services design (sewer)
- W — ROL 6 services design (water)
- SW — ROL6 services design (stormwater)
- Approved Phase 1 school site clearing
- Approved Phase 2 school site clearing
- Existing contours
- Q100 — Q100 floodline
- Tree protection fencing
- Cut area
- Fill area

Vegetation Clearing & Fauna Management Plan - *Detail sheet - 27*

saunders havill group

CLIENT:

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CAN NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

Engineering drawing (Premise, 2020)

Layout drawing (URBS, 2020)

AMENDMENTS:

Issue	Date	Description	Checked
A	14/07/2020	Client Draft	AD
B	20/07/2020	Lodgement	AD
D	22/04/2021	additional clearing	LT

0 10 20 m

1:400 @ A3

PROJECT: Everleigh

environmental management

PLAN OF: Vegetation Clearing & Fauna Management Plan

DATE:	22/04/2021	CHECKED:	LT
CLIENT REF:	7598	DRAWN:	TC
DRAWING No:	7598 E 27 ROL6 VCFMP D		



GPS Tree plot

- Tree to remove in ROL-6 works extent
- Tree to remove in ROL-6 works extent already approved for removal in State School application
- Tree to remove in ROL-6 bushfire management area
- Tree to remove in ROL-6 bushfire management area already approved for removal in State School application
- Tree approved for removal in State School application not apart of ROL-6 application
- Adjacent tree to retain during ROL-6 works
- Everleigh master plan design (outside of ROL-6 application)
- ROL6 Boundary
- ROL6 civil works vegetation clearing area
- ROL6 bushfire management vegetation clearing area
- Project stage boundaries
- ROL6 Layout & civil design
- ROL6 Design contours
- Sports field layout design
- S — ROL6 services design (sewer)
- W — ROL 6 services design (water)
- SW — ROL6 services design (stormwater)
- Approved Phase 1 school site clearing
- Approved Phase 2 school site clearing
- Existing contours
- Q100 — Q100 floodline
- Tree protection fencing
- Cut area
- Fill area

Vegetation Clearing & Fauna Management Plan - *Detail sheet - 28*

saunders havill group

CLIENT:

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

Engineering drawing (Premise, 2020)

Layout drawing (URBIS, 2020)

AMENDMENTS:

Issue	Date	Description	Checked
A	14/07/2020	Client Draft	AD
B	20/07/2020	Lodgement	AD
D	22/04/2021	additional clearing	LT

0 10 20 m

1:400 @ A3

PROJECT:

Everleigh

environmental management

PLAN OF: Vegetation Clearing & Fauna Management Plan

DATE:	22/04/2021	CHECKED:	LT
CLIENT REF:	7598	DRAWN:	TC
DRAWING No:	7598 E 28 ROL6 VCFMP D		



GPS Tree plot

- Tree to remove in ROL-6 works extent
- Tree to remove in ROL-6 works extent already approved for removal in State School application
- Tree to remove in ROL-6 bushfire management area
- Tree to remove in ROL-6 bushfire management area already approved for removal in State School application
- Tree approved for removal in State School application not apart of ROL-6 application
- Adjacent tree to retain during ROL-6 works
- Everleigh master plan design (outside of ROL-6 application)
- ROL6 Boundary
- ROL6 civil works vegetation clearing area
- ROL6 bushfire management vegetation clearing area
- Project stage boundaries
- ROL6 Layout & civil design
- ROL6 Design contours
- Sports field layout design
- S — ROL6 services design (sewer)
- W — ROL 6 services design (water)
- SW — ROL6 services design (stormwater)
- Approved Phase 1 school site clearing
- Approved Phase 2 school site clearing
- Existing contours
- Q100 — Q100 floodline
- Tree protection fencing
- Cut area
- Fill area

Vegetation Clearing & Fauna Management Plan - *Detail sheet - 29*

saunders havill group

CLIENT:

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CAN NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWING BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

Engineering drawing (Premise, 2020)

Layout drawing (URBIS, 2020)

AMENDMENTS:

Issue	Date	Description	Checked
A	14/07/2020	Client Draft	AD
B	20/07/2020	Lodgement	AD
D	22/04/2021	additional clearing	LT

0 10 20 m

1:400 @ A3

PROJECT:

Everleigh

environmental management

PLAN OF: Vegetation Clearing & Fauna Management Plan

DATE:	22/04/2021	CHECKED:	LT
CLIENT REF:	7598	DRAWN:	TC
DRAWING No:	7598 E 2.9 ROL6 VCFMP D		



GPS Tree plot

- Tree to remove in ROL-6 works extent
- Tree to remove in ROL-6 works extent already approved for removal in State School application
- Tree to remove in ROL-6 bushfire management area
- Tree to remove in ROL-6 bushfire management area already approved for removal in State School application
- Tree approved for removal in State School application not apart of ROL-6 application
- Adjacent tree to retain during ROL-6 works
- Everleigh master plan design (outside of ROL-6 application)
- ROL6 Boundary
- ROL6 civil works vegetation clearing area
- ROL6 bushfire management vegetation clearing area
- Project stage boundaries
- ROL6 Layout & civil design
- ROL6 Design contours
- Sports field layout design
- S — ROL6 services design (sewer)
- W — ROL 6 services design (water)
- SW — ROL6 services design (stormwater)
- Approved Phase 1 school site clearing
- Approved Phase 2 school site clearing
- Existing contours
- Q100 — Q100 floodline
- Tree protection fencing
- Cut area
- Fill area

Vegetation Clearing & Fauna Management Plan - *Detail sheet - 30*

saunders havill group

CLIENT:

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

Engineering drawing (Premise, 2020)

Layout drawing (URBIS, 2020)

AMENDMENTS:

Issue	Date	Description	Checked
A	14/07/2020	Client Draft	AD
B	20/07/2020	Lodgement	AD
D	22/04/2021	additional clearing	LT

0 10 20 m

1:400 @ A3

PROJECT: Everleigh

environmental management

PLAN OF: Vegetation Clearing & Fauna Management Plan

DATE:	22/04/2021	CHECKED:	LT
CLIENT REF:	7598	DRAWN:	TC
DRAWING No:	7598 E 30 ROL6 VCFMP D		



GPS Tree plot

- Tree to remove in ROL-6 works extent
- Tree to remove in ROL-6 works extent already approved for removal in State School application
- Tree to remove in ROL-6 bushfire management area
- Tree to remove in ROL-6 bushfire management area already approved for removal in State School application
- Tree approved for removal in State School application not apart of ROL-6 application
- Adjacent tree to retain during ROL-6 works
- Everleigh master plan design (outside of ROL-6 application)
- ROL6 Boundary
- ROL6 civil works vegetation clearing area
- ROL6 bushfire management vegetation clearing area
- Project stage boundaries
- ROL6 Layout & civil design
- ROL6 Design contours
- Sports field layout design
- S — ROL6 services design (sewer)
- W — ROL 6 services design (water)
- SW — ROL6 services design (stormwater)
- Approved Phase 1 school site clearing
- Approved Phase 2 school site clearing
- Existing contours
- Q100 — Q100 floodline
- Tree protection fencing
- Cut area
- Fill area

Vegetation Clearing & Fauna Management Plan - *Detail sheet - 31*

saunders havill group

CLIENT:

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CAN NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION. AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

Engineering drawing (Premise, 2020)

Layout drawing (URBIS, 2020)

AMENDMENTS:

Issue	Date	Description	Checked
A	14/07/2020	Client Draft	AD
B	20/07/2020	Lodgement	AD
D	22/04/2021	additional clearing	LT

0 10 20 m

1:400 @ A3

PROJECT:

Everleigh

environmental management

PLAN OF: Vegetation Clearing & Fauna Management Plan

DATE: 22/04/2021	CHECKED: LT
CLIENT REF: 7598	DRAWN: TC
DRAWING No:	7598 E 31 ROL6 VCFMP D



GPS Tree plot

- Tree to remove in ROL-6 works extent
- Tree to remove in ROL-6 works extent already approved for removal in State School application
- Tree to remove in ROL-6 bushfire management area
- Tree to remove in ROL-6 bushfire management area already approved for removal in State School application
- Tree approved for removal in State School application not apart of ROL-6 application
- Adjacent tree to retain during ROL-6 works
- Everleigh master plan design (outside of ROL-6 application)
- ROL6 Boundary
- ROL6 civil works vegetation clearing area
- ROL6 bushfire management vegetation clearing area
- Project stage boundaries
- ROL6 Layout & civil design
- ROL6 Design contours
- Sports field layout design
- S — ROL6 services design (sewer)
- W — ROL 6 services design (water)
- SW — ROL6 services design (stormwater)
- Approved Phase 1 school site clearing
- Approved Phase 2 school site clearing
- Existing contours
- Q100 — Q100 floodline
- Tree protection fencing
- Cut area
- Fill area

Vegetation Clearing & Fauna Management Plan - *Detail sheet - 32*

saunders havill group

CLIENT:

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CAN NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

Engineering drawing (Premise, 2020)

Layout drawing (URBIS, 2020)

AMENDMENTS:

Issue	Date	Description	Checked
A	14/07/2020	Client Draft	AD
B	20/07/2020	Lodgement	AD
D	22/04/2021	additional clearing	LT

0 10 20 m

1:400 @ A3

PROJECT: Everleigh

environmental management

PLAN OF: Vegetation Clearing & Fauna Management Plan

DATE:	22/04/2021	CHECKED:	LT
CLIENT REF:	7598	DRAWN:	TC
DRAWING No:	7598 E 3.2 ROL6 VCFMP D		



GPS Tree plot

- Tree to remove in ROL-6 works extent
- Tree to remove in ROL-6 works extent already approved for removal in State School application
- Tree to remove in ROL-6 bushfire management area
- Tree to remove in ROL-6 bushfire management area already approved for removal in State School application
- Tree approved for removal in State School application not apart of ROL-6 application
- Adjacent tree to retain during ROL-6 works
- Everleigh master plan design (outside of ROL-6 application)
- ROL6 Boundary
- ROL6 civil works vegetation clearing area
- ROL6 bushfire management vegetation clearing area
- Project stage boundaries
- ROL6 Layout & civil design
- ROL6 Design contours
- Sports field layout design
- S — ROL6 services design (sewer)
- W — ROL 6 services design (water)
- SW — ROL6 services design (stormwater)
- Approved Phase 1 school site clearing
- Approved Phase 2 school site clearing
- Existing contours
- Q100 — Q100 floodline
- Tree protection fencing
- Cut area
- Fill area

Vegetation Clearing & Fauna Management Plan - *Detail sheet - 33*

saunders havill group

CLIENT:

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CAN NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

Engineering drawing (Premise, 2020)

Layout drawing (URBS, 2020)

AMENDMENTS:

Issue	Date	Description	Checked
A	14/07/2020	Client Draft	AD
B	20/07/2020	Lodgement	AD
D	22/04/2021	additional clearing	LT

0 10 20 m

1:400 @ A3

PROJECT:

Everleigh

environmental management

PLAN OF: Vegetation Clearing & Fauna Management Plan

DATE:	22/04/2021	CHECKED:	LT
CLIENT REF:	7598	DRAWN:	TC
DRAWING No:	7598 E 33 ROL6 VCFMP D		

GPS Tree plot

- Tree to remove in ROL-6 works extent
- Tree to remove in ROL-6 works extent already approved for removal in State School application
- Tree to remove in ROL-6 bushfire management area
- Tree to remove in ROL-6 bushfire management area already approved for removal in State School application
- Tree approved for removal in State School application not apart of ROL-6 application
- Adjacent tree to retain during ROL-6 works
- Everleigh master plan design (outside of ROL-6 application)
- ROL6 Boundary
- ROL6 civil works vegetation clearing area
- ROL6 bushfire management vegetation clearing area
- Project stage boundaries
- ROL6 Layout & civil design
- ROL6 Design contours
- Sports field layout design
- S — ROL6 services design (sewer)
- W — ROL 6 services design (water)
- SW — ROL6 services design (stormwater)
- Approved Phase 1 school site clearing
- Approved Phase 2 school site clearing
- Existing contours
- Q100 — Q100 floodline
- Tree protection fencing
- Cut area
- Fill area

Vegetation Clearing & Fauna Management Plan - *Detail sheet - 34*

saunders havill group

CLIENT:

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWING BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

Engineering drawing (Premise, 2020)

Layout drawing (URBS, 2020)

AMENDMENTS:

Issue	Date	Description	Checked
A	14/07/2020	Client Draft	AD
B	20/07/2020	Lodgement	AD
D	22/04/2021	additional clearing	LT

0 10 20 m

1:400 @ A3

PROJECT:

Everleigh

environmental management

PLAN OF: Vegetation Clearing & Fauna Management Plan

DATE:	22/04/2021	CHECKED:	LT
CLIENT REF:	7598	DRAWN:	TC
DRAWING No:	7598 E 34 ROL6 VCFMP D		

GPS Tree plot

- Tree to remove in ROL-6 works extent
- Tree to remove in ROL-6 works extent already approved for removal in State School application
- Tree to remove in ROL-6 bushfire management area
- Tree to remove in ROL-6 bushfire management area already approved for removal in State School application
- Tree approved for removal in State School application not apart of ROL-6 application
- Adjacent tree to retain during ROL-6 works
- Everleigh master plan design (outside of ROL-6 application)
- ROL6 Boundary
- ROL6 civil works vegetation clearing area
- ROL6 bushfire management vegetation clearing area
- Project stage boundaries
- ROL6 Layout & civil design
- ROL6 Design contours
- Sports field layout design
- S — ROL6 services design (sewer)
- W — ROL 6 services design (water)
- SW — ROL6 services design (stormwater)
- Approved Phase 1 school site clearing
- Approved Phase 2 school site clearing
- Existing contours
- Q100 — Q100 floodline
- Tree protection fencing
- Cut area
- Fill area

Vegetation Clearing & Fauna Management Plan - *Detail sheet - 35*

saunders havill group

CLIENT:

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CAN NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

Engineering drawing (Premise, 2020)

Layout drawing (URBIS, 2020)

AMENDMENTS:

Issue	Date	Description	Checked
A	14/07/2020	Client Draft	AD
B	20/07/2020	Lodgement	AD
D	22/04/2021	additional clearing	LT

0 10 20 m

1:400 @ A3

PROJECT:

Everleigh

environmental management

PLAN OF: Vegetation Clearing & Fauna Management Plan

DATE:	22/04/2021	CHECKED:	LT
CLIENT REF:	7598	DRAWN:	TC
DRAWING No:	7598 E 3.5 ROL6 VCFMP D		



GPS Tree plot

- Tree to remove in ROL-6 works extent
- Tree to remove in ROL-6 works extent already approved for removal in State School application
- Tree to remove in ROL-6 bushfire management area
- Tree to remove in ROL-6 bushfire management area already approved for removal in State School application
- Tree approved for removal in State School application not apart of ROL-6 application
- Adjacent tree to retain during ROL-6 works
- Everleigh master plan design (outside of ROL-6 application)
- ROL6 Boundary
- ROL6 civil works vegetation clearing area
- ROL6 bushfire management vegetation clearing area
- Project stage boundaries
- ROL6 Layout & civil design
- ROL6 Design contours
- Sports field layout design
- S — ROL6 services design (sewer)
- W — ROL 6 services design (water)
- SW — ROL6 services design (stormwater)
- Approved Phase 1 school site clearing
- Approved Phase 2 school site clearing
- Existing contours
- Q100 — Q100 floodline
- Tree protection fencing
- Cut area
- Fill area

Vegetation Clearing & Fauna Management Plan - *Detail sheet - 36*

saunders havill group

CLIENT:

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

Engineering drawing (Premise, 2020)

Layout drawing (URBIS, 2020)

AMENDMENTS:

Issue	Date	Description	Checked
A	14/07/2020	Client Draft	AD
B	20/07/2020	Lodgement	AD
D	22/04/2021	additional clearing	LT

0 10 20 m

1:400 @ A3

PROJECT:

Everleigh

environmental management

PLAN OF: Vegetation Clearing & Fauna Management Plan

DATE:	22/04/2021	CHECKED:	LT
CLIENT REF:	7598	DRAWN:	TC
DRAWING No:	7598 E 36 ROL6 VCFMP D		



GPS Tree plot

- Tree to remove in ROL-6 works extent
- Tree to remove in ROL-6 works extent already approved for removal in State School application
- Tree to remove in ROL-6 bushfire management area
- Tree to remove in ROL-6 bushfire management area already approved for removal in State School application
- Tree approved for removal in State School application not apart of ROL-6 application
- Adjacent tree to retain during ROL-6 works
- Everleigh master plan design (outside of ROL-6 application)
- ROL6 Boundary
- ROL6 civil works vegetation clearing area
- ROL6 bushfire management vegetation clearing area
- Project stage boundaries
- ROL6 Layout & civil design
- ROL6 Design contours
- Sports field layout design
- S — ROL6 services design (sewer)
- W — ROL 6 services design (water)
- SW — ROL6 services design (stormwater)
- Approved Phase 1 school site clearing
- Approved Phase 2 school site clearing
- Existing contours
- Q100 — Q100 floodline
- Tree protection fencing
- Cut area
- Fill area

Vegetation Clearing & Fauna Management Plan - *Detail sheet - 37*

saunders havill group

CLIENT:

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CAN NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

Engineering drawing (Premise, 2020)

Layout drawing (URBS, 2020)

AMENDMENTS:

Issue	Date	Description	Checked
A	14/07/2020	Client Draft	AD
B	20/07/2020	Lodgement	AD
D	22/04/2021	additional clearing	LT

0 10 20 m

1:400 @ A3

PROJECT:

Everleigh

environmental management

PLAN OF: Vegetation Clearing & Fauna Management Plan

DATE:	22/04/2021	CHECKED:	LT
CLIENT REF:	7598	DRAWN:	TC
DRAWING No:	7598 E 37 ROL6 VCFMP D		

GPS Tree plot

- Tree to remove in ROL-6 works extent
- Tree to remove in ROL-6 works extent already approved for removal in State School application
- Tree to remove in ROL-6 bushfire management area
- Tree to remove in ROL-6 bushfire management area already approved for removal in State School application
- Tree approved for removal in State School application not apart of ROL-6 application
- Adjacent tree to retain during ROL-6 works
- Everleigh master plan design (outside of ROL-6 application)
- ROL6 Boundary
- ROL6 civil works vegetation clearing area
- ROL6 bushfire management vegetation clearing area
- Project stage boundaries
- ROL6 Layout & civil design
- ROL6 Design contours
- Sports field layout design
- S — ROL6 services design (sewer)
- W — ROL 6 services design (water)
- SW — ROL6 services design (stormwater)
- Approved Phase 1 school site clearing
- Approved Phase 2 school site clearing
- Existing contours
- Q100 — Q100 floodline
- Tree protection fencing
- Cut area
- Fill area

Vegetation Clearing & Fauna Management Plan - *Detail sheet - 38*

saunders havill group

CLIENT:

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

Engineering drawing (Premise, 2020)

Layout drawing (URBIS, 2020)

AMENDMENTS:

Issue	Date	Description	Checked
A	14/07/2020	Client Draft	AD
B	20/07/2020	Lodgement	AD
D	22/04/2021	additional clearing	LT

0 10 20 m

1:400 @ A3

PROJECT:

Everleigh

environmental management

PLAN OF: Vegetation Clearing & Fauna Management Plan

DATE:	22/04/2021	CHECKED:	LT
CLIENT REF:	7598	DRAWN:	TC
DRAWING No:	7598 E 38 ROL6 VCFMP D		



GPS Tree plot

- Tree to remove in ROL-6 works extent
- Tree to remove in ROL-6 works extent already approved for removal in State School application
- Tree to remove in ROL-6 bushfire management area
- Tree to remove in ROL-6 bushfire management area already approved for removal in State School application
- Tree approved for removal in State School application not apart of ROL-6 application
- Adjacent tree to retain during ROL-6 works
- Everleigh project boundary
- ROL6 civil works vegetation clearing area
- ROL6 bushfire management vegetation clearing area
- Tree protection fencing
- Clearing direction
- Vegetation stockpile location (indicative)

Vegetation Clearing & Fauna Management Plan - *Clearing Direction*

saunders havill group

CLIENT: mirvac

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER IN GROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:

Engineering drawing (Premise, 2020)

Layout drawing (URBIS, 2020)

AMENDMENTS:

Issue	Date	Description	Checked
A	14/07/2020	Client Draft	AD
B	20/07/2020	Lodgement	AD
D	22/04/2021	additional clearing	LT

0 50 100 200 300 400 500 m

1:6,500 @ A3

PROJECT: Everleigh

environmental management

PLAN OF: Vegetation Clearing & Fauna Management Plan

DATE:	22/04/2021	CHECKED:	LT
CLIENT REF:	7598	DRAWN:	TC
DRAWING No:	7598 E 39 ROL6 VCFMP D		

saunders havill group

Tree Schedule Extract - Job 7598 v2
456-522 Greenbank Road (Everleigh - ROL 6), Greenbank (Mirvac Queensland Pty Ltd)
22/04/2021

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
55	Allocasuarina littoralis	Black Sheoak	120		120	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
56	Eucalyptus tereticornis	Forest Red Gum	110		110	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
57	Allocasuarina littoralis	Black Sheoak	100		100	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
58	Allocasuarina littoralis	Black Sheoak	100		100	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
59	Allocasuarina littoralis	Black Sheoak	120		120	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
60	Eucalyptus tereticornis	Forest Red Gum	140		140	15	4	2	1	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
61	Eucalyptus tereticornis	Forest Red Gum	230	210, 200, 250	447	18	6	5.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
62	Allocasuarina littoralis	Black Sheoak	120		120	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
63	Allocasuarina littoralis	Black Sheoak	110		110	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
64	Allocasuarina littoralis	Black Sheoak	140		140	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
65	Allocasuarina littoralis	Black Sheoak	160		160	14	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
66	Allocasuarina littoralis	Black Sheoak	130		130	12	2	2	1	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
67	Allocasuarina littoralis	Black Sheoak	120		120	15	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
68	Allocasuarina littoralis	Black Sheoak	140		140	12	3	2	1	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
69	Allocasuarina littoralis	Black Sheoak	100		100	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
70	Allocasuarina littoralis	Black Sheoak	120		120	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
71	Allocasuarina littoralis	Black Sheoak	100		100	8	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
72	Eucalyptus tereticornis	Forest Red Gum	250		250	22	8	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
73	Allocasuarina littoralis	Black Sheoak	110		110	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
74	Corymbia intermedia	Pink Bloodwood	110		110	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
75	Corymbia intermedia	Pink Bloodwood	250	250	354	20	10	4.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
76	Corymbia intermedia	Pink Bloodwood	150		150	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
77	Allocasuarina littoralis	Black Sheoak	110		110	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
78	Allocasuarina littoralis	Black Sheoak	120		120	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
79	Allocasuarina littoralis	Black Sheoak	130		130	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
80	Eucalyptus tereticornis	Forest Red Gum	110		110	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
81	Corymbia intermedia	Pink Bloodwood	240	70	250	18	6	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
82	Allocasuarina littoralis	Black Sheoak	100		100	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Remove - Bushfire ROL6	
83	Allocasuarina littoralis	Black Sheoak	130		130	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
84	Allocasuarina littoralis	Black Sheoak	120		120	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
85	Corymbia intermedia	Pink Bloodwood	190		190	16	6	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
86	Allocasuarina littoralis	Black Sheoak	140		140	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
87	Allocasuarina littoralis	Black Sheoak	100		100	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
88	Corymbia intermedia	Pink Bloodwood	180		180	16	8	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
89	Allocasuarina littoralis	Black Sheoak	110		110	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
90	Eucalyptus tereticornis	Forest Red Gum	260		260	24	8	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
91	Allocasuarina littoralis	Black Sheoak	120		120	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
92	Allocasuarina littoralis	Black Sheoak	110		110	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
93	Allocasuarina littoralis	Black Sheoak	140		140	15	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
94	Allocasuarina littoralis	Black Sheoak	110		110	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
95	Allocasuarina littoralis	Black Sheoak	100		100	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
96	Allocasuarina littoralis	Black Sheoak	140		140	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
97	Allocasuarina littoralis	Black Sheoak	110		110	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
98	Allocasuarina littoralis	Black Sheoak	110		110	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
99	Allocasuarina littoralis	Black Sheoak	110		110	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
100	Allocasuarina littoralis	Black Sheoak	160		160	14	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
101	Allocasuarina littoralis	Black Sheoak	110		110	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
102	Allocasuarina littoralis	Black Sheoak	110		110	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
103	Allocasuarina littoralis	Black Sheoak	110		110	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
104	Allocasuarina littoralis	Black Sheoak	160		160	14	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
105	Allocasuarina littoralis	Black Sheoak	130		130	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
106	Allocasuarina littoralis	Black Sheoak	110		110	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
107	Allocasuarina littoralis	Black Sheoak	110		110	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
108	Allocasuarina littoralis	Black Sheoak	110		110	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
109	Allocasuarina littoralis	Black Sheoak	120		120	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
110	Allocasuarina littoralis	Black Sheoak	100		100	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
111	Allocasuarina littoralis	Black Sheoak	100		100	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
112	Allocasuarina littoralis	Black Sheoak	130		130	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
113	Corymbia intermedia	Pink Bloodwood	160		160	15	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
114	Corymbia intermedia	Pink Bloodwood	220		220	18	6	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
115	Corymbia intermedia	Pink Bloodwood	160	150	219	15	6	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
116	Corymbia intermedia	Pink Bloodwood	150		150	15	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
117	Allocasuarina littoralis	Black Sheoak	130		130	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
118	Allocasuarina littoralis	Black Sheoak	140	100	172	12	4	2.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
119	Corymbia intermedia	Pink Bloodwood	150		150	16	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
120	Corymbia intermedia	Pink Bloodwood	130		130	16	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
121	Corymbia intermedia	Pink Bloodwood	120		120	14	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
122	Allocasuarina littoralis	Black Sheoak	150		150	14	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
123	Corymbia intermedia	Pink Bloodwood	260		260	18	6	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
124	Corymbia intermedia	Pink Bloodwood	120		120	15	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
166	Corymbia intermedia	Pink Bloodwood	220	180	284	18	8	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
167	Corymbia intermedia	Pink Bloodwood	130		130	14	2	2	1	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
168	Lophostemon suaveolens	Swamp Box	210		210	16	8	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
169	Corymbia citriodora	Spotted Gum	170		170	16	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
170	Corymbia intermedia	Pink Bloodwood	200	150	250	16	8	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
171	Corymbia intermedia	Pink Bloodwood	130		130	15	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
172	Eucalyptus tereticornis	Forest Red Gum	300		300	22	6	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
173	Corymbia intermedia	Pink Bloodwood	130		130	15	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
174	Corymbia intermedia	Pink Bloodwood	190		190	16	6	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
175	Corymbia intermedia	Pink Bloodwood	190	140	236	16	5	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
176	Corymbia intermedia	Pink Bloodwood	130	90	158	15	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
177	Corymbia intermedia	Pink Bloodwood	240	180	300	20	6	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
178	Acacia concurrens	Black Wattle	110		110	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
179	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
180	Allocasuarina littoralis	Black Sheoak	160		160	15	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
181	Acacia concurrens	Black Wattle	100		100	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
182	Allocasuarina littoralis	Black Sheoak	130		130	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
183	Acacia concurrens	Black Wattle	110		110	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
184	Allocasuarina littoralis	Black Sheoak	160		160	12	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
185	Allocasuarina littoralis	Black Sheoak	130		130	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
186	Allocasuarina littoralis	Black Sheoak	130		130	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
187	Allocasuarina littoralis	Black Sheoak	110		110	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
188	Allocasuarina littoralis	Black Sheoak	100		100	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
189	Allocasuarina littoralis	Black Sheoak	130		130	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
190	Acacia concurrens	Black Wattle	100		100	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
191	Allocasuarina littoralis	Black Sheoak	100		100	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
192	Allocasuarina littoralis	Black Sheoak	130		130	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
193	Eucalyptus tereticornis	Forest Red Gum	210	200	290	22	8	3.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
194	Allocasuarina littoralis	Black Sheoak	130		130	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
195	Allocasuarina littoralis	Black Sheoak	130		130	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
196	Allocasuarina littoralis	Black Sheoak	130		130	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
197	Allocasuarina littoralis	Black Sheoak	110		110	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
198	Melaleuca quinquenervia	Broad-leaved Paperbark	140		140	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
199	Corymbia intermedia	Pink Bloodwood	140		140	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
200	Allocasuarina littoralis	Black Sheoak	130		130	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
201	Allocasuarina littoralis	Black Sheoak	120		120	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
202	Allocasuarina littoralis	Black Sheoak	120		120	14	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
203	Allocasuarina littoralis	Black Sheoak	110		110	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
204	Allocasuarina littoralis	Black Sheoak	110		110	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
205	Allocasuarina littoralis	Black Sheoak	110		110	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
206	Allocasuarina littoralis	Black Sheoak	110		110	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
207	Allocasuarina littoralis	Black Sheoak	110		110	14	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
208	Eucalyptus tereticornis	Forest Red Gum	150		150	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
209	Allocasuarina littoralis	Black Sheoak	100		100	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
210	Allocasuarina littoralis	Black Sheoak	100		100	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
211	Allocasuarina littoralis	Black Sheoak	130		130	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
212	Allocasuarina littoralis	Black Sheoak	120		120	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
213	Allocasuarina littoralis	Black Sheoak	130		130	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
214	Allocasuarina littoralis	Black Sheoak	120		120	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
215	Allocasuarina littoralis	Black Sheoak	120		120	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
216	Allocasuarina littoralis	Black Sheoak	110		110	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
217	Allocasuarina littoralis	Black Sheoak	110		110	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
218	Allocasuarina littoralis	Black Sheoak	100		100	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
219	Corymbia citriodora	Spotted Gum	200	190	276	20	10	3.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
220	Allocasuarina littoralis	Black Sheoak	110		110	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
221	Allocasuarina littoralis	Black Sheoak	100		100	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
222	Allocasuarina littoralis	Black Sheoak	100		100	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
223	Allocasuarina littoralis	Black Sheoak	160		160	10	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
224	Eucalyptus tereticornis	Forest Red Gum	120		120	14	3	2	1	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
225	Allocasuarina littoralis	Black Sheoak	150		150	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
226	Allocasuarina littoralis	Black Sheoak	190		190	14	5	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
271	Corymbia citriodora	Spotted Gum	270	120	295	26	8	3.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
272	Corymbia citriodora	Spotted Gum	210	180	277	15	5	3.3	2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
273	Eucalyptus tereticornis	Forest Red Gum	180		180	16	5	2.2	2	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
274	Corymbia citriodora	Spotted Gum	210		210	15	1	2.5	2	Regular	-	-	Die-back	Epicormic	Lopped	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
275	Eucalyptus tereticornis	Forest Red Gum	160		160	18	5	2	2	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
276	Acacia concurrens	Black Wattle	100		100	5	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
277	Eucalyptus siderophloia	Grey Ironbark	110		110	6	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
278	Corymbia citriodora	Spotted Gum	190		190	16	13	2.3	2	Regular	-	-	Die-back	Epicormic	Lopped	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
279	Acacia concurrens	Black Wattle	100		100	6	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
280	Eucalyptus tereticornis	Forest Red Gum	200		200	18	6	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
281	Eucalyptus siderophloia	Grey Ironbark	190		190	18	8	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
282	Allocasuarina littoralis	Black Sheoak	100		100	8	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
283	Corymbia citriodora	Spotted Gum	240		240	22	6	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
284	Corymbia citriodora	Spotted Gum	110		110	15	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
285	Corymbia citriodora	Spotted Gum	220	240	326	25	12	3.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
286	Corymbia citriodora	Spotted Gum	220	140	261	26	10	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
287	Corymbia citriodora	Spotted Gum	150		150	16	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
288	Eucalyptus siderophloia	Grey Ironbark	100		100	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
289	Corymbia citriodora	Spotted Gum	240		240	22	12	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
290	Corymbia citriodora	Spotted Gum	140	120	184	16	5	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
291	Corymbia intermedia	Pink Bloodwood	200	90	219	18	5	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
292	Corymbia citriodora	Spotted Gum	170		170	20	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
293	Acacia concurrens	Black Wattle	110		110	8	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
294	Corymbia citriodora	Spotted Gum	180		180	25	8	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
295	Allocasuarina littoralis	Black Sheoak	100		100	8	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
296	Corymbia citriodora	Spotted Gum	250		250	14	1	3	2	Regular	-	-	Die-back	Epicormic	-	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
297	Corymbia citriodora	Spotted Gum	270		270	20	6	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
298	Angophora leiocarpa	Smooth-barked Apple	180		180	16	6	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
299	Eucalyptus tereticornis	Forest Red Gum	320		320	26	15	3.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
300	Allocasuarina littoralis	Black Sheoak	110		110	8	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
301	Corymbia citriodora	Spotted Gum	130		130	16	4	2	1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
302	Allocasuarina littoralis	Black Sheoak	140		140	10	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
303	Eucalyptus tereticornis	Forest Red Gum	210		210	26	8	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
304	Allocasuarina littoralis	Black Sheoak	130		130	8	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
305	Allocasuarina littoralis	Black Sheoak	110		110	10	2	2	1	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
306	Allocasuarina littoralis	Black Sheoak	110		110	8	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
307	Allocasuarina littoralis	Black Sheoak	120		120	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
308	Allocasuarina littoralis	Black Sheoak	120		120	14	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
309	Allocasuarina littoralis	Black Sheoak	130		130	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
310	Allocasuarina littoralis	Black Sheoak	130		130	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
311	Allocasuarina littoralis	Black Sheoak	160		160	16	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
312	Corymbia citriodora	Spotted Gum	140		140	18	6	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
313	Allocasuarina littoralis	Black Sheoak	110		110	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
314	Allocasuarina littoralis	Black Sheoak	110		110	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
315	Allocasuarina littoralis	Black Sheoak	100		100	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
316	Allocasuarina littoralis	Black Sheoak	100		100	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
317	Allocasuarina littoralis	Black Sheoak	100		100	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
318	Allocasuarina littoralis	Black Sheoak	100		100	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
319	Allocasuarina littoralis	Black Sheoak	130		130	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
320	Allocasuarina littoralis	Black Sheoak	100		100	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
321	Allocasuarina littoralis	Black Sheoak	140		140	14	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
322	Allocasuarina littoralis	Black Sheoak	150		150	15	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
323	Corymbia intermedia	Pink Bloodwood	110		110	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
324	Corymbia intermedia	Pink Bloodwood	150		150	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
325	Allocasuarina littoralis	Black Sheoak	100		100	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
326	Allocasuarina littoralis	Black Sheoak	100		100	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
327	Allocasuarina littoralis	Black Sheoak	120		120	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
328	Allocasuarina littoralis	Black Sheoak	100		100	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
329	Corymbia citriodora	Spotted Gum	260		260	26	10	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
330	Eucalyptus tereticornis	Forest Red Gum	140	140	198	16	6	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
331	Eucalyptus tereticornis	Forest Red Gum	150		150	18	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
332	Allocasuarina littoralis	Black Sheoak	110		110	14	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
333	Allocasuarina littoralis	Black Sheoak	100		100	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
334	Allocasuarina littoralis	Black Sheoak	100		100	15	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
335	Allocasuarina littoralis	Black Sheoak	110		110	14	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
336	Corymbia intermedia	Pink Bloodwood	170		170	16	6	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
337	Allocasuarina littoralis	Black Sheoak	130		130	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
338	Allocasuarina littoralis	Black Sheoak	120		120	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
339	Allocasuarina littoralis	Black Sheoak	110		110	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
340	Eucalyptus tereticornis	Forest Red Gum	250		250	22	8	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
341	Allocasuarina littoralis	Black Sheoak	120		120	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
342	Allocasuarina littoralis	Black Sheoak	110		110	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
343	Allocasuarina littoralis	Black Sheoak	100		100	14	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
344	Allocasuarina littoralis	Black Sheoak	100	100	141	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
345	Allocasuarina littoralis	Black Sheoak	110		110	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
346	Allocasuarina littoralis	Black Sheoak	110		110	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
347	DEAD/STAG		100		100	6	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
348	Allocasuarina littoralis	Black Sheoak	110		110	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
349	Allocasuarina littoralis	Black Sheoak	120		120	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
350	Lophostemon suaveolens	Swamp Box	130		130	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
351	Allocasuarina littoralis	Black Sheoak	110		110	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
352	Allocasuarina littoralis	Black Sheoak	100		100	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
353	Allocasuarina littoralis	Black Sheoak	140		140	15	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
354	Allocasuarina littoralis	Black Sheoak	110		110	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
355	Allocasuarina littoralis	Black Sheoak	160		160	14	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
356	Lophostemon suaveolens	Swamp Box	290		290	14	3	3.5	2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
357	Corymbia intermedia	Pink Bloodwood	160		160	14	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
358	Allocasuarina littoralis	Black Sheoak	110		110	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
359	Allocasuarina littoralis	Black Sheoak	110		110	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
360	Allocasuarina littoralis	Black Sheoak	160		160	12	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
361	Eucalyptus tereticornis	Forest Red Gum	230		230	18	8	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
362	Allocasuarina littoralis	Black Sheoak	100		100	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
363	Allocasuarina littoralis	Black Sheoak	140		140	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
364	Eucalyptus tereticornis	Forest Red Gum	260	200	328	18	8	3.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
365	Allocasuarina littoralis	Black Sheoak	130		130	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
366	Allocasuarina littoralis	Black Sheoak	130		130	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
367	Allocasuarina littoralis	Black Sheoak	100		100	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
368	Eucalyptus tereticornis	Forest Red Gum	150		150	16	4	2	1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
369	Acacia concurrens	Black Wattle	100		100	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
370	Eucalyptus tereticornis	Forest Red Gum	420		420	28	14	5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
371	Acacia concurrens	Black Wattle	100		100	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
372	Acacia concurrens	Black Wattle	120		120	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
373	Eucalyptus tereticornis	Forest Red Gum	350	570	669	28	14	8	3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
374	Acacia concurrens	Black Wattle	100		100	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
375	Allocasuarina littoralis	Black Sheoak	170		170	14	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
376	Corymbia intermedia	Pink Bloodwood	180	170	248	22	10	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
377	Eucalyptus tereticornis	Forest Red Gum	200		200	15	4	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
378	Eucalyptus tereticornis	Forest Red Gum	350		350	25	12	4.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
379	Acacia concurrens	Black Wattle	110		110	10	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
380	Acacia concurrens	Black Wattle	100		100	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
381	Eucalyptus tereticornis	Forest Red Gum	370	270	458	26	15	5.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
382	Acacia concurrens	Black Wattle	100		100	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
383	Allocasuarina littoralis	Black Sheoak	150		150	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
400	Acacia concurrens	Black Wattle	110		110	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
401	Acacia concurrens	Black Wattle	100		100	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
402	Acacia concurrens	Black Wattle	100		100	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
403	Allocasuarina littoralis	Black Sheoak	100		100	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
404	Acacia concurrens	Black Wattle	100		100	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
405	Allocasuarina littoralis	Black Sheoak	110		110	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
406	Allocasuarina littoralis	Black Sheoak	110		110	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
407	Allocasuarina littoralis	Black Sheoak	110		110	8	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
408	Allocasuarina littoralis	Black Sheoak	130		130	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
409	Allocasuarina littoralis	Black Sheoak	130		130	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
410	Allocasuarina littoralis	Black Sheoak	130		130	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
411	Allocasuarina littoralis	Black Sheoak	100		100	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
412	Allocasuarina littoralis	Black Sheoak	130		130	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
413	Allocasuarina littoralis	Black Sheoak	110		110	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
414	Allocasuarina littoralis	Black Sheoak	100		100	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
415	Allocasuarina littoralis	Black Sheoak	110		110	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
416	Allocasuarina littoralis	Black Sheoak	110		110	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
417	Eucalyptus tereticornis	Forest Red Gum	160	170	233	16	8	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
418	Allocasuarina littoralis	Black Sheoak	130		130	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
419	Allocasuarina littoralis	Black Sheoak	100		100	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
420	Allocasuarina littoralis	Black Sheoak	140		140	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
421	Allocasuarina littoralis	Black Sheoak	130		130	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
422	Allocasuarina littoralis	Black Sheoak	100		100	8	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
423	Allocasuarina littoralis	Black Sheoak	120		120	10	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
424	Allocasuarina littoralis	Black Sheoak	150		150	12	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
425	Corymbia citriodora	Spotted Gum	160		160	20	6	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
426	Allocasuarina littoralis	Black Sheoak	130		130	8	2	2	1	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Remove - Bushfire ROL6	
427	Corymbia citriodora	Spotted Gum	160		160	18	6	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
428	Corymbia citriodora	Spotted Gum	230	220	318	22	12	3.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
429	Allocasuarina littoralis	Black Sheoak	130		130	12	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
430	Allocasuarina littoralis	Black Sheoak	160		160	12	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
431	Allocasuarina littoralis	Black Sheoak	100		100	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
432	Allocasuarina littoralis	Black Sheoak	150		150	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
433	Allocasuarina littoralis	Black Sheoak	140		140	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
434	Eucalyptus tereticornis	Forest Red Gum	220	240	326	20	8	3.9	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
435	Eucalyptus tereticornis	Forest Red Gum	210		210	22	6	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
436	Allocasuarina littoralis	Black Sheoak	170		170	14	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
437	Allocasuarina littoralis	Black Sheoak	130		130	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
438	Allocasuarina littoralis	Black Sheoak	140		140	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
439	Eucalyptus tereticornis	Forest Red Gum	210	240	319	22	6	3.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
440	Allocasuarina littoralis	Black Sheoak	120		120	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
441	Allocasuarina littoralis	Black Sheoak	110		110	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
442	Allocasuarina littoralis	Black Sheoak	130		130	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
443	Eucalyptus tereticornis	Forest Red Gum	200		200	20	6	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
444	Allocasuarina littoralis	Black Sheoak	110		110	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
445	Eucalyptus tereticornis	Forest Red Gum	160		160	16	5	2	2	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
446	Allocasuarina littoralis	Black Sheoak	100		100	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
447	Allocasuarina littoralis	Black Sheoak	110		110	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
448	Eucalyptus siderophloia	Grey Ironbark	360		360	28	15	4.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Remove - Bushfire ROL6	
449	Eucalyptus siderophloia	Grey Ironbark	420		420	28	15	5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
453	Acacia concurrens	Black Wattle	140		140	10	3	2	1	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
454	Acacia concurrens	Black Wattle	100		100	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
455	Acacia concurrens	Black Wattle	110		110	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
456	Acacia concurrens	Black Wattle	150		150	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
457	Acacia concurrens	Black Wattle	130		130	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
458	Corymbia citriodora	Spotted Gum	100		100	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
459	Acacia concurrens	Black Wattle	110		110	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
460	Corymbia citriodora	Spotted Gum	210	200	290	18	6	3.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
461	Acacia concurrens	Black Wattle	100		100	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
462	Eucalyptus siderophloia	Grey Ironbark	160		160	14	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
463	Acacia concurrens	Black Wattle	100		100	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
464	Corymbia citriodora	Spotted Gum	220		220	25	8	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
465	Eucalyptus tereticornis	Forest Red Gum	200		200	15	5	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
466	Eucalyptus tereticornis	Forest Red Gum	240		240	16	6	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	New	-	-	-	-	-	Remove - Bushfire ROL6	
467	Eucalyptus siderophloia	Grey Ironbark	320		320	28	12	3.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	Old	-	-	-	-	-	Remove - Bushfire ROL6	
468	Eucalyptus siderophloia	Grey Ironbark	110		110	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
469	Eucalyptus tereticornis	Forest Red Gum	230		230	12	2	2.8	2	Regular	-	Thinning	-	-	-	Poor	-	-	-	-	Typical	Old	-	-	-	-	-	Remove - Bushfire ROL6	
470	Corymbia citriodora	Spotted Gum	290		290	25	12	3.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
471	Corymbia intermedia	Pink Bloodwood	290		290	14	6	3.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
472	Eucalyptus tereticornis	Forest Red Gum	180		180	16	4	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
473	Allocasuarina littoralis	Black Sheoak	130		130	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
474	Allocasuarina littoralis	Black Sheoak	150		150	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
475	Allocasuarina littoralis	Black Sheoak	110		110	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
476	Allocasuarina littoralis	Black Sheoak	150		150	12	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
477	Allocasuarina littoralis	Black Sheoak	140		140	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
478	Allocasuarina littoralis	Black Sheoak	140		140	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
479	Allocasuarina littoralis	Black Sheoak	110		110	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
480	Allocasuarina littoralis	Black Sheoak	110		110	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
481	Allocasuarina littoralis	Black Sheoak	140		140	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
482	Eucalyptus tereticornis	Forest Red Gum	160		160	14	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
483	Allocasuarina littoralis	Black Sheoak	190		190	12	3	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
484	Acacia concurrens	Black Wattle	120		120	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
488	Allocasuarina littoralis	Black Sheoak	140		140	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
516	Melaleuca quinquenervia	Broad-leaved Paperbark	100		100	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
517	Acacia concurrens	Black Wattle	100		100	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
521	Acacia concurrens	Black Wattle	100		100	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
522	Corymbia intermedia	Pink Bloodwood	240		240	20	6	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Remove - Bushfire ROL6	
523	Eucalyptus tereticornis	Forest Red Gum	240		240	25	6	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
524	Acacia concurrens	Black Wattle	120		120	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
525	Acacia concurrens	Black Wattle	110		110	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
526	Acacia concurrens	Black Wattle	100		100	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
527	Acacia concurrens	Black Wattle	110		110	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
528	Acacia concurrens	Black Wattle	140		140	8	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
529	Acacia concurrens	Black Wattle	100	80	128	6	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
530	Corymbia citriodora	Spotted Gum	280		280	25	8	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
531	Corymbia citriodora	Spotted Gum	160		160	15	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
532	Corymbia citriodora	Spotted Gum	200	160	256	20	5	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
533	Corymbia citriodora	Spotted Gum	320		320	26	14	3.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
534	Corymbia citriodora	Spotted Gum	210		210	16	5	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
535	Corymbia citriodora	Spotted Gum	180		180	18	6	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
579	Eucalyptus tereticornis	Forest Red Gum	180		180	22	10	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
580	Allocasuarina littoralis	Black Sheoak	150		150	9	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
581	Allocasuarina littoralis	Black Sheoak	140		140	8	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
585	Allocasuarina littoralis	Black Sheoak	110		110	7	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
586	Eucalyptus tereticornis	Forest Red Gum	190		190	18	7	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	Old	-	-	-	-	-	Remove - Bushfire ROL6	
587	Allocasuarina littoralis	Black Sheoak	120	80	144	10	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
588	Corymbia intermedia	Pink Bloodwood	120		120	9	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
589	Corymbia intermedia	Pink Bloodwood	240		240	18	8	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
590	Eucalyptus tereticornis	Forest Red Gum	200		200	14	5	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
591	Allocasuarina littoralis	Black Sheoak	130		130	9	4	2	1	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
592	Allocasuarina littoralis	Black Sheoak	140		140	8	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
593	Allocasuarina littoralis	Black Sheoak	120		120	8	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
594	Allocasuarina littoralis	Black Sheoak	110		110	7	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
595	Allocasuarina littoralis	Black Sheoak	140		140	7	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
596	Allocasuarina littoralis	Black Sheoak	130		130	8	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
597	Allocasuarina littoralis	Black Sheoak	120		120	7	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
598	Allocasuarina littoralis	Black Sheoak	110		110	7	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
599	Allocasuarina littoralis	Black Sheoak	130		130	7	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
600	Allocasuarina littoralis	Black Sheoak	110		110	7	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
601	Allocasuarina littoralis	Black Sheoak	110		110	10	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
602	Allocasuarina littoralis	Black Sheoak	120		120	10	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
603	Allocasuarina littoralis	Black Sheoak	140		140	12	6	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
604	Allocasuarina littoralis	Black Sheoak	140		140	12	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
605	Allocasuarina littoralis	Black Sheoak	170		170	10	6	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
606	Eucalyptus tereticornis	Forest Red Gum	140	130	191	12	5	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
607	Eucalyptus tereticornis	Forest Red Gum	320		320	22	10	3.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
608	Allocasuarina littoralis	Black Sheoak	160		160	10	4	2	2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
609	Corymbia intermedia	Pink Bloodwood	210		210	16	8	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
610	Corymbia intermedia	Pink Bloodwood	230		230	16	8	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
611	Allocasuarina littoralis	Black Sheoak	120		120	8	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
612	Corymbia intermedia	Pink Bloodwood	200		200	16	4	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
613	Corymbia intermedia	Pink Bloodwood	170		170	12	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
614	Corymbia intermedia	Pink Bloodwood	170		170	14	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
618	Corymbia intermedia	Pink Bloodwood	180		180	16	6	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
649	Allocasuarina littoralis	Black Sheoak	170		170	10	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
650	Allocasuarina littoralis	Black Sheoak	140		140	8	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
651	Eucalyptus tereticornis	Forest Red Gum	270	100	288	18	8	3.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
652	Corymbia tessellaris	Moreton Bay Ash	140		140	12	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
653	Corymbia intermedia	Pink Bloodwood	240		240	18	10	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
654	Allocasuarina littoralis	Black Sheoak	130		130	10	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
655	Allocasuarina littoralis	Black Sheoak	130		130	10	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
656	Allocasuarina littoralis	Black Sheoak	140		140	10	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
657	Allocasuarina littoralis	Black Sheoak	150		150	12	6	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
658	Corymbia intermedia	Pink Bloodwood	200	190	276	16	8	3.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
659	Corymbia tessellaris	Moreton Bay Ash	140		140	14	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
660	Corymbia intermedia	Pink Bloodwood	240		240	20	10	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
661	Allocasuarina littoralis	Black Sheoak	170		170	12	6	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
662	Corymbia intermedia	Pink Bloodwood	170		170	10	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
663	Eucalyptus tereticornis	Forest Red Gum	230		230	18	8	2.8	2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
664	Eucalyptus tereticornis	Forest Red Gum	360		360	24	14	4.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
665	Eucalyptus tereticornis	Forest Red Gum	160		160	14	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
666	Acacia concurrens	Black Wattle	130		130	8	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
667	Allocasuarina littoralis	Black Sheoak	130		130	12	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
668	Allocasuarina littoralis	Black Sheoak	150		150	10	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
669	Allocasuarina littoralis	Black Sheoak	130		130	10	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
670	Allocasuarina littoralis	Black Sheoak	140		140	10	5	2	1	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
671	Allocasuarina littoralis	Black Sheoak	120		120	10	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
672	Allocasuarina littoralis	Black Sheoak	110		110	8	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
673	Allocasuarina littoralis	Black Sheoak	110		110	10	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
674	Melaleuca quinquenervia	Broad-leaved Paperbark	120	120	170	8	6	2	2	Regular	-	-	-	-	-	Typical	Major	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
675	Allocasuarina littoralis	Black Sheoak	110		110	10	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
676	Allocasuarina littoralis	Black Sheoak	170		170	10	6	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
677	Allocasuarina littoralis	Black Sheoak	140		140	10	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
678	Allocasuarina littoralis	Black Sheoak	120		120	10	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
679	Allocasuarina littoralis	Black Sheoak	110		110	10	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
680	Allocasuarina littoralis	Black Sheoak	120		120	10	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
681	Allocasuarina littoralis	Black Sheoak	160		160	12	6	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
682	Allocasuarina littoralis	Black Sheoak	150		150	10	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
683	Allocasuarina littoralis	Black Sheoak	110		110	8	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
684	Corymbia intermedia	Pink Bloodwood	220		220	12	4	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
685	Allocasuarina littoralis	Black Sheoak	120		120	8	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
686	Eucalyptus tereticornis	Forest Red Gum	260		260	20	10	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Old	-	-	-	-	Remove - Bushfire ROL6	
687	Allocasuarina littoralis	Black Sheoak	130		130	10	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
688	Allocasuarina littoralis	Black Sheoak	120		120	8	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
689	Corymbia intermedia	Pink Bloodwood	340		340	20	10	4.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
690	Corymbia intermedia	Pink Bloodwood	160		160	8	1	2	2	Regular	-	-	-	Epicormic	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
691	Allocasuarina littoralis	Black Sheoak	120		120	10	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
692	Corymbia intermedia	Pink Bloodwood	160	140	213	8	2	2.6	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
693	Allocasuarina littoralis	Black Sheoak	120		120	10	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
694	Allocasuarina littoralis	Black Sheoak	140		140	10	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
695	Allocasuarina littoralis	Black Sheoak	100		100	8	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
696	Allocasuarina littoralis	Black Sheoak	110		110	8	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
697	Allocasuarina littoralis	Black Sheoak	110		110	8	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
698	Allocasuarina littoralis	Black Sheoak	110		110	10	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
699	Corymbia citriodora	Spotted Gum	110		110	10	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
700	Allocasuarina littoralis	Black Sheoak	110		110	8	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
701	Allocasuarina littoralis	Black Sheoak	110		110	8	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
702	Allocasuarina littoralis	Black Sheoak	170		170	10	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
703	Allocasuarina littoralis	Black Sheoak	110		110	4	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
704	Corymbia citriodora	Spotted Gum	290	90	304	20	10	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
705	Eucalyptus crebra	Narrow-leaved Ironbark	120		120	10	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
706	Angophora leiocarpa	Smooth-barked Apple	200	150	250	14	7	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
707	Corymbia citriodora	Spotted Gum	240		240	18	8	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
708	Eucalyptus crebra	Narrow-leaved Ironbark	120		120	10	2	2	1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
709	Corymbia citriodora	Spotted Gum	410	160, 160	468	26	14	5.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
710	Eucalyptus tereticornis	Forest Red Gum	220		220	14	8	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
711	Allocasuarina littoralis	Black Sheoak	140		140	10	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
740	Eucalyptus tereticornis	Forest Red Gum	150		150	10	3	2	1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
741	Eucalyptus crebra	Narrow-leaved Ironbark	180		180	16	8	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
742	Eucalyptus crebra	Narrow-leaved Ironbark	180		180	18	8	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
743	Corymbia intermedia	Pink Bloodwood	150		150	8	6	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
744	Corymbia intermedia	Pink Bloodwood	240		240	10	6	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
745	Corymbia citriodora	Spotted Gum	230		230	20	8	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
746	Eucalyptus tereticornis	Forest Red Gum	190		190	18	8	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
747	Corymbia citriodora	Spotted Gum	180		180	16	6	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
748	Allocasuarina littoralis	Black Sheoak	130		130	7	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
749	Corymbia citriodora	Spotted Gum	170		170	16	6	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
750	Corymbia citriodora	Spotted Gum	180	130	222	20	7	2.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
751	Eucalyptus tereticornis	Forest Red Gum	180		180	16	8	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
752	Corymbia citriodora	Spotted Gum	270		270	24	12	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
753	Allocasuarina littoralis	Black Sheoak	120		120	7	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
754	Allocasuarina littoralis	Black Sheoak	150		150	10	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
755	Allocasuarina littoralis	Black Sheoak	110		110	8	5	2	1	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
756	Eucalyptus tereticornis	Forest Red Gum	220		220	14	6	2.6	2	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
757	Allocasuarina littoralis	Black Sheoak	110		110	8	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
758	Corymbia citriodora	Spotted Gum	110		110	6	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
759	Allocasuarina littoralis	Black Sheoak	130		130	8	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
760	Allocasuarina littoralis	Black Sheoak	110		110	10	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
761	Eucalyptus tereticornis	Forest Red Gum	180	100	206	14	6	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
762	Allocasuarina littoralis	Black Sheoak	110		110	10	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
763	Allocasuarina littoralis	Black Sheoak	150		150	10	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
764	Allocasuarina littoralis	Black Sheoak	100		100	10	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
765	Allocasuarina littoralis	Black Sheoak	120		120	10	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
766	Allocasuarina littoralis	Black Sheoak	110		110	10	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
767	Allocasuarina littoralis	Black Sheoak	150		150	10	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
768	Eucalyptus tereticornis	Forest Red Gum	220		220	18	8	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
769	Allocasuarina littoralis	Black Sheoak	110		110	10	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
770	Allocasuarina littoralis	Black Sheoak	130		130	10	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
771	Allocasuarina littoralis	Black Sheoak	120		120	10	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
772	Allocasuarina littoralis	Black Sheoak	110		110	10	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
773	Allocasuarina littoralis	Black Sheoak	130		130	10	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
774	Corymbia intermedia	Pink Bloodwood	230		230	18	10	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
775	Eucalyptus tereticornis	Forest Red Gum	120		120	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
776	Eucalyptus tereticornis	Forest Red Gum	140		140	16	6	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
777	Allocasuarina littoralis	Black Sheoak	130		130	10	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
778	Corymbia intermedia	Pink Bloodwood	170		170	14	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
779	Allocasuarina littoralis	Black Sheoak	130		130	10	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
780	Allocasuarina littoralis	Black Sheoak	110		110	10	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
781	Eucalyptus tereticornis	Forest Red Gum	150		150	10	4	2	1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
782	Allocasuarina littoralis	Black Sheoak	140		140	10	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
783	Allocasuarina littoralis	Black Sheoak	120		120	10	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
784	Allocasuarina littoralis	Black Sheoak	110		110	10	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
785	Lophostemon suaveolens	Swamp Box	120		120	8	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
786	Allocasuarina littoralis	Black Sheoak	150		150	10	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
787	Eucalyptus tereticornis	Forest Red Gum	260	220	341	20	8	4.1	2	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
788	Allocasuarina littoralis	Black Sheoak	140		140	10	4	2	1	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
789	Allocasuarina littoralis	Black Sheoak	120		120	10	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
790	Allocasuarina littoralis	Black Sheoak	100		100	10	5	2	1	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
791	Allocasuarina littoralis	Black Sheoak	150		150	10	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
792	Allocasuarina littoralis	Black Sheoak	150		150	10	6	2	1	One-sided	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
793	Allocasuarina littoralis	Black Sheoak	150		150	10	6	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
794	Allocasuarina littoralis	Black Sheoak	130		130	8	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
795	Allocasuarina littoralis	Black Sheoak	110		110	8	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
796	Allocasuarina littoralis	Black Sheoak	130		130	10	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
797	Allocasuarina littoralis	Black Sheoak	110		110	8	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
798	Allocasuarina littoralis	Black Sheoak	170		170	10	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
799	Corymbia intermedia	Pink Bloodwood	170		170	12	6	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Remove - Bushfire ROL6	
800	Eucalyptus tereticornis	Forest Red Gum	200		200	12	5	2.4	2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
801	Eucalyptus tereticornis	Forest Red Gum	360		360	24	12	4.3	2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
802	Eucalyptus tereticornis	Forest Red Gum	350		350	22	12	4.2	2	One-sided	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
803	Corymbia intermedia	Pink Bloodwood	210		210	12	6	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
804	Eucalyptus tereticornis	Forest Red Gum	460		460	24	14	5.5	2	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
805	Corymbia intermedia	Pink Bloodwood	330		330	20	10	4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
806	Allocasuarina littoralis	Black Sheoak	120		120	10	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
807	Allocasuarina littoralis	Black Sheoak	140		140	10	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
808	Allocasuarina littoralis	Black Sheoak	110		110	10	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
830	Eucalyptus crebra	Narrow-leaved Ironbark	360		360	20	10	4.3	2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
831	Eucalyptus tereticornis	Forest Red Gum	200		200	14	6	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
832	Allocasuarina littoralis	Black Sheoak	120		120	10	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
833	Allocasuarina littoralis	Black Sheoak	100		100	8	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
834	Allocasuarina littoralis	Black Sheoak	110		110	10	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
835	Allocasuarina littoralis	Black Sheoak	110		110	10	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
836	Acacia concurrens	Black Wattle	120		120	10	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
837	Allocasuarina littoralis	Black Sheoak	110		110	8	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
838	Allocasuarina littoralis	Black Sheoak	130		130	8	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
839	Corymbia intermedia	Pink Bloodwood	170		170	12	6	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
840	Allocasuarina littoralis	Black Sheoak	110		110	7	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
841	Allocasuarina littoralis	Black Sheoak	130		130	8	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
842	Corymbia citriodora	Spotted Gum	200	200	283	12	6	3.4	2	Regular	-	-	-	-	-	Typical	Major	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
843	Corymbia citriodora	Spotted Gum	150		150	14	4	2	1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
844	Allocasuarina littoralis	Black Sheoak	190		190	10	6	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
845	Corymbia citriodora	Spotted Gum	210	180	277	16	8	3.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
846	Allocasuarina littoralis	Black Sheoak	110		110	8	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
847	Eucalyptus tereticornis	Forest Red Gum	170		170	14	7	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
848	Corymbia citriodora	Spotted Gum	230	210, 200	370	18	10	4.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
849	Eucalyptus tereticornis	Forest Red Gum	230		230	12	4	2.8	2	Regular	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
850	Allocasuarina littoralis	Black Sheoak	170		170	10	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
851	Corymbia citriodora	Spotted Gum	140		140	8	2	2	1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
852	Allocasuarina littoralis	Black Sheoak	170		170	8	6	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
853	Corymbia tessellaris	Moreton Bay Ash	110		110	7	1	2	1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
854	Allocasuarina littoralis	Black Sheoak	160		160	10	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
855	Eucalyptus tereticornis	Forest Red Gum	160	160	226	14	6	2.7	2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
856	Allocasuarina littoralis	Black Sheoak	110		110	10	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
857	Allocasuarina littoralis	Black Sheoak	120		120	8	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
858	Eucalyptus tereticornis	Forest Red Gum	200		200	14	6	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
859	Acacia concurrens	Black Wattle	120		120	10	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
860	Corymbia citriodora	Spotted Gum	320	150	353	18	10	4.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
861	Corymbia citriodora	Spotted Gum	260	240, 240	428	20	10	5.1	2	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
862	Eucalyptus tereticornis	Forest Red Gum	170		170	14	4	2	2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
863	Eucalyptus tereticornis	Forest Red Gum	240	160	288	14	6	3.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
864	Eucalyptus tereticornis	Forest Red Gum	170		170	14	5	2	2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
865	Eucalyptus tereticornis	Forest Red Gum	180		180	18	6	2.2	2	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
867	Eucalyptus tereticornis	Forest Red Gum	180		180	10	2	2.2	2	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
868	Allocasuarina littoralis	Black Sheoak	140		140	10	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
869	Allocasuarina littoralis	Black Sheoak	180		180	12	6	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
870	Eucalyptus tereticornis	Forest Red Gum	280		280	16	8	3.4	2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
871	Eucalyptus tereticornis	Forest Red Gum	160		160	14	5	2	2	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
872	Allocasuarina littoralis	Black Sheoak	140		140	12	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
873	Allocasuarina littoralis	Black Sheoak	110		110	10	4	2	1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
874	Acacia concurrens	Black Wattle	110		110	8	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
875	Eucalyptus tereticornis	Forest Red Gum	270		270	16	8	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
876	Eucalyptus tereticornis	Forest Red Gum	220		220	10	4	2.6	2	Regular	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
877	Corymbia citriodora	Spotted Gum	180	110	211	18	7	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
878	Eucalyptus tereticornis	Forest Red Gum	250		250	20	6	3	2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
879	Corymbia citriodora	Spotted Gum	140		140	12	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
880	Corymbia citriodora	Spotted Gum	330	270, 240	489	22	10	5.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
881	Eucalyptus tereticornis	Forest Red Gum	140		140	14	5	2	1	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
882	Allocasuarina littoralis	Black Sheoak	180		180	10	5	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
883	Eucalyptus tereticornis	Forest Red Gum	320	140	349	22	8	4.2	2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
884	Eucalyptus tereticornis	Forest Red Gum	150		150	12	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
885	Allocasuarina littoralis	Black Sheoak	130		130	10	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
886	Eucalyptus tereticornis	Forest Red Gum	240		240	20	10	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
887	Eucalyptus tereticornis	Forest Red Gum	200		200	16	5	2.4	2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
888	Acacia concurrens	Black Wattle	110		110	8	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
889	Melaleuca linariifolia	Snow-in-summer	160	140	213	7	4	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
890	Eucalyptus crebra	Narrow-leaved Ironbark	110		110	5	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
891	Allocasuarina littoralis	Black Sheoak	140		140	10	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
892	Corymbia citriodora	Spotted Gum	150		150	14	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
893	Allocasuarina littoralis	Black Sheoak	150		150	12	6	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
894	Corymbia intermedia	Pink Bloodwood	250		250	20	10	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
895	Eucalyptus tereticornis	Forest Red Gum	350		350	16	8	4.2	2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
896	Acacia concurrens	Black Wattle	110		110	8	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
897	Acacia concurrens	Black Wattle	150		150	10	5	2	1	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
937	Eucalyptus tereticornis	Forest Red Gum	230		230	18	6	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
982	Allocasuarina littoralis	Black Sheoak	110		110	13	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
986	Eucalyptus tereticornis	Forest Red Gum	150		150	15	4	2	1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
987	Allocasuarina littoralis	Black Sheoak	140		140	14	2	2	1	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
988	Allocasuarina littoralis	Black Sheoak	120		120	13	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
989	Allocasuarina littoralis	Black Sheoak	110		110	13	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
990	Eucalyptus tereticornis	Forest Red Gum	150		150	15	3	2	1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
991	Allocasuarina littoralis	Black Sheoak	120		120	13	3	2	1	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
992	Allocasuarina littoralis	Black Sheoak	130		130	13	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
993	Allocasuarina littoralis	Black Sheoak	120		120	13	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
994	Allocasuarina littoralis	Black Sheoak	100		100	13	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
995	Allocasuarina littoralis	Black Sheoak	130		130	13	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
996	Allocasuarina littoralis	Black Sheoak	120		120	14	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
997	Allocasuarina littoralis	Black Sheoak	100		100	13	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
998	Allocasuarina littoralis	Black Sheoak	100		100	13	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
999	Allocasuarina littoralis	Black Sheoak	180		180	15	5	2.2	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1000	Allocasuarina littoralis	Black Sheoak	100		100	14	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1001	Allocasuarina littoralis	Black Sheoak	110		110	14	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1002	Allocasuarina littoralis	Black Sheoak	130		130	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1003	Allocasuarina littoralis	Black Sheoak	100		100	13	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1004	Allocasuarina littoralis	Black Sheoak	120		120	13	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1005	Allocasuarina littoralis	Black Sheoak	160		160	14	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1006	Allocasuarina littoralis	Black Sheoak	120		120	14	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1007	Eucalyptus tereticornis	Forest Red Gum	220		220	16	4	2.6	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1008	Acacia concurrens	Black Wattle	110		110	13	2	2	1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1009	Allocasuarina littoralis	Black Sheoak	120		120	13	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1010	Allocasuarina littoralis	Black Sheoak	140		140	14	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1011	Allocasuarina littoralis	Black Sheoak	140		140	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1012	Allocasuarina littoralis	Black Sheoak	140		140	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1013	Allocasuarina littoralis	Black Sheoak	120		120	14	4	2	1	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1014	Corymbia intermedia	Pink Bloodwood	280	100	297	18	5	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1015	Allocasuarina littoralis	Black Sheoak	140		140	11	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1016	Allocasuarina littoralis	Black Sheoak	120		120	14	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1017	Allocasuarina littoralis	Black Sheoak	110		110	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1018	Allocasuarina littoralis	Black Sheoak	100		100	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1019	Corymbia intermedia	Pink Bloodwood	210		210	17	5	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1020	Allocasuarina littoralis	Black Sheoak	100		100	14	3	2	1	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1021	Allocasuarina littoralis	Black Sheoak	130		130	13	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1022	Allocasuarina littoralis	Black Sheoak	150		150	13	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1023	Allocasuarina littoralis	Black Sheoak	100		100	14	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1024	Allocasuarina littoralis	Black Sheoak	140		140	14	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1025	Corymbia intermedia	Pink Bloodwood	280		280	18	7	3.4	2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1026	Corymbia intermedia	Pink Bloodwood	200		200	16	6	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1027	Allocasuarina littoralis	Black Sheoak	120		120	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1028	Allocasuarina littoralis	Black Sheoak	100		100	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
1029	Allocasuarina littoralis	Black Sheoak	120		120	13	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1030	Allocasuarina littoralis	Black Sheoak	120	110	163	13	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1031	Corymbia intermedia	Pink Bloodwood	220		220	15	3	2.6	2	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1032	Corymbia intermedia	Pink Bloodwood	140		140	14	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1033	Allocasuarina littoralis	Black Sheoak	130		130	13	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1034	Allocasuarina littoralis	Black Sheoak	120		120	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1035	Eucalyptus tereticornis	Forest Red Gum	120		120	14	2	2	1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1036	Allocasuarina littoralis	Black Sheoak	100		100	14	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1037	Allocasuarina littoralis	Black Sheoak	100		100	14	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1038	Lophostemon suaveolens	Swamp Box	100		100	13	2	2	1	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1039	Allocasuarina littoralis	Black Sheoak	130		130	14	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1040	Allocasuarina littoralis	Black Sheoak	100		100	15	1	2	1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1041	Allocasuarina littoralis	Black Sheoak	150		150	14	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1042	Allocasuarina littoralis	Black Sheoak	130		130	13	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1043	Allocasuarina littoralis	Black Sheoak	120		120	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1044	Allocasuarina littoralis	Black Sheoak	100		100	13	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1045	Allocasuarina littoralis	Black Sheoak	130		130	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1046	Allocasuarina littoralis	Black Sheoak	130		130	14	3	2	1	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1047	Allocasuarina littoralis	Black Sheoak	130		130	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1048	Eucalyptus tereticornis	Forest Red Gum	150		150	14	3	2	1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1049	Allocasuarina littoralis	Black Sheoak	200		200	16	5	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1050	Allocasuarina littoralis	Black Sheoak	140		140	16	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1051	Allocasuarina littoralis	Black Sheoak	130		130	15	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1052	Allocasuarina littoralis	Black Sheoak	250		250	20	7	3	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1053	Angophora leiocarpa	Smooth-barked Apple	230		230	17	5	2.8	2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1054	Corymbia intermedia	Pink Bloodwood	150		150	13	5	2	1	Irregular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1055	Allocasuarina littoralis	Black Sheoak	150		150	16	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1056	Allocasuarina littoralis	Black Sheoak	120		120	16	5	2	1	Regular	-	Thinning	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1057	Corymbia intermedia	Pink Bloodwood	220		220	17	6	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1058	Allocasuarina littoralis	Black Sheoak	150		150	15	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1059	Allocasuarina littoralis	Black Sheoak	190		190	15	5	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1060	Corymbia intermedia	Pink Bloodwood	190		190	16	4	2.3	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1061	Corymbia intermedia	Pink Bloodwood	140		140	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1062	Allocasuarina littoralis	Black Sheoak	130		130	10	3	2	1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1063	Allocasuarina littoralis	Black Sheoak	180		180	13	4	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1064	Corymbia intermedia	Pink Bloodwood	280		280	16	7	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1065	Corymbia intermedia	Pink Bloodwood	130		130	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1066	Corymbia intermedia	Pink Bloodwood	250	120	277	15	5	3.3	2	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1067	Allocasuarina littoralis	Black Sheoak	140		140	13	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1068	Corymbia intermedia	Pink Bloodwood	240	170	294	18	6	3.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1069	Corymbia intermedia	Pink Bloodwood	200		200	16	5	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1070	Corymbia intermedia	Pink Bloodwood	310		310	18	7	3.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1071	Allocasuarina littoralis	Black Sheoak	190		190	15	5	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1072	Eucalyptus tereticornis	Forest Red Gum	340		340	19	6	4.1	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1073	Lophostemon suaveolens	Swamp Box	300		300	15	7	3.6	2	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1074	Corymbia intermedia	Pink Bloodwood	340		340	18	7	4.1	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1075	Eucalyptus tereticornis	Forest Red Gum	320		320	20	7	3.8	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1076	Corymbia intermedia	Pink Bloodwood	200		200	14	3	2.4	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Remove - Bushfire ROL6	
1077	Eucalyptus tereticornis	Forest Red Gum	180		180	18	4	2.2	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1078	Eucalyptus tereticornis	Forest Red Gum	320		320	18	7	3.8	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1079	Lophostemon suaveolens	Swamp Box	230	130	264	14	6	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1080	Corymbia tessellaris	Moreton Bay Ash	210	170	270	16	5	3.2	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1081	Corymbia intermedia	Pink Bloodwood	230		230	16	5	2.8	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Remove - Bushfire ROL6	
1082	Eucalyptus tereticornis	Forest Red Gum	280		280	20	7	3.4	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1083	Eucalyptus tereticornis	Forest Red Gum	260		260	19	7	3.1	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1084	Corymbia intermedia	Pink Bloodwood	190		190	15	5	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1085	Allocasuarina littoralis	Black Sheoak	150		150	14	2	2	1	One-sided	-	Thinning	Die-back	-	-	Poor	Minor	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
1086	Corymbia intermedia	Pink Bloodwood	180		180	17	5	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1087	Corymbia intermedia	Pink Bloodwood	140		140	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1088	Eucalyptus tereticornis	Forest Red Gum	320	260	412	22	10	4.9	2	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1089	Corymbia intermedia	Pink Bloodwood	140		140	13	1	2	1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1090	Allocasuarina littoralis	Black Sheoak	120		120	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1091	Allocasuarina littoralis	Black Sheoak	110		110	13	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1092	Corymbia intermedia	Pink Bloodwood	170		170	14	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1093	Allocasuarina littoralis	Black Sheoak	100	90	135	12	3	2	1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1094	Allocasuarina littoralis	Black Sheoak	130		130	13	2	2	1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1095	Allocasuarina littoralis	Black Sheoak	180		180	15	4	2.2	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1096	Allocasuarina littoralis	Black Sheoak	160		160	16	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1097	Allocasuarina littoralis	Black Sheoak	110		110	14	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1098	Allocasuarina littoralis	Black Sheoak	130		130	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1099	Corymbia intermedia	Pink Bloodwood	210		210	17	5	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1100	Corymbia intermedia	Pink Bloodwood	100		100	13	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1101	Allocasuarina littoralis	Black Sheoak	120		120	13	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1102	Allocasuarina littoralis	Black Sheoak	150		150	16	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1103	Allocasuarina littoralis	Black Sheoak	120		120	15	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1104	Allocasuarina littoralis	Black Sheoak	110		110	13	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1105	Eucalyptus tereticornis	Forest Red Gum	190		190	16	5	2.3	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1106	Allocasuarina littoralis	Black Sheoak	120		120	15	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1107	Allocasuarina littoralis	Black Sheoak	110		110	13	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1108	Allocasuarina littoralis	Black Sheoak	110		110	12	2	2	1	Regular	-	-	-	-	-	Typical	Major	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1109	Allocasuarina littoralis	Black Sheoak	110		110	14	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1110	Corymbia intermedia	Pink Bloodwood	310		310	18	8	3.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1111	Allocasuarina littoralis	Black Sheoak	120		120	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1112	Lophostemon suaveolens	Swamp Box	150		150	14	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1113	Allocasuarina littoralis	Black Sheoak	120		120	13	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1114	Allocasuarina littoralis	Black Sheoak	120		120	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1115	Allocasuarina littoralis	Black Sheoak	100		100	14	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1116	Allocasuarina littoralis	Black Sheoak	110		110	13	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1117	Lophostemon suaveolens	Swamp Box	110		110	13	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1118	Allocasuarina littoralis	Black Sheoak	120		120	14	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1119	Allocasuarina littoralis	Black Sheoak	120		120	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1120	Corymbia intermedia	Pink Bloodwood	170	110	202	16	5	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1121	Allocasuarina littoralis	Black Sheoak	130		130	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1122	Allocasuarina littoralis	Black Sheoak	140		140	14	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1123	Allocasuarina littoralis	Black Sheoak	160		160	16	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1124	Allocasuarina littoralis	Black Sheoak	100		100	13	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1125	Corymbia intermedia	Pink Bloodwood	100		100	13	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1126	Eucalyptus seeana	Narrow-leaved Gum	300	230, 200	428	19	8	5.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1127	Allocasuarina littoralis	Black Sheoak	140		140	13	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1128	Allocasuarina littoralis	Black Sheoak	120		120	13	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1129	Corymbia intermedia	Pink Bloodwood	160		160	16	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1130	Allocasuarina littoralis	Black Sheoak	100		100	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1131	Allocasuarina littoralis	Black Sheoak	100		100	13	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1132	Allocasuarina littoralis	Black Sheoak	130		130	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1133	Corymbia intermedia	Pink Bloodwood	130		130	12	3	2	1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1134	Eucalyptus tereticornis	Forest Red Gum	180		180	18	6	2.2	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1135	Allocasuarina littoralis	Black Sheoak	110		110	14	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1136	Allocasuarina littoralis	Black Sheoak	100		100	14	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1137	Allocasuarina littoralis	Black Sheoak	140		140	14	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1138	Allocasuarina littoralis	Black Sheoak	110		110	13	3	2	1	One-sided	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1139	Allocasuarina littoralis	Black Sheoak	110		110	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1140	Allocasuarina littoralis	Black Sheoak	140		140	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1141	Allocasuarina littoralis	Black Sheoak	120		120	14	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1142	Allocasuarina littoralis	Black Sheoak	130		130	13	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
1143	Allocasuarina littoralis	Black Sheoak	110		110	13	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1144	Allocasuarina littoralis	Black Sheoak	130		130	13	3	2	1	Irregular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1179	Acacia concurrens	Black Wattle	140		140	12	3	2	1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1180	Acacia concurrens	Black Wattle	120		120	10	3	2	1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1181	Acacia concurrens	Black Wattle	130		130	12	3	2	1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1182	Corymbia citriodora	Spotted Gum	310		310	19	7	3.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1183	Eucalyptus crebra	Narrow-leaved Ironbark	210		210	16	5	2.5	2	Regular	-	Thinning	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1184	Eucalyptus crebra	Narrow-leaved Ironbark	280		280	18	7	3.4	2	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1185	Eucalyptus crebra	Narrow-leaved Ironbark	200		200	16	5	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1186	Eucalyptus tereticornis	Forest Red Gum	150		150	12	2	2	1	Regular	-	-	-	-	Lopped	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1187	Corymbia citriodora	Spotted Gum	330	160	367	17	6	4.4	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1188	Eucalyptus crebra	Narrow-leaved Ironbark	170		170	14	3	2	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	-	Termite nest	-	Remove - Bushfire ROL6	
1189	Eucalyptus tereticornis	Forest Red Gum	300		300	18	6	3.6	2	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1190	Corymbia citriodora	Spotted Gum	190		190	12	1	2.3	2	Regular	-	-	-	Epicormic	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1191	Corymbia citriodora	Spotted Gum	270		270	17	6	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1192	Allocasuarina littoralis	Black Sheoak	160		160	12	3	2	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1193	Eucalyptus tereticornis	Forest Red Gum	180		180	17	3	2.2	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1194	Acacia concurrens	Black Wattle	150		150	10	3	2	1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1195	Eucalyptus tereticornis	Forest Red Gum	180		180	16	3	2.2	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1196	Corymbia citriodora	Spotted Gum	120		120	15	3	2	1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1197	Corymbia tessellaris	Moreton Bay Ash	180		180	18	5	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1198	Allocasuarina littoralis	Black Sheoak	110		110	12	2	2	1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1199	Corymbia citriodora	Spotted Gum	240	200, 110	331	17	8	4	2	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1200	Eucalyptus crebra	Narrow-leaved Ironbark	110		110	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Remove - Bushfire ROL6	
1201	Corymbia citriodora	Spotted Gum	210		210	20	7	2.5	2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1202	Corymbia citriodora	Spotted Gum	210		210	18	6	2.5	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1203	Eucalyptus tereticornis	Forest Red Gum	240		240	18	5	2.9	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1204	Corymbia citriodora	Spotted Gum	170		170	16	2	2	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1205	Corymbia citriodora	Spotted Gum	110		110	10	2	2	1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1206	Eucalyptus tereticornis	Forest Red Gum	150		150	17	4	2	1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1207	Corymbia citriodora	Spotted Gum	140		140	15	3	2	1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1208	Corymbia citriodora	Spotted Gum	220	210	304	20	7	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1209	Corymbia citriodora	Spotted Gum	120		120	16	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1210	Eucalyptus tereticornis	Forest Red Gum	160		160	15	3	2	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1211	Eucalyptus tereticornis	Forest Red Gum	110		110	14	2	2	1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1212	Corymbia citriodora	Spotted Gum	150	150	212	15	3	2.5	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1213	Corymbia citriodora	Spotted Gum	150		150	17	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1214	Corymbia intermedia	Pink Bloodwood	150		150	13	4	2	1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1215	Corymbia citriodora	Spotted Gum	200	100	224	17	5	2.7	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1216	Corymbia citriodora	Spotted Gum	220	180	284	19	8	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1217	Corymbia citriodora	Spotted Gum	240	120	268	18	6	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1218	Allocasuarina littoralis	Black Sheoak	140		140	11	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1219	Eucalyptus tereticornis	Forest Red Gum	250		250	19	6	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1220	Corymbia citriodora	Spotted Gum	160		160	16	3	2	2	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1221	Allocasuarina littoralis	Black Sheoak	130		130	13	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1222	Allocasuarina littoralis	Black Sheoak	100		100	9	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1223	Eucalyptus tereticornis	Forest Red Gum	130		130	14	3	2	1	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1224	Allocasuarina littoralis	Black Sheoak	130		130	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1225	Allocasuarina littoralis	Black Sheoak	100		100	11	2	2	1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1226	Corymbia citriodora	Spotted Gum	240		240	19	6	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1227	Eucalyptus tereticornis	Forest Red Gum	150		150	15	3	2	1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1228	Allocasuarina littoralis	Black Sheoak	180		180	14	3	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1229	Allocasuarina littoralis	Black Sheoak	120		120	13	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1230	Eucalyptus tereticornis	Forest Red Gum	220		220	16	5	2.6	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1231	Allocasuarina littoralis	Black Sheoak	130		130	12	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1232	Allocasuarina littoralis	Black Sheoak	110		110	13	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1233	Eucalyptus tereticornis	Forest Red Gum	210		210	16	4	2.5	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
1234	Allocasuarina littoralis	Black Sheoak	130		130	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1235	Allocasuarina littoralis	Black Sheoak	120		120	13	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1236	Corymbia citriodora	Spotted Gum	280		280	18	8	3.4	2	Irregular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1237	Corymbia intermedia	Pink Bloodwood	140		140	10	2	2	1	Irregular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1238	Allocasuarina littoralis	Black Sheoak	110		110	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1239	Allocasuarina littoralis	Black Sheoak	90	90	127	12	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1240	Allocasuarina littoralis	Black Sheoak	140		140	12	3	2	1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1241	Corymbia intermedia	Pink Bloodwood	250		250	16	6	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1242	Eucalyptus tereticornis	Forest Red Gum	170		170	16	2	2	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1243	Lophostemon suaveolens	Swamp Box	130		130	14	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1244	Allocasuarina littoralis	Black Sheoak	110		110	13	3	2	1	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1245	Allocasuarina littoralis	Black Sheoak	140		140	13	3	2	1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1246	Allocasuarina littoralis	Black Sheoak	110		110	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1247	Acacia concurrens	Black Wattle	100		100	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1248	Allocasuarina littoralis	Black Sheoak	140		140	12	2	2	1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1249	Allocasuarina littoralis	Black Sheoak	120		120	13	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1250	Allocasuarina littoralis	Black Sheoak	100		100	10	1	2	1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1251	Corymbia intermedia	Pink Bloodwood	240		240	15	5	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1252	Allocasuarina littoralis	Black Sheoak	150		150	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1253	Allocasuarina littoralis	Black Sheoak	120		120	12	2	2	1	Regular	-	Thinning	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1254	Allocasuarina littoralis	Black Sheoak	120		120	13	2	2	1	Regular	-	Thinning	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1255	Eucalyptus tereticornis	Forest Red Gum	210	180	277	18	5	3.3	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1256	Eucalyptus tereticornis	Forest Red Gum	210		210	13	2	2.5	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1257	Allocasuarina littoralis	Black Sheoak	190		190	14	5	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1258	Allocasuarina littoralis	Black Sheoak	110		110	11	3	2	1	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1259	Allocasuarina littoralis	Black Sheoak	120		120	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1260	Allocasuarina littoralis	Black Sheoak	220		220	13	5	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1261	Eucalyptus tereticornis	Forest Red Gum	340		340	20	7	4.1	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1262	Allocasuarina littoralis	Black Sheoak	140		140	13	3	2	1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1263	Corymbia intermedia	Pink Bloodwood	360		360	22	9	4.3	2	Regular	-	-	Die-back	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1264	Lophostemon suaveolens	Swamp Box	170		170	13	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1265	Allocasuarina littoralis	Black Sheoak	160		160	12	3	2	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1266	Allocasuarina littoralis	Black Sheoak	160		160	14	4	2	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1267	Allocasuarina littoralis	Black Sheoak	180		180	14	5	2.2	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1268	Allocasuarina littoralis	Black Sheoak	130		130	14	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1269	Allocasuarina littoralis	Black Sheoak	170		170	14	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1270	Allocasuarina littoralis	Black Sheoak	150		150	13	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1271	Eucalyptus tereticornis	Forest Red Gum	350		350	21	8	4.2	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1272	Allocasuarina littoralis	Black Sheoak	120		120	13	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1278	Acacia concurrens	Black Wattle	100		100	13	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1279	Allocasuarina littoralis	Black Sheoak	130		130	15	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1280	Allocasuarina littoralis	Black Sheoak	100		100	13	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1281	Acacia concurrens	Black Wattle	100		100	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1282	Allocasuarina littoralis	Black Sheoak	110		110	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1283	Eucalyptus tereticornis	Forest Red Gum	250	120	277	19	8	3.3	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1284	Acacia concurrens	Black Wattle	180		180	12	4	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1285	Acacia concurrens	Black Wattle	120		120	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1286	Eucalyptus tereticornis	Forest Red Gum	140		140	14	3	2	1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1287	Allocasuarina littoralis	Black Sheoak	120		120	13	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1288	Allocasuarina littoralis	Black Sheoak	100		100	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1289	Eucalyptus tereticornis	Forest Red Gum	230		230	18	6	2.8	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1290	Allocasuarina littoralis	Black Sheoak	130		130	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1291	Allocasuarina littoralis	Black Sheoak	140		140	13	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1292	Acacia concurrens	Black Wattle	130		130	13	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1293	Allocasuarina littoralis	Black Sheoak	100		100	11	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1294	Allocasuarina littoralis	Black Sheoak	100		100	13	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1295	Allocasuarina littoralis	Black Sheoak	110		110	13	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
1296	Allocasuarina littoralis	Black Sheoak	100		100	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1297	Allocasuarina littoralis	Black Sheoak	100		100	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1298	Allocasuarina littoralis	Black Sheoak	160		160	13	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1299	Eucalyptus tereticornis	Forest Red Gum	210		210	19	6	2.5	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1300	Allocasuarina littoralis	Black Sheoak	140		140	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1301	Allocasuarina littoralis	Black Sheoak	120		120	11	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1302	Allocasuarina littoralis	Black Sheoak	110		110	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1303	Corymbia intermedia	Pink Bloodwood	160		160	10	4	2	2	Regular	-	Thinning	Die-back	-	-	Poor	Minor	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1304	Allocasuarina littoralis	Black Sheoak	140		140	13	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1305	Allocasuarina littoralis	Black Sheoak	130		130	14	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1306	Allocasuarina littoralis	Black Sheoak	110		110	14	2	2	1	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1307	Corymbia citriodora	Spotted Gum	190		190	17	5	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1308	Corymbia citriodora	Spotted Gum	210	160	264	19	5	3.2	2	Regular	-	Thinning	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1309	Allocasuarina littoralis	Black Sheoak	100		100	11	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1310	Allocasuarina littoralis	Black Sheoak	120		120	10	2	2	1	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1311	Corymbia citriodora	Spotted Gum	100		100	10	1	2	1	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1312	Allocasuarina littoralis	Black Sheoak	120		120	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1313	Corymbia citriodora	Spotted Gum	200		200	18	6	2.4	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1314	Corymbia citriodora	Spotted Gum	200	180, 80	281	18	6	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1315	Corymbia citriodora	Spotted Gum	140		140	16	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1316	Corymbia citriodora	Spotted Gum	200		200	18	6	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1317	Corymbia citriodora	Spotted Gum	300	190	355	20	9	4.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1318	Corymbia citriodora	Spotted Gum	160		160	16	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1319	Corymbia citriodora	Spotted Gum	180		180	19	4	2.2	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1320	Allocasuarina littoralis	Black Sheoak	130		130	10	4	2	1	One-sided	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1321	Allocasuarina littoralis	Black Sheoak	140		140	11	3	2	1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1322	Corymbia citriodora	Spotted Gum	300		300	20	7	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1323	Allocasuarina littoralis	Black Sheoak	150		150	13	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1324	Corymbia citriodora	Spotted Gum	320		320	18	8	3.8	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1325	Acacia concurrens	Black Wattle	110		110	10	2	2	1	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1326	Eucalyptus tereticornis	Forest Red Gum	110		110	10	2	2	1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1327	Eucalyptus tereticornis	Forest Red Gum	210		210	16	4	2.5	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1328	Allocasuarina littoralis	Black Sheoak	180		180	11	3	2.2	2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1329	Allocasuarina littoralis	Black Sheoak	160		160	12	4	2	2	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1330	Acacia concurrens	Black Wattle	100	80	128	12	3	2	1	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1331	Acacia concurrens	Black Wattle	100		100	10	2	2	1	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1337	Eucalyptus tereticornis	Forest Red Gum	280		280	19	7	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1342	Acacia concurrens	Black Wattle	110	80, 70	153	9	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1344	Acacia concurrens	Black Wattle	150		150	11	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Remove - Bushfire ROL6	
1345	Corymbia citriodora	Spotted Gum	280	220, 180	399	22	8	4.8	2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1346	Corymbia citriodora	Spotted Gum	210		210	17	4	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1347	Corymbia citriodora	Spotted Gum	270		270	16	6	3.2	2	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1348	Acacia concurrens	Black Wattle	100		100	9	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1349	Corymbia tessellaris	Moreton Bay Ash	150		150	15	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1350	Corymbia citriodora	Spotted Gum	240		240	18	5	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1351	Corymbia intermedia	Pink Bloodwood	310	240	392	17	8	4.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Remove - Bushfire ROL6	
1352	Melaleuca irbyana	Swamp Paperbark	110	100, 100, 90, 90, 80, 70	244	8	6	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1353	Melaleuca irbyana	Swamp Paperbark	70	20, 20	75.5	7	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1354	Eucalyptus tereticornis	Forest Red Gum	160		160	14	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1355	Acacia concurrens	Black Wattle	110		110	11	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1356	Acacia concurrens	Black Wattle	100		100	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1357	Acacia concurrens	Black Wattle	100		100	11	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1358	Acacia concurrens	Black Wattle	100		100	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1359	Acacia concurrens	Black Wattle	100		100	11	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1360	Acacia concurrens	Black Wattle	100		100	11	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1361	Allocasuarina littoralis	Black Sheoak	130		130	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1362	Melaleuca quinquenervia	Broad-leaved Paperbark	200		200	12	5	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
1363	Melaleuca quinquenervia	Broad-leaved Paperbark	220		220	12	4	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1364	Melaleuca quinquenervia	Broad-leaved Paperbark	220	200	297	12	4	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1365	Eucalyptus tereticornis	Forest Red Gum	250		250	16	4	3	2	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1366	Melaleuca quinquenervia	Broad-leaved Paperbark	240		240	12	4	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1367	Allocasuarina littoralis	Black Sheoak	130		130	13	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1368	Allocasuarina littoralis	Black Sheoak	110		110	12	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1369	Eucalyptus tereticornis	Forest Red Gum	160		160	14	3	2	2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1370	Acacia concurrens	Black Wattle	100		100	12	2	2	1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1371	Acacia concurrens	Black Wattle	100		100	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1372	Acacia concurrens	Black Wattle	100		100	12	2	2	1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1373	Acacia concurrens	Black Wattle	110		110	11	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1375	Acacia concurrens	Black Wattle	110		110	11	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1407	Allocasuarina littoralis	Black Sheoak	110		110	12	3	2	1	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1408	Eucalyptus tereticornis	Forest Red Gum	190		190	16	3	2.3	2	Regular	-	Thinning	Die-back	-	-	Typical	-	Native	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1409	Acacia concurrens	Black Wattle	100		100	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1410	Allocasuarina littoralis	Black Sheoak	100		100	11	2	2	1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1412	Allocasuarina littoralis	Black Sheoak	120		120	13	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1413	Eucalyptus tereticornis	Forest Red Gum	200		200	16	5	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1414	Acacia concurrens	Black Wattle	100		100	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1415	Acacia concurrens	Black Wattle	110		110	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1416	Acacia concurrens	Black Wattle	120		120	12	3	2	1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1417	Acacia concurrens	Black Wattle	100		100	11	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1418	Acacia concurrens	Black Wattle	130		130	12	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1419	Acacia concurrens	Black Wattle	100		100	11	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1420	Allocasuarina littoralis	Black Sheoak	120		120	11	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1421	Allocasuarina littoralis	Black Sheoak	130		130	12	2	2	1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1422	Acacia concurrens	Black Wattle	110		110	11	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1423	Acacia concurrens	Black Wattle	110		110	11	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1424	Corymbia citriodora	Spotted Gum	160	130	206	13	6	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1425	Acacia concurrens	Black Wattle	100		100	11	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1426	Corymbia citriodora	Spotted Gum	120		120	13	2	2	1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1427	Acacia concurrens	Black Wattle	110		110	10	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1428	Corymbia citriodora	Spotted Gum	160		160	13	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1429	Eucalyptus tereticornis	Forest Red Gum	160		160	14	2	2	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1430	Corymbia citriodora	Spotted Gum	200		200	16	2	2.4	2	Regular	Spreading	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1431	Corymbia citriodora	Spotted Gum	190	140	236	16	5	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1432	Corymbia citriodora	Spotted Gum	240		240	17	6	2.9	2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1433	Corymbia citriodora	Spotted Gum	180		180	16	6	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1434	Corymbia citriodora	Spotted Gum	320	100	335	20	7	4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1435	Corymbia citriodora	Spotted Gum	130		130	14	2	2	1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1436	Acacia concurrens	Black Wattle	130		130	12	2	2	1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
2059	Eucalyptus crebra	Narrow-leaved Ironbark	310		310	23	15	3.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
2060	Eucalyptus crebra	Narrow-leaved Ironbark	250		250	20	6	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
2061	Eucalyptus crebra	Narrow-leaved Ironbark	230		230	18	6	2.8	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
2062	Corymbia citriodora	Spotted Gum	320		320	25	12	3.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
2063	Eucalyptus tereticornis	Forest Red Gum	260		260	21	5	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
2064	Corymbia citriodora	Spotted Gum	290		290	22	16	3.5	2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
2065	Eucalyptus crebra	Narrow-leaved Ironbark	320		320	23	8	3.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
2066	Eucalyptus crebra	Narrow-leaved Ironbark	210		210	15	6	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
2067	Corymbia citriodora	Spotted Gum	280		280	25	6	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
2185	Eucalyptus crebra	Narrow-leaved Ironbark	220		220	20	12	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
2188	Eucalyptus tereticornis	Forest Red Gum	330		330	30	16	4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
2189	Corymbia citriodora	Spotted Gum	350		350	30	16	4.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
2190	Eucalyptus crebra	Narrow-leaved Ironbark	230		230	15	8	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
2191	Eucalyptus crebra	Narrow-leaved Ironbark	240		240	28	5	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
2192	Eucalyptus crebra	Narrow-leaved Ironbark	160		160	8	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
2193	Eucalyptus crebra	Narrow-leaved Ironbark	340		340	28	15	4.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Remove - Bushfire ROL6	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
2194	Eucalyptus tereticornis	Forest Red Gum	180		180	18	4	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
2195	Eucalyptus crebra	Narrow-leaved Ironbark	120		120	8	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
2196	Corymbia citriodora	Spotted Gum	230		230	25	10	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
2197	Corymbia citriodora	Spotted Gum	160		160	6	5	2	2	One-sided	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
2198	Corymbia citriodora	Spotted Gum	270		270	28	15	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
2199	Corymbia citriodora	Spotted Gum	290		290	30	15	3.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
2200	Corymbia citriodora	Spotted Gum	270		270	24	12	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
2201	Eucalyptus tereticornis	Forest Red Gum	320		320	25	12	3.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
2202	Eucalyptus tereticornis	Forest Red Gum	320		320	26	12	3.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
2203	Eucalyptus crebra	Narrow-leaved Ironbark	250		250	20	6	3	2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
2204	Eucalyptus crebra	Narrow-leaved Ironbark	120		120	8	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
2205	Eucalyptus crebra	Narrow-leaved Ironbark	240		240	18	6	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
2206	Eucalyptus crebra	Narrow-leaved Ironbark	130		130	5	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
2207	Eucalyptus crebra	Narrow-leaved Ironbark	140		140	6	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
2208	Eucalyptus crebra	Narrow-leaved Ironbark	280		280	28	16	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
2211	Eucalyptus crebra	Narrow-leaved Ironbark	200		200	18	6	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
2212	Eucalyptus crebra	Narrow-leaved Ironbark	380		380	30	16	4.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
3168	Corymbia citriodora	Spotted Gum	170		170	16	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
3169	Eucalyptus crebra	Narrow-leaved Ironbark	260		260	18	7	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
3170	Corymbia citriodora	Spotted Gum	330		330	19	8	4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
3171	Eucalyptus crebra	Narrow-leaved Ironbark	200		200	15	4	2.4	2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
3172	Corymbia citriodora	Spotted Gum	230		230	19	6	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
3173	Eucalyptus crebra	Narrow-leaved Ironbark	200		200	16	5	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
3174	Corymbia citriodora	Spotted Gum	300		300	20	7	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
3175	Corymbia citriodora	Spotted Gum	180		180	16	3	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
3176	Corymbia citriodora	Spotted Gum	310		310	19	7	3.7	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
3177	Corymbia citriodora	Spotted Gum	300		300	16	6	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
3178	Eucalyptus crebra	Narrow-leaved Ironbark	250	220	333	16	5	4	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Remove - Bushfire ROL6	
3271	Eucalyptus crebra	Narrow-leaved Ironbark	190		190	15	4	2.3	2	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
3272	Eucalyptus tereticornis	Forest Red Gum	250		250	18	6	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
3273	Eucalyptus crebra	Narrow-leaved Ironbark	250		250	18	6	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
3274	Eucalyptus tereticornis	Forest Red Gum	230		230	17	5	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
3275	Eucalyptus tereticornis	Forest Red Gum	210		210	18	4	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
3276	Eucalyptus tereticornis	Forest Red Gum	230		230	18	6	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
3277	Eucalyptus tereticornis	Forest Red Gum	310		310	20	9	3.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
3278	Eucalyptus tereticornis	Forest Red Gum	260		260	17	6	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
3279	Eucalyptus tereticornis	Forest Red Gum	140		140	14	2	2	1	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
3280	Eucalyptus tereticornis	Forest Red Gum	150		150	15	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
3281	Eucalyptus crebra	Narrow-leaved Ironbark	260	240	354	20	9	4.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Remove - Bushfire ROL6	
3283	Eucalyptus tereticornis	Forest Red Gum	150		150	16	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
3284	Eucalyptus crebra	Narrow-leaved Ironbark	210	200	290	18	8	3.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
3285	Eucalyptus crebra	Narrow-leaved Ironbark	170		170	15	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
3286	Eucalyptus crebra	Narrow-leaved Ironbark	300		300	20	8	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
3287	Eucalyptus crebra	Narrow-leaved Ironbark	150		150	14	2	2	1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
3288	Corymbia citriodora	Spotted Gum	250		250	13	3	3	2	Regular	-	-	-	-	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
3289	Corymbia citriodora	Spotted Gum	250		250	17	6	3	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
3290	Eucalyptus crebra	Narrow-leaved Ironbark	300		300	18	8	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
4502	Allocasuarina littoralis	Black Sheoak	120		120	12	5	2	1	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
4503	Allocasuarina littoralis	Black Sheoak	120		120	10	5	2	1	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
4504	Acacia concurrens	Black Wattle	140		140	10	6	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
4505	Allocasuarina littoralis	Black Sheoak	150		150	10	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
4506	Acacia concurrens	Black Wattle	120		120	8	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
4507	Angophora leiocarpa	Smooth-barked Apple	180		180	14	6	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
4508	Eucalyptus tereticornis	Forest Red Gum	300		300	22	10	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
4509	Allocasuarina littoralis	Black Sheoak	110		110	8	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
4510	Acacia concurrens	Black Wattle	150		150	8	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
4511	Allocasuarina littoralis	Black Sheoak	120		120	8	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
4512	Allocasuarina littoralis	Black Sheoak	140		140	10	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
4513	Allocasuarina littoralis	Black Sheoak	120		120	10	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
4514	Eucalyptus tereticornis	Forest Red Gum	200		200	8	3	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
4515	Corymbia citriodora	Spotted Gum	260		260	20	10	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
4516	Acacia concurrens	Black Wattle	120		120	8	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
4517	Angophora leiocarpa	Smooth-barked Apple	220		220	12	5	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
4518	Lophostemon suaveolens	Swamp Box	140	140	198	10	5	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
4519	Acacia concurrens	Black Wattle	120		120	8	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
4520	Eucalyptus crebra	Narrow-leaved Ironbark	430		430	24	12	5.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
4521	Acacia concurrens	Black Wattle	120		120	8	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
4522	Acacia concurrens	Black Wattle	160		160	8	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
4523	Acacia concurrens	Black Wattle	150	140	205	8	5	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
4524	Acacia concurrens	Black Wattle	10		10	8	4	2	0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
4525	Eucalyptus seeana	Narrow-leaved Gum	220		220	18	8	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
4526	Eucalyptus siderophloia	Grey Ironbark	280		280	22	10	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
4527	Lophostemon suaveolens	Swamp Box	180		180	12	5	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
4528	Eucalyptus tereticornis	Forest Red Gum	140		140	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
4529	Acacia concurrens	Black Wattle	120		120	7	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
4530	Eucalyptus crebra	Narrow-leaved Ironbark	260		260	22	10	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
4531	Corymbia citriodora	Spotted Gum	220		220	20	8	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
4532	Eucalyptus tereticornis	Forest Red Gum	250		250	18	4	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
4533	Corymbia citriodora	Spotted Gum	350		350	26	14	4.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
4534	Eucalyptus crebra	Narrow-leaved Ironbark	370		370	24	12	4.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
4535	Eucalyptus crebra	Narrow-leaved Ironbark	330		330	20	6	4	2	One-sided	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
4536	Corymbia citriodora	Spotted Gum	220		220	20	10	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
4537	Eucalyptus crebra	Narrow-leaved Ironbark	180		180	14	5	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
4538	Corymbia citriodora	Spotted Gum	190		190	18	5	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
4539	Corymbia citriodora	Spotted Gum	140		140	16	6	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
4540	Eucalyptus crebra	Narrow-leaved Ironbark	220		220	18	6	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
4541	Corymbia intermedia	Pink Bloodwood	160		160	14	6	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
4542	Corymbia citriodora	Spotted Gum	330	270, 200	471	24	10	5.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
4543	Eucalyptus tereticornis	Forest Red Gum	250		250	16	8	3	2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
4544	Eucalyptus crebra	Narrow-leaved Ironbark	230		230	10	5	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
4545	Corymbia citriodora	Spotted Gum	280		280	26	12	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
4546	Lophostemon suaveolens	Swamp Box	130		130	10	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
4547	Eucalyptus tereticornis	Forest Red Gum	170		170	20	7	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
4548	Eucalyptus tereticornis	Forest Red Gum	260		260	24	10	3.1	2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
4637	Corymbia intermedia	Pink Bloodwood	150		150	10	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
4638	Eucalyptus crebra	Narrow-leaved Ironbark	270		270	22	10	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
4639	Corymbia intermedia	Pink Bloodwood	250		250	20	8	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
4640	Eucalyptus crebra	Narrow-leaved Ironbark	200		200	18	8	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
4641	Eucalyptus tereticornis	Forest Red Gum	320		320	24	12	3.8	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
4642	Corymbia intermedia	Pink Bloodwood	260		260	16	8	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
4643	Eucalyptus crebra	Narrow-leaved Ironbark	330		330	22	12	4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
4644	Corymbia citriodora	Spotted Gum	160	110	194	18	6	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
4645	Corymbia citriodora	Spotted Gum	100		100	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
4646	Eucalyptus crebra	Narrow-leaved Ironbark	280		280	20	10	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
4647	Eucalyptus tereticornis	Forest Red Gum	210		210	18	8	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
4648	Eucalyptus crebra	Narrow-leaved Ironbark	430		430	26	14	5.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
4649	Acacia concurrens	Black Wattle	120		120	8	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
4654	Acacia concurrens	Black Wattle	140		140	8	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
4683	Allocasuarina littoralis	Black Sheoak	150		150	10	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
4684	Allocasuarina littoralis	Black Sheoak	130		130	8	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
4685	Allocasuarina littoralis	Black Sheoak	130		130	8	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
4686	Allocasuarina littoralis	Black Sheoak	110		110	8	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
4912	Acacia concurrens	Black Wattle	100		100	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
4913	Allocasuarina littoralis	Black Sheoak	140		140	10	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
4914	Eucalyptus seeana	Narrow-leaved Gum	230	220	318	16	6	3.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
4915	Corymbia intermedia	Pink Bloodwood	290	220	364	17	6	4.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
4916	Eucalyptus tereticornis	Forest Red Gum	130		130	13	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
4917	Allocasuarina littoralis	Black Sheoak	200		200	11	6	2.4	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
4918	Allocasuarina littoralis	Black Sheoak	180		180	14	3	2.2	2	Regular	-	Thinning	Die-back	-	Lopped	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
4919	Allocasuarina littoralis	Black Sheoak	130		130	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
4920	Allocasuarina littoralis	Black Sheoak	110		110	11	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
4921	Allocasuarina littoralis	Black Sheoak	140		140	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
4922	Eucalyptus tereticornis	Forest Red Gum	290	270	396	18	8	4.8	2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
4923	Allocasuarina littoralis	Black Sheoak	170		170	13	4	2	2	Regular	-	Thinning	Die-back	-	-	Poor	Minor	-	Trunk Dmg.	-	Poor	-	-	-	-	-	-	Remove - Bushfire ROL6	
4924	Corymbia intermedia	Pink Bloodwood	430		430	21	9	5.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
4925	Corymbia intermedia	Pink Bloodwood	280		280	18	5	3.4	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
4926	Allocasuarina littoralis	Black Sheoak	190		190	14	5	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
4927	Allocasuarina littoralis	Black Sheoak	180		180	14	4	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
4928	Allocasuarina littoralis	Black Sheoak	180		180	14	4	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
4929	Lophostemon suaveolens	Swamp Box	180		180	12	3	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
4930	Allocasuarina littoralis	Black Sheoak	150		150	15	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
4931	Corymbia intermedia	Pink Bloodwood	170		170	16	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
4932	Allocasuarina littoralis	Black Sheoak	140		140	13	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
4933	Allocasuarina littoralis	Black Sheoak	110		110	13	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
4934	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	11	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
4935	Melaleuca quinquenervia	Broad-leaved Paperbark	190		190	15	5	2.3	2	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
4936	Allocasuarina littoralis	Black Sheoak	110		110	13	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
4937	Allocasuarina littoralis	Black Sheoak	130		130	10	3	2	1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
4938	Allocasuarina littoralis	Black Sheoak	160		160	15	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
4939	Allocasuarina littoralis	Black Sheoak	130		130	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
4940	Allocasuarina littoralis	Black Sheoak	120		120	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
4941	Melaleuca quinquenervia	Broad-leaved Paperbark	110		110	13	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
4942	Allocasuarina littoralis	Black Sheoak	150		150	14	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
4943	Allocasuarina littoralis	Black Sheoak	210		210	15	6	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
4944	Eucalyptus seeana	Narrow-leaved Gum	340	250	422	19	7	5.1	2	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
4945	Eucalyptus tereticornis	Forest Red Gum	210		210	18	5	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
4946	Allocasuarina littoralis	Black Sheoak	130		130	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
4947	Lophostemon suaveolens	Swamp Box	110		110	13	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
4948	Allocasuarina littoralis	Black Sheoak	130		130	13	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
4949	Corymbia intermedia	Pink Bloodwood	190		190	16	5	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
4950	Allocasuarina littoralis	Black Sheoak	120		120	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
4951	Allocasuarina littoralis	Black Sheoak	120		120	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
4952	Allocasuarina littoralis	Black Sheoak	130		130	14	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
4953	Lophostemon suaveolens	Swamp Box	170		170	13	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
4954	Corymbia intermedia	Pink Bloodwood	100		100	11	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
4955	Lophostemon suaveolens	Swamp Box	160		160	12	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
4956	Lophostemon suaveolens	Swamp Box	180		180	13	3	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
4957	Lophostemon suaveolens	Swamp Box	110		110	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
4958	Lophostemon suaveolens	Swamp Box	110		110	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
4959	Lophostemon suaveolens	Swamp Box	140		140	11	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
4960	Lophostemon suaveolens	Swamp Box	140		140	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
4961	Lophostemon suaveolens	Swamp Box	110		110	11	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
4962	Lophostemon suaveolens	Swamp Box	140		140	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
4963	Lophostemon suaveolens	Swamp Box	130		130	11	2	2	1	One-sided	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
4964	Lophostemon suaveolens	Swamp Box	190		190	13	4	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
4965	Lophostemon suaveolens	Swamp Box	170		170	13	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
4966	Lophostemon suaveolens	Swamp Box	190		190	14	4	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
4967	Corymbia intermedia	Pink Bloodwood	190		190	16	3	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
4968	Allocasuarina littoralis	Black Sheoak	150		150	15	4	2	1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
4969	Allocasuarina littoralis	Black Sheoak	160		160	15	4	2	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
4970	Lophostemon suaveolens	Swamp Box	170		170	14	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
4971	Lophostemon suaveolens	Swamp Box	170		170	13	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
4972	Acacia concurrens	Black Wattle	120		120	13	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5049	Melaleuca quinquenervia	Broad-leaved Paperbark	170		170	15	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5050	Allocasuarina littoralis	Black Sheoak	170		170	15	3	2	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5055	Allocasuarina littoralis	Black Sheoak	210		210	15	4	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5056	Melaleuca quinquenervia	Broad-leaved Paperbark	210		210	15	5	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5057	Lophostemon suaveolens	Swamp Box	130		130	15	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5058	Lophostemon suaveolens	Swamp Box	170		170	15	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5059	Lophostemon suaveolens	Swamp Box	130		130	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5060	Lophostemon suaveolens	Swamp Box	130		130	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5061	Lophostemon suaveolens	Swamp Box	130		130	13	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5062	Lophostemon suaveolens	Swamp Box	120		120	10	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5063	Lophostemon suaveolens	Swamp Box	120		120	11	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5064	Lophostemon suaveolens	Swamp Box	100		100	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5268	Eucalyptus tereticornis	Forest Red Gum	280		280	20	7	3.4	2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	Termite nest	-	Remove - Bushfire ROL6	
5269	Lophostemon suaveolens	Swamp Box	160	90	184	15	6	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5270	Melaleuca quinquenervia	Broad-leaved Paperbark	220	180, 130	313	15	5	3.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5271	Melaleuca quinquenervia	Broad-leaved Paperbark	300		300	15	8	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5272	Eucalyptus tereticornis	Forest Red Gum	190		190	17	5	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5273	Lophostemon suaveolens	Swamp Box	170		170	14	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5274	Allocasuarina littoralis	Black Sheoak	130		130	14	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5275	Lophostemon suaveolens	Swamp Box	230		230	13	5	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5276	Allocasuarina littoralis	Black Sheoak	110		110	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5302	Eucalyptus tereticornis	Forest Red Gum	280		280	16	6	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5303	Melaleuca quinquenervia	Broad-leaved Paperbark	210	110	237	12	3	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5304	Corymbia intermedia	Pink Bloodwood	170		170	14	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5305	Lophostemon suaveolens	Swamp Box	140		140	8	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5306	Corymbia intermedia	Pink Bloodwood	250		250	18	6	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5307	Acacia concurrens	Black Wattle	110		110	6	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5312	Acacia concurrens	Black Wattle	120		120	8	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5313	Eucalyptus tereticornis	Forest Red Gum	260		260	18	6	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5314	Allocasuarina littoralis	Black Sheoak	170		170	12	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5378	Allocasuarina littoralis	Black Sheoak	120		120	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5379	Allocasuarina littoralis	Black Sheoak	150		150	15	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5380	Allocasuarina littoralis	Black Sheoak	170		170	14	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5381	Allocasuarina littoralis	Black Sheoak	100		100	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5382	Allocasuarina littoralis	Black Sheoak	120		120	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5383	Allocasuarina littoralis	Black Sheoak	130		130	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5384	Allocasuarina littoralis	Black Sheoak	100		100	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5385	Allocasuarina littoralis	Black Sheoak	130		130	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5387	Allocasuarina littoralis	Black Sheoak	190		190	12	3	2.3	2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5388	Corymbia intermedia	Pink Bloodwood	160		160	16	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5389	Allocasuarina littoralis	Black Sheoak	170		170	14	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5390	Allocasuarina littoralis	Black Sheoak	120		120	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5391	Allocasuarina littoralis	Black Sheoak	140		140	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5392	Allocasuarina littoralis	Black Sheoak	110		110	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5393	Allocasuarina littoralis	Black Sheoak	150		150	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5394	Allocasuarina littoralis	Black Sheoak	160	120	200	14	5	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5395	Allocasuarina littoralis	Black Sheoak	150		150	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5396	Corymbia intermedia	Pink Bloodwood	140		140	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5397	Eucalyptus tereticornis	Forest Red Gum	190		190	16	6	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5398	Allocasuarina littoralis	Black Sheoak	110		110	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5399	Allocasuarina littoralis	Black Sheoak	180		180	12	3	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5400	Lophostemon suaveolens	Swamp Box	230		230	14	4	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5401	Lophostemon suaveolens	Swamp Box	180		180	12	4	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5402	Eucalyptus tereticornis	Forest Red Gum	170		170	15	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5403	Allocasuarina littoralis	Black Sheoak	120		120	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
5404	Allocasuarina littoralis	Black Sheoak	170		170	12	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5405	Allocasuarina littoralis	Black Sheoak	130		130	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5406	Allocasuarina littoralis	Black Sheoak	130		130	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5407	Allocasuarina littoralis	Black Sheoak	110		110	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5408	Allocasuarina littoralis	Black Sheoak	110		110	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5409	Allocasuarina littoralis	Black Sheoak	110		110	10	3	2	1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5410	Allocasuarina littoralis	Black Sheoak	110		110	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5411	Allocasuarina littoralis	Black Sheoak	130		130	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5412	Allocasuarina littoralis	Black Sheoak	110		110	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5413	Allocasuarina littoralis	Black Sheoak	110		110	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5414	Melaleuca quinquenervia	Broad-leaved Paperbark	140		140	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5415	Allocasuarina littoralis	Black Sheoak	140		140	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5416	Eucalyptus seeana	Narrow-leaved Gum	130		130	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5417	Melaleuca quinquenervia	Broad-leaved Paperbark	230		230	12	3	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5418	Melaleuca quinquenervia	Broad-leaved Paperbark	120		120	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5419	Melaleuca quinquenervia	Broad-leaved Paperbark	170		170	12	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5420	Lophostemon suaveolens	Swamp Box	140		140	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5421	Corymbia intermedia	Pink Bloodwood	140	180	228	15	5	2.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5422	Melaleuca quinquenervia	Broad-leaved Paperbark	120	100	156	12	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5423	Melaleuca quinquenervia	Broad-leaved Paperbark	150		150	15	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5424	Allocasuarina littoralis	Black Sheoak	120		120	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5425	Allocasuarina littoralis	Black Sheoak	110		110	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5426	Allocasuarina littoralis	Black Sheoak	140		140	12	3	2	1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5427	Allocasuarina littoralis	Black Sheoak	140		140	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5428	Melaleuca quinquenervia	Broad-leaved Paperbark	150		150	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5429	Allocasuarina littoralis	Black Sheoak	130		130	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5430	Allocasuarina littoralis	Black Sheoak	130		130	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5431	Allocasuarina littoralis	Black Sheoak	160		160	12	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5432	Allocasuarina littoralis	Black Sheoak	130		130	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5433	Allocasuarina littoralis	Black Sheoak	140		140	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5434	Eucalyptus tereticornis	Forest Red Gum	260		260	24	8	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5435	Allocasuarina littoralis	Black Sheoak	110		110	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5436	Allocasuarina littoralis	Black Sheoak	150		150	12	3	2	1	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5437	Lophostemon suaveolens	Swamp Box	160		160	14	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5438	Allocasuarina littoralis	Black Sheoak	210		210	12	4	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5439	Lophostemon suaveolens	Swamp Box	120		120	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5440	Lophostemon suaveolens	Swamp Box	170		170	14	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5441	Lophostemon suaveolens	Swamp Box	110		110	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5442	Lophostemon suaveolens	Swamp Box	130		130	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5443	Lophostemon suaveolens	Swamp Box	160		160	15	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5445	Lophostemon suaveolens	Swamp Box	190		190	12	3	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5499	Lophostemon suaveolens	Swamp Box	150		150	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5501	Lophostemon suaveolens	Swamp Box	130		130	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5502	Lophostemon suaveolens	Swamp Box	180		180	14	4	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5503	Lophostemon suaveolens	Swamp Box	140		140	15	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5504	Lophostemon suaveolens	Swamp Box	140		140	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5505	Lophostemon suaveolens	Swamp Box	130		130	14	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5506	Lophostemon suaveolens	Swamp Box	110		110	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5507	Lophostemon suaveolens	Swamp Box	130		130	15	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5508	Lophostemon suaveolens	Swamp Box	130		130	14	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5509	Lophostemon suaveolens	Swamp Box	100		100	14	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5510	Lophostemon suaveolens	Swamp Box	190		190	12	3	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5511	Lophostemon suaveolens	Swamp Box	120		120	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5512	Eucalyptus seeana	Narrow-leaved Gum	160	150, 250, 240, 280, 200	535	20	12	6.4	3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5513	Allocasuarina littoralis	Black Sheoak	120		120	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5514	Allocasuarina littoralis	Black Sheoak	170		170	14	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5515	Corymbia intermedia	Pink Bloodwood	170		170	15	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
5516	Eucalyptus tereticornis	Forest Red Gum	140		140	15	3	2	1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5517	Corymbia intermedia	Pink Bloodwood	140		140	15	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5518	Melaleuca quinquenervia	Broad-leaved Paperbark	210	160	264	15	6	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5519	Eucalyptus seeana	Narrow-leaved Gum	230	200, 190	359	24	10	4.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5520	Eucalyptus tereticornis	Forest Red Gum	320		320	26	10	3.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5521	Eucalyptus tereticornis	Forest Red Gum	170		170	16	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5522	Melaleuca quinquenervia	Broad-leaved Paperbark	150		150	15	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5523	Melaleuca quinquenervia	Broad-leaved Paperbark	100		100	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5524	Melaleuca quinquenervia	Broad-leaved Paperbark	160		160	12	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5525	Allocasuarina littoralis	Black Sheoak	130		130	10	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5526	Allocasuarina littoralis	Black Sheoak	100		100	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5527	Allocasuarina littoralis	Black Sheoak	200		200	14	4	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5528	Allocasuarina littoralis	Black Sheoak	100		100	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5529	Allocasuarina littoralis	Black Sheoak	140		140	14	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5530	Lophostemon suaveolens	Swamp Box	130		130	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5531	Allocasuarina littoralis	Black Sheoak	160	70	175	14	4	2.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5532	Melaleuca quinquenervia	Broad-leaved Paperbark	100		100	12	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5533	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5534	Melaleuca quinquenervia	Broad-leaved Paperbark	200		200	15	5	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5535	Melaleuca quinquenervia	Broad-leaved Paperbark	200		200	15	5	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5536	Lophostemon suaveolens	Swamp Box	190		190	15	5	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5537	Eucalyptus seeana	Narrow-leaved Gum	220		220	24	6	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5538	Lophostemon suaveolens	Swamp Box	150		150	14	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5539	Melaleuca quinquenervia	Broad-leaved Paperbark	170		170	15	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5540	Lophostemon suaveolens	Swamp Box	210		210	16	6	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5541	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5741	Eucalyptus tereticornis	Forest Red Gum	330	200, 280	477	25	15	5.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5742	Allocasuarina littoralis	Black Sheoak	120		120	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5743	Allocasuarina littoralis	Black Sheoak	130		130	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5744	Allocasuarina littoralis	Black Sheoak	120		120	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5745	Lophostemon suaveolens	Swamp Box	150		150	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5746	Allocasuarina littoralis	Black Sheoak	240		240	15	6	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5747	Eucalyptus tereticornis	Forest Red Gum	280		280	28	14	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5748	Allocasuarina littoralis	Black Sheoak	110		110	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5749	Lophostemon suaveolens	Swamp Box	150		150	15	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5750	Lophostemon suaveolens	Swamp Box	150		150	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5751	Lophostemon suaveolens	Swamp Box	110		110	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5752	Lophostemon suaveolens	Swamp Box	110		110	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5753	Lophostemon suaveolens	Swamp Box	160		160	14	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5754	Lophostemon suaveolens	Swamp Box	140		140	15	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5755	Melaleuca quinquenervia	Broad-leaved Paperbark	160		160	15	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5756	Melaleuca quinquenervia	Broad-leaved Paperbark	160		160	15	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
5757	Acacia concurrens	Black Wattle	110		110	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
6200	Allocasuarina littoralis	Black Sheoak	180		180	16	5	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
6201	Allocasuarina littoralis	Black Sheoak	140		140	15	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
6202	Acacia concurrens	Black Wattle	110		110	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
6203	Allocasuarina littoralis	Black Sheoak	160		160	16	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
6204	Acacia concurrens	Black Wattle	100		100	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
6205	Eucalyptus tereticornis	Forest Red Gum	290		290	20	6	3.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
6206	Corymbia intermedia	Pink Bloodwood	180	140	228	16	6	2.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
6207	Eucalyptus seeana	Narrow-leaved Gum	320		320	28	14	3.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
6208	Acacia concurrens	Black Wattle	100		100	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
6209	Acacia concurrens	Black Wattle	110		110	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
6210	Allocasuarina littoralis	Black Sheoak	130		130	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
6211	Allocasuarina littoralis	Black Sheoak	140		140	15	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
6212	Corymbia intermedia	Pink Bloodwood	380		380	24	14	4.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
6213	Eucalyptus seeana	Narrow-leaved Gum	220		220	18	6	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
6214	Eucalyptus tereticornis	Forest Red Gum	280		280	26	12	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
6215	Allocasuarina littoralis	Black Sheoak	190		190	15	8	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
6216	Eucalyptus seeana	Narrow-leaved Gum	180		180	16	5	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
6220	Allocasuarina littoralis	Black Sheoak	120		120	14	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
6221	Allocasuarina littoralis	Black Sheoak	120		120	14	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
6222	Allocasuarina littoralis	Black Sheoak	150		150	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
6223	Allocasuarina littoralis	Black Sheoak	130		130	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
6224	Corymbia intermedia	Pink Bloodwood	190		190	18	5	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
6225	Eucalyptus tereticornis	Forest Red Gum	250	240	347	20	5	4.2	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
6226	Acacia concurrens	Black Wattle	110		110	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
6227	Acacia concurrens	Black Wattle	100		100	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
6228	Eucalyptus tereticornis	Forest Red Gum	260		260	18	2	3.1	2	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
6229	Acacia concurrens	Black Wattle	100		100	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
6230	Acacia concurrens	Black Wattle	100		100	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
6231	Eucalyptus tereticornis	Forest Red Gum	190		190	20	6	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
6232	Eucalyptus tereticornis	Forest Red Gum	210		210	18	4	2.5	2	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
6233	Allocasuarina littoralis	Black Sheoak	160		160	14	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
6234	Allocasuarina littoralis	Black Sheoak	130		130	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
6235	Acacia concurrens	Black Wattle	100		100	14	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
6236	Corymbia intermedia	Pink Bloodwood	220		220	18	8	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
6237	Acacia concurrens	Black Wattle	100		100	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
6238	Corymbia intermedia	Pink Bloodwood	200		200	18	5	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
6258	Acacia concurrens	Black Wattle	100		100	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
6259	Acacia concurrens	Black Wattle	120		120	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
6260	Corymbia intermedia	Pink Bloodwood	260		260	18	8	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
6261	Acacia concurrens	Black Wattle	100		100	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
6262	Acacia concurrens	Black Wattle	110		110	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
6263	Acacia concurrens	Black Wattle	100		100	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
6264	Corymbia intermedia	Pink Bloodwood	330		330	18	12	4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7397	Eucalyptus tereticornis	Forest Red Gum	200		200	12	5	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7400	Eucalyptus crebra	Narrow-leaved Ironbark	260		260	15	8	3.1	2	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7401	Corymbia tessellaris	Moreton Bay Ash	120		120	8	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7402	Eucalyptus tereticornis	Forest Red Gum	160		160	8	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7403	Eucalyptus tereticornis	Forest Red Gum	390		390	23	15	4.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7404	Eucalyptus tereticornis	Forest Red Gum	210		210	8	2	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7405	Eucalyptus tereticornis	Forest Red Gum	260		260	10	3	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7547	Eucalyptus crebra	Narrow-leaved Ironbark	390		390	25	12	4.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7668	Eucalyptus tereticornis	Forest Red Gum	380		380	25	12	4.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7669	Eucalyptus crebra	Narrow-leaved Ironbark	300		300	25	12	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7670	Eucalyptus crebra	Narrow-leaved Ironbark	200		200	8	3	2.4	2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7671	Eucalyptus tereticornis	Forest Red Gum	390		390	25	12	4.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7672	Eucalyptus crebra	Narrow-leaved Ironbark	160		160	10	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7673	Eucalyptus crebra	Narrow-leaved Ironbark	350		350	25	12	4.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7674	Eucalyptus crebra	Narrow-leaved Ironbark	220		220	15	10	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7675	Corymbia citriodora	Spotted Gum	110		110	8	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7676	Eucalyptus tereticornis	Forest Red Gum	330		330	20	10	4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7677	Eucalyptus tereticornis	Forest Red Gum	360		360	25	12	4.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7678	Eucalyptus crebra	Narrow-leaved Ironbark	370		370	25	15	4.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7679	Corymbia citriodora	Spotted Gum	110		110	8	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7680	Eucalyptus crebra	Narrow-leaved Ironbark	210	90	228	18	10	2.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7681	Eucalyptus tereticornis	Forest Red Gum	130		130	8	2	2	1	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7682	Eucalyptus tereticornis	Forest Red Gum	210		210	23	8	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7683	Eucalyptus tereticornis	Forest Red Gum	220		220	20	5	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7684	Eucalyptus tereticornis	Forest Red Gum	370		370	26	15	4.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7685	Eucalyptus crebra	Narrow-leaved Ironbark	150		150	10	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7686	Eucalyptus crebra	Narrow-leaved Ironbark	220	220, 230, 90	397	25	15	4.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Remove - Bushfire ROL6	
7687	Allocasuarina littoralis	Black Sheoak	180		180	10	4	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
7688	Eucalyptus crebra	Narrow-leaved Ironbark	220	160	272	18	5	3.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7689	Eucalyptus tereticornis	Forest Red Gum	370		370	25	15	4.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7690	Eucalyptus tereticornis	Forest Red Gum	330		330	25	15	4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7697	Eucalyptus crebra	Narrow-leaved Ironbark	350		350	25	15	4.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7698	Eucalyptus crebra	Narrow-leaved Ironbark	190		190	15	5	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7699	Eucalyptus tereticornis	Forest Red Gum	200		200	15	3	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7700	Eucalyptus tereticornis	Forest Red Gum	220		220	20	5	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7701	Eucalyptus tereticornis	Forest Red Gum	130		130	10	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7710	Eucalyptus tereticornis	Forest Red Gum	220		220	23	8	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7711	Eucalyptus tereticornis	Forest Red Gum	210		210	20	8	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7712	Eucalyptus tereticornis	Forest Red Gum	210		210	25	12	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7713	Eucalyptus tereticornis	Forest Red Gum	130		130	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7714	Eucalyptus tereticornis	Forest Red Gum	120		120	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7715	Eucalyptus tereticornis	Forest Red Gum	220		220	23	10	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7716	Eucalyptus tereticornis	Forest Red Gum	200		200	25	8	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7717	Eucalyptus tereticornis	Forest Red Gum	160		160	15	6	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7718	Eucalyptus tereticornis	Forest Red Gum	240		240	22	8	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7719	Eucalyptus tereticornis	Forest Red Gum	120		120	8	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7720	Eucalyptus tereticornis	Forest Red Gum	210		210	24	8	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7721	Eucalyptus tereticornis	Forest Red Gum	170		170	20	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7722	Corymbia tessellaris	Moreton Bay Ash	220		220	24	10	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7723	Eucalyptus tereticornis	Forest Red Gum	290		290	26	12	3.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7724	Eucalyptus tereticornis	Forest Red Gum	140		140	15	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7725	Eucalyptus tereticornis	Forest Red Gum	130		130	12	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7726	Eucalyptus tereticornis	Forest Red Gum	110		110	10	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7727	Eucalyptus tereticornis	Forest Red Gum	200		200	25	8	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7728	Eucalyptus tereticornis	Forest Red Gum	120		120	15	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7729	Eucalyptus tereticornis	Forest Red Gum	140		140	20	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7730	Corymbia tessellaris	Moreton Bay Ash	190		190	21	6	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7731	Eucalyptus tereticornis	Forest Red Gum	260		260	24	10	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7732	Corymbia tessellaris	Moreton Bay Ash	140		140	10	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7733	Eucalyptus tereticornis	Forest Red Gum	150	110	186	20	5	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7734	Corymbia tessellaris	Moreton Bay Ash	170		170	18	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7735	Corymbia tessellaris	Moreton Bay Ash	120		120	10	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7736	Eucalyptus tereticornis	Forest Red Gum	170		170	18	8	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7737	Corymbia tessellaris	Moreton Bay Ash	150		150	20	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7738	Eucalyptus tereticornis	Forest Red Gum	220		220	20	8	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7739	Eucalyptus tereticornis	Forest Red Gum	140		140	10	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7740	Eucalyptus tereticornis	Forest Red Gum	130		130	12	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7741	Eucalyptus tereticornis	Forest Red Gum	190		190	15	5	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7742	Corymbia tessellaris	Moreton Bay Ash	130		130	12	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7743	Eucalyptus tereticornis	Forest Red Gum	240		240	25	12	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7744	Eucalyptus tereticornis	Forest Red Gum	240		240	20	12	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7745	Eucalyptus tereticornis	Forest Red Gum	140		140	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7746	Corymbia tessellaris	Moreton Bay Ash	240		240	18	12	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7747	Eucalyptus tereticornis	Forest Red Gum	250		250	25	15	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7748	Corymbia tessellaris	Moreton Bay Ash	120		120	8	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7749	Eucalyptus tereticornis	Forest Red Gum	160		160	20	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7750	Eucalyptus tereticornis	Forest Red Gum	120		120	15	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7751	Eucalyptus crebra	Narrow-leaved Ironbark	160		160	18	6	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7752	Eucalyptus tereticornis	Forest Red Gum	140		140	8	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7753	Eucalyptus tereticornis	Forest Red Gum	180		180	23	12	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7754	Corymbia tessellaris	Moreton Bay Ash	140		140	16	8	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7755	Corymbia tessellaris	Moreton Bay Ash	140		140	18	6	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7756	Eucalyptus crebra	Narrow-leaved Ironbark	230		230	24	12	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7757	Eucalyptus crebra	Narrow-leaved Ironbark	140		140	10	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7758	Eucalyptus crebra	Narrow-leaved Ironbark	180		180	25	12	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
7759	Eucalyptus tereticornis	Forest Red Gum	280		280	20	6	3.4	2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7760	Eucalyptus tereticornis	Forest Red Gum	170		170	12	6	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7761	Eucalyptus crebra	Narrow-leaved Ironbark	130		130	10	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7762	Eucalyptus crebra	Narrow-leaved Ironbark	140		140	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7763	Eucalyptus tereticornis	Forest Red Gum	180		180	18	5	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7764	Corymbia citriodora	Spotted Gum	160		160	20	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7790	Eucalyptus tereticornis	Forest Red Gum	210		210	15	4	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7791	Eucalyptus tereticornis	Forest Red Gum	140		140	18	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7792	Corymbia citriodora	Spotted Gum	150		150	10	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7793	Eucalyptus tereticornis	Forest Red Gum	780		780	28	20	9.4	3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7794	Eucalyptus tereticornis	Forest Red Gum	150		150	10	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7795	Eucalyptus crebra	Narrow-leaved Ironbark	160		160	18	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7796	Corymbia tessellaris	Moreton Bay Ash	150		150	10	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7797	Eucalyptus tereticornis	Forest Red Gum	160		160	15	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7798	Eucalyptus tereticornis	Forest Red Gum	120		120	8	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7799	Eucalyptus tereticornis	Forest Red Gum	240		240	26	10	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7800	Eucalyptus tereticornis	Forest Red Gum	130		130	10	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7801	Eucalyptus tereticornis	Forest Red Gum	190		190	25	8	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7802	Eucalyptus tereticornis	Forest Red Gum	110		110	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7803	Eucalyptus tereticornis	Forest Red Gum	340		340	24	16	4.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Remove - Bushfire ROL6	
7804	Eucalyptus crebra	Narrow-leaved Ironbark	540		540	25	15	6.5	3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7805	Eucalyptus tereticornis	Forest Red Gum	110		110	8	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7806	Eucalyptus tereticornis	Forest Red Gum	120		120	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7807	Eucalyptus tereticornis	Forest Red Gum	190		190	15	5	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7808	Eucalyptus tereticornis	Forest Red Gum	430		430	23	16	5.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7809	Eucalyptus tereticornis	Forest Red Gum	440		440	28	12	5.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7810	Eucalyptus crebra	Narrow-leaved Ironbark	360		360	28	16	4.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Remove - Bushfire ROL6	
7811	Eucalyptus tereticornis	Forest Red Gum	670		670	28	20	8	3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7812	Acacia concurrens	Black Wattle	160		160	8	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7813	Eucalyptus tereticornis	Forest Red Gum	190		190	20	5	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7814	Corymbia tessellaris	Moreton Bay Ash	120		120	8	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7815	Eucalyptus tereticornis	Forest Red Gum	210		210	10	4	2.5	2	Regular	-	-	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7816	Eucalyptus tereticornis	Forest Red Gum	230		230	16	4	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7817	Corymbia tessellaris	Moreton Bay Ash	100		100	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7818	Corymbia tessellaris	Moreton Bay Ash	120		120	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7819	Corymbia tessellaris	Moreton Bay Ash	120		120	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7820	Corymbia tessellaris	Moreton Bay Ash	110		110	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7821	Corymbia tessellaris	Moreton Bay Ash	110		110	8	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7822	Eucalyptus crebra	Narrow-leaved Ironbark	600		600	23	12	7.2	3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7823	Eucalyptus tereticornis	Forest Red Gum	200		200	18	6	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7824	Eucalyptus tereticornis	Forest Red Gum	190		190	16	4	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7825	Corymbia tessellaris	Moreton Bay Ash	130		130	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7826	Eucalyptus crebra	Narrow-leaved Ironbark	240		240	25	6	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7827	Eucalyptus crebra	Narrow-leaved Ironbark	260	150	300	28	8	3.6	2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7828	Eucalyptus crebra	Narrow-leaved Ironbark	390		390	28	15	4.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7880	Eucalyptus crebra	Narrow-leaved Ironbark	240		240	23	12	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7881	Corymbia citriodora	Spotted Gum	340		340	30	12	4.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7882	Corymbia citriodora	Spotted Gum	270	160	314	23	12	3.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7883	Eucalyptus tereticornis	Forest Red Gum	410		410	28	15	4.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7884	Eucalyptus tereticornis	Forest Red Gum	670		670	25	12	8	3	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7885	Corymbia tessellaris	Moreton Bay Ash	100		100	8	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7886	Eucalyptus crebra	Narrow-leaved Ironbark	280		280	15	6	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7887	Eucalyptus crebra	Narrow-leaved Ironbark	220		220	20	8	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Remove - Bushfire ROL6	
7888	Corymbia tessellaris	Moreton Bay Ash	150		150	10	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7889	Corymbia tessellaris	Moreton Bay Ash	200		200	20	6	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7890	Eucalyptus tereticornis	Forest Red Gum	250		250	25	8	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7891	Eucalyptus tereticornis	Forest Red Gum	260		260	18	7	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
7892	Eucalyptus tereticornis	Forest Red Gum	190		190	20	5	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7893	Eucalyptus tereticornis	Forest Red Gum	180		180	18	5	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7894	Eucalyptus tereticornis	Forest Red Gum	250		250	22	6	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7895	Eucalyptus tereticornis	Forest Red Gum	200		200	20	5	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7896	Eucalyptus tereticornis	Forest Red Gum	150		150	18	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7897	Eucalyptus tereticornis	Forest Red Gum	190		190	12	5	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7898	Corymbia tessellaris	Moreton Bay Ash	200		200	25	7	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7899	Eucalyptus tereticornis	Forest Red Gum	290		290	20	5	3.5	2	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7900	Eucalyptus tereticornis	Forest Red Gum	210		210	20	8	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7901	Eucalyptus tereticornis	Forest Red Gum	140		140	12	6	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
7902	Acacia leiocalyx	Early Flowering Black Wattle	160		160	18	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
9541	Eucalyptus crebra	Narrow-leaved Ironbark	170		170	13	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
9542	Eucalyptus crebra	Narrow-leaved Ironbark	130		130	9	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
9543	Eucalyptus tereticornis	Forest Red Gum	110		110	9	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
9545	Eucalyptus tereticornis	Forest Red Gum	160		160	17	4	2	2	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
9547	Eucalyptus tereticornis	Forest Red Gum	160		160	13	2	2	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
9548	Eucalyptus tereticornis	Forest Red Gum	170		170	16	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
9549	Eucalyptus tereticornis	Forest Red Gum	160		160	15	2	2	2	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
9550	Eucalyptus tereticornis	Forest Red Gum	210		210	17	3	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
9551	Eucalyptus tereticornis	Forest Red Gum	250		250	17	3	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
9552	Eucalyptus tereticornis	Forest Red Gum	170		170	13	2	2	2	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
9553	Corymbia tessellaris	Moreton Bay Ash	160		160	15	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
9554	Eucalyptus tereticornis	Forest Red Gum	140		140	10	1	2	1	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
9555	Eucalyptus crebra	Narrow-leaved Ironbark	430		430	23	11	5.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
9556	Eucalyptus crebra	Narrow-leaved Ironbark	420		420	20	10	5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
9557	Corymbia tessellaris	Moreton Bay Ash	150		150	14	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
9558	Eucalyptus tereticornis	Forest Red Gum	260		260	17	5	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
9907	Corymbia citriodora	Spotted Gum	180		180	20	4	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
9908	Corymbia citriodora	Spotted Gum	140		140	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
9909	Eucalyptus crebra	Narrow-leaved Ironbark	290	350	455	25	14	5.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
9910	Eucalyptus crebra	Narrow-leaved Ironbark	220		220	19	6	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
9911	Eucalyptus tereticornis	Forest Red Gum	280		280	22	7	3.4	2	One-sided	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
9912	Eucalyptus crebra	Narrow-leaved Ironbark	280	400	488	22	8	5.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
9913	Eucalyptus crebra	Narrow-leaved Ironbark	330	320	460	22	10	5.5	2	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Remove - Bushfire ROL6	
9914	Allocasuarina littoralis	Black Sheoak	150		150	9	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
9915	Eucalyptus tereticornis	Forest Red Gum	210		210	17	3	2.5	2	One-sided	-	-	-	-	-	Typical	Major	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
9916	Eucalyptus tereticornis	Forest Red Gum	290		290	20	5	3.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
9917	Eucalyptus tereticornis	Forest Red Gum	330		330	22	9	4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
9918	Eucalyptus tereticornis	Forest Red Gum	360		360	25	9	4.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
9919	Eucalyptus crebra	Narrow-leaved Ironbark	350		350	19	10	4.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
9920	Eucalyptus crebra	Narrow-leaved Ironbark	410		410	23	14	4.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
9921	Eucalyptus tereticornis	Forest Red Gum	280		280	21	8	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
9922	Eucalyptus tereticornis	Forest Red Gum	220		220	19	1	2.6	2	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	Trunk Dmg.	-	Poor	-	-	-	-	-	-	Remove - Bushfire ROL6	
9923	Eucalyptus tereticornis	Forest Red Gum	440		440	25	14	5.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
9940	Corymbia citriodora	Spotted Gum	120		120	17	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
9941	Eucalyptus tereticornis	Forest Red Gum	130		130	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
9942	Eucalyptus crebra	Narrow-leaved Ironbark	210		210	15	3	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
9943	Eucalyptus crebra	Narrow-leaved Ironbark	170		170	13	4	2	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
9948	Eucalyptus tereticornis	Forest Red Gum	180		180	15	3	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
9949	Eucalyptus tereticornis	Forest Red Gum	800		800	22	12	9.6	3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
9950	Eucalyptus tereticornis	Forest Red Gum	120		120	11	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
9951	Eucalyptus crebra	Narrow-leaved Ironbark	170		170	12	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
9952	Eucalyptus tereticornis	Forest Red Gum	140		140	15	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
9954	Eucalyptus tereticornis	Forest Red Gum	190		190	15	3	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
9955	Eucalyptus tereticornis	Forest Red Gum	130		130	14	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
9956	Eucalyptus tereticornis	Forest Red Gum	140		140	14	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
9957	Corymbia tessellaris	Moreton Bay Ash	140	110	178	10	2	2.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
9958	Eucalyptus tereticornis	Forest Red Gum	140		140	14	2	2	1	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
9959	Eucalyptus tereticornis	Forest Red Gum	170		170	14	2	2	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
9960	Eucalyptus tereticornis	Forest Red Gum	190		190	15	3	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
9961	Eucalyptus tereticornis	Forest Red Gum	200		200	15	3	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
9962	Eucalyptus tereticornis	Forest Red Gum	170		170	15	2	2	2	Regular	-	Thinning	-	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
9963	Eucalyptus tereticornis	Forest Red Gum	240		240	18	4	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
9964	Eucalyptus tereticornis	Forest Red Gum	170		170	15	5	2	2	Regular	-	Thinning	-	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
9965	Eucalyptus tereticornis	Forest Red Gum	190		190	16	3	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
9966	Corymbia tessellaris	Moreton Bay Ash	150		150	17	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
9967	Corymbia tessellaris	Moreton Bay Ash	200		200	17	4	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
9968	Corymbia tessellaris	Moreton Bay Ash	370		370	18	7	4.4	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
9969	Corymbia tessellaris	Moreton Bay Ash	150		150	13	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
9970	Corymbia tessellaris	Moreton Bay Ash	120		120	16	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
9971	Corymbia tessellaris	Moreton Bay Ash	150		150	16	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
9972	Corymbia tessellaris	Moreton Bay Ash	210		210	20	5	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
9973	Corymbia tessellaris	Moreton Bay Ash	120	150	192	20	4	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
9974	Corymbia tessellaris	Moreton Bay Ash	160		160	17	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
9975	Corymbia tessellaris	Moreton Bay Ash	210		210	17	3	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
9976	Corymbia tessellaris	Moreton Bay Ash	210		210	22	6	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
9977	Corymbia tessellaris	Moreton Bay Ash	200		200	23	5	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
9978	Corymbia tessellaris	Moreton Bay Ash	120		120	11	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
9979	Eucalyptus tereticornis	Forest Red Gum	160		160	21	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
9980	Corymbia tessellaris	Moreton Bay Ash	170		170	17	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
9981	Corymbia tessellaris	Moreton Bay Ash	180	90	201	15	3	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
9982	Corymbia tessellaris	Moreton Bay Ash	140		140	14	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
9983	Corymbia tessellaris	Moreton Bay Ash	180		180	15	3	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
9984	Eucalyptus crebra	Narrow-leaved Ironbark	180		180	16	3	2.2	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
9985	Eucalyptus crebra	Narrow-leaved Ironbark	200		200	16	3	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
9986	DEAD/STAG		700		700	19	6	8.4	3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Remove - Bushfire ROL6	
9987	Corymbia citriodora	Spotted Gum	190	240, 380	488	20	12	5.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
9988	Eucalyptus crebra	Narrow-leaved Ironbark	140		140	12	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
9989	Corymbia citriodora	Spotted Gum	480		480	19	10	5.8	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
9990	Eucalyptus tereticornis	Forest Red Gum	140		140	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
9991	Eucalyptus crebra	Narrow-leaved Ironbark	470		470	22	12	5.6	2	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	Trunk Dmg.	-	Poor	-	-	-	-	-	-	Remove - Bushfire ROL6	
9992	Acacia leiocalyx	Early Flowering Black Wattle	150		150	8	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
9993	Eucalyptus tereticornis	Forest Red Gum	130		130	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
9994	Eucalyptus tereticornis	Forest Red Gum	280		280	20	6	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
9995	Eucalyptus tereticornis	Forest Red Gum	200		200	16	3	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
9996	Eucalyptus crebra	Narrow-leaved Ironbark	180		180	16	2	2.2	2	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
9997	Eucalyptus tereticornis	Forest Red Gum	250		250	19	5	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
9998	Eucalyptus crebra	Narrow-leaved Ironbark	250		250	18	6	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
9999	Eucalyptus tereticornis	Forest Red Gum	330		330	22	8	4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
10000	Eucalyptus tereticornis	Forest Red Gum	150		150	15	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
10001	Eucalyptus crebra	Narrow-leaved Ironbark	210		210	17	4	2.5	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
10002	Eucalyptus tereticornis	Forest Red Gum	230		230	20	4	2.8	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
10003	Eucalyptus siderophloia	Grey Ironbark	160		160	15	3	2	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
10004	Eucalyptus tereticornis	Forest Red Gum	270		270	21	8	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
10005	Corymbia tessellaris	Moreton Bay Ash	140	120	184	17	3	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
10006	Eucalyptus tereticornis	Forest Red Gum	200		200	17	3	2.4	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
10007	Corymbia tessellaris	Moreton Bay Ash	210		210	17	3	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
10008	Corymbia tessellaris	Moreton Bay Ash	180		180	17	3	2.2	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
10009	Eucalyptus tereticornis	Forest Red Gum	240		240	18	5	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
10044	Eucalyptus tereticornis	Forest Red Gum	190		190	17	3	2.3	2	Regular	-	Thinning	-	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
10045	Acacia leiocalyx	Early Flowering Black Wattle	160		160	10	1	2	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
10046	Eucalyptus tereticornis	Forest Red Gum	260		260	18	6	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
10047	Eucalyptus tereticornis	Forest Red Gum	210		210	17	4	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
10048	Eucalyptus tereticornis	Forest Red Gum	230		230	20	6	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
10049	Eucalyptus tereticornis	Forest Red Gum	120		120	14	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
10050	Eucalyptus tereticornis	Forest Red Gum	160		160	13	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
10051	Eucalyptus tereticornis	Forest Red Gum	120		120	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
10052	Eucalyptus tereticornis	Forest Red Gum	140		140	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
10053	Angophora leiocarpa	Smooth-barked Apple	190		190	20	5	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
10054	Eucalyptus tereticornis	Forest Red Gum	210		210	15	3	2.5	2	Irregular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
10055	Eucalyptus tereticornis	Forest Red Gum	180		180	16	3	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
10056	Eucalyptus tereticornis	Forest Red Gum	130		130	6	1	2	1	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
10057	Eucalyptus tereticornis	Forest Red Gum	130		130	15	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
10058	Eucalyptus tereticornis	Forest Red Gum	180		180	13	4	2.2	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
10059	Eucalyptus tereticornis	Forest Red Gum	160		160	13	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
10060	Eucalyptus tereticornis	Forest Red Gum	130		130	11	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
10061	Eucalyptus tereticornis	Forest Red Gum	170		170	8	1	2	2	Regular	-	Thinning	Die-back	-	Lopped	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
10062	Eucalyptus tereticornis	Forest Red Gum	110		110	11	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
10063	Eucalyptus tereticornis	Forest Red Gum	170		170	17	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
10064	Eucalyptus tereticornis	Forest Red Gum	130		130	11	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
10065	Eucalyptus tereticornis	Forest Red Gum	130		130	11	1	2	1	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
10066	Eucalyptus tereticornis	Forest Red Gum	120		120	14	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
10067	Eucalyptus tereticornis	Forest Red Gum	210		210	16	3	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
10068	Eucalyptus tereticornis	Forest Red Gum	110		110	9	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
10069	Eucalyptus tereticornis	Forest Red Gum	180		180	17	2	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
10070	Eucalyptus tereticornis	Forest Red Gum	220		220	16	5	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
10071	Eucalyptus tereticornis	Forest Red Gum	130		130	11	3	2	1	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
10072	Acacia leiocalyx	Early Flowering Black Wattle	140		140	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
10073	Eucalyptus tereticornis	Forest Red Gum	600		600	27	12	7.2	3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
10074	Eucalyptus tereticornis	Forest Red Gum	130		130	15	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
10075	Eucalyptus tereticornis	Forest Red Gum	120	120	170	14	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
10076	Eucalyptus tereticornis	Forest Red Gum	160		160	15	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
10077	Eucalyptus tereticornis	Forest Red Gum	160		160	16	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
10078	Eucalyptus tereticornis	Forest Red Gum	160		160	14	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
10079	Eucalyptus tereticornis	Forest Red Gum	150		150	16	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
10080	Eucalyptus tereticornis	Forest Red Gum	200		200	17	4	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
10081	Eucalyptus tereticornis	Forest Red Gum	210		210	17	4	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
10082	Eucalyptus tereticornis	Forest Red Gum	100		100	9	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
10083	Eucalyptus tereticornis	Forest Red Gum	160		160	15	3	2	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
10084	Eucalyptus tereticornis	Forest Red Gum	170		170	16	1	2	2	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
10085	Eucalyptus tereticornis	Forest Red Gum	150		150	15	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
10086	Eucalyptus crebra	Narrow-leaved Ironbark	700		700	24	14	8.4	3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
10087	Eucalyptus crebra	Narrow-leaved Ironbark	780		780	26	14	9.4	3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	Termite nest	-	Remove - Bushfire ROL6	
10088	Acacia disparrima	Hickory Wattle	310		310	10	4	3.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
10089	Eucalyptus tereticornis	Forest Red Gum	210		210	17	6	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
10090	Eucalyptus crebra	Narrow-leaved Ironbark	460		460	25	12	5.5	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
10091	Eucalyptus crebra	Narrow-leaved Ironbark	560		560	27	16	6.7	3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
10092	Corymbia tessellaris	Moreton Bay Ash	160		160	13	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
10093	Corymbia tessellaris	Moreton Bay Ash	140		140	16	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
10094	Corymbia tessellaris	Moreton Bay Ash	150		150	13	1	2	1	Regular	-	Thinning	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
10095	Corymbia tessellaris	Moreton Bay Ash	150		150	15	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
10096	Acacia leiocalyx	Early Flowering Black Wattle	140		140	10	2	2	1	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
10097	Acacia leiocalyx	Early Flowering Black Wattle	150		150	9	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
10098	Eucalyptus tereticornis	Forest Red Gum	180		180	13	3	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
10149	Eucalyptus tereticornis	Forest Red Gum	470		470	21	11	5.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
10153	Eucalyptus crebra	Narrow-leaved Ironbark	180		180	18	2	2.2	2	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
10155	Corymbia citriodora	Spotted Gum	470		470	22	16	5.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
10156	Corymbia citriodora	Spotted Gum	360		360	22	9	4.3	2	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
10157	Corymbia citriodora	Spotted Gum	130	160, 150	255	13	4	3.1	2	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
10158	Corymbia citriodora	Spotted Gum	160		160	15	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
10159	Corymbia citriodora	Spotted Gum	160		160	15	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
10160	Eucalyptus tereticornis	Forest Red Gum	180	200	269	16	4	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
10161	Corymbia tessellaris	Moreton Bay Ash	180		180	16	3	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
10162	Allocasuarina littoralis	Black Sheoak	180		180	11	3	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
10163	Eucalyptus tereticornis	Forest Red Gum	520		520	20	10	6.2	3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
10164	Eucalyptus crebra	Narrow-leaved Ironbark	160		160	14	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
10165	Corymbia tessellaris	Moreton Bay Ash	530		530	26	12	6.4	3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
10166	Corymbia tessellaris	Moreton Bay Ash	150		150	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
10167	Corymbia tessellaris	Moreton Bay Ash	160		160	14	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
10168	Corymbia tessellaris	Moreton Bay Ash	110		110	15	1	2	1	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
10169	Corymbia tessellaris	Moreton Bay Ash	160		160	16	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
10170	Corymbia tessellaris	Moreton Bay Ash	130		130	15	2	2	1	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
10171	Corymbia tessellaris	Moreton Bay Ash	120		120	11	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
10172	Corymbia tessellaris	Moreton Bay Ash	190		190	17	3	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
10173	Corymbia tessellaris	Moreton Bay Ash	160		160	16	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
10174	Corymbia tessellaris	Moreton Bay Ash	170		170	16	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
10175	Corymbia tessellaris	Moreton Bay Ash	140		140	15	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
10176	Eucalyptus tereticornis	Forest Red Gum	240		240	19	5	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
10177	Eucalyptus tereticornis	Forest Red Gum	140		140	13	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
10178	Eucalyptus tereticornis	Forest Red Gum	100		100	10	1	2	1	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
10179	Eucalyptus tereticornis	Forest Red Gum	270		270	22	8	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
10180	Eucalyptus tereticornis	Forest Red Gum	260		260	19	8	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
10181	Eucalyptus tereticornis	Forest Red Gum	230		230	20	5	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
10182	Eucalyptus tereticornis	Forest Red Gum	110		110	9	2	2	1	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
10183	Corymbia tessellaris	Moreton Bay Ash	230		230	22	8	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
10184	Eucalyptus tereticornis	Forest Red Gum	180		180	16	3	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
10185	Eucalyptus tereticornis	Forest Red Gum	150		150	15	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
10186	Corymbia citriodora	Spotted Gum	140		140	15	1	2	1	Regular	-	Thinning	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
10920	Eucalyptus tereticornis	Forest Red Gum	350		350	24	10	4.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
10921	Eucalyptus tereticornis	Forest Red Gum	260		260	22	10	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
10966	Eucalyptus crebra	Narrow-leaved Ironbark	200		200	21	5	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
10967	Corymbia intermedia	Pink Bloodwood	260		260	16	6	3.1	2	Regular	-	Thinning	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
10982	Corymbia intermedia	Pink Bloodwood	250		250	17	6	3	2	Regular	-	Thinning	-	-	-	Poor	-	-	Trunk Dmg.	-	Poor	-	-	-	-	-	-	Remove - Bushfire ROL6	
10983	Eucalyptus tereticornis	Forest Red Gum	260		260	21	7	3.1	2	Regular	-	Thinning	-	-	-	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
10984	Eucalyptus tereticornis	Forest Red Gum	340	150	372	24	10	4.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
10985	Eucalyptus crebra	Narrow-leaved Ironbark	420		420	25	12	5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Remove - Bushfire ROL6	
10986	Eucalyptus tereticornis	Forest Red Gum	260		260	22	7	3.1	2	Regular	-	Thinning	-	-	-	Poor	-	-	Trunk Dmg.	-	Poor	-	-	-	-	-	-	Remove - Bushfire ROL6	
10987	Eucalyptus tereticornis	Forest Red Gum	400		400	25	12	4.8	2	Regular	-	Thinning	-	-	-	Poor	-	-	Trunk Dmg.	-	Poor	-	-	-	-	-	-	Remove - Bushfire ROL6	
10988	Eucalyptus tereticornis	Forest Red Gum	280		280	23	11	3.4	2	Regular	-	-	-	-	-	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
10989	Eucalyptus tereticornis	Forest Red Gum	240		240	21	5	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
10990	Eucalyptus tereticornis	Forest Red Gum	220		220	19	4	2.6	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	Trunk Dmg.	-	Poor	-	-	-	-	-	-	Remove - Bushfire ROL6	
10991	Lophostemon suaveolens	Swamp Box	210		210	13	5	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
10992	Eucalyptus tereticornis	Forest Red Gum	250		250	18	6	3	2	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
10993	Eucalyptus tereticornis	Forest Red Gum	420		420	25	13	5	2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
10996	Eucalyptus tereticornis	Forest Red Gum	290		290	24	10	3.5	2	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
10997	Allocasuarina littoralis	Black Sheoak	200		200	12	3	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
10998	Lophostemon suaveolens	Swamp Box	110		110	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
10999	Melaleuca quinquenervia	Broad-leaved Paperbark	190		190	13	4	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
11000	Melaleuca quinquenervia	Broad-leaved Paperbark	160		160	12	3	2	2	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
11001	Corymbia intermedia	Pink Bloodwood	210		210	16	6	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
11002	Melaleuca quinquenervia	Broad-leaved Paperbark	180		180	13	4	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
11005	Melaleuca quinquenervia	Broad-leaved Paperbark	110	90	142	12	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
11170	Corymbia intermedia	Pink Bloodwood	170		170	9	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
11171	Eucalyptus tereticornis	Forest Red Gum	360	330	488	23	8	5.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
11172	Corymbia intermedia	Pink Bloodwood	270		270	18	5	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
11173	Corymbia intermedia	Pink Bloodwood	160		160	16	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
11174	Allocasuarina littoralis	Black Sheoak	210		210	11	3	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
11175	Allocasuarina littoralis	Black Sheoak	310		310	12	3	3.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
11176	Allocasuarina littoralis	Black Sheoak	170		170	10	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
11177	Allocasuarina littoralis	Black Sheoak	150		150	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
11178	Allocasuarina littoralis	Black Sheoak	190		190	12	3	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
11179	Allocasuarina littoralis	Black Sheoak	180		180	11	3	2.2	2	Regular	-	Thinning	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
11180	Allocasuarina littoralis	Black Sheoak	180		180	13	3	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
11181	Corymbia intermedia	Pink Bloodwood	280		280	20	5	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
11182	Allocasuarina littoralis	Black Sheoak	140		140	8	3	2	1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
11183	Allocasuarina littoralis	Black Sheoak	170		170	9	3	2	2	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
11187	Corymbia intermedia	Pink Bloodwood	200		200	15	3	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
11347	Angophora leiocarpa	Smooth-barked Apple	200		200	15	3	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
11348	Corymbia intermedia	Pink Bloodwood	230		230	17	5	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
11349	Corymbia intermedia	Pink Bloodwood	240		240	16	5	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
11350	Corymbia intermedia	Pink Bloodwood	310		310	16	8	3.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
11351	Eucalyptus tereticornis	Forest Red Gum	290		290	19	3	3.5	2	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
11352	Corymbia intermedia	Pink Bloodwood	250		250	19	5	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
11353	Eucalyptus tereticornis	Forest Red Gum	210		210	14	3	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
11354	Eucalyptus tereticornis	Forest Red Gum	260		260	18	5	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
11355	Eucalyptus tereticornis	Forest Red Gum	310	250	398	22	8	4.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
11356	Corymbia intermedia	Pink Bloodwood	240	140	278	14	3	3.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
11357	Corymbia intermedia	Pink Bloodwood	330	230	402	17	7	4.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
11358	Eucalyptus tereticornis	Forest Red Gum	410		410	20	9	4.9	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
11359	Corymbia intermedia	Pink Bloodwood	380		380	23	8	4.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
11360	Corymbia intermedia	Pink Bloodwood	390		390	18	7	4.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
11361	Corymbia intermedia	Pink Bloodwood	330	410	526	19	8	6.3	3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
11362	Eucalyptus tereticornis	Forest Red Gum	250		250	18	5	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
11363	Allocasuarina littoralis	Black Sheoak	160		160	14	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
11364	Allocasuarina littoralis	Black Sheoak	200		200	12	3	2.4	2	One-sided	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
11365	Allocasuarina littoralis	Black Sheoak	160		160	8	3	2	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
11366	Allocasuarina littoralis	Black Sheoak	190		190	14	3	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
11367	Eucalyptus tereticornis	Forest Red Gum	180		180	13	3	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
11368	Allocasuarina littoralis	Black Sheoak	190	190	269	15	4	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
11369	Lophostemon suaveolens	Swamp Box	150		150	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
11370	Lophostemon suaveolens	Swamp Box	170		170	12	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
11371	Lophostemon suaveolens	Swamp Box	140		140	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
11372	Lophostemon suaveolens	Swamp Box	160		160	14	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
11373	Lophostemon suaveolens	Swamp Box	180		180	13	3	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
11374	Melaleuca quinquenervia	Broad-leaved Paperbark	160	150	219	9	3	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
11375	Corymbia tessellaris	Moreton Bay Ash	140		140	15	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
11376	Eucalyptus tereticornis	Forest Red Gum	300		300	18	4	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
11377	Melaleuca quinquenervia	Broad-leaved Paperbark	180		180	14	3	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
11378	Melaleuca quinquenervia	Broad-leaved Paperbark	240		240	15	3	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
11379	Melaleuca quinquenervia	Broad-leaved Paperbark	220	200, 200	358	16	5	4.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
11380	Corymbia intermedia	Pink Bloodwood	230		230	17	5	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
11381	Lophostemon suaveolens	Swamp Box	120		120	14	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
11382	Melaleuca quinquenervia	Broad-leaved Paperbark	140		140	13	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
11383	Melaleuca quinquenervia	Broad-leaved Paperbark	280		280	14	3	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
11384	Corymbia intermedia	Pink Bloodwood	260		260	18	5	3.1	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Remove - Bushfire ROL6	
11385	Melaleuca quinquenervia	Broad-leaved Paperbark	210		210	15	3	2.5	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
11386	Eucalyptus tereticornis	Forest Red Gum	270		270	18	5	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
11389	Allocasuarina littoralis	Black Sheoak	200		200	16	3	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
11390	Melaleuca quinquenervia	Broad-leaved Paperbark	200		200	16	2	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
11391	Melaleuca quinquenervia	Broad-leaved Paperbark	150		150	14	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
11392	Melaleuca quinquenervia	Broad-leaved Paperbark	180		180	15	2	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
11393	Melaleuca quinquenervia	Broad-leaved Paperbark	160		160	14	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
12859	Corymbia citriodora	Spotted Gum	210		210	17	3	2.5	2	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
12860	Eucalyptus siderophloia	Grey Ironbark	350		350	27	12	4.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	Termite nest	-	Remove - Bushfire ROL6	
12861	Eucalyptus tereticornis	Forest Red Gum	340		340	24	9	4.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
12862	Corymbia citriodora	Spotted Gum	290		290	22	8	3.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
12863	Eucalyptus crebra	Narrow-leaved Ironbark	380		380	27	12	4.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
12864	Eucalyptus crebra	Narrow-leaved Ironbark	370		370	23	9	4.4	2	One-sided	Spreading	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
13733	Eucalyptus seeana	Narrow-leaved Gum	320	220	388	13	10	4.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
13736	Eucalyptus seeana	Narrow-leaved Gum	230		230	16	5	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
13737	Eucalyptus tereticornis	Forest Red Gum	230		230	15	5	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
13738	Eucalyptus tereticornis	Forest Red Gum	200		200	9	3	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
13739	Eucalyptus tereticornis	Forest Red Gum	300		300	16	7	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
13740	Lophostemon suaveolens	Swamp Box	100		100	6	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
13741	Eucalyptus seeana	Narrow-leaved Gum	210		210	12	5	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
13742	Eucalyptus seeana	Narrow-leaved Gum	300		300	17	7	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
13748	Eucalyptus tereticornis	Forest Red Gum	320	160	358	16	5	4.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
13751	Eucalyptus tereticornis	Forest Red Gum	230		230	20	5	2.8	2	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
13752	Angophora leiocarpa	Smooth-barked Apple	185		185	12	3	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
14634	Eucalyptus tereticornis	Forest Red Gum	130		130	18	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
14635	Corymbia citriodora	Spotted Gum	250	220	333	18	6	4	2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
14833	Corymbia intermedia	Pink Bloodwood	220		220	20	6	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
14834	Allocasuarina littoralis	Black Sheoak	160		160	10	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
14885	Corymbia intermedia	Pink Bloodwood	310		310	18	10	3.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
14887	Eucalyptus tereticornis	Forest Red Gum	370		370	20	7	4.4	2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
14888	Eucalyptus tereticornis	Forest Red Gum	270		270	20	6	3.2	2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
14889	Eucalyptus tereticornis	Forest Red Gum	300		300	20	5	3.6	2	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
14890	Corymbia intermedia	Pink Bloodwood	230	210	311	12	4	3.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
14908	Eucalyptus tereticornis	Forest Red Gum	310		310	23	6	3.7	2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
14909	Eucalyptus crebra	Narrow-leaved Ironbark	200		200	10	2	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
14910	Eucalyptus crebra	Narrow-leaved Ironbark	300		300	28	10	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
14911	Corymbia intermedia	Pink Bloodwood	190	150, 190	308	12	6	3.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
14912	Eucalyptus tereticornis	Forest Red Gum	320		320	18	6	3.8	2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
14913	Eucalyptus crebra	Narrow-leaved Ironbark	150		150	8	2	2	1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
14914	Corymbia intermedia	Pink Bloodwood	190		190	12	3	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
14915	Eucalyptus tereticornis	Forest Red Gum	320		320	20	8	3.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
14916	Eucalyptus tereticornis	Forest Red Gum	330		330	23	12	4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
15297	Eucalyptus seeana	Narrow-leaved Gum	290		290	18	7	3.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	New	-	-	-	-	-	Remove - Bushfire ROL6	
15298	Eucalyptus tereticornis	Forest Red Gum	260	250	361	18	6	4.3	2	One-sided	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
15299	Acacia concurrens	Black Wattle	110		110	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
15300	Acacia concurrens	Black Wattle	140		140	12	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
15301	Eucalyptus tereticornis	Forest Red Gum	250	170	302	18	7	3.6	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
15302	Acacia concurrens	Black Wattle	120		120	13	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
15303	Eucalyptus tereticornis	Forest Red Gum	260	210	334	19	6	4	2	Regular	-	Thinning	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
15304	Acacia concurrens	Black Wattle	120		120	13	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
15305	Acacia concurrens	Black Wattle	110		110	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
15306	Allocasuarina littoralis	Black Sheoak	140		140	15	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
15307	Allocasuarina littoralis	Black Sheoak	200		200	17	4	2.4	2	Regular	-	Thinning	Die-back	-	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
15308	Allocasuarina littoralis	Black Sheoak	180		180	16	3	2.2	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
15309	Corymbia intermedia	Pink Bloodwood	170		170	12	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
15320	Allocasuarina littoralis	Black Sheoak	190		190	15	3	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
15321	Eucalyptus crebra	Narrow-leaved Ironbark	200		200	16	4	2.4	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
15322	Corymbia intermedia	Pink Bloodwood	300		300	19	7	3.6	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
15323	Corymbia intermedia	Pink Bloodwood	170		170	13	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
15324	Eucalyptus tereticornis	Forest Red Gum	430	370	567	21	9	6.8	3	Regular	-	Thinning	Die-back	-	-	Poor	-	-	Trunk Dmg.	-	Poor	-	-	-	-	-	-	Remove - Bushfire ROL6	
15325	Eucalyptus tereticornis	Forest Red Gum	340	300	453	20	8	5.4	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
15326	Corymbia intermedia	Pink Bloodwood	250		250	15	6	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
15327	Corymbia intermedia	Pink Bloodwood	270		270	18	7	3.2	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Poor	-	-	-	-	-	-	Remove - Bushfire ROL6	
15328	Eucalyptus tereticornis	Forest Red Gum	270		270	18	5	3.2	2	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
15330	Eucalyptus tereticornis	Forest Red Gum	240	240, 230, 150	437	20	8	5.2	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
15331	Acacia concurrens	Black Wattle	130		130	13	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
15472	Melaleuca quinquenervia	Broad-leaved Paperbark	150		150	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
15473	Allocasuarina littoralis	Black Sheoak	130		130	14	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
15474	Allocasuarina littoralis	Black Sheoak	100		100	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
15475	Eucalyptus tereticornis	Forest Red Gum	300		300	28	12	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
15476	Acacia concurrens	Black Wattle	110		110	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
15477	Allocasuarina littoralis	Black Sheoak	130		130	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
15478	Eucalyptus siderophloia	Grey Ironbark	300		300	25	14	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	Termite nest	-	Remove - Bushfire ROL6	
15479	Lophostemon suaveolens	Swamp Box	140		140	14	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
15480	Angophora leiocarpa	Smooth-barked Apple	160		160	16	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
15481	Angophora leiocarpa	Smooth-barked Apple	150		150	16	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
15482	Eucalyptus tereticornis	Forest Red Gum	380		380	23	10	4.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
15483	Melaleuca quinquenervia	Broad-leaved Paperbark	190		190	15	5	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
15484	Acacia concurrens	Black Wattle	110		110	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
15485	Acacia concurrens	Black Wattle	120		120	12	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
15486	Eucalyptus tereticornis	Forest Red Gum	230		230	25	12	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
15487	Acacia concurrens	Black Wattle	110		110	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
15488	Acacia concurrens	Black Wattle	120		120	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
15489	Melaleuca quinquenervia	Broad-leaved Paperbark	150		150	15	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
15490	Eucalyptus tereticornis	Forest Red Gum	230	230, 240	404	22	5	4.9	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
15491	Melaleuca quinquenervia	Broad-leaved Paperbark	210		210	18	6	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
15492	Allocasuarina littoralis	Black Sheoak	150		150	14	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
15494	Acacia concurrens	Black Wattle	100		100	6	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
15495	Eucalyptus siderophloia	Grey Ironbark	190		190	18	8	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
15496	Lophostemon suaveolens	Swamp Box	160		160	15	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
15497	Corymbia intermedia	Pink Bloodwood	250		250	16	6	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
15498	Acacia concurrens	Black Wattle	110		110	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
15499	Acacia concurrens	Black Wattle	100		100	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
15500	Eucalyptus seeana	Narrow-leaved Gum	280		280	18	8	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
15501	Acacia concurrens	Black Wattle	130		130	14	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
15502	Acacia concurrens	Black Wattle	130		130	15	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
15503	Acacia concurrens	Black Wattle	110		110	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
15504	Acacia concurrens	Black Wattle	100		100	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
15505	Acacia concurrens	Black Wattle	100		100	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
15506	Acacia concurrens	Black Wattle	100		100	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
15507	Corymbia intermedia	Pink Bloodwood	150		150	15	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
15508	Eucalyptus siderophloia	Grey Ironbark	200		200	20	8	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
15509	Eucalyptus tereticornis	Forest Red Gum	250		250	24	8	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
15510	Eucalyptus siderophloia	Grey Ironbark	250		250	18	8	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Remove - Bushfire ROL6	
15511	Corymbia intermedia	Pink Bloodwood	180		180	18	6	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
15512	Corymbia citriodora	Spotted Gum	310		310	25	12	3.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
15513	Corymbia citriodora	Spotted Gum	110		110	15	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
15514	Eucalyptus siderophloia	Grey Ironbark	300		300	26	12	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
15515	Corymbia citriodora	Spotted Gum	140		140	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
15516	Corymbia citriodora	Spotted Gum	360		360	28	16	4.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
15517	Eucalyptus siderophloia	Grey Ironbark	160		160	15	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
15518	Corymbia citriodora	Spotted Gum	210		210	20	6	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
15519	Corymbia citriodora	Spotted Gum	190		190	18	5	2.3	2	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
15520	Acacia concurrens	Black Wattle	120		120	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
15521	Corymbia citriodora	Spotted Gum	100		100	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
15522	Eucalyptus siderophloia	Grey Ironbark	280		280	28	16	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Remove - Bushfire ROL6	
15523	Corymbia citriodora	Spotted Gum	260		260	26	12	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
15524	Eucalyptus siderophloia	Grey Ironbark	300		300	28	16	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Remove - Bushfire ROL6	
15525	Corymbia citriodora	Spotted Gum	150		150	18	6	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
15526	Corymbia citriodora	Spotted Gum	190		190	18	6	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
15527	Acacia concurrens	Black Wattle	100		100	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
15628	Eucalyptus siderophloia	Grey Ironbark	300		300	26	16	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
15629	Lophostemon suaveolens	Swamp Box	120		120	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
15631	Eucalyptus tereticornis	Forest Red Gum	370		370	28	16	4.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
15632	Corymbia citriodora	Spotted Gum	230		230	25	12	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
15633	Eucalyptus siderophloia	Grey Ironbark	300		300	28	14	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
15636	Corymbia intermedia	Pink Bloodwood	180		180	14	4	2.2	2	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
15637	Eucalyptus siderophloia	Grey Ironbark	330		330	28	16	4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
15638	Eucalyptus siderophloia	Grey Ironbark	200		200	15	4	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
15639	Eucalyptus siderophloia	Grey Ironbark	200		200	16	5	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
15640	Corymbia citriodora	Spotted Gum	270		270	25	5	3.2	2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
15641	Corymbia citriodora	Spotted Gum	320		320	28	14	3.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
15642	Eucalyptus siderophloia	Grey Ironbark	340		340	26	14	4.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
15643	Corymbia citriodora	Spotted Gum	170		170	15	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
15644	Corymbia citriodora	Spotted Gum	230		230	25	10	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
15645	Eucalyptus siderophloia	Grey Ironbark	240		240	25	10	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
15646	Eucalyptus tereticornis	Forest Red Gum	270		270	26	14	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
15647	Lophostemon suaveolens	Swamp Box	190		190	14	5	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
15648	Corymbia citriodora	Spotted Gum	160		160	16	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
15649	Corymbia citriodora	Spotted Gum	340		340	28	16	4.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
15650	Corymbia citriodora	Spotted Gum	210		210	25	10	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
15651	Corymbia intermedia	Pink Bloodwood	280		280	16	6	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
15652	Acacia concurrens	Black Wattle	120		120	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
15653	Acacia concurrens	Black Wattle	160		160	14	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
15654	Eucalyptus tereticornis	Forest Red Gum	160	130	206	16	8	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
15655	Acacia concurrens	Black Wattle	100		100	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
15656	Acacia concurrens	Black Wattle	100		100	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
15657	Acacia concurrens	Black Wattle	130		130	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
15658	Eucalyptus siderophloia	Grey Ironbark	210		210	20	5	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
15659	Eucalyptus tereticornis	Forest Red Gum	190		190	16	4	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
15660	Eucalyptus tereticornis	Forest Red Gum	220		220	25	5	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
15661	Eucalyptus tereticornis	Forest Red Gum	240		240	22	6	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
15662	Acacia concurrens	Black Wattle	110		110	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
15682	Lophostemon suaveolens	Swamp Box	110		110	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
15683	Melaleuca quinquenervia	Broad-leaved Paperbark	160		160	12	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
15684	Angophora leiocarpa	Smooth-barked Apple	250		250	18	12	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
15685	Eucalyptus tereticornis	Forest Red Gum	160		160	15	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
15686	Acacia concurrens	Black Wattle	110		110	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
15687	Allocasuarina littoralis	Black Sheoak	110	100	149	14	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
15688	Allocasuarina littoralis	Black Sheoak	120		120	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
15689	Eucalyptus tereticornis	Forest Red Gum	190		190	18	6	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
15690	Acacia concurrens	Black Wattle	130		130	10	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
15691	Angophora leiocarpa	Smooth-barked Apple	120		120	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
1	Corymbia citriodora	Spotted Gum	130		130	15	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
2	Corymbia citriodora	Spotted Gum	100		100	15	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
3	Eucalyptus tereticornis	Forest Red Gum	490		490	25	12	5.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
4	Eucalyptus tereticornis	Forest Red Gum	260		260	22	8	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
5	Acacia concurrens	Black Wattle	100		100	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
6	Acacia concurrens	Black Wattle	100		100	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
7	Acacia concurrens	Black Wattle	100		100	6	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
8	Corymbia citriodora	Spotted Gum	220	150	266	23	6	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
9	Corymbia citriodora	Spotted Gum	280		280	23	8	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
10	Acacia concurrens	Black Wattle	130		130	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11	Acacia concurrens	Black Wattle	130		130	8	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
12	Acacia concurrens	Black Wattle	100		100	6	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
13	Acacia concurrens	Black Wattle	100		100	6	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
14	Eucalyptus tereticornis	Forest Red Gum	340		340	18	8	4.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
15	Eucalyptus tereticornis	Forest Red Gum	300		300	20	6	3.6	2	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
16	Acacia concurrens	Black Wattle	110		110	8	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
17	Acacia concurrens	Black Wattle	120		120	8	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
18	Eucalyptus crebra	Narrow-leaved Ironbark	290		290	16	6	3.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
19	Eucalyptus siderophloia	Grey Ironbark	100		100	8	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
20	Eucalyptus tereticornis	Forest Red Gum	240		240	18	6	2.9	2	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
21	Eucalyptus tereticornis	Forest Red Gum	190		190	20	5	2.3	2	Regular	-	Thinning	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
22	Eucalyptus tereticornis	Forest Red Gum	200	170	262	18	6	3.1	2	Regular	-	Thinning	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
23	Eucalyptus tereticornis	Forest Red Gum	200		200	18	6	2.4	2	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
24	Acacia concurrens	Black Wattle	100		100	8	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
25	Eucalyptus tereticornis	Forest Red Gum	240		240	20	6	2.9	2	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
26	Eucalyptus tereticornis	Forest Red Gum	190		190	16	5	2.3	2	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
27	Eucalyptus tereticornis	Forest Red Gum	170		170	15	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
28	Acacia concurrens	Black Wattle	100		100	8	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
29	Eucalyptus tereticornis	Forest Red Gum	290		290	20	4	3.5	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
30	Eucalyptus siderophloia	Grey Ironbark	160		160	15	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
31	Acacia concurrens	Black Wattle	120		120	8	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
32	Eucalyptus tereticornis	Forest Red Gum	140		140	15	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	Old	-	-	-	-	-	Retain ROL6	
33	Corymbia intermedia	Pink Bloodwood	110		110	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
34	Acacia concurrens	Black Wattle	100		100	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
35	Eucalyptus crebra	Narrow-leaved Ironbark	150		150	18	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
36	Eucalyptus tereticornis	Forest Red Gum	110		110	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
37	Eucalyptus tereticornis	Forest Red Gum	140		140	15	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
38	Corymbia citriodora	Spotted Gum	130		130	18	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
39	Corymbia citriodora	Spotted Gum	210		210	18	6	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
40	Eucalyptus tereticornis	Forest Red Gum	130		130	16	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
41	Eucalyptus tereticornis	Forest Red Gum	260	190	322	22	6	3.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
42	Corymbia intermedia	Pink Bloodwood	120		120	14	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
43	Allocasuarina littoralis	Black Sheoak	150		150	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
44	Acacia concurrens	Black Wattle	130	110	170	16	8	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
45	Allocasuarina littoralis	Black Sheoak	170		170	14	6	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
46	Allocasuarina littoralis	Black Sheoak	140		140	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
P1-1518	Eucalyptus tereticornis	Forest Red Gum	350	310	468	24	12	5.6	0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
P1-1519	Acacia disparrima	Hickory Wattle	220		220	8	6	2.6	0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
P1-1520	Corymbia tessellaris	Moreton Bay Ash	140		140	11	2	2	0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
P1-1521	Eucalyptus tereticornis	Forest Red Gum	300		300	21	9	3.6	0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
P1-1522	Eucalyptus tereticornis	Forest Red Gum	220		220	20	7	2.6	0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
P1-1523	Eucalyptus tereticornis	Forest Red Gum	380		380	20	9	4.6	0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
P1-1524	Eucalyptus tereticornis	Forest Red Gum	370		370	21	10	4.4	0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
P1-1525	Eucalyptus crebra	Narrow-leaved Ironbark	230	210	311	19	7	3.7	0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
P1-1526	Eucalyptus tereticornis	Forest Red Gum	100		100	14	2	2	0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
P1-1527	Eucalyptus tereticornis	Forest Red Gum	170		170	19	6	2	0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
P1-1528	Corymbia citriodora	Spotted Gum	90		90	13	2	2	0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
P1-1529	Eucalyptus tereticornis	Forest Red Gum	260		260	23	9	3.1	0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
P1-1530	Eucalyptus tereticornis	Forest Red Gum	220		220	18	8	2.6	0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
P1-1531	Eucalyptus tereticornis	Forest Red Gum	200		200	17	5	2.4	0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
P1-1532	Eucalyptus tereticornis	Forest Red Gum	330		330	20	9	4	0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
P1-1533	Corymbia tessellaris	Moreton Bay Ash	140		140	18	4	2	0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
P1-1534	Corymbia tessellaris	Moreton Bay Ash	100		100	12	2	2	0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
P1-1535	Corymbia tessellaris	Moreton Bay Ash	140		140	16	4	2	0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
P1-1536	Corymbia tessellaris	Moreton Bay Ash	180	80	197	17	6	2.4	0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
P1-1537	Corymbia tessellaris	Moreton Bay Ash	110		110	13	3	2	0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
P1-1538	Corymbia tessellaris	Moreton Bay Ash	80		80	10	2	2	0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
P1-1539	Corymbia tessellaris	Moreton Bay Ash	110		110	13	2	2	0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
P1-1540	Corymbia tessellaris	Moreton Bay Ash	140		140	15	3	2	0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
P1-1541	Corymbia tessellaris	Moreton Bay Ash	130		130	16	3	2	0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
P1-1542	Corymbia citriodora	Spotted Gum	490		490	24	7	5.9	0	Regular	-	Thinning	-	Epicormic	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	Termites	-	Remove - Bushfire ROL6	
P1-1544	Corymbia tessellaris	Moreton Bay Ash	200		200	15	7	2.4	0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
P1-1545	Eucalyptus tereticornis	Forest Red Gum	240		240	16	8	2.9	0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
P1-1546	Corymbia tessellaris	Moreton Bay Ash	60		60	6	1	2	0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
P1-1547	Corymbia tessellaris	Moreton Bay Ash	50		50	5	1	2	0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
P1-1548	Eucalyptus tereticornis	Forest Red Gum	80		80	12	3	2	0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
P1-1549	Eucalyptus tereticornis	Forest Red Gum	140		140	16	4	2	0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
P1-1550	Eucalyptus tereticornis	Forest Red Gum	220		220	17	5	2.6	0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
P1-1551	Eucalyptus tereticornis	Forest Red Gum	100	100	141	12	4	2	0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
P1-1552	Corymbia tessellaris	Moreton Bay Ash	60		60	8	2	2	0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
P1-1553	Corymbia tessellaris	Moreton Bay Ash	140		140	13	4	2	0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
P1-1554	Eucalyptus tereticornis	Forest Red Gum	150		150	16	4	2	0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
P1-1555	Eucalyptus tereticornis	Forest Red Gum	200		200	15	5	2.4	0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
P1-1556	Eucalyptus tereticornis	Forest Red Gum	760		760	23	16	9.1	0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
P1-1557	Corymbia citriodora	Spotted Gum	50		50	5	1	2	0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
P1-1558	Eucalyptus tereticornis	Forest Red Gum	160		160	14	5	2	0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
P1-1559	Eucalyptus tereticornis	Forest Red Gum	220		220	16	5	2.6	0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
P1-1560	Eucalyptus tereticornis	Forest Red Gum	230		230	14	7	2.8	0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
P1-1561	Corymbia citriodora	Spotted Gum	570		570	28	13	6.8	0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
P1-1562	Eucalyptus tereticornis	Forest Red Gum	510		510	28	9	6.1	0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
P1-1566	Eucalyptus tereticornis	Forest Red Gum	170	150	227	17	6	2.7	0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
P1-1567	Eucalyptus tereticornis	Forest Red Gum	210		210	17	3	2.5	0	Regular	-	Thinning	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
P1-1568	Eucalyptus tereticornis	Forest Red Gum	230		230	17	6	2.8	0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
P1-1569	Eucalyptus tereticornis	Forest Red Gum	120		120	10	4	2	0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
P1-1570	Eucalyptus tereticornis	Forest Red Gum	190		190	14	5	2.3	0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
P1-1571	Eucalyptus tereticornis	Forest Red Gum	170		170	16	3	2	0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
P1-1572	Eucalyptus siderophloia	Northern Grey Ironbark	180		180	16	4	2.2	0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
P1-1573	Eucalyptus tereticornis	Forest Red Gum	340		340	24	10	4.1	0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
P1-1574	Corymbia tessellaris	Moreton Bay Ash	140		140	11	3	2	0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bushfire ROL6	
47	Allocasuarina littoralis	Black Sheoak	110		110	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
48	Allocasuarina littoralis	Black Sheoak	120		120	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
49	Corymbia intermedia	Pink Bloodwood	170		170	14	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
50	Eucalyptus tereticornis	Forest Red Gum	100		100	10	2	2	1	Regular	-	-	Die-back	-	-	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain ROL6	
51	Allocasuarina littoralis	Black Sheoak	110		110	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
52	Eucalyptus tereticornis	Forest Red Gum	110		110	12	2	2	1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
53	Allocasuarina littoralis	Black Sheoak	150		150	15	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
54	Allocasuarina littoralis	Black Sheoak	140		140	14	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
125	Corymbia intermedia	Pink Bloodwood	190		190	20	8	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
126	Allocasuarina littoralis	Black Sheoak	170		170	14	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
127	Corymbia intermedia	Pink Bloodwood	210		210	20	6	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
128	Corymbia intermedia	Pink Bloodwood	160		160	20	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
129	Corymbia intermedia	Pink Bloodwood	120		120	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
130	Allocasuarina littoralis	Black Sheoak	140		140	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain ROL6	
131	Corymbia intermedia	Pink Bloodwood	250		250	20	8	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
132	Corymbia intermedia	Pink Bloodwood	210		210	20	5	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
133	Allocasuarina littoralis	Black Sheoak	200		200	10	3	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
134	Corymbia intermedia	Pink Bloodwood	90	150	175	14	2	2.1	2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
135	Corymbia intermedia	Pink Bloodwood	170	110	202	15	4	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
136	Eucalyptus tereticornis	Forest Red Gum	150		150	16	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
140	Lophostemon suaveolens	Swamp Box	140		140	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
141	Corymbia intermedia	Pink Bloodwood	250	150	292	12	2	3.5	2	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
142	Corymbia intermedia	Pink Bloodwood	220		220	20	6	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
159	Corymbia intermedia	Pink Bloodwood	150	220	266	18	8	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
161	Corymbia intermedia	Pink Bloodwood	190	150, 160, 240	377	18	6	4.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
162	Eucalyptus tereticornis	Forest Red Gum	430		430	22	12	5.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
163	Allocasuarina littoralis	Black Sheoak	140		140	15	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
164	Acacia concurrens	Black Wattle	100		100	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
165	Acacia concurrens	Black Wattle	100		100	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
227	Eucalyptus tereticornis	Forest Red Gum	230		230	18	6	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
228	Allocasuarina littoralis	Black Sheoak	120		120	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
229	Corymbia citriodora	Spotted Gum	220		220	18	6	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
230	Allocasuarina littoralis	Black Sheoak	190		190	12	4	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
231	Allocasuarina littoralis	Black Sheoak	110		110	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
232	Eucalyptus siderophloia	Grey Ironbark	190		190	18	6	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
233	Eucalyptus tereticornis	Forest Red Gum	210	140	252	15	4	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
234	Corymbia citriodora	Spotted Gum	200		200	22	6	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
235	Eucalyptus siderophloia	Grey Ironbark	250		250	22	10	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
236	Eucalyptus tereticornis	Forest Red Gum	110		110	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
237	Eucalyptus siderophloia	Grey Ironbark	170		170	20	6	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
238	Corymbia citriodora	Spotted Gum	150		150	18	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
239	Eucalyptus siderophloia	Grey Ironbark	140		140	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
240	Eucalyptus siderophloia	Grey Ironbark	240		240	18	6	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
241	Corymbia citriodora	Spotted Gum	210		210	18	6	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
242	Acacia concurrens	Black Wattle	100		100	8	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
243	Corymbia citriodora	Spotted Gum	290		290	26	10	3.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
244	Allocasuarina littoralis	Black Sheoak	150		150	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
245	Allocasuarina littoralis	Black Sheoak	110		110	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
246	Acacia concurrens	Black Wattle	100		100	8	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
247	Eucalyptus siderophloia	Grey Ironbark	160		160	15	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
248	Acacia concurrens	Black Wattle	100		100	6	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
249	Eucalyptus siderophloia	Grey Ironbark	370		370	26	15	4.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
250	Eucalyptus siderophloia	Grey Ironbark	310	280	418	26	15	5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
251	DEAD/STAG		330		330	22	2	4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	Termite nest	-	Retain ROL6	
252	Eucalyptus siderophloia	Grey Ironbark	240		240	18	8	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
253	Corymbia citriodora	Spotted Gum	280	210, 260	436	26	14	5.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
254	Acacia concurrens	Black Wattle	100		100	5	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
255	Acacia concurrens	Black Wattle	140		140	6	3	2	1	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
256	Acacia concurrens	Black Wattle	100		100	4	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
257	Acacia concurrens	Black Wattle	100		100	5	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
258	Corymbia citriodora	Spotted Gum	200		200	18	6	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
259	Corymbia citriodora	Spotted Gum	190		190	16	5	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
260	Corymbia citriodora	Spotted Gum	220		220	18	6	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
261	Acacia concurrens	Black Wattle	110		110	6	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
262	Acacia concurrens	Black Wattle	110		110	8	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
263	Eucalyptus siderophloia	Grey Ironbark	140		140	14	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
264	Corymbia citriodora	Spotted Gum	200	130	239	20	8	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
265	Corymbia citriodora	Spotted Gum	200		200	26	5	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
266	Corymbia citriodora	Spotted Gum	170	260	311	25	10	3.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
267	Corymbia citriodora	Spotted Gum	240		240	22	8	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
268	Corymbia citriodora	Spotted Gum	180		180	22	6	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
269	Eucalyptus siderophloia	Grey Ironbark	200		200	16	6	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Retain ROL6	
270	Corymbia intermedia	Pink Bloodwood	100		100	8	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
384	Allocasuarina littoralis	Black Sheoak	130		130	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
385	Acacia concurrens	Black Wattle	110		110	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
386	Allocasuarina littoralis	Black Sheoak	130		130	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
387	Allocasuarina littoralis	Black Sheoak	130		130	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
388	Allocasuarina littoralis	Black Sheoak	130		130	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
389	Eucalyptus tereticornis	Forest Red Gum	280		280	25	12	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
390	Allocasuarina littoralis	Black Sheoak	150		150	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
391	Allocasuarina littoralis	Black Sheoak	150		150	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
392	Allocasuarina littoralis	Black Sheoak	120		120	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
393	Allocasuarina littoralis	Black Sheoak	120		120	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
394	Allocasuarina littoralis	Black Sheoak	130		130	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
395	Allocasuarina littoralis	Black Sheoak	170		170	12	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
396	Allocasuarina littoralis	Black Sheoak	130		130	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
397	Allocasuarina littoralis	Black Sheoak	130		130	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
398	Acacia concurrens	Black Wattle	100		100	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
399	Acacia concurrens	Black Wattle	110		110	14	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
450	Allocasuarina littoralis	Black Sheoak	120		120	10	2	2	1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
451	Allocasuarina littoralis	Black Sheoak	140		140	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
452	Acacia concurrens	Black Wattle	100		100	8	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
485	Corymbia intermedia	Pink Bloodwood	240		240	15	6	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
486	Eucalyptus tereticornis	Forest Red Gum	200		200	16	4	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
487	Allocasuarina littoralis	Black Sheoak	110		110	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
489	Allocasuarina littoralis	Black Sheoak	130		130	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
490	Allocasuarina littoralis	Black Sheoak	110		110	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
491	Acacia concurrens	Black Wattle	100		100	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
492	Eucalyptus siderophloia	Grey Ironbark	200	180	269	24	8	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Remove ROL6	
493	Allocasuarina littoralis	Black Sheoak	130		130	12	2	2	1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
494	Corymbia intermedia	Pink Bloodwood	330		330	18	6	4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
495	Allocasuarina littoralis	Black Sheoak	160		160	12	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
496	Eucalyptus tereticornis	Forest Red Gum	480	210	524	25	10	6.3	3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
497	Eucalyptus siderophloia	Grey Ironbark	250		250	25	12	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	Old	-	-	-	-	-	Remove ROL6	
498	Eucalyptus siderophloia	Grey Ironbark	130		130	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
499	Eucalyptus tereticornis	Forest Red Gum	320		320	26	12	3.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
500	Eucalyptus tereticornis	Forest Red Gum	270	100	288	26	10	3.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
501	Eucalyptus siderophloia	Grey Ironbark	140		140	15	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
502	Eucalyptus tereticornis	Forest Red Gum	300		300	25	10	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
503	Allocasuarina littoralis	Black Sheoak	120		120	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
504	Acacia concurrens	Black Wattle	100		100	14	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
505	Corymbia intermedia	Pink Bloodwood	100		100	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
506	Eucalyptus tereticornis	Forest Red Gum	260		260	20	6	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
507	Acacia concurrens	Black Wattle	110		110	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
508	Acacia concurrens	Black Wattle	120		120	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
509	Acacia concurrens	Black Wattle	100		100	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
510	Allocasuarina littoralis	Black Sheoak	100		100	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
511	Acacia concurrens	Black Wattle	100		100	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
512	Allocasuarina littoralis	Black Sheoak	130		130	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
513	Allocasuarina littoralis	Black Sheoak	100		100	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
514	Eucalyptus siderophloia	Grey Ironbark	280		280	18	8	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
515	Acacia concurrens	Black Wattle	100		100	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
518	Eucalyptus tereticornis	Forest Red Gum	270		270	25	14	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
519	Eucalyptus tereticornis	Forest Red Gum	260		260	24	8	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
520	Eucalyptus tereticornis	Forest Red Gum	240		240	25	8	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
536	Corymbia citriodora	Spotted Gum	140		140	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
537	Corymbia citriodora	Spotted Gum	270		270	25	12	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
538	Eucalyptus tereticornis	Forest Red Gum	230		230	16	8	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	School VMP removed	
539	Eucalyptus siderophloia	Grey Ironbark	140		140	10	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
540	Eucalyptus tereticornis	Forest Red Gum	200		200	18	7	2.4	2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
541	Eucalyptus tereticornis	Forest Red Gum	280		280	18	6	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
542	Eucalyptus siderophloia	Grey Ironbark	250		250	16	3	3	2	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
543	Eucalyptus tereticornis	Forest Red Gum	250		250	18	8	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
544	Eucalyptus siderophloia	Grey Ironbark	170		170	12	6	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
545	Eucalyptus crebra	Narrow-leaved Ironbark	130		130	16	6	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
546	Eucalyptus tereticornis	Forest Red Gum	300	240	384	22	10	4.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
547	Corymbia citriodora	Spotted Gum	110		110	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
548	Eucalyptus tereticornis	Forest Red Gum	270		270	22	6	3.2	2	Regular	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain ROL6	
549	Eucalyptus tereticornis	Forest Red Gum	210	190	283	18	6	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
550	Eucalyptus crebra	Narrow-leaved Ironbark	240		240	20	8	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
551	Eucalyptus tereticornis	Forest Red Gum	220	210	304	18	7	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
552	Eucalyptus crebra	Narrow-leaved Ironbark	340	280	440	24	12	5.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
553	Acacia concurrens	Black Wattle	120		120	8	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
554	Acacia concurrens	Black Wattle	150		150	8	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
555	Eucalyptus tereticornis	Forest Red Gum	150		150	14	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
556	Allocasuarina littoralis	Black Sheoak	120		120	8	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
557	Eucalyptus tereticornis	Forest Red Gum	140		140	9	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
558	Corymbia citriodora	Spotted Gum	360		360	24	12	4.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
559	Eucalyptus crebra	Narrow-leaved Ironbark	140		140	10	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
560	Eucalyptus tereticornis	Forest Red Gum	280		280	22	10	3.4	2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	Old	-	-	-	-	Retain ROL6	
561	Eucalyptus tereticornis	Forest Red Gum	260		260	12	8	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
562	Eucalyptus tereticornis	Forest Red Gum	180		180	8	1	2.2	2	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
563	Eucalyptus tereticornis	Forest Red Gum	230		230	14	6	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
564	Eucalyptus tereticornis	Forest Red Gum	140		140	12	6	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
565	Allocasuarina littoralis	Black Sheoak	130		130	8	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
566	Eucalyptus tereticornis	Forest Red Gum	220		220	7	1	2.6	2	Regular	-	-	-	Epicormic	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
567	Eucalyptus tereticornis	Forest Red Gum	270		270	24	12	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
568	Eucalyptus tereticornis	Forest Red Gum	170		170	16	6	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
569	Corymbia citriodora	Spotted Gum	170		170	18	6	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
570	Allocasuarina littoralis	Black Sheoak	100		100	6	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
571	Allocasuarina littoralis	Black Sheoak	160		160	7	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
572	Allocasuarina littoralis	Black Sheoak	100		100	7	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
573	Allocasuarina littoralis	Black Sheoak	110		110	7	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
574	Eucalyptus tereticornis	Forest Red Gum	190		190	20	6	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
575	Angophora leiocarpa	Smooth-barked Apple	320	120	342	20	10	4.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
576	Corymbia intermedia	Pink Bloodwood	300		300	24	10	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
577	Eucalyptus tereticornis	Forest Red Gum	110		110	7	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
578	Allocasuarina littoralis	Black Sheoak	110		110	8	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
582	Corymbia intermedia	Pink Bloodwood	260		260	16	10	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
583	Allocasuarina littoralis	Black Sheoak	160		160	14	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
584	Corymbia intermedia	Pink Bloodwood	180		180	10	6	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
615	Corymbia intermedia	Pink Bloodwood	190		190	12	5	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
616	Corymbia intermedia	Pink Bloodwood	150		150	14	5	2	1	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
617	Allocasuarina littoralis	Black Sheoak	130		130	10	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
619	Corymbia intermedia	Pink Bloodwood	250		250	20	8	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
620	Corymbia intermedia	Pink Bloodwood	160		160	12	6	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
621	Corymbia intermedia	Pink Bloodwood	110		110	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
625	Corymbia intermedia	Pink Bloodwood	150		150	12	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
626	Corymbia intermedia	Pink Bloodwood	200		200	16	6	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
627	Allocasuarina littoralis	Black Sheoak	180		180	12	5	2.2	2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain ROL6	
628	Corymbia intermedia	Pink Bloodwood	120		120	12	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
629	Eucalyptus tereticornis	Forest Red Gum	380		380	24	14	4.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
647	Allocasuarina littoralis	Black Sheoak	180		180	12	6	2.2	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
648	Allocasuarina littoralis	Black Sheoak	210		210	12	6	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
712	Allocasuarina littoralis	Black Sheoak	110		110	8	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
713	Corymbia citriodora	Spotted Gum	110		110	8	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
714	Corymbia citriodora	Spotted Gum	120		120	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
715	Corymbia citriodora	Spotted Gum	360	300	469	22	12	5.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
716	Corymbia citriodora	Spotted Gum	170		170	14	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
717	Corymbia citriodora	Spotted Gum	350	140	377	24	12	4.5	2	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
718	Eucalyptus crebra	Narrow-leaved Ironbark	200		200	12	7	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
719	Corymbia citriodora	Spotted Gum	220		220	20	8	2.6	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
720	Corymbia citriodora	Spotted Gum	220		220	20	8	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
721	Corymbia citriodora	Spotted Gum	340	270	434	26	14	5.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
722	Eucalyptus tereticornis	Forest Red Gum	200		200	14	5	2.4	2	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
723	Acacia concurrens	Black Wattle	120		120	8	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
724	Acacia concurrens	Black Wattle	120		120	8	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
725	Corymbia citriodora	Spotted Gum	160		160	20	8	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
726	Corymbia citriodora	Spotted Gum	210		210	22	10	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
727	Eucalyptus crebra	Narrow-leaved Ironbark	150		150	14	6	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
728	Corymbia citriodora	Spotted Gum	170		170	20	8	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
729	Corymbia citriodora	Spotted Gum	150		150	14	6	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
730	Corymbia citriodora	Spotted Gum	320	150	353	24	12	4.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
731	Eucalyptus tereticornis	Forest Red Gum	160		160	10	6	2	2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain ROL6	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
732	Corymbia citriodora	Spotted Gum	300		300	24	12	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
733	Eucalyptus crebra	Narrow-leaved Ironbark	200		200	16	8	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
734	Corymbia citriodora	Spotted Gum	180		180	20	6	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
735	Corymbia citriodora	Spotted Gum	200	130	239	18	6	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
736	Corymbia citriodora	Spotted Gum	140		140	14	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
737	Corymbia citriodora	Spotted Gum	310		310	24	12	3.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
738	Corymbia citriodora	Spotted Gum	240	140	278	22	10	3.3	2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
739	Corymbia citriodora	Spotted Gum	210	120	242	22	10	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
809	Corymbia intermedia	Pink Bloodwood	250		250	20	10	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
810	Allocasuarina littoralis	Black Sheoak	100		100	10	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
811	Allocasuarina littoralis	Black Sheoak	100		100	10	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
812	Eucalyptus tereticornis	Forest Red Gum	280		280	22	10	3.4	2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
813	Corymbia intermedia	Pink Bloodwood	200		200	16	5	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
814	Allocasuarina littoralis	Black Sheoak	140		140	10	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
815	Allocasuarina littoralis	Black Sheoak	130		130	10	6	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
816	Allocasuarina littoralis	Black Sheoak	120		120	10	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
817	Allocasuarina littoralis	Black Sheoak	110		110	8	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
818	Eucalyptus tereticornis	Forest Red Gum	140		140	16	3	2	1	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
819	Allocasuarina littoralis	Black Sheoak	120		120	10	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
820	Lophostemon suaveolens	Swamp Box	270		270	12	6	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
821	Allocasuarina littoralis	Black Sheoak	140		140	8	3	2	1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
822	Acacia concurrens	Black Wattle	120		120	8	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
823	Allocasuarina littoralis	Black Sheoak	140		140	10	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
824	Eucalyptus tereticornis	Forest Red Gum	190		190	18	5	2.3	2	Regular	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove ROL6	
825	Acacia concurrens	Black Wattle	110		110	8	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
826	Allocasuarina littoralis	Black Sheoak	100		100	8	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
827	Corymbia intermedia	Pink Bloodwood	140		140	12	1	2	1	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
828	Allocasuarina littoralis	Black Sheoak	140		140	8	4	2	1	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
829	Allocasuarina littoralis	Black Sheoak	120		120	8	4	2	1	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
866	Eucalyptus tereticornis	Forest Red Gum	200	180	269	20	10	3.2	2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain ROL6	
898	Eucalyptus tereticornis	Forest Red Gum	350		350	20	10	4.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
899	Acacia concurrens	Black Wattle	100		100	8	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
900	Corymbia intermedia	Pink Bloodwood	250		250	12	6	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
901	Eucalyptus tereticornis	Forest Red Gum	320		320	16	10	3.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
902	Eucalyptus tereticornis	Forest Red Gum	220	130	256	18	5	3.1	2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
903	Corymbia intermedia	Pink Bloodwood	200	200	283	14	8	3.4	2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove ROL6	
904	Allocasuarina littoralis	Black Sheoak	140		140	12	6	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
905	Eucalyptus tereticornis	Forest Red Gum	300		300	20	10	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
906	Eucalyptus tereticornis	Forest Red Gum	380		380	22	10	4.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
907	Eucalyptus crebra	Narrow-leaved Ironbark	230		230	20	10	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
908	Eucalyptus crebra	Narrow-leaved Ironbark	260		260	24	12	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
909	Eucalyptus crebra	Narrow-leaved Ironbark	200		200	18	8	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
910	Eucalyptus tereticornis	Forest Red Gum	230		230	20	10	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
911	Eucalyptus crebra	Narrow-leaved Ironbark	210		210	20	8	2.5	2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
912	Allocasuarina littoralis	Black Sheoak	140		140	10	6	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
913	Eucalyptus crebra	Narrow-leaved Ironbark	160		160	12	6	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
914	Eucalyptus tereticornis	Forest Red Gum	220		220	10	5	2.6	2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove ROL6	
915	Eucalyptus tereticornis	Forest Red Gum	380		380	20	10	4.6	2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
916	Acacia concurrens	Black Wattle	110		110	8	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
917	Eucalyptus tereticornis	Forest Red Gum	300		300	22	8	3.6	2	Regular	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove ROL6	
918	Allocasuarina littoralis	Black Sheoak	100		100	8	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
919	Eucalyptus tereticornis	Forest Red Gum	320		320	20	10	3.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
920	Allocasuarina littoralis	Black Sheoak	110		110	8	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
921	Allocasuarina littoralis	Black Sheoak	130		130	8	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
922	Corymbia intermedia	Pink Bloodwood	280		280	16	10	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
923	Allocasuarina littoralis	Black Sheoak	110		110	10	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
924	Allocasuarina littoralis	Black Sheoak	110		110	8	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
925	Allocasuarina littoralis	Black Sheoak	110		110	10	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
926	Eucalyptus tereticornis	Forest Red Gum	260	230, 230	416	22	10	5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
927	Acacia concurrens	Black Wattle	100		100	8	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
928	Eucalyptus tereticornis	Forest Red Gum	210		210	14	7	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
929	Eucalyptus tereticornis	Forest Red Gum	160	110	194	18	7	2.3	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
930	Acacia concurrens	Black Wattle	140		140	8	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
931	Allocasuarina littoralis	Black Sheoak	120		120	10	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
932	Acacia concurrens	Black Wattle	120		120	10	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
933	Corymbia intermedia	Pink Bloodwood	440		440	20	10	5.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
934	Eucalyptus tereticornis	Forest Red Gum	270		270	20	8	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
935	Acacia concurrens	Black Wattle	110		110	8	6	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
936	Eucalyptus tereticornis	Forest Red Gum	220		220	24	12	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
938	Acacia concurrens	Black Wattle	110		110	8	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
939	Acacia concurrens	Black Wattle	120		120	10	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
940	Acacia concurrens	Black Wattle	120		120	10	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
941	Acacia concurrens	Black Wattle	120		120	10	5	2	1	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
942	Acacia concurrens	Black Wattle	130		130	8	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
943	Corymbia citriodora	Spotted Gum	330		330	24	14	4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
944	Acacia concurrens	Black Wattle	110		110	8	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
945	Corymbia citriodora	Spotted Gum	400	170	435	19	7	5.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
946	Corymbia citriodora	Spotted Gum	100		100	13	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
947	Eucalyptus tereticornis	Forest Red Gum	150		150	16	3	2	1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
948	Eucalyptus crebra	Narrow-leaved Ironbark	120		120	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
949	Allocasuarina littoralis	Black Sheoak	140		140	12	3	2	1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
950	Allocasuarina littoralis	Black Sheoak	120	90	150	10	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
951	Allocasuarina littoralis	Black Sheoak	130		130	10	3	2	1	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
952	Allocasuarina littoralis	Black Sheoak	120		120	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
953	Eucalyptus tereticornis	Forest Red Gum	320		320	18	6	3.8	2	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
954	Allocasuarina littoralis	Black Sheoak	130		130	14	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
955	Eucalyptus crebra	Narrow-leaved Ironbark	200		200	18	5	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Retain ROL6	
956	Acacia concurrens	Black Wattle	100		100	12	2	2	1	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
957	Corymbia citriodora	Spotted Gum	130		130	15	5	2	1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
958	Eucalyptus tereticornis	Forest Red Gum	370		370	20	8	4.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
959	Eucalyptus crebra	Narrow-leaved Ironbark	220		220	19	5	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
960	Eucalyptus crebra	Narrow-leaved Ironbark	220	210	304	18	6	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
961	Allocasuarina littoralis	Black Sheoak	140		140	12	3	2	1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
962	Eucalyptus crebra	Narrow-leaved Ironbark	130		130	16	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
963	Allocasuarina littoralis	Black Sheoak	120		120	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
964	Allocasuarina littoralis	Black Sheoak	100		100	11	3	2	1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
965	Allocasuarina littoralis	Black Sheoak	140		140	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
966	Allocasuarina littoralis	Black Sheoak	140		140	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
967	Allocasuarina littoralis	Black Sheoak	150		150	13	3	2	1	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
968	Acacia concurrens	Black Wattle	120		120	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
969	Eucalyptus tereticornis	Forest Red Gum	430		430	19	7	5.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
970	Eucalyptus crebra	Narrow-leaved Ironbark	260		260	17	5	3.1	2	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Retain ROL6	
971	Corymbia citriodora	Spotted Gum	310		310	21	10	3.7	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
972	Eucalyptus tereticornis	Forest Red Gum	210		210	16	5	2.5	2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain ROL6	
973	Allocasuarina littoralis	Black Sheoak	200		200	15	4	2.4	2	Regular	-	Thinning	Die-back	-	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
974	Allocasuarina littoralis	Black Sheoak	220		220	14	2	2.6	2	Regular	-	Thinning	Die-back	-	Lopped	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
975	Allocasuarina littoralis	Black Sheoak	100		100	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
976	Corymbia citriodora	Spotted Gum	200	190	276	16	6	3.3	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
977	Allocasuarina littoralis	Black Sheoak	180		180	13	5	2.2	2	Regular	-	-	Die-back	-	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
978	Corymbia citriodora	Spotted Gum	260	100	279	16	6	3.3	2	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
979	Acacia concurrens	Black Wattle	100		100	10	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
980	Allocasuarina littoralis	Black Sheoak	160		160	14	3	2	2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
981	Eucalyptus tereticornis	Forest Red Gum	230		230	18	5	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
983	Eucalyptus tereticornis	Forest Red Gum	200		200	16	5	2.4	2	One-sided	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain ROL6	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
984	Allocasuarina littoralis	Black Sheoak	150		150	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Retain ROL6	
985	Corymbia citriodora	Spotted Gum	250	160	297	18	8	3.6	2	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
1145	Eucalyptus tereticornis	Forest Red Gum	150		150	14	5	2	1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
1146	Acacia concurrens	Black Wattle	120		120	10	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
1147	Allocasuarina littoralis	Black Sheoak	170		170	12	4	2	2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain ROL6	
1148	Allocasuarina littoralis	Black Sheoak	140		140	10	4	2	1	Regular	-	Thinning	Die-back	-	Lopped	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
1149	Eucalyptus tereticornis	Forest Red Gum	120		120	14	3	2	1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
1150	Eucalyptus crebra	Narrow-leaved Ironbark	330		330	18	6	4	2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	Termite nest	-	Retain ROL6	
1151	Allocasuarina littoralis	Black Sheoak	130		130	13	3	2	1	Regular	-	-	-	-	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Retain ROL6	
1152	Eucalyptus crebra	Narrow-leaved Ironbark	120		120	14	1	2	1	Regular	-	Thinning	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
1153	Corymbia citriodora	Spotted Gum	170	140	220	15	4	2.6	2	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
1154	Eucalyptus tereticornis	Forest Red Gum	230		230	20	3	2.8	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
1155	Eucalyptus crebra	Narrow-leaved Ironbark	350		350	22	10	4.2	2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Retain ROL6	
1156	Corymbia citriodora	Spotted Gum	270		270	18	7	3.2	2	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
1157	Eucalyptus crebra	Narrow-leaved Ironbark	210	130	247	17	6	3	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
1158	Acacia concurrens	Black Wattle	120		120	11	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
1159	Eucalyptus crebra	Narrow-leaved Ironbark	160		160	15	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
1160	Corymbia citriodora	Spotted Gum	270		270	19	5	3.2	2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain ROL6	
1161	Acacia concurrens	Black Wattle	140		140	10	3	2	1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
1162	Eucalyptus crebra	Narrow-leaved Ironbark	320		320	20	9	3.8	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
1163	Eucalyptus tereticornis	Forest Red Gum	300		300	21	7	3.6	2	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
1164	Corymbia citriodora	Spotted Gum	250		250	19	9	3	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
1165	Eucalyptus crebra	Narrow-leaved Ironbark	320	290	432	22	10	5.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
1166	Eucalyptus crebra	Narrow-leaved Ironbark	150		150	16	4	2	1	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
1167	Lophostemon suaveolens	Swamp Box	110		110	11	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
1168	Eucalyptus crebra	Narrow-leaved Ironbark	270		270	22	8	3.2	2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain ROL6	
1169	Eucalyptus tereticornis	Forest Red Gum	310		310	23	9	3.7	2	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
1170	DEAD/STAG		240		240	15	4	2.9	2	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	Termite nest	-	Retain ROL6	
1171	Acacia concurrens	Black Wattle	100		100	10	2	2	1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
1172	Eucalyptus tereticornis	Forest Red Gum	230		230	16	4	2.8	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain ROL6	
1173	Corymbia citriodora	Spotted Gum	100		100	11	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
1174	Corymbia intermedia	Pink Bloodwood	170		170	13	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Retain ROL6	
1175	Eucalyptus tereticornis	Forest Red Gum	230		230	18	5	2.8	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
1176	Acacia concurrens	Black Wattle	110		110	11	2	2	1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
1177	Corymbia citriodora	Spotted Gum	280	200	344	19	9	4.1	2	Irregular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
1178	Corymbia citriodora	Spotted Gum	210	120	242	17	5	2.9	2	Regular	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain ROL6	
1273	Allocasuarina littoralis	Black Sheoak	110		110	13	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
1274	Allocasuarina littoralis	Black Sheoak	140		140	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
1275	Allocasuarina littoralis	Black Sheoak	140		140	14	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
1276	Eucalyptus tereticornis	Forest Red Gum	180	140	228	16	5	2.7	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
1277	Eucalyptus tereticornis	Forest Red Gum	180		180	16	3	2.2	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove ROL6	
1332	Acacia concurrens	Black Wattle	100		100	11	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
1333	Acacia concurrens	Black Wattle	100		100	10	2	2	1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
1334	Allocasuarina littoralis	Black Sheoak	100		100	11	2	2	1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
1335	Corymbia citriodora	Spotted Gum	260	220	341	18	8	4.1	2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
1336	Acacia concurrens	Black Wattle	120		120	11	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
1338	Acacia concurrens	Black Wattle	100		100	11	2	2	1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1339	Acacia concurrens	Black Wattle	130		130	12	3	2	1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1340	Acacia concurrens	Black Wattle	100	80	128	10	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1341	Acacia concurrens	Black Wattle	110	100	149	10	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1343	Acacia concurrens	Black Wattle	100		100	9	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1374	Melaleuca quinquenervia	Broad-leaved Paperbark	150		150	10	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
1376	Acacia concurrens	Black Wattle	110		110	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
1377	Allocasuarina littoralis	Black Sheoak	120		120	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove ROL6	
1378	Eucalyptus tereticornis	Forest Red Gum	280	250	375	17	5	4.5	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
1379	Eucalyptus tereticornis	Forest Red Gum	200		200	16	4	2.4	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
1380	Eucalyptus tereticornis	Forest Red Gum	260		260	18	6	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove ROL6	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
1381	Allocasuarina littoralis	Black Sheoak	120		120	13	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
1382	Corymbia intermedia	Pink Bloodwood	120		120	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
1383	Allocasuarina littoralis	Black Sheoak	100		100	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove ROL6	
1384	Eucalyptus tereticornis	Forest Red Gum	120		120	11	2	2	1	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
1385	Acacia concurrens	Black Wattle	110		110	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
1386	Acacia concurrens	Black Wattle	110		110	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
1387	Acacia concurrens	Black Wattle	110		110	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
1388	Allocasuarina littoralis	Black Sheoak	110		110	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
1389	Allocasuarina littoralis	Black Sheoak	140		140	11	2	2	1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
1390	Allocasuarina littoralis	Black Sheoak	120		120	11	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
1391	Allocasuarina littoralis	Black Sheoak	120		120	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
1392	Acacia concurrens	Black Wattle	110		110	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
1393	Allocasuarina littoralis	Black Sheoak	120		120	12	2	2	1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove ROL6	
1394	Allocasuarina littoralis	Black Sheoak	120		120	11	2	2	1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove ROL6	
1395	Acacia concurrens	Black Wattle	100		100	11	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
1396	Acacia concurrens	Black Wattle	110		110	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
1397	Acacia concurrens	Black Wattle	110		110	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
1398	Acacia concurrens	Black Wattle	100		100	13	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
1399	Acacia concurrens	Black Wattle	110		110	12	2	2	1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
1400	Acacia concurrens	Black Wattle	130		130	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
1401	Allocasuarina littoralis	Black Sheoak	110		110	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
1402	Acacia concurrens	Black Wattle	110		110	12	2	2	1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
1403	Allocasuarina littoralis	Black Sheoak	130		130	13	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
1404	Allocasuarina littoralis	Black Sheoak	120		120	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
1405	Acacia concurrens	Black Wattle	120		120	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
1406	Eucalyptus tereticornis	Forest Red Gum	160		160	16	3	2	2	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
1411	Eucalyptus tereticornis	Forest Red Gum	500		500	20	7	6	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
1657	Eucalyptus tereticornis	Forest Red Gum	230		230	18	4	2.8	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1658	Alphitonia excelsa	Red Ash	150		150	10	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1659	Allocasuarina littoralis	Black Sheoak	200		200	12	3	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1660	Eucalyptus crebra	Narrow-leaved Ironbark	320		320	20	6	3.8	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1661	Corymbia citriodora	Spotted Gum	450		450	26	8	5.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1662	Melaleuca quinquenervia	Broad-leaved Paperbark	150		150	10	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1663	Eucalyptus moluccana	Gum-topped Box	210		210	14	3	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1664	Lophostemon suaveolens	Swamp Box	110		110	9	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1665	Melaleuca quinquenervia	Broad-leaved Paperbark	260		260	16	3	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1666	Eucalyptus tereticornis	Forest Red Gum	330		330	25	8	4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1667	Lophostemon suaveolens	Swamp Box	180		180	11	2	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1668	Eucalyptus tereticornis	Forest Red Gum	380		380	22	8	4.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1669	Lophostemon suaveolens	Swamp Box	130		130	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1670	Lophostemon suaveolens	Swamp Box	190		190	14	3	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1671	Lophostemon confertus	Brush Box	180		180	15	3	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1672	Corymbia citriodora	Spotted Gum	260		260	19	4	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1673	Lophostemon suaveolens	Swamp Box	150		150	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1674	Lophostemon suaveolens	Swamp Box	160		160	16	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1675	Lophostemon suaveolens	Swamp Box	180		180	14	3	2.2	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1676	Lophostemon suaveolens	Swamp Box	230		230	16	3	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1677	Corymbia citriodora	Spotted Gum	360		360	22	7	4.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1678	Lophostemon suaveolens	Swamp Box	180		180	14	3	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1679	Lophostemon suaveolens	Swamp Box	170		170	16	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1680	Lophostemon suaveolens	Swamp Box	140		140	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1681	Lophostemon suaveolens	Swamp Box	170	100	197	10	2	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1682	Lophostemon suaveolens	Swamp Box	250		250	14	3	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1683	Eucalyptus crebra	Narrow-leaved Ironbark	190		190	16	1	2.3	2	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1684	Angophora leiocarpa	Smooth-barked Apple	120		120	11	2	2	1	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1685	Corymbia citriodora	Spotted Gum	340		340	20	6	4.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1686	Eucalyptus siderophloia	Grey Ironbark	320		320	20	4	3.8	2	Regular	-	Thinning	Die-back	Epicormic	-	Exellent	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
1687	Corymbia citriodora	Spotted Gum	160		160	13	3	2	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1688	Eucalyptus siderophloia	Grey Ironbark	460		460	25	12	5.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1689	Corymbia citriodora	Spotted Gum	160		160	13	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1690	Eucalyptus tereticornis	Forest Red Gum	410		410	26	12	4.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1691	Lophostemon suaveolens	Swamp Box	150		150	10	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1692	Allocasuarina littoralis	Black Sheoak	220		220	12	3	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1693	Melaleuca quinquenervia	Broad-leaved Paperbark	240		240	12	3	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1694	Melaleuca quinquenervia	Broad-leaved Paperbark	140		140	13	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1695	Melaleuca quinquenervia	Broad-leaved Paperbark	180		180	10	2	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1696	Corymbia citriodora	Spotted Gum	290		290	19	5	3.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1697	Melaleuca quinquenervia	Broad-leaved Paperbark	210		210	13	3	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1698	Eucalyptus tereticornis	Forest Red Gum	350	220	413	18	5	5	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1699	Melaleuca quinquenervia	Broad-leaved Paperbark	280		280	16	5	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1700	Eucalyptus tereticornis	Forest Red Gum	380		380	27	7	4.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1701	Lophostemon suaveolens	Swamp Box	180		180	16	3	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1702	Eucalyptus tereticornis	Forest Red Gum	340		340	25	8	4.1	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1703	Corymbia citriodora	Spotted Gum	170		170	14	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1704	Lophostemon suaveolens	Swamp Box	150		150	13	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1705	Allocasuarina littoralis	Black Sheoak	190		190	15	3	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1706	Allocasuarina littoralis	Black Sheoak	190		190	14	3	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1707	Lophostemon suaveolens	Swamp Box	180		180	15	3	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1708	Lophostemon suaveolens	Swamp Box	140		140	13	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1709	Lophostemon suaveolens	Swamp Box	170		170	14	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1710	Melaleuca quinquenervia	Broad-leaved Paperbark	200		200	15	3	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1711	Lophostemon suaveolens	Swamp Box	120		120	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1712	Lophostemon suaveolens	Swamp Box	110		110	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1713	Lophostemon suaveolens	Swamp Box	100		100	9	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1714	Lophostemon suaveolens	Swamp Box	100		100	9	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1715	Allocasuarina littoralis	Black Sheoak	140		140	11	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1716	Lophostemon suaveolens	Swamp Box	180		180	10	2	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1717	Lophostemon suaveolens	Swamp Box	130		130	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1718	Allocasuarina littoralis	Black Sheoak	140		140	10	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1719	Melaleuca quinquenervia	Broad-leaved Paperbark	110	110	156	9	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1720	Lophostemon suaveolens	Swamp Box	180		180	12	3	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1721	Lophostemon suaveolens	Swamp Box	200		200	9	3	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1722	Lophostemon suaveolens	Swamp Box	140		140	9	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1723	Corymbia citriodora	Spotted Gum	310		310	25	7	3.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1724	Melaleuca quinquenervia	Broad-leaved Paperbark	440		440	18	7	5.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1725	Melaleuca quinquenervia	Broad-leaved Paperbark	120		120	10	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1726	Eucalyptus tereticornis	Forest Red Gum	160		160	17	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1727	Lophostemon suaveolens	Swamp Box	150		150	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1728	Allocasuarina littoralis	Black Sheoak	140		140	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1729	Lophostemon suaveolens	Swamp Box	180		180	14	2	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1730	Lophostemon suaveolens	Swamp Box	170		170	16	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1731	Allocasuarina littoralis	Black Sheoak	150		150	13	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1732	Allocasuarina littoralis	Black Sheoak	170		170	13	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1733	Lophostemon suaveolens	Swamp Box	130		130	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1734	Lophostemon suaveolens	Swamp Box	150		150	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1735	Lophostemon suaveolens	Swamp Box	180		180	16	3	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1736	Lophostemon suaveolens	Swamp Box	180		180	15	3	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1737	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	13	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1738	Melaleuca quinquenervia	Broad-leaved Paperbark	160		160	15	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1739	Lophostemon suaveolens	Swamp Box	190		190	15	3	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1740	Corymbia tessellaris	Moreton Bay Ash	170		170	17	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1741	Melaleuca quinquenervia	Broad-leaved Paperbark	170		170	16	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1742	Allocasuarina littoralis	Black Sheoak	210		210	12	4	2.5	2	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1743	Melaleuca quinquenervia	Broad-leaved Paperbark	150		150	16	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
1744	Melaleuca quinquenervia	Broad-leaved Paperbark	200	150	250	15	3	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1745	Angophora leiocarpa	Smooth-barked Apple	120		120	9	3	2	1	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1746	Melaleuca quinquenervia	Broad-leaved Paperbark	200	170	262	16	3	3.1	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1747	Melaleuca quinquenervia	Broad-leaved Paperbark	250		250	17	3	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1748	Melaleuca quinquenervia	Broad-leaved Paperbark	140		140	13	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1749	Lophostemon suaveolens	Swamp Box	120		120	11	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1750	Eucalyptus tereticornis	Forest Red Gum	210		210	18	5	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1751	Lophostemon suaveolens	Swamp Box	130		130	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1752	Melaleuca quinquenervia	Broad-leaved Paperbark	170		170	16	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1753	Lophostemon suaveolens	Swamp Box	130		130	16	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1754	Melaleuca quinquenervia	Broad-leaved Paperbark	200		200	15	3	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1755	Melaleuca quinquenervia	Broad-leaved Paperbark	290		290	16	5	3.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1756	Lophostemon suaveolens	Swamp Box	160		160	16	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1757	Lophostemon suaveolens	Swamp Box	140		140	14	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1758	Angophora leiocarpa	Smooth-barked Apple	180		180	14	4	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1759	Allocasuarina littoralis	Black Sheoak	190		190	13	3	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1760	Lophostemon suaveolens	Swamp Box	120		120	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1761	Corymbia intermedia	Pink Bloodwood	300		300	18	5	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1762	Lophostemon suaveolens	Swamp Box	120		120	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1763	Allocasuarina littoralis	Black Sheoak	180		180	15	3	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1764	Lophostemon suaveolens	Swamp Box	100		100	9	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1765	Melaleuca quinquenervia	Broad-leaved Paperbark	100	110, 110	185	13	3	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1766	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	13	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1767	Melaleuca quinquenervia	Broad-leaved Paperbark	240		240	17	4	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1768	Lophostemon suaveolens	Swamp Box	150		150	14	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1769	Eucalyptus tereticornis	Forest Red Gum	180		180	16	3	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1770	Melaleuca quinquenervia	Broad-leaved Paperbark	140		140	13	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1771	Allocasuarina littoralis	Black Sheoak	130		130	10	2	2	1	Regular	-	-	-	-	-	Typical	Major	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1772	Lophostemon suaveolens	Swamp Box	110		110	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1773	Corymbia intermedia	Pink Bloodwood	250		250	16	4	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1774	Corymbia intermedia	Pink Bloodwood	330		330	18	5	4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1775	Allocasuarina littoralis	Black Sheoak	240		240	15	4	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1776	Angophora leiocarpa	Smooth-barked Apple	130		130	8	2	2	1	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1777	Allocasuarina littoralis	Black Sheoak	320		320	16	5	3.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1778	Corymbia intermedia	Pink Bloodwood	300		300	16	5	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1779	Acacia disparrima	Hickory Wattle	160		160	12	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1780	Angophora leiocarpa	Smooth-barked Apple	280		280	15	5	3.4	2	Regular	-	Thinning	-	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1781	Acacia leiocalyx	Early Flowering Black Wattle	160		160	13	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1782	Acacia leiocalyx	Early Flowering Black Wattle	140		140	11	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1783	Corymbia intermedia	Pink Bloodwood	390	270	474	20	8	5.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1784	Eucalyptus tereticornis	Forest Red Gum	290		290	22	4	3.5	2	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1785	Acacia leiocalyx	Early Flowering Black Wattle	170	120	208	15	4	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1786	Acacia leiocalyx	Early Flowering Black Wattle	170		170	14	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1787	Eucalyptus tereticornis	Forest Red Gum	230		230	19	5	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1788	Acacia leiocalyx	Early Flowering Black Wattle	150		150	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1789	Corymbia intermedia	Pink Bloodwood	160		160	15	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1790	Corymbia intermedia	Pink Bloodwood	300		300	21	6	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1791	Corymbia intermedia	Pink Bloodwood	210		210	15	4	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1792	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	8	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1793	Eucalyptus tereticornis	Forest Red Gum	330		330	20	5	4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1794	Corymbia intermedia	Pink Bloodwood	220		220	17	4	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1795	Eucalyptus tereticornis	Forest Red Gum	150		150	16	1	2	1	Regular	-	Thinning	-	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1796	Corymbia intermedia	Pink Bloodwood	410		410	22	9	4.9	2	Regular	-	-	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1797	Eucalyptus tereticornis	Forest Red Gum	260		260	19	5	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1798	Melaleuca quinquenervia	Broad-leaved Paperbark	290		290	15	4	3.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1799	Allocasuarina littoralis	Black Sheoak	170		170	14	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1800	Eucalyptus tereticornis	Forest Red Gum	290		290	19	5	3.5	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
1801	Lophostemon suaveolens	Swamp Box	130		130	13	2	2	1	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1802	Melaleuca quinquenervia	Broad-leaved Paperbark	390	300	492	18	6	5.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1803	Corymbia intermedia	Pink Bloodwood	200		200	17	1	2.4	2	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1804	Melaleuca quinquenervia	Broad-leaved Paperbark	190		190	15	3	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1805	Melaleuca quinquenervia	Broad-leaved Paperbark	280		280	16	3	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1806	Melaleuca quinquenervia	Broad-leaved Paperbark	260	210	334	18	5	4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1807	Lophostemon suaveolens	Swamp Box	140		140	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1808	Lophostemon suaveolens	Swamp Box	100		100	8	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1809	Allocasuarina littoralis	Black Sheoak	150		150	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1810	Allocasuarina littoralis	Black Sheoak	170		170	15	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1811	Allocasuarina littoralis	Black Sheoak	220		220	16	4	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1812	Melaleuca quinquenervia	Broad-leaved Paperbark	150		150	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1813	Allocasuarina littoralis	Black Sheoak	140		140	9	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1814	Melaleuca quinquenervia	Broad-leaved Paperbark	150		150	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1815	Corymbia intermedia	Pink Bloodwood	210		210	19	5	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1816	Melaleuca quinquenervia	Broad-leaved Paperbark	350		350	17	5	4.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1817	Allocasuarina littoralis	Black Sheoak	140		140	11	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1818	Melaleuca quinquenervia	Broad-leaved Paperbark	170		170	15	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1819	Melaleuca quinquenervia	Broad-leaved Paperbark	260		260	16	5	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1820	Melaleuca quinquenervia	Broad-leaved Paperbark	320		320	17	5	3.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1821	Corymbia intermedia	Pink Bloodwood	500		500	18	6	6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1822	Acacia leiocalyx	Early Flowering Black Wattle	110	120	163	12	3	2	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1823	Acacia leiocalyx	Early Flowering Black Wattle	200		200	13	3	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1824	Eucalyptus sideroph loia	Grey Ironbark	330		330	22	7	4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1825	Angophora leiocarpa	Smooth-barked Apple	310		310	18	5	3.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1826	Acacia leiocalyx	Early Flowering Black Wattle	160		160	14	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1827	Melaleuca quinquenervia	Broad-leaved Paperbark	220		220	13	4	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1828	Lophostemon suaveolens	Swamp Box	140		140	15	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1829	Lophostemon suaveolens	Swamp Box	120	140	184	13	3	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1830	Lophostemon suaveolens	Swamp Box	180	100	206	15	3	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1831	Allocasuarina littoralis	Black Sheoak	150		150	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1832	Allocasuarina littoralis	Black Sheoak	160		160	14	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1833	Allocasuarina littoralis	Black Sheoak	140		140	13	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1834	Allocasuarina littoralis	Black Sheoak	220		220	10	4	2.6	2	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1835	Allocasuarina littoralis	Black Sheoak	150		150	11	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1836	Corymbia tessellaris	Moreton Bay Ash	290		290	23	8	3.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1837	Allocasuarina littoralis	Black Sheoak	320		320	18	6	3.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1838	Allocasuarina littoralis	Black Sheoak	220		220	16	4	2.6	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1839	Allocasuarina littoralis	Black Sheoak	150		150	7	2	2	1	Regular	-	-	Die-back	-	Lopped	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1840	Melaleuca quinquenervia	Broad-leaved Paperbark	170		170	12	3	2	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1841	Allocasuarina littoralis	Black Sheoak	210		210	16	4	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1842	Eucalyptus tereticornis	Forest Red Gum	300		300	20	5	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1843	Allocasuarina littoralis	Black Sheoak	290		290	16	5	3.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1844	Angophora leiocarpa	Smooth-barked Apple	250		250	17	5	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1845	Allocasuarina littoralis	Black Sheoak	190		190	16	4	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1846	Allocasuarina littoralis	Black Sheoak	210		210	15	4	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	Termite nest	-	School VMP removed	
1847	Acacia leiocalyx	Early Flowering Black Wattle	140		140	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1848	Allocasuarina littoralis	Black Sheoak	200		200	13	3	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1849	Angophora leiocarpa	Smooth-barked Apple	430		430	18	5	5.2	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1850	Angophora leiocarpa	Smooth-barked Apple	150		150	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1851	Allocasuarina littoralis	Black Sheoak	160		160	6	3	2	2	One-sided	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1852	Lophostemon suaveolens	Swamp Box	200		200	16	3	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1853	Allocasuarina littoralis	Black Sheoak	170		170	16	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1854	Corymbia intermedia	Pink Bloodwood	290		290	17	5	3.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1855	Allocasuarina littoralis	Black Sheoak	180		180	12	4	2.2	2	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1856	Angophora leiocarpa	Smooth-barked Apple	300		300	20	6	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1857	Allocasuarina littoralis	Black Sheoak	220		220	15	4	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
1858	Acacia leiocalyx	Early Flowering Black Wattle	200		200	16	4	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1859	Acacia leiocalyx	Early Flowering Black Wattle	160		160	11	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1860	Allocasuarina littoralis	Black Sheoak	180		180	14	3	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1861	Allocasuarina littoralis	Black Sheoak	140		140	7	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1862	Allocasuarina littoralis	Black Sheoak	190		190	16	3	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1863	Eucalyptus tereticornis	Forest Red Gum	250		250	21	5	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1864	Acacia leiocalyx	Early Flowering Black Wattle	180		180	17	3	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1865	Acacia leiocalyx	Early Flowering Black Wattle	180		180	16	3	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1866	Eucalyptus tereticornis	Forest Red Gum	270		270	20	5	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1867	Acacia leiocalyx	Early Flowering Black Wattle	160		160	15	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1868	Acacia leiocalyx	Early Flowering Black Wattle	160		160	15	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1869	Acacia leiocalyx	Early Flowering Black Wattle	170		170	14	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1870	Acacia leiocalyx	Early Flowering Black Wattle	170		170	15	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1871	Acacia leiocalyx	Early Flowering Black Wattle	170		170	16	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1872	Acacia leiocalyx	Early Flowering Black Wattle	150		150	15	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1873	Eucalyptus tereticornis	Forest Red Gum	380		380	20	7	4.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1874	Allocasuarina littoralis	Black Sheoak	200		200	15	3	2.4	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	Trunk Dmg.	-	Poor	-	-	-	-	-	-	School VMP removed	
1875	Corymbia intermedia	Pink Bloodwood	250		250	22	7	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1876	Melaleuca quinquenervia	Broad-leaved Paperbark	240		240	16	4	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1877	Lophostemon suaveolens	Swamp Box	120		120	12	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1878	Allocasuarina littoralis	Black Sheoak	180		180	17	3	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1879	Melaleuca quinquenervia	Broad-leaved Paperbark	270		270	16	4	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1880	Melaleuca linariifolia	Snow-in-summer	140	130	191	14	3	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1881	Allocasuarina littoralis	Black Sheoak	140		140	16	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1882	Allocasuarina littoralis	Black Sheoak	160		160	15	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1883	Allocasuarina littoralis	Black Sheoak	200		200	13	3	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1884	Melaleuca quinquenervia	Broad-leaved Paperbark	280		280	14	3	3.4	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1885	Eucalyptus tereticornis	Forest Red Gum	410		410	21	8	4.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1886	Acacia leiocalyx	Early Flowering Black Wattle	150		150	12	3	2	1	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1887	Eucalyptus tereticornis	Forest Red Gum	300		300	20	5	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1888	Acacia leiocalyx	Early Flowering Black Wattle	180		180	15	4	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1889	Acacia leiocalyx	Early Flowering Black Wattle	160		160	15	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1890	Allocasuarina littoralis	Black Sheoak	200		200	14	3	2.4	2	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1891	Allocasuarina littoralis	Black Sheoak	170		170	14	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1892	Allocasuarina littoralis	Black Sheoak	190		190	14	3	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1893	Lophostemon suaveolens	Swamp Box	140		140	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1894	Allocasuarina littoralis	Black Sheoak	160		160	15	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1895	Allocasuarina littoralis	Black Sheoak	160		160	16	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1896	Allocasuarina littoralis	Black Sheoak	200		200	14	3	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1897	Allocasuarina littoralis	Black Sheoak	150		150	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1898	Angophora leiocarpa	Smooth-barked Apple	220		220	17	4	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1899	Allocasuarina littoralis	Black Sheoak	160		160	14	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1900	Allocasuarina littoralis	Black Sheoak	160		160	15	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1901	Allocasuarina littoralis	Black Sheoak	180		180	15	4	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1902	Allocasuarina littoralis	Black Sheoak	160		160	14	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1903	Allocasuarina littoralis	Black Sheoak	160		160	15	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1904	Allocasuarina littoralis	Black Sheoak	220		220	16	4	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1905	Allocasuarina littoralis	Black Sheoak	190		190	16	3	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1906	Allocasuarina littoralis	Black Sheoak	190		190	14	3	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1907	Allocasuarina littoralis	Black Sheoak	170		170	15	3	2	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1908	Allocasuarina littoralis	Black Sheoak	170		170	12	3	2	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1909	Allocasuarina littoralis	Black Sheoak	210		210	16	5	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1910	Allocasuarina littoralis	Black Sheoak	220		220	14	3	2.6	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1911	Allocasuarina littoralis	Black Sheoak	180		180	16	3	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1912	Allocasuarina littoralis	Black Sheoak	170		170	13	3	2	2	Regular	-	-	-	-	-	Typical	Major	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1913	Allocasuarina littoralis	Black Sheoak	180		180	15	3	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1914	Corymbia intermedia	Pink Bloodwood	250		250	18	5	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
1915	Allocasuarina littoralis	Black Sheoak	170		170	7	1	2	2	Regular	Spreading	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1916	Allocasuarina littoralis	Black Sheoak	260		260	17	5	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1917	Allocasuarina littoralis	Black Sheoak	170		170	14	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1918	Angophora leiocarpa	Smooth-barked Apple	240		240	18	5	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1919	Allocasuarina littoralis	Black Sheoak	160		160	15	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1920	Angophora leiocarpa	Smooth-barked Apple	150		150	6	1	2	1	Regular	-	Thinning	Die-back	Epicormic	Lopped	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1921	Angophora leiocarpa	Smooth-barked Apple	200		200	18	4	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1922	Allocasuarina littoralis	Black Sheoak	180		180	16	3	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1923	Allocasuarina littoralis	Black Sheoak	220		220	16	3	2.6	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1924	Angophora leiocarpa	Smooth-barked Apple	180		180	16	3	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1925	Corymbia intermedia	Pink Bloodwood	210		210	17	4	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1926	Acacia leiocalyx	Early Flowering Black Wattle	150	130	198	14	3	2.4	2	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1927	Angophora leiocarpa	Smooth-barked Apple	150		150	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1928	Angophora leiocarpa	Smooth-barked Apple	220	120	251	17	3	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1929	Angophora leiocarpa	Smooth-barked Apple	140		140	13	1	2	1	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1930	Allocasuarina littoralis	Black Sheoak	200		200	16	3	2.4	2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Poor	-	-	-	-	-	-	School VMP removed	
1931	Corymbia intermedia	Pink Bloodwood	220		220	16	4	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1932	Allocasuarina littoralis	Black Sheoak	180		180	15	3	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1933	Allocasuarina littoralis	Black Sheoak	150		150	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1934	Corymbia intermedia	Pink Bloodwood	270		270	17	4	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1935	Acacia leiocalyx	Early Flowering Black Wattle	160		160	14	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1936	Acacia leiocalyx	Early Flowering Black Wattle	160		160	15	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1937	Corymbia intermedia	Pink Bloodwood	290		290	16	4	3.5	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1938	Eucalyptus tereticornis	Forest Red Gum	510		510	22	8	6.1	2	Regular	-	Thinning	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1939	Acacia leiocalyx	Early Flowering Black Wattle	170		170	13	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1940	Melaleuca quinquenervia	Broad-leaved Paperbark	140		140	7	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1941	Angophora leiocarpa	Smooth-barked Apple	420		420	18	8	5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1942	Eucalyptus crebra	Narrow-leaved Ironbark	350		350	18	6	4.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1943	Allocasuarina littoralis	Black Sheoak	180		180	15	3	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1944	Allocasuarina littoralis	Black Sheoak	220		220	15	4	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1945	Allocasuarina littoralis	Black Sheoak	200		200	16	3	2.4	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1946	Acacia leiocalyx	Early Flowering Black Wattle	190		190	17	4	2.3	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1947	Allocasuarina littoralis	Black Sheoak	150		150	13	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1948	Allocasuarina littoralis	Black Sheoak	160		160	13	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1949	Allocasuarina littoralis	Black Sheoak	160		160	14	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1950	Allocasuarina littoralis	Black Sheoak	170		170	15	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1951	Allocasuarina littoralis	Black Sheoak	170		170	13	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1952	Allocasuarina littoralis	Black Sheoak	150		150	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1953	Corymbia intermedia	Pink Bloodwood	190		190	17	4	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1954	Acacia leiocalyx	Early Flowering Black Wattle	160		160	12	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1955	Corymbia intermedia	Pink Bloodwood	330		330	19	5	4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1956	Angophora leiocarpa	Smooth-barked Apple	240		240	20	5	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1957	Corymbia intermedia	Pink Bloodwood	160		160	10	3	2	2	Regular	-	-	-	-	-	Typical	Major	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1958	Melaleuca quinquenervia	Broad-leaved Paperbark	250		250	15	5	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1959	Angophora leiocarpa	Smooth-barked Apple	310		310	18	4	3.7	2	One-sided	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	School VMP removed	
1960	Corymbia intermedia	Pink Bloodwood	500		500	18	6	6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1961	Corymbia intermedia	Pink Bloodwood	200		200	15	2	2.4	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1962	Melaleuca quinquenervia	Broad-leaved Paperbark	340		340	16	6	4.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1963	Eucalyptus tereticornis	Forest Red Gum	460		460	23	10	5.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1964	Corymbia intermedia	Pink Bloodwood	270		270	18	5	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1965	Eucalyptus crebra	Narrow-leaved Ironbark	230		230	18	2	2.8	2	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1966	Eucalyptus tereticornis	Forest Red Gum	300		300	20	7	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1967	Eucalyptus tereticornis	Forest Red Gum	450		450	20	6	5.4	2	Regular	-	Thinning	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1968	Allocasuarina littoralis	Black Sheoak	150		150	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1969	Allocasuarina littoralis	Black Sheoak	180		180	17	3	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1970	Allocasuarina littoralis	Black Sheoak	170		170	16	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1971	Allocasuarina littoralis	Black Sheoak	180		180	16	3	2.2	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
1972	Allocasuarina littoralis	Black Sheoak	200		200	16	3	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1973	Allocasuarina littoralis	Black Sheoak	180		180	13	3	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1974	Allocasuarina littoralis	Black Sheoak	220		220	16	5	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1975	Melaleuca quinquenervia	Broad-leaved Paperbark	180		180	14	3	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1976	Allocasuarina littoralis	Black Sheoak	200		200	14	3	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1977	Allocasuarina littoralis	Black Sheoak	160		160	12	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1978	Corymbia intermedia	Pink Bloodwood	200		200	16	3	2.4	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1979	Eucalyptus tereticornis	Forest Red Gum	200		200	15	4	2.4	2	Regular	-	Thinning	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1980	Eucalyptus tereticornis	Forest Red Gum	220		220	15	2	2.6	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1981	Allocasuarina littoralis	Black Sheoak	190		190	14	3	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1982	Eucalyptus siderophloia	Grey Ironbark	200		200	17	3	2.4	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	School VMP removed	
1983	Eucalyptus tereticornis	Forest Red Gum	350		350	23	8	4.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1984	Allocasuarina littoralis	Black Sheoak	180		180	13	3	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1985	Allocasuarina littoralis	Black Sheoak	170		170	16	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1986	Eucalyptus tereticornis	Forest Red Gum	240		240	19	5	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1987	Allocasuarina littoralis	Black Sheoak	180		180	16	3	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1988	Allocasuarina littoralis	Black Sheoak	160		160	5	1	2	2	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1989	Allocasuarina littoralis	Black Sheoak	180		180	15	3	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1990	Allocasuarina littoralis	Black Sheoak	170		170	16	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1991	Allocasuarina littoralis	Black Sheoak	180		180	15	3	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1992	Allocasuarina littoralis	Black Sheoak	170		170	16	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1993	Acacia leiocalyx	Early Flowering Black Wattle	140		140	11	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1994	Allocasuarina littoralis	Black Sheoak	150		150	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1995	Eucalyptus tereticornis	Forest Red Gum	150		150	14	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1996	Eucalyptus tereticornis	Forest Red Gum	200		200	6	3	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1997	Eucalyptus tereticornis	Forest Red Gum	210		210	17	4	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1998	Eucalyptus tereticornis	Forest Red Gum	280		280	21	6	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
1999	Eucalyptus tereticornis	Forest Red Gum	160		160	14	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2000	Eucalyptus crebra	Narrow-leaved Ironbark	250		250	22	7	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	Termite nest	-	School VMP removed	
2001	Angophora leiocarpa	Smooth-barked Apple	280	250	375	16	5	4.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2002	Eucalyptus crebra	Narrow-leaved Ironbark	210		210	17	4	2.5	2	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2003	Lophostemon suaveolens	Swamp Box	180		180	14	3	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2004	Allocasuarina littoralis	Black Sheoak	180		180	14	3	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2005	Allocasuarina littoralis	Black Sheoak	180		180	15	3	2.2	2	Regular	-	Thinning	-	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2006	Allocasuarina littoralis	Black Sheoak	180		180	15	3	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2007	Allocasuarina littoralis	Black Sheoak	210		210	16	3	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2008	Allocasuarina littoralis	Black Sheoak	170		170	15	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2009	Allocasuarina littoralis	Black Sheoak	190		190	16	3	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2010	Allocasuarina littoralis	Black Sheoak	170		170	16	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2011	Allocasuarina littoralis	Black Sheoak	200		200	16	3	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2012	Allocasuarina littoralis	Black Sheoak	200		200	17	4	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2013	Allocasuarina littoralis	Black Sheoak	170		170	15	3	2	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2014	Allocasuarina littoralis	Black Sheoak	160		160	13	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2015	Eucalyptus tereticornis	Forest Red Gum	130		130	14	2	2	1	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2016	Allocasuarina littoralis	Black Sheoak	180		180	10	2	2.2	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2017	Allocasuarina littoralis	Black Sheoak	210		210	16	4	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2018	Allocasuarina littoralis	Black Sheoak	150		150	15	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2019	Allocasuarina littoralis	Black Sheoak	180		180	18	4	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2020	Allocasuarina littoralis	Black Sheoak	160		160	18	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2021	Allocasuarina littoralis	Black Sheoak	170		170	16	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2022	Allocasuarina littoralis	Black Sheoak	170		170	17	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2023	Allocasuarina littoralis	Black Sheoak	190		190	14	4	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2024	Eucalyptus crebra	Narrow-leaved Ironbark	530		530	25	10	6.4	3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2025	Allocasuarina littoralis	Black Sheoak	200		200	15	3	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2026	Allocasuarina littoralis	Black Sheoak	190		190	17	5	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2027	Allocasuarina littoralis	Black Sheoak	160		160	17	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2028	Allocasuarina littoralis	Black Sheoak	170		170	14	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
2029	Allocasuarina littoralis	Black Sheoak	180		180	17	3	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2030	Allocasuarina littoralis	Black Sheoak	180		180	17	4	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2031	Allocasuarina littoralis	Black Sheoak	190		190	15	3	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2032	Allocasuarina littoralis	Black Sheoak	150		150	10	1	2	1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2033	Allocasuarina littoralis	Black Sheoak	150		150	16	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2034	Allocasuarina littoralis	Black Sheoak	190		190	17	4	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2035	Allocasuarina littoralis	Black Sheoak	150		150	15	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2036	Eucalyptus tereticornis	Forest Red Gum	650		650	23	12	7.8	3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2037	Melaleuca quinquenervia	Broad-leaved Paperbark	230		230	14	5	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2038	Melaleuca quinquenervia	Broad-leaved Paperbark	220		220	13	3	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2039	Melaleuca quinquenervia	Broad-leaved Paperbark	260		260	17	4	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2040	Melaleuca quinquenervia	Broad-leaved Paperbark	250		250	17	3	3	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2041	Melaleuca quinquenervia	Broad-leaved Paperbark	230		230	16	3	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2042	Melaleuca quinquenervia	Broad-leaved Paperbark	190		190	16	2	2.3	2	One-sided	-	Thinning	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2043	Melaleuca quinquenervia	Broad-leaved Paperbark	240		240	13	3	2.9	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2044	Melaleuca quinquenervia	Broad-leaved Paperbark	230	270	355	15	3	4.3	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2045	Melaleuca quinquenervia	Broad-leaved Paperbark	260		260	17	5	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2046	Melaleuca quinquenervia	Broad-leaved Paperbark	190	180, 180, 160	356	15	4	4.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2047	Melaleuca quinquenervia	Broad-leaved Paperbark	290		290	16	3	3.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2048	Eucalyptus tereticornis	Forest Red Gum	290	400	494	23	12	5.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
2049	Eucalyptus crebra	Narrow-leaved Ironbark	270		270	18	10	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
2050	Eucalyptus crebra	Narrow-leaved Ironbark	380		380	18	6	4.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
2051	Eucalyptus crebra	Narrow-leaved Ironbark	300		300	20	12	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
2052	Corymbia citriodora	Spotted Gum	100		100	6	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
2053	Eucalyptus tereticornis	Forest Red Gum	320		320	20	14	3.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
2054	Eucalyptus tereticornis	Forest Red Gum	150		150	12	6	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
2055	Eucalyptus crebra	Narrow-leaved Ironbark	230		230	22	10	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
2056	Corymbia citriodora	Spotted Gum	120		120	10	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
2057	Eucalyptus crebra	Narrow-leaved Ironbark	220		220	15	5	2.6	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
2058	Eucalyptus crebra	Narrow-leaved Ironbark	390		390	21	16	4.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
2068	Corymbia citriodora	Spotted Gum	340	230, 210	461	25	10	5.5	2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2069	Eucalyptus crebra	Narrow-leaved Ironbark	400		400	26	15	4.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	School VMP removed	
2070	Eucalyptus tereticornis	Forest Red Gum	200		200	8	3	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Remove - approved in School application	
2071	Corymbia intermedia	Pink Bloodwood	220		220	12	4	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2072	Corymbia citriodora	Spotted Gum	230		230	20	6	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2073	Corymbia citriodora	Spotted Gum	260	210	334	21	6	4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2074	Corymbia citriodora	Spotted Gum	190		190	15	4	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2075	Corymbia citriodora	Spotted Gum	110		110	6	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2076	Corymbia citriodora	Spotted Gum	310		310	20	12	3.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2077	Eucalyptus tereticornis	Forest Red Gum	320	250	406	26	12	4.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2078	Corymbia intermedia	Pink Bloodwood	350		350	15	6	4.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2079	Eucalyptus tereticornis	Forest Red Gum	130		130	6	1	2	1	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2080	Eucalyptus tereticornis	Forest Red Gum	390		390	21	6	4.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2081	Corymbia intermedia	Pink Bloodwood	290		290	14	7	3.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2082	Melaleuca quinquenervia	Broad-leaved Paperbark	190	190	269	10	4	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2083	Eucalyptus tereticornis	Forest Red Gum	380		380	28	16	4.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2084	Eucalyptus tereticornis	Forest Red Gum	420	330	534	24	16	6.4	3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2085	Eucalyptus tereticornis	Forest Red Gum	360		360	15	5	4.3	2	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2086	Melaleuca quinquenervia	Broad-leaved Paperbark	250	220	333	15	6	4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2087	Corymbia citriodora	Spotted Gum	110		110	8	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2088	Corymbia intermedia	Pink Bloodwood	250		250	15	6	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2089	Corymbia intermedia	Pink Bloodwood	270	210, 200	396	18	12	4.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2090	Corymbia intermedia	Pink Bloodwood	310		310	22	14	3.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2091	Eucalyptus tereticornis	Forest Red Gum	150	120	192	10	4	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2092	Allocasuarina littoralis	Black Sheoak	220		220	10	3	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2093	Corymbia intermedia	Pink Bloodwood	210	150	258	16	6	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2094	Melaleuca quinquenervia	Broad-leaved Paperbark	240	220, 110	344	14	4	4.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
2095	Allocasuarina littoralis	Black Sheoak	190		190	6	3	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2096	Allocasuarina littoralis	Black Sheoak	210		210	6	3	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2097	Allocasuarina littoralis	Black Sheoak	110		110	4	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2098	Eucalyptus tereticornis	Forest Red Gum	250		250	17	6	3	2	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2099	Eucalyptus tereticornis	Forest Red Gum	210		210	15	6	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2100	Eucalyptus tereticornis	Forest Red Gum	360		360	23	14	4.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2101	Corymbia intermedia	Pink Bloodwood	240		240	14	5	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2102	Eucalyptus tereticornis	Forest Red Gum	470		470	24	15	5.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2103	Eucalyptus tereticornis	Forest Red Gum	300		300	25	8	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2104	Melaleuca quinquenervia	Broad-leaved Paperbark	190	170	255	10	3	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	Small	-	-	Remove - approved in School application	
2105	Corymbia intermedia	Pink Bloodwood	230		230	16	5	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2106	Eucalyptus tereticornis	Forest Red Gum	300		300	23	12	3.6	2	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2107	Eucalyptus crebra	Narrow-leaved Ironbark	250		250	23	6	3	2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2108	Eucalyptus crebra	Narrow-leaved Ironbark	300	150	335	23	7	4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2109	Allocasuarina littoralis	Black Sheoak	150		150	8	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2110	Eucalyptus crebra	Narrow-leaved Ironbark	270	160	314	28	15	3.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2111	Eucalyptus tereticornis	Forest Red Gum	320		320	25	15	3.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2112	Eucalyptus tereticornis	Forest Red Gum	280		280	26	15	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2113	Corymbia citriodora	Spotted Gum	290		290	23	6	3.5	2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2114	Eucalyptus crebra	Narrow-leaved Ironbark	240		240	15	5	2.9	2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2115	Eucalyptus crebra	Narrow-leaved Ironbark	300		300	18	6	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Remove - approved in School application	
2116	Eucalyptus tereticornis	Forest Red Gum	360		360	28	15	4.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2117	Corymbia citriodora	Spotted Gum	390		390	18	14	4.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2118	Eucalyptus tereticornis	Forest Red Gum	380		380	20	12	4.6	2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2119	Eucalyptus tereticornis	Forest Red Gum	430		430	25	15	5.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2120	Eucalyptus tereticornis	Forest Red Gum	430		430	26	15	5.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2121	Corymbia citriodora	Spotted Gum	110		110	8	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2122	Eucalyptus tereticornis	Forest Red Gum	380		380	25	14	4.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2123	Corymbia citriodora	Spotted Gum	100		100	6	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2124	Eucalyptus crebra	Narrow-leaved Ironbark	240		240	20	6	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2125	Eucalyptus crebra	Narrow-leaved Ironbark	280		280	22	10	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2126	Eucalyptus tereticornis	Forest Red Gum	250		250	20	5	3	2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2127	Eucalyptus crebra	Narrow-leaved Ironbark	280		280	20	10	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2128	Corymbia tessellaris	Moreton Bay Ash	190		190	22	3	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2129	Eucalyptus crebra	Narrow-leaved Ironbark	150		150	15	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2130	Eucalyptus crebra	Narrow-leaved Ironbark	210		210	18	6	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2131	Eucalyptus tereticornis	Forest Red Gum	310		310	28	10	3.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2132	Melaleuca quinquenervia	Broad-leaved Paperbark	120		120	6	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2133	Eucalyptus tereticornis	Forest Red Gum	350		350	26	6	4.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2134	Eucalyptus crebra	Narrow-leaved Ironbark	210		210	14	5	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2135	Melaleuca quinquenervia	Broad-leaved Paperbark	210	130	247	6	3	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2136	Eucalyptus tereticornis	Forest Red Gum	380		380	20	5	4.6	2	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2137	Eucalyptus crebra	Narrow-leaved Ironbark	210		210	15	5	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2138	Eucalyptus tereticornis	Forest Red Gum	450		450	25	15	5.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2139	Eucalyptus crebra	Narrow-leaved Ironbark	250		250	21	10	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Remove - approved in School application	
2140	Eucalyptus tereticornis	Forest Red Gum	250		250	15	2	3	2	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2141	Eucalyptus tereticornis	Forest Red Gum	330		330	20	10	4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2142	Eucalyptus crebra	Narrow-leaved Ironbark	280		280	18	8	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2143	Eucalyptus crebra	Narrow-leaved Ironbark	200		200	12	2	2.4	2	Regular	-	-	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2144	Eucalyptus crebra	Narrow-leaved Ironbark	250		250	20	10	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2145	Eucalyptus crebra	Narrow-leaved Ironbark	290		290	15	2	3.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Remove - approved in School application	
2146	Eucalyptus crebra	Narrow-leaved Ironbark	320		320	26	10	3.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2147	Eucalyptus crebra	Narrow-leaved Ironbark	250		250	23	10	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2148	Eucalyptus tereticornis	Forest Red Gum	310		310	28	12	3.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2149	Eucalyptus crebra	Narrow-leaved Ironbark	120		120	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2150	Eucalyptus crebra	Narrow-leaved Ironbark	250		250	21	12	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2151	Eucalyptus crebra	Narrow-leaved Ironbark	120		120	15	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
2152	Eucalyptus crebra	Narrow-leaved Ironbark	250		250	23	10	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2153	Eucalyptus tereticornis	Forest Red Gum	360		360	28	15	4.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2154	Eucalyptus tereticornis	Forest Red Gum	180		180	15	3	2.2	2	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2155	Eucalyptus tereticornis	Forest Red Gum	320		320	27	15	3.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2156	Allocasuarina littoralis	Black Sheoak	170		170	6	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2157	Eucalyptus tereticornis	Forest Red Gum	160		160	6	2	2	2	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2158	Eucalyptus tereticornis	Forest Red Gum	170		170	12	3	2	2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2159	Eucalyptus tereticornis	Forest Red Gum	360		360	26	12	4.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2160	Eucalyptus crebra	Narrow-leaved Ironbark	200		200	10	4	2.4	2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2161	Eucalyptus tereticornis	Forest Red Gum	390		390	25	10	4.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2162	Eucalyptus tereticornis	Forest Red Gum	380		380	27	7	4.6	2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2163	Eucalyptus crebra	Narrow-leaved Ironbark	170		170	8	1	2	2	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Remove - approved in School application	
2164	Eucalyptus tereticornis	Forest Red Gum	240		240	23	5	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2165	Corymbia citriodora	Spotted Gum	290		290	28	10	3.5	2	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2166	Eucalyptus crebra	Narrow-leaved Ironbark	270		270	18	6	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2167	Eucalyptus tereticornis	Forest Red Gum	150		150	12	2	2	1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2168	Eucalyptus tereticornis	Forest Red Gum	520		520	30	18	6.2	3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2169	Eucalyptus tereticornis	Forest Red Gum	340		340	26	16	4.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2170	Eucalyptus tereticornis	Forest Red Gum	300		300	26	10	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2171	Eucalyptus crebra	Narrow-leaved Ironbark	180		180	14	3	2.2	2	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2172	Eucalyptus tereticornis	Forest Red Gum	340		340	28	12	4.1	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2173	Allocasuarina littoralis	Black Sheoak	170		170	10	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2174	Allocasuarina littoralis	Black Sheoak	150		150	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2175	Allocasuarina littoralis	Black Sheoak	150		150	8	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2176	Eucalyptus tereticornis	Forest Red Gum	180		180	25	2	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2177	Eucalyptus crebra	Narrow-leaved Ironbark	300		300	20	10	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2178	Eucalyptus crebra	Narrow-leaved Ironbark	320		320	28	15	3.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Remove - approved in School application	
2179	Eucalyptus tereticornis	Forest Red Gum	120		120	8	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2180	Eucalyptus tereticornis	Forest Red Gum	280		280	25	12	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2181	Eucalyptus tereticornis	Forest Red Gum	250	230	340	28	15	4.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2182	Eucalyptus tereticornis	Forest Red Gum	380	280	472	27	15	5.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2183	Eucalyptus crebra	Narrow-leaved Ironbark	190		190	18	4	2.3	2	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2184	Eucalyptus crebra	Narrow-leaved Ironbark	190		190	15	5	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2186	Eucalyptus crebra	Narrow-leaved Ironbark	290		290	25	15	3.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2187	Eucalyptus crebra	Narrow-leaved Ironbark	230		230	15	3	2.8	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2209	Eucalyptus crebra	Narrow-leaved Ironbark	350		350	28	16	4.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2210	Allocasuarina littoralis	Black Sheoak	150		150	4	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2213	Eucalyptus crebra	Narrow-leaved Ironbark	200		200	18	3	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2214	Eucalyptus tereticornis	Forest Red Gum	300		300	28	5	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2215	Eucalyptus tereticornis	Forest Red Gum	390		390	30	16	4.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2216	Eucalyptus crebra	Narrow-leaved Ironbark	330	240	408	28	15	4.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	Old	-	-	-	-	-	School VMP removed	
2217	Eucalyptus crebra	Narrow-leaved Ironbark	270		270	30	16	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2218	Eucalyptus tereticornis	Forest Red Gum	160		160	10	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2219	Eucalyptus tereticornis	Forest Red Gum	210		210	23	5	2.5	2	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2220	Corymbia citriodora	Spotted Gum	170		170	10	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2221	Eucalyptus crebra	Narrow-leaved Ironbark	240		240	28	8	2.9	2	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2222	Eucalyptus tereticornis	Forest Red Gum	230		230	30	16	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2223	Eucalyptus crebra	Narrow-leaved Ironbark	330		330	28	16	4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2224	Eucalyptus tereticornis	Forest Red Gum	160		160	10	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2225	Eucalyptus crebra	Narrow-leaved Ironbark	370		370	30	16	4.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2226	Eucalyptus crebra	Narrow-leaved Ironbark	240		240	21	8	2.9	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2227	Eucalyptus tereticornis	Forest Red Gum	260		260	25	14	3.1	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2228	Eucalyptus crebra	Narrow-leaved Ironbark	300		300	28	18	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2229	Allocasuarina littoralis	Black Sheoak	190		190	6	2	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2230	Eucalyptus crebra	Narrow-leaved Ironbark	250		250	25	16	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2231	Eucalyptus tereticornis	Forest Red Gum	230		230	16	6	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2232	Eucalyptus crebra	Narrow-leaved Ironbark	210		210	18	10	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
2233	Eucalyptus crebra	Narrow-leaved Ironbark	330		330	28	15	4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2234	Eucalyptus crebra	Narrow-leaved Ironbark	220		220	18	6	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2235	Eucalyptus tereticornis	Forest Red Gum	360		360	30	18	4.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Remove - approved in School application	
2236	Eucalyptus crebra	Narrow-leaved Ironbark	210		210	26	6	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2237	Eucalyptus crebra	Narrow-leaved Ironbark	270		270	30	16	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2238	Eucalyptus tereticornis	Forest Red Gum	250		250	30	8	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2239	Eucalyptus crebra	Narrow-leaved Ironbark	270		270	25	12	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2240	Eucalyptus tereticornis	Forest Red Gum	230		230	15	4	2.8	2	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2241	Eucalyptus crebra	Narrow-leaved Ironbark	320		320	20	5	3.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2242	Eucalyptus crebra	Narrow-leaved Ironbark	320		320	28	18	3.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2243	Eucalyptus crebra	Narrow-leaved Ironbark	180		180	10	3	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2244	Eucalyptus crebra	Narrow-leaved Ironbark	180		180	10	1	2.2	2	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2245	Eucalyptus crebra	Narrow-leaved Ironbark	310		310	28	16	3.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Remove - approved in School application	
2246	Eucalyptus crebra	Narrow-leaved Ironbark	240		240	16	12	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2247	Eucalyptus crebra	Narrow-leaved Ironbark	290		290	30	16	3.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2248	Corymbia intermedia	Pink Bloodwood	210		210	10	4	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2249	Eucalyptus crebra	Narrow-leaved Ironbark	200		200	18	5	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2250	Corymbia citriodora	Spotted Gum	270		270	20	6	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2251	Corymbia tessellaris	Moreton Bay Ash	200		200	15	4	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2252	Eucalyptus tereticornis	Forest Red Gum	240		240	12	3	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2253	Corymbia tessellaris	Moreton Bay Ash	160		160	10	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2254	Eucalyptus crebra	Narrow-leaved Ironbark	350		350	22	12	4.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2255	Eucalyptus crebra	Narrow-leaved Ironbark	340		340	25	16	4.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2256	Eucalyptus crebra	Narrow-leaved Ironbark	350		350	28	16	4.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2257	Eucalyptus crebra	Narrow-leaved Ironbark	220		220	15	3	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2258	Eucalyptus tereticornis	Forest Red Gum	370		370	28	16	4.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2259	Eucalyptus tereticornis	Forest Red Gum	340		340	30	18	4.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2260	Eucalyptus crebra	Narrow-leaved Ironbark	350		350	28	15	4.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2261	Eucalyptus crebra	Narrow-leaved Ironbark	230		230	15	5	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2262	Eucalyptus crebra	Narrow-leaved Ironbark	220		220	15	4	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2263	Corymbia citriodora	Spotted Gum	340	150	372	30	18	4.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2264	Eucalyptus crebra	Narrow-leaved Ironbark	320		320	20	6	3.8	2	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2265	Corymbia citriodora	Spotted Gum	240		240	18	4	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2266	Eucalyptus crebra	Narrow-leaved Ironbark	280		280	28	12	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	School VMP removed	
2267	Corymbia intermedia	Pink Bloodwood	260		260	20	6	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2268	Eucalyptus crebra	Narrow-leaved Ironbark	350	280	448	30	18	5.4	2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2269	Eucalyptus tereticornis	Forest Red Gum	300		300	18	5	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2270	Eucalyptus tereticornis	Forest Red Gum	300		300	20	6	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2271	Eucalyptus crebra	Narrow-leaved Ironbark	310		310	20	6	3.7	2	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2272	Eucalyptus tereticornis	Forest Red Gum	370		370	20	6	4.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2273	Eucalyptus tereticornis	Forest Red Gum	320		320	20	6	3.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2274	Eucalyptus tereticornis	Forest Red Gum	330		330	22	10	4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2275	Eucalyptus tereticornis	Forest Red Gum	500		500	28	16	6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2276	Corymbia citriodora	Spotted Gum	140	110	178	15	3	2.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2277	Corymbia intermedia	Pink Bloodwood	160		160	8	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2278	Angophora leiocarpa	Smooth-barked Apple	270		270	23	12	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2279	Angophora leiocarpa	Smooth-barked Apple	260		260	18	10	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2280	Angophora leiocarpa	Smooth-barked Apple	280		280	21	10	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2281	Eucalyptus tereticornis	Forest Red Gum	360		360	21	12	4.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2282	Eucalyptus tereticornis	Forest Red Gum	280		280	22	6	3.4	2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2283	Angophora leiocarpa	Smooth-barked Apple	230		230	15	12	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2284	Eucalyptus tereticornis	Forest Red Gum	300		300	25	15	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2285	Allocasuarina littoralis	Black Sheoak	200		200	10	4	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2286	Allocasuarina littoralis	Black Sheoak	180		180	10	3	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2287	Allocasuarina littoralis	Black Sheoak	190		190	10	3	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2288	Eucalyptus tereticornis	Forest Red Gum	290		290	28	16	3.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2289	Angophora leiocarpa	Smooth-barked Apple	280		280	23	15	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
2290	Melaleuca quinquenervia	Broad-leaved Paperbark	230		230	8	4	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2291	Melaleuca quinquenervia	Broad-leaved Paperbark	120		120	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2292	Allocasuarina littoralis	Black Sheoak	150		150	10	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2293	Allocasuarina littoralis	Black Sheoak	200		200	10	3	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2294	Allocasuarina littoralis	Black Sheoak	170		170	10	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2295	Eucalyptus crebra	Narrow-leaved Ironbark	120		120	6	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2296	Angophora leiocarpa	Smooth-barked Apple	260		260	20	14	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2297	Eucalyptus tereticornis	Forest Red Gum	250		250	22	12	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2298	Allocasuarina littoralis	Black Sheoak	180	160	241	12	8	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2299	Angophora leiocarpa	Smooth-barked Apple	270		270	20	12	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2300	Eucalyptus tereticornis	Forest Red Gum	370		370	28	16	4.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2301	Eucalyptus tereticornis	Forest Red Gum	410		410	23	12	4.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2302	Allocasuarina littoralis	Black Sheoak	200		200	10	5	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2303	Corymbia intermedia	Pink Bloodwood	120		120	8	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2304	Allocasuarina littoralis	Black Sheoak	160		160	10	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2305	Allocasuarina littoralis	Black Sheoak	160		160	10	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2306	Melaleuca quinquenervia	Broad-leaved Paperbark	240	220	326	10	4	3.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2307	Allocasuarina littoralis	Black Sheoak	220		220	10	3	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2308	Melaleuca quinquenervia	Broad-leaved Paperbark	220		220	12	5	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2309	Allocasuarina littoralis	Black Sheoak	240		240	10	3	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2310	Corymbia intermedia	Pink Bloodwood	160		160	10	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2311	Allocasuarina littoralis	Black Sheoak	150	130	198	10	4	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2312	Angophora leiocarpa	Smooth-barked Apple	280		280	23	6	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2313	Allocasuarina littoralis	Black Sheoak	190		190	12	3	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2314	Allocasuarina littoralis	Black Sheoak	170		170	10	3	2	2	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2315	Angophora leiocarpa	Smooth-barked Apple	190		190	18	5	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2316	Allocasuarina littoralis	Black Sheoak	190		190	10	3	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2317	Eucalyptus tereticornis	Forest Red Gum	170		170	10	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2318	Eucalyptus tereticornis	Forest Red Gum	340		340	20	12	4.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2319	Eucalyptus tereticornis	Forest Red Gum	240		240	20	5	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2320	Eucalyptus tereticornis	Forest Red Gum	410		410	28	16	4.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2321	Corymbia intermedia	Pink Bloodwood	280		280	20	10	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2322	Corymbia citriodora	Spotted Gum	100		100	6	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2323	Allocasuarina littoralis	Black Sheoak	150		150	8	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2324	Eucalyptus tereticornis	Forest Red Gum	330		330	18	10	4	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2325	Eucalyptus tereticornis	Forest Red Gum	270	200	336	25	10	4	2	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2326	Allocasuarina littoralis	Black Sheoak	160		160	10	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2327	Angophora leiocarpa	Smooth-barked Apple	170		170	10	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2328	Eucalyptus crebra	Narrow-leaved Ironbark	360		360	28	16	4.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2329	Corymbia intermedia	Pink Bloodwood	200		200	15	6	2.4	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2330	Eucalyptus crebra	Narrow-leaved Ironbark	330		330	28	16	4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2331	Eucalyptus crebra	Narrow-leaved Ironbark	500	190	620	25	12	7.4	3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2332	Eucalyptus crebra	Narrow-leaved Ironbark	330		330	21	5	4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2333	Acacia concurrens	Black Wattle	190	50, 50	203	6	3	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2334	Eucalyptus tereticornis	Forest Red Gum	280		280	20	8	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2335	Corymbia citriodora	Spotted Gum	110		110	6	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2336	Corymbia tessellaris	Moreton Bay Ash	280		280	12	10	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2337	Eucalyptus tereticornis	Forest Red Gum	310		310	22	14	3.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2338	Eucalyptus tereticornis	Forest Red Gum	240		240	10	3	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2339	Acacia concurrens	Black Wattle	170		170	8	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2340	Eucalyptus tereticornis	Forest Red Gum	260		260	20	8	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2341	Eucalyptus tereticornis	Forest Red Gum	320		320	23	8	3.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2342	Corymbia citriodora	Spotted Gum	260		260	28	8	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2343	Eucalyptus crebra	Narrow-leaved Ironbark	250		250	15	8	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2344	Corymbia citriodora	Spotted Gum	260		260	22	8	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2345	Corymbia citriodora	Spotted Gum	340	70	347	23	10	4.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2346	Corymbia citriodora	Spotted Gum	300		300	25	10	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
2347	Eucalyptus crebra	Narrow-leaved Ironbark	320		320	18	10	3.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2348	Eucalyptus crebra	Narrow-leaved Ironbark	440		440	26	15	5.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2349	Corymbia tessellaris	Moreton Bay Ash	310		310	18	6	3.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2350	Eucalyptus crebra	Narrow-leaved Ironbark	270		270	16	4	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	School VMP removed	
2351	Eucalyptus tereticornis	Forest Red Gum	280	150	318	18	6	3.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2352	Acacia concurrens	Black Wattle	160		160	8	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2353	Eucalyptus tereticornis	Forest Red Gum	480		480	26	12	5.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2354	Corymbia intermedia	Pink Bloodwood	260	240	354	15	8	4.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2355	Allocasuarina littoralis	Black Sheoak	150		150	8	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2356	Eucalyptus tereticornis	Forest Red Gum	240		240	12	5	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2357	Allocasuarina littoralis	Black Sheoak	170		170	8	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2358	Allocasuarina littoralis	Black Sheoak	160		160	8	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2359	Corymbia tessellaris	Moreton Bay Ash	100	50	112	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2360	Allocasuarina littoralis	Black Sheoak	150		150	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2361	Allocasuarina littoralis	Black Sheoak	150		150	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	Small	-	-	School VMP removed	
2362	Melaleuca quinquenervia	Broad-leaved Paperbark	330		330	15	5	4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2363	Corymbia intermedia	Pink Bloodwood	350		350	20	16	4.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2364	Allocasuarina littoralis	Black Sheoak	150		150	8	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2365	Allocasuarina littoralis	Black Sheoak	180		180	8	2	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2366	Angophora leiocarpa	Smooth-barked Apple	230		230	23	12	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2367	Corymbia intermedia	Pink Bloodwood	230		230	12	12	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2368	Melaleuca quinquenervia	Broad-leaved Paperbark	310	280	418	10	12	5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2369	Eucalyptus tereticornis	Forest Red Gum	530		530	28	15	6.4	3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2370	Eucalyptus tereticornis	Forest Red Gum	370		370	25	10	4.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2371	Corymbia intermedia	Pink Bloodwood	170		170	10	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2372	Melaleuca quinquenervia	Broad-leaved Paperbark	300	280	410	12	8	4.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2373	Corymbia intermedia	Pink Bloodwood	250	160	297	15	15	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2374	Corymbia intermedia	Pink Bloodwood	250		250	18	8	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2375	Corymbia intermedia	Pink Bloodwood	280		280	25	12	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	School VMP removed	
2376	Eucalyptus tereticornis	Forest Red Gum	280		280	15	6	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2377	Corymbia intermedia	Pink Bloodwood	250		250	18	12	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	School VMP removed	
2378	Corymbia intermedia	Pink Bloodwood	150		150	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2379	Acacia concurrens	Black Wattle	150		150	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2380	Eucalyptus tereticornis	Forest Red Gum	340		340	20	8	4.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2381	Eucalyptus tereticornis	Forest Red Gum	320		320	15	3	3.8	2	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2382	Eucalyptus tereticornis	Forest Red Gum	300		300	26	6	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2383	Eucalyptus crebra	Narrow-leaved Ironbark	160		160	12	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2384	Corymbia intermedia	Pink Bloodwood	250		250	20	8	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2385	Allocasuarina littoralis	Black Sheoak	170		170	12	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2386	Allocasuarina littoralis	Black Sheoak	220		220	8	3	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2387	Allocasuarina littoralis	Black Sheoak	150		150	8	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2388	Alphitonia excelsa	Red Ash	230		230	15	8	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2389	Allocasuarina littoralis	Black Sheoak	160		160	10	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2390	Allocasuarina littoralis	Black Sheoak	170		170	10	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	School VMP removed	
2391	Corymbia intermedia	Pink Bloodwood	240		240	18	8	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2392	Allocasuarina littoralis	Black Sheoak	170		170	8	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2393	Acacia concurrens	Black Wattle	150		150	8	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2394	Allocasuarina littoralis	Black Sheoak	170		170	8	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2395	Corymbia tessellaris	Moreton Bay Ash	110		110	8	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2396	Corymbia intermedia	Pink Bloodwood	150		150	15	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2397	Allocasuarina littoralis	Black Sheoak	170		170	8	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2398	Allocasuarina littoralis	Black Sheoak	170		170	8	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2399	Melaleuca quinquenervia	Broad-leaved Paperbark	240	210	319	10	6	3.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	Small	-	-	School VMP removed	
2400	Melaleuca quinquenervia	Broad-leaved Paperbark	260		260	10	5	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	Small	-	-	School VMP removed	
2401	Corymbia intermedia	Pink Bloodwood	220		220	18	5	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2402	Corymbia intermedia	Pink Bloodwood	240	200	312	23	5	3.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2403	Corymbia citriodora	Spotted Gum	260	190	322	20	6	3.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
2404	Corymbia intermedia	Pink Bloodwood	240	240, 200	394	25	10	4.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2405	Corymbia intermedia	Pink Bloodwood	280		280	25	8	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2406	Eucalyptus tereticornis	Forest Red Gum	390		390	25	8	4.7	2	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2407	Eucalyptus tereticornis	Forest Red Gum	390		390	28	6	4.7	2	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2408	Eucalyptus tereticornis	Forest Red Gum	220		220	20	5	2.6	2	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2409	Eucalyptus tereticornis	Forest Red Gum	390		390	28	10	4.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2410	Eucalyptus crebra	Narrow-leaved Ironbark	370		370	25	15	4.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2411	Eucalyptus tereticornis	Forest Red Gum	170		170	8	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2412	Corymbia citriodora	Spotted Gum	270		270	28	12	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2413	Corymbia intermedia	Pink Bloodwood	190	150	242	8	2	2.9	2	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2414	Eucalyptus tereticornis	Forest Red Gum	280		280	20	5	3.4	2	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2415	Eucalyptus crebra	Narrow-leaved Ironbark	360		360	28	15	4.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2416	Eucalyptus crebra	Narrow-leaved Ironbark	280		280	25	6	3.4	2	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2417	Corymbia tessellaris	Moreton Bay Ash	220		220	15	5	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2418	Eucalyptus crebra	Narrow-leaved Ironbark	280		280	25	15	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2419	Acacia concurrens	Black Wattle	150		150	8	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2420	Corymbia citriodora	Spotted Gum	250		250	25	12	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2421	Eucalyptus tereticornis	Forest Red Gum	300		300	28	12	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2422	Eucalyptus crebra	Narrow-leaved Ironbark	280		280	25	12	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2423	Corymbia citriodora	Spotted Gum	280		280	25	12	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2424	Eucalyptus crebra	Narrow-leaved Ironbark	200		200	20	10	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	Old	-	-	-	-	-	School VMP removed	
2425	Eucalyptus crebra	Narrow-leaved Ironbark	360		360	28	16	4.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2426	Eucalyptus crebra	Narrow-leaved Ironbark	190		190	15	5	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2427	Eucalyptus crebra	Narrow-leaved Ironbark	260		260	25	15	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2428	Eucalyptus crebra	Narrow-leaved Ironbark	280		280	28	12	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2429	Eucalyptus crebra	Narrow-leaved Ironbark	340		340	23	12	4.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2430	Corymbia citriodora	Spotted Gum	240		240	18	8	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2431	Eucalyptus crebra	Narrow-leaved Ironbark	230		230	20	6	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	School VMP removed	
2432	Eucalyptus tereticornis	Forest Red Gum	220		220	15	5	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2433	Corymbia intermedia	Pink Bloodwood	120		120	6	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2434	Eucalyptus tereticornis	Forest Red Gum	190	170, 120	282	28	8	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2435	Corymbia intermedia	Pink Bloodwood	210		210	15	8	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2436	Corymbia tessellaris	Moreton Bay Ash	140		140	6	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2437	Eucalyptus tereticornis	Forest Red Gum	290		290	23	12	3.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2438	Corymbia intermedia	Pink Bloodwood	220		220	14	6	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2439	Eucalyptus tereticornis	Forest Red Gum	230		230	25	12	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2440	Eucalyptus tereticornis	Forest Red Gum	330		330	28	12	4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2441	Eucalyptus tereticornis	Forest Red Gum	530		530	26	20	6.4	3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2442	Eucalyptus tereticornis	Forest Red Gum	210		210	15	10	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2443	Eucalyptus tereticornis	Forest Red Gum	330		330	25	12	4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2444	Corymbia citriodora	Spotted Gum	140	160, 260	336	10	4	4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2445	Eucalyptus tereticornis	Forest Red Gum	270		270	25	12	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2446	Eucalyptus tereticornis	Forest Red Gum	390		390	25	16	4.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2447	Eucalyptus tereticornis	Forest Red Gum	200		200	15	5	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2448	Eucalyptus tereticornis	Forest Red Gum	490		490	25	12	5.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2449	Corymbia intermedia	Pink Bloodwood	110		110	5	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2450	Corymbia intermedia	Pink Bloodwood	300	280	410	25	15	4.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2451	Eucalyptus tereticornis	Forest Red Gum	320		320	23	8	3.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2452	Allocasuarina littoralis	Black Sheoak	190		190	8	2	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2453	Corymbia intermedia	Pink Bloodwood	190		190	10	2	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2454	Corymbia intermedia	Pink Bloodwood	170		170	10	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2455	Eucalyptus tereticornis	Forest Red Gum	370		370	28	14	4.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2456	Allocasuarina littoralis	Black Sheoak	190		190	6	2	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2457	Lophostemon suaveolens	Swamp Box	290		290	10	3	3.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2458	Lophostemon suaveolens	Swamp Box	130		130	6	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2459	Allocasuarina littoralis	Black Sheoak	240		240	8	3	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2460	Allocasuarina littoralis	Black Sheoak	160		160	6	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
2461	Lophostemon suaveolens	Swamp Box	140		140	8	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2462	Allocasuarina littoralis	Black Sheoak	190		190	10	2	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2463	Allocasuarina littoralis	Black Sheoak	160		160	10	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2464	Allocasuarina littoralis	Black Sheoak	190		190	10	4	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2465	Allocasuarina littoralis	Black Sheoak	180		180	10	3	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2466	Allocasuarina littoralis	Black Sheoak	160		160	10	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2467	Allocasuarina littoralis	Black Sheoak	150		150	8	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2468	Allocasuarina littoralis	Black Sheoak	200		200	10	3	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2469	Allocasuarina littoralis	Black Sheoak	160		160	8	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2470	Allocasuarina littoralis	Black Sheoak	170		170	8	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2471	Allocasuarina littoralis	Black Sheoak	150		150	10	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
2472	Allocasuarina littoralis	Black Sheoak	150		150	8	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2473	Allocasuarina littoralis	Black Sheoak	230		230	10	3	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2474	Lophostemon suaveolens	Swamp Box	120		120	6	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2475	Eucalyptus tereticornis	Forest Red Gum	340		340	25	12	4.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
2476	Angophora leiocarpa	Smooth-barked Apple	190		190	12	3	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3158	Eucalyptus crebra	Narrow-leaved Ironbark	310		310	16	5	3.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Retain ROL6	
3159	Eucalyptus crebra	Narrow-leaved Ironbark	310		310	19	6	3.7	2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain ROL6	
3160	Corymbia citriodora	Spotted Gum	260		260	17	6	3.1	2	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
3161	Corymbia citriodora	Spotted Gum	130		130	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
3162	Corymbia intermedia	Pink Bloodwood	270	210	342	15	6	4.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
3163	Corymbia citriodora	Spotted Gum	110		110	14	2	2	1	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
3164	Eucalyptus crebra	Narrow-leaved Ironbark	230		230	14	4	2.8	2	Regular	-	Thinning	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
3165	Eucalyptus crebra	Narrow-leaved Ironbark	440	150	465	23	12	5.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Retain ROL6	
3166	Corymbia citriodora	Spotted Gum	120		120	14	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
3167	Acacia concurrens	Black Wattle	130	100	164	12	3	2	2	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
3179	Eucalyptus tereticornis	Forest Red Gum	250		250	18	5	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3180	Corymbia citriodora	Spotted Gum	250	200	320	18	6	3.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3181	Eucalyptus crebra	Narrow-leaved Ironbark	180		180	13	3	2.2	2	Regular	-	Thinning	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3182	Eucalyptus crebra	Narrow-leaved Ironbark	110		110	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3183	Corymbia citriodora	Spotted Gum	270	210	342	17	7	4.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3184	Eucalyptus tereticornis	Forest Red Gum	190		190	15	3	2.3	2	Regular	-	Thinning	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3185	Eucalyptus tereticornis	Forest Red Gum	230		230	17	5	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3186	Corymbia citriodora	Spotted Gum	320		320	18	7	3.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3187	Allocasuarina littoralis	Black Sheoak	170		170	13	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3188	Eucalyptus crebra	Narrow-leaved Ironbark	250		250	16	5	3	2	Regular	-	Thinning	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3189	Allocasuarina littoralis	Black Sheoak	150		150	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3190	Allocasuarina littoralis	Black Sheoak	170		170	14	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3191	Corymbia intermedia	Pink Bloodwood	230		230	15	5	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3192	Corymbia intermedia	Pink Bloodwood	180		180	14	3	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3193	Corymbia intermedia	Pink Bloodwood	220	150	266	15	4	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3194	Corymbia citriodora	Spotted Gum	490		490	23	12	5.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3195	Corymbia intermedia	Pink Bloodwood	300		300	16	6	3.6	2	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Remove - approved in School application	
3196	Eucalyptus tereticornis	Forest Red Gum	330		330	18	6	4	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3197	Allocasuarina littoralis	Black Sheoak	150		150	13	2	2	1	Regular	-	-	-	-	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3198	Allocasuarina littoralis	Black Sheoak	160		160	14	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3199	Corymbia intermedia	Pink Bloodwood	150	110	186	13	4	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3200	Eucalyptus tereticornis	Forest Red Gum	280		280	19	6	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3201	Corymbia intermedia	Pink Bloodwood	220		220	14	5	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3202	Eucalyptus tereticornis	Forest Red Gum	400		400	22	10	4.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3203	Corymbia citriodora	Spotted Gum	210	120	242	15	6	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3204	Corymbia intermedia	Pink Bloodwood	260		260	16	6	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3205	Corymbia intermedia	Pink Bloodwood	310		310	17	6	3.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Remove - approved in School application	
3206	Melaleuca quinquenervia	Broad-leaved Paperbark	200		200	14	3	2.4	2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3207	Eucalyptus tereticornis	Forest Red Gum	500		500	22	10	6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3208	Eucalyptus tereticornis	Forest Red Gum	310		310	19	7	3.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3209	Eucalyptus tereticornis	Forest Red Gum	410		410	18	6	4.9	2	Regular	-	Thinning	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	

Specimen Details									Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
3210	Corymbia intermedia	Pink Bloodwood	200		200	15	4	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3211	Eucalyptus crebra	Narrow-leaved Ironbark	180		180	13	2	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3212	Eucalyptus crebra	Narrow-leaved Ironbark	230		230	15	4	2.8	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3213	Eucalyptus tereticornis	Forest Red Gum	400		400	20	9	4.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3214	Eucalyptus tereticornis	Forest Red Gum	430		430	18	7	5.2	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3215	Corymbia citriodora	Spotted Gum	380		380	19	8	4.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3216	Corymbia intermedia	Pink Bloodwood	210		210	14	5	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Remove - approved in School application	
3217	Eucalyptus tereticornis	Forest Red Gum	200		200	14	4	2.4	2	One-sided	-	Thinning	Die-back	-	-	Poor	-	-	Trunk Dmg.	-	Poor	-	-	-	-	-	-	Remove - approved in School application	
3218	Eucalyptus crebra	Narrow-leaved Ironbark	200		200	14	5	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3219	Corymbia tessellaris	Moreton Bay Ash	190		190	16	4	2.3	2	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3220	Eucalyptus tereticornis	Forest Red Gum	270		270	18	7	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3221	Eucalyptus crebra	Narrow-leaved Ironbark	300		300	18	8	3.6	2	Regular	-	Thinning	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3222	Eucalyptus tereticornis	Forest Red Gum	320		320	21	9	3.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3223	Eucalyptus crebra	Narrow-leaved Ironbark	260		260	21	7	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3224	Eucalyptus crebra	Narrow-leaved Ironbark	200		200	17	4	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3225	Eucalyptus crebra	Narrow-leaved Ironbark	380		380	23	10	4.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3226	Corymbia tessellaris	Moreton Bay Ash	160		160	16	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3227	Corymbia intermedia	Pink Bloodwood	290		290	15	5	3.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3228	Eucalyptus crebra	Narrow-leaved Ironbark	310		310	23	10	3.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3229	Eucalyptus crebra	Narrow-leaved Ironbark	310		310	24	11	3.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3230	Allocasuarina littoralis	Black Sheoak	150		150	14	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3231	Lophostemon suaveolens	Swamp Box	230		230	15	4	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3232	Eucalyptus crebra	Narrow-leaved Ironbark	340		340	17	7	4.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3233	Eucalyptus crebra	Narrow-leaved Ironbark	270		270	18	6	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Remove - approved in School application	
3234	Eucalyptus tereticornis	Forest Red Gum	370		370	21	9	4.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3235	Corymbia intermedia	Pink Bloodwood	210		210	16	5	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3236	Eucalyptus tereticornis	Forest Red Gum	280		280	19	6	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3237	Eucalyptus tereticornis	Forest Red Gum	420		420	26	12	5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3238	Eucalyptus crebra	Narrow-leaved Ironbark	360		360	22	9	4.3	2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3239	Eucalyptus crebra	Narrow-leaved Ironbark	250		250	18	7	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3240	Eucalyptus tereticornis	Forest Red Gum	260		260	18	7	3.1	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3241	Eucalyptus tereticornis	Forest Red Gum	300	230	378	19	6	4.5	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Poor	-	-	-	-	-	-	Remove - approved in School application	
3242	Eucalyptus crebra	Narrow-leaved Ironbark	150		150	13	3	2	1	Regular	-	Thinning	-	-	Lopped	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3243	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	13	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3244	Eucalyptus tereticornis	Forest Red Gum	340		340	24	9	4.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3245	Eucalyptus tereticornis	Forest Red Gum	270		270	22	8	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3246	Eucalyptus tereticornis	Forest Red Gum	240		240	16	4	2.9	2	Regular	-	Thinning	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3247	Eucalyptus crebra	Narrow-leaved Ironbark	230		230	17	4	2.8	2	Regular	-	Thinning	-	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3248	Eucalyptus tereticornis	Forest Red Gum	310		310	21	7	3.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3249	Eucalyptus tereticornis	Forest Red Gum	270		270	16	5	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3250	Corymbia intermedia	Pink Bloodwood	200	150	250	16	5	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3251	Eucalyptus tereticornis	Forest Red Gum	220		220	16	5	2.6	2	Regular	-	Thinning	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3252	Eucalyptus tereticornis	Forest Red Gum	220		220	16	5	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3253	Eucalyptus tereticornis	Forest Red Gum	300		300	21	10	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3254	Corymbia intermedia	Pink Bloodwood	180		180	14	5	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3255	Corymbia intermedia	Pink Bloodwood	300	230	378	16	7	4.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Remove - approved in School application	
3256	Corymbia intermedia	Pink Bloodwood	230	200, 180	354	16	6	4.2	2	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3257	Eucalyptus tereticornis	Forest Red Gum	350		350	17	6	4.2	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3258	Eucalyptus tereticornis	Forest Red Gum	260		260	15	4	3.1	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3259	Eucalyptus tereticornis	Forest Red Gum	380		380	22	10	4.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3260	Allocasuarina littoralis	Black Sheoak	150		150	13	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3261	Eucalyptus tereticornis	Forest Red Gum	500	200	539	23	11	6.5	3	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3262	Eucalyptus tereticornis	Forest Red Gum	330		330	17	6	4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3263	Eucalyptus tereticornis	Forest Red Gum	310		310	23	10	3.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3264	Eucalyptus tereticornis	Forest Red Gum	300		300	17	6	3.6	2	Regular	-	Thinning	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3265	Allocasuarina littoralis	Black Sheoak	150		150	12	3	2	1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3266	Corymbia tessellaris	Moreton Bay Ash	170		170	14	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
3267	Corymbia intermedia	Pink Bloodwood	230		230	15	5	2.8	2	Regular	-	Thinning	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3268	Eucalyptus tereticornis	Forest Red Gum	270		270	16	4	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3269	Eucalyptus tereticornis	Forest Red Gum	350	300	461	21	13	5.5	2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3270	Eucalyptus tereticornis	Forest Red Gum	570		570	22	12	6.8	3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3282	Corymbia citriodora	Spotted Gum	110		110	13	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
3291	Corymbia citriodora	Spotted Gum	230		230	18	3	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3292	Eucalyptus crebra	Narrow-leaved Ironbark	180		180	16	3	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3293	Eucalyptus crebra	Narrow-leaved Ironbark	200		200	15	4	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3294	Eucalyptus crebra	Narrow-leaved Ironbark	370		370	18	7	4.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3295	Eucalyptus crebra	Narrow-leaved Ironbark	230		230	17	4	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3296	Eucalyptus tereticornis	Forest Red Gum	240		240	16	4	2.9	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3297	Eucalyptus crebra	Narrow-leaved Ironbark	300	270	404	22	10	4.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3298	Eucalyptus crebra	Narrow-leaved Ironbark	160		160	18	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3299	Corymbia citriodora	Spotted Gum	220		220	16	5	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3300	Eucalyptus crebra	Narrow-leaved Ironbark	300		300	17	6	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3301	Eucalyptus crebra	Narrow-leaved Ironbark	340		340	22	10	4.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3302	Eucalyptus crebra	Narrow-leaved Ironbark	230		230	17	6	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3303	Eucalyptus crebra	Narrow-leaved Ironbark	340		340	20	8	4.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3304	Eucalyptus crebra	Narrow-leaved Ironbark	200		200	16	5	2.4	2	Regular	-	Thinning	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3305	Eucalyptus tereticornis	Forest Red Gum	240		240	16	3	2.9	2	Regular	-	Thinning	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3306	Eucalyptus crebra	Narrow-leaved Ironbark	360		360	24	10	4.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	Termite nest	-	Remove - approved in School application	
3307	Eucalyptus crebra	Narrow-leaved Ironbark	280		280	19	8	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3308	Eucalyptus crebra	Narrow-leaved Ironbark	210		210	15	5	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3309	Eucalyptus crebra	Narrow-leaved Ironbark	380		380	21	10	4.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3310	Eucalyptus crebra	Narrow-leaved Ironbark	200		200	18	7	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3311	Eucalyptus crebra	Narrow-leaved Ironbark	320		320	25	10	3.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Remove - approved in School application	
3312	Eucalyptus tereticornis	Forest Red Gum	170		170	16	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3313	Eucalyptus crebra	Narrow-leaved Ironbark	290		290	24	11	3.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3314	Eucalyptus tereticornis	Forest Red Gum	220	170	278	15	2	3.3	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Poor	-	-	-	-	-	-	Remove - approved in School application	
3315	Eucalyptus crebra	Narrow-leaved Ironbark	250		250	15	6	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3316	Eucalyptus tereticornis	Forest Red Gum	260		260	18	7	3.1	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3317	Corymbia intermedia	Pink Bloodwood	200		200	16	6	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3318	Corymbia intermedia	Pink Bloodwood	200		200	16	5	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3319	Eucalyptus tereticornis	Forest Red Gum	220		220	15	6	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3320	Eucalyptus crebra	Narrow-leaved Ironbark	160		160	16	5	2	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3321	Eucalyptus crebra	Narrow-leaved Ironbark	160		160	16	3	2	2	Regular	-	Thinning	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3322	Eucalyptus tereticornis	Forest Red Gum	180		180	16	4	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3323	Eucalyptus crebra	Narrow-leaved Ironbark	220		220	17	6	2.6	2	One-sided	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3324	Eucalyptus crebra	Narrow-leaved Ironbark	260		260	19	8	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3325	Corymbia tessellaris	Moreton Bay Ash	190		190	16	5	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3326	Eucalyptus tereticornis	Forest Red Gum	240		240	16	6	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3327	Eucalyptus crebra	Narrow-leaved Ironbark	270		270	16	6	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	School VMP removed	
3328	Eucalyptus tereticornis	Forest Red Gum	210		210	14	5	2.5	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Poor	-	-	-	-	-	-	School VMP removed	
3329	Eucalyptus crebra	Narrow-leaved Ironbark	300		300	17	6	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3330	Eucalyptus crebra	Narrow-leaved Ironbark	360		360	18	7	4.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3331	Eucalyptus crebra	Narrow-leaved Ironbark	260		260	17	5	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	School VMP removed	
3332	Eucalyptus crebra	Narrow-leaved Ironbark	450		450	22	10	5.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3333	Eucalyptus crebra	Narrow-leaved Ironbark	400		400	18	7	4.8	2	Regular	Spreading	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3334	Eucalyptus crebra	Narrow-leaved Ironbark	380		380	20	9	4.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3335	Eucalyptus crebra	Narrow-leaved Ironbark	270		270	22	6	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3336	Eucalyptus tereticornis	Forest Red Gum	200		200	16	6	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3337	Eucalyptus siderophloia	Grey Ironbark	460		460	21	10	5.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3338	Eucalyptus crebra	Narrow-leaved Ironbark	320	280	425	21	9	5.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3339	Eucalyptus tereticornis	Forest Red Gum	450		450	23	12	5.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3340	Corymbia citriodora	Spotted Gum	120		120	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3341	Eucalyptus tereticornis	Forest Red Gum	280	260	382	18	7	4.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3342	Eucalyptus crebra	Narrow-leaved Ironbark	350		350	19	8	4.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
3343	Eucalyptus tereticornis	Forest Red Gum	240		240	18	6	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3344	Eucalyptus tereticornis	Forest Red Gum	450		450	18	7	5.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3345	Corymbia citriodora	Spotted Gum	310		310	19	6	3.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3346	Eucalyptus tereticornis	Forest Red Gum	360		360	18	8	4.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3347	Eucalyptus tereticornis	Forest Red Gum	360		360	17	7	4.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3348	Eucalyptus tereticornis	Forest Red Gum	570		570	25	11	6.8	3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3349	Eucalyptus tereticornis	Forest Red Gum	430		430	18	7	5.2	2	Regular	-	Thinning	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3350	Eucalyptus tereticornis	Forest Red Gum	470		470	19	9	5.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3351	Angophora leiocarpa	Smooth-barked Apple	520		520	20	6	6.2	3	Regular	-	-	-	-	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3352	Eucalyptus tereticornis	Forest Red Gum	560		560	21	9	6.7	3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3353	Eucalyptus tereticornis	Forest Red Gum	270	240	361	19	9	4.3	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	Trunk Dmg.	-	Poor	-	-	-	-	-	-	Remove - approved in School application	
3354	Eucalyptus tereticornis	Forest Red Gum	340		340	20	9	4.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3355	Corymbia intermedia	Pink Bloodwood	180		180	13	4	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3356	Eucalyptus tereticornis	Forest Red Gum	230		230	16	3	2.8	2	Regular	-	Thinning	-	-	-	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	-	Termite nest	-	Remove - approved in School application	
3357	Eucalyptus tereticornis	Forest Red Gum	500		500	21	9	6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3358	Eucalyptus tereticornis	Forest Red Gum	310		310	19	7	3.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3359	Eucalyptus tereticornis	Forest Red Gum	340		340	18	6	4.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3360	Eucalyptus tereticornis	Forest Red Gum	370		370	20	8	4.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3361	Eucalyptus tereticornis	Forest Red Gum	340	320	467	21	9	5.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3362	Angophora leiocarpa	Smooth-barked Apple	310		310	19	9	3.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3363	Eucalyptus tereticornis	Forest Red Gum	460		460	22	11	5.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3364	Corymbia tessellaris	Moreton Bay Ash	280		280	20	6	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3365	Corymbia intermedia	Pink Bloodwood	230		230	18	6	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Remove - approved in School application	
3366	Angophora leiocarpa	Smooth-barked Apple	250		250	18	6	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3367	Angophora leiocarpa	Smooth-barked Apple	160		160	15	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3368	Allocasuarina littoralis	Black Sheoak	170		170	14	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3369	Melaleuca quinquenervia	Broad-leaved Paperbark	210		210	14	3	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3370	Corymbia intermedia	Pink Bloodwood	180		180	15	6	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3371	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3372	Corymbia intermedia	Pink Bloodwood	230		230	16	6	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3373	Eucalyptus tereticornis	Forest Red Gum	310		310	17	6	3.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3374	Eucalyptus tereticornis	Forest Red Gum	180		180	14	5	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3375	Melaleuca quinquenervia	Broad-leaved Paperbark	240		240	14	4	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3376	Eucalyptus tereticornis	Forest Red Gum	520		520	22	10	6.2	3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3377	Lophostemon suaveolens	Swamp Box	130		130	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3378	Lophostemon suaveolens	Swamp Box	160		160	14	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3379	Allocasuarina littoralis	Black Sheoak	200		200	14	4	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3380	Eucalyptus tereticornis	Forest Red Gum	300	160	340	18	6	4.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3381	Allocasuarina littoralis	Black Sheoak	300		300	15	5	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3382	Corymbia intermedia	Pink Bloodwood	310		310	16	6	3.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3383	Corymbia intermedia	Pink Bloodwood	170		170	15	3	2	2	Regular	-	Thinning	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3384	Melaleuca quinquenervia	Broad-leaved Paperbark	260	240, 240	428	16	6	5.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3385	Eucalyptus tereticornis	Forest Red Gum	530		530	22	10	6.4	3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3386	Corymbia intermedia	Pink Bloodwood	250		250	17	6	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3387	Corymbia tessellaris	Moreton Bay Ash	210		210	19	6	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3388	Allocasuarina littoralis	Black Sheoak	200		200	15	5	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	School VMP removed	
3389	Allocasuarina littoralis	Black Sheoak	180		180	15	4	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3390	Allocasuarina littoralis	Black Sheoak	200		200	16	4	2.4	2	Regular	-	Thinning	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	School VMP removed	
3391	Angophora leiocarpa	Smooth-barked Apple	200	140	244	16	5	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3392	Corymbia intermedia	Pink Bloodwood	130		130	13	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3393	Eucalyptus tereticornis	Forest Red Gum	380		380	20	8	4.6	2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	School VMP removed	
3394	Corymbia intermedia	Pink Bloodwood	270		270	17	6	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3395	Angophora leiocarpa	Smooth-barked Apple	200		200	17	6	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3396	Allocasuarina littoralis	Black Sheoak	160		160	15	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3397	Allocasuarina littoralis	Black Sheoak	150		150	15	3	2	1	Regular	-	Thinning	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3398	Eucalyptus tereticornis	Forest Red Gum	340		340	17	6	4.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3399	Corymbia intermedia	Pink Bloodwood	200		200	15	3	2.4	2	One-sided	-	-	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
3400	Allocasuarina littoralis	Black Sheoak	180		180	14	4	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3401	Melaleuca quinquenervia	Broad-leaved Paperbark	200	120, 100	254	14	6	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3402	Corymbia intermedia	Pink Bloodwood	220	200, 180	348	16	7	4.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3403	Allocasuarina littoralis	Black Sheoak	200		200	15	4	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3404	Angophora leiocarpa	Smooth-barked Apple	400		400	22	10	4.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3405	Eucalyptus crebra	Narrow-leaved Ironbark	300		300	22	9	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3406	Eucalyptus crebra	Narrow-leaved Ironbark	340		340	21	9	4.1	2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	School VMP removed	
3407	Eucalyptus crebra	Narrow-leaved Ironbark	300		300	18	6	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3408	Angophora leiocarpa	Smooth-barked Apple	380	250	455	20	10	5.5	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3409	Allocasuarina littoralis	Black Sheoak	180		180	15	5	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3410	Eucalyptus crebra	Narrow-leaved Ironbark	260		260	17	6	3.1	2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	School VMP removed	
3411	Eucalyptus crebra	Narrow-leaved Ironbark	270	240	361	19	7	4.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3412	Corymbia citriodora	Spotted Gum	290	190	347	18	6	4.2	2	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3413	Eucalyptus crebra	Narrow-leaved Ironbark	440		440	23	11	5.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3414	Eucalyptus crebra	Narrow-leaved Ironbark	380		380	19	7	4.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3415	Eucalyptus crebra	Narrow-leaved Ironbark	310	210	374	18	8	4.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3416	Corymbia citriodora	Spotted Gum	300		300	19	7	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3417	Eucalyptus tereticornis	Forest Red Gum	210		210	17	6	2.5	2	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3418	Eucalyptus crebra	Narrow-leaved Ironbark	260		260	20	9	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	School VMP removed	
3419	Eucalyptus tereticornis	Forest Red Gum	200		200	16	5	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3420	Eucalyptus tereticornis	Forest Red Gum	300		300	16	7	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3421	Eucalyptus crebra	Narrow-leaved Ironbark	250		250	18	8	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	School VMP removed	
3422	Eucalyptus tereticornis	Forest Red Gum	210		210	16	4	2.5	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3423	Corymbia citriodora	Spotted Gum	250	250	354	19	7	4.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3424	Eucalyptus crebra	Narrow-leaved Ironbark	300		300	19	7	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3425	Eucalyptus crebra	Narrow-leaved Ironbark	250		250	18	5	3	2	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3426	Eucalyptus crebra	Narrow-leaved Ironbark	280		280	18	7	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3427	Eucalyptus crebra	Narrow-leaved Ironbark	240		240	16	5	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	School VMP removed	
3428	Corymbia citriodora	Spotted Gum	240		240	18	4	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3429	Eucalyptus crebra	Narrow-leaved Ironbark	290		290	16	6	3.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3430	Corymbia citriodora	Spotted Gum	230		230	17	3	2.8	2	Regular	-	Thinning	-	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3431	Corymbia citriodora	Spotted Gum	250		250	19	4	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3432	Eucalyptus crebra	Narrow-leaved Ironbark	360		360	22	10	4.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3433	Corymbia citriodora	Spotted Gum	250		250	15	6	3	2	One-sided	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3434	Eucalyptus crebra	Narrow-leaved Ironbark	240		240	17	2	2.9	2	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3435	Eucalyptus crebra	Narrow-leaved Ironbark	310		310	16	7	3.7	2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	School VMP removed	
3436	Eucalyptus crebra	Narrow-leaved Ironbark	240		240	17	6	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3437	Allocasuarina littoralis	Black Sheoak	150		150	15	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3438	Eucalyptus tereticornis	Forest Red Gum	540		540	23	11	6.5	3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3439	Eucalyptus crebra	Narrow-leaved Ironbark	280		280	17	6	3.4	2	Regular	-	Thinning	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3440	Allocasuarina littoralis	Black Sheoak	150		150	15	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3441	Eucalyptus tereticornis	Forest Red Gum	360		360	20	9	4.3	2	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3442	Eucalyptus tereticornis	Forest Red Gum	300		300	19	9	3.6	2	Regular	-	Thinning	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3443	Allocasuarina littoralis	Black Sheoak	160		160	15	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3444	Eucalyptus tereticornis	Forest Red Gum	250		250	18	4	3	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3445	Corymbia intermedia	Pink Bloodwood	320		320	15	6	3.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3446	Allocasuarina littoralis	Black Sheoak	190		190	12	4	2.3	2	Regular	-	Thinning	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3447	Allocasuarina littoralis	Black Sheoak	190		190	14	3	2.3	2	Regular	-	Thinning	-	-	-	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	School VMP removed	
3448	Eucalyptus tereticornis	Forest Red Gum	360		360	17	7	4.3	2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	Small	-	-	-	School VMP removed	
3449	Eucalyptus tereticornis	Forest Red Gum	340		340	18	7	4.1	2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	School VMP removed	
3450	Eucalyptus tereticornis	Forest Red Gum	460		460	19	7	5.5	2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	School VMP removed	
3451	Eucalyptus tereticornis	Forest Red Gum	230		230	16	6	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3452	Corymbia intermedia	Pink Bloodwood	210	150	258	15	6	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3453	Allocasuarina littoralis	Black Sheoak	230		230	15	5	2.8	2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	School VMP removed	
3454	Eucalyptus tereticornis	Forest Red Gum	370		370	18	8	4.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3455	Eucalyptus tereticornis	Forest Red Gum	320		320	19	8	3.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3456	Eucalyptus tereticornis	Forest Red Gum	250	220	333	18	7	4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
3457	Eucalyptus tereticornis	Forest Red Gum	210		210	16	4	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3458	Eucalyptus tereticornis	Forest Red Gum	200		200	15	5	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3459	Eucalyptus tereticornis	Forest Red Gum	460		460	22	10	5.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3460	Eucalyptus tereticornis	Forest Red Gum	320		320	18	9	3.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3461	Eucalyptus tereticornis	Forest Red Gum	300		300	18	7	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3462	Acacia concurrens	Black Wattle	150		150	15	4	2	1	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3463	Corymbia intermedia	Pink Bloodwood	200		200	16	6	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3464	Eucalyptus tereticornis	Forest Red Gum	310		310	17	6	3.7	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Poor	-	-	-	-	-	-	School VMP removed	
3465	Corymbia tessellaris	Moreton Bay Ash	150		150	16	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3466	Eucalyptus tereticornis	Forest Red Gum	260		260	19	8	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3467	Eucalyptus tereticornis	Forest Red Gum	210		210	18	6	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3468	Allocasuarina littoralis	Black Sheoak	160		160	15	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3469	Allocasuarina littoralis	Black Sheoak	250		250	16	5	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3470	Corymbia intermedia	Pink Bloodwood	230		230	16	6	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3471	Corymbia intermedia	Pink Bloodwood	140		140	15	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3472	Eucalyptus tereticornis	Forest Red Gum	240		240	17	6	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3473	Allocasuarina littoralis	Black Sheoak	150		150	15	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3474	Allocasuarina littoralis	Black Sheoak	200		200	13	5	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3475	Eucalyptus tereticornis	Forest Red Gum	420		420	19	8	5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3476	Eucalyptus tereticornis	Forest Red Gum	240	220	326	16	5	3.9	2	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3477	Allocasuarina littoralis	Black Sheoak	160		160	15	3	2	2	Regular	-	Thinning	-	-	Lopped	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3478	Eucalyptus tereticornis	Forest Red Gum	300		300	16	5	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3479	Eucalyptus tereticornis	Forest Red Gum	370		370	22	10	4.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3480	Eucalyptus tereticornis	Forest Red Gum	380		380	20	9	4.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3481	Allocasuarina littoralis	Black Sheoak	150		150	14	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3482	Allocasuarina littoralis	Black Sheoak	150		150	13	4	2	1	Regular	-	Thinning	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3483	Allocasuarina littoralis	Black Sheoak	150		150	15	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3484	Allocasuarina littoralis	Black Sheoak	150		150	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3485	Eucalyptus tereticornis	Forest Red Gum	420	340	540	21	9	6.5	3	Regular	-	Thinning	Die-back	-	-	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	School VMP removed	
3486	Eucalyptus crebra	Narrow-leaved Ironbark	310		310	17	6	3.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3487	Allocasuarina littoralis	Black Sheoak	200		200	14	3	2.4	2	Regular	-	Thinning	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3488	Eucalyptus seeana	Narrow-leaved Gum	400		400	22	10	4.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3489	Eucalyptus tereticornis	Forest Red Gum	350		350	23	11	4.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3490	Eucalyptus tereticornis	Forest Red Gum	390		390	21	9	4.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3491	Eucalyptus tereticornis	Forest Red Gum	430		430	24	11	5.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3492	Eucalyptus tereticornis	Forest Red Gum	300		300	20	7	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3493	Eucalyptus tereticornis	Forest Red Gum	260		260	17	5	3.1	2	One-sided	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3494	Eucalyptus crebra	Narrow-leaved Ironbark	150		150	16	2	2	1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3495	Eucalyptus tereticornis	Forest Red Gum	320		320	18	7	3.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3496	Eucalyptus tereticornis	Forest Red Gum	190		190	17	3	2.3	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3497	Eucalyptus tereticornis	Forest Red Gum	350		350	20	9	4.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3498	Eucalyptus crebra	Narrow-leaved Ironbark	300		300	21	9	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	School VMP removed	
3499	Eucalyptus crebra	Narrow-leaved Ironbark	190		190	16	4	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3500	Eucalyptus crebra	Narrow-leaved Ironbark	400		400	25	11	4.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3501	Eucalyptus crebra	Narrow-leaved Ironbark	410		410	24	10	4.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	School VMP removed	
3502	Eucalyptus seeana	Narrow-leaved Gum	260		260	16	6	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3503	Eucalyptus crebra	Narrow-leaved Ironbark	450		450	25	12	5.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3504	Corymbia citriodora	Spotted Gum	140		140	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3505	Acacia concurrens	Black Wattle	180		180	14	5	2.2	2	Regular	-	Thinning	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3506	Allocasuarina littoralis	Black Sheoak	200		200	14	4	2.4	2	Regular	-	Thinning	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	Termite nest	-	School VMP removed	
3507	Corymbia citriodora	Spotted Gum	310		310	16	6	3.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3508	Corymbia tessellaris	Moreton Bay Ash	140		140	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3509	Eucalyptus crebra	Narrow-leaved Ironbark	160		160	14	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3510	Eucalyptus tereticornis	Forest Red Gum	170		170	14	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3511	Eucalyptus crebra	Narrow-leaved Ironbark	200		200	16	5	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3512	Eucalyptus crebra	Narrow-leaved Ironbark	210		210	17	5	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3513	Eucalyptus crebra	Narrow-leaved Ironbark	220		220	17	5	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
3514	Eucalyptus crebra	Narrow-leaved Ironbark	140		140	13	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3515	Eucalyptus crebra	Narrow-leaved Ironbark	230		230	19	9	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3516	Eucalyptus crebra	Narrow-leaved Ironbark	210		210	18	8	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3517	Eucalyptus crebra	Narrow-leaved Ironbark	250		250	17	5	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3518	Corymbia citriodora	Spotted Gum	260		260	18	7	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3519	Eucalyptus crebra	Narrow-leaved Ironbark	400		400	22	10	4.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3520	Eucalyptus crebra	Narrow-leaved Ironbark	310		310	20	7	3.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3521	Eucalyptus tereticornis	Forest Red Gum	230		230	19	5	2.8	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3522	Eucalyptus tereticornis	Forest Red Gum	210		210	16	5	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3523	Corymbia intermedia	Pink Bloodwood	160		160	14	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3524	Eucalyptus tereticornis	Forest Red Gum	320		320	16	7	3.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3525	Eucalyptus crebra	Narrow-leaved Ironbark	230		230	16	4	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3526	Corymbia intermedia	Pink Bloodwood	250		250	17	5	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3527	Corymbia intermedia	Pink Bloodwood	200		200	16	5	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3528	Eucalyptus tereticornis	Forest Red Gum	250		250	16	4	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3529	Eucalyptus tereticornis	Forest Red Gum	440		440	21	10	5.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3530	Corymbia intermedia	Pink Bloodwood	270		270	18	6	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3531	Eucalyptus tereticornis	Forest Red Gum	340		340	19	5	4.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3532	Eucalyptus tereticornis	Forest Red Gum	240		240	16	4	2.9	2	Regular	-	Thinning	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3533	Allocasuarina littoralis	Black Sheoak	190		190	14	5	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3534	Corymbia intermedia	Pink Bloodwood	270		270	18	6	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3535	Allocasuarina littoralis	Black Sheoak	160		160	9	2	2	2	Regular	-	Thinning	-	-	Lopped	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3536	Corymbia intermedia	Pink Bloodwood	230		230	17	5	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	School VMP removed	
3537	Eucalyptus tereticornis	Forest Red Gum	450		450	24	11	5.4	2	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3538	Melaleuca quinquenervia	Broad-leaved Paperbark	240		240	13	3	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3539	Corymbia intermedia	Pink Bloodwood	160		160	14	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3540	Corymbia intermedia	Pink Bloodwood	220		220	16	5	2.6	2	Regular	-	Thinning	-	-	Lopped	Poor	-	-	-	-	Typical	-	-	-	-	Termite nest	-	School VMP removed	
3541	Corymbia intermedia	Pink Bloodwood	300		300	15	7	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3542	Eucalyptus tereticornis	Forest Red Gum	400		400	19	6	4.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3543	Corymbia intermedia	Pink Bloodwood	100		100	9	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3544	Eucalyptus tereticornis	Forest Red Gum	240		240	18	5	2.9	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3545	Eucalyptus tereticornis	Forest Red Gum	280		280	16	6	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3546	Allocasuarina littoralis	Black Sheoak	200		200	13	4	2.4	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3547	Allocasuarina littoralis	Black Sheoak	200		200	14	5	2.4	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3548	Corymbia intermedia	Pink Bloodwood	220		220	15	6	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3549	Eucalyptus tereticornis	Forest Red Gum	320		320	19	8	3.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3550	Eucalyptus tereticornis	Forest Red Gum	340		340	23	12	4.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3551	Allocasuarina littoralis	Black Sheoak	210		210	16	5	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3552	Eucalyptus tereticornis	Forest Red Gum	190		190	15	4	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3553	Corymbia intermedia	Pink Bloodwood	230		230	16	6	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3554	Allocasuarina littoralis	Black Sheoak	220		220	14	5	2.6	2	Regular	-	Thinning	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3555	Eucalyptus tereticornis	Forest Red Gum	260		260	16	5	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3556	Eucalyptus tereticornis	Forest Red Gum	300		300	15	3	3.6	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	Trunk Dmg.	-	Poor	-	-	-	-	-	-	School VMP removed	
3557	Eucalyptus tereticornis	Forest Red Gum	360		360	18	7	4.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3558	Eucalyptus crebra	Narrow-leaved Ironbark	210		210	15	4	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3559	Eucalyptus crebra	Narrow-leaved Ironbark	290		290	18	6	3.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	School VMP removed	
3560	Acacia leiocalyx	Early Flowering Black Wattle	160	150, 90	237	14	5	2.8	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3561	Corymbia citriodora	Spotted Gum	220		220	14	5	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3562	Eucalyptus crebra	Narrow-leaved Ironbark	400		400	22	10	4.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	School VMP removed	
3563	Eucalyptus crebra	Narrow-leaved Ironbark	420		420	21	10	5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3564	Eucalyptus crebra	Narrow-leaved Ironbark	160		160	13	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3565	Corymbia intermedia	Pink Bloodwood	290	180	341	15	7	4.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3566	Allocasuarina littoralis	Black Sheoak	160		160	14	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3567	Eucalyptus crebra	Narrow-leaved Ironbark	320		320	20	9	3.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	School VMP removed	
3568	Corymbia intermedia	Pink Bloodwood	180		180	13	4	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3569	Acacia leiocalyx	Early Flowering Black Wattle	120	110	163	12	4	2	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3570	Eucalyptus crebra	Narrow-leaved Ironbark	280		280	17	7	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
3571	Acacia leiocalyx	Early Flowering Black Wattle	150	100	180	13	6	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3572	Eucalyptus tereticornis	Forest Red Gum	330		330	17	5	4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3573	Eucalyptus tereticornis	Forest Red Gum	290		290	18	6	3.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3574	Acacia leiocalyx	Early Flowering Black Wattle	140		140	12	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3575	Corymbia tessellaris	Moreton Bay Ash	160		160	16	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3576	Corymbia intermedia	Pink Bloodwood	260		260	17	7	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3577	Lophostemon suaveolens	Swamp Box	220		220	13	4	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3578	Corymbia intermedia	Pink Bloodwood	200		200	14	5	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3579	Lophostemon suaveolens	Swamp Box	150		150	13	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3580	Eucalyptus tereticornis	Forest Red Gum	300		300	19	6	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3581	Corymbia intermedia	Pink Bloodwood	170		170	14	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3582	Corymbia intermedia	Pink Bloodwood	210		210	15	4	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3583	Lophostemon suaveolens	Swamp Box	150		150	14	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3584	Corymbia intermedia	Pink Bloodwood	210		210	14	5	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	School VMP removed	
3585	Corymbia intermedia	Pink Bloodwood	240		240	16	7	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3586	Allocasuarina littoralis	Black Sheoak	200		200	14	6	2.4	2	Regular	-	Thinning	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3587	Corymbia intermedia	Pink Bloodwood	200		200	15	6	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3588	Corymbia intermedia	Pink Bloodwood	180		180	16	6	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3589	Allocasuarina littoralis	Black Sheoak	160		160	13	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3590	Angophora leiocarpa	Smooth-barked Apple	250		250	16	6	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3591	Eucalyptus tereticornis	Forest Red Gum	340		340	20	7	4.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3592	Corymbia intermedia	Pink Bloodwood	150		150	13	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3593	Eucalyptus tereticornis	Forest Red Gum	350		350	19	9	4.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3594	Corymbia intermedia	Pink Bloodwood	180		180	12	7	2.2	2	Irregular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3595	Corymbia intermedia	Pink Bloodwood	260		260	18	9	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	School VMP removed	
3596	Eucalyptus tereticornis	Forest Red Gum	560		560	24	14	6.7	3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3597	Allocasuarina littoralis	Black Sheoak	240		240	13	5	2.9	2	Regular	-	Thinning	Die-back	-	Lopped	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3598	Corymbia intermedia	Pink Bloodwood	190		190	17	6	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3599	Corymbia intermedia	Pink Bloodwood	360		360	18	9	4.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3600	Corymbia intermedia	Pink Bloodwood	170		170	13	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3601	Lophostemon suaveolens	Swamp Box	160		160	13	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3602	Eucalyptus tereticornis	Forest Red Gum	440		440	21	9	5.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Remove - approved in School application	
3603	Corymbia intermedia	Pink Bloodwood	230		230	17	6	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3604	Allocasuarina littoralis	Black Sheoak	160		160	13	4	2	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3605	Lophostemon suaveolens	Swamp Box	180		180	13	5	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3606	Eucalyptus tereticornis	Forest Red Gum	330		330	18	6	4	2	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3607	Corymbia intermedia	Pink Bloodwood	130		130	13	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3608	Corymbia intermedia	Pink Bloodwood	150		150	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3609	Acacia leiocalyx	Early Flowering Black Wattle	140		140	12	4	2	1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3610	Acacia leiocalyx	Early Flowering Black Wattle	140		140	15	5	2	1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3611	Lophostemon suaveolens	Swamp Box	100	90, 70	152	10	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3612	Acacia leiocalyx	Early Flowering Black Wattle	130		130	14	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3613	Melaleuca quinquenervia	Broad-leaved Paperbark	190		190	15	4	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3614	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3615	Corymbia tessellaris	Moreton Bay Ash	190		190	16	5	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3616	Angophora leiocarpa	Smooth-barked Apple	220		220	16	7	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3617	Lophostemon suaveolens	Swamp Box	130		130	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3618	Allocasuarina littoralis	Black Sheoak	170		170	11	5	2	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3619	Corymbia intermedia	Pink Bloodwood	200		200	15	6	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3620	Corymbia intermedia	Pink Bloodwood	170		170	16	6	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3621	Corymbia intermedia	Pink Bloodwood	320	110	338	16	8	4.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3622	Corymbia intermedia	Pink Bloodwood	280		280	16	6	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3623	Corymbia intermedia	Pink Bloodwood	120		120	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3624	Corymbia intermedia	Pink Bloodwood	270		270	17	7	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3625	Corymbia intermedia	Pink Bloodwood	350	310	468	19	10	5.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3626	Corymbia intermedia	Pink Bloodwood	220		220	16	7	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3627	Corymbia intermedia	Pink Bloodwood	150		150	13	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
3628	Corymbia intermedia	Pink Bloodwood	220		220	15	6	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3629	Lophostemon suaveolens	Swamp Box	190		190	15	5	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3630	Corymbia intermedia	Pink Bloodwood	260		260	18	7	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3631	Lophostemon suaveolens	Swamp Box	190		190	16	5	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3632	Lophostemon suaveolens	Swamp Box	170		170	15	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3633	Corymbia intermedia	Pink Bloodwood	230		230	15	6	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3634	Eucalyptus tereticornis	Forest Red Gum	350		350	20	8	4.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3635	Corymbia tessellaris	Moreton Bay Ash	190		190	16	4	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3636	Lophostemon suaveolens	Swamp Box	140		140	13	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3637	Eucalyptus tereticornis	Forest Red Gum	210		210	19	5	2.5	2	Regular	-	Thinning	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3638	Corymbia tessellaris	Moreton Bay Ash	190		190	18	6	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3639	Eucalyptus tereticornis	Forest Red Gum	290		290	21	9	3.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3640	Eucalyptus tereticornis	Forest Red Gum	300	240	384	24	11	4.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3641	Eucalyptus tereticornis	Forest Red Gum	190		190	16	7	2.3	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3642	Eucalyptus tereticornis	Forest Red Gum	220		220	18	7	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3643	Acacia leiocalyx	Early Flowering Black Wattle	150		150	14	5	2	1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3644	Eucalyptus crebra	Narrow-leaved Ironbark	360		360	20	9	4.3	2	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3645	Eucalyptus tereticornis	Forest Red Gum	420		420	19	9	5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3646	Corymbia citriodora	Spotted Gum	160		160	15	3	2	2	Regular	-	Thinning	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3647	Corymbia citriodora	Spotted Gum	260		260	18	6	3.1	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3648	Corymbia citriodora	Spotted Gum	400		400	23	12	4.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3649	Corymbia citriodora	Spotted Gum	160		160	15	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3650	Corymbia citriodora	Spotted Gum	160		160	14	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3651	Eucalyptus crebra	Narrow-leaved Ironbark	150		150	13	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	School VMP removed	
3652	Eucalyptus tereticornis	Forest Red Gum	220		220	18	7	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3653	Eucalyptus tereticornis	Forest Red Gum	260		260	19	7	3.1	2	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3654	Acacia leiocalyx	Early Flowering Black Wattle	130	120	177	13	6	2.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3655	Corymbia citriodora	Spotted Gum	240		240	18	7	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3656	Corymbia citriodora	Spotted Gum	210	200	290	18	7	3.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3657	Corymbia citriodora	Spotted Gum	150		150	17	2	2	1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3658	Eucalyptus tereticornis	Forest Red Gum	270		270	20	7	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3659	Corymbia intermedia	Pink Bloodwood	190		190	16	6	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3660	Acacia leiocalyx	Early Flowering Black Wattle	150		150	14	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3661	Corymbia intermedia	Pink Bloodwood	220	220	311	16	7	3.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3662	Eucalyptus tereticornis	Forest Red Gum	310		310	19	7	3.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3663	Lophostemon suaveolens	Swamp Box	180	140	228	13	5	2.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3664	Corymbia intermedia	Pink Bloodwood	170		170	14	4	2	2	Regular	-	Thinning	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3665	Eucalyptus crebra	Narrow-leaved Ironbark	350		350	22	10	4.2	2	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3666	Lophostemon suaveolens	Swamp Box	180		180	14	5	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3667	Eucalyptus tereticornis	Forest Red Gum	190		190	16	5	2.3	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3668	Eucalyptus crebra	Narrow-leaved Ironbark	360		360	24	14	4.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3669	Corymbia intermedia	Pink Bloodwood	220	140	261	17	6	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3670	Acacia leiocalyx	Early Flowering Black Wattle	150		150	13	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3671	Corymbia tessellaris	Moreton Bay Ash	140		140	15	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3672	Eucalyptus tereticornis	Forest Red Gum	360		360	22	10	4.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3673	Eucalyptus crebra	Narrow-leaved Ironbark	280		280	15	6	3.4	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3674	Corymbia intermedia	Pink Bloodwood	150		150	14	3	2	1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3675	Eucalyptus tereticornis	Forest Red Gum	380		380	19	8	4.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3676	Corymbia intermedia	Pink Bloodwood	210		210	16	4	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3677	Eucalyptus tereticornis	Forest Red Gum	370		370	22	8	4.4	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3678	Lophostemon suaveolens	Swamp Box	120		120	13	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3679	Melaleuca quinquenervia	Broad-leaved Paperbark	180		180	15	4	2.2	2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3680	Lophostemon suaveolens	Swamp Box	180		180	15	5	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3681	Corymbia intermedia	Pink Bloodwood	100		100	11	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3682	Lophostemon suaveolens	Swamp Box	120		120	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3683	Lophostemon suaveolens	Swamp Box	190		190	13	6	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3684	Corymbia tessellaris	Moreton Bay Ash	200		200	15	4	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
3685	Eucalyptus tereticornis	Forest Red Gum	340		340	23	9	4.1	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3686	Eucalyptus crebra	Narrow-leaved Ironbark	250		250	16	6	3	2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3687	Eucalyptus tereticornis	Forest Red Gum	370	330	496	22	10	5.9	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3688	Eucalyptus tereticornis	Forest Red Gum	460		460	21	9	5.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3689	Eucalyptus crebra	Narrow-leaved Ironbark	320		320	19	8	3.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3690	Eucalyptus tereticornis	Forest Red Gum	580		580	24	11	7	3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3691	Eucalyptus tereticornis	Forest Red Gum	430		430	22	10	5.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3692	Corymbia intermedia	Pink Bloodwood	210		210	15	5	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3693	Corymbia tessellaris	Moreton Bay Ash	180		180	18	3	2.2	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3694	Corymbia tessellaris	Moreton Bay Ash	210		210	20	6	2.5	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3695	Corymbia tessellaris	Moreton Bay Ash	190		190	16	5	2.3	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3696	Corymbia tessellaris	Moreton Bay Ash	160		160	15	4	2	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3697	Eucalyptus tereticornis	Forest Red Gum	310		310	19	7	3.7	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3698	Acacia leiocalyx	Early Flowering Black Wattle	160		160	14	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3699	Corymbia citriodora	Spotted Gum	380		380	20	12	4.6	2	Irregular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3700	Eucalyptus tereticornis	Forest Red Gum	300		300	21	12	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3701	Melaleuca quinquenervia	Broad-leaved Paperbark	110		110	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3702	Melaleuca quinquenervia	Broad-leaved Paperbark	110		110	9	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3703	Melaleuca quinquenervia	Broad-leaved Paperbark	260		260	15	7	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3704	Melaleuca quinquenervia	Broad-leaved Paperbark	160		160	13	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3705	Melaleuca quinquenervia	Broad-leaved Paperbark	110		110	8	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3706	Melaleuca quinquenervia	Broad-leaved Paperbark	260		260	12	7	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3707	Melaleuca quinquenervia	Broad-leaved Paperbark	270	230, 220, 190, 150	482	15	7	5.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3708	Melaleuca quinquenervia	Broad-leaved Paperbark	160		160	13	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3709	Melaleuca quinquenervia	Broad-leaved Paperbark	220		220	14	4	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3710	Melaleuca quinquenervia	Broad-leaved Paperbark	240		240	15	5	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3711	Melaleuca linariifolia	Snow-in-summer	280		280	12	7	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3712	Melaleuca quinquenervia	Broad-leaved Paperbark	150		150	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3713	Eucalyptus tereticornis	Forest Red Gum	480		480	22	10	5.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3714	Melaleuca quinquenervia	Broad-leaved Paperbark	270		270	13	6	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3715	Corymbia citriodora	Spotted Gum	170		170	17	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3716	Melaleuca quinquenervia	Broad-leaved Paperbark	180		180	14	5	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3717	Melaleuca quinquenervia	Broad-leaved Paperbark	220		220	13	6	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3718	Melaleuca quinquenervia	Broad-leaved Paperbark	190		190	15	4	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3719	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	9	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3720	Melaleuca quinquenervia	Broad-leaved Paperbark	140		140	10	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3721	Melaleuca quinquenervia	Broad-leaved Paperbark	200		200	16	6	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3722	Corymbia citriodora	Spotted Gum	170		170	16	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3723	Corymbia citriodora	Spotted Gum	100		100	14	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3724	Corymbia citriodora	Spotted Gum	100		100	13	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3725	Corymbia citriodora	Spotted Gum	100		100	12	1	2	1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3726	Corymbia citriodora	Spotted Gum	140		140	13	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3727	Melaleuca quinquenervia	Broad-leaved Paperbark	250		250	16	5	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3728	Corymbia intermedia	Pink Bloodwood	110		110	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3729	Melaleuca quinquenervia	Broad-leaved Paperbark	120		120	12	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3730	Melaleuca quinquenervia	Broad-leaved Paperbark	200		200	14	5	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3731	Corymbia tessellaris	Moreton Bay Ash	210		210	22	10	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3732	Melaleuca quinquenervia	Broad-leaved Paperbark	110		110	11	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3733	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3734	Melaleuca quinquenervia	Broad-leaved Paperbark	110		110	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3735	Melaleuca quinquenervia	Broad-leaved Paperbark	110		110	11	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3736	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3737	Eucalyptus tereticornis	Forest Red Gum	700		700	26	13	8.4	3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3738	Melaleuca quinquenervia	Broad-leaved Paperbark	210	90	228	13	5	2.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3739	Corymbia tessellaris	Moreton Bay Ash	130		130	13	1	2	1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3740	Corymbia citriodora	Spotted Gum	120		120	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3741	Eucalyptus tereticornis	Forest Red Gum	550		550	24	11	6.6	3	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
3742	Melaleuca quinquenervia	Broad-leaved Paperbark	130	110	170	9	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3743	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3744	Eucalyptus tereticornis	Forest Red Gum	540		540	23	10	6.5	3	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3745	Eucalyptus tereticornis	Forest Red Gum	300		300	18	7	3.6	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3746	Eucalyptus tereticornis	Forest Red Gum	280		280	20	7	3.4	2	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3747	Corymbia tessellaris	Moreton Bay Ash	170		170	15	3	2	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3748	Eucalyptus tereticornis	Forest Red Gum	250		250	18	6	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3749	Eucalyptus tereticornis	Forest Red Gum	370		370	24	11	4.4	2	Regular	-	Thinning	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3750	Eucalyptus tereticornis	Forest Red Gum	320		320	21	10	3.8	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3751	Corymbia tessellaris	Moreton Bay Ash	170		170	15	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3752	Eucalyptus tereticornis	Forest Red Gum	440		440	23	9	5.3	2	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3753	Eucalyptus crebra	Narrow-leaved Ironbark	240		240	17	7	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3754	Eucalyptus tereticornis	Forest Red Gum	260		260	17	4	3.1	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3755	Eucalyptus tereticornis	Forest Red Gum	280		280	20	9	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3756	Eucalyptus tereticornis	Forest Red Gum	140		140	15	3	2	1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	School VMP removed	
3757	Eucalyptus tereticornis	Forest Red Gum	130		130	15	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3758	Eucalyptus tereticornis	Forest Red Gum	250		250	16	4	3	2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	School VMP removed	
3759	Eucalyptus tereticornis	Forest Red Gum	240		240	17	5	2.9	2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3760	Corymbia intermedia	Pink Bloodwood	230		230	16	5	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3761	Eucalyptus crebra	Narrow-leaved Ironbark	290		290	18	6	3.5	2	One-sided	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	Termite nest	-	School VMP removed	
3762	Corymbia citriodora	Spotted Gum	300		300	19	9	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3763	Corymbia citriodora	Spotted Gum	160		160	15	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3764	Corymbia citriodora	Spotted Gum	170		170	16	2	2	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3765	Eucalyptus tereticornis	Forest Red Gum	210		210	16	4	2.5	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3766	Eucalyptus crebra	Narrow-leaved Ironbark	370		370	23	12	4.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3767	Corymbia citriodora	Spotted Gum	330		330	20	9	4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3768	Corymbia citriodora	Spotted Gum	250		250	22	6	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3769	Eucalyptus tereticornis	Forest Red Gum	250		250	18	5	3	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3770	Eucalyptus crebra	Narrow-leaved Ironbark	300		300	23	10	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3771	Eucalyptus tereticornis	Forest Red Gum	190		190	18	5	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3772	Corymbia citriodora	Spotted Gum	210		210	16	6	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3773	Eucalyptus crebra	Narrow-leaved Ironbark	220		220	15	2	2.6	2	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3774	Eucalyptus crebra	Narrow-leaved Ironbark	120		120	13	2	2	1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3775	Eucalyptus tereticornis	Forest Red Gum	320		320	21	9	3.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3776	Eucalyptus crebra	Narrow-leaved Ironbark	190	170	255	18	4	3.1	2	Regular	-	Thinning	Die-back	-	Lopped	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	School VMP removed	
3777	Corymbia citriodora	Spotted Gum	150		150	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3778	Eucalyptus tereticornis	Forest Red Gum	350		350	23	10	4.2	2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3779	Eucalyptus tereticornis	Forest Red Gum	150		150	14	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3780	Eucalyptus tereticornis	Forest Red Gum	350		350	22	9	4.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3781	Eucalyptus crebra	Narrow-leaved Ironbark	310		310	20	8	3.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3782	Lophostemon suaveolens	Swamp Box	180		180	14	5	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3783	Eucalyptus crebra	Narrow-leaved Ironbark	250		250	18	6	3	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3784	Eucalyptus tereticornis	Forest Red Gum	460		460	26	11	5.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3785	Eucalyptus crebra	Narrow-leaved Ironbark	240		240	17	6	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3786	Corymbia citriodora	Spotted Gum	260		260	17	7	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3787	Eucalyptus crebra	Narrow-leaved Ironbark	190		190	18	4	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3788	Eucalyptus crebra	Narrow-leaved Ironbark	210		210	17	5	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3789	Eucalyptus crebra	Narrow-leaved Ironbark	310		310	19	8	3.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3790	Corymbia citriodora	Spotted Gum	240		240	17	7	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3791	Eucalyptus crebra	Narrow-leaved Ironbark	340		340	25	12	4.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3792	Eucalyptus tereticornis	Forest Red Gum	140		140	16	2	2	1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3793	Eucalyptus crebra	Narrow-leaved Ironbark	260		260	18	7	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3794	Eucalyptus tereticornis	Forest Red Gum	200		200	17	6	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3795	Eucalyptus crebra	Narrow-leaved Ironbark	360		360	23	10	4.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	School VMP removed	
3796	Eucalyptus crebra	Narrow-leaved Ironbark	280		280	24	12	3.4	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3797	Eucalyptus crebra	Narrow-leaved Ironbark	310	240	392	21	10	4.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3798	Eucalyptus crebra	Narrow-leaved Ironbark	220		220	21	9	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
3799	Corymbia citriodora	Spotted Gum	360		360	23	12	4.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3800	Eucalyptus crebra	Narrow-leaved Ironbark	390		390	24	10	4.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	School VMP removed	
3801	Eucalyptus tereticornis	Forest Red Gum	220		220	19	7	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3802	Corymbia citriodora	Spotted Gum	310		310	20	6	3.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3803	Corymbia citriodora	Spotted Gum	270		270	22	9	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3804	Corymbia citriodora	Spotted Gum	300		300	19	8	3.6	2	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3805	Eucalyptus crebra	Narrow-leaved Ironbark	300		300	21	7	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3806	Eucalyptus crebra	Narrow-leaved Ironbark	330		330	24	10	4	2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	School VMP removed	
3807	Corymbia citriodora	Spotted Gum	180		180	16	6	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3808	Eucalyptus crebra	Narrow-leaved Ironbark	230		230	17	7	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3809	Corymbia citriodora	Spotted Gum	170		170	18	4	2	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3810	Eucalyptus tereticornis	Forest Red Gum	270		270	19	7	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3811	Eucalyptus crebra	Narrow-leaved Ironbark	320		320	18	9	3.8	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3812	Corymbia citriodora	Spotted Gum	290		290	17	8	3.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3813	Eucalyptus crebra	Narrow-leaved Ironbark	450		450	22	15	5.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Remove - approved in School application	
3814	Eucalyptus tereticornis	Forest Red Gum	560		560	26	13	6.7	3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3815	Corymbia citriodora	Spotted Gum	310		310	21	9	3.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3816	Eucalyptus crebra	Narrow-leaved Ironbark	350		350	23	12	4.2	2	Regular	-	Thinning	Die-back	Epicormic	Lopped	Poor	-	-	-	-	Typical	-	-	-	-	Termite nest	-	School VMP removed	
3817	Corymbia citriodora	Spotted Gum	370		370	25	11	4.4	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3818	Eucalyptus crebra	Narrow-leaved Ironbark	280		280	21	13	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3819	Corymbia citriodora	Spotted Gum	260		260	19	8	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3820	Corymbia tessellaris	Moreton Bay Ash	140		140	16	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3821	Eucalyptus crebra	Narrow-leaved Ironbark	170		170	18	6	2	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3822	Eucalyptus tereticornis	Forest Red Gum	390		390	22	12	4.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3823	Corymbia citriodora	Spotted Gum	280		280	19	5	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3824	Eucalyptus crebra	Narrow-leaved Ironbark	340		340	23	13	4.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	School VMP removed	
3825	Eucalyptus crebra	Narrow-leaved Ironbark	340		340	21	8	4.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3826	Corymbia citriodora	Spotted Gum	410		410	24	12	4.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3827	Corymbia citriodora	Spotted Gum	200		200	18	6	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3828	Eucalyptus crebra	Narrow-leaved Ironbark	200		200	16	5	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3829	Corymbia citriodora	Spotted Gum	200		200	11	2	2.4	2	Regular	-	-	-	-	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3830	Corymbia citriodora	Spotted Gum	250		250	17	6	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3831	Corymbia citriodora	Spotted Gum	300		300	22	8	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3832	Corymbia citriodora	Spotted Gum	130		130	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3833	Eucalyptus tereticornis	Forest Red Gum	210		210	16	4	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3834	Eucalyptus tereticornis	Forest Red Gum	220		220	16	4	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3835	Corymbia citriodora	Spotted Gum	240	140	278	17	5	3.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3836	Corymbia citriodora	Spotted Gum	140		140	14	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3837	Corymbia citriodora	Spotted Gum	240		240	19	8	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3838	Eucalyptus tereticornis	Forest Red Gum	200		200	16	4	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3839	Eucalyptus tereticornis	Forest Red Gum	210		210	18	6	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3840	Corymbia citriodora	Spotted Gum	190	180	262	18	6	3.1	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3841	Corymbia citriodora	Spotted Gum	250		250	19	6	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3842	Eucalyptus tereticornis	Forest Red Gum	110		110	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3843	Corymbia citriodora	Spotted Gum	150		150	14	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3844	Eucalyptus tereticornis	Forest Red Gum	180		180	17	5	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3845	Corymbia citriodora	Spotted Gum	230	140, 90	284	21	8	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3846	Eucalyptus crebra	Narrow-leaved Ironbark	320		320	18	9	3.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3847	Corymbia citriodora	Spotted Gum	260		260	17	8	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3848	Corymbia citriodora	Spotted Gum	270		270	18	8	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3849	Corymbia citriodora	Spotted Gum	230		230	19	6	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3850	Corymbia citriodora	Spotted Gum	220		220	18	6	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3851	Corymbia citriodora	Spotted Gum	130		130	13	1	2	1	Regular	-	Thinning	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3852	Corymbia citriodora	Spotted Gum	230		230	20	9	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3853	Eucalyptus crebra	Narrow-leaved Ironbark	300		300	21	5	3.6	2	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	School VMP removed	
3854	Corymbia citriodora	Spotted Gum	340		340	23	10	4.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3855	Eucalyptus crebra	Narrow-leaved Ironbark	320		320	22	10	3.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	School VMP removed	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
3856	Eucalyptus tereticornis	Forest Red Gum	270		270	21	8	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3857	Corymbia citriodora	Spotted Gum	290		290	16	7	3.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3858	Eucalyptus crebra	Narrow-leaved Ironbark	310		310	23	8	3.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3859	Eucalyptus crebra	Narrow-leaved Ironbark	340		340	24	11	4.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	School VMP removed	
3860	Corymbia intermedia	Pink Bloodwood	230		230	17	7	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3861	Eucalyptus tereticornis	Forest Red Gum	280		280	24	10	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3862	Corymbia tessellaris	Moreton Bay Ash	140		140	13	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3863	Eucalyptus tereticornis	Forest Red Gum	300		300	19	8	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3864	Corymbia citriodora	Spotted Gum	390		390	25	13	4.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3865	Eucalyptus tereticornis	Forest Red Gum	190		190	16	5	2.3	2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	School VMP removed	
3866	Corymbia citriodora	Spotted Gum	250		250	19	6	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3867	Corymbia citriodora	Spotted Gum	270		270	17	7	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3868	Eucalyptus tereticornis	Forest Red Gum	230		230	18	5	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3869	Corymbia citriodora	Spotted Gum	270		270	19	9	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3870	Corymbia intermedia	Pink Bloodwood	200		200	15	5	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3871	Corymbia citriodora	Spotted Gum	210		210	16	4	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3872	Corymbia citriodora	Spotted Gum	230		230	18	5	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3873	Eucalyptus tereticornis	Forest Red Gum	330		330	23	11	4	2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	School VMP removed	
3874	Eucalyptus crebra	Narrow-leaved Ironbark	230		230	18	6	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	School VMP removed	
3875	Eucalyptus crebra	Narrow-leaved Ironbark	180		180	19	8	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3876	Eucalyptus tereticornis	Forest Red Gum	410		410	23	12	4.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3877	Eucalyptus tereticornis	Forest Red Gum	380		380	20	8	4.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3878	Corymbia citriodora	Spotted Gum	350		350	22	9	4.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3879	Corymbia citriodora	Spotted Gum	260		260	18	6	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3880	Corymbia citriodora	Spotted Gum	170	130	214	19	7	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3881	Eucalyptus crebra	Narrow-leaved Ironbark	500		500	27	15	6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	School VMP removed	
3882	Eucalyptus crebra	Narrow-leaved Ironbark	250		250	17	6	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3883	Corymbia citriodora	Spotted Gum	230		230	17	6	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3884	Eucalyptus crebra	Narrow-leaved Ironbark	210		210	18	7	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3885	Eucalyptus crebra	Narrow-leaved Ironbark	250		250	20	9	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3886	Eucalyptus tereticornis	Forest Red Gum	290		290	19	8	3.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3887	Eucalyptus crebra	Narrow-leaved Ironbark	220		220	19	7	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3888	Eucalyptus tereticornis	Forest Red Gum	310		310	20	9	3.7	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3889	Acacia leiocalyx	Early Flowering Black Wattle	140		140	13	3	2	1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3890	Eucalyptus crebra	Narrow-leaved Ironbark	290		290	21	8	3.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	School VMP removed	
3891	Eucalyptus crebra	Narrow-leaved Ironbark	200		200	16	7	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3892	Eucalyptus tereticornis	Forest Red Gum	160		160	16	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3893	Eucalyptus crebra	Narrow-leaved Ironbark	190		190	16	4	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3894	Eucalyptus crebra	Narrow-leaved Ironbark	160		160	17	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3895	Corymbia citriodora	Spotted Gum	210		210	17	5	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3896	Corymbia citriodora	Spotted Gum	140		140	15	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3897	Corymbia citriodora	Spotted Gum	220		220	16	4	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3898	Corymbia citriodora	Spotted Gum	170		170	16	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3899	Eucalyptus tereticornis	Forest Red Gum	270		270	16	6	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3900	Corymbia citriodora	Spotted Gum	260		260	19	7	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3901	Eucalyptus tereticornis	Forest Red Gum	320		320	22	8	3.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3902	Acacia leiocalyx	Early Flowering Black Wattle	160		160	11	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3903	Eucalyptus tereticornis	Forest Red Gum	250		250	20	7	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3904	Eucalyptus crebra	Narrow-leaved Ironbark	160		160	17	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3905	Eucalyptus tereticornis	Forest Red Gum	160		160	16	4	2	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3906	Eucalyptus tereticornis	Forest Red Gum	250		250	18	9	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3907	Eucalyptus crebra	Narrow-leaved Ironbark	270		270	19	7	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3908	Eucalyptus tereticornis	Forest Red Gum	240		240	19	7	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3909	Acacia leiocalyx	Early Flowering Black Wattle	140		140	14	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3910	Eucalyptus tereticornis	Forest Red Gum	300		300	18	6	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3911	Eucalyptus tereticornis	Forest Red Gum	310		310	19	8	3.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3912	Corymbia intermedia	Pink Bloodwood	300		300	17	8	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	School VMP removed	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
3913	Eucalyptus tereticornis	Forest Red Gum	340		340	24	11	4.1	2	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3914	Eucalyptus tereticornis	Forest Red Gum	280		280	20	8	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3915	Eucalyptus tereticornis	Forest Red Gum	340		340	22	12	4.1	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3916	Eucalyptus tereticornis	Forest Red Gum	250		250	20	6	3	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3917	Eucalyptus crebra	Narrow-leaved Ironbark	230		230	17	7	2.8	2	Regular	-	Thinning	Die-back	-	Lopped	Poor	-	-	-	-	Typical	-	-	-	-	Termite nest	-	School VMP removed	
3918	Eucalyptus tereticornis	Forest Red Gum	310		310	21	10	3.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3919	Eucalyptus tereticornis	Forest Red Gum	230		230	18	6	2.8	2	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3920	Eucalyptus crebra	Narrow-leaved Ironbark	240		240	20	7	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3921	Eucalyptus crebra	Narrow-leaved Ironbark	280		280	20	9	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3922	Eucalyptus crebra	Narrow-leaved Ironbark	210		210	17	3	2.5	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3923	Acacia leiocalyx	Early Flowering Black Wattle	150		150	13	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3924	Eucalyptus tereticornis	Forest Red Gum	270		270	21	9	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3925	Eucalyptus crebra	Narrow-leaved Ironbark	280		280	23	11	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3926	Eucalyptus crebra	Narrow-leaved Ironbark	270		270	20	9	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3927	Eucalyptus crebra	Narrow-leaved Ironbark	280		280	23	8	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	School VMP removed	
3928	Eucalyptus crebra	Narrow-leaved Ironbark	200		200	16	7	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3929	Eucalyptus crebra	Narrow-leaved Ironbark	270		270	18	9	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3930	Eucalyptus crebra	Narrow-leaved Ironbark	310		310	20	8	3.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3931	Acacia leiocalyx	Early Flowering Black Wattle	160		160	14	6	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3932	Eucalyptus tereticornis	Forest Red Gum	350		350	21	11	4.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3933	Eucalyptus crebra	Narrow-leaved Ironbark	300		300	19	7	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3934	Eucalyptus crebra	Narrow-leaved Ironbark	230		230	14	5	2.8	2	Regular	-	-	Die-back	-	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3935	Eucalyptus crebra	Narrow-leaved Ironbark	190		190	17	6	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3936	Eucalyptus crebra	Narrow-leaved Ironbark	210		210	16	7	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3937	Eucalyptus crebra	Narrow-leaved Ironbark	250		250	19	9	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3938	Eucalyptus tereticornis	Forest Red Gum	280		280	18	7	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3939	Eucalyptus tereticornis	Forest Red Gum	210		210	17	6	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3940	Eucalyptus tereticornis	Forest Red Gum	300		300	21	9	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3941	Eucalyptus crebra	Narrow-leaved Ironbark	240		240	19	7	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3942	Eucalyptus tereticornis	Forest Red Gum	270		270	21	8	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3943	Eucalyptus tereticornis	Forest Red Gum	230		230	18	7	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3944	Acacia leiocalyx	Early Flowering Black Wattle	140		140	13	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3945	Eucalyptus tereticornis	Forest Red Gum	350		350	21	9	4.2	2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	School VMP removed	
3946	Eucalyptus crebra	Narrow-leaved Ironbark	290		290	19	7	3.5	2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3947	Eucalyptus crebra	Narrow-leaved Ironbark	340		340	22	9	4.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	School VMP removed	
3948	Eucalyptus crebra	Narrow-leaved Ironbark	330		330	23	12	4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3949	Eucalyptus crebra	Narrow-leaved Ironbark	240		240	16	8	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3950	Eucalyptus crebra	Narrow-leaved Ironbark	380		380	22	10	4.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3951	Eucalyptus crebra	Narrow-leaved Ironbark	340		340	19	10	4.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3952	Eucalyptus crebra	Narrow-leaved Ironbark	450		450	22	16	5.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3953	Eucalyptus crebra	Narrow-leaved Ironbark	280		280	22	11	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3954	Eucalyptus tereticornis	Forest Red Gum	250		250	22	9	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3955	Eucalyptus tereticornis	Forest Red Gum	300		300	23	10	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3956	Corymbia tessellaris	Moreton Bay Ash	270		270	22	10	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3957	Corymbia tessellaris	Moreton Bay Ash	200		200	19	8	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3958	Eucalyptus crebra	Narrow-leaved Ironbark	340		340	22	10	4.1	2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	Termite nest	-	School VMP removed	
3959	Acacia leiocalyx	Early Flowering Black Wattle	140		140	14	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3960	Eucalyptus crebra	Narrow-leaved Ironbark	210	160	264	21	9	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3961	Eucalyptus tereticornis	Forest Red Gum	230		230	19	7	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3962	Acacia leiocalyx	Early Flowering Black Wattle	140		140	13	5	2	1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3963	Corymbia tessellaris	Moreton Bay Ash	200	130	239	22	9	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3964	Eucalyptus tereticornis	Forest Red Gum	290		290	21	9	3.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3965	Eucalyptus tereticornis	Forest Red Gum	220		220	10	5	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3966	Corymbia citriodora	Spotted Gum	360		360	18	7	4.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3967	Eucalyptus crebra	Narrow-leaved Ironbark	210		210	14	5	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3968	Acacia leiocalyx	Early Flowering Black Wattle	150		150	11	6	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3969	Eucalyptus crebra	Narrow-leaved Ironbark	200		200	16	6	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
3970	Eucalyptus tereticornis	Forest Red Gum	210		210	14	5	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3971	Corymbia citriodora	Spotted Gum	320		320	22	10	3.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3972	Eucalyptus tereticornis	Forest Red Gum	270		270	16	6	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3973	Eucalyptus crebra	Narrow-leaved Ironbark	290		290	24	10	3.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3974	Lophostemon suaveolens	Swamp Box	140		140	10	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3975	Eucalyptus tereticornis	Forest Red Gum	170		170	14	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3976	Corymbia intermedia	Pink Bloodwood	220	160, 130	301	14	6	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3977	Allocasuarina littoralis	Black Sheoak	130		130	11	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3978	Corymbia citriodora	Spotted Gum	120		120	11	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3979	Corymbia citriodora	Spotted Gum	120		120	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3980	Eucalyptus crebra	Narrow-leaved Ironbark	320		320	24	12	3.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3981	Corymbia intermedia	Pink Bloodwood	300		300	22	10	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3982	Acacia leiocalyx	Early Flowering Black Wattle	140		140	9	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3983	Corymbia intermedia	Pink Bloodwood	200		200	14	5	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3984	Eucalyptus tereticornis	Forest Red Gum	380		380	26	14	4.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3985	Eucalyptus tereticornis	Forest Red Gum	200		200	18	6	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3986	Eucalyptus tereticornis	Forest Red Gum	230		230	22	8	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3987	Corymbia intermedia	Pink Bloodwood	130		130	14	6	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3988	Corymbia intermedia	Pink Bloodwood	140		140	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3989	Corymbia intermedia	Pink Bloodwood	170		170	10	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3990	Corymbia intermedia	Pink Bloodwood	200		200	16	7	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3991	Corymbia intermedia	Pink Bloodwood	190		190	12	5	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3992	Corymbia intermedia	Pink Bloodwood	220		220	14	6	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3993	Lophostemon suaveolens	Swamp Box	170		170	12	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3994	Allocasuarina littoralis	Black Sheoak	210		210	8	4	2.5	2	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3995	Corymbia intermedia	Pink Bloodwood	230		230	20	7	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
3996	Eucalyptus tereticornis	Forest Red Gum	230		230	22	12	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3997	Corymbia intermedia	Pink Bloodwood	190		190	12	5	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3998	Corymbia intermedia	Pink Bloodwood	260		260	18	9	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
3999	Corymbia intermedia	Pink Bloodwood	130		130	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4000	Corymbia intermedia	Pink Bloodwood	150		150	10	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4001	Corymbia intermedia	Pink Bloodwood	130		130	9	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4002	Allocasuarina littoralis	Black Sheoak	160		160	8	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4003	Allocasuarina littoralis	Black Sheoak	180		180	9	4	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4004	Corymbia intermedia	Pink Bloodwood	240	160	288	14	7	3.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4005	Corymbia intermedia	Pink Bloodwood	160		160	8	6	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	School VMP removed	
4006	Eucalyptus tereticornis	Forest Red Gum	280		280	18	7	3.4	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4007	Eucalyptus tereticornis	Forest Red Gum	340		340	18	10	4.1	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4008	Allocasuarina littoralis	Black Sheoak	160		160	8	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4009	Lophostemon suaveolens	Swamp Box	250		250	8	6	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4010	Eucalyptus tereticornis	Forest Red Gum	170		170	14	3	2	2	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4011	Allocasuarina littoralis	Black Sheoak	190		190	12	6	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4012	Allocasuarina littoralis	Black Sheoak	220		220	7	5	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4013	Corymbia intermedia	Pink Bloodwood	220		220	10	6	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4014	Corymbia intermedia	Pink Bloodwood	180		180	12	6	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4015	Eucalyptus tereticornis	Forest Red Gum	510		510	24	12	6.1	2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4016	Eucalyptus tereticornis	Forest Red Gum	380		380	24	10	4.6	2	Regular	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4017	Corymbia intermedia	Pink Bloodwood	140		140	10	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4018	Corymbia intermedia	Pink Bloodwood	140		140	8	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4019	Acacia leiocalyx	Early Flowering Black Wattle	130		130	8	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4020	Allocasuarina littoralis	Black Sheoak	140		140	8	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4021	DEAD/STAG		210		210	7	1	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Remove - approved in School application	
4022	Corymbia intermedia	Pink Bloodwood	170		170	9	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4023	Corymbia intermedia	Pink Bloodwood	240		240	12	5	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4024	Corymbia tessellaris	Moreton Bay Ash	160		160	8	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4025	Melaleuca quinquenervia	Broad-leaved Paperbark	120		120	7	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4026	Corymbia intermedia	Pink Bloodwood	100		100	5	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
4027	Melaleuca quinquenervia	Broad-leaved Paperbark	120		120	7	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4028	Corymbia tessellaris	Moreton Bay Ash	100		100	7	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4029	Corymbia intermedia	Pink Bloodwood	110		110	6	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4030	Corymbia intermedia	Pink Bloodwood	110		110	7	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4031	Corymbia intermedia	Pink Bloodwood	190		190	14	6	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4032	Corymbia intermedia	Pink Bloodwood	180		180	14	5	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4033	Corymbia intermedia	Pink Bloodwood	160		160	10	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4034	Eucalyptus tereticornis	Forest Red Gum	330	330	467	26	12	5.6	2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4035	Eucalyptus tereticornis	Forest Red Gum	320		320	24	12	3.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4036	Corymbia intermedia	Pink Bloodwood	230	230	325	12	8	3.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4037	Corymbia intermedia	Pink Bloodwood	230		230	13	6	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4038	Allocasuarina littoralis	Black Sheoak	180		180	9	5	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4039	Allocasuarina littoralis	Black Sheoak	140		140	9	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4040	Eucalyptus tereticornis	Forest Red Gum	220		220	20	10	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4041	Lophostemon suaveolens	Swamp Box	130		130	10	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4042	Allocasuarina littoralis	Black Sheoak	150		150	7	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4043	Allocasuarina littoralis	Black Sheoak	150		150	7	3	2	1	Regular	-	-	-	-	-	Typical	Major	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4044	Corymbia intermedia	Pink Bloodwood	230		230	16	6	2.8	2	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4045	Eucalyptus tereticornis	Forest Red Gum	260		260	14	5	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4046	Eucalyptus tereticornis	Forest Red Gum	330	290	439	20	12	5.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4047	Corymbia tessellaris	Moreton Bay Ash	200		200	20	8	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4048	Corymbia intermedia	Pink Bloodwood	190		190	12	7	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4049	Corymbia intermedia	Pink Bloodwood	210		210	14	6	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4050	Eucalyptus crebra	Narrow-leaved Ironbark	430		430	24	14	5.2	2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4051	Eucalyptus tereticornis	Forest Red Gum	230		230	12	6	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4052	Eucalyptus tereticornis	Forest Red Gum	320		320	24	14	3.8	2	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4053	Corymbia citriodora	Spotted Gum	230	180	292	22	10	3.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4054	Eucalyptus crebra	Narrow-leaved Ironbark	320		320	24	12	3.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4055	Corymbia citriodora	Spotted Gum	150		150	12	6	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4056	Corymbia citriodora	Spotted Gum	180		180	14	6	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4057	Eucalyptus tereticornis	Forest Red Gum	260		260	20	10	3.1	2	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4058	Corymbia citriodora	Spotted Gum	260		260	18	8	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4059	Corymbia citriodora	Spotted Gum	250		250	22	10	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4060	Corymbia intermedia	Pink Bloodwood	100		100	8	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4061	Eucalyptus crebra	Narrow-leaved Ironbark	240		240	20	10	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4062	Corymbia intermedia	Pink Bloodwood	260		260	20	10	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4063	Eucalyptus crebra	Narrow-leaved Ironbark	240		240	20	10	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4064	Angophora leiocarpa	Smooth-barked Apple	210	90	228	18	5	2.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4065	Corymbia intermedia	Pink Bloodwood	180		180	16	6	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4066	Eucalyptus tereticornis	Forest Red Gum	270		270	22	10	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4067	Eucalyptus tereticornis	Forest Red Gum	360	130	383	22	10	4.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4068	Eucalyptus tereticornis	Forest Red Gum	260		260	24	10	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4069	Corymbia citriodora	Spotted Gum	280		280	20	8	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4070	Eucalyptus tereticornis	Forest Red Gum	260		260	24	12	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4071	Eucalyptus tereticornis	Forest Red Gum	230		230	22	10	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4072	Eucalyptus tereticornis	Forest Red Gum	210		210	18	5	2.5	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4073	Corymbia intermedia	Pink Bloodwood	220		220	20	10	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4074	Eucalyptus crebra	Narrow-leaved Ironbark	280		280	26	14	3.4	2	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4075	Eucalyptus tereticornis	Forest Red Gum	370		370	24	12	4.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4076	Eucalyptus crebra	Narrow-leaved Ironbark	320		320	20	10	3.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4077	Eucalyptus crebra	Narrow-leaved Ironbark	330		330	20	12	4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4078	Eucalyptus tereticornis	Forest Red Gum	240		240	22	10	2.9	2	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4079	Eucalyptus tereticornis	Forest Red Gum	260		260	14	5	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4080	Acacia leiocalyx	Early Flowering Black Wattle	150		150	8	6	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4081	Corymbia intermedia	Pink Bloodwood	400		400	22	12	4.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4082	Corymbia intermedia	Pink Bloodwood	230		230	20	7	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4083	Corymbia tessellaris	Moreton Bay Ash	180		180	16	4	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
4084	Eucalyptus tereticornis	Forest Red Gum	430		430	26	12	5.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4085	Eucalyptus tereticornis	Forest Red Gum	360		360	26	14	4.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4086	Eucalyptus tereticornis	Forest Red Gum	150		150	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4087	Eucalyptus tereticornis	Forest Red Gum	510		510	24	12	6.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4088	Corymbia intermedia	Pink Bloodwood	170		170	12	6	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4089	Corymbia tessellaris	Moreton Bay Ash	220		220	10	2	2.6	2	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4090	Eucalyptus tereticornis	Forest Red Gum	290		290	22	10	3.5	2	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4091	Corymbia intermedia	Pink Bloodwood	160		160	14	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4092	Eucalyptus tereticornis	Forest Red Gum	360		360	26	14	4.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4093	Lophostemon suaveolens	Swamp Box	250		250	10	6	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4094	Melaleuca quinquenervia	Broad-leaved Paperbark	140	140	198	5	4	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4095	Eucalyptus tereticornis	Forest Red Gum	300		300	18	7	3.6	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4096	Eucalyptus tereticornis	Forest Red Gum	440		440	26	14	5.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4097	Eucalyptus tereticornis	Forest Red Gum	290		290	22	10	3.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4098	Corymbia tessellaris	Moreton Bay Ash	190		190	10	4	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4099	Eucalyptus tereticornis	Forest Red Gum	510		510	26	12	6.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4100	Corymbia intermedia	Pink Bloodwood	240		240	16	8	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4101	Eucalyptus tereticornis	Forest Red Gum	380	220	439	24	12	5.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4102	Melaleuca quinquenervia	Broad-leaved Paperbark	220	190	291	10	7	3.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4103	Eucalyptus tereticornis	Forest Red Gum	250		250	20	10	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4104	Melaleuca quinquenervia	Broad-leaved Paperbark	120		120	5	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4105	Eucalyptus tereticornis	Forest Red Gum	430		430	26	14	5.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4106	Eucalyptus tereticornis	Forest Red Gum	310		310	24	12	3.7	2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4107	Lophostemon suaveolens	Swamp Box	170		170	8	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4108	Eucalyptus tereticornis	Forest Red Gum	180		180	18	8	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4109	Eucalyptus tereticornis	Forest Red Gum	290		290	24	7	3.5	2	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4110	Eucalyptus tereticornis	Forest Red Gum	430		430	24	14	5.2	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4111	Eucalyptus tereticornis	Forest Red Gum	150		150	28	16	2	1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4112	Melaleuca quinquenervia	Broad-leaved Paperbark	130	130	184	8	6	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4113	Eucalyptus tereticornis	Forest Red Gum	460		460	26	14	5.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4114	Eucalyptus tereticornis	Forest Red Gum	240		240	16	8	2.9	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4115	Corymbia citriodora	Spotted Gum	190		190	22	6	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4116	Eucalyptus siderophloia	Grey Ironbark	330		330	18	7	4	2	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4117	Corymbia citriodora	Spotted Gum	100		100	7	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4118	Eucalyptus tereticornis	Forest Red Gum	320	300	439	24	12	5.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4119	Eucalyptus crebra	Narrow-leaved Ironbark	300		300	24	12	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4120	Corymbia citriodora	Spotted Gum	230	230	325	22	14	3.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4121	Eucalyptus crebra	Narrow-leaved Ironbark	360		360	26	14	4.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4122	Eucalyptus tereticornis	Forest Red Gum	230		230	16	6	2.8	2	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4123	Eucalyptus tereticornis	Forest Red Gum	780		780	28	16	9.4	3	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4124	Corymbia citriodora	Spotted Gum	120		120	13	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4125	Melaleuca quinquenervia	Broad-leaved Paperbark	170		170	7	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4126	Melaleuca quinquenervia	Broad-leaved Paperbark	300	270	404	8	5	4.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4127	Corymbia tessellaris	Moreton Bay Ash	140		140	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4128	Acacia leiocalyx	Early Flowering Black Wattle	140		140	6	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4129	Melaleuca quinquenervia	Broad-leaved Paperbark	180		180	6	5	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4130	Acacia disparrima	Hickory Wattle	160		160	6	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4131	Corymbia citriodora	Spotted Gum	330		330	24	14	4	2	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4132	Corymbia intermedia	Pink Bloodwood	250		250	18	10	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4133	Eucalyptus tereticornis	Forest Red Gum	540		540	24	10	6.5	3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4134	Corymbia citriodora	Spotted Gum	200		200	20	8	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4135	Melaleuca quinquenervia	Broad-leaved Paperbark	170		170	12	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4136	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	10	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4137	Melaleuca quinquenervia	Broad-leaved Paperbark	170		170	10	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4138	Melaleuca quinquenervia	Broad-leaved Paperbark	140	140	198	10	6	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4139	Melaleuca quinquenervia	Broad-leaved Paperbark	180		180	10	4	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4140	Melaleuca quinquenervia	Broad-leaved Paperbark	150		150	8	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
4141	Melaleuca quinquenervia	Broad-leaved Paperbark	180		180	10	4	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4142	Melaleuca quinquenervia	Broad-leaved Paperbark	180	140	228	10	6	2.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4143	Melaleuca quinquenervia	Broad-leaved Paperbark	200		200	11	5	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4144	Corymbia tessellaris	Moreton Bay Ash	100		100	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4145	Lophostemon suaveolens	Swamp Box	130		130	8	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4146	Corymbia tessellaris	Moreton Bay Ash	240		240	20	10	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4147	Melaleuca quinquenervia	Broad-leaved Paperbark	170		170	10	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4148	Melaleuca quinquenervia	Broad-leaved Paperbark	170	160	233	10	6	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4149	Melaleuca quinquenervia	Broad-leaved Paperbark	120		120	10	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4150	Melaleuca quinquenervia	Broad-leaved Paperbark	120		120	10	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4151	Melaleuca quinquenervia	Broad-leaved Paperbark	120		120	8	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4152	Melaleuca quinquenervia	Broad-leaved Paperbark	170	100	197	8	3	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4153	Melaleuca quinquenervia	Broad-leaved Paperbark	280		280	12	8	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4154	Eucalyptus tereticornis	Forest Red Gum	340		340	22	10	4.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Old	-	-	-	-	Remove - approved in School application	
4155	Melaleuca quinquenervia	Broad-leaved Paperbark	170		170	6	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4156	Melaleuca quinquenervia	Broad-leaved Paperbark	120	120	170	10	6	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4157	Eucalyptus crebra	Narrow-leaved Ironbark	300		300	20	12	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Remove - approved in School application	
4158	Corymbia tessellaris	Moreton Bay Ash	270		270	22	12	3.2	2	Regular	-	Thinning	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4159	Eucalyptus tereticornis	Forest Red Gum	370		370	20	12	4.4	2	One-sided	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4160	Eucalyptus tereticornis	Forest Red Gum	560		560	26	14	6.7	3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4161	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	6	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4162	Corymbia tessellaris	Moreton Bay Ash	140		140	16	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4163	Corymbia tessellaris	Moreton Bay Ash	180		180	22	7	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4164	Eucalyptus crebra	Narrow-leaved Ironbark	270		270	24	12	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4165	Eucalyptus tereticornis	Forest Red Gum	210		210	21	5	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4166	Corymbia intermedia	Pink Bloodwood	200		200	16	7	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4167	Corymbia citriodora	Spotted Gum	220		220	22	10	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4168	Acacia leiocalyx	Early Flowering Black Wattle	130		130	7	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4169	Acacia leiocalyx	Early Flowering Black Wattle	130		130	6	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4170	Eucalyptus crebra	Narrow-leaved Ironbark	340		340	24	14	4.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4171	Corymbia citriodora	Spotted Gum	230		230	22	12	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4172	Eucalyptus crebra	Narrow-leaved Ironbark	330		330	24	14	4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4173	Corymbia intermedia	Pink Bloodwood	320		320	20	12	3.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4174	Corymbia citriodora	Spotted Gum	180		180	20	4	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4175	Corymbia tessellaris	Moreton Bay Ash	210		210	20	5	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4176	Corymbia citriodora	Spotted Gum	210		210	22	12	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4177	Eucalyptus tereticornis	Forest Red Gum	250		250	20	8	3	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4178	Corymbia citriodora	Spotted Gum	380		380	24	12	4.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4179	Corymbia citriodora	Spotted Gum	220		220	16	8	2.6	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4180	Eucalyptus seeana	Narrow-leaved Gum	230		230	18	6	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4181	Corymbia citriodora	Spotted Gum	190		190	22	8	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4182	Eucalyptus seeana	Narrow-leaved Gum	180		180	18	7	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4183	Eucalyptus tereticornis	Forest Red Gum	250		250	20	7	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4184	Eucalyptus tereticornis	Forest Red Gum	340		340	24	12	4.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4185	Corymbia citriodora	Spotted Gum	160		160	16	7	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4186	Corymbia citriodora	Spotted Gum	280		280	24	12	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4187	Corymbia citriodora	Spotted Gum	340		340	24	14	4.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4188	Corymbia citriodora	Spotted Gum	370	240	441	24	14	5.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4189	Eucalyptus crebra	Narrow-leaved Ironbark	340		340	24	14	4.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4190	Corymbia intermedia	Pink Bloodwood	200		200	18	7	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4191	Eucalyptus crebra	Narrow-leaved Ironbark	530		530	26	16	6.4	3	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	School VMP removed	
4192	Eucalyptus crebra	Narrow-leaved Ironbark	340		340	24	14	4.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4193	Eucalyptus crebra	Narrow-leaved Ironbark	300		300	24	12	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4194	Corymbia citriodora	Spotted Gum	270		270	22	10	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4195	Eucalyptus crebra	Narrow-leaved Ironbark	180		180	20	7	2.2	2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4196	Acacia leiocalyx	Early Flowering Black Wattle	150		150	10	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4197	Eucalyptus tereticornis	Forest Red Gum	320		320	24	12	3.8	2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
4198	Eucalyptus crebra	Narrow-leaved Ironbark	200		200	20	7	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4199	Eucalyptus tereticornis	Forest Red Gum	300		300	24	12	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4200	Corymbia intermedia	Pink Bloodwood	220		220	22	10	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4201	Eucalyptus crebra	Narrow-leaved Ironbark	320		320	24	12	3.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4202	Eucalyptus crebra	Narrow-leaved Ironbark	240		240	22	10	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4203	Corymbia citriodora	Spotted Gum	120		120	7	1	2	1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4204	Corymbia citriodora	Spotted Gum	140		140	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4205	Eucalyptus crebra	Narrow-leaved Ironbark	130		130	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4206	Eucalyptus crebra	Narrow-leaved Ironbark	220		220	26	14	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4207	Corymbia tessellaris	Moreton Bay Ash	120		120	8	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4208	Corymbia tessellaris	Moreton Bay Ash	160		160	12	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4209	Corymbia citriodora	Spotted Gum	340	140	368	26	14	4.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4210	Eucalyptus crebra	Narrow-leaved Ironbark	240		240	24	12	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4211	Corymbia citriodora	Spotted Gum	300		300	24	12	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4212	Eucalyptus crebra	Narrow-leaved Ironbark	240		240	18	8	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4213	Eucalyptus tereticornis	Forest Red Gum	270		270	22	12	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4214	Eucalyptus crebra	Narrow-leaved Ironbark	410		410	26	16	4.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4215	Corymbia citriodora	Spotted Gum	230	220	318	24	12	3.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4216	Eucalyptus crebra	Narrow-leaved Ironbark	390		390	26	14	4.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4217	Eucalyptus tereticornis	Forest Red Gum	340		340	24	12	4.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4218	Corymbia citriodora	Spotted Gum	330		330	26	14	4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4219	Corymbia citriodora	Spotted Gum	290		290	26	14	3.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4220	Eucalyptus crebra	Narrow-leaved Ironbark	370		370	26	16	4.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4221	Corymbia citriodora	Spotted Gum	180	150	234	18	7	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4222	Eucalyptus crebra	Narrow-leaved Ironbark	240		240	24	7	2.9	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4223	Eucalyptus crebra	Narrow-leaved Ironbark	280		280	26	16	3.4	2	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4224	Eucalyptus crebra	Narrow-leaved Ironbark	240		240	26	14	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4225	Eucalyptus crebra	Narrow-leaved Ironbark	210		210	26	14	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4226	Eucalyptus crebra	Narrow-leaved Ironbark	240		240	24	12	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4227	Eucalyptus crebra	Narrow-leaved Ironbark	230		230	24	12	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4228	Corymbia citriodora	Spotted Gum	230	180	292	18	8	3.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4229	Eucalyptus tereticornis	Forest Red Gum	220	140	261	14	6	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4230	Eucalyptus crebra	Narrow-leaved Ironbark	330		330	26	16	4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4231	Corymbia citriodora	Spotted Gum	410		410	26	14	4.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4232	Corymbia citriodora	Spotted Gum	310		310	26	8	3.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4233	Corymbia tessellaris	Moreton Bay Ash	190		190	24	8	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4234	Corymbia citriodora	Spotted Gum	280	180	333	26	10	4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4235	Eucalyptus crebra	Narrow-leaved Ironbark	300		300	26	14	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4236	Corymbia tessellaris	Moreton Bay Ash	180		180	16	6	2.2	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4237	Corymbia citriodora	Spotted Gum	240	160	288	24	10	3.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4238	Corymbia citriodora	Spotted Gum	260		260	22	12	3.1	2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	School VMP removed	
4239	Eucalyptus tereticornis	Forest Red Gum	250		250	22	12	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4240	Eucalyptus tereticornis	Forest Red Gum	280		280	24	14	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4241	Corymbia tessellaris	Moreton Bay Ash	220		220	20	8	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4242	Eucalyptus crebra	Narrow-leaved Ironbark	260		260	24	12	3.1	2	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4243	Corymbia tessellaris	Moreton Bay Ash	130		130	16	5	2	1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4244	Corymbia citriodora	Spotted Gum	270		270	22	12	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4245	Eucalyptus tereticornis	Forest Red Gum	200		200	22	12	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4246	Corymbia citriodora	Spotted Gum	200		200	22	12	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4247	Corymbia citriodora	Spotted Gum	170		170	16	6	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4248	Eucalyptus tereticornis	Forest Red Gum	330		330	26	14	4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4249	Eucalyptus tereticornis	Forest Red Gum	270		270	24	14	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4250	Corymbia tessellaris	Moreton Bay Ash	160		160	14	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4251	Corymbia citriodora	Spotted Gum	170		170	18	6	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4252	Eucalyptus tereticornis	Forest Red Gum	350		350	26	14	4.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4253	Acacia leiocalyx	Early Flowering Black Wattle	130		130	5	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4254	Eucalyptus crebra	Narrow-leaved Ironbark	240		240	22	12	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
4255	Corymbia intermedia	Pink Bloodwood	250		250	16	8	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4256	Corymbia citriodora	Spotted Gum	350		350	24	12	4.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4257	Eucalyptus tereticornis	Forest Red Gum	340		340	24	12	4.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4258	Corymbia citriodora	Spotted Gum	170		170	16	6	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4259	Corymbia citriodora	Spotted Gum	170		170	14	6	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4260	Eucalyptus crebra	Narrow-leaved Ironbark	460		460	26	14	5.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4261	Corymbia citriodora	Spotted Gum	270		270	24	12	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4262	Corymbia citriodora	Spotted Gum	210		210	20	8	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4263	Corymbia citriodora	Spotted Gum	290		290	22	12	3.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4264	Corymbia citriodora	Spotted Gum	280		280	26	14	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4265	Eucalyptus tereticornis	Forest Red Gum	240		240	24	12	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4266	Corymbia citriodora	Spotted Gum	230		230	24	10	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4267	Eucalyptus tereticornis	Forest Red Gum	400	400	566	26	16	6.8	3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4268	Eucalyptus tereticornis	Forest Red Gum	350		350	26	14	4.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4269	Eucalyptus crebra	Narrow-leaved Ironbark	210		210	18	12	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4270	Acacia leiocalyx	Early Flowering Black Wattle	160		160	7	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4271	Acacia leiocalyx	Early Flowering Black Wattle	140		140	7	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4272	Eucalyptus tereticornis	Forest Red Gum	260		260	24	12	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4273	Eucalyptus crebra	Narrow-leaved Ironbark	250		250	24	12	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4274	Eucalyptus tereticornis	Forest Red Gum	340		340	22	12	4.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4275	Acacia leiocalyx	Early Flowering Black Wattle	140		140	6	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4276	Acacia leiocalyx	Early Flowering Black Wattle	140		140	8	6	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4277	Corymbia tessellaris	Moreton Bay Ash	330		330	20	10	4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4278	Eucalyptus tereticornis	Forest Red Gum	330		330	20	10	4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4279	Eucalyptus crebra	Narrow-leaved Ironbark	200		200	20	9	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4280	Eucalyptus tereticornis	Forest Red Gum	220		220	18	8	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4281	Acacia leiocalyx	Early Flowering Black Wattle	140		140	7	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4282	Eucalyptus tereticornis	Forest Red Gum	200		200	14	7	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4283	Eucalyptus tereticornis	Forest Red Gum	280		280	24	14	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Old	-	-	-	-	School VMP removed	
4284	Eucalyptus tereticornis	Forest Red Gum	210		210	20	10	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4285	Eucalyptus tereticornis	Forest Red Gum	210		210	20	10	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4286	Eucalyptus tereticornis	Forest Red Gum	260		260	22	12	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4287	Corymbia intermedia	Pink Bloodwood	250		250	22	2	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4288	Eucalyptus tereticornis	Forest Red Gum	320		320	24	12	3.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4289	Corymbia intermedia	Pink Bloodwood	200		200	10	5	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4290	Allocasuarina littoralis	Black Sheoak	150		150	10	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4291	Eucalyptus tereticornis	Forest Red Gum	210		210	18	10	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4292	Corymbia citriodora	Spotted Gum	280		280	24	12	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4293	Eucalyptus tereticornis	Forest Red Gum	280		280	24	12	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4294	Acacia leiocalyx	Early Flowering Black Wattle	130		130	7	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4295	Corymbia citriodora	Spotted Gum	280		280	24	12	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4296	Eucalyptus crebra	Narrow-leaved Ironbark	120		120	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4297	Eucalyptus crebra	Narrow-leaved Ironbark	290		290	26	14	3.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4298	Eucalyptus tereticornis	Forest Red Gum	290		290	20	12	3.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4299	Eucalyptus tereticornis	Forest Red Gum	270		270	20	10	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4300	Eucalyptus tereticornis	Forest Red Gum	380		380	24	12	4.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4301	Eucalyptus crebra	Narrow-leaved Ironbark	210		210	18	6	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4302	Eucalyptus tereticornis	Forest Red Gum	230		230	14	6	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4303	Eucalyptus tereticornis	Forest Red Gum	200		200	12	6	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4304	Eucalyptus tereticornis	Forest Red Gum	230		230	18	10	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4305	Corymbia citriodora	Spotted Gum	220		220	18	7	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4306	Acacia leiocalyx	Early Flowering Black Wattle	150		150	7	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4307	Corymbia intermedia	Pink Bloodwood	280		280	14	6	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4308	Eucalyptus tereticornis	Forest Red Gum	320		320	22	12	3.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4309	Corymbia citriodora	Spotted Gum	350		350	24	12	4.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4310	Acacia leiocalyx	Early Flowering Black Wattle	150		150	10	6	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4311	Eucalyptus crebra	Narrow-leaved Ironbark	240		240	24	12	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
4312	Acacia leiocalyx	Early Flowering Black Wattle	130		130	6	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4313	Corymbia citriodora	Spotted Gum	290		290	24	12	3.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4314	Eucalyptus crebra	Narrow-leaved Ironbark	190		190	20	7	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4315	Eucalyptus tereticornis	Forest Red Gum	360		360	26	12	4.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4316	Acacia leiocalyx	Early Flowering Black Wattle	140		140	7	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4317	Eucalyptus tereticornis	Forest Red Gum	200		200	22	10	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4318	Acacia leiocalyx	Early Flowering Black Wattle	140	130	191	7	6	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4319	Corymbia citriodora	Spotted Gum	100		100	10	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4320	Eucalyptus tereticornis	Forest Red Gum	200		200	16	8	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4321	Eucalyptus tereticornis	Forest Red Gum	310		310	24	12	3.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4322	Corymbia citriodora	Spotted Gum	230		230	24	12	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4323	Acacia leiocalyx	Early Flowering Black Wattle	140		140	8	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4324	Corymbia citriodora	Spotted Gum	210		210	20	10	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4325	Corymbia citriodora	Spotted Gum	230	130	264	24	12	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4326	Corymbia citriodora	Spotted Gum	260		260	26	12	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4327	Eucalyptus tereticornis	Forest Red Gum	280		280	26	12	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4328	Corymbia citriodora	Spotted Gum	270		270	24	14	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4329	Eucalyptus tereticornis	Forest Red Gum	350		350	26	14	4.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4330	Corymbia tessellaris	Moreton Bay Ash	140		140	10	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4331	Acacia leiocalyx	Early Flowering Black Wattle	130		130	7	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4332	Acacia leiocalyx	Early Flowering Black Wattle	150		150	5	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4333	Eucalyptus tereticornis	Forest Red Gum	300	300	424	24	12	5.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	School VMP removed	
4334	Eucalyptus tereticornis	Forest Red Gum	320		320	26	14	3.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4335	Acacia leiocalyx	Early Flowering Black Wattle	170		170	8	6	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4336	Eucalyptus tereticornis	Forest Red Gum	320		320	22	12	3.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4337	Acacia leiocalyx	Early Flowering Black Wattle	190		190	8	6	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4338	Allocasuarina littoralis	Black Sheoak	140		140	6	3	2	1	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4339	Eucalyptus tereticornis	Forest Red Gum	300		300	22	10	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4340	Acacia leiocalyx	Early Flowering Black Wattle	150		150	7	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4341	Acacia leiocalyx	Early Flowering Black Wattle	140		140	7	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4342	Eucalyptus tereticornis	Forest Red Gum	430		430	24	12	5.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4343	Acacia leiocalyx	Early Flowering Black Wattle	140		140	5	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4344	Acacia leiocalyx	Early Flowering Black Wattle	170		170	6	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4345	Eucalyptus tereticornis	Forest Red Gum	190		190	16	6	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4346	Acacia leiocalyx	Early Flowering Black Wattle	140		140	8	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4347	Acacia leiocalyx	Early Flowering Black Wattle	130		130	5	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4348	Acacia leiocalyx	Early Flowering Black Wattle	140		140	6	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4349	Acacia leiocalyx	Early Flowering Black Wattle	150		150	5	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4350	Eucalyptus crebra	Narrow-leaved Ironbark	300		300	14	7	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	School VMP removed	
4351	Acacia leiocalyx	Early Flowering Black Wattle	180		180	7	5	2.2	2	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4352	Eucalyptus crebra	Narrow-leaved Ironbark	230		230	20	12	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4353	Eucalyptus tereticornis	Forest Red Gum	310		310	24	12	3.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4354	Acacia leiocalyx	Early Flowering Black Wattle	160		160	6	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4355	Corymbia intermedia	Pink Bloodwood	250		250	15	7	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4356	Acacia leiocalyx	Early Flowering Black Wattle	140		140	6	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4357	Eucalyptus tereticornis	Forest Red Gum	240		240	24	12	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4358	Acacia leiocalyx	Early Flowering Black Wattle	140		140	7	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4359	Eucalyptus tereticornis	Forest Red Gum	280		280	24	12	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4360	Lophostemon suaveolens	Swamp Box	220		220	10	6	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4361	Corymbia tessellaris	Moreton Bay Ash	220		220	18	7	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4362	Acacia leiocalyx	Early Flowering Black Wattle	150	80	170	7	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4363	Eucalyptus tereticornis	Forest Red Gum	270		270	18	7	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4364	Eucalyptus tereticornis	Forest Red Gum	350		350	20	10	4.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4365	Acacia leiocalyx	Early Flowering Black Wattle	140		140	5	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4366	Eucalyptus crebra	Narrow-leaved Ironbark	340		340	26	14	4.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4367	Eucalyptus tereticornis	Forest Red Gum	290		290	24	14	3.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4368	Eucalyptus tereticornis	Forest Red Gum	280		280	18	12	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
4369	Corymbia tessellaris	Moreton Bay Ash	200		200	16	6	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4370	Corymbia tessellaris	Moreton Bay Ash	190		190	18	7	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4371	Eucalyptus tereticornis	Forest Red Gum	240		240	20	10	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4372	Acacia leiocalyx	Early Flowering Black Wattle	160		160	7	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4373	Eucalyptus tereticornis	Forest Red Gum	160		160	10	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4374	Eucalyptus tereticornis	Forest Red Gum	210		210	16	8	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4375	Eucalyptus tereticornis	Forest Red Gum	230		230	24	12	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4376	Corymbia tessellaris	Moreton Bay Ash	150		150	18	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4377	Eucalyptus tereticornis	Forest Red Gum	240		240	20	8	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4378	Corymbia tessellaris	Moreton Bay Ash	190		190	18	7	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4379	Corymbia tessellaris	Moreton Bay Ash	150		150	10	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4380	Corymbia tessellaris	Moreton Bay Ash	120		120	8	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4381	Eucalyptus tereticornis	Forest Red Gum	240		240	20	8	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4382	Corymbia tessellaris	Moreton Bay Ash	210		210	10	5	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4383	Eucalyptus tereticornis	Forest Red Gum	230		230	12	6	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4384	Eucalyptus tereticornis	Forest Red Gum	380		380	20	10	4.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4385	Corymbia tessellaris	Moreton Bay Ash	220		220	16	7	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4386	Eucalyptus tereticornis	Forest Red Gum	400		400	20	10	4.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4387	Eucalyptus crebra	Narrow-leaved Ironbark	380		380	24	14	4.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4388	Corymbia citriodora	Spotted Gum	110		110	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4389	Corymbia citriodora	Spotted Gum	110		110	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4390	Allocasuarina littoralis	Black Sheoak	150		150	10	6	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4391	Allocasuarina littoralis	Black Sheoak	140		140	10	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4392	Allocasuarina littoralis	Black Sheoak	110		110	8	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4393	Allocasuarina littoralis	Black Sheoak	110		110	8	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4394	Allocasuarina littoralis	Black Sheoak	110		110	8	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4395	Eucalyptus tereticornis	Forest Red Gum	270		270	22	10	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4396	Eucalyptus tereticornis	Forest Red Gum	300		300	20	8	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4397	Lophostemon suaveolens	Swamp Box	200		200	10	5	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4398	Eucalyptus tereticornis	Forest Red Gum	270		270	24	10	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4399	Melaleuca quinquenervia	Broad-leaved Paperbark	110		110	7	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4400	Eucalyptus tereticornis	Forest Red Gum	230		230	18	8	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4401	Allocasuarina littoralis	Black Sheoak	150		150	8	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4402	Allocasuarina littoralis	Black Sheoak	110		110	8	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4403	Eucalyptus tereticornis	Forest Red Gum	360		360	22	10	4.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4404	Melaleuca quinquenervia	Broad-leaved Paperbark	320		320	8	5	3.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4405	Melaleuca quinquenervia	Broad-leaved Paperbark	230		230	8	4	2.8	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4406	Melaleuca quinquenervia	Broad-leaved Paperbark	230		230	10	5	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4407	Lophostemon suaveolens	Swamp Box	110		110	7	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4408	Allocasuarina littoralis	Black Sheoak	110		110	7	4	2	1	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4409	Lophostemon suaveolens	Swamp Box	170		170	10	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4410	Melaleuca quinquenervia	Broad-leaved Paperbark	200		200	8	4	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4411	Lophostemon suaveolens	Swamp Box	140		140	8	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4412	Lophostemon suaveolens	Swamp Box	180		180	7	3	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4413	Lophostemon suaveolens	Swamp Box	140		140	7	2	2	1	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4414	Lophostemon suaveolens	Swamp Box	170		170	8	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4415	Lophostemon suaveolens	Swamp Box	160		160	10	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4416	Corymbia intermedia	Pink Bloodwood	320		320	14	8	3.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4417	Lophostemon suaveolens	Swamp Box	170		170	8	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4418	Lophostemon suaveolens	Swamp Box	150		150	12	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4419	Lophostemon suaveolens	Swamp Box	120		120	8	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4420	Lophostemon suaveolens	Swamp Box	150		150	10	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4421	Allocasuarina littoralis	Black Sheoak	150		150	12	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4422	Melaleuca quinquenervia	Broad-leaved Paperbark	220		220	12	5	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4423	Lophostemon suaveolens	Swamp Box	220		220	10	4	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4424	Melaleuca quinquenervia	Broad-leaved Paperbark	220		220	10	6	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4425	Allocasuarina littoralis	Black Sheoak	180	180	255	8	5	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
4426	Melaleuca quinquenervia	Broad-leaved Paperbark	220		220	10	4	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4427	Allocasuarina littoralis	Black Sheoak	220		220	10	6	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4428	Allocasuarina littoralis	Black Sheoak	100		100	8	4	2	1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove ROL6	
4429	Lophostemon suaveolens	Swamp Box	170		170	8	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4430	Eucalyptus tereticornis	Forest Red Gum	420		420	26	12	5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4431	Lophostemon suaveolens	Swamp Box	110		110	8	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4432	Corymbia intermedia	Pink Bloodwood	190		190	12	8	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4433	Allocasuarina littoralis	Black Sheoak	100	80	128	8	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4434	Corymbia tessellaris	Moreton Bay Ash	110		110	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4435	Eucalyptus tereticornis	Forest Red Gum	380	150	409	24	12	4.9	2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4436	Eucalyptus tereticornis	Forest Red Gum	1050		1050	26	18	13	3	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	Old	-	-	-	-	Remove ROL6	
4437	Allocasuarina littoralis	Black Sheoak	230		230	10	6	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4438	Allocasuarina littoralis	Black Sheoak	160		160	10	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4439	Allocasuarina littoralis	Black Sheoak	110		110	8	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4440	Allocasuarina littoralis	Black Sheoak	140		140	10	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4441	Allocasuarina littoralis	Black Sheoak	110		110	10	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4442	Eucalyptus crebra	Narrow-leaved Ironbark	370		370	20	8	4.4	2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Remove ROL6	
4443	Allocasuarina littoralis	Black Sheoak	130		130	10	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4444	Corymbia intermedia	Pink Bloodwood	230		230	18	7	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4445	Eucalyptus tereticornis	Forest Red Gum	300		300	18	10	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4446	Allocasuarina littoralis	Black Sheoak	100		100	8	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4447	Allocasuarina littoralis	Black Sheoak	100		100	8	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4448	Corymbia citriodora	Spotted Gum	160		160	18	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4449	Eucalyptus siderophloia	Grey Ironbark	340		340	24	12	4.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4450	Allocasuarina littoralis	Black Sheoak	105		105	8	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4451	Allocasuarina littoralis	Black Sheoak	110		110	8	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4452	Corymbia intermedia	Pink Bloodwood	210		210	18	8	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4453	Allocasuarina littoralis	Black Sheoak	170		170	10	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4454	Eucalyptus crebra	Narrow-leaved Ironbark	260		260	24	12	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4455	Allocasuarina littoralis	Black Sheoak	110		110	8	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4456	Melaleuca quinquenervia	Broad-leaved Paperbark	160		160	14	6	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4457	Allocasuarina littoralis	Black Sheoak	160		160	10	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4458	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	10	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4459	Melaleuca quinquenervia	Broad-leaved Paperbark	150		150	8	4	2	1	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4460	Melaleuca quinquenervia	Broad-leaved Paperbark	220		220	8	4	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4461	Melaleuca quinquenervia	Broad-leaved Paperbark	100		100	8	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4462	Melaleuca quinquenervia	Broad-leaved Paperbark	200		200	12	6	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4463	Melaleuca quinquenervia	Broad-leaved Paperbark	120		120	8	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4464	Melaleuca quinquenervia	Broad-leaved Paperbark	180		180	8	3	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4465	Melaleuca quinquenervia	Broad-leaved Paperbark	110		110	8	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4466	Melaleuca quinquenervia	Broad-leaved Paperbark	120		120	8	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4467	Melaleuca quinquenervia	Broad-leaved Paperbark	190		190	8	6	2.3	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4468	Melaleuca quinquenervia	Broad-leaved Paperbark	120		120	8	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4469	Allocasuarina littoralis	Black Sheoak	100		100	8	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4470	Allocasuarina littoralis	Black Sheoak	110		110	8	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4471	Melaleuca quinquenervia	Broad-leaved Paperbark	170		170	12	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4472	Melaleuca quinquenervia	Broad-leaved Paperbark	230	200	305	12	6	3.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4473	Melaleuca quinquenervia	Broad-leaved Paperbark	210		210	10	6	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4474	Eucalyptus tereticornis	Forest Red Gum	230		230	18	6	2.8	2	Regular	-	Thinning	Die-back	-	-	Poor	-	Native	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4475	Melaleuca quinquenervia	Broad-leaved Paperbark	210	200	290	12	8	3.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4476	Allocasuarina littoralis	Black Sheoak	180		180	10	5	2.2	2	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4477	Corymbia tessellaris	Moreton Bay Ash	150		150	14	6	2	1	Regular	-	-	-	-	-	Typical	Major	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4478	Allocasuarina littoralis	Black Sheoak	100		100	10	5	2	1	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4479	Allocasuarina littoralis	Black Sheoak	160		160	7	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4480	Angophora leiocarpa	Smooth-barked Apple	240		240	20	8	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4481	Eucalyptus tereticornis	Forest Red Gum	220		220	18	6	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4482	Angophora leiocarpa	Smooth-barked Apple	280		280	20	7	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
4483	Corymbia citriodora	Spotted Gum	110		110	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4484	Allocasuarina littoralis	Black Sheoak	110		110	8	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4485	Melaleuca quinquenervia	Broad-leaved Paperbark	140		140	8	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
4486	Eucalyptus tereticornis	Forest Red Gum	500		500	24	12	6	2	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
4487	Allocasuarina littoralis	Black Sheoak	110		110	8	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
4488	Eucalyptus tereticornis	Forest Red Gum	110		110	12	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
4489	Corymbia tessellaris	Moreton Bay Ash	140		140	16	6	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
4490	Melaleuca quinquenervia	Broad-leaved Paperbark	200		200	12	6	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
4491	Eucalyptus tereticornis	Forest Red Gum	380		380	24	12	4.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
4493	Eucalyptus tereticornis	Forest Red Gum	410		410	28	14	4.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
4494	Allocasuarina littoralis	Black Sheoak	120		120	8	3	2	1	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
4495	Allocasuarina littoralis	Black Sheoak	130		130	8	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
4496	Allocasuarina littoralis	Black Sheoak	110		110	8	2	2	1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain ROL6	
4497	Eucalyptus tereticornis	Forest Red Gum	170		170	20	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
4498	Allocasuarina littoralis	Black Sheoak	110		110	7	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
4499	Allocasuarina littoralis	Black Sheoak	120		120	10	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
4500	Angophora leiocarpa	Smooth-barked Apple	410		410	22	10	4.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
4501	Allocasuarina littoralis	Black Sheoak	130		130	10	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
4549	Corymbia citriodora	Spotted Gum	430		430	26	14	5.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4550	Eucalyptus tereticornis	Forest Red Gum	280		280	24	12	3.4	2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4551	Eucalyptus tereticornis	Forest Red Gum	200		200	20	6	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4552	Corymbia citriodora	Spotted Gum	200		200	14	6	2.4	2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4553	Corymbia citriodora	Spotted Gum	190		190	14	5	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4554	Eucalyptus crebra	Narrow-leaved Ironbark	380		380	26	12	4.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4555	Eucalyptus tereticornis	Forest Red Gum	290		290	24	10	3.5	2	One-sided	-	-	-	-	-	Typical	Minor	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4556	Corymbia intermedia	Pink Bloodwood	220		220	16	7	2.6	2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4557	Corymbia tessellaris	Moreton Bay Ash	130		130	10	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4558	Eucalyptus tereticornis	Forest Red Gum	310		310	24	8	3.7	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4559	Acacia concurrens	Black Wattle	110		110	8	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4560	Acacia concurrens	Black Wattle	110		110	8	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4561	Acacia concurrens	Black Wattle	120		120	10	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4562	Eucalyptus crebra	Narrow-leaved Ironbark	370		370	26	14	4.4	2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4563	Acacia concurrens	Black Wattle	100		100	10	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4564	Acacia concurrens	Black Wattle	120		120	10	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4565	Acacia concurrens	Black Wattle	110		110	8	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4566	Eucalyptus tereticornis	Forest Red Gum	260		260	24	12	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4567	Corymbia tessellaris	Moreton Bay Ash	220		220	20	10	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4568	Acacia concurrens	Black Wattle	110		110	10	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4569	Acacia concurrens	Black Wattle	110		110	8	6	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4570	Eucalyptus crebra	Narrow-leaved Ironbark	370		370	16	4	4.4	2	Regular	-	-	-	Epicormic	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4571	Corymbia citriodora	Spotted Gum	210	100	233	12	3	2.8	2	Regular	-	-	-	Epicormic	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4572	Eucalyptus tereticornis	Forest Red Gum	370		370	20	8	4.4	2	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4573	Eucalyptus crebra	Narrow-leaved Ironbark	240		240	24	12	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4574	Eucalyptus crebra	Narrow-leaved Ironbark	230		230	18	8	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4575	Corymbia citriodora	Spotted Gum	230		230	22	10	2.8	2	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4576	Eucalyptus crebra	Narrow-leaved Ironbark	120		120	14	6	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4577	Eucalyptus crebra	Narrow-leaved Ironbark	230		230	24	12	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4578	Corymbia citriodora	Spotted Gum	260		260	24	10	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4579	Corymbia citriodora	Spotted Gum	360		360	22	12	4.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4580	Eucalyptus crebra	Narrow-leaved Ironbark	320		320	26	12	3.8	2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	School VMP removed	
4581	Eucalyptus tereticornis	Forest Red Gum	380		380	28	14	4.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4582	Eucalyptus crebra	Narrow-leaved Ironbark	340		340	26	14	4.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4583	Eucalyptus tereticornis	Forest Red Gum	170		170	18	6	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4584	Eucalyptus tereticornis	Forest Red Gum	160		160	14	7	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4585	Eucalyptus tereticornis	Forest Red Gum	230		230	18	8	2.8	2	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4586	Corymbia tessellaris	Moreton Bay Ash	200		200	16	7	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4587	Eucalyptus tereticornis	Forest Red Gum	240		240	24	10	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
4588	Allocasuarina littoralis	Black Sheoak	140		140	8	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4589	Allocasuarina littoralis	Black Sheoak	220		220	12	6	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4590	Eucalyptus crebra	Narrow-leaved Ironbark	370		370	26	14	4.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4591	Eucalyptus crebra	Narrow-leaved Ironbark	200		200	14	6	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4592	Allocasuarina littoralis	Black Sheoak	140		140	10	6	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4593	Allocasuarina littoralis	Black Sheoak	120		120	10	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4594	Allocasuarina littoralis	Black Sheoak	200		200	14	6	2.4	2	One-sided	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4595	Allocasuarina littoralis	Black Sheoak	120		120	10	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4596	Allocasuarina littoralis	Black Sheoak	210		210	10	5	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4597	Allocasuarina littoralis	Black Sheoak	170		170	10	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4598	Allocasuarina littoralis	Black Sheoak	200		200	10	6	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4599	Eucalyptus seeana	Narrow-leaved Gum	150		150	16	6	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4600	Acacia concurrens	Black Wattle	110		110	8	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4601	Eucalyptus tereticornis	Forest Red Gum	350	150	381	24	12	4.6	2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4602	Lophostemon suaveolens	Swamp Box	210		210	12	4	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4603	Petalostigma pubescens	Quinine Bush	160		160	8	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4604	Acacia concurrens	Black Wattle	110		110	10	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4605	Acacia concurrens	Black Wattle	110		110	8	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4606	Alphitonia excelsa	Red Ash	220		220	10	6	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4607	Corymbia tessellaris	Moreton Bay Ash	110		110	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4608	Eucalyptus tereticornis	Forest Red Gum	150		150	10	6	2	1	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4609	Eucalyptus tereticornis	Forest Red Gum	390		390	22	8	4.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4610	Eucalyptus tereticornis	Forest Red Gum	480		480	26	14	5.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4611	Acacia concurrens	Black Wattle	130		130	10	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4612	Eucalyptus tereticornis	Forest Red Gum	360		360	24	12	4.3	2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4613	Acacia concurrens	Black Wattle	110		110	10	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4614	Petalostigma pubescens	Quinine Bush	160		160	10	6	2	2	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4615	Eucalyptus tereticornis	Forest Red Gum	340		340	24	12	4.1	2	Regular	-	-	-	-	-	Typical	Minor	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4616	Eucalyptus tereticornis	Forest Red Gum	480		480	26	14	5.8	2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4617	Eucalyptus tereticornis	Forest Red Gum	340		340	24	8	4.1	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4618	Eucalyptus tereticornis	Forest Red Gum	410		410	24	12	4.9	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4619	Corymbia intermedia	Pink Bloodwood	180	160	241	16	6	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4620	Eucalyptus tereticornis	Forest Red Gum	330		330	20	8	4	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	-	Termite nest	-	Remove - approved in School application	
4621	Corymbia intermedia	Pink Bloodwood	280		280	22	12	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4622	Eucalyptus crebra	Narrow-leaved Ironbark	170		170	12	5	2	2	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4623	Corymbia intermedia	Pink Bloodwood	270		270	24	1	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4624	Corymbia intermedia	Pink Bloodwood	280		280	18	8	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4625	Corymbia intermedia	Pink Bloodwood	230		230	16	8	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4626	Corymbia intermedia	Pink Bloodwood	120		120	10	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4627	Corymbia intermedia	Pink Bloodwood	210		210	14	6	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4628	Corymbia intermedia	Pink Bloodwood	130		130	8	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4629	Corymbia tessellaris	Moreton Bay Ash	230		230	20	8	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4630	Eucalyptus crebra	Narrow-leaved Ironbark	140		140	12	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4631	Eucalyptus crebra	Narrow-leaved Ironbark	240		240	22	10	2.9	2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove ROL6	
4632	Corymbia tessellaris	Moreton Bay Ash	170		170	18	8	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4633	Corymbia tessellaris	Moreton Bay Ash	200		200	18	7	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4634	Eucalyptus crebra	Narrow-leaved Ironbark	200		200	18	6	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4635	Eucalyptus crebra	Narrow-leaved Ironbark	440		440	22	10	5.3	2	Regular	-	-	Die-back	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4636	Eucalyptus tereticornis	Forest Red Gum	400		400	24	14	4.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4650	Eucalyptus crebra	Narrow-leaved Ironbark	350		350	24	12	4.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4651	Acacia concurrens	Black Wattle	120		120	8	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4652	Lophostemon suaveolens	Swamp Box	200		200	8	4	2.4	2	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4653	Lophostemon suaveolens	Swamp Box	150		150	8	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4655	Lophostemon suaveolens	Swamp Box	150		150	8	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4656	Lophostemon suaveolens	Swamp Box	120		120	8	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4657	Lophostemon suaveolens	Swamp Box	120		120	8	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4658	Allocasuarina littoralis	Black Sheoak	160		160	10	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
4659	Eucalyptus tereticornis	Forest Red Gum	210		210	14	8	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4660	Lophostemon suaveolens	Swamp Box	130		130	10	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4661	Melaleuca quinquenervia	Broad-leaved Paperbark	110		110	8	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4662	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	8	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4663	Melaleuca quinquenervia	Broad-leaved Paperbark	140		140	8	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4664	Melaleuca quinquenervia	Broad-leaved Paperbark	140		140	8	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4665	Lophostemon suaveolens	Swamp Box	160		160	8	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4666	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	8	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4667	Melaleuca quinquenervia	Broad-leaved Paperbark	120		120	8	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4668	Lophostemon suaveolens	Swamp Box	160		160	8	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4669	Allocasuarina littoralis	Black Sheoak	140		140	8	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4670	Allocasuarina littoralis	Black Sheoak	120		120	8	3	2	1	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4671	Allocasuarina littoralis	Black Sheoak	150		150	8	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4672	Eucalyptus tereticornis	Forest Red Gum	230	220	318	24	12	3.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4673	Melaleuca quinquenervia	Broad-leaved Paperbark	120		120	6	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4674	Allocasuarina littoralis	Black Sheoak	150		150	10	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4675	Eucalyptus tereticornis	Forest Red Gum	250		250	22	10	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4676	Allocasuarina littoralis	Black Sheoak	120		120	10	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4677	Allocasuarina littoralis	Black Sheoak	120		120	10	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4678	Allocasuarina littoralis	Black Sheoak	110		110	8	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4679	Allocasuarina littoralis	Black Sheoak	110		110	8	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4680	Allocasuarina littoralis	Black Sheoak	180		180	7	4	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4681	Allocasuarina littoralis	Black Sheoak	120		120	8	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4682	Eucalyptus tereticornis	Forest Red Gum	150		150	12	6	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4687	Allocasuarina littoralis	Black Sheoak	130		130	8	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4688	Allocasuarina littoralis	Black Sheoak	130		130	8	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4689	Allocasuarina littoralis	Black Sheoak	130		130	10	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4690	Corymbia intermedia	Pink Bloodwood	140		140	16	6	2	1	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4691	Eucalyptus tereticornis	Forest Red Gum	200		200	20	8	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4692	Eucalyptus crebra	Narrow-leaved Ironbark	230		230	20	8	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Remove ROL6	
4693	Eucalyptus tereticornis	Forest Red Gum	170		170	18	8	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4694	Eucalyptus crebra	Narrow-leaved Ironbark	400		400	26	14	4.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4695	Eucalyptus tereticornis	Forest Red Gum	160		160	14	6	2	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4696	Allocasuarina littoralis	Black Sheoak	130		130	10	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4697	Allocasuarina littoralis	Black Sheoak	140		140	10	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4698	Eucalyptus tereticornis	Forest Red Gum	150		150	18	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4699	Lophostemon suaveolens	Swamp Box	130		130	6	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4700	Allocasuarina littoralis	Black Sheoak	130	100	164	7	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
4701	Allocasuarina littoralis	Black Sheoak	140		140	6	3	2	1	Regular	-	-	-	-	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
4702	Allocasuarina littoralis	Black Sheoak	140	140	198	10	5	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
4703	Acacia concurrens	Black Wattle	100		100	8	3	2	1	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
4704	Allocasuarina littoralis	Black Sheoak	160		160	10	5	2	2	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
4705	Allocasuarina littoralis	Black Sheoak	120		120	8	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
4706	Eucalyptus tereticornis	Forest Red Gum	150		150	10	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
4707	Corymbia tessellaris	Moreton Bay Ash	110		110	8	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
4708	Angophora leiocarpa	Smooth-barked Apple	100		100	8	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
4709	Allocasuarina littoralis	Black Sheoak	180		180	6	5	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
4710	Eucalyptus tereticornis	Forest Red Gum	120		120	10	2	2	1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
4711	Allocasuarina littoralis	Black Sheoak	140		140	8	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
4712	Acacia concurrens	Black Wattle	140		140	8	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
4713	Melaleuca quinquenervia	Broad-leaved Paperbark	200		200	12	6	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
4714	Eucalyptus crebra	Narrow-leaved Ironbark	160		160	12	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
4715	Allocasuarina littoralis	Black Sheoak	140		140	8	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
4716	Corymbia intermedia	Pink Bloodwood	220		220	12	6	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
4717	Corymbia intermedia	Pink Bloodwood	180	140	228	14	6	2.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4718	Eucalyptus tereticornis	Forest Red Gum	300		300	26	10	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4719	Eucalyptus siderophloia	Grey Ironbark	170		170	20	8	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
4720	Eucalyptus tereticornis	Forest Red Gum	100		100	8	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4721	Allocasuarina littoralis	Black Sheoak	120		120	12	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4722	Eucalyptus crebra	Narrow-leaved Ironbark	140		140	12	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4723	Eucalyptus tereticornis	Forest Red Gum	150	150	212	20	6	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4724	Eucalyptus tereticornis	Forest Red Gum	110		110	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4725	Allocasuarina littoralis	Black Sheoak	150		150	10	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4726	Eucalyptus tereticornis	Forest Red Gum	380		380	26	14	4.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4727	Melaleuca quinquenervia	Broad-leaved Paperbark	110	80	136	8	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4728	Allocasuarina littoralis	Black Sheoak	130		130	10	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4729	Eucalyptus tereticornis	Forest Red Gum	180		180	14	5	2.2	2	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4730	Allocasuarina littoralis	Black Sheoak	110		110	6	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4731	Allocasuarina littoralis	Black Sheoak	110		110	8	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4732	Allocasuarina littoralis	Black Sheoak	180		180	10	7	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4733	Allocasuarina littoralis	Black Sheoak	120		120	10	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4734	Allocasuarina littoralis	Black Sheoak	130		130	8	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4735	Allocasuarina littoralis	Black Sheoak	120		120	8	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4736	Eucalyptus tereticornis	Forest Red Gum	400		400	30	14	4.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Old	-	-	-	-	Remove ROL6	
4737	Eucalyptus tereticornis	Forest Red Gum	230	170	286	24	10	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4738	Eucalyptus crebra	Narrow-leaved Ironbark	280		280	24	12	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4739	Eucalyptus crebra	Narrow-leaved Ironbark	180	140	228	20	6	2.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4740	Allocasuarina littoralis	Black Sheoak	110		110	10	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4741	Allocasuarina littoralis	Black Sheoak	110		110	8	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4742	Eucalyptus tereticornis	Forest Red Gum	110		110	8	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4743	Eucalyptus tereticornis	Forest Red Gum	240		240	22	10	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4744	Eucalyptus tereticornis	Forest Red Gum	230	160	280	24	12	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4745	Allocasuarina littoralis	Black Sheoak	130		130	10	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4746	Eucalyptus tereticornis	Forest Red Gum	170		170	12	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4747	Allocasuarina littoralis	Black Sheoak	160		160	12	6	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4748	Allocasuarina littoralis	Black Sheoak	160		160	10	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4749	Eucalyptus crebra	Narrow-leaved Ironbark	220		220	20	10	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4750	Acacia concurrens	Black Wattle	100		100	8	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4751	Eucalyptus crebra	Narrow-leaved Ironbark	300		300	24	12	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4752	Eucalyptus tereticornis	Forest Red Gum	200	130	239	14	5	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4753	Allocasuarina littoralis	Black Sheoak	120		120	14	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4754	Eucalyptus crebra	Narrow-leaved Ironbark	200		200	20	10	2.4	2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4755	Eucalyptus crebra	Narrow-leaved Ironbark	270		270	24	12	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4756	Eucalyptus crebra	Narrow-leaved Ironbark	330		330	26	12	4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4757	Eucalyptus tereticornis	Forest Red Gum	340	200	394	24	14	4.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4758	Eucalyptus tereticornis	Forest Red Gum	200		200	20	8	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4759	Allocasuarina littoralis	Black Sheoak	130		130	10	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4760	Eucalyptus crebra	Narrow-leaved Ironbark	340		340	24	12	4.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4761	Corymbia tessellaris	Moreton Bay Ash	130		130	12	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4762	Eucalyptus tereticornis	Forest Red Gum	230		230	20	8	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4763	Corymbia intermedia	Pink Bloodwood	150	120	192	18	6	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4764	Allocasuarina littoralis	Black Sheoak	120		120	8	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4765	Allocasuarina littoralis	Black Sheoak	130		130	10	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4766	Allocasuarina littoralis	Black Sheoak	120		120	10	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4767	Allocasuarina littoralis	Black Sheoak	100		100	8	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4768	Eucalyptus tereticornis	Forest Red Gum	290	280, 280	491	24	12	5.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4769	Eucalyptus tereticornis	Forest Red Gum	190	180	262	16	8	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4770	Eucalyptus crebra	Narrow-leaved Ironbark	330		330	24	12	4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4771	Eucalyptus crebra	Narrow-leaved Ironbark	230		230	22	10	2.8	2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4772	Allocasuarina littoralis	Black Sheoak	140		140	10	6	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4773	Allocasuarina littoralis	Black Sheoak	150		150	10	6	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4774	Allocasuarina littoralis	Black Sheoak	120		120	10	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4775	Eucalyptus crebra	Narrow-leaved Ironbark	140		140	12	6	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4776	Allocasuarina littoralis	Black Sheoak	160		160	8	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
4777	Lophostemon suaveolens	Swamp Box	200		200	12	5	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4778	Allocasuarina littoralis	Black Sheoak	130		130	10	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4779	Lophostemon suaveolens	Swamp Box	110		110	8	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4780	Lophostemon suaveolens	Swamp Box	130		130	10	6	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4781	Lophostemon suaveolens	Swamp Box	120		120	8	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4782	Eucalyptus tereticornis	Forest Red Gum	150		150	12	6	2	1	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4783	Allocasuarina littoralis	Black Sheoak	180		180	12	6	2.2	2	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4784	Allocasuarina littoralis	Black Sheoak	130		130	10	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4785	Allocasuarina littoralis	Black Sheoak	180		180	12	6	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4786	Allocasuarina littoralis	Black Sheoak	120		120	10	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4787	Lophostemon suaveolens	Swamp Box	140		140	10	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4788	Allocasuarina littoralis	Black Sheoak	160		160	12	6	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4789	Eucalyptus crebra	Narrow-leaved Ironbark	100		100	8	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4790	Eucalyptus tereticornis	Forest Red Gum	520		520	24	12	6.2	3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4791	Lophostemon suaveolens	Swamp Box	130		130	10	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4792	Corymbia intermedia	Pink Bloodwood	270		270	20	8	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4793	Corymbia intermedia	Pink Bloodwood	270	130, 140	331	14	8	4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4794	Eucalyptus crebra	Narrow-leaved Ironbark	120		120	8	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4795	Corymbia intermedia	Pink Bloodwood	250		250	20	10	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4796	Lophostemon suaveolens	Swamp Box	120		120	8	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4797	Corymbia citriodora	Spotted Gum	200		200	16	8	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4798	Corymbia intermedia	Pink Bloodwood	180		180	16	8	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4799	Corymbia intermedia	Pink Bloodwood	220		220	18	7	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4800	Corymbia intermedia	Pink Bloodwood	330		330	20	10	4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4801	Eucalyptus crebra	Narrow-leaved Ironbark	340		340	24	12	4.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4802	Corymbia citriodora	Spotted Gum	270		270	20	8	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4803	Corymbia citriodora	Spotted Gum	430		430	24	12	5.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4804	Eucalyptus crebra	Narrow-leaved Ironbark	230		230	20	8	2.8	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4805	Corymbia intermedia	Pink Bloodwood	270		270	18	8	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4806	Corymbia intermedia	Pink Bloodwood	170		170	14	6	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4807	Eucalyptus crebra	Narrow-leaved Ironbark	280		280	24	12	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4808	Eucalyptus tereticornis	Forest Red Gum	160	150, 130	255	20	7	3.1	2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4809	Corymbia intermedia	Pink Bloodwood	340		340	24	12	4.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4810	Eucalyptus tereticornis	Forest Red Gum	200		200	20	6	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4811	Lophostemon suaveolens	Swamp Box	110		110	6	1	2	1	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4812	Corymbia tessellaris	Moreton Bay Ash	140		140	10	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4813	Lophostemon suaveolens	Swamp Box	130		130	10	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4814	Lophostemon suaveolens	Swamp Box	200		200	12	5	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4815	Corymbia tessellaris	Moreton Bay Ash	110		110	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4816	Lophostemon suaveolens	Swamp Box	110		110	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4817	Lophostemon suaveolens	Swamp Box	120		120	4	1	2	1	Regular	-	-	-	Epicormic	Lopped	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4818	Eucalyptus tereticornis	Forest Red Gum	480		480	26	12	5.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4819	Eucalyptus tereticornis	Forest Red Gum	290		290	24	10	3.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4820	Corymbia intermedia	Pink Bloodwood	130		130	14	6	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4821	Acacia concurrens	Black Wattle	100		100	8	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4822	Lophostemon suaveolens	Swamp Box	150		150	14	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4823	Lophostemon suaveolens	Swamp Box	210		210	12	5	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4824	Allocasuarina littoralis	Black Sheoak	220		220	10	6	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4825	Lophostemon suaveolens	Swamp Box	170		170	10	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4826	Corymbia intermedia	Pink Bloodwood	460		460	24	12	5.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4827	Corymbia intermedia	Pink Bloodwood	330		330	22	12	4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4828	Eucalyptus tereticornis	Forest Red Gum	300		300	24	12	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4829	Melaleuca quinquenervia	Broad-leaved Paperbark	100		100	8	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4830	Allocasuarina littoralis	Black Sheoak	180		180	10	6	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4831	Eucalyptus tereticornis	Forest Red Gum	380		380	28	12	4.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4832	Acacia concurrens	Black Wattle	110		110	10	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4833	Allocasuarina littoralis	Black Sheoak	140		140	8	6	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
4834	Allocasuarina littoralis	Black Sheoak	110		110	10	5	2	1	Regular	-	-	-	-	-	Typical	Major	Native	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4835	Allocasuarina littoralis	Black Sheoak	140		140	12	6	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4836	Allocasuarina littoralis	Black Sheoak	150		150	10	6	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4837	Allocasuarina littoralis	Black Sheoak	160		160	10	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4838	Eucalyptus tereticornis	Forest Red Gum	360		360	26	14	4.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4839	Allocasuarina littoralis	Black Sheoak	120		120	8	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4840	Allocasuarina littoralis	Black Sheoak	110		110	7	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4841	Eucalyptus tereticornis	Forest Red Gum	160		160	20	6	2	2	Regular	-	-	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4842	Acacia concurrens	Black Wattle	130		130	8	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
4843	Acacia concurrens	Black Wattle	100		100	11	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4844	Eucalyptus tereticornis	Forest Red Gum	260		260	16	4	3.1	2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4845	Acacia concurrens	Black Wattle	110		110	10	2	2	1	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4846	Corymbia intermedia	Pink Bloodwood	260		260	16	5	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4847	DEAD/STAG		170		170	12	1	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Remove - approved in School application	
4848	Corymbia citriodora	Spotted Gum	220		220	17	4	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4849	Eucalyptus tereticornis	Forest Red Gum	360		360	18	6	4.3	2	Regular	-	Thinning	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4850	Lophostemon suaveolens	Swamp Box	140	120	184	12	4	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4851	Melaleuca quinquenervia	Broad-leaved Paperbark	170	160, 120	262	14	2	3.1	2	Regular	-	Thinning	Die-back	-	Lopped	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4852	Corymbia intermedia	Pink Bloodwood	230		230	16	5	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4853	Eucalyptus tereticornis	Forest Red Gum	180		180	15	3	2.2	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4854	Acacia concurrens	Black Wattle	120		120	13	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
4855	Eucalyptus seeana	Narrow-leaved Gum	170		170	14	3	2	2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove ROL6	
4856	Eucalyptus tereticornis	Forest Red Gum	260	240	354	16	6	4.2	2	Regular	-	Thinning	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove ROL6	
4857	Acacia concurrens	Black Wattle	120		120	11	2	2	1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4858	Eucalyptus tereticornis	Forest Red Gum	360		360	19	7	4.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4859	Eucalyptus tereticornis	Forest Red Gum	330		330	17	5	4	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4860	Acacia concurrens	Black Wattle	110		110	10	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4861	Corymbia intermedia	Pink Bloodwood	240		240	15	4	2.9	2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove ROL6	
4862	Acacia concurrens	Black Wattle	120		120	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4863	Allocasuarina littoralis	Black Sheoak	130		130	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4864	Acacia concurrens	Black Wattle	110		110	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4865	Eucalyptus tereticornis	Forest Red Gum	160		160	14	4	2	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4866	Allocasuarina littoralis	Black Sheoak	120		120	13	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4867	Eucalyptus tereticornis	Forest Red Gum	480		480	21	7	5.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4868	Allocasuarina littoralis	Black Sheoak	140		140	13	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4869	Lophostemon suaveolens	Swamp Box	140		140	13	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4870	Eucalyptus seeana	Narrow-leaved Gum	200	170, 150, 140, 120	354	15	6	4.2	2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	Old	-	-	-	-	-	Remove ROL6	
4871	Allocasuarina littoralis	Black Sheoak	130		130	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4872	Allocasuarina littoralis	Black Sheoak	160		160	14	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4873	Allocasuarina littoralis	Black Sheoak	120		120	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4874	Allocasuarina littoralis	Black Sheoak	120		120	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4875	Allocasuarina littoralis	Black Sheoak	130		130	13	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4876	Melaleuca quinquenervia	Broad-leaved Paperbark	100		100	11	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4877	Eucalyptus tereticornis	Forest Red Gum	230	200	305	16	6	3.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4878	Allocasuarina littoralis	Black Sheoak	130		130	13	2	2	1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4879	Allocasuarina littoralis	Black Sheoak	120		120	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4880	Eucalyptus tereticornis	Forest Red Gum	300		300	16	5	3.6	2	Regular	-	Thinning	Die-back	-	-	Poor	Minor	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove ROL6	
4881	Allocasuarina littoralis	Black Sheoak	120		120	12	2	2	1	One-sided	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4882	Corymbia tessellaris	Moreton Bay Ash	170	120	208	15	4	2.5	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4883	Allocasuarina littoralis	Black Sheoak	140		140	13	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4884	DEAD/STAG		250		250	17	4	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Remove ROL6	
4885	Eucalyptus crebra	Narrow-leaved Ironbark	330		330	18	9	4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4886	Eucalyptus tereticornis	Forest Red Gum	180		180	16	2	2.2	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4887	Corymbia intermedia	Pink Bloodwood	140		140	13	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4888	Eucalyptus crebra	Narrow-leaved Ironbark	150		150	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4889	Allocasuarina littoralis	Black Sheoak	160		160	13	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4890	Allocasuarina littoralis	Black Sheoak	260		260	14	6	3.1	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
4891	Lophostemon suaveolens	Swamp Box	150		150	14	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4892	Allocasuarina littoralis	Black Sheoak	160	130	206	14	7	2.5	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4893	Eucalyptus tereticornis	Forest Red Gum	300		300	17	5	3.6	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4894	Eucalyptus tereticornis	Forest Red Gum	150		150	14	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4895	Eucalyptus tereticornis	Forest Red Gum	170		170	15	2	2	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	Trunk Dmg.	-	Poor	-	-	-	-	-	-	Remove ROL6	
4896	Acacia concurrens	Black Wattle	100		100	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4897	Acacia concurrens	Black Wattle	110		110	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4898	Eucalyptus tereticornis	Forest Red Gum	160		160	15	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4899	Allocasuarina littoralis	Black Sheoak	200		200	14	4	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4900	Allocasuarina littoralis	Black Sheoak	160		160	14	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4901	Acacia concurrens	Black Wattle	120		120	13	2	2	1	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4902	Allocasuarina littoralis	Black Sheoak	140		140	13	2	2	1	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4903	Eucalyptus tereticornis	Forest Red Gum	150		150	15	4	2	1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4904	Allocasuarina littoralis	Black Sheoak	140		140	14	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4905	Allocasuarina littoralis	Black Sheoak	120		120	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4906	Eucalyptus seeana	Narrow-leaved Gum	310	200	369	17	8	4.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4907	Corymbia intermedia	Pink Bloodwood	290	260	389	16	5	4.7	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Remove ROL6	
4908	Eucalyptus seeana	Narrow-leaved Gum	180		180	16	4	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4909	Eucalyptus tereticornis	Forest Red Gum	380	280	472	18	7	5.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4910	Corymbia intermedia	Pink Bloodwood	330		330	16	6	4	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4911	Eucalyptus tereticornis	Forest Red Gum	180		180	15	3	2.2	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4973	Allocasuarina littoralis	Black Sheoak	110		110	10	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4974	Allocasuarina littoralis	Black Sheoak	160		160	12	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4975	Allocasuarina littoralis	Black Sheoak	180		180	14	4	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4976	Allocasuarina littoralis	Black Sheoak	130		130	13	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4977	Allocasuarina littoralis	Black Sheoak	130		130	13	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4978	Allocasuarina littoralis	Black Sheoak	170		170	12	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4979	Allocasuarina littoralis	Black Sheoak	180		180	13	4	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4980	Allocasuarina littoralis	Black Sheoak	150		150	13	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4981	Allocasuarina littoralis	Black Sheoak	220		220	13	6	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4982	Lophostemon suaveolens	Swamp Box	120		120	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4983	Acacia concurrens	Black Wattle	160		160	13	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4984	Allocasuarina littoralis	Black Sheoak	150	140	205	12	5	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Remove ROL6	
4985	Allocasuarina littoralis	Black Sheoak	140		140	13	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4986	Allocasuarina littoralis	Black Sheoak	130		130	13	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4987	Allocasuarina littoralis	Black Sheoak	170		170	13	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4988	Allocasuarina littoralis	Black Sheoak	120		120	9	3	2	1	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4989	Allocasuarina littoralis	Black Sheoak	150		150	11	2	2	1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4990	Eucalyptus tereticornis	Forest Red Gum	240		240	16	5	2.9	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	-	Termite nest	-	Remove ROL6	
4991	Acacia concurrens	Black Wattle	110		110	13	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4992	Acacia concurrens	Black Wattle	110		110	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4993	Acacia concurrens	Black Wattle	110		110	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4994	Acacia concurrens	Black Wattle	110		110	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4995	Allocasuarina littoralis	Black Sheoak	150		150	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4996	Corymbia intermedia	Pink Bloodwood	210		210	14	4	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4997	Eucalyptus tereticornis	Forest Red Gum	350		350	19	7	4.2	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove ROL6	
4998	Acacia concurrens	Black Wattle	120		120	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
4999	Acacia concurrens	Black Wattle	120		120	11	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5000	Acacia concurrens	Black Wattle	110		110	11	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5001	Corymbia tessellaris	Moreton Bay Ash	200		200	17	5	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Remove ROL6	
5002	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5003	Eucalyptus tereticornis	Forest Red Gum	640		640	23	12	7.7	3	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	Old	-	-	-	-	-	Remove ROL6	
5004	Melaleuca quinquenervia	Broad-leaved Paperbark	150		150	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5005	Melaleuca quinquenervia	Broad-leaved Paperbark	340	140	368	14	6	4.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5006	Eucalyptus tereticornis	Forest Red Gum	160		160	15	3	2	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5007	Melaleuca quinquenervia	Broad-leaved Paperbark	110		110	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5008	Melaleuca quinquenervia	Broad-leaved Paperbark	170		170	14	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
5009	Melaleuca quinquenervia	Broad-leaved Paperbark	120		120	10	2	2	1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5010	Melaleuca quinquenervia	Broad-leaved Paperbark	220		220	15	5	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5011	Melaleuca quinquenervia	Broad-leaved Paperbark	170	170, 120	269	15	5	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5012	Melaleuca quinquenervia	Broad-leaved Paperbark	110		110	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5013	Eucalyptus tereticornis	Forest Red Gum	240		240	15	4	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5014	Melaleuca quinquenervia	Broad-leaved Paperbark	200	170, 160, 160	347	14	7	4.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5015	Eucalyptus tereticornis	Forest Red Gum	410		410	22	10	4.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5016	Lophostemon suaveolens	Swamp Box	190		190	14	5	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5017	Melaleuca quinquenervia	Broad-leaved Paperbark	160	160, 150	271	18	6	3.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5018	Melaleuca quinquenervia	Broad-leaved Paperbark	240	200, 190, 180	408	19	8	4.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5019	Melaleuca quinquenervia	Broad-leaved Paperbark	140		140	13	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5020	Lophostemon suaveolens	Swamp Box	150	120	192	10	6	2.3	2	Irregular	-	-	-	-	-	Typical	Major	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5021	Melaleuca quinquenervia	Broad-leaved Paperbark	160		160	13	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5022	Melaleuca quinquenervia	Broad-leaved Paperbark	110		110	11	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5023	Melaleuca quinquenervia	Broad-leaved Paperbark	120		120	11	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5024	Melaleuca quinquenervia	Broad-leaved Paperbark	100		100	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5025	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5026	Melaleuca quinquenervia	Broad-leaved Paperbark	200		200	13	5	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5027	Allocasuarina littoralis	Black Sheoak	230		230	14	5	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5028	Allocasuarina littoralis	Black Sheoak	130		130	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5029	Melaleuca quinquenervia	Broad-leaved Paperbark	220		220	15	5	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5030	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	13	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5031	Melaleuca quinquenervia	Broad-leaved Paperbark	220		220	13	4	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5032	Melaleuca quinquenervia	Broad-leaved Paperbark	160	150	219	16	6	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5033	Lophostemon suaveolens	Swamp Box	130		130	13	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5034	Lophostemon suaveolens	Swamp Box	120		120	13	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5035	Lophostemon suaveolens	Swamp Box	130		130	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5036	Lophostemon suaveolens	Swamp Box	220		220	16	4	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Remove ROL6	
5037	Allocasuarina littoralis	Black Sheoak	160		160	14	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5038	Melaleuca quinquenervia	Broad-leaved Paperbark	120		120	13	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5039	Lophostemon suaveolens	Swamp Box	220		220	15	4	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5040	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	13	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5041	Corymbia intermedia	Pink Bloodwood	170		170	13	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5042	Melaleuca quinquenervia	Broad-leaved Paperbark	140	130	191	14	4	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5043	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	14	2	2	1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5044	Acacia concurrens	Black Wattle	110		110	13	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5045	Allocasuarina littoralis	Black Sheoak	130		130	15	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5046	Corymbia intermedia	Pink Bloodwood	110		110	11	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5047	Melaleuca quinquenervia	Broad-leaved Paperbark	150		150	15	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5048	Melaleuca quinquenervia	Broad-leaved Paperbark	140	130	191	14	3	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5051	Corymbia intermedia	Pink Bloodwood	160		160	14	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5052	Eucalyptus tereticornis	Forest Red Gum	300		300	18	6	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5053	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	13	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5054	Eucalyptus tereticornis	Forest Red Gum	220		220	16	5	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5065	Melaleuca quinquenervia	Broad-leaved Paperbark	280	170, 100	342	15	6	4.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5066	Melaleuca quinquenervia	Broad-leaved Paperbark	100		100	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5067	Melaleuca quinquenervia	Broad-leaved Paperbark	190		190	14	4	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5068	Corymbia intermedia	Pink Bloodwood	200		200	17	6	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5069	Allocasuarina littoralis	Black Sheoak	130		130	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5070	Eucalyptus tereticornis	Forest Red Gum	250		250	19	6	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5071	Allocasuarina littoralis	Black Sheoak	150		150	13	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5072	Acacia concurrens	Black Wattle	110		110	14	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5073	Acacia concurrens	Black Wattle	110		110	14	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5074	Eucalyptus tereticornis	Forest Red Gum	160		160	16	4	2	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove ROL6	
5075	Eucalyptus tereticornis	Forest Red Gum	300		300	17	6	3.6	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5076	Melaleuca quinquenervia	Broad-leaved Paperbark	190	180	262	18	6	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5077	Allocasuarina littoralis	Black Sheoak	180		180	15	5	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Remove ROL6	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
5078	Allocasuarina littoralis	Black Sheoak	230		230	16	7	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5079	Allocasuarina littoralis	Black Sheoak	200		200	15	5	2.4	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5080	Allocasuarina littoralis	Black Sheoak	200		200	17	6	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5081	Eucalyptus tereticornis	Forest Red Gum	200		200	17	5	2.4	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5082	Melaleuca quinquenervia	Broad-leaved Paperbark	140	100	172	11	3	2.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5083	Melaleuca quinquenervia	Broad-leaved Paperbark	240	180, 170, 160	380	13	6	4.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5084	Eucalyptus tereticornis	Forest Red Gum	120		120	13	1	2	1	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5085	Melaleuca quinquenervia	Broad-leaved Paperbark	240	220	326	16	7	3.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5086	Melaleuca quinquenervia	Broad-leaved Paperbark	260		260	15	7	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5087	Allocasuarina littoralis	Black Sheoak	230		230	14	6	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5088	Eucalyptus tereticornis	Forest Red Gum	310		310	20	9	3.7	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove ROL6	
5089	Eucalyptus tereticornis	Forest Red Gum	180		180	17	5	2.2	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5090	Acacia disparrima	Hickory Wattle	240		240	13	7	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5091	Allocasuarina littoralis	Black Sheoak	190		190	16	5	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5092	Melaleuca quinquenervia	Broad-leaved Paperbark	100		100	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5093	DEAD/STAG		150		150	15	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Remove ROL6	
5094	Allocasuarina littoralis	Black Sheoak	150		150	16	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5095	Eucalyptus tereticornis	Forest Red Gum	350		350	26	10	4.2	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5096	Eucalyptus tereticornis	Forest Red Gum	460		460	30	12	5.5	2	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5097	Acacia concurrens	Black Wattle	110		110	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5098	Allocasuarina littoralis	Black Sheoak	170		170	14	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5099	Allocasuarina littoralis	Black Sheoak	200		200	15	6	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5100	Corymbia intermedia	Pink Bloodwood	220		220	16	5	2.6	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove ROL6	
5101	Allocasuarina littoralis	Black Sheoak	140		140	15	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5102	Corymbia intermedia	Pink Bloodwood	370		370	18	7	4.4	2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Poor	-	-	-	-	-	-	Remove ROL6	
5103	Corymbia tessellaris	Moreton Bay Ash	200		200	18	4	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5104	Allocasuarina littoralis	Black Sheoak	150		150	16	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5105	Acacia concurrens	Black Wattle	110		110	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5106	Allocasuarina littoralis	Black Sheoak	140	130, 110	220	14	5	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5107	Eucalyptus tereticornis	Forest Red Gum	240		240	18	6	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5108	Corymbia intermedia	Pink Bloodwood	210		210	16	5	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5109	Eucalyptus tereticornis	Forest Red Gum	320		320	18	8	3.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5110	Corymbia intermedia	Pink Bloodwood	270		270	17	6	3.2	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5111	Eucalyptus tereticornis	Forest Red Gum	200		200	18	4	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5112	Allocasuarina littoralis	Black Sheoak	120		120	13	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5113	Allocasuarina littoralis	Black Sheoak	150		150	15	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5114	Allocasuarina littoralis	Black Sheoak	130		130	13	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5115	Allocasuarina littoralis	Black Sheoak	110		110	13	2	2	1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5116	Allocasuarina littoralis	Black Sheoak	160		160	14	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5117	Eucalyptus tereticornis	Forest Red Gum	190		190	16	3	2.3	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	Trunk Dmg.	-	Poor	-	-	-	-	-	-	Remove ROL6	
5118	Allocasuarina littoralis	Black Sheoak	120		120	13	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5119	Allocasuarina littoralis	Black Sheoak	120		120	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5120	Allocasuarina littoralis	Black Sheoak	140		140	14	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5121	Allocasuarina littoralis	Black Sheoak	130		130	13	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5122	Eucalyptus tereticornis	Forest Red Gum	140		140	14	4	2	1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5123	Allocasuarina littoralis	Black Sheoak	120		120	13	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5124	Allocasuarina littoralis	Black Sheoak	130		130	14	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5125	Allocasuarina littoralis	Black Sheoak	100		100	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5126	Allocasuarina littoralis	Black Sheoak	140		140	13	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5127	Acacia concurrens	Black Wattle	140		140	13	4	2	1	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5128	Eucalyptus tereticornis	Forest Red Gum	230		230	17	6	2.8	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5129	Melaleuca quinquenervia	Broad-leaved Paperbark	260		260	14	6	3.1	2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
5130	Melaleuca quinquenervia	Broad-leaved Paperbark	140	140, 130, 120	266	13	5	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
5131	Eucalyptus tereticornis	Forest Red Gum	150		150	16	4	2	1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
5132	Eucalyptus tereticornis	Forest Red Gum	220		220	15	5	2.6	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
5133	Acacia concurrens	Black Wattle	110		110	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
5134	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	10	2	2	1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
5135	Melaleuca quinquenervia	Broad-leaved Paperbark	110		110	9	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
5136	Corymbia intermedia	Pink Bloodwood	250	240	347	16	7	4.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
5137	Acacia concurrens	Black Wattle	120		120	11	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
5138	Acacia concurrens	Black Wattle	110		110	11	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
5139	Acacia concurrens	Black Wattle	120		120	12	3	2	1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
5140	Eucalyptus tereticornis	Forest Red Gum	250	180	308	19	8	3.7	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
5141	Corymbia intermedia	Pink Bloodwood	160		160	16	2	2	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
5142	Eucalyptus tereticornis	Forest Red Gum	540		540	22	12	6.5	3	Regular	-	Thinning	Die-back	-	-	Poor	-	-	Trunk Dmg.	-	Poor	-	-	-	-	-	-	Remove - approved in School application	
5143	Acacia concurrens	Black Wattle	110		110	13	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
5144	Corymbia intermedia	Pink Bloodwood	260		260	17	5	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Remove - approved in School application	
5145	Corymbia intermedia	Pink Bloodwood	110		110	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
5146	Eucalyptus tereticornis	Forest Red Gum	270		270	18	6	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
5147	Melaleuca quinquenervia	Broad-leaved Paperbark	140		140	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
5148	Melaleuca quinquenervia	Broad-leaved Paperbark	340		340	13	6	4.1	2	Irregular	-	-	-	-	-	Typical	Major	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove ROL6	
5149	Eucalyptus tereticornis	Forest Red Gum	220		220	19	5	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
5150	Eucalyptus tereticornis	Forest Red Gum	370	270	458	18	9	5.5	2	Regular	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
5151	Acacia concurrens	Black Wattle	110		110	13	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5152	Corymbia intermedia	Pink Bloodwood	160		160	14	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5153	Eucalyptus tereticornis	Forest Red Gum	250	210	326	20	9	3.9	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5154	Acacia concurrens	Black Wattle	110		110	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5155	Allocasuarina littoralis	Black Sheoak	130		130	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5156	Allocasuarina littoralis	Black Sheoak	140		140	11	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5157	Allocasuarina littoralis	Black Sheoak	110		110	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5158	Allocasuarina littoralis	Black Sheoak	100		100	11	2	2	1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove ROL6	
5159	Corymbia intermedia	Pink Bloodwood	220		220	14	4	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Remove ROL6	
5160	Melaleuca quinquenervia	Broad-leaved Paperbark	180		180	13	3	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5161	Eucalyptus tereticornis	Forest Red Gum	330		330	21	8	4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5162	Melaleuca quinquenervia	Broad-leaved Paperbark	180		180	12	4	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5163	Melaleuca quinquenervia	Broad-leaved Paperbark	140	140, 120, 60	239	13	4	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5164	Melaleuca quinquenervia	Broad-leaved Paperbark	210	190	283	16	4	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5165	Allocasuarina littoralis	Black Sheoak	150		150	14	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5166	Allocasuarina littoralis	Black Sheoak	140		140	13	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5167	Allocasuarina littoralis	Black Sheoak	130		130	13	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5168	Allocasuarina littoralis	Black Sheoak	100		100	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5169	Allocasuarina littoralis	Black Sheoak	130		130	12	3	2	1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5170	Allocasuarina littoralis	Black Sheoak	130		130	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5171	Allocasuarina littoralis	Black Sheoak	120		120	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5172	Allocasuarina littoralis	Black Sheoak	140		140	14	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5173	Melaleuca quinquenervia	Broad-leaved Paperbark	110		110	14	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5174	Allocasuarina littoralis	Black Sheoak	190		190	14	5	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5175	Allocasuarina littoralis	Black Sheoak	130		130	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5176	Allocasuarina littoralis	Black Sheoak	110		110	11	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5177	Allocasuarina littoralis	Black Sheoak	140		140	15	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5178	Melaleuca quinquenervia	Broad-leaved Paperbark	180		180	14	3	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5179	Melaleuca quinquenervia	Broad-leaved Paperbark	160		160	13	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5180	Allocasuarina littoralis	Black Sheoak	140		140	15	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5181	Allocasuarina littoralis	Black Sheoak	110		110	10	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5182	Allocasuarina littoralis	Black Sheoak	110		110	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5183	Allocasuarina littoralis	Black Sheoak	150		150	14	4	2	1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove ROL6	
5184	Allocasuarina littoralis	Black Sheoak	140		140	13	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5185	Allocasuarina littoralis	Black Sheoak	150		150	14	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5186	Allocasuarina littoralis	Black Sheoak	130		130	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5187	Allocasuarina littoralis	Black Sheoak	130		130	13	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5188	Corymbia intermedia	Pink Bloodwood	130		130	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5189	Eucalyptus seeana	Narrow-leaved Gum	160	150, 130	255	14	6	3.1	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	Small	-	-	-	Remove ROL6	
5190	Allocasuarina littoralis	Black Sheoak	140		140	15	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5191	Allocasuarina littoralis	Black Sheoak	190		190	14	6	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
5192	Allocasuarina littoralis	Black Sheoak	110		110	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5193	Allocasuarina littoralis	Black Sheoak	100		100	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5194	Eucalyptus seeana	Narrow-leaved Gum	240	220	326	15	5	3.9	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5195	Eucalyptus tereticornis	Forest Red Gum	230		230	19	6	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5196	Eucalyptus tereticornis	Forest Red Gum	150		150	15	3	2	1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove ROL6	
5197	Allocasuarina littoralis	Black Sheoak	160		160	15	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5198	Allocasuarina littoralis	Black Sheoak	130		130	13	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5199	Allocasuarina littoralis	Black Sheoak	180		180	13	4	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5200	Eucalyptus tereticornis	Forest Red Gum	230	210	311	19	8	3.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5201	Lophostemon suaveolens	Swamp Box	140		140	13	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5202	Allocasuarina littoralis	Black Sheoak	200		200	11	6	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5203	Allocasuarina littoralis	Black Sheoak	130		130	14	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5204	Corymbia tessellaris	Moreton Bay Ash	130		130	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5205	Lophostemon suaveolens	Swamp Box	120		120	10	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5206	Lophostemon suaveolens	Swamp Box	150		150	13	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5207	Allocasuarina littoralis	Black Sheoak	190		190	14	5	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5208	Allocasuarina littoralis	Black Sheoak	110		110	10	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5209	Allocasuarina littoralis	Black Sheoak	120		120	10	2	2	1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5210	Allocasuarina littoralis	Black Sheoak	150		150	14	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5211	Allocasuarina littoralis	Black Sheoak	180		180	14	5	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5212	Allocasuarina littoralis	Black Sheoak	100		100	9	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5213	Acacia concurrens	Black Wattle	120		120	13	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5214	Allocasuarina littoralis	Black Sheoak	120		120	9	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5215	Allocasuarina littoralis	Black Sheoak	130		130	11	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5216	Eucalyptus tereticornis	Forest Red Gum	160		160	14	3	2	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5217	Eucalyptus tereticornis	Forest Red Gum	270		270	20	7	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5218	Acacia concurrens	Black Wattle	100		100	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5219	Allocasuarina littoralis	Black Sheoak	120		120	11	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Remove ROL6	
5220	Eucalyptus tereticornis	Forest Red Gum	180		180	16	4	2.2	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5221	Corymbia tessellaris	Moreton Bay Ash	150		150	13	2	2	1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5222	Corymbia intermedia	Pink Bloodwood	210		210	16	6	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5223	Allocasuarina littoralis	Black Sheoak	160		160	12	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5224	Eucalyptus tereticornis	Forest Red Gum	350	300, 300	550	23	10	6.6	3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5225	Melaleuca quinquenervia	Broad-leaved Paperbark	120		120	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5226	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	13	1	2	1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5227	Melaleuca quinquenervia	Broad-leaved Paperbark	100		100	11	1	2	1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5228	Eucalyptus tereticornis	Forest Red Gum	280		280	18	6	3.4	2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5229	Eucalyptus tereticornis	Forest Red Gum	260		260	22	8	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5230	Eucalyptus tereticornis	Forest Red Gum	250		250	23	8	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5231	Eucalyptus tereticornis	Forest Red Gum	440		440	26	9	5.3	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5232	Corymbia intermedia	Pink Bloodwood	290		290	18	5	3.5	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5233	Eucalyptus tereticornis	Forest Red Gum	280	240	369	21	9	4.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5234	Allocasuarina littoralis	Black Sheoak	130		130	13	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5235	Allocasuarina littoralis	Black Sheoak	150		150	13	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5236	Allocasuarina littoralis	Black Sheoak	170		170	13	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5237	Eucalyptus tereticornis	Forest Red Gum	240		240	21	5	2.9	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5238	Melaleuca quinquenervia	Broad-leaved Paperbark	200		200	14	5	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5239	Allocasuarina littoralis	Black Sheoak	120		120	14	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5240	Melaleuca quinquenervia	Broad-leaved Paperbark	170		170	15	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5241	Melaleuca quinquenervia	Broad-leaved Paperbark	190		190	14	5	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5242	Lophostemon suaveolens	Swamp Box	130		130	10	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5243	Eucalyptus tereticornis	Forest Red Gum	110		110	13	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5244	Eucalyptus tereticornis	Forest Red Gum	570		570	23	10	6.8	3	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5245	Acacia disparrima	Hickory Wattle	170		170	14	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5246	Acacia disparrima	Hickory Wattle	200		200	14	5	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5247	Allocasuarina littoralis	Black Sheoak	200		200	15	5	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5248	Allocasuarina littoralis	Black Sheoak	150		150	15	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
5249	Allocasuarina littoralis	Black Sheoak	120		120	10	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5250	Eucalyptus tereticornis	Forest Red Gum	200		200	18	6	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5251	Eucalyptus tereticornis	Forest Red Gum	290		290	19	6	3.5	2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove ROL6	
5252	Corymbia intermedia	Pink Bloodwood	190		190	15	5	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5253	Eucalyptus tereticornis	Forest Red Gum	260	230	347	19	6	4.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5254	Corymbia intermedia	Pink Bloodwood	170		170	15	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Remove ROL6	
5255	Eucalyptus tereticornis	Forest Red Gum	260	230	347	19	7	4.2	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove ROL6	
5256	Eucalyptus tereticornis	Forest Red Gum	360		360	27	12	4.3	2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5257	Corymbia intermedia	Pink Bloodwood	130		130	11	2	2	1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5258	Eucalyptus tereticornis	Forest Red Gum	180		180	17	4	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5259	Melaleuca quinquenervia	Broad-leaved Paperbark	210	190	283	14	5	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5260	Eucalyptus tereticornis	Forest Red Gum	120		120	12	1	2	1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5261	Eucalyptus seeana	Narrow-leaved Gum	130		130	13	2	2	1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5262	Acacia concurrens	Black Wattle	130		130	13	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5263	Corymbia intermedia	Pink Bloodwood	460		460	25	12	5.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Remove ROL6	
5264	Eucalyptus tereticornis	Forest Red Gum	340	260	428	23	12	5.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5265	Eucalyptus tereticornis	Forest Red Gum	330		330	24	11	4	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5266	Corymbia intermedia	Pink Bloodwood	220		220	18	7	2.6	2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove ROL6	
5267	Eucalyptus tereticornis	Forest Red Gum	500		500	25	11	6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Large	-	-	-	Remove ROL6	
5277	Melaleuca quinquenervia	Broad-leaved Paperbark	200		200	14	6	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5278	Melaleuca quinquenervia	Broad-leaved Paperbark	200		200	16	5	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5279	Allocasuarina littoralis	Black Sheoak	140		140	14	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5280	Allocasuarina littoralis	Black Sheoak	100		100	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5281	Eucalyptus tereticornis	Forest Red Gum	160		160	15	3	2	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	Trunk Dmg.	-	Poor	-	-	-	-	-	-	Remove ROL6	
5282	Lophostemon suaveolens	Swamp Box	130	90	158	13	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5283	Eucalyptus tereticornis	Forest Red Gum	270	210	342	21	10	4.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5284	Eucalyptus seeana	Narrow-leaved Gum	380	320	497	20	11	6	2	Regular	-	-	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5285	Allocasuarina littoralis	Black Sheoak	220		220	15	5	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5286	Eucalyptus tereticornis	Forest Red Gum	340		340	24	10	4.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
5287	Corymbia intermedia	Pink Bloodwood	210		210	15	5	2.5	2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
5288	Eucalyptus tereticornis	Forest Red Gum	250	120	277	19	8	3.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
5289	Acacia concurrens	Black Wattle	150		150	14	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
5290	Melaleuca quinquenervia	Broad-leaved Paperbark	220	190	291	14	7	3.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
5291	Eucalyptus tereticornis	Forest Red Gum	230		230	18	6	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
5292	Eucalyptus tereticornis	Forest Red Gum	140		140	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
5293	Corymbia intermedia	Pink Bloodwood	450		450	22	12	5.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Remove - approved in School application	
5294	Melaleuca irbyana	Swamp Paperbark	30	30, 20, 10	48	3	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
5295	Acacia concurrens	Black Wattle	100		100	8	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
5296	Corymbia intermedia	Pink Bloodwood	250		250	16	5	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
5297	Acacia concurrens	Black Wattle	100		100	8	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
5298	Corymbia citriodora	Spotted Gum	200		200	16	6	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
5299	Eucalyptus tereticornis	Forest Red Gum	340		340	25	12	4.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
5300	Eucalyptus tereticornis	Forest Red Gum	310		310	20	8	3.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
5301	Corymbia intermedia	Pink Bloodwood	230		230	18	6	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
5308	Eucalyptus tereticornis	Forest Red Gum	320		320	24	8	3.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5309	Eucalyptus tereticornis	Forest Red Gum	310		310	20	6	3.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5310	Eucalyptus tereticornis	Forest Red Gum	340		340	18	8	4.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5311	Eucalyptus tereticornis	Forest Red Gum	350		350	18	8	4.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5315	Acacia concurrens	Black Wattle	120		120	10	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5316	Corymbia intermedia	Pink Bloodwood	220		220	16	5	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5317	Eucalyptus tereticornis	Forest Red Gum	280		280	16	5	3.4	2	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5318	Acacia concurrens	Black Wattle	110		110	8	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5319	Eucalyptus tereticornis	Forest Red Gum	310		310	18	6	3.7	2	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5320	Eucalyptus tereticornis	Forest Red Gum	310		310	20	5	3.7	2	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5321	Eucalyptus tereticornis	Forest Red Gum	270		270	18	8	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5322	Corymbia intermedia	Pink Bloodwood	260		260	18	6	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5323	Lophostemon suaveolens	Swamp Box	170		170	12	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
5324	Melaleuca quinquenervia	Broad-leaved Paperbark	160	120	200	10	3	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5325	Allocasuarina littoralis	Black Sheoak	130		130	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5326	Allocasuarina littoralis	Black Sheoak	110		110	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5327	Allocasuarina littoralis	Black Sheoak	140		140	10	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5328	Eucalyptus tereticornis	Forest Red Gum	230		230	20	6	2.8	2	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5329	Corymbia intermedia	Pink Bloodwood	270	140	304	18	8	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5330	Allocasuarina littoralis	Black Sheoak	150		150	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5331	Allocasuarina littoralis	Black Sheoak	110		110	10	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5332	Allocasuarina littoralis	Black Sheoak	120		120	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5333	Eucalyptus seeana	Narrow-leaved Gum	150		150	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5334	Eucalyptus tereticornis	Forest Red Gum	430		430	26	10	5.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5335	Eucalyptus crebra	Narrow-leaved Ironbark	190		190	12	3	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5336	Allocasuarina littoralis	Black Sheoak	130		130	8	3	2	1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5337	Allocasuarina littoralis	Black Sheoak	150		150	10	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5338	Eucalyptus siderophloia	Grey Ironbark	270		270	25	6	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5339	Eucalyptus siderophloia	Grey Ironbark	240		240	25	8	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5340	Corymbia intermedia	Pink Bloodwood	180		180	15	4	2.2	2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove ROL6	
5341	Eucalyptus siderophloia	Grey Ironbark	160		160	15	5	2	2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove ROL6	
5342	Eucalyptus crebra	Narrow-leaved Ironbark	210		210	16	6	2.5	2	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5343	Eucalyptus tereticornis	Forest Red Gum	260		260	20	8	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5344	Eucalyptus crebra	Narrow-leaved Ironbark	170		170	15	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5345	Eucalyptus seeana	Narrow-leaved Gum	180		180	14	3	2.2	2	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5346	Eucalyptus tereticornis	Forest Red Gum	310		310	22	10	3.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5347	Eucalyptus tereticornis	Forest Red Gum	190		190	16	5	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5348	Allocasuarina littoralis	Black Sheoak	140		140	10	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5349	Eucalyptus siderophloia	Grey Ironbark	130		130	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5350	Allocasuarina littoralis	Black Sheoak	220		220	10	4	2.6	2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5351	Allocasuarina littoralis	Black Sheoak	220		220	12	3	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5352	Eucalyptus seeana	Narrow-leaved Gum	180		180	15	5	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5353	Acacia concurrens	Black Wattle	120		120	10	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5354	Eucalyptus tereticornis	Forest Red Gum	270		270	16	5	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5355	Eucalyptus tereticornis	Forest Red Gum	210		210	18	4	2.5	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove ROL6	
5356	Eucalyptus tereticornis	Forest Red Gum	270	300, 300	503	20	12	6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5357	Acacia concurrens	Black Wattle	100		100	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5358	Acacia concurrens	Black Wattle	130		130	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5359	Acacia concurrens	Black Wattle	100		100	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5360	Acacia concurrens	Black Wattle	130		130	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5361	Allocasuarina littoralis	Black Sheoak	140		140	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5362	Acacia concurrens	Black Wattle	120		120	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5363	Allocasuarina littoralis	Black Sheoak	130		130	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5364	Allocasuarina littoralis	Black Sheoak	140		140	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5365	Eucalyptus tereticornis	Forest Red Gum	170		170	15	4	2	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5366	Allocasuarina littoralis	Black Sheoak	170		170	14	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5367	Allocasuarina littoralis	Black Sheoak	130		130	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5368	Acacia concurrens	Black Wattle	170		170	14	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5369	Allocasuarina littoralis	Black Sheoak	140		140	10	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5370	Allocasuarina littoralis	Black Sheoak	110		110	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5371	Allocasuarina littoralis	Black Sheoak	100		100	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5372	Allocasuarina littoralis	Black Sheoak	110		110	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5373	Eucalyptus tereticornis	Forest Red Gum	220		220	18	8	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5374	Eucalyptus tereticornis	Forest Red Gum	120		120	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5375	Eucalyptus tereticornis	Forest Red Gum	190		190	18	8	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5376	Allocasuarina littoralis	Black Sheoak	120		120	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5377	Acacia concurrens	Black Wattle	100		100	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5386	Allocasuarina littoralis	Black Sheoak	150		150	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5444	Lophostemon suaveolens	Swamp Box	170		170	14	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5446	Lophostemon suaveolens	Swamp Box	230		230	15	5	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
5447	Lophostemon suaveolens	Swamp Box	100		100	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5448	Lophostemon suaveolens	Swamp Box	170		170	12	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5449	Lophostemon suaveolens	Swamp Box	180		180	12	3	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5450	Allocasuarina littoralis	Black Sheoak	240		240	12	3	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5451	Allocasuarina littoralis	Black Sheoak	140		140	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5452	Eucalyptus tereticornis	Forest Red Gum	140		140	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5453	Lophostemon suaveolens	Swamp Box	160		160	12	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5454	Eucalyptus tereticornis	Forest Red Gum	250		250	18	8	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5455	Allocasuarina littoralis	Black Sheoak	120		120	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5456	Eucalyptus tereticornis	Forest Red Gum	240		240	25	6	2.9	2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5457	Allocasuarina littoralis	Black Sheoak	150		150	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5458	Lophostemon suaveolens	Swamp Box	130		130	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5459	Allocasuarina littoralis	Black Sheoak	130		130	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5460	Allocasuarina littoralis	Black Sheoak	200		200	14	4	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5461	Allocasuarina littoralis	Black Sheoak	270		270	18	6	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5462	Allocasuarina littoralis	Black Sheoak	180		180	12	4	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5463	Eucalyptus tereticornis	Forest Red Gum	230		230	20	8	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5464	Allocasuarina littoralis	Black Sheoak	180		180	12	3	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5465	Allocasuarina littoralis	Black Sheoak	200		200	12	4	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5466	Acacia concurrens	Black Wattle	100		100	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5467	Eucalyptus tereticornis	Forest Red Gum	300	230	378	25	12	4.5	2	Regular	-	Thinning	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove ROL6	
5468	Corymbia intermedia	Pink Bloodwood	190		190	14	5	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5469	Melaleuca quinquenervia	Broad-leaved Paperbark	120		120	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5470	Eucalyptus tereticornis	Forest Red Gum	340		340	22	12	4.1	2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5471	Eucalyptus tereticornis	Forest Red Gum	190		190	15	3	2.3	2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5472	Allocasuarina littoralis	Black Sheoak	150		150	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5473	Acacia concurrens	Black Wattle	100		100	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5474	Melaleuca quinquenervia	Broad-leaved Paperbark	180	100	206	12	4	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5475	Allocasuarina littoralis	Black Sheoak	150		150	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5476	Allocasuarina littoralis	Black Sheoak	140		140	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5477	Melaleuca quinquenervia	Broad-leaved Paperbark	120		120	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5478	Allocasuarina littoralis	Black Sheoak	120		120	10	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5479	Allocasuarina littoralis	Black Sheoak	200		200	12	3	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5480	Allocasuarina littoralis	Black Sheoak	200		200	12	5	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5481	Allocasuarina littoralis	Black Sheoak	130		130	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5482	Allocasuarina littoralis	Black Sheoak	100		100	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5483	Allocasuarina littoralis	Black Sheoak	110		110	14	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5484	Allocasuarina littoralis	Black Sheoak	130		130	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5485	Allocasuarina littoralis	Black Sheoak	190		190	14	4	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5486	Melaleuca quinquenervia	Broad-leaved Paperbark	180		180	12	4	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5487	Allocasuarina littoralis	Black Sheoak	160		160	12	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5488	Corymbia tessellaris	Moreton Bay Ash	100		100	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5489	Allocasuarina littoralis	Black Sheoak	170		170	12	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5490	Lophostemon suaveolens	Swamp Box	240		240	16	6	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5491	Allocasuarina littoralis	Black Sheoak	120		120	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5492	Lophostemon suaveolens	Swamp Box	200		200	15	5	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5493	Lophostemon suaveolens	Swamp Box	170		170	15	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5494	Lophostemon suaveolens	Swamp Box	100		100	8	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5495	Lophostemon suaveolens	Swamp Box	190		190	15	5	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5496	Lophostemon suaveolens	Swamp Box	160		160	14	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5497	Lophostemon suaveolens	Swamp Box	130		130	14	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5498	Lophostemon suaveolens	Swamp Box	160		160	14	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5500	Lophostemon suaveolens	Swamp Box	190		190	15	5	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5542	Melaleuca quinquenervia	Broad-leaved Paperbark	200		200	15	5	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5543	Melaleuca quinquenervia	Broad-leaved Paperbark	160	160, 140, 190	327	16	10	3.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5544	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5545	Melaleuca quinquenervia	Broad-leaved Paperbark	150		150	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
5546	Melaleuca quinquenervia	Broad-leaved Paperbark	180	200, 230, 180, 190	440	16	10	5.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5547	Melaleuca quinquenervia	Broad-leaved Paperbark	180	140	228	15	5	2.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5548	Melaleuca quinquenervia	Broad-leaved Paperbark	250		250	16	8	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5549	Melaleuca quinquenervia	Broad-leaved Paperbark	230	130	264	18	8	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5550	Melaleuca quinquenervia	Broad-leaved Paperbark	140		140	16	6	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5551	Eucalyptus tereticornis	Forest Red Gum	260		260	26	12	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5552	Melaleuca quinquenervia	Broad-leaved Paperbark	160		160	14	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5553	Melaleuca quinquenervia	Broad-leaved Paperbark	230		230	18	8	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5554	Melaleuca quinquenervia	Broad-leaved Paperbark	130	150	198	15	5	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5555	Melaleuca quinquenervia	Broad-leaved Paperbark	200		200	16	6	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5556	Melaleuca quinquenervia	Broad-leaved Paperbark	230	180	292	15	10	3.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5557	Melaleuca quinquenervia	Broad-leaved Paperbark	190		190	16	5	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5558	Allocasuarina littoralis	Black Sheoak	210		210	16	5	2.5	2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5559	Melaleuca quinquenervia	Broad-leaved Paperbark	280		280	16	8	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5560	Allocasuarina littoralis	Black Sheoak	230		230	12	5	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5561	Allocasuarina littoralis	Black Sheoak	110		110	15	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5562	Allocasuarina littoralis	Black Sheoak	110		110	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5563	Allocasuarina littoralis	Black Sheoak	110		110	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5564	Allocasuarina littoralis	Black Sheoak	110	70, 60	144	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5565	Allocasuarina littoralis	Black Sheoak	100		100	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5566	Allocasuarina littoralis	Black Sheoak	150		150	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5567	Allocasuarina littoralis	Black Sheoak	150	130	198	14	6	2.4	2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove ROL6	
5568	Eucalyptus seeana	Narrow-leaved Gum	1000		1000	26	15	12	3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5569	Eucalyptus tereticornis	Forest Red Gum	650		650	25	14	7.8	3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5570	Acacia concurrens	Black Wattle	110		110	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5571	Eucalyptus tereticornis	Forest Red Gum	240		240	26	10	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5572	Eucalyptus tereticornis	Forest Red Gum	300	260	397	26	14	4.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5573	Eucalyptus tereticornis	Forest Red Gum	250		250	22	8	3	2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5574	Allocasuarina littoralis	Black Sheoak	210		210	16	6	2.5	2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5575	Allocasuarina littoralis	Black Sheoak	230		230	18	8	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5576	Allocasuarina littoralis	Black Sheoak	180		180	15	5	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5577	Allocasuarina littoralis	Black Sheoak	170		170	16	6	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5578	Melaleuca quinquenervia	Broad-leaved Paperbark	110	110	156	15	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5579	Allocasuarina littoralis	Black Sheoak	140		140	15	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5580	Allocasuarina littoralis	Black Sheoak	190		190	12	3	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5581	Allocasuarina littoralis	Black Sheoak	150		150	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5582	Corymbia tessellaris	Moreton Bay Ash	100		100	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5583	Corymbia intermedia	Pink Bloodwood	200		200	16	5	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5584	Allocasuarina littoralis	Black Sheoak	130		130	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5585	Allocasuarina littoralis	Black Sheoak	150		150	15	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5586	Allocasuarina littoralis	Black Sheoak	150		150	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5587	Allocasuarina littoralis	Black Sheoak	100		100	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5588	Melaleuca quinquenervia	Broad-leaved Paperbark	120		120	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5589	Allocasuarina littoralis	Black Sheoak	120		120	15	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5590	Allocasuarina littoralis	Black Sheoak	150		150	16	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5591	Allocasuarina littoralis	Black Sheoak	120		120	15	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5592	Allocasuarina littoralis	Black Sheoak	130		130	15	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5593	Eucalyptus tereticornis	Forest Red Gum	250	180	308	25	10	3.7	2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove ROL6	
5594	Acacia concurrens	Black Wattle	130		130	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5595	Allocasuarina littoralis	Black Sheoak	100		100	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5596	Allocasuarina littoralis	Black Sheoak	130		130	15	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5597	Allocasuarina littoralis	Black Sheoak	120		120	15	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5598	Allocasuarina littoralis	Black Sheoak	120		120	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5599	Allocasuarina littoralis	Black Sheoak	120		120	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5600	Allocasuarina littoralis	Black Sheoak	110		110	14	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5601	Allocasuarina littoralis	Black Sheoak	140		140	15	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5602	Allocasuarina littoralis	Black Sheoak	110		110	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
5603	Allocasuarina littoralis	Black Sheoak	140		140	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5604	Melaleuca quinquenervia	Broad-leaved Paperbark	160	130	206	14	6	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5605	Corymbia intermedia	Pink Bloodwood	210		210	16	6	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5606	Acacia concurrens	Black Wattle	120		120	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5607	Eucalyptus seeana	Narrow-leaved Gum	330		330	25	12	4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5608	Melaleuca quinquenervia	Broad-leaved Paperbark	260	180	316	16	6	3.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
5609	Eucalyptus tereticornis	Forest Red Gum	340		340	28	12	4.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
5610	Acacia concurrens	Black Wattle	110		110	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
5611	Acacia concurrens	Black Wattle	100		100	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
5612	Corymbia intermedia	Pink Bloodwood	340		340	28	14	4.1	2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
5613	Eucalyptus tereticornis	Forest Red Gum	250		250	25	6	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
5614	Acacia concurrens	Black Wattle	100		100	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
5615	Acacia concurrens	Black Wattle	110		110	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
5616	Eucalyptus tereticornis	Forest Red Gum	390		390	25	12	4.7	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
5617	Corymbia intermedia	Pink Bloodwood	210		210	18	6	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
5618	Eucalyptus tereticornis	Forest Red Gum	460		460	26	12	5.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
5619	Corymbia intermedia	Pink Bloodwood	150		150	15	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
5620	Melaleuca quinquenervia	Broad-leaved Paperbark	220		220	14	5	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
5621	Corymbia intermedia	Pink Bloodwood	150		150	16	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
5622	Corymbia intermedia	Pink Bloodwood	270		270	22	10	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	School VMP removed	
5623	Corymbia intermedia	Pink Bloodwood	290		290	20	12	3.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Remove - approved in School application	
5624	Lophostemon suaveolens	Swamp Box	100		100	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
5625	Corymbia intermedia	Pink Bloodwood	290		290	18	6	3.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
5626	Melaleuca quinquenervia	Broad-leaved Paperbark	250	140	287	16	6	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
5627	Eucalyptus tereticornis	Forest Red Gum	220		220	18	6	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
5628	Eucalyptus tereticornis	Forest Red Gum	260		260	18	6	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
5629	Acacia concurrens	Black Wattle	110		110	8	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
5630	Allocasuarina littoralis	Black Sheoak	150		150	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
5631	Eucalyptus tereticornis	Forest Red Gum	150		150	15	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
5632	Corymbia intermedia	Pink Bloodwood	120		120	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
5633	Eucalyptus tereticornis	Forest Red Gum	240		240	22	8	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
5634	Acacia concurrens	Black Wattle	100		100	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
5635	Corymbia intermedia	Pink Bloodwood	360		360	24	10	4.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
5636	Allocasuarina littoralis	Black Sheoak	120		120	14	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
5637	Eucalyptus seeana	Narrow-leaved Gum	280		280	18	12	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
5638	Acacia concurrens	Black Wattle	100		100	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
5639	Acacia concurrens	Black Wattle	100		100	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
5640	Eucalyptus tereticornis	Forest Red Gum	300		300	25	12	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5641	Eucalyptus tereticornis	Forest Red Gum	160		160	16	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5642	Corymbia intermedia	Pink Bloodwood	210		210	20	8	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5643	Corymbia intermedia	Pink Bloodwood	260		260	22	10	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5644	Corymbia tessellaris	Moreton Bay Ash	120		120	15	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5645	Allocasuarina littoralis	Black Sheoak	200		200	16	8	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5646	Eucalyptus tereticornis	Forest Red Gum	300		300	26	12	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5647	Eucalyptus tereticornis	Forest Red Gum	250		250	25	10	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5648	Corymbia intermedia	Pink Bloodwood	280		280	16	8	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5649	Eucalyptus tereticornis	Forest Red Gum	280	250	375	25	12	4.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5650	Eucalyptus tereticornis	Forest Red Gum	130		130	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5651	Allocasuarina littoralis	Black Sheoak	120		120	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5652	Allocasuarina littoralis	Black Sheoak	190		190	12	5	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5653	Eucalyptus tereticornis	Forest Red Gum	160		160	15	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5654	Corymbia intermedia	Pink Bloodwood	500		500	25	15	6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Remove ROL6	
5655	Corymbia tessellaris	Moreton Bay Ash	150		150	15	6	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5656	Eucalyptus tereticornis	Forest Red Gum	300		300	26	14	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5657	Allocasuarina littoralis	Black Sheoak	130		130	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5658	Angophora leiocarpa	Smooth-barked Apple	180		180	16	6	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5659	Melaleuca quinquenervia	Broad-leaved Paperbark	190	280, 130	362	20	10	4.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
5660	Allocasuarina littoralis	Black Sheoak	140		140	15	6	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5661	Eucalyptus tereticornis	Forest Red Gum	520		520	25	12	6.2	3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5662	Melaleuca quinquenervia	Broad-leaved Paperbark	120	120, 140	220	14	3	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5663	Lophostemon suaveolens	Swamp Box	150		150	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5664	Allocasuarina littoralis	Black Sheoak	130		130	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5665	Eucalyptus tereticornis	Forest Red Gum	220	160	272	20	8	3.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5666	Melaleuca quinquenervia	Broad-leaved Paperbark	300		300	15	6	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5667	Eucalyptus tereticornis	Forest Red Gum	340		340	28	14	4.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5668	Eucalyptus tereticornis	Forest Red Gum	160	250	297	25	12	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5669	Allocasuarina littoralis	Black Sheoak	150		150	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5670	Allocasuarina littoralis	Black Sheoak	120		120	12	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5671	Lophostemon suaveolens	Swamp Box	170		170	12	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5672	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5673	Eucalyptus seeana	Narrow-leaved Gum	310		310	26	12	3.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5674	Eucalyptus seeana	Narrow-leaved Gum	200	200, 250, 190	423	18	12	5.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5675	Acacia concurrens	Black Wattle	110		110	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5676	Eucalyptus seeana	Narrow-leaved Gum	280		280	16	8	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5677	Allocasuarina littoralis	Black Sheoak	140		140	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5678	Eucalyptus seeana	Narrow-leaved Gum	280	280, 150, 130	443	18	10	5.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5679	Acacia concurrens	Black Wattle	110		110	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5680	Allocasuarina littoralis	Black Sheoak	180		180	14	3	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5681	Allocasuarina littoralis	Black Sheoak	130		130	10	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5682	Acacia concurrens	Black Wattle	100		100	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5683	Melaleuca quinquenervia	Broad-leaved Paperbark	100		100	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5684	Allocasuarina littoralis	Black Sheoak	200		200	16	6	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5685	Allocasuarina littoralis	Black Sheoak	140		140	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5686	Eucalyptus tereticornis	Forest Red Gum	300	110	320	18	8	3.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5687	Allocasuarina littoralis	Black Sheoak	140	130	191	12	4	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5688	Allocasuarina littoralis	Black Sheoak	120		120	12	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5689	Allocasuarina littoralis	Black Sheoak	160		160	14	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5690	Melaleuca quinquenervia	Broad-leaved Paperbark	140		140	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5691	Melaleuca quinquenervia	Broad-leaved Paperbark	160		160	12	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5692	Melaleuca quinquenervia	Broad-leaved Paperbark	120		120	14	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5693	Melaleuca quinquenervia	Broad-leaved Paperbark	120	120, 120	208	12	3	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5694	Allocasuarina littoralis	Black Sheoak	150		150	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5695	Eucalyptus tereticornis	Forest Red Gum	510		510	28	16	6.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5696	Corymbia tessellaris	Moreton Bay Ash	140		140	16	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5697	Acacia disparrima	Hickory Wattle	190	160	248	14	10	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5698	Allocasuarina littoralis	Black Sheoak	110		110	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5699	Melaleuca quinquenervia	Broad-leaved Paperbark	220	200	297	15	8	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5700	Melaleuca quinquenervia	Broad-leaved Paperbark	140		140	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5701	Eucalyptus seeana	Narrow-leaved Gum	260		260	24	14	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5702	Melaleuca quinquenervia	Broad-leaved Paperbark	140		140	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5703	Melaleuca quinquenervia	Broad-leaved Paperbark	120		120	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5704	Melaleuca quinquenervia	Broad-leaved Paperbark	180	90	201	14	4	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5705	Melaleuca quinquenervia	Broad-leaved Paperbark	110		110	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5706	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5707	Melaleuca quinquenervia	Broad-leaved Paperbark	100		100	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5708	Melaleuca quinquenervia	Broad-leaved Paperbark	150		150	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5709	Melaleuca quinquenervia	Broad-leaved Paperbark	100		100	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5710	Melaleuca quinquenervia	Broad-leaved Paperbark	140		140	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5711	Melaleuca quinquenervia	Broad-leaved Paperbark	100		100	14	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5712	Eucalyptus siderophloia	Grey Ironbark	270		270	25	14	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5713	Corymbia intermedia	Pink Bloodwood	220		220	20	8	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5714	Eucalyptus tereticornis	Forest Red Gum	190		190	20	8	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5715	Melaleuca quinquenervia	Broad-leaved Paperbark	120	120	170	12	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5716	Eucalyptus tereticornis	Forest Red Gum	300		300	28	15	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
5717	Melaleuca quinquenervia	Broad-leaved Paperbark	150		150	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5718	Melaleuca quinquenervia	Broad-leaved Paperbark	160	100	189	12	3	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5719	Melaleuca quinquenervia	Broad-leaved Paperbark	100		100	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5720	Melaleuca quinquenervia	Broad-leaved Paperbark	120		120	15	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5721	Eucalyptus tereticornis	Forest Red Gum	300		300	25	10	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5722	Melaleuca quinquenervia	Broad-leaved Paperbark	150	100	180	12	3	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5723	Allocasuarina littoralis	Black Sheoak	140		140	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5724	Eucalyptus tereticornis	Forest Red Gum	270	170	319	28	10	3.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5725	Allocasuarina littoralis	Black Sheoak	190		190	12	3	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5726	Eucalyptus tereticornis	Forest Red Gum	200		200	22	6	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5727	Corymbia intermedia	Pink Bloodwood	390	300	492	28	16	5.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Remove ROL6	
5728	Eucalyptus tereticornis	Forest Red Gum	200		200	20	6	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5729	Lophostemon suaveolens	Swamp Box	100		100	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5730	Allocasuarina littoralis	Black Sheoak	160		160	12	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5731	Allocasuarina littoralis	Black Sheoak	150		150	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5732	Acacia concurrens	Black Wattle	120		120	14	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5733	Eucalyptus seeana	Narrow-leaved Gum	290		290	25	10	3.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5734	Corymbia intermedia	Pink Bloodwood	340		340	26	12	4.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5735	Corymbia intermedia	Pink Bloodwood	360		360	28	16	4.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5736	Corymbia intermedia	Pink Bloodwood	370		370	28	16	4.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5737	Corymbia intermedia	Pink Bloodwood	230		230	20	6	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5738	Corymbia intermedia	Pink Bloodwood	220		220	20	6	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5739	Eucalyptus tereticornis	Forest Red Gum	600		600	28	12	7.2	3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5740	Corymbia intermedia	Pink Bloodwood	100		100	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5758	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	16	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5759	Acacia disparrima	Hickory Wattle	170		170	15	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5760	Melaleuca quinquenervia	Broad-leaved Paperbark	220		220	16	8	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5761	Lophostemon suaveolens	Swamp Box	120		120	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5762	Allocasuarina littoralis	Black Sheoak	140		140	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5763	Corymbia tessellaris	Moreton Bay Ash	150		150	16	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5764	Corymbia intermedia	Pink Bloodwood	180		180	15	5	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5765	Eucalyptus seeana	Narrow-leaved Gum	140		140	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5766	Melaleuca quinquenervia	Broad-leaved Paperbark	280	210	350	16	12	4.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5767	Melaleuca quinquenervia	Broad-leaved Paperbark	110		110	6	1	2	1	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5768	Melaleuca quinquenervia	Broad-leaved Paperbark	270		270	18	6	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5769	Eucalyptus seeana	Narrow-leaved Gum	160		160	16	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5770	Allocasuarina littoralis	Black Sheoak	150		150	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5771	Allocasuarina littoralis	Black Sheoak	120		120	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
5772	Corymbia tessellaris	Moreton Bay Ash	100		100	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
5773	Allocasuarina littoralis	Black Sheoak	120		120	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
5774	Allocasuarina littoralis	Black Sheoak	140		140	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
5775	Allocasuarina littoralis	Black Sheoak	170		170	16	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
5776	Corymbia intermedia	Pink Bloodwood	200	220, 180	348	18	6	4.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
5777	Eucalyptus tereticornis	Forest Red Gum	250		250	26	14	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
5778	Corymbia intermedia	Pink Bloodwood	230		230	16	6	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
5779	Lophostemon suaveolens	Swamp Box	300		300	20	8	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Remove - approved in School application	
5780	Eucalyptus tereticornis	Forest Red Gum	530		530	28	16	6.4	3	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
5781	Melaleuca quinquenervia	Broad-leaved Paperbark	120		120	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
5782	Eucalyptus tereticornis	Forest Red Gum	230		230	16	6	2.8	2	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
5783	Eucalyptus tereticornis	Forest Red Gum	330		330	25	15	4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
5784	Melaleuca quinquenervia	Broad-leaved Paperbark	230	220	318	15	6	3.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
5785	Melaleuca quinquenervia	Broad-leaved Paperbark	240	230	332	15	8	4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
5786	Eucalyptus tereticornis	Forest Red Gum	550		550	22	16	6.6	3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
5787	Eucalyptus seeana	Narrow-leaved Gum	380		380	26	14	4.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
5788	Acacia concurrens	Black Wattle	100		100	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
5789	Acacia concurrens	Black Wattle	110		110	10	2	2	1	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
5790	Acacia concurrens	Black Wattle	100		100	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
5791	Acacia concurrens	Black Wattle	100		100	12	2	2	1	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
5792	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	14	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
5793	Melaleuca quinquenervia	Broad-leaved Paperbark	120		120	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
5794	Melaleuca quinquenervia	Broad-leaved Paperbark	120		120	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
5795	Allocasuarina littoralis	Black Sheoak	150		150	15	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
5796	Melaleuca quinquenervia	Broad-leaved Paperbark	210		210	16	6	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
5797	Lophostemon suaveolens	Swamp Box	130		130	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
5798	Melaleuca quinquenervia	Broad-leaved Paperbark	200		200	15	5	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
5799	Melaleuca quinquenervia	Broad-leaved Paperbark	110		110	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
5800	Melaleuca quinquenervia	Broad-leaved Paperbark	170		170	15	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
5801	Lophostemon suaveolens	Swamp Box	110		110	14	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
5802	Lophostemon suaveolens	Swamp Box	150		150	14	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
5803	Lophostemon suaveolens	Swamp Box	160		160	15	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
5804	Lophostemon suaveolens	Swamp Box	210		210	15	5	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
5805	Melaleuca quinquenervia	Broad-leaved Paperbark	240		240	15	6	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
5806	Lophostemon suaveolens	Swamp Box	120		120	15	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
5807	Lophostemon suaveolens	Swamp Box	140		140	15	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
5808	Lophostemon suaveolens	Swamp Box	110		110	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
5809	Lophostemon suaveolens	Swamp Box	180		180	15	6	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
5810	Lophostemon suaveolens	Swamp Box	150		150	14	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
5811	Lophostemon suaveolens	Swamp Box	150		150	15	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
5812	Lophostemon suaveolens	Swamp Box	110		110	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
5813	Lophostemon suaveolens	Swamp Box	110		110	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
5814	Lophostemon suaveolens	Swamp Box	140		140	15	6	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
5815	Corymbia intermedia	Pink Bloodwood	150		150	16	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
5816	Lophostemon suaveolens	Swamp Box	150		150	14	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
5817	Lophostemon suaveolens	Swamp Box	130		130	15	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
5818	Lophostemon suaveolens	Swamp Box	120		120	14	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
5819	Lophostemon suaveolens	Swamp Box	110		110	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
5820	Lophostemon suaveolens	Swamp Box	100		100	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
5821	Eucalyptus tereticornis	Forest Red Gum	340	350	488	22	12	5.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
5822	Lophostemon suaveolens	Swamp Box	180		180	14	5	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
5823	Corymbia tessellaris	Moreton Bay Ash	210		210	15	5	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
5824	Melaleuca quinquenervia	Broad-leaved Paperbark	210		210	16	6	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5825	Lophostemon suaveolens	Swamp Box	150	160, 110	245	15	8	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5826	Lophostemon suaveolens	Swamp Box	220		220	15	5	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5827	Lophostemon suaveolens	Swamp Box	150		150	15	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5828	Melaleuca quinquenervia	Broad-leaved Paperbark	120		120	15	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5829	Melaleuca quinquenervia	Broad-leaved Paperbark	170		170	15	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5830	Allocasuarina littoralis	Black Sheoak	150		150	15	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5831	Corymbia intermedia	Pink Bloodwood	110		110	15	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5832	Lophostemon suaveolens	Swamp Box	110		110	14	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5833	Lophostemon suaveolens	Swamp Box	130	90	158	14	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5834	Lophostemon suaveolens	Swamp Box	100		100	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5835	Lophostemon suaveolens	Swamp Box	100		100	6	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5836	Lophostemon suaveolens	Swamp Box	130		130	10	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5837	Eucalyptus tereticornis	Forest Red Gum	390		390	26	12	4.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5838	Lophostemon suaveolens	Swamp Box	120		120	15	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5839	Corymbia intermedia	Pink Bloodwood	180	170	248	16	8	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5840	Eucalyptus seeana	Narrow-leaved Gum	270	200	336	23	10	4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5841	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	14	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5842	Melaleuca quinquenervia	Broad-leaved Paperbark	190		190	15	5	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5843	Eucalyptus seeana	Narrow-leaved Gum	360	230, 230	485	25	12	5.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5844	Lophostemon suaveolens	Swamp Box	140		140	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5845	Eucalyptus tereticornis	Forest Red Gum	320		320	26	12	3.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5846	Corymbia intermedia	Pink Bloodwood	150		150	14	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5847	Eucalyptus tereticornis	Forest Red Gum	260		260	20	8	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
5848	Lophostemon suaveolens	Swamp Box	180		180	14	5	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5849	Eucalyptus tereticornis	Forest Red Gum	280		280	18	8	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5850	Corymbia intermedia	Pink Bloodwood	160		160	14	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5851	Corymbia intermedia	Pink Bloodwood	220		220	15	5	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5852	Melaleuca quinquenervia	Broad-leaved Paperbark	210		210	14	5	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5853	Melaleuca quinquenervia	Broad-leaved Paperbark	170		170	14	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5854	Eucalyptus tereticornis	Forest Red Gum	280		280	20	8	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5855	Eucalyptus siderophloia	Grey Ironbark	180		180	14	4	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5856	Melaleuca quinquenervia	Broad-leaved Paperbark	140		140	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5857	Alphitonia excelsa	Red Ash	110		110	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5858	Allocasuarina littoralis	Black Sheoak	140		140	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5859	Corymbia intermedia	Pink Bloodwood	200		200	16	6	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5860	Allocasuarina littoralis	Black Sheoak	150		150	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5861	Melaleuca quinquenervia	Broad-leaved Paperbark	150		150	14	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5862	Corymbia intermedia	Pink Bloodwood	160		160	14	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5863	Eucalyptus tereticornis	Forest Red Gum	280	150, 220	386	25	14	4.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5864	Eucalyptus tereticornis	Forest Red Gum	190		190	20	6	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5865	Corymbia intermedia	Pink Bloodwood	210		210	18	5	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5866	Allocasuarina littoralis	Black Sheoak	120		120	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5867	Allocasuarina littoralis	Black Sheoak	120		120	8	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5868	Allocasuarina littoralis	Black Sheoak	220		220	14	5	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5869	Eucalyptus tereticornis	Forest Red Gum	180		180	16	4	2.2	2	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5870	Eucalyptus tereticornis	Forest Red Gum	280		280	25	8	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5871	Allocasuarina littoralis	Black Sheoak	120		120	12	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5872	Eucalyptus tereticornis	Forest Red Gum	160		160	16	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5873	Melaleuca quinquenervia	Broad-leaved Paperbark	120		120	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5874	Corymbia intermedia	Pink Bloodwood	260	230, 250	428	22	12	5.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5875	Eucalyptus tereticornis	Forest Red Gum	170		170	18	8	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5876	Melaleuca quinquenervia	Broad-leaved Paperbark	160	140	213	15	8	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5877	Melaleuca quinquenervia	Broad-leaved Paperbark	150		150	15	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5878	Melaleuca quinquenervia	Broad-leaved Paperbark	320		320	15	6	3.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5879	Eucalyptus seeana	Narrow-leaved Gum	340		340	20	10	4.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5880	Eucalyptus siderophloia	Grey Ironbark	130		130	15	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5881	Allocasuarina littoralis	Black Sheoak	150		150	14	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5882	Melaleuca quinquenervia	Broad-leaved Paperbark	120		120	14	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5883	Lophostemon suaveolens	Swamp Box	180		180	16	5	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5884	Eucalyptus tereticornis	Forest Red Gum	280		280	25	6	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5885	Melaleuca quinquenervia	Broad-leaved Paperbark	110		110	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5886	Corymbia intermedia	Pink Bloodwood	120	150, 110	221	15	6	2.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5887	Allocasuarina littoralis	Black Sheoak	160		160	15	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5888	Lophostemon suaveolens	Swamp Box	110		110	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5889	Lophostemon suaveolens	Swamp Box	200		200	16	6	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5890	Melaleuca quinquenervia	Broad-leaved Paperbark	210		210	15	5	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5891	Eucalyptus tereticornis	Forest Red Gum	190		190	18	6	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5892	Lophostemon suaveolens	Swamp Box	120		120	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5893	Lophostemon suaveolens	Swamp Box	160		160	15	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5894	Lophostemon suaveolens	Swamp Box	130		130	6	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5895	Acacia concurrens	Black Wattle	100		100	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5896	Lophostemon suaveolens	Swamp Box	130		130	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5897	Lophostemon suaveolens	Swamp Box	110		110	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5898	Lophostemon suaveolens	Swamp Box	100		100	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5899	Lophostemon suaveolens	Swamp Box	100		100	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5900	Lophostemon suaveolens	Swamp Box	130		130	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5901	Lophostemon suaveolens	Swamp Box	110		110	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5902	Lophostemon suaveolens	Swamp Box	110		110	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5903	Lophostemon suaveolens	Swamp Box	100		100	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5904	Eucalyptus tereticornis	Forest Red Gum	300		300	25	10	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
5905	Lophostemon suaveolens	Swamp Box	100		100	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5906	Lophostemon suaveolens	Swamp Box	120		120	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5907	Lophostemon suaveolens	Swamp Box	110		110	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5908	Lophostemon suaveolens	Swamp Box	100		100	14	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5909	Lophostemon suaveolens	Swamp Box	110		110	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5910	Lophostemon suaveolens	Swamp Box	160		160	15	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5911	Lophostemon suaveolens	Swamp Box	100		100	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5912	Corymbia tessellaris	Moreton Bay Ash	160		160	15	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5913	Lophostemon suaveolens	Swamp Box	110		110	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5914	Lophostemon suaveolens	Swamp Box	130		130	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5915	Lophostemon suaveolens	Swamp Box	150		150	14	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5916	Lophostemon suaveolens	Swamp Box	110		110	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5917	Lophostemon suaveolens	Swamp Box	100		100	15	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5918	Lophostemon suaveolens	Swamp Box	170		170	15	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5919	Lophostemon suaveolens	Swamp Box	120		120	14	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5920	Lophostemon suaveolens	Swamp Box	150		150	14	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5921	Lophostemon suaveolens	Swamp Box	120		120	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5922	Lophostemon suaveolens	Swamp Box	150		150	15	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5923	Lophostemon suaveolens	Swamp Box	150		150	15	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5924	Lophostemon suaveolens	Swamp Box	170		170	15	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5925	Lophostemon suaveolens	Swamp Box	150		150	15	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5926	Lophostemon suaveolens	Swamp Box	120		120	15	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5927	Lophostemon suaveolens	Swamp Box	150		150	15	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5928	Lophostemon suaveolens	Swamp Box	100		100	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5927	Lophostemon suaveolens	Swamp Box	150		150	15	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5928	Lophostemon suaveolens	Swamp Box	100		100	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5929	Lophostemon suaveolens	Swamp Box	110		110	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5930	Melaleuca quinquenervia	Broad-leaved Paperbark	200		200	15	5	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5931	Corymbia intermedia	Pink Bloodwood	200		200	20	6	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5932	Lophostemon suaveolens	Swamp Box	120		120	14	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5933	Acacia concurrens	Black Wattle	100		100	14	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5934	Lophostemon suaveolens	Swamp Box	130		130	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5935	Lophostemon suaveolens	Swamp Box	110		110	14	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5936	Lophostemon suaveolens	Swamp Box	230		230	15	6	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5937	Lophostemon suaveolens	Swamp Box	110		110	14	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5938	Lophostemon suaveolens	Swamp Box	100		100	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5939	Lophostemon suaveolens	Swamp Box	180		180	15	5	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5940	Lophostemon suaveolens	Swamp Box	170		170	15	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5941	Lophostemon suaveolens	Swamp Box	130		130	15	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5942	Corymbia tessellaris	Moreton Bay Ash	150		150	16	6	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5943	Acacia concurrens	Black Wattle	110		110	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5944	Lophostemon suaveolens	Swamp Box	150		150	15	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5945	Allocasuarina littoralis	Black Sheoak	170		170	16	6	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5946	Lophostemon suaveolens	Swamp Box	120		120	16	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5947	Lophostemon suaveolens	Swamp Box	160		160	15	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5948	Lophostemon suaveolens	Swamp Box	170		170	15	6	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5949	Eucalyptus tereticornis	Forest Red Gum	170		170	18	6	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
5950	Lophostemon suaveolens	Swamp Box	270		270	20	8	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
5951	Acacia concurrens	Black Wattle	110		110	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
5952	Corymbia intermedia	Pink Bloodwood	120		120	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
5953	Eucalyptus siderophloia	Grey Ironbark	440		440	28	15	5.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
5954	Melaleuca quinquenervia	Broad-leaved Paperbark	210		210	15	5	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
5955	Eucalyptus siderophloia	Grey Ironbark	310		310	28	14	3.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
5956	Melaleuca quinquenervia	Broad-leaved Paperbark	100		100	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
5957	Melaleuca quinquenervia	Broad-leaved Paperbark	210		210	15	4	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
5958	Melaleuca quinquenervia	Broad-leaved Paperbark	150		150	15	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
5959	Melaleuca quinquenervia	Broad-leaved Paperbark	100		100	14	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
5960	Melaleuca quinquenervia	Broad-leaved Paperbark	140	110	178	15	5	2.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
5961	Eucalyptus tereticornis	Forest Red Gum	300		300	20	6	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
5962	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	15	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
5963	Melaleuca quinquenervia	Broad-leaved Paperbark	150		150	15	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
5964	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	15	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
5965	Melaleuca quinquenervia	Broad-leaved Paperbark	110		110	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
5966	Melaleuca quinquenervia	Broad-leaved Paperbark	120		120	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
5967	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
5968	Melaleuca quinquenervia	Broad-leaved Paperbark	120		120	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
5969	Melaleuca quinquenervia	Broad-leaved Paperbark	100		100	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
5970	Melaleuca quinquenervia	Broad-leaved Paperbark	100		100	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
5971	Melaleuca quinquenervia	Broad-leaved Paperbark	170		170	15	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
5972	Lophostemon suaveolens	Swamp Box	120		120	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
5973	Lophostemon suaveolens	Swamp Box	190		190	16	5	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
5974	Lophostemon suaveolens	Swamp Box	150		150	15	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
5975	Melaleuca quinquenervia	Broad-leaved Paperbark	150		150	15	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
5976	Melaleuca quinquenervia	Broad-leaved Paperbark	120		120	15	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
5977	Melaleuca quinquenervia	Broad-leaved Paperbark	120		120	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
5978	Lophostemon suaveolens	Swamp Box	170		170	15	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
5979	Melaleuca quinquenervia	Broad-leaved Paperbark	100		100	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
5980	Melaleuca quinquenervia	Broad-leaved Paperbark	100		100	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
5981	Melaleuca quinquenervia	Broad-leaved Paperbark	140		140	15	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
5982	Melaleuca quinquenervia	Broad-leaved Paperbark	150		150	15	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
5983	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	15	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
5984	Melaleuca quinquenervia	Broad-leaved Paperbark	110		110	15	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
5985	Melaleuca quinquenervia	Broad-leaved Paperbark	110		110	15	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
5986	Melaleuca quinquenervia	Broad-leaved Paperbark	150		150	15	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
5987	Melaleuca quinquenervia	Broad-leaved Paperbark	100		100	15	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
5988	Lophostemon suaveolens	Swamp Box	220		220	16	6	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
5989	Melaleuca quinquenervia	Broad-leaved Paperbark	110		110	15	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
5990	Melaleuca quinquenervia	Broad-leaved Paperbark	100		100	15	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5991	Melaleuca linariifolia	Snow-in-summer	230		230	18	8	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
5992	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	15	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5993	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	15	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
5994	Melaleuca quinquenervia	Broad-leaved Paperbark	160		160	15	6	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
5995	Lophostemon suaveolens	Swamp Box	120		120	14	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5996	Melaleuca quinquenervia	Broad-leaved Paperbark	100		100	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
5997	Melaleuca quinquenervia	Broad-leaved Paperbark	110		110	15	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5998	Melaleuca quinquenervia	Broad-leaved Paperbark	200		200	15	6	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
5999	Melaleuca quinquenervia	Broad-leaved Paperbark	110		110	15	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
6000	Melaleuca quinquenervia	Broad-leaved Paperbark	110		110	14	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
6001	Melaleuca quinquenervia	Broad-leaved Paperbark	100		100	14	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
6002	Melaleuca quinquenervia	Broad-leaved Paperbark	140		140	15	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
6003	Melaleuca quinquenervia	Broad-leaved Paperbark	100		100	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
6004	Melaleuca quinquenervia	Broad-leaved Paperbark	180		180	16	6	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
6005	Melaleuca quinquenervia	Broad-leaved Paperbark	110		110	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
6006	Lophostemon suaveolens	Swamp Box	100		100	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
6007	Melaleuca quinquenervia	Broad-leaved Paperbark	130	120, 90	198	15	6	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
6008	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	15	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
6009	Melaleuca quinquenervia	Broad-leaved Paperbark	100		100	15	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
6010	Melaleuca quinquenervia	Broad-leaved Paperbark	140		140	15	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
6011	Melaleuca quinquenervia	Broad-leaved Paperbark	100		100	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
6012	Melaleuca quinquenervia	Broad-leaved Paperbark	150		150	15	6	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
6013	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	14	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
6014	Melaleuca quinquenervia	Broad-leaved Paperbark	150		150	15	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
6015	Melaleuca quinquenervia	Broad-leaved Paperbark	120		120	14	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
6016	Melaleuca quinquenervia	Broad-leaved Paperbark	120		120	14	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
6017	Melaleuca quinquenervia	Broad-leaved Paperbark	100		100	15	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
6018	Eucalyptus tereticornis	Forest Red Gum	480		480	26	14	5.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
6019	Melaleuca quinquenervia	Broad-leaved Paperbark	100		100	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
6020	Melaleuca quinquenervia	Broad-leaved Paperbark	170		170	15	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
6021	Melaleuca quinquenervia	Broad-leaved Paperbark	110		110	14	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
6022	Lophostemon suaveolens	Swamp Box	210		210	15	6	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
6023	Lophostemon suaveolens	Swamp Box	130		130	15	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
6024	Lophostemon suaveolens	Swamp Box	130		130	14	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
6025	Melaleuca quinquenervia	Broad-leaved Paperbark	180	170	248	15	6	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
6026	Eucalyptus tereticornis	Forest Red Gum	180		180	16	8	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
6027	Melaleuca quinquenervia	Broad-leaved Paperbark	100		100	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
6028	Melaleuca quinquenervia	Broad-leaved Paperbark	150		150	15	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
6029	Melaleuca quinquenervia	Broad-leaved Paperbark	110		110	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
6030	Melaleuca quinquenervia	Broad-leaved Paperbark	100		100	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
6031	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	14	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
6032	Melaleuca quinquenervia	Broad-leaved Paperbark	110		110	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
6033	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	14	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
6034	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	14	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
6035	Lophostemon suaveolens	Swamp Box	110		110	14	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
6036	Lophostemon suaveolens	Swamp Box	190		190	15	6	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
6037	Melaleuca quinquenervia	Broad-leaved Paperbark	110		110	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
6038	Melaleuca quinquenervia	Broad-leaved Paperbark	190		190	16	8	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
6039	Melaleuca quinquenervia	Broad-leaved Paperbark	100		100	14	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
6040	Melaleuca quinquenervia	Broad-leaved Paperbark	150		150	15	6	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
6041	Melaleuca quinquenervia	Broad-leaved Paperbark	170		170	15	6	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
6042	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	15	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
6043	Melaleuca quinquenervia	Broad-leaved Paperbark	210		210	15	6	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
6044	Eucalyptus tereticornis	Forest Red Gum	260		260	20	8	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
6045	Eucalyptus tereticornis	Forest Red Gum	240		240	22	10	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
6046	Eucalyptus tereticornis	Forest Red Gum	210		210	20	8	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
6047	Melaleuca quinquenervia	Broad-leaved Paperbark	150		150	15	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
6048	Melaleuca quinquenervia	Broad-leaved Paperbark	150		150	14	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
6049	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
6050	Melaleuca quinquenervia	Broad-leaved Paperbark	100		100	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
6051	Eucalyptus tereticornis	Forest Red Gum	600		600	26	16	7.2	3	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
6052	Lophostemon suaveolens	Swamp Box	190		190	14	5	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
6053	Eucalyptus tereticornis	Forest Red Gum	150		150	14	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
6054	Melaleuca quinquenervia	Broad-leaved Paperbark	100		100	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
6055	Melaleuca quinquenervia	Broad-leaved Paperbark	150		150	14	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
6056	Lophostemon suaveolens	Swamp Box	170		170	15	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
6057	Lophostemon suaveolens	Swamp Box	260		260	15	6	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
6058	Melaleuca quinquenervia	Broad-leaved Paperbark	150		150	15	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
6059	Eucalyptus tereticornis	Forest Red Gum	150		150	18	8	2	1	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
6060	Melaleuca quinquenervia	Broad-leaved Paperbark	160		160	14	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
6061	Melaleuca quinquenervia	Broad-leaved Paperbark	160		160	15	6	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
6062	Melaleuca quinquenervia	Broad-leaved Paperbark	160		160	15	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
6063	Melaleuca quinquenervia	Broad-leaved Paperbark	240		240	16	6	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
6064	Melaleuca quinquenervia	Broad-leaved Paperbark	200		200	14	5	2.4	2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
6065	Eucalyptus tereticornis	Forest Red Gum	240	290, 270	463	25	12	5.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
6066	Eucalyptus tereticornis	Forest Red Gum	270		270	25	12	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
6067	Melaleuca quinquenervia	Broad-leaved Paperbark	170		170	15	6	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
6068	Eucalyptus tereticornis	Forest Red Gum	110		110	14	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
6069	Melaleuca quinquenervia	Broad-leaved Paperbark	160		160	15	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
6070	Melaleuca quinquenervia	Broad-leaved Paperbark	150		150	16	6	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
6071	Eucalyptus tereticornis	Forest Red Gum	170	260	311	25	14	3.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
6072	Melaleuca quinquenervia	Broad-leaved Paperbark	180	230	292	17	10	3.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
6073	Eucalyptus tereticornis	Forest Red Gum	250		250	25	10	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
6074	Melaleuca quinquenervia	Broad-leaved Paperbark	120		120	10	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
6075	Melaleuca quinquenervia	Broad-leaved Paperbark	140		140	15	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
6076	Melaleuca quinquenervia	Broad-leaved Paperbark	150		150	15	6	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
6077	Melaleuca quinquenervia	Broad-leaved Paperbark	150		150	15	6	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
6078	Lophostemon suaveolens	Swamp Box	160		160	14	6	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
6079	Melaleuca quinquenervia	Broad-leaved Paperbark	220	180	284	16	8	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
6080	Eucalyptus tereticornis	Forest Red Gum	270		270	26	12	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
6081	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	15	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
6082	Melaleuca quinquenervia	Broad-leaved Paperbark	300	270	404	18	12	4.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
6083	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	8	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
6084	Melaleuca quinquenervia	Broad-leaved Paperbark	290		290	18	12	3.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
6085	Lophostemon suaveolens	Swamp Box	130		130	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
6086	Melaleuca quinquenervia	Broad-leaved Paperbark	170		170	15	8	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
6087	Melaleuca quinquenervia	Broad-leaved Paperbark	180	160	241	15	8	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
6088	Lophostemon suaveolens	Swamp Box	200		200	16	8	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
6089	Eucalyptus tereticornis	Forest Red Gum	150		150	15	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
6090	Melaleuca quinquenervia	Broad-leaved Paperbark	100		100	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
6091	Eucalyptus tereticornis	Forest Red Gum	300	170	345	22	10	4.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
6092	Melaleuca quinquenervia	Broad-leaved Paperbark	100		100	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
6093	Melaleuca quinquenervia	Broad-leaved Paperbark	270		270	16	8	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
6094	Corymbia intermedia	Pink Bloodwood	210		210	16	6	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
6095	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
6096	Eucalyptus tereticornis	Forest Red Gum	300	280	410	26	12	4.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
6097	Melaleuca quinquenervia	Broad-leaved Paperbark	100		100	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
6098	Melaleuca quinquenervia	Broad-leaved Paperbark	110		110	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
6099	Melaleuca quinquenervia	Broad-leaved Paperbark	120	130	177	15	5	2.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
6100	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
6101	Melaleuca quinquenervia	Broad-leaved Paperbark	110		110	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
6102	Melaleuca quinquenervia	Broad-leaved Paperbark	120		120	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
6103	Melaleuca quinquenervia	Broad-leaved Paperbark	100		100	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
6104	Melaleuca quinquenervia	Broad-leaved Paperbark	120		120	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
6105	Melaleuca quinquenervia	Broad-leaved Paperbark	100		100	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
6106	Allocasuarina littoralis	Black Sheoak	130		130	14	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
6107	Melaleuca quinquenervia	Broad-leaved Paperbark	250		250	15	6	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
6108	Melaleuca quinquenervia	Broad-leaved Paperbark	180		180	15	6	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
6109	Melaleuca quinquenervia	Broad-leaved Paperbark	170		170	15	6	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
6110	Eucalyptus tereticornis	Forest Red Gum	110		110	15	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
6111	Corymbia intermedia	Pink Bloodwood	150		150	16	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
6112	Melaleuca quinquenervia	Broad-leaved Paperbark	220	120	251	15	6	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
6113	Melaleuca quinquenervia	Broad-leaved Paperbark	220		220	15	5	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
6114	Corymbia intermedia	Pink Bloodwood	180		180	15	6	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
6115	Lophostemon suaveolens	Swamp Box	100		100	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
6116	Eucalyptus tereticornis	Forest Red Gum	260		260	25	12	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
6117	Melaleuca quinquenervia	Broad-leaved Paperbark	100		100	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
6118	Eucalyptus tereticornis	Forest Red Gum	350		350	26	12	4.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
6119	Melaleuca quinquenervia	Broad-leaved Paperbark	100		100	15	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
6120	Melaleuca quinquenervia	Broad-leaved Paperbark	270	110	292	16	8	3.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
6121	Allocasuarina littoralis	Black Sheoak	130		130	15	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
6122	Allocasuarina littoralis	Black Sheoak	190		190	15	6	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
6123	Allocasuarina littoralis	Black Sheoak	180		180	14	6	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
6124	Alphitonia excelsa	Red Ash	160		160	16	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
6125	Lophostemon suaveolens	Swamp Box	170		170	16	6	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
6126	Eucalyptus tereticornis	Forest Red Gum	350		350	25	14	4.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
6127	Eucalyptus seeana	Narrow-leaved Gum	300		300	18	6	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
6128	Eucalyptus seeana	Narrow-leaved Gum	350		350	26	12	4.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
6129	Allocasuarina littoralis	Black Sheoak	150		150	15	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
6130	Allocasuarina littoralis	Black Sheoak	130		130	14	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
6131	Allocasuarina littoralis	Black Sheoak	100		100	14	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
6132	Melaleuca quinquenervia	Broad-leaved Paperbark	190	270	330	18	8	4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
6133	Allocasuarina littoralis	Black Sheoak	110		110	14	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
6134	Corymbia tessellaris	Moreton Bay Ash	100		100	16	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
6135	Eucalyptus tereticornis	Forest Red Gum	320		320	28	14	3.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
6136	Acacia concurrens	Black Wattle	110		110	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
6137	Melaleuca quinquenervia	Broad-leaved Paperbark	150		150	15	6	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
6138	Eucalyptus tereticornis	Forest Red Gum	320		320	28	16	3.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
6139	Eucalyptus tereticornis	Forest Red Gum	470		470	26	14	5.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
6140	Melaleuca quinquenervia	Broad-leaved Paperbark	200	170, 210	336	16	8	4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
6141	Acacia disparrima	Hickory Wattle	120		120	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
6142	Melaleuca quinquenervia	Broad-leaved Paperbark	140	160	213	16	5	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
6143	Melaleuca quinquenervia	Broad-leaved Paperbark	140	15, 130	192	15	5	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
6144	Corymbia tessellaris	Moreton Bay Ash	100		100	14	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
6145	Melaleuca quinquenervia	Broad-leaved Paperbark	210	200, 230	370	16	8	4.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
6146	Eucalyptus tereticornis	Forest Red Gum	450		450	24	14	5.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
6147	Allocasuarina littoralis	Black Sheoak	190		190	15	5	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
6148	Allocasuarina littoralis	Black Sheoak	130		130	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
6149	Allocasuarina littoralis	Black Sheoak	190		190	14	5	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
6150	Allocasuarina littoralis	Black Sheoak	180		180	15	5	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
6151	Melaleuca quinquenervia	Broad-leaved Paperbark	190		190	15	6	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
6152	Corymbia tessellaris	Moreton Bay Ash	120		120	15	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
6153	Melaleuca quinquenervia	Broad-leaved Paperbark	190		190	16	6	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
6154	Eucalyptus seeana	Narrow-leaved Gum	240		240	18	6	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
6164	Melaleuca quinquenervia	Broad-leaved Paperbark	270		270	18	12	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
6165	Eucalyptus tereticornis	Forest Red Gum	220		220	18	8	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
6166	Melaleuca quinquenervia	Broad-leaved Paperbark	170		170	14	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
6175	Allocasuarina littoralis	Black Sheoak	160		160	15	8	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
6176	Allocasuarina littoralis	Black Sheoak	120		120	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
6177	Allocasuarina littoralis	Black Sheoak	120		120	14	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
6178	Allocasuarina littoralis	Black Sheoak	160		160	15	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
6179	Allocasuarina littoralis	Black Sheoak	130		130	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
6180	Allocasuarina littoralis	Black Sheoak	150		150	15	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
6181	Corymbia tessellaris	Moreton Bay Ash	150		150	18	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
6182	Eucalyptus tereticornis	Forest Red Gum	280		280	20	8	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
6183	Corymbia tessellaris	Moreton Bay Ash	180		180	16	6	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
6184	Corymbia tessellaris	Moreton Bay Ash	140		140	15	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
6185	Allocasuarina littoralis	Black Sheoak	130		130	14	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
6186	Allocasuarina littoralis	Black Sheoak	100		100	12	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
6187	Eucalyptus tereticornis	Forest Red Gum	260	200, 230	401	26	12	4.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
6188	Acacia concurrens	Black Wattle	100		100	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
6189	Corymbia intermedia	Pink Bloodwood	190		190	15	5	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
6190	Acacia concurrens	Black Wattle	100		100	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
6191	Eucalyptus tereticornis	Forest Red Gum	280	280	396	26	14	4.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
6192	Acacia concurrens	Black Wattle	110		110	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
6193	Acacia concurrens	Black Wattle	110		110	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
6194	Acacia concurrens	Black Wattle	100		100	14	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
6195	Acacia concurrens	Black Wattle	100		100	16	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
6196	Allocasuarina littoralis	Black Sheoak	160		160	15	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
6197	Acacia concurrens	Black Wattle	100		100	15	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
6198	Allocasuarina littoralis	Black Sheoak	210		210	16	6	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
6199	Acacia concurrens	Black Wattle	160		160	16	6	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
6217	Allocasuarina littoralis	Black Sheoak	140		140	15	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
6218	Allocasuarina littoralis	Black Sheoak	150		150	16	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
6219	Corymbia intermedia	Pink Bloodwood	140		140	15	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
6239	Eucalyptus tereticornis	Forest Red Gum	290	330	439	25	15	5.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
6240	Corymbia intermedia	Pink Bloodwood	100		100	15	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Retain ROL6	
6241	Eucalyptus tereticornis	Forest Red Gum	270	200, 190	386	20	8	4.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
6242	Eucalyptus tereticornis	Forest Red Gum	320		320	28	14	3.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
6243	Lophostemon suaveolens	Swamp Box	150		150	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
6244	Acacia concurrens	Black Wattle	100		100	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
6246	Acacia concurrens	Black Wattle	140		140	15	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
7395	Corymbia tessellaris	Moreton Bay Ash	240		240	10	2	2.9	2	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
7396	Corymbia tessellaris	Moreton Bay Ash	120		120	8	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
7398	Corymbia tessellaris	Moreton Bay Ash	130		130	8	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
7399	Eucalyptus tereticornis	Forest Red Gum	200		200	8	2	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
7406	Corymbia tessellaris	Moreton Bay Ash	140		140	8	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
7407	Eucalyptus tereticornis	Forest Red Gum	240		240	15	6	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
7408	Corymbia citriodora	Spotted Gum	240		240	18	8	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
7409	Eucalyptus tereticornis	Forest Red Gum	250	130	282	10	5	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
7545	Corymbia tessellaris	Moreton Bay Ash	150		150	8	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
7546	Corymbia tessellaris	Moreton Bay Ash	150		150	8	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
7548	Eucalyptus crebra	Narrow-leaved Ironbark	360		360	20	8	4.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
7549	Eucalyptus crebra	Narrow-leaved Ironbark	420		420	25	15	5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Retain ROL6	
7550	Eucalyptus tereticornis	Forest Red Gum	300		300	23	10	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
7551	Eucalyptus tereticornis	Forest Red Gum	160		160	8	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
7552	Eucalyptus crebra	Narrow-leaved Ironbark	230		230	15	8	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Retain ROL6	
7553	Eucalyptus tereticornis	Forest Red Gum	230		230	18	7	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
7554	Eucalyptus tereticornis	Forest Red Gum	280		280	25	10	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
7555	Corymbia tessellaris	Moreton Bay Ash	120		120	8	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
7556	Eucalyptus tereticornis	Forest Red Gum	460		460	20	6	5.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
7623	Corymbia citriodora	Spotted Gum	110		110	8	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
7624	Corymbia citriodora	Spotted Gum	100		100	8	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
7625	Corymbia citriodora	Spotted Gum	130		130	8	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
7626	Eucalyptus crebra	Narrow-leaved Ironbark	230		230	10	3	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
7627	Eucalyptus tereticornis	Forest Red Gum	480		480	16	5	5.8	2	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
7628	Corymbia citriodora	Spotted Gum	110	60	125	8	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
7629	Eucalyptus crebra	Narrow-leaved Ironbark	200		200	8	4	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Retain ROL6	
7630	Eucalyptus tereticornis	Forest Red Gum	390		390	20	6	4.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
7631	Eucalyptus tereticornis	Forest Red Gum	360		360	18	7	4.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
7632	Corymbia citriodora	Spotted Gum	350	190	398	20	10	4.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
7633	Eucalyptus crebra	Narrow-leaved Ironbark	240		240	15	6	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
7634	Eucalyptus crebra	Narrow-leaved Ironbark	210		210	8	2	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
7635	Eucalyptus crebra	Narrow-leaved Ironbark	180		180	6	3	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
7636	Eucalyptus tereticornis	Forest Red Gum	210		210	10	3	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
7637	Eucalyptus tereticornis	Forest Red Gum	330	330, 230	520	22	10	6.2	3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
7638	Eucalyptus crebra	Narrow-leaved Ironbark	320		320	15	6	3.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
7639	Corymbia citriodora	Spotted Gum	280		280	18	6	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
7640	Eucalyptus crebra	Narrow-leaved Ironbark	180		180	10	5	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
7641	Eucalyptus crebra	Narrow-leaved Ironbark	120		120	6	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
7642	Eucalyptus crebra	Narrow-leaved Ironbark	210		210	15	4	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
7643	Eucalyptus crebra	Narrow-leaved Ironbark	300		300	12	8	3.6	2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain ROL6	
7644	Corymbia citriodora	Spotted Gum	290		290	25	8	3.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
7645	Eucalyptus crebra	Narrow-leaved Ironbark	260		260	18	6	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
7646	Eucalyptus crebra	Narrow-leaved Ironbark	270		270	22	10	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
7647	Eucalyptus crebra	Narrow-leaved Ironbark	180		180	10	5	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
7648	Eucalyptus crebra	Narrow-leaved Ironbark	240		240	25	12	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
7649	Eucalyptus crebra	Narrow-leaved Ironbark	160		160	10	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
7650	Eucalyptus crebra	Narrow-leaved Ironbark	250		250	20	10	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
7651	Angophora leiocarpa	Smooth-barked Apple	300		300	22	10	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
7652	Corymbia citriodora	Spotted Gum	110	50	121	8	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
7653	Eucalyptus crebra	Narrow-leaved Ironbark	300		300	21	10	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
7654	Corymbia citriodora	Spotted Gum	200	90	219	8	2	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
7655	Corymbia citriodora	Spotted Gum	160		160	8	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
7656	Corymbia citriodora	Spotted Gum	280		280	22	8	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
7657	Eucalyptus crebra	Narrow-leaved Ironbark	260		260	15	8	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
7658	Corymbia citriodora	Spotted Gum	240		240	22	12	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
7659	Eucalyptus crebra	Narrow-leaved Ironbark	170	150	227	20	10	2.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Retain ROL6	
7660	Eucalyptus crebra	Narrow-leaved Ironbark	230		230	25	12	2.8	2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain ROL6	
7661	Eucalyptus crebra	Narrow-leaved Ironbark	180		180	15	5	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
7662	Eucalyptus crebra	Narrow-leaved Ironbark	250		250	25	10	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
7663	Eucalyptus crebra	Narrow-leaved Ironbark	250		250	25	12	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
7664	Corymbia citriodora	Spotted Gum	110		110	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
7665	Corymbia citriodora	Spotted Gum	120		120	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
7666	Corymbia citriodora	Spotted Gum	150	80	170	10	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
7667	Corymbia intermedia	Pink Bloodwood	260		260	15	8	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
7691	Eucalyptus tereticornis	Forest Red Gum	520		520	23	12	6.2	3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
7692	Eucalyptus crebra	Narrow-leaved Ironbark	240		240	18	6	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
7693	Eucalyptus crebra	Narrow-leaved Ironbark	320		320	25	15	3.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
7694	Eucalyptus tereticornis	Forest Red Gum	150		150	18	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
7695	Eucalyptus tereticornis	Forest Red Gum	150		150	18	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
7696	Eucalyptus tereticornis	Forest Red Gum	120		120	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
7702	Eucalyptus tereticornis	Forest Red Gum	260		260	25	8	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
7703	Eucalyptus crebra	Narrow-leaved Ironbark	120		120	8	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
7704	Eucalyptus tereticornis	Forest Red Gum	180		180	15	5	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
7705	Corymbia tessellaris	Moreton Bay Ash	180		180	15	4	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
7706	Eucalyptus crebra	Narrow-leaved Ironbark	140		140	8	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
7707	Eucalyptus crebra	Narrow-leaved Ironbark	120		120	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Remove ROL6	
7708	Eucalyptus tereticornis	Forest Red Gum	230		230	25	10	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
7709	Eucalyptus tereticornis	Forest Red Gum	320		320	26	12	3.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
7765	Corymbia citriodora	Spotted Gum	170		170	20	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
7766	Eucalyptus tereticornis	Forest Red Gum	560		560	24	18	6.7	3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Retain ROL6	
7783	Corymbia citriodora	Spotted Gum	480		480	28	16	5.8	2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Retain ROL6	
7784	Eucalyptus tereticornis	Forest Red Gum	220		220	15	5	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
7785	Eucalyptus tereticornis	Forest Red Gum	160		160	15	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
7787	Eucalyptus tereticornis	Forest Red Gum	150		150	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
7788	Eucalyptus tereticornis	Forest Red Gum	610	190	639	28	16	7.7	3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
7789	Corymbia citriodora	Spotted Gum	290		290	20	10	3.5	2	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
7829	Allocasuarina littoralis	Black Sheoak	150		150	8	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
7830	Corymbia citriodora	Spotted Gum	190	190, 260	374	20	8	4.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
7831	Allocasuarina littoralis	Black Sheoak	190		190	12	3	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
7832	Allocasuarina littoralis	Black Sheoak	150		150	15	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
7833	Allocasuarina littoralis	Black Sheoak	180		180	12	4	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
7834	Corymbia citriodora	Spotted Gum	130		130	16	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
7835	Corymbia citriodora	Spotted Gum	160		160	16	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
7836	Corymbia citriodora	Spotted Gum	230		230	16	5	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
7837	Corymbia citriodora	Spotted Gum	230		230	20	5	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
7838	Corymbia citriodora	Spotted Gum	510		510	23	10	6.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
7839	Corymbia citriodora	Spotted Gum	220		220	18	5	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
7840	Eucalyptus crebra	Narrow-leaved Ironbark	310		310	25	15	3.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
7841	Corymbia citriodora	Spotted Gum	200		200	18	5	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
7842	Eucalyptus crebra	Narrow-leaved Ironbark	170		170	18	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
7843	Eucalyptus crebra	Narrow-leaved Ironbark	300		300	25	10	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
7844	Eucalyptus crebra	Narrow-leaved Ironbark	200		200	22	5	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
7845	Eucalyptus crebra	Narrow-leaved Ironbark	340	240	416	28	20	5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
7846	Corymbia citriodora	Spotted Gum	270		270	25	12	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
7847	Eucalyptus crebra	Narrow-leaved Ironbark	170		170	8	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
7848	Eucalyptus crebra	Narrow-leaved Ironbark	120		120	8	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
7849	Corymbia citriodora	Spotted Gum	270		270	28	16	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
7850	Eucalyptus crebra	Narrow-leaved Ironbark	170		170	10	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
7851	Eucalyptus crebra	Narrow-leaved Ironbark	210		210	18	8	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
7852	Eucalyptus crebra	Narrow-leaved Ironbark	220		220	20	6	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
7853	Eucalyptus crebra	Narrow-leaved Ironbark	250		250	24	7	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
7854	Eucalyptus crebra	Narrow-leaved Ironbark	220		220	25	8	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
7855	Eucalyptus crebra	Narrow-leaved Ironbark	290		290	25	10	3.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Retain ROL6	
7856	Corymbia citriodora	Spotted Gum	300	190	355	25	8	4.3	2	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
7857	Corymbia citriodora	Spotted Gum	230	150	275	20	5	3.3	2	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
7858	Corymbia citriodora	Spotted Gum	150		150	18	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
7859	Eucalyptus crebra	Narrow-leaved Ironbark	160		160	10	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
7860	Corymbia citriodora	Spotted Gum	160		160	8	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
7861	Eucalyptus tereticornis	Forest Red Gum	220		220	20	6	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
7862	Corymbia citriodora	Spotted Gum	110		110	8	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
7863	Corymbia citriodora	Spotted Gum	190		190	10	3	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
7864	Eucalyptus crebra	Narrow-leaved Ironbark	150		150	8	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
7865	Eucalyptus crebra	Narrow-leaved Ironbark	180		180	10	2	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
7866	Eucalyptus crebra	Narrow-leaved Ironbark	180	160	241	18	5	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
7867	Eucalyptus crebra	Narrow-leaved Ironbark	120		120	8	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
7868	Eucalyptus crebra	Narrow-leaved Ironbark	210		210	24	5	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
7869	Corymbia citriodora	Spotted Gum	260		260	27	8	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
7870	Eucalyptus crebra	Narrow-leaved Ironbark	110		110	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
7871	Eucalyptus crebra	Narrow-leaved Ironbark	220		220	20	6	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
7872	Corymbia citriodora	Spotted Gum	340		340	25	12	4.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
7873	Eucalyptus crebra	Narrow-leaved Ironbark	240	150	283	20	6	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
7874	Eucalyptus tereticornis	Forest Red Gum	270		270	20	12	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
7875	Eucalyptus tereticornis	Forest Red Gum	210		210	28	8	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
7876	Eucalyptus tereticornis	Forest Red Gum	290	230	370	26	15	4.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
7877	Eucalyptus tereticornis	Forest Red Gum	310		310	28	18	3.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
7878	Corymbia citriodora	Spotted Gum	110		110	8	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
7879	Eucalyptus crebra	Narrow-leaved Ironbark	320		320	26	15	3.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Retain ROL6	
9526	Eucalyptus tereticornis	Forest Red Gum	220		220	19	5	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
9535	Corymbia tessellaris	Moreton Bay Ash	180		180	16	2	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
9536	Corymbia tessellaris	Moreton Bay Ash	170		170	15	1	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
9537	Eucalyptus tereticornis	Forest Red Gum	160		160	12	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
9538	Eucalyptus tereticornis	Forest Red Gum	140		140	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
9539	Eucalyptus crebra	Narrow-leaved Ironbark	120		120	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
9540	Eucalyptus tereticornis	Forest Red Gum	180		180	12	3	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
9544	Acacia disparrima	Hickory Wattle	140	120	184	10	3	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
9546	Eucalyptus tereticornis	Forest Red Gum	210		210	18	4	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
9559	Corymbia tessellaris	Moreton Bay Ash	210		210	19	5	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
9560	Eucalyptus crebra	Narrow-leaved Ironbark	310		310	20	6	3.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
9846	Eucalyptus crebra	Narrow-leaved Ironbark	460		460	25	9	5.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
9850	Eucalyptus crebra	Narrow-leaved Ironbark	380		380	23	10	4.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
9851	Eucalyptus crebra	Narrow-leaved Ironbark	310		310	25	10	3.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
9852	Eucalyptus crebra	Narrow-leaved Ironbark	220		220	20	4	2.6	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
9853	Eucalyptus crebra	Narrow-leaved Ironbark	140		140	12	2	2	1	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
9854	Eucalyptus seeana	Narrow-leaved Gum	310	150	344	22	9	4.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
9855	Eucalyptus crebra	Narrow-leaved Ironbark	280		280	8	1	3.4	2	Regular	-	Thinning	Die-back	Epicormic	Lopped	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
9856	Eucalyptus crebra	Narrow-leaved Ironbark	210		210	11	1	2.5	2	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
9857	Corymbia citriodora	Spotted Gum	230		230	10	2	2.8	2	One-sided	-	Thinning	Die-back	Epicormic	Lopped	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
9858	Eucalyptus crebra	Narrow-leaved Ironbark	170		170	19	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
9859	Eucalyptus crebra	Narrow-leaved Ironbark	160		160	14	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
9860	Eucalyptus crebra	Narrow-leaved Ironbark	310		310	26	9	3.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
9861	Eucalyptus crebra	Narrow-leaved Ironbark	160		160	11	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
9862	Corymbia citriodora	Spotted Gum	270		270	7	1	3.2	2	Regular	-	Thinning	Die-back	Epicormic	Lopped	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
9863	Acacia leiocalyx	Early Flowering Black Wattle	150		150	9	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
9864	Eucalyptus siderophloia	Grey Ironbark	280		280	20	8	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
9865	Eucalyptus crebra	Narrow-leaved Ironbark	240		240	23	4	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
9866	Allocasuarina littoralis	Black Sheoak	160		160	12	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
9867	Eucalyptus tereticornis	Forest Red Gum	210		210	18	2	2.5	2	One-sided	-	Thinning	Die-back	Epicormic	-	Poor	-	-	Trunk Dmg.	-	Poor	-	-	-	-	-	-	Retain ROL6	
9868	Eucalyptus crebra	Narrow-leaved Ironbark	230		230	16	4	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
9869	Eucalyptus crebra	Narrow-leaved Ironbark	200		200	17	3	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
9870	Allocasuarina littoralis	Black Sheoak	150		150	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
9871	Eucalyptus crebra	Narrow-leaved Ironbark	270		270	22	8	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Retain ROL6	
9872	Corymbia citriodora	Spotted Gum	310		310	22	9	3.7	2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
9873	Eucalyptus crebra	Narrow-leaved Ironbark	180		180	18	4	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
9874	Eucalyptus crebra	Narrow-leaved Ironbark	170		170	20	2	2	2	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
9875	Eucalyptus crebra	Narrow-leaved Ironbark	200		200	20	5	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
9876	Corymbia citriodora	Spotted Gum	270		270	17	6	3.2	2	One-sided	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
9877	Eucalyptus crebra	Narrow-leaved Ironbark	190		190	20	3	2.3	2	One-sided	-	Thinning	-	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
9878	Eucalyptus crebra	Narrow-leaved Ironbark	230		230	16	3	2.8	2	One-sided	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
9879	Corymbia citriodora	Spotted Gum	450		450	21	10	5.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
9880	Eucalyptus crebra	Narrow-leaved Ironbark	200		200	19	4	2.4	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
9881	Eucalyptus crebra	Narrow-leaved Ironbark	330		330	22	9	4	2	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
9882	Eucalyptus crebra	Narrow-leaved Ironbark	120	120	170	14	4	2	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
9883	Eucalyptus crebra	Narrow-leaved Ironbark	110		110	13	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
9884	Eucalyptus crebra	Narrow-leaved Ironbark	170		170	16	3	2	2	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
9885	Eucalyptus tereticornis	Forest Red Gum	260		260	21	2	3.1	2	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
9886	Eucalyptus tereticornis	Forest Red Gum	400		400	23	10	4.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
9887	Eucalyptus crebra	Narrow-leaved Ironbark	260	130	291	17	6	3.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
9888	Eucalyptus tereticornis	Forest Red Gum	220		220	15	2	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
9889	Eucalyptus tereticornis	Forest Red Gum	300		300	23	10	3.6	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
9890	Corymbia citriodora	Spotted Gum	430		430	28	14	5.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
9891	Corymbia citriodora	Spotted Gum	350		350	21	10	4.2	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
9892	Corymbia citriodora	Spotted Gum	450		450	21	10	5.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
9893	Corymbia citriodora	Spotted Gum	320	220	388	17	7	4.7	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
9894	Corymbia citriodora	Spotted Gum	120		120	11	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
9895	Corymbia citriodora	Spotted Gum	230		230	17	4	2.8	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
9896	Corymbia citriodora	Spotted Gum	120		120	16	3	2	1	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
9897	Corymbia citriodora	Spotted Gum	120		120	16	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
9898	Eucalyptus crebra	Narrow-leaved Ironbark	300		300	20	8	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
9899	Corymbia citriodora	Spotted Gum	110		110	14	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
9900	Corymbia citriodora	Spotted Gum	290		290	22	9	3.5	2	Regular	-	Thinning	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
9901	Corymbia citriodora	Spotted Gum	125		125	14	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
9902	Angophora leiocarpa	Smooth-barked Apple	240		240	15	7	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
9903	Eucalyptus tereticornis	Forest Red Gum	400	350	532	23	9	6.4	3	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain ROL6	
9904	Corymbia citriodora	Spotted Gum	370	240	441	19	10	5.3	2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
9905	Corymbia citriodora	Spotted Gum	180	110	211	20	5	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
9906	Corymbia citriodora	Spotted Gum	140		140	16	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
9924	Eucalyptus tereticornis	Forest Red Gum	380	410	559	23	10	6.7	3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	School VMP removed	
9925	Eucalyptus crebra	Narrow-leaved Ironbark	290		290	18	5	3.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	School VMP removed	
9926	Eucalyptus tereticornis	Forest Red Gum	410		410	23	12	4.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
9927	Eucalyptus tereticornis	Forest Red Gum	160		160	13	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
9928	Eucalyptus tereticornis	Forest Red Gum	180		180	18	3	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
9929	Eucalyptus tereticornis	Forest Red Gum	180		180	10	2	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
9930	Eucalyptus tereticornis	Forest Red Gum	110	160	194	16	3	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
9931	Eucalyptus tereticornis	Forest Red Gum	170		170	13	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
9932	Eucalyptus crebra	Narrow-leaved Ironbark	150		150	18	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
9933	Eucalyptus crebra	Narrow-leaved Ironbark	170		170	17	3	2	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
9934	Eucalyptus tereticornis	Forest Red Gum	140		140	8	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
9935	Eucalyptus tereticornis	Forest Red Gum	230		230	19	4	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
9936	Eucalyptus tereticornis	Forest Red Gum	200		200	16	3	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
9937	Eucalyptus crebra	Narrow-leaved Ironbark	380		380	16	7	4.6	2	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
9938	Eucalyptus tereticornis	Forest Red Gum	100		100	10	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
9939	Eucalyptus crebra	Narrow-leaved Ironbark	200		200	17	4	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
9944	Allocasuarina littoralis	Black Sheoak	160		160	9	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
9945	Acacia leiocalyx	Early Flowering Black Wattle	140		140	9	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
9946	Eucalyptus tereticornis	Forest Red Gum	240		240	20	6	2.9	2	Regular	-	Thinning	-	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
9947	Eucalyptus crebra	Narrow-leaved Ironbark	200		200	16	3	2.4	2	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
9953	Eucalyptus tereticornis	Forest Red Gum	130		130	11	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
10011	Corymbia tessellaris	Moreton Bay Ash	170		170	17	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
10012	Eucalyptus crebra	Narrow-leaved Ironbark	130		130	9	1	2	1	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
10013	Corymbia tessellaris	Moreton Bay Ash	210		210	19	4	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
10014	Eucalyptus tereticornis	Forest Red Gum	210		210	18	6	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
10015	Eucalyptus tereticornis	Forest Red Gum	220		220	18	6	2.6	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
10031	Corymbia tessellaris	Moreton Bay Ash	100		100	12	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
10032	Corymbia tessellaris	Moreton Bay Ash	110		110	11	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
10033	Corymbia tessellaris	Moreton Bay Ash	170		170	18	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
10034	Corymbia tessellaris	Moreton Bay Ash	160		160	17	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
10035	Corymbia tessellaris	Moreton Bay Ash	140		140	17	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
10036	Corymbia tessellaris	Moreton Bay Ash	130		130	15	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
10037	Corymbia tessellaris	Moreton Bay Ash	140		140	16	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
10038	Eucalyptus tereticornis	Forest Red Gum	240		240	20	5	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
10039	Eucalyptus tereticornis	Forest Red Gum	230		230	17	4	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
10040	Corymbia citriodora	Spotted Gum	180		180	20	5	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
10041	Corymbia citriodora	Spotted Gum	190		190	19	3	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
10042	Eucalyptus tereticornis	Forest Red Gum	180		180	16	5	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
10043	Eucalyptus tereticornis	Forest Red Gum	210		210	19	6	2.5	2	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
10099	Corymbia citriodora	Spotted Gum	120		120	14	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
10100	Corymbia citriodora	Spotted Gum	170		170	18	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
10101	Corymbia tessellaris	Moreton Bay Ash	200		200	17	1	2.4	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
10102	Corymbia citriodora	Spotted Gum	590		590	22	12	7.1	3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
10103	Corymbia citriodora	Spotted Gum	130		130	11	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
10104	Corymbia citriodora	Spotted Gum	120		120	12	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
10105	Corymbia citriodora	Spotted Gum	200		200	18	3	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
10106	Corymbia citriodora	Spotted Gum	180		180	14	3	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
10107	Corymbia citriodora	Spotted Gum	400	400	566	24	10	6.8	3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
10108	Eucalyptus tereticornis	Forest Red Gum	360		360	23	5	4.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
10109	Eucalyptus crebra	Narrow-leaved Ironbark	190		190	14	3	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
10110	Eucalyptus crebra	Narrow-leaved Ironbark	280		280	16	4	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
10111	Eucalyptus crebra	Narrow-leaved Ironbark	130		130	10	2	2	1	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
10112	Eucalyptus crebra	Narrow-leaved Ironbark	140		140	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
10113	Eucalyptus crebra	Narrow-leaved Ironbark	130		130	8	1	2	1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
10114	Eucalyptus crebra	Narrow-leaved Ironbark	210		210	18	4	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
10115	Corymbia citriodora	Spotted Gum	230		230	21	4	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
10116	Corymbia citriodora	Spotted Gum	410		410	26	10	4.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
10117	Eucalyptus crebra	Narrow-leaved Ironbark	170		170	16	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
10118	Eucalyptus tereticornis	Forest Red Gum	630		630	20	9	7.6	3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
10119	Eucalyptus crebra	Narrow-leaved Ironbark	300		300	18	3	3.6	2	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
10120	Corymbia citriodora	Spotted Gum	160		160	17	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
10121	Eucalyptus siderophloia	Grey Ironbark	200		200	17	4	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
10122	Eucalyptus crebra	Narrow-leaved Ironbark	320		320	25	9	3.8	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
10123	Eucalyptus crebra	Narrow-leaved Ironbark	130		130	15	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
10124	Eucalyptus crebra	Narrow-leaved Ironbark	370	320	489	25	11	5.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
10125	Eucalyptus crebra	Narrow-leaved Ironbark	160		160	16	2	2	2	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
10126	Eucalyptus crebra	Narrow-leaved Ironbark	200		200	21	5	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
10127	Eucalyptus crebra	Narrow-leaved Ironbark	180		180	17	3	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
10128	Eucalyptus crebra	Narrow-leaved Ironbark	160		160	14	3	2	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
10129	Eucalyptus crebra	Narrow-leaved Ironbark	300		300	17	7	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
10130	Eucalyptus crebra	Narrow-leaved Ironbark	190		190	16	4	2.3	2	One-sided	-	-	-	-	-	Typical	Major	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
10131	Eucalyptus crebra	Narrow-leaved Ironbark	150		150	16	2	2	1	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
10132	Eucalyptus crebra	Narrow-leaved Ironbark	290		290	20	8	3.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
10133	Corymbia citriodora	Spotted Gum	120		120	19	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
10134	Corymbia citriodora	Spotted Gum	360		360	27	8	4.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
10135	Corymbia citriodora	Spotted Gum	120		120	9	2	2	1	One-sided	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
10136	Eucalyptus crebra	Narrow-leaved Ironbark	200		200	18	4	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
10137	Corymbia citriodora	Spotted Gum	370	150	399	24	11	4.8	2	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
10138	Eucalyptus crebra	Narrow-leaved Ironbark	240		240	20	7	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
10139	Eucalyptus crebra	Narrow-leaved Ironbark	370		370	22	8	4.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
10140	Eucalyptus crebra	Narrow-leaved Ironbark	210	220	304	17	6	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
10141	Eucalyptus crebra	Narrow-leaved Ironbark	180		180	15	1	2.2	2	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
10142	Eucalyptus crebra	Narrow-leaved Ironbark	250		250	18	5	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Retain ROL6	
10143	Eucalyptus crebra	Narrow-leaved Ironbark	190	230	298	19	8	3.6	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
10144	Eucalyptus crebra	Narrow-leaved Ironbark	170		170	14	4	2	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
10145	Eucalyptus crebra	Narrow-leaved Ironbark	200		200	19	4	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
10146	Corymbia citriodora	Spotted Gum	150		150	16	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
10147	Corymbia citriodora	Spotted Gum	190		190	16	4	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
10148	Corymbia citriodora	Spotted Gum	110		110	15	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
10150	Eucalyptus crebra	Narrow-leaved Ironbark	240		240	16	5	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
10151	Eucalyptus crebra	Narrow-leaved Ironbark	360		360	23	9	4.3	2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
10152	Eucalyptus crebra	Narrow-leaved Ironbark	310		310	23	9	3.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
10154	Eucalyptus crebra	Narrow-leaved Ironbark	160		160	14	3	2	2	One-sided	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
10187	Corymbia tessellaris	Moreton Bay Ash	130		130	15	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
10882	Eucalyptus seeana	Narrow-leaved Gum	240	230, 200	388	21	8	4.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
10883	Eucalyptus crebra	Narrow-leaved Ironbark	200		200	16	5	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
10884	Eucalyptus tereticornis	Forest Red Gum	230	210	311	21	8	3.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
10886	Corymbia intermedia	Pink Bloodwood	260		260	16	5	3.1	2	Regular	-	Thinning	-	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
10887	Corymbia intermedia	Pink Bloodwood	300		300	21	8	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
10888	Eucalyptus tereticornis	Forest Red Gum	340		340	22	7	4.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
10889	Allocasuarina littoralis	Black Sheoak	150		150	13	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
10890	Corymbia intermedia	Pink Bloodwood	280		280	18	8	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
10891	Eucalyptus tereticornis	Forest Red Gum	290		290	23	9	3.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
10892	Corymbia intermedia	Pink Bloodwood	200	120	233	19	6	2.8	2	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
10893	Eucalyptus tereticornis	Forest Red Gum	250		250	23	9	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
10894	Corymbia intermedia	Pink Bloodwood	230	130	264	15	5	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
10895	Corymbia intermedia	Pink Bloodwood	120		120	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
10896	Eucalyptus tereticornis	Forest Red Gum	120		120	16	2	2	1	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
10897	Eucalyptus tereticornis	Forest Red Gum	410		410	18	7	4.9	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain ROL6	
10922	Eucalyptus tereticornis	Forest Red Gum	210		210	17	5	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
10923	Corymbia intermedia	Pink Bloodwood	250		250	17	6	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
10924	Allocasuarina littoralis	Black Sheoak	260		260	13	6	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
10925	Corymbia intermedia	Pink Bloodwood	200		200	19	6	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
10926	Allocasuarina littoralis	Black Sheoak	220		220	14	5	2.6	2	Regular	-	Thinning	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
10927	Corymbia intermedia	Pink Bloodwood	210		210	16	5	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
10928	Corymbia intermedia	Pink Bloodwood	330		330	21	10	4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
10929	Eucalyptus tereticornis	Forest Red Gum	150		150	15	3	2	1	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
10930	Corymbia intermedia	Pink Bloodwood	230		230	14	5	2.8	2	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
10931	Eucalyptus tereticornis	Forest Red Gum	270		270	19	8	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
10932	Allocasuarina littoralis	Black Sheoak	170		170	15	4	2	2	Regular	-	Thinning	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
10933	Eucalyptus tereticornis	Forest Red Gum	150		150	14	4	2	1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
10934	Eucalyptus tereticornis	Forest Red Gum	150		150	14	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
10935	Eucalyptus tereticornis	Forest Red Gum	160		160	15	4	2	2	Regular	-	Thinning	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
10936	Eucalyptus tereticornis	Forest Red Gum	240	210	319	22	10	3.8	2	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
10937	Allocasuarina littoralis	Black Sheoak	170		170	12	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
10938	Allocasuarina littoralis	Black Sheoak	190		190	13	4	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
10939	Corymbia intermedia	Pink Bloodwood	210		210	14	4	2.5	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Retain ROL6	
10940	Eucalyptus tereticornis	Forest Red Gum	230		230	16	6	2.8	2	Regular	-	Thinning	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
10941	Eucalyptus tereticornis	Forest Red Gum	300		300	21	8	3.6	2	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
10942	Corymbia intermedia	Pink Bloodwood	230	200	305	22	8	3.7	2	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
10964	Eucalyptus tereticornis	Forest Red Gum	350	230	419	23	10	5	2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain ROL6	
10965	Corymbia intermedia	Pink Bloodwood	230		230	14	5	2.8	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
10968	Acacia concurrens	Black Wattle	170		170	15	4	2	2	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
10969	Corymbia intermedia	Pink Bloodwood	280		280	15	5	3.4	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
10970	Eucalyptus crebra	Narrow-leaved Ironbark	140		140	15	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
10971	Corymbia intermedia	Pink Bloodwood	160		160	14	2	2	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	Trunk Dmg.	-	Poor	-	-	-	-	-	-	Retain ROL6	
10972	Eucalyptus crebra	Narrow-leaved Ironbark	190		190	15	4	2.3	2	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
10973	Corymbia intermedia	Pink Bloodwood	210		210	15	4	2.5	2	Regular	-	Thinning	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain ROL6	
10974	Eucalyptus tereticornis	Forest Red Gum	350		350	25	11	4.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
10994	Lophostemon suaveolens	Swamp Box	190		190	14	3	2.3	2	Regular	-	Thinning	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
10995	Lophostemon suaveolens	Swamp Box	220		220	15	5	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11003	Eucalyptus tereticornis	Forest Red Gum	230		230	21	6	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11004	Allocasuarina littoralis	Black Sheoak	230		230	16	6	2.8	2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain ROL6	
11006	Lophostemon suaveolens	Swamp Box	250		250	13	5	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11007	Eucalyptus tereticornis	Forest Red Gum	300	180	350	21	8	4.2	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11008	Lophostemon suaveolens	Swamp Box	120		120	13	2	2	1	Regular	-	Thinning	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11009	Lophostemon suaveolens	Swamp Box	130		130	13	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11010	Lophostemon suaveolens	Swamp Box	120		120	11	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11011	Corymbia intermedia	Pink Bloodwood	250		250	15	6	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11012	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	12	3	2	1	Regular	-	Thinning	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11013	Lophostemon suaveolens	Swamp Box	150		150	14	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11166	Corymbia intermedia	Pink Bloodwood	300		300	17	4	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11167	Corymbia intermedia	Pink Bloodwood	150		150	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11168	Eucalyptus tereticornis	Forest Red Gum	290		290	21	6	3.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11169	Corymbia intermedia	Pink Bloodwood	330		330	20	5	4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11184	Corymbia intermedia	Pink Bloodwood	280		280	16	5	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11185	Allocasuarina littoralis	Black Sheoak	200		200	14	3	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11186	Allocasuarina littoralis	Black Sheoak	150		150	10	3	2	1	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11188	Eucalyptus tereticornis	Forest Red Gum	330		330	20	7	4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11189	Eucalyptus tereticornis	Forest Red Gum	300		300	16	3	3.6	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11190	Allocasuarina littoralis	Black Sheoak	220		220	13	3	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11191	Allocasuarina littoralis	Black Sheoak	160	120	200	12	3	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11192	Angophora leiocarpa	Smooth-barked Apple	270	260	375	17	4	4.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11193	Eucalyptus tereticornis	Forest Red Gum	180		180	16	2	2.2	2	One-sided	-	Thinning	-	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11194	Eucalyptus tereticornis	Forest Red Gum	230		230	19	4	2.8	2	One-sided	-	Thinning	-	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11195	Eucalyptus tereticornis	Forest Red Gum	290	240	376	21	6	4.5	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11196	Corymbia intermedia	Pink Bloodwood	280		280	18	5	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11197	Eucalyptus tereticornis	Forest Red Gum	280		280	20	5	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11198	Eucalyptus tereticornis	Forest Red Gum	360		360	22	8	4.3	2	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11199	Eucalyptus tereticornis	Forest Red Gum	170		170	9	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11200	Corymbia intermedia	Pink Bloodwood	200		200	15	3	2.4	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11201	Eucalyptus tereticornis	Forest Red Gum	290		290	22	7	3.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11202	Eucalyptus tereticornis	Forest Red Gum	160		160	13	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11203	Allocasuarina littoralis	Black Sheoak	160		160	10	2	2	2	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11204	Allocasuarina littoralis	Black Sheoak	210		210	13	3	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11205	Allocasuarina littoralis	Black Sheoak	200		200	8	2	2.4	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11206	Allocasuarina littoralis	Black Sheoak	190		190	13	3	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11207	Corymbia intermedia	Pink Bloodwood	330		330	17	7	4	2	One-sided	-	Thinning	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11208	Eucalyptus tereticornis	Forest Red Gum	190		190	18	3	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11209	Eucalyptus tereticornis	Forest Red Gum	260		260	21	6	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11210	Corymbia citriodora	Spotted Gum	370		370	21	7	4.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11211	Corymbia citriodora	Spotted Gum	200	180	269	16	4	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11212	Corymbia citriodora	Spotted Gum	270		270	20	4	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11213	Eucalyptus tereticornis	Forest Red Gum	330		330	19	6	4	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11214	Corymbia citriodora	Spotted Gum	320		320	23	6	3.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11215	Eucalyptus tereticornis	Forest Red Gum	320		320	18	3	3.8	2	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11216	Eucalyptus tereticornis	Forest Red Gum	220		220	18	3	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11217	Allocasuarina littoralis	Black Sheoak	190		190	11	2	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11218	Allocasuarina littoralis	Black Sheoak	160		160	9	3	2	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11219	Eucalyptus tereticornis	Forest Red Gum	250		250	20	5	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
11220	Allocasuarina littoralis	Black Sheoak	170		170	8	3	2	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11221	Corymbia intermedia	Pink Bloodwood	220		220	12	3	2.6	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11222	Allocasuarina littoralis	Black Sheoak	160		160	11	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11223	Allocasuarina littoralis	Black Sheoak	190		190	11	2	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11224	Eucalyptus tereticornis	Forest Red Gum	230	180	292	18	4	3.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11225	Eucalyptus tereticornis	Forest Red Gum	240		240	21	5	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11226	Eucalyptus tereticornis	Forest Red Gum	230		230	19	3	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11227	Eucalyptus tereticornis	Forest Red Gum	270	310	411	20	6	4.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11228	Eucalyptus tereticornis	Forest Red Gum	160		160	17	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11229	Eucalyptus crebra	Narrow-leaved Ironbark	160		160	17	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11230	Eucalyptus tereticornis	Forest Red Gum	360		360	20	7	4.3	2	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11231	Eucalyptus tereticornis	Forest Red Gum	280		280	21	5	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11232	Eucalyptus tereticornis	Forest Red Gum	220		220	18	4	2.6	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11233	Eucalyptus crebra	Narrow-leaved Ironbark	150		150	18	1	2	1	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11234	Eucalyptus tereticornis	Forest Red Gum	450	190	488	23	8	5.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11235	Eucalyptus crebra	Narrow-leaved Ironbark	160		160	10	1	2	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11236	Corymbia intermedia	Pink Bloodwood	220		220	17	3	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11237	Eucalyptus tereticornis	Forest Red Gum	200		200	17	3	2.4	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11238	Corymbia intermedia	Pink Bloodwood	430		430	24	10	5.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11239	Eucalyptus crebra	Narrow-leaved Ironbark	280	170	328	18	6	3.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11240	Eucalyptus crebra	Narrow-leaved Ironbark	150		150	15	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11241	Eucalyptus crebra	Narrow-leaved Ironbark	140		140	12	3	2	1	Regular	-	Thinning	-	-	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11242	Eucalyptus tereticornis	Forest Red Gum	330		330	20	8	4	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11243	Eucalyptus tereticornis	Forest Red Gum	300		300	21	4	3.6	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11244	Eucalyptus tereticornis	Forest Red Gum	190		190	16	3	2.3	2	Regular	-	Thinning	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11245	Corymbia intermedia	Pink Bloodwood	250	300	391	18	6	4.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11246	Corymbia citriodora	Spotted Gum	380		380	19	10	4.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11247	Eucalyptus tereticornis	Forest Red Gum	180		180	15	3	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11248	Allocasuarina littoralis	Black Sheoak	170		170	12	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11249	Eucalyptus tereticornis	Forest Red Gum	190		190	15	1	2.3	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11250	Allocasuarina littoralis	Black Sheoak	170		170	10	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11251	Eucalyptus tereticornis	Forest Red Gum	240		240	18	3	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11252	Eucalyptus crebra	Narrow-leaved Ironbark	220		220	20	6	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11253	Eucalyptus crebra	Narrow-leaved Ironbark	190		190	18	3	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11254	Eucalyptus crebra	Narrow-leaved Ironbark	240		240	19	6	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11255	Eucalyptus crebra	Narrow-leaved Ironbark	210		210	19	3	2.5	2	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11256	Eucalyptus crebra	Narrow-leaved Ironbark	190		190	16	3	2.3	2	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11257	Eucalyptus tereticornis	Forest Red Gum	230		230	19	4	2.8	2	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11258	Eucalyptus crebra	Narrow-leaved Ironbark	350		350	21	7	4.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11259	Eucalyptus crebra	Narrow-leaved Ironbark	170		170	16	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11260	Eucalyptus crebra	Narrow-leaved Ironbark	260		260	17	5	3.1	2	One-sided	-	Thinning	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11261	Corymbia intermedia	Pink Bloodwood	220		220	16	4	2.6	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11262	Corymbia citriodora	Spotted Gum	180		180	17	3	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11263	Corymbia citriodora	Spotted Gum	280		280	19	7	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11264	Eucalyptus crebra	Narrow-leaved Ironbark	200		200	20	4	2.4	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11265	Allocasuarina littoralis	Black Sheoak	160		160	10	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11266	Allocasuarina littoralis	Black Sheoak	200		200	15	4	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11267	Eucalyptus tereticornis	Forest Red Gum	170		170	12	1	2	2	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11268	Corymbia citriodora	Spotted Gum	220		220	16	3	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11269	Eucalyptus crebra	Narrow-leaved Ironbark	400		400	23	10	4.8	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11270	Corymbia citriodora	Spotted Gum	170	150	227	15	3	2.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11271	Corymbia intermedia	Pink Bloodwood	200		200	16	3	2.4	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11272	Eucalyptus crebra	Narrow-leaved Ironbark	250		250	18	4	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11273	Eucalyptus crebra	Narrow-leaved Ironbark	360		360	23	8	4.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11274	Eucalyptus crebra	Narrow-leaved Ironbark	180		180	16	3	2.2	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11275	Eucalyptus crebra	Narrow-leaved Ironbark	160		160	16	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11276	Eucalyptus crebra	Narrow-leaved Ironbark	200		200	17	4	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
11277	Eucalyptus tereticornis	Forest Red Gum	280	290	403	22	8	4.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11278	Allocasuarina littoralis	Black Sheoak	160		160	11	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11279	Eucalyptus tereticornis	Forest Red Gum	230		230	19	3	2.8	2	Regular	-	Thinning	-	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11280	Eucalyptus crebra	Narrow-leaved Ironbark	230		230	20	4	2.8	2	Regular	-	Thinning	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11281	Eucalyptus crebra	Narrow-leaved Ironbark	270		270	20	7	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11282	Eucalyptus crebra	Narrow-leaved Ironbark	260	230	347	23	7	4.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11283	Eucalyptus crebra	Narrow-leaved Ironbark	200		200	16	1	2.4	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11284	Eucalyptus crebra	Narrow-leaved Ironbark	250	230	340	19	5	4.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11285	Eucalyptus tereticornis	Forest Red Gum	210		210	21	8	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11286	Eucalyptus crebra	Narrow-leaved Ironbark	150		150	16	1	2	1	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Retain ROL6	
11287	Corymbia citriodora	Spotted Gum	230	200	305	17	6	3.7	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11288	Corymbia citriodora	Spotted Gum	330		330	22	9	4	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11289	Allocasuarina littoralis	Black Sheoak	180		180	10	3	2.2	2	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11290	Eucalyptus crebra	Narrow-leaved Ironbark	290		290	20	9	3.5	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11291	Corymbia intermedia	Pink Bloodwood	220		220	14	3	2.6	2	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11292	Eucalyptus tereticornis	Forest Red Gum	260		260	20	5	3.1	2	Regular	-	Thinning	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11293	Eucalyptus tereticornis	Forest Red Gum	200		200	16	3	2.4	2	One-sided	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain ROL6	
11294	Eucalyptus tereticornis	Forest Red Gum	230		230	19	4	2.8	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11295	Corymbia citriodora	Spotted Gum	210		210	14	3	2.5	2	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11296	Corymbia citriodora	Spotted Gum	240	280	369	20	8	4.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11297	Allocasuarina littoralis	Black Sheoak	180		180	12	4	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11298	Allocasuarina littoralis	Black Sheoak	180		180	11	3	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11299	Corymbia intermedia	Pink Bloodwood	320		320	17	8	3.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11300	Eucalyptus tereticornis	Forest Red Gum	200		200	17	3	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11301	Allocasuarina littoralis	Black Sheoak	170		170	8	3	2	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11302	Corymbia citriodora	Spotted Gum	360		360	20	6	4.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11303	Eucalyptus crebra	Narrow-leaved Ironbark	300		300	17	5	3.6	2	One-sided	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11304	Eucalyptus tereticornis	Forest Red Gum	220		220	20	4	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11305	Corymbia intermedia	Pink Bloodwood	250		250	14	3	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11306	Allocasuarina littoralis	Black Sheoak	150		150	9	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11307	Allocasuarina littoralis	Black Sheoak	150		150	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11308	Eucalyptus tereticornis	Forest Red Gum	230		230	19	4	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11309	Eucalyptus crebra	Narrow-leaved Ironbark	230		230	20	5	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11310	Allocasuarina littoralis	Black Sheoak	160		160	12	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11311	Eucalyptus tereticornis	Forest Red Gum	220		220	17	3	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11312	Corymbia intermedia	Pink Bloodwood	160		160	12	1	2	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11313	Eucalyptus crebra	Narrow-leaved Ironbark	200		200	16	3	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11314	Eucalyptus crebra	Narrow-leaved Ironbark	160		160	16	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11315	Corymbia intermedia	Pink Bloodwood	230		230	17	4	2.8	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11316	Eucalyptus tereticornis	Forest Red Gum	310		310	19	7	3.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11317	Corymbia intermedia	Pink Bloodwood	180	200	269	15	4	3.2	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11318	Eucalyptus tereticornis	Forest Red Gum	600		600	25	8	7.2	3	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Poor	-	-	-	-	-	-	Retain ROL6	
11336	Corymbia intermedia	Pink Bloodwood	150		150	15	2	2	1	Regular	-	Thinning	-	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11337	Melaleuca irbyana	Swamp Paperbark	20	30, 30, 40	61.6	2	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
11346	Eucalyptus crebra	Narrow-leaved Ironbark	380		380	18	3	4.6	2	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11387	Melaleuca quinquenervia	Broad-leaved Paperbark	160		160	8	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11388	Melaleuca quinquenervia	Broad-leaved Paperbark	160		160	15	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11394	Corymbia intermedia	Pink Bloodwood	200		200	15	2	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11395	Lophostemon suaveolens	Swamp Box	190		190	16	3	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
11415	Eucalyptus tereticornis	Forest Red Gum	190		190	15	2	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11416	Eucalyptus crebra	Narrow-leaved Ironbark	440		440	20	6	5.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11417	Eucalyptus tereticornis	Forest Red Gum	240		240	17	3	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11418	Eucalyptus crebra	Narrow-leaved Ironbark	460		460	22	8	5.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11419	Eucalyptus crebra	Narrow-leaved Ironbark	250		250	18	4	3	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11420	Eucalyptus crebra	Narrow-leaved Ironbark	230		230	15	4	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11421	Eucalyptus crebra	Narrow-leaved Ironbark	220		220	17	3	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11422	Eucalyptus crebra	Narrow-leaved Ironbark	270		270	19	4	3.2	2	Regular	-	Thinning	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
11423	Corymbia tessellaris	Moreton Bay Ash	370		370	20	6	4.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11424	Eucalyptus crebra	Narrow-leaved Ironbark	200		200	10	3	2.4	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11425	Corymbia tessellaris	Moreton Bay Ash	150		150	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11426	Allocasuarina littoralis	Black Sheoak	150		150	9	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11427	Melaleuca quinquenervia	Broad-leaved Paperbark	190		190	12	2	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11428	Allocasuarina littoralis	Black Sheoak	160		160	9	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11429	Lophostemon suaveolens	Swamp Box	100		100	7	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11430	Melaleuca quinquenervia	Broad-leaved Paperbark	190	120	225	12	3	2.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11431	Eucalyptus tereticornis	Forest Red Gum	230		230	17	3	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11432	Melaleuca quinquenervia	Broad-leaved Paperbark	140		140	13	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11433	Eucalyptus tereticornis	Forest Red Gum	160		160	13	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11434	Melaleuca quinquenervia	Broad-leaved Paperbark	280		280	17	3	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11435	Melaleuca quinquenervia	Broad-leaved Paperbark	220		220	15	3	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11436	Eucalyptus tereticornis	Forest Red Gum	210		210	13	2	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11437	Melaleuca quinquenervia	Broad-leaved Paperbark	120		120	8	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11438	Eucalyptus tereticornis	Forest Red Gum	170		170	12	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11439	Melaleuca quinquenervia	Broad-leaved Paperbark	260	260	368	16	3	4.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11440	Melaleuca quinquenervia	Broad-leaved Paperbark	260	300	397	15	3	4.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11441	Corymbia tessellaris	Moreton Bay Ash	150		150	14	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11442	Corymbia tessellaris	Moreton Bay Ash	160		160	14	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11443	Corymbia tessellaris	Moreton Bay Ash	160		160	11	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11444	Corymbia tessellaris	Moreton Bay Ash	140		140	10	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11445	Melaleuca quinquenervia	Broad-leaved Paperbark	230		230	12	2	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11446	Eucalyptus tereticornis	Forest Red Gum	200		200	18	3	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11447	Melaleuca quinquenervia	Broad-leaved Paperbark	230	210, 180	360	14	3	4.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11448	Corymbia tessellaris	Moreton Bay Ash	160		160	12	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11449	Allocasuarina littoralis	Black Sheoak	110	130	170	11	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11450	Melaleuca quinquenervia	Broad-leaved Paperbark	320		320	12	3	3.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11451	Melaleuca quinquenervia	Broad-leaved Paperbark	190		190	12	3	2.3	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11452	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	8	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11453	Eucalyptus tereticornis	Forest Red Gum	310		310	16	4	3.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11454	Angophora leiocarpa	Smooth-barked Apple	120		120	7	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11455	Eucalyptus tereticornis	Forest Red Gum	460		460	21	6	5.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11456	Angophora leiocarpa	Smooth-barked Apple	180		180	7	2	2.2	2	One-sided	-	-	-	-	-	Typical	Major	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11457	Angophora leiocarpa	Smooth-barked Apple	180		180	13	3	2.2	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11458	Eucalyptus tereticornis	Forest Red Gum	180		180	12	2	2.2	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11459	Angophora leiocarpa	Smooth-barked Apple	170		170	11	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11460	Melaleuca quinquenervia	Broad-leaved Paperbark	330		330	12	3	4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11461	Angophora leiocarpa	Smooth-barked Apple	150		150	15	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11462	Angophora leiocarpa	Smooth-barked Apple	210		210	16	3	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11463	Eucalyptus tereticornis	Forest Red Gum	250		250	18	4	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11464	Angophora leiocarpa	Smooth-barked Apple	220		220	15	2	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11465	Angophora leiocarpa	Smooth-barked Apple	130		130	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11466	Eucalyptus tereticornis	Forest Red Gum	110		110	10	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11467	Eucalyptus tereticornis	Forest Red Gum	190		190	17	2	2.3	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11468	Eucalyptus tereticornis	Forest Red Gum	380		380	19	5	4.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11469	Eucalyptus tereticornis	Forest Red Gum	130		130	12	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11470	Eucalyptus tereticornis	Forest Red Gum	230		230	15	2	2.8	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11471	Eucalyptus tereticornis	Forest Red Gum	330		330	19	4	4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11472	Melaleuca quinquenervia	Broad-leaved Paperbark	160		160	10	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11473	Melaleuca quinquenervia	Broad-leaved Paperbark	160		160	11	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11474	Angophora leiocarpa	Smooth-barked Apple	200		200	13	2	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11475	Eucalyptus tereticornis	Forest Red Gum	310		310	17	4	3.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11476	Angophora leiocarpa	Smooth-barked Apple	220		220	16	3	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11477	Eucalyptus tereticornis	Forest Red Gum	150		150	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11478	Melaleuca quinquenervia	Broad-leaved Paperbark	310		310	14	3	3.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11479	Eucalyptus tereticornis	Forest Red Gum	430		430	23	7	5.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
11480	Eucalyptus tereticornis	Forest Red Gum	350		350	24	6	4.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11481	Eucalyptus tereticornis	Forest Red Gum	340		340	23	6	4.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11482	Eucalyptus tereticornis	Forest Red Gum	400		400	24	6	4.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11483	Eucalyptus tereticornis	Forest Red Gum	280		280	21	5	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11484	Angophora leiocarpa	Smooth-barked Apple	130		130	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11485	Eucalyptus tereticornis	Forest Red Gum	100		100	9	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11486	Eucalyptus tereticornis	Forest Red Gum	390		390	23	9	4.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11487	Corymbia citriodora	Spotted Gum	130		130	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11488	Angophora leiocarpa	Smooth-barked Apple	270		270	18	4	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11489	Angophora leiocarpa	Smooth-barked Apple	400		400	21	12	4.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11490	Allocasuarina littoralis	Black Sheoak	150		150	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11491	Angophora leiocarpa	Smooth-barked Apple	100		100	9	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11492	Angophora leiocarpa	Smooth-barked Apple	370	270, 160	485	18	6	5.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11493	Angophora leiocarpa	Smooth-barked Apple	390		390	19	8	4.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11494	Angophora leiocarpa	Smooth-barked Apple	270		270	14	5	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11495	Alphitonia excelsa	Red Ash	180		180	16	3	2.2	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11496	Eucalyptus tereticornis	Forest Red Gum	450		450	22	9	5.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11497	Acacia leiocalyx	Early Flowering Black Wattle	150		150	11	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11498	Allocasuarina littoralis	Black Sheoak	150		150	11	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11499	Eucalyptus crebra	Narrow-leaved Ironbark	320		320	18	6	3.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11500	Eucalyptus crebra	Narrow-leaved Ironbark	280		280	18	5	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11501	Lophostemon suaveolens	Swamp Box	160		160	9	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11502	Eucalyptus tereticornis	Forest Red Gum	330		330	19	5	4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11503	Eucalyptus crebra	Narrow-leaved Ironbark	1100		1100	22	14	13	3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Large	-	-	-	School VMP removed	
11505	Corymbia citriodora	Spotted Gum	150		150	16	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11621	Eucalyptus tereticornis	Forest Red Gum	270		270	17	4	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11622	Eucalyptus tereticornis	Forest Red Gum	220		220	14	3	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11623	Eucalyptus tereticornis	Forest Red Gum	360		360	17	6	4.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11624	Eucalyptus tereticornis	Forest Red Gum	290		290	10	1	3.5	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11625	Eucalyptus crebra	Narrow-leaved Ironbark	390		390	18	8	4.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11626	Eucalyptus crebra	Narrow-leaved Ironbark	220		220	18	5	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11627	Eucalyptus crebra	Narrow-leaved Ironbark	220		220	19	6	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11628	Eucalyptus crebra	Narrow-leaved Ironbark	210		210	17	5	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11629	Eucalyptus tereticornis	Forest Red Gum	340		340	19	6	4.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11630	Eucalyptus tereticornis	Forest Red Gum	260		260	16	1	3.1	2	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11631	Eucalyptus tereticornis	Forest Red Gum	370		370	23	8	4.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11632	Eucalyptus crebra	Narrow-leaved Ironbark	270		270	18	7	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11633	Eucalyptus tereticornis	Forest Red Gum	250		250	18	6	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11634	Eucalyptus crebra	Narrow-leaved Ironbark	200		200	13	4	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11635	Eucalyptus tereticornis	Forest Red Gum	400		400	21	10	4.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11636	Eucalyptus tereticornis	Forest Red Gum	340		340	23	7	4.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11637	Eucalyptus tereticornis	Forest Red Gum	290		290	22	7	3.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11638	Eucalyptus tereticornis	Forest Red Gum	240		240	19	4	2.9	2	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11639	Eucalyptus tereticornis	Forest Red Gum	380		380	18	6	4.6	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11640	Eucalyptus tereticornis	Forest Red Gum	150		150	12	1	2	1	Regular	-	Thinning	Die-back	Epicormic	Lopped	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11641	Eucalyptus tereticornis	Forest Red Gum	360		360	18	8	4.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11642	Eucalyptus tereticornis	Forest Red Gum	200		200	17	4	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11643	Allocasuarina littoralis	Black Sheoak	230		230	9	3	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11644	Eucalyptus tereticornis	Forest Red Gum	260		260	16	3	3.1	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11645	Eucalyptus tereticornis	Forest Red Gum	350		350	21	8	4.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11646	Allocasuarina littoralis	Black Sheoak	290		290	13	5	3.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11647	Allocasuarina littoralis	Black Sheoak	150		150	11	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11680	Allocasuarina littoralis	Black Sheoak	190		190	12	3	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11681	Allocasuarina littoralis	Black Sheoak	170		170	13	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11682	Lophostemon suaveolens	Swamp Box	150		150	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11683	Allocasuarina littoralis	Black Sheoak	180		180	14	2	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11684	Lophostemon suaveolens	Swamp Box	190		190	15	3	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
11685	Allocasuarina littoralis	Black Sheoak	220		220	15	4	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11686	Allocasuarina littoralis	Black Sheoak	180		180	16	5	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11687	Lophostemon suaveolens	Swamp Box	180		180	11	4	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11688	Eucalyptus tereticornis	Forest Red Gum	650		650	26	12	7.8	3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11689	Alphitonia excelsa	Red Ash	220		220	16	4	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11690	Corymbia citriodora	Spotted Gum	230		230	16	5	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11691	Acacia disparrima	Hickory Wattle	220		220	10	3	2.6	2	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Poor	-	-	-	-	-	-	School VMP removed	
11692	Lophostemon suaveolens	Swamp Box	180		180	10	2	2.2	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11693	Lophostemon suaveolens	Swamp Box	120		120	8	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11694	Lophostemon suaveolens	Swamp Box	120		120	9	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11695	Lophostemon suaveolens	Swamp Box	130		130	9	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11696	Lophostemon suaveolens	Swamp Box	120		120	8	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11697	Allocasuarina littoralis	Black Sheoak	150		150	7	2	2	1	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11698	Melaleuca quinquenervia	Broad-leaved Paperbark	500		500	16	4	6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11699	Lophostemon suaveolens	Swamp Box	120		120	8	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11700	Melaleuca quinquenervia	Broad-leaved Paperbark	340		340	14	5	4.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11701	Melaleuca quinquenervia	Broad-leaved Paperbark	210		210	12	3	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11702	Melaleuca quinquenervia	Broad-leaved Paperbark	280		280	11	4	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11703	Melaleuca quinquenervia	Broad-leaved Paperbark	230		230	10	3	2.8	2	Regular	-	-	-	-	-	Typical	Major	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11704	Melaleuca quinquenervia	Broad-leaved Paperbark	190	190	269	12	3	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11705	Melaleuca quinquenervia	Broad-leaved Paperbark	160		160	10	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11706	Melaleuca quinquenervia	Broad-leaved Paperbark	190		190	11	2	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11707	Melaleuca quinquenervia	Broad-leaved Paperbark	230		230	12	3	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11708	Melaleuca quinquenervia	Broad-leaved Paperbark	190		190	12	3	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11709	Melaleuca quinquenervia	Broad-leaved Paperbark	150		150	11	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11710	Melaleuca quinquenervia	Broad-leaved Paperbark	180	160, 150	284	12	3	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11711	Melaleuca quinquenervia	Broad-leaved Paperbark	190		190	14	3	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11712	Melaleuca quinquenervia	Broad-leaved Paperbark	150		150	12	2	2	1	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11713	Melaleuca quinquenervia	Broad-leaved Paperbark	180	180	255	9	2	3.1	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11714	Melaleuca quinquenervia	Broad-leaved Paperbark	200		200	9	3	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11715	Melaleuca quinquenervia	Broad-leaved Paperbark	170		170	12	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11716	Melaleuca quinquenervia	Broad-leaved Paperbark	140	140	198	9	2	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11717	Melaleuca quinquenervia	Broad-leaved Paperbark	180	170	248	9	3	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11718	Melaleuca quinquenervia	Broad-leaved Paperbark	140		140	9	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11719	Eucalyptus tereticornis	Forest Red Gum	190		190	10	3	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11720	Melaleuca quinquenervia	Broad-leaved Paperbark	180		180	10	2	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11721	Melaleuca quinquenervia	Broad-leaved Paperbark	260		260	11	3	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11722	Melaleuca quinquenervia	Broad-leaved Paperbark	160		160	10	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11723	Melaleuca quinquenervia	Broad-leaved Paperbark	170		170	12	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11724	Allocasuarina littoralis	Black Sheoak	180	150	234	11	3	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11725	Melaleuca quinquenervia	Broad-leaved Paperbark	150	140	205	11	2	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11726	Melaleuca quinquenervia	Broad-leaved Paperbark	160		160	11	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11727	Melaleuca quinquenervia	Broad-leaved Paperbark	150	100	180	10	2	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11728	Melaleuca quinquenervia	Broad-leaved Paperbark	150	170, 130, 150	301	12	3	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11729	Melaleuca quinquenervia	Broad-leaved Paperbark	240		240	10	3	2.9	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11730	Melaleuca quinquenervia	Broad-leaved Paperbark	180		180	12	2	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11731	Melaleuca quinquenervia	Broad-leaved Paperbark	180		180	13	3	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11732	Melaleuca quinquenervia	Broad-leaved Paperbark	270	180, 140	353	13	3	4.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11733	Melaleuca quinquenervia	Broad-leaved Paperbark	170		170	13	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11734	Melaleuca quinquenervia	Broad-leaved Paperbark	160		160	13	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11735	Melaleuca quinquenervia	Broad-leaved Paperbark	160		160	12	1	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11736	Melaleuca quinquenervia	Broad-leaved Paperbark	170		170	14	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11737	Melaleuca quinquenervia	Broad-leaved Paperbark	190		190	14	2	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11738	Melaleuca quinquenervia	Broad-leaved Paperbark	270		270	15	4	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11739	Melaleuca quinquenervia	Broad-leaved Paperbark	280		280	16	3	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11740	Melaleuca quinquenervia	Broad-leaved Paperbark	180		180	17	3	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11741	Melaleuca quinquenervia	Broad-leaved Paperbark	330		330	16	4	4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
11742	Melaleuca quinquenervia	Broad-leaved Paperbark	240	220, 180	372	16	5	4.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11743	Melaleuca quinquenervia	Broad-leaved Paperbark	210	200	290	17	5	3.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11744	Lophostemon suaveolens	Swamp Box	160		160	12	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11745	Lophostemon suaveolens	Swamp Box	160		160	10	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11746	Lophostemon suaveolens	Swamp Box	150		150	14	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11747	Melaleuca quinquenervia	Broad-leaved Paperbark	210	110	237	16	3	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11748	Eucalyptus tereticornis	Forest Red Gum	120		120	16	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11749	Melaleuca quinquenervia	Broad-leaved Paperbark	140		140	13	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11750	Eucalyptus tereticornis	Forest Red Gum	230		230	17	5	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11751	Melaleuca quinquenervia	Broad-leaved Paperbark	150		150	13	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11752	Melaleuca quinquenervia	Broad-leaved Paperbark	170		170	15	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11753	Melaleuca quinquenervia	Broad-leaved Paperbark	150		150	17	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11754	Melaleuca quinquenervia	Broad-leaved Paperbark	150		150	16	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11755	Melaleuca quinquenervia	Broad-leaved Paperbark	150		150	15	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11756	Melaleuca quinquenervia	Broad-leaved Paperbark	180		180	14	3	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11757	Melaleuca quinquenervia	Broad-leaved Paperbark	150		150	17	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11758	Melaleuca quinquenervia	Broad-leaved Paperbark	210		210	15	4	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11759	Melaleuca quinquenervia	Broad-leaved Paperbark	150		150	16	3	2	1	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11760	Melaleuca quinquenervia	Broad-leaved Paperbark	220		220	16	3	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11761	Lophostemon suaveolens	Swamp Box	130		130	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11762	Melaleuca quinquenervia	Broad-leaved Paperbark	230		230	16	3	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11763	Melaleuca quinquenervia	Broad-leaved Paperbark	240	230, 180, 120	397	15	5	4.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11764	Melaleuca quinquenervia	Broad-leaved Paperbark	170		170	16	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11765	Melaleuca quinquenervia	Broad-leaved Paperbark	220		220	17	5	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11766	Melaleuca quinquenervia	Broad-leaved Paperbark	140		140	13	2	2	1	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11767	Melaleuca quinquenervia	Broad-leaved Paperbark	150		150	15	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11768	Melaleuca quinquenervia	Broad-leaved Paperbark	160		160	16	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11769	Melaleuca quinquenervia	Broad-leaved Paperbark	180		180	16	3	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11770	Melaleuca quinquenervia	Broad-leaved Paperbark	150		150	15	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11771	Eucalyptus tereticornis	Forest Red Gum	190		190	16	3	2.3	2	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11772	Lophostemon suaveolens	Swamp Box	190		190	12	3	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11773	Melaleuca quinquenervia	Broad-leaved Paperbark	150	120	192	14	3	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11774	Lophostemon suaveolens	Swamp Box	140		140	14	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11775	Allocasuarina littoralis	Black Sheoak	130		130	10	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11776	Allocasuarina littoralis	Black Sheoak	150		150	13	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11777	Lophostemon suaveolens	Swamp Box	180		180	16	3	2.2	2	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11778	Eucalyptus tereticornis	Forest Red Gum	550		550	20	8	6.6	3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11779	Lophostemon suaveolens	Swamp Box	200		200	10	3	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11780	Lophostemon suaveolens	Swamp Box	180		180	15	3	2.2	2	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11781	Lophostemon suaveolens	Swamp Box	190		190	16	3	2.3	2	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11782	Lophostemon suaveolens	Swamp Box	180		180	11	2	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11783	Lophostemon suaveolens	Swamp Box	230	100, 160	297	15	3	3.6	2	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11784	Lophostemon suaveolens	Swamp Box	180		180	14	3	2.2	2	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11785	Melaleuca quinquenervia	Broad-leaved Paperbark	150		150	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11786	Lophostemon suaveolens	Swamp Box	200	160, 180	313	14	4	3.8	2	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11787	Lophostemon suaveolens	Swamp Box	170	160	233	15	3	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11788	Lophostemon suaveolens	Swamp Box	100		100	9	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11789	Lophostemon suaveolens	Swamp Box	110		110	12	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11790	Lophostemon suaveolens	Swamp Box	170		170	11	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11791	Lophostemon suaveolens	Swamp Box	180		180	13	3	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11792	Melaleuca quinquenervia	Broad-leaved Paperbark	270		270	15	5	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11793	Lophostemon suaveolens	Swamp Box	180		180	16	2	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11794	Lophostemon suaveolens	Swamp Box	190	180	262	15	5	3.1	2	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11795	Lophostemon suaveolens	Swamp Box	160		160	13	2	2	2	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11796	Melaleuca quinquenervia	Broad-leaved Paperbark	160	120	200	14	3	2.4	2	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11797	Lophostemon suaveolens	Swamp Box	160		160	12	3	2	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11798	Lophostemon suaveolens	Swamp Box	180		180	15	3	2.2	2	One-sided	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	-	-	-	School VMP removed	

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
11799	Lophostemon suaveolens	Swamp Box	200		200	14	3	2.4	2	One-sided	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11800	Lophostemon suaveolens	Swamp Box	140		140	11	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11801	Lophostemon suaveolens	Swamp Box	100		100	9	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11802	Lophostemon suaveolens	Swamp Box	140		140	10	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11803	Lophostemon suaveolens	Swamp Box	100		100	9	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11804	Lophostemon suaveolens	Swamp Box	150		150	13	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11805	Lophostemon suaveolens	Swamp Box	120		120	9	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11806	Lophostemon suaveolens	Swamp Box	170		170	13	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11807	Melaleuca quinquenervia	Broad-leaved Paperbark	150	220	266	16	4	3.2	2	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11808	Melaleuca quinquenervia	Broad-leaved Paperbark	190	180	262	16	5	3.1	2	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11809	Lophostemon suaveolens	Swamp Box	130	130	184	15	3	2.2	2	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11810	Lophostemon suaveolens	Swamp Box	150		150	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11811	Lophostemon suaveolens	Swamp Box	210		210	15	3	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11812	Lophostemon suaveolens	Swamp Box	160		160	14	2	2	2	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11813	Lophostemon suaveolens	Swamp Box	150		150	15	3	2	1	One-sided	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11814	Lophostemon suaveolens	Swamp Box	140		140	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11815	Lophostemon suaveolens	Swamp Box	210		210	16	3	2.5	2	One-sided	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11816	Lophostemon suaveolens	Swamp Box	130		130	7	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11817	Melaleuca quinquenervia	Broad-leaved Paperbark	180		180	17	3	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11818	Lophostemon suaveolens	Swamp Box	140	180	228	16	3	2.7	2	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11819	Lophostemon suaveolens	Swamp Box	150		150	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11820	Melaleuca quinquenervia	Broad-leaved Paperbark	180		180	14	3	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11821	Melaleuca quinquenervia	Broad-leaved Paperbark	190		190	15	3	2.3	2	Regular	-	-	-	-	-	Typical	-	Native	Trunk Dmg.	-	Typical	-	-	-	-	-	-	School VMP removed	
11822	Lophostemon suaveolens	Swamp Box	260	170	311	17	5	3.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11823	Lophostemon suaveolens	Swamp Box	160		160	16	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11824	Lophostemon suaveolens	Swamp Box	140		140	13	2	2	1	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11825	Melaleuca quinquenervia	Broad-leaved Paperbark	150		150	15	2	2	1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11826	Lophostemon suaveolens	Swamp Box	180		180	15	4	2.2	2	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11827	Alphitonia excelsa	Red Ash	150		150	16	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11828	Lophostemon suaveolens	Swamp Box	180		180	15	3	2.2	2	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11829	Melaleuca quinquenervia	Broad-leaved Paperbark	220		220	16	3	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11830	Melaleuca quinquenervia	Broad-leaved Paperbark	180		180	16	3	2.2	2	Regular	-	Thinning	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11831	Melaleuca quinquenervia	Broad-leaved Paperbark	160		160	17	3	2	2	Regular	-	Thinning	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11832	Melaleuca quinquenervia	Broad-leaved Paperbark	210		210	13	3	2.5	2	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11833	Lophostemon suaveolens	Swamp Box	120		120	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11834	Lophostemon suaveolens	Swamp Box	110		110	9	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11835	Lophostemon suaveolens	Swamp Box	150		150	11	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11836	Eucalyptus tereticornis	Forest Red Gum	220		220	17	3	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11837	Eucalyptus tereticornis	Forest Red Gum	260		260	18	4	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11838	Eucalyptus tereticornis	Forest Red Gum	280		280	22	6	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11839	Lophostemon suaveolens	Swamp Box	290		290	13	3	3.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11840	Corymbia intermedia	Pink Bloodwood	290		290	18	4	3.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11841	Allocasuarina littoralis	Black Sheoak	180		180	13	3	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11842	Allocasuarina littoralis	Black Sheoak	150		150	14	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11843	Lophostemon suaveolens	Swamp Box	140		140	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11844	Lophostemon suaveolens	Swamp Box	140		140	11	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11845	Eucalyptus tereticornis	Forest Red Gum	260		260	16	3	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11846	Allocasuarina littoralis	Black Sheoak	170		170	13	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11847	Lophostemon suaveolens	Swamp Box	160		160	13	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11848	Allocasuarina littoralis	Black Sheoak	190		190	15	4	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11849	Allocasuarina littoralis	Black Sheoak	180		180	16	3	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11850	Lophostemon suaveolens	Swamp Box	180		180	13	3	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11851	Allocasuarina littoralis	Black Sheoak	180		180	14	3	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11852	Allocasuarina littoralis	Black Sheoak	190	150	242	16	3	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11853	Lophostemon suaveolens	Swamp Box	150		150	11	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11854	Allocasuarina littoralis	Black Sheoak	140	90	166	12	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11855	Allocasuarina littoralis	Black Sheoak	140	100, 90	194	14	3	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
11856	Allocasuarina littoralis	Black Sheoak	160		160	10	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11857	Allocasuarina littoralis	Black Sheoak	190		190	13	3	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11961	Acacia disparrima	Hickory Wattle	240		240	17	3	2.9	2	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11962	Allocasuarina littoralis	Black Sheoak	180		180	9	3	2.2	2	One-sided	-	Thinning	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11963	Corymbia intermedia	Pink Bloodwood	290		290	17	6	3.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11964	Corymbia citriodora	Spotted Gum	200		200	16	3	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11965	Angophora leiocarpa	Smooth-barked Apple	230	300	378	16	6	4.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11966	Corymbia citriodora	Spotted Gum	360		360	22	8	4.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11967	Allocasuarina littoralis	Black Sheoak	180		180	12	2	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11968	Allocasuarina littoralis	Black Sheoak	150		150	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11970	Eucalyptus crebra	Narrow-leaved Ironbark	330		330	20	5	4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
11971	Allocasuarina littoralis	Black Sheoak	160		160	12	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12027	Eucalyptus tereticornis	Forest Red Gum	450	470	651	23	10	7.8	3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12028	Lophostemon suaveolens	Swamp Box	280		280	13	4	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12029	Eucalyptus tereticornis	Forest Red Gum	250		250	19	4	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12030	Eucalyptus tereticornis	Forest Red Gum	370		370	22	8	4.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12031	Corymbia citriodora	Spotted Gum	310	200	369	20	5	4.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12032	Eucalyptus tereticornis	Forest Red Gum	160		160	11	1	2	2	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12033	Allocasuarina littoralis	Black Sheoak	190		190	11	3	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12035	Allocasuarina littoralis	Black Sheoak	160		160	14	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12036	Allocasuarina littoralis	Black Sheoak	150		150	11	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12037	Eucalyptus tereticornis	Forest Red Gum	340		340	21	7	4.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12038	Corymbia citriodora	Spotted Gum	380		380	23	9	4.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12039	Corymbia citriodora	Spotted Gum	370		370	22	9	4.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12040	Corymbia intermedia	Pink Bloodwood	420	220	474	18	7	5.7	2	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12044	Corymbia citriodora	Spotted Gum	200	290	352	22	8	4.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12045	Eucalyptus crebra	Narrow-leaved Ironbark	260		260	19	6	3.1	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12046	Angophora leiocarpa	Smooth-barked Apple	360		360	20	4	4.3	2	One-sided	-	Thinning	-	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12051	Corymbia citriodora	Spotted Gum	310	300	431	24	10	5.2	2	Regular	-	Thinning	-	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12052	Eucalyptus tereticornis	Forest Red Gum	860		860	25	16	10	3	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	School VMP removed	
12053	Allocasuarina littoralis	Black Sheoak	180		180	12	3	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12054	Allocasuarina littoralis	Black Sheoak	180		180	14	3	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12055	Allocasuarina littoralis	Black Sheoak	220		220	15	3	2.6	2	Regular	-	-	-	-	-	Typical	Major	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12056	Eucalyptus tereticornis	Forest Red Gum	150		150	10	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12057	Allocasuarina littoralis	Black Sheoak	240		240	16	3	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12058	Eucalyptus tereticornis	Forest Red Gum	230		230	18	5	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12059	Eucalyptus tereticornis	Forest Red Gum	230		230	16	3	2.8	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12060	Eucalyptus tereticornis	Forest Red Gum	360		360	23	9	4.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12061	Eucalyptus tereticornis	Forest Red Gum	310		310	20	6	3.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12062	Eucalyptus tereticornis	Forest Red Gum	170		170	21	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12063	Angophora leiocarpa	Smooth-barked Apple	300		300	16	6	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12064	Eucalyptus tereticornis	Forest Red Gum	270		270	19	6	3.2	2	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12065	Eucalyptus tereticornis	Forest Red Gum	160	180	241	16	3	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12066	Allocasuarina littoralis	Black Sheoak	260		260	13	5	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12067	Corymbia intermedia	Pink Bloodwood	230		230	16	4	2.8	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12068	Eucalyptus tereticornis	Forest Red Gum	840		840	28	16	10	3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12069	Allocasuarina littoralis	Black Sheoak	220		220	12	4	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12070	Allocasuarina littoralis	Black Sheoak	200	120	233	12	4	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12071	Allocasuarina littoralis	Black Sheoak	170		170	13	3	2	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12072	Allocasuarina littoralis	Black Sheoak	200		200	15	3	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12073	Allocasuarina littoralis	Black Sheoak	210		210	15	5	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12074	Lophostemon suaveolens	Swamp Box	160		160	9	3	2	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12075	Eucalyptus siderophloia	Grey Ironbark	220		220	17	5	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12076	Lophostemon suaveolens	Swamp Box	120		120	9	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12077	Lophostemon suaveolens	Swamp Box	210		210	18	4	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12078	Lophostemon suaveolens	Swamp Box	230		230	17	4	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12079	Lophostemon suaveolens	Swamp Box	180		180	16	3	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
12080	Corymbia intermedia	Pink Bloodwood	250		250	17	4	3	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12081	Lophostemon suaveolens	Swamp Box	120		120	8	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12082	Allocasuarina littoralis	Black Sheoak	160		160	10	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12083	Lophostemon suaveolens	Swamp Box	150		150	10	3	2	1	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12084	Lophostemon suaveolens	Swamp Box	150		150	9	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12085	Lophostemon suaveolens	Swamp Box	210		210	13	3	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12086	Melaleuca quinquenervia	Broad-leaved Paperbark	150		150	13	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12087	Lophostemon suaveolens	Swamp Box	170		170	17	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12088	Lophostemon suaveolens	Swamp Box	110		110	7	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12089	Lophostemon suaveolens	Swamp Box	170		170	16	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12090	Lophostemon suaveolens	Swamp Box	120		120	15	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12091	Lophostemon suaveolens	Swamp Box	210	150	258	15	3	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12092	Lophostemon suaveolens	Swamp Box	200		200	13	3	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12093	Lophostemon suaveolens	Swamp Box	130		130	8	1	2	1	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12094	Lophostemon suaveolens	Swamp Box	130		130	11	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12095	Lophostemon suaveolens	Swamp Box	170		170	13	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12096	Allocasuarina littoralis	Black Sheoak	160		160	12	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12097	Lophostemon suaveolens	Swamp Box	190		190	16	3	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12098	Melaleuca saligna	Willow Bottlebrush	150		150	12	2	2	1	Regular	-	Thinning	-	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12099	Lophostemon suaveolens	Swamp Box	200		200	16	4	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12100	Eucalyptus tereticornis	Forest Red Gum	300		300	20	4	3.6	2	Regular	-	Thinning	-	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12101	Melaleuca quinquenervia	Broad-leaved Paperbark	290		290	17	6	3.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12102	Melaleuca quinquenervia	Broad-leaved Paperbark	190		190	20	3	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12103	Melaleuca quinquenervia	Broad-leaved Paperbark	190		190	12	3	2.3	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12104	Angophora leiocarpa	Smooth-barked Apple	150		150	9	2	2	1	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12105	Lophostemon suaveolens	Swamp Box	290		290	22	9	3.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12106	Eucalyptus tereticornis	Forest Red Gum	240	260	354	19	5	4.2	2	One-sided	-	Thinning	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12107	Lophostemon suaveolens	Swamp Box	240		240	18	4	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12108	Corymbia intermedia	Pink Bloodwood	280		280	20	9	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12109	Melaleuca quinquenervia	Broad-leaved Paperbark	160	180	241	16	5	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12110	Melaleuca quinquenervia	Broad-leaved Paperbark	180		180	15	3	2.2	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12111	Melaleuca quinquenervia	Broad-leaved Paperbark	250	110	273	17	4	3.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12112	Eucalyptus tereticornis	Forest Red Gum	390	310	498	25	12	6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12113	Angophora leiocarpa	Smooth-barked Apple	150		150	11	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12114	Allocasuarina littoralis	Black Sheoak	150		150	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12115	Allocasuarina littoralis	Black Sheoak	160		160	15	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12116	Allocasuarina littoralis	Black Sheoak	150		150	11	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12117	Lophostemon suaveolens	Swamp Box	230		230	16	5	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12118	Corymbia intermedia	Pink Bloodwood	300	250	391	17	6	4.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12119	Allocasuarina littoralis	Black Sheoak	170		170	13	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12120	Angophora leiocarpa	Smooth-barked Apple	110		110	11	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12121	Angophora leiocarpa	Smooth-barked Apple	260		260	20	6	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12122	Angophora leiocarpa	Smooth-barked Apple	260	240	354	17	6	4.2	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12123	Angophora leiocarpa	Smooth-barked Apple	280	230	362	18	6	4.3	2	One-sided	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12124	Angophora leiocarpa	Smooth-barked Apple	600		600	16	2	7.2	3	Regular	-	Thinning	Die-back	Epicormic	Lopped	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12125	Angophora leiocarpa	Smooth-barked Apple	340		340	18	5	4.1	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12126	Eucalyptus crebra	Narrow-leaved Ironbark	240		240	19	6	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	School VMP removed	
12127	Eucalyptus crebra	Narrow-leaved Ironbark	420		420	25	12	5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12128	Eucalyptus crebra	Narrow-leaved Ironbark	410		410	20	8	4.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12129	Lophostemon suaveolens	Swamp Box	240		240	16	4	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12130	Lophostemon suaveolens	Swamp Box	180		180	15	3	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12131	Lophostemon suaveolens	Swamp Box	150		150	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12132	Eucalyptus tereticornis	Forest Red Gum	360		360	16	5	4.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12133	Allocasuarina littoralis	Black Sheoak	200		200	14	3	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12134	Eucalyptus tereticornis	Forest Red Gum	260		260	18	3	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12135	Acacia leiocalyx	Early Flowering Black Wattle	130		130	10	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12136	Angophora leiocarpa	Smooth-barked Apple	240		240	10	3	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
12137	Eucalyptus tereticornis	Forest Red Gum	560	380	677	23	8	8.1	3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12138	Allocasuarina littoralis	Black Sheoak	210		210	13	2	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12139	Allocasuarina littoralis	Black Sheoak	210		210	12	3	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12140	Allocasuarina littoralis	Black Sheoak	180		180	12	3	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12141	Acacia leiocalyx	Early Flowering Black Wattle	180		180	10	3	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12142	Allocasuarina littoralis	Black Sheoak	210		210	13	3	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12143	Allocasuarina littoralis	Black Sheoak	260		260	9	3	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12144	Eucalyptus tereticornis	Forest Red Gum	150		150	13	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12145	Eucalyptus tereticornis	Forest Red Gum	180		180	15	3	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12146	Allocasuarina littoralis	Black Sheoak	230		230	7	1	2.8	2	Regular	-	Thinning	Die-back	Epicormic	Lopped	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12147	Allocasuarina littoralis	Black Sheoak	210		210	11	3	2.5	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12148	Eucalyptus tereticornis	Forest Red Gum	770		770	22	7	9.2	3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12149	Melaleuca quinquenervia	Broad-leaved Paperbark	160		160	10	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12150	Melaleuca quinquenervia	Broad-leaved Paperbark	160		160	10	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12151	Allocasuarina littoralis	Black Sheoak	170		170	8	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12152	Allocasuarina littoralis	Black Sheoak	190		190	10	3	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12153	Melaleuca quinquenervia	Broad-leaved Paperbark	210	180	277	12	3	3.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12154	Angophora leiocarpa	Smooth-barked Apple	240		240	14	3	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12155	Melaleuca quinquenervia	Broad-leaved Paperbark	170		170	10	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12156	Melaleuca quinquenervia	Broad-leaved Paperbark	170		170	11	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12157	Melaleuca quinquenervia	Broad-leaved Paperbark	160		160	10	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12158	Allocasuarina littoralis	Black Sheoak	170		170	12	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12159	Melaleuca quinquenervia	Broad-leaved Paperbark	160		160	11	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12160	Lophostemon suaveolens	Swamp Box	120		120	9	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12161	Allocasuarina littoralis	Black Sheoak	160		160	10	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12162	Melaleuca quinquenervia	Broad-leaved Paperbark	150		150	9	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12163	Lophostemon suaveolens	Swamp Box	150		150	11	2	2	1	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12164	Lophostemon suaveolens	Swamp Box	130		130	11	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12165	Melaleuca quinquenervia	Broad-leaved Paperbark	170		170	13	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12166	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	11	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12167	Melaleuca quinquenervia	Broad-leaved Paperbark	120		120	10	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12168	Lophostemon suaveolens	Swamp Box	170		170	12	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12169	Eucalyptus tereticornis	Forest Red Gum	380	180, 90	430	16	3	5.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12170	Lophostemon suaveolens	Swamp Box	160		160	14	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12171	Lophostemon suaveolens	Swamp Box	120		120	11	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12172	Lophostemon suaveolens	Swamp Box	230	250	340	15	3	4.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12173	Melaleuca quinquenervia	Broad-leaved Paperbark	150	140	205	17	3	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12174	Lophostemon suaveolens	Swamp Box	180	260	316	15	3	3.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12175	Lophostemon suaveolens	Swamp Box	200		200	14	3	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12176	Eucalyptus tereticornis	Forest Red Gum	220		220	17	3	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12177	Lophostemon suaveolens	Swamp Box	140		140	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12178	Lophostemon suaveolens	Swamp Box	170		170	9	2	2	2	Regular	-	-	-	-	Lopped	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12179	Lophostemon suaveolens	Swamp Box	190		190	14	2	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12180	Lophostemon suaveolens	Swamp Box	130		130	13	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12181	Lophostemon suaveolens	Swamp Box	110		110	8	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12182	Melaleuca quinquenervia	Broad-leaved Paperbark	330		330	17	4	4	2	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12183	Lophostemon suaveolens	Swamp Box	180		180	13	2	2.2	2	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12184	Lophostemon suaveolens	Swamp Box	130		130	12	2	2	1	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12185	Lophostemon suaveolens	Swamp Box	150		150	11	2	2	1	One-sided	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12186	Lophostemon suaveolens	Swamp Box	180		180	12	2	2.2	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12187	Lophostemon suaveolens	Swamp Box	160		160	11	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12188	Melaleuca quinquenervia	Broad-leaved Paperbark	160		160	13	2	2	2	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12189	Lophostemon suaveolens	Swamp Box	220		220	16	3	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12190	Lophostemon suaveolens	Swamp Box	190		190	13	3	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12191	Lophostemon suaveolens	Swamp Box	180		180	12	2	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12192	Lophostemon suaveolens	Swamp Box	140		140	11	2	2	1	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12193	Lophostemon suaveolens	Swamp Box	160		160	14	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
12194	Lophostemon suaveolens	Swamp Box	220	170	278	16	3	3.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12195	Lophostemon suaveolens	Swamp Box	170		170	15	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12196	Lophostemon suaveolens	Swamp Box	130		130	9	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12197	Melaleuca quinquenervia	Broad-leaved Paperbark	150	150	212	12	3	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12198	Melaleuca quinquenervia	Broad-leaved Paperbark	220	230, 250	405	16	5	4.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12199	Melaleuca quinquenervia	Broad-leaved Paperbark	180		180	12	3	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12200	Melaleuca quinquenervia	Broad-leaved Paperbark	310		310	13	4	3.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12201	Lophostemon suaveolens	Swamp Box	180		180	13	2	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12202	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12203	Allocasuarina littoralis	Black Sheoak	170		170	12	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12204	Lophostemon suaveolens	Swamp Box	120		120	8	1	2	1	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12205	Lophostemon suaveolens	Swamp Box	240		240	15	3	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12206	Melaleuca quinquenervia	Broad-leaved Paperbark	150		150	13	2	2	1	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12207	Melaleuca quinquenervia	Broad-leaved Paperbark	200		200	12	2	2.4	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12208	Lophostemon suaveolens	Swamp Box	120		120	9	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12209	Melaleuca quinquenervia	Broad-leaved Paperbark	240	160	288	16	3	3.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12210	Melaleuca quinquenervia	Broad-leaved Paperbark	160	130	206	14	3	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12211	Allocasuarina littoralis	Black Sheoak	170		170	10	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12212	Allocasuarina littoralis	Black Sheoak	170		170	13	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12213	Melaleuca quinquenervia	Broad-leaved Paperbark	120	130	177	10	2	2.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12214	Allocasuarina littoralis	Black Sheoak	140		140	11	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12215	Allocasuarina littoralis	Black Sheoak	190		190	11	2	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12216	Melaleuca quinquenervia	Broad-leaved Paperbark	250	270	368	12	4	4.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12217	Allocasuarina littoralis	Black Sheoak	170		170	10	3	2	2	One-sided	-	-	-	-	-	Typical	Major	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12218	Lophostemon suaveolens	Swamp Box	160		160	11	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12219	Lophostemon suaveolens	Swamp Box	190		190	10	2	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	Termite nest	-	School VMP removed	
12220	Melaleuca quinquenervia	Broad-leaved Paperbark	320		320	12	3	3.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12221	Eucalyptus tereticornis	Forest Red Gum	420		420	25	7	5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12222	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12223	Allocasuarina littoralis	Black Sheoak	170		170	11	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12224	Allocasuarina littoralis	Black Sheoak	160		160	11	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12225	Allocasuarina littoralis	Black Sheoak	180		180	12	2	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12226	Allocasuarina littoralis	Black Sheoak	150		150	11	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12227	Allocasuarina littoralis	Black Sheoak	180		180	13	2	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12228	Melaleuca quinquenervia	Broad-leaved Paperbark	200		200	12	3	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12229	Allocasuarina littoralis	Black Sheoak	160		160	10	1	2	2	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12230	Allocasuarina littoralis	Black Sheoak	180		180	10	2	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12231	Lophostemon suaveolens	Swamp Box	130		130	11	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12232	Eucalyptus tereticornis	Forest Red Gum	290		290	17	4	3.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12233	Allocasuarina littoralis	Black Sheoak	150		150	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12234	Lophostemon suaveolens	Swamp Box	150		150	11	1	2	1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12235	Corymbia intermedia	Pink Bloodwood	110		110	9	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12236	Corymbia intermedia	Pink Bloodwood	130		130	11	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12237	Allocasuarina littoralis	Black Sheoak	160		160	12	3	2	2	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12238	Lophostemon suaveolens	Swamp Box	140		140	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12239	Lophostemon suaveolens	Swamp Box	110		110	6	2	2	1	Regular	-	-	-	-	-	Typical	Major	Native	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12240	Melaleuca quinquenervia	Broad-leaved Paperbark	220		220	15	3	2.6	2	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12241	Eucalyptus tereticornis	Forest Red Gum	240		240	21	5	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12242	Allocasuarina littoralis	Black Sheoak	150		150	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12243	Melaleuca quinquenervia	Broad-leaved Paperbark	210		210	15	2	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12244	Melaleuca quinquenervia	Broad-leaved Paperbark	190		190	13	2	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12245	Lophostemon suaveolens	Swamp Box	140		140	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12246	Lophostemon suaveolens	Swamp Box	180		180	14	2	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12247	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	10	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12248	Allocasuarina littoralis	Black Sheoak	150		150	14	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12249	Lophostemon suaveolens	Swamp Box	110		110	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12250	Melaleuca quinquenervia	Broad-leaved Paperbark	210	190	283	13	3	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
12251	Lophostemon suaveolens	Swamp Box	130		130	13	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12252	Lophostemon suaveolens	Swamp Box	300		300	14	3	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12253	Melaleuca quinquenervia	Broad-leaved Paperbark	180		180	12	2	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12254	Lophostemon suaveolens	Swamp Box	140		140	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12255	Lophostemon suaveolens	Swamp Box	200		200	13	2	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12256	Lophostemon suaveolens	Swamp Box	230		230	14	3	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12257	Lophostemon suaveolens	Swamp Box	210		210	13	3	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12258	Lophostemon suaveolens	Swamp Box	140		140	9	2	2	1	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12259	Lophostemon suaveolens	Swamp Box	150		150	13	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12260	Allocasuarina littoralis	Black Sheoak	190		190	12	3	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12261	Lophostemon suaveolens	Swamp Box	140		140	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12262	Lophostemon suaveolens	Swamp Box	110		110	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12263	Lophostemon suaveolens	Swamp Box	170		170	12	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12264	Lophostemon suaveolens	Swamp Box	220		220	11	3	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12265	Lophostemon suaveolens	Swamp Box	130		130	11	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12266	Lophostemon suaveolens	Swamp Box	160		160	12	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12267	Lophostemon suaveolens	Swamp Box	210		210	13	3	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12268	Lophostemon suaveolens	Swamp Box	200	130	239	12	3	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12269	Lophostemon suaveolens	Swamp Box	240		240	13	2	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12270	Lophostemon suaveolens	Swamp Box	190		190	14	2	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12271	Lophostemon suaveolens	Swamp Box	180		180	14	3	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12272	Lophostemon suaveolens	Swamp Box	150		150	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12273	Lophostemon suaveolens	Swamp Box	160		160	11	1	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12274	Acacia disparrima	Hickory Wattle	190		190	12	3	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12275	Eucalyptus tereticornis	Forest Red Gum	330	160	367	18	4	4.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12276	Angophora leiocarpa	Smooth-barked Apple	160		160	11	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12277	Acacia leiocalyx	Early Flowering Black Wattle	140		140	11	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12278	Allocasuarina littoralis	Black Sheoak	260		260	10	5	3.1	2	Regular	-	-	Die-back	-	Lopped	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12279	Corymbia intermedia	Pink Bloodwood	160		160	11	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12280	Eucalyptus tereticornis	Forest Red Gum	660		660	23	7	7.9	3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12281	Allocasuarina littoralis	Black Sheoak	190		190	11	2	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12282	Eucalyptus tereticornis	Forest Red Gum	160		160	9	2	2	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12283	Allocasuarina littoralis	Black Sheoak	200		200	11	2	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12284	Lophostemon suaveolens	Swamp Box	180	180	255	9	2	3.1	2	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12285	Acacia disparrima	Hickory Wattle	260		260	8	3	3.1	2	Regular	-	Thinning	Die-back	-	Lopped	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12286	Alphitonia excelsa	Red Ash	190		190	9	3	2.3	2	Regular	-	-	-	-	-	Typical	Major	-	-	-	Poor	-	-	-	-	-	-	School VMP removed	
12288	Allocasuarina littoralis	Black Sheoak	170		170	12	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12289	Eucalyptus siderophloia	Grey Ironbark	210		210	11	1	2.5	2	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12290	Allocasuarina littoralis	Black Sheoak	150		150	8	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12291	Eucalyptus tereticornis	Forest Red Gum	320		320	16	3	3.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12292	Allocasuarina littoralis	Black Sheoak	170		170	11	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12293	Allocasuarina littoralis	Black Sheoak	190		190	11	3	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12294	Allocasuarina littoralis	Black Sheoak	160		160	10	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12295	Allocasuarina littoralis	Black Sheoak	160		160	11	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12296	Allocasuarina littoralis	Black Sheoak	170		170	11	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12297	Allocasuarina littoralis	Black Sheoak	180		180	12	3	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12298	Allocasuarina littoralis	Black Sheoak	190		190	11	1	2.3	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12299	Allocasuarina littoralis	Black Sheoak	180		180	12	2	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12300	Allocasuarina littoralis	Black Sheoak	130		130	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12301	Acacia leiocalyx	Early Flowering Black Wattle	150		150	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12302	Eucalyptus siderophloia	Grey Ironbark	170		170	12	1	2	2	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12303	Eucalyptus tereticornis	Forest Red Gum	230		230	14	2	2.8	2	Regular	-	Thinning	-	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12304	Eucalyptus tereticornis	Forest Red Gum	160		160	11	1	2	2	One-sided	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12305	Eucalyptus siderophloia	Grey Ironbark	340		340	16	3	4.1	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12306	Allocasuarina littoralis	Black Sheoak	140		140	10	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12307	Eucalyptus tereticornis	Forest Red Gum	220		220	16	3	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12308	Acacia leiocalyx	Early Flowering Black Wattle	130		130	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
12309	Corymbia citriodora	Spotted Gum	260		260	16	3	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12310	Eucalyptus siderophloia	Grey Ironbark	250	230	340	17	4	4.1	2	One-sided	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12311	Allocasuarina littoralis	Black Sheoak	160		160	14	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12312	Allocasuarina littoralis	Black Sheoak	160		160	12	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12313	Corymbia intermedia	Pink Bloodwood	190	190, 190	329	15	3	3.9	2	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12314	Allocasuarina littoralis	Black Sheoak	220		220	12	2	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12315	Eucalyptus tereticornis	Forest Red Gum	190		190	10	2	2.3	2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Poor	-	-	-	-	-	-	School VMP removed	
12316	Allocasuarina littoralis	Black Sheoak	220		220	10	3	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12317	Eucalyptus tereticornis	Forest Red Gum	290		290	17	4	3.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12318	Allocasuarina littoralis	Black Sheoak	180		180	8	3	2.2	2	Regular	-	-	-	-	-	Typical	Major	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12319	Lophostemon suaveolens	Swamp Box	170		170	10	1	2	2	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12320	Allocasuarina littoralis	Black Sheoak	160		160	10	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12321	Corymbia intermedia	Pink Bloodwood	260		260	13	3	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12322	Allocasuarina littoralis	Black Sheoak	180		180	10	1	2.2	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12323	Allocasuarina littoralis	Black Sheoak	190		190	12	3	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12324	Eucalyptus tereticornis	Forest Red Gum	590		590	18	7	7.1	3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12325	Allocasuarina littoralis	Black Sheoak	260		260	14	4	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12326	Melaleuca quinquenervia	Broad-leaved Paperbark	200		200	13	2	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12327	Corymbia intermedia	Pink Bloodwood	240		240	15	3	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12328	Allocasuarina littoralis	Black Sheoak	160		160	14	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12329	Allocasuarina littoralis	Black Sheoak	180		180	14	3	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12330	Allocasuarina littoralis	Black Sheoak	250		250	14	3	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12331	Allocasuarina littoralis	Black Sheoak	160		160	10	2	2	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12332	Allocasuarina littoralis	Black Sheoak	170		170	11	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12333	Allocasuarina littoralis	Black Sheoak	180		180	14	2	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12334	Allocasuarina littoralis	Black Sheoak	150		150	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12335	Allocasuarina littoralis	Black Sheoak	160		160	16	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12336	Allocasuarina littoralis	Black Sheoak	170		170	13	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12337	Allocasuarina littoralis	Black Sheoak	160		160	17	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12338	Melaleuca quinquenervia	Broad-leaved Paperbark	200		200	15	3	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12339	Allocasuarina littoralis	Black Sheoak	160		160	12	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12340	Allocasuarina littoralis	Black Sheoak	170		170	14	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12341	Allocasuarina littoralis	Black Sheoak	230		230	15	3	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12342	Allocasuarina littoralis	Black Sheoak	160		160	12	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12343	Allocasuarina littoralis	Black Sheoak	160		160	16	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12344	Allocasuarina littoralis	Black Sheoak	140	150	205	13	2	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12345	Allocasuarina littoralis	Black Sheoak	170		170	8	3	2	2	One-sided	-	Thinning	Die-back	-	Lopped	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12346	Allocasuarina littoralis	Black Sheoak	170		170	13	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12347	Allocasuarina littoralis	Black Sheoak	210		210	13	3	2.5	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12348	Allocasuarina littoralis	Black Sheoak	150		150	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12349	Melaleuca quinquenervia	Broad-leaved Paperbark	210		210	13	3	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12350	Allocasuarina littoralis	Black Sheoak	290		290	13	4	3.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12351	Allocasuarina littoralis	Black Sheoak	160		160	11	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12352	Allocasuarina littoralis	Black Sheoak	210		210	10	3	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12353	Allocasuarina littoralis	Black Sheoak	190		190	12	3	2.3	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12354	Corymbia tessellaris	Moreton Bay Ash	160		160	12	1	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12355	Allocasuarina littoralis	Black Sheoak	190		190	12	3	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12356	Allocasuarina littoralis	Black Sheoak	210		210	12	3	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12357	Melaleuca quinquenervia	Broad-leaved Paperbark	190		190	9	2	2.3	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12358	Allocasuarina littoralis	Black Sheoak	170		170	12	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12359	Eucalyptus tereticornis	Forest Red Gum	330		330	20	5	4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12360	Allocasuarina littoralis	Black Sheoak	220		220	16	4	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12361	Allocasuarina littoralis	Black Sheoak	210		210	13	2	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12362	Lophostemon suaveolens	Swamp Box	200		200	12	3	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	Termite nest	-	School VMP removed	
12363	Acacia leiocalyx	Early Flowering Black Wattle	150		150	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12364	Allocasuarina littoralis	Black Sheoak	200		200	12	3	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12365	Allocasuarina littoralis	Black Sheoak	170		170	9	1	2	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
12366	Allocasuarina littoralis	Black Sheoak	230	170	286	12	2	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12367	Allocasuarina littoralis	Black Sheoak	230		230	12	2	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12368	Allocasuarina littoralis	Black Sheoak	180		180	12	3	2.2	2	Regular	-	Thinning	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12369	Allocasuarina littoralis	Black Sheoak	210		210	11	3	2.5	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12370	Allocasuarina littoralis	Black Sheoak	170		170	11	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12371	Allocasuarina littoralis	Black Sheoak	150		150	9	2	2	1	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12372	Allocasuarina littoralis	Black Sheoak	210		210	12	3	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12373	Allocasuarina littoralis	Black Sheoak	180		180	13	2	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12374	Eucalyptus tereticornis	Forest Red Gum	200		200	21	4	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12375	Melaleuca quinquenervia	Broad-leaved Paperbark	180		180	15	2	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12376	Lophostemon suaveolens	Swamp Box	200		200	15	3	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12377	Melaleuca quinquenervia	Broad-leaved Paperbark	200	180	269	16	4	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12378	Allocasuarina littoralis	Black Sheoak	150		150	13	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12379	Angophora leiocarpa	Smooth-barked Apple	190		190	18	5	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12380	Allocasuarina littoralis	Black Sheoak	170		170	13	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12381	Allocasuarina littoralis	Black Sheoak	150		150	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12382	Eucalyptus tereticornis	Forest Red Gum	180		180	16	3	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12383	Allocasuarina littoralis	Black Sheoak	170		170	13	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12384	Melaleuca quinquenervia	Broad-leaved Paperbark	170	100	197	12	2	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12385	Melaleuca quinquenervia	Broad-leaved Paperbark	230		230	12	3	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12386	Allocasuarina littoralis	Black Sheoak	170		170	11	1	2	2	Regular	-	-	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12387	Allocasuarina littoralis	Black Sheoak	200		200	14	3	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12388	Allocasuarina littoralis	Black Sheoak	150		150	11	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12389	Allocasuarina littoralis	Black Sheoak	150		150	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12390	Allocasuarina littoralis	Black Sheoak	150		150	8	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12391	Allocasuarina littoralis	Black Sheoak	200		200	11	2	2.4	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12392	Allocasuarina littoralis	Black Sheoak	220		220	14	3	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12393	Allocasuarina littoralis	Black Sheoak	200	150	250	13	3	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12394	Allocasuarina littoralis	Black Sheoak	160		160	13	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12395	Allocasuarina littoralis	Black Sheoak	190		190	13	3	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12396	Allocasuarina littoralis	Black Sheoak	200		200	15	3	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12397	Melaleuca quinquenervia	Broad-leaved Paperbark	160		160	14	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12398	Allocasuarina littoralis	Black Sheoak	180		180	12	2	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12399	Allocasuarina littoralis	Black Sheoak	210		210	13	3	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12400	Allocasuarina littoralis	Black Sheoak	150		150	11	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12401	Allocasuarina littoralis	Black Sheoak	180		180	10	1	2.2	2	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12402	Lophostemon suaveolens	Swamp Box	260		260	11	3	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12403	Lophostemon suaveolens	Swamp Box	120	130	177	8	2	2.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12404	Allocasuarina littoralis	Black Sheoak	160		160	11	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12405	Allocasuarina littoralis	Black Sheoak	160		160	11	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12406	Allocasuarina littoralis	Black Sheoak	160	190	248	14	3	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12407	Lophostemon suaveolens	Swamp Box	210		210	11	3	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12408	Allocasuarina littoralis	Black Sheoak	160		160	12	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12409	Allocasuarina littoralis	Black Sheoak	170		170	12	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12410	Allocasuarina littoralis	Black Sheoak	150		150	11	2	2	1	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12411	Allocasuarina littoralis	Black Sheoak	170		170	12	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12412	Allocasuarina littoralis	Black Sheoak	150		150	14	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12413	Allocasuarina littoralis	Black Sheoak	160		160	12	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12414	Allocasuarina littoralis	Black Sheoak	210		210	15	3	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12415	Allocasuarina littoralis	Black Sheoak	180		180	13	3	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12416	Allocasuarina littoralis	Black Sheoak	170		170	13	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12417	Allocasuarina littoralis	Black Sheoak	200		200	14	3	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12418	Melaleuca quinquenervia	Broad-leaved Paperbark	150		150	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12419	Lophostemon suaveolens	Swamp Box	190		190	12	3	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12420	Lophostemon suaveolens	Swamp Box	150		150	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12421	Allocasuarina littoralis	Black Sheoak	160		160	12	2	2	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12422	Lophostemon suaveolens	Swamp Box	160		160	3	1	2	2	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
12423	Allocasuarina littoralis	Black Sheoak	150		150	13	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12424	Allocasuarina littoralis	Black Sheoak	170		170	13	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12425	Allocasuarina littoralis	Black Sheoak	210		210	11	2	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12426	Allocasuarina littoralis	Black Sheoak	180		180	15	2	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12427	Allocasuarina littoralis	Black Sheoak	220		220	16	3	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12428	Allocasuarina littoralis	Black Sheoak	190		190	15	3	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12429	Allocasuarina littoralis	Black Sheoak	190		190	14	3	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12430	Allocasuarina littoralis	Black Sheoak	190		190	12	3	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12431	Allocasuarina littoralis	Black Sheoak	150		150	13	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12432	Allocasuarina littoralis	Black Sheoak	130	120	177	15	3	2.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12433	Allocasuarina littoralis	Black Sheoak	150		150	15	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12434	Allocasuarina littoralis	Black Sheoak	170		170	11	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12435	Allocasuarina littoralis	Black Sheoak	180		180	13	3	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12436	Allocasuarina littoralis	Black Sheoak	210		210	11	3	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12437	Allocasuarina littoralis	Black Sheoak	230		230	14	3	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12438	Angophora leiocarpa	Smooth-barked Apple	170		170	12	2	2	2	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12439	Allocasuarina littoralis	Black Sheoak	160		160	12	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12440	Allocasuarina littoralis	Black Sheoak	200		200	12	3	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12441	Allocasuarina littoralis	Black Sheoak	190		190	13	3	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12442	Allocasuarina littoralis	Black Sheoak	160		160	15	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12443	Allocasuarina littoralis	Black Sheoak	160		160	14	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12444	Allocasuarina littoralis	Black Sheoak	250		250	13	4	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12445	Eucalyptus tereticornis	Forest Red Gum	270		270	22	1	3.2	2	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12446	Eucalyptus tereticornis	Forest Red Gum	230		230	17	4	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12447	Allocasuarina littoralis	Black Sheoak	170		170	13	1	2	2	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12448	Eucalyptus tereticornis	Forest Red Gum	230		230	16	3	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12449	Allocasuarina littoralis	Black Sheoak	170		170	13	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12450	Eucalyptus tereticornis	Forest Red Gum	270		270	18	5	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12451	Corymbia intermedia	Pink Bloodwood	240		240	16	3	2.9	2	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12452	Eucalyptus tereticornis	Forest Red Gum	380		380	20	5	4.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12453	Angophora leiocarpa	Smooth-barked Apple	150		150	9	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12454	Eucalyptus tereticornis	Forest Red Gum	190		190	12	3	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12455	Allocasuarina littoralis	Black Sheoak	200		200	10	3	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	School VMP removed	
12456	Allocasuarina littoralis	Black Sheoak	210		210	13	3	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12457	Acacia leiocalyx	Early Flowering Black Wattle	160		160	11	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12458	Allocasuarina littoralis	Black Sheoak	220		220	12	3	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12459	Corymbia citriodora	Spotted Gum	200		200	7	1	2.4	2	Regular	-	Thinning	Die-back	Epicormic	Lopped	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12460	Angophora leiocarpa	Smooth-barked Apple	120		120	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12461	Allocasuarina littoralis	Black Sheoak	180		180	13	2	2.2	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12462	Allocasuarina littoralis	Black Sheoak	220		220	13	3	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12463	Allocasuarina littoralis	Black Sheoak	210		210	13	2	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12464	Corymbia intermedia	Pink Bloodwood	180		180	14	2	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12465	Corymbia citriodora	Spotted Gum	130		130	10	1	2	1	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12466	Eucalyptus tereticornis	Forest Red Gum	190		190	12	2	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12467	Alphitonia excelsa	Red Ash	180		180	11	2	2.2	2	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12468	Allocasuarina littoralis	Black Sheoak	200		200	12	3	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12469	Eucalyptus tereticornis	Forest Red Gum	220		220	13	1	2.6	2	Regular	-	Thinning	-	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12470	Allocasuarina littoralis	Black Sheoak	210		210	14	3	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12471	Corymbia citriodora	Spotted Gum	200		200	17	3	2.4	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12472	Corymbia citriodora	Spotted Gum	210		210	14	3	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12473	Eucalyptus siderophloia	Grey Ironbark	390		390	18	7	4.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12474	Eucalyptus tereticornis	Forest Red Gum	510		510	19	6	6.1	2	One-sided	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12475	Eucalyptus tereticornis	Forest Red Gum	160		160	16	1	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12476	Eucalyptus siderophloia	Grey Ironbark	320		320	20	5	3.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12477	Eucalyptus siderophloia	Grey Ironbark	240		240	19	3	2.9	2	Regular	-	Thinning	-	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12478	Eucalyptus siderophloia	Grey Ironbark	330		330	17	5	4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	Termite nest	-	School VMP removed	
12479	Eucalyptus siderophloia	Grey Ironbark	220		220	17	3	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
12480	Eucalyptus tereticornis	Forest Red Gum	160		160	15	2	2	2	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12481	Eucalyptus tereticornis	Forest Red Gum	470		470	24	8	5.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12482	Allocasuarina littoralis	Black Sheoak	160		160	14	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12483	Eucalyptus siderophloia	Grey Ironbark	160		160	17	1	2	2	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12484	Allocasuarina littoralis	Black Sheoak	150		150	15	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12485	Allocasuarina littoralis	Black Sheoak	140		140	13	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12486	Eucalyptus siderophloia	Grey Ironbark	230		230	17	3	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12487	Eucalyptus siderophloia	Grey Ironbark	150		150	16	1	2	1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12488	Eucalyptus tereticornis	Forest Red Gum	140		140	13	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12489	Eucalyptus tereticornis	Forest Red Gum	180		180	17	3	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12491	Allocasuarina littoralis	Black Sheoak	160		160	14	2	2	2	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12492	Eucalyptus tereticornis	Forest Red Gum	680		680	23	7	8.2	3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12493	Eucalyptus tereticornis	Forest Red Gum	380	200	429	25	9	5.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12494	Lophostemon suaveolens	Swamp Box	110		110	10	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12495	Melaleuca quinquenervia	Broad-leaved Paperbark	190	130	230	16	3	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12496	Allocasuarina littoralis	Black Sheoak	190		190	12	3	2.3	2	One-sided	-	-	-	-	-	Typical	Major	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12497	Eucalyptus tereticornis	Forest Red Gum	250		250	21	6	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12498	Melaleuca quinquenervia	Broad-leaved Paperbark	280		280	16	4	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12499	Melaleuca quinquenervia	Broad-leaved Paperbark	210	170	270	16	3	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12500	Melaleuca quinquenervia	Broad-leaved Paperbark	230	260	347	16	3	4.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12501	Melaleuca quinquenervia	Broad-leaved Paperbark	180		180	13	3	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12502	Melaleuca quinquenervia	Broad-leaved Paperbark	210		210	14	4	2.5	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12503	Melaleuca quinquenervia	Broad-leaved Paperbark	160		160	14	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12504	Melaleuca quinquenervia	Broad-leaved Paperbark	260		260	17	4	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12505	Melaleuca quinquenervia	Broad-leaved Paperbark	210		210	13	3	2.5	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12506	Melaleuca quinquenervia	Broad-leaved Paperbark	170		170	5	2	2	2	Regular	-	-	-	-	-	Typical	Major	-	-	-	Poor	-	-	-	-	-	-	School VMP removed	
12507	Lophostemon suaveolens	Swamp Box	210		210	12	3	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12508	Melaleuca quinquenervia	Broad-leaved Paperbark	250		250	14	3	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12509	Melaleuca quinquenervia	Broad-leaved Paperbark	120		120	10	1	2	1	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12510	Melaleuca quinquenervia	Broad-leaved Paperbark	210		210	14	3	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12511	Corymbia intermedia	Pink Bloodwood	220		220	16	4	2.6	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12512	Melaleuca quinquenervia	Broad-leaved Paperbark	280		280	16	3	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12513	Eucalyptus tereticornis	Forest Red Gum	230		230	19	4	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12514	Lophostemon suaveolens	Swamp Box	140		140	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12515	Melaleuca quinquenervia	Broad-leaved Paperbark	150	60	162	12	2	2	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12516	Melaleuca quinquenervia	Broad-leaved Paperbark	180		180	15	3	2.2	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12517	Melaleuca quinquenervia	Broad-leaved Paperbark	200		200	14	3	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12518	Lophostemon suaveolens	Swamp Box	120		120	10	2	2	1	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12519	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	11	2	2	1	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12520	Melaleuca quinquenervia	Broad-leaved Paperbark	190		190	12	2	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12521	Eucalyptus tereticornis	Forest Red Gum	310		310	25	7	3.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12522	Lophostemon suaveolens	Swamp Box	190		190	16	3	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12523	Lophostemon suaveolens	Swamp Box	180		180	11	2	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12524	Lophostemon suaveolens	Swamp Box	180		180	11	3	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12525	Eucalyptus tereticornis	Forest Red Gum	310		310	23	6	3.7	2	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12526	Melaleuca quinquenervia	Broad-leaved Paperbark	180		180	15	2	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12527	Allocasuarina littoralis	Black Sheoak	190		190	10	3	2.3	2	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12528	Allocasuarina littoralis	Black Sheoak	190		190	12	3	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12529	Eucalyptus tereticornis	Forest Red Gum	230		230	17	3	2.8	2	One-sided	-	Thinning	-	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12530	Lophostemon suaveolens	Swamp Box	210		210	14	3	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12531	Lophostemon suaveolens	Swamp Box	180		180	13	2	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12532	Lophostemon suaveolens	Swamp Box	180	160	241	12	3	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12533	Eucalyptus tereticornis	Forest Red Gum	260		260	20	3	3.1	2	Regular	-	Thinning	-	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12534	Eucalyptus tereticornis	Forest Red Gum	320		320	20	5	3.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12535	Melaleuca quinquenervia	Broad-leaved Paperbark	210		210	14	2	2.5	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12536	Eucalyptus tereticornis	Forest Red Gum	250		250	16	4	3	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12537	Melaleuca quinquenervia	Broad-leaved Paperbark	200		200	13	3	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
12538	Eucalyptus tereticornis	Forest Red Gum	410		410	23	8	4.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12539	Melaleuca quinquenervia	Broad-leaved Paperbark	200		200	14	2	2.4	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12540	Eucalyptus tereticornis	Forest Red Gum	270	360	450	20	6	5.4	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12541	Melaleuca quinquenervia	Broad-leaved Paperbark	160		160	13	2	2	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12542	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	9	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12543	Melaleuca quinquenervia	Broad-leaved Paperbark	130	150	198	14	3	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12544	Melaleuca quinquenervia	Broad-leaved Paperbark	200		200	16	3	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12545	Melaleuca quinquenervia	Broad-leaved Paperbark	120		120	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12546	Lophostemon suaveolens	Swamp Box	160		160	12	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12547	Lophostemon suaveolens	Swamp Box	140		140	9	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12548	Lophostemon suaveolens	Swamp Box	140		140	11	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12549	Melaleuca quinquenervia	Broad-leaved Paperbark	210		210	15	3	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12550	Angophora leiocarpa	Smooth-barked Apple	180		180	11	2	2.2	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12551	Corymbia citriodora	Spotted Gum	430		430	23	8	5.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12552	Eucalyptus siderophloia	Grey Ironbark	370		370	20	4	4.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	Termite nest	-	School VMP removed	
12553	Corymbia citriodora	Spotted Gum	270	150	309	16	4	3.7	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12554	Eucalyptus tereticornis	Forest Red Gum	360		360	21	5	4.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12555	Allocasuarina littoralis	Black Sheoak	160		160	11	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12556	Corymbia citriodora	Spotted Gum	420		420	22	9	5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12557	Corymbia citriodora	Spotted Gum	280		280	23	4	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12558	Corymbia citriodora	Spotted Gum	220		220	16	2	2.6	2	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12559	Corymbia intermedia	Pink Bloodwood	250		250	16	5	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12560	Angophora leiocarpa	Smooth-barked Apple	410		410	20	5	4.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12561	Corymbia citriodora	Spotted Gum	350		350	23	6	4.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12562	Corymbia citriodora	Spotted Gum	450		450	25	7	5.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12563	Corymbia citriodora	Spotted Gum	390		390	23	9	4.7	2	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12564	Eucalyptus tereticornis	Forest Red Gum	460		460	26	8	5.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12565	Eucalyptus tereticornis	Forest Red Gum	480		480	21	5	5.8	2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	School VMP removed	
12566	Allocasuarina littoralis	Black Sheoak	230		230	8	2	2.8	2	Regular	-	Thinning	Die-back	-	Lopped	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12567	Allocasuarina littoralis	Black Sheoak	190		190	10	2	2.3	2	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12568	Allocasuarina littoralis	Black Sheoak	180		180	11	2	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12569	Melaleuca quinquenervia	Broad-leaved Paperbark	160		160	12	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12570	Melaleuca quinquenervia	Broad-leaved Paperbark	240		240	15	2	2.9	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12571	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	9	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12572	Melaleuca quinquenervia	Broad-leaved Paperbark	160		160	11	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12573	Melaleuca quinquenervia	Broad-leaved Paperbark	280		280	17	4	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12574	Melaleuca quinquenervia	Broad-leaved Paperbark	180		180	12	2	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12575	Melaleuca quinquenervia	Broad-leaved Paperbark	380		380	16	4	4.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12576	Allocasuarina littoralis	Black Sheoak	180		180	10	2	2.2	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12577	Allocasuarina littoralis	Black Sheoak	200		200	12	3	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12578	Acacia leiocalyx	Early Flowering Black Wattle	150		150	9	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12579	Corymbia citriodora	Spotted Gum	190	210	283	13	3	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12580	Melaleuca quinquenervia	Broad-leaved Paperbark	280		280	14	4	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12581	Corymbia intermedia	Pink Bloodwood	240		240	15	3	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12582	Eucalyptus tereticornis	Forest Red Gum	320		320	16	4	3.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12583	Allocasuarina littoralis	Black Sheoak	170		170	11	2	2	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12584	Allocasuarina littoralis	Black Sheoak	190		190	12	2	2.3	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12585	Allocasuarina littoralis	Black Sheoak	220	160	272	11	3	3.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12586	Allocasuarina littoralis	Black Sheoak	220		220	10	3	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12587	Allocasuarina littoralis	Black Sheoak	190	120	225	9	3	2.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12588	Allocasuarina littoralis	Black Sheoak	210		210	12	2	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12589	Allocasuarina littoralis	Black Sheoak	240		240	9	3	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	School VMP removed	
12590	Acacia leiocalyx	Early Flowering Black Wattle	180		180	12	2	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12591	Melaleuca quinquenervia	Broad-leaved Paperbark	170		170	12	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12592	Allocasuarina littoralis	Black Sheoak	230		230	13	3	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12593	Allocasuarina littoralis	Black Sheoak	190		190	10	2	2.3	2	One-sided	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12594	Acacia leiocalyx	Early Flowering Black Wattle	140		140	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
12595	Melaleuca quinquenervia	Broad-leaved Paperbark	220		220	12	2	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12596	Corymbia tessellaris	Moreton Bay Ash	230		230	17	3	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12597	Allocasuarina littoralis	Black Sheoak	150		150	9	2	2	1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12598	Allocasuarina littoralis	Black Sheoak	210		210	13	3	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12599	Allocasuarina littoralis	Black Sheoak	180		180	14	2	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12600	Allocasuarina littoralis	Black Sheoak	160		160	11	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12601	Acacia leiocalyx	Early Flowering Black Wattle	150		150	11	2	2	1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12602	Lophostemon suaveolens	Swamp Box	170		170	13	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12603	Lophostemon suaveolens	Swamp Box	180		180	2	1	2.2	2	Regular	-	Thinning	Die-back	Epicormic	Lopped	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12604	Lophostemon suaveolens	Swamp Box	200		200	14	2	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12605	Lophostemon suaveolens	Swamp Box	160		160	15	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12606	Lophostemon suaveolens	Swamp Box	150		150	14	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12607	Lophostemon suaveolens	Swamp Box	140		140	13	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12608	Acacia leiocalyx	Early Flowering Black Wattle	140		140	13	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12609	Lophostemon suaveolens	Swamp Box	150		150	9	2	2	1	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12610	Lophostemon suaveolens	Swamp Box	220		220	12	3	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12611	Allocasuarina littoralis	Black Sheoak	190		190	9	2	2.3	2	One-sided	-	-	Die-back	-	Lopped	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12612	Allocasuarina littoralis	Black Sheoak	180		180	10	3	2.2	2	One-sided	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12613	Allocasuarina littoralis	Black Sheoak	210		210	13	2	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12614	Allocasuarina littoralis	Black Sheoak	150		150	11	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12615	Angophora leiocarpa	Smooth-barked Apple	250		250	15	3	3	2	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12616	Acacia concurrens	Black Wattle	140	140	198	13	3	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12617	Acacia leiocalyx	Early Flowering Black Wattle	150		150	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12618	Allocasuarina littoralis	Black Sheoak	160		160	11	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12619	Lophostemon suaveolens	Swamp Box	210		210	14	3	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12620	Angophora leiocarpa	Smooth-barked Apple	200		200	14	3	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12621	Lophostemon suaveolens	Swamp Box	190		190	13	2	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12622	Allocasuarina littoralis	Black Sheoak	160		160	12	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12623	Allocasuarina littoralis	Black Sheoak	180		180	10	3	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12624	Melaleuca quinquenervia	Broad-leaved Paperbark	150		150	12	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12625	Melaleuca quinquenervia	Broad-leaved Paperbark	120		120	11	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12626	Lophostemon suaveolens	Swamp Box	150	70	166	11	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12627	Melaleuca quinquenervia	Broad-leaved Paperbark	160		160	12	2	2	2	One-sided	-	Thinning	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12628	Angophora leiocarpa	Smooth-barked Apple	170		170	11	2	2	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12629	Allocasuarina littoralis	Black Sheoak	210		210	13	3	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12630	Lophostemon suaveolens	Swamp Box	140		140	11	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12631	Angophora leiocarpa	Smooth-barked Apple	130		130	10	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12632	Lophostemon suaveolens	Swamp Box	230		230	13	2	2.8	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12633	Eucalyptus tereticornis	Forest Red Gum	220	250	333	18	5	4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12634	Lophostemon suaveolens	Swamp Box	140		140	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12635	Acacia leiocalyx	Early Flowering Black Wattle	150		150	12	3	2	1	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12636	Angophora leiocarpa	Smooth-barked Apple	220		220	14	3	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12637	Lophostemon suaveolens	Swamp Box	140		140	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12638	Lophostemon suaveolens	Swamp Box	200		200	13	2	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12639	Lophostemon suaveolens	Swamp Box	160		160	9	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12640	Corymbia intermedia	Pink Bloodwood	380		380	22	7	4.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12641	Eucalyptus tereticornis	Forest Red Gum	350		350	26	8	4.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12642	Lophostemon suaveolens	Swamp Box	250	100	269	16	3	3.2	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	School VMP removed	
12643	Angophora leiocarpa	Smooth-barked Apple	260		260	17	4	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12644	Angophora leiocarpa	Smooth-barked Apple	170		170	12	2	2	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12645	Lophostemon suaveolens	Swamp Box	230		230	15	3	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12646	Eucalyptus tereticornis	Forest Red Gum	360		360	22	7	4.3	2	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12647	Angophora leiocarpa	Smooth-barked Apple	300		300	14	4	3.6	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12648	Angophora leiocarpa	Smooth-barked Apple	250		250	16	3	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12649	Lophostemon suaveolens	Swamp Box	190		190	14	3	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12650	Angophora leiocarpa	Smooth-barked Apple	260		260	16	4	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12651	Lophostemon suaveolens	Swamp Box	120	110	163	13	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
12652	Angophora leiocarpa	Smooth-barked Apple	440	170	472	20	7	5.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12653	Corymbia intermedia	Pink Bloodwood	240		240	15	3	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12654	Lophostemon suaveolens	Swamp Box	160		160	11	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12655	Corymbia intermedia	Pink Bloodwood	190		190	12	3	2.3	2	One-sided	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12656	Lophostemon suaveolens	Swamp Box	200		200	14	3	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12657	Lophostemon suaveolens	Swamp Box	220		220	14	3	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12658	Eucalyptus tereticornis	Forest Red Gum	310		310	25	8	3.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12659	Lophostemon suaveolens	Swamp Box	180		180	13	3	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12660	Lophostemon suaveolens	Swamp Box	160		160	12	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12661	Melaleuca quinquenervia	Broad-leaved Paperbark	170	190	255	14	3	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12662	Lophostemon suaveolens	Swamp Box	160		160	13	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12663	Lophostemon suaveolens	Swamp Box	150		150	14	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12664	Corymbia intermedia	Pink Bloodwood	250	170	302	18	5	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12665	Lophostemon suaveolens	Swamp Box	200		200	14	3	2.4	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12666	Angophora leiocarpa	Smooth-barked Apple	320		320	18	5	3.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12667	Lophostemon suaveolens	Swamp Box	150		150	13	2	2	1	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12668	Corymbia intermedia	Pink Bloodwood	220		220	14	3	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12669	Lophostemon suaveolens	Swamp Box	130		130	9	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12670	Angophora leiocarpa	Smooth-barked Apple	140		140	11	2	2	1	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12671	Lophostemon suaveolens	Swamp Box	140		140	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12672	Angophora leiocarpa	Smooth-barked Apple	180		180	10	3	2.2	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12673	Angophora leiocarpa	Smooth-barked Apple	210		210	16	3	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12674	Angophora leiocarpa	Smooth-barked Apple	170	130	214	15	3	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12675	Lophostemon suaveolens	Swamp Box	180	100	206	13	2	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12676	Melaleuca quinquenervia	Broad-leaved Paperbark	150		150	13	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12677	Lophostemon suaveolens	Swamp Box	200		200	12	4	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12678	Angophora leiocarpa	Smooth-barked Apple	190		190	14	3	2.3	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12679	Angophora leiocarpa	Smooth-barked Apple	160		160	13	2	2	2	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12680	Angophora leiocarpa	Smooth-barked Apple	220		220	17	3	2.6	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12681	Eucalyptus siderophloia	Grey Ironbark	300		300	19	5	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12682	Corymbia intermedia	Pink Bloodwood	270		270	16	4	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12683	Angophora leiocarpa	Smooth-barked Apple	130		130	8	2	2	1	Regular	-	-	-	-	-	Typical	Major	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12684	Lophostemon suaveolens	Swamp Box	130		130	9	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12685	Angophora leiocarpa	Smooth-barked Apple	420		420	18	6	5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12686	Lophostemon suaveolens	Swamp Box	160	160	226	13	2	2.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12687	Angophora leiocarpa	Smooth-barked Apple	160		160	12	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12688	Eucalyptus tereticornis	Forest Red Gum	450		450	24	8	5.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12689	Corymbia intermedia	Pink Bloodwood	220		220	13	2	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12690	Lophostemon suaveolens	Swamp Box	210		210	14	2	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12691	Eucalyptus tereticornis	Forest Red Gum	580		580	23	9	7	3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12692	Lophostemon suaveolens	Swamp Box	170		170	14	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12693	Lophostemon suaveolens	Swamp Box	180		180	15	2	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12694	Melaleuca quinquenervia	Broad-leaved Paperbark	270		270	17	3	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12695	Lophostemon suaveolens	Swamp Box	180		180	13	3	2.2	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12696	Eucalyptus tereticornis	Forest Red Gum	240		240	18	3	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12697	Lophostemon suaveolens	Swamp Box	200		200	13	3	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12698	Eucalyptus tereticornis	Forest Red Gum	330		330	20	5	4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12699	Eucalyptus tereticornis	Forest Red Gum	430		430	26	8	5.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12700	Lophostemon suaveolens	Swamp Box	200		200	15	3	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12701	Melaleuca quinquenervia	Broad-leaved Paperbark	210		210	16	3	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12702	Lophostemon suaveolens	Swamp Box	140		140	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12703	Lophostemon suaveolens	Swamp Box	130		130	7	2	2	1	One-sided	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12704	Melaleuca quinquenervia	Broad-leaved Paperbark	220	230	318	14	6	3.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12705	Eucalyptus tereticornis	Forest Red Gum	250		250	23	7	3	2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	School VMP removed	
12706	Eucalyptus tereticornis	Forest Red Gum	380		380	23	6	4.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12707	Lophostemon suaveolens	Swamp Box	150		150	10	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12708	Melaleuca quinquenervia	Broad-leaved Paperbark	220		220	16	2	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
12709	Eucalyptus tereticornis	Forest Red Gum	460		460	23	8	5.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12710	Lophostemon suaveolens	Swamp Box	190		190	13	2	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12711	Corymbia citriodora	Spotted Gum	330		330	18	5	4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12712	Lophostemon suaveolens	Swamp Box	250		250	11	3	3	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12713	Melaleuca quinquenervia	Broad-leaved Paperbark	280		280	16	4	3.4	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12714	Eucalyptus tereticornis	Forest Red Gum	510		510	24	3	6.1	2	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12715	Lophostemon suaveolens	Swamp Box	200		200	12	2	2.4	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12716	Lophostemon suaveolens	Swamp Box	280		280	14	3	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12717	Corymbia citriodora	Spotted Gum	220	220	311	16	4	3.7	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12718	Eucalyptus tereticornis	Forest Red Gum	250		250	17	4	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12719	Eucalyptus tereticornis	Forest Red Gum	150		150	16	2	2	1	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12720	Corymbia intermedia	Pink Bloodwood	420		420	20	6	5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12721	Acacia concurrens	Black Wattle	160	180	241	10	3	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12722	Acacia leiocalyx	Early Flowering Black Wattle	170		170	9	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12723	Eucalyptus tereticornis	Forest Red Gum	450		450	23	6	5.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12724	Corymbia tessellaris	Moreton Bay Ash	270		270	17	5	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12725	Corymbia tessellaris	Moreton Bay Ash	260		260	17	6	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12726	Lophostemon suaveolens	Swamp Box	150		150	9	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12727	Acacia leiocalyx	Early Flowering Black Wattle	180		180	9	3	2.2	2	Regular	-	Thinning	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12728	Eucalyptus tereticornis	Forest Red Gum	390		390	18	7	4.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12729	Eucalyptus tereticornis	Forest Red Gum	280		280	15	5	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12730	Eucalyptus tereticornis	Forest Red Gum	310		310	20	8	3.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12731	Eucalyptus tereticornis	Forest Red Gum	310		310	17	6	3.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12732	Eucalyptus tereticornis	Forest Red Gum	360		360	19	6	4.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12733	Acacia leiocalyx	Early Flowering Black Wattle	180		180	10	3	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12734	Acacia leiocalyx	Early Flowering Black Wattle	170		170	12	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12735	Acacia leiocalyx	Early Flowering Black Wattle	180		180	11	3	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12736	Corymbia intermedia	Pink Bloodwood	210		210	13	3	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12737	Eucalyptus tereticornis	Forest Red Gum	290		290	19	6	3.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12738	Eucalyptus tereticornis	Forest Red Gum	310		310	22	6	3.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12739	Eucalyptus tereticornis	Forest Red Gum	230		230	16	3	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12740	Eucalyptus crebra	Narrow-leaved Ironbark	280		280	22	8	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	Termite nest	-	School VMP removed	
12741	Allocasuarina littoralis	Black Sheoak	200		200	12	3	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12742	Acacia leiocalyx	Early Flowering Black Wattle	160		160	10	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12743	Angophora leiocarpa	Smooth-barked Apple	260		260	17	6	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12744	Lophostemon suaveolens	Swamp Box	120		120	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12745	Lophostemon suaveolens	Swamp Box	120		120	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12746	Corymbia citriodora	Spotted Gum	100		100	6	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12747	Lophostemon suaveolens	Swamp Box	150		150	16	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12748	Angophora leiocarpa	Smooth-barked Apple	200		200	16	3	2.4	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12749	Eucalyptus tereticornis	Forest Red Gum	300		300	24	5	3.6	2	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12750	Acacia leiocalyx	Early Flowering Black Wattle	150		150	9	2	2	1	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12751	Eucalyptus tereticornis	Forest Red Gum	300		300	19	6	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12752	Acacia leiocalyx	Early Flowering Black Wattle	150		150	11	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12753	Acacia leiocalyx	Early Flowering Black Wattle	140		140	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12754	Eucalyptus tereticornis	Forest Red Gum	330		330	20	5	4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12755	Acacia leiocalyx	Early Flowering Black Wattle	160		160	9	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12756	Corymbia intermedia	Pink Bloodwood	290		290	17	5	3.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12757	Acacia leiocalyx	Early Flowering Black Wattle	170		170	12	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12758	Angophora leiocarpa	Smooth-barked Apple	300		300	16	5	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12759	Acacia leiocalyx	Early Flowering Black Wattle	170		170	13	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12760	Allocasuarina littoralis	Black Sheoak	230		230	18	5	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12761	Acacia leiocalyx	Early Flowering Black Wattle	170		170	12	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12762	Banksia integrifolia	Coast Banksia	210		210	6	3	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12763	Eucalyptus tereticornis	Forest Red Gum	330		330	18	10	4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12764	Acacia leiocalyx	Early Flowering Black Wattle	160		160	14	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12765	Acacia leiocalyx	Early Flowering Black Wattle	180		180	9	3	2.2	2	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
12766	Acacia leiocalyx	Early Flowering Black Wattle	190		190	10	3	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12767	Corymbia intermedia	Pink Bloodwood	180		180	10	2	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12768	Acacia leiocalyx	Early Flowering Black Wattle	180		180	10	2	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12769	Acacia leiocalyx	Early Flowering Black Wattle	200		200	12	3	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	School VMP removed	
12770	Eucalyptus tereticornis	Forest Red Gum	450		450	21	6	5.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12771	Acacia leiocalyx	Early Flowering Black Wattle	170		170	12	3	2	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12772	Angophora leiocarpa	Smooth-barked Apple	250		250	17	5	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12773	Acacia leiocalyx	Early Flowering Black Wattle	160	130	206	10	4	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12774	Acacia leiocalyx	Early Flowering Black Wattle	170	170	240	10	4	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12775	Acacia leiocalyx	Early Flowering Black Wattle	150		150	11	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12776	Eucalyptus tereticornis	Forest Red Gum	360		360	19	5	4.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12777	Acacia leiocalyx	Early Flowering Black Wattle	160		160	11	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12778	Acacia leiocalyx	Early Flowering Black Wattle	150		150	10	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12779	Acacia leiocalyx	Early Flowering Black Wattle	170		170	12	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12780	Acacia leiocalyx	Early Flowering Black Wattle	150		150	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12781	Acacia leiocalyx	Early Flowering Black Wattle	150		150	12	3	2	1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12782	Eucalyptus tereticornis	Forest Red Gum	390		390	22	8	4.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12783	Acacia disparrima	Hickory Wattle	200	180	269	10	3	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12784	Acacia leiocalyx	Early Flowering Black Wattle	170		170	10	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12785	Eucalyptus tereticornis	Forest Red Gum	700		700	23	10	8.4	3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12786	Acacia leiocalyx	Early Flowering Black Wattle	150	120	192	10	3	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12787	Acacia leiocalyx	Early Flowering Black Wattle	150		150	10	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12788	Acacia leiocalyx	Early Flowering Black Wattle	180		180	12	3	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12789	Acacia leiocalyx	Early Flowering Black Wattle	150		150	9	2	2	1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12790	Acacia leiocalyx	Early Flowering Black Wattle	160		160	9	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12791	Acacia leiocalyx	Early Flowering Black Wattle	190		190	10	3	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12792	Corymbia tessellaris	Moreton Bay Ash	260		260	15	4	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12793	Corymbia citriodora	Spotted Gum	460		460	33	10	5.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12794	Corymbia citriodora	Spotted Gum	330		330	16	5	4	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12795	Corymbia citriodora	Spotted Gum	260		260	15	4	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12796	Eucalyptus crebra	Narrow-leaved Ironbark	390		390	25	10	4.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12797	Corymbia citriodora	Spotted Gum	250		250	21	5	3	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12798	Corymbia citriodora	Spotted Gum	360		360	25	9	4.3	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12799	Corymbia citriodora	Spotted Gum	140	160, 200	292	17	5	3.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12800	Corymbia citriodora	Spotted Gum	230		230	18	4	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12801	Corymbia citriodora	Spotted Gum	180		180	19	4	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12802	Eucalyptus tereticornis	Forest Red Gum	180		180	17	1	2.2	2	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12803	Corymbia citriodora	Spotted Gum	280		280	23	8	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12804	Corymbia citriodora	Spotted Gum	250		250	25	6	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12805	Corymbia citriodora	Spotted Gum	190	250	314	21	8	3.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12806	Corymbia citriodora	Spotted Gum	220		220	20	6	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12807	Corymbia citriodora	Spotted Gum	400		400	28	12	4.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12808	Corymbia citriodora	Spotted Gum	130		130	11	2	2	1	Regular	-	Thinning	Die-back	Epicormic	Lopped	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12809	Corymbia citriodora	Spotted Gum	170		170	15	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12810	Corymbia citriodora	Spotted Gum	220		220	17	4	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12811	Eucalyptus crebra	Narrow-leaved Ironbark	310		310	23	3	3.7	2	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	Trunk Dmg.	-	Poor	-	-	-	-	-	-	School VMP removed	
12812	Eucalyptus crebra	Narrow-leaved Ironbark	560		560	24	13	6.7	3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	Termite nest	-	School VMP removed	
12813	Eucalyptus siderophloia	Grey Ironbark	290		290	20	5	3.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12814	Corymbia citriodora	Spotted Gum	340		340	25	8	4.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12815	Eucalyptus crebra	Narrow-leaved Ironbark	310		310	24	10	3.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12816	Eucalyptus crebra	Narrow-leaved Ironbark	280		280	20	3	3.4	2	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12817	Eucalyptus crebra	Narrow-leaved Ironbark	430		430	25	10	5.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12818	Eucalyptus tereticornis	Forest Red Gum	390		390	27	9	4.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12819	Corymbia citriodora	Spotted Gum	280		280	21	8	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12820	Corymbia tessellaris	Moreton Bay Ash	270		270	15	4	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12821	Corymbia citriodora	Spotted Gum	360		360	23	12	4.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12822	Corymbia citriodora	Spotted Gum	250		250	20	4	3	2	Regular	-	Thinning	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
12823	Eucalyptus tereticornis	Forest Red Gum	380		380	23	10	4.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12824	Eucalyptus crebra	Narrow-leaved Ironbark	420		420	26	14	5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12825	Corymbia tessellaris	Moreton Bay Ash	160		160	14	2	2	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12826	Allocasuarina littoralis	Black Sheoak	160		160	9	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12827	Eucalyptus siderophloia	Grey Ironbark	140		140	9	2	2	1	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12828	Corymbia citriodora	Spotted Gum	170	140	220	12	3	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12829	Corymbia citriodora	Spotted Gum	400	250	472	25	10	5.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12830	Corymbia citriodora	Spotted Gum	240		240	17	5	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12831	Allocasuarina littoralis	Black Sheoak	170		170	12	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12832	Eucalyptus crebra	Narrow-leaved Ironbark	320		320	25	9	3.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12833	Corymbia citriodora	Spotted Gum	240	170	294	20	6	3.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12834	Corymbia citriodora	Spotted Gum	200	150	250	16	3	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12835	Eucalyptus crebra	Narrow-leaved Ironbark	290		290	23	9	3.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12836	Corymbia citriodora	Spotted Gum	140		140	17	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12837	Eucalyptus crebra	Narrow-leaved Ironbark	170		170	22	2	2	2	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12838	Eucalyptus crebra	Narrow-leaved Ironbark	310		310	24	7	3.7	2	Regular	-	Thinning	-	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12839	Corymbia citriodora	Spotted Gum	200		200	17	4	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12840	Corymbia citriodora	Spotted Gum	310		310	25	9	3.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12841	Eucalyptus siderophloia	Grey Ironbark	240		240	19	3	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12842	Eucalyptus siderophloia	Grey Ironbark	180		180	15	3	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
12843	Eucalyptus crebra	Narrow-leaved Ironbark	170		170	15	2	2	2	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
12844	Eucalyptus tereticornis	Forest Red Gum	240	200	312	18	5	3.7	2	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
12845	Petalostigma pubescens	Quinine Bush	220		220	10	4	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
12846	Alphitonia excelsa	Red Ash	200		200	13	3	2.4	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
12847	Eucalyptus siderophloia	Grey Ironbark	200	230	305	18	3	3.7	2	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Remove - approved in School application	
12848	Eucalyptus tereticornis	Forest Red Gum	270		270	22	7	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
12849	Corymbia citriodora	Spotted Gum	230	100	251	23	2	3	2	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
12850	Corymbia tessellaris	Moreton Bay Ash	150		150	13	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
12851	Eucalyptus crebra	Narrow-leaved Ironbark	370		370	20	7	4.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	Termite nest	-	Remove - approved in School application	
12852	Corymbia citriodora	Spotted Gum	280		280	20	7	3.4	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
12853	Corymbia intermedia	Pink Bloodwood	390		390	19	7	4.7	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
12854	Corymbia citriodora	Spotted Gum	270	230	355	20	8	4.3	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
12855	Corymbia citriodora	Spotted Gum	490		490	27	12	5.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
12856	Corymbia citriodora	Spotted Gum	310		310	25	8	3.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
12857	Lophostemon suaveolens	Swamp Box	170		170	11	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
12858	Eucalyptus tereticornis	Forest Red Gum	170		170	14	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
12865	Eucalyptus crebra	Narrow-leaved Ironbark	280	230	362	17	7	4.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	School VMP removed	
12866	Eucalyptus crebra	Narrow-leaved Ironbark	360		360	21	8	4.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12867	Eucalyptus crebra	Narrow-leaved Ironbark	440	160	468	23	9	5.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12868	Eucalyptus crebra	Narrow-leaved Ironbark	270		270	19	6	3.2	2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	School VMP removed	
12869	Eucalyptus crebra	Narrow-leaved Ironbark	290		290	16	7	3.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12870	Corymbia citriodora	Spotted Gum	300		300	19	6	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12871	Eucalyptus crebra	Narrow-leaved Ironbark	260	230	347	20	8	4.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12872	Eucalyptus crebra	Narrow-leaved Ironbark	260		260	18	7	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12873	Eucalyptus tereticornis	Forest Red Gum	320		320	17	6	3.8	2	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12874	Eucalyptus tereticornis	Forest Red Gum	290		290	18	5	3.5	2	Regular	-	Thinning	-	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12875	Angophora leiocarpa	Smooth-barked Apple	220	130	256	17	6	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12876	Corymbia tessellaris	Moreton Bay Ash	300		300	24	9	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12877	Corymbia tessellaris	Moreton Bay Ash	320		320	22	10	3.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12878	Corymbia citriodora	Spotted Gum	200		200	18	4	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12879	Corymbia tessellaris	Moreton Bay Ash	240		240	19	7	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12880	Eucalyptus tereticornis	Forest Red Gum	350		350	21	9	4.2	2	Regular	-	-	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12881	Eucalyptus tereticornis	Forest Red Gum	440		440	22	10	5.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12882	Lophostemon suaveolens	Swamp Box	190	140	236	15	6	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12883	Eucalyptus crebra	Narrow-leaved Ironbark	200		200	17	5	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12884	Eucalyptus tereticornis	Forest Red Gum	370		370	21	8	4.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12885	Lophostemon suaveolens	Swamp Box	200		200	16	5	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
12886	Allocasuarina littoralis	Black Sheoak	170		170	16	4	2	2	Regular	-	Thinning	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12887	Corymbia tessellaris	Moreton Bay Ash	140		140	15	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12888	Eucalyptus tereticornis	Forest Red Gum	400		400	22	8	4.8	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12889	Allocasuarina littoralis	Black Sheoak	180		180	16	5	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12890	Eucalyptus tereticornis	Forest Red Gum	560		560	24	10	6.7	3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12891	Eucalyptus tereticornis	Forest Red Gum	300		300	18	7	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12892	Eucalyptus tereticornis	Forest Red Gum	240		240	18	6	2.9	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12893	Corymbia intermedia	Pink Bloodwood	180		180	16	4	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	School VMP removed	
12894	Eucalyptus crebra	Narrow-leaved Ironbark	200		200	17	5	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12895	Corymbia citriodora	Spotted Gum	250	230	340	20	8	4.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12896	Corymbia citriodora	Spotted Gum	200		200	19	6	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12897	Eucalyptus tereticornis	Forest Red Gum	270		270	21	7	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12898	Angophora leiocarpa	Smooth-barked Apple	160		160	16	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12899	Eucalyptus tereticornis	Forest Red Gum	210		210	16	5	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12900	Eucalyptus tereticornis	Forest Red Gum	170		170	17	6	2	2	Regular	-	Thinning	-	-	-	Poor	-	-	-	-	Typical	Old	-	-	-	-	-	School VMP removed	
12901	Angophora leiocarpa	Smooth-barked Apple	180		180	17	6	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12902	Eucalyptus tereticornis	Forest Red Gum	470		470	22	9	5.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12903	Eucalyptus tereticornis	Forest Red Gum	210		210	16	5	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12904	Allocasuarina littoralis	Black Sheoak	180		180	14	6	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12905	Angophora leiocarpa	Smooth-barked Apple	270		270	17	6	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12906	Angophora leiocarpa	Smooth-barked Apple	210		210	17	7	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12907	Angophora leiocarpa	Smooth-barked Apple	180		180	19	1	2.2	2	Regular	-	Thinning	Die-back	Epicormic	Lopped	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12908	Angophora leiocarpa	Smooth-barked Apple	140		140	16	2	2	1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12909	Angophora leiocarpa	Smooth-barked Apple	110	90	142	15	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12910	Angophora leiocarpa	Smooth-barked Apple	140		140	15	4	2	1	Regular	-	Thinning	Die-back	Epicormic	Lopped	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12911	Eucalyptus tereticornis	Forest Red Gum	330		330	25	10	4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12912	Angophora leiocarpa	Smooth-barked Apple	260		260	20	7	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12913	Angophora leiocarpa	Smooth-barked Apple	130	110	170	15	6	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12914	Angophora leiocarpa	Smooth-barked Apple	150		150	15	6	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12915	Corymbia tessellaris	Moreton Bay Ash	230	130	264	16	7	3.2	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12916	Acacia leiocalyx	Early Flowering Black Wattle	180		180	14	5	2.2	2	Regular	-	Thinning	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12917	Corymbia tessellaris	Moreton Bay Ash	110		110	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12918	Corymbia tessellaris	Moreton Bay Ash	130		130	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12919	Alphitonia excelsa	Red Ash	160		160	14	5	2	2	Regular	-	-	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12920	Angophora leiocarpa	Smooth-barked Apple	170		170	15	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12921	Alphitonia excelsa	Red Ash	300		300	16	9	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12922	Allocasuarina littoralis	Black Sheoak	130	120	177	13	5	2.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12923	Allocasuarina littoralis	Black Sheoak	200	180	269	15	6	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12924	Angophora leiocarpa	Smooth-barked Apple	470		470	23	12	5.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12925	Acacia disparrima	Hickory Wattle	150		150	15	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12926	Angophora leiocarpa	Smooth-barked Apple	300		300	20	10	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12927	Angophora leiocarpa	Smooth-barked Apple	270		270	21	9	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12928	Angophora leiocarpa	Smooth-barked Apple	360	150	390	21	12	4.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12929	Angophora leiocarpa	Smooth-barked Apple	180		180	16	7	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12930	Angophora leiocarpa	Smooth-barked Apple	310		310	20	10	3.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12931	Corymbia tessellaris	Moreton Bay Ash	110		110	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	School VMP removed	
12932	Eucalyptus tereticornis	Forest Red Gum	530		530	25	10	6.4	3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12933	Eucalyptus tereticornis	Forest Red Gum	300		300	22	8	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12934	Eucalyptus crebra	Narrow-leaved Ironbark	300		300	20	9	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12935	Eucalyptus tereticornis	Forest Red Gum	290		290	18	7	3.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
12936	Eucalyptus crebra	Narrow-leaved Ironbark	250		250	21	9	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13046	Eucalyptus tereticornis	Forest Red Gum	350		350	25	11	4.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13047	Eucalyptus crebra	Narrow-leaved Ironbark	180		180	18	7	2.2	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13048	Eucalyptus crebra	Narrow-leaved Ironbark	230		230	22	10	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13049	Eucalyptus tereticornis	Forest Red Gum	350		350	23	10	4.2	2	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13050	Eucalyptus crebra	Narrow-leaved Ironbark	220		220	21	9	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13051	Eucalyptus crebra	Narrow-leaved Ironbark	210		210	17	7	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
13052	Eucalyptus crebra	Narrow-leaved Ironbark	220		220	18	7	2.6	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13053	Eucalyptus crebra	Narrow-leaved Ironbark	210		210	18	8	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13054	Eucalyptus tereticornis	Forest Red Gum	200		200	17	6	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13055	Eucalyptus tereticornis	Forest Red Gum	400		400	25	13	4.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13056	Eucalyptus tereticornis	Forest Red Gum	380		380	17	9	4.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13057	Eucalyptus tereticornis	Forest Red Gum	210		210	17	6	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13058	Eucalyptus tereticornis	Forest Red Gum	380		380	22	9	4.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13059	Eucalyptus tereticornis	Forest Red Gum	280		280	14	10	3.4	2	Irregular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13060	Eucalyptus tereticornis	Forest Red Gum	260		260	19	7	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13061	Eucalyptus tereticornis	Forest Red Gum	380		380	19	7	4.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13062	Eucalyptus crebra	Narrow-leaved Ironbark	340		340	22	10	4.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13063	Eucalyptus tereticornis	Forest Red Gum	100		100	9	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13064	Lophostemon suaveolens	Swamp Box	100		100	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13065	Eucalyptus tereticornis	Forest Red Gum	310		310	23	11	3.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13066	Eucalyptus tereticornis	Forest Red Gum	220		220	17	6	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13067	Eucalyptus tereticornis	Forest Red Gum	180		180	16	5	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13068	Allocasuarina littoralis	Black Sheoak	160		160	14	4	2	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13069	Eucalyptus tereticornis	Forest Red Gum	160		160	16	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13070	Eucalyptus tereticornis	Forest Red Gum	280		280	17	6	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13071	Eucalyptus tereticornis	Forest Red Gum	200		200	17	5	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13095	Lophostemon suaveolens	Swamp Box	160		160	14	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13096	Lophostemon suaveolens	Swamp Box	130		130	13	2	2	1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13097	Allocasuarina littoralis	Black Sheoak	150		150	15	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13098	Eucalyptus tereticornis	Forest Red Gum	160		160	17	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13099	Eucalyptus crebra	Narrow-leaved Ironbark	190		190	17	5	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13100	Acacia leiocalyx	Early Flowering Black Wattle	150		150	15	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13101	Alphitonia excelsa	Red Ash	250		250	15	7	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13102	Eucalyptus tereticornis	Forest Red Gum	230		230	17	5	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13103	Alphitonia excelsa	Red Ash	240		240	14	5	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13104	Allocasuarina littoralis	Black Sheoak	160	150	219	15	5	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13105	Acacia disparrima	Hickory Wattle	160		160	15	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13106	Alphitonia excelsa	Red Ash	150		150	14	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13107	Eucalyptus tereticornis	Forest Red Gum	500		500	25	13	6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13108	Eucalyptus tereticornis	Forest Red Gum	760		760	28	16	9.1	3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13109	Alphitonia excelsa	Red Ash	190		190	16	5	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13110	Eucalyptus tereticornis	Forest Red Gum	230		230	16	7	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13111	Lophostemon suaveolens	Swamp Box	170		170	14	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13112	Alphitonia excelsa	Red Ash	180		180	15	4	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13113	Alphitonia excelsa	Red Ash	180		180	14	4	2.2	2	Regular	-	Thinning	-	-	Lopped	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13114	Allocasuarina littoralis	Black Sheoak	150		150	15	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13115	Eucalyptus tereticornis	Forest Red Gum	230		230	17	6	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13116	Melaleuca quinquenervia	Broad-leaved Paperbark	170		170	13	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13117	Melaleuca quinquenervia	Broad-leaved Paperbark	180		180	15	4	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13118	Melaleuca quinquenervia	Broad-leaved Paperbark	170		170	14	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13119	Melaleuca quinquenervia	Broad-leaved Paperbark	150		150	13	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13120	Melaleuca quinquenervia	Broad-leaved Paperbark	180		180	14	4	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13121	Melaleuca quinquenervia	Broad-leaved Paperbark	180	140	228	15	4	2.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13122	Melaleuca quinquenervia	Broad-leaved Paperbark	150		150	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13123	Melaleuca quinquenervia	Broad-leaved Paperbark	270	130	300	15	4	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13124	Melaleuca quinquenervia	Broad-leaved Paperbark	150	140, 120	238	13	3	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13125	Melaleuca quinquenervia	Broad-leaved Paperbark	150	130	198	12	3	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13126	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13127	Melaleuca quinquenervia	Broad-leaved Paperbark	140		140	11	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13128	Melaleuca quinquenervia	Broad-leaved Paperbark	140		140	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13129	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13130	Melaleuca quinquenervia	Broad-leaved Paperbark	180		180	11	3	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13131	Melaleuca quinquenervia	Broad-leaved Paperbark	200		200	15	4	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
13132	Melaleuca quinquenervia	Broad-leaved Paperbark	240	150	283	12	4	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13133	Melaleuca quinquenervia	Broad-leaved Paperbark	210		210	12	4	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13134	Melaleuca quinquenervia	Broad-leaved Paperbark	140		140	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13135	Melaleuca quinquenervia	Broad-leaved Paperbark	160		160	12	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13136	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13137	Melaleuca quinquenervia	Broad-leaved Paperbark	150		150	13	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13138	Melaleuca quinquenervia	Broad-leaved Paperbark	150		150	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13139	Melaleuca quinquenervia	Broad-leaved Paperbark	150		150	13	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13140	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	13	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13141	Melaleuca quinquenervia	Broad-leaved Paperbark	170		170	13	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13142	Melaleuca quinquenervia	Broad-leaved Paperbark	140		140	13	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13143	Melaleuca quinquenervia	Broad-leaved Paperbark	150		150	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13144	Melaleuca quinquenervia	Broad-leaved Paperbark	150		150	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13145	Melaleuca quinquenervia	Broad-leaved Paperbark	160		160	12	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13146	Melaleuca quinquenervia	Broad-leaved Paperbark	160		160	13	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13147	Melaleuca quinquenervia	Broad-leaved Paperbark	150		150	13	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13148	Melaleuca quinquenervia	Broad-leaved Paperbark	210	130	247	12	3	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13149	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	13	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13150	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	7	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13151	Melaleuca quinquenervia	Broad-leaved Paperbark	160		160	12	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13152	Melaleuca quinquenervia	Broad-leaved Paperbark	210		210	13	2	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13153	Melaleuca quinquenervia	Broad-leaved Paperbark	150		150	13	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13154	Melaleuca quinquenervia	Broad-leaved Paperbark	200	200, 150	320	13	5	3.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13155	Melaleuca quinquenervia	Broad-leaved Paperbark	200	170	262	13	4	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13156	Melaleuca quinquenervia	Broad-leaved Paperbark	200		200	14	3	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13157	Melaleuca quinquenervia	Broad-leaved Paperbark	280		280	14	4	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13158	Melaleuca quinquenervia	Broad-leaved Paperbark	300		300	13	5	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13159	Melaleuca quinquenervia	Broad-leaved Paperbark	200		200	14	3	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13160	Melaleuca quinquenervia	Broad-leaved Paperbark	150	140	205	13	4	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13161	Melaleuca quinquenervia	Broad-leaved Paperbark	180		180	12	2	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13162	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13163	Melaleuca quinquenervia	Broad-leaved Paperbark	210		210	15	3	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13164	Melaleuca quinquenervia	Broad-leaved Paperbark	160		160	12	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13165	Melaleuca quinquenervia	Broad-leaved Paperbark	140		140	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13166	Melaleuca quinquenervia	Broad-leaved Paperbark	160		160	12	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13167	Melaleuca quinquenervia	Broad-leaved Paperbark	150		150	13	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13168	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	13	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13169	Melaleuca quinquenervia	Broad-leaved Paperbark	140		140	13	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13170	Melaleuca quinquenervia	Broad-leaved Paperbark	150		150	13	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13171	Melaleuca quinquenervia	Broad-leaved Paperbark	180		180	13	2	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13172	Melaleuca quinquenervia	Broad-leaved Paperbark	180		180	13	3	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13173	Melaleuca quinquenervia	Broad-leaved Paperbark	140		140	9	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13174	Melaleuca quinquenervia	Broad-leaved Paperbark	140		140	11	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13175	Melaleuca quinquenervia	Broad-leaved Paperbark	160	100	189	11	2	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13176	Melaleuca quinquenervia	Broad-leaved Paperbark	150		150	13	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13177	Melaleuca quinquenervia	Broad-leaved Paperbark	160		160	13	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13178	Melaleuca quinquenervia	Broad-leaved Paperbark	200		200	14	3	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13179	Melaleuca quinquenervia	Broad-leaved Paperbark	190		190	16	3	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13180	Melaleuca quinquenervia	Broad-leaved Paperbark	140		140	15	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13181	Melaleuca quinquenervia	Broad-leaved Paperbark	210		210	10	2	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13182	Melaleuca quinquenervia	Broad-leaved Paperbark	150		150	13	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13183	Melaleuca quinquenervia	Broad-leaved Paperbark	140		140	13	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13184	Melaleuca quinquenervia	Broad-leaved Paperbark	140		140	15	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13185	Melaleuca quinquenervia	Broad-leaved Paperbark	150		150	14	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13186	Melaleuca quinquenervia	Broad-leaved Paperbark	140		140	13	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13187	Melaleuca quinquenervia	Broad-leaved Paperbark	150		150	9	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13188	Melaleuca quinquenervia	Broad-leaved Paperbark	150		150	11	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
13189	Melaleuca quinquenervia	Broad-leaved Paperbark	220		220	14	4	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13190	Lophostemon suaveolens	Swamp Box	140		140	14	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13191	Lophostemon suaveolens	Swamp Box	130		130	13	2	2	1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13192	Corymbia citriodora	Spotted Gum	150		150	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13193	Lophostemon suaveolens	Swamp Box	130		130	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13194	Lophostemon suaveolens	Swamp Box	170		170	14	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13195	Melaleuca quinquenervia	Broad-leaved Paperbark	140		140	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13196	Lophostemon suaveolens	Swamp Box	170		170	13	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13197	Allocasuarina littoralis	Black Sheoak	350		350	15	5	4.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13198	Lophostemon suaveolens	Swamp Box	170		170	14	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13199	Lophostemon suaveolens	Swamp Box	170		170	14	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13200	Lophostemon suaveolens	Swamp Box	170		170	14	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13201	Lophostemon suaveolens	Swamp Box	180		180	14	3	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13202	Lophostemon suaveolens	Swamp Box	180		180	15	4	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13203	Lophostemon suaveolens	Swamp Box	200		200	16	4	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13204	Lophostemon suaveolens	Swamp Box	160	130	206	14	5	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13205	Lophostemon suaveolens	Swamp Box	200		200	16	4	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13206	Lophostemon suaveolens	Swamp Box	200		200	16	4	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13207	Lophostemon suaveolens	Swamp Box	130		130	10	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13208	Lophostemon suaveolens	Swamp Box	160		160	15	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13209	Eucalyptus tereticornis	Forest Red Gum	160		160	16	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13210	Lophostemon suaveolens	Swamp Box	250	150	292	16	6	3.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13211	Melaleuca quinquenervia	Broad-leaved Paperbark	230	200, 160	344	18	6	4.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13212	Melaleuca quinquenervia	Broad-leaved Paperbark	220		220	17	5	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13213	Melaleuca quinquenervia	Broad-leaved Paperbark	180		180	17	4	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13214	Lophostemon suaveolens	Swamp Box	110		110	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13215	Lophostemon suaveolens	Swamp Box	160		160	16	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13216	Lophostemon suaveolens	Swamp Box	170	170	240	16	7	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13217	Lophostemon suaveolens	Swamp Box	130		130	15	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13218	Lophostemon suaveolens	Swamp Box	190		190	17	5	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13219	Lophostemon suaveolens	Swamp Box	160		160	16	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13220	Lophostemon suaveolens	Swamp Box	200		200	17	4	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13221	Lophostemon suaveolens	Swamp Box	200		200	17	4	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13222	Lophostemon suaveolens	Swamp Box	170		170	16	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13223	Lophostemon suaveolens	Swamp Box	140		140	16	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13224	Lophostemon suaveolens	Swamp Box	140		140	15	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13225	Lophostemon suaveolens	Swamp Box	130		130	14	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13226	Melaleuca quinquenervia	Broad-leaved Paperbark	200		200	16	2	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13227	Lophostemon suaveolens	Swamp Box	220	200	297	15	6	3.6	2	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13228	Lophostemon suaveolens	Swamp Box	160		160	15	4	2	2	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13229	Lophostemon suaveolens	Swamp Box	100		100	10	3	2	1	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13230	Eucalyptus tereticornis	Forest Red Gum	270	130	300	20	7	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13231	Lophostemon suaveolens	Swamp Box	150		150	13	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13232	Lophostemon suaveolens	Swamp Box	210		210	17	5	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13233	Eucalyptus tereticornis	Forest Red Gum	190		190	17	6	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13234	Lophostemon suaveolens	Swamp Box	180		180	16	4	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13235	Lophostemon suaveolens	Swamp Box	140		140	14	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13236	Lophostemon suaveolens	Swamp Box	210		210	17	6	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13237	Lophostemon suaveolens	Swamp Box	180		180	17	4	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13238	Lophostemon suaveolens	Swamp Box	100		100	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13239	Lophostemon suaveolens	Swamp Box	100		100	11	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13240	Lophostemon suaveolens	Swamp Box	100		100	10	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13241	Lophostemon suaveolens	Swamp Box	110		110	12	2	2	1	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13242	Eucalyptus crebra	Narrow-leaved Ironbark	190		190	17	5	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13243	Melaleuca quinquenervia	Broad-leaved Paperbark	170		170	15	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13244	Lophostemon suaveolens	Swamp Box	120		120	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13245	Lophostemon suaveolens	Swamp Box	230		230	17	6	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
13246	Lophostemon suaveolens	Swamp Box	190		190	16	4	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13247	Lophostemon suaveolens	Swamp Box	120		120	11	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13248	Lophostemon suaveolens	Swamp Box	110		110	10	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13249	Corymbia citriodora	Spotted Gum	110		110	8	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13250	Allocasuarina littoralis	Black Sheoak	160		160	10	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13251	Corymbia intermedia	Pink Bloodwood	230	230, 200, 240	451	14	6	5.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13252	Eucalyptus tereticornis	Forest Red Gum	320		320	15	8	3.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13253	Eucalyptus tereticornis	Forest Red Gum	260		260	12	4	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13254	Eucalyptus crebra	Narrow-leaved Ironbark	340		340	18	8	4.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13255	Eucalyptus tereticornis	Forest Red Gum	250		250	10	4	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13256	Eucalyptus tereticornis	Forest Red Gum	270		270	16	6	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13257	Eucalyptus tereticornis	Forest Red Gum	270	100	288	18	5	3.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13258	Eucalyptus tereticornis	Forest Red Gum	300		300	18	5	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13259	Eucalyptus tereticornis	Forest Red Gum	150		150	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13260	Eucalyptus tereticornis	Forest Red Gum	290	170	336	15	6	4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13261	Allocasuarina littoralis	Black Sheoak	160		160	8	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13262	Lophostemon suaveolens	Swamp Box	140		140	8	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13263	Lophostemon suaveolens	Swamp Box	170		170	10	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13264	Lophostemon suaveolens	Swamp Box	170		170	12	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13265	Lophostemon suaveolens	Swamp Box	190		190	10	3	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13266	Lophostemon suaveolens	Swamp Box	100		100	6	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13267	Allocasuarina littoralis	Black Sheoak	160		160	10	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13268	Lophostemon suaveolens	Swamp Box	140		140	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13269	Allocasuarina littoralis	Black Sheoak	140	150	205	12	5	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13270	Acacia concurrens	Black Wattle	150		150	12	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13271	Alphitonia excelsa	Red Ash	200		200	15	5	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13272	Allocasuarina littoralis	Black Sheoak	120	160	200	12	5	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13283	Allocasuarina littoralis	Black Sheoak	170		170	12	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13284	Allocasuarina littoralis	Black Sheoak	170		170	12	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13285	Allocasuarina littoralis	Black Sheoak	160		160	12	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13286	Lophostemon suaveolens	Swamp Box	100		100	6	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13287	Allocasuarina littoralis	Black Sheoak	160		160	14	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13288	Allocasuarina littoralis	Black Sheoak	200		200	15	5	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13289	Allocasuarina littoralis	Black Sheoak	160		160	12	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13290	Lophostemon suaveolens	Swamp Box	110		110	6	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13291	Allocasuarina littoralis	Black Sheoak	200		200	15	6	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13292	Eucalyptus tereticornis	Forest Red Gum	650		650	28	12	7.8	3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13293	Corymbia citriodora	Spotted Gum	240		240	18	5	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13295	Allocasuarina littoralis	Black Sheoak	280		280	12	6	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13296	Eucalyptus tereticornis	Forest Red Gum	300		300	28	10	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13297	Allocasuarina littoralis	Black Sheoak	190		190	15	6	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13298	Corymbia citriodora	Spotted Gum	210		210	18	5	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13299	Corymbia citriodora	Spotted Gum	180	140	228	15	5	2.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13300	Eucalyptus tereticornis	Forest Red Gum	190		190	15	4	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13301	Allocasuarina littoralis	Black Sheoak	230		230	15	6	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13302	Eucalyptus tereticornis	Forest Red Gum	220		220	28	6	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13303	Eucalyptus tereticornis	Forest Red Gum	190		190	20	5	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13304	Eucalyptus tereticornis	Forest Red Gum	140	240	278	18	8	3.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13305	Corymbia citriodora	Spotted Gum	170		170	12	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13306	Eucalyptus tereticornis	Forest Red Gum	340		340	18	10	4.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13307	Allocasuarina littoralis	Black Sheoak	230		230	12	6	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13308	Corymbia intermedia	Pink Bloodwood	190		190	15	5	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13309	Eucalyptus tereticornis	Forest Red Gum	260		260	18	6	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13310	Allocasuarina littoralis	Black Sheoak	190		190	15	5	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13311	Corymbia citriodora	Spotted Gum	160		160	18	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13312	Corymbia citriodora	Spotted Gum	330		330	28	12	4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13313	Eucalyptus tereticornis	Forest Red Gum	270		270	25	10	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
13314	Corymbia intermedia	Pink Bloodwood	240		240	16	5	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13315	Allocasuarina littoralis	Black Sheoak	150		150	8	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13316	Alphitonia excelsa	Red Ash	160		160	10	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13317	Corymbia citriodora	Spotted Gum	270		270	18	6	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13318	Corymbia citriodora	Spotted Gum	100		100	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13319	Allocasuarina littoralis	Black Sheoak	200		200	15	6	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13320	Allocasuarina littoralis	Black Sheoak	150		150	15	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13341	Corymbia intermedia	Pink Bloodwood	220		220	15	6	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13349	Acacia disparrima	Hickory Wattle	210		210	15	4	2.5	2	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13350	Corymbia intermedia	Pink Bloodwood	230	250	340	25	8	4.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13351	Corymbia intermedia	Pink Bloodwood	130		130	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13353	Angophora leiocarpa	Smooth-barked Apple	520	230	569	30	20	6.8	3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	Old	-	-	-	-	-	School VMP removed	
13354	Alphitonia excelsa	Red Ash	150		150	10	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13355	Eucalyptus crebra	Narrow-leaved Ironbark	290		290	20	5	3.5	2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13356	Alphitonia excelsa	Red Ash	190		190	15	5	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13357	Corymbia intermedia	Pink Bloodwood	220	160, 100	290	15	6	3.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13359	Corymbia intermedia	Pink Bloodwood	240		240	15	6	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13360	Corymbia citriodora	Spotted Gum	110		110	15	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13361	Corymbia citriodora	Spotted Gum	200		200	18	5	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13362	Eucalyptus tereticornis	Forest Red Gum	330	250	414	28	8	5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13363	Corymbia citriodora	Spotted Gum	320		320	30	10	3.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13364	Corymbia citriodora	Spotted Gum	290		290	18	5	3.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13365	Corymbia citriodora	Spotted Gum	220		220	15	8	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13366	Corymbia intermedia	Pink Bloodwood	140		140	12	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13367	Corymbia intermedia	Pink Bloodwood	280		280	20	5	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13368	Corymbia intermedia	Pink Bloodwood	210		210	14	5	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13369	Corymbia intermedia	Pink Bloodwood	230		230	15	5	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13370	Corymbia intermedia	Pink Bloodwood	180	200	269	14	6	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13371	Corymbia intermedia	Pink Bloodwood	250	190	314	16	8	3.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13372	Corymbia intermedia	Pink Bloodwood	290		290	15	8	3.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13373	Corymbia intermedia	Pink Bloodwood	210		210	12	5	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13374	Eucalyptus crebra	Narrow-leaved Ironbark	260		260	15	5	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13375	Corymbia intermedia	Pink Bloodwood	250		250	15	6	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13376	Alphitonia excelsa	Red Ash	160		160	12	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13377	Eucalyptus crebra	Narrow-leaved Ironbark	260		260	18	6	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	School VMP removed	
13378	Eucalyptus tereticornis	Forest Red Gum	210		210	15	5	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13379	Eucalyptus tereticornis	Forest Red Gum	230	190	298	15	5	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13380	Eucalyptus crebra	Narrow-leaved Ironbark	280		280	18	6	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13381	Allocasuarina littoralis	Black Sheoak	160		160	6	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13382	Corymbia intermedia	Pink Bloodwood	250		250	15	5	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13383	Eucalyptus siderophloia	Grey Ironbark	220	250	333	15	5	4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13384	Eucalyptus tereticornis	Forest Red Gum	230		230	18	6	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13385	Eucalyptus tereticornis	Forest Red Gum	350		350	24	8	4.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13386	Eucalyptus tereticornis	Forest Red Gum	350		350	20	1	4.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13387	Allocasuarina littoralis	Black Sheoak	170		170	10	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13393	Allocasuarina littoralis	Black Sheoak	170		170	12	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13394	Corymbia citriodora	Spotted Gum	260		260	15	5	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13395	Alphitonia excelsa	Red Ash	150		150	12	2	2	1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13401	Acacia disparrima	Hickory Wattle	150	120	192	10	4	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13441	Angophora leiocarpa	Smooth-barked Apple	320		320	24	10	3.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13442	Eucalyptus siderophloia	Grey Ironbark	230		230	18	8	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13443	Eucalyptus siderophloia	Grey Ironbark	300		300	28	10	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13446	Corymbia intermedia	Pink Bloodwood	310		310	18	12	3.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13447	Corymbia intermedia	Pink Bloodwood	290		290	30	15	3.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13448	Eucalyptus tereticornis	Forest Red Gum	220		220	20	10	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13449	Allocasuarina littoralis	Black Sheoak	160		160	12	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13450	Allocasuarina littoralis	Black Sheoak	170		170	15	8	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
13451	Lophostemon suaveolens	Swamp Box	140		140	8	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13452	Lophostemon suaveolens	Swamp Box	190		190	10	3	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13453	Allocasuarina littoralis	Black Sheoak	180		180	10	3	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13454	Corymbia intermedia	Pink Bloodwood	240		240	23	12	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13455	Eucalyptus tereticornis	Forest Red Gum	180		180	12	4	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13456	Eucalyptus tereticornis	Forest Red Gum	250		250	15	5	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13457	Eucalyptus tereticornis	Forest Red Gum	310		310	25	10	3.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13458	Corymbia intermedia	Pink Bloodwood	190		190	10	4	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13459	Corymbia intermedia	Pink Bloodwood	200		200	15	5	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13460	Eucalyptus tereticornis	Forest Red Gum	390	230	453	25	12	5.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13461	Eucalyptus crebra	Narrow-leaved Ironbark	180		180	15	5	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13462	Angophora leiocarpa	Smooth-barked Apple	230		230	18	10	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13463	Eucalyptus tereticornis	Forest Red Gum	320		320	25	16	3.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13464	Angophora leiocarpa	Smooth-barked Apple	320		320	25	12	3.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13465	Angophora leiocarpa	Smooth-barked Apple	290		290	20	8	3.5	2	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13466	Angophora leiocarpa	Smooth-barked Apple	290		290	20	10	3.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13467	Eucalyptus crebra	Narrow-leaved Ironbark	240		240	18	10	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13468	Eucalyptus tereticornis	Forest Red Gum	260		260	22	10	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13469	Allocasuarina littoralis	Black Sheoak	160		160	12	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13470	Angophora leiocarpa	Smooth-barked Apple	180		180	16	5	2.2	2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13471	Eucalyptus tereticornis	Forest Red Gum	200		200	18	5	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13472	Corymbia intermedia	Pink Bloodwood	200		200	15	6	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13473	Eucalyptus crebra	Narrow-leaved Ironbark	330		330	25	16	4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13474	Lophostemon suaveolens	Swamp Box	150		150	10	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13475	Lophostemon suaveolens	Swamp Box	150		150	10	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13476	Eucalyptus tereticornis	Forest Red Gum	280		280	20	5	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13477	Eucalyptus crebra	Narrow-leaved Ironbark	220		220	15	6	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13478	Lophostemon suaveolens	Swamp Box	150		150	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13479	Lophostemon suaveolens	Swamp Box	100		100	6	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13480	Lophostemon suaveolens	Swamp Box	160		160	8	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13481	Melaleuca quinquenervia	Broad-leaved Paperbark	180		180	10	3	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13482	Lophostemon suaveolens	Swamp Box	170		170	8	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13483	Eucalyptus tereticornis	Forest Red Gum	290		290	25	12	3.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13484	Eucalyptus crebra	Narrow-leaved Ironbark	230		230	20	12	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13485	Lophostemon suaveolens	Swamp Box	100		100	6	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13486	Melaleuca quinquenervia	Broad-leaved Paperbark	200		200	15	5	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13487	Allocasuarina littoralis	Black Sheoak	150		150	8	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13488	Melaleuca quinquenervia	Broad-leaved Paperbark	200		200	12	5	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13489	Lophostemon suaveolens	Swamp Box	120		120	8	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13490	Melaleuca quinquenervia	Broad-leaved Paperbark	230		230	12	6	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13491	Melaleuca quinquenervia	Broad-leaved Paperbark	140	130	191	10	3	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13492	Eucalyptus tereticornis	Forest Red Gum	530		530	28	15	6.4	3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13493	Lophostemon suaveolens	Swamp Box	140		140	8	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13494	Lophostemon suaveolens	Swamp Box	270		270	15	12	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13495	Melaleuca quinquenervia	Broad-leaved Paperbark	110		110	8	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13496	Melaleuca quinquenervia	Broad-leaved Paperbark	400		400	25	12	4.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13497	Melaleuca quinquenervia	Broad-leaved Paperbark	210		210	18	5	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13498	Eucalyptus tereticornis	Forest Red Gum	310		310	25	16	3.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13499	Melaleuca quinquenervia	Broad-leaved Paperbark	250		250	20	6	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13500	Lophostemon suaveolens	Swamp Box	120		120	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13501	Melaleuca quinquenervia	Broad-leaved Paperbark	210		210	18	6	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13502	Melaleuca quinquenervia	Broad-leaved Paperbark	160		160	15	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13503	Melaleuca quinquenervia	Broad-leaved Paperbark	290		290	25	6	3.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13504	Lophostemon suaveolens	Swamp Box	150		150	12	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13505	Angophora leiocarpa	Smooth-barked Apple	110		110	15	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13506	Allocasuarina littoralis	Black Sheoak	180		180	14	6	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13507	Angophora leiocarpa	Smooth-barked Apple	180		180	15	5	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
13508	Angophora leiocarpa	Smooth-barked Apple	180		180	15	5	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13509	Angophora leiocarpa	Smooth-barked Apple	230		230	20	12	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13510	Angophora leiocarpa	Smooth-barked Apple	260		260	20	12	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13511	Angophora leiocarpa	Smooth-barked Apple	290		290	30	18	3.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13512	Angophora leiocarpa	Smooth-barked Apple	300		300	20	8	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13513	Eucalyptus tereticornis	Forest Red Gum	260		260	28	15	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13514	Melaleuca quinquenervia	Broad-leaved Paperbark	200		200	12	3	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13515	Angophora leiocarpa	Smooth-barked Apple	120		120	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13516	Angophora leiocarpa	Smooth-barked Apple	150		150	12	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13517	Angophora leiocarpa	Smooth-barked Apple	150		150	18	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13518	Angophora leiocarpa	Smooth-barked Apple	150		150	14	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13519	Corymbia intermedia	Pink Bloodwood	290		290	28	16	3.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13520	Angophora leiocarpa	Smooth-barked Apple	110		110	8	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13521	Angophora leiocarpa	Smooth-barked Apple	220		220	18	6	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13522	Angophora leiocarpa	Smooth-barked Apple	260		260	20	10	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13523	Eucalyptus tereticornis	Forest Red Gum	380		380	25	12	4.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13524	Eucalyptus tereticornis	Forest Red Gum	340	160	376	25	12	4.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13525	Eucalyptus tereticornis	Forest Red Gum	280		280	30	12	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13526	Corymbia intermedia	Pink Bloodwood	300		300	22	8	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13527	Lophostemon suaveolens	Swamp Box	210	170, 160	314	15	6	3.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13528	Lophostemon suaveolens	Swamp Box	200		200	12	6	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13529	Eucalyptus tereticornis	Forest Red Gum	370		370	25	6	4.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13530	Allocasuarina littoralis	Black Sheoak	210		210	12	3	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13725	Eucalyptus tereticornis	Forest Red Gum	200		200	17	4	2.4	2	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
13726	Eucalyptus tereticornis	Forest Red Gum	100		100	9	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
13727	Eucalyptus tereticornis	Forest Red Gum	160		160	13	2	2	2	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
13728	Eucalyptus seeana	Narrow-leaved Gum	230		230	15	6	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
13729	Eucalyptus tereticornis	Forest Red Gum	100		100	12	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
13730	Eucalyptus seeana	Narrow-leaved Gum	220		220	12	5	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
13732	Corymbia citriodora	Spotted Gum	290		290	18	7	3.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
13734	Corymbia intermedia	Pink Bloodwood	340	270, 290	522	18	9	6.3	3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Retain ROL6	
13735	Eucalyptus tereticornis	Forest Red Gum	330		330	21	7	4	2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain ROL6	
13743	Eucalyptus tereticornis	Forest Red Gum	170		170	19	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
13744	Eucalyptus seeana	Narrow-leaved Gum	295		295	16	8	3.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
13749	Acacia concurrens	Black Wattle	165		165	9	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
13750	Eucalyptus tereticornis	Forest Red Gum	320	300	439	21	7	5.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
13753	Allocasuarina littoralis	Black Sheoak	185		185	12	5	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
13754	Eucalyptus tereticornis	Forest Red Gum	165		165	17	1	2	2	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
13755	Eucalyptus siderophloia	Grey Ironbark	270		270	14	7	3.2	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13756	Eucalyptus tereticornis	Forest Red Gum	260		260	17	5	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13757	Eucalyptus siderophloia	Grey Ironbark	190		190	14	5	2.3	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13758	Lophostemon suaveolens	Swamp Box	150		150	17	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13759	Eucalyptus tereticornis	Forest Red Gum	230		230	16	4	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13760	Eucalyptus tereticornis	Forest Red Gum	440		440	28	12	5.3	2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13761	Eucalyptus siderophloia	Grey Ironbark	200		200	17	3	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13762	Melaleuca saligna	Willow Bottlebrush	210		210	14	4	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13763	Eucalyptus tereticornis	Forest Red Gum	370		370	28	10	4.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13764	Eucalyptus tereticornis	Forest Red Gum	300		300	22	9	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13765	Eucalyptus tereticornis	Forest Red Gum	380		380	28	10	4.6	2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13766	Melaleuca saligna	Willow Bottlebrush	300		300	15	5	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13767	Eucalyptus tereticornis	Forest Red Gum	290		290	28	8	3.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13768	Eucalyptus siderophloia	Grey Ironbark	190		190	16	5	2.3	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13769	Lophostemon suaveolens	Swamp Box	160		160	13	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13770	Corymbia citriodora	Spotted Gum	140		140	17	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13771	Eucalyptus tereticornis	Forest Red Gum	450		450	30	14	5.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13772	Melaleuca saligna	Willow Bottlebrush	140		140	9	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13773	Eucalyptus tereticornis	Forest Red Gum	290		290	21	7	3.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
13774	Lophostemon suaveolens	Swamp Box	230		230	12	5	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13775	Lophostemon suaveolens	Swamp Box	200		200	10	5	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13776	Eucalyptus tereticornis	Forest Red Gum	370		370	20	12	4.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13777	Melaleuca quinquenervia	Broad-leaved Paperbark	170		170	16	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13778	Melaleuca quinquenervia	Broad-leaved Paperbark	210	160, 90	279	16	5	3.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13779	Melaleuca quinquenervia	Broad-leaved Paperbark	160	150	219	10	3	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13780	Lophostemon suaveolens	Swamp Box	170		170	12	4	2	2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13781	Lophostemon suaveolens	Swamp Box	150		150	13	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13782	Corymbia citriodora	Spotted Gum	160		160	14	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13783	Lophostemon suaveolens	Swamp Box	170		170	14	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13784	Melaleuca quinquenervia	Broad-leaved Paperbark	240		240	16	5	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13785	Lophostemon suaveolens	Swamp Box	120		120	14	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13786	Acacia leiocalyx	Early Flowering Black Wattle	110		110	10	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13787	Eucalyptus tereticornis	Forest Red Gum	140		140	16	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13788	Allocasuarina littoralis	Black Sheoak	120	110, 100	191	8	7	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13789	Corymbia citriodora	Spotted Gum	160		160	16	3	2	2	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13790	Corymbia citriodora	Spotted Gum	290		290	25	12	3.5	2	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13791	Allocasuarina littoralis	Black Sheoak	120		120	6	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13792	Eucalyptus tereticornis	Forest Red Gum	210		210	18	6	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13793	Corymbia citriodora	Spotted Gum	170		170	17	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13794	Eucalyptus tereticornis	Forest Red Gum	180	130, 90	240	23	5	2.9	2	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13795	Allocasuarina littoralis	Black Sheoak	170		170	10	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13796	Corymbia citriodora	Spotted Gum	170		170	18	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13797	Allocasuarina littoralis	Black Sheoak	140		140	8	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13798	Allocasuarina littoralis	Black Sheoak	140		140	12	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13799	Allocasuarina littoralis	Black Sheoak	120		120	12	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13800	Corymbia citriodora	Spotted Gum	270	230	355	23	9	4.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13801	Corymbia tessellaris	Moreton Bay Ash	160	120	200	19	5	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13802	Allocasuarina littoralis	Black Sheoak	140		140	13	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13803	Lophostemon suaveolens	Swamp Box	200	180	269	17	7	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13804	Eucalyptus siderophloia	Grey Ironbark	340		340	30	17	4.1	2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13805	Corymbia tessellaris	Moreton Bay Ash	280		280	18	12	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13806	Eucalyptus tereticornis	Forest Red Gum	210	180	277	24	6	3.3	2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13807	Acacia leiocalyx	Early Flowering Black Wattle	140		140	15	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13808	Eucalyptus tereticornis	Forest Red Gum	290	220	364	28	16	4.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13809	Allocasuarina littoralis	Black Sheoak	160		160	16	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13810	Allocasuarina littoralis	Black Sheoak	200		200	15	6	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13811	Allocasuarina littoralis	Black Sheoak	200		200	12	5	2.4	2	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13812	Corymbia tessellaris	Moreton Bay Ash	160	110	194	18	4	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13813	Allocasuarina littoralis	Black Sheoak	130		130	6	7	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13814	Corymbia tessellaris	Moreton Bay Ash	140		140	17	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13815	Allocasuarina littoralis	Black Sheoak	140		140	6	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13816	Allocasuarina littoralis	Black Sheoak	120		120	5	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13817	Allocasuarina littoralis	Black Sheoak	120		120	12	3	2	1	Regular	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	School VMP removed	
13818	Eucalyptus tereticornis	Forest Red Gum	200		200	19	6	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13819	Eucalyptus tereticornis	Forest Red Gum	270		270	24	11	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13820	Acacia leiocalyx	Early Flowering Black Wattle	140		140	16	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13821	Lophostemon suaveolens	Swamp Box	170		170	10	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13822	Lophostemon suaveolens	Swamp Box	120		120	14	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13823	Allocasuarina littoralis	Black Sheoak	150		150	13	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13824	Allocasuarina littoralis	Black Sheoak	110		110	15	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13825	Allocasuarina littoralis	Black Sheoak	120		120	15	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13826	Corymbia intermedia	Pink Bloodwood	140		140	15	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13827	Melaleuca quinquenervia	Broad-leaved Paperbark	170		170	17	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13828	Corymbia intermedia	Pink Bloodwood	180		180	13	2	2.2	2	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13829	Allocasuarina littoralis	Black Sheoak	180		180	16	9	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13830	Corymbia intermedia	Pink Bloodwood	150		150	18	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
13831	Melaleuca quinquenervia	Broad-leaved Paperbark	100		100	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13832	Lophostemon suaveolens	Swamp Box	140		140	14	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13833	Lophostemon suaveolens	Swamp Box	120		120	11	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13834	Acacia leiocalyx	Early Flowering Black Wattle	110		110	14	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13835	Corymbia intermedia	Pink Bloodwood	200		200	20	9	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13836	Acacia leiocalyx	Early Flowering Black Wattle	110		110	6	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13837	Acacia leiocalyx	Early Flowering Black Wattle	140		140	14	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13838	Allocasuarina littoralis	Black Sheoak	230		230	17	6	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13839	Allocasuarina littoralis	Black Sheoak	170		170	15	6	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13840	Eucalyptus tereticornis	Forest Red Gum	260		260	23	14	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13841	Eucalyptus tereticornis	Forest Red Gum	280		280	21	12	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13842	Allocasuarina littoralis	Black Sheoak	220		220	19	6	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13843	Eucalyptus tereticornis	Forest Red Gum	200	200	283	15	10	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13844	Lophostemon suaveolens	Swamp Box	150		150	16	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13845	Corymbia citriodora	Spotted Gum	240		240	28	10	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13846	Lophostemon suaveolens	Swamp Box	140	90	166	15	7	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13847	Allocasuarina littoralis	Black Sheoak	180		180	17	5	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13848	Corymbia intermedia	Pink Bloodwood	140		140	20	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13849	Eucalyptus siderophloia	Grey Ironbark	200		200	28	8	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13850	Corymbia intermedia	Pink Bloodwood	170		170	16	6	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13851	Corymbia tessellaris	Moreton Bay Ash	110		110	19	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13852	Allocasuarina littoralis	Black Sheoak	130		130	15	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13853	Lophostemon suaveolens	Swamp Box	160	120	200	16	5	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13854	Acacia leiocalyx	Early Flowering Black Wattle	110		110	16	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13855	Acacia leiocalyx	Early Flowering Black Wattle	100		100	17	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13856	Lophostemon suaveolens	Swamp Box	160		160	16	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13857	Eucalyptus tereticornis	Forest Red Gum	150		150	28	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13858	Corymbia intermedia	Pink Bloodwood	250		250	26	9	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13859	Corymbia tessellaris	Moreton Bay Ash	140		140	17	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13860	Lophostemon suaveolens	Swamp Box	170		170	15	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13861	Lophostemon suaveolens	Swamp Box	170		170	17	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13862	Allocasuarina littoralis	Black Sheoak	160		160	17	6	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13863	Corymbia intermedia	Pink Bloodwood	220		220	24	11	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13864	Lophostemon suaveolens	Swamp Box	160		160	19	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13865	Corymbia intermedia	Pink Bloodwood	210		210	18	6	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13866	Allocasuarina littoralis	Black Sheoak	150		150	18	6	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13867	Melaleuca quinquenervia	Broad-leaved Paperbark	120		120	15	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13868	Lophostemon suaveolens	Swamp Box	100		100	13	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13869	Eucalyptus tereticornis	Forest Red Gum	300		300	28	13	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13870	Allocasuarina littoralis	Black Sheoak	170		170	17	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13871	Eucalyptus tereticornis	Forest Red Gum	160	140	213	28	5	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13872	Eucalyptus tereticornis	Forest Red Gum	170	80, 80	204	22	4	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13873	Eucalyptus siderophloia	Grey Ironbark	130		130	15	4	2	1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13874	Eucalyptus tereticornis	Forest Red Gum	250	200	320	25	11	3.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13875	Allocasuarina littoralis	Black Sheoak	130		130	14	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13876	Eucalyptus siderophloia	Grey Ironbark	160		160	18	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13877	Angophora leiocarpa	Smooth-barked Apple	200		200	27	10	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13878	Melaleuca quinquenervia	Broad-leaved Paperbark	160		160	17	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13879	Eucalyptus siderophloia	Grey Ironbark	190		190	28	12	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13880	Allocasuarina littoralis	Black Sheoak	130		130	15	7	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13881	Corymbia intermedia	Pink Bloodwood	240		240	23	15	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13882	Angophora leiocarpa	Smooth-barked Apple	190		190	21	8	2.3	2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13883	Eucalyptus siderophloia	Grey Ironbark	170		170	21	7	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13884	Angophora leiocarpa	Smooth-barked Apple	180		180	19	7	2.2	2	One-sided	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13885	Allocasuarina littoralis	Black Sheoak	150		150	15	6	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13886	Acacia leiocalyx	Early Flowering Black Wattle	120		120	14	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13887	Allocasuarina littoralis	Black Sheoak	120		120	15	6	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
13888	Allocasuarina littoralis	Black Sheoak	120	60	134	18	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13889	Allocasuarina littoralis	Black Sheoak	190		190	16	6	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13890	Allocasuarina littoralis	Black Sheoak	180		180	16	3	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13891	Lophostemon suaveolens	Swamp Box	120		120	13	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13892	Lophostemon suaveolens	Swamp Box	150		150	16	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13893	Allocasuarina littoralis	Black Sheoak	170		170	16	6	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13894	Allocasuarina littoralis	Black Sheoak	210		210	16	9	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13895	Angophora leiocarpa	Smooth-barked Apple	160		160	17	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13896	Melaleuca quinquenervia	Broad-leaved Paperbark	220		220	20	8	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13897	Acacia leiocalyx	Early Flowering Black Wattle	150		150	16	6	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13898	Lophostemon suaveolens	Swamp Box	150		150	14	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13899	Allocasuarina littoralis	Black Sheoak	180		180	19	6	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13900	Allocasuarina littoralis	Black Sheoak	180		180	9	10	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13901	Eucalyptus siderophloia	Grey Ironbark	240		240	28	15	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13902	Corymbia intermedia	Pink Bloodwood	160		160	16	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13903	Lophostemon suaveolens	Swamp Box	130	100	164	15	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13904	Eucalyptus tereticornis	Forest Red Gum	410		410	28	16	4.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13905	Corymbia intermedia	Pink Bloodwood	250		250	26	16	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13906	Acacia leiocalyx	Early Flowering Black Wattle	140		140	15	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13907	Eucalyptus tereticornis	Forest Red Gum	120		120	18	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13908	Eucalyptus siderophloia	Grey Ironbark	220		220	28	14	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13909	Eucalyptus tereticornis	Forest Red Gum	190		190	18	5	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13910	Allocasuarina littoralis	Black Sheoak	170		170	17	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13911	Angophora leiocarpa	Smooth-barked Apple	210	160	264	23	9	3.2	2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13912	Eucalyptus tereticornis	Forest Red Gum	160		160	25	4	2	2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13913	Allocasuarina littoralis	Black Sheoak	160		160	16	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13914	Angophora leiocarpa	Smooth-barked Apple	160	160	226	20	5	2.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13915	Allocasuarina littoralis	Black Sheoak	130		130	16	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13916	Allocasuarina littoralis	Black Sheoak	170		170	18	8	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13917	Allocasuarina littoralis	Black Sheoak	170		170	15	7	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13918	Allocasuarina littoralis	Black Sheoak	130		130	14	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13919	Allocasuarina littoralis	Black Sheoak	190		190	19	9	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13920	Corymbia intermedia	Pink Bloodwood	200		200	26	15	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13921	Allocasuarina littoralis	Black Sheoak	140		140	16	8	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13922	Allocasuarina littoralis	Black Sheoak	170		170	19	9	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13923	Corymbia intermedia	Pink Bloodwood	200		200	24	8	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13924	Allocasuarina littoralis	Black Sheoak	150		150	16	7	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13925	Eucalyptus tereticornis	Forest Red Gum	230		230	22	9	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13926	Allocasuarina littoralis	Black Sheoak	160		160	17	6	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13927	Corymbia citriodora	Spotted Gum	210		210	23	9	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13928	Corymbia intermedia	Pink Bloodwood	230		230	21	14	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13929	Eucalyptus tereticornis	Forest Red Gum	230		230	22	8	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13930	Allocasuarina littoralis	Black Sheoak	170		170	16	6	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13931	Allocasuarina littoralis	Black Sheoak	130		130	15	10	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13932	Angophora leiocarpa	Smooth-barked Apple	220		220	24	5	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13933	Corymbia intermedia	Pink Bloodwood	130		130	19	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13934	Acacia disparrima	Hickory Wattle	160		160	13	6	2	2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	School VMP removed	
13935	Corymbia intermedia	Pink Bloodwood	120		120	13	6	2	1	Regular	-	-	-	Epicormic	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13936	Allocasuarina littoralis	Black Sheoak	170		170	19	6	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13937	Corymbia citriodora	Spotted Gum	140		140	16	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13938	Eucalyptus siderophloia	Grey Ironbark	130		130	15	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13939	Angophora leiocarpa	Smooth-barked Apple	130		130	22	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13940	Allocasuarina littoralis	Black Sheoak	130		130	15	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13941	Eucalyptus tereticornis	Forest Red Gum	190		190	22	7	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13942	Allocasuarina littoralis	Black Sheoak	170		170	19	6	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13943	Allocasuarina littoralis	Black Sheoak	150	120	192	15	6	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13944	Eucalyptus tereticornis	Forest Red Gum	270		270	28	10	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
13945	Angophora leiocarpa	Smooth-barked Apple	170		170	23	9	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13946	Angophora leiocarpa	Smooth-barked Apple	230		230	24	14	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13947	Allocasuarina littoralis	Black Sheoak	130	120	177	9	8	2.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13948	Allocasuarina littoralis	Black Sheoak	120		120	15	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13949	Allocasuarina littoralis	Black Sheoak	150		150	15	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13950	Allocasuarina littoralis	Black Sheoak	130		130	15	7	2	1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13951	Corymbia intermedia	Pink Bloodwood	230		230	21	8	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13952	Allocasuarina littoralis	Black Sheoak	120		120	16	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13953	Eucalyptus tereticornis	Forest Red Gum	240		240	28	15	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13954	Lophostemon suaveolens	Swamp Box	120		120	13	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13955	Allocasuarina littoralis	Black Sheoak	120		120	15	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13956	Allocasuarina littoralis	Black Sheoak	140		140	16	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13957	Allocasuarina littoralis	Black Sheoak	210		210	17	7	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13958	Allocasuarina littoralis	Black Sheoak	140		140	10	6	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13959	Allocasuarina littoralis	Black Sheoak	210		210	14	5	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13960	Allocasuarina littoralis	Black Sheoak	140		140	15	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13961	Allocasuarina littoralis	Black Sheoak	170	80	188	18	6	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13962	Angophora leiocarpa	Smooth-barked Apple	190	90	210	25	7	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13963	Allocasuarina littoralis	Black Sheoak	130		130	14	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13964	Angophora leiocarpa	Smooth-barked Apple	210		210	27	9	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13965	Allocasuarina littoralis	Black Sheoak	160		160	18	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13966	Eucalyptus tereticornis	Forest Red Gum	130		130	15	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13967	Allocasuarina littoralis	Black Sheoak	140		140	12	6	2	1	Regular	-	-	-	-	-	Typical	Major	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13968	Allocasuarina littoralis	Black Sheoak	160		160	17	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13969	Allocasuarina littoralis	Black Sheoak	160		160	4	8	2	2	Regular	-	-	-	-	-	Typical	Major	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13970	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	14	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13971	Melaleuca quinquenervia	Broad-leaved Paperbark	140		140	15	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13972	Allocasuarina littoralis	Black Sheoak	140		140	19	7	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13973	Alphitonia excelsa	Red Ash	180		180	20	4	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13974	Allocasuarina littoralis	Black Sheoak	150		150	15	8	2	1	Regular	-	-	Die-back	-	-	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	School VMP removed	
13975	Allocasuarina littoralis	Black Sheoak	140		140	16	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13976	Corymbia intermedia	Pink Bloodwood	300		300	22	9	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13977	Allocasuarina littoralis	Black Sheoak	170		170	16	5	2	2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	School VMP removed	
13978	Eucalyptus tereticornis	Forest Red Gum	140		140	17	4	2	1	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13979	Melaleuca quinquenervia	Broad-leaved Paperbark	130	120	177	18	5	2.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13980	Allocasuarina littoralis	Black Sheoak	130		130	14	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13981	Allocasuarina littoralis	Black Sheoak	140		140	17	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13982	Allocasuarina littoralis	Black Sheoak	130		130	12	5	2	1	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13983	Allocasuarina littoralis	Black Sheoak	160		160	17	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13984	Allocasuarina littoralis	Black Sheoak	140		140	16	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13985	Allocasuarina littoralis	Black Sheoak	130		130	16	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13986	Allocasuarina littoralis	Black Sheoak	130		130	15	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13987	Allocasuarina littoralis	Black Sheoak	160		160	16	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13988	Eucalyptus tereticornis	Forest Red Gum	230	130	264	20	6	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13989	Corymbia citriodora	Spotted Gum	130		130	13	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13990	Allocasuarina littoralis	Black Sheoak	130		130	13	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13991	Angophora leiocarpa	Smooth-barked Apple	280		280	27	14	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13992	Allocasuarina littoralis	Black Sheoak	140		140	15	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13993	Allocasuarina littoralis	Black Sheoak	150		150	15	6	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13994	Corymbia intermedia	Pink Bloodwood	150		150	17	6	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13995	Eucalyptus siderophloia	Grey Ironbark	210		210	24	7	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13996	Eucalyptus tereticornis	Forest Red Gum	210		210	25	7	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13997	Eucalyptus tereticornis	Forest Red Gum	140		140	19	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13998	Eucalyptus tereticornis	Forest Red Gum	120		120	16	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
13999	Corymbia intermedia	Pink Bloodwood	140		140	16	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14000	Allocasuarina littoralis	Black Sheoak	140		140	13	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14001	Corymbia intermedia	Pink Bloodwood	160		160	18	6	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
14002	Allocasuarina littoralis	Black Sheoak	160		160	13	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14003	Corymbia intermedia	Pink Bloodwood	140		140	17	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14004	Allocasuarina littoralis	Black Sheoak	170		170	18	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14005	Allocasuarina littoralis	Black Sheoak	150		150	16	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14006	Corymbia intermedia	Pink Bloodwood	140		140	19	3	2	1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14007	Eucalyptus tereticornis	Forest Red Gum	210		210	22	5	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14008	Corymbia intermedia	Pink Bloodwood	170		170	19	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14009	Corymbia intermedia	Pink Bloodwood	160		160	21	7	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14010	Corymbia intermedia	Pink Bloodwood	130		130	15	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14011	Allocasuarina littoralis	Black Sheoak	140		140	17	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14012	Corymbia intermedia	Pink Bloodwood	170		170	20	5	2	2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14013	Corymbia intermedia	Pink Bloodwood	190		190	23	5	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14014	Eucalyptus sideroph loia	Grey Ironbark	180		180	21	6	2.2	2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14015	Allocasuarina littoralis	Black Sheoak	120		120	15	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14016	Allocasuarina littoralis	Black Sheoak	120	80	144	15	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14017	Allocasuarina littoralis	Black Sheoak	130		130	16	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14018	Allocasuarina littoralis	Black Sheoak	110		110	16	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14019	Allocasuarina littoralis	Black Sheoak	140		140	15	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14020	Allocasuarina littoralis	Black Sheoak	160		160	17	7	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14021	Eucalyptus sideroph loia	Grey Ironbark	170		170	23	17	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14022	Allocasuarina littoralis	Black Sheoak	130		130	15	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14023	Eucalyptus tereticornis	Forest Red Gum	120		120	22	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14024	Allocasuarina littoralis	Black Sheoak	120		120	18	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14025	Allocasuarina littoralis	Black Sheoak	120		120	17	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14026	Eucalyptus tereticornis	Forest Red Gum	180	170	248	21	3	3	2	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14027	Allocasuarina littoralis	Black Sheoak	160		160	16	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14028	Allocasuarina littoralis	Black Sheoak	140		140	14	7	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14029	Allocasuarina littoralis	Black Sheoak	170		170	14	6	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14030	Alphitonia excelsa	Red Ash	150		150	15	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14031	Eucalyptus tereticornis	Forest Red Gum	440		440	28	16	5.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14032	Allocasuarina littoralis	Black Sheoak	180		180	15	5	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14033	Allocasuarina littoralis	Black Sheoak	130		130	16	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14034	Allocasuarina littoralis	Black Sheoak	130		130	13	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14035	Allocasuarina littoralis	Black Sheoak	140		140	10	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14036	Acacia leiocalyx	Early Flowering Black Wattle	140		140	15	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14037	Allocasuarina littoralis	Black Sheoak	170		170	17	8	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14038	Allocasuarina littoralis	Black Sheoak	130		130	14	6	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14039	Allocasuarina littoralis	Black Sheoak	150		150	16	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14040	Allocasuarina littoralis	Black Sheoak	150		150	15	2	2	1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14041	Allocasuarina littoralis	Black Sheoak	170		170	16	6	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14042	Allocasuarina littoralis	Black Sheoak	150		150	16	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14043	Allocasuarina littoralis	Black Sheoak	150		150	16	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14044	Allocasuarina littoralis	Black Sheoak	140		140	18	6	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14045	Allocasuarina littoralis	Black Sheoak	200		200	15	6	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14046	Allocasuarina littoralis	Black Sheoak	150		150	19	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14047	Melaleuca saligna	Willow Bottlebrush	130		130	16	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14048	Eucalyptus tereticornis	Forest Red Gum	170		170	21	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14049	Melaleuca quinquenervia	Broad-leaved Paperbark	180	150	234	18	3	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14050	Eucalyptus tereticornis	Forest Red Gum	430		430	19	7	5.2	2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	School VMP removed	
14051	Allocasuarina littoralis	Black Sheoak	190		190	12	2	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14052	Allocasuarina littoralis	Black Sheoak	170		170	13	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14053	Allocasuarina littoralis	Black Sheoak	160		160	13	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14054	Allocasuarina littoralis	Black Sheoak	170		170	14	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14055	Allocasuarina littoralis	Black Sheoak	170		170	12	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14056	Allocasuarina littoralis	Black Sheoak	150		150	13	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14057	Allocasuarina littoralis	Black Sheoak	150		150	10	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14058	Eucalyptus tereticornis	Forest Red Gum	190		190	16	4	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
14059	Eucalyptus tereticornis	Forest Red Gum	480		480	22	10	5.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14060	Corymbia intermedia	Pink Bloodwood	210		210	16	5	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14061	Lophostemon suaveolens	Swamp Box	200	200, 180, 160	371	15	6	4.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14062	Eucalyptus tereticornis	Forest Red Gum	490		490	21	10	5.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14063	Eucalyptus tereticornis	Forest Red Gum	360		360	20	7	4.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14064	Melaleuca quinquenervia	Broad-leaved Paperbark	120		120	9	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14065	Allocasuarina littoralis	Black Sheoak	160	120	200	10	4	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14066	Corymbia intermedia	Pink Bloodwood	150		150	13	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14067	Eucalyptus tereticornis	Forest Red Gum	320		320	18	6	3.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14068	Melaleuca quinquenervia	Broad-leaved Paperbark	170		170	13	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14069	Corymbia intermedia	Pink Bloodwood	300	250	391	17	8	4.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	School VMP removed	
14070	Melaleuca quinquenervia	Broad-leaved Paperbark	200		200	14	5	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14071	Lophostemon suaveolens	Swamp Box	190		190	14	4	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14072	Lophostemon suaveolens	Swamp Box	170		170	13	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14073	Eucalyptus tereticornis	Forest Red Gum	370		370	18	7	4.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14074	Melaleuca quinquenervia	Broad-leaved Paperbark	210		210	15	4	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14075	Lophostemon suaveolens	Swamp Box	180		180	14	5	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14076	Lophostemon suaveolens	Swamp Box	200		200	14	4	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	School VMP removed	
14077	Lophostemon suaveolens	Swamp Box	240	120	268	15	4	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14078	Lophostemon suaveolens	Swamp Box	150		150	15	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14079	Corymbia intermedia	Pink Bloodwood	240		240	16	4	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14080	Lophostemon suaveolens	Swamp Box	120		120	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14081	Lophostemon suaveolens	Swamp Box	110		110	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14082	Eucalyptus tereticornis	Forest Red Gum	270		270	18	5	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14083	Lophostemon suaveolens	Swamp Box	100		100	9	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14084	Lophostemon suaveolens	Swamp Box	140		140	14	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14085	Lophostemon suaveolens	Swamp Box	130		130	13	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14086	Lophostemon suaveolens	Swamp Box	160		160	14	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14087	Lophostemon suaveolens	Swamp Box	100		100	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14088	Lophostemon suaveolens	Swamp Box	140		140	13	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14089	Lophostemon suaveolens	Swamp Box	110		110	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14090	Lophostemon suaveolens	Swamp Box	150		150	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14091	Lophostemon suaveolens	Swamp Box	110		110	12	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14092	Lophostemon suaveolens	Swamp Box	140		140	13	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14093	Lophostemon suaveolens	Swamp Box	110		110	13	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14094	Lophostemon suaveolens	Swamp Box	180	180	255	13	6	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14095	Lophostemon suaveolens	Swamp Box	120		120	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14096	Lophostemon suaveolens	Swamp Box	140		140	11	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14097	Lophostemon suaveolens	Swamp Box	160		160	14	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14098	Lophostemon suaveolens	Swamp Box	130		130	13	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14099	Lophostemon suaveolens	Swamp Box	170		170	14	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14100	Lophostemon suaveolens	Swamp Box	180		180	14	5	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14101	Lophostemon suaveolens	Swamp Box	130		130	10	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14102	Melaleuca quinquenervia	Broad-leaved Paperbark	160		160	14	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14103	Lophostemon suaveolens	Swamp Box	220		220	14	3	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14104	Lophostemon suaveolens	Swamp Box	160		160	13	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14105	Melaleuca quinquenervia	Broad-leaved Paperbark	170		170	16	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14106	Lophostemon suaveolens	Swamp Box	200		200	15	3	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14107	Melaleuca quinquenervia	Broad-leaved Paperbark	230	90	247	14	6	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14108	Melaleuca quinquenervia	Broad-leaved Paperbark	240		240	15	4	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14109	Melaleuca quinquenervia	Broad-leaved Paperbark	170	150	227	14	3	2.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14110	Lophostemon suaveolens	Swamp Box	150		150	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14111	Melaleuca quinquenervia	Broad-leaved Paperbark	110		110	13	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14112	Lophostemon suaveolens	Swamp Box	160		160	15	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14113	Lophostemon suaveolens	Swamp Box	200		200	16	3	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14114	Lophostemon suaveolens	Swamp Box	120		120	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14115	Lophostemon suaveolens	Swamp Box	100		100	11	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
14116	Lophostemon suaveolens	Swamp Box	150		150	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14117	Lophostemon suaveolens	Swamp Box	150		150	14	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14118	Lophostemon suaveolens	Swamp Box	150		150	13	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14119	Melaleuca quinquenervia	Broad-leaved Paperbark	160		160	15	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14120	Melaleuca quinquenervia	Broad-leaved Paperbark	190		190	14	3	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14121	Eucalyptus tereticornis	Forest Red Gum	220		220	17	2	2.6	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14122	Lophostemon suaveolens	Swamp Box	130		130	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14123	Allocasuarina littoralis	Black Sheoak	150		150	16	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14124	Melaleuca quinquenervia	Broad-leaved Paperbark	150		150	14	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14125	Melaleuca quinquenervia	Broad-leaved Paperbark	200		200	14	5	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14126	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	12	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14127	Melaleuca quinquenervia	Broad-leaved Paperbark	180		180	12	5	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14128	Melaleuca quinquenervia	Broad-leaved Paperbark	110		110	10	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14129	Melaleuca quinquenervia	Broad-leaved Paperbark	260	230	347	16	7	4.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14130	Melaleuca quinquenervia	Broad-leaved Paperbark	140		140	13	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14131	Melaleuca quinquenervia	Broad-leaved Paperbark	210		210	15	4	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14132	Melaleuca quinquenervia	Broad-leaved Paperbark	100		100	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14133	Lophostemon suaveolens	Swamp Box	130		130	14	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14134	Lophostemon suaveolens	Swamp Box	150		150	14	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14135	Lophostemon suaveolens	Swamp Box	130		130	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14136	Eucalyptus tereticornis	Forest Red Gum	330		330	19	7	4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14137	Melaleuca quinquenervia	Broad-leaved Paperbark	120		120	11	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14138	Melaleuca quinquenervia	Broad-leaved Paperbark	120		120	11	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14139	Melaleuca quinquenervia	Broad-leaved Paperbark	200		200	14	5	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14140	Lophostemon suaveolens	Swamp Box	120		120	14	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14141	Melaleuca quinquenervia	Broad-leaved Paperbark	160	140	213	16	5	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14142	Melaleuca quinquenervia	Broad-leaved Paperbark	110		110	14	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14143	Melaleuca quinquenervia	Broad-leaved Paperbark	190		190	16	5	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14144	Melaleuca quinquenervia	Broad-leaved Paperbark	160		160	15	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14145	Allocasuarina littoralis	Black Sheoak	160		160	17	4	2	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14146	Allocasuarina littoralis	Black Sheoak	150		150	15	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14147	Eucalyptus tereticornis	Forest Red Gum	160		160	15	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14148	Melaleuca quinquenervia	Broad-leaved Paperbark	160	150	219	16	4	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14149	Melaleuca quinquenervia	Broad-leaved Paperbark	150	130, 120	232	13	4	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14150	Melaleuca quinquenervia	Broad-leaved Paperbark	100		100	8	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14151	Lophostemon suaveolens	Swamp Box	150		150	14	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14152	Lophostemon suaveolens	Swamp Box	140		140	15	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14153	Allocasuarina littoralis	Black Sheoak	180		180	16	5	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14154	Lophostemon suaveolens	Swamp Box	150		150	15	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14155	Melaleuca quinquenervia	Broad-leaved Paperbark	180		180	15	3	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14156	Lophostemon suaveolens	Swamp Box	130	110	170	11	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14157	Lophostemon suaveolens	Swamp Box	120		120	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14158	Lophostemon suaveolens	Swamp Box	100		100	11	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14159	Lophostemon suaveolens	Swamp Box	110		110	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14160	Lophostemon suaveolens	Swamp Box	110		110	11	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14161	Lophostemon suaveolens	Swamp Box	110		110	11	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14162	Lophostemon suaveolens	Swamp Box	120		120	15	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14163	Lophostemon suaveolens	Swamp Box	100		100	9	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14164	Lophostemon suaveolens	Swamp Box	180		180	15	5	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14165	Lophostemon suaveolens	Swamp Box	130		130	13	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14166	Melaleuca quinquenervia	Broad-leaved Paperbark	220		220	14	5	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14167	Lophostemon suaveolens	Swamp Box	170		170	13	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14168	Eucalyptus tereticornis	Forest Red Gum	650		650	24	11	7.8	3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14169	Melaleuca quinquenervia	Broad-leaved Paperbark	120		120	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14170	Melaleuca quinquenervia	Broad-leaved Paperbark	140		140	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14171	Allocasuarina littoralis	Black Sheoak	170	120	208	14	4	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14172	Allocasuarina littoralis	Black Sheoak	170		170	14	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
14173	Allocasuarina littoralis	Black Sheoak	190		190	16	5	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14174	Allocasuarina littoralis	Black Sheoak	150		150	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14175	Allocasuarina littoralis	Black Sheoak	160		160	14	4	2	2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Poor	-	-	-	-	-	-	School VMP removed	
14176	Allocasuarina littoralis	Black Sheoak	210	130	247	15	6	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14177	Eucalyptus tereticornis	Forest Red Gum	220	180	284	18	5	3.4	2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	School VMP removed	
14178	Allocasuarina littoralis	Black Sheoak	160		160	14	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	School VMP removed	
14179	Eucalyptus tereticornis	Forest Red Gum	180		180	15	3	2.2	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14180	Eucalyptus tereticornis	Forest Red Gum	140		140	13	4	2	1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14181	Corymbia citriodora	Spotted Gum	300	180	350	18	7	4.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14182	Corymbia tessellaris	Moreton Bay Ash	210		210	18	5	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14183	Eucalyptus tereticornis	Forest Red Gum	110		110	14	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14184	Eucalyptus siderophloia	Grey Ironbark	200		200	18	5	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14185	Eucalyptus tereticornis	Forest Red Gum	650		650	22	10	7.8	3	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	School VMP removed	
14186	Allocasuarina littoralis	Black Sheoak	150		150	15	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14187	Allocasuarina littoralis	Black Sheoak	160		160	15	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14188	Allocasuarina littoralis	Black Sheoak	170		170	14	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14189	Allocasuarina littoralis	Black Sheoak	170		170	14	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14190	Eucalyptus tereticornis	Forest Red Gum	310		310	18	5	3.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14191	Eucalyptus tereticornis	Forest Red Gum	340		340	19	8	4.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14192	Eucalyptus tereticornis	Forest Red Gum	190		190	18	4	2.3	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	School VMP removed	
14193	Angophora leiocarpa	Smooth-barked Apple	130	100	164	13	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14194	Eucalyptus tereticornis	Forest Red Gum	300	190	355	19	7	4.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14195	Eucalyptus tereticornis	Forest Red Gum	310		310	18	8	3.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14196	Allocasuarina littoralis	Black Sheoak	170		170	14	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14197	Angophora leiocarpa	Smooth-barked Apple	130		130	14	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14198	Allocasuarina littoralis	Black Sheoak	170		170	13	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14199	Eucalyptus tereticornis	Forest Red Gum	150		150	15	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14200	Allocasuarina littoralis	Black Sheoak	150		150	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14201	Allocasuarina littoralis	Black Sheoak	150		150	13	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14202	Angophora leiocarpa	Smooth-barked Apple	100		100	12	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14203	Allocasuarina littoralis	Black Sheoak	230		230	16	5	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14204	Eucalyptus tereticornis	Forest Red Gum	120		120	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14205	Allocasuarina littoralis	Black Sheoak	140		140	13	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14206	Allocasuarina littoralis	Black Sheoak	200		200	16	5	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14207	Allocasuarina littoralis	Black Sheoak	200		200	16	5	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14208	Allocasuarina littoralis	Black Sheoak	220		220	16	6	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14209	Eucalyptus tereticornis	Forest Red Gum	180		180	17	5	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14210	Eucalyptus tereticornis	Forest Red Gum	100		100	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14211	Corymbia intermedia	Pink Bloodwood	240	180	300	16	6	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14212	Angophora leiocarpa	Smooth-barked Apple	100		100	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14213	Allocasuarina littoralis	Black Sheoak	200		200	15	5	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14214	Allocasuarina littoralis	Black Sheoak	190		190	16	5	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14215	Allocasuarina littoralis	Black Sheoak	150		150	11	4	2	1	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14216	Eucalyptus tereticornis	Forest Red Gum	180		180	14	3	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14217	Allocasuarina littoralis	Black Sheoak	160		160	16	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14218	Corymbia intermedia	Pink Bloodwood	180		180	15	6	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14219	Allocasuarina littoralis	Black Sheoak	190		190	17	5	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14220	Lophostemon suaveolens	Swamp Box	120		120	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14221	Allocasuarina littoralis	Black Sheoak	160		160	13	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14222	Allocasuarina littoralis	Black Sheoak	170		170	15	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14223	Melaleuca quinquenervia	Broad-leaved Paperbark	180		180	16	4	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14224	Allocasuarina littoralis	Black Sheoak	150		150	15	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14225	Allocasuarina littoralis	Black Sheoak	190		190	18	6	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14226	Allocasuarina littoralis	Black Sheoak	190		190	17	6	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14227	Allocasuarina littoralis	Black Sheoak	150		150	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14228	Allocasuarina littoralis	Black Sheoak	150		150	15	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14229	Lophostemon suaveolens	Swamp Box	130		130	13	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
14230	Lophostemon suaveolens	Swamp Box	100		100	11	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14231	Lophostemon suaveolens	Swamp Box	130		130	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14232	Allocasuarina littoralis	Black Sheoak	180		180	16	5	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14233	Allocasuarina littoralis	Black Sheoak	200		200	16	5	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14234	Allocasuarina littoralis	Black Sheoak	150		150	16	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14235	Allocasuarina littoralis	Black Sheoak	200		200	18	5	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14236	Allocasuarina littoralis	Black Sheoak	170		170	16	6	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14237	Lophostemon suaveolens	Swamp Box	130		130	13	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14238	Lophostemon suaveolens	Swamp Box	150		150	16	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14239	Lophostemon suaveolens	Swamp Box	140		140	11	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14240	Lophostemon suaveolens	Swamp Box	100		100	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14241	Eucalyptus tereticornis	Forest Red Gum	260		260	18	7	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14242	Melaleuca quinquenervia	Broad-leaved Paperbark	190		190	15	3	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14243	Allocasuarina littoralis	Black Sheoak	190		190	15	4	2.3	2	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14244	Melaleuca quinquenervia	Broad-leaved Paperbark	120		120	12	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14245	Lophostemon suaveolens	Swamp Box	100		100	10	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14246	Lophostemon suaveolens	Swamp Box	130		130	13	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14247	Melaleuca quinquenervia	Broad-leaved Paperbark	140		140	13	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14248	Lophostemon suaveolens	Swamp Box	100		100	13	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14249	Lophostemon suaveolens	Swamp Box	100		100	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14250	Lophostemon suaveolens	Swamp Box	120		120	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14251	Melaleuca quinquenervia	Broad-leaved Paperbark	170		170	13	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14252	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	13	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14253	Melaleuca quinquenervia	Broad-leaved Paperbark	200		200	15	3	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14254	Lophostemon suaveolens	Swamp Box	170		170	14	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14255	Melaleuca quinquenervia	Broad-leaved Paperbark	180		180	13	3	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14256	Lophostemon suaveolens	Swamp Box	180		180	13	5	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14257	Corymbia intermedia	Pink Bloodwood	260		260	16	6	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14258	Eucalyptus tereticornis	Forest Red Gum	350	320	474	23	12	5.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	School VMP removed	
14259	Melaleuca quinquenervia	Broad-leaved Paperbark	190		190	15	4	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14260	Lophostemon suaveolens	Swamp Box	200		200	14	4	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14261	Melaleuca quinquenervia	Broad-leaved Paperbark	160		160	12	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14262	Melaleuca quinquenervia	Broad-leaved Paperbark	260	180	316	16	7	3.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14263	Angophora leiocarpa	Smooth-barked Apple	150		150	11	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14264	Melaleuca quinquenervia	Broad-leaved Paperbark	150		150	13	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14265	Eucalyptus tereticornis	Forest Red Gum	620		620	25	13	7.4	3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14266	Melaleuca quinquenervia	Broad-leaved Paperbark	160		160	13	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14267	Angophora leiocarpa	Smooth-barked Apple	290		290	17	4	3.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14268	Melaleuca quinquenervia	Broad-leaved Paperbark	140		140	13	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14269	Melaleuca quinquenervia	Broad-leaved Paperbark	220		220	12	3	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14270	Melaleuca quinquenervia	Broad-leaved Paperbark	200		200	13	3	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14271	Eucalyptus tereticornis	Forest Red Gum	450	310	546	20	12	6.6	3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14272	Melaleuca quinquenervia	Broad-leaved Paperbark	240		240	13	4	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14273	Melaleuca quinquenervia	Broad-leaved Paperbark	150		150	14	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14274	Melaleuca quinquenervia	Broad-leaved Paperbark	270		270	15	5	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14275	Melaleuca quinquenervia	Broad-leaved Paperbark	190		190	14	3	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14276	Melaleuca quinquenervia	Broad-leaved Paperbark	200		200	14	4	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14277	Melaleuca quinquenervia	Broad-leaved Paperbark	300		300	15	5	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14278	Melaleuca quinquenervia	Broad-leaved Paperbark	110		110	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14279	Melaleuca quinquenervia	Broad-leaved Paperbark	190		190	14	3	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14280	Melaleuca quinquenervia	Broad-leaved Paperbark	230	180, 150	328	17	6	3.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14281	Melaleuca quinquenervia	Broad-leaved Paperbark	150		150	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14282	Melaleuca quinquenervia	Broad-leaved Paperbark	180	130	222	16	5	2.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14283	Melaleuca quinquenervia	Broad-leaved Paperbark	190		190	14	3	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14284	Melaleuca quinquenervia	Broad-leaved Paperbark	170		170	15	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14285	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14286	Melaleuca quinquenervia	Broad-leaved Paperbark	140		140	10	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
14287	Melaleuca quinquenervia	Broad-leaved Paperbark	200		200	15	3	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14288	Allocasuarina littoralis	Black Sheoak	150		150	15	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14289	Allocasuarina littoralis	Black Sheoak	150		150	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14290	Lophostemon suaveolens	Swamp Box	160		160	15	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14291	Allocasuarina littoralis	Black Sheoak	150		150	13	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14292	Melaleuca quinquenervia	Broad-leaved Paperbark	100		100	9	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14293	Allocasuarina littoralis	Black Sheoak	150		150	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14294	Allocasuarina littoralis	Black Sheoak	150		150	13	4	2	1	Regular	-	-	-	-	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14295	Allocasuarina littoralis	Black Sheoak	160		160	15	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14296	Eucalyptus tereticornis	Forest Red Gum	160		160	14	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14297	Allocasuarina littoralis	Black Sheoak	160		160	14	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14298	Allocasuarina littoralis	Black Sheoak	150		150	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14299	Allocasuarina littoralis	Black Sheoak	150		150	16	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14300	Allocasuarina littoralis	Black Sheoak	180		180	16	5	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14301	Eucalyptus tereticornis	Forest Red Gum	200	180, 110	291	16	5	3.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14302	Corymbia intermedia	Pink Bloodwood	190		190	16	4	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14303	Allocasuarina littoralis	Black Sheoak	190		190	15	6	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14304	Allocasuarina littoralis	Black Sheoak	160		160	14	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14305	Lophostemon suaveolens	Swamp Box	150		150	10	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14306	Lophostemon suaveolens	Swamp Box	110		110	9	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14307	Eucalyptus tereticornis	Forest Red Gum	600		600	24	13	7.2	3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14308	Lophostemon suaveolens	Swamp Box	140		140	13	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14309	Lophostemon suaveolens	Swamp Box	120		120	11	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14310	Allocasuarina littoralis	Black Sheoak	160		160	13	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14311	Lophostemon suaveolens	Swamp Box	110		110	9	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14312	Allocasuarina littoralis	Black Sheoak	150		150	13	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14313	Allocasuarina littoralis	Black Sheoak	150		150	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14314	Eucalyptus tereticornis	Forest Red Gum	340		340	19	8	4.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14315	Eucalyptus tereticornis	Forest Red Gum	200		200	16	4	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14316	Allocasuarina littoralis	Black Sheoak	170		170	15	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14317	Acacia disparrima	Hickory Wattle	150		150	13	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14318	Angophora leiocarpa	Smooth-barked Apple	170		170	15	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14319	Allocasuarina littoralis	Black Sheoak	150		150	14	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14320	Corymbia intermedia	Pink Bloodwood	190		190	15	5	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14321	Allocasuarina littoralis	Black Sheoak	170		170	14	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14322	Allocasuarina littoralis	Black Sheoak	150		150	13	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14323	Allocasuarina littoralis	Black Sheoak	120	120	170	12	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14324	Allocasuarina littoralis	Black Sheoak	150		150	13	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14325	Eucalyptus tereticornis	Forest Red Gum	630		630	23	9	7.6	3	Regular	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Poor	-	-	-	-	-	-	School VMP removed	
14326	Eucalyptus tereticornis	Forest Red Gum	700		700	26	12	8.4	3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14327	Allocasuarina littoralis	Black Sheoak	180		180	13	5	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14328	Allocasuarina littoralis	Black Sheoak	210		210	14	4	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14329	Allocasuarina littoralis	Black Sheoak	180		180	14	5	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14330	Allocasuarina littoralis	Black Sheoak	150		150	13	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14331	Allocasuarina littoralis	Black Sheoak	150		150	13	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14332	Allocasuarina littoralis	Black Sheoak	180		180	11	4	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14333	Allocasuarina littoralis	Black Sheoak	240		240	14	4	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14334	Angophora leiocarpa	Smooth-barked Apple	220		220	16	4	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14335	Allocasuarina littoralis	Black Sheoak	180		180	10	3	2.2	2	Regular	-	-	-	-	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14336	Allocasuarina littoralis	Black Sheoak	200		200	11	4	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14337	Allocasuarina littoralis	Black Sheoak	190		190	14	3	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14338	Allocasuarina littoralis	Black Sheoak	150		150	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14339	Angophora leiocarpa	Smooth-barked Apple	560		560	21	11	6.7	3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14340	Allocasuarina littoralis	Black Sheoak	170		170	15	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14341	Allocasuarina littoralis	Black Sheoak	190		190	16	6	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14342	Corymbia intermedia	Pink Bloodwood	190		190	17	3	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14343	Allocasuarina littoralis	Black Sheoak	160		160	11	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
14344	Acacia disparrima	Hickory Wattle	290		290	18	6	3.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14345	Acacia disparrima	Hickory Wattle	160		160	16	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14346	Acacia disparrima	Hickory Wattle	200		200	16	4	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14347	Acacia disparrima	Hickory Wattle	210		210	16	3	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14348	Allocasuarina littoralis	Black Sheoak	150	110	186	14	4	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14349	Allocasuarina littoralis	Black Sheoak	150	100	180	16	5	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14350	Eucalyptus tereticornis	Forest Red Gum	390	350	524	22	12	6.3	3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14351	Allocasuarina littoralis	Black Sheoak	160		160	15	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14352	Acacia disparrima	Hickory Wattle	190		190	14	7	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14354	Angophora leiocarpa	Smooth-barked Apple	200		200	16	3	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14355	Eucalyptus seeana	Narrow-leaved Gum	240		240	18	4	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14356	Corymbia intermedia	Pink Bloodwood	290		290	17	6	3.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14357	Angophora leiocarpa	Smooth-barked Apple	160		160	16	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14358	Lophostemon confertus	Brush Box	160		160	14	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14359	Eucalyptus seeana	Narrow-leaved Gum	150		150	16	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14360	Angophora leiocarpa	Smooth-barked Apple	310		310	19	5	3.7	2	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14361	Eucalyptus microcorys	Tallowwood	180		180	14	4	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14362	Eucalyptus seeana	Narrow-leaved Gum	290		290	22	7	3.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14363	Melaleuca quinquenervia	Broad-leaved Paperbark	280		280	17	8	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14364	Melaleuca quinquenervia	Broad-leaved Paperbark	100		100	6	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14365	Angophora leiocarpa	Smooth-barked Apple	380		380	22	6	4.6	2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14366	Corymbia citriodora	Spotted Gum	240		240	22	5	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14367	Corymbia intermedia	Pink Bloodwood	190		190	16	4	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14368	Acacia leiocalyx	Early Flowering Black Wattle	130		130	14	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14369	Angophora leiocarpa	Smooth-barked Apple	160		160	18	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14370	Allocasuarina littoralis	Black Sheoak	170		170	14	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14371	Angophora leiocarpa	Smooth-barked Apple	250		250	24	9	3	2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14372	Eucalyptus tereticornis	Forest Red Gum	260		260	24	7	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14373	Eucalyptus tereticornis	Forest Red Gum	360		360	25	8	4.3	2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14374	Acacia leiocalyx	Early Flowering Black Wattle	130		130	15	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14375	Angophora leiocarpa	Smooth-barked Apple	280		280	20	6	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14376	Corymbia trachyphloia	Brown Bloodwood	160		160	14	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14377	Angophora leiocarpa	Smooth-barked Apple	290		290	24	9	3.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14378	Eucalyptus tereticornis	Forest Red Gum	280		280	23	4	3.4	2	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14379	Eucalyptus carnea	Thick-leaved Mahogany	140	130	191	16	5	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14380	Angophora leiocarpa	Smooth-barked Apple	250		250	25	10	3	2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14381	Eucalyptus tereticornis	Forest Red Gum	320		320	24	13	3.8	2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14382	Angophora leiocarpa	Smooth-barked Apple	200		200	22	7	2.4	2	Irregular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14383	Eucalyptus tereticornis	Forest Red Gum	250		250	23	5	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14384	Angophora leiocarpa	Smooth-barked Apple	300		300	23	9	3.6	2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14385	Eucalyptus crebra	Narrow-leaved Ironbark	220		220	24	6	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14386	Corymbia intermedia	Pink Bloodwood	140		140	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14387	Corymbia citriodora	Spotted Gum	200		200	23	4	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14388	Eucalyptus tereticornis	Forest Red Gum	280	260	382	21	13	4.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14389	Corymbia trachyphloia	Brown Bloodwood	130	90	158	13	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14390	Melaleuca quinquenervia	Broad-leaved Paperbark	170		170	8	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14391	Corymbia citriodora	Spotted Gum	200		200	24	7	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14392	Corymbia citriodora	Spotted Gum	180		180	17	3	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14393	Eucalyptus tereticornis	Forest Red Gum	210		210	23	6	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14394	Allocasuarina littoralis	Black Sheoak	140		140	10	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14395	Allocasuarina littoralis	Black Sheoak	130		130	13	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14396	Angophora leiocarpa	Smooth-barked Apple	220		220	15	2	2.6	2	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14397	Corymbia trachyphloia	Brown Bloodwood	150	110	186	13	4	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14398	Melaleuca quinquenervia	Broad-leaved Paperbark	140		140	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14399	DEAD/STAG		270	220, 180	392	23	8	4.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	Termite nest	-	School VMP removed	
14400	Lophostemon confertus	Brush Box	160		160	13	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14401	Angophora leiocarpa	Smooth-barked Apple	180	150	234	19	6	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
14402	Eucalyptus tereticornis	Forest Red Gum	320		320	25	15	3.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14403	Melaleuca quinquenervia	Broad-leaved Paperbark	150		150	16	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14404	Melaleuca quinquenervia	Broad-leaved Paperbark	170		170	19	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14405	Melaleuca quinquenervia	Broad-leaved Paperbark	210	180	277	19	10	3.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14406	Eucalyptus seeana	Narrow-leaved Gum	420		420	24	6	5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14407	Corymbia citriodora	Spotted Gum	200		200	19	7	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14408	Angophora leiocarpa	Smooth-barked Apple	230		230	25	8	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14409	Eucalyptus carnea	Thick-leaved Mahogany	180		180	12	4	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14410	Eucalyptus tereticornis	Forest Red Gum	340		340	25	16	4.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14411	Eucalyptus tereticornis	Forest Red Gum	360		360	25	18	4.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14412	Melaleuca quinquenervia	Broad-leaved Paperbark	190		190	18	5	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14413	Melaleuca quinquenervia	Broad-leaved Paperbark	210		210	17	4	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14414	Melaleuca quinquenervia	Broad-leaved Paperbark	110		110	11	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14415	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14416	Melaleuca quinquenervia	Broad-leaved Paperbark	340		340	17	7	4.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14417	Melaleuca quinquenervia	Broad-leaved Paperbark	190		190	19	5	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14418	Corymbia intermedia	Pink Bloodwood	150		150	17	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14419	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	13	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14420	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	14	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14421	Melaleuca quinquenervia	Broad-leaved Paperbark	160		160	13	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14422	Melaleuca quinquenervia	Broad-leaved Paperbark	180		180	16	3	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14423	Melaleuca quinquenervia	Broad-leaved Paperbark	240		240	18	5	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14424	Melaleuca quinquenervia	Broad-leaved Paperbark	180		180	19	4	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14425	Melaleuca quinquenervia	Broad-leaved Paperbark	180		180	16	5	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14426	Melaleuca quinquenervia	Broad-leaved Paperbark	110		110	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14427	Melaleuca quinquenervia	Broad-leaved Paperbark	180		180	18	4	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14428	Melaleuca quinquenervia	Broad-leaved Paperbark	150		150	18	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14429	Melaleuca quinquenervia	Broad-leaved Paperbark	150	100	180	16	7	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14430	Melaleuca quinquenervia	Broad-leaved Paperbark	120		120	14	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14431	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	19	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14432	Melaleuca quinquenervia	Broad-leaved Paperbark	190	170	255	20	7	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14433	Melaleuca quinquenervia	Broad-leaved Paperbark	200		200	10	2	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14434	Eucalyptus microcorys	Tallowwood	170		170	18	7	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14435	Lophostemon suaveolens	Swamp Box	100		100	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14436	Lophostemon suaveolens	Swamp Box	110		110	9	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14437	Lophostemon suaveolens	Swamp Box	120		120	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14438	Lophostemon suaveolens	Swamp Box	120		120	18	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14439	Lophostemon suaveolens	Swamp Box	130		130	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14440	Lophostemon suaveolens	Swamp Box	100		100	13	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14441	Eucalyptus tereticornis	Forest Red Gum	220		220	19	6	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14442	Eucalyptus tereticornis	Forest Red Gum	290		290	25	14	3.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14443	Lophostemon suaveolens	Swamp Box	110		110	13	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14444	Lophostemon suaveolens	Swamp Box	110		110	3	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14445	Lophostemon suaveolens	Swamp Box	140		140	16	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14446	Lophostemon suaveolens	Swamp Box	130		130	15	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14447	Lophostemon suaveolens	Swamp Box	120		120	17	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14448	Eucalyptus tereticornis	Forest Red Gum	230		230	22	5	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14449	Lophostemon suaveolens	Swamp Box	130		130	17	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14450	Melaleuca quinquenervia	Broad-leaved Paperbark	140		140	17	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14451	Lophostemon suaveolens	Swamp Box	140		140	10	1	2	1	Regular	-	-	-	Epicormic	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14452	Lophostemon suaveolens	Swamp Box	130		130	18	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14453	Allocasuarina littoralis	Black Sheoak	130		130	11	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14454	Lophostemon suaveolens	Swamp Box	150		150	13	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14455	Melaleuca quinquenervia	Broad-leaved Paperbark	220		220	17	7	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14456	Lophostemon suaveolens	Swamp Box	170		170	17	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14457	Lophostemon suaveolens	Swamp Box	130		130	17	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14458	Lophostemon suaveolens	Swamp Box	100		100	17	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
14459	Lophostemon suaveolens	Swamp Box	130		130	17	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14460	Lophostemon suaveolens	Swamp Box	110		110	17	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14461	Lophostemon suaveolens	Swamp Box	100	100	141	15	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14462	Melaleuca quinquenervia	Broad-leaved Paperbark	140		140	20	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14463	Lophostemon suaveolens	Swamp Box	140		140	19	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14464	Lophostemon suaveolens	Swamp Box	120		120	15	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14465	Lophostemon suaveolens	Swamp Box	130		130	15	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14466	Lophostemon suaveolens	Swamp Box	140		140	15	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14467	Corymbia citriodora	Spotted Gum	130		130	18	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14468	Lophostemon suaveolens	Swamp Box	130		130	18	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14469	Melaleuca quinquenervia	Broad-leaved Paperbark	140		140	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14470	Lophostemon suaveolens	Swamp Box	110		110	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14471	Lophostemon suaveolens	Swamp Box	110		110	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14472	Lophostemon suaveolens	Swamp Box	170		170	17	7	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14473	Eucalyptus tereticornis	Forest Red Gum	180		180	23	8	2.2	2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14474	Lophostemon suaveolens	Swamp Box	130		130	14	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14475	Eucalyptus tereticornis	Forest Red Gum	270		270	26	13	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14476	Lophostemon suaveolens	Swamp Box	130		130	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14477	Lophostemon suaveolens	Swamp Box	130		130	17	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14478	Angophora leiocarpa	Smooth-barked Apple	260		260	25	15	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14479	Lophostemon suaveolens	Swamp Box	100		100	13	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14480	Lophostemon suaveolens	Swamp Box	120		120	16	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14481	Lophostemon suaveolens	Swamp Box	130		130	16	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14482	Eucalyptus seeana	Narrow-leaved Gum	260		260	25	13	3.1	2	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14483	Corymbia citriodora	Spotted Gum	130		130	16	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14484	Melaleuca quinquenervia	Broad-leaved Paperbark	150	120	192	14	6	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14485	Angophora leiocarpa	Smooth-barked Apple	180		180	25	7	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14486	Melaleuca quinquenervia	Broad-leaved Paperbark	120		120	10	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14487	Lophostemon suaveolens	Swamp Box	110		110	10	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14488	Melaleuca quinquenervia	Broad-leaved Paperbark	120		120	15	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14489	Lophostemon suaveolens	Swamp Box	100		100	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14490	Eucalyptus tereticornis	Forest Red Gum	290		290	25	14	3.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	Old	-	-	-	-	-	School VMP removed	
14491	Corymbia intermedia	Pink Bloodwood	230		230	23	14	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14492	Lophostemon suaveolens	Swamp Box	120		120	17	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14493	Lophostemon suaveolens	Swamp Box	140		140	18	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14494	Corymbia citriodora	Spotted Gum	220		220	24	12	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14495	Eucalyptus tereticornis	Forest Red Gum	150		150	18	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14496	Lophostemon suaveolens	Swamp Box	140		140	16	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14497	Eucalyptus tereticornis	Forest Red Gum	260		260	27	11	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14498	Lophostemon suaveolens	Swamp Box	160		160	10	6	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14499	Corymbia citriodora	Spotted Gum	150		150	20	8	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14500	Lophostemon suaveolens	Swamp Box	100		100	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14501	Eucalyptus tereticornis	Forest Red Gum	180		180	25	16	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14502	Lophostemon suaveolens	Swamp Box	120		120	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14503	Lophostemon suaveolens	Swamp Box	190		190	19	5	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14504	Lophostemon suaveolens	Swamp Box	150		150	18	6	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14505	Lophostemon suaveolens	Swamp Box	130		130	17	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14506	Lophostemon suaveolens	Swamp Box	170		170	18	7	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14507	Lophostemon suaveolens	Swamp Box	170		170	19	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14508	Eucalyptus tereticornis	Forest Red Gum	230		230	26	16	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14509	Lophostemon suaveolens	Swamp Box	110		110	11	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14510	Lophostemon suaveolens	Swamp Box	120		120	17	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14511	Lophostemon suaveolens	Swamp Box	120		120	17	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14512	Lophostemon suaveolens	Swamp Box	150		150	20	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14513	Lophostemon suaveolens	Swamp Box	160		160	18	6	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14514	Lophostemon suaveolens	Swamp Box	180		180	19	7	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14515	Eucalyptus siderophloia	Grey Ironbark	260		260	25	15	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
14516	Melaleuca quinquenervia	Broad-leaved Paperbark	180		180	6	2	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14517	Eucalyptus tereticornis	Forest Red Gum	200		200	26	13	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14518	Lophostemon suaveolens	Swamp Box	190		190	19	6	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14519	Lophostemon suaveolens	Swamp Box	180		180	18	5	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14520	Eucalyptus siderophloia	Grey Ironbark	250		250	23	10	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14521	Eucalyptus tereticornis	Forest Red Gum	210		210	24	9	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14522	Lophostemon suaveolens	Swamp Box	150	120	192	20	8	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14523	Lophostemon suaveolens	Swamp Box	140		140	15	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14524	Lophostemon suaveolens	Swamp Box	130		130	13	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14525	Melaleuca quinquenervia	Broad-leaved Paperbark	140		140	13	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14526	Lophostemon suaveolens	Swamp Box	130		130	16	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14527	Melaleuca quinquenervia	Broad-leaved Paperbark	200		200	17	8	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14528	Eucalyptus tereticornis	Forest Red Gum	400		400	26	15	4.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14529	Eucalyptus siderophloia	Grey Ironbark	190		190	22	9	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14530	Lophostemon suaveolens	Swamp Box	190	160	248	18	7	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14531	Acacia leiocalyx	Early Flowering Black Wattle	120	110	163	15	8	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14532	Eucalyptus tereticornis	Forest Red Gum	240		240	21	14	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14533	Eucalyptus tereticornis	Forest Red Gum	350		350	23	14	4.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14534	Corymbia tessellaris	Moreton Bay Ash	160		160	20	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14535	Corymbia tessellaris	Moreton Bay Ash	180		180	20	5	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14536	Eucalyptus tereticornis	Forest Red Gum	150		150	18	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14537	Lophostemon suaveolens	Swamp Box	130		130	10	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14538	Eucalyptus tereticornis	Forest Red Gum	180		180	21	7	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14539	Eucalyptus tereticornis	Forest Red Gum	250		250	25	15	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14540	Eucalyptus tereticornis	Forest Red Gum	260		260	22	12	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14541	Acacia leiocalyx	Early Flowering Black Wattle	140		140	15	7	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14542	Eucalyptus tereticornis	Forest Red Gum	200		200	16	3	2.4	2	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14543	Acacia leiocalyx	Early Flowering Black Wattle	150		150	15	6	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14544	Eucalyptus tereticornis	Forest Red Gum	240		240	17	6	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14545	Eucalyptus tereticornis	Forest Red Gum	240		240	22	8	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14546	Eucalyptus tereticornis	Forest Red Gum	240		240	23	12	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14547	Eucalyptus tereticornis	Forest Red Gum	310		310	23	11	3.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14548	Acacia leiocalyx	Early Flowering Black Wattle	120	80	144	13	8	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14549	Eucalyptus tereticornis	Forest Red Gum	160		160	21	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14550	Eucalyptus tereticornis	Forest Red Gum	230		230	21	10	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14551	Acacia leiocalyx	Early Flowering Black Wattle	200		200	14	5	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14552	Acacia leiocalyx	Early Flowering Black Wattle	140		140	14	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14553	Acacia leiocalyx	Early Flowering Black Wattle	140	100	172	13	6	2.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14554	Eucalyptus tereticornis	Forest Red Gum	330		330	24	15	4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14555	Acacia leiocalyx	Early Flowering Black Wattle	140	100	172	14	6	2.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14556	Acacia leiocalyx	Early Flowering Black Wattle	130		130	14	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14557	Acacia leiocalyx	Early Flowering Black Wattle	120		120	13	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14558	Angophora leiocarpa	Smooth-barked Apple	230		230	17	8	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14559	Acacia leiocalyx	Early Flowering Black Wattle	120		120	13	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14560	Eucalyptus tereticornis	Forest Red Gum	360		360	24	10	4.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14561	Acacia leiocalyx	Early Flowering Black Wattle	130		130	11	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14562	Eucalyptus tereticornis	Forest Red Gum	320		320	21	9	3.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14563	Acacia leiocalyx	Early Flowering Black Wattle	140		140	13	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14564	Acacia leiocalyx	Early Flowering Black Wattle	130		130	12	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14565	Acacia leiocalyx	Early Flowering Black Wattle	140		140	13	6	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14566	Acacia leiocalyx	Early Flowering Black Wattle	150		150	13	6	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14567	Acacia leiocalyx	Early Flowering Black Wattle	140		140	14	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14568	Acacia leiocalyx	Early Flowering Black Wattle	130		130	12	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14569	Acacia leiocalyx	Early Flowering Black Wattle	130		130	6	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14570	Acacia concurrens	Black Wattle	170		170	13	6	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14571	Acacia leiocalyx	Early Flowering Black Wattle	140		140	14	7	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14572	Acacia concurrens	Black Wattle	150		150	13	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
14573	Acacia leiocalyx	Early Flowering Black Wattle	120	110	163	14	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14574	Acacia leiocalyx	Early Flowering Black Wattle	140		140	15	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14575	Acacia leiocalyx	Early Flowering Black Wattle	140		140	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14576	Acacia leiocalyx	Early Flowering Black Wattle	140		140	14	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14577	Eucalyptus tereticornis	Forest Red Gum	260	200	328	18	8	3.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14578	Acacia leiocalyx	Early Flowering Black Wattle	160		160	12	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14579	Acacia leiocalyx	Early Flowering Black Wattle	140		140	13	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14580	Eucalyptus tereticornis	Forest Red Gum	320		320	22	9	3.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14581	Acacia leiocalyx	Early Flowering Black Wattle	280		280	12	6	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14582	Acacia leiocalyx	Early Flowering Black Wattle	130		130	13	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14583	Acacia leiocalyx	Early Flowering Black Wattle	180		180	12	4	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14584	Acacia leiocalyx	Early Flowering Black Wattle	130		130	13	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14585	Acacia concurrens	Black Wattle	170	140	220	7	4	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14586	Acacia leiocalyx	Early Flowering Black Wattle	140		140	8	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14587	Acacia concurrens	Black Wattle	120	100	156	13	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14588	Corymbia citriodora	Spotted Gum	160		160	13	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14589	Corymbia citriodora	Spotted Gum	340	200	394	25	9	4.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14590	Eucalyptus siderophloia	Grey Ironbark	280		280	18	10	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14591	Eucalyptus siderophloia	Grey Ironbark	340		340	21	5	4.1	2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14592	Corymbia intermedia	Pink Bloodwood	220		220	19	4	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14593	Corymbia citriodora	Spotted Gum	300		300	25	11	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14594	Eucalyptus tereticornis	Forest Red Gum	220		220	18	7	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14595	Corymbia citriodora	Spotted Gum	340		340	26	8	4.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14596	Corymbia citriodora	Spotted Gum	190	120, 110	250	18	5	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14597	Corymbia intermedia	Pink Bloodwood	250	160	297	22	6	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14598	Corymbia citriodora	Spotted Gum	190		190	22	4	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14599	Corymbia citriodora	Spotted Gum	110		110	8	2	2	1	Regular	-	-	-	-	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14600	Corymbia citriodora	Spotted Gum	250		250	23	7	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14601	Corymbia citriodora	Spotted Gum	270	140	304	25	9	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14602	Corymbia citriodora	Spotted Gum	240		240	25	7	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14603	DEAD/STAG		300		300	20	8	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	School VMP removed	
14604	Eucalyptus siderophloia	Grey Ironbark	280		280	26	14	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14605	Corymbia intermedia	Pink Bloodwood	140	90	166	17	5	2	2	Regular	-	-	-	Epicormic	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14606	Eucalyptus siderophloia	Grey Ironbark	200		200	18	5	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
14607	Corymbia citriodora	Spotted Gum	290		290	22	11	3.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
14608	Corymbia citriodora	Spotted Gum	180	140	228	18	6	2.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
14609	Corymbia citriodora	Spotted Gum	200		200	22	10	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
14610	Eucalyptus tereticornis	Forest Red Gum	180		180	18	4	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
14611	Eucalyptus tereticornis	Forest Red Gum	190		190	21	6	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
14612	Corymbia citriodora	Spotted Gum	230	160	280	20	9	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
14613	Corymbia citriodora	Spotted Gum	280		280	24	15	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
14614	Eucalyptus siderophloia	Grey Ironbark	340		340	25	18	4.1	2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
14615	Eucalyptus siderophloia	Grey Ironbark	300		300	25	14	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
14616	Corymbia citriodora	Spotted Gum	240		240	22	13	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14617	Corymbia citriodora	Spotted Gum	100		100	16	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14618	Acacia leiocalyx	Early Flowering Black Wattle	110		110	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14619	Acacia leiocalyx	Early Flowering Black Wattle	120		120	12	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14620	Corymbia citriodora	Spotted Gum	220		220	23	15	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
14621	Corymbia citriodora	Spotted Gum	230		230	21	13	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
14622	Corymbia citriodora	Spotted Gum	230		230	26	15	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
14623	Acacia leiocalyx	Early Flowering Black Wattle	130		130	13	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
14624	Corymbia citriodora	Spotted Gum	160		160	18	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
14625	Corymbia citriodora	Spotted Gum	250	120	277	20	10	3.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
14626	Acacia leiocalyx	Early Flowering Black Wattle	130		130	12	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
14627	Eucalyptus siderophloia	Grey Ironbark	310		310	26	14	3.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
14628	Eucalyptus tereticornis	Forest Red Gum	180		180	18	3	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
14629	Corymbia citriodora	Spotted Gum	220		220	20	9	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
14630	Eucalyptus tereticornis	Forest Red Gum	210		210	24	5	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
14631	Corymbia citriodora	Spotted Gum	280	220	356	19	18	4.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
14632	Eucalyptus siderophloia	Grey Ironbark	240		240	21	8	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
14633	Eucalyptus tereticornis	Forest Red Gum	120		120	17	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
14727	Eucalyptus tereticornis	Forest Red Gum	210		210	14	5	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
14728	Eucalyptus tereticornis	Forest Red Gum	270		270	18	7	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
14729	Corymbia intermedia	Pink Bloodwood	140		140	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
14730	Allocasuarina littoralis	Black Sheoak	220		220	8	6	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
14731	Eucalyptus tereticornis	Forest Red Gum	250		250	18	7	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
14802	Allocasuarina littoralis	Black Sheoak	170		170	10	6	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
14803	Corymbia tessellaris	Moreton Bay Ash	120		120	8	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
14804	Eucalyptus tereticornis	Forest Red Gum	200		200	18	6	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
14805	Corymbia intermedia	Pink Bloodwood	260		260	18	6	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
14806	Allocasuarina littoralis	Black Sheoak	210		210	10	4	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
14807	Eucalyptus tereticornis	Forest Red Gum	130		130	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
14808	Corymbia intermedia	Pink Bloodwood	180		180	15	6	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
14809	Eucalyptus tereticornis	Forest Red Gum	240		240	15	12	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
14835	Eucalyptus tereticornis	Forest Red Gum	220		220	20	6	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
14836	Corymbia intermedia	Pink Bloodwood	140		140	8	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
14837	Corymbia intermedia	Pink Bloodwood	240		240	18	5	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
14838	Allocasuarina littoralis	Black Sheoak	170		170	8	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
14839	Allocasuarina littoralis	Black Sheoak	150		150	8	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
14840	Allocasuarina littoralis	Black Sheoak	230		230	8	5	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
14841	Eucalyptus tereticornis	Forest Red Gum	220	170	278	18	8	3.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
14842	Eucalyptus tereticornis	Forest Red Gum	180		180	18	4	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
14843	Eucalyptus tereticornis	Forest Red Gum	400		400	20	6	4.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
14844	Eucalyptus tereticornis	Forest Red Gum	160		160	20	6	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
14845	Eucalyptus tereticornis	Forest Red Gum	300		300	20	8	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
14846	Corymbia intermedia	Pink Bloodwood	260		260	15	6	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
14847	Eucalyptus tereticornis	Forest Red Gum	180		180	20	3	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
14848	Corymbia intermedia	Pink Bloodwood	230		230	15	6	2.8	2	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Retain ROL6	
14849	Eucalyptus tereticornis	Forest Red Gum	190		190	20	5	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
14850	Eucalyptus tereticornis	Forest Red Gum	240		240	20	5	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
14851	Corymbia intermedia	Pink Bloodwood	250		250	18	8	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
14852	Eucalyptus tereticornis	Forest Red Gum	340		340	20	8	4.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
14853	Corymbia intermedia	Pink Bloodwood	200		200	15	6	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
14854	Eucalyptus tereticornis	Forest Red Gum	250		250	18	6	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
14855	Eucalyptus tereticornis	Forest Red Gum	170		170	10	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
14856	Corymbia citriodora	Spotted Gum	250	230	340	22	3	4.1	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
14857	Eucalyptus crebra	Narrow-leaved Ironbark	160		160	4	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
14858	Allocasuarina littoralis	Black Sheoak	150		150	8	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
14859	Allocasuarina littoralis	Black Sheoak	200		200	10	4	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
14860	Allocasuarina littoralis	Black Sheoak	190		190	10	4	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
14861	Corymbia intermedia	Pink Bloodwood	270		270	18	6	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
14862	Eucalyptus crebra	Narrow-leaved Ironbark	250		250	15	7	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
14863	Corymbia intermedia	Pink Bloodwood	180		180	10	5	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
14864	Eucalyptus tereticornis	Forest Red Gum	230	230	325	20	6	3.9	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
14865	Eucalyptus tereticornis	Forest Red Gum	250		250	18	6	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
14882	Eucalyptus tereticornis	Forest Red Gum	300		300	20	8	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
14883	Corymbia intermedia	Pink Bloodwood	430		430	16	10	5.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
14884	Corymbia intermedia	Pink Bloodwood	390		390	16	10	4.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
14886	Corymbia intermedia	Pink Bloodwood	230		230	8	1	2.8	2	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
14891	Corymbia intermedia	Pink Bloodwood	160		160	8	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
14892	Eucalyptus tereticornis	Forest Red Gum	290		290	15	4	3.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
14893	Eucalyptus crebra	Narrow-leaved Ironbark	180		180	8	3	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
14902	Corymbia intermedia	Pink Bloodwood	200		200	15	3	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
14903	Eucalyptus tereticornis	Forest Red Gum	330		330	24	8	4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
14904	Eucalyptus crebra	Narrow-leaved Ironbark	300		300	18	6	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
14905	Corymbia intermedia	Pink Bloodwood	160		160	10	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
14906	Eucalyptus crebra	Narrow-leaved Ironbark	320		320	23	12	3.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
14907	Corymbia intermedia	Pink Bloodwood	290		290	25	10	3.5	2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
14917	Corymbia citriodora	Spotted Gum	150		150	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
14918	Acacia disparrima	Hickory Wattle	150		150	8	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
14921	Eucalyptus crebra	Narrow-leaved Ironbark	320		320	22	8	3.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
14922	Corymbia intermedia	Pink Bloodwood	260		260	15	6	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
14923	Corymbia intermedia	Pink Bloodwood	220		220	18	10	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
14929	Allocasuarina littoralis	Black Sheoak	270		270	10	4	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
14931	Eucalyptus tereticornis	Forest Red Gum	350		350	16	8	4.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
14954	Allocasuarina littoralis	Black Sheoak	180		180	15	4	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14955	Melaleuca quinquenervia	Broad-leaved Paperbark	120		120	13	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14956	Corymbia tessellaris	Moreton Bay Ash	120		120	14	2	2	1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14957	Melaleuca quinquenervia	Broad-leaved Paperbark	130	120	177	13	4	2.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14958	Allocasuarina littoralis	Black Sheoak	210		210	13	5	2.5	2	One-sided	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14959	Eucalyptus tereticornis	Forest Red Gum	210		210	16	4	2.5	2	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14960	Lophostemon suaveolens	Swamp Box	150		150	13	2	2	1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14961	Eucalyptus tereticornis	Forest Red Gum	330		330	17	6	4	2	Regular	-	Thinning	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	School VMP removed	
14962	Eucalyptus tereticornis	Forest Red Gum	190	140	236	15	4	2.8	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14963	Lophostemon suaveolens	Swamp Box	140		140	13	3	2	1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14964	Lophostemon suaveolens	Swamp Box	170		170	12	3	2	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14965	Eucalyptus tereticornis	Forest Red Gum	340		340	17	6	4.1	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	School VMP removed	
14966	Melaleuca quinquenervia	Broad-leaved Paperbark	210		210	12	3	2.5	2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	School VMP removed	
14967	Eucalyptus tereticornis	Forest Red Gum	490		490	18	7	5.9	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	School VMP removed	
14968	Eucalyptus tereticornis	Forest Red Gum	210		210	16	4	2.5	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14969	Eucalyptus tereticornis	Forest Red Gum	190		190	16	4	2.3	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14970	Lophostemon suaveolens	Swamp Box	140		140	12	3	2	1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14971	Lophostemon suaveolens	Swamp Box	130		130	13	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14972	Lophostemon suaveolens	Swamp Box	120		120	13	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14973	Lophostemon suaveolens	Swamp Box	110		110	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14974	Allocasuarina littoralis	Black Sheoak	140		140	13	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14975	Acacia concurrens	Black Wattle	130		130	14	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14976	Lophostemon suaveolens	Swamp Box	180		180	13	2	2.2	2	Regular	Spreading	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
14977	Lophostemon suaveolens	Swamp Box	170		170	14	4	2	2	Regular	Spreading	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
14978	Lophostemon suaveolens	Swamp Box	180		180	13	3	2.2	2	Regular	-	Thinning	Die-back	-	Lopped	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
14979	Eucalyptus tereticornis	Forest Red Gum	160	130	206	13	4	2.5	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove ROL6	
14980	Lophostemon suaveolens	Swamp Box	190		190	16	5	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
14981	Lophostemon suaveolens	Swamp Box	150		150	13	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
14982	Lophostemon suaveolens	Swamp Box	110		110	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
14983	Lophostemon suaveolens	Swamp Box	170		170	14	5	2	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
14984	Lophostemon suaveolens	Swamp Box	210		210	15	5	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
14985	Lophostemon suaveolens	Swamp Box	170		170	1	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
14986	Melaleuca quinquenervia	Broad-leaved Paperbark	110		110	13	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
14987	Lophostemon suaveolens	Swamp Box	150		150	15	4	2	1	Regular	Spreading	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
14988	Melaleuca quinquenervia	Broad-leaved Paperbark	110	110, 100	185	12	4	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
14989	Melaleuca quinquenervia	Broad-leaved Paperbark	200		200	15	4	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
14990	Eucalyptus seeana	Narrow-leaved Gum	310	280, 120	435	17	8	5.2	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
14991	Lophostemon suaveolens	Swamp Box	160		160	14	5	2	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
14992	Melaleuca quinquenervia	Broad-leaved Paperbark	320		320	15	5	3.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
14993	Lophostemon suaveolens	Swamp Box	120		120	11	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
14994	Lophostemon suaveolens	Swamp Box	120		120	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
14995	Lophostemon suaveolens	Swamp Box	120		120	11	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
14996	Lophostemon suaveolens	Swamp Box	100		100	10	1	2	1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
14997	Corymbia intermedia	Pink Bloodwood	350	300	461	17	7	5.5	2	Regular	-	Thinning	Die-back	-	Lopped	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
14998	Lophostemon suaveolens	Swamp Box	130		130	10	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
14999	Eucalyptus tereticornis	Forest Red Gum	350		350	18	8	4.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
15000	Lophostemon suaveolens	Swamp Box	130		130	11	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15001	Lophostemon suaveolens	Swamp Box	140		140	11	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15002	Melaleuca quinquenervia	Broad-leaved Paperbark	230	210	311	9	6	3.7	2	Irregular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15003	Eucalyptus tereticornis	Forest Red Gum	120		120	11	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15004	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	11	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15005	Melaleuca quinquenervia	Broad-leaved Paperbark	110		110	9	1	2	1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15006	Allocasuarina littoralis	Black Sheoak	130		130	13	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15007	Lophostemon suaveolens	Swamp Box	170		170	12	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15008	Melaleuca quinquenervia	Broad-leaved Paperbark	170		170	11	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15009	Melaleuca quinquenervia	Broad-leaved Paperbark	180		180	10	4	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15010	Eucalyptus tereticornis	Forest Red Gum	180		180	16	3	2.2	2	Irregular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15011	Eucalyptus crebra	Narrow-leaved Ironbark	150		150	13	3	2	1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove ROL6	
15012	Acacia concurrens	Black Wattle	100		100	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15013	Eucalyptus tereticornis	Forest Red Gum	280		280	18	6	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15014	Corymbia intermedia	Pink Bloodwood	170		170	14	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15015	Corymbia intermedia	Pink Bloodwood	230	100	251	15	5	3	2	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15016	Lophostemon suaveolens	Swamp Box	140		140	10	3	2	1	Regular	-	Thinning	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15017	Allocasuarina littoralis	Black Sheoak	140		140	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15018	Allocasuarina littoralis	Black Sheoak	140		140	13	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15019	Eucalyptus tereticornis	Forest Red Gum	300		300	18	8	3.6	2	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15020	Eucalyptus tereticornis	Forest Red Gum	150		150	14	4	2	1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15021	Lophostemon suaveolens	Swamp Box	210		210	12	4	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15022	Melaleuca quinquenervia	Broad-leaved Paperbark	170		170	12	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15023	Allocasuarina littoralis	Black Sheoak	130		130	13	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15024	Lophostemon suaveolens	Swamp Box	140		140	13	4	2	1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15025	Lophostemon suaveolens	Swamp Box	150		150	14	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15026	Eucalyptus tereticornis	Forest Red Gum	210		210	16	6	2.5	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15027	Allocasuarina littoralis	Black Sheoak	180		180	11	3	2.2	2	Regular	-	Thinning	Die-back	-	Lopped	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15028	Allocasuarina littoralis	Black Sheoak	170		170	12	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15029	Alphitonia excelsa	Red Ash	110		110	12	1	2	1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove ROL6	
15030	Melaleuca quinquenervia	Broad-leaved Paperbark	150		150	10	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15031	Melaleuca quinquenervia	Broad-leaved Paperbark	110		110	9	2	2	1	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15032	Lophostemon suaveolens	Swamp Box	170		170	13	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15033	Lophostemon suaveolens	Swamp Box	260		260	16	6	3.1	2	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15034	Lophostemon suaveolens	Swamp Box	110		110	10	2	2	1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15035	Melaleuca quinquenervia	Broad-leaved Paperbark	120		120	9	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15036	Eucalyptus tereticornis	Forest Red Gum	370	300	476	20	8	5.7	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15037	Eucalyptus seeana	Narrow-leaved Gum	320		320	18	8	3.8	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	Old	-	-	-	-	-	Remove ROL6	
15038	Melaleuca quinquenervia	Broad-leaved Paperbark	300	160	340	16	7	4.1	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15039	Lophostemon suaveolens	Swamp Box	150		150	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15040	Lophostemon suaveolens	Swamp Box	120		120	5	2	2	1	Regular	Spreading	-	-	-	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15041	Lophostemon suaveolens	Swamp Box	120		120	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15042	Eucalyptus tereticornis	Forest Red Gum	150		150	16	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15043	Lophostemon suaveolens	Swamp Box	140		140	10	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15044	Corymbia tessellaris	Moreton Bay Ash	180		180	16	4	2.2	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15045	Melaleuca quinquenervia	Broad-leaved Paperbark	100		100	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15046	Eucalyptus tereticornis	Forest Red Gum	200	130	239	17	6	2.9	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15047	Lophostemon suaveolens	Swamp Box	130		130	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15048	Lophostemon suaveolens	Swamp Box	140		140	11	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15049	Lophostemon suaveolens	Swamp Box	110		110	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15050	Lophostemon suaveolens	Swamp Box	100		100	9	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15051	Lophostemon suaveolens	Swamp Box	130		130	11	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15052	Corymbia intermedia	Pink Bloodwood	140		140	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15053	Lophostemon suaveolens	Swamp Box	140		140	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15054	Lophostemon suaveolens	Swamp Box	110		110	11	2	2	1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15055	Lophostemon suaveolens	Swamp Box	140		140	11	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15056	Melaleuca quinquenervia	Broad-leaved Paperbark	110		110	9	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
15057	Melaleuca quinquenervia	Broad-leaved Paperbark	180	180	255	15	4	3.1	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15058	Melaleuca quinquenervia	Broad-leaved Paperbark	180		180	16	4	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15059	Acacia concurrens	Black Wattle	110		110	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15060	Corymbia tessellaris	Moreton Bay Ash	180		180	15	2	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15061	Lophostemon suaveolens	Swamp Box	180		180	12	4	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15062	Lophostemon suaveolens	Swamp Box	150		150	11	4	2	1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15063	Acacia concurrens	Black Wattle	130		130	12	4	2	1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15064	Allocasuarina littoralis	Black Sheoak	150		150	14	1	2	1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15065	Corymbia tessellaris	Moreton Bay Ash	180		180	17	4	2.2	2	Regular	-	Thinning	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15066	Eucalyptus seeana	Narrow-leaved Gum	230	190, 110	318	17	6	3.8	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15067	Acacia concurrens	Black Wattle	120		120	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15068	Corymbia intermedia	Pink Bloodwood	180		180	13	4	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15069	Lophostemon suaveolens	Swamp Box	120		120	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15070	Lophostemon suaveolens	Swamp Box	160		160	14	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15071	Lophostemon suaveolens	Swamp Box	240		240	14	5	2.9	2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove ROL6	
15072	Eucalyptus crebra	Narrow-leaved Ironbark	140		140	15	4	2	1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15073	Lophostemon suaveolens	Swamp Box	200		200	14	5	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15074	Lophostemon suaveolens	Swamp Box	190		190	13	3	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15075	Corymbia intermedia	Pink Bloodwood	210		210	16	3	2.5	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15076	Lophostemon suaveolens	Swamp Box	140	130	191	11	3	2.3	2	Regular	-	Thinning	-	-	Lopped	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15077	Eucalyptus tereticornis	Forest Red Gum	260	170, 130	337	21	7	4	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15078	Lophostemon suaveolens	Swamp Box	120		120	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15079	Melaleuca quinquenervia	Broad-leaved Paperbark	240		240	12	4	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
15080	Melaleuca quinquenervia	Broad-leaved Paperbark	150		150	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
15081	Melaleuca quinquenervia	Broad-leaved Paperbark	150		150	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
15082	Melaleuca quinquenervia	Broad-leaved Paperbark	120		120	11	2	2	1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
15083	Melaleuca quinquenervia	Broad-leaved Paperbark	150	150	212	10	4	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
15084	Melaleuca quinquenervia	Broad-leaved Paperbark	150		150	13	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
15085	Melaleuca quinquenervia	Broad-leaved Paperbark	210		210	15	5	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
15086	Melaleuca quinquenervia	Broad-leaved Paperbark	160		160	13	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
15087	Melaleuca quinquenervia	Broad-leaved Paperbark	120		120	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
15088	Melaleuca quinquenervia	Broad-leaved Paperbark	140		140	13	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
15089	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
15090	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	13	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
15091	Melaleuca quinquenervia	Broad-leaved Paperbark	140		140	13	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
15092	Melaleuca quinquenervia	Broad-leaved Paperbark	180		180	12	3	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
15093	Melaleuca quinquenervia	Broad-leaved Paperbark	100		100	10	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
15094	Lophostemon suaveolens	Swamp Box	210		210	14	4	2.5	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
15095	Melaleuca quinquenervia	Broad-leaved Paperbark	180		180	13	3	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
15096	Lophostemon suaveolens	Swamp Box	140		140	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
15097	Lophostemon suaveolens	Swamp Box	200		200	14	3	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Remove - approved in School application	
15098	Melaleuca quinquenervia	Broad-leaved Paperbark	140		140	13	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
15099	Melaleuca quinquenervia	Broad-leaved Paperbark	110		110	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
15100	Melaleuca quinquenervia	Broad-leaved Paperbark	320		320	18	8	3.8	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
15101	Allocasuarina littoralis	Black Sheoak	130		130	14	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
15102	Melaleuca quinquenervia	Broad-leaved Paperbark	220		220	12	5	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
15103	Melaleuca quinquenervia	Broad-leaved Paperbark	140		140	13	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
15104	Lophostemon suaveolens	Swamp Box	140		140	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
15105	Melaleuca quinquenervia	Broad-leaved Paperbark	120		120	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15106	Melaleuca quinquenervia	Broad-leaved Paperbark	120		120	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15107	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	13	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15108	Melaleuca quinquenervia	Broad-leaved Paperbark	110		110	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15109	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15110	Melaleuca quinquenervia	Broad-leaved Paperbark	100		100	10	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15111	Melaleuca quinquenervia	Broad-leaved Paperbark	140		140	13	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15112	Melaleuca quinquenervia	Broad-leaved Paperbark	100		100	13	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15113	Melaleuca quinquenervia	Broad-leaved Paperbark	160		160	12	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
15114	Melaleuca quinquenervia	Broad-leaved Paperbark	120		120	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
15115	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15116	Melaleuca quinquenervia	Broad-leaved Paperbark	100		100	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15117	Melaleuca quinquenervia	Broad-leaved Paperbark	110		110	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15118	Melaleuca quinquenervia	Broad-leaved Paperbark	110		110	11	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15119	Melaleuca quinquenervia	Broad-leaved Paperbark	120		120	11	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15120	Melaleuca quinquenervia	Broad-leaved Paperbark	100		100	10	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15121	Melaleuca quinquenervia	Broad-leaved Paperbark	100		100	10	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15122	Lophostemon suaveolens	Swamp Box	230		230	16	5	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15123	Lophostemon suaveolens	Swamp Box	110		110	9	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15124	Melaleuca quinquenervia	Broad-leaved Paperbark	120		120	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15125	Melaleuca quinquenervia	Broad-leaved Paperbark	110		110	10	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15126	Melaleuca quinquenervia	Broad-leaved Paperbark	110	100	149	11	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15127	Melaleuca quinquenervia	Broad-leaved Paperbark	150		150	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15128	Melaleuca quinquenervia	Broad-leaved Paperbark	140		140	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15129	Melaleuca quinquenervia	Broad-leaved Paperbark	110		110	11	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15130	Melaleuca quinquenervia	Broad-leaved Paperbark	150		150	13	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15131	Melaleuca quinquenervia	Broad-leaved Paperbark	110		110	11	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15132	Melaleuca quinquenervia	Broad-leaved Paperbark	120		120	10	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15133	Melaleuca quinquenervia	Broad-leaved Paperbark	150		150	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15134	Melaleuca quinquenervia	Broad-leaved Paperbark	140		140	11	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15135	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15136	Melaleuca quinquenervia	Broad-leaved Paperbark	120		120	11	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15137	Melaleuca quinquenervia	Broad-leaved Paperbark	110		110	11	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15138	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15139	Melaleuca quinquenervia	Broad-leaved Paperbark	210		210	13	4	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15140	Melaleuca quinquenervia	Broad-leaved Paperbark	140		140	10	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15141	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15142	Melaleuca quinquenervia	Broad-leaved Paperbark	170		170	13	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15143	Melaleuca quinquenervia	Broad-leaved Paperbark	110		110	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15144	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	10	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15145	Melaleuca quinquenervia	Broad-leaved Paperbark	120		120	9	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15146	Melaleuca quinquenervia	Broad-leaved Paperbark	140		140	9	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15147	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15148	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	10	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15149	Melaleuca quinquenervia	Broad-leaved Paperbark	170		170	10	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15150	Eucalyptus tereticornis	Forest Red Gum	920		920	23	12	11	3	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Poor	-	-	-	-	-	-	Remove ROL6	
15151	Eucalyptus tereticornis	Forest Red Gum	280		280	18	6	3.4	2	One-sided	-	Thinning	Die-back	-	-	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove ROL6	
15152	Melaleuca quinquenervia	Broad-leaved Paperbark	140		140	13	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15153	Melaleuca quinquenervia	Broad-leaved Paperbark	120		120	10	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15154	Melaleuca quinquenervia	Broad-leaved Paperbark	120		120	11	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15155	Melaleuca quinquenervia	Broad-leaved Paperbark	150		150	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15156	Melaleuca quinquenervia	Broad-leaved Paperbark	100	100	141	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15157	Melaleuca quinquenervia	Broad-leaved Paperbark	140		140	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15158	Melaleuca quinquenervia	Broad-leaved Paperbark	150		150	13	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15159	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	13	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15160	Melaleuca quinquenervia	Broad-leaved Paperbark	140		140	11	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15161	Melaleuca quinquenervia	Broad-leaved Paperbark	140		140	11	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15162	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15163	Eucalyptus tereticornis	Forest Red Gum	820		820	25	11	9.8	3	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15164	Melaleuca quinquenervia	Broad-leaved Paperbark	160		160	10	2	2	2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove ROL6	
15165	Melaleuca quinquenervia	Broad-leaved Paperbark	160		160	10	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15166	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	11	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15167	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15168	Melaleuca quinquenervia	Broad-leaved Paperbark	150		150	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15169	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	11	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15170	Melaleuca quinquenervia	Broad-leaved Paperbark	120		120	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
15171	Melaleuca quinquenervia	Broad-leaved Paperbark	110		110	9	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15172	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	11	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15173	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	11	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15174	Melaleuca quinquenervia	Broad-leaved Paperbark	140		140	11	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15175	Melaleuca quinquenervia	Broad-leaved Paperbark	150		150	11	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15176	Melaleuca quinquenervia	Broad-leaved Paperbark	150		150	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15177	Melaleuca quinquenervia	Broad-leaved Paperbark	180		180	13	2	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15178	Eucalyptus tereticornis	Forest Red Gum	290		290	19	6	3.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15179	Melaleuca quinquenervia	Broad-leaved Paperbark	160		160	12	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15180	Melaleuca quinquenervia	Broad-leaved Paperbark	160		160	10	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15181	Melaleuca quinquenervia	Broad-leaved Paperbark	150		150	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15182	Melaleuca quinquenervia	Broad-leaved Paperbark	110		110	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15183	Melaleuca quinquenervia	Broad-leaved Paperbark	180		180	10	4	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15184	Melaleuca quinquenervia	Broad-leaved Paperbark	180		180	12	4	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15185	Eucalyptus tereticornis	Forest Red Gum	450	420	616	25	11	7.4	3	Regular	-	Thinning	Die-back	-	-	Poor	-	Native	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15186	Eucalyptus tereticornis	Forest Red Gum	740		740	24	14	8.9	3	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15187	Melaleuca quinquenervia	Broad-leaved Paperbark	150		150	11	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15188	Allocasuarina littoralis	Black Sheoak	110		110	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15189	Melaleuca quinquenervia	Broad-leaved Paperbark	180		180	12	4	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15190	Melaleuca quinquenervia	Broad-leaved Paperbark	200		200	14	3	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15191	Melaleuca quinquenervia	Broad-leaved Paperbark	190		190	13	4	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15192	Melaleuca quinquenervia	Broad-leaved Paperbark	140		140	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15193	Melaleuca quinquenervia	Broad-leaved Paperbark	200		200	14	2	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15194	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	11	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15195	Melaleuca quinquenervia	Broad-leaved Paperbark	150		150	11	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15196	Melaleuca quinquenervia	Broad-leaved Paperbark	200		200	14	5	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15197	Eucalyptus tereticornis	Forest Red Gum	330		330	18	6	4	2	One-sided	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15198	Eucalyptus tereticornis	Forest Red Gum	620		620	21	12	7.4	3	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15199	Melaleuca quinquenervia	Broad-leaved Paperbark	160		160	13	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15200	Lophostemon suaveolens	Swamp Box	160		160	14	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15201	Melaleuca quinquenervia	Broad-leaved Paperbark	100		100	11	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15202	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	11	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15203	Melaleuca quinquenervia	Broad-leaved Paperbark	140		140	11	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15204	Melaleuca quinquenervia	Broad-leaved Paperbark	110		110	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15205	Melaleuca quinquenervia	Broad-leaved Paperbark	110		110	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15206	Melaleuca quinquenervia	Broad-leaved Paperbark	110		110	11	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15207	Melaleuca quinquenervia	Broad-leaved Paperbark	110		110	10	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15208	Melaleuca quinquenervia	Broad-leaved Paperbark	140		140	11	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15209	Eucalyptus tereticornis	Forest Red Gum	330		330	19	7	4	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove ROL6	
15210	Melaleuca quinquenervia	Broad-leaved Paperbark	160		160	13	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15211	Melaleuca quinquenervia	Broad-leaved Paperbark	180	100	206	10	3	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15212	Eucalyptus tereticornis	Forest Red Gum	380		380	22	9	4.6	2	Regular	-	Thinning	Die-back	-	-	Poor	-	Native	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15213	Eucalyptus tereticornis	Forest Red Gum	300	250, 140	415	21	8	5	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15214	Melaleuca quinquenervia	Broad-leaved Paperbark	140	110	178	12	4	2.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15215	Melaleuca quinquenervia	Broad-leaved Paperbark	170		170	12	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15216	Eucalyptus tereticornis	Forest Red Gum	350	180	394	21	7	4.7	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15217	Melaleuca quinquenervia	Broad-leaved Paperbark	140		140	10	3	2	1	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15218	Eucalyptus tereticornis	Forest Red Gum	240	150	283	19	6	3.4	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15219	Eucalyptus tereticornis	Forest Red Gum	450		450	21	9	5.4	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15220	Melaleuca quinquenervia	Broad-leaved Paperbark	190	180	262	12	4	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15221	Melaleuca quinquenervia	Broad-leaved Paperbark	200		200	13	3	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15222	Eucalyptus tereticornis	Forest Red Gum	270		270	18	7	3.2	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15223	Eucalyptus tereticornis	Forest Red Gum	380		380	20	7	4.6	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15224	Melaleuca quinquenervia	Broad-leaved Paperbark	200		200	12	3	2.4	2	Regular	-	-	-	-	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15225	Eucalyptus tereticornis	Forest Red Gum	450		450	22	10	5.4	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15226	Angophora leiocarpa	Smooth-barked Apple	500		500	21	8	6	2	One-sided	-	Thinning	Die-back	-	-	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove ROL6	
15227	Lophostemon suaveolens	Swamp Box	180		180	12	3	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
15228	Melaleuca quinquenervia	Broad-leaved Paperbark	200		200	12	4	2.4	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15229	Melaleuca quinquenervia	Broad-leaved Paperbark	180	160	241	12	4	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15230	Melaleuca quinquenervia	Broad-leaved Paperbark	140		140	10	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15231	Melaleuca quinquenervia	Broad-leaved Paperbark	160	150	219	14	4	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15232	Eucalyptus tereticornis	Forest Red Gum	260		260	19	7	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15233	Eucalyptus tereticornis	Forest Red Gum	420		420	21	7	5	2	Regular	-	Thinning	Die-back	-	-	Poor	Minor	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15234	Melaleuca quinquenervia	Broad-leaved Paperbark	250		250	11	5	3	2	Regular	-	-	-	-	-	Typical	Minor	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove ROL6	
15235	Melaleuca quinquenervia	Broad-leaved Paperbark	240		240	15	5	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15236	Melaleuca quinquenervia	Broad-leaved Paperbark	180		180	15	4	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
15237	Melaleuca quinquenervia	Broad-leaved Paperbark	250	230, 180	384	16	6	4.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
15238	Melaleuca quinquenervia	Broad-leaved Paperbark	200	180	269	15	4	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
15239	Lophostemon suaveolens	Swamp Box	150		150	13	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
15240	Melaleuca quinquenervia	Broad-leaved Paperbark	160		160	14	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
15241	Melaleuca quinquenervia	Broad-leaved Paperbark	220	220	311	15	6	3.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
15242	Eucalyptus tereticornis	Forest Red Gum	440		440	22	9	5.3	2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
15243	Eucalyptus tereticornis	Forest Red Gum	350		350	20	8	4.2	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
15244	Melaleuca quinquenervia	Broad-leaved Paperbark	170		170	14	4	2	2	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
15245	Melaleuca quinquenervia	Broad-leaved Paperbark	160		160	14	4	2	2	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
15246	Melaleuca quinquenervia	Broad-leaved Paperbark	150		150	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
15247	Melaleuca quinquenervia	Broad-leaved Paperbark	170		170	12	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
15248	Melaleuca quinquenervia	Broad-leaved Paperbark	150		150	13	4	2	1	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
15249	Melaleuca quinquenervia	Broad-leaved Paperbark	150	140	205	14	5	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
15250	Melaleuca quinquenervia	Broad-leaved Paperbark	210	180	277	13	5	3.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
15251	Lophostemon suaveolens	Swamp Box	160		160	10	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Retain ROL6	
15252	Melaleuca quinquenervia	Broad-leaved Paperbark	140		140	13	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
15253	Melaleuca quinquenervia	Broad-leaved Paperbark	140		140	10	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
15254	Lophostemon suaveolens	Swamp Box	210		210	14	4	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
15259	Allocasuarina littoralis	Black Sheoak	180		180	16	5	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
15260	Eucalyptus tereticornis	Forest Red Gum	230		230	16	4	2.8	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
15261	Allocasuarina littoralis	Black Sheoak	150		150	14	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
15262	Acacia concurrens	Black Wattle	110		110	13	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
15263	Allocasuarina littoralis	Black Sheoak	110		110	13	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
15264	Allocasuarina littoralis	Black Sheoak	230		230	16	5	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
15265	Allocasuarina littoralis	Black Sheoak	130		130	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
15266	Allocasuarina littoralis	Black Sheoak	150		150	14	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
15267	Corymbia tessellaris	Moreton Bay Ash	140		140	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
15268	Eucalyptus tereticornis	Forest Red Gum	190	180	262	18	6	3.1	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
15269	Corymbia tessellaris	Moreton Bay Ash	110		110	13	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
15270	Corymbia tessellaris	Moreton Bay Ash	130		130	13	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
15271	Eucalyptus tereticornis	Forest Red Gum	340		340	19	7	4.1	2	Regular	-	Thinning	Die-back	-	-	Poor	-	Native	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
15272	Eucalyptus tereticornis	Forest Red Gum	260	190	322	18	6	3.9	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
15273	Allocasuarina littoralis	Black Sheoak	180		180	13	4	2.2	2	Regular	-	Thinning	Die-back	-	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
15274	Melaleuca quinquenervia	Broad-leaved Paperbark	240	210	319	15	6	3.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
15275	Eucalyptus tereticornis	Forest Red Gum	210		210	17	5	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
15276	Allocasuarina littoralis	Black Sheoak	150		150	15	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
15277	Allocasuarina littoralis	Black Sheoak	250		250	16	6	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
15278	Allocasuarina littoralis	Black Sheoak	120		120	13	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
15279	Eucalyptus tereticornis	Forest Red Gum	310		310	21	7	3.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
15280	Melaleuca quinquenervia	Broad-leaved Paperbark	160		160	12	3	2	2	Regular	-	Thinning	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
15281	Allocasuarina littoralis	Black Sheoak	110	100	149	10	4	2	1	One-sided	-	-	-	-	-	Typical	Minor	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain ROL6	
15282	Allocasuarina littoralis	Black Sheoak	130		130	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
15283	Eucalyptus tereticornis	Forest Red Gum	300		300	20	8	3.6	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
15284	Allocasuarina littoralis	Black Sheoak	150		150	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15285	Acacia concurrens	Black Wattle	100		100	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15286	Allocasuarina littoralis	Black Sheoak	170	110	202	14	5	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15287	Allocasuarina littoralis	Black Sheoak	180		180	14	5	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15288	Allocasuarina littoralis	Black Sheoak	120		120	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
15289	Allocasuarina littoralis	Black Sheoak	190		190	14	4	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Remove ROL6	
15290	Eucalyptus tereticornis	Forest Red Gum	260	230	347	18	7	4.2	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15291	Allocasuarina littoralis	Black Sheoak	140		140	10	3	2	1	Regular	-	-	-	-	-	Typical	Minor	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove ROL6	
15292	Allocasuarina littoralis	Black Sheoak	160		160	15	4	2	2	Regular	-	-	-	-	-	Typical	Minor	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove ROL6	
15293	Allocasuarina littoralis	Black Sheoak	210		210	14	5	2.5	2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15294	Acacia concurrens	Black Wattle	100		100	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15295	Allocasuarina littoralis	Black Sheoak	220		220	16	5	2.6	2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove ROL6	
15296	Eucalyptus tereticornis	Forest Red Gum	290		290	18	8	3.5	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15310	Corymbia intermedia	Pink Bloodwood	180		180	12	5	2.2	2	Regular	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain ROL6	
15318	Acacia concurrens	Black Wattle	110		110	11	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
15319	Acacia concurrens	Black Wattle	120		120	12	3	2	1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
15329	Corymbia intermedia	Pink Bloodwood	340		340	18	8	4.1	2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15334	Acacia concurrens	Black Wattle	100		100	10	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15335	Eucalyptus tereticornis	Forest Red Gum	250		250	18	5	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
15336	Lophostemon suaveolens	Swamp Box	150		150	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
15337	Melaleuca quinquenervia	Broad-leaved Paperbark	120		120	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
15338	Allocasuarina littoralis	Black Sheoak	150		150	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
15339	Allocasuarina littoralis	Black Sheoak	140		140	8	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
15340	Melaleuca quinquenervia	Broad-leaved Paperbark	150		150	15	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
15341	Melaleuca nodosa	Prickley-leaved Paperbark	170	180	248	14	5	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
15342	Melaleuca quinquenervia	Broad-leaved Paperbark	100		100	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
15343	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	15	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
15344	Eucalyptus tereticornis	Forest Red Gum	300		300	22	8	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
15345	Melaleuca quinquenervia	Broad-leaved Paperbark	140		140	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
15346	Melaleuca quinquenervia	Broad-leaved Paperbark	140		140	15	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
15347	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
15348	Lophostemon suaveolens	Swamp Box	100		100	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
15349	Melaleuca quinquenervia	Broad-leaved Paperbark	230	100	251	15	6	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
15350	Eucalyptus tereticornis	Forest Red Gum	360		360	22	6	4.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
15351	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	15	6	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
15352	Lophostemon suaveolens	Swamp Box	170		170	15	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
15353	Melaleuca quinquenervia	Broad-leaved Paperbark	100		100	15	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
15354	Melaleuca quinquenervia	Broad-leaved Paperbark	120		120	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
15355	Melaleuca quinquenervia	Broad-leaved Paperbark	170		170	15	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
15356	Melaleuca quinquenervia	Broad-leaved Paperbark	110		110	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
15357	Melaleuca quinquenervia	Broad-leaved Paperbark	120		120	15	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
15358	Melaleuca quinquenervia	Broad-leaved Paperbark	100		100	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
15359	Melaleuca quinquenervia	Broad-leaved Paperbark	260	220	341	16	6	4.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15360	Eucalyptus tereticornis	Forest Red Gum	320		320	20	10	3.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15361	Melaleuca quinquenervia	Broad-leaved Paperbark	120		120	15	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15362	Melaleuca nodosa	Prickley-leaved Paperbark	190		190	16	6	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15363	Lophostemon suaveolens	Swamp Box	180	160	241	15	6	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15364	Lophostemon suaveolens	Swamp Box	100		100	10	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15365	Melaleuca quinquenervia	Broad-leaved Paperbark	100		100	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15366	Melaleuca quinquenervia	Broad-leaved Paperbark	100		100	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15367	Melaleuca quinquenervia	Broad-leaved Paperbark	100		100	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15368	Melaleuca quinquenervia	Broad-leaved Paperbark	100		100	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15369	Melaleuca quinquenervia	Broad-leaved Paperbark	120		120	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15370	Lophostemon suaveolens	Swamp Box	130		130	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15371	Melaleuca quinquenervia	Broad-leaved Paperbark	140		140	12	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15372	Corymbia intermedia	Pink Bloodwood	140		140	15	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15373	Melaleuca quinquenervia	Broad-leaved Paperbark	110		110	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15374	Eucalyptus tereticornis	Forest Red Gum	310		310	22	10	3.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15375	Lophostemon suaveolens	Swamp Box	180		180	16	6	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15376	Lophostemon suaveolens	Swamp Box	200		200	16	8	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15377	Eucalyptus tereticornis	Forest Red Gum	150		150	18	6	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15378	Acacia concurrens	Black Wattle	100		100	15	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
15379	Melaleuca quinquenervia	Broad-leaved Paperbark	190		190	14	5	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15380	Acacia concurrens	Black Wattle	100		100	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15381	Melaleuca quinquenervia	Broad-leaved Paperbark	170		170	16	8	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15382	Allocasuarina littoralis	Black Sheoak	190		190	15	5	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15383	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15384	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15385	Allocasuarina littoralis	Black Sheoak	170		170	14	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15386	Allocasuarina littoralis	Black Sheoak	110		110	14	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15387	Allocasuarina littoralis	Black Sheoak	120		120	14	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15388	Acacia concurrens	Black Wattle	100		100	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15389	Allocasuarina littoralis	Black Sheoak	180		180	15	5	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15390	Acacia concurrens	Black Wattle	120		120	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15391	Eucalyptus tereticornis	Forest Red Gum	260		260	20	8	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15392	Corymbia intermedia	Pink Bloodwood	280		280	16	12	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15393	Eucalyptus tereticornis	Forest Red Gum	140		140	15	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15394	Eucalyptus tereticornis	Forest Red Gum	290		290	24	10	3.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15395	Melaleuca quinquenervia	Broad-leaved Paperbark	120		120	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15396	Melaleuca quinquenervia	Broad-leaved Paperbark	120		120	12	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15397	Eucalyptus tereticornis	Forest Red Gum	240		240	26	12	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15398	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	14	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15399	Melaleuca quinquenervia	Broad-leaved Paperbark	170		170	14	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15400	Eucalyptus tereticornis	Forest Red Gum	300	130	327	25	12	3.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15401	Allocasuarina littoralis	Black Sheoak	130		130	12	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15402	Allocasuarina littoralis	Black Sheoak	140		140	14	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15403	Allocasuarina littoralis	Black Sheoak	150		150	14	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15404	Angophora leiocarpa	Smooth-barked Apple	180		180	15	5	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15405	Allocasuarina littoralis	Black Sheoak	130		130	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15406	Allocasuarina littoralis	Black Sheoak	110		110	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15407	Acacia concurrens	Black Wattle	100		100	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15408	Allocasuarina littoralis	Black Sheoak	110		110	14	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15409	Allocasuarina littoralis	Black Sheoak	120		120	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15410	Eucalyptus tereticornis	Forest Red Gum	190	130	230	18	5	2.8	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15411	Allocasuarina littoralis	Black Sheoak	140		140	14	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15412	Allocasuarina littoralis	Black Sheoak	140		140	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15413	Eucalyptus tereticornis	Forest Red Gum	230	210	311	18	10	3.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15414	Acacia concurrens	Black Wattle	100		100	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15415	Eucalyptus tereticornis	Forest Red Gum	300	210	366	20	10	4.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15416	Melaleuca quinquenervia	Broad-leaved Paperbark	190		190	15	5	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15417	Allocasuarina littoralis	Black Sheoak	130		130	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15418	Allocasuarina littoralis	Black Sheoak	130		130	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15419	Eucalyptus siderophloia	Grey Ironbark	370		370	28	12	4.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15420	Eucalyptus tereticornis	Forest Red Gum	250	160	297	18	10	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15421	Melaleuca quinquenervia	Broad-leaved Paperbark	190	130, 190, 300	423	15	6	5.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15422	Melaleuca quinquenervia	Broad-leaved Paperbark	220		220	15	6	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15423	Melaleuca quinquenervia	Broad-leaved Paperbark	160		160	12	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15424	Melaleuca quinquenervia	Broad-leaved Paperbark	160		160	16	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15425	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	14	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15426	Eucalyptus tereticornis	Forest Red Gum	180		180	15	6	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15427	Eucalyptus siderophloia	Grey Ironbark	240		240	25	14	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15428	Lophostemon suaveolens	Swamp Box	150		150	14	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15429	Melaleuca quinquenervia	Broad-leaved Paperbark	170		170	14	6	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15430	Melaleuca quinquenervia	Broad-leaved Paperbark	120		120	14	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15431	Melaleuca quinquenervia	Broad-leaved Paperbark	160	140	213	15	6	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15432	Melaleuca quinquenervia	Broad-leaved Paperbark	100		100	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15433	Melaleuca quinquenervia	Broad-leaved Paperbark	200		200	15	5	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15434	Melaleuca quinquenervia	Broad-leaved Paperbark	100		100	10	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15435	Eucalyptus tereticornis	Forest Red Gum	280		280	22	10	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
15436	Melaleuca quinquenervia	Broad-leaved Paperbark	140		140	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15437	Melaleuca quinquenervia	Broad-leaved Paperbark	180		180	15	5	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15438	Melaleuca quinquenervia	Broad-leaved Paperbark	140	120	184	15	5	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15439	Allocasuarina littoralis	Black Sheoak	100		100	8	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15440	Allocasuarina littoralis	Black Sheoak	140		140	14	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15441	Acacia concurrens	Black Wattle	140		140	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15442	Allocasuarina littoralis	Black Sheoak	100		100	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15443	Melaleuca quinquenervia	Broad-leaved Paperbark	100		100	8	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15444	Corymbia tessellaris	Moreton Bay Ash	220		220	20	8	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15445	Melaleuca quinquenervia	Broad-leaved Paperbark	230	120, 100, 210, 350	494	15	8	5.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15446	Melaleuca quinquenervia	Broad-leaved Paperbark	170		170	14	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
15447	Lophostemon suaveolens	Swamp Box	180		180	14	5	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
15448	Melaleuca quinquenervia	Broad-leaved Paperbark	250	290	383	14	5	4.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
15449	Melaleuca quinquenervia	Broad-leaved Paperbark	230	200	305	15	6	3.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
15450	Melaleuca quinquenervia	Broad-leaved Paperbark	230	200	305	15	6	3.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
15451	Eucalyptus siderophloia	Grey Ironbark	240		240	20	14	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
15452	Eucalyptus siderophloia	Grey Ironbark	140		140	15	5	2	1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
15453	Melaleuca quinquenervia	Broad-leaved Paperbark	210		210	14	5	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
15456	Eucalyptus tereticornis	Forest Red Gum	220		220	22	6	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
15457	Eucalyptus tereticornis	Forest Red Gum	250	140	287	22	8	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
15458	Corymbia citriodora	Spotted Gum	160		160	15	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
15459	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	15	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
15460	Allocasuarina littoralis	Black Sheoak	130		130	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
15461	Allocasuarina littoralis	Black Sheoak	110		110	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
15462	Allocasuarina littoralis	Black Sheoak	110		110	14	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
15463	Eucalyptus tereticornis	Forest Red Gum	160		160	18	6	2	2	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
15464	Corymbia tessellaris	Moreton Bay Ash	140		140	16	6	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
15465	Corymbia tessellaris	Moreton Bay Ash	120		120	15	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
15466	Corymbia intermedia	Pink Bloodwood	100		100	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
15467	Eucalyptus tereticornis	Forest Red Gum	250		250	20	8	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
15468	Allocasuarina littoralis	Black Sheoak	100		100	10	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
15469	Allocasuarina littoralis	Black Sheoak	110		110	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
15470	Allocasuarina littoralis	Black Sheoak	110		110	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
15471	Allocasuarina littoralis	Black Sheoak	100		100	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
15493	Allocasuarina littoralis	Black Sheoak	160		160	15	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15528	Corymbia citriodora	Spotted Gum	120	110, 110	196	14	4	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15529	Corymbia citriodora	Spotted Gum	250		250	25	14	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
15530	Eucalyptus siderophloia	Grey Ironbark	180		180	20	10	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
15531	Lophostemon suaveolens	Swamp Box	160		160	14	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
15532	Eucalyptus tereticornis	Forest Red Gum	190		190	22	8	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
15533	Acacia concurrens	Black Wattle	140		140	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
15534	Acacia concurrens	Black Wattle	100		100	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
15535	Acacia concurrens	Black Wattle	100		100	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
15536	Acacia concurrens	Black Wattle	100		100	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
15537	Acacia concurrens	Black Wattle	130		130	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
15538	Acacia concurrens	Black Wattle	100	100	141	14	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15539	Petalostigma pubescens	Quinine Bush	240		240	12	6	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15540	Eucalyptus tereticornis	Forest Red Gum	260		260	25	6	3.1	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
15541	Acacia concurrens	Black Wattle	100		100	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
15542	Acacia concurrens	Black Wattle	110		110	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
15543	Eucalyptus siderophloia	Grey Ironbark	330		330	26	12	4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	School VMP removed	
15544	Acacia concurrens	Black Wattle	100		100	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15545	Acacia concurrens	Black Wattle	140		140	14	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15546	Eucalyptus siderophloia	Grey Ironbark	290		290	26	12	3.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15547	Acacia concurrens	Black Wattle	100		100	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15548	Eucalyptus siderophloia	Grey Ironbark	320		320	28	16	3.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	School VMP removed	
15549	Acacia concurrens	Black Wattle	110		110	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
15550	Acacia concurrens	Black Wattle	100		100	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15551	Acacia concurrens	Black Wattle	100		100	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15552	Acacia concurrens	Black Wattle	120		120	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15553	Eucalyptus tereticornis	Forest Red Gum	390		390	26	12	4.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15554	Corymbia citriodora	Spotted Gum	230		230	18	6	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15555	Eucalyptus siderophloia	Grey Ironbark	280		280	25	10	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	School VMP removed	
15556	Acacia concurrens	Black Wattle	100		100	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15557	Eucalyptus tereticornis	Forest Red Gum	350		350	26	12	4.2	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15558	Eucalyptus siderophloia	Grey Ironbark	280		280	15	2	3.4	2	Regular	-	-	-	Epicormic	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	School VMP removed	
15559	Corymbia intermedia	Pink Bloodwood	180		180	16	5	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15560	Eucalyptus tereticornis	Forest Red Gum	290		290	20	14	3.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15561	Eucalyptus siderophloia	Grey Ironbark	260		260	20	12	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15562	Eucalyptus tereticornis	Forest Red Gum	310		310	28	16	3.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15563	Eucalyptus tereticornis	Forest Red Gum	100		100	14	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15564	Acacia concurrens	Black Wattle	130		130	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15565	Acacia concurrens	Black Wattle	110		110	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15566	Eucalyptus tereticornis	Forest Red Gum	310		310	18	6	3.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15567	Corymbia tessellaris	Moreton Bay Ash	130		130	15	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15568	Eucalyptus siderophloia	Grey Ironbark	210		210	18	10	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15569	Corymbia citriodora	Spotted Gum	230		230	26	10	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15570	Acacia concurrens	Black Wattle	100		100	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15571	Eucalyptus tereticornis	Forest Red Gum	140		140	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15572	Acacia concurrens	Black Wattle	110		110	10	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15573	Acacia concurrens	Black Wattle	150		150	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15574	Acacia concurrens	Black Wattle	100		100	10	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15575	Allocasuarina littoralis	Black Sheoak	160		160	12	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15576	Lophostemon suaveolens	Swamp Box	140		140	14	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15577	Eucalyptus siderophloia	Grey Ironbark	350		350	28	16	4.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15578	Allocasuarina littoralis	Black Sheoak	160		160	14	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15579	Allocasuarina littoralis	Black Sheoak	120		120	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15580	Eucalyptus siderophloia	Grey Ironbark	260		260	28	16	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15581	Eucalyptus siderophloia	Grey Ironbark	260		260	28	16	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15582	Eucalyptus siderophloia	Grey Ironbark	150		150	15	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15583	Eucalyptus tereticornis	Forest Red Gum	290		290	26	12	3.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15584	Acacia concurrens	Black Wattle	100		100	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15585	Allocasuarina littoralis	Black Sheoak	100		100	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15586	Angophora leiocarpa	Smooth-barked Apple	100		100	15	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15587	Allocasuarina littoralis	Black Sheoak	140		140	12	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15588	Lophostemon suaveolens	Swamp Box	200		200	14	4	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15589	Eucalyptus tereticornis	Forest Red Gum	170		170	16	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15590	Allocasuarina littoralis	Black Sheoak	160		160	12	3	2	2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	School VMP removed	
15591	Acacia concurrens	Black Wattle	120		120	14	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15592	Acacia concurrens	Black Wattle	100		100	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15593	Eucalyptus siderophloia	Grey Ironbark	280		280	25	10	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15594	Acacia concurrens	Black Wattle	130		130	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15595	Acacia concurrens	Black Wattle	100		100	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15596	Acacia concurrens	Black Wattle	110		110	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15597	Acacia concurrens	Black Wattle	100		100	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15598	Acacia concurrens	Black Wattle	110		110	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15599	Acacia concurrens	Black Wattle	100		100	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15600	Acacia concurrens	Black Wattle	130		130	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15601	Acacia concurrens	Black Wattle	130		130	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15602	Corymbia citriodora	Spotted Gum	100		100	14	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15603	Eucalyptus tereticornis	Forest Red Gum	220		220	18	8	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15604	Corymbia citriodora	Spotted Gum	570		570	26	14	6.8	3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15605	Eucalyptus siderophloia	Grey Ironbark	230		230	25	10	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15606	Eucalyptus siderophloia	Grey Ironbark	300		300	24	8	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value							
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
15607	Acacia concurrens	Black Wattle	100		100	14	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15608	Eucalyptus tereticornis	Forest Red Gum	220		220	24	8	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15609	Acacia concurrens	Black Wattle	100		100	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15610	Acacia concurrens	Black Wattle	120		120	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15611	Acacia concurrens	Black Wattle	110		110	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15612	Eucalyptus siderophloia	Grey Ironbark	240		240	25	10	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15613	Acacia concurrens	Black Wattle	100		100	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15614	Acacia concurrens	Black Wattle	100		100	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15615	Corymbia tessellaris	Moreton Bay Ash	200		200	18	6	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
15616	Corymbia intermedia	Pink Bloodwood	570		570	28	16	6.8	3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
15617	Eucalyptus siderophloia	Grey Ironbark	330		330	28	16	4	2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15618	Eucalyptus siderophloia	Grey Ironbark	320		320	28	16	3.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15619	Corymbia intermedia	Pink Bloodwood	190	220	291	18	14	3.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15620	Eucalyptus siderophloia	Grey Ironbark	420		420	26	16	5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15621	Eucalyptus siderophloia	Grey Ironbark	160		160	16	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15622	Eucalyptus siderophloia	Grey Ironbark	190		190	25	12	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15623	Corymbia intermedia	Pink Bloodwood	260		260	20	12	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15624	Corymbia intermedia	Pink Bloodwood	220		220	18	10	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15625	Corymbia intermedia	Pink Bloodwood	140		140	15	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15626	Eucalyptus siderophloia	Grey Ironbark	220		220	22	12	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15627	Corymbia citriodora	Spotted Gum	230		230	22	12	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15630	Acacia concurrens	Black Wattle	100		100	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15634	Eucalyptus siderophloia	Grey Ironbark	290		290	20	5	3.5	2	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15635	Eucalyptus siderophloia	Grey Ironbark	300		300	28	15	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15663	Eucalyptus tereticornis	Forest Red Gum	310		310	28	12	3.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15664	Allocasuarina littoralis	Black Sheoak	150		150	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15665	Allocasuarina littoralis	Black Sheoak	110		110	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15666	Allocasuarina littoralis	Black Sheoak	110		110	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15667	Allocasuarina littoralis	Black Sheoak	110		110	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15668	Allocasuarina littoralis	Black Sheoak	120		120	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15669	Lophostemon suaveolens	Swamp Box	130		130	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15670	Allocasuarina littoralis	Black Sheoak	120		120	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15671	Angophora leiocarpa	Smooth-barked Apple	190		190	15	5	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15672	Eucalyptus tereticornis	Forest Red Gum	190		190	12	3	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15673	Eucalyptus siderophloia	Grey Ironbark	300		300	25	12	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15674	Allocasuarina littoralis	Black Sheoak	110		110	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15675	Corymbia intermedia	Pink Bloodwood	260		260	15	6	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15676	Allocasuarina littoralis	Black Sheoak	120		120	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15677	Allocasuarina littoralis	Black Sheoak	130		130	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15678	Eucalyptus tereticornis	Forest Red Gum	330		330	26	14	4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15679	Corymbia intermedia	Pink Bloodwood	130		130	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15680	Eucalyptus tereticornis	Forest Red Gum	300		300	26	14	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15681	Eucalyptus tereticornis	Forest Red Gum	250		250	26	12	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15692	Eucalyptus siderophloia	Grey Ironbark	130		130	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15693	Eucalyptus tereticornis	Forest Red Gum	190		190	16	6	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15694	Eucalyptus tereticornis	Forest Red Gum	310		310	25	12	3.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15695	Eucalyptus siderophloia	Grey Ironbark	280		280	26	14	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15696	Corymbia intermedia	Pink Bloodwood	210		210	18	10	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15697	Angophora leiocarpa	Smooth-barked Apple	210		210	18	12	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15698	Eucalyptus tereticornis	Forest Red Gum	250		250	25	12	3	2	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15699	Eucalyptus tereticornis	Forest Red Gum	180		180	22	12	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15700	Allocasuarina littoralis	Black Sheoak	130		130	10	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15701	Acacia disparrima	Hickory Wattle	110		110	12	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15702	Acacia disparrima	Hickory Wattle	110		110	10	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
15703	Allocasuarina littoralis	Black Sheoak	130		130	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
15704	Eucalyptus siderophloia	Grey Ironbark	240	180	300	25	12	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Retain ROL6	
15705	Angophora leiocarpa	Smooth-barked Apple	230		230	15	6	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
15706	Allocasuarina littoralis	Black Sheoak	100		100	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
15707	Allocasuarina littoralis	Black Sheoak	130		130	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
15708	Allocasuarina littoralis	Black Sheoak	160		160	12	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
15709	Eucalyptus tereticornis	Forest Red Gum	240		240	25	12	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
15710	Allocasuarina littoralis	Black Sheoak	180		180	12	5	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
15711	Acacia concurrens	Black Wattle	120		120	14	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
15712	Eucalyptus tereticornis	Forest Red Gum	270		270	25	10	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
15713	Eucalyptus tereticornis	Forest Red Gum	180		180	16	5	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
15714	Acacia concurrens	Black Wattle	120		120	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
15715	Acacia concurrens	Black Wattle	120		120	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
15716	Allocasuarina littoralis	Black Sheoak	130		130	10	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
15717	Eucalyptus tereticornis	Forest Red Gum	160		160	20	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
15718	Angophora leiocarpa	Smooth-barked Apple	190		190	14	5	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
15719	Angophora leiocarpa	Smooth-barked Apple	110	100	149	10	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
15720	Corymbia tessellaris	Moreton Bay Ash	130		130	15	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
15721	Corymbia tessellaris	Moreton Bay Ash	120		120	14	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15722	Acacia concurrens	Black Wattle	130		130	10	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15723	Allocasuarina littoralis	Black Sheoak	140		140	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15724	Allocasuarina littoralis	Black Sheoak	130		130	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
15725	Eucalyptus tereticornis	Forest Red Gum	240	120	268	25	12	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15726	Eucalyptus siderophloia	Grey Ironbark	330		330	25	14	4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15727	Eucalyptus tereticornis	Forest Red Gum	230	140	269	20	5	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
15728	Eucalyptus tereticornis	Forest Red Gum	220		220	25	6	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
15729	Corymbia tessellaris	Moreton Bay Ash	190		190	18	5	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
15730	Allocasuarina littoralis	Black Sheoak	120		120	10	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
15731	Eucalyptus tereticornis	Forest Red Gum	260		260	26	12	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15732	Eucalyptus siderophloia	Grey Ironbark	210		210	20	10	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15733	Eucalyptus tereticornis	Forest Red Gum	180		180	22	10	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15734	Eucalyptus tereticornis	Forest Red Gum	220		220	18	10	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15735	Eucalyptus tereticornis	Forest Red Gum	320		320	26	14	3.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15736	Acacia concurrens	Black Wattle	150		150	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15737	Eucalyptus tereticornis	Forest Red Gum	130		130	16	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15738	Eucalyptus tereticornis	Forest Red Gum	220		220	25	10	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15739	Eucalyptus siderophloia	Grey Ironbark	210		210	25	10	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Remove ROL6	
15740	Allocasuarina littoralis	Black Sheoak	170		170	12	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15741	Angophora leiocarpa	Smooth-barked Apple	210		210	16	6	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15742	Eucalyptus tereticornis	Forest Red Gum	200	100	224	25	12	2.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15743	Eucalyptus siderophloia	Grey Ironbark	180		180	20	12	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15744	Eucalyptus tereticornis	Forest Red Gum	190		190	16	6	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15745	Allocasuarina littoralis	Black Sheoak	190		190	12	6	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15746	Allocasuarina littoralis	Black Sheoak	120		120	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15747	Allocasuarina littoralis	Black Sheoak	140	120	184	10	3	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15748	Eucalyptus tereticornis	Forest Red Gum	210		210	22	10	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15749	Eucalyptus tereticornis	Forest Red Gum	190		190	18	10	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15750	Eucalyptus tereticornis	Forest Red Gum	290	230	370	28	12	4.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15751	Eucalyptus moluccana	Gum-topped Box	490		490	28	15	5.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15752	Eucalyptus siderophloia	Grey Ironbark	220		220	18	6	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15753	Allocasuarina littoralis	Black Sheoak	130		130	10	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15754	Eucalyptus moluccana	Gum-topped Box	100		100	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15755	Allocasuarina littoralis	Black Sheoak	100		100	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15756	Allocasuarina littoralis	Black Sheoak	130		130	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15757	Corymbia intermedia	Pink Bloodwood	200		200	12	3	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15758	Eucalyptus siderophloia	Grey Ironbark	220		220	18	6	2.6	2	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15759	Eucalyptus tereticornis	Forest Red Gum	280		280	25	12	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15760	Eucalyptus siderophloia	Grey Ironbark	330		330	26	14	4	2	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15761	Eucalyptus tereticornis	Forest Red Gum	260		260	18	12	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15762	Corymbia tessellaris	Moreton Bay Ash	170		170	15	2	2	2	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
15763	Allocasuarina littoralis	Black Sheoak	160		160	12	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15764	Allocasuarina littoralis	Black Sheoak	120		120	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15765	Allocasuarina littoralis	Black Sheoak	180		180	14	3	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15766	Allocasuarina littoralis	Black Sheoak	160		160	12	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15767	Eucalyptus tereticornis	Forest Red Gum	280		280	25	10	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15768	Allocasuarina littoralis	Black Sheoak	150		150	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15769	Allocasuarina littoralis	Black Sheoak	120		120	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15770	Allocasuarina littoralis	Black Sheoak	140		140	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15771	Allocasuarina littoralis	Black Sheoak	130		130	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15772	Allocasuarina littoralis	Black Sheoak	130		130	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15773	Acacia disparrima	Hickory Wattle	180		180	15	5	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Remove ROL6	
15774	Acacia disparrima	Hickory Wattle	180		180	14	4	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15775	Allocasuarina littoralis	Black Sheoak	140		140	12	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15776	Acacia disparrima	Hickory Wattle	220		220	15	5	2.6	2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15777	Acacia disparrima	Hickory Wattle	150		150	14	4	2	1	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15778	Allocasuarina littoralis	Black Sheoak	110		110	10	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15779	Allocasuarina littoralis	Black Sheoak	110		110	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15780	Allocasuarina littoralis	Black Sheoak	220		220	15	5	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15781	Allocasuarina littoralis	Black Sheoak	130		130	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15782	Eucalyptus siderophloia	Grey Ironbark	280		280	26	12	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15783	Allocasuarina littoralis	Black Sheoak	110		110	10	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15784	Corymbia intermedia	Pink Bloodwood	210		210	14	6	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15785	Allocasuarina littoralis	Black Sheoak	130		130	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15786	Eucalyptus tereticornis	Forest Red Gum	160		160	14	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15787	Corymbia tessellaris	Moreton Bay Ash	220		220	20	6	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15788	Allocasuarina littoralis	Black Sheoak	100		100	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15789	Acacia concurrens	Black Wattle	120		120	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15790	Allocasuarina littoralis	Black Sheoak	130		130	10	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15791	Eucalyptus tereticornis	Forest Red Gum	260	150	300	25	10	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15792	Allocasuarina littoralis	Black Sheoak	140		140	14	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15793	Allocasuarina littoralis	Black Sheoak	110		110	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15794	Allocasuarina littoralis	Black Sheoak	250		250	12	5	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15795	Allocasuarina littoralis	Black Sheoak	130		130	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15796	Allocasuarina littoralis	Black Sheoak	200		200	14	5	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15797	Allocasuarina littoralis	Black Sheoak	100		100	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15798	Eucalyptus siderophloia	Grey Ironbark	330	240	408	26	14	4.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15799	Allocasuarina littoralis	Black Sheoak	160		160	12	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15800	Melaleuca quinquenervia	Broad-leaved Paperbark	140	120	184	10	4	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15801	Lophostemon suaveolens	Swamp Box	130		130	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15802	Allocasuarina littoralis	Black Sheoak	160		160	14	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15803	Allocasuarina littoralis	Black Sheoak	140		140	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15804	Eucalyptus tereticornis	Forest Red Gum	140	200	244	16	6	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15805	Lophostemon suaveolens	Swamp Box	130		130	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15806	Lophostemon suaveolens	Swamp Box	140		140	15	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15807	Corymbia intermedia	Pink Bloodwood	180		180	14	3	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15808	Lophostemon suaveolens	Swamp Box	120		120	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15809	Lophostemon suaveolens	Swamp Box	100		100	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15810	Eucalyptus siderophloia	Grey Ironbark	200		200	20	5	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15811	Acacia concurrens	Black Wattle	100		100	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15812	Lophostemon suaveolens	Swamp Box	160		160	14	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15813	Acacia concurrens	Black Wattle	120		120	14	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15814	Acacia concurrens	Black Wattle	100		100	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15815	Corymbia citriodora	Spotted Gum	200		200	18	8	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15816	Lophostemon suaveolens	Swamp Box	150		150	15	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15817	Acacia concurrens	Black Wattle	100		100	14	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15818	Lophostemon suaveolens	Swamp Box	130		130	15	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15819	Lophostemon suaveolens	Swamp Box	170		170	15	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
15820	Lophostemon suaveolens	Swamp Box	260		260	20	10	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15821	Lophostemon suaveolens	Swamp Box	320		320	15	5	3.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15822	Acacia concurrens	Black Wattle	100		100	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15823	Lophostemon suaveolens	Swamp Box	130		130	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15824	Lophostemon suaveolens	Swamp Box	130		130	14	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15825	Lophostemon suaveolens	Swamp Box	140		140	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15826	Lophostemon suaveolens	Swamp Box	100		100	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15827	Lophostemon suaveolens	Swamp Box	140		140	14	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15828	Lophostemon suaveolens	Swamp Box	110		110	14	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15829	Lophostemon suaveolens	Swamp Box	120		120	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15830	Lophostemon suaveolens	Swamp Box	110		110	15	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15831	Lophostemon suaveolens	Swamp Box	100		100	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15832	Acacia concurrens	Black Wattle	100		100	14	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15833	Lophostemon suaveolens	Swamp Box	200		200	15	5	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15834	Lophostemon suaveolens	Swamp Box	120		120	14	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15835	Lophostemon suaveolens	Swamp Box	100		100	14	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15836	Lophostemon suaveolens	Swamp Box	100		100	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15837	Eucalyptus tereticornis	Forest Red Gum	260	140	295	26	12	3.5	2	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15838	Acacia concurrens	Black Wattle	100		100	14	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15839	Lophostemon suaveolens	Swamp Box	180		180	16	5	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
15840	Eucalyptus tereticornis	Forest Red Gum	250		250	26	10	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
15841	Eucalyptus tereticornis	Forest Red Gum	480		480	28	16	5.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15842	Corymbia citriodora	Spotted Gum	340		340	28	14	4.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15843	Acacia concurrens	Black Wattle	100		100	14	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15844	Eucalyptus tereticornis	Forest Red Gum	270		270	20	10	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15845	Eucalyptus tereticornis	Forest Red Gum	260		260	26	12	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15846	Eucalyptus tereticornis	Forest Red Gum	220		220	25	10	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15847	Eucalyptus tereticornis	Forest Red Gum	300		300	25	10	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15848	Lophostemon suaveolens	Swamp Box	110	110	156	15	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15849	Corymbia intermedia	Pink Bloodwood	110	120	163	14	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15850	Corymbia tessellaris	Moreton Bay Ash	240		240	25	10	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15851	Lophostemon suaveolens	Swamp Box	110		110	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15852	Allocasuarina littoralis	Black Sheoak	220		220	14	6	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15853	Allocasuarina littoralis	Black Sheoak	130		130	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15854	Melaleuca quinquenervia	Broad-leaved Paperbark	210		210	15	5	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15855	Allocasuarina littoralis	Black Sheoak	110		110	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15856	Lophostemon suaveolens	Swamp Box	140		140	15	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
15857	Allocasuarina littoralis	Black Sheoak	160		160	15	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
15858	Allocasuarina littoralis	Black Sheoak	110		110	12	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
15859	Eucalyptus tereticornis	Forest Red Gum	280		280	20	12	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
15860	Acacia concurrens	Black Wattle	110		110	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15861	Allocasuarina littoralis	Black Sheoak	110		110	15	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
15862	Allocasuarina littoralis	Black Sheoak	100		100	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15863	Allocasuarina littoralis	Black Sheoak	180		180	15	6	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15864	Eucalyptus siderophloia	Grey Ironbark	330		330	28	16	4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15865	Allocasuarina littoralis	Black Sheoak	110		110	14	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
15866	Lophostemon suaveolens	Swamp Box	100		100	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
15867	Allocasuarina littoralis	Black Sheoak	100		100	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
15868	Allocasuarina littoralis	Black Sheoak	160	180	241	15	8	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15869	Eucalyptus tereticornis	Forest Red Gum	240		240	25	12	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15870	Corymbia intermedia	Pink Bloodwood	180		180	15	5	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	School VMP removed	
15871	Corymbia intermedia	Pink Bloodwood	100		100	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15872	Acacia concurrens	Black Wattle	130		130	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15880	Acacia concurrens	Black Wattle	140		140	8	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Approved to remove in School VMP	
15881	Acacia concurrens	Black Wattle	140		140	8	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Approved to remove in School VMP	
15883	Acacia concurrens	Black Wattle	110		110	8	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Approved to remove in School VMP	
15884	Acacia disparrima	Hickory Wattle	150		150	6	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Approved to remove in School VMP	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
15885	Eucalyptus crebra	Narrow-leaved Ironbark	390		390	26	12	4.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Approved to remove in School VMP	
15886	Acacia concurrens	Black Wattle	120		120	6	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Approved to remove in School VMP	
15887	Acacia concurrens	Black Wattle	100		100	8	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Approved to remove in School VMP	
15888	Acacia concurrens	Black Wattle	100		100	6	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Approved to remove in School VMP	
15889	Eucalyptus tereticornis	Forest Red Gum	400		400	20	6	4.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Approved to remove in School VMP	
15890	Acacia concurrens	Black Wattle	130		130	8	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Approved to remove in School VMP	
15891	Acacia concurrens	Black Wattle	140		140	8	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Approved to remove in School VMP	
15892	Acacia leiocalyx	Early-flowering Black Wattle	130		130	8	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Approved to remove in School VMP	
15893	Acacia leiocalyx	Early-flowering Black Wattle	140		140	8	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Approved to remove in School VMP	
15894	Acacia leiocalyx	Early-flowering Black Wattle	130		130	6	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Approved to remove in School VMP	
15895	Angophora leiocarpa	Smooth-barked Apple	320		320	24	8	3.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Approved to remove in School VMP	
15896	Acacia concurrens	Black Wattle	130		130	6	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Approved to remove in School VMP	
15897	Angophora leiocarpa	Smooth-barked Apple	240	240	339	20	6	4.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Approved to remove in School VMP	
15898	Acacia concurrens	Black Wattle	100		100	8	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Approved to remove in School VMP	
15899	Corymbia citriodora	Spotted Gum	250		250	18	6	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Approved to remove in School VMP	
15900	Corymbia citriodora	Spotted Gum	180		180	16	4	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Approved to remove in School VMP	
15901	Acacia concurrens	Black Wattle	100		100	6	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Approved to remove in School VMP	
15902	Corymbia citriodora	Spotted Gum	200		200	16	4	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Approved to remove in School VMP	
15903	Acacia concurrens	Black Wattle	100		100	6	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Approved to remove in School VMP	
15904	Acacia concurrens	Black Wattle	100		100	6	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Approved to remove in School VMP	
15905	Eucalyptus crebra	Narrow-leaved Ironbark	420		420	22	8	5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Approved to remove in School VMP	
15906	Acacia concurrens	Black Wattle	100		100	8	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Approved to remove in School VMP	
15907	Eucalyptus tereticornis	Forest Red Gum	240		240	18	6	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Approved to remove in School VMP	
15908	Acacia concurrens	Black Wattle	100		100	6	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Approved to remove in School VMP	
15909	Eucalyptus tereticornis	Forest Red Gum	160		160	14	2	2	2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Approved to remove in School VMP	
15910	Eucalyptus tereticornis	Forest Red Gum	400		400	24	6	4.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Approved to remove in School VMP	
15911	Eucalyptus tereticornis	Forest Red Gum	350		350	22	6	4.2	2	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Approved to remove in School VMP	
15912	Acacia leiocalyx	Early-flowering Black Wattle	100		100	5	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Approved to remove in School VMP	
15913	Acacia leiocalyx	Early-flowering Black Wattle	100		100	5	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Approved to remove in School VMP	
15914	Acacia concurrens	Black Wattle	100		100	4	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Approved to remove in School VMP	
15915	Eucalyptus tereticornis	Forest Red Gum	350		350	22	6	4.2	2	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Approved to remove in School VMP	
15916	Acacia leiocalyx	Early-flowering Black Wattle	100		100	6	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Approved to remove in School VMP	
15917	Acacia leiocalyx	Early-flowering Black Wattle	100		100	6	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Approved to remove in School VMP	
15918	Acacia leiocalyx	Early-flowering Black Wattle	130		130	8	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Approved to remove in School VMP	
15919	Acacia concurrens	Black Wattle	100		100	8	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Approved to remove in School VMP	
15920	Eucalyptus crebra	Narrow-leaved Ironbark	220		220	14	4	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Approved to remove in School VMP	
15921	Acacia concurrens	Black Wattle	100		100	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Approved to remove in School VMP	
15922	Eucalyptus tereticornis	Forest Red Gum	400		400	16	6	4.8	2	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Approved to remove in School VMP	
15923	Eucalyptus crebra	Narrow-leaved Ironbark	200		200	15	5	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15924	Eucalyptus crebra	Narrow-leaved Ironbark	150		150	15	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15925	Lophostemon suaveolens	Swap Box	190		190	12	3	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15926	Eucalyptus tereticornis	Forest Red Gum	160		160	8	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15927	Acacia concurrens	Black Wattle	130		130	6	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15928	Eucalyptus tereticornis	Forest Red Gum	240		240	18	6	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15929	Eucalyptus tereticornis	Forest Red Gum	370		370	24	5	4.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15930	Acacia concurrens	Black Wattle	140		140	8	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15931	Eucalyptus tereticornis	Forest Red Gum	430		430	20	8	5.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15932	Acacia concurrens	Black Wattle	100		100	6	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15933	Acacia concurrens	Black Wattle	140		140	6	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15934	Acacia leiocalyx	Early-flowering Black Wattle	200		200	8	3	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15935	Acacia leiocalyx	Early-flowering Black Wattle	130		130	6	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15936	Corymbia citriodora	Spotted Gum	330		330	16	4	4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15937	Acacia leiocalyx	Early-flowering Black Wattle	130		130	6	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15938	Acacia leiocalyx	Early-flowering Black Wattle	130		130	6	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15939	Acacia leiocalyx	Early-flowering Black Wattle	140		140	6	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15940	Acacia concurrens	Black Wattle	150		150	8	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15941	Acacia leiocalyx	Early-flowering Black Wattle	110		110	6	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
15942	Acacia leiocalyx	Early-flowering Black Wattle	130		130	6	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15943	Acacia leiocalyx	Early-flowering Black Wattle	130		130	6	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15944	Acacia concurrens	Black Wattle	150		150	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15945	Acacia leiocalyx	Early-flowering Black Wattle	140		140	10	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15946	Acacia leiocalyx	Early-flowering Black Wattle	100		100	5	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15947	Acacia leiocalyx	Early-flowering Black Wattle	130		130	6	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15948	Acacia concurrens	Black Wattle	140		140	8	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15949	Acacia leiocalyx	Early-flowering Black Wattle	130		130	8	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15950	Acacia leiocalyx	Early-flowering Black Wattle	100		100	6	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15951	Acacia concurrens	Black Wattle	130		130	8	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15952	Acacia leiocalyx	Early-flowering Black Wattle	130		130	6	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15953	Acacia concurrens	Black Wattle	140		140	6	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15954	Acacia concurrens	Black Wattle	100		100	6	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15955	Acacia leiocalyx	Early-flowering Black Wattle	150		150	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15956	Eucalyptus tereticornis	Forest Red Gum	320		320	15	3	3.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15957	Acacia leiocalyx	Early-flowering Black Wattle	130		130	8	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15958	Acacia leiocalyx	Early-flowering Black Wattle	140		140	8	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15959	Acacia leiocalyx	Early-flowering Black Wattle	110		110	6	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15960	Acacia concurrens	Black Wattle	120		120	8	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15961	Acacia leiocalyx	Early-flowering Black Wattle	130		130	8	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15962	Acacia leiocalyx	Early-flowering Black Wattle	130		130	6	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15963	Acacia concurrens	Black Wattle	120		120	6	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15964	Acacia leiocalyx	Early-flowering Black Wattle	130		130	8	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15965	Acacia leiocalyx	Early-flowering Black Wattle	120		120	6	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15966	Acacia concurrens	Black Wattle	130		130	6	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15967	Acacia leiocalyx	Early-flowering Black Wattle	130		130	8	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15968	Acacia leiocalyx	Early-flowering Black Wattle	150		150	8	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15969	Acacia leiocalyx	Early-flowering Black Wattle	150		150	10	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15970	Acacia concurrens	Black Wattle	140		140	8	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15971	Acacia concurrens	Black Wattle	130		130	6	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15972	Eucalyptus tereticornis	Forest Red Gum	230		230	14	3	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15973	Acacia concurrens	Black Wattle	130		130	6	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15974	Acacia concurrens	Black Wattle	160		160	10	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15975	Alphitonia excelsa	Red Ash	130		130	8	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15976	Lophostemon suaveolens	Swap Box	130		130	8	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15977	Lophostemon suaveolens	Swap Box	230		230	12	3	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15978	Eucalyptus tereticornis	Forest Red Gum	360		360	15	4	4.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15979	Lophostemon suaveolens	Swap Box	100		100	5	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15980	Acacia leiocalyx	Early-flowering Black Wattle	100		100	6	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15981	Lophostemon suaveolens	Swap Box	140		140	8	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15982	Lophostemon suaveolens	Swap Box	240		240	10	3	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15983	Eucalyptus tereticornis	Forest Red Gum	460		460	25	12	5.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15984	Lophostemon suaveolens	Swap Box	280		280	12	4	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15985	Eucalyptus tereticornis	Forest Red Gum	310		310	16	5	3.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15986	Lophostemon suaveolens	Swap Box	130		130	5	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15987	Lophostemon suaveolens	Swap Box	350		350	10	4	4.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15988	Lophostemon suaveolens	Swap Box	310		310	10	3	3.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	School VMP removed	
15989	Lophostemon suaveolens	Swap Box	250		250	12	4	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15990	Lophostemon suaveolens	Swap Box	160		160	14	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15991	Lophostemon suaveolens	Swap Box	120		120	6	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15992	Lophostemon suaveolens	Swap Box	210		210	8	3	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15993	Lophostemon suaveolens	Swap Box	150		150	6	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15994	Lophostemon suaveolens	Swap Box	160		160	10	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15995	Lophostemon suaveolens	Swap Box	160		160	12	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15996	Lophostemon suaveolens	Swap Box	320		320	12	4	3.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15997	Melaleuca quinquenervia	Broad-leaved Paperbark	160		160	6	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
15998	Lophostemon suaveolens	Swap Box	210		210	10	3	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
15999	Lophostemon suaveolens	Swap Box	150		150	10	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16000	Lophostemon suaveolens	Swap Box	140		140	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16001	Lophostemon suaveolens	Swap Box	350		350	12	4	4.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16002	Lophostemon suaveolens	Swap Box	130		130	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16003	Lophostemon suaveolens	Swap Box	140		140	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16004	Lophostemon suaveolens	Swap Box	150		150	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16005	Lophostemon suaveolens	Swap Box	180		180	12	3	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16006	Lophostemon suaveolens	Swap Box	130		130	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16007	Lophostemon suaveolens	Swap Box	140		140	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16008	Lophostemon suaveolens	Swap Box	250		250	12	4	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16009	Lophostemon suaveolens	Swap Box	160		160	10	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16010	Lophostemon suaveolens	Swap Box	240		240	10	3	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16011	Melaleuca quinquenervia	Broad-leaved Paperbark	150		150	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16012	Lophostemon suaveolens	Swap Box	140		140	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16013	Lophostemon suaveolens	Swap Box	120		120	8	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16014	Melaleuca quinquenervia	Broad-leaved Paperbark	200		200	12	4	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16015	Melaleuca quinquenervia	Broad-leaved Paperbark	100		100	6	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16016	Lophostemon suaveolens	Swap Box	230		230	10	3	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16017	Melaleuca quinquenervia	Broad-leaved Paperbark	100		100	5	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16018	Eucalyptus tereticornis	Forest Red Gum	380		380	16	10	4.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16019	Lophostemon suaveolens	Swap Box	330		330	10	5	4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16020	Lophostemon suaveolens	Swap Box	160		160	14	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16021	Lophostemon suaveolens	Swap Box	130		130	8	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16022	Lophostemon suaveolens	Swap Box	190		190	12	4	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16023	Lophostemon suaveolens	Swap Box	170		170	8	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16024	Eucalyptus crebra	Narrow-leaved Ironbark	180		180	15	4	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	School VMP removed	
16025	Corymbia citriodora	Spotted Gum	140		140	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16026	Acacia leiocalyx	Early-flowering Black Wattle	130		130	6	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16027	Allocasuarina littoralis	Black Sheoak	100		100	6	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16029	Eucalyptus tereticornis	Forest Red Gum	240		240	16	5	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16134	Lophostemon suaveolens	Swap Box	130		130	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16135	Lophostemon suaveolens	Swap Box	100		100	6	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16136	Lophostemon suaveolens	Swap Box	140		140	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16137	Lophostemon suaveolens	Swap Box	150		150	12	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16138	Lophostemon suaveolens	Swap Box	140		140	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16139	Lophostemon suaveolens	Swap Box	150		150	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16343	Acacia concurrens	Black Wattle	100		100	6	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16344	Corymbia tessellaris	Moreton Bay Ash	110		110	6	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16345	Eucalyptus tereticornis	Forest Red Gum	300		300	16	4	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16346	Corymbia citriodora	Spotted Gum	250		250	15	4	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16347	Corymbia citriodora	Spotted Gum	260		260	16	5	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16348	Eucalyptus tereticornis	Forest Red Gum	280		280	25	8	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16349	Corymbia citriodora	Spotted Gum	220		220	20	4	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16350	Corymbia tessellaris	Moreton Bay Ash	140		140	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16351	Eucalyptus tereticornis	Forest Red Gum	160		160	12	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16352	Eucalyptus tereticornis	Forest Red Gum	210		210	15	4	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16353	Corymbia tessellaris	Moreton Bay Ash	170		170	14	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16354	Corymbia citriodora	Spotted Gum	240		240	16	5	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16355	Eucalyptus crebra	Narrow-leaved Ironbark	140		140	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16356	Eucalyptus crebra	Narrow-leaved Ironbark	150		150	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16357	Corymbia citriodora	Spotted Gum	220		220	15	4	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16358	Corymbia citriodora	Spotted Gum	390		390	26	10	4.7	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16359	Eucalyptus tereticornis	Forest Red Gum	280		280	22	8	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16360	Eucalyptus tereticornis	Forest Red Gum	200		200	14	3	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16361	Corymbia citriodora	Spotted Gum	280		280	22	6	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16362	Corymbia citriodora	Spotted Gum	240		240	20	5	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16363	Corymbia citriodora	Spotted Gum	260		260	22	5	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
16364	Corymbia citriodora	Spotted Gum	160		160	12	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16365	Eucalyptus crebra	Narrow-leaved Ironbark	250		250	15	4	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16366	Lophostemon suaveolens	Swap Box	270		270	12	5	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16367	Lophostemon suaveolens	Swap Box	150		150	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16368	Lophostemon suaveolens	Swap Box	220	130	256	12	4	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16369	Eucalyptus tereticornis	Forest Red Gum	120		120	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16370	Melaleuca quinquenervia	Broad-leaved Paperbark	140		140	8	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16371	Melaleuca quinquenervia	Broad-leaved Paperbark	120		120	8	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16372	Allocasuarina littoralis	Black Sheoak	140		140	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16373	Corymbia intermedia	Pink Bloodwood	160		160	12	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16374	Eucalyptus tereticornis	Forest Red Gum	280		280	20	6	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16375	Allocasuarina littoralis	Black Sheoak	140		140	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16376	Allocasuarina littoralis	Black Sheoak	120		120	8	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16429	Corymbia citriodora	Spotted Gum	150		150	15	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16433	Allocasuarina littoralis	Black Sheoak	130		130	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16434	Corymbia citriodora	Spotted Gum	150	110	186	16	5	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16435	Allocasuarina littoralis	Black Sheoak	140		140	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16441	Corymbia citriodora	Spotted Gum	290		290	17	8	3.5	2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain ROL6	
16442	Acacia concurrens	Black Wattle	120		120	7	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Approved to remove in School VMP	
16443	Eucalyptus crebra	Narrow-leaved Ironbark	370		370	22	12	4.4	2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	Fire Dmg.	Typical	-	-	-	-	-	-	Remove - approved in School application	
16444	Acacia leiocalyx	Early-flowering Black Wattle	100		100	5	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
16445	Acacia leiocalyx	Early-flowering Black Wattle	110		110	5	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
16446	Acacia leiocalyx	Early-flowering Black Wattle	140		140	7	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
16447	Eucalyptus tereticornis	Forest Red Gum	360		360	19	8	4.3	2	Regular	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
16448	Acacia leiocalyx	Early-flowering Black Wattle	110		110	6	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Approved to remove in School VMP	
16449	Acacia leiocalyx	Early-flowering Black Wattle	100		100	7	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Approved to remove in School VMP	
16450	Acacia leiocalyx	Early-flowering Black Wattle	110		110	8	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Approved to remove in School VMP	
16451	Acacia leiocalyx	Early-flowering Black Wattle	110		110	6	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Approved to remove in School VMP	
16452	Acacia leiocalyx	Early-flowering Black Wattle	140		140	6	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
16453	Corymbia citriodora	Spotted Gum	230		230	20	10	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Approved to remove in School VMP	
16454	Corymbia citriodora	Spotted Gum	330	230	402	22	12	4.8	2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
16455	Corymbia citriodora	Spotted Gum	250		250	19	8	3	2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Approved to remove in School VMP	
16456	Eucalyptus crebra	Narrow-leaved Ironbark	160		160	17	7	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Approved to remove in School VMP	
16457	Acacia leiocalyx	Early-flowering Black Wattle	100		100	7	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Approved to remove in School VMP	
16458	Acacia leiocalyx	Early-flowering Black Wattle	100		100	6	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Approved to remove in School VMP	
16459	Eucalyptus tereticornis	Forest Red Gum	290		290	26	10	3.5	2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Approved to remove in School VMP	
16460	Eucalyptus tereticornis	Forest Red Gum	290		290	15	8	3.5	2	Regular	-	-	-	-	-	Poor	-	-	Trunk Dmg.	-	Poor	-	-	-	-	-	-	School VMP removed	
16461	Corymbia citriodora	Spotted Gum	300	300	424	22	14	5.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16462	Corymbia citriodora	Spotted Gum	240		240	24	8	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16463	Eucalyptus tereticornis	Forest Red Gum	240		240	16	8	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16464	Eucalyptus tereticornis	Forest Red Gum	150		150	14	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16465	Eucalyptus tereticornis	Forest Red Gum	110		110	9	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
16466	Acacia concurrens	Black Wattle	100		100	7	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
16467	Eucalyptus tereticornis	Forest Red Gum	240		240	18	10	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Old	-	-	-	-	Remove - approved in School application	
16468	Acacia leiocalyx	Early-flowering Black Wattle	110		110	7	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16469	Acacia concurrens	Black Wattle	110		110	4	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16470	Acacia concurrens	Black Wattle	100		100	6	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16471	Acacia leiocalyx	Early-flowering Black Wattle	120		120	6	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16472	Eucalyptus tereticornis	Forest Red Gum	320		320	18	8	3.8	2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	School VMP removed	
16473	Acacia leiocalyx	Early-flowering Black Wattle	120		120	7	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16474	Acacia concurrens	Black Wattle	140		140	7	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16475	Acacia concurrens	Black Wattle	240		240	9	6	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16476	Acacia leiocalyx	Early-flowering Black Wattle	130		130	8	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16477	Allocasuarina littoralis	Black Sheoak	130		130	9	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16478	Eucalyptus tereticornis	Forest Red Gum	190		190	18	10	2.3	2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	School VMP removed	
16479	Acacia concurrens	Black Wattle	140		140	7	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16480	Acacia concurrens	Black Wattle	150		150	8	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
16481	Acacia concurrens	Black Wattle	140		140	7	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16482	Acacia concurrens	Black Wattle	120		120	6	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16483	Eucalyptus tereticornis	Forest Red Gum	380		380	20	12	4.6	2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	School VMP removed	
16484	Acacia concurrens	Black Wattle	100		100	5	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16485	Acacia concurrens	Black Wattle	170		170	8	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16486	Acacia concurrens	Black Wattle	140		140	7	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16487	Acacia concurrens	Black Wattle	140	120	184	8	4	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16488	Acacia leiocalyx	Early-flowering Black Wattle	130		130	6	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16489	Acacia concurrens	Black Wattle	160		160	8	6	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16490	Eucalyptus tereticornis	Forest Red Gum	120		120	8	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16491	Acacia leiocalyx	Early-flowering Black Wattle	150		150	7	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16492	Allocasuarina littoralis	Black Sheoak	170		170	11	7	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16493	Acacia leiocalyx	Early-flowering Black Wattle	100		100	8	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16494	Lophostemon suaveolens	Swap Box	230		230	16	8	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16495	Lophostemon suaveolens	Swap Box	120		120	5	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16496	Lophostemon suaveolens	Swap Box	130		130	15	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16497	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	14	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16498	Lophostemon suaveolens	Swap Box	160		160	14	6	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16499	Lophostemon suaveolens	Swap Box	160		160	15	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16500	Lophostemon suaveolens	Swap Box	150		150	14	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16501	Lophostemon suaveolens	Swap Box	180		180	14	6	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16502	Lophostemon suaveolens	Swap Box	180		180	15	4	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16503	Acacia leiocalyx	Early-flowering Black Wattle	130		130	9	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16504	Melaleuca quinquenervia	Broad-leaved Paperbark	120		120	9	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16505	Melaleuca quinquenervia	Broad-leaved Paperbark	110	100	149	7	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16506	Lophostemon suaveolens	Swap Box	180		180	11	7	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16507	Lophostemon suaveolens	Swap Box	150		150	15	7	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16508	Lophostemon suaveolens	Swap Box	170		170	14	6	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16509	Lophostemon suaveolens	Swap Box	130		130	10	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16510	Corymbia citriodora	Spotted Gum	220		220	16	8	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16511	Lophostemon suaveolens	Swap Box	160		160	14	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16512	Melaleuca quinquenervia	Broad-leaved Paperbark	140		140	11	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16513	Melaleuca quinquenervia	Broad-leaved Paperbark	110		110	8	2	2	1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	School VMP removed	
16514	Eucalyptus tereticornis	Forest Red Gum	320		320	24	12	3.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16515	Corymbia citriodora	Spotted Gum	400		400	22	14	4.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16516	Eucalyptus tereticornis	Forest Red Gum	180		180	15	6	2.2	2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16517	Corymbia citriodora	Spotted Gum	200		200	18	7	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16518	Corymbia citriodora	Spotted Gum	290		290	22	10	3.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16519	Allocasuarina littoralis	Black Sheoak	140		140	10	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16520	Corymbia citriodora	Spotted Gum	250	200	320	17	10	3.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16709	Corymbia tessellaris	Moreton Bay Ash	140		140	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16712	Corymbia intermedia	Pink Bloodwood	160	140	213	10	5	2.6	2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	School VMP removed	
16713	Eucalyptus tereticornis	Forest Red Gum	330		330	23	11	4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16714	Corymbia tessellaris	Moreton Bay Ash	220		220	17	8	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16715	Acacia disparrima	Hickory Wattle	170		170	12	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16716	Corymbia tessellaris	Moreton Bay Ash	100		100	11	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16717	Eucalyptus crebra	Narrow-leaved Ironbark	180		180	18	7	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16718	Eucalyptus tereticornis	Forest Red Gum	150		150	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16719	Corymbia intermedia	Pink Bloodwood	120		120	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16720	Melaleuca nodosa	Prickly-leaved Paperbark	180		180	6	5	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16721	Corymbia citriodora	Spotted Gum	480	220	528	25	14	6.3	3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16722	Lophostemon suaveolens	Swap Box	120		120	11	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16723	Corymbia intermedia	Pink Bloodwood	190		190	10	3	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16724	Lophostemon suaveolens	Swap Box	130		130	12	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16725	Melaleuca quinquenervia	Broad-leaved Paperbark	140		140	13	4	2	1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16726	Eucalyptus tereticornis	Forest Red Gum	250		250	16	5	3	2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16727	Acacia leiocalyx	Early-flowering Black Wattle	100		100	6	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
16728	Lophostemon suaveolens	Swap Box	210		210	11	4	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16729	Melaleuca quinquenervia	Broad-leaved Paperbark	100		100	11	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16730	Melaleuca quinquenervia	Broad-leaved Paperbark	100		100	8	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16731	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	12	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16732	Melaleuca quinquenervia	Broad-leaved Paperbark	110		110	12	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16733	Melaleuca quinquenervia	Broad-leaved Paperbark	130	100	164	11	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16734	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	10	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16735	Corymbia citriodora	Spotted Gum	260	230	347	16	8	4.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16736	Corymbia citriodora	Spotted Gum	260	230	347	12	4	4.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16737	Allocasuarina littoralis	Black Sheoak	250		250	12	6	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	School VMP removed	
16775	Allocasuarina littoralis	Black Sheoak	150		150	12	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16776	Allocasuarina littoralis	Black Sheoak	140		140	8	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16777	Corymbia citriodora	Spotted Gum	160		160	14	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16778	Allocasuarina littoralis	Black Sheoak	140		140	10	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16779	Allocasuarina littoralis	Black Sheoak	140		140	11	5	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16780	Allocasuarina littoralis	Black Sheoak	140		140	11	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16781	Eucalyptus siderophloia	Northern Grey Ironbark	250		250	18	5	3	2	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Approved to remove in School VMP	
16782	Acacia leiocalyx	Early-flowering Black Wattle	110		110	6	3	2	1	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Approved to remove in School VMP	
16784	Corymbia citriodora	Spotted Gum	330		330	22	6	4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Approved to remove in School VMP	
16785	Eucalyptus tereticornis	Forest Red Gum	150		150	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Approved to remove in School VMP	
16786	Eucalyptus siderophloia	Northern Grey Ironbark	150		150	11	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
16787	Corymbia citriodora	Spotted Gum	280	230	362	18	6	4.3	2	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
16789	Acacia leiocalyx	Early-flowering Black Wattle	170		170	12	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Approved to remove in School VMP	
16790	Acacia leiocalyx	Early-flowering Black Wattle	130		130	10	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Approved to remove in School VMP	
16791	Acacia leiocalyx	Early-flowering Black Wattle	110		110	8	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Approved to remove in School VMP	
16792	Acacia leiocalyx	Early-flowering Black Wattle	120		120	10	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Approved to remove in School VMP	
16793	Acacia leiocalyx	Early-flowering Black Wattle	130		130	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Approved to remove in School VMP	
16794	Corymbia citriodora	Spotted Gum	390	320, 210	546	20	7	6.6	3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Approved to remove in School VMP	
16795	Acacia leiocalyx	Early-flowering Black Wattle	150		150	10	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Approved to remove in School VMP	
16796	Eucalyptus crebra	Narrow-leaved Ironbark	330		330	22	7	4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Approved to remove in School VMP	
16797	Eucalyptus tereticornis	Forest Red Gum	270		270	18	5	3.2	2	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Approved to remove in School VMP	
16798	Acacia leiocalyx	Early-flowering Black Wattle	120		120	9	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Approved to remove in School VMP	
16799	Acacia concurrens	Black Wattle	140		140	9	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Approved to remove in School VMP	
16800	Eucalyptus tereticornis	Forest Red Gum	190		190	16	3	2.3	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Approved to remove in School VMP	
16801	Eucalyptus crebra	Narrow-leaved Ironbark	330		330	19	6	4	2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Approved to remove in School VMP	
16803	Eucalyptus crebra	Narrow-leaved Ironbark	360		360	24	9	4.3	2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Approved to remove in School VMP	
16804	Acacia leiocalyx	Early-flowering Black Wattle	110		110	8	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Approved to remove in School VMP	
16805	Acacia leiocalyx	Early-flowering Black Wattle	100		100	8	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Approved to remove in School VMP	
16806	Eucalyptus siderophloia	Northern Grey Ironbark	310		310	23	7	3.7	2	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Approved to remove in School VMP	
16817	Eucalyptus siderophloia	Northern Grey Ironbark	240		240	23	6	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16818	Eucalyptus siderophloia	Northern Grey Ironbark	250		250	23	6	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16819	Eucalyptus tereticornis	Forest Red Gum	270		270	19	6	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16820	Acacia leiocalyx	Early-flowering Black Wattle	110	100	149	8	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16821	Eucalyptus tereticornis	Forest Red Gum	270		270	18	6	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16822	Acacia leiocalyx	Early-flowering Black Wattle	170		170	8	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16823	Acacia leiocalyx	Early-flowering Black Wattle	130		130	9	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16824	Acacia leiocalyx	Early-flowering Black Wattle	130		130	10	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16825	Acacia leiocalyx	Early-flowering Black Wattle	140		140	10	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16826	Acacia leiocalyx	Early-flowering Black Wattle	140		140	7	2	2	1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16827	Acacia leiocalyx	Early-flowering Black Wattle	160		160	10	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16828	Acacia leiocalyx	Early-flowering Black Wattle	200		200	11	5	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16829	Lophostemon suaveolens	Swap Box	190		190	10	3	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16830	Eucalyptus siderophloia	Northern Grey Ironbark	260		260	18	6	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16831	Allocasuarina littoralis	Black Sheoak	150		150	10	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16832	Eucalyptus tereticornis	Forest Red Gum	240		240	20	6	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16833	Acacia leiocalyx	Early-flowering Black Wattle	130		130	13	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16834	Acacia leiocalyx	Early-flowering Black Wattle	130		130	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
16835	Acacia leiocalyx	Early-flowering Black Wattle	130	100	164	11	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16836	Acacia leiocalyx	Early-flowering Black Wattle	140		140	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16837	Acacia leiocalyx	Early-flowering Black Wattle	120		120	11	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16838	Acacia leiocalyx	Early-flowering Black Wattle	150		150	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16839	Acacia leiocalyx	Early-flowering Black Wattle	170		170	12	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16840	Acacia leiocalyx	Early-flowering Black Wattle	140		140	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16841	Allocasuarina littoralis	Black Sheoak	320		320	15	5	3.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16842	Acacia leiocalyx	Early-flowering Black Wattle	140		140	10	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16843	Acacia leiocalyx	Early-flowering Black Wattle	130		130	10	3	2	1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16844	Lophostemon suaveolens	Swap Box	190		190	14	3	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16845	Lophostemon suaveolens	Swap Box	180		180	14	4	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16846	Allocasuarina littoralis	Black Sheoak	180		180	11	4	2.2	2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16847	Lophostemon suaveolens	Swap Box	200		200	15	4	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16848	Allocasuarina littoralis	Black Sheoak	140		140	11	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16849	Lophostemon suaveolens	Swap Box	170		170	16	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16850	Lophostemon suaveolens	Swap Box	100		100	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16851	Lophostemon suaveolens	Swap Box	120		120	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16852	Lophostemon suaveolens	Swap Box	140		140	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16853	Lophostemon suaveolens	Swap Box	250		250	17	5	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16854	Lophostemon suaveolens	Swap Box	130		130	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16855	Lophostemon suaveolens	Swap Box	170		170	16	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16856	Lophostemon suaveolens	Swap Box	150		150	11	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16857	Lophostemon suaveolens	Swap Box	220	140	261	16	5	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16858	Lophostemon suaveolens	Swap Box	190		190	18	4	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16859	Lophostemon suaveolens	Swap Box	120		120	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16860	Lophostemon suaveolens	Swap Box	140		140	9	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16861	Lophostemon suaveolens	Swap Box	170		170	14	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16862	Lophostemon suaveolens	Swap Box	170		170	12	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16863	Lophostemon suaveolens	Swap Box	140		140	12	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16864	Lophostemon suaveolens	Swap Box	160	130	206	13	3	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16865	Lophostemon suaveolens	Swap Box	170		170	13	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16866	Eucalyptus tereticornis	Forest Red Gum	370		370	22	7	4.4	2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16867	Lophostemon suaveolens	Swap Box	150		150	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16868	Lophostemon suaveolens	Swap Box	180		180	14	4	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16869	Lophostemon suaveolens	Swap Box	140		140	14	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16870	Lophostemon suaveolens	Swap Box	190		190	16	3	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16871	Lophostemon suaveolens	Swap Box	120		120	11	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16872	Lophostemon suaveolens	Swap Box	120		120	10	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16873	Lophostemon suaveolens	Swap Box	130		130	13	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16874	Lophostemon suaveolens	Swap Box	130		130	13	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16875	Lophostemon suaveolens	Swap Box	130		130	13	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16876	Lophostemon suaveolens	Swap Box	120		120	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16877	Lophostemon suaveolens	Swap Box	210		210	14	3	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16878	Lophostemon suaveolens	Swap Box	160		160	14	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16879	Lophostemon suaveolens	Swap Box	150		150	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16880	Lophostemon suaveolens	Swap Box	150		150	16	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16881	Lophostemon suaveolens	Swap Box	150		150	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16882	Lophostemon suaveolens	Swap Box	170		170	14	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16883	Lophostemon suaveolens	Swap Box	130		130	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16884	Lophostemon suaveolens	Swap Box	190	150	242	16	4	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16885	Lophostemon suaveolens	Swap Box	180		180	14	5	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16886	Lophostemon suaveolens	Swap Box	240		240	16	4	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16887	Eucalyptus tereticornis	Forest Red Gum	340		340	23	8	4.1	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16888	Lophostemon suaveolens	Swap Box	150		150	16	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16889	Lophostemon suaveolens	Swap Box	140		140	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16890	Lophostemon suaveolens	Swap Box	120		120	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16891	Lophostemon suaveolens	Swap Box	100		100	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
16892	Allocasuarina littoralis	Black Sheoak	240		240	16	5	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16893	Allocasuarina littoralis	Black Sheoak	140		140	6	2	2	1	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16894	Angophora leiocarpa	Smooth-barked Apple	160	140	213	16	4	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16895	Lophostemon suaveolens	Swap Box	190		190	15	3	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16896	Allocasuarina littoralis	Black Sheoak	220		220	16	4	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16897	Allocasuarina littoralis	Black Sheoak	190		190	12	4	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16932	Lophostemon suaveolens	Swap Box	160		160	10	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16933	Lophostemon suaveolens	Swap Box	100		100	7	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16934	Lophostemon suaveolens	Swap Box	130		130	8	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16935	Lophostemon suaveolens	Swap Box	110		110	7	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16968	Lophostemon suaveolens	Swap Box	100		100	11	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16971	Lophostemon suaveolens	Swap Box	150		150	13	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16972	Lophostemon suaveolens	Swap Box	120		120	10	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16973	Lophostemon suaveolens	Swap Box	160		160	13	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16974	Lophostemon suaveolens	Swap Box	110		110	10	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16975	Lophostemon suaveolens	Swap Box	100		100	10	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16976	Lophostemon suaveolens	Swap Box	100		100	9	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16977	Lophostemon suaveolens	Swap Box	130		130	11	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16978	Lophostemon suaveolens	Swap Box	130		130	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16979	Lophostemon suaveolens	Swap Box	120		120	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16980	Lophostemon suaveolens	Swap Box	110		110	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16981	Lophostemon suaveolens	Swap Box	100		100	9	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16982	Lophostemon suaveolens	Swap Box	110		110	13	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16983	Lophostemon suaveolens	Swap Box	130		130	13	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16984	Lophostemon suaveolens	Swap Box	170		170	14	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16985	Lophostemon suaveolens	Swap Box	120		120	11	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16986	Lophostemon suaveolens	Swap Box	120		120	11	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16987	Lophostemon suaveolens	Swap Box	100		100	9	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16988	Lophostemon suaveolens	Swap Box	140		140	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16989	Lophostemon suaveolens	Swap Box	100		100	10	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16990	Lophostemon suaveolens	Swap Box	110		110	9	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16991	Lophostemon suaveolens	Swap Box	230		230	15	4	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16992	Lophostemon suaveolens	Swap Box	140		140	11	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16993	Lophostemon suaveolens	Swap Box	120		120	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16994	Lophostemon suaveolens	Swap Box	180		180	14	2	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16995	Lophostemon suaveolens	Swap Box	160		160	14	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16996	Lophostemon suaveolens	Swap Box	130		130	9	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
16997	Lophostemon suaveolens	Swap Box	190	140	236	14	5	2.8	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17033	Eucalyptus tereticornis	Forest Red Gum	260	240	354	18	6	4.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17034	Allocasuarina littoralis	Black Sheoak	210		210	11	4	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17035	Melaleuca quinquenervia	Broad-leaved Paperbark	220		220	13	3	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17036	Eucalyptus tereticornis	Forest Red Gum	160		160	14	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17037	Lophostemon suaveolens	Swap Box	210	190	283	15	4	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17038	Eucalyptus siderophloia	Northern Grey Ironbark	270		270	18	5	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17039	Corymbia intermedia	Pink Bloodwood	100		100	8	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17040	Corymbia citriodora	Spotted Gum	150		150	9	3	2	1	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17041	Corymbia citriodora	Spotted Gum	140	140	198	15	3	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17042	Corymbia citriodora	Spotted Gum	210		210	9	1	2.5	2	Regular	-	-	-	-	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17043	Corymbia intermedia	Pink Bloodwood	260		260	16	5	3.1	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17044	Melaleuca quinquenervia	Broad-leaved Paperbark	120		120	8	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17045	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	9	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17046	Melaleuca quinquenervia	Broad-leaved Paperbark	110		110	8	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17047	Eucalyptus tereticornis	Forest Red Gum	190		190	11	1	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17048	Melaleuca quinquenervia	Broad-leaved Paperbark	190		190	12	3	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17049	Melaleuca quinquenervia	Broad-leaved Paperbark	150		150	8	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17050	Melaleuca quinquenervia	Broad-leaved Paperbark	110		110	7	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17051	Melaleuca quinquenervia	Broad-leaved Paperbark	150		150	8	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
17052	Eucalyptus tereticornis	Forest Red Gum	140		140	14	1	2	1	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17094	Eucalyptus tereticornis	Forest Red Gum	300	290	417	21	7	5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17095	Corymbia intermedia	Pink Bloodwood	140		140	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	School VMP removed	
17096	Lophostemon suaveolens	Swap Box	160		160	9	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17097	Lophostemon suaveolens	Swap Box	120		120	9	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17111	Eucalyptus siderophloia	Northern Grey Ironbark	210		210	17	3	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Approved to remove in School VMP	
17112	Corymbia henryi	Large-leaved Spotted Gum	260		260	18	5	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Approved to remove in School VMP	
17145	Lophostemon suaveolens	Swap Box	120		120	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17147	Lophostemon suaveolens	Swap Box	240		240	17	4	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17148	Lophostemon suaveolens	Swap Box	130		130	14	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17149	Lophostemon suaveolens	Swap Box	120		120	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17150	Lophostemon suaveolens	Swap Box	150		150	15	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17151	Lophostemon suaveolens	Swap Box	170		170	14	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17152	Lophostemon suaveolens	Swap Box	140		140	13	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17153	Lophostemon suaveolens	Swap Box	180		180	12	2	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17154	Eucalyptus tereticornis	Forest Red Gum	220	180	284	22	5	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17155	Lophostemon suaveolens	Swap Box	150		150	15	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17156	Lophostemon suaveolens	Swap Box	150		150	13	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17157	Lophostemon suaveolens	Swap Box	150		150	13	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17158	Eucalyptus tereticornis	Forest Red Gum	180		180	18	3	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17159	Lophostemon suaveolens	Swap Box	140		140	15	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17160	Lophostemon suaveolens	Swap Box	140		140	17	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17161	Lophostemon suaveolens	Swap Box	170		170	16	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17162	Lophostemon suaveolens	Swap Box	160		160	15	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17163	Lophostemon suaveolens	Swap Box	210		210	17	4	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17164	Lophostemon suaveolens	Swap Box	140		140	15	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17165	Lophostemon suaveolens	Swap Box	200		200	17	3	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17166	Lophostemon suaveolens	Swap Box	210		210	14	3	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17167	Eucalyptus tereticornis	Forest Red Gum	210		210	17	6	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17168	Lophostemon suaveolens	Swap Box	190		190	12	4	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17169	Lophostemon suaveolens	Swap Box	170		170	14	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17170	Lophostemon suaveolens	Swap Box	180		180	15	2	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17171	Allocasuarina littoralis	Black Sheoak	150		150	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17172	Eucalyptus tereticornis	Forest Red Gum	220		220	18	4	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17173	Lophostemon suaveolens	Swap Box	160		160	10	2	2	2	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17174	Allocasuarina littoralis	Black Sheoak	200		200	14	4	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17175	Allocasuarina littoralis	Black Sheoak	130		130	2	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17186	Allocasuarina littoralis	Black Sheoak	140		140	7	1	2	1	Regular	-	-	-	-	-	Poor	Major	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17187	Lophostemon suaveolens	Swap Box	120		120	9	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17189	Corymbia citriodora	Spotted Gum	210		210	16	4	2.5	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17190	Melaleuca nodosa	Prickly-leaved Paperbark	150		150	16	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17191	Lophostemon suaveolens	Swap Box	160		160	14	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17192	Lophostemon suaveolens	Swap Box	210		210	13	4	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17193	Lophostemon suaveolens	Swap Box	160		160	12	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17194	Lophostemon suaveolens	Swap Box	170		170	15	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17195	Lophostemon suaveolens	Swap Box	170		170	16	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17196	Lophostemon suaveolens	Swap Box	150		150	13	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17197	Lophostemon suaveolens	Swap Box	170		170	16	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17198	Lophostemon suaveolens	Swap Box	130		130	13	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17199	Lophostemon suaveolens	Swap Box	170		170	14	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17200	Lophostemon suaveolens	Swap Box	160		160	13	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17201	Allocasuarina littoralis	Black Sheoak	170		170	14	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17202	Lophostemon suaveolens	Swap Box	180		180	16	4	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17203	Lophostemon suaveolens	Swap Box	140		140	16	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17204	Lophostemon suaveolens	Swap Box	130		130	15	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17205	Lophostemon suaveolens	Swap Box	150		150	18	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17206	Lophostemon suaveolens	Swap Box	140		140	16	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
17207	Lophostemon suaveolens	Swap Box	150		150	16	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17208	Eucalyptus tereticornis	Forest Red Gum	180		180	18	2	2.2	2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17209	Lophostemon suaveolens	Swap Box	170		170	18	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17210	Eucalyptus tereticornis	Forest Red Gum	170		170	18	1	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17211	Eucalyptus tereticornis	Forest Red Gum	220		220	18	4	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17212	Lophostemon suaveolens	Swap Box	180		180	13	4	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17213	Lophostemon suaveolens	Swap Box	210		210	16	3	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17214	Lophostemon suaveolens	Swap Box	150		150	8	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17215	Lophostemon suaveolens	Swap Box	150		150	17	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17216	Lophostemon suaveolens	Swap Box	140		140	16	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17217	Lophostemon suaveolens	Swap Box	150		150	16	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17218	Lophostemon suaveolens	Swap Box	160		160	14	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17219	Lophostemon suaveolens	Swap Box	180		180	16	2	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17220	Lophostemon suaveolens	Swap Box	150		150	17	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17222	Lophostemon suaveolens	Swap Box	120		120	15	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17223	Lophostemon suaveolens	Swap Box	120		120	13	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17224	Lophostemon suaveolens	Swap Box	120		120	14	2	2	1	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17225	Lophostemon suaveolens	Swap Box	160		160	14	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17226	Lophostemon suaveolens	Swap Box	120		120	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17227	Lophostemon suaveolens	Swap Box	150		150	14	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17228	Lophostemon suaveolens	Swap Box	130		130	14	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17229	Lophostemon suaveolens	Swap Box	120		120	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17230	Lophostemon suaveolens	Swap Box	130		130	15	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17231	Lophostemon suaveolens	Swap Box	130		130	16	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17232	Lophostemon suaveolens	Swap Box	120		120	11	1	2	1	Regular	-	Thinning	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17233	Lophostemon suaveolens	Swap Box	130		130	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17234	Lophostemon suaveolens	Swap Box	120		120	9	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17235	Lophostemon suaveolens	Swap Box	120		120	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17236	Lophostemon suaveolens	Swap Box	130		130	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17243	Acacia concurrens	Black Wattle	140		140	10	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17244	Allocasuarina littoralis	Black Sheoak	140		140	12	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17245	Acacia concurrens	Black Wattle	140		140	12	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17335	Eucalyptus tereticornis	Forest Red Gum	270		270	19	6	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17336	Eucalyptus tereticornis	Forest Red Gum	320		320	17	2	3.8	2	Regular	-	Thinning	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17337	Eucalyptus tereticornis	Forest Red Gum	330		330	23	4	4	2	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17338	Corymbia citriodora	Spotted Gum	290		290	24	6	3.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17339	Corymbia citriodora	Spotted Gum	140		140	17	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17340	Eucalyptus tereticornis	Forest Red Gum	280		280	21	3	3.4	2	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17341	Corymbia intermedia	Pink Bloodwood	120		120	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17342	Corymbia citriodora	Spotted Gum	280		280	19	5	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17343	Eucalyptus tereticornis	Forest Red Gum	190		190	18	3	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17344	Corymbia citriodora	Spotted Gum	220		220	18	5	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17345	Acacia concurrens	Black Wattle	110		110	11	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17346	Corymbia citriodora	Spotted Gum	280		280	25	8	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17347	Eucalyptus tereticornis	Forest Red Gum	270		270	24	8	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17348	Corymbia citriodora	Spotted Gum	270		270	21	6	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17349	Corymbia citriodora	Spotted Gum	140		140	10	1	2	1	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17350	Melaleuca quinquenervia	Broad-leaved Paperbark	190		190	13	4	2.3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17351	Melaleuca quinquenervia	Broad-leaved Paperbark	110		110	9	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17352	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	15	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17353	Acacia concurrens	Black Wattle	140		140	11	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17354	Allocasuarina littoralis	Black Sheoak	130		130	8	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17392	Corymbia intermedia	Pink Bloodwood	220		220	21	5	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17403	Acacia leiocalyx	Early-flowering Black Wattle	100		100	12	4	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17410	Acacia leiocalyx	Early-flowering Black Wattle	110		110	12	3	2	1	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17411	Acacia leiocalyx	Early-flowering Black Wattle	110		110	11	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17782	Allocasuarina littoralis	Black Sheoak	140		140	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
17783	Corymbia intermedia	Pink Bloodwood	200		200	14	3	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17785	Eucalyptus siderophloia	Northern Grey Ironbark	140		140	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17786	Eucalyptus tereticornis	Forest Red Gum	210		210	16	3	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17787	Lophostemon suaveolens	Swap Box	120		120	10	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17788	Eucalyptus tereticornis	Forest Red Gum	160		160	13	3	2	2	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17789	Lophostemon suaveolens	Swap Box	160		160	12	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17790	Acacia disparrima	Hickory Wattle	180		180	12	5	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17791	Lophostemon suaveolens	Swap Box	180		180	12	3	2.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17792	Allocasuarina littoralis	Black Sheoak	140		140	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17793	Allocasuarina littoralis	Black Sheoak	220		220	14	5	2.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17794	Allocasuarina littoralis	Black Sheoak	160		160	10	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17795	Eucalyptus tereticornis	Forest Red Gum	520		520	22	9	6.2	3	Regular	-	Thinning	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17796	Eucalyptus tereticornis	Forest Red Gum	160		160	16	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17797	Eucalyptus tereticornis	Forest Red Gum	170		170	14	5	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17850	Eucalyptus siderophloia	Northern Grey Ironbark	160		160	12	3	2	2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17851	Eucalyptus tereticornis	Forest Red Gum	130		130	11	1	2	1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17852	Allocasuarina littoralis	Black Sheoak	170		170	11	4	2	2	Regular	-	-	Die-back	-	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17853	Corymbia intermedia	Pink Bloodwood	200		200	16	4	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17855	Allocasuarina littoralis	Black Sheoak	150		150	11	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17902	Eucalyptus siderophloia	Northern Grey Ironbark	120		120	9	2	2	1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17903	Eucalyptus tereticornis	Forest Red Gum	260		260	19	5	3.1	2	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17904	Eucalyptus siderophloia	Northern Grey Ironbark	300	120	323	21	7	3.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17908	Eucalyptus tereticornis	Forest Red Gum	390		390	22	6	4.7	2	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17909	Lophostemon suaveolens	Swap Box	230	140	269	13	4	3.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
17910	Eucalyptus tereticornis	Forest Red Gum	480		480	20	7	5.8	2	Regular	-	Thinning	Die-back	-	-	Typical	-	troduc	-	-	Typical	-	-	-	-	-	-	School VMP removed	
18137	Angophora leiocarpa	Smooth-barked Apple	140		140	13	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
18140	Eucalyptus tereticornis	Forest Red Gum	190	150	242	16	4	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
18147	Acacia concurrens	Black Wattle	130		130	9	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
18148	Acacia leiocalyx	Early-flowering Black Wattle	130		130	7	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
18149	Acacia leiocalyx	Early-flowering Black Wattle	110		110	8	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
18538	Corymbia intermedia	Pink Bloodwood	240		240	15	4	2.9	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
18540	Allocasuarina littoralis	Black Sheoak	110		110	6	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
18542	Eucalyptus tereticornis	Forest Red Gum	280		280	16	5	3.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
18543	Allocasuarina littoralis	Black Sheoak	260		260	10	4	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
18544	Eucalyptus crebra	Narrow-leaved Ironbark	250		250	18	6	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
18545	Allocasuarina littoralis	Black Sheoak	160		160	10	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
18546	Allocasuarina littoralis	Black Sheoak	140		140	8	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
18548	Allocasuarina littoralis	Black Sheoak	100		100	6	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
18549	Allocasuarina littoralis	Black Sheoak	160		160	8	2	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
18550	Acacia leiocalyx	Early-flowering Black Wattle	110		110	8	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
18551	Eucalyptus tereticornis	Forest Red Gum	150		150	12	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
18552	Allocasuarina littoralis	Black Sheoak	260		260	10	4	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
18553	Allocasuarina littoralis	Black Sheoak	210		210	15	4	2.5	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
18554	Allocasuarina littoralis	Black Sheoak	200		200	10	3	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
18555	Acacia concurrens	Black Wattle	100		100	8	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
18556	Corymbia intermedia	Pink Bloodwood	260		260	15	5	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
18557	Allocasuarina littoralis	Black Sheoak	250		250	12	5	3	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
18558	Corymbia intermedia	Pink Bloodwood	160		160	14	4	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
18559	Acacia concurrens	Black Wattle	150		150	8	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
18560	Acacia disparrima	Hickory Wattle	220	200	297	12	5	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
18561	Allocasuarina littoralis	Black Sheoak	110		110	6	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
18567	Corymbia intermedia	Pink Bloodwood	150		150	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
18609	Eucalyptus tereticornis	Forest Red Gum	250		250	16	4	3	2	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
18610	Eucalyptus tereticornis	Forest Red Gum	260		260	16	5	3.1	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
18611	Eucalyptus tereticornis	Forest Red Gum	260	240	354	20	8	4.2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
18612	Acacia concurrens	Black Wattle	150		150	12	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
18613	Allocasuarina littoralis	Black Sheoak	170		170	12	3	2	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
18674	Eucalyptus tereticornis	Forest Red Gum	760		760	25	12	9.1	3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
18675	Alphitonia excelsa	Red Ash	140		140	6	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
18917	Eucalyptus crebra	Narrow-leaved Ironbark	150		150	14	3	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
18919	Alphitonia excelsa	Red Ash	200		200	10	3	2.4	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
18932	Alphitonia excelsa	Red Ash	110		110	6	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
18933	Acacia leiocalyx	Early-flowering Black Wattle	130		130	8	2	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
18934	Acacia leiocalyx	Early-flowering Black Wattle	100		100	6	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
18935	Acacia leiocalyx	Early-flowering Black Wattle	120		120	6	1	2	1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	School VMP removed	
P1-1297	Eucalyptus tereticornis	Forest Red Gum	200		200	17	5	2.4	0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
P1-1298	Eucalyptus tereticornis	Forest Red Gum	230		230	15	6	2.8	0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
P1-1299	Eucalyptus siderophloia	Northern Grey Ironbark	150		150	15	5	2	0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
P1-1300	Eucalyptus crebra	Narrow-leaved Ironbark	150		150	14	4	2	0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
P1-1301	Eucalyptus crebra	Narrow-leaved Ironbark	160		160	18	5	2	0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
P1-1302	Eucalyptus tereticornis	Forest Red Gum	140		140	12	4	2	0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
P1-1303	Eucalyptus tereticornis	Forest Red Gum	280		280	20	10	3.4	0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
P1-1304	Eucalyptus siderophloia	Northern Grey Ironbark	170		170	11	5	2	0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
P1-1305	Eucalyptus tereticornis	Forest Red Gum	200		200	15	5	2.4	0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
P1-1306	Eucalyptus tereticornis	Forest Red Gum	130		130	15	3	2	0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
P1-1307	Eucalyptus tereticornis	Forest Red Gum	150		150	15	4	2	0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
P1-1308	Eucalyptus tereticornis	Forest Red Gum	160		160	15	3	2	0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
P1-1309	Eucalyptus tereticornis	Forest Red Gum	190		190	15	4	2.3	0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
P1-1311	Eucalyptus tereticornis	Forest Red Gum	140		140	10	3	2	0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
P1-1312	Eucalyptus tereticornis	Forest Red Gum	110		110	9	3	2	0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
P1-1313	Eucalyptus tereticornis	Forest Red Gum	130		130	9	3	2	0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
P1-1314	Eucalyptus tereticornis	Forest Red Gum	150		150	10	3	2	0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
P1-1315	Eucalyptus tereticornis	Forest Red Gum	160		160	11	2	2	0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
P1-1316	Eucalyptus crebra	Narrow-leaved Ironbark	240		240	17	6	2.9	0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termites	-	Remove ROL6	
P1-1317	Eucalyptus tereticornis	Forest Red Gum	140		140	10	2	2	0	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
P1-1318	Eucalyptus tereticornis	Forest Red Gum	830		830	20	13	10	0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
P1-1319	Corymbia citriodora	Spotted Gum	130		130	15	2	2	0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
P1-1320	Corymbia citriodora	Spotted Gum	160		160	15	3	2	0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
P1-1321	Eucalyptus tereticornis	Forest Red Gum	700		700	20	14	8.4	0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
P1-1322	Eucalyptus tereticornis	Forest Red Gum	550		550	22	7	6.6	0	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
P1-1325	Eucalyptus tereticornis	Forest Red Gum	730		730	28	16	8.8	0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
P1-1326	Eucalyptus tereticornis	Forest Red Gum	400	380	552	19	9	6.6	0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
P1-1327	Eucalyptus tereticornis	Forest Red Gum	200		200	14	5	2.4	0	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
P1-1328	Allocasuarina littoralis	Black Sheoak	340		340	13	9	4.1	0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
P1-1329	Eucalyptus tereticornis	Forest Red Gum	170		170	10	4	2	0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
P1-1330	Eucalyptus tereticornis	Forest Red Gum	620		620	19	6	7.4	0	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
P1-1331	Eucalyptus tereticornis	Forest Red Gum	280		280	17	7	3.4	0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
P1-1332	Corymbia intermedia	Pink Bloodwood	260	260	368	18	9	4.4	0	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	Small	-	Termites	-	Remove - approved in School application	
P1-1333	Eucalyptus tereticornis	Forest Red Gum	550		550	24	13	6.6	0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
P1-1334	Eucalyptus tereticornis	Forest Red Gum	380		380	25	10	4.6	0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
P1-1335	Eucalyptus tereticornis	Forest Red Gum	500		500	20	10	6	0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
P1-1336	Eucalyptus tereticornis	Forest Red Gum	180	160	241	10	3	2.9	0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
P1-1337	Eucalyptus tereticornis	Forest Red Gum	400		400	27	6	4.8	0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
P1-1338	Eucalyptus siderophloia	Northern Grey Ironbark	160		160	14	3	2	0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
P1-1339	Eucalyptus tereticornis	Forest Red Gum	410		410	21	7	4.9	0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
P1-1340	Eucalyptus tereticornis	Forest Red Gum	620		620	28	12	7.4	0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
P1-1341	Corymbia intermedia	Pink Bloodwood	200	190	276	15	6	3.3	0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
P1-1342	Eucalyptus tereticornis	Forest Red Gum	560		560	28	11	6.7	0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
P1-1343	Eucalyptus siderophloia	Northern Grey Ironbark	670		670	27	14	8	0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
P1-1344	Melaleuca quinquenervia	Broad-leaved Paperbark	180		180	11	3	2.2	0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
P1-1345	Eucalyptus tereticornis	Forest Red Gum	340		340	20	8	4.1	0	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
P1-1346	Eucalyptus tereticornis	Forest Red Gum	670		670	27	14	8	0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
P1-1347	Eucalyptus crebra	Narrow-leaved Ironbark	300		300	18	7	3.6	0	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
P1-1348	Melaleuca quinquenervia	Broad-leaved Paperbark	190		190	11	3	2.3	0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
P1-1349	Eucalyptus tereticornis	Forest Red Gum	130		130	8	3	2	0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
P1-1350	Eucalyptus tereticornis	Forest Red Gum	240		240	15	5	2.9	0	Regular	-	Thinning	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
P1-1351	Eucalyptus tereticornis	Forest Red Gum	610		610	27	12	7.3	0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
P1-1352	Eucalyptus tereticornis	Forest Red Gum	460		460	27	8	5.5	0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
P1-1353	Eucalyptus siderophloia	Northern Grey Ironbark	180		180	15	6	2.2	0	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
P1-1419	Eucalyptus tereticornis	Forest Red Gum	360		360	16	9	4.3	0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
P1-1420	Allocasuarina littoralis	Black Sheoak	180		180	8	4	2.2	0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
P1-1421	Lophostemon suaveolens	Swamp Box	180		180	8	3	2.2	0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
P1-1422	Lophostemon suaveolens	Swamp Box	90		90	4	1	2	0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
P1-1423	Eucalyptus tereticornis	Forest Red Gum	380		380	19	12	4.6	0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
P1-1424	Eucalyptus tereticornis	Forest Red Gum	370		370	18	9	4.4	0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
P1-1425	Allocasuarina littoralis	Black Sheoak	190		190	9	3	2.3	0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
P1-1426	Allocasuarina littoralis	Black Sheoak	170		170	10	4	2	0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
P1-1428	Eucalyptus tereticornis	Forest Red Gum	420		420	20	7	5	0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
P1-1429	Eucalyptus tereticornis	Forest Red Gum	330		330	21	6	4	0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
P1-1430	Eucalyptus tereticornis	Forest Red Gum	320		320	16	6	3.8	0	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
P1-1431	Eucalyptus tereticornis	Forest Red Gum	330		330	22	7	4	0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
P1-1432	Eucalyptus tereticornis	Forest Red Gum	300	280	410	21	8	4.9	0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
P1-1446	Corymbia tessellaris	Moreton Bay Ash	200	110	228	12	5	2.7	0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
P1-1447	Eucalyptus tereticornis	Forest Red Gum	340		340	24	12	4.1	0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain ROL6	
P1-1563	Corymbia citriodora	Spotted Gum	120		120	12	2	2	0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
P1-1564	Eucalyptus tereticornis	Forest Red Gum	640		640	28	14	7.7	0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	New	-	-	-	-	Remove ROL6	
P1-1565	Eucalyptus tereticornis	Forest Red Gum	700		700	28	15	8.4	0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove ROL6	
P1-1641	Eucalyptus tereticornis	Forest Red Gum	450		450	22	9	5.4	0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
P1-1805	Eucalyptus tereticornis	Forest Red Gum	280		280	20	6	3.4	0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
P1-1806	Eucalyptus tereticornis	Forest Red Gum	230		230	18	6	2.8	0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	
P1-1807	Eucalyptus tereticornis	Forest Red Gum	290		290	23	10	3.5	0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - approved in School application	