

ICON
Holiday Inn Express - Maroochydore

REVISION 04

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV2021/1244

Date: 12 January 2022



Queensland
Government

SIGN 04

NORTH ELEVATION - STAIRWELL - LEVEL 9
2568 x 2400mm



SIGN 06B

EAST HIGH LEVEL - AFFIXED TO FIN POSTS STANCHIONS
1500 x 4050mm



SIGNAGE OVERVIEW

SIGN 04 / 05 / 06A / 06B

MATERIALS

SIGN 04 / 05 / 06B

Fabricated, 2 pack painted, aluminium LED lightbox with digitally printed Panaflex face.

Fabricated, 2 pack painted, individual aluminium lettering, with 4.5mm opal acrylic face.

Premium grade LED lighting & transformer using 3mm LED cable.

SIGN 06A

Fabricated, 2 pack painted, aluminium LED lightbox with digitally printed Panaflex face.

Fabricated, 2 pack painted, individual aluminium lettering, with 4.5mm opal acrylic face.

SIGN 05

SOUTH ELEVATION - LEVEL 8
1500 x 9500mm



SIGN 06A

EAST LOW LEVEL - ENTRY
750 x 4750mm



PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV2021/1244

Date: 12 January 2022



☐ Vinyl Graphics/Paint - White
(Matte - Satin - Gloss Finish)

☐ Vinyl Graphics/Paint - Matched to Pantone 362 C
(Matte - Satin - Gloss Finish)

☐ Vinyl Graphics/Paint - Pantone Reflex Blue C
(Matte - Satin - Gloss Finish)

NOTE

DO NOT SCALE FROM THIS DRAWING
(REFER TO DIMENSIONS NOTED)
ALL DIMENSIONS ARE IN MILLIMETERS


MEASUREMENTS NOT CONFIRMED UNTIL
SITE MEASURE HAS BEEN CONDUCTED

APPROVED & SIGNATURE BY:

DATE: _____

GROUND FLOOR PLAN - SIGN 06A - ELECTRICAL SUPPLY LOCATIONS FOR SIGNAGE

SIGN 05 / SIGN 06A


SOUTH ELEVATION
LEVEL 8

SIGN 05

EAST LOW LEVEL
ENTRY

SIGN 06A

LEVEL 8 / POOL - SIGN 05

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV2021/1244

Date: 12 January 2022



LEGEND

○ Electrical Supply Location

NOTE

DO NOT SCALE FROM THIS DRAWING
(REFER TO DIMENSIONS NOTED)
ALL DIMENSIONS ARE IN MILLIMETERS

MEASUREMENTS NOT CONFIRMED UNTIL
SITE MEASURE HAS BEEN CONDUCTED

APPROVED & SIGNATURE BY:

DATE:

SIGN 05


LEVEL 9 / PLANT - SIGN 04 & SIGN 06B - ELECTRICAL SUPPLY LOCATIONS FOR SIGNAGE

NORTH ELEVATION
STAIRWELL - LEVEL 9

SIGN 04

EAST HIGH LEVEL
LEVEL 9

SIGN 06B



PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV2021/1244
Date: 12 January 2022

**LEGEND**

○ Electrical Supply Location

NOTE

DO NOT SCALE FROM THIS DRAWING
(REFER TO DIMENSIONS NOTED)
ALL DIMENSIONS ARE IN MILLIMETERS

MEASUREMENTS NOT CONFIRMED UNTIL
SITE MEASURE HAS BEEN CONDUCTED

APPROVED & SIGNATURE BY:

DATE: _____

SIGN 04 (North Elevation):**MATERIALS**

Fabricated, 2 pack painted, aluminium LED lightbox with digitally printed Panaflex face.

Fabricated, 2 pack painted, individual aluminium lettering, with 4.5mm opal acrylic face.

Premium grade LED lighting & transformer using 3mm LED cable.

Affixed to wall structure with nominated fixings.


QTY: 1

SIZE: 3265mm H x 2750mm W

WEIGHT:

LIGHTBOX: TBC KG

LETTERING: TBC KG



□ Vinyl Graphics/Paint - White
(Matte - Satin - Gloss Finish)

■ Vinyl Graphics/Paint - Matched to Pantone 362
(Matte - Satin - Gloss Finish)

■ Vinyl Graphics/Paint - Pantone Reflex Blue C
(Matte - Satin - Gloss Finish)

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV2021/1244

Date: 12 January 2022

**NOTE**

DO NOT SCALE FROM THIS DRAWING
(REFER TO DIMENSIONS NOTED)
ALL DIMENSIONS ARE IN MILLIMETERS

MEASUREMENTS NOT CONFIRMED UNTIL
SITE MEASURE HAS BEEN CONDUCTED

APPROVED & SIGNATURE BY:

DATE: _____

SIGN 04 (North Elevation):**MATERIALS**

Fabricated, 2 pack painted, aluminium LED lightbox with digitally printed Panaflex face.

Fabricated, 2 pack painted, individual aluminium lettering, with 4.5mm opal acrylic face.

Premium grade LED lighting & transformer using 3mm LED cable.

Affixed to wall structure with nominated fixings.

QTY: 1

SIZE: 3265mm H x 2750mm W

WEIGHT:

LIGHTBOX: TBC KG

LETTERING: TBC KG



☐ Vinyl Graphics/Paint - White
(Matte - Satin - Gloss Finish)

☒ Vinyl Graphics/Paint - Matched to Pantone 362
(Matte - Satin - Gloss Finish)

☒ Vinyl Graphics/Paint - Pantone Reflex Blue C
(Matte - Satin - Gloss Finish)

NOTE

DO NOT SCALE FROM THIS DRAWING
(REFER TO DIMENSIONS NOTED)
ALL DIMENSIONS ARE IN MILLIMETERS

MEASUREMENTS NOT CONFIRMED UNTIL
SITE MEASURE HAS BEEN CONDUCTED

APPROVED & SIGNATURE BY:

DATE: _____

**PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL**

Approval no: DEV2021/1244

Date: 12 January 2022



Queensland
Government

LED MODULES REQUIRED TBC - POWER SUPPLY TBC

SIGN 04 - STAIRWELL

SIGN 04 (North Elevation):

MATERIALS

Fabricated, 2 pack painted, aluminium LED lightbox with digitally printed Panaflex face.

Fabricated, 2 pack painted, individual aluminium lettering, with 4.5mm opal acrylic face.

Premium grade LED lighting & transformer using 3mm LED cable.


Affixed to wall structure with nominated fixings.

QTY: 1

SIZE: 3265mm H x 2750mm W

WEIGHT:

LIGHTBOX: TBC KG
LETTERING: TBC KG



PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV2021/1244

Date: 12 January 2022



- ☐ Vinyl Graphics/Paint - White (Matte - Satin - Gloss Finish)
- ☒ Vinyl Graphics/Paint - Matched to Pantone 362 (Matte - Satin - Gloss Finish)
- ☒ Vinyl Graphics/Paint - Pantone Reflex Blue C (Matte - Satin - Gloss Finish)

NOTE

DO NOT SCALE FROM THIS DRAWING
(REFER TO DIMENSIONS NOTED)
ALL DIMENSIONS ARE IN MILLIMETERS

MEASUREMENTS NOT CONFIRMED UNTIL
SITE MEASURE HAS BEEN CONDUCTED

APPROVED & SIGNATURE BY:

DATE: _____

SIGN 04 (North Elevation):

MATERIALS

Fabricated, 2 pack painted, aluminium LED lightbox with digitally printed Panaflex face.

Fabricated, 2 pack painted, individual aluminium lettering, with 4.5mm opal acrylic face.

Premium grade LED lighting & transformer using 3mm LED cable.

Affixed to wall structure with nominated fixings.

QTY: 1

SIZE: 3265mm H x 2750mm W

WEIGHT:

LIGHTBOX: TBC KG

LETTERING: TBC KG

LEGEND

- A** Eyebolt for installation TBC
- B** Panaflex Face
(Digitally Printed Graphics Applied to face)
- C** Premium Grade LED Lighting
(Internal LED Illumination)
- D** DIR-433 Aluminium Extrusion
(2 pack painted to match Pantone 362 C)
- E** Wiring for Power Supply
- F** 2mm Solid Aluminium Sheet
(LED Light Tray)
- G** 76x76x6.3mm Aluminium Angle
(Coupled together and separated by barrier tape)
(2 pack painted to match painted concrete panel)
- H** 6mm Spacer Washer
- I** M12 Galv. Bolts @ 600 c/c Chemset Reo 502
(Min. 110mm embedment, install as per manuf. spec.)
- J** 75x75x6mm Galvanised Steel Angle
(Coupled together and separated by barrier tape)
(2 pack painted to match painted concrete panel)
- K** M12 Galv. Bolts @ 450 Centres
(To secure top frame to bottom frame)


NOTE

DO NOT SCALE FROM THIS DRAWING
(REFER TO DIMENSIONS NOTED)
ALL DIMENSIONS ARE IN MILLIMETERS

MEASUREMENTS NOT CONFIRMED UNTIL
SITE MEASURE HAS BEEN CONDUCTED

APPROVED & SIGNATURE BY:

DATE: _____



PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV2021/1244

Date: 12 January 2022



SIGN 04 (North Elevation):

MATERIALS

Fabricated, 2 pack painted, aluminium
LED lightbox with digitally printed
Panaflex face.

Fabricated, 2 pack painted, individual aluminium lettering, with 4.5mm opal acrylic face.

Premium grade LED lighting & transformer using 3mm LED cable.

Affixed to wall structure with nominated fixings.

QTY: 1

SIZE: 3265mm H x 2750mm W

WEIGHT:

LIGHTBOX: TBC KG

LETTERING: TBC KG

LEGEND

- A** 5 Screw Fixing
(Painted to Match Specified Colours)
- B** 4.5mm Opal Acrylic
(Translucent Vinyl to Face)
- C** 2mm Aluminium Letter Return
(Painted to match Pantone 362 C)
- D** Wiring for Power Supply
- E** Premium Grade LED Lighting
(Internal LED Illumination)
- F** 50x50x3 Aluminium SHS
(2 pack painted to match point of concrete panel)
- G** M12 Galv. Bolts @ 600 c/c Chemset Reo 502
(Min. 110mm embedment, Install as per manuf. spec.)
- H** 6mm Spacer Washer
- I** 50x50x6mm Aluminium Angle
(Coupled together and separated by barrier tape)
(2 pack painted to match painted concrete panel)
- J** 75x75x6mm Galvanised Steel Angle
(Coupled together and separated by barrier tape)
(2 pack painted to match painted concrete panel)
- K** M12 Galv. Bolts @ 450 Centres
(To secure top frame to bottom frame)


NOTE

DO NOT SCALE FROM THIS DRAWING
(REFER TO DIMENSIONS NOTED)
ALL DIMENSIONS ARE IN MILLIMETERS

MEASUREMENTS NOT CONFIRMED UNTIL
SITE MEASURE HAS BEEN CONDUCTED

APPROVED & SIGNATURE BY:

DATE: _____




PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV2021/1244

Date: 12 January 2022



EXAMPLE OF LETTER FACE FIXINGS WITH ACRYLIC TAB



LED MODULES REQUIRED TBC - MEANWELL POWER SUPPLY TBC

Holiday Inn
Express
& Suites

SIGN 04 (North Elevation):**MATERIALS**

Fabricated, 2 pack painted, aluminium LED lightbox with digitally printed Panaflex face.

Fabricated, 2 pack painted, individual aluminium lettering, with 4.5mm opal acrylic face.

Premium grade LED lighting & transformer using 3mm LED cable.

Affixed to wall structure with nominated fixings.

QTY: 1

SIZE: 3265mm H x 2750mm W

WEIGHT:

LIGHTBOX: TBC KG

LETTERING: TBC KG

PLANS AND DOCUMENTS
 referred to in the PDA
 DEVELOPMENT APPROVAL

Approval no: DEV2021/1244

Date: 12 January 2022

**NOTE**

DO NOT SCALE FROM THIS DRAWING
 (REFER TO DIMENSIONS NOTED)
 ALL DIMENSIONS ARE IN MILLIMETERS

MEASUREMENTS NOT CONFIRMED UNTIL
 SITE MEASURE HAS BEEN CONDUCTED

APPROVED & SIGNATURE BY:

DATE: _____

SIGN 05 (South Elevation):**MATERIALS**

Fabricated, 2 pack painted, aluminium LED lightbox with digitally printed Panaflex face.

Fabricated, 2 pack painted, individual aluminium lettering, with 4.5mm opal acrylic face.

Premium grade LED lighting & transformer using 3mm LED cable.

Affixed to wall structure with nominated fixings.

QTY: 1

SIZE: 1500mm H x 9500mm W

WEIGHT:

LIGHTBOX: TBC KG

LETTERING: TBC KG



**PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL**

Approval no: DEV2021/1244

Date: 12 January 2022



- ☐ Vinyl Graphics/Paint - White
(Matt - Satin - Gloss Finish)
- ☒ Vinyl Graphics/Paint - Matched to Pantone 362
(Matt - Satin - Gloss Finish)
- ☐ Vinyl Graphics/Paint - Pantone Reflex Blue C
(Matt - Satin - Gloss Finish)

NOTE

DO NOT SCALE FROM THIS DRAWING
(REFER TO DIMENSIONS NOTED)
ALL DIMENSIONS ARE IN MILLIMETERS

MEASUREMENTS NOT CONFIRMED UNTIL
SITE MEASURE HAS BEEN CONDUCTED

APPROVED & SIGNATURE BY:

DATE: _____

SIGN 05 (South Elevation):**MATERIALS**

Fabricated, 2 pack painted, aluminium LED lightbox with digitally printed Panaflex face.

Fabricated, 2 pack painted, individual aluminium lettering, with 4.5mm opal acrylic face.

Premium grade LED lighting & transformer using 3mm LED cable.

Affixed to wall structure with nominated fixings.


QTY: 1

SIZE: 1500mm H x 10320mm W

WEIGHT:

LIGHTBOX: TBC KG

LETTERING: TBC KG



☐ Vinyl Graphics/Paint - White (Matt - Satin - Gloss Finish)

☒ Vinyl Graphics/Paint - Matched to Pantone 362 (Matt - Satin - Gloss Finish)

☐ Vinyl Graphics/Paint - Pantone Reflex Blue C (Matt - Satin - Gloss Finish)

NOTE

DO NOT SCALE FROM THIS DRAWING (REFER TO DIMENSIONS NOTED)
ALL DIMENSIONS ARE IN MILLIMETERS

MEASUREMENTS NOT CONFIRMED UNTIL SITE MEASURE HAS BEEN CONDUCTED

APPROVED & SIGNATURE BY:

DATE: _____



Queensland
Government

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV2021/1244

Date: 12 January 2022

SIGN 05 (South Elevation):**MATERIALS**

Fabricated, 2 pack painted, aluminium LED lightbox with digitally printed Panaflex face.

Fabricated, 2 pack painted, individual aluminium lettering, with 4.5mm opal acrylic face.

Premium grade LED lighting & transformer using 3mm LED cable.

Affixed to wall structure with nominated fixings.

QTY: 1

SIZE: 1500mm H x 950mm W

WEIGHT:

LIGHTBOX: TBC KG

LETTERING: TBC KG

LEGEND

- A** Eyebolt for installation TBC
- B** Panaflex Face
(Digitally Printed Graphics Applied to face)
- C** Premium Grade LED Lighting
(Internal LED Illumination)
- D** DIR-433 Aluminium Extrusion
(2 pack painted to match Pantone 362 C)
- E** Wiring for Power Supply
- F** 2mm Solid Aluminium Sheet
(LED Light Tray)
- G** 76x76x6.3mm Aluminium Angle
(Coupled together and separated by barrier tape)
(2 pack painted to match painted concrete panel)
- H** 6mm Spacer Washer
- I** M12 Galv. Bolts @ 600 c/c Chemset Reo 502
(Min. 110mm embedment, install as per manuf. spec.)
- J** 75x75x6mm Galvanised Steel Angle
(Coupled together and separated by barrier tape)
(2 pack painted to match painted concrete panel)
- K** M12 Galv. Bolts @ 450 Centres
(To secure top frame to bottom frame)


NOTE

DO NOT SCALE FROM THIS DRAWING
(REFER TO DIMENSIONS NOTED)
ALL DIMENSIONS ARE IN MILLIMETERS

MEASUREMENTS NOT CONFIRMED UNTIL
SITE MEASURE HAS BEEN CONDUCTED

APPROVED & SIGNATURE BY:

DATE: _____



**PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL**

Approval no: DEV2021/1244

Date: 12 January 2022



Queensland
Government

SIGN 05 (South Elevation):

MATERIALS

Fabricated, 2 pack painted, aluminium LED lightbox with digitally printed Panaflex face.

Fabricated, 2 pack painted, individual aluminium lettering, with 4.5mm opal acrylic face.

Premium grade LED lighting & transformer using 3mm LED cable.

Affixed to wall structure with nominated fixings.


QTY: 1

SIZE: 1500mm H x 9500mm W

WEIGHT:

LIGHTBOX: TBC KG

LETTERING: TBC KG




PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV2021/1244

Date: 12 January 2022



EXAMPLE OF LETTER FACE
FIXINGS WITH ACRYLIC TAB



LEGEND

- A** M5 Screw Fixing
(Painted to Match Specified Colours)
- B** 4.5mm Opal Acrylic
(Translucent Vinyl to Face)
- C** 2mm Aluminium Letter Return
(Painted to match Pantone 362 C)
- D** Wiring for Power Supply
- E** Premium Grade LED Lighting
(Internal LED Illumination)
- F** 50x50x3 Aluminium SHS
(2 pack painted to match paint of concrete panel)
- G** M12 Galv. Bolts @ 600 c/c Chemset Reo 502
(Min. 110mm embedment, install as per manuf. spec.)
- H** 6mm Spacer Washer
- I** 50x50x6mm Aluminium Angle
(Coupled together and separated by barrier tape)
(2 pack painted to match painted concrete panel)
- J** 75x75x6mm Galvanised Steel Angle
(Coupled together and separated by barrier tape)
(2 pack painted to match painted concrete panel)
- K** M12 Galv. Bolts @ 450 Centres
(To secure top frame to bottom frame)

NOTE

DO NOT SCALE FROM THIS DRAWING
(REFER TO DIMENSIONS NOTED)
ALL DIMENSIONS ARE IN MILLIMETERS

MEASUREMENTS NOT CONFIRMED UNTIL
SITE MEASURE HAS BEEN CONDUCTED

APPROVED & SIGNATURE BY:

DATE: _____

SIGN 05 (South Elevation):**MATERIALS**

Fabricated, 2 pack painted, aluminium LED lightbox with digitally printed Panaflex face.

Fabricated, 2 pack painted, individual aluminium lettering, with 4.5mm opal acrylic face.

Premium grade LED lighting & transformer using 3mm LED cable.

Affixed to wall structure with nominated fixings.

QTY: 1

SIZE: 1500mm H x 10320mm W

WEIGHT:

LIGHTBOX: TBC KG

LETTERING: TBC KG

LED MODULES REQUIRED TBC - POWER SUPPLY TBC

Holiday Inn Express & Suites

**PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL**

Approval no: DEV2021/1244

Date: 12 January 2022

**NOTE**

DO NOT SCALE FROM THIS DRAWING
(REFER TO DIMENSIONS NOTED)
ALL DIMENSIONS ARE IN MILLIMETERS

MEASUREMENTS NOT CONFIRMED UNTIL
SITE MEASURE HAS BEEN CONDUCTED

APPROVED & SIGNATURE BY:

DATE: _____

SIGN 06A (North Elevation):

MATERIALS

Fabricated, 2 pack painted 2mm aluminium backing box.

Fabricated, 2 pack painted, aluminium LED lightbox with digitally printed Panaflex face.

Fabricated, 2 pack painted, individual aluminium lettering, with 4.5mm opal acrylic face.

LED lighting & transformer using 3mm LED cable.

Affixed to wall structure with nominated fixings.

QTY: 1

SIZE:

Light Box & Letters:
750mm H x 4750mm W

WEIGHT:

Lightbox: TBC KG
Lettering: TBC KG

NOTE: FINAL DIMENSIONS
SUBJECT TO SITE MEASURE

□ Vinyl Graphics/Paint - White
(Matt - Satin - Gloss Finish)

■ Vinyl Graphics/Paint - Matched to Pantone 362
(Matt - Satin - Gloss Finish)

■ Vinyl Graphics/Paint - Pantone Reflex Blue C
(Matt - Satin - Gloss Finish)


NOTE

DO NOT SCALE FROM THIS DRAWING
(REFER TO DIMENSIONS NOTED)
ALL DIMENSIONS ARE IN MILLIMETERS

MEASUREMENTS NOT CONFIRMED UNTIL
SITE MEASURE HAS BEEN CONDUCTED

APPROVED & SIGNATURE BY:

DATE: _____



PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV2021/1244

Date: 12 January 2022



Queensland
Government

**SIGN 06A (North Elevation):****MATERIALS**

Fabricated, 2 pack painted 2mm aluminium backing box.

Fabricated, 2 pack painted, aluminium LED lightbox with digitally printed Panaflex face.

Fabricated, 2 pack painted, individual aluminium lettering, with 4.5mm opal acrylic face.

LED lighting & transformer using 3mm LED cable.

Affixed to wall structure with nominated fixings.

QTY: 1

SIZE:

Light Box & Letters:
750mm H x 4750mm W

WEIGHT:

Lightbox: TBC KG
Lettering: TBC KG

LED MODULES REQUIRED TBC - POWER SUPPLY TBC

NOTE: FINAL DIMENSIONS
SUBJECT TO SITE MEASURE



PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV2021/1244
Date: 12 January 2022

**NOTE**

DO NOT SCALE FROM THIS DRAWING
(REFER TO DIMENSIONS NOTED)
ALL DIMENSIONS ARE IN MILLIMETERS

MEASUREMENTS NOT CONFIRMED UNTIL
SITE MEASURE HAS BEEN CONDUCTED

APPROVED & SIGNATURE BY:

DATE: _____

SIGN 06A - ENTRY

SIGN 06A (North Elevation):

MATERIALS

Fabricated, 2 pack painted 2mm aluminium backing box.

Fabricated, 2 pack painted, aluminium LED lightbox with digitally printed Panaflex face.

Fabricated, 2 pack painted, individual aluminium lettering, with 4.5mm opal acrylic face.

LED lighting & transformer using 3mm LED cable.

Affixed to wall structure with nominated fixings.

QTY: 1

SIZE:

Light Box & Letters:
750mm H x 4750mm W

WEIGHT:

Lightbox: TBC KG
Lettering: TBC KG

NOTE: FINAL DIMENSIONS
SUBJECT TO SITE MEASURE

NOTE




DO NOT SCALE FROM THIS DRAWING
(REFER TO DIMENSIONS NOTED)
ALL DIMENSIONS ARE IN MILLIMETERS

MEASUREMENTS NOT CONFIRMED UNTIL
SITE MEASURE HAS BEEN CONDUCTED

APPROVED & SIGNATURE BY:

DATE: _____


SIGN 06A



EXAMPLE OF LETTER FACE
FIXINGS WITH ACRYLIC TAB

LEGEND

- A** M5 Screw Fixing
(Painted to Match Specified Colours)
- B** 4.5mm Opal Acrylic
(Translucent Vinyl to Face)
- C** 2mm Aluminium Letter Return
(Painted to match Pantone 362 C)
- D** Wiring for Power Supply
- E** LED Lighting
(Internal LED Illumination)
- F** 4/M12 Galv. Bolts, Chemset Reo 502
(Min. 110mm embedment, Install as per manuf. spec.)
- G** 2mm Solid Aluminium panel
(Painted to match Pantone 362 C)
- H** 6mm Washer/Packer



PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV2021/1244

Date: 12 January 2022



SIGN 06B (East Elevation):**MATERIALS**

Fabricated, 2 pack painted, aluminium LED lightbox with digitally printed Panaflex face.

Fabricated, 2 pack painted, individual aluminium lettering, with 4.5mm opal acrylic face.

Premium grade LED lighting & transformer using 3mm LED cable.


Affixed to fabricated cleats, engineered by others.

QTY: 1

SIZE: 1500mm H x 4000mm W

WEIGHT:

LIGHTBOX: 114 KG
LETTERING: 200 KG

**ARTIST IMPRESSION**

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV2021/1244

Date: 12 January 2022



- Vinyl Graphics/Paint - White
(Matte - Satin - Gloss Finish)
- Vinyl Graphics/Paint - Matched to Pantone 362
(Matte - Satin - Gloss Finish)
- Vinyl Graphics/Paint - Pantone Reflex Blue C
(Matte - Satin - Gloss Finish)


NOTE

DO NOT SCALE FROM THIS DRAWING
(REFER TO DIMENSIONS NOTED)
ALL DIMENSIONS ARE IN MILLIMETERS

MEASUREMENTS NOT CONFIRMED UNTIL
SITE MEASURE HAS BEEN CONDUCTED

APPROVED & SIGNATURE BY:

DATE: _____

**SIGN 06B (East Elevation):****MATERIALS**

Fabricated, 2 pack painted, aluminium LED lightbox with digitally printed Panaflex face.

Fabricated, 2 pack painted, individual aluminium lettering, with 4.5mm opal acrylic face.

Premium grade LED lighting & transformer using 3mm LED cable.

Affixed to fabricated cleats, engineered by others.

QTY: 1

SIZE: 1500mm H x 4000mm W

WEIGHT:


LIGHTBOX: 114 KG

LETTERING: 200 KG

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV2021/1244

Date: 12 January 2022



- ☐ Vinyl Graphics/Paint - White (Matte - Satin - Gloss Finish)
- ☒ Vinyl Graphics/Paint - Matched to Pantone 362 (Matte - Satin - Gloss Finish)
- ☒ Vinyl Graphics/Paint - Pantone Reflex Blue C (Matte - Satin - Gloss Finish)

NOTE

DO NOT SCALE FROM THIS DRAWING
(REFER TO DIMENSIONS NOTED)
ALL DIMENSIONS ARE IN MILLIMETERS

MEASUREMENTS NOT CONFIRMED UNTIL
SITE MEASURE HAS BEEN CONDUCTED

APPROVED & SIGNATURE BY:

DATE: _____

43 LED MODULES REQUIRED - 1x MEANWELL 320W/24V/13.34A POWER SUPPLY

SIGN 06B (East Elevation):**MATERIALS**

Fabricated, 2 pack painted, aluminium LED lightbox with digitally printed Panaflex face.

Fabricated, 2 pack painted, individual aluminium lettering, with 4.5mm opal acrylic face.

Premium grade LED lighting & transformer using 3mm LED cable.

Affixed to fabricated cleats, engineered by others.


QTY: 1

SIZE: 1500mm H x 4000mm W

WEIGHT:

LIGHTBOX: 114 KG

LETTERING: 200 KG



PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV2021/1244

Date: 12 January 2022



☐ Vinyl Graphics/Paint - White
(Matte - Satin - Gloss Finish)

☒ Vinyl Graphics/Paint - Matched to Pantone 362
(Matte - Satin - Gloss Finish)

☐ Vinyl Graphics/Paint - Pantone Reflex Blue C
(Matte - Satin - Gloss Finish)

NOTE

DO NOT SCALE FROM THIS DRAWING
(REFER TO DIMENSIONS NOTED)
ALL DIMENSIONS ARE IN MILLIMETERS

MEASUREMENTS NOT CONFIRMED UNTIL
SITE MEASURE HAS BEEN CONDUCTED

APPROVED & SIGNATURE BY:

DATE: _____

SIGN 06B (East Elevation):

MATERIALS

Fabricated, 2 pack painted, aluminium LED lightbox with digitally printed Panaflex face.

Fabricated, 2 pack painted, individual aluminium lettering, with 4.5mm opal acrylic face.

Premium grade LED lighting & transformer using 3mm LED cable.

Affixed to fabricated cleats, engineered by others.

QTY: 1

SIZE: 1500mm H x 4000mm W

WEIGHT:

LIGHTBOX: 114 KG

LETTERING: 200 KG

LEGEND

- A** Eyebolt for installation TBC
- B** 76x76x6.3mm Aluminium Angle
(Coupled together and separated by barrier tape)
(2 pack painted to match colour of mullions)
- C** 70x70x6mm Galvanised Steel Cleat
(2 pack painted to match colour of mullions)
- D** 2/M12 Galvanized Bolt, Washer and Nut
(To secure top frame to bottom frame)
- E** Panaflex Face
(Digitally Printed Graphics Applied to face)
- F** Wiring for Power Supply
- G** Premium Grade LED Lighting
(Internal LED Illumination)
- H** 50x25x3 Aluminium SHS
- I** 2mm Solid Aluminium Sheet
(LED Light Tray)
- J** 75x75x6mm Galvanised Steel Angle
(Coupled together and separated by barrier tape)
(2 pack painted to match colour of mullions)
- K** DiR-433 Aluminium Extrusion
(2 pack painted to match Pantone 362 C)
- L** M12 Galv. Bolts @ 450 Centres
(To secure top frame to bottom frame)


NOTE

DO NOT SCALE FROM THIS DRAWING
(REFER TO DIMENSIONS NOTED)
ALL DIMENSIONS ARE IN MILLIMETERS

MEASUREMENTS NOT CONFIRMED UNTIL
SITE MEASURE HAS BEEN CONDUCTED

APPROVED & SIGNATURE BY:

DATE: _____



PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV2021/1244

Date: 12 January 2022



SIGN 06B (East Elevation):

MATERIALS

Fabricated, 2 pack painted, aluminium LED lightbox with digitally printed Panaflex face.

Fabricated, 2 pack painted, individual aluminium lettering, with 4.5mm opal acrylic face.

Premium grade LED lighting & transformer using 3mm LED cable.

Affixed to fabricated cleats, engineered by others.



QTY: 1

SIZE: 1500mm H x 4000mm W

WEIGHT:

LIGHTBOX: 114 KG
LETTERING: 200 KG

LIGHTBOX



PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV2021/1244
Date: 12 January 2022



NOTE

DO NOT SCALE FROM THIS DRAWING
(REFER TO DIMENSIONS NOTED)
ALL DIMENSIONS ARE IN MILLIMETERS

MEASUREMENTS NOT CONFIRMED UNTIL
SITE MEASURE HAS BEEN CONDUCTED

APPROVED & SIGNATURE BY:

DATE: _____

LETTERING

SIGN 06B (East Elevation):

MATERIALS

Fabricated, 2 pack painted, aluminium LED lightbox with digitally printed Panaflex face.

Fabricated, 2 pack painted, individual aluminium lettering, with 4.5mm opal acrylic face.

Premium grade LED lighting & transformer using 3mm LED cable.

Affixed to fabricated cleats, engineered by others.

QTY: 1

SIZE: 1500mm H x 4000mm W

WEIGHT:

LIGHTBOX: 114 KG

LETTERING: 200 KG

LEGEND

- A** M5 Screw Fixing
(Painted to Match Specified Colours)
- B** 4.5mm Opal Acrylic
(Translucent Vinyl to Face)
- C** 2mm Aluminium Letter Return
(Painted to match Pantone 382 C)
- D** Wiring for Power Supply
- E** Premium Grade LED Lighting
(Internal LED Illumination)
- F** 50x50x3 Aluminium SHS
(2 pack painted to match colour of mullions)
- G** 70x70x6mm Galvanised Steel Cleat
- H** 2/M12 Galvanized Bolt, Washer and Nut
(To secure top frame to bottom frame)
- I** 50x50x6mm Aluminium Angle
(Coupled together and separated by barrier tape)
(2 pack painted to match colour of mullions)
- J** 75x75x6mm Galvanised Steel Angle
(Coupled together and separated by barrier tape)
(2 pack painted to match colour of mullions)
- K** M12 Galv. Bolts @ 450 Centres
(To secure top frame to bottom frame)

NOTE


DO NOT SCALE FROM THIS DRAWING
(REFER TO DIMENSIONS NOTED)
ALL DIMENSIONS ARE IN MILLIMETERS

MEASUREMENTS NOT CONFIRMED UNTIL
SITE MEASURE HAS BEEN CONDUCTED

APPROVED & SIGNATURE BY:

DATE: _____

CLEAT LOCATIONS x 12




PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV2021/1244

Date: 12 January 2022



EXAMPLE OF LETTER FACE
FIXINGS WITH ACRYLIC TAB



LED MODULES REQUIRED TBC - MEANWELL POWER SUPPLY TBC

SIGN 06B (East Elevation):**MATERIALS**

Fabricated, 2 pack painted, aluminium LED lightbox with digitally printed Panaflex face.

Fabricated, 2 pack painted, individual aluminium lettering, with 4.5mm opal acrylic face.

Premium grade LED lighting & transformer using 3mm LED cable.

Affixed to fabricated cleats, engineered by others.


QTY: 1

SIZE: 1500mm H x 4000mm W

WEIGHT:

LIGHTBOX: 114 KG

LETTERING: 200 KG



PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV2021/1244

Date: 12 January 2022

**NOTE**

DO NOT SCALE FROM THIS DRAWING
(REFER TO DIMENSIONS NOTED)
ALL DIMENSIONS ARE IN MILLIMETERS

MEASUREMENTS NOT CONFIRMED UNTIL
SITE MEASURE HAS BEEN CONDUCTED

APPROVED & SIGNATURE BY:

DATE: _____

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV2021/1244

Date: 12 January 2022



SIGN 06B (East Elevation):


MATERIALS

Fabricated, 2 pack painted, aluminium
LED lightbox with digitally printed
Panaflex face.

Fabricated, 2 pack painted, individual
aluminium lettering, with 4.5mm opal
acrylic face.

Premium grade LED lighting &
transformer using 3mm LED cable.

Affixed to fabricated cleats, engineered
by others.




NOTE

DO NOT SCALE FROM THIS DRAWING
(REFER TO DIMENSIONS NOTED)
ALL DIMENSIONS ARE IN MILLIMETERS

MEASUREMENTS NOT CONFIRMED UNTIL
SITE MEASURE HAS BEEN CONDUCTED

APPROVED & SIGNATURE BY:

DATE: _____



Ø14 Bolt Holes for
4/M12 Galv. Bolts @ 600 c/c Chemset Reo 502
(Min. 110mm embedment, Install as per manuf. spec.)

**STEEL CLEAT DETAIL
TO BE ENGINEERED BY OTHERS**

Ø14 Bolt Holes for
2/M12 Galv. Bolts, Washer and Nut

SIGN 06B (East Elevation):

MATERIALS

Fabricated steel cleat.

QTY: 14

SIZE:
10 x 150mm Base Plate
10 x 90 x 300mm Cleat

WEIGHT:

LIGHTBOX: 114 KG
LETTERING: 200 KG

**PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL**

Approval no: DEV2021/1244

Date: 12 January 2022




NOTE

DO NOT SCALE FROM THIS DRAWING
(REFER TO DIMENSIONS NOTED)
ALL DIMENSIONS ARE IN MILLIMETERS


MEASUREMENTS NOT CONFIRMED UNTIL
SITE MEASURE HAS BEEN CONDUCTED

APPROVED & SIGNATURE BY:

DATE: _____



Ø14 Bolt Holes for
4/M12 Galv. Bolts @ 600 c/c Chemset Reo 502
(Min. 110mm embedment, Install as per manuf. spec.)



Ø14 Bolt Holes for
2/M12 Galv. Bolts, Washer and Nut

**STEEL CLEAT DETAIL
TO BE ENGINEERED BY OTHERS**

SIGN 06B (East Elevation):

MATERIALS

Fabricated steel cleat.

QTY: 2

SIZE:
10 x 150mm Base Plate
10 x 90 x 180mm Cleat

WEIGHT:

LIGHTBOX: 114 KG
LETTERING: 200 KG

**PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL**

Approval no: DEV2021/1244
Date: 12 January 2022



NOTE DO NOT SCALE FROM THIS DRAWING (REFER TO DIMENSIONS NOTED) ALL DIMENSIONS ARE IN MILLIMETERS MEASUREMENTS NOT CONFIRMED UNTIL SITE MEASURE HAS BEEN CONDUCTED
APPROVED & SIGNATURE BY: DATE: _____