



Our ref: DEV2029/1051/6

Department of
**State Development, Infrastructure,
Local Government and Planning**

11 February 2022

Minister for Economic Development Queensland
C/- Wolter Consulting Group
Att: Ms Clare Brown, Senior Town Planner
PO Box 436
NEW FARM QLD 4005

Via email: cbrown@wolterconsulting.com.au

Dear Ms Brown

Section 99 Approval - application to change PDA development approval
PDA Development Permit for Reconfiguring A Lot (1 into 2 Lot Management Subdivision)
and Operational Work (Excavation and Filling and Clearing of Significant Vegetation) at
70 Park Road, Yeronga described As Lot 3 on SP300888

On 11 February 2022 the Minister for Economic Development Queensland (MEDQ) decided to grant **all** of the amendment application applied for, subject to PDA development conditions set out in this PDA decision notice.

The PDA decision notice and approved plans/documents can be viewed in the MEDQ Development Approvals Register via the Department website www.dsdlgp.qld.gov.au/pda-da-applications.

If you require any further information, please contact Leila Torrens, Principal Planner, Development Assessment, in Economic Development Queensland, by telephone on (07) 3452 7466 or at Leila.Torrens@dsdlgp.qld.gov.au, who will be pleased to assist.

Yours sincerely

Kari Stephens
A/Director
Development Assessment
Economic Development Queensland

PDA Decision Notice – Approval

Site information		
Name of priority development area (PDA)	Yeronga Priority Development Area	
Site address	70 Park Road, Yeronga	
Lot on plan description	Lot number	Plan description
	3	SP300888
PDA development application details		
DEV reference number	DEV2019/1051	
'Properly made' date	3 February 2022	
Type of application	☐ PDA development application for: ☐ Material change of use ☐ Preliminary approval ☐ Development permit ☐ Reconfiguring a lot ☐ Preliminary approval ☐ Development permit ☐ Operational work ☐ Preliminary approval ☐ Development permit ☒ Application to change PDA development approval ☐ Application to extend currency period	
Description of proposal applied for	Change to a PDA development approval for: • Reconfiguring a lot (1 into 2 lot management subdivision); and • Operational work (excavation and filling; and clearing of significant vegetation) over part of the site, as nominated in the approved drawings and documents	
PDA development approval details		
Decision of the MEDQ	The MEDQ has decided to grant all of the PDA development approval applied for, subject to PDA development conditions forming part of this decision notice The approval is for: • Amendment to the wording of Condition 15 removing reference to 'Contaminated Land Register' and replacing with 'Environmental Management Register'	
Original Decision date	23 September 2019	
1 st Change to approval date	29 November 2019	
2 nd Change to an approval date	19 February 2021	
3 rd Change to an approval date	11 February 2022	
Currency period	2 years for Operational Works 4 years for Reconfiguration of a Lot	

Plans and documents

The plans and documents approved by the MEDQ and referred to in the PDA development conditions concerning the PDA development approval are detailed below.

Approved plans and documents		Number	Date
Documents approved 19 February 2021			
1.	Finished Levels, prepared by Protest Engineering	PTP/03196/EWF05 - Revision F	11 January 2021
2.	Cut Contour Plan, prepared by Protest Engineering	PTP/03196/EWF06, Revision E	11 January 2021
3.	Fill to Final Surface Volumes, prepared by Protest Engineering	PTP/03196/EWF07, Revision E	11 January 2021
4.	Cut Volumes, prepared by Protest Engineering	PTP/03196/EWF08, Revision D	11 January 2021
5.	Sections, prepared by Protest Engineering	PTP/03196/EWF09, Revision B	21 December 2020
6.	Sections Sheet 2 of 2, prepared by Protest Engineering	PTP/03196/EWF10, Revision A	21 December 2020
7.	Tree Clearance and Waste Removal Methodology – Norther Poton (Revision Three) – Former Yeronga TAFE, 70 Park Road, Yeronga, prepared by Butler Partners	Rev 3	2 February 2021
8.	Plan of Reconfiguration – 70 Park Road, Yeronga TAFE Site, prepared by Wolter Consulting Group	18-0765P-01, Revision D	1 December 2020
Documents approved 29 November 2019			
9.	Vegetation Removal Plan, prepared by Wolter Consulting Group	18-0765P P02 A	29 August 2019
10.	Yeronga Tafe Vegetation Survey letter, prepared by Lambert & Rehbein	B19289EL001 Revised	22 November 2019
Other plans and documents		Number	Date
The following plans and documents have informed the assessment of the application and are referred to in the PDA development conditions in this PDA decision notice. However, these plans and documents are not approved.			
11.	Geotechnical Investigation Report – 70 Park Road, Yeronga	PTP/06117 – 0002 – Rev1	11 January 2021

ABBREVIATIONS AND DEFINITIONS

For the purposes of interpreting the PDA Development Conditions, the following is a list of abbreviations and definitions is utilised:

1. **Environmental Management Register** has the meaning given in the *Environmental Protection Act 1994*.
2. **Council** means Brisbane City Council.
3. **DSDILGP** means the Department of State Development, infrastructure, Local Government and Planning.
4. **EDQ** means Economic Development Queensland.
5. **MEDQ** means the Minister for Economic Development Queensland.
6. **PDA** means Priority Development Area.
7. **RPEQ** means Registered Professional Engineer of Queensland.
8. **DTMR** means Department of Transport and Main Roads

PREAMBLE

For the purpose of interpreting this PDA Development Approval, including the PDA Development Conditions, the following applies:

Compliance assessment

Where a condition of this PDA Development Approval requires compliance assessment, compliance assessment is required in accordance with the following:

- a) The applicant must:
 - i. pay to MEDQ at the time of submission the relevant fee for compliance assessment, including any third party peer review costs which will be charged on a 100% cost recovery basis. The compliance assessment fees are set out in the MEDQ's development assessment fee schedule (as amended from time to time).
 - ii. submit to MEDQ a duly completed compliance assessment form.
 - iii. submit to MEDQ plans/supporting information as required under the relevant condition of approval.
- b) Compliance assessment and endorsement by EDQ Development Assessment, DSDILGP is required prior to any work commencing.
- c) Compliance assessment and endorsement can be repeated where a different design or solution, to that already endorsed, is sought.
- d) The process and timeframes that apply to compliance assessment are as follows:
 - i. the applicant liaises with EDQ Development Assessment, DSDILGP to determine the relevant plans/supporting information required to be submitted.
 - ii. the applicant submits plans/supporting information as required under the relevant condition of approval for compliance assessment.
 - iii. **within 20 business days** – EDQ Development Assessment, DSDILGP assesses the plans/supporting information and:
 1. if satisfied with the plans/supporting information as submitted – endorses the plans/supporting information and the condition of approval (or element of the condition) is determined to have been met; or
 2. if not satisfied with the plans/supporting information as submitted – notifies the applicant accordingly
 - iv. if the applicant is notified under iii.2. above, revised plans/supporting information are to be re-submitted to EDQ Development Assessment, DSDILGP **within 20 business days** from the date of the notice.
 - v. **within 20 business days** – EDQ Development Assessment, DSDILGP assesses the revised plans/supporting information and:
 1. if satisfied with the revised plans/supporting information – endorses the revised plans/supporting information and the condition of approval (or element of the condition) is determined to have been met; or

PDA Development Conditions		
No.	Condition	Timing
	(c) Submit to EDQ Development Assessment, DSDILGP RPEQ certification with supporting documentation, demonstrating that the development has been designed and constructed in accordance with part (a) of this condition.	(c) Within 20 days of the completion of the works and Prior to Survey Plan Endorsement
5.	Construction Management Plan a) Submit to EDQ Development Assessment, DSDILGP a site-based Construction Management Plan (CMP), prepared by the principal site contractor, that: i. Demonstrates that there will be no disruption to the safety and operational integrity of the railway corridor or the safety and efficiency of public transport during the course of construction. In particular, the Construction Management Plan must address at least the following: A. Work method statements including but not limited to the following: - Work in proximity to the overhead line equipment including the use of overhead or vertically projecting equipment and falling trees; - Tree clearing in proximity to the railway corridor; B. Vehicle manoeuvring zones; C. Railway operational requirements and scheduled railway closures; D. Adherence to Queensland Rail Civil Engineering Technical Requirements including: - CIVIL-SR-002 – <i>Work in or about Queensland Rail Property</i>; - CIVIL-SR-003 – <i>Work Adjacent to Overhead Line Equipment</i>; E. Ensure vehicle routes for construction adhere to the low clearance (3.4m) of the railway bridge over Park Road; F. Unobstructed 24/7 access to the Queensland Rail emergency and maintenance access to the railway corridor from Park Road; G. Unauthorised access prevention to the railway corridor; H. Fencing arrangements along the site boundary with the railway corridor, including any removal and reinstatement of fencing and temporary fencing; I. The impact of works on the existing urban bus routes along Park Road (such as routes 104, 105 and 108) and any temporary arrangements. ii. Manages noise and dust generated from the site during and outside construction work hours in accordance with the <i>Environmental Protection Act 1994</i>; iii. Manages stormwater flows around or through the site without increasing the concentration of total suspended solids or Prescribed Water Contaminants (as defined in	a) Prior to commencement of site works

PDA Development Conditions		
No.	Condition	Timing
	the <i>Environmental Protection Act 1994</i>), causing erosion, creating any ponding and causing any actionable nuisance to upstream or downstream properties; iv. Manages the rail corridor stormwater and/or flooding – any works on the land must not: A. create any new discharge points for stormwater runoff onto the railway corridor; B. interfere with and/or cause damage to the existing stormwater drainage on the railway corridor; C. surcharge any existing culvert or drain on the railway corridor; D. reduce the quality of stormwater discharge onto the railway corridor; E. impede or interfere with overland flow or hydraulic conveyance on the site, including runoff from the railway corridor; F. reduce the floodplain storage capacity of the site. G. any worsening of existing conditions or actionable nuisance to the railway corridor. v. where relevant to contaminated land, including removal, treatment and replacement, accords with a compliance permit from an approved contaminated land auditor; vi. outlines the construction methodologies within the rail corridor in accordance with the Geotechnical Report submitted as required by condition 4 of this approval. vii. details a complaints management process to manage on-site related complaints. The complaints management process is to nominate an on-site person who will implement the process. Any complaints received are to be recorded, including: A. name, address and contact number of the complainant B. time and date of the complaint C. reasons for the complaint D. investigations undertaken E. conclusions formed F. actions taken to resolve the complaint G. any abatement measures implemented; and H. name of person responsible for resolving the complaint. b) Undertake all works generally in accordance with the CMP submitted under part a) of this condition which is to be available on site at all times during the construction period.	
6.	Traffic Management Plan a) Submit to EDQ Development Assessment, DSDILGP a Traffic Management Plan (TMP), certified by a person holding a current Traffic Management Level 3 qualification or higher.	a) Prior to commencement of site works

PDA Development Conditions		
No.	Condition	Timing
	The TMP is to address the following: i. the management of traffic around and through the site during and outside of construction work hours; ii. parking for workers and materials delivery during and outside of construction hours of work; iii. risk identification, assessment and mitigation measures; iv. traffic control plans and/or traffic control diagrams, prepared in accordance with Manual of Uniform Traffic Control Devices (MUTCD), for any temporary part or full road closures of any Council or State road(s); v. haulage routes, in consideration of the low clearance height of 3.4m under the grade separated rail crossing on Park Road; and vi. how the implementation of the TMP is to be monitored, reviewed and certified updates to be re-submitted to EDQ Development Assessment, DSDILGP (as required). b) Undertake all works generally in accordance with the certified TMP submitted under part a) of this condition which is to be current and available on site at all times.	b) At all times during construction
7.	Construction Hours Unless otherwise agreed to in writing by EDQ Development Assessment, DSDILGP, construction hours for works will be limited to Monday to Saturday 6:30am to 6:30pm, excluding public holidays.	At all times during construction
8.	Compliance Assessment – Out of Hours a) Submit to EDQ Development Assessment, DSDILGP for Compliance Assessment all requests for out of hours works. Requests must be in writing on the EDQ Application for out of hours works approval form and must be accompanied by the following information: i. reason for the request; ii. site plan(s); iii. reasons that the proposed works cannot reasonably or safely be undertaken within normal construction hours; iv. potential adverse impacts and proposed mitigation strategies/measures; v. community engagement strategy and outcomes therefrom; and vi. all permits relating to other authorities (e.g. Council, DTMR or Queensland Police Service) for the proposed works. b) Undertake all out of hours works in accordance with the approval obtained under part a) of this condition.	a) No less than 10 business days prior to the proposed Works b) As indicated

9.	Compliance Assessment – Retaining Walls a) Where retaining wall(s) are proposed greater than 1.0m in height, submit to EDQ Development Assessment, DSDILGP for Compliance Assessment detailed engineering plans, certified by a RPEQ, and written justification demonstrating that the impacts of the retaining wall on the surrounding properties and infrastructure are acceptable. b) Construct the works generally in accordance with the approved and certified plans required under part a) of this condition. c) Submit to EDQ Development Assessment, DSDILGP certification from an RPEQ that all retaining wall works 1.0m or greater in height have been constructed generally in accordance with the approved and certified plans required under part a) of this condition.	a) Prior to commencement of site works for retaining walls b) At all times during construction c) Prior to survey plan endorsement
10.	Filling and Excavation a) Submit to EDQ Development Assessment, DSDILGP detailed earthworks plans, certified by a RPEQ, generally in accordance with AS3798 – 2007 <i>“Guidelines on Earthworks for Commercial and Residential Developments.”</i> The detailed earthworks plans are to be generally in accordance with the extent of earthworks nominated on approved concept bulk earthworks plans prepared by Protest Engineering (reference PTP/03196). The detailed earthworks plans are to be supported by written documentation addressing items a) i. to v. set out below. The certified earthworks plans and written documentation are to: - be in accordance with the Tree Clearance and Remediation Methodology report prepared by Butler Partners, as referenced in the list of approved plans and documents; - be in accordance the Geotechnical Report as submitted under condition 4 of this approval. - be consistent with the Erosion and Sediment Control plans submitted under condition 12 of this approval; - ensure the filling and excavation finish levels match in with the existing levels of the site; and - ensure the protection of adjoining properties, roads and rail corridor from ponding or nuisance stormwater. b) Carry out the earthworks generally in accordance with the certified plans and supporting written documentation submitted under part a) of this condition. c) Submit to EDQ Development Assessment, DSDILGP certification from a RPEQ that all earthworks have been carried out generally in accordance with the certified plans and supporting documentation submitted under part a) of	a) Prior to commencement of site works b) At all times during construction c) Prior to survey plan endorsement

	this condition and that any unsuitable material encountered has been treated or replaced with suitable material.	
11.	Public Infrastructure – Damage, Repairs and Relocation Repair any damage to existing public infrastructure that occurred during works carried out in association with the approved development. Should existing public infrastructure require relocation, due to the approved development, the developer is responsible for these costs, together with compliance with relevant standards and statutory requirements.	Prior to survey plan endorsement
Landscape and Environment		
12.	Acid Sulfate Soils (ASSMP) a) Where acid sulfate soils are found on site, submit to EDQ Development Assessment, DSDILGP an Acid Sulfate Soils Management Plan (ASSMP). The ASSMP is to be certified by a suitably qualified professional in soils and/or erosion sediment control b) Excavate, remove and/or treat on-site all acid sulfate soils generally in accordance with the certified ASSMP submitted under part a) of this condition. c) Submit to EDQ Development Assessment, DSDILGP certification from a suitably qualified professional in soils and/or erosion sediment control stating that all removal and/or treatment of acid sulfate soils have been carried out generally in accordance with the certified ASSMP submitted under part a) of this condition.	a) Prior to commencement of or during site works b) Where relevant, at all times during construction c) Where relevant, prior to survey plan endorsement
13.	Erosion and Sediment Management a) Submit to EDQ Development Assessment, DSDILGP an Erosion and Sediment Control Plan (ESCP), certified by a RPEQ or an accredited professional in erosion and sediment control (CPESC), generally in accordance with the following guidelines: i. Urban Stormwater Quality Planning Guidelines, dated 2010, prepared by the former Department of Environment and Heritage Protection; and ii. Best Practice Erosion and Sediment Control, dated November 2008, prepared by the International Erosion Control Association Australasia (as amended from time to time). b) Implement the certified ESCP as submitted under part a) of this condition.	a) Prior to commencement of site works b) At all times during construction
14.	Vegetation Management Only clear vegetation that is nominated in: Figure 1, of the approved Yeronga Tafe Vegetation Survey letter, prepared by Lambert & Rehbein, dated 22 November 2019; and Vegetation Removal Plan, prepared by Wolter Consulting Group, dated 29 August 2019; including vegetation in close proximity to that identified in Figure 1 and the Vegetation Removal Plan where	At all times

	less than 4.0m in height and less than 10cm diameter at breast height. The vegetation nominated to be cleared is to be cut back to approximate ground level, and the resulting tree branches and trunks may be reused by way of mulching or other reuse. The tree root balls and surrounding soils are to be disposed of to landfill as they are within soils identified to be contaminated. <i>Note—As the vegetation to be cleared is significant vegetation required to be unavoidably cleared due to contamination, any future redevelopment of the site may incur the need to provide more established vegetation to compensate the removed original vegetation. The suitability of the replacement vegetation is to be determined in conjunction with a separate future development application for the redevelopment proposal.</i>	
Surveying, Easements and Registration		
15.	Environmental Management Register a) Submit to EDQ Development Assessment, DSDILGP a copy of the notification under the <i>Environmental Protection Act 1994</i> for registration of proposed Lot 4 on the Environmental Management Register. b) Submit to EDQ Development Assessment, DSDILGP a copy of the Environmental Management Register search confirming proposed Lot 4 has been entered on the Environmental Management Register	a) Within 30 business days of survey plan endorsement b) Within 10 business days of the lot being registered on the Environmental Management Register
16.	Easements Over Infrastructure Where public utilities exist on site, public utility easements are to be provided, in favour of and at no cost to the grantee, over infrastructure that is a contributed asset. The terms of the easements are to be to the satisfaction of the Chief Executive Officer of the authority which ultimately is to takeover and maintain the contributed asset(s).	Prior to survey plan endorsement

ADVICE NOTES

1. Standard Advice

Please note that in order to lawfully undertake development, it may be necessary to obtain approvals other than this PDA development approval. For advice on other approvals that may be necessary in relation to your proposal, it is recommended that you seek professional advice.

2. Further Advice

Please note that future development applications seeking approval for reconfiguring a lot, material change of use or operational work will trigger the need to provide essential services to the land.

3. Proximity to Railway Corridor

Pursuant to section 255 of the *Transport Infrastructure Act 1994*, **the railway manager's written approval is required** to carry out works in or on a railway corridor or otherwise interfere with the railway or its operations.

The applicant is advised it should **consult with the railway manager** regarding any interference with the existing fence along the site's boundary with the railway corridor.

The construction of the development may involve works in close proximity to the OHLE – in particular, works may encroach on the 3m exclusion zone and electrical arcing can occur. Any works associated with constructing the development may require various approvals to be obtained from the railway manager, namely:

- Construction works may require an approval from a Queensland Rail Traction Engineer in the form of a Safety Clarification Advice (SCA).
- It may be necessary for works to be carried out under a track closure and isolation. Please be aware that fees and charges apply to track closures/ isolations.
- The developer/ contractor may need to apply to Queensland Rail Property Team for a Licence to Enter and Construct. It is noted these applications are required to be accompanied by work method statements as well as plans and technical drawings.

Please be advised that **this concurrence agency response does not constitute an approval under section 255 of the *Transport Infrastructure Act 1994*** and that such approvals need to be separately obtained from the relevant railway manager.

The applicant should contact the Queensland Rail property team at developmentenquiries@queenslandrail.com.au relation to this matter.

**** End of Package ****