

Department of
State Development, Infrastructure,
Local Government and Planning

Our ref: DEV2015/692/3

25 February 2022

Chapman Property Trust C/- RPS Att: Mr Cameron Hoffmann PO Box 1559 FORTITUDE VALLEY QLD 4006

Email: Cameron.hoffmann@rpsgroup.com.au

Dear Mr Hoffmann

Application to Change a PDA Development Approval under Section 99 and Extend the Currency Period of the Development Permit under Section 101 of the Economic Development Act – PDA Development Permit for a Material Change of Use for visitor accommodation (101 rooms), food premises and office at 63 O'Connell Terrace, Bowen Hills described as Lot 1 on RP9941

On 25 February 2022, the Minister for Economic Development Queensland (MEDQ) decided to grant part of the amendment application applied for, subject to PDA development conditions set out in this PDA decision notice.

The PDA decision notice and approved plans/documents can be viewed in the MEDQ Development Approvals Register via the Department website www.dsdilgp.qld.gov.au/pda-da-applications.

If you require any further information, please contact Mr Essen Joseph, Principal Planner, Development Assessment, Economic Development Queensland) by telephone on (07) 3452 7196 or via email at essen.joseph@dsdilgp.qld.gov.au.

Yours sincerely

Beatriz Gomez

Director

Development Assessment

Economic Development Queensland

PDA Decision Notice – Approval

Site information				
Priority Development area (PDA)	Bowen Hills			
Site address	63 O'Connell Terrace, Bowen Hills			
Lot on plan description	Lot number	Plan description		
	Lot 1	RP9941		
PDA development applicat	ion details			
DEV reference number	DEV2015/692/3			
'Properly made' date	18 June 2021			
Type of application	 New development involving:- Material change of use Preliminary approval Development permit Reconfiguring a lot Preliminary approval Development permit Operational work Preliminary approval Development permit Changing a PDA development approval Extending the currency period of a PDA approval 			
Description of proposal applied for	Material Change of Use: • Visitor Accommodation (90 rooms) • Food Premises (121m² at ground level and 242m² at rooftop) • Office (0m² GFA)			
PDA development approva	l details			
Decision of the MEDQ	The MEDQ has decided to grant all of the PDA development approval applied for, subject to PDA development conditions forming part of this decision notice. The approved changes to the original approval are summarised as follows:			
	 Removal of GFA allocated for Office; Changes to the list of approved plans and document to support the following changes: Reduction in density from 101 hotel rooms to 90 rooms, plus meeting rooms and other spaces; Increase in gross floor area from approximately 2,89osqm to 3,460sqm; Increase in building height from 10 storeys to 12 storeys (including rooftop recreational area / bar); Increased ground floor activation through the use of a large reception and food and beverage venue; Removal of a 0.9m light well on the eastern boundary 			

	and re-orientation of hotel rooms Wren Street and O'Connell Terrace only, so as to remove amenity impacts and avoid prejudicing the ability of the eastern adjoining site to redevelop; The introduction of a rooftop food and beverage venue; Changes to the façade detailing and overall architectural motif Re-numbering and re-organisation of conditions; Updates to several conditions, in accordance with current EDQ practice and Scheme requirements; Introduction of new conditions for: Landscape design matters Public art installation Sustainability ratings Management of building protrusions Acoustic treatments Air quality management Certification of operational works Out-of-hours construction Structural monitoring and vibration reporting Intersection corner truncation management requirements Extension of the currency period
Original decision date	17 November 2016
1st change to approval	25 February 2022

Plans and documents

Currency period

The plans and documents approved by the MEDQ and referred to in the PDA development conditions are detailed in the table below.

9 years from the original decision date

Аррі	oved plans and documents	Number (if applicable)	Date (if applicable)
1.	Ground Floor Plan, prepared by Box Architects	18069/A102, Rev D	4/11/2021, amended in red 8/2/2022
2.	Level 01 Plan, prepared by Box Architects	18069/A103, Rev D	4/11/2021, amended in red 8/2/2022
3.	Typical Floor Plate - Level 2-10, prepared by Box Architects	18069/A104, Rev D	4/11/2021
4.	Roof Terrace Plan, prepared by Box Architects	18069/A105	4/11/2021, amended in red 8/2/2022
5.	Roof Plan, prepared by Box Architects	18069/A106	4/11/2021
6.	Elevations / Section 01, prepared by Box Architects	18069/A201, Rev D	4/11/2021, amended in red 8/2/2022
7.	Section B, prepared by Box Architects	18069/A202, Rev D	4/11/2021

App	roved plans and documents	Number (if applicable)	Date (if applicable)			
8.	Truck Clearance Diagrams, prepared by Box Architects	18069/A401	4/11/2021			
9.	3D View, Page 2, prepared by Box Architects	Un-numbered	Un-dated, amended in red 8/2/2022			
10.	3D View, Page 3, prepared by Box Architects	Un-numbered	Un-dated, amended in red 8/2/2022			
11.	3D View, Page 4, prepared by Box Architects	Un-numbered	Un-dated, amended in red 8/2/2022			
12.	3D View, Page 5, prepared by Box Architects	Un-numbered	Un-dated, amended in red 8/2/2022			
13.	3D View, Page 6, prepared by Box Architects	Un-numbered	Un-dated, amended in red 8/2/2022			
14.	3D View, Page 7, prepared by Box Architects	Un-numbered	Un-dated, amended in red 8/2/2022			
15.	3D View, Page 8, prepared by Box Architects	Un-numbered	Un-dated, amended in red 8/2/2022			
Other plans and document						
The following plans and documents are referred to in the PDA development conditions in this PDA decision notice but are not Approved plans and documents.						
16.	Road Traffic Noise Assessment - Proposed Hotel Accommodation Development At 63 O'Connell Terrace, Bowen Hills	21BRA0189 R01_0	21/09/2021			

PREAMBLE

For the purpose of interpreting this PDA Development Approval, including the PDA Development Conditions, the following applies.

ABBREVIATIONS AND DEFINITIONS

The following is a list of abbreviations utilised in this approval:

- 1. **AILA** means a Landscape Architect registered by the Australian Institute of Landscape Architects.
- 2. ANY SURVEY PLAN means Building Format Plan.
- 3. **Certification Procedures Manual** means the document titled *Certification Procedures Manual*, prepared by EDQ, dated April2020 (as amended from time to time).
- 4. Contributed Asset means an asset constructed under a PDA development approval or Infrastructure Agreement that will become the responsibility of an External Authority. For the purposes of operational works for a Contributed Asset, the following definitions apply:
 - a. External Authority means a public-sector entity other than the MEDQ;
 - b. **Parkland** means carrying out operational work related to the provision of parkland infrastructure;

- Roadworks means carrying out any operational work within existing or proposed road(s), to a depth of 1.5m measured from the top of kerb, and includes Streetscape Works;
- d. **Sewer Works** means carrying out any operational work related to the provision of wastewater infrastructure;
- e. **Streetscape Works** means carrying out any operational work within the verge of a road, including footpath surface treatments, street furniture, street lighting and landscaping;
- f. **Stormwater Works** means carrying out any operational work related to the provision of stormwater infrastructure; and
- g. **Water Works** means carrying out any operational work related to the provision of water infrastructure.
- 5. **Council** means the relevant local government for the land the subject of this approval.
- 6. **DSDILGP** means the Department of State Development, Infrastructure, Local Government and Planning or its successor(s) in title.
- 7. **EDQ** means Economic Development Queensland.
- 8. **EDQ DA** means Economic Development Queensland's Development Assessment team.
- 9. **EDQ TS** means Economic Development Queensland's Technical Services team.
- 10. **IFF** means the Infrastructure Funding Framework, prepared by the Department of State Development, Tourism and Innovation, dated 1 July 2020 (as amended from time to time).
- 11. **MEDQ** means the Minister for Economic Development Queensland.
- 12. **PDA** means Priority Development Area.
- 13. **RPEQ** means Registered Professional Engineer of Queensland.
- 14. **UU** means Urban Utilities.

COMPLIANCE ASSESSMENT

Where a condition of this PDA Development Approval requires compliance assessment, compliance assessment is required in accordance with the following:

- a) The applicant must:
 - i. pay to MEDQ at the time of submission the relevant fee for compliance assessment, including any third party peer review costs which will be charged on a 100% cost recovery basis. The compliance assessment fees are set out in the MEDQ's development assessment fee schedule (as amended from time to time).
 - ii. submit to MEDQ a duly completed compliance assessment form.
 - iii. submit to MEDQ plans/supporting information as required under the relevant condition of approval.

- b) Compliance assessment and endorsement by EDQ Development Assessment, DILGP is required prior to any work commencing.
- c) Compliance assessment and endorsement can be repeated where a different design or solution, to that already endorsed, is sought.
- d) The process and timeframes that apply to compliance assessment are as follows:
 - i. the applicant liaises with EDQ Development Assessment, DILGP to determine the relevant plans/supporting information required to be submitted.
 - ii. the applicant submits plans/supporting information as required under the relevant condition of approval for compliance assessment.
 - iii. within 20 business days EDQ Development Assessment, DILGP assesses the plans/supporting information and:
 - 1. if satisfied with the plans/supporting information as submitted endorses the plans/supporting information and the condition of approval (or element of the condition) is determined to have been met; or
 - 2. if not satisfied with the plans/supporting information as submitted notifies the applicant accordingly
 - iv. if the applicant is notified under iii.2. above, revised plans/supporting information are to be re-submitted to EDQ Development Assessment, DILGP within 20 business days from the date of the notice.
 - v. **within 20 business days** EDQ Development Assessment, DILGP assesses the revised plans/supporting information and:
 - 1. if satisfied with the revised plans/supporting information endorses the revised plans/supporting information and the condition of approval (or element of the condition) is determined to have been met; or
 - 2. if not satisfied with the revised plans/supporting information as submitted notifies the applicant accordingly.
 - vi. if EDQ Development Assessment, DILGP is not satisfied that compliance has been achieved within **20 business days** repeat steps iv. and v. above. If either party is not satisfied by the outcome of this process, that party can elect to enter into a mediation process with an independent mediator agreed to by both parties.

Despite note vi. above, the condition of approval (or element of the condition) is determined to have been met only when EDQ endorses relevant plans/supporting information.

PDA De	velopment Conditions	
No.	Condition	Timing
Genera		
1.	Carry out the approved development	
	Carry out the approved development generally in accordance with the approved plans and documents.	Prior to commencement of use
2.	Maintain the approved development	
	Maintain the approved development (including landscaping, parking, driveways and other external spaces) in accordance with the approved plans and documents, and any other approval or endorsement required by these conditions.	As indicated
3.	Rooftop terrace	
	The rooftop terrace is to be for the exclusive use of the patrons of the Visitor Accommodation use.	At all times
4.	External building protrusions – compliance assessment	
	Submit to EDQ DA for compliance assessment updated drawings, which demonstrate that:	Prior to any works commencing on site, other than building works for
	 a) No part of the building, including articulation elements, protrudes beyond the boundaries of the subject property at ground level. 	demolition
	b) A continuous awning is provided over the pedestrian footpath on Wren Street and O'Connell Terrace.	
	c) The vertical clearance of the awning is: i. 4.5 metres above the driveway to support a medium rigid vehicle;	
Diannin	ii. Otherwise, 2.5metres (min), including signage.	
5.	g and Design	
5.	Sufficient grounds – sustainability – compliance assessment	
	 a) Submit to EDQ DA for Compliance Assessment a sustainability report prepared by a suitably qualified consultant which demonstrates how the building has been designed to achieve a 5-star NABERS rating and one of the following sustainability ratings: i. 4-star Green Star: Design and As Built certification; ii. 6-leaf EnviroDevelopment; iii. An equivalent / agreed rating as established through the compliance assessment process. 	a) Prior to commencement of building works, excluding demolition works

PDA De	PDA Development Conditions				
No.	Condition	Timing			
	 b) Construct the approved development generally in accordance the report endorsed under part a) of this condition. 	b) During construction			
	c) Submit to EDQ DA, documentation prepared by a suitably qualified consultant, which certifies the building has been constructed in accordance with part a) of this condition.	c) For certification of building design – prior to commencement of use For certification of building construction and / or hotel operations – within 20 business days of the certification			
6.	Sufficient grounds – landscape works – compliance assessment				
	a) Submit to EDQ DA detailed landscape plans for compliance assessment, prepared and certified by an AILA Registered Landscape Architect with experience in the design and maintenance of landscaping on buildings. The detailed landscape plans are to be generally in accordance with the approved plans, show all materials and finishes for the development (including streetscape), and address the following:	Prior to commencement of any works, other than demolition works			
	Planting – generally i. Provide details, locations, pot size and all plant species to be utilised in the podium and façade landscape.				
	Rooftop planters				
	 ii. Provide podium planter details demonstrating the following minimum media depths can be achieved: 1. Ground covers with a mature height of 200mm or less – minimum 300mm; 2. Ground covers with a mature height of 200mm or more – suitable depth to support plant growth and longevity, as per media depth requirements established through compliance assessment; 3. Shrubs with a mature height of 200mm or more – minimum 500mm; 4. Trees – 1,200-1,500mm, suited to support the health and longevity the selected tree species, as determined through the compliance assessment process. 				
	 Provide specifications of planter design, including media types that are suitable for planting on built structures, irrigation system, filtration and drainage elements, root barriers, water proofing, and any other 				

PDA Development Conditions				
No.	Condition	Timing		
	relevant elements.			
	Awning-top / façade planting			
	c) Provide details about the planting and maintenance of the plants to be planted on top of the awning, as well as any arrangements for climbers to grow over the façade, including:			
	 i) Structure – details of all elements attached to structure to support plant growth / climbing. ii) Media type – specification of light-weight media suitable for vertical planting on built structures. iii) Media volume – designed to achieve and maintain suitable organic matter, nutrient and water balance to sustain vegetation. iv) Maintenance – specifications of where planters are located within the awning or adjoining structures, as well as arrangements for accessing, maintaining and replacing plants. 			
	d) Provide certification by a suitably qualified expert that lighting of the footpath has been designed in accordance with Australian Standards AS1158 – Lighting for Roads and Public Spaces and AS 4282:1997 Control of the Obtrusive Effects of Outdoor Lighting.			
	Irrigation and maintenance			
	e) Provide design details for all irritation and maintenance which demonstrate the planting will achieve and maintain suitable organic matter, nutrients and water balance to establish and sustain vegetation.			
	Structural design to support rooftop landscaping			
	f) Submit a statement from a structural engineer holding RPEQ certification that the building has been designed to accommodate the weight of rooftop planting, including a consideration of the volume of all planters when containing wet media.			
7.	Sufficient grounds – landscape works – construction			
	 a) Construct landscape works generally in accordance with the certified plans submitted under condition 6 of this condition. 	a) During construction		
	b) Supervise the landscape works under the oversight of an AILA Registered Landscape Architect to ensure works are undertaken in accordance with the	b) During construction		

PDA De	velopment Conditions	
No.	Condition	Timing
	approved drawings and documents. c) Submit to EDQ DA, an AILA certification that the landscape works have been constructed generally in accordance with part a) of this condition.	c) Within 20 business days after landscape works are completed
8.	Sufficient grounds – landscape works – maintenance	
	Maintain all landscape works shown on the approved plans to the satisfaction of a landscape certifier, replacing any dead, diseased, or damaged plants.	At all times
9.	Sufficient grounds – public art concept plan – sufficient grounds – compliance assessment	
	Submit to EDQ DA, for compliance assessment a Public Art Concept Plan by a recognised artist which includes the following minimum information:	Prior to commencement of any works, other than demolition works
	 a) A concept of the artwork, including a study of the local conditions and details about the theme / inspiration and a description of the form, function and medium. 	
	b) A contextual response to the cultural heritage places in proximity to the site, including the RNA Showgrounds and Bowen Park. Inter alia, review and respond to the heritage significance in citations available via State government and Brisbane City Council databases.	
	c) Perspectives of the public art when viewed from key public areas, including the RNA Showgrounds, O'Connell Terrace, and the Inner City Bypass (ICB).	
	Note – EDQ DA may seek third party review of the submitted public art package.	
10.	Sufficient grounds – public art – contractual agreement	
	a) Enter into a contractual agreement with the preferred artist to supply and install the approved artwork.	Prior to the commencement of building works, other than demolition works
	b) Submit to EDQ DA, a copy of the executed contractual agreement.	
11.	Sufficient grounds – detailed public art plan – compliance assessment	
	Submit to EDQ DA for compliance assessment a detailed Public Art Plan based on the concept approved in Condition 9 above which includes:	Within six months of building works approval

PDA De	vel	opment	Conditions		
No.	Со	ndition		Tir	ming
		i. ii. iv. v.	Detailed drawings, prepared to scale, with key dimensions noted A schedule of finishes, materials and colours Render of the artwork in-situ A schedule of costs certified by a Quantity Surveyor, which provides a breakdown and total cost of the public art A safety and design assessment demonstrating the artwork is designed to: • be resistant to vandalism and weather elements • have a design life of at least 25 years • avoid impacts on traffic management (e.g. by excluding excessive illumination) low-heat generating lighting where there is potential to lights to come into contact with a person.		
12.			grounds – implement approved public		
	art a)	work Supply	and install the approved artwork	a)	& b) Prior to the commencement of use,
	b)	Submit i. ii.	to EDQ DA evidence that the public art: has been installed in accordance with conditions 9-11 of this development permit where required, has been certified by an RPEQ in relation to the fixing method (e.g. anchoring elements)		and then to be maintained
	c)	that is a superso advice issued artwork	the artwork physically deteriorate to a state regarded as inappropriate by EDQ DA or a eding regulatory authority, on the basis of by a suitably qualified artist, and notice is by the regulatory authority, replace / renew the x. This requirement does not apply if a building tructed on the eastern abutting site.	c)	upon review by the regulatory authority
Amenity	/			•	
13.	Ac	oustic t	reatments		
	a)	version prepar the imp mecha impact certifie accour that no equipm	to EDQ TS an addendum to or an amended of the Road Traffic Noise Assessment, ed by TTM, dated 21/9/2021, which considers pacts and mitigation of any proposed inical services, in addition to the external is currently considered. The document is to be did by a suitably qualified person, take into interest the aforementioned report, and demonstrate paise associated with mechanical plant and ment does not cause inappropriate impacts for cupants of the subject site or adjoining or	a)	Prior to commencement of use or any survey plan endorsement associated with this development permit, whichever occurs first

PDA Development Conditions					
No.	Со	ndition	Timing		
	b)	proximal sites. Construct the development in accordance with the recommendations outlined in the approved acoustic report/s, including updated documentation required	b)	Prior to commencement of use or any survey plan endorsement associated	
		under part a) of this condition.	,	with this development permit, whichever occurs first	
	c)	Submit to EDQ TS a letter from suitably qualified person, that the requirements of parts a) and b) of this condition have been met.	C)	Prior to commencement of use or any survey plan endorsement associated with this development permit,Z whichever occurs first	
14.	Air	quality			
	a)	Install and maintain a ducted mechanical ventilation system for the supply of outdoor air in compliance with AS 1668.2: The use of ventilation and air conditioning in buildings - Mechanical ventilation in buildings, which	a)	Installation – during construction Maintenance – at all	
		includes filtration of outdoor air to a minimum performance standard of F6 or minimum efficiency reporting value (MERV) 9.		times	
	b)	As an alternative to the requirements of part a) of this condition, meet the requirements of condition 14A.	b)	As described in 14A	
14A.	Air	quality - compliance assessment			
	a)	Should the requirements of condition 14 not be met or should the applicant propose an alternative arrangement for air quality management, submit to EDQ TS, for Compliance Assessment, an air quality report, certified by a suitably qualified person. The report is to address air emissions from the concrete batching plant located at 5-7 Horace Street, Windsor, and demonstrate that the development is designed and constructed to achieve acceptable air quality, odour and health risk standards. Inter alia, the report is required to take into account air emissions from vehicles, including those utilising the Inner-City Bypass and the CLEM-7 vent stacks.	a)	Prior to commencement of building works	
	b)	Construct the development in accordance with the air quality requirements established by the approved report required under part a) of this condition.	b)	During construction	
	c)	Submit to EDQ TS evidence that the requirements of part b) of this condition have been met.	c)	Prior to commencement of use or any endorsement of a survey plan, whichever occurs	
	Not	e – S2.5.9.5 of the Bowen Hills PDA Development Scheme 2019		1 2,	

PDA D	evelopment Conditions	
No.	Condition	Timing
	references the Brisbane City Plan 2014 in relation to air quality management matters, and City plan provisions outline the need to address emissions from the batching plant. To accurately model and address the concrete batching plant, it is necessary to consider emissions cumulatively by reviewing the current/background air shed (i.e. being located in an area subject to high vehicle air emissions), added to any emissions from the batching plant.	first
15.	Outdoor lighting	
	Outdoor lighting within the development is to be designed, installed and maintained in accordance with AS 4282:1997 Control of the Obtrusive Effects of Outdoor Lighting.	Design and installation – prior to the commencement of use
		Maintenance – at all times
Engine	ering	
16.	Certification of operational work	
	Carry out all Operational Work under this approval in accordance with the Certification Procedures Manual.	At all times
17.	Hours of work - construction	
	Unless otherwise endorsed, via Compliance Assessment for out of hours work, construction hours for the approved development are limited to Monday to Saturday between 6:30am to 6:30pm, excluding public holidays.	During construction unless otherwise endorsed
18.	Out of hours work - compliance assessment	
	Where out of hours work is proposed, submit to EDQ DA, for Compliance Assessment, an out of hours work request. The out of hours work request must include a duly completed out of hours work request form ¹ .	Minimum of 10 business days prior to proposed out of hours work commencement date
19.	Construction management plan	
	a) Submit to EDQ TS, a site-based Construction Management Plan (CMP), prepared by the principal site contractor and reviewed by a suitably qualified and experienced person responsible for overseeing the site works, to manage construction impacts, including:	a) Prior to commencement of any site works
	 i) noise and dust in accordance with the EP Act; ii) stormwater flows around and through the site without increasing the concentration of total suspended solids or Prescribed Water Contaminants (as defined in the EP Act), causing erosion, creating any ponding and causing any actionable nuisance to upstream and downstream properties; iii) contaminated land, where required under a site 	

¹ The out of hours work request form is available at EDQ's website.

PDA Development Conditions					
No.	Condition	Timing			
No.	suitability statement prepared in accordance with section 389 of the EP Act; iv) complaints procedures; v) site management: 1 For the provision of safe and functional alternative pedestrian routes past, through or around the site. This includes, but is not limited to, the use of a gantry on O'Connell Terrace to ensure the street maintain trafficable to pedestrian 24 hours a day. 2 Construction access is not permitted on O'Connell Terrace. 3 To mitigate impacts to public sector entity assets, including street trees, on or external to the site. 4 For safe and functional temporary vehicular access points and frequency of use. 5 For the safe and functional loading and unloading of materials including the location of any remote loading sites. 6 For the location of materials, structures, plant and equipment. 7 Of waste generated by construction activities. 8 Detailing how materials are to be loaded/unloaded. 9 Of proposed external hoardings and gantries (with clearances to street furniture and other public sector entity assets). 10 Of employee and visitor parking areas. 11 Of anticipated staging and programming. 12 For the provision of safe and functional emergency exit routes. 13 Any out of hours work as endorsed via Compliance Assessment.				
	 Maintain and make available for inspection a current copy of the CMP submitted under part a) of this condition. 	b) During construction			
	 c) Carry out all construction work generally in accordance with the CMP submitted under part a) of this condition. 	c) During construction			
20.	Construction noise management plan				
	 a) Submit to EDQ TS a Construction Noise Management Plan (CNMP), certified by a suitably qualified acoustic engineer. At a minimum, the CNMP must address the following sections of Australian Standard AS2436-2010 as they relate to the site and construction activities: i) section 3.4 – Community Relations, including schedule of activities, community notification 	a) Prior to commencing work			

PDA De	velopment Conditions	
No.	Condition	Timing
	strategy, complaints reporting and response strategies ii) section 4.4 – Post Approval/Construction Planning for Noise and Vibration, including strategies to minimise adverse impacts to proximate sensitive land uses/receptors iii) section 4.5 – Control of Noise at Source, including strategies to control noise at source; iv) section 4.6 – Controlling the Spread of Noise, including noise reduction measures; and v) section 5.0 – Methods for Measurement of Noise and Vibration, including noise measurement and monitoring strategy.	
	 b) Carry out construction work generally in accordance with the certified CNMP required under part a) of this condition. 	b) During construction
	c) Where requested by EDQ, submit to EDQ TS Noise Monitoring Reports, certified by a suitably qualified acoustic engineer, and evidence of compliance with the community relations elements of the CNMP required under part a) of this condition.	c) As requested by EDQ
21.	Erosion and sediment management	
	 a) Submit to EDQ TS, an Erosion and Sediment Control Plan (ESCP), certified by a RPEQ or an accredited professional in erosion and sediment control, and prepared generally in accordance with the following: i. International Erosion Control Association Australasia; ii. construction phase stormwater management design objectives of the State Planning Policy 2017 (Appendix 2 Table A); iii. Healthy Land and Water Technical Note: Complying with the SPP – Sediment Management on Construction Sites. 	a) Prior to commencing work
	b) Implement the certified ESCP submitted under part a) of this condition.	b) During construction
22.	Haulage management plan	
	 a) Submit to the EDQ TS a Haulage Management Plan (HMP), prepared by a person holding current Traffic Management Design qualifications, and endorsed by the Council. The HMP is to include at a minimum: i) Heavy vehicle size and load limits; ii) Load in/out facility locations, operation and access / egress; iii) Designated haulage route(s) including contingency haulage for all stages of the Works, both inside 	a) Prior to commencing work

PDA De	velopment Conditions	
No.	Condition	Timing
	and outside of the CBD; iv) Haulage times; and v) Relevant actions and procedures identifying how loads will be appropriately secured, managed and loaded;	
	 Undertake all haulage in accordance with the relevant HMP, as endorsed by Council, which must be current and available on site. 	b) During construction
23.	Traffic management plan	
	 Submit to EDQ TS, a Traffic Management Plan (TMP), certified by a person holding a current Traffic Management Design qualification. The TMP must include the following: 	a) Prior to commencing work
	 i) provision for the safe and functional management of traffic around and through the site during and outside of construction work hours; ii) provision for the safe and functional management of pedestrian traffic, including alternative pedestrian routes past, through or around the site; 	
	 iii) provision of parking for workers and materials delivery; iv) risk identification, assessment and identification of mitigation measures; v) ongoing monitoring, management review and certified updates (as required); and vi) traffic control plans and/or traffic control diagrams, prepared in accordance with Austroads Guide to Temporary Traffic Management, for any temporary part or full road closures. 	
	 b) Carry out all construction work generally in accordance with the certified TMP submitted under part a) of this condition, which is to be current and available on site. 	b) During construction
	NOTE: Operational traffic changes, such as temporary and permanent lane modifications, relaxation of clearway zone hours or footpath closures may require authorisation from Council or DTMR as road manager. It is recommended that applicants engage directly with the applicable road manager.	
24.	Structural monitoring and vibration report	
	 a) Submit to the EDQ TS, a Structural Monitoring and Vibration Report (SMVR), certified by a suitably qualified RPEQ, including: 	a) Prior to commencing work
	the process for in-situ testing, based upon actual construction equipment, methods and onsite	

PDA De	velopment Conditions	
No.	Condition	Timing
	geotechnical conditions, to forecast expected vibration during all works, detailing: 1. new excavation; 2. installation of new foundations (i.e. piling); 3. proposed methods to mitigate and control vibration and ground movement during construction; ii) an instrumentation and monitoring plan, including drawings, frequency of monitoring, vibration limits and actions to be taken should limits be exceeded. The monitoring must commence prior to excavation, continue during excavation and construction, and finish one month after the completion of permanent works; iii) evidence that the vibrations limits have been approved by all utility providers and Council (for the adjoining traffic control facility and inner-city bypass tunnel); iv) confirmation that UU, and Council have reviewed the monitoring procedure for works adjacent to the services and the Inner-city bypass tunnel; and v) dilapidation survey of surrounding assets details of on-going monitoring of these assets. vi) a dilapidation survey of buildings located within 20m of works and how potential impacts can be avoided and/or mitigated;	
	b) Carry out construction work in accordance with the certified SMVR certified under part a) of this condition.	b) During construction
25.	Acid sulfate soils	
	a) Where on-site ASS are encountered, submit to EDQ TS an ASS management plan, prepared in accordance with the <i>Queensland Acid Sulfate Soil Technical Manual Soil Management Guidelines v4.0 2014</i> (as amended from time to time.	a) Prior to commencement of or during earthworks
	b) Excavate, remove and/or treat on site all disturbed ASS generally in accordance with the ASS management plan submitted under part a) of this condition.	b) Prior to commencement of use or any survey plan endorsement associated with this development permit, whichever occurs first
	c) Submit to EDQ TS a validation report, certified by a suitably qualified environmental or soil scientist, confirming that all earthworks have been carried out in accordance with the ASS management plan submitted under part b) of this condition.	c) Prior to commencement of use or any survey plan endorsement associated with this development permit, whichever occurs first

PDA De	velopment Conditions	
No.	Condition	Timing
26.	Streetscape works – compliance assessment	
	 a) Submit to EDQ TS, for Compliance Assessment, detailed streetscape works drawings, certified by an AILA, for proposed streetscape works, including a schedule of proposed standard and non-standard Contributed Assets to be transferred to Council. The certified drawings are to include, where relevant: 1. location and type of street lighting in 	a) Prior to commencement of streetscape works
	 accordance with AS1158 – 'Lighting for Roads and Public Spaces'; footpath treatments; location and specifications of streetscape furniture; location and size of stormwater treatment devices; and street trees and plants, including species, size and location generally in accordance with Council's adopted planting schedules and guidelines. 	
	b) Construct streetscape works generally in accordance with the streetscape plans endorsed under part a) of this condition.	b) c) & d) Prior to commencement of use or any survey plan endorsement associated with this development permit, whichever occurs first
	 Submit to EDQ TS RPEQ certification that the streetscape works have been constructed in accordance with part a) of this condition. 	
	 Submit to EDQ TS 'as constructed' plans, certified by an AILA, and asset register in a format acceptable to Council. 	
27.	24-hour public access – 3-chord truncation	
	Maintain the 3-chord truncation shown on the approved plans free of any obstructions (including soft and hard landscape elements, and provide 24-hour public access for pedestrians.	At all times.
28.	Vehicle access	
	 Remove existing crossovers along O'Connell Terrace and Wren Street and re-instate the kerb and footpath to match existing. 	Prior to commencement of use or any survey plan endorsement associated with this development
	b) Construct a vehicle crossover:i) located generally in accordance with the approved	permit, whichever occurs first

PDA De	velopment Conditions	
No.	Condition	Timing
	plans; and ii) designed generally in accordance with Council's adopted standards Type A, 3.5m wide.	
	 Submit to EDQ TS RPEQ certification that the crossover has been constructed in accordance with part b) of this condition. 	
29.	Service vehicle bay	
	The largest design vehicle permitted to enter the service bay is a medium rigid vehicle	At all times
30.	Bicycle parking	
	 a) Provide a minimum of 4 bicycle parking spaces within a 'back-of-house' (BOH) area shown on the approved plans. 	a) Prior to commencement of use and to be maintained
	b) Bicycle parking spaces are to be designed in accordance with AS2890.3 – 1993 Bicycle parking facilities.	b) Prior to commencement of use or any survey plan endorsement associated with this development permit, whichever occurs first
	 Submit to EDQ Development Assessment, DILGP written evidence that the development complies with part a), b) and c) of this condition. 	c) Prior to commencement of use
31.	Service Advice Notice	
	Submit a Service Advice Notice (SAN) from UU to confirm there is adequate water and sewerage capacities to support the proposed development.	Prior to commencement of site works
	Advice Note: Where augmentation or upgrades are required to the water and/or sewer network is required, a change to approval will be required to submitted to enable the operational works for the proposed upgrades.	
32.	Water connection	
	Connect the development to the existing water reticulation network in accordance with UU current adopted standards.	Prior to commencement of use
33.	Sewer connection	
	Connect the development to the existing sewer reticulation network in accordance with UU current adopted standards.	Prior to commencement of use or any survey plan endorsement associated with this development permit, whichever occurs first

PDA De	evelopment Conditions	
No.	Condition	Timing
34.	Stormwater connection	
	Connect the approved development to a lawful point of discharge:	Prior to commencement of use or Any survey plan endorsement associated
	a) with 'no-worsening' to upstream or downstream properties for storm events up to 1% Annual Exceedance Probability; and	with this development permit, whichever occurs first
	b) generally in accordance with Council's current adopted standards.	
35.	Electricity	
	Submit to EDQ TS, a Certificate of Electricity Supply from Energex for the provision of electricity supply to the approved development.	a) Prior to commencement of use or any survey plan endorsement associated with this development permit, whichever occurs first
	b) Connect the approved development in accordance with the Certificate of Electricity Supply submitted under part a) of this condition.	b) Prior to commencement of use or any survey plan endorsement associated with this development permit, whichever occurs first
36.	Telecommunications	a) Prior to common coment
	a) Submit to EDQ TS, documentation from an authorised telecommunication service provider confirming that an agreement has been entered into for the provision of underground telecommunication services to the approved development.	a) Prior to commencement of use or any survey plan endorsement associated with this development permit, whichever occurs first
	b) Connect the approved development in accordance with the documentation submitted under part a) of this condition.	b) Prior to commencement of use or any survey plan endorsement associated with this development permit, whichever occurs first
37.	Broadband	
	 a) Submit to EDQ TS, written agreement from an authorised telecommunications service provider, confirming that broadband internet infrastructure will be provided to the premises in accordance with: (i) The Industry Guideline G645:2017 Fibre-Ready Pit and Pipe Specification for Real Estate Development Projects; and (ii) Telecommunications industry standards for high 	a) Prior to commencement of use or any survey plan endorsement associated with this development permit, whichever occurs first

No.	evelopment Conditions Condition	Timing
NO.		Timing
	rise buildings, such as those set by Telstra or NBN Co.	
	b) Construct the infrastructure specified in the agreement submitted under part a) of this condition.	b) Prior to commencement of use or any survey plan endorsement associated with this development permit, whichever occurs first
38.	Gas	
	Submit to EDQ TS, documentation from an authorised gas service provider confirming that an agreement has been entered into for the provision of underground gas services to the proposed development.	Prior to commencement of site works
39.	Public infrastructure – damage, repairs and relocation	
	Repair any damage to existing public infrastructure that occurred during works carried out in association with the approved development. Should existing public infrastructure require relocation, due to the approved development, the developer is responsible for these costs together with compliance with relevant standards and statutory requirements.	Prior to commencement of use
40.	Refuse collection	
	Submit to EDQ TS, evidence of approved refuse collection arrangements, from Council or a private waste contractor, for the approved development.	a) Prior to commencement of use or any survey plan endorsement associated with this development permit, whichever occurs first
	b) Implement the refuse collection arrangements submitted under part a) of this condition.	b) At all times following commencement of use
Infrast	ructure Charges	
41.	Infrastructure Contributions	
	Pay to MEDQ infrastructure charges in accordance with the Infrastructure Funding Framework (IFF) July 2016 indexed to the date of payment.	In accordance with the IFF

STANDARD ADVICE

Please note that in order to lawfully undertake development; it may be necessary to obtain approvals other than this PDA development approval. For advice on other approvals that may be necessary in relation to your proposal, it is recommended that you seek professional advice.