

Our ref: DEV2019/1074

15 March 2022

Department of
State Development, Infrastructure,
Local Government and Planning

Economic Development Queensland C/- RPS Att: Ms Samantha Buchanan and Ms Georgina Bartlett PO Box 1559 FORTITUDE VALLEY QLD 4006

Email: Samantha.buchanan@rpsgroup.com.au; georgina.bartlett@rpsgroup.com.au

Dear Ms Buchanan and Ms Bartlett

Section 99 Approval - application to change PDA development approval

Material Change of Use for house; home based business; and uses where ancillary to a house on lots 1002-1007, 1029-1038: office, food premises and shop; and Reconfiguring a Lot with a Plan of Development (1 lot into 53 residential terrace lots, 1 aged care / retirement lot, new road and 1 balance lot in three parts) at 520 Beams Road, Carseldine described as Lot 322 on SP172124

On 15 March 2022 the Minister for Economic Development Queensland (MEDQ) decided to grant **all** of the amendment application applied for, subject to PDA development conditions set out in this PDA decision notice.

The PDA decision notice and approved plans/documents can be viewed in the MEDQ Development Approvals Register via the Department website www.dsdilgp.qld.gov.au/pda-da-applications.

If you require any further information, please contact Leila Torrens, Principal Planner, Development Assessment, in Economic Development Queensland, by telephone on (07) 3452 7466 or at Leila.Torrens@dsdilgp.qld.gov.au, who will be pleased to assist.

Yours sincerely

Beatriz Gomez

Director

Development Assessment

Economic Development Queensland

PDA Decision Notice - Approval

	PDA Decision Notice	- Approvai	
Site information			
Name of priority development area (PDA)	Fitzgibbon		
Site address	520 Beams Road, Cars	seldine	
Lot on plan description	Lot number	Plan description	
	Lot 322	SP172124	
PDA development application de	etails		
DEV reference number	DEV2019/1074		
'Properly made' date	27 January 2022		
Type of application	 □ PDA development application for: □ Material change of use □ Preliminary approval □ Development permit □ Reconfiguring a lot □ Preliminary approval □ Development permit □ Operational work □ Preliminary approval □ Development permit ☑ Application to change PDA development approval □ Application to extend currency period 		
Description of proposal applied for	 Material Change of Use for house; home based business; and uses where ancillary to a house on lots 1002-1007, 1029-1038: office, food premises and shop); and Reconfiguring a Lot with a Plan of Development (1 lot into 53 residential terrace lots, 1 aged care / retirement lot, new road and 1 balance lot in three parts) 		
PDA development approval deta			
Decision of the MEDQ	approval applied for, forming part of this de The approval is for:	ded to grant <u>all</u> of the PDA development <u>subject to</u> PDA development conditions ecision notice to Note 34 on the approved Plan of	
Original Decision date	26 March 2020		
1.Change to approval date	30 October 2020		
2. Change to approval date	15 March 2022		
Currency period	10 years for MCU for the uses specified in the PoD from original date of approval. 4 years for RoL from original date of approval.		

Approved plans and documents

The plans and documents approved by the MEDQ and referred to in the PDA development conditions for the PDA development approval are detailed below.

Approved plans and documents		Number	Date
1.	Stage 1 – Plan of Development Residential Lots, prepared by RPS	128180-47M	20/12/2021 (amended in red)
Plans a 2020	nd documents previously approved on 30 October	Number	Date
2.	Plan of Subdivision Stage 1 – Sheet 1 Overall, prepared by RPS	128180-46M Sheet 1	21/07/2020
3.	Plan of Subdivision Stage 1 – Sheet 2 Stage 1 East, prepared by RPS	128180-46M Sheet 2	21/07/2020
4.	Plan of Subdivision Stage 1 – Sheet 3 Residential, prepared by RPS	128180-46M Sheet 3	21/07/2020
5.	Plan of Subdivision Stage 1 – Sheet 4 Master Lot, prepared by RPS	128180-46M Sheet 4	21/07/2020
6.	Car Parking Analysis Plan – Stage 1, prepared by RPS	128180-481	21/07/2020
7.	Acoustic Assessment Report, prepared by TTM	17BRA0109 R02_2 – Stage 1	31/03/2020
Plans	and documents previously approved on 26 March 2020.	Number	Date
1.	Plan of Subdivision – Beams Road Interface Snapshot, prepared by RPS	128180-71 Rev.A	26/02/2020
2.	Carseldine Urban Village Stage 1 Landscape Concept Plans, prepared by Urbis	Rev. J	09/10/2019
3.	Stage 1 – Laneways – General Layout, prepared by Urbis	ND1901-01 Rev.B	06/02/2020
4.	Stage 1 – Laneways – Typical Section A, prepared by Urbis	ND1901-02 Rev.B	06/02/2020
5.	Bulk Earthworks, Stage 1, prepared by Calibre	15-003002 – 920 Rev. A	07/08/2019
6.	Water and Sewer, Stage 1, prepared by Calibre	15-003002 – 911 Rev. 1	07/08/2019
7.	Road Functional Layout Plan – Sheet 1 of 2, prepared by Calibre	15-003002.01 - RF1 Rev. 1	19/12/2019
8.	Road Functional Layout Plan – Sheet 2 of 2, prepared by Calibre	15-003002.01 - RF2 Rev. 1	19/12/2019
9.	Electrical Street Lights and Turn Paths – Sheet 1 of 2	15-003002.01 SK-1350 Rev. 1	18/03/2020
10.	Electrical Street Lights and Turn Paths – Sheet 2 of 2	15-003002.01 SK-13511350 Rev. 1	18/03/2020
11.	Updated Stormwater Management Plan, prepared by DesignFlow	S:\Projects\4306	10/10/2019

12.	Technical Memorandum – Local flood assessment to support Stage 1 development, prepared by DesignFlow		10/10/2019
13.	Technical Memorandum – Addendum to Local flood assessment to support Stage 1 development, prepared by DesignFlow		24/02/2020
14.	Ecology and Bushfire Technical Note, prepared by 28° Environmental		02/08/2019, as amended in red
15.	Addendum to radiant heat exposure modelling letter, prepared by Land and Environment Consultants	n/a	16/02/2020

Plans and documents - Other

The following plans and documents are referred to in the PDA development conditions but are not approved plans and documents.

Othe	r plans and documents	Number	Date
1.	Zillmere Road and Dorville Road Intersection Upgrade, prepared by Calibre	19-000211.01 RF01 Rev A	20/04/2020
2.	Beams Road External Intersection Ugrades- Roadworks Layout Plan Sheet 1 of 2 prepared by Calibre		16/04/2020
3.	Beams Road External Intersection Ugrades- Roadworks Layout Plan Sheet 2 of 2 prepared by Calibre		16/04/2020
4.	Beams Road External Intersection Ugrades- Signage and linemarking Sheet 1 of 2 prepared by Calibre		16/04/2020
5.	Beams Road External Intersection Ugrades- Signage and linemarking Sheet 2 of 2 prepared by Calibre		16/04/2020

PDA development conditions

ABBREVIATIONS AND DEFINITIONS

For the purposes of interpreting the PDA Development Conditions, the following is a list of abbreviations utilised:

- AILA means a Landscape Architect registered by the Australian Institute of Landscape Architects.
- 2. **Certification Procedures Manual** means the document titled *Certification Procedures Manual*, prepared by the DSDILGP dated 16 October 2017 (as amended from time to time).
- 3. **Contributed Asset**, in accordance with the Certification Procedures Manual, means an asset constructed under a PDA development approval or Infrastructure Agreement that will become the responsibility of an External Authority. For the purposes of operational works for a Contributed Asset the following meanings apply:
 - a. **Broadband Works** means the carrying out of any operational works related to the provision of broadband infrastructure;
 - b. **Electrical Works** means the carrying out of any operational works related to the provision of electrical infrastructure;
 - c. **External Authority** means a public-sector entity external to the MEDQ;

- d. **Parkland** means carrying out operational works related to the provision of parkland infrastructure:
- e. **Retaining Wall Works** means the carrying out of any operational or building works related to the construction of a retaining wall greater than 1 vertical metre in height;
- f. **Roadworks** means carrying out any operational works within existing and proposed road, to a depth of 1.5m measured from the top of kerb, and includes streetscape works:
- g. **Sewer Works** means carrying out any operational works related to the provision of waste water infrastructure;
- h. **Streetscape Works** means carrying out any operational works within the footpath of a road related to landscape treatments, including footpath surface treatments, street furniture, street lighting and street trees;
- Stormwater Works means carrying out any operational works related to the provision of stormwater infrastructure;
- j. **Telecommunication Works** means the carrying out of any operational works related to the provision of telecommunication infrastructure; and
- k. **Water Works** means carrying out any operational works related to the provision of water infrastructure.
- Council means Brisbane City Council.
- 5. **DES** means the Department of Environment and Science.
- 6. **DSDILGP** means the Department of State Development, Infrastructure, Local Government and Planning
- 7. **EDQ** means Economic Development Queensland.
- 8. **IFF** means the Infrastructure Funding Framework, prepared by the Department of State Development, Manufacturing, Infrastructure and Planning, dated 01 July 2019.
- 9. **MEDQ** means the Minister for Economic Development Queensland.
- 10. PDA means Priority Development Area.
- 11. **PoD** means Plan of Development.
- 12. **RPEQ** means Registered Professional Engineer of Queensland.
- 13. **QUU** means Queensland Urban Utilities.

No.	Condition	Timing
REC	CONFIGURING A LOT	
Gen	eral	
1.	Carry out the Approved Development	
· ·	Our y out the Approved Development	
	Carry out the approved development generally	in Prior to survey plan endorsement
	, , , , , , , , , , , , , , , , , , , ,	nd
	documents.	
2.	Certification of Operational Works	
	All operational works undertaken in accordance wi	
	this approval are to comply with all requirements	
	and fulfil all responsibilities outlined in the	ne
	Certification Procedures Manual.	
	Conditions that require compliance with the	ne
	Certification Procedures Manual are as follows:i. Condition 6. Construction Management	
	Plan:	
	ii. Condition 7. Traffic Management Plan;	
	iii. Condition 9. Out of Hours – Compliance	
	Assessment,	
	iv. Condition 10. Retaining Walls;	
	v. Condition 11. Filling and Excavation;	
	vi. Condition 12. Roads – Internal;	
	vii. Condition 13 – Cycle Path Crossings	
	viii. Condition 14. Roads – External;	
	ix. Condition 15. Redundant driveway	
	crossover – Beams Road;	
	x. Condition 16. Vehicle Access – Temporary Driveway;	
	xi. Condition 18. Water – Internal;	
	xii. Condition 19. Sewer – Internal;	
	xiii. Condition 20. Stormwater Management	
	(Quality);	
	xiv. Condition 21. Stormwater Management	
	(Quantity);	
	xv. Condition 22. Stormwater and Flooding -	-
	Compliance Assessment,	
	xvi. Condition 23. Street Lighting;	
	xvii. Condition 24. Electricity;	
	xviii. Condition 25. Telecommunications;	
	xix. Condition 26. Broadband; xx. Condition 27. Public Infrastructure –	
	Damage, Repairs and Relocation;	
	xxi. Condition 30. Streetscape Works;	
	xxii. Condition 31. Fauna Flora Management	
	Plan – Compliance Assessment;	
	xxiii. Condition 32. Acid Sulfate Soils;	
	xxiv. Condition 33. Erosion and Sediment	
	Management; and	
	xxv. Condition 35. Acoustic Barrier –	
	Compliance Assessment.	

3.	Street Naming	
	Submit to EDQ Development Assessment, DSDILGP a schedule of street names approved by Council.	Prior to survey plan endorsement
4.	Entry Walls or Features	
	The provision of entry walls or features is prohibited on roads and open space unless otherwise approved by EDQ Development Assessment, DSDILGP.	As indicated
5.	DTMR Beams Road Investigation Area	
	Services and development works are to be located outside the DTMR Beams Road Investigation area, as nominated on the approved drawing <i>Plan of Subdivision – Beams Road Interface Snapshot</i> , drawing reference 128180 – 71A, prepared by RPS, dated 26/02/2020.	Prior to survey plan endorsement
	Where services and development works are to be unavoidably located or undertaken within the DTMR Beams Road Investigation Area, submit to EDQ Development Assessment, DSDILGP detailed drawings prepared by an RPEQ documenting the infrastructure/services or works and a letter of support from DTMR.	
Eng	ineering	
6.	Construction Management Plan	
	(a) Submit to EDQ Technical Services, DSDILGP a site-based Construction Management Plan (CMP), prepared by the principal site contractor and endorsed by a suitably qualified ecologist, that includes:	a) Prior to commencement of site works
	 i. Preventative measures to avoid introduction of environmental impacts, including (where relevant) but not limited to: A. Ensuring noise and dust generated from the site during and outside construction work hours in accordance with the Environmental Protection Act 1994; B. Managing stormwater flows around and through the site without increasing the concentration of total suspended solids or Prescribed Water Contaminants (as defined in the Environmental Protection Act 1994), causing erosion, creating any ponding and causing any actionable nuisance to upstream or downstream properties; C. Incorporating vegetation management measures, including 	

- protective fencing for fauna and clear identification of vegetation to be retained around the worksite and details of how construction related vehicles and equipment will not damage retained vegetation or its root zones:
- D. Details about materials stockpiling, including measures to ensure material remains in-situ and cannot enter the waterway or damage retained vegetation or its root zones;
- Waterway management measures, including the location and duration of temporary waterway barriers (where relevant, such as stormwater outfalls);
- iii. Environmental protection measures, including upstream and downstream precautions detailing how disturbance to the tusked frog will be minimized (were relevant);
- Fauna management protocols including the involvement of an experienced fauna spotter catcher, and the timing of fauna spotter catcher involvement;
- v. Details of any relocation or removal of fauna from the construction area and protocols on how this will be achieved;
- vi. A complaints procedure, including escalation, to be established and maintained through the course of development;
- vii. Site management provisions including (where relevant) but not limited to the following:
 - A. Provision for pedestrian management including alternative pedestrian routes, past or around the site;
 - B. Location of and impacts on any local authority's assets on or external to the site;
 - C. Temporary vehicular access points and frequency of use;
 - Provision for loading and unloading materials;
 - E. Location of materials, structures, plant and equipment to be stored or placed on the construction site;
 - F. Management of waste generated during the construction activities;
 - G. How materials are to be loaded/unloaded and potential impacts on existing vegetation;
 - H. Employee parking areas;

	I. Anticipated staging and programming; J. Allowable works times in accordance with those set by the Queensland Environmental Protection Policy (Noise) 2008. The CMP is to include details of any construction considered necessary to be conducted out of normal business hours (where normal hours are defined as Monday to Saturday between 6.30a.m. and 6.30p.m. excluding public holidays). It is the responsibility of the Contractor to notify and obtain all relevant approvals for out of hours work; and K. Be consistent with Condition 7 Traffic Management Plan, Condition 32 Acid Sulfate Soils.	
	(b) Prior to submitting the CMP under part a), the CMP shall be reviewed and approved by a suitably qualified and experienced RPEQ, or other suitably qualified and experienced person responsible for overseeing the construction works.	b) Prior to commencement of site works
	(c) Undertake all works generally in accordance with the CMP submitted under part a) of this condition, which is to be current and available on site at all times.	c) At all times during construction
7.	Traffic Management Plan	
	a) Submit to EDQ Development Assessment, DSDILGP a Traffic Management Plan (TMP), certified by a person holding a current Traffic Management Level 3 qualification or higher. The TMP is to include the following: i. provision for the management of traffic around and through the site during and outside of construction work hours; iii provision of parking for workers and	a) Prior to commencement of site works
	 ii. provision of parking for workers and materials delivery; iii. risk identification, assessment and identification of mitigation measures; iv. ongoing monitoring, management review and certified updates (as required); and v. traffic control plans and/or traffic control diagrams, prepared in accordance with Manual of Uniform Traffic Control Devices 	

	b) Undertake all works generally in accordance with the certified TMP submitted under part a) of this condition, which is to be current and available on site at all times.	b) At all times during construction
8.	Unless otherwise agreed to in writing by EDQ Development Assessment, DSDILGP, construction hours for works will be limited to Monday to Saturday 6:30am to 6:30pm, excluding public holidays.	As indicated
9.	Out of Hours - Compliance Assessment	
	 a) Where works are proposed outside of the normal construction hours specified in condition 8 of this PDA Development Approval, submit to EDQ Technical Services at DSDILGP for compliance assessment an application for out of hours works. Applications must be in writing on the EDQ 'Application for out of hours approval' form and must be accompanied by the following information: i. Reason for the request; ii. Site plan(s); iii. Reasons that the proposed works can not reasonably or safely be undertaken within the normal construction hours; iv. Potential adverse impacts and proposed mitigation strategies / measures; v. A community engagement strategy; and vi. All permits relating to other authorities (Council, DTMR or Queensland Police Service) for the proposed works. 	a) No less than 10 business days prior to the proposed works
	 b) Undertake all out of hours works in accordance with the endorsement obtained under part a) of this condition. 	b) As indicated
10.	Retaining Walls	
	 a) Submit to EDQ Technical Services, DSDILGP detailed engineering plans, certified by an RPEQ, of all retaining walls 1.0m or greater in height. 	a) Prior to commencement of retaining wall works
	Retaining walls are to be generally in accordance with the relevant Australian Standard and the <i>PDA Practice Note No. 10 – Plans of development</i> unless otherwise approved by EDQ Development Assessment, DSDILGP.	
	 b) Construct the works generally in accordance with the certified plans submitted under part a) of this condition. 	b) Prior to survey plan endorsement

- c) Submit to EDQ Development Assessment, DSDILGP certification by an RPEQ that all retaining wall works 1.0m or greater in height have been carried out generally in accordance with the certified plans submitted under part a) of this condition.
- c) Prior to survey plan endorsement

Filling and Excavation 11.

a) Submit to EDQ Technical Services, DSDILGP detailed earthworks plans certified by an RPEQ, generally in accordance with AS3798 -2007 "Guidelines on Earthworks for Commercial and Residential Developments" and the Bulk Earthworks drawing number 15-003002 - 920 Revision A, prepared by Calibre, dated 07/08/2019.

a) Prior to commencement of site works

The certified earthworks plans are to:

- i. Include a RPEQ certified geotechnical soils assessment and slope stability assessment of the site; be consistent with the erosion and sediment control plan as required by condition 33. Erosion and Sediment Management:
- ii. Provide a dispersive area management plan certified by a RPEQ or CPESC where dispersive soils will be disturbed, including risk mapping, treatment and rehabilitation;
- iii. provide full details of any areas where surplus soils are to be stockpiled, including the separation, storage and handling of topsoil and subsoils for reuse.
- iv. Ensure the protection of adjoining properties and roads from ponding or nuisance stormwater: and
- v. Provide for the preservation of all drainage structures from the effects of structural loading generated by the earthworks.
- b) Carry out the earthworks generally in accordance with the certified plans submitted under part a) of this condition.
- c) Submit to EDQ Development Assessment, DSDILGP certification by an RPEQ that all earthworks have been carried out in generally accordance with the certified plans submitted under part a) of this condition and any unsuitable material encountered has been treated or replaced with suitable material.
- b) Prior to survey plan endorsement
- c) Prior to survey plan endorsement

12. Roads - Internal

- a) Submit to EDQ Development Technical Services DSDILGP detailed engineering drawings, certified by an RPEQ for internal roads, including parking bays, traffic devices, bikeway and pedestrian footpaths, generally in accordance with:
 - the approved Plan of Subdivision Stage 1 Overall, drawing reference 128180 – 46M, prepared by RPS, dated 21/07/2020;
 - ii. the approved Road Functional Layouts, drawing references 15-003002.01 RF1, Revision 1; and 15-003002.01 RF2, Revision 1, prepared by Calibre, dated 19/12/2019;
 - iii. Design amendments as required per Condition 13 Cycle Path crossings and
 - iv. relevant Council standards
- b) Construct the works generally in accordance with the plans submitted under part a) of this condition.
- c) Submit to EDQ Development Assessment DSDILGP 'as-constructed' drawings, asset register and test results certified by an RPEQ, in a format acceptable to Council of all road works constructed in accordance with this condition.

a) Prior to commencement of roadworks

- b) Prior to survey plan endorsement
- c) Prior to survey plan endorsement

13. Cycle Path Crossings

a) Submit to EDQ Technical Services, DSDILGP detailed design for locations where cycle paths are crossed by either roads or footpaths. Cycle path crossings must be certified by an RPEQ in accordance with DTMR Selection & Design of Cycle Tracks Guideline, Oct 2019 (replaces Technical Note TN128 Selection and Design of Cycle Tracks) and relevant Austroads Guides and Australian Standards

Designs are required to specifically address the following

- Clear designation of give way priority (cyclist / pedestrian)
- Appropriate signage, line marking and surface treatments
- Sufficient vertical grade change on any raised crossing platform
- Appropriate horizonal geometry to minimise vehicle turning speeds and maximise sight distances

a) Prior to commencing cycle path crossings works

	b)	Construct cycle path crossings in accordance with part a) of this condition	b) Prior to survey plan endorsement
	c)	Submit to EDQ Technical Services, DSDILGP certification by an RPEQ and written evidence that all cycle path crossings have been constructed to a safe standard.	c) Prior to survey plan endorsement
14.	Ro	ads – External	
	a)	Undertake external intersection upgrade works to the following three intersections, located externally to the subject site: i) Beams Road, Balcara Avenue and the new Village Main Street; ii) Beams Road and the new Access Place (No Parking) – 16.75m (located in proximity to the existing Government Office Precinct); and iii) Dorville Road and Zillmere Road.	a) Prior to survey plan endorsement
		Works are to be completed generally in accordance with drawings 'Beams Road External Intersection Upgrades – Roadworks Layout Plan Sheets 1 & 2', drawing number 19-000211 1310 and 1311 Rev. A, prepared by Calibre, dated 16/04/2020; and 'Beams Road External Intersection Upgrades – Signage and Linemarking Laout Plans Sheets 1 and 2 drawing numbers 19-000211 1350 and 1351 revision A prepared by Calibre dated 16/04/2020.	
		Note - Only the works within the PDA boundary are approved by EDQ and separate approval by Council for external works is required.	
	b)	Submit to EDQ Technical Services DSDILGP written evidence from an RPEQ certifying that the external intersection works have been constructed in accordance with Part a) and the relevant Council development approval(s).	b) Prior to survey plan endorsement
15.	Re	dundant driveway crossover – Beams Road	
	ŕ	Install temporary barrier(s) across the existing driveway on Beams Road (in the vicinity of Balcara Avenue) to prevent vehicular access, until such time as this portion of the site is redeveloped (subject to separate PDA development approval).	a)Prior to survey plan endorsement but not prior to a temporary driveway being constructed (refer to Condition 16) to maintain access to the existing on-site uses
		Submit to EDQ Development Assessment, DSDILGP written confirmation that the temporary barrier(s) has been installed.	b)Prior to survey plan endorsement but not prior to a temporary driveway being constructed (refer to Condition 16) to maintain access to the existing on-site uses

16. **Vehicle Access – Temporary Driveway** a) Provide a temporary driveway connecting the a) Prior to survey plan endorsement and Access Place (19.0m) stub road off the Village to be maintained until a new road is Main Street to the Modified Access Place constructed to provide this connection (16.75m) off Beams Road. Where new works (subject to a separate PDA are to be undertaken to provide a complete development approval) driveway connection, these are to be to an acceptable temporary standard, being a new 6.0m wide temporary asphalt access road of chip seal surfacing, to provide for safe movement of vehicles. b) Submit to EDQ Technical Services, DSDILGP b) Prior to survey plan endorsement certification by an RPEQ written evidence that this temporary driveway has been constructed to a safe standard. 17. **Common Services Trench** a) Submit to EDQ Technical Services, DSDILGP a) Prior to the commencement of services layout plans certified by an RPEQ to services infrastructure works demonstrate that the common services trench can be appropriately accommodated within the development layout in accordance with the relevant standards and authority policies. b) Where compliance with part a) of this b) Prior to survey plan endorsement condition cannot be achieved, provide lot boundary corner three chord truncations if required. Water - Internal 18. a) Submit to EDQ Technical Services, DSDILGP a) Prior to the commencement of water a water reticulation Precinct Network Plan, works or works within a common endorsed by Queensland Urban Utilities services trench. b) Submit to EDQ, Technical Services DSDILGP b) Prior to commencement of water detailed water reticulation design plans, works or works within a common certified by an RPEQ, generally in accordance services trench with the endorsed Precinct Network Plan submitted under part a) of this condition. Designate water meters which are required to be trafficable due to the proximity to the laneway pavement and residential driveways. c) Construct the works generally in accordance c) Prior to survey plan endorsement with the certified plans submitted under part b) of this condition. Submit to EDQ, Technical Services DSDILGP d) Prior to survey plan endorsement 'as constructed' plans, asset register, pressure and bacterial test results in accordance with QUU current adopted standards, of all water reticulation works constructed in accordance with this condition.

19. Sewer - Internal Submit to EDQ, Technical Services DSDILGP a) Prior to the commencement of sewer a sewer reticulation Precinct Network Plan, works or works within a common endorsed by QUU. services trench Submit to EDQ, Technical Services DSDILGP b) Prior to commencement of sewer detailed sewer reticulation design plans, works or works within a common certified by an RPEQ, generally in accordance services trench with the QUU endorsed Precinct Network Plan submitted under part a) of this condition. Construct the works generally in accordance c) Prior to survey plan endorsement with the RPEQ certified plans submitted under part b) of this condition. d) Submit to EDQ, Technical Services DSDILGP d) Prior to survey plan endorsement 'as constructed' plans, asset register, pressure and CCTV results in accordance with QUU current adopted standards, of all sewer reticulation works constructed in accordance with this condition. 20. **Stormwater Management (Quality)** a) Submit to EDQ Technical Services, DSDILGP a) Prior to commencement of stormwater detailed engineering drawings, certified by an works RPEQ for the proposed stormwater treatment devices designed generally in accordance with PDA Guideline No. 13 Engineering standards -Stormwater quality and the following documents: Technical Memorandum – Local flood assessment to support Stage 1 development, prepared by DesignFlow. dated 10/10/2019; and ii. Updated Stormwater Management Plan, prepared by DesignFlow, dated 10/10/2019. b) Construct the works generally in accordance b) Prior to survey plan endorsement with the certified plans submitted under part a) of this condition. c) Provide evidence from an RPEQ that the works c) Prior to survey plan endorsement have been constructed generally in accordance with the certified plans submitted under part a) of this condition. 21. Compliance Assessment Stormwater Management (Quantity) Submit to EDQ Technical Services DSDILGP a) Prior to commencement of stormwater detailed design plans and hydraulic works calculations, certified by a RPEQ, for the proposed stormwater drainage system generally in accordance with PDA Guideline No. 13 Engineering standards – Stormwater

quantity and the following approved plans/documents:

- Technical Memorandum Addendum to Local flood assessment to support Stage 1 development, prepared by DesignFlow, dated 24/02/2020, including installation of the flood barrier along the eastern boundary of the site;
- Technical Memorandum Local flood assessment to support Stage 1 development, prepared by DesignFlow, dated 10/10/2019; and
- Updated Stormwater Management Plan, prepared by DesignFlow, dated 10/10/2019.

Where there is any conflict in the documents listed in items i. – iii., the document listed in item i. prevails to the extent of any inconsistency.

- Design documentation is required to include but not be limited to the following design information
 - Flood barrier along eastern boundary to prevent impacts to railway corridor for all events to 1% AEP. Severe storm impact assessment to be provided for events greater than 1% AEP.
 - ii. Open drainage swales for the full length of the swale to the location of downstream discharge.
 - iii. Sensitivity analysis on the requirement for a stormwater non-return flap valve.
 - iv. Stormwater pipe outlets or channel outfalls to waterways. Including outlet jetting assessment and assessment of channel/waterway scour and waterway geomorphic assessment. Necessary scour protection or rehabilitation works, unless risks at all storm events to 1% AEP proven to be acceptable.
- c) Construct the works in accordance with the certified plans submitted under part a) and b) of this condition.
- d) Submit to EDQ Technical Services, DSDILGP 'as constructed' plans including an asset register and test results, certified by a RPEQ, in a format acceptable to the Council, of all

b) Prior to commencement of stormwater works

- c) Prior to survey plan endorsement
- d) Prior to survey plan endorsement

	stormwater management (quantity) works constructed in accordance with this condition.	
22.	Stormwater and Flooding – Compliance Assessment (for part b) of this condition only)	
	a) Submit to EDQ Technical Services, DSDILGP the written agreement of DTMR accepting the worsening on the future bus corridor which is documented within the Carseldine Urban Village – Pedestrian Bridge Hydraulic and Flood Impact Assessment report, prepared by DesignFlow, dated 11/10/2019 and subsequent Addendum Carseldine Urban Village – Addendum to Carseldine Urban Village – Pedestrian Bridge Hydraulic and Flood Impact Assessment, prepared by DesignFlow, dated 19/12/2019.	a) Prior to survey plan endorsement.
	OR	
	 b) Submit to EDQ Technical Services, DSDILGP for compliance assessment an amendment to the approved stormwater and flooding management plans, prepared by DesignFlow, dated 10/10/2019 and 24/02/2020, certified by an RPEQ qualified and experienced in hydrology and hydraulics that includes the following: i. Proposes mitigation works that would ensure 'non worsening' upon the future busway corridor; ii. Further detailed regional flood modelling for the Cabbage Tree Creek catchment to determine the flood mitigation works that would be required to ameliorate any increase in flood level within the future busway corridor produced by the proposed bridge works for events up to and including the 1% AEP event; and iii. Provide RPEQ certified design documentation for the required works in order that they can be constructed in the event of the busway proceeding to construction. 	b) i)-iii) Prior to survey plan endorsement.
	c) Undertake the flood mitigation works generally in accordance with the compliance endorsed documentation, as required in part b) i)-iii) of this condition. AND	c) Prior to the construction of the busway.
	d) Submit to EDQ Technical Services, DSDILGP, as-constructed drawings and supporting documentation certified by an RPEQ demonstrating that the works have been constructed in accordance with part b) i)-iii) of this condition.	d) Within 20bd of completion of the works.

23. **Street Lighting** a) Design and install a street lighting system, Prior to survey plan endorsement certified by an RPEQ, to all roads, including footpaths/bikeways within road reserves. The design of the street lighting system is to: i) meet the relevant standards of the electricity supplier; ii) be acceptable to the electricity supplier as Rate 2 or Rate 3 Lighting; iii) be endorsed by Council as the Energex 'billable customer'; and iv) be generally in accordance with Australian Standard AS1158 - Lighting for Roads and Public Spaces". v) Be located such that the light poles and luminaires do not present an obstruction (in horizontal or vertical planes) and provide for clear vehicle manouvering for residential vehicles and refuse servicing vehicles. b) Submit to EDQ Technical Services detailed design of Street Lighting Plans for the laneways, including offsets required between streetlights and residential driveways to provide for unimpeded vehicle manoeuvring and light pole protection. 24. **Electricity** a) Submit to EDQ Technical Services DSDILGP Prior to survey plan endorsement written evidence from Energex confirming that existing underground low-voltage electricity supply or overhead where agreed to by the local council is available to the newly created lots or ii) written evidence from Energex confirming that the applicant has entered into an agreement with it to provide underground or overhead where agreed to by the local council electricity services. b) Provide detailed designs for electricity infrastructure, including the dimensions of offsets required between meter boxes and residential driveways to provide for unimpeded vehicle manoeuvring and meter box protection. 25. **Telecommunications** Submit to EDQ Technical Services, DSDILGP Prior to survey plan endorsement documentation authorised from an telecommunication service provider confirming that an agreement has been entered into for the provision of underground telecommunication services to the proposed development.

26. Broadband

Submit to EDQ Technical Services, DSDILGP a written agreement from an authorised telecommunications service provider that infrastructure within the development as defined **Telecommunications** under the Legislation Amendment (Fibre Deployment) Act 2011) can be provided in accordance with the Communications Alliance G645:2017 guideline, to accommodate services which are compliant with the Federal Government's National Broadband Network policy.

Prior to survey plan endorsement

27. Public Infrastructure – Damage, Repairs and Relocation

Repair any damage to existing public infrastructure that occurred during works carried out in association with the approved development. Should existing public infrastructure require relocation, due to the approved development, the developer is responsible for these costs together with compliance with relevant standards and statutory requirements.

Prior to survey plan endorsement

28. Innovative Design & Materials - Compliance Assessment

Submit to EDQ Technical Services, DSDILGP for compliance assessment proposals for designs, technology or material selection to address the Fitzgibbon PDA Development Scheme sustainability requirements. Innovative proposals not considered by the Development Scheme will be assessed on merit for enhancing the development outcomes.

Prior to survey plan endorsement

a) Supporting Technical Evidence

Should designs or specifications differ from published standards the sustainability/innovation proposal must be supported by robust technical evidence (such as field/laboratory testing and a performance-based specifications) with appropriate certification by a suitably qualified person.

b) Costing and Maintenance

Depending on the nature of the proposal, whole of life cost evaluation and consideration for a modified maintenance period may be required.

c) **Development Integration**

Proposals must integrate with the development such that the implementation does not compromise the ability to satisfy conditions of this approval and other relevant approvals or standards, unless agreed by EDQ or other relevant authority. Non-compliance with conditions/standards arising as a result of the proposal must be identified prior to implementation and specifically addressed such that the proposal holistically enhances the development outcome.

Note

Per the Fitzgibbon PDA Development Scheme the development should include sustainable features and smart design to reduce construction and operating costs.

Sustainability initiatives may relate to bushland protection and rehabilitation, water management, energy use, construction management, responsible material usage; including waste minimisation, reuse of materials, recycled materials and consideration of the life cycle environmental costs of materials.

Water management proposals must demonstrate that these constitute best practice Integrated Water Cycle Management and Water Sensitive Urban Design (WSUD).

29. Contributed Asset(s) - Non-Standard

Where Contributed Assets are to be delivered to a standard other than the relevant Council standard (in force as at the date of Compliance Assessment of the relevant Public Asset, or where Compliance Assessment is not required, the relevant standard in force at the time of this PDA decision notice), submit to the EDQ Development Assessment, DSDILGP evidence of an appropriate arrangement being entered into with Council or another third party for the ownership, repair, maintenance and replacement of that Contributed Asset.

Prior to survey plan endorsement

Landscape and Environment

30. Streetscape Works

- a) Submit to EDQ Technical Services, DSDILGP detailed streetscape works drawings, including a schedule of proposed standard and nonstandard assets to be transferred to Council, certified by an AILA, generally in accordance with the following approved plans and documents:
 - i. Carseldine Urban Village Stage 1
 Landscape Concept Plans, Revision J, prepared by Urbis, dated 09/10/2019;
 - Stage 1 Laneways General Layout, drawing reference ND1901-01 Revision B, prepared by Urbis, dated 06/02/2020; and
 - iii. Stage 1 Laneways Typical Section A, drawing reference ND1901-02

a) Prior to commencement of streetscape or road works

Revision B, prepared by Urbis, dated 06/02/2020.

The detailed streetscape works drawings are to include, where applicable:

- location and type of street lighting in accordance with Australian Standard AS1158 – 'Lighting for Roads and Public Spaces";
- 2. footpath treatments;
- 3. location and types of streetscape furniture;
- location and size of stormwater treatment devices; and
- 5. street trees, including species, size and location generally in accordance with the Council adopted planting schedules and guidelines.
- b) Construct the works generally in accordance with the streetscape plans submitted under part a) of this condition.
- Submit to EDQ Technical Services, DSDILGP 'as constructed' plans and asset register in a format acceptable to Council certified by an AILA.
- b) Prior to survey plan endorsement
- c) Prior to survey plan endorsement

31. Fauna Flora Management Plan – Compliance Assessment

a) Submit to EDQ Technical Services, DSDILGP for compliance assessment a Fauna Flora Management Plan (FFMP) prepared by a suitably qualified ecologist, generally in accordance with the requirements set out in the approved *Ecology and Bushfire Technical note*, prepared by 28°S Environmental, dated 02/08/2019; the environmental provisions of the Fitzgibbon PDA development scheme; and the Fitzgibbon Bushland Management Plan.

The FFMP is to set out:

- the location, type and area of Significant Vegetation to be impacted by development;
- ii) the location of habitat trees to be impacted by development;
- iii) the location of proposed rehabilitation areas to be utilised to provide necessary offset obligations as defined by the FBMP;
- iv) the species to be planted for the rehabilitation works, including species, size and location generally in accordance with the relevant pre-clearing Regional Ecosystem;
- v) the timing for undertaking the rehabilitation works; and

a) Prior to survey plan endorsement

		vi) a maintenance period for the rehabilitation works.	
	b)	Carry out the vegetation clearing and rehabilitation works specified in the FFMP endorsed under part a) of this condition.	b) As specified in the approved FFMP
	c)	Submit to EDQ Technical Services, DSDILGP, written evidence prepared by a suitably qualified person, stating that the rehabilitation works have been carried out generally in accordance with the FFMP approved under part a) of this condition.	c) Within one month of completion of the rehabilitation works
32.	Aci	d Sulfate Soils	
	a)	Submit to EDQ Technical Services, DSDILGP an Acid Sulfate Soils Management Plan (ASSMP). The ASSMP is to be prepared certified by a suitably qualified professional in soils and/or erosion sediment control.	a) Prior to commencement of site works
	b)	Excavate, remove and/or treat on-site all acid sulfate soils generally in accordance with the certified ASSMP submitted under part a) of this condition.	b) Prior to survey plan endorsement
	c)	Provide verification testing results to confirm the adequacy of treatment if undertaken under part b) of this condition.	c) Prior to survey plan endorsement
33.	Ero	sion and Sediment Management	
	a)	Submit to EDQ Technical Services, DSDILGP an Erosion and Sediment Control Plan (ESCP) certified by an RPEQ or an accredited professional in erosion and sediment control (CPESC) generally in accordance with the following guidelines: i. Urban Stormwater Quality Planning Guidelines, dated 2010, prepared by the former Department of Environment and Heritage Protection; and ii. Best Practice Erosion and Sediment Control, dated November 2008, prepared by the International Erosion Control Association Australasia (as amended from time to time).	a) Prior to commencement of site works
	b)	Implement the certified ESCP as submitted under part a) of this condition. Maintain a register of inspections and testing results which must be available for review by EDQ or another relevant authority at any time during construction.	b) At all times during construction

34.	Refuse Collection	
	Submit to EDQ Technical Services, DSDILGP refuse collection approval from Council or a private waste contractor.	Prior to survey plan endorsement
35.	Compliance Assessment- Acoustic Barrier	
	a) Submit to EDQ Development Assessment, DSDILGP for compliance assessment detailed engineering plans, certified by an RPEQ, for the proposed acoustic barrier located along the railway corridor along the eastern site boundary, generally in accordance with the approved Acoustic Assessment Report, prepared by TTM, dated 31/03/2020.	a) Prior to commencement of works for the acoustic barrier
	The acoustic barrier is to be located in future road reserve and is to be dedicated as road in conjunction with a future stage of Carseldine Village.	
	 b) Construct the acoustic barrier generally in accordance with the plans approved under part a) of this condition 	b) Prior to survey plan endorsement
	c) Submit to EDQ Development Assessment, DSDILGP 'as-constructed' plans and asset register certified by an RPEQ for the acoustic barrier.	c) Prior to survey plan endorsement
Surv	eying, land transfers and easements	
36.	Easements Over Infrastructure	
	Public utility easements are to be provided, in favour of and at no cost to the grantee, over infrastructure located in land that becomes contributed assets.	Prior to survey plan endorsement
	The terms of the easements are to be to the satisfaction of the Chief Executive Officer of the authority which ultimately is to takeover and maintain the contributed assets.	
37.	Easements Over Drainage Infrastructure and Overland Flow Paths	
	Easements in favour of Council must be provided at no cost to the grantee, over drainage infrastructure and overland flow paths which receive stormwater flow from external catchments or receive discharge from internal stormwater pipe networks or road drainage which are to become contributed assets.	Prior to survey plan endorsement
	These easements are for access and elective maintenance and do not encumber the Council with asset ownership/maintenance unless this is agreed by Council and necessary agreements are entered into per Condition 41.	

		
	The terms of the easements are to be to the satisfaction of the Chief Executive Officer of the Council.	
38.	Small Lot Development Easements for Lots ≤300m²	
	For standard format lot sub-divisions where: i. a lot is 300m² or less; and ii. the lot adjoins another lot 300m² or less; and iii. the proposed construction of adjacent proposed walls will be a circumstance mentioned in section 94(2)(a) of the Land Title Act 1994 (LTA) to permit the application and registration of high density development easements—	
	 a) Provide high-density development easements under Part 6 Division 4AA of the LTA in registrable form in respect of each affected lot to allow reciprocal rights for one or more of the following purposes (but only where those relevant circumstances will exist): i. support; ii. shelter; iii. projections; iv. maintenance; or v. roof water drainage*. 	a) Prior to survey plan endorsement
	OR	
	b) Provide reciprocal easements created under Part 6 Division 4 LTA in registrable form for one or more of the above purposes (but only where those relevant circumstances will exist).	b) Prior to survey plan endorsement
	*High-density development easements created under Part 6 Division 4AA of the <i>Land Title Act 1994</i> are not required to be identified on a plan of survey.	
Infra	structure Charges	
39.	Infrastructure Contributions	
	Unless a relevant infrastructure agreement provides to the contrary pay to the MEDQ the applicable infrastructure charges under the IFF calculated as follows: • Where a plan of subdivision or building format plan is submitted for endorsement or the use has commenced on or before 6 years from the original decision date – in accordance with the IFF in force at the time of the original decision date: • Or where a plan of subdivision of building format plan is submitted for endorsement or the use has commenced more than 6 years from the original decision date – in	In accordance with the IFF

- accordance with the IFF in force at the time of the payment.
- Pay to MEDQ infrastructure charges in accordance with the Infrastructure Funding Framework (IFF) indexed to the date of payment.

Where the application is a material change of use, certified construction plans detailing the gross floor area must also be provided to the MEDQ prior to the commencement of use for calculation of final charges.

MATERIAL CHANGE OF USE

General

40. Carry out the Approved Development – PoD

Carry out the approved development generally in accordance with the approved plans and documents, including specifically the approved Stage 1 – Plan of Development, drawing reference 128180 – 47M, prepared by RPS, dated 20/12/2021

Prior to commencement of use and to be maintained

41. Certification of Operational Works

All operational works undertaken in accordance with this approval are to comply with all requirements of and fulfil all responsibilities outlined in the *Certification Procedures Manual.*

As required by the *Certification Procedures Manual*

42. Maintain the Approved Development

Maintain the approved development (including landscaping, stormwater assets, parking, driveways and other external spaces) generally in accordance with the approved plans and documents, and any other approval or endorsement required by these conditions.

At all times

43. Compliance Assessment - Corner Lots Activated Frontage Type 2 Design

- a) Submit to EDQ Development Assessment, DSDILGP for compliance assessment house plans, prepared by a suitably qualified person, providing an engaging façade to the Village Main Street, generally in accordance with the approved Stage 1 – Plan of Development, drawing reference 128180 – 47M, prepared by RPS, dated 20/12/2021, for the following lots:
- a) Prior to commencement of building work for the relevant terrace house

- Lot 1007;
- Lot 1029; and
- Lot 1038.
- b) Construct the terrace house generally in accordance with the plans submitted under part a) of this condition.
- b) Prior to commencement of use of the relevant terrace house

44.	Compliance assessment - Laneway Lots Passive Surveillance Design	
	 a) Submit to EDQ Development Assessment, DSDILGP for compliance assessment house plans, prepared by a suitably qualified person, generally in accordance with the approved Stage 1 – Plan of Development, drawing reference 128180 – 47M, prepared by RPS, dated 20/12/2021; and providing opportunity for passive surveillance of the laneway through provision of a flexible carport / private open space, for the following lots: Lot 1026; Lot 1031; Lot 1043; Lot 1048; and Lot 1051. 	a) Prior to commencement of building work for the relevant terrace house
	 b) Construct the terrace house generally in accordance with the drawings submitted under part a) of this condition. 	b) Prior to commencement of use of the relevant terrace house
45.	Vehicle Access – Residential Lots	
	Provide certification that the design driveway location for each lot is in accordance with the provisions of the Plan of Development, as amended where required by the driveway offsets required to avoid impacts upon services, in accordance with the following detailed design plans:	Prior to commencement of building work for the relevant terrace house
	Condition 24 Street Lighting Part b) Condition 25 Electricity Part b)	
Eng	ineering	
46.	Water Connection Connect the development to the existing water reticulation network in accordance with QUU current adopted standards	Prior to commencement of use
47.	adopted standards. Sewer Connection	
	Connect the development to the existing sewer reticulation network in accordance with QUU current adopted standards.	Prior to commencement of use
48.	Stormwater Connection	
	Connect the development to a lawful point of discharge with 'no-worsening' to upstream or downstream properties for storm events up to 1% Annual Exceedance Probability (AEP) in accordance with Council current adopted standards.	Prior to commencement of use

49. **Electricity** Connect the development to the existing electrical Prior to commencement of use reticulation network in accordance with Energex current adopted standards. 50. **Telecommunications** Connect the development to the existing Prior to commencement of use telecommunications network in accordance with the current adopted standards of an authorised telecommunication service provider. **Environment Acoustic Treatments** 51. a) Design facade acoustic treatments for the a) Prior to obtaining building work development in accordance with the approval for each affected residential recommendations set out in Section 9 of the dwelling approved Acoustic Assessment Report, reference 17BRA0109 R02 0 - Stage 1. prepared by TTM, dated 30/03/2020, to ensure the external envelope of habitable rooms comply with the requirements of the Queensland Development Code (QDC) MP4.4, for the following affected lots: Lots 1002 - 1029 Lots 1047 - 1054 b) Prior to commencement of building b) Submit written evidence to EDQ Development work for each affected residential Assessment, DSDILGP certification from a suitably qualified acoustic engineer confirming dwelling each affected residential dwelling has been designed in accordance with the requirements of the QDC MP4.4. **52.** Sustainability Submit to EDQ Development Assessment, Prior to commencement of use DSDILGP evidence that the overall development strategy and individual developments (residential buildings for use as houses and home-based businesses) meet the Fitzgibbon PDA Development requirements for Scheme Sustainability. Development Scheme enforceable criteria is listed below in Part a). a) Sustainability Criteria Building Sustainability i) New Rating Individual development/ building requirements -New buildings within the UDA (PDA) will be required to demonstrate best practice sustainability, [defined as the] development achieving a 5 Star design rating under the applicable Green Building Council of Australia

Green Star rating tool, or another recognised equivalent.

- ii) Non-Potable Water Demand & Reuse
 - The overall target is to achieve a 50% reduction in non-potable water demand across the Urban Village.
 - Development provides a lot/development based water plan which addresses nonpotable water demand and reuse and stormwater quality management.
- b) Development Strategy

Submit overall development strategy documents which establish the criteria and acceptable solutions for individual developments.

c) Development Delivery - Design

Submit evidence that the development design satisfies the sustainability criteria in Part a) in accordance with Part b)

d) Development Delivery - As-Built

Submit as-constructed information to verify that the development was constructed in accordance with Part c).

Infrastructure Charges

53. Infrastructure Contributions

Unless a relevant infrastructure agreement provides to the contrary, pay to the MEDQ the applicable infrastructure charges under the IFF calculated as follows:

- Where a plan of subdivision or building format plan is submitted for endorsement or the use has commenced on or before 6 years from the original decision date- in accordance with the IFF in force at the time of the original decision date; or
- Where a plan of subdivision or building format plan is submitted for endorsement or the use has commenced more than 6 years from the original decision date – in accordance with the IFF in force at the time of payment.

At all times

Advice Notes

Standard advice

1. Other Approvals

Please note that in order to lawfully undertake development, it may be necessary to obtain approvals other than this PDA development approval. For advice on other approvals that may be necessary in relation to your proposal, it is recommended that you seek professional advice.

Reconfiguring a Lot

2. Scope of Approved Development – Reconfiguring a Lot

- a) The following conditions permit the carrying out of Operational work for Clearing vegetation (*Significant vegetation*) as exempt development, in accordance with Schedule 1 of the Fitzgibbon PDA Development Scheme:
 - i. Condition 29. Fauna Flora Management Plan.
- b) The following conditions permit the carrying out of Operational work for bulk earthworks, services installation and landscape works, in accordance with Column 1 Exempt development of the Precinct 1 Level of assessment table in the Fitzgibbon PDA Development Scheme:
 - i. Condition 6. Construction Management Plan;
 - ii. Condition 7. Traffic Management Plan;
 - iii. Condition 8. Construction Hours;
 - iv. Condition 9 Out of Hours Compliance Assessment;
 - v. Condition 10. Retaining Walls;
 - vi. Condition 11. Filling and Excavation;
 - vii. Condition 12. Roads Internal;
 - viii. Condition 13 Cycle Path Crossings
 - ix. Condition 14. Roads External;
 - x. Condition 15. Redundant driveway crossover Beams Road;
 - xi. Condition 16. Vehicle Access Temporary Driveway;
 - xii. Condition 17 Common Services Trench
 - xiii. Condition 18. Water Internal;
 - xiv. Condition 19. Sewer Internal;
 - xv. Condition 20. Stormwater Management (Quality);
 - xvi. Condition 21. Stormwater Management (Quantity);
 - xvii. Condition 22. Stormwater and Flooding Compliance Assessment;
 - xviii. Condition 23. Street Lighting:
 - xix. Condition 24. Electricity;
 - xx. Condition 25. Telecommunications;
 - xxi. Condition 26. Broadband;
 - xxii. Condition 27. Public Infrastructure Damage, Repairs and Relocation;
 - xxiii. Condition 30. Streetscape Works;
 - xxiv. Condition 31. Fauna Flora Management Plan Compliance Assessment;
 - xxv. Condition 32. Acid Sulfate Soils;
 - xxvi. Condition 33. Erosion and Sediment Management; and
 - xxvii. Condition 35. Acoustic Barrier Compliance Assessment.

Advice Notes

Material Change of Use

3. Scope of Approved Development – PoD

This PDA development approval is limited to the identified uses as set out in the approved Stage 1 – Plan of Development, drawing reference 128180 – 47M, prepared by RPS, dated 20/12/2021 (as amended in red), as follows:

- House (on all residential terrace Lots 1002-1054);
- Home based business (optional on all residential terrace Lots 1002-1054); and
- Optional uses where ancillary to a House on residential terrace Lots 1002-1007 and 1029-1038: Office, Food premises and Shop.

4. Scope of Approved Development – Operational Work

The following conditions permit the carrying out of Operational work for landscape and driveway works, in accordance with Column 1 Exempt Development of the Precinct 1 Level of Assessment Table in the Fitzgibbon PDA Development Scheme:

- i. Condition 40 Carry out the Approved Development PoD; and
- ii. Condition 45. Vehicle Access Residential Lots.
- iii. Condition 46 Water Connection
- iv. Condition 47 Sewer Connection
- v. Condition 48 Stormwater connection
- vi. Condition 49 Electricity; and
- vii. Condition 50 Telecommunications

STANDARD ADVICE

Please note that in order to lawfully undertake development, it may be necessary to obtain approvals other than this PDA development approval. For advice on other approvals that may be necessary in relation to your proposal, it is recommended that you seek professional advice.

** End of Package **