

Vegetation Management Plan

Undullah
Tranche 1A

PIONEER FORTUNE PTY LTD

*Economic Development
Queensland (EDQ)*

CONTENTS

8045 E 02 P1 VMP C -- Vegetation Clearing Notes
8045 E 03 P1 VMP C -- Detail Sheet Context
8045 E 04 - 18 P1 VMP C -- Detail Sheets
8045 E 18 P1 VMP C -- Clearing Direction
Appendix A -- Tree Schedule

**PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL**

Approval no: DEV2021/1168

Date: 17 May 2022



SHG Contact

Dr Andrew Ridley

Email: andrewridley@saundershavill.com

Vegetation Management Plan - Notes

INTRODUCTION

The Environmental Management Division of the **Saunders Havill Group (SHG)** was engaged by **Pioneer Fortune Pty Ltd** to prepare a Vegetation Management Plan (VMP) for Precinct 1(a) interface zone between development and Open-space areas.

This VMP is a requirement of the EDQ endorsed Natural Environment Site Strategy for the Undullah project. The purpose of this VMP is to manage the vegetation removal process and the protection of fauna species within the clearing area. The plan is required to be approved prior to clearing works commencing. The clearing works will follow general principles for vegetation clearing documented on this sheet and the *Fauna Management Plan* document, and all EDQ specific requirements.

This VMP has been produced by overlaying the following site datasets to determine impacts and disturbance on existing vegetation in the interface zone between development and Open-space areas:

- 1. GPS accurate tree data including specimen details & features and site inspection of existing vegetation (SHG, 2020)
- 2. Site Layout Plans (URBIS, 2020)

PROJECT MANAGEMENT

Vegetation management and its processes are an integral part of the construction and operational works phases. The site supervisor is responsible for all onsite works including overseeing vegetation clearing, health and safety of fauna and adhering to both EDQ's conditions and guidelines and Australian Standards - Protection of Trees on Development Sites AS4970-2009 and Pruning of Amenity Trees AS4373-1996.

The site arborist's responsibilities include: prior to the commencement of any earthworks on the site, undertake all appropriate arboricultural measures to ensure the survival and long-term health of existing trees to be retained. These measures may include soil decompaction, soil aeration, fertilising, mulching, watering, root or crown reduction and hazard reduction or as otherwise determined by the arborist. The site arborist is also required to direct and supervise all works within TPZs of trees to be retained, and perform arboricultural care requirements where necessary.

SITE CONTACTS

Site and consulting contacts for queries relating to vegetation clearing include:

Client Contact: Environmental Contact:
Pioneer Fortune Pty Ltd Saunders Havill Group
To be advised Dr Andrew Ridley
Ph (07) 3251 9466

Site Contractor: Site Arborist:
To be advised To be advised

Site Fauna spotter-catcher: Site Bushfire Consultant:
To be advised To be advised
(Refer to *Fauna Management Plan* document for responsibilities)

CLEARING PHASES AND PROCESS

PHASE 1 - Tree Protection Fencing to be installed
Fencing to be installed prior to the commencement of any clearing works on the site. Tree protection fencing to be located at or beyond 12 x diameter at breast height (DBH) (AS4970-2009 Protection of trees on development sites)—unless approved by the appointed arborist.

PHASE 2 - Pre-start Meeting
Fencing shall be in place prior to the official pre-start meeting for inspection and sign off by the Environmental Coordinator.

PHASE 3 - Fauna Inspections and Management
Undertake necessary fauna management requirements prior to clearing works - as a minimum, this should include the specifications listed in the *Fauna Management Plan* document, and acknowledge specific EDQ approval requirements.

PHASE 4 - Undertake Bulk Clearing
Undertake wholesale removal of vegetation once approved for removal by a qualified fauna spotter. Clearing will occur in the direction outlined in *sheet 11* of this VMP, and managed by the appointed fauna spotter to allow all fauna unimpeded movement north and west towards adjoining remaining bushland. Sequential clearing will

occur on the site adhering to the limitations of clearing no more than 3 ha per day set out in Section 2, Part 3 of the Nature Conservation (Koala) Conservation Plan 2017.

Vegetation clearing techniques:

- i. By utilising the most appropriate machinery and equipment during vegetation clearing, the probability of injury or death of wildlife during clearing can be significantly reduced or eliminated while still maintaining an efficient vegetation removal process.
- ii. Bulldozers will be used to clear vegetation that has been thoroughly inspected by a fauna spotter-catcher and is found to contain no fauna or potential habitat. Bulldozers are not to be used to push over large trees that contain hollows or other habitat features. When a tree is suspected of containing fauna or potential habitat, other methods of clearing should be used such as (a) a vertical tree grab attachment on an excavator (30 tonne) can be used to pull entire trees in size up to 30-40cm diameter at a height measured at 1.3 metres above ground level and lay them down in a steady controlled fashion, allowing inspection by a fauna spotter-catcher (b) where large trees are too large for a vertical tree grab and have been identified, an elevated work platform or where practical, cherry picker should be used in conjunction with a chainsaw operator and fauna spotter-catcher. Alternatively, careful removal of hollow section from habitat tree and gentle lowering for inspection by fauna spotter-catcher.

NOTE: Dogs are not permitted onsite at all times during construction. Construction works including clearing must occur between the hours of 6.30am and 6.30pm.

ACCESS AND STOCKPILING


A tree and mulch stockpiling location is to be designated in an easily accessible area outside of TPZs. Indicative stockpiling locations have been allocated near existing access tracks, allowing for material to be easily delivered and stored. These locations are subject to minor change according to cut/fill activities.

Clear vegetation free of weeds is to be reused on or off the project site. Recycling techniques include mulching, tub-grinding, wood chipping and salvage (e.g. custom milling). Trees with identified hollows should have the hollow section preserved and should be suitably mounted on nearby or adjacent suitable trees.


MAINTENANCE

After tree clearing works on site, an analysis of the vegetation's health and growth should be undertaken by the project arborist to determine specific maintenance needs. Follow up maintenance works should be carried out on retained vegetation where required.

Tree Protection Zone - Detail (not to scale)



Tree Protection Fencing - Detail (not to scale)



PIONEER FORTUNE
PTY LTD

DISCLAIMER
THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY OTHER PARTY.
CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN METRES. ANY DIMENSIONS SHOULD BE CLARIFIED BY WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.
PRIOR TO ANY CONSTRUCTION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONSULTED FOR ANY RELEVANT UNLAWFUL WORKS AND DETAILED DISCUSSION OF ALL SERVICES.


REFERENCES
AS4970-2009 Protection of trees on development sites
Vegetation clearing techniques (Logan City Council, 2019)

AMENDMENTS:			
Issue	Date	Description	Checked
A	9/12/2020	Preliminary	AR
B	11/12/2020	Client Update	AR
C	4/05/2022	Lodgement	AR

PROJECT:
Undullah Project,
Tranche 1A

environmental management

PLAN OF: Vegetation Management Plan			
DATE:	4/05/2022	CHECKED:	AR
CLIENT REF:	8045	DRAWN:	TC
DRAWING No.:	8045 E 02 P1 VMP C		



Legend

Project site

Tranche 1A boundary

Project context plan

Vegetation Management interface zone

Interface zone outside development area

Interface zone inside development area

CLIENT:

**PIONEER FORTUNE
PTY LTD**

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM: ALL DIMENSIONS ON THIS PRELIMINARY CONSTRUCTION AND/OR NOT SCALE FROM THESE DRAWINGS. ALL DIMENSIONS ARE FINAL AND MUST BE VERIFIED BY THE CLIENT BEFORE COMMENCEMENT OF WORK. SAUNDERS HAVILL GROUP PREPARED FOR THE CONSTRUCTION OF THE PROJECT. THE CLIENT'S AUTHORITY SHOULD BE OBTAINED BEFORE ANY DIMENSIONS ARE CHANGED OR ANY OTHER DIMENSIONS ARE USED.

REFERENCES:

Layout drawing (URBIS, 2020)

AMENDMENTS:

Issue	Date	Description	Checked
A	9/12/2020	Pre-liminary	AR
B	11/12/2020	Client Update	AR
C	4/05/2022	Lodgement	AR

PROJECT:


Undullah Project,
Tranche 1A

environmental management

PLAN OF: Vegetation Management Plan

DATE:	4/05/2022	CHECKED:	AR
CLIENT REF:	8045	DRAWN:	TC
DRAWING No.:	8045 E 03 P1 VMP C		

Vegetation Clearing & Fauna Management Plan - Detail sheet context



Legend

Project site

Tranche 1A boundary

Tree protection fencing

Project context plan

Surface contours (existing)

Vegetation Management Interface zone

Interface zone outside development area

Interface zone inside development area

GPS tree plot (w/TPZ)

Tree to remove in Tranche 1A Vegetation Clearing application

Tree retention subject to future applications/ detail civil design

Vegetation Management Plan - Detail sheet 04

PIONEER FORTUNE PTY LTD

CLIENT:

DISCLAIMER:

REFERENCES:

AMENDMENTS:

PROJECT:

environmental management

DATE: 4/05/2022

CHECKED: AR

CLIENT REF: 8045

DRAWN: TC

DRAWING No.: 8045 E 04 P1 WMP C

Undullah Project, Tranche 1A

1:600 @ A3

PIONEER FORTUNE PTY LTD


DISCLAIMER:
THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.
CONFORM: ALL CONSTRUCTION AND SITE PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.
PIONEER FORTUNE PTY LTD, THE CLIENT'S AUTHORITY, SHALL BE THE SOLE RESPONSIBILITY FOR THE ACCURACY OF ALL INFORMATION PROVIDED TO SAUNDERS HAVILL GROUP AND FOR THE ACCURACY OF ALL INFORMATION PROVIDED TO SAUNDERS HAVILL GROUP.

REFERENCES:			
Layout drawing (Mortons Urban Solutions)			

AMENDMENTS:			
Issue	Date	Description	Checked
A	9/12/2020	Pre-Initial	AR
B	11/12/2020	Client Update	AR
C	4/05/2022	Lodgement	AR

PROJECT:
Undullah Project, Tranche 1A

environmental management			
PLAN OF: Vegetation Management Plan			
DATE:	4/05/2022	CHECKED:	AR
CLIENT REF:	8045	DRAWN:	TC
DRAWING No.:	8045 E 04 P1 WMP C		



Legend

Project site

Project context plan

Tranche 1A boundary

Surface contours (existing)

Tree protection fencing

Vegetation Management interface zone

Interface zone outside development area

Interface zone inside development area

GPS tree plot (w/TPZ)

Tree to remove in Tranche 1A Vegetation Clearing application

Tree retention subject to future applications/ detail civil design

Vegetation Management Plan - Detail sheet 05

saunders havill group

PIONEER FORTUNE PTY LTD

CLIENT:

PIONEER FORTUNE PTY LTD

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE ON THESE PLANS OR ANY INFORMATION CONTAINED THEREIN.

CONFIRM: ALL DIMENSIONS ON THIS PROJECT ORIGINALLY DRAWN AND NOT SCALE FROM THESE DRAWINGS. ALL DIMENSIONS ARE FINAL. ANY DIMENSIONS NOT SHOWN ON THESE DRAWINGS SHALL BE CLARIFIED BY THE CLIENT. SAUNDERS HAVILL GROUP PROVIDES THE INFORMATION ON THESE PLANS AS A SERVICE.

NOTE: ANY DIMENSIONS, LOCATION OR COORDINATES ON THIS PLAN SHALL BE THE RESPONSIBILITY OF THE CLIENT. SAUNDERS HAVILL GROUP PROVIDES THE INFORMATION ON THESE PLANS AS A SERVICE.

REFERENCES:

Layout drawing (Mortons Urban Solutions)

AMENDMENTS:

Issue	Date	Description	Checked
A	9/12/2020	Preliminary	AR
B	11/12/2020	Client Update	AR
C	4/05/2022	Loggement	AR

PROJECT:

Undullah Project, Tranche 1A

environmental management

PLAN OF:

Vegetation Management Plan

DATE: 4/05/2022

CHECKED: AR


CLIENT REF: 8045

DRAWN: TC

DRAWING No.: 8045 E 05 P1 WMP C

0 10 20 40 m

1:600 @ A3



Legend



Project context plan

Surface contours (existing)

Vegetation Management interface zone

Interface zone outside development area

Interface zone inside development area

GPS tree plot (w/TPZ)

Tree to remove in
Tranche 1A Vegetation
Clearing application

Tree retention subject to future
applications/ detail civil design

Vegetation Management Plan - Detail sheet 06



**PIONEER FORTUNE
PTY LTD**

DISCLAIMER

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY INDIVIDUALS OR ORGANISATIONS OTHER THAN THE CLIENT. THE CLIENT AGREES TO HOLD SAUNDERS HAVILL GROUP HARMLESS FROM AND AGAINST ALL CLAIMS, DAMAGES, LOSSES AND EXPENSES, INCLUDING REASONABLE ATTORNEY'S FEES, THAT MAY BE ASSERTED AGAINST OR INCURRED BY SAUNDERS HAVILL GROUP OR ITS EMPLOYEES, AGENTS OR SUBCONTRACTORS IN CONNECTION WITH THE PREPARATION OF THESE PLANS. THE CLIENT AGREES TO HOLD SAUNDERS HAVILL GROUP HARMLESS FROM AND AGAINST ALL CLAIMS, DAMAGES, LOSSES AND EXPENSES, INCLUDING REASONABLE ATTORNEY'S FEES, THAT MAY BE ASSERTED AGAINST OR INCURRED BY SAUNDERS HAVILL GROUP OR ITS EMPLOYEES, AGENTS OR SUBCONTRACTORS IN CONNECTION WITH THE PREPARATION OF THESE PLANS.

REFERENCES

Layout drawing (Mortons Urban Solutions)



AMENDMENTS:

Issue	Date	Description	Checked
A	9/12/2020	Pre-Initial	AR
B	11/12/2020	Client Update	AR
C	4/05/2022	Lodgement	AR

PROJECT


Undullah Project,
Tranche 1A

environmental management

PLAN OF:
Vegetation
Management Plan

DATE:	4/05/2022	CHECKED:	AR
CLIENT REF:	8045	DRAWN:	TC
DRAWING No.:	8045 E 06 PT WMP C		

0 10 20 40 m 1:600 @ A3




Legend

Project site
 Project context plan
 Vegetation Management interface zone
 GPS tree plot (w/TPZ)
 Tree retention subject to future applications/ detail civil design

Tranche 1A boundary
 Surface contours (existing)
 Interface zone outside development area
 Tree to remove in Tranche 1A Vegetation Clearing application
 Interface zone inside development area

Tree protection fencing

Vegetation Management Plan - Detail sheet 07



Legend

- Project site
- Project context plan
- Tranche 1A boundary
- Surface contours (existing)
- Tree protection fencing
- Vegetation Management interface zone
 - Interface zone outside development area
 - Interface zone inside development area
- GPS tree plot (w/TPZ)
 - Tree to remove in Tranche 1A Vegetation Clearing application
 - Tree retention subject to future applications/ detail civil design

CLIENT:

PIONEER FORTUNE PTY LTD

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE PLANS BY ANY THIRD PARTY.

CONFORM ALL DIMENSIONS AND LOCATIONS TO THE PROJECT'S CONSTRUCTION AND DO NOT SCALE FROM THESE DRAWINGS. ALL DIMENSIONS AND LOCATIONS MUST BE VERIFIED BY THE CLIENT'S SURVEYOR. ANY DISCREPANCIES MUST BE REPORTED TO THE CLIENT'S SURVEYOR IMMEDIATELY.

PROVIDE TO ANY DEMONSTRATION, LOCATION OR CONSTRUCTION SITE. THE CLIENT'S AUTHORITY SHOULD BE CONTACTED FOR FURTHER INFORMATION AND ANY OTHER REQUIREMENTS.

REFERENCES:

Layout drawing (Mortons Urban Solutions)

AMENDMENTS:

Issue	Date	Description	Checked
A	9/12/2020	Pre-Initial	AR
B	11/12/2020	Client Update	AR
C	4/05/2022	Lodgement	AR

PROJECT:

Undullah Project, Tranche 1A


Vegetation Management Plan - Detail sheet 08

environmental management

PLAN OF:

Vegetation Management Plan

DATE:	4/05/2022	CHECKED:	AR
CLIENT REF:	8045	DRAWN:	TC
DRAWING No.:	8045 E 08 P1 VMP C		



Legend



Project context plan

Surface contours (existing)

Vegetation Management interface zone

Interface zone outside development area

Interface zone inside development area

GPS tree plot (w/TPZ)

Tree to remove in
Tranche 1A Vegetation
Clearing application



Tree retention subject to future
applications/ detail civil design

SH saunders
havill
group

CLIENT:

**PIONEER FORTUNE
PTY LTD**

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT
ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY
THIRD PARTY.
CONFORM: ALL DIMENSIONS AND LOCATIONS OF PROPOSED CONSTRUCTION ARE NOT TO SCALE FROM THESE DRAWINGS. ALL
CONSTRUCTION AREAS SHALL BE MARKED AND ANY WORK DONE THEREIN SHALL BE CLARIFIED BY WRITTEN INSTRUCTIONS.
SAUNDERS HAVILL GROUP PREPARED FOR THE CONSTRUCTION OF WORK.
PRIOR TO ANY CONSTRUCTION, LOCATION OF CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE
CONTACTED FOR ANY REQUIREMENTS UNDER APPLICABLE LEGISLATION, AND ADEQUATELY COVERED BY ALL SERVICES.

REFERENCES:

Layout drawing (Mortons Urban Solutions)



0 10 20 40 m

AMENDMENTS:

Issue	Date	Description	Checked
A	9/12/2020	Pre-Initial	AR
B	11/12/2020	Client Update	AR
C	4/05/2022	Lodgement	AR

PROJECT:


Undullah Project,
Tranche 1A

environmental management

PLAN OF:

Vegetation
Management Plan

DATE:	4/05/2022	CHECKED:	AR
CLIENT REF:	8045	DRAWN:	TC
DRAWING No.:	8045 E 09 PT WMP C		




Legend

Project site
 Project context plan
 Vegetation Management interface zone
 GPS tree plot (w/TPZ)
 Tree retention subject to future applications/ detail civil design

Tranche 1A boundary
 Surface contours (existing)
 Interface zone outside development area
 Tree to remove in Tranche 1A Vegetation Clearing application
 Interface zone inside development area


Tree protection fencing

Vegetation Management Plan - Detail sheet 10



Legend
 Project site
 Tranche 1A boundary
 Tree protection fencing
 Project context plan
 Surface contours (existing)
 Interface zone outside development area
 Interface zone inside development area
 GPS tree plot (w/TPZ)
 Tree to remove in Tranche 1A Vegetation Clearing application
 Tree retention subject to future applications/ detail civil design

Vegetation Management Plan - Detail sheet 11



Legend

- Project site
- Project context plan
- Tranche 1A boundary
- Surface contours (existing)
- Tree protection fencing
- Vegetation Management interface zone
 - Interface zone outside development area
 - Interface zone inside development area
- GPS tree plot (w/TPZ)
 - Tree to remove in Tranche 1A Vegetation Clearing application
 - Tree retention subject to future applications/ detail civil design

Vegetation Management Plan - Detail sheet 12

PIONEER FORTUNE PTY LTD

DISCLAIMER

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFORM: ALL DIMENSIONS AND LOCATIONS PREPARED FOR CONSTRUCTION AND DO NOT SCALE FROM THESE DRAWINGS. ALL DIMENSIONS AND LOCATIONS PREPARED FOR CONSTRUCTION SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION WORK, THE RELEVANT AUTHORITY SHOULD BE CONSULTED TO OBTAIN ANY NECESSARY PERMITS, AND ADEQUATE PROTECTION OF ALL SERVICES.

REFERENCES

Layout drawing (Mortons Urban Solutions)

AMENDMENTS:

Issue	Date	Description	Checked
A	9/12/2020	Pre-Initial	AR
B	11/12/2020	Client Update	AR
C	4/05/2022	Lodgement	AR

PROJECT:

Undullah Project, Tranche 1A


environmental management

PLAN OF: Vegetation Management Plan

DATE: 4/05/2022	CHECKED: AR
CLIENT REF: 8045	DRAWN: TC
DRAWING No.: 8045 E 12 P1 WMP C	

0102040m

1:600 @ A3



Legend

Project site

Tranche 1A boundary

Tree protection fencing

Project context plan

Surface contours (existing)

Vegetation Management interface zone

Interface zone outside development area

Interface zone inside development area

GPS tree plot (w/TPZ)

Tree to remove in Tranche 1A Vegetation Clearing application

Tree retention subject to future applications/ detail civil design

Vegetation Management Plan - Detail sheet 13

saunders havill group

PIONEER FORTUNE PTY LTD

CLIENT:

DISCLAIMER:

REFERENCES:

AMENDMENTS:

PROJECT:

environmental management

Undullah Project, Tranche 1A

Vegetation Management Plan

DATE: 4/05/2022

CHECKED: AR

CLIENT REF: 8045

DRAWN: TC

DRAWING No.: 8045 E 13 P1 WMP C

PIONEER FORTUNE PTY LTD


DISCLAIMER:
These plans have been prepared for the exclusive use of the client and are not to be used for any other purpose without the written consent of the client. The client is responsible for the accuracy of the information provided to the consultant. The consultant is not responsible for the accuracy of the information provided to the client. The consultant is not responsible for the accuracy of the information provided to the client.

REFERENCES:
Layout drawing (Mortons Urban Solutions)

Issue	Date	Description	Checked
A	9/12/2020	Pre-Initial	AR
B	11/12/2020	Client Update	AR
C	4/05/2022	Lodgement	AR

PROJECT:
Undullah Project, Tranche 1A

environmental management	
PLAN OF: Vegetation Management Plan	
DATE: 4/05/2022	CHECKED: AR
CLIENT REF: 8045	DRAWN: TC
DRAWING No.: 8045 E 13 P1 WMP C	



Legend

Project site

Tranche 1A boundary

Tree protection fencing

Project context plan

Surface contours (existing)

Vegetation Management interface zone

Interface zone outside development area

Interface zone inside development area

GPS tree plot (w/TPZ)

Tree to remove in Tranche 1A Vegetation Clearing application

Tree retention subject to future applications/ detail civil design

Vegetation Management Plan - Detail sheet 14

saunders havill group

PIONEER FORTUNE PTY LTD

CLIENT:

DISCLAIMER:

REFERENCES:

AMENDMENTS:

PROJECT:

environmental management

PLAN OF:

Vegetation Management Plan

DATE: 4/05/2022

CHECKED: AR

CLIENT REF: 8045


DRAWN: TC

DRAWING No.: 8045 E 14 P1 WMP C

Undullah Project, Tranche 1A

0 10 20 40 m

1:600 @ A3



Legend



Project context plan

Vegetation Management interface zone

GPS tree plot (w/TPZ)

Tree retention subject to future applications/ detail civil design



Tranche 1A boundary

Surface contours (existing)

Interface zone outside development area

Tree to remove in Tranche 1A Vegetation Clearing application

Tree protection fencing

Interface zone inside development area

Vegetation Management Plan - Detail sheet 15



CLIENT:

**PIONEER FORTUNE
PTY LTD**

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY INDIVIDUAL OR ENTITY. THE CLIENT AGREES TO HOLD SAUNDERS HAVILL GROUP HARMLESS FROM AND TO INDEMNIFY SAUNDERS HAVILL GROUP FROM AND TO REIMBURSE SAUNDERS HAVILL GROUP FOR ALL COSTS AND DAMAGES, INCLUDING REASONABLE ATTORNEY'S FEES, INCURRED BY SAUNDERS HAVILL GROUP IN CONNECTION WITH THE PREPARATION, PRODUCTION, AND/OR DEFENSE OF THESE DRAWINGS. THE CLIENT'S USE OF THESE DRAWINGS IS LIMITED TO THE PROJECT AND SITE SPECIFICALLY IDENTIFIED IN THE PROJECT DESCRIPTION. ANY OTHER USE OF THESE DRAWINGS WITHOUT THE WRITTEN AUTHORIZATION OF SAUNDERS HAVILL GROUP IS PROHIBITED. THE CLIENT'S USE OF THESE DRAWINGS IS LIMITED TO THE PROJECT AND SITE SPECIFICALLY IDENTIFIED IN THE PROJECT DESCRIPTION. ANY OTHER USE OF THESE DRAWINGS WITHOUT THE WRITTEN AUTHORIZATION OF SAUNDERS HAVILL GROUP IS PROHIBITED.

REFERENCES:

Layout drawing (Mortons Urban Solutions)



AMENDMENTS:

Issue	Date	Description	Checked
A	9/12/2020	Pre-Initial	AR
B	11/12/2020	Client Update	AR
C	4/05/2022	Lodgement	AR

PROJECT:


Undullah Project,
Tranche 1A

environmental management

PLAN OF:
Vegetation
Management Plan

DATE:	4/05/2022	CHECKED:	AR
CLIENT REF:	8045	DRAWN:	TC
DRAWING No.:	8045 E 15 P1 WMP C		

0 10 20 40 m 1:600 @ A3



Legend



Project site

Project context plan

Vegetation Management interface zone

GPS tree plot (w/TPZ)



Tree retention subject to future applications/ detail civil design



Tranche 1A boundary

Surface contours (existing)

Interface zone outside development area

Tree to remove in Tranche 1A Vegetation Clearing application



Tree protection fencing

Interface zone inside development area

Vegetation Management Plan - Detail sheet 16



CLIENT:

**PIONEER FORTUNE
PTY LTD**

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM: ALL DIMENSIONS ON THIS PROJECT DOCUMENTATION DO NOT SCALE FROM THESE DRAWINGS. ALL DIMENSIONS ARE TO BE MAINTAINED AND NOT TO BE CHANGED BY ANY OTHER MEANS.

PROVIDED BY ANY CONSULTANT, ENGINEER OR ARCHITECT FOR THE CLIENT'S USE. THE CLIENT'S AUTHORITY SHALL BE THE CONSULTANT'S AUTHORITY UNDER THE CONTRACT. THE CONSULTANT'S AUTHORITY SHALL BE THE CONSULTANT'S AUTHORITY UNDER THE CONTRACT.

REFERENCES:

Layout drawing (Mortons Urban Solutions)



AMENDMENTS:

Issue	Date	Description	Checked
A	9/12/2020	Pre-Initial	AR
B	11/12/2020	Client Update	AR
C	4/05/2022	Lodgement	AR

PROJECT:

Undullah Project,
Tranche 1A

environmental management


PLAN OF:
Vegetation Management Plan

DATE: 4/05/2022 CHECKED: AR

CLIENT REF: 8045 DRAWN: TC

DRAWING No.: 8045 E 16 PT WMP C

0 10 20 40 m 1:600 @ A3



Legend



Tranche 1A boundary

Tree protection fencing

Project context plan

Surface contours (existing)

Vegetation Management interface zone

Interface zone outside development area

Interface zone inside development area

GPS tree plot (w/TPZ)

Tree to remove in Tranche 1A Vegetation Clearing application

Tree retention subject to future applications/ detail civil design

Vegetation Management Plan - Detail sheet 17



CLIENT:

**PIONEER FORTUNE
PTY LTD**

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OR RELIANCE OF THESE DRAWINGS BY ANY INDIVIDUAL OR ENTITY OTHER THAN THE CLIENT. THE CLIENT IS ADVISED THAT THESE DRAWINGS ARE NOT TO BE USED FOR ANY OTHER PURPOSE WITHOUT THE WRITTEN AUTHORIZATION OF SAUNDERS HAVILL GROUP. THE CLIENT IS ADVISED THAT THESE DRAWINGS ARE NOT TO BE USED FOR ANY OTHER PURPOSE WITHOUT THE WRITTEN AUTHORIZATION OF SAUNDERS HAVILL GROUP.

REFERENCES:

Layout drawing (Mortons Urban Solutions)



AMENDMENTS:

Issue	Date	Description	Checked
A	9/12/2020	Pre-Initial	AR
B	11/12/2020	Client Update	AR
C	4/05/2022	Lodgement	AR

PROJECT:

Undullah Project,
Tranche 1A


environmental management

PLAN OF:

Vegetation
Management Plan

DATE:	4/05/2022	CHECKED:	AR
CLIENT REF:	8045	DRAWN:	TC
DRAWING No.:	8045 E 17 P1 WMP C		

0 10 20 40 m 1:600 @ A3



Legend

Project site

Tranche 1A boundary

Tree protection fencing

Project context plan

Surface contours (existing)

Vegetation Management interface zone

Interface zone outside development area

Interface zone inside development area


GPS tree plot (w/TPZ)

Tree to remove in Tranche 1A Vegetation Clearing application

Tree retention subject to future applications/ detail civil design

Vegetation Management Plan - Detail sheet 18

	CLIENT: PIONEER FORTUNE PTY LTD	DISCLAIMER: THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM: ALL DIMENSIONS ON THIS PRELIMINARY CONSTRUCTION AND/OR DETAIL SCALE FROM THESE DRAWINGS. ALL DIMENSIONS ARE TO BE MAINTAINED. ANY VARIATIONS TO BE ADVISED TO SAUNDERS HAVILL GROUP PRIOR TO COMMENCEMENT OF WORK. PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONSULTED FOR FURTHER GUIDANCE AND/OR APPROVAL OF ALL SERVICES.	REFERENCES: Layout drawing (Mortons Urban Solutions)	AMENDMENTS: <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Issue</th> <th>Date</th> <th>Description</th> <th>Checked</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>9/12/2020</td> <td>Pre-liminary</td> <td>AR</td> </tr> <tr> <td>B</td> <td>11/12/2020</td> <td>Client Update</td> <td>AR</td> </tr> <tr> <td>C</td> <td>4/05/2022</td> <td>Lodgement</td> <td>AR</td> </tr> </tbody> </table>	Issue	Date	Description	Checked	A	9/12/2020	Pre-liminary	AR	B	11/12/2020	Client Update	AR	C	4/05/2022	Lodgement	AR	PROJECT: Undullah Project, Tranche 1A	environmental management PLAN OF: Vegetation Management Plan <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td>DATE: 4/05/2022</td> <td>CHECKED: AR</td> </tr> <tr> <td>CLIENT REF: 8045</td> <td>DRAWN: TC</td> </tr> <tr> <td colspan="2">DRAWING No.: 8045 E 18 P1 WMP C</td> </tr> </table>	DATE: 4/05/2022	CHECKED: AR	CLIENT REF: 8045	DRAWN: TC	DRAWING No.: 8045 E 18 P1 WMP C	
Issue	Date	Description	Checked																									
A	9/12/2020	Pre-liminary	AR																									
B	11/12/2020	Client Update	AR																									
C	4/05/2022	Lodgement	AR																									
DATE: 4/05/2022	CHECKED: AR																											
CLIENT REF: 8045	DRAWN: TC																											
DRAWING No.: 8045 E 18 P1 WMP C																												



Legend



Project site
Tranche 1A boundary
Existing site track (access to site)
Vegetation clearing direction
Tree Protection fencing location

Vegetation Management interface zone
Interface zone outside development area
Interface zone inside development area

Vegetation Clearing & Fauna Management Plan - Clearing Direction



CLIENT:
PIONEER FORTUNE PTY LTD

DISCLAIMER:
THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.
CONFORM: ALL DIMENSIONS ON THIS PROJECT CONSTRUCTION AND/OR NOT SCALE FROM THESE DRAWINGS. ALL DIMENSIONS ARE GIVEN IN METERS. ANY DIMENSIONS NOT SPECIFIED IN THESE DRAWINGS SHALL BE THE RESPONSIBILITY OF THE CLIENT.
PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONSULTED FOR ANY REQUIREMENTS, CONDITIONS, AND VARIATIONS OF ALL SERVICES.

REFERENCES:
Layout drawing (URBIS, 2022)



AMENDMENTS:			
Issue	Date	Description	Checked
A	9/12/2020	Pre-liminary	AR
B	11/12/2020	Client Update	AR
C	4/05/2022	Lodgement	AR

PROJECT:
Undullah Project, Tranche 1A

environmental management			
PLAN OF: Vegetation Management Plan			
DATE:	4/05/2022	CHECKED:	AR
CLIENT REF:	8045	DRAWN:	TC
DRAWING No.:	8045 E 19 P1 VMP C		

1:7,500 @ A3

Tree ID	Specimen Details									Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value							Retention
	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	
1	Corymbia citriodora	Spotted Gum	360		360	113	22	8.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retention TBC
2	Acacia disparrima	Hickory Wattle	120		120	38	6	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3	Corymbia citriodora	Spotted Gum	140	80	161	51	10	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
4	Corymbia citriodora	Spotted Gum	200		200	63	18	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retention TBC
5	Corymbia citriodora	Spotted Gum	150		150	47	16	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
6	Acacia disparrima	Hickory Wattle	120		120	38	6	2.0	2.0	1.4	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7	Corymbia citriodora	Spotted Gum	200		200	63	16	8.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
8	Acacia disparrima	Hickory Wattle	120		120	38	8	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
9	Acacia disparrima	Hickory Wattle	240	230	332	104	8	6.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
10	Corymbia citriodora	Spotted Gum	120	80, 70	160	50	10	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
11	Corymbia citriodora	Spotted Gum	150		150	47	18	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
12	Corymbia citriodora	Spotted Gum	130		130	41	16	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
13	Corymbia citriodora	Spotted Gum	150		150	47	18	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
14	Corymbia citriodora	Spotted Gum	110		110	35	8	2.0	2.0	1.3	Regular	-	-	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
15	Corymbia citriodora	Spotted Gum	120		120	38	12	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
16	Corymbia citriodora	Spotted Gum	250		250	79	16	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
17	Eucalyptus tereticornis	Forest Red Gum	340		340	107	20	5.0	4.1	2.1	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retention TBC
18	Corymbia citriodora	Spotted Gum	110		110	35	12	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
19	Corymbia citriodora	Spotted Gum	150		150	47	16	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
20	Corymbia citriodora	Spotted Gum	110		110	35	12	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
21	Corymbia citriodora	Spotted Gum	120		120	38	14	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
22	Corymbia citriodora	Spotted Gum	180		180	57	16	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
23	Corymbia citriodora	Spotted Gum	370		370	116	16	8.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
24	Eucalyptus tereticornis	Forest Red Gum	300		300	94	18	8.0	3.6	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
25	Corymbia citriodora	Spotted Gum	110		110	35	12	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
26	Corymbia citriodora	Spotted Gum	280		280	88	20	10.0	3.4	1.9	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
27	Corymbia citriodora	Spotted Gum	110		110	35	12	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
28	Eucalyptus tereticornis	Forest Red Gum	240		240	75	18	8.0	2.9	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
29	Corymbia citriodora	Spotted Gum	100		100	31	8	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
30	Corymbia citriodora	Spotted Gum	150		150	47	18	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
31	Corymbia citriodora	Spotted Gum	140		140	44	10	5.0	2.0	1.4	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
32	Corymbia citriodora	Spotted Gum	140		140	44	14	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
33	Eucalyptus tereticornis	Forest Red Gum	350		350	110	20	7.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
34	Corymbia citriodora	Spotted Gum	100		100	31	8	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
35	Eucalyptus tereticornis	Forest Red Gum	360		360	113	22	10.0	4.3	2.2	Regular	-	Thinning	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retention TBC
36	Corymbia citriodora	Spotted Gum	110		110	35	14	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
37	Corymbia citriodora	Spotted Gum	430		430	135	24	14.0	5.2	2.3	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value							
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
38	Corymbia citriodora	Spotted Gum	160		160	50	12	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
39	Acacia disparrima	Hickory Wattle	240		240	75	10	4.0	2.9	1.8	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
40	Corymbia intermedia	Pink Bloodwood	180	180	255	80	14	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
41	Corymbia intermedia	Pink Bloodwood	100		100	31	8	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
42	Corymbia citriodora	Spotted Gum	110		110	35	12	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
43	Acacia disparrima	Hickory Wattle	120		120	38	8	4.0	2.0	1.4	Regular	-	-	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
44	Corymbia citriodora	Spotted Gum	250		250	79	20	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
45	Corymbia citriodora	Spotted Gum	160		160	50	20	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
46	Corymbia citriodora	Spotted Gum	110		110	35	12	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
47	Corymbia citriodora	Spotted Gum	180		180	57	16	6.0	2.2	1.6	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
48	Corymbia citriodora	Spotted Gum	250		250	79	22	10.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Old	-	-	-	-	Retention TBC
49	Corymbia citriodora	Spotted Gum	370		370	116	24	10.0	4.4	2.2	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
50	Melaleuca quinquenervia	Broad-leaved Paperbark	200		200	63	12	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
51	Corymbia citriodora	Spotted Gum	190		190	60	16	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
52	Acacia disparrima	Hickory Wattle	140		140	44	7	2.0	2.0	1.4	Regular	-	-	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
53	Corymbia intermedia	Pink Bloodwood	230		230	72	10	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
54	Corymbia intermedia	Pink Bloodwood	660		660	207	24	18.0	7.9	2.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
55	Corymbia citriodora	Spotted Gum	230		230	72	22	10.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
56	Corymbia citriodora	Spotted Gum	340		340	107	22	12.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Old	-	-	-	-	Remove
57	Corymbia citriodora	Spotted Gum	250		250	79	20	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
58	Corymbia citriodora	Spotted Gum	110		110	35	10	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
59	DEAD/STAG		400		400	126	14	5.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Retention TBC
60	Corymbia citriodora	Spotted Gum	230		230	72	18	8.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
61	Corymbia citriodora	Spotted Gum	190		190	60	16	7.0	2.3	1.6	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
62	Angophora leiocarpa	Smooth-barked Apple	140		140	44	10	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
63	Corymbia citriodora	Spotted Gum	220		220	69	18	7.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
64	Corymbia citriodora	Spotted Gum	340		340	107	24	10.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
65	Corymbia citriodora	Spotted Gum	330		330	104	24	12.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
66	Corymbia tessellaris	Moreton Bay Ash	140		140	44	12	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
67	Corymbia citriodora	Spotted Gum	250		250	79	18	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
68	Corymbia citriodora	Spotted Gum	370		370	116	24	8.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
69	Corymbia citriodora	Spotted Gum	120		120	38	8	2.0	2.0	1.4	Regular	-	-	-	Epicormic	Lopped	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
70	Alphitonia excelsa	Soap Tree	110	80	136	43	8	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
71	Corymbia citriodora	Spotted Gum	350		350	110	24	12.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
72	Alphitonia excelsa	Soap Tree	110		110	35	8	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
73	Eucalyptus crebra	Narrow-leaved Ironbark	220		220	69	16	8.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
74	Lophostemon suaveolens	Swamp Box	140		140	44	7	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
75	Corymbia citriodora	Spotted Gum	200		200	63	20	6.0	2.4	1.7	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
76	Corymbia citriodora	Spotted Gum	130		130	41	10	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
77	Corymbia citriodora	Spotted Gum	320		320	101	20	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
78	Eucalyptus crebra	Narrow-leaved Ironbark	110		110	35	8	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
79	Acacia disparrima	Hickory Wattle	200		200	63	8	4.0	2.4	1.7	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value							
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
80	Eucalyptus crebra	Narrow-leaved Ironbark	140		140	44	10	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
81	Lophostemon suaveolens	Swamp Box	110	80	136	43	8	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
82	Lophostemon suaveolens	Swamp Box	120		120	38	6	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
83	Corymbia citriodora	Spotted Gum	140		140	44	12	3.0	2.0	1.4	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
84	Acacia disparrima	Hickory Wattle	120		120	38	7	3.0	2.0	1.4	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
85	Acacia disparrima	Hickory Wattle	110		110	35	7	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
86	Acacia disparrima	Hickory Wattle	130		130	41	8	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
87	Acacia disparrima	Hickory Wattle	220		220	69	8	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
88	Acacia disparrima	Hickory Wattle	230		230	72	8	4.0	2.8	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove
89	Acacia disparrima	Hickory Wattle	110		110	35	8	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
90	Corymbia citriodora	Spotted Gum	230		230	72	18	8.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
91	Acacia disparrima	Hickory Wattle	130		130	41	7	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
92	Lophostemon suaveolens	Swamp Box	170		170	53	10	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
93	Acacia disparrima	Hickory Wattle	120		120	38	5	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
94	Eucalyptus tereticornis	Forest Red Gum	250		250	79	18	8.0	3.0	1.8	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
95	Acacia concurrens	Black Wattle	110		110	35	8	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
96	Corymbia tessellaris	Moreton Bay Ash	170		170	53	12	3.0	2.0	1.6	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
97	Acacia disparrima	Hickory Wattle	120		120	38	6	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
98	Acacia disparrima	Hickory Wattle	110		110	35	6	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
99	Corymbia citriodora	Spotted Gum	320	140	349	110	20	8.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
100	Eucalyptus tereticornis	Forest Red Gum	300		300	94	22	12.0	3.6	2.0	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
101	Eucalyptus tereticornis	Forest Red Gum	220		220	69	20	8.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
102	Alphitonia excelsa	Soap Tree	180		180	57	8	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
103	Corymbia tessellaris	Moreton Bay Ash	160		160	50	10	4.0	2.0	1.5	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
104	Acacia concurrens	Black Wattle	130		130	41	7	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
105	Corymbia citriodora	Spotted Gum	160		160	50	8	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
106	Eucalyptus tereticornis	Forest Red Gum	150		150	47	16	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
107	Corymbia citriodora	Spotted Gum	230		230	72	24	12.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
108	Corymbia citriodora	Spotted Gum	110		110	35	10	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
109	Eucalyptus crebra	Narrow-leaved Ironbark	200		200	63	18	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
110	Corymbia citriodora	Spotted Gum	230		230	72	18	8.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
111	Acacia disparrima	Hickory Wattle	140		140	44	8	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
112	Eucalyptus tereticornis	Forest Red Gum	200		200	63	18	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
113	Eucalyptus tereticornis	Forest Red Gum	230		230	72	22	12.0	2.8	1.8	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
114	Acacia disparrima	Hickory Wattle	110	70	130	41	5	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
115	Acacia disparrima	Hickory Wattle	140		140	44	8	4.0	2.0	1.4	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove
116	Corymbia citriodora	Spotted Gum	150		150	47	18	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
117	Eucalyptus tereticornis	Forest Red Gum	270		270	85	24	12.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
118	Eucalyptus crebra	Narrow-leaved Ironbark	400		400	126	26	14.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
119	Acacia concurrens	Black Wattle	140		140	44	7	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
120	Eucalyptus crebra	Narrow-leaved Ironbark	160		160	50	8	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
121	Corymbia citriodora	Spotted Gum	250		250	79	22	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Remove

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	
122	Corymbia citriodora	Spotted Gum	170		170	53	12	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
123	Eucalyptus tereticornis	Forest Red Gum	200		200	63	20	8.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
124	Corymbia citriodora	Spotted Gum	170		170	53	16	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
125	Corymbia citriodora	Spotted Gum	200		200	63	20	8.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
126	Corymbia citriodora	Spotted Gum	200		200	63	18	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
127	Corymbia citriodora	Spotted Gum	280		280	88	24	12.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
128	Corymbia citriodora	Spotted Gum	260		260	82	20	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
129	Eucalyptus tereticornis	Forest Red Gum	220		220	69	18	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
130	Eucalyptus tereticornis	Forest Red Gum	260		260	82	20	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
131	Corymbia citriodora	Spotted Gum	230		230	72	18	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	Minor	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
132	Acacia disparrima	Hickory Wattle	180		180	57	6	4.0	2.2	1.6	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
133	Corymbia citriodora	Spotted Gum	320		320	101	24	12.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
134	Corymbia citriodora	Spotted Gum	140		140	44	8	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
135	Acacia concurrens	Black Wattle	120		120	38	7	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
136	Corymbia citriodora	Spotted Gum	440		440	138	24	14.0	5.3	2.3	Regular	-	-	-	-	-	Typical	Minor	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
137	Corymbia tessellaris	Moreton Bay Ash	180		180	57	10	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
138	Corymbia intermedia	Pink Bloodwood	210		210	66	10	5.0	2.5	1.7	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
139	Corymbia citriodora	Spotted Gum	300		300	94	24	12.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
140	Corymbia tessellaris	Moreton Bay Ash	200	130	239	75	16	6.0	2.9	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
141	Corymbia citriodora	Spotted Gum	170		170	53	16	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
142	Corymbia citriodora	Spotted Gum	290		290	91	22	10.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
143	Corymbia citriodora	Spotted Gum	230		230	72	20	10.0	2.8	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
144	Corymbia citriodora	Spotted Gum	330		330	104	24	14.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
145	Corymbia citriodora	Spotted Gum	240		240	75	22	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
146	Corymbia citriodora	Spotted Gum	390		390	123	24	12.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
147	Corymbia citriodora	Spotted Gum	220		220	69	22	12.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
148	Corymbia citriodora	Spotted Gum	300		300	94	22	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
149	Corymbia citriodora	Spotted Gum	150		150	47	8	4.0	2.0	1.5	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
150	Corymbia citriodora	Spotted Gum	150		150	47	16	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
151	Corymbia citriodora	Spotted Gum	280		280	88	24	10.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
152	Angophora leiocarpa	Smooth-barked Apple	120		120	38	10	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
153	Angophora leiocarpa	Smooth-barked Apple	130		130	41	12	4.0	2.0	1.4	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
154	Corymbia citriodora	Spotted Gum	200		200	63	18	7.0	2.4	1.7	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
155	Corymbia citriodora	Spotted Gum	140		140	44	10	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
156	Corymbia citriodora	Spotted Gum	200		200	63	20	8.0	2.4	1.7	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
157	Corymbia citriodora	Spotted Gum	300		300	94	22	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
158	Corymbia citriodora	Spotted Gum	220		220	69	20	8.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
159	Corymbia citriodora	Spotted Gum	150		150	47	16	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
160	Allocasuarina littoralis	Black She-oak	170		170	53	12	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
161	Corymbia citriodora	Spotted Gum	130		130	41	14	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
162	Eucalyptus tereticornis	Forest Red Gum	240		240	75	20	6.0	2.9	1.8	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
163	Corymbia citriodora	Spotted Gum	170		170	53	14	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value							
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
164	Corymbia citriodora	Spotted Gum	220		220	69	16	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
165	Corymbia citriodora	Spotted Gum	260		260	82	24	12.0	3.1	1.9	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
166	Corymbia citriodora	Spotted Gum	240		240	75	22	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
176	Corymbia citriodora	Spotted Gum	570		570	179	24	12.0	6.8	2.6	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
192	Corymbia citriodora	Spotted Gum	330		330	104	22	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
193	Corymbia citriodora	Spotted Gum	260		260	82	20	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
194	Corymbia citriodora	Spotted Gum	120		120	38	12	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
195	Corymbia citriodora	Spotted Gum	230		230	72	20	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
196	Corymbia citriodora	Spotted Gum	120		120	38	8	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
197	Alphitonia excelsa	Soap Tree	150		150	47	8	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	Minor	-	-	-	-	Typical	-	-	-	-	-	Remove
198	Acacia disparrima	Hickory Wattle	120		120	38	7	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical		-	-	-	-	Typical	-	-	-	-	-	-
199	Corymbia citriodora	Spotted Gum	140		140	44	10	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Old	-	-	-	-	Retention TBC
200	Eucalyptus tereticornis	Forest Red Gum	310		310	97	22	6.0	3.7	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
201	Petalostigma pubescens	Quinnie Bush	120		120	38	5	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
202	Petalostigma pubescens	Quinnie Bush	130		130	41	5	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
203	Melaleuca quinquenervia	Broad-leaved Paperbark	230	170	286	90	12	6.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
204	Corymbia citriodora	Spotted Gum	170		170	53	14	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
205	Corymbia citriodora	Spotted Gum	160		160	50	12	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
206	Eucalyptus tereticornis	Forest Red Gum	210		210	66	12	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	Regular	-	-	Typical	-	-	-	-	-	-	Retention TBC
207	Eucalyptus tereticornis	Forest Red Gum	330		330	104	22	8.0	4.0	2.1	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
208	Corymbia citriodora	Spotted Gum	350		350	110	22	10.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
209	Corymbia citriodora	Spotted Gum	190		190	60	20	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
210	Corymbia citriodora	Spotted Gum	290		290	91	22	10.0	3.5	2.0	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
211	Corymbia citriodora	Spotted Gum	130		130	41	8	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
212	Corymbia citriodora	Spotted Gum	250		250	79	24	10.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
213	Corymbia citriodora	Spotted Gum	240		240	75	22	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
214	Eucalyptus tereticornis	Forest Red Gum	240		240	75	24	12.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove
215	Corymbia citriodora	Spotted Gum	330		330	104	24	12.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Old	-	-	-	-	Remove
216	Corymbia citriodora	Spotted Gum	250		250	79	24	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
217	Corymbia citriodora	Spotted Gum	180		180	57	22	8.0	2.2	1.6	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
218	Corymbia citriodora	Spotted Gum	380		380	119	24	14.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Old	-	-	-	-	Retention TBC
219	Corymbia citriodora	Spotted Gum	200		200	63	18	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
220	Corymbia citriodora	Spotted Gum	200		200	63	14	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
221	Eucalyptus crebra	Narrow-leaved Ironbark	260		260	82	20	8.0	3.1	1.9	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
222	Corymbia citriodora	Spotted Gum	420		420	132	20	10.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
223	Corymbia citriodora	Spotted Gum	270		270	85	8	4.0	3.2	1.9	One-sided	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retention TBC
224	Corymbia citriodora	Spotted Gum	240		240	75	20	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
225	Acacia disparrima	Hickory Wattle	140		140	44	8	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
226	Corymbia tessellaris	Moreton Bay Ash	160		160	50	10	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
227	Acacia disparrima	Hickory Wattle	140		140	44	8	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
228	Acacia disparrima	Hickory Wattle	170		170	53	8	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
229	Corymbia citriodora	Spotted Gum	260		260	82	16	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value							
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
230	Corymbia intermedia	Pink Bloodwood	310		310	97	20	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
231	Corymbia intermedia	Pink Bloodwood	360		360	113	22	10.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
232	Corymbia citriodora	Spotted Gum	160		160	50	16	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
233	Corymbia citriodora	Spotted Gum	250		250	79	18	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
234	Alphitonia excelsa	Soap Tree	130		130	41	8	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
235	Alphitonia excelsa	Soap Tree	130		130	41	8	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
236	Corymbia citriodora	Spotted Gum	250		250	79	24	14.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
237	Corymbia citriodora	Spotted Gum	120		120	38	10	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
238	Corymbia citriodora	Spotted Gum	260		260	82	20	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
239	Corymbia citriodora	Spotted Gum	200		200	63	16	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
240	Corymbia citriodora	Spotted Gum	150		150	47	8	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
241	Corymbia citriodora	Spotted Gum	160		160	50	8	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
242	DEAD/STAG		580		580	182	14	4.0	7.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Large	-	-	-	Remove
243	Corymbia citriodora	Spotted Gum	320		320	101	18	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
244	Corymbia citriodora	Spotted Gum	230		230	72	22	7.0	2.8	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
245	Corymbia citriodora	Spotted Gum	140		140	44	14	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
246	Corymbia citriodora	Spotted Gum	160		160	50	12	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
247	Corymbia citriodora	Spotted Gum	200		200	63	14	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	Major	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
248	Corymbia citriodora	Spotted Gum	350		350	110	24	14.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
249	Corymbia citriodora	Spotted Gum	260		260	82	24	12.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retention TBC
250	Corymbia citriodora	Spotted Gum	200		200	63	10	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
251	Corymbia citriodora	Spotted Gum	150		150	47	18	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
252	Corymbia citriodora	Spotted Gum	120		120	38	16	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
253	Acacia disparrima	Hickory Wattle	130	90	158	50	16	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
254	Corymbia citriodora	Spotted Gum	170		170	53	19	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
255	Corymbia citriodora	Spotted Gum	130		130	41	18	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
256	Corymbia citriodora	Spotted Gum	140		140	44	17	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
257	Corymbia citriodora	Spotted Gum	150		150	47	18	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
258	Corymbia citriodora	Spotted Gum	160		160	50	16	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
259	Corymbia citriodora	Spotted Gum	210	80	225	71	19	7.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
260	Corymbia citriodora	Spotted Gum	220		220	69	19	7.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
261	Corymbia citriodora	Spotted Gum	260		260	82	19	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
262	Corymbia citriodora	Spotted Gum	120		120	38	17	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
263	Corymbia citriodora	Spotted Gum	110		110	35	14	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
264	Corymbia citriodora	Spotted Gum	120		120	38	14	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
265	Corymbia citriodora	Spotted Gum	130		130	41	15	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
266	Corymbia citriodora	Spotted Gum	150		150	47	16	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
267	Eucalyptus tereticornis	Forest Red Gum	290		290	91	20	5.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
268	Eucalyptus crebra	Narrow-leaved Ironbark	150		150	47	13	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
269	Corymbia citriodora	Spotted Gum	330		330	104	21	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
270	Corymbia citriodora	Spotted Gum	410		410	129	21	9.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
271	Corymbia citriodora	Spotted Gum	140		140	44	16	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
272	Corymbia citriodora	Spotted Gum	190		190	60	18	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
273	Corymbia citriodora	Spotted Gum	120		120	38	16	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
274	Corymbia intermedia	Pink Bloodwood	180		180	57	13	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
275	Eucalyptus tereticornis	Forest Red Gum	210		210	66	18	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
276	Corymbia citriodora	Spotted Gum	130		130	41	16	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
277	Corymbia intermedia	Pink Bloodwood	140		140	44	17	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
278	Corymbia tessellaris	Moreton Bay Ash	140		140	44	15	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
279	Lophostemon suaveolens	Swamp Box	140		140	44	12	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
280	Corymbia citriodora	Spotted Gum	190		190	60	19	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
281	Corymbia citriodora	Spotted Gum	320		320	101	23	12.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
282	Corymbia citriodora	Spotted Gum	360		360	113	25	13.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
283	Corymbia citriodora	Spotted Gum	210		210	66	22	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
284	Corymbia citriodora	Spotted Gum	220		220	69	23	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
285	Acacia disparima	Hickory Wattle	110		110	35	5	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
286	Lophostemon suaveolens	Swamp Box	110		110	35	14	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
287	Alphitonia excelsa	Soap Tree	140		140	44	16	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
288	Corymbia citriodora	Spotted Gum	110		110	35	13	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
289	Acacia disparima	Hickory Wattle	110		110	35	15	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
290	Acacia disparima	Hickory Wattle	120	90	150	47	5	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
291	Lophostemon suaveolens	Swamp Box	120		120	38	14	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
292	Corymbia tessellaris	Moreton Bay Ash	220		220	69	16	11.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
293	Eucalyptus tereticornis	Forest Red Gum	190	110	220	69	18	8.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
294	Corymbia citriodora	Spotted Gum	400		400	126	23	10.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
295	Eucalyptus tereticornis	Forest Red Gum	200		200	63	20	8.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
296	Corymbia citriodora	Spotted Gum	350		350	110	25	9.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
297	Eucalyptus tereticornis	Forest Red Gum	210		210	66	19	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
298	Corymbia citriodora	Spotted Gum	310		310	97	23	9.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
299	Eucalyptus tereticornis	Forest Red Gum	270		270	85	23	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
300	Corymbia tessellaris	Moreton Bay Ash	120		120	38	18	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
301	Corymbia citriodora	Spotted Gum	310		310	97	18	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
302	Eucalyptus tereticornis	Forest Red Gum	220		220	69	18	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
303	Eucalyptus tereticornis	Forest Red Gum	240		240	75	20	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
304	Eucalyptus tereticornis	Forest Red Gum	240		240	75	20	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
305	Acacia disparima	Hickory Wattle	210	110	237	74	10	8.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
306	Corymbia citriodora	Spotted Gum	390		390	123	24	9.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
307	Eucalyptus tereticornis	Forest Red Gum	150		150	47	18	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
308	Acacia disparima	Hickory Wattle	180		180	57	8	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
309	Eucalyptus tereticornis	Forest Red Gum	380		380	119	18	10.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
310	Corymbia citriodora	Spotted Gum	450		450	141	24	15.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
311	Corymbia citriodora	Spotted Gum	330		330	104	24	13.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
312	Corymbia citriodora	Spotted Gum	370		370	116	25	14.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
313	Corymbia citriodora	Spotted Gum	180		180	57	15	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value							
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
314	Corymbia citriodora	Spotted Gum	160		160	50	15	9.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
315	Corymbia citriodora	Spotted Gum	300		300	94	22	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
316	Corymbia citriodora	Spotted Gum	340		340	107	18	7.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
317	Eucalyptus crebra	Narrow-leaved Ironbark	370		370	116	24	12.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
318	Corymbia citriodora	Spotted Gum	220		220	69	17	8.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
319	Eucalyptus tereticornis	Forest Red Gum	170		170	53	15	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
320	Corymbia citriodora	Spotted Gum	420		420	132	22	13.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
321	Corymbia citriodora	Spotted Gum	180		180	57	13	8.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
322	Corymbia citriodora	Spotted Gum	240		240	75	20	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
323	Eucalyptus tereticornis	Forest Red Gum	160		160	50	18	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
324	Acacia disparrima	Hickory Wattle	160		160	50	8	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
325	Corymbia citriodora	Spotted Gum	240		240	75	26	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
326	Corymbia citriodora	Spotted Gum	220		220	69	20	10.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
327	Corymbia citriodora	Spotted Gum	160		160	50	17	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
328	Corymbia citriodora	Spotted Gum	250		250	79	24	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
329	Corymbia citriodora	Spotted Gum	180		180	57	12	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
330	Eucalyptus tereticornis	Forest Red Gum	190		190	60	18	2.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
331	Corymbia citriodora	Spotted Gum	270		270	85	18	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
332	Corymbia citriodora	Spotted Gum	200		200	63	19	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
333	Corymbia citriodora	Spotted Gum	140		140	44	17	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
334	Corymbia citriodora	Spotted Gum	450		450	141	25	15.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Old	-	-	-	-	Remove
335	Corymbia citriodora	Spotted Gum	290		290	91	25	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
336	DEAD/STAG		250		250	79	12	1.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Remove
337	Corymbia citriodora	Spotted Gum	260		260	82	23	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Remove
359	Acacia disparrima	Hickory Wattle	170		170	53	13	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
360	Petalostigma pubescens	Quinnie Bush	140		140	44	9	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
361	Eucalyptus tereticornis	Forest Red Gum	460		460	145	23	8.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
362	Acacia disparrima	Hickory Wattle	160		160	50	8	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
363	Acacia disparrima	Hickory Wattle	160		160	50	10	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
364	Acacia disparrima	Hickory Wattle	170		170	53	8	7.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
365	Acacia disparrima	Hickory Wattle	130	130	184	58	6	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
366	Eucalyptus tereticornis	Forest Red Gum	480		480	151	25	8.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
367	Corymbia citriodora	Spotted Gum	360		360	113	25	10.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
368	Corymbia citriodora	Spotted Gum	510		510	160	26	10.0	6.1	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
369	Corymbia citriodora	Spotted Gum	220		220	69	17	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Old	-	-	-	-	Remove
370	Eucalyptus tereticornis	Forest Red Gum	300		300	94	22	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
371	Corymbia citriodora	Spotted Gum	180		180	57	16	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
372	Acacia disparrima	Hickory Wattle	120		120	38	7	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
373	Acacia disparrima	Hickory Wattle	140		140	44	5	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
374	Acacia disparrima	Hickory Wattle	150		150	47	7	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
375	Eucalyptus tereticornis	Forest Red Gum	220		220	69	10	1.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
376	Corymbia citriodora	Spotted Gum	270		270	85	17	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value							
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
377	Corymbia citriodora	Spotted Gum	260		260	82	16	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
378	Corymbia citriodora	Spotted Gum	150		150	47	16	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
379	Corymbia citriodora	Spotted Gum	360		360	113	21	12.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
380	Corymbia citriodora	Spotted Gum	170		170	53	12	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Old	-	-	-	-	Remove
381	Corymbia citriodora	Spotted Gum	270		270	85	20	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
382	Corymbia citriodora	Spotted Gum	260		260	82	21	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
383	Corymbia citriodora	Spotted Gum	230		230	72	15	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
384	Corymbia citriodora	Spotted Gum	120		120	38	7	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
385	Corymbia citriodora	Spotted Gum	240		240	75	7	3.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
386	Corymbia citriodora	Spotted Gum	300		300	94	21	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
387	Eucalyptus crebra	Narrow-leaved Ironbark	170		170	53	9	2.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
388	Corymbia citriodora	Spotted Gum	290		290	91	23	8.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
389	Corymbia citriodora	Spotted Gum	210		210	66	18	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
390	Corymbia citriodora	Spotted Gum	210		210	66	16	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
391	Corymbia citriodora	Spotted Gum	100		100	31	12	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retention TBC
392	Corymbia citriodora	Spotted Gum	160		160	50	17	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
393	Corymbia citriodora	Spotted Gum	105	55	119	37	14	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
394	Corymbia citriodora	Spotted Gum	255		255	80	18	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
395	Eucalyptus tereticornis	Forest Red Gum	105		105	33	11	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
396	Angophora leiocarpa	Smooth-barked Apple	270		270	85	18	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
397	Corymbia citriodora	Spotted Gum	175		175	55	15	5.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
398	Acacia leiocalyx	Early-flowering Black Wattle	175		175	55	8	6.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
399	Corymbia citriodora	Spotted Gum	195		195	61	18	7.0	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
400	Acacia disarrima	Hickory Wattle	120	105	159	50	7	5.0	2.0	1.5	Regular	-	-	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove
401	DEAD/STAG		300		300	94	17	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
402	Corymbia citriodora	Spotted Gum	105		105	33	9	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
403	Corymbia citriodora	Spotted Gum	180		180	57	17	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
404	Corymbia citriodora	Spotted Gum	150		150	47	16	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
405	Corymbia citriodora	Spotted Gum	125		125	39	15	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
406	Corymbia citriodora	Spotted Gum	275		275	86	18	6.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
407	Corymbia citriodora	Spotted Gum	110		110	35	11	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
408	Eucalyptus tereticornis	Forest Red Gum	220		220	69	18	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
409	Corymbia citriodora	Spotted Gum	325		325	102	18	10.0	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
410	Eucalyptus tereticornis	Forest Red Gum	245		245	77	18	7.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
411	Corymbia citriodora	Spotted Gum	330		330	104	18	10.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
412	Corymbia citriodora	Spotted Gum	265		265	83	18	11.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
413	Corymbia citriodora	Spotted Gum	250		250	79	18	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
414	Eucalyptus tereticornis	Forest Red Gum	205		205	64	14	8.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
415	Corymbia citriodora	Spotted Gum	275		275	86	18	10.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
416	Corymbia citriodora	Spotted Gum	100		100	31	11	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
417	Lophostemon suaveolens	Swamp Box	120		120	38	9	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
418	Lophostemon suaveolens	Swamp Box	170		170	53	10	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value							
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
419	Corymbia citriodora	Spotted Gum	160		160	50	15	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
420	Corymbia citriodora	Spotted Gum	125		125	39	8	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
421	Corymbia citriodora	Spotted Gum	180		180	57	17	8.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
422	Corymbia citriodora	Spotted Gum	115		115	36	14	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
423	Corymbia tessellaris	Moreton Bay Ash	115		115	36	7	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
424	Eucalyptus crebra	Narrow-leaved Ironbark	115		115	36	10	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
425	Acacia disparrima	Hickory Wattle	145		145	46	8	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
426	Acacia disparrima	Hickory Wattle	120		120	38	9	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
427	Alphitonia excelsa	Soap Tree	100		100	31	8	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
428	Acacia leiocalyx	Early-flowering Black Wattle	100		100	31	7	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
429	Alphitonia excelsa	Soap Tree	120		120	38	7	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
430	Lophostemon suaveolens	Swamp Box	180		180	57	8	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
431	Acacia disparrima	Hickory Wattle	120		120	38	8	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
432	Lophostemon suaveolens	Swamp Box	110		110	35	5	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
433	Acacia disparrima	Hickory Wattle	130		130	41	7	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
434	Lophostemon suaveolens	Swamp Box	110		110	35	5	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
435	Corymbia citriodora	Spotted Gum	135		135	42	14	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
436	Acacia disparrima	Hickory Wattle	100		100	31	5	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
437	Acacia disparrima	Hickory Wattle	100		100	31	5	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
438	Corymbia citriodora	Spotted Gum	185		185	58	16	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
439	Lophostemon suaveolens	Swamp Box	120		120	38	7	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
440	Corymbia citriodora	Spotted Gum	110		110	35	8	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
441	Lophostemon suaveolens	Swamp Box	120		120	38	7	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
442	Acacia leiocalyx	Early-flowering Black Wattle	100		100	31	7	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
443	Alphitonia excelsa	Soap Tree	125		125	39	8	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
444	Acacia disparrima	Hickory Wattle	210		210	66	8	9.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
445	Lophostemon suaveolens	Swamp Box	115		115	36	8	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
446	Eucalyptus tereticornis	Forest Red Gum	170		170	53	17	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
447	Acacia disparrima	Hickory Wattle	145		145	46	2	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
448	Lophostemon suaveolens	Swamp Box	100		100	31	5	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
449	Acacia disparrima	Hickory Wattle	140		140	44	7	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
450	Corymbia tessellaris	Moreton Bay Ash	145		145	46	8	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
451	Acacia disparrima	Hickory Wattle	175		175	55	9	5.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
452	Acacia leiocalyx	Early-flowering Black Wattle	100		100	31	6	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
453	Acacia disparrima	Hickory Wattle	180		180	57	8	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
454	Corymbia citriodora	Spotted Gum	240		240	75	18	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
455	Acacia disparrima	Hickory Wattle	115		115	36	6	6.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
456	Corymbia citriodora	Spotted Gum	205		205	64	16	2.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
457	Acacia disparrima	Hickory Wattle	170		170	53	8	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
458	Eucalyptus tereticornis	Forest Red Gum	260		260	82	18	12.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
459	Corymbia citriodora	Spotted Gum	260		260	82	18	11.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
460	Acacia leiocalyx	Early-flowering Black Wattle	110		110	35	6	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove

Tree ID	Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						
	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
461	Corymbia citriodora	Spotted Gum	300		300	94	20	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
462	Corymbia citriodora	Spotted Gum	290		290	91	21	11.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
463	Corymbia tessellaris	Moreton Bay Ash	150		150	47	10	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
464	Corymbia citriodora	Spotted Gum	260		260	82	20	10.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
465	Corymbia tessellaris	Moreton Bay Ash	105		105	33	8	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
466	Corymbia citriodora	Spotted Gum	135		135	42	14	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
467	Acacia disparrima	Hickory Wattle	135		135	42	7	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
468	Corymbia tessellaris	Moreton Bay Ash	105		105	33	6	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
469	Corymbia tessellaris	Moreton Bay Ash	215		215	68	15	5.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
470	Alphitonia excelsa	Soap Tree	165		165	52	8	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
471	Corymbia tessellaris	Moreton Bay Ash	105		105	33	5	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
472	Acacia disparrima	Hickory Wattle	110		110	35	5	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
473	Corymbia citriodora	Spotted Gum	200		200	63	15	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
474	Corymbia tessellaris	Moreton Bay Ash	120	120	170	53	11	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
475	Corymbia tessellaris	Moreton Bay Ash	120		120	38	12	2.0	2.0	1.4	Regular	-	-	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove
476	Corymbia tessellaris	Moreton Bay Ash	120		120	38	10	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
477	Corymbia tessellaris	Moreton Bay Ash	130		130	41	12	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
478	Corymbia citriodora	Spotted Gum	260		260	82	18	11.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
479	Corymbia citriodora	Spotted Gum	270		270	85	20	12.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
480	Corymbia citriodora	Spotted Gum	250		250	79	19	10.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
481	Eucalyptus tereticornis	Forest Red Gum	260		260	82	12	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
482	Eucalyptus tereticornis	Forest Red Gum	140		140	44	12	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove
483	Corymbia citriodora	Spotted Gum	410		410	129	20	15.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
484	Corymbia citriodora	Spotted Gum	290		290	91	21	12.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
485	Corymbia citriodora	Spotted Gum	345		345	108	20	10.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
486	Corymbia citriodora	Spotted Gum	315		315	99	19	11.0	3.8	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
487	Eucalyptus tereticornis	Forest Red Gum	150		150	47	12	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
488	Corymbia citriodora	Spotted Gum	100		100	31	10	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
489	Acacia leiocalyx	Early-flowering Black Wattle	135		135	42	5	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
490	Corymbia tessellaris	Moreton Bay Ash	100		100	31	8	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
491	Corymbia citriodora	Spotted Gum	245		245	77	17	9.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
492	Acacia leiocalyx	Early-flowering Black Wattle	100		100	31	6	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
493	Acacia leiocalyx	Early-flowering Black Wattle	115		115	36	5	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
494	Eucalyptus tereticornis	Forest Red Gum	275		275	86	18	9.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
495	Corymbia tessellaris	Moreton Bay Ash	145		145	46	10	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
496	Acacia disparrima	Hickory Wattle	125		125	39	6	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
497	Acacia leiocalyx	Early-flowering Black Wattle	155		155	49	7	6.0	2.0	1.5	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove
498	Corymbia citriodora	Spotted Gum	315		315	99	18	10.0	3.8	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
499	Corymbia citriodora	Spotted Gum	165		165	52	20	10.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
500	Eucalyptus tereticornis	Forest Red Gum	200		200	63	17	8.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
501	Acacia leiocalyx	Early-flowering Black Wattle	80		80	25	5	4.0	2.0	1.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
502	Acacia leiocalyx	Early-flowering Black Wattle	120		120	38	7	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value							
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
503	Corymbia citriodora	Spotted Gum	180		180	57	15	7.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
504	Corymbia citriodora	Spotted Gum	270		270	85	18	9.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
505	Corymbia citriodora	Spotted Gum	225		225	71	16	9.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
506	Corymbia citriodora	Spotted Gum	215		215	68	18	9.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
507	Corymbia citriodora	Spotted Gum	245		245	77	16	10.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
508	Corymbia citriodora	Spotted Gum	210		210	66	15	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
509	Corymbia citriodora	Spotted Gum	220		220	69	15	8.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
510	Acacia disparrima	Hickory Wattle	140		140	44	6	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
511	Acacia disparrima	Hickory Wattle	125		125	39	8	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
512	Acacia disparrima	Hickory Wattle	125		125	39	6	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
513	Eucalyptus tereticornis	Forest Red Gum	250		250	79	16	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
514	Corymbia citriodora	Spotted Gum	285		285	90	18	10.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
515	Angophora leiocarpa	Smooth-barked Apple	225		225	71	20	8.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
516	Eucalyptus tereticornis	Forest Red Gum	110		110	35	9	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
517	Corymbia citriodora	Spotted Gum	125		125	39	10	8.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
518	Corymbia citriodora	Spotted Gum	320		320	101	20	12.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
519	Corymbia citriodora	Spotted Gum	190		190	60	17	10.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
520	Acacia leiocalyx	Early-flowering Black Wattle	110		110	35	6	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
521	Acacia disparrima	Hickory Wattle	125	95	157	49	7	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
522	Corymbia citriodora	Spotted Gum	300		300	94	18	12.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
523	Corymbia citriodora	Spotted Gum	185		185	58	15	10.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
524	Corymbia citriodora	Spotted Gum	250		250	79	18	14.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
532	DEAD/STAG		670		670	210	26	18.0	8.0	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Large	-	-	High	Remove
533	DEAD/STAG		500		500	157	25	18.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Retention TBC
534	Corymbia citriodora	Spotted Gum	345		345	108	20	15.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Retention TBC
555	Acacia disparrima	Hickory Wattle	215		215	68	8	6.0	2.6	1.7	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Remove
556	Acacia disparrima	Hickory Wattle	125		125	39	6	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
557	Eucalyptus tereticornis	Forest Red Gum	385		385	121	22	15.0	4.6	2.2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
558	Acacia disparrima	Hickory Wattle	100		100	31	7	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
559	Eucalyptus tereticornis	Forest Red Gum	170		170	53	15	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
560	Corymbia citriodora	Spotted Gum	215		215	68	15	9.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
561	Alphitonia excelsa	Soap Tree	115		115	36	9	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
562	Alphitonia excelsa	Soap Tree	115		115	36	5	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
563	Acacia disparrima	Hickory Wattle	130		130	41	7	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
564	Acacia disparrima	Hickory Wattle	110		110	35	5	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
565	Acacia disparrima	Hickory Wattle	115		115	36	8	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
566	Acacia disparrima	Hickory Wattle	120		120	38	7	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
567	Acacia disparrima	Hickory Wattle	135		135	42	7	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
568	Alphitonia excelsa	Soap Tree	175		175	55	8	4.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
569	Alphitonia excelsa	Soap Tree	100		100	31	5	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
570	Corymbia tessellaris	Moreton Bay Ash	110		110	35	11	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
571	Eucalyptus tereticornis	Forest Red Gum	285		285	90	18	12.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value							
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
572	Corymbia citriodora	Spotted Gum	170		170	53	14	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
573	Corymbia citriodora	Spotted Gum	365		365	115	20	14.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
574	Corymbia citriodora	Spotted Gum	340		340	107	20	9.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
575	Corymbia citriodora	Spotted Gum	170		170	53	14	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
576	Eucalyptus tereticornis	Forest Red Gum	280		280	88	17	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
577	Alphitonia excelsa	Soap Tree	110		110	35	5	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
578	Corymbia citriodora	Spotted Gum	320		320	101	20	14.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
579	Corymbia citriodora	Spotted Gum	185		185	58	15	7.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
580	Corymbia citriodora	Spotted Gum	320	135	347	109	18	12.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
581	Corymbia citriodora	Spotted Gum	145		145	46	15	7.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
582	Corymbia citriodora	Spotted Gum	205		205	64	17	11.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
583	Corymbia citriodora	Spotted Gum	300		300	94	20	16.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
584	Corymbia citriodora	Spotted Gum	130		130	41	12	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
585	Eucalyptus crebra	Narrow-leaved Ironbark	105		105	33	9	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
586	Acacia disparrima	Hickory Wattle	125		125	39	6	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
587	Corymbia citriodora	Spotted Gum	185		185	58	16	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
588	Corymbia citriodora	Spotted Gum	260		260	82	18	12.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
589	Corymbia citriodora	Spotted Gum	150		150	47	10	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
590	Corymbia citriodora	Spotted Gum	310		310	97	18	12.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
591	Corymbia citriodora	Spotted Gum	215		215	68	16	10.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
592	Eucalyptus crebra	Narrow-leaved Ironbark	135		135	42	11	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
593	Corymbia citriodora	Spotted Gum	265		265	83	18	14.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
594	Corymbia citriodora	Spotted Gum	175		175	55	15	10.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
595	Corymbia citriodora	Spotted Gum	240		240	75	21	12.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
596	Corymbia citriodora	Spotted Gum	250		250	79	18	12.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
597	Corymbia citriodora	Spotted Gum	225		225	71	15	10.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
598	Acacia disparrima	Hickory Wattle	105		105	33	5	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
599	Corymbia intermedia	Pink Bloodwood	100		100	31	6	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
600	Corymbia citriodora	Spotted Gum	230		230	72	18	8.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
601	Corymbia citriodora	Spotted Gum	275		275	86	20	12.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
602	Corymbia citriodora	Spotted Gum	270	145	306	96	17	10.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
603	Alphitonia excelsa	Soap Tree	110		110	35	7	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
604	Corymbia citriodora	Spotted Gum	185		185	58	15	8.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
605	Corymbia citriodora	Spotted Gum	200		200	63	15	4.0	2.4	1.7	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove
606	Corymbia tessellaris	Moreton Bay Ash	155		155	49	12	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
607	Corymbia citriodora	Spotted Gum	215		215	68	12	8.0	2.6	1.7	Regular	-	-	-	-	-	Typical	Major	-	-	-	Typical	-	-	-	-	-	-	Remove
608	Corymbia citriodora	Spotted Gum	305		305	96	20	14.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
609	Alphitonia excelsa	Soap Tree	135		135	42	8	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
610	Corymbia citriodora	Spotted Gum	280		280	88	20	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
611	Corymbia citriodora	Spotted Gum	110		110	35	12	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
612	DEAD/STAG		570		570	179	21	2.0	6.8	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Large	-	-	-	Remove
613	Corymbia citriodora	Spotted Gum	270		270	85	18	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove

Tree ID	Botanical Name	Common Name	Specimen Details								Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Retention
			Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	
614	Eucalyptus tereticornis	Forest Red Gum	800		800	251	24	15.0	9.6	3.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
615	DEAD/STAG		230		230	72	9	2.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
616	Corymbia citriodora	Spotted Gum	220		220	69	17	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
617	Corymbia citriodora	Spotted Gum	170		170	53	12	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
618	Corymbia citriodora	Spotted Gum	120		120	38	14	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
619	Eucalyptus tereticornis	Forest Red Gum	270		270	85	21	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Old	-	-	-	-	Retention TBC
620	Eucalyptus tereticornis	Forest Red Gum	130		130	41	12	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
621	Corymbia citriodora	Spotted Gum	110		110	35	11	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
622	Eucalyptus crebra	Narrow-leaved Ironbark	100		100	31	10	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
623	Petalostigma pubescens	Quinnie Bush	170		170	53	8	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
624	Corymbia citriodora	Spotted Gum	270		270	85	22	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
625	Corymbia citriodora	Spotted Gum	390		390	123	18	5.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
626	Corymbia citriodora	Spotted Gum	340		340	107	23	3.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
627	Corymbia citriodora	Spotted Gum	190		190	60	15	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
628	Corymbia citriodora	Spotted Gum	310		310	97	22	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
629	Corymbia citriodora	Spotted Gum	320		320	101	22	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
630	Corymbia citriodora	Spotted Gum	270		270	85	17	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
631	Corymbia citriodora	Spotted Gum	320		320	101	15	10.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
632	Eucalyptus tereticornis	Forest Red Gum	330		330	104	20	13.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
633	Acacia dispartima	Hickory Wattle	210		210	66	12	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
634	Corymbia citriodora	Spotted Gum	330		330	104	23	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
635	Corymbia citriodora	Spotted Gum	140		140	44	12	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
636	Eucalyptus tereticornis	Forest Red Gum	300		300	94	21	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
637	Corymbia citriodora	Spotted Gum	140		140	44	10	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
638	Corymbia citriodora	Spotted Gum	250		250	79	23	3.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
639	Corymbia citriodora	Spotted Gum	320		320	101	20	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
640	Eucalyptus tereticornis	Forest Red Gum	370		370	116	23	9.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
641	Corymbia citriodora	Spotted Gum	170		170	53	14	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
642	Corymbia citriodora	Spotted Gum	160		160	50	17	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
643	Corymbia citriodora	Spotted Gum	150		150	47	14	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
644	Eucalyptus tereticornis	Forest Red Gum	240		240	75	20	3.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
645	Corymbia tessellaris	Moreton Bay Ash	320		320	101	21	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
646	Corymbia intermedia	Pink Bloodwood	300		300	94	12	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
647	Corymbia tessellaris	Moreton Bay Ash	130		130	41	10	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
648	Eucalyptus tereticornis	Forest Red Gum	260		260	82	23	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
649	Eucalyptus crebra	Narrow-leaved Ironbark	180		180	57	9	2.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
650	Eucalyptus crebra	Narrow-leaved Ironbark	180		180	57	12	2.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
651	Eucalyptus crebra	Narrow-leaved Ironbark	420		420	132	23	15.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
680	Acacia dispartima	Hickory Wattle	170		170	53	12	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
681	Corymbia citriodora	Spotted Gum	130		130	41	12	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
682	Corymbia citriodora	Spotted Gum	140		140	44	13	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
683	Eucalyptus crebra	Narrow-leaved Ironbark	240		240	75	19	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
684	Corymbia citriodora	Spotted Gum	120		120	38	10	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
685	Corymbia citriodora	Spotted Gum	190		190	60	12	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
686	Corymbia citriodora	Spotted Gum	380		380	119	23	12.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
687	Corymbia citriodora	Spotted Gum	180		180	57	17	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
688	Eucalyptus tereticornis	Forest Red Gum	320		320	101	22	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
689	Corymbia tessellaris	Moreton Bay Ash	150	140	205	64	17	8.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
690	Eucalyptus tereticornis	Forest Red Gum	520		520	163	23	8.0	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	Old	-	-	-	-	-	Retention TBC
691	Eucalyptus tereticornis	Forest Red Gum	370		370	116	22	10.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
692	Corymbia intermedia	Pink Bloodwood	150		150	47	10	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
693	Eucalyptus tereticornis	Forest Red Gum	420		420	132	22	8.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
694	Corymbia tessellaris	Moreton Bay Ash	120		120	38	8	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
695	Eucalyptus crebra	Narrow-leaved Ironbark	320		320	101	17	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
698	Alphitonia excelsa	Soap Tree	120		120	38	12	7.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
699	Corymbia tessellaris	Moreton Bay Ash	130		130	41	12	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
700	Callistemon viminalis	Weeping Bottlebrush	160		160	50	8	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
701	Callistemon viminalis	Weeping Bottlebrush	150		150	47	9	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
702	Casuarina cunninghamiana	River She-oak	430		430	135	12	7.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
703	Callistemon viminalis	Weeping Bottlebrush	110		110	35	5	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
705	Eucalyptus tereticornis	Forest Red Gum	320		320	101	23	10.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
706	Angophora leiocarpa	Smooth-barked Apple	100		100	31	7	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
707	Corymbia citriodora	Spotted Gum	220		220	69	20	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
708	Corymbia citriodora	Spotted Gum	200		200	63	14	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
709	Eucalyptus tereticornis	Forest Red Gum	350		350	110	23	4.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
710	Corymbia citriodora	Spotted Gum	180		180	57	17	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
711	Corymbia citriodora	Spotted Gum	270		270	85	24	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
712	Eucalyptus tereticornis	Forest Red Gum	210		210	66	12	2.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
713	Eucalyptus tereticornis	Forest Red Gum	450		450	141	25	12.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
714	Eucalyptus tereticornis	Forest Red Gum	190		190	60	14	2.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
715	Eucalyptus tereticornis	Forest Red Gum	220		220	69	20	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
716	DEAD/STAG		300		300	94	20	15.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
717	Corymbia citriodora	Spotted Gum	380		380	119	24	8.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
718	Eucalyptus tereticornis	Forest Red Gum	340		340	107	24	12.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
719	Eucalyptus tereticornis	Forest Red Gum	350		350	110	24	9.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
720	Eucalyptus tereticornis	Forest Red Gum	530		530	167	25	13.0	6.4	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
721	Corymbia citriodora	Spotted Gum	370		370	116	24	12.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
722	Corymbia citriodora	Spotted Gum	370		370	116	23	5.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	Old	-	-	-	-	-	Remove
723	Eucalyptus tereticornis	Forest Red Gum	460		460	145	25	13.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
724	Corymbia citriodora	Spotted Gum	120		120	38	8	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
725	Eucalyptus tereticornis	Forest Red Gum	240		240	75	18	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
726	Corymbia citriodora	Spotted Gum	170		170	53	15	2.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
727	Eucalyptus tereticornis	Forest Red Gum	350		350	110	18	11.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
728	Corymbia citriodora	Spotted Gum	400		400	126	25	13.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value							
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
729	Corymbia citriodora	Spotted Gum	280		280	88	20	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
730	Corymbia citriodora	Spotted Gum	620		620	195	26	12.0	7.4	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
731	Corymbia citriodora	Spotted Gum	490		490	154	23	8.0	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
732	Acacia disparrima	Hickory Wattle	210		210	66	8	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
733	Corymbia citriodora	Spotted Gum	240		240	75	15	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
734	DEAD/STAG		350		350	110	17	2.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	Large	-	-	Remove
735	Corymbia citriodora	Spotted Gum	290		290	91	22	8.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
736	Alphitonia excelsa	Soap Tree	110		110	35	8	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
737	Corymbia citriodora	Spotted Gum	160		160	50	14	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
738	Corymbia citriodora	Spotted Gum	280		280	88	22	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
739	Corymbia citriodora	Spotted Gum	240		240	75	22	6.0	2.9	1.8	One-sided	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
740	Corymbia citriodora	Spotted Gum	100		100	31	10	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
741	Corymbia citriodora	Spotted Gum	220		220	69	22	8.0	2.6	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
742	Corymbia citriodora	Spotted Gum	140		140	44	8	4.0	2.0	1.4	One-sided	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
743	Corymbia citriodora	Spotted Gum	260		260	82	20	8.0	3.1	1.9	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
744	Corymbia citriodora	Spotted Gum	250		250	79	16	8.0	3.0	1.8	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
745	Eucalyptus tereticornis	Forest Red Gum	280		280	88	22	10.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
746	Corymbia tessellaris	Moreton Bay Ash	130		130	41	2	1.0	2.0	1.4	Regular	-	-	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
747	Corymbia citriodora	Spotted Gum	130		130	41	12	5.0	2.0	1.4	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
748	Corymbia citriodora	Spotted Gum	210		210	66	20	10.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
749	Corymbia citriodora	Spotted Gum	140		140	44	16	3.0	2.0	1.4	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
750	Corymbia citriodora	Spotted Gum	270		270	85	24	10.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
751	Corymbia citriodora	Spotted Gum	320		320	101	24	10.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
752	Corymbia citriodora	Spotted Gum	230	220	318	100	22	10.0	3.8	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
774	Acacia disparrima	Hickory Wattle	220		220	69	7	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	Major	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
775	Casuarina cunninghamiana	River She-oak	220		220	69	10	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
776	Callistemon viminalis	Weeping Bottlebrush	220		220	69	8	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
777	Callistemon viminalis	Weeping Bottlebrush	210		210	66	8	4.0	2.5	1.7	Regular	-	-	Die-back	Epicormic	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
778	Callistemon viminalis	Weeping Bottlebrush	160		160	50	8	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
779	Callistemon viminalis	Weeping Bottlebrush	100		100	31	5	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
780	Casuarina cunninghamiana	River She-oak	110		110	35	8	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
781	Corymbia citriodora	Spotted Gum	170		170	53	18	8.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
782	Angophora subvelutina	Broad-leaved Apple	240		240	75	20	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
783	Angophora subvelutina	Broad-leaved Apple	200		200	63	14	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
784	Corymbia citriodora	Spotted Gum	300		300	94	24	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
785	Corymbia citriodora	Spotted Gum	230		230	72	22	8.0	2.8	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
786	Corymbia citriodora	Spotted Gum	400		400	126	26	14.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
787	Eucalyptus tereticornis	Forest Red Gum	260		260	82	24	10.0	3.1	1.9	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
788	Corymbia citriodora	Spotted Gum	350		350	110	24	12.0	4.2	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retention TBC
789	Eucalyptus tereticornis	Forest Red Gum	210		210	66	22	10.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
790	Angophora subvelutina	Broad-leaved Apple	100		100	31	4	2.0	2.0	1.3	Regular	-	-	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
791	Corymbia intermedia	Pink Bloodwood	120		120	38	12	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value							
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
792	Corymbia intermedia	Pink Bloodwood	130		130	41	20	7.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
793	Corymbia citriodora	Spotted Gum	360		360	113	22	10.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
794	Angophora leiocarpa	Smooth-barked Apple	200		200	63	16	8.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
795	Corymbia intermedia	Pink Bloodwood	100		100	31	8	2.0	2.0	1.3	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
796	Corymbia intermedia	Pink Bloodwood	170		170	53	8	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
797	Angophora leiocarpa	Smooth-barked Apple	400		400	126	18	8.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
798	Lophostemon suaveolens	Swamp Box	180	150	234	74	12	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
799	Eucalyptus tereticornis	Forest Red Gum	450		450	141	26	14.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
800	Corymbia citriodora	Spotted Gum	150		150	47	12	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
801	Eucalyptus tereticornis	Forest Red Gum	160		160	50	20	8.0	2.0	1.5	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
802	Corymbia citriodora	Spotted Gum	160		160	50	22	8.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
803	Corymbia citriodora	Spotted Gum	170		170	53	22	10.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
804	Acacia disparrima	Hickory Wattle	170		170	53	6	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
805	Acacia disparrima	Hickory Wattle	110		110	35	8	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
806	Eucalyptus tereticornis	Forest Red Gum	320		320	101	24	12.0	3.8	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
807	Corymbia citriodora	Spotted Gum	220		220	69	22	8.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
808	Corymbia citriodora	Spotted Gum	420		420	132	20	8.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Old	-	-	-	-	Retention TBC
809	Corymbia citriodora	Spotted Gum	230		230	72	20	8.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
810	Corymbia citriodora	Spotted Gum	340		340	107	26	14.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
811	Eucalyptus tereticornis	Forest Red Gum	320		320	101	24	12.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
812	Corymbia citriodora	Spotted Gum	380		380	119	22	12.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
813	Corymbia citriodora	Spotted Gum	180		180	57	20	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
814	Corymbia citriodora	Spotted Gum	130		130	41	14	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
815	Corymbia citriodora	Spotted Gum	330		330	104	24	12.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
816	Corymbia citriodora	Spotted Gum	340		340	107	24	12.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Old	-	-	-	-	Remove
817	Corymbia citriodora	Spotted Gum	150		150	47	14	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
818	Corymbia citriodora	Spotted Gum	220		220	69	24	8.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
819	Corymbia citriodora	Spotted Gum	270		270	85	24	14.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
820	Corymbia citriodora	Spotted Gum	140		140	44	8	3.0	2.0	1.4	Regular	-	-	-	Epicormic	Lopped	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove
821	Corymbia citriodora	Spotted Gum	320		320	101	26	14.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
822	Corymbia citriodora	Spotted Gum	320		320	101	22	8.0	3.8	2.1	One-sided	-	-	-	Epicormic	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove
823	Corymbia citriodora	Spotted Gum	350		350	110	26	14.0	4.2	2.1	One-sided	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove
824	Corymbia citriodora	Spotted Gum	230		230	72	20	8.0	2.8	1.8	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove
825	Corymbia citriodora	Spotted Gum	280		280	88	24	12.0	3.4	1.9	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
826	Corymbia citriodora	Spotted Gum	310		310	97	24	12.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Old	-	-	-	-	Remove
827	Corymbia citriodora	Spotted Gum	140		140	44	14	2.0	2.0	1.4	Regular	-	-	Die-back	Epicormic	-	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove
828	Corymbia citriodora	Spotted Gum	260		260	82	24	10.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
829	Corymbia citriodora	Spotted Gum	110		110	35	14	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
830	Corymbia citriodora	Spotted Gum	220		220	69	20	7.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
831	Corymbia citriodora	Spotted Gum	220		220	69	22	6.0	2.6	1.8	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove
832	Corymbia citriodora	Spotted Gum	120		120	38	8	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
833	Corymbia citriodora	Spotted Gum	120		120	38	10	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	
834	Corymbia citriodora	Spotted Gum	470		470	148	26	16.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
835	Corymbia citriodora	Spotted Gum	320		320	101	24	10.0	3.8	2.1	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
836	Corymbia citriodora	Spotted Gum	370		370	116	24	12.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
837	Corymbia citriodora	Spotted Gum	170		170	53	20	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
838	Corymbia citriodora	Spotted Gum	230		230	72	24	8.0	2.8	1.8	Regular	-	-	Die-back	Epicormic	-	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove	
839	Corymbia citriodora	Spotted Gum	120	120	170	53	14	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
840	Corymbia citriodora	Spotted Gum	280		280	88	24	10.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Old	-	-	-	-	Remove	
841	Corymbia citriodora	Spotted Gum	150		150	47	18	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
842	Eucalyptus tereticornis	Forest Red Gum	220		220	69	24	8.0	2.6	1.8	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
843	Corymbia citriodora	Spotted Gum	220		220	69	22	8.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
844	Corymbia citriodora	Spotted Gum	240		240	75	20	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
845	Corymbia citriodora	Spotted Gum	280		280	88	24	12.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
846	Corymbia citriodora	Spotted Gum	130		130	41	14	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
847	Corymbia citriodora	Spotted Gum	125		125	39	12	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
848	Corymbia citriodora	Spotted Gum	115		115	36	10	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
849	Corymbia citriodora	Spotted Gum	300		300	94	18	9.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
850	Corymbia citriodora	Spotted Gum	170		170	53	16	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
851	Corymbia tessellaris	Moreton Bay Ash	120		120	38	10	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
852	Eucalyptus tereticornis	Forest Red Gum	290		290	91	18	8.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
853	Acacia dispartima	Hickory Wattle	180	140	228	72	8	8.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
854	Alphitonia excelsa	Soap Tree	105		105	33	7	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
855	Alphitonia excelsa	Soap Tree	135		135	42	6	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
856	Alphitonia excelsa	Soap Tree	110		110	35	4	4.0	2.0	1.3	Regular	-	-	Die-back	-	-	Poor	Minor	-	-	-	-	Typical	-	-	-	-	-	-	Remove
857	Corymbia citriodora	Spotted Gum	110		110	35	8	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	Major	-	-	-	-	Typical	-	-	-	-	-	-	Remove
858	Alphitonia excelsa	Soap Tree	135	75	154	49	9	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
859	Corymbia citriodora	Spotted Gum	195		195	61	18	7.0	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
860	Corymbia citriodora	Spotted Gum	225		225	71	18	8.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
861	Corymbia tessellaris	Moreton Bay Ash	140		140	44	12	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
862	Alphitonia excelsa	Soap Tree	100		100	31	8	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
863	Acacia dispartima	Hickory Wattle	130		130	41	8	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
864	Eucalyptus tereticornis	Forest Red Gum	330		330	104	20	11.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
865	Corymbia citriodora	Spotted Gum	150		150	47	14	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
866	Eucalyptus tereticornis	Forest Red Gum	215		215	68	18	8.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
867	Corymbia citriodora	Spotted Gum	135		135	42	16	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
868	Corymbia citriodora	Spotted Gum	105		105	33	10	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
869	Petalostigma pubescens	Quinnie Bush	100	70	122	38	8	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
870	Eucalyptus crebra	Narrow-leaved Ironbark	120		120	38	8	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
871	Corymbia citriodora	Spotted Gum	130		130	41	12	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
872	Eucalyptus tereticornis	Forest Red Gum	165		165	52	15	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
873	Corymbia citriodora	Spotted Gum	280		280	88	20	10.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
874	Corymbia citriodora	Spotted Gum	110		110	35	12	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
875	Eucalyptus tereticornis	Forest Red Gum	160		160	50	14	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	

Tree ID	Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Retention
	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	
876	Corymbia tessellaris	Moreton Bay Ash	150		150	47	12	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
877	Eucalyptus tereticornis	Forest Red Gum	165		165	52	15	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
878	Corymbia citriodora	Spotted Gum	205		205	64	15	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
879	Corymbia citriodora	Spotted Gum	185		185	58	17	9.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
880	DEAD/STAG		320		320	101	20	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Retention TBC
881	Corymbia citriodora	Spotted Gum	235		235	74	18	10.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
882	Corymbia citriodora	Spotted Gum	220		220	69	17	8.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
883	Corymbia citriodora	Spotted Gum	140		140	44	12	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
884	Corymbia citriodora	Spotted Gum	135		135	42	15	8.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
885	Corymbia citriodora	Spotted Gum	200		200	63	18	8.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
886	Corymbia citriodora	Spotted Gum	135		135	42	15	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
887	Corymbia citriodora	Spotted Gum	290		290	91	18	9.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
888	Corymbia citriodora	Spotted Gum	250		250	79	18	9.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
889	Corymbia citriodora	Spotted Gum	255		255	80	20	9.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
890	DEAD/STAG		280		280	88	22	10.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Retention TBC
891	Corymbia citriodora	Spotted Gum	145		145	46	15	5.0	2.0	1.5	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
892	Eucalyptus crebra	Narrow-leaved Ironbark	190		190	60	18	8.0	2.3	1.6	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Retention TBC
893	DEAD/STAG		185		185	58	14	2.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Retention TBC
894	Eucalyptus tereticornis	Forest Red Gum	230		230	72	8	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
895	Corymbia citriodora	Spotted Gum	110		110	35	9	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
896	Corymbia citriodora	Spotted Gum	100		100	31	8	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
897	Corymbia citriodora	Spotted Gum	160		160	50	9	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
898	Eucalyptus tereticornis	Forest Red Gum	115		115	36	11	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
899	Corymbia citriodora	Spotted Gum	245		245	77	20	14.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
900	Corymbia citriodora	Spotted Gum	275		275	86	17	8.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
901	Corymbia citriodora	Spotted Gum	125		125	39	9	2.0	2.0	1.4	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
902	Eucalyptus tereticornis	Forest Red Gum	275		275	86	18	10.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
903	Corymbia citriodora	Spotted Gum	150		150	47	14	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
904	Corymbia citriodora	Spotted Gum	180		180	57	14	4.0	2.2	1.6	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
905	Corymbia citriodora	Spotted Gum	280		280	88	17	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
906	Corymbia citriodora	Spotted Gum	330		330	104	20	9.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
907	Corymbia citriodora	Spotted Gum	115		115	36	9	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
908	Eucalyptus tereticornis	Forest Red Gum	300		300	94	18	9.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
909	Corymbia citriodora	Spotted Gum	255		255	80	16	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
910	Corymbia citriodora	Spotted Gum	200		200	63	20	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
911	Eucalyptus crebra	Narrow-leaved Ironbark	120		120	38	12	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
912	Corymbia citriodora	Spotted Gum	115		115	36	12	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
913	Eucalyptus siderophloia	Northern Grey Ironbark	170		170	53	14	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
914	Corymbia citriodora	Spotted Gum	180		180	57	16	7.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
915	Corymbia citriodora	Spotted Gum	115		115	36	12	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
916	Corymbia citriodora	Spotted Gum	110		110	35	14	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
917	Corymbia citriodora	Spotted Gum	130		130	41	12	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value							
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
918	Corymbia citriodora	Spotted Gum	190		190	60	17	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
919	Corymbia citriodora	Spotted Gum	210		210	66	16	8.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
920	Corymbia citriodora	Spotted Gum	255		255	80	20	10.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
921	Petalostigma pubescens	Quinnie Bush	135	100	168	53	7	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
922	Petalostigma pubescens	Quinnie Bush	105		105	33	6	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
923	Eucalyptus crebra	Narrow-leaved Ironbark	120		120	38	8	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
924	Corymbia citriodora	Spotted Gum	320		320	101	20	10.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
925	Corymbia citriodora	Spotted Gum	135		135	42	15	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
926	Corymbia citriodora	Spotted Gum	110		110	35	16	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
927	Corymbia citriodora	Spotted Gum	170		170	53	16	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
928	Corymbia citriodora	Spotted Gum	135		135	42	14	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
929	Corymbia citriodora	Spotted Gum	170		170	53	17	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
930	Corymbia citriodora	Spotted Gum	140		140	44	15	4.0	2.0	1.4	Regular	-	-	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
934	Corymbia citriodora	Spotted Gum	135		135	42	16	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
936	Eucalyptus tereticornis	Forest Red Gum	390		390	123	25	15.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
938	Corymbia citriodora	Spotted Gum	250		250	79	18	12.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
965	Corymbia citriodora	Spotted Gum	305		305	96	21	14.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
966	Corymbia citriodora	Spotted Gum	180		180	57	17	9.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
967	Corymbia citriodora	Spotted Gum	125		125	39	16	8.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
968	Eucalyptus tereticornis	Forest Red Gum	335		335	105	20	12.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
969	Eucalyptus tereticornis	Forest Red Gum	115		115	36	14	6.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
970	Corymbia citriodora	Spotted Gum	200		200	63	16	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
971	Corymbia citriodora	Spotted Gum	320		320	101	20	14.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
972	Corymbia citriodora	Spotted Gum	160		160	50	16	7.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
973	Corymbia citriodora	Spotted Gum	295		295	93	20	14.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
974	Corymbia citriodora	Spotted Gum	125		125	39	10	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
975	Corymbia citriodora	Spotted Gum	190		190	60	17	10.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
976	Corymbia citriodora	Spotted Gum	340		340	107	18	9.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
977	Corymbia citriodora	Spotted Gum	265		265	83	18	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
978	Corymbia citriodora	Spotted Gum	430		430	135	22	15.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
979	Corymbia citriodora	Spotted Gum	240		240	75	18	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
980	Corymbia citriodora	Spotted Gum	255		255	80	17	9.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
981	Corymbia citriodora	Spotted Gum	245		245	77	16	7.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
982	Corymbia citriodora	Spotted Gum	130		130	41	15	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
983	Corymbia intermedia	Pink Bloodwood	175		175	55	10	6.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
984	Corymbia citriodora	Spotted Gum	210		210	66	17	9.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
985	Corymbia citriodora	Spotted Gum	110		110	35	14	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
986	Corymbia citriodora	Spotted Gum	110		110	35	11	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
987	Corymbia citriodora	Spotted Gum	225		225	71	18	8.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
988	Corymbia tessellaris	Moreton Bay Ash	120		120	38	9	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
989	Corymbia tessellaris	Moreton Bay Ash	260		260	82	16	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
990	Corymbia citriodora	Spotted Gum	165		165	52	12	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC

Tree ID	Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Retention
	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	
998	Callistemon viminalis	Weeping Bottlebrush	180		180	57	10	12.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
999	Callistemon viminalis	Weeping Bottlebrush	220		220	69	6	8.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1000	Callistemon viminalis	Weeping Bottlebrush	155		155	49	6	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1001	Aphananthe philippinensis	Rough-leaved Elm	140		140	44	6	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1002	Casuarina cunninghamiana	River She-oak	300	275	407	128	16	10.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1003	Callistemon viminalis	Weeping Bottlebrush	100		100	31	6	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1004	Acacia dispartima	Hickory Wattle	140		140	44	9	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1005	Corymbia citriodora	Spotted Gum	275		275	86	22	12.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1006	Angophora subvelutina	Broad-leaved Apple	165		165	52	10	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1007	Corymbia citriodora	Spotted Gum	285		285	90	21	10.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1008	Angophora subvelutina	Broad-leaved Apple	105		105	33	8	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1009	Corymbia citriodora	Spotted Gum	245		245	77	20	10.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1010	Corymbia citriodora	Spotted Gum	235		235	74	22	9.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1011	Corymbia citriodora	Spotted Gum	170		170	53	18	8.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1012	Eucalyptus tereticornis	Forest Red Gum	245		245	77	20	9.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1013	Eucalyptus tereticornis	Forest Red Gum	170		170	53	18	9.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1014	Eucalyptus tereticornis	Forest Red Gum	145		145	46	14	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1015	Lophostemon suaveolens	Swamp Box	135		135	42	12	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1016	Corymbia citriodora	Spotted Gum	315		315	99	22	10.0	3.8	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1017	Corymbia citriodora	Spotted Gum	235		235	74	4	2.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retention TBC
1018	Corymbia citriodora	Spotted Gum	225		225	71	20	8.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1019	Eucalyptus tereticornis	Forest Red Gum	260		260	82	22	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1020	Corymbia citriodora	Spotted Gum	275		275	86	18	9.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1021	Eucalyptus tereticornis	Forest Red Gum	330		330	104	20	10.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1022	Corymbia citriodora	Spotted Gum	130		130	41	15	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1023	Eucalyptus tereticornis	Forest Red Gum	355		355	112	22	12.0	4.3	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1024	Eucalyptus tereticornis	Forest Red Gum	305		305	96	21	12.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1025	Acacia dispartima	Hickory Wattle	145		145	46	8	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1026	Corymbia citriodora	Spotted Gum	145		145	46	14	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1027	Acacia dispartima	Hickory Wattle	100		100	31	6	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1028	Corymbia citriodora	Spotted Gum	215		215	68	18	6.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1029	Corymbia citriodora	Spotted Gum	335		335	105	20	14.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1030	Eucalyptus tereticornis	Forest Red Gum	405		405	127	22	15.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1031	Corymbia citriodora	Spotted Gum	160		160	50	14	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1032	Eucalyptus tereticornis	Forest Red Gum	235		235	74	18	9.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1033	Corymbia citriodora	Spotted Gum	155		155	49	16	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1034	Eucalyptus tereticornis	Forest Red Gum	440		440	138	20	8.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1035	Corymbia citriodora	Spotted Gum	285		285	90	16	7.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1036	Eucalyptus tereticornis	Forest Red Gum	255		255	80	23	12.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1037	Corymbia citriodora	Spotted Gum	345		345	108	20	14.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	Termite nest	-	-	Remove
1038	Corymbia citriodora	Spotted Gum	330		330	104	22	15.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1039	Corymbia citriodora	Spotted Gum	335		335	105	20	12.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value							
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
1040	Corymbia tessellaris	Moreton Bay Ash	175		175	55	14	6.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1041	Corymbia citriodora	Spotted Gum	295		295	93	20	14.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1042	DEAD/STAG		245		245	77	17	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	Small	Termite nest	-	Remove
1043	Corymbia citriodora	Spotted Gum	190		190	60	12	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1044	Corymbia citriodora	Spotted Gum	260		260	82	16	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1045	Corymbia tessellaris	Moreton Bay Ash	135		135	42	10	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1046	Corymbia intermedia	Pink Bloodwood	100		100	31	8	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1047	Acacia disparrima	Hickory Wattle	105		105	33	6	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1048	Corymbia citriodora	Spotted Gum	280		280	88	20	12.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1049	Corymbia citriodora	Spotted Gum	295		295	93	22	10.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1050	Corymbia intermedia	Pink Bloodwood	190		190	60	12	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1051	DEAD/STAG		540		540	170	20	8.0	6.5	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Large	-	-	-	Retention TBC
1052	Corymbia citriodora	Spotted Gum	220		220	69	20	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1053	Corymbia citriodora	Spotted Gum	160		160	50	14	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1054	Corymbia citriodora	Spotted Gum	120		120	38	8	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1055	Corymbia citriodora	Spotted Gum	310		310	97	22	10.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1056	Corymbia citriodora	Spotted Gum	210		210	66	12	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1057	Corymbia citriodora	Spotted Gum	120		120	38	12	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1058	Corymbia citriodora	Spotted Gum	320		320	101	20	10.0	3.8	2.1	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	Old	-	-	-	-	Remove
1059	Corymbia citriodora	Spotted Gum	100		100	31	8	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1060	Lophostemon suaveolens	Swamp Box	110		110	35	8	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1061	Corymbia citriodora	Spotted Gum	100		100	31	8	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1062	Lophostemon suaveolens	Swamp Box	120	120	170	53	7	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1063	Acacia disparrima	Hickory Wattle	120		120	38	6	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1064	Acacia disparrima	Hickory Wattle	120		120	38	7	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1076	Corymbia citriodora	Spotted Gum	100		100	31	12	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1077	Acacia disparrima	Hickory Wattle	105		105	33	6	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1078	Corymbia intermedia	Pink Bloodwood	330		330	104	21	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1079	Corymbia intermedia	Pink Bloodwood	145		145	46	10	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1080	Corymbia citriodora	Spotted Gum	130		130	41	11	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1081	Lophostemon suaveolens	Swamp Box	210	90	228	72	11	5.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1082	Corymbia citriodora	Spotted Gum	365		365	115	29	9.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1083	Corymbia citriodora	Spotted Gum	125		125	39	12	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1084	Acacia disparrima	Hickory Wattle	105		105	33	9	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1085	Acacia disparrima	Hickory Wattle	130		130	41	6	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1086	Corymbia citriodora	Spotted Gum	420		420	132	26	9.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1087	Corymbia citriodora	Spotted Gum	450		450	141	32	9.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1088	DEAD/STAG		690		690	217	21	7.0	8.3	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Large	-	-	-	Remove
1089	Corymbia citriodora	Spotted Gum	460		460	145	32	11.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1090	Corymbia citriodora	Spotted Gum	465		465	146	32	11.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1092	Corymbia citriodora	Spotted Gum	540		540	170	32	12.0	6.5	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1113	Corymbia citriodora	Spotted Gum	230		230	72	20	3.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
1114	DEAD/STAG		860		860	270	7	1.0	10.3	3.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Large	-	-	-	Remove
1115	Corymbia citriodora	Spotted Gum	410		410	129	25	13.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1116	Lophostemon suaveolens	Swamp Box	110	110	156	49	7	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1120	Corymbia citriodora	Spotted Gum	280		280	88	16	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1121	Eucalyptus tereticornis	Forest Red Gum	335		335	105	17	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1122	Corymbia citriodora	Spotted Gum	145		145	46	11	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1123	Alphitonia excelsa	Soap Tree	145		145	46	8	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1124	Corymbia citriodora	Spotted Gum	245		245	77	17	7.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1125	Corymbia citriodora	Spotted Gum	280		280	88	18	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1126	Corymbia citriodora	Spotted Gum	130		130	41	14	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1127	Lophostemon suaveolens	Swamp Box	130		130	41	7	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1128	Lophostemon suaveolens	Swamp Box	100		100	31	6	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1129	Corymbia citriodora	Spotted Gum	115		115	36	15	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1130	Acacia leiocalyx	Early-flowering Black Wattle	105		105	33	7	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1131	Acacia disparrima	Hickory Wattle	125		125	39	6	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1132	Acacia disparrima	Hickory Wattle	100		100	31	5	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1133	Corymbia citriodora	Spotted Gum	110		110	35	8	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1134	Corymbia citriodora	Spotted Gum	175		175	55	14	6.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1139	Eucalyptus crebra	Narrow-leaved Ironbark	500		500	157	23	14.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Retention TBC
1140	Corymbia citriodora	Spotted Gum	870		870	273	26	17.0	10.4	3.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Large	-	-	-	Remove
1143	Eucalyptus moluccana	Gum-topped Box	610		610	192	23	12.0	7.3	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	Old	-	-	-	-	-	Remove
1144	DEAD/STAG		350		350	110	21	4.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Remove
1145	Eucalyptus crebra	Narrow-leaved Ironbark	660		660	207	20	14.0	7.9	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1152	Eucalyptus moluccana	Gum-topped Box	620		620	195	24	12.0	7.4	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1153	Eucalyptus moluccana	Gum-topped Box	560		560	176	26	14.0	6.7	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1154	Eucalyptus moluccana	Gum-topped Box	510		510	160	22	12.0	6.1	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1155	Eucalyptus moluccana	Gum-topped Box	280		280	88	24	10.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1156	Corymbia intermedia	Pink Bloodwood	150		150	47	10	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1157	Eucalyptus moluccana	Gum-topped Box	140		140	44	8	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1158	Eucalyptus moluccana	Gum-topped Box	330		330	104	24	12.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1159	Lophostemon suaveolens	Swamp Box	120		120	38	8	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1160	Lophostemon suaveolens	Swamp Box	140		140	44	8	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1161	Alphitonia excelsa	Soap Tree	180		180	57	6	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1162	Eucalyptus moluccana	Gum-topped Box	510	170	538	169	20	8.0	6.5	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1163	Eucalyptus moluccana	Gum-topped Box	525		525	165	22	12.0	6.3	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1225	Eucalyptus crebra	Narrow-leaved Ironbark	280		280	88	18	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Retention TBC
1227	Corymbia citriodora	Spotted Gum	250		250	79	12	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1228	Corymbia citriodora	Spotted Gum	240		240	75	22	10.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1229	Corymbia citriodora	Spotted Gum	380		380	119	22	10.0	4.6	2.2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1230	Corymbia citriodora	Spotted Gum	110		110	35	14	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1231	Corymbia citriodora	Spotted Gum	120		120	38	18	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1232	Corymbia citriodora	Spotted Gum	270		270	85	22	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value							
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
1233	Corymbia citriodora	Spotted Gum	100		100	31	14	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1234	Eucalyptus tereticornis	Forest Red Gum	230		230	72	20	7.0	2.8	1.8	One-sided	-	-	-	-	-	Typical	Minor	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retention TBC
1235	Corymbia intermedia	Pink Bloodwood	260		260	82	20	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1236	Eucalyptus tereticornis	Forest Red Gum	210		210	66	22	8.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1237	Corymbia citriodora	Spotted Gum	400		400	126	26	12.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1238	Eucalyptus tereticornis	Forest Red Gum	300		300	94	24	10.0	3.6	2.0	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1239	Eucalyptus tereticornis	Forest Red Gum	220		220	69	20	6.0	2.6	1.8	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1240	Eucalyptus tereticornis	Forest Red Gum	320		320	101	24	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1241	Eucalyptus tereticornis	Forest Red Gum	240		240	75	24	10.0	2.9	1.8	One-sided	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1242	Angophora leiocarpa	Smooth-barked Apple	110	100, 90	174	55	8	4.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1243	Eucalyptus tereticornis	Forest Red Gum	380		380	119	26	14.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove
1244	Eucalyptus tereticornis	Forest Red Gum	380		380	119	24	12.0	4.6	2.2	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1245	Corymbia citriodora	Spotted Gum	140		140	44	20	4.0	2.0	1.4	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1246	Corymbia citriodora	Spotted Gum	320		320	101	22	10.0	3.8	2.1	Regular	-	-	-	Epicormic	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove
1247	Corymbia citriodora	Spotted Gum	160		160	50	8	3.0	2.0	1.5	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1248	Eucalyptus tereticornis	Forest Red Gum	440		440	138	24	14.0	5.3	2.3	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1249	Corymbia citriodora	Spotted Gum	120		120	38	14	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1250	Corymbia citriodora	Spotted Gum	100		100	31	10	3.0	2.0	1.3	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1251	Eucalyptus tereticornis	Forest Red Gum	450		450	141	24	12.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1252	Eucalyptus tereticornis	Forest Red Gum	550		550	173	24	12.0	6.6	2.6	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1253	Corymbia citriodora	Spotted Gum	100		100	31	10	2.0	2.0	1.3	Regular	-	-	-	Epicormic	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove
1254	Corymbia intermedia	Pink Bloodwood	270		270	85	12	6.0	3.2	1.9	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1255	Corymbia citriodora	Spotted Gum	150		150	47	14	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1256	Corymbia citriodora	Spotted Gum	150		150	47	18	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1257	Corymbia citriodora	Spotted Gum	150		150	47	10	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1258	Corymbia citriodora	Spotted Gum	100		100	31	10	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1259	Eucalyptus tereticornis	Forest Red Gum	250		250	79	22	10.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1260	Corymbia citriodora	Spotted Gum	250		250	79	22	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1261	Corymbia tessellaris	Moreton Bay Ash	200		200	63	20	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1262	Corymbia citriodora	Spotted Gum	120		120	38	18	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1263	Corymbia citriodora	Spotted Gum	180		180	57	20	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1264	Corymbia citriodora	Spotted Gum	100		100	31	14	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1265	Corymbia citriodora	Spotted Gum	130		130	41	16	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1266	Corymbia citriodora	Spotted Gum	300		300	94	22	10.0	3.6	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1267	Corymbia intermedia	Pink Bloodwood	140		140	44	10	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1268	Corymbia citriodora	Spotted Gum	130		130	41	14	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1269	Corymbia citriodora	Spotted Gum	120		120	38	16	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1270	Corymbia citriodora	Spotted Gum	100		100	31	14	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1271	Corymbia intermedia	Pink Bloodwood	120		120	38	8	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1272	Corymbia citriodora	Spotted Gum	180		180	57	14	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1273	Corymbia citriodora	Spotted Gum	120		120	38	12	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1274	Acacia dispartima	Hickory Wattle	160		160	50	8	4.0	2.0	1.5	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value							
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
1275	Corymbia intermedia	Pink Bloodwood	320		320	101	22	12.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1276	Eucalyptus crebra	Narrow-leaved Ironbark	450		450	141	24	16.0	5.4	2.4	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1277	Corymbia citriodora	Spotted Gum	120		120	38	14	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1278	Corymbia intermedia	Pink Bloodwood	120		120	38	7	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1279	Eucalyptus crebra	Narrow-leaved Ironbark	130		130	41	8	4.0	2.0	1.4	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1280	Eucalyptus tereticornis	Forest Red Gum	440		440	138	24	12.0	5.3	2.3	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1281	DEAD/STAG		320		320	101	8	1.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Remove
1282	Angophora woodsiana	Smudgee Apple	110		110	35	7	2.0	2.0	1.3	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1283	Acacia disparrima	Hickory Wattle	140		140	44	7	3.0	2.0	1.4	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1284	Acacia disparrima	Hickory Wattle	150		150	47	5	3.0	2.0	1.5	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1285	Eucalyptus crebra	Narrow-leaved Ironbark	120		120	38	9	2.0	2.0	1.4	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1286	Corymbia citriodora	Spotted Gum	270		270	85	22	10.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1287	Eucalyptus tereticornis	Forest Red Gum	330		330	104	24	10.0	4.0	2.1	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1288	Eucalyptus tereticornis	Forest Red Gum	330		330	104	20	10.0	4.0	2.1	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1289	Corymbia citriodora	Spotted Gum	120		120	38	6	1.0	2.0	1.4	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1290	Corymbia citriodora	Spotted Gum	150		150	47	18	3.0	2.0	1.5	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1291	Corymbia citriodora	Spotted Gum	110		110	35	10	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1292	Corymbia citriodora	Spotted Gum	220		220	69	22	10.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1293	Corymbia citriodora	Spotted Gum	130		130	41	16	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1294	Corymbia citriodora	Spotted Gum	140		140	44	10	2.0	2.0	1.4	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1295	Corymbia citriodora	Spotted Gum	100		100	31	7	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1296	Corymbia citriodora	Spotted Gum	100		100	31	8	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1297	Corymbia citriodora	Spotted Gum	140		140	44	8	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1298	Corymbia citriodora	Spotted Gum	110		110	35	10	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1299	Corymbia citriodora	Spotted Gum	350		350	110	22	12.0	4.2	2.1	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1300	Corymbia citriodora	Spotted Gum	110		110	35	14	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1301	Corymbia citriodora	Spotted Gum	150		150	47	14	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1302	Corymbia citriodora	Spotted Gum	110	90	142	45	14	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1303	Corymbia citriodora	Spotted Gum	130		130	41	10	4.0	2.0	1.4	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1304	Corymbia citriodora	Spotted Gum	300		300	94	22	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	Old	-	-	-	-	Retention TBC
1305	Corymbia citriodora	Spotted Gum	110		110	35	16	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1306	Corymbia citriodora	Spotted Gum	110		110	35	14	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1307	Corymbia citriodora	Spotted Gum	230		230	72	20	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1308	Corymbia intermedia	Pink Bloodwood	210		210	66	14	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1309	Corymbia citriodora	Spotted Gum	130		130	41	10	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1310	Corymbia intermedia	Pink Bloodwood	320		320	101	22	10.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1311	Corymbia citriodora	Spotted Gum	100		100	31	8	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1312	Corymbia citriodora	Spotted Gum	130		130	41	12	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1313	Corymbia citriodora	Spotted Gum	120		120	38	10	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1314	Corymbia citriodora	Spotted Gum	120		120	38	14	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1315	Corymbia intermedia	Pink Bloodwood	470		470	148	22	12.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1316	Corymbia citriodora	Spotted Gum	360		360	113	22	10.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
1317	Corymbia citriodora	Spotted Gum	140		140	44	8	6.0	2.0	1.4	One-sided	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1318	Corymbia citriodora	Spotted Gum	110		110	35	10	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1319	Corymbia citriodora	Spotted Gum	220		220	69	20	8.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1320	Corymbia citriodora	Spotted Gum	220		220	69	22	7.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1321	Corymbia citriodora	Spotted Gum	100		100	31	14	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1322	Eucalyptus tereticornis	Forest Red Gum	240		240	75	20	7.0	2.9	1.8	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1323	Eucalyptus tereticornis	Forest Red Gum	310		310	97	24	12.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1324	Corymbia citriodora	Spotted Gum	250		250	79	22	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1325	Corymbia citriodora	Spotted Gum	360		360	113	24	14.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1326	Corymbia citriodora	Spotted Gum	340		340	107	24	12.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1327	Corymbia citriodora	Spotted Gum	150		150	47	12	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1328	Corymbia citriodora	Spotted Gum	160		160	50	18	5.0	2.0	1.5	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1329	Corymbia citriodora	Spotted Gum	120		120	38	8	2.0	2.0	1.4	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1330	Eucalyptus tereticornis	Forest Red Gum	330		330	104	22	10.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1331	Corymbia citriodora	Spotted Gum	150		150	47	14	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1332	Eucalyptus crebra	Narrow-leaved Ironbark	270		270	85	16	8.0	3.2	1.9	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1333	Corymbia citriodora	Spotted Gum	440		440	138	26	16.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1334	Corymbia citriodora	Spotted Gum	330		330	104	24	12.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1335	Corymbia citriodora	Spotted Gum	100		100	31	10	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1336	Eucalyptus crebra	Narrow-leaved Ironbark	170		170	53	20	4.0	2.0	1.6	Regular	-	-	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1337	Corymbia intermedia	Pink Bloodwood	140		140	44	12	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1338	Corymbia citriodora	Spotted Gum	150		150	47	16	3.0	2.0	1.5	Regular	-	-	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1339	Corymbia citriodora	Spotted Gum	110		110	35	12	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1340	Corymbia citriodora	Spotted Gum	250		250	79	20	8.0	3.0	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1341	Corymbia citriodora	Spotted Gum	270		270	85	20	7.0	3.2	1.9	One-sided	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Remove
1342	Corymbia citriodora	Spotted Gum	160		160	50	14	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove
1343	Corymbia citriodora	Spotted Gum	330		330	104	26	14.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1344	Corymbia citriodora	Spotted Gum	430		430	135	26	14.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1345	Corymbia citriodora	Spotted Gum	240		240	75	20	4.0	2.9	1.8	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1346	Corymbia citriodora	Spotted Gum	220		220	69	22	8.0	2.6	1.8	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1347	Corymbia citriodora	Spotted Gum	240		240	75	22	10.0	2.9	1.8	Regular	-	-	Die-back	Epicormic	-	Poor	-	-	-	Die-back	Typical	-	-	-	-	-	-	Remove
1348	Corymbia citriodora	Spotted Gum	330		330	104	24	12.0	4.0	2.1	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1349	Corymbia citriodora	Spotted Gum	140		140	44	10	4.0	2.0	1.4	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1350	Corymbia citriodora	Spotted Gum	130		130	41	10	3.0	2.0	1.4	Regular	-	-	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1351	Corymbia citriodora	Spotted Gum	140		140	44	20	4.0	2.0	1.4	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1352	Eucalyptus tereticornis	Forest Red Gum	250		250	79	14	4.0	3.0	1.8	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1353	Corymbia citriodora	Spotted Gum	120		120	38	14	3.0	2.0	1.4	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1354	Corymbia citriodora	Spotted Gum	120		120	38	6	2.0	2.0	1.4	Regular	-	-	Die-back	Epicormic	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1355	Corymbia citriodora	Spotted Gum	110		110	35	7	2.0	2.0	1.3	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1356	Corymbia citriodora	Spotted Gum	120		120	38	12	1.0	2.0	1.4	Regular	-	-	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1357	Corymbia citriodora	Spotted Gum	120		120	38	7	2.0	2.0	1.4	Regular	-	-	Die-back	Epicormic	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1358	Corymbia citriodora	Spotted Gum	230		230	72	22	8.0	2.8	1.8	Regular	-	-	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value							
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
1359	Eucalyptus crebra	Narrow-leaved Ironbark	380		380	119	24	12.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Remove
1360	Eucalyptus tereticornis	Forest Red Gum	370		370	116	24	12.0	4.4	2.2	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1361	Corymbia citriodora	Spotted Gum	250		250	79	24	12.0	3.0	1.8	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1362	Corymbia citriodora	Spotted Gum	330		330	104	26	12.0	4.0	2.1	One-sided	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1363	Corymbia citriodora	Spotted Gum	100		100	31	9	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1364	Corymbia citriodora	Spotted Gum	350		350	110	24	10.0	4.2	2.1	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1365	Corymbia citriodora	Spotted Gum	130		130	41	12	3.0	2.0	1.4	Regular	-	-	Die-back	Epicormic	-	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove
1366	Corymbia citriodora	Spotted Gum	120		120	38	10	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1367	Corymbia citriodora	Spotted Gum	280		280	88	24	8.0	3.4	1.9	One-sided	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1368	Corymbia citriodora	Spotted Gum	260		260	82	22	8.0	3.1	1.9	One-sided	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1369	Corymbia citriodora	Spotted Gum	270		270	85	24	12.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1370	Corymbia citriodora	Spotted Gum	150		150	47	14	4.0	2.0	1.5	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1371	Corymbia citriodora	Spotted Gum	280		280	88	20	5.0	3.4	1.9	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove
1372	Corymbia citriodora	Spotted Gum	340		340	107	24	14.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1373	Corymbia citriodora	Spotted Gum	470		470	148	26	14.0	5.6	2.4	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1374	Corymbia citriodora	Spotted Gum	230		230	72	22	8.0	2.8	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1375	Corymbia citriodora	Spotted Gum	170		170	53	18	6.0	2.0	1.6	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1376	Corymbia citriodora	Spotted Gum	260		260	82	24	12.0	3.1	1.9	Regular	-	-	-	-	-	Typical	Minor	-	-	-	-	Typical	-	-	-	-	-	Remove
1377	Corymbia citriodora	Spotted Gum	120		120	38	14	4.0	2.0	1.4	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1378	Corymbia citriodora	Spotted Gum	340		340	107	22	8.0	4.1	2.1	One-sided	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	Old	-	-	-	-	Remove
1379	Corymbia citriodora	Spotted Gum	240		240	75	22	8.0	2.9	1.8	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1380	Corymbia citriodora	Spotted Gum	250		250	79	24	10.0	3.0	1.8	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1381	Corymbia citriodora	Spotted Gum	380		380	119	20	10.0	4.6	2.2	Regular	-	-	Die-back	Epicormic	-	Typical	Minor	-	-	-	-	Typical	-	Old	-	-	-	Remove
1382	Corymbia citriodora	Spotted Gum	130		130	41	12	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1383	Corymbia citriodora	Spotted Gum	230		230	72	22	6.0	2.8	1.8	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1384	Corymbia citriodora	Spotted Gum	120		120	38	12	3.0	2.0	1.4	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1385	Corymbia citriodora	Spotted Gum	230		230	72	20	8.0	2.8	1.8	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1386	Corymbia citriodora	Spotted Gum	110		110	35	8	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1387	Corymbia citriodora	Spotted Gum	120		120	38	16	4.0	2.0	1.4	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1388	Corymbia citriodora	Spotted Gum	220		220	69	20	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1389	Corymbia citriodora	Spotted Gum	120		120	38	12	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1390	Corymbia citriodora	Spotted Gum	110		110	35	8	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1391	Corymbia citriodora	Spotted Gum	110		110	35	8	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1392	Corymbia citriodora	Spotted Gum	190		190	60	22	8.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1393	Corymbia citriodora	Spotted Gum	130		130	41	8	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1394	Corymbia citriodora	Spotted Gum	170		170	53	22	6.0	2.0	1.6	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1395	Corymbia citriodora	Spotted Gum	130		130	41	12	4.0	2.0	1.4	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1396	Corymbia citriodora	Spotted Gum	150		150	47	22	6.0	2.0	1.5	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1397	Corymbia citriodora	Spotted Gum	110		110	35	8	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1398	Corymbia citriodora	Spotted Gum	110		110	35	8	3.0	2.0	1.3	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1399	Corymbia citriodora	Spotted Gum	370		370	116	26	14.0	4.4	2.2	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1400	Corymbia citriodora	Spotted Gum	110		110	35	8	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
1401	Corymbia citriodora	Spotted Gum	510		510	160	24	12.0	6.1	2.5	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1407	DEAD/STAG		690		690	217	16	4.0	8.3	2.8	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	Small	-	-	-	Remove
1408	DEAD/STAG		870		870	273	20	8.0	10.4	3.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Remove
1411	Eucalyptus crebra	Narrow-leaved Ironbark	580		580	182	24	12.0	7.0	2.6	Regular	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	Small	-	-	-	Remove
1412	Corymbia citriodora	Spotted Gum	410		410	129	24	12.0	4.9	2.3	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1413	Corymbia citriodora	Spotted Gum	100		100	31	14	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1414	Lophostemon suaveolens	Swamp Box	170		170	53	10	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1415	Corymbia citriodora	Spotted Gum	210		210	66	22	10.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1416	Corymbia citriodora	Spotted Gum	130		130	41	12	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1417	Corymbia citriodora	Spotted Gum	200		200	63	22	8.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1418	Corymbia citriodora	Spotted Gum	250		250	79	10	6.0	3.0	1.8	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1419	Corymbia citriodora	Spotted Gum	420		420	132	24	14.0	5.0	2.3	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1420	Corymbia citriodora	Spotted Gum	190		190	60	20	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1421	Corymbia citriodora	Spotted Gum	120		120	38	18	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1422	Eucalyptus crebra	Narrow-leaved Ironbark	200		200	63	16	8.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1423	Lophostemon suaveolens	Swamp Box	370		370	116	10	7.0	4.4	2.2	Regular	-	-	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1424	Corymbia citriodora	Spotted Gum	120		120	38	12	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1425	Lophostemon suaveolens	Swamp Box	150		150	47	10	4.0	2.0	1.5	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1426	Lophostemon suaveolens	Swamp Box	140	120	184	58	10	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1427	Acacia dispartima	Hickory Wattle	150		150	47	6	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1428	Eucalyptus tereticornis	Forest Red Gum	110		110	35	12	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1429	Lophostemon suaveolens	Swamp Box	150		150	47	10	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1430	Lophostemon suaveolens	Swamp Box	100		100	31	8	2.0	2.0	1.3	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1431	Lophostemon suaveolens	Swamp Box	110		110	35	8	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1432	Lophostemon suaveolens	Swamp Box	130		130	41	14	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1433	Eucalyptus crebra	Narrow-leaved Ironbark	140		140	44	10	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1434	Corymbia citriodora	Spotted Gum	130		130	41	10	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1435	Corymbia citriodora	Spotted Gum	120		120	38	12	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1436	Lophostemon suaveolens	Swamp Box	120		120	38	14	4.0	2.0	1.4	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1437	Corymbia tessellaris	Moreton Bay Ash	120		120	38	10	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1438	Corymbia citriodora	Spotted Gum	100		100	31	10	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1439	Lophostemon suaveolens	Swamp Box	130		130	41	8	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1440	Corymbia citriodora	Spotted Gum	120		120	38	18	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1441	Lophostemon suaveolens	Swamp Box	170		170	53	8	3.0	2.0	1.6	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1442	Corymbia citriodora	Spotted Gum	190		190	60	20	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1443	Lophostemon suaveolens	Swamp Box	150		150	47	8	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1444	Lophostemon suaveolens	Swamp Box	140		140	44	8	3.0	2.0	1.4	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1445	Lophostemon suaveolens	Swamp Box	100		100	31	7	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1446	Corymbia citriodora	Spotted Gum	110		110	35	12	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1447	Corymbia citriodora	Spotted Gum	140		140	44	18	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1448	Lophostemon suaveolens	Swamp Box	150		150	47	7	2.0	2.0	1.5	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1449	Eucalyptus tereticornis	Forest Red Gum	200		200	63	20	5.0	2.4	1.7	Regular	-	-	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value							
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
1450	Corymbia citriodora	Spotted Gum	180		180	57	20	6.0	2.2	1.6	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1451	Corymbia citriodora	Spotted Gum	100		100	31	14	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1452	Acacia disparrima	Hickory Wattle	120		120	38	8	3.0	2.0	1.4	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1453	Corymbia citriodora	Spotted Gum	120		120	38	12	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1454	Corymbia citriodora	Spotted Gum	360		360	113	24	12.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1455	Corymbia citriodora	Spotted Gum	180		180	57	20	6.0	2.2	1.6	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove
1456	Corymbia citriodora	Spotted Gum	220		220	69	20	8.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1457	Corymbia citriodora	Spotted Gum	170		170	53	22	8.0	2.0	1.6	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1458	Corymbia citriodora	Spotted Gum	160		160	50	10	6.0	2.0	1.5	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1459	Corymbia citriodora	Spotted Gum	380		380	119	26	16.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1460	Corymbia citriodora	Spotted Gum	170		170	53	20	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1461	Corymbia citriodora	Spotted Gum	230		230	72	24	10.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1462	Corymbia citriodora	Spotted Gum	300		300	94	24	12.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1463	Corymbia citriodora	Spotted Gum	370		370	116	26	14.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1464	Corymbia citriodora	Spotted Gum	200		200	63	22	8.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1465	Corymbia citriodora	Spotted Gum	200		200	63	20	8.0	2.4	1.7	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1466	Corymbia citriodora	Spotted Gum	120		120	38	18	4.0	2.0	1.4	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1467	Corymbia citriodora	Spotted Gum	210		210	66	22	8.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1468	Corymbia citriodora	Spotted Gum	240		240	75	24	10.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1469	Corymbia citriodora	Spotted Gum	140		140	44	14	6.0	2.0	1.4	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1470	Corymbia citriodora	Spotted Gum	230		230	72	24	10.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1471	Acacia disparrima	Hickory Wattle	180		180	57	6	4.0	2.2	1.6	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1472	Corymbia citriodora	Spotted Gum	130		130	41	12	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1473	Corymbia citriodora	Spotted Gum	220		220	69	24	12.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1474	Corymbia tessellaris	Moreton Bay Ash	300		300	94	20	8.0	3.6	2.0	Regular	-	Thinning	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1475	Corymbia citriodora	Spotted Gum	120		120	38	14	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1476	Acacia disparrima	Hickory Wattle	110		110	35	5	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1477	Acacia disparrima	Hickory Wattle	110		110	35	5	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1478	Corymbia citriodora	Spotted Gum	110		110	35	18	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1479	Eucalyptus crebra	Narrow-leaved Ironbark	130		130	41	14	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1480	Corymbia citriodora	Spotted Gum	120		120	38	14	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1481	Lophostemon suaveolens	Swamp Box	140		140	44	8	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1482	Lophostemon suaveolens	Swamp Box	120		120	38	8	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1483	Corymbia citriodora	Spotted Gum	120		120	38	12	4.0	2.0	1.4	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1484	Corymbia citriodora	Spotted Gum	110		110	35	10	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1485	Acacia disparrima	Hickory Wattle	230		230	72	12	5.0	2.8	1.8	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1486	Acacia disparrima	Hickory Wattle	180		180	57	8	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1487	Corymbia citriodora	Spotted Gum	130		130	41	20	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1488	Eucalyptus tereticornis	Forest Red Gum	120		120	38	14	5.0	2.0	1.4	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1489	Acacia disparrima	Hickory Wattle	110		110	35	8	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1490	Corymbia citriodora	Spotted Gum	110		110	35	12	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1491	Corymbia citriodora	Spotted Gum	110		110	35	14	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value							
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
1492	Acacia disparrima	Hickory Wattle	120		120	38	10	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1493	Lophostemon suaveolens	Swamp Box	160		160	50	12	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1494	Acacia disparrima	Hickory Wattle	110		110	35	8	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1495	Corymbia intermedia	Pink Bloodwood	110		110	35	8	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1496	Eucalyptus tereticornis	Forest Red Gum	330		330	104	22	12.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1497	Corymbia citriodora	Spotted Gum	120		120	38	12	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1498	Corymbia intermedia	Pink Bloodwood	320		320	101	14	8.0	3.8	2.1	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1500	Corymbia tessellaris	Moreton Bay Ash	260		260	82	22	10.0	3.1	1.9	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1501	Corymbia citriodora	Spotted Gum	110		110	35	14	2.0	2.0	1.3	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1502	Corymbia citriodora	Spotted Gum	120		120	38	12	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1503	Corymbia citriodora	Spotted Gum	330		330	104	24	12.0	4.0	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1504	Corymbia citriodora	Spotted Gum	240		240	75	24	10.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1505	Corymbia citriodora	Spotted Gum	240		240	75	22	10.0	2.9	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1506	Corymbia citriodora	Spotted Gum	120		120	38	18	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1507	Corymbia citriodora	Spotted Gum	200		200	63	16	4.0	2.4	1.7	Regular	-	-	Die-back	Epicormic	Lopped	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1508	Corymbia citriodora	Spotted Gum	100		100	31	12	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1509	Corymbia citriodora	Spotted Gum	250		250	79	20	5.0	3.0	1.8	Regular	-	-	Die-back	Epicormic	Lopped	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1510	Eucalyptus tereticornis	Forest Red Gum	170		170	53	16	6.0	2.0	1.6	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1511	Corymbia citriodora	Spotted Gum	250		250	79	22	6.0	3.0	1.8	Regular	-	Thinning	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	Old	-	-	-	-	Remove
1512	Corymbia citriodora	Spotted Gum	140		140	44	14	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1513	Corymbia citriodora	Spotted Gum	140		140	44	12	6.0	2.0	1.4	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1514	Corymbia citriodora	Spotted Gum	340	230	410	129	22	10.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1515	Eucalyptus crebra	Narrow-leaved Ironbark	230		230	72	12	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1516	Corymbia citriodora	Spotted Gum	280		280	88	24	12.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1517	Corymbia citriodora	Spotted Gum	340		340	107	24	12.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Old	-	-	-	-	Remove
1518	Corymbia citriodora	Spotted Gum	180		180	57	16	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1519	Corymbia citriodora	Spotted Gum	250		250	79	22	10.0	3.0	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1520	Corymbia citriodora	Spotted Gum	180		180	57	20	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1521	Corymbia citriodora	Spotted Gum	100		100	31	8	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1522	Corymbia citriodora	Spotted Gum	100		100	31	8	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1523	Eucalyptus crebra	Narrow-leaved Ironbark	200		200	63	20	8.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1524	Corymbia citriodora	Spotted Gum	290		290	91	24	12.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Old	-	-	-	-	Remove
1525	Corymbia citriodora	Spotted Gum	320		320	101	22	8.0	3.8	2.1	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1526	Eucalyptus crebra	Narrow-leaved Ironbark	220		220	69	18	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1527	Corymbia citriodora	Spotted Gum	200		200	63	16	5.0	2.4	1.7	Regular	-	-	Die-back	Epicormic	-	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retention TBC
1528	Corymbia citriodora	Spotted Gum	240		240	75	22	7.0	2.9	1.8	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1529	Corymbia citriodora	Spotted Gum	100		100	31	10	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1530	Acacia concurrens	Black Wattle	140		140	44	6	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1531	Corymbia citriodora	Spotted Gum	160		160	50	18	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1532	Acacia disparrima	Hickory Wattle	110		110	35	6	3.0	2.0	1.3	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1533	Corymbia citriodora	Spotted Gum	200	120	233	73	10	5.0	2.8	1.8	Regular	-	-	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1534	Eucalyptus crebra	Narrow-leaved Ironbark	170		170	53	22	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value							
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
1535	Corymbia citriodora	Spotted Gum	230		230	72	24	12.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1536	Corymbia citriodora	Spotted Gum	360		360	113	26	14.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1537	Corymbia citriodora	Spotted Gum	100		100	31	8	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1538	Corymbia citriodora	Spotted Gum	300		300	94	24	12.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1539	Corymbia citriodora	Spotted Gum	220		220	69	6	3.0	2.6	1.8	Regular	-	-	Die-back	Epicormic	Lopped	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove
1540	Corymbia citriodora	Spotted Gum	180		180	57	14	6.0	2.2	1.6	One-sided	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1541	Eucalyptus crebra	Narrow-leaved Ironbark	240		240	75	22	12.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1542	Eucalyptus crebra	Narrow-leaved Ironbark	360		360	113	26	14.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1543	Corymbia citriodora	Spotted Gum	180		180	57	20	7.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1544	Eucalyptus crebra	Narrow-leaved Ironbark	200		200	63	14	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1545	Corymbia citriodora	Spotted Gum	300		300	94	24	12.0	3.6	2.0	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1546	Corymbia citriodora	Spotted Gum	100		100	31	8	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1547	Corymbia citriodora	Spotted Gum	120		120	38	12	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1548	Corymbia citriodora	Spotted Gum	270		270	85	24	12.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1549	Corymbia citriodora	Spotted Gum	100		100	31	10	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1550	Corymbia citriodora	Spotted Gum	110		110	35	16	5.0	2.0	1.3	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1551	Corymbia citriodora	Spotted Gum	100		100	31	8	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1552	Corymbia citriodora	Spotted Gum	290		290	91	22	10.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1553	Eucalyptus crebra	Narrow-leaved Ironbark	180		180	57	18	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1554	Eucalyptus crebra	Narrow-leaved Ironbark	250		250	79	24	12.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1555	Corymbia citriodora	Spotted Gum	100		100	31	8	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1556	Corymbia citriodora	Spotted Gum	100		100	31	8	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1557	Corymbia tessellaris	Moreton Bay Ash	130		130	41	10	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1558	Corymbia tessellaris	Moreton Bay Ash	180		180	57	18	5.0	2.2	1.6	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1559	Corymbia citriodora	Spotted Gum	120		120	38	12	4.0	2.0	1.4	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1560	Corymbia citriodora	Spotted Gum	280		280	88	24	8.0	3.4	1.9	One-sided	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1561	Corymbia citriodora	Spotted Gum	430		430	135	26	14.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1562	Corymbia citriodora	Spotted Gum	100		100	31	10	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove
1563	Corymbia citriodora	Spotted Gum	110		110	35	8	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1564	Corymbia citriodora	Spotted Gum	130		130	41	18	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1565	Corymbia citriodora	Spotted Gum	340		340	107	24	12.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1566	Corymbia tessellaris	Moreton Bay Ash	100		100	31	8	2.0	2.0	1.3	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1567	Acacia disparrima	Hickory Wattle	150		150	47	8	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1568	Corymbia citriodora	Spotted Gum	420		420	132	26	16.0	5.0	2.3	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Remove
1569	Corymbia citriodora	Spotted Gum	100		100	31	10	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1570	Corymbia citriodora	Spotted Gum	100		100	31	7	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1571	Eucalyptus tereticornis	Forest Red Gum	160		160	50	22	8.0	2.0	1.5	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1572	Corymbia citriodora	Spotted Gum	200		200	63	18	5.0	2.4	1.7	One-sided	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	-	-	-	Remove
1573	DEAD/STAG		230		230	72	8	2.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Remove
1574	Corymbia citriodora	Spotted Gum	370		370	116	26	14.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1575	Corymbia citriodora	Spotted Gum	320		320	101	20	10.0	3.8	2.1	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Remove
1576	Acacia disparrima	Hickory Wattle	240		240	75	7	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
1577	Eucalyptus crebra	Narrow-leaved Ironbark	200		200	63	22	8.0	2.4	1.7	One-sided	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1578	Corymbia citriodora	Spotted Gum	260		260	82	20	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1579	Corymbia intermedia	Pink Bloodwood	160		160	50	14	2.0	2.0	1.5	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1580	Corymbia citriodora	Spotted Gum	320		320	101	26	14.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1581	Corymbia citriodora	Spotted Gum	100		100	31	10	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1582	Acacia disparima	Hickory Wattle	160		160	50	8	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1583	Acacia disparima	Hickory Wattle	140		140	44	8	4.0	2.0	1.4	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1584	Eucalyptus crebra	Narrow-leaved Ironbark	230		230	72	22	10.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1585	Corymbia citriodora	Spotted Gum	330		330	104	22	12.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1586	Corymbia citriodora	Spotted Gum	150		150	47	18	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1587	Corymbia citriodora	Spotted Gum	120		120	38	12	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1588	Eucalyptus crebra	Narrow-leaved Ironbark	200		200	63	24	10.0	2.4	1.7	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1589	Acacia disparima	Hickory Wattle	130		130	41	8	4.0	2.0	1.4	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1590	Corymbia citriodora	Spotted Gum	100		100	31	10	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1591	Corymbia citriodora	Spotted Gum	330		330	104	24	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1592	Corymbia citriodora	Spotted Gum	370		370	116	24	12.0	4.4	2.2	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Remove
1593	Corymbia citriodora	Spotted Gum	140		140	44	20	8.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1594	Corymbia citriodora	Spotted Gum	110		110	35	16	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1595	Corymbia intermedia	Pink Bloodwood	130		130	41	8	3.0	2.0	1.4	Regular	-	-	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1596	Corymbia citriodora	Spotted Gum	170		170	53	20	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1597	Corymbia citriodora	Spotted Gum	140		140	44	16	4.0	2.0	1.4	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1598	Corymbia citriodora	Spotted Gum	360		360	113	26	14.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1599	Acacia disparima	Hickory Wattle	160		160	50	6	3.0	2.0	1.5	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1600	Corymbia citriodora	Spotted Gum	110		110	35	10	3.0	2.0	1.3	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1601	Corymbia citriodora	Spotted Gum	100		100	31	8	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1602	Corymbia intermedia	Pink Bloodwood	220		220	69	14	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1603	Corymbia citriodora	Spotted Gum	120		120	38	8	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1604	Corymbia tessellaris	Moreton Bay Ash	110	80	136	43	8	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1605	Corymbia citriodora	Spotted Gum	140		140	44	14	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1606	Eucalyptus tereticornis	Forest Red Gum	250		250	79	24	12.0	3.0	1.8	Regular	-	Thinning	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1607	Corymbia citriodora	Spotted Gum	140		140	44	18	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1608	Corymbia citriodora	Spotted Gum	100		100	31	16	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1609	Corymbia citriodora	Spotted Gum	110		110	35	10	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1610	Lophostemon suaveolens	Swamp Box	150		150	47	8	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1611	Eucalyptus crebra	Narrow-leaved Ironbark	100		100	31	8	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1612	Corymbia citriodora	Spotted Gum	180		180	57	22	10.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1613	Corymbia citriodora	Spotted Gum	270		270	85	18	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1614	Corymbia citriodora	Spotted Gum	130		130	41	18	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1615	Corymbia citriodora	Spotted Gum	100		100	31	12	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1616	Eucalyptus crebra	Narrow-leaved Ironbark	230		230	72	20	8.0	2.8	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1617	Eucalyptus crebra	Narrow-leaved Ironbark	250		250	79	22	10.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1618	Corymbia citriodora	Spotted Gum	300		300	94	24	12.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value							
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
1619	Corymbia citriodora	Spotted Gum	110		110	35	12	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1620	Corymbia citriodora	Spotted Gum	100		100	31	16	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1621	Corymbia citriodora	Spotted Gum	120		120	38	14	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1622	Corymbia citriodora	Spotted Gum	100		100	31	10	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1623	Corymbia citriodora	Spotted Gum	340		340	107	24	12.0	4.1	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1624	Acacia disarrima	Hickory Wattle	150		150	47	6	4.0	2.0	1.5	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1625	Corymbia citriodora	Spotted Gum	100		100	31	8	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1626	Corymbia citriodora	Spotted Gum	190		190	60	22	8.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1627	Corymbia citriodora	Spotted Gum	270		270	85	26	12.0	3.2	1.9	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1628	Corymbia citriodora	Spotted Gum	240		240	75	24	10.0	2.9	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1629	Corymbia citriodora	Spotted Gum	240		240	75	20	6.0	2.9	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1630	Corymbia citriodora	Spotted Gum	340		340	107	24	12.0	4.1	2.1	One-sided	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Remove
1631	Corymbia citriodora	Spotted Gum	330		330	104	24	12.0	4.0	2.1	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1632	Corymbia citriodora	Spotted Gum	300		300	94	24	12.0	3.6	2.0	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1633	Corymbia citriodora	Spotted Gum	140		140	44	14	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1634	Corymbia citriodora	Spotted Gum	140		140	44	18	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1635	Corymbia citriodora	Spotted Gum	130		130	41	14	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1636	Corymbia citriodora	Spotted Gum	180	100	206	65	20	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1637	Corymbia citriodora	Spotted Gum	140		140	44	18	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1638	Corymbia citriodora	Spotted Gum	340		340	107	22	14.0	4.1	2.1	One-sided	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	Old	-	-	-	-	Remove
1639	Corymbia citriodora	Spotted Gum	110		110	35	18	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1640	Corymbia citriodora	Spotted Gum	200		200	63	22	8.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1641	Eucalyptus crebra	Narrow-leaved Ironbark	240		240	75	20	8.0	2.9	1.8	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1642	Corymbia citriodora	Spotted Gum	120		120	38	18	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1643	Corymbia citriodora	Spotted Gum	110		110	35	13	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1644	Corymbia citriodora	Spotted Gum	120		120	38	14	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1645	Corymbia citriodora	Spotted Gum	100		100	31	14	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1646	Eucalyptus tereticornis	Forest Red Gum	540		540	170	24	8.0	6.5	2.6	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1647	Corymbia citriodora	Spotted Gum	110		110	35	12	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1648	Corymbia citriodora	Spotted Gum	120		120	38	12	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1649	Corymbia citriodora	Spotted Gum	110		110	35	14	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1650	Corymbia citriodora	Spotted Gum	100		100	31	16	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1651	Corymbia citriodora	Spotted Gum	100		100	31	12	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1652	Corymbia citriodora	Spotted Gum	100		100	31	14	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1653	Corymbia citriodora	Spotted Gum	120		120	38	12	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1654	Eucalyptus crebra	Narrow-leaved Ironbark	390		390	123	26	16.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1655	Eucalyptus tereticornis	Forest Red Gum	240		240	75	24	12.0	2.9	1.8	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	Old	-	-	-	-	Remove
1656	Corymbia tessellaris	Moreton Bay Ash	150		150	47	14	6.0	2.0	1.5	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1657	Corymbia tessellaris	Moreton Bay Ash	240		240	75	14	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1658	Corymbia citriodora	Spotted Gum	320		320	101	24	14.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1659	Corymbia citriodora	Spotted Gum	180		180	57	22	6.0	2.2	1.6	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1660	Corymbia citriodora	Spotted Gum	280		280	88	26	12.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value							
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
1661	Corymbia citriodora	Spotted Gum	100		100	31	12	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1662	Eucalyptus tereticornis	Forest Red Gum	200		200	63	20	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1663	Corymbia citriodora	Spotted Gum	100		100	31	10	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1664	Eucalyptus crebra	Narrow-leaved Ironbark	350		350	110	26	14.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1665	Corymbia citriodora	Spotted Gum	340		340	107	24	12.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1666	Corymbia citriodora	Spotted Gum	240		240	75	10	5.0	2.9	1.8	Regular	-	-	Die-back	Epicormic	-	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove
1667	Corymbia citriodora	Spotted Gum	140		140	44	18	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1668	Corymbia citriodora	Spotted Gum	200		200	63	22	10.0	2.4	1.7	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1669	Corymbia citriodora	Spotted Gum	300		300	94	24	12.0	3.6	2.0	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1670	Corymbia tessellaris	Moreton Bay Ash	140		140	44	12	5.0	2.0	1.4	One-sided	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1671	Corymbia citriodora	Spotted Gum	320		320	101	24	10.0	3.8	2.1	One-sided	-	-	-	-	-	Typical	-	One-sided	-	-	Typical	-	Old	-	-	-	-	Remove
1672	Eucalyptus tereticornis	Forest Red Gum	230		230	72	22	6.0	2.8	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1673	Corymbia citriodora	Spotted Gum	140		140	44	14	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1674	Corymbia tessellaris	Moreton Bay Ash	160		160	50	12	5.0	2.0	1.5	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1675	Eucalyptus crebra	Narrow-leaved Ironbark	130		130	41	12	4.0	2.0	1.4	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1676	Corymbia citriodora	Spotted Gum	120		120	38	10	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1677	Corymbia citriodora	Spotted Gum	160		160	50	20	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1678	Eucalyptus crebra	Narrow-leaved Ironbark	110		110	35	8	1.0	2.0	1.3	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1679	Corymbia citriodora	Spotted Gum	150		150	47	20	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1680	Corymbia tessellaris	Moreton Bay Ash	200		200	63	16	5.0	2.4	1.7	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	Trunk Dmg.	-	Poor	-	-	-	-	-	-	Remove
1681	Corymbia citriodora	Spotted Gum	340		340	107	24	14.0	4.1	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove
1682	Corymbia citriodora	Spotted Gum	340		340	107	24	12.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1683	Corymbia citriodora	Spotted Gum	100		100	31	12	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1684	Corymbia citriodora	Spotted Gum	100		100	31	12	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1685	Corymbia citriodora	Spotted Gum	110		110	35	16	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1686	Corymbia citriodora	Spotted Gum	110		110	35	14	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1687	Corymbia citriodora	Spotted Gum	110		110	35	12	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1688	Corymbia citriodora	Spotted Gum	280		280	88	22	8.0	3.4	1.9	One-sided	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1689	Corymbia citriodora	Spotted Gum	140		140	44	10	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1690	Corymbia citriodora	Spotted Gum	120		120	38	14	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1691	Corymbia citriodora	Spotted Gum	320		320	101	24	10.0	3.8	2.1	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1692	Corymbia intermedia	Pink Bloodwood	160	140	213	67	20	6.0	2.6	1.7	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1693	Corymbia citriodora	Spotted Gum	130		130	41	10	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1694	Eucalyptus tereticornis	Forest Red Gum	370		370	116	24	12.0	4.4	2.2	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1695	Corymbia citriodora	Spotted Gum	220		220	69	16	8.0	2.6	1.8	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1696	Eucalyptus tereticornis	Forest Red Gum	340		340	107	22	12.0	4.1	2.1	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1697	Corymbia citriodora	Spotted Gum	180		180	57	20	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1698	Corymbia citriodora	Spotted Gum	110		110	35	14	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1699	Corymbia citriodora	Spotted Gum	110		110	35	10	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1700	Corymbia intermedia	Pink Bloodwood	130	70	148	46	8	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1701	Corymbia citriodora	Spotted Gum	110		110	35	16	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1702	Eucalyptus tereticornis	Forest Red Gum	260		260	82	24	12.0	3.1	1.9	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	
1703	Corymbia citriodora	Spotted Gum	310	80	310	97	20	10.0	3.7	2.0	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1704	Corymbia citriodora	Spotted Gum	270		270	85	22	8.0	3.2	1.9	One-sided	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1705	Corymbia citriodora	Spotted Gum	120		144	45	22	6.0	2.0	1.5	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1706	Eucalyptus tereticornis	Forest Red Gum	180		180	57	20	8.0	2.2	1.6	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1707	Corymbia citriodora	Spotted Gum	350		350	110	26	12.0	4.2	2.1	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1708	Corymbia citriodora	Spotted Gum	300		300	94	22	10.0	3.6	2.0	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1709	Corymbia citriodora	Spotted Gum	320		320	101	24	12.0	3.8	2.1	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1710	Corymbia citriodora	Spotted Gum	240		240	75	20	8.0	2.9	1.8	One-sided	-	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1711	Corymbia citriodora	Spotted Gum	220		220	69	24	10.0	2.6	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1712	Eucalyptus tereticornis	Forest Red Gum	200		200	63	16	6.0	2.4	1.7	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1713	Corymbia intermedia	Pink Bloodwood	180	180	57	10	5.0	2.2	1.6	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1714	Corymbia citriodora	Spotted Gum	220	220	69	22	8.0	2.6	1.8	One-sided	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1715	Corymbia citriodora	Spotted Gum	300	300	94	24	12.0	3.6	2.0	One-sided	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1716	Corymbia citriodora	Spotted Gum	140	140	44	16	5.0	2.0	1.4	Regular	-	-	-	Die-back	Epicormic	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove	
1717	Corymbia citriodora	Spotted Gum	140	140	44	20	8.0	2.0	1.4	Regular	-	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1718	Corymbia citriodora	Spotted Gum	200	200	63	22	10.0	2.4	1.7	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1719	Corymbia citriodora	Spotted Gum	160	160	50	14	4.0	2.0	1.5	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1720	Corymbia citriodora	Spotted Gum	140	140	44	16	4.0	2.0	1.4	Regular	-	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1721	Corymbia citriodora	Spotted Gum	250	250	79	24	8.0	3.0	1.8	Regular	-	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1722	Corymbia citriodora	Spotted Gum	230	230	72	24	12.0	2.8	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1723	Corymbia citriodora	Spotted Gum	350	350	110	26	14.0	4.2	2.1	Regular	-	Thinning	-	Die-back	Epicormic	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove	
1724	Corymbia citriodora	Spotted Gum	150	150	47	20	5.0	2.0	1.5	Regular	-	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1725	Eucalyptus crebra	Narrow-leaved Ironbark	280	280	88	22	12.0	3.4	1.9	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1726	Corymbia citriodora	Spotted Gum	110	110	35	14	3.0	2.0	1.3	Regular	-	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1727	Corymbia citriodora	Spotted Gum	360	360	113	24	12.0	4.3	2.2	Regular	-	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1728	Eucalyptus tereticornis	Forest Red Gum	180	180	57	22	6.0	2.2	1.6	Regular	-	-	-	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1729	Eucalyptus tereticornis	Forest Red Gum	300	300	94	24	12.0	3.6	2.0	One-sided	-	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
1730	Corymbia citriodora	Spotted Gum	140	140	44	18	5.0	2.0	1.4	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
1731	Eucalyptus tereticornis	Forest Red Gum	200	200	63	20	6.0	2.4	1.7	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1732	Eucalyptus tereticornis	Forest Red Gum	160	160	50	20	6.0	2.0	1.5	Regular	-	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1733	Corymbia citriodora	Spotted Gum	330	330	104	24	12.0	4.0	2.1	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1734	Corymbia citriodora	Spotted Gum	140	140	44	18	4.0	2.0	1.4	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1735	Corymbia citriodora	Spotted Gum	100	100	31	12	2.0	2.0	1.3	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1736	Corymbia citriodora	Spotted Gum	120	120	38	12	3.0	2.0	1.4	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1737	Corymbia citriodora	Spotted Gum	170	170	53	18	4.0	2.0	1.6	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1738	Corymbia citriodora	Spotted Gum	120	120	38	8	4.0	2.0	1.4	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1739	Corymbia citriodora	Spotted Gum	340	340	107	26	14.0	4.1	2.1	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1740	Corymbia citriodora	Spotted Gum	230	230	72	22	10.0	2.8	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1741	Corymbia citriodora	Spotted Gum	230	230	72	22	10.0	2.8	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1742	Corymbia citriodora	Spotted Gum	270	270	85	24	12.0	3.2	1.9	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1743	Corymbia citriodora	Spotted Gum	110	110	35	12	3.0	2.0	1.3	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1744	Eucalyptus crebra	Narrow-leaved Ironbark	150	150	47	20	5.0	2.0	1.5	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	
1745	Corymbia citriodora	Spotted Gum	220		220	69	14	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1746	Eucalyptus crebra	Narrow-leaved Ironbark	330		330	104	24	10.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1747	Corymbia citriodora	Spotted Gum	270		270	85	22	10.0	3.2	1.9	One-sided	-	-	-	-	-	Typical	Minor	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1748	Eucalyptus tereticornis	Forest Red Gum	280		280	88	20	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1749	Corymbia citriodora	Spotted Gum	200		200	63	22	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1750	Corymbia citriodora	Spotted Gum	230		230	72	14	6.0	2.8	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1751	Eucalyptus tereticornis	Forest Red Gum	300		300	94	22	12.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1752	Eucalyptus tereticornis	Forest Red Gum	220		220	69	20	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1753	Eucalyptus crebra	Narrow-leaved Ironbark	200		200	63	18	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1754	Eucalyptus crebra	Narrow-leaved Ironbark	140		140	44	14	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1755	Eucalyptus tereticornis	Forest Red Gum	250		250	79	14	6.0	3.0	1.8	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1756	Eucalyptus tereticornis	Forest Red Gum	180		180	57	20	8.0	2.2	1.6	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1757	Corymbia citriodora	Spotted Gum	230		230	72	14	6.0	2.8	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1758	Corymbia tessellaris	Moreton Bay Ash	100		100	31	8	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
1759	Eucalyptus crebra	Narrow-leaved Ironbark	180		180	57	22	8.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
1760	Corymbia tessellaris	Moreton Bay Ash	110		110	35	8	3.0	2.0	1.3	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
1761	Eucalyptus crebra	Narrow-leaved Ironbark	190		190	60	20	8.0	2.3	1.6	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
1762	Corymbia citriodora	Spotted Gum	280		280	88	22	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
1763	Eucalyptus crebra	Narrow-leaved Ironbark	230		230	72	22	10.0	2.8	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
1764	Corymbia citriodora	Spotted Gum	200		200	63	22	8.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
1765	Eucalyptus crebra	Narrow-leaved Ironbark	260		260	82	22	12.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
1766	Eucalyptus crebra	Narrow-leaved Ironbark	140		140	44	10	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1767	Eucalyptus crebra	Narrow-leaved Ironbark	260		260	82	22	10.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1768	Corymbia citriodora	Spotted Gum	330		330	104	24	14.0	4.0	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1769	Eucalyptus crebra	Narrow-leaved Ironbark	200		200	63	22	10.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1770	Eucalyptus crebra	Narrow-leaved Ironbark	260		260	82	24	12.0	3.1	1.9	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1771	Eucalyptus crebra	Narrow-leaved Ironbark	270		270	85	24	10.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
1772	DEAD/STAG		220		220	69	12	1.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Retention TBC	
1773	Corymbia citriodora	Spotted Gum	260		260	82	24	10.0	3.1	1.9	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
1774	Corymbia tessellaris	Moreton Bay Ash	140		140	44	16	5.0	2.0	1.4	One-sided	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
1775	Eucalyptus crebra	Narrow-leaved Ironbark	300		300	94	22	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
1776	Eucalyptus crebra	Narrow-leaved Ironbark	200		200	63	20	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
1777	Corymbia tessellaris	Moreton Bay Ash	150		150	47	12	6.0	2.0	1.5	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
1778	Eucalyptus crebra	Narrow-leaved Ironbark	220		220	69	22	10.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
1779	Eucalyptus crebra	Narrow-leaved Ironbark	220		220	69	20	8.0	2.6	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
1780	Corymbia tessellaris	Moreton Bay Ash	120		120	38	8	2.0	2.0	1.4	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
1781	Corymbia citriodora	Spotted Gum	250		250	79	24	10.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
1782	Eucalyptus crebra	Narrow-leaved Ironbark	140		140	44	14	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
1783	Eucalyptus crebra	Narrow-leaved Ironbark	170		170	53	10	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
1784	Acacia dispartima	Hickory Wattle	140		140	44	6	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
1785	Corymbia citriodora	Spotted Gum	270		270	85	24	12.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
1786	Eucalyptus crebra	Narrow-leaved Ironbark	160		160	50	18	6.0	2.0	1.5	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value							
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
1787	Corymbia citriodora	Spotted Gum	200		200	63	20	8.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1788	Corymbia citriodora	Spotted Gum	230		230	72	20	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1789	Eucalyptus crebra	Narrow-leaved Ironbark	300		300	94	20	10.0	3.6	2.0	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1790	Corymbia citriodora	Spotted Gum	180		180	57	18	6.0	2.2	1.6	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1791	Corymbia citriodora	Spotted Gum	220		220	69	22	8.0	2.6	1.8	One-sided	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1792	Corymbia citriodora	Spotted Gum	210		210	66	22	8.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1793	Eucalyptus crebra	Narrow-leaved Ironbark	320		320	101	24	12.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1794	Corymbia citriodora	Spotted Gum	300		300	94	24	12.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1795	Corymbia citriodora	Spotted Gum	270	160	314	99	12	10.0	3.8	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1796	Corymbia citriodora	Spotted Gum	200		200	63	20	8.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1797	Eucalyptus crebra	Narrow-leaved Ironbark	160		160	50	18	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1798	Corymbia citriodora	Spotted Gum	180		180	57	14	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1799	Eucalyptus tereticornis	Forest Red Gum	630		630	198	23	12.0	7.6	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1800	Eucalyptus tereticornis	Forest Red Gum	280		280	88	16	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1801	Corymbia citriodora	Spotted Gum	210		210	66	16	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1802	Corymbia citriodora	Spotted Gum	270		270	85	16	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1803	Eucalyptus tereticornis	Forest Red Gum	360		360	113	18	6.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1804	Corymbia citriodora	Spotted Gum	480		480	151	22	5.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1805	Corymbia citriodora	Spotted Gum	220		220	69	15	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1806	Corymbia citriodora	Spotted Gum	380		380	119	22	5.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1807	Corymbia citriodora	Spotted Gum	190		190	60	14	2.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1808	Corymbia citriodora	Spotted Gum	370		370	116	24	7.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1809	Corymbia citriodora	Spotted Gum	150		150	47	16	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1810	Eucalyptus tereticornis	Forest Red Gum	300		300	94	16	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1811	Corymbia citriodora	Spotted Gum	270		270	85	16	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1812	Corymbia citriodora	Spotted Gum	230		230	72	15	2.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1813	Angophora leiocarpa	Smooth-barked Apple	190		190	60	13	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1814	Corymbia intermedia	Pink Bloodwood	400		400	126	10	2.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1815	Corymbia citriodora	Spotted Gum	230		230	72	5	1.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1816	Eucalyptus crebra	Narrow-leaved Ironbark	170		170	53	8	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1817	Corymbia citriodora	Spotted Gum	130		130	41	15	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1818	Corymbia citriodora	Spotted Gum	130		130	41	13	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1819	Eucalyptus crebra	Narrow-leaved Ironbark	140		140	44	10	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1820	Corymbia citriodora	Spotted Gum	170		170	53	13	2.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1821	Corymbia citriodora	Spotted Gum	160		160	50	10	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1822	Corymbia citriodora	Spotted Gum	120		120	38	14	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1823	Acacia concurrens	Black Wattle	190	110	220	69	8	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1824	Acacia concurrens	Black Wattle	150		150	47	7	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1825	Petalostigma pubescens	Quinnie Bush	110	9	110	35	5	7.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1826	Corymbia tessellaris	Moreton Bay Ash	140		140	44	14	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1827	Eucalyptus crebra	Narrow-leaved Ironbark	400		400	126	17	8.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1828	Corymbia tessellaris	Moreton Bay Ash	110		110	35	8	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value							
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
1829	Acacia disparrima	Hickory Wattle	280		280	88	15	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1830	Corymbia tessellaris	Moreton Bay Ash	160		160	50	9	11.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1831	Eucalyptus tereticornis	Forest Red Gum	280		280	88	17	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1832	Eucalyptus tereticornis	Forest Red Gum	140		140	44	16	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1833	Eucalyptus crebra	Narrow-leaved Ironbark	250		250	79	18	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1834	Eucalyptus crebra	Narrow-leaved Ironbark	150		150	47	14	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1835	Eucalyptus tereticornis	Forest Red Gum	140		140	44	13	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1836	Corymbia tessellaris	Moreton Bay Ash	200		200	63	16	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1837	Acacia disparrima	Hickory Wattle	200		200	63	13	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1838	Corymbia citriodora	Spotted Gum	120		120	38	9	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1839	Corymbia citriodora	Spotted Gum	110		110	35	16	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1840	Corymbia citriodora	Spotted Gum	180		180	57	17	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1841	Corymbia citriodora	Spotted Gum	110		110	35	10	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1842	Eucalyptus tereticornis	Forest Red Gum	570		570	179	24	13.0	6.8	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1843	Eucalyptus tereticornis	Forest Red Gum	250		250	79	19	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1844	Corymbia citriodora	Spotted Gum	280		280	88	19	4.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1845	Eucalyptus tereticornis	Forest Red Gum	400		400	126	22	10.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Retention TBC
1846	Corymbia citriodora	Spotted Gum	220		220	69	18	2.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1847	Corymbia citriodora	Spotted Gum	180		180	57	17	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1848	Corymbia citriodora	Spotted Gum	310		310	97	25	10.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1849	Corymbia citriodora	Spotted Gum	360		360	113	22	12.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1850	Corymbia citriodora	Spotted Gum	300		300	94	20	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1851	Corymbia citriodora	Spotted Gum	100		100	31	9	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1852	Corymbia citriodora	Spotted Gum	140		140	44	7	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1853	Corymbia citriodora	Spotted Gum	170		170	53	15	2.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1854	Corymbia citriodora	Spotted Gum	170		170	53	16	2.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1855	Corymbia citriodora	Spotted Gum	260		260	82	20	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1856	Corymbia citriodora	Spotted Gum	120		120	38	13	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1857	Corymbia citriodora	Spotted Gum	140		140	44	10	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1858	Corymbia citriodora	Spotted Gum	250		250	79	23	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1859	Corymbia citriodora	Spotted Gum	280		280	88	18	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1860	Corymbia citriodora	Spotted Gum	170		170	53	16	2.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1861	Corymbia citriodora	Spotted Gum	270		270	85	18	9.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1862	Corymbia citriodora	Spotted Gum	380		380	119	24	16.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1863	Corymbia citriodora	Spotted Gum	290		290	91	22	5.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1864	DEAD/STAG		370		370	116	7	1.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Large	-	-	-	Remove
1865	Corymbia intermedia	Pink Bloodwood	200		200	63	17	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1866	Corymbia citriodora	Spotted Gum	110		110	35	15	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1867	Corymbia citriodora	Spotted Gum	180		180	57	17	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1868	Corymbia citriodora	Spotted Gum	120		120	38	8	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1869	Eucalyptus tereticornis	Forest Red Gum	540		540	170	22	8.0	6.5	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Retention TBC
1870	Corymbia citriodora	Spotted Gum	160		160	50	14	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value							
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
1871	Corymbia citriodora	Spotted Gum	150		150	47	16	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1872	Corymbia citriodora	Spotted Gum	220		220	69	15	2.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1873	Corymbia citriodora	Spotted Gum	140		140	44	13	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1874	Eucalyptus tereticornis	Forest Red Gum	680		680	214	26	15.0	8.2	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1875	Corymbia citriodora	Spotted Gum	230		230	72	24	10.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1876	Corymbia citriodora	Spotted Gum	300		300	94	20	15.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1877	Corymbia citriodora	Spotted Gum	240		240	75	17	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1878	Eucalyptus crebra	Narrow-leaved Ironbark	320		320	101	22	10.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1879	Corymbia citriodora	Spotted Gum	180		180	57	21	2.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1880	Eucalyptus tereticornis	Forest Red Gum	380		380	119	26	14.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1881	Corymbia citriodora	Spotted Gum	150		150	47	16	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1882	Corymbia citriodora	Spotted Gum	150		150	47	17	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1883	Corymbia citriodora	Spotted Gum	130		130	41	18	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1884	Corymbia citriodora	Spotted Gum	530		530	167	20	4.0	6.4	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Old	-	-	-	-	Remove
1885	Corymbia citriodora	Spotted Gum	170		170	53	18	2.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1886	Corymbia citriodora	Spotted Gum	180		180	57	19	2.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1887	Corymbia citriodora	Spotted Gum	360		360	113	18	4.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1888	Corymbia citriodora	Spotted Gum	120		120	38	16	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1889	Corymbia citriodora	Spotted Gum	140		140	44	14	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1890	Eucalyptus crebra	Narrow-leaved Ironbark	300		300	94	18	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1891	Corymbia citriodora	Spotted Gum	160		160	50	13	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1892	Corymbia citriodora	Spotted Gum	270		270	85	16	2.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1903	Eucalyptus tereticornis	Forest Red Gum	580		580	182	22	10.0	7.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Remove
1904	Angophora leiocarpa	Smooth-barked Apple	690		690	217	19	8.0	8.3	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Remove
1905	Unknown sp.	Dead Stag	160		160	50	5	1.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Remove
1906	Corymbia citriodora	Spotted Gum	380		380	119	23	5.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Remove
1909	Eucalyptus moluccana	Gum-topped Box	750		750	236	25	12.0	9.0	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Remove
1910	Eucalyptus moluccana	Gum-topped Box	400		400	126	20	8.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Remove
1911	Eucalyptus crebra	Narrow-leaved Ironbark	620		620	195	26	8.0	7.4	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Remove
1912	Eucalyptus moluccana	Gum-topped Box	580		580	182	26	9.0	7.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1913	Unknown sp.	Dead Stag	600		600	188	25	4.0	7.2	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Remove
1914	Eucalyptus tereticornis	Forest Red Gum	590		590	185	26	12.0	7.1	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	Old	-	-	-	-	-	Remove
1915	Eucalyptus tereticornis	Forest Red Gum	580		580	182	25	12.0	7.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1916	Corymbia tessellaris	Moreton Bay Ash	240		240	75	15	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1917	Corymbia citriodora	Spotted Gum	140		140	44	10	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1918	Eucalyptus tereticornis	Forest Red Gum	250		250	79	18	3.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1919	Corymbia citriodora	Spotted Gum	110		110	35	7	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1920	Corymbia citriodora	Spotted Gum	440		440	138	22	10.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1921	Unknown sp.	Dead Stag	320		320	101	23	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1922	Corymbia intermedia	Pink Bloodwood	310		310	97	12	3.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1923	Corymbia citriodora	Spotted Gum	420		420	132	25	13.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Old	-	-	-	-	Retention TBC
1924	Angophora leiocarpa	Smooth-barked Apple	480		480	151	25	8.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
1925	Lophostemon suaveolens	Swamp Box	120		120	38	7	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1926	Corymbia tessellaris	Moreton Bay Ash	150		150	47	9	1.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1927	Eucalyptus tereticornis	Forest Red Gum	300		300	94	15	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1928	Corymbia citriodora	Spotted Gum	130		130	41	13	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1929	Lophostemon suaveolens	Swamp Box	150		150	47	6	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1930	Corymbia tessellaris	Moreton Bay Ash	220		220	69	18	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1931	Eucalyptus crebra	Narrow-leaved Ironbark	570		570	179	23	12.0	6.8	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Large	-	-	-	Remove
1933	Eucalyptus crebra	Narrow-leaved Ironbark	120		120	38	10	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1934	Corymbia citriodora	Spotted Gum	180		180	57	10	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1935	Corymbia citriodora	Spotted Gum	150		150	47	12	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	Minor	-	-	-	-	Typical	-	-	-	-	-	Remove
1936	Corymbia citriodora	Spotted Gum	220		220	69	15	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1937	Corymbia citriodora	Spotted Gum	320		320	101	16	5.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1938	Corymbia citriodora	Spotted Gum	130	90	158	50	12	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1939	Corymbia citriodora	Spotted Gum	160		160	50	14	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1940	Corymbia citriodora	Spotted Gum	220		220	69	16	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1941	Corymbia citriodora	Spotted Gum	220		220	69	16	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1942	Corymbia citriodora	Spotted Gum	100		100	31	10	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1943	Corymbia citriodora	Spotted Gum	310		310	97	21	9.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1944	Corymbia citriodora	Spotted Gum	120		120	38	13	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1945	Corymbia citriodora	Spotted Gum	120		120	38	14	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1946	Eucalyptus crebra	Narrow-leaved Ironbark	170		170	53	14	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1947	Corymbia citriodora	Spotted Gum	210		210	66	19	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1948	Corymbia citriodora	Spotted Gum	110		110	35	14	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1949	Corymbia citriodora	Spotted Gum	210		210	66	16	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1950	Corymbia citriodora	Spotted Gum	270		270	85	18	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1951	Corymbia citriodora	Spotted Gum	130		130	41	14	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1952	Corymbia citriodora	Spotted Gum	310		310	97	19	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1953	Corymbia citriodora	Spotted Gum	170		170	53	16	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1954	Eucalyptus tereticornis	Forest Red Gum	330		330	104	25	5.0	4.0	2.1	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1955	Corymbia citriodora	Spotted Gum	260	170	311	98	24	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1956	Corymbia citriodora	Spotted Gum	140		140	44	12	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1957	Corymbia citriodora	Spotted Gum	140		140	44	12	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1958	Corymbia citriodora	Spotted Gum	150		150	47	14	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1959	Acacia disparima	Hickory Wattle	170		170	53	8	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1960	Corymbia citriodora	Spotted Gum	100		100	31	10	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1961	Corymbia tessellaris	Moreton Bay Ash	130		130	41	14	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1962	Eucalyptus crebra	Narrow-leaved Ironbark	200		200	63	12	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1963	Corymbia citriodora	Spotted Gum	260		260	82	19	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1964	Corymbia citriodora	Spotted Gum	210		210	66	20	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1965	Corymbia citriodora	Spotted Gum	390		390	123	26	10.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1966	Corymbia intermedia	Pink Bloodwood	190		190	60	15	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1967	Alphitonia excelsa	Soap Tree	150		150	47	8	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value							
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
1968	Corymbia citriodora	Spotted Gum	290		290	91	20	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1969	Lophostemon suaveolens	Swamp Box	130		130	41	7	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1970	Corymbia tessellaris	Moreton Bay Ash	390		390	123	20	8.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1971	Eucalyptus crebra	Narrow-leaved Ironbark	340		340	107	25	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Retention TBC
1972	Corymbia citriodora	Spotted Gum	380		380	119	28	10.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1973	Corymbia citriodora	Spotted Gum	100		100	31	12	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	Minor	-	-	-	-	Typical	-	-	-	-	-	Retention TBC
1974	Corymbia citriodora	Spotted Gum	310		310	97	20	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical		-	-	-	-	Typical	-	-	-	-	-	-
1975	Corymbia citriodora	Spotted Gum	120		120	38	14	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1976	Corymbia citriodora	Spotted Gum	260		260	82	22	9.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1977	Corymbia citriodora	Spotted Gum	140		140	44	15	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1978	Corymbia citriodora	Spotted Gum	130		130	41	14	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1979	Acacia disarrima	Hickory Wattle	120		120	38	8	3.0	2.0	1.4	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1980	Corymbia citriodora	Spotted Gum	100		100	31	12	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1981	Corymbia citriodora	Spotted Gum	140		140	44	16	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1982	Eucalyptus crebra	Narrow-leaved Ironbark	160		160	50	14	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1983	Corymbia tessellaris	Moreton Bay Ash	290		290	91	20	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1984	Corymbia citriodora	Spotted Gum	220		220	69	18	8.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1985	Corymbia citriodora	Spotted Gum	150		150	47	15	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1986	Lophostemon suaveolens	Swamp Box	150		150	47	14	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1987	Corymbia citriodora	Spotted Gum	110		110	35	12	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1988	Corymbia citriodora	Spotted Gum	390		390	123	25	9.0	4.7	2.2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1989	Corymbia citriodora	Spotted Gum	190		190	60	16	2.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1990	Corymbia citriodora	Spotted Gum	320		320	101	23	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1991	Eucalyptus siderophloia	Northern Grey Ironbark	290		290	91	18	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1992	Corymbia citriodora	Spotted Gum	100	90	135	42	14	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retention TBC
1993	Eucalyptus tereticornis	Forest Red Gum	250		250	79	16	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
1994	Corymbia citriodora	Spotted Gum	120		120	38	13	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1995	Corymbia citriodora	Spotted Gum	380		380	119	26	7.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1996	Corymbia intermedia	Pink Bloodwood	140		140	44	12	1.0	2.0	1.4	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1997	Corymbia tessellaris	Moreton Bay Ash	150		150	47	7	1.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1998	Corymbia tessellaris	Moreton Bay Ash	220		220	69	15	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
1999	Corymbia intermedia	Pink Bloodwood	160		160	50	12	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2000	Eucalyptus tereticornis	Forest Red Gum	320		320	101	26	8.0	3.8	2.1	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2001	Corymbia citriodora	Spotted Gum	140		140	44	14	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2002	Corymbia citriodora	Spotted Gum	110		110	35	8	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2003	Acacia disarrima	Hickory Wattle	110		110	35	9	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2004	Corymbia tessellaris	Moreton Bay Ash	140		140	44	13	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2005	Corymbia tessellaris	Moreton Bay Ash	140		140	44	7	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2006	Eucalyptus tereticornis	Forest Red Gum	240		240	75	19	3.0	2.9	1.8	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2007	Corymbia citriodora	Spotted Gum	290		290	91	22	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2008	Eucalyptus tereticornis	Forest Red Gum	410		410	129	24	7.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2009	Corymbia citriodora	Spotted Gum	250		250	79	22	5.0	3.0	1.8	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value							
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
2010	Eucalyptus crebra	Narrow-leaved Ironbark	360		360	113	26	12.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2011	Corymbia citriodora	Spotted Gum	150		150	47	14	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2012	Corymbia citriodora	Spotted Gum	420		420	132	28	10.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2013	Eucalyptus tereticornis	Forest Red Gum	330		330	104	21	7.0	4.0	2.1	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2014	Lophostemon suaveolens	Swamp Box	130		130	41	13	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2015	Eucalyptus tereticornis	Forest Red Gum	330		330	104	23	6.0	4.0	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2016	Corymbia intermedia	Pink Bloodwood	230		230	72	13	5.0	2.8	1.8	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2017	Eucalyptus tereticornis	Forest Red Gum	390		390	123	28	12.0	4.7	2.2	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2018	Eucalyptus tereticornis	Forest Red Gum	300	250	391	123	26	7.0	4.7	2.2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2019	Lophostemon suaveolens	Swamp Box	150		150	47	10	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2020	Corymbia citriodora	Spotted Gum	140		140	44	12	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2021	Eucalyptus tereticornis	Forest Red Gum	330		330	104	28	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2022	Corymbia citriodora	Spotted Gum	140		140	44	10	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2023	Eucalyptus tereticornis	Forest Red Gum	340		340	107	28	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2024	Corymbia citriodora	Spotted Gum	340		340	107	32	9.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2025	Corymbia citriodora	Spotted Gum	360		360	113	25	12.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2026	Eucalyptus tereticornis	Forest Red Gum	200		200	63	16	5.0	2.4	1.7	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2027	Corymbia citriodora	Spotted Gum	310		310	97	22	9.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2028	Acacia dispartima	Hickory Wattle	160		160	50	11	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2029	Corymbia intermedia	Pink Bloodwood	220		220	69	15	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2030	Acacia dispartima	Hickory Wattle	190		190	60	12	8.0	2.3	1.6	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2031	Eucalyptus tereticornis	Forest Red Gum	420		420	132	24	8.0	5.0	2.3	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2032	Lophostemon suaveolens	Swamp Box	230		230	72	14	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2033	Corymbia tessellaris	Moreton Bay Ash	150		150	47	8	2.0	2.0	1.5	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2034	Eucalyptus tereticornis	Forest Red Gum	450		450	141	25	9.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2035	Corymbia citriodora	Spotted Gum	390		390	123	27	8.0	4.7	2.2	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2036	Corymbia citriodora	Spotted Gum	320		320	101	25	8.0	3.8	2.1	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2037	Corymbia citriodora	Spotted Gum	170		170	53	15	2.0	2.0	1.6	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2038	Eucalyptus tereticornis	Forest Red Gum	210		210	66	15	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2039	Acacia dispartima	Hickory Wattle	180		180	57	10	7.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2040	Corymbia citriodora	Spotted Gum	140		140	44	12	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2041	Corymbia citriodora	Spotted Gum	370		370	116	26	8.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2042	Corymbia citriodora	Spotted Gum	360		360	113	32	12.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2043	Eucalyptus crebra	Narrow-leaved Ironbark	130		130	41	10	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2044	Corymbia citriodora	Spotted Gum	170		170	53	15	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2045	Corymbia citriodora	Spotted Gum	110		110	35	12	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2046	Corymbia citriodora	Spotted Gum	110		110	35	10	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2047	Corymbia tessellaris	Moreton Bay Ash	260		260	82	16	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2048	Corymbia citriodora	Spotted Gum	150		150	47	14	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2049	Corymbia citriodora	Spotted Gum	190		190	60	16	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2050	Corymbia citriodora	Spotted Gum	230		230	72	16	5.0	2.8	1.8	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2051	Corymbia citriodora	Spotted Gum	350		350	110	25	16.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value							
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
2052	Corymbia citriodora	Spotted Gum	140		140	44	5	2.0	2.0	1.4	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2053	Eucalyptus crebra	Narrow-leaved Ironbark	540		540	170	27	9.0	6.5	2.6	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2054	Corymbia citriodora	Spotted Gum	290		290	91	20	5.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2055	Corymbia citriodora	Spotted Gum	180		180	57	14	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2056	Corymbia citriodora	Spotted Gum	160		160	50	14	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2057	Corymbia citriodora	Spotted Gum	270		270	85	20	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2058	Corymbia citriodora	Spotted Gum	310		310	97	16	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2059	Eucalyptus tereticornis	Forest Red Gum	260		260	82	20	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2060	Corymbia citriodora	Spotted Gum	100		100	31	10	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2061	Acacia disparrima	Hickory Wattle	210		210	66	10	8.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Retention TBC
2062	Corymbia citriodora	Spotted Gum	260		260	82	19	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2063	Corymbia tessellaris	Moreton Bay Ash	140	130	191	60	7	3.0	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2064	Corymbia citriodora	Spotted Gum	310		310	97	20	9.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2065	Corymbia citriodora	Spotted Gum	340		340	107	24	7.0	4.1	2.1	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2066	Corymbia citriodora	Spotted Gum	220		220	69	14	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	Regular	-	-	Typical	-	-	-	-	-	-	Retention TBC
2067	Corymbia citriodora	Spotted Gum	100		100	31	10	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2068	Eucalyptus crebra	Narrow-leaved Ironbark	200		200	63	20	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Retention TBC
2069	Corymbia citriodora	Spotted Gum	120		120	38	14	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2070	Corymbia citriodora	Spotted Gum	190		190	60	18	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2071	Eucalyptus tereticornis	Forest Red Gum	330		330	104	24	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2072	Corymbia citriodora	Spotted Gum	220		220	69	17	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2073	Corymbia citriodora	Spotted Gum	100		100	31	12	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2074	Corymbia citriodora	Spotted Gum	140		140	44	18	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2075	Corymbia tessellaris	Moreton Bay Ash	120		120	38	10	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2076	Corymbia citriodora	Spotted Gum	130		130	41	15	4.0	2.0	1.4	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2077	Eucalyptus tereticornis	Forest Red Gum	230		230	72	17	2.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2078	Corymbia citriodora	Spotted Gum	310		310	97	17	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2079	Eucalyptus crebra	Narrow-leaved Ironbark	370		370	116	26	12.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2080	Corymbia citriodora	Spotted Gum	100		100	31	15	2.0	2.0	1.3	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2081	Eucalyptus crebra	Narrow-leaved Ironbark	200		200	63	12	1.0	2.4	1.7	Regular	-	-	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2082	Corymbia citriodora	Spotted Gum	250		250	79	17	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retention TBC
2083	Corymbia tessellaris	Moreton Bay Ash	100		100	31	10	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2084	Corymbia citriodora	Spotted Gum	140		140	44	12	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2085	Corymbia citriodora	Spotted Gum	180		180	57	16	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2086	Corymbia citriodora	Spotted Gum	140		140	44	14	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2087	Corymbia citriodora	Spotted Gum	490		490	154	22	8.0	5.9	2.5	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2088	Corymbia citriodora	Spotted Gum	400		400	126	26	14.0	4.8	2.3	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2089	Corymbia citriodora	Spotted Gum	350		350	110	23	9.0	4.2	2.1	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2090	Corymbia citriodora	Spotted Gum	290		290	91	22	6.0	3.5	2.0	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2091	Corymbia citriodora	Spotted Gum	260		260	82	26	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2092	Corymbia citriodora	Spotted Gum	370		370	116	25	6.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2093	Corymbia citriodora	Spotted Gum	290		290	91	24	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value							
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
2094	Eucalyptus tereticornis	Forest Red Gum	180		180	57	17	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2095	Corymbia citriodora	Spotted Gum	120		120	38	15	4.0	2.0	1.4	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2096	Eucalyptus tereticornis	Forest Red Gum	250		250	79	20	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2097	Eucalyptus crebra	Narrow-leaved Ironbark	330		330	104	24	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2098	Corymbia citriodora	Spotted Gum	350		350	110	26	7.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2099	Corymbia citriodora	Spotted Gum	300		300	94	25	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2100	Eucalyptus crebra	Narrow-leaved Ironbark	310		310	97	23	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2101	Eucalyptus crebra	Narrow-leaved Ironbark	250		250	79	15	8.0	3.0	1.8	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2102	Corymbia tessellaris	Moreton Bay Ash	270		270	85	19	5.0	3.2	1.9	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2103	Corymbia citriodora	Spotted Gum	180		180	57	15	7.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2104	Eucalyptus tereticornis	Forest Red Gum	300		300	94	22	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	Regular	-	-	Typical	-	-	-	-	-	-	Retention TBC
2105	Corymbia citriodora	Spotted Gum	100		100	31	10	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2106	Eucalyptus tereticornis	Forest Red Gum	360		360	113	20	7.0	4.3	2.2	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2107	Corymbia citriodora	Spotted Gum	320		320	101	17	6.0	3.8	2.1	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2108	Corymbia citriodora	Spotted Gum	230		230	72	22	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	Regular	-	-	Typical	-	-	-	-	-	-	Retention TBC
2109	Corymbia citriodora	Spotted Gum	110		110	35	12	2.0	2.0	1.3	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2110	Corymbia citriodora	Spotted Gum	210		210	66	20	6.0	2.5	1.7	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2111	Corymbia citriodora	Spotted Gum	110		110	35	12	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2112	Eucalyptus tereticornis	Forest Red Gum	220		220	69	25	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	Regular	-	-	Typical	-	-	-	-	-	-	Retention TBC
2113	Eucalyptus tereticornis	Forest Red Gum	260		260	82	22	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2114	Corymbia tessellaris	Moreton Bay Ash	230		230	72	19	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2115	Corymbia citriodora	Spotted Gum	110		110	35	12	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2116	Corymbia citriodora	Spotted Gum	300		300	94	24	5.0	3.6	2.0	Regular	-	-	Die-back	-	-	Typical	-	Regular	-	-	Typical	-	-	-	-	-	-	Remove
2117	Corymbia citriodora	Spotted Gum	390		390	123	26	7.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2118	Corymbia citriodora	Spotted Gum	190		190	60	16	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2119	Corymbia citriodora	Spotted Gum	350		350	110	25	8.0	4.2	2.1	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2120	Corymbia citriodora	Spotted Gum	480		480	151	26	9.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2121	Corymbia citriodora	Spotted Gum	290		290	91	22	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2122	Corymbia citriodora	Spotted Gum	120		120	38	14	2.0	2.0	1.4	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2123	Eucalyptus crebra	Narrow-leaved Ironbark	340		340	107	24	7.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Retention TBC
2124	Angophora leiocarpa	Smooth-barked Apple	260		260	82	24	5.0	3.1	1.9	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove
2125	Corymbia citriodora	Spotted Gum	220		220	69	21	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2126	Corymbia citriodora	Spotted Gum	250		250	79	20	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2127	Corymbia citriodora	Spotted Gum	300		300	94	20	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2128	Corymbia citriodora	Spotted Gum	250		250	79	21	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove
2129	Acacia disparrima	Hickory Wattle	120		120	38	7	4.0	2.0	1.4	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2130	Corymbia tessellaris	Moreton Bay Ash	380		380	119	26	7.0	4.6	2.2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2131	Acacia disparrima	Hickory Wattle	150		150	47	8	3.0	2.0	1.5	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2132	Corymbia citriodora	Spotted Gum	320		320	101	23	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2133	Eucalyptus tereticornis	Forest Red Gum	210		210	66	22	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2134	Eucalyptus tereticornis	Forest Red Gum	200	100	224	70	15	7.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2135	Corymbia citriodora	Spotted Gum	140		140	44	9	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value							
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
2136	Eucalyptus crebra	Narrow-leaved Ironbark	250		250	79	20	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Remove
2137	Corymbia citriodora	Spotted Gum	330		330	104	28	9.0	4.0	2.1	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2138	Angophora leiocarpa	Smooth-barked Apple	260		260	82	25	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2139	Corymbia citriodora	Spotted Gum	170		170	53	13	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2140	Corymbia intermedia	Pink Bloodwood	180		180	57	13	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2141	Corymbia citriodora	Spotted Gum	230		230	72	17	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2142	Eucalyptus crebra	Narrow-leaved Ironbark	160		160	50	14	5.0	2.0	1.5	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2143	Eucalyptus tereticornis	Forest Red Gum	290		290	91	21	6.0	3.5	2.0	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2144	Corymbia citriodora	Spotted Gum	190		190	60	16	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2145	Eucalyptus tereticornis	Forest Red Gum	230		230	72	16	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2146	Corymbia citriodora	Spotted Gum	290		290	91	15	6.0	3.5	2.0	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2147	Corymbia citriodora	Spotted Gum	300		300	94	26	7.0	3.6	2.0	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2148	Corymbia citriodora	Spotted Gum	250		250	79	23	6.0	3.0	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2149	Eucalyptus tereticornis	Forest Red Gum	180		180	57	16	7.0	2.2	1.6	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2150	Eucalyptus tereticornis	Forest Red Gum	320		320	101	32	8.0	3.8	2.1	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2151	Corymbia citriodora	Spotted Gum	120		120	38	16	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2152	Corymbia citriodora	Spotted Gum	100		100	31	10	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2153	Eucalyptus tereticornis	Forest Red Gum	300		300	94	17	4.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2154	Corymbia citriodora	Spotted Gum	140		140	44	18	2.0	2.0	1.4	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2155	Corymbia citriodora	Spotted Gum	100		100	31	17	3.0	2.0	1.3	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2156	Eucalyptus crebra	Narrow-leaved Ironbark	380		380	119	28	14.0	4.6	2.2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2157	Corymbia citriodora	Spotted Gum	390		390	123	26	12.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2158	Eucalyptus crebra	Narrow-leaved Ironbark	320		320	101	24	10.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2159	Corymbia citriodora	Spotted Gum	320		320	101	24	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2160	Corymbia citriodora	Spotted Gum	100		100	31	10	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2161	Corymbia citriodora	Spotted Gum	350		350	110	23	7.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2162	Eucalyptus crebra	Narrow-leaved Ironbark	380		380	119	22	13.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2163	Eucalyptus crebra	Narrow-leaved Ironbark	390		390	123	19	9.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2164	Eucalyptus crebra	Narrow-leaved Ironbark	190		190	60	14	6.0	2.3	1.6	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2165	Acacia dispartima	Hickory Wattle	150		150	47	12	9.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2166	Acacia dispartima	Hickory Wattle	130		130	41	10	6.0	2.0	1.4	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2167	Corymbia citriodora	Spotted Gum	240		240	75	19	5.0	2.9	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2168	DEAD/STAG		190		190	60	10	1.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Retention TBC
2169	Corymbia citriodora	Spotted Gum	410		410	129	26	14.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2170	Corymbia citriodora	Spotted Gum	130		130	41	12	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2171	Corymbia citriodora	Spotted Gum	260		260	82	20	9.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2172	Corymbia citriodora	Spotted Gum	290		290	91	28	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2173	Eucalyptus crebra	Narrow-leaved Ironbark	260		260	82	21	9.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2174	Eucalyptus crebra	Narrow-leaved Ironbark	250		250	79	20	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2175	Eucalyptus crebra	Narrow-leaved Ironbark	210		210	66	26	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2176	Eucalyptus crebra	Narrow-leaved Ironbark	250		250	79	25	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2177	Corymbia citriodora	Spotted Gum	280		280	88	24	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value							
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
2178	Corymbia citriodora	Spotted Gum	150		150	47	16	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2179	Corymbia citriodora	Spotted Gum	200		200	63	22	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2180	Corymbia citriodora	Spotted Gum	220		220	69	22	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2181	Corymbia citriodora	Spotted Gum	180		180	57	20	7.0	2.2	1.6	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2182	Corymbia citriodora	Spotted Gum	250		250	79	24	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	Minor	-	-	-	-	Typical	-	-	-	-	-	Retention TBC
2183	Corymbia citriodora	Spotted Gum	290		290	91	26	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2184	Corymbia citriodora	Spotted Gum	240		240	75	22	6.0	2.9	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2185	Eucalyptus crebra	Narrow-leaved Ironbark	180		180	57	16	3.0	2.2	1.6	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2186	Corymbia citriodora	Spotted Gum	240		240	75	20	8.0	2.9	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2187	Corymbia citriodora	Spotted Gum	130		130	41	10	3.0	2.0	1.4	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2188	Eucalyptus crebra	Narrow-leaved Ironbark	260	280	382	120	25	8.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Retention TBC
2189	Corymbia tessellaris	Moreton Bay Ash	120		120	38	10	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2190	Eucalyptus crebra	Narrow-leaved Ironbark	230		230	72	27	8.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2191	Corymbia citriodora	Spotted Gum	210		210	66	17	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2192	Corymbia citriodora	Spotted Gum	120		120	38	9	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2193	Corymbia citriodora	Spotted Gum	210		210	66	22	6.0	2.5	1.7	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2194	Corymbia citriodora	Spotted Gum	160		160	50	14	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2195	Corymbia citriodora	Spotted Gum	190		190	60	23	7.0	2.3	1.6	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2196	Corymbia citriodora	Spotted Gum	360		360	113	26	8.0	4.3	2.2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2197	Corymbia citriodora	Spotted Gum	290		290	91	27	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2198	Corymbia citriodora	Spotted Gum	180		180	57	18	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2199	Corymbia citriodora	Spotted Gum	150		150	47	15	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2200	Eucalyptus crebra	Narrow-leaved Ironbark	140		140	44	16	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2201	Corymbia citriodora	Spotted Gum	120		120	38	14	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2202	Corymbia citriodora	Spotted Gum	200		200	63	18	6.0	2.4	1.7	One-sided	-	-	-	-	-	Typical	Major	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2203	Corymbia citriodora	Spotted Gum	290		290	91	27	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2204	Eucalyptus crebra	Narrow-leaved Ironbark	180		180	57	24	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2205	Corymbia citriodora	Spotted Gum	340		340	107	28	7.0	4.1	2.1	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2206	Corymbia citriodora	Spotted Gum	360		360	113	28	12.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2207	Corymbia citriodora	Spotted Gum	110		110	35	12	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2208	Eucalyptus crebra	Narrow-leaved Ironbark	210		210	66	20	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2209	Acacia concurrens	Black Wattle	140		140	44	6	6.0	2.0	1.4	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2210	Corymbia citriodora	Spotted Gum	220		220	69	20	7.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2211	Eucalyptus moluccana	Gum-topped Box	430		430	135	28	9.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2212	Corymbia citriodora	Spotted Gum	320		320	101	26	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2213	Corymbia citriodora	Spotted Gum	200		200	63	27	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2214	Corymbia citriodora	Spotted Gum	400		400	126	28	8.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2215	Corymbia citriodora	Spotted Gum	280		280	88	24	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2216	Corymbia citriodora	Spotted Gum	360		360	113	27	13.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2217	Corymbia citriodora	Spotted Gum	270		270	85	20	7.0	3.2	1.9	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2218	Eucalyptus moluccana	Gum-topped Box	340		340	107	26	8.0	4.1	2.1	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2219	Corymbia citriodora	Spotted Gum	110		110	35	8	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value							
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
2220	Corymbia citriodora	Spotted Gum	120		120	38	8	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2221	Corymbia citriodora	Spotted Gum	290		290	91	28	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2222	Corymbia citriodora	Spotted Gum	240		240	75	20	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2223	Eucalyptus crebra	Narrow-leaved Ironbark	170		170	53	18	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Remove
2224	Eucalyptus crebra	Narrow-leaved Ironbark	160		160	50	14	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2225	Corymbia citriodora	Spotted Gum	180		180	57	18	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2226	Eucalyptus crebra	Narrow-leaved Ironbark	130		130	41	8	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2227	Eucalyptus crebra	Narrow-leaved Ironbark	180		180	57	18	5.0	2.2	1.6	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2228	Eucalyptus crebra	Narrow-leaved Ironbark	220		220	69	24	8.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2229	Eucalyptus crebra	Narrow-leaved Ironbark	340		340	107	27	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2230	Corymbia citriodora	Spotted Gum	180		180	57	16	7.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2231	Eucalyptus crebra	Narrow-leaved Ironbark	310		310	97	24	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2232	Corymbia citriodora	Spotted Gum	370		370	116	28	7.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2233	Eucalyptus crebra	Narrow-leaved Ironbark	180		180	57	15	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2234	Eucalyptus crebra	Narrow-leaved Ironbark	190		190	60	18	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2235	Corymbia citriodora	Spotted Gum	270		270	85	27	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2236	Eucalyptus crebra	Narrow-leaved Ironbark	190		190	60	14	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2237	Eucalyptus crebra	Narrow-leaved Ironbark	490		490	154	28	14.0	5.9	2.5	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2238	Corymbia citriodora	Spotted Gum	220	200	297	93	17	8.0	3.6	2.0	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2239	Corymbia citriodora	Spotted Gum	290		290	91	24	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2240	Eucalyptus crebra	Narrow-leaved Ironbark	290		290	91	28	12.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2241	Eucalyptus crebra	Narrow-leaved Ironbark	190		190	60	12	3.0	2.3	1.6	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2242	Corymbia citriodora	Spotted Gum	290	140	322	101	22	7.0	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2243	Corymbia tessellaris	Moreton Bay Ash	140	140	198	62	18	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2244	Corymbia citriodora	Spotted Gum	260		260	82	22	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2245	Corymbia citriodora	Spotted Gum	240		240	75	22	3.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove
2246	Corymbia citriodora	Spotted Gum	230		230	72	19	3.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2247	Eucalyptus moluccana	Gum-topped Box	230		230	72	18	3.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2248	Corymbia citriodora	Spotted Gum	190		190	60	17	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2249	Corymbia tessellaris	Moreton Bay Ash	100		100	31	7	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2250	Corymbia citriodora	Spotted Gum	280		280	88	23	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2251	Corymbia citriodora	Spotted Gum	170		170	53	16	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove
2252	Corymbia citriodora	Spotted Gum	250		250	79	18	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2253	Eucalyptus tereticornis	Forest Red Gum	230		230	72	16	3.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove
2254	Corymbia citriodora	Spotted Gum	100		100	31	6	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2255	Corymbia citriodora	Spotted Gum	250		250	79	18	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2256	Corymbia citriodora	Spotted Gum	310		310	97	23	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2257	Corymbia citriodora	Spotted Gum	200		200	63	12	1.0	2.4	1.7	Regular	-	-	-	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2258	Corymbia citriodora	Spotted Gum	250		250	79	21	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2259	Corymbia citriodora	Spotted Gum	300	230	378	119	24	5.0	4.5	2.2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2260	Corymbia citriodora	Spotted Gum	270	140	304	96	21	4.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2261	Alphitonia excelsa	Soap Tree	120		120	38	6	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value							
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
2262	Corymbia citriodora	Spotted Gum	170		170	53	17	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2263	Eucalyptus siderophloia	Northern Grey Ironbark	170		170	53	16	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2264	Eucalyptus moluccana	Gum-topped Box	250		250	79	19	3.0	3.0	1.8	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2265	Eucalyptus moluccana	Gum-topped Box	170		170	53	16	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2266	Corymbia citriodora	Spotted Gum	100		100	31	7	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2267	Eucalyptus crebra	Narrow-leaved Ironbark	150		150	47	12	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2268	Eucalyptus crebra	Narrow-leaved Ironbark	120		120	38	12	1.0	2.0	1.4	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2269	Eucalyptus moluccana	Gum-topped Box	200		200	63	15	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2270	Corymbia citriodora	Spotted Gum	210	130	247	78	16	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2271	Corymbia citriodora	Spotted Gum	190		190	60	15	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2272	Alphitonia excelsa	Soap Tree	130		130	41	9	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2273	Corymbia citriodora	Spotted Gum	280		280	88	24	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2274	Acacia disarrima	Hickory Wattle	100		100	31	6	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2275	Eucalyptus crebra	Narrow-leaved Ironbark	180		180	57	16	2.0	2.2	1.6	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2276	DEAD/STAG		300		300	94	17	3.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Remove
2277	Corymbia tessellaris	Moreton Bay Ash	180		180	57	14	2.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2278	DEAD/STAG		340		340	107	26	6.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2279	Corymbia tessellaris	Moreton Bay Ash	170		170	53	10	2.0	2.0	1.6	Regular	-	-	-	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2280	Corymbia tessellaris	Moreton Bay Ash	120		120	38	6	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2281	Corymbia citriodora	Spotted Gum	240		240	75	16	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2282	Corymbia citriodora	Spotted Gum	120		120	38	7	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2283	Corymbia citriodora	Spotted Gum	140		140	44	14	3.0	2.0	1.4	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2284	Corymbia citriodora	Spotted Gum	170		170	53	14	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2285	Eucalyptus crebra	Narrow-leaved Ironbark	300		300	94	24	7.0	3.6	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2286	Corymbia tessellaris	Moreton Bay Ash	100		100	31	6	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2287	Alphitonia excelsa	Soap Tree	100		100	31	7	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2288	Corymbia citriodora	Spotted Gum	200		200	63	15	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retention TBC
2289	Corymbia citriodora	Spotted Gum	140		140	44	9	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2290	Corymbia tessellaris	Moreton Bay Ash	170		170	53	12	2.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2291	Acacia disarrima	Hickory Wattle	210		210	66	11	3.0	2.5	1.7	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2292	Corymbia citriodora	Spotted Gum	140		140	44	10	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2293	Corymbia citriodora	Spotted Gum	210		210	66	12	3.0	2.5	1.7	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2294	Corymbia tessellaris	Moreton Bay Ash	170		170	53	12	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2295	Corymbia citriodora	Spotted Gum	200		200	63	16	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2296	Corymbia citriodora	Spotted Gum	200		200	63	15	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2297	Eucalyptus moluccana	Gum-topped Box	150		150	47	8	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2298	Acacia concurrens	Black Wattle	130		130	41	5	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2299	Eucalyptus moluccana	Gum-topped Box	320		320	101	14	2.0	3.8	2.1	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2300	Corymbia tessellaris	Moreton Bay Ash	210		210	66	19	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2301	Eucalyptus moluccana	Gum-topped Box	340	190	389	122	18	6.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	Fire Dmg.	Typical	-	-	-	-	-	-	Retention TBC
2302	Angophora leiocarpa	Smooth-barked Apple	310		310	97	20	4.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2303	Corymbia tessellaris	Moreton Bay Ash	230	200	305	96	11	6.0	3.7	2.0	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value							
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
2304	Eucalyptus crebra	Narrow-leaved Ironbark	190		190	60	12	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2305	Corymbia citriodora	Spotted Gum	160		160	50	12	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2306	Corymbia tessellaris	Moreton Bay Ash	220		220	69	8	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2307	Corymbia citriodora	Spotted Gum	260	220	341	107	18	6.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2308	Acacia concurrens	Black Wattle	120		120	38	7	2.0	2.0	1.4	Regular	-	-	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2309	Corymbia citriodora	Spotted Gum	240		240	75	20	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2310	Corymbia tessellaris	Moreton Bay Ash	200		200	63	6	2.0	2.4	1.7	One-sided	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove
2311	Eucalyptus crebra	Narrow-leaved Ironbark	130		130	41	5	2.0	2.0	1.4	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Remove
2312	Corymbia citriodora	Spotted Gum	100		100	31	11	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2313	Corymbia citriodora	Spotted Gum	100		100	31	12	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2314	Corymbia citriodora	Spotted Gum	100		100	31	11	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2315	Corymbia citriodora	Spotted Gum	110		110	35	8	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2316	Corymbia tessellaris	Moreton Bay Ash	140		140	44	12	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2317	Eucalyptus moluccana	Gum-topped Box	470		470	148	20	5.0	5.6	2.4	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2318	Corymbia citriodora	Spotted Gum	100		100	31	11	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2319	Corymbia citriodora	Spotted Gum	130		130	41	11	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2320	Corymbia citriodora	Spotted Gum	140		140	44	14	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2321	Corymbia citriodora	Spotted Gum	120		120	38	8	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2322	Corymbia citriodora	Spotted Gum	140		140	44	11	2.0	2.0	1.4	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2323	Eucalyptus moluccana	Gum-topped Box	380	320	497	156	20	6.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2324	Acacia concurrens	Black Wattle	160		160	50	6	3.0	2.0	1.5	Regular	-	-	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2325	Corymbia citriodora	Spotted Gum	110		110	35	12	2.0	2.0	1.3	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2326	Corymbia citriodora	Spotted Gum	140		140	44	11	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2327	Corymbia citriodora	Spotted Gum	160		160	50	11	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2328	Corymbia citriodora	Spotted Gum	160		160	50	13	3.0	2.0	1.5	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2329	Eucalyptus crebra	Narrow-leaved Ironbark	100		100	31	6	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2330	Corymbia citriodora	Spotted Gum	130		130	41	12	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2331	Corymbia citriodora	Spotted Gum	110		110	35	10	1.0	2.0	1.3	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2332	Corymbia citriodora	Spotted Gum	100		100	31	8	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2333	Corymbia citriodora	Spotted Gum	120		120	38	12	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2334	Corymbia citriodora	Spotted Gum	150		150	47	14	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retention TBC
2335	Corymbia citriodora	Spotted Gum	210		210	66	15	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2336	Corymbia citriodora	Spotted Gum	160		160	50	12	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2337	Corymbia citriodora	Spotted Gum	120		120	38	11	2.0	2.0	1.4	Regular	-	-	-	Epicormic	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retention TBC
2338	Corymbia citriodora	Spotted Gum	110		110	35	7	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2339	Corymbia citriodora	Spotted Gum	110		110	35	12	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2340	Corymbia citriodora	Spotted Gum	200		200	63	19	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2341	Corymbia citriodora	Spotted Gum	160		160	50	8	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2342	Corymbia citriodora	Spotted Gum	100		100	31	7	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2343	Acacia dispartima	Hickory Wattle	170		170	53	6	4.0	2.0	1.6	Regular	-	-	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2344	Corymbia citriodora	Spotted Gum	120		120	38	12	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2345	Corymbia citriodora	Spotted Gum	140		140	44	12	2.0	2.0	1.4	Regular	-	-	-	Epicormic	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value							
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
2346	Corymbia citriodora	Spotted Gum	120		120	38	14	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove
2347	Eucalyptus moluccana	Gum-topped Box	260		260	82	14	3.0	3.1	1.9	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove
2348	Eucalyptus crebra	Narrow-leaved Ironbark	240		240	75	22	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2349	Corymbia citriodora	Spotted Gum	120		120	38	12	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	Regular	-	-	Typical	-	-	-	-	-	-	Retention TBC
2350	Corymbia citriodora	Spotted Gum	120		120	38	11	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2351	Corymbia citriodora	Spotted Gum	160		160	50	16	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2352	Corymbia citriodora	Spotted Gum	130		130	41	14	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2353	Eucalyptus moluccana	Gum-topped Box	220		220	69	18	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	Regular	-	-	Typical	-	-	-	-	-	-	Retention TBC
2354	Eucalyptus tereticornis	Forest Red Gum	190		190	60	13	3.0	2.3	1.6	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2355	Eucalyptus moluccana	Gum-topped Box	200		200	63	16	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2356	Eucalyptus tereticornis	Forest Red Gum	330		330	104	22	5.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	Regular	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retention TBC
2357	Eucalyptus crebra	Narrow-leaved Ironbark	140		140	44	14	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2358	Eucalyptus moluccana	Gum-topped Box	110		110	35	8	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2359	Corymbia citriodora	Spotted Gum	230		230	72	16	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2360	Eucalyptus tereticornis	Forest Red Gum	120		120	38	7	1.0	2.0	1.4	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2361	Eucalyptus tereticornis	Forest Red Gum	110		110	35	7	1.0	2.0	1.3	Regular	-	-	-	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2362	Eucalyptus moluccana	Gum-topped Box	180		180	57	15	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2363	Eucalyptus tereticornis	Forest Red Gum	300		300	94	21	4.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retention TBC
2364	Eucalyptus moluccana	Gum-topped Box	200		200	63	14	2.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2365	Corymbia citriodora	Spotted Gum	120		120	38	7	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2366	Eucalyptus tereticornis	Forest Red Gum	230		230	72	20	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2367	Eucalyptus tereticornis	Forest Red Gum	250		250	79	18	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2368	Eucalyptus crebra	Narrow-leaved Ironbark	100		100	31	6	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	Regular	-	-	Typical	-	-	-	-	-	-	Retention TBC
2369	Eucalyptus tereticornis	Forest Red Gum	100		100	31	7	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2370	Eucalyptus tereticornis	Forest Red Gum	110		110	35	7	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2371	Eucalyptus crebra	Narrow-leaved Ironbark	140		140	44	7	2.0	2.0	1.4	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2372	Acacia dispartima	Hickory Wattle	180		180	57	6	3.0	2.2	1.6	Regular	-	-	-	-	-	Poor	-	Regular	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retention TBC
2373	Corymbia citriodora	Spotted Gum	220		220	69	18	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2374	Eucalyptus tereticornis	Forest Red Gum	220		220	69	16	2.0	2.6	1.8	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2375	Acacia dispartima	Hickory Wattle	130		130	41	5	2.0	2.0	1.4	Regular	-	-	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2376	Eucalyptus tereticornis	Forest Red Gum	250		250	79	20	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	Regular	-	-	Typical	-	-	-	-	-	-	Retention TBC
2377	Corymbia citriodora	Spotted Gum	200		200	63	21	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2378	Eucalyptus moluccana	Gum-topped Box	110		110	35	7	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2379	Eucalyptus moluccana	Gum-topped Box	320		320	101	22	5.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove
2380	Eucalyptus moluccana	Gum-topped Box	320		320	101	20	4.0	3.8	2.1	Regular	-	-	Die-back	-	-	Typical	-	Regular	-	-	Typical	-	-	-	-	-	-	Retention TBC
2381	Eucalyptus moluccana	Gum-topped Box	210		210	66	15	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2382	Eucalyptus moluccana	Gum-topped Box	350		350	110	22	4.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retention TBC
2383	Eucalyptus moluccana	Gum-topped Box	210		210	66	19	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2384	Eucalyptus tereticornis	Forest Red Gum	160		160	50	15	2.0	2.0	1.5	Regular	-	Thinning	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2385	Eucalyptus moluccana	Gum-topped Box	180		180	57	16	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2386	Eucalyptus tereticornis	Forest Red Gum	200		200	63	20	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2387	Eucalyptus moluccana	Gum-topped Box	200		200	63	16	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC

Tree ID	Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value							Retention
	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value		
2388	Eucalyptus moluccana	Gum-topped Box	200		200	63	18	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retention TBC
2389	Eucalyptus moluccana	Gum-topped Box	200		200	63	15	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retention TBC
2390	Corymbia citriodora	Spotted Gum	170		170	53	12	1.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove
2391	Eucalyptus moluccana	Gum-topped Box	190		190	60	14	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove
2392	Corymbia citriodora	Spotted Gum	200		200	63	19	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove
2393	Eucalyptus moluccana	Gum-topped Box	300		300	94	19	4.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove
2394	Corymbia citriodora	Spotted Gum	140		140	44	13	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retention TBC
2395	Eucalyptus moluccana	Gum-topped Box	270		270	85	20	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retention TBC
2396	Eucalyptus moluccana	Gum-topped Box	140		140	44	10	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retention TBC
2397	Eucalyptus tereticornis	Forest Red Gum	320		320	101	18	5.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retention TBC
2398	Eucalyptus moluccana	Gum-topped Box	270		270	85	22	4.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	-	Retention TBC
2399	Corymbia citriodora	Spotted Gum	170		170	53	10	1.0	2.0	1.6	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retention TBC
2400	Eucalyptus moluccana	Gum-topped Box	120		120	38	6	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retention TBC
2401	Corymbia citriodora	Spotted Gum	170		170	53	15	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retention TBC
2402	Eucalyptus moluccana	Gum-topped Box	170		170	53	17	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retention TBC
2403	Eucalyptus moluccana	Gum-topped Box	160		160	50	14	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove
2404	Eucalyptus moluccana	Gum-topped Box	220		220	69	20	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove
2405	Corymbia citriodora	Spotted Gum	210		210	66	19	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove
2406	Eucalyptus moluccana	Gum-topped Box	130	130	130	41	11	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove
2407	Eucalyptus moluccana	Gum-topped Box	150	130	198	62	14	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove
2408	Corymbia citriodora	Spotted Gum	110		110	35	8	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove
2409	Eucalyptus moluccana	Gum-topped Box	110		110	35	10	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove
2410	Eucalyptus moluccana	Gum-topped Box	260		260	82	16	3.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove
2411	Corymbia citriodora	Spotted Gum	240		240	75	16	3.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	-	Retention TBC
2412	Eucalyptus moluccana	Gum-topped Box	130		130	41	10	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	-	Retention TBC
2413	Eucalyptus moluccana	Gum-topped Box	130		130	41	12	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retention TBC
2414	Eucalyptus tereticornis	Forest Red Gum	330		330	104	19	4.0	4.0	2.1	Irregular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove
2415	Eucalyptus moluccana	Gum-topped Box	120		120	38	12	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove
2416	Corymbia citriodora	Spotted Gum	180		180	57	16	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove
2417	Eucalyptus moluccana	Gum-topped Box	120		120	38	10	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retention TBC
2418	Eucalyptus moluccana	Gum-topped Box	160		160	50	11	2.0	2.0	1.5	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retention TBC
2419	Corymbia citriodora	Spotted Gum	200		200	63	18	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retention TBC
2420	Eucalyptus tereticornis	Forest Red Gum	310		310	97	17	4.0	3.7	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	-	Remove
2421	Corymbia citriodora	Spotted Gum	250		250	79	17	3.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retention TBC
2422	Eucalyptus crebra	Narrow-leaved Ironbark	110		110	35	7	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	-	Retention TBC
2423	Eucalyptus moluccana	Gum-topped Box	160		160	50	10	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retention TBC
2424	Eucalyptus moluccana	Gum-topped Box	220		220	69	16	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove
2425	Eucalyptus tereticornis	Forest Red Gum	110		110	35	7	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retention TBC
2426	Eucalyptus crebra	Narrow-leaved Ironbark	280		280	88	22	4.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	-	Remove
2427	Corymbia citriodora	Spotted Gum	110		110	35	7	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove
2428	Eucalyptus tereticornis	Forest Red Gum	110		110	35	5	1.0	2.0	1.3	Regular	-	-	-	Epicormic	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	-	Remove
2429	Corymbia citriodora	Spotted Gum	140		140	44	8	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	-	Remove

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value							
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
2430	Corymbia citriodora	Spotted Gum	100		100	31	8	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2431	Eucalyptus crebra	Narrow-leaved Ironbark	160		160	50	14	3.0	2.0	1.5	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2432	Eucalyptus crebra	Narrow-leaved Ironbark	300		300	94	22	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2433	Corymbia citriodora	Spotted Gum	190		190	60	18	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2434	Eucalyptus moluccana	Gum-topped Box	300		300	94	18	4.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove
2435	Corymbia citriodora	Spotted Gum	190		190	60	15	3.0	2.3	1.6	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2436	Eucalyptus moluccana	Gum-topped Box	120		120	38	10	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2437	Corymbia citriodora	Spotted Gum	110		110	35	7	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2438	Eucalyptus crebra	Narrow-leaved Ironbark	130		130	41	7	1.0	2.0	1.4	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2439	Corymbia citriodora	Spotted Gum	170		170	53	14	2.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2440	Eucalyptus moluccana	Gum-topped Box	170		170	53	8	2.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2441	Corymbia citriodora	Spotted Gum	160		160	50	13	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2442	Eucalyptus moluccana	Gum-topped Box	150		150	47	10	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2443	Eucalyptus moluccana	Gum-topped Box	120		120	38	10	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2444	Corymbia citriodora	Spotted Gum	100		100	31	6	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2445	Corymbia citriodora	Spotted Gum	300		300	94	23	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2446	Eucalyptus crebra	Narrow-leaved Ironbark	210		210	66	19	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2447	Eucalyptus moluccana	Gum-topped Box	120		120	38	7	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2448	Acacia dispartima	Hickory Wattle	160		160	50	7	3.0	2.0	1.5	Regular	-	-	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2449	Eucalyptus moluccana	Gum-topped Box	170		170	53	9	2.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2450	Eucalyptus moluccana	Gum-topped Box	200		200	63	16	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2451	Eucalyptus crebra	Narrow-leaved Ironbark	220		220	69	17	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2452	Eucalyptus tereticornis	Forest Red Gum	140		140	44	12	2.0	2.0	1.4	Regular	-	-	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2453	Corymbia citriodora	Spotted Gum	160		160	50	14	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2454	Corymbia citriodora	Spotted Gum	150		150	47	14	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2455	Eucalyptus moluccana	Gum-topped Box	190		190	60	14	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2456	Eucalyptus crebra	Narrow-leaved Ironbark	190		190	60	14	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2457	Corymbia citriodora	Spotted Gum	100		100	31	7	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2458	Eucalyptus moluccana	Gum-topped Box	230		230	72	17	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2459	Corymbia citriodora	Spotted Gum	200		200	63	16	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2460	Corymbia citriodora	Spotted Gum	260		260	82	22	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2461	Eucalyptus crebra	Narrow-leaved Ironbark	130		130	41	6	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2462	Eucalyptus moluccana	Gum-topped Box	150		150	47	13	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove
2463	Corymbia citriodora	Spotted Gum	300		300	94	22	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2464	Corymbia citriodora	Spotted Gum	180		180	57	16	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2465	Eucalyptus moluccana	Gum-topped Box	240		240	75	19	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2466	Corymbia citriodora	Spotted Gum	210		210	66	17	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2467	Corymbia citriodora	Spotted Gum	160		160	50	17	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2468	Eucalyptus moluccana	Gum-topped Box	210		210	66	17	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2469	Corymbia citriodora	Spotted Gum	200		200	63	17	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2470	Eucalyptus moluccana	Gum-topped Box	240		240	75	16	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2471	Corymbia citriodora	Spotted Gum	270		270	85	20	4.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention		
2472	Corymbia citriodora	Spotted Gum	140		140	44	14	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	-	Retention TBC	
2473	Corymbia citriodora	Spotted Gum	170		170	53	17	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retention TBC	
2474	Corymbia citriodora	Spotted Gum	140		140	44	10	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	-	Retention TBC	
2475	Corymbia citriodora	Spotted Gum	130		130	41	11	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retention TBC	
2476	Corymbia citriodora	Spotted Gum	210		210	66	14	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retention TBC	
2477	Corymbia citriodora	Spotted Gum	140		140	44	12	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retention TBC	
2478	Eucalyptus moluccana	Gum-topped Box	340		340	107	18	4.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retention TBC	
2479	Eucalyptus moluccana	Gum-topped Box	100		100	31	6	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	Regular	-	-	Typical	-	-	-	-	-	-	-	Retention TBC	
2480	Eucalyptus moluccana	Gum-topped Box	290		290	91	18	5.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
2481	Eucalyptus tereticornis	Forest Red Gum	210		210	66	12	2.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retention TBC	
2482	Corymbia citriodora	Spotted Gum	140		140	44	7	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	Minor	-	-	-	-	Typical	-	-	-	-	-	-	-	Retention TBC
2483	Acacia concurrens	Black Wattle	130		130	41	4	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retention TBC	
2484	Eucalyptus moluccana	Gum-topped Box	100		100	31	8	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
2485	Corymbia citriodora	Spotted Gum	320		320	101	22	5.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	-	Remove	
2486	Eucalyptus moluccana	Gum-topped Box	300		300	94	19	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
2487	Eucalyptus moluccana	Gum-topped Box	500		500	157	20	7.0	6.0	2.5	Irregular	-	Thinning	-	Epicormic	-	Typical	-	-	Trunk Dmg.	Fire Dmg.	Typical	-	-	-	-	-	-	-	Remove	
2488	Corymbia citriodora	Spotted Gum	100		100	31	7	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
2489	Eucalyptus moluccana	Gum-topped Box	160		160	50	6	2.0	2.0	1.5	Irregular	-	-	-	Epicormic	-	Typical	Minor	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove
2490	Corymbia citriodora	Spotted Gum	220		220	69	18	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
2491	Eucalyptus moluccana	Gum-topped Box	140		140	44	12	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
2492	Eucalyptus crebra	Narrow-leaved Ironbark	110		110	35	5	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
2493	Corymbia citriodora	Spotted Gum	160		160	50	10	3.0	2.0	1.5	Irregular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
2494	Corymbia citriodora	Spotted Gum	130		130	41	12	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	Regular	-	-	Typical	-	-	-	-	-	-	-	Remove	
2495	Eucalyptus moluccana	Gum-topped Box	180		180	57	17	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
2496	Eucalyptus moluccana	Gum-topped Box	320		320	101	18	4.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
2497	Eucalyptus moluccana	Gum-topped Box	270		270	85	21	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
2498	Eucalyptus moluccana	Gum-topped Box	150		150	47	14	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	Regular	-	-	Typical	-	-	-	-	-	-	-	Remove	
2499	Eucalyptus moluccana	Gum-topped Box	180		180	57	16	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
2500	Eucalyptus moluccana	Gum-topped Box	240		240	75	16	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
2501	Eucalyptus moluccana	Gum-topped Box	190		190	60	18	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retention TBC	
2502	Corymbia citriodora	Spotted Gum	130		130	41	10	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retention TBC	
2503	Eucalyptus moluccana	Gum-topped Box	290		290	91	19	5.0	3.5	2.0	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	-	Retention TBC	
2504	Corymbia citriodora	Spotted Gum	180		180	57	10	2.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	-	Retention TBC	
2505	Eucalyptus moluccana	Gum-topped Box	250		250	79	16	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retention TBC	
2506	Eucalyptus moluccana	Gum-topped Box	290		290	91	24	5.0	3.5	2.0	Regular	-	-	Die-back	-	-	Poor	-	Regular	-	-	Typical	-	-	-	-	-	-	-	Remove	
2507	Eucalyptus moluccana	Gum-topped Box	190		190	60	14	2.0	2.3	1.6	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	
2508	Eucalyptus moluccana	Gum-topped Box	140		140	44	14	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retention TBC	
2509	Eucalyptus moluccana	Gum-topped Box	300		300	94	20	4.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retention TBC	
2510	Eucalyptus moluccana	Gum-topped Box	250		250	79	17	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retention TBC	
2511	Corymbia intermedia	Pink Bloodwood	130		130	41	10	1.0	2.0	1.4	Regular	-	-	-	Epicormic	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	-	Retention TBC	
2512	Eucalyptus moluccana	Gum-topped Box	290		290	91	23	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retention TBC	
2513	Corymbia citriodora	Spotted Gum	230		230	72	20	6.0	2.8	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove	

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value							
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
2514	Corymbia citriodora	Spotted Gum	130		130	41	12	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2515	Eucalyptus moluccana	Gum-topped Box	190		190	60	14	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2516	Eucalyptus moluccana	Gum-topped Box	100		100	31	10	2.0	2.0	1.3	Regular	-	-	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2517	Eucalyptus moluccana	Gum-topped Box	140		140	44	10	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retention TBC
2518	Eucalyptus moluccana	Gum-topped Box	210		210	66	16	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2519	Eucalyptus moluccana	Gum-topped Box	150		150	47	14	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2520	Eucalyptus moluccana	Gum-topped Box	260	100	279	88	16	4.0	3.3	1.9	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2521	Eucalyptus moluccana	Gum-topped Box	240		240	75	20	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2522	Eucalyptus crebra	Narrow-leaved Ironbark	250		250	79	19	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2523	Eucalyptus tereticornis	Forest Red Gum	310		310	97	22	5.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2524	Eucalyptus moluccana	Gum-topped Box	280		280	88	19	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2525	Eucalyptus moluccana	Gum-topped Box	390		390	123	24	6.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2526	Eucalyptus moluccana	Gum-topped Box	300		300	94	22	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2527	Corymbia citriodora	Spotted Gum	140		140	44	16	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2528	Eucalyptus moluccana	Gum-topped Box	120		120	38	6	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2529	Corymbia citriodora	Spotted Gum	180		180	57	14	2.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2530	Eucalyptus moluccana	Gum-topped Box	250		250	79	16	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2531	Eucalyptus moluccana	Gum-topped Box	320		320	101	19	4.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2532	Acacia concurrens	Black Wattle	150		150	47	5	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2533	DEAD/STAG		380		380	119	22	5.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2534	Corymbia citriodora	Spotted Gum	110		110	35	10	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2535	Acacia disarrima	Hickory Wattle	200		200	63	5	2.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2536	Acacia disarrima	Hickory Wattle	150		150	47	7	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2537	Acacia disarrima	Hickory Wattle	170		170	53	7	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2538	Corymbia citriodora	Spotted Gum	110		110	35	10	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2539	Acacia disarrima	Hickory Wattle	190		190	60	7	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2540	Eucalyptus crebra	Narrow-leaved Ironbark	160		160	50	12	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2541	Eucalyptus tereticornis	Forest Red Gum	180		180	57	18	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retention TBC
2542	Corymbia citriodora	Spotted Gum	200		200	63	18	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2543	Eucalyptus tereticornis	Forest Red Gum	170		170	53	16	2.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2544	Corymbia citriodora	Spotted Gum	110		110	35	7	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2545	Corymbia intermedia	Pink Bloodwood	150	120	192	60	6	2.0	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2546	Eucalyptus moluccana	Gum-topped Box	280		280	88	16	4.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2547	Corymbia citriodora	Spotted Gum	190	110	220	69	14	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2548	Corymbia citriodora	Spotted Gum	150		150	47	17	3.0	2.0	1.5	Irregular	-	Thinning	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2549	Corymbia citriodora	Spotted Gum	310		310	97	24	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retention TBC
2550	Acacia disarrima	Hickory Wattle	140		140	44	5	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2551	Corymbia citriodora	Spotted Gum	190		190	60	15	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2552	Acacia concurrens	Black Wattle	130		130	41	8	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2553	Corymbia tessellaris	Moreton Bay Ash	190		190	60	12	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2554	Corymbia citriodora	Spotted Gum	110		110	35	12	1.0	2.0	1.3	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2555	Eucalyptus crebra	Narrow-leaved Ironbark	250		250	79	15	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Remove

Tree ID	Botanical Name	Common Name	Specimen Details								Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Retention
			Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	
2556	Corymbia citriodora	Spotted Gum	190		190	60	17	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2557	Corymbia citriodora	Spotted Gum	180		180	57	14	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2558	Acacia disparrima	Hickory Wattle	170		170	53	12	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2559	Eucalyptus moluccana	Gum-topped Box	310		310	97	17	6.0	3.7	2.0	Regular	-	-	Die-back	Epicormic	-	Typical	-	Regular	-	-	Typical	-	-	-	-	-	-	Retention TBC
2560	Corymbia tessellaris	Moreton Bay Ash	160		160	50	12	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2561	Eucalyptus tereticornis	Forest Red Gum	140		140	44	12	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2562	Acacia disparrima	Hickory Wattle	140		140	44	7	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2563	Acacia disparrima	Hickory Wattle	100		100	31	7	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	Regular	-	-	Typical	-	-	-	-	-	-	Retention TBC
2564	Acacia disparrima	Hickory Wattle	160	140	213	67	7	5.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2565	Acacia disparrima	Hickory Wattle	120		120	38	12	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2566	Acacia disparrima	Hickory Wattle	130	120	177	56	12	6.0	2.1	1.6	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2567	Corymbia citriodora	Spotted Gum	140		140	44	17	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2568	Eucalyptus crebra	Narrow-leaved Ironbark	250		250	79	20	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2569	Corymbia citriodora	Spotted Gum	100		100	31	12	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2570	Eucalyptus crebra	Narrow-leaved Ironbark	230		230	72	25	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2571	Corymbia citriodora	Spotted Gum	260		260	82	23	6.0	3.1	1.9	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2572	Acacia concurrens	Black Wattle	100		100	31	9	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2573	Eucalyptus moluccana	Gum-topped Box	140	110	178	56	12	4.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retention TBC
2574	Corymbia citriodora	Spotted Gum	150		150	47	19	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	Regular	-	-	Typical	-	-	-	-	-	-	Retention TBC
2575	Eucalyptus crebra	Narrow-leaved Ironbark	180		180	57	16	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2576	Eucalyptus moluccana	Gum-topped Box	410		410	129	24	7.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2577	Corymbia citriodora	Spotted Gum	260		260	82	22	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2578	Alphitonia excelsa	Soap Tree	120		120	38	5	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2579	Corymbia citriodora	Spotted Gum	100		100	31	10	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2580	Corymbia citriodora	Spotted Gum	210		210	66	18	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2581	Eucalyptus moluccana	Gum-topped Box	130		130	41	12	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2582	Eucalyptus moluccana	Gum-topped Box	120	110	163	51	15	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	Regular	-	-	Typical	-	-	-	-	-	-	Remove
2583	Corymbia citriodora	Spotted Gum	260		260	82	24	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2584	Corymbia citriodora	Spotted Gum	200		200	63	15	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2585	Corymbia citriodora	Spotted Gum	270		270	85	22	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2586	Corymbia citriodora	Spotted Gum	200		200	63	16	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	Regular	-	-	Typical	-	-	-	-	-	-	Remove
2587	Eucalyptus crebra	Narrow-leaved Ironbark	290		290	91	22	4.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2588	Corymbia citriodora	Spotted Gum	380		380	119	25	6.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2589	Corymbia citriodora	Spotted Gum	180		180	57	16	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2590	Acacia disparrima	Hickory Wattle	180		180	57	12	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	Regular	-	-	Typical	-	-	-	-	-	-	Remove
2591	Acacia disparrima	Hickory Wattle	150		150	47	12	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2592	Corymbia intermedia	Pink Bloodwood	270		270	85	15	4.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2593	Corymbia tessellaris	Moreton Bay Ash	130		130	41	15	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	Regular	-	-	Typical	-	-	-	-	-	-	Remove
2594	Corymbia intermedia	Pink Bloodwood	180		180	57	14	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2595	Corymbia tessellaris	Moreton Bay Ash	120		120	38	14	1.0	2.0	1.4	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2596	Acacia disparrima	Hickory Wattle	120		120	38	10	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2597	Corymbia tessellaris	Moreton Bay Ash	140		140	44	14	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
2598	Acacia concurrens	Black Wattle	130		130	41	12	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2599	Acacia disparrima	Hickory Wattle	110		110	35	12	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2600	Corymbia tessellaris	Moreton Bay Ash	120		120	38	10	1.0	2.0	1.4	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2601	Corymbia tessellaris	Moreton Bay Ash	140		140	44	13	1.0	2.0	1.4	Regular	-	-	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2602	Eucalyptus tereticornis	Forest Red Gum	340		340	107	24	6.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2603	Corymbia intermedia	Pink Bloodwood	110		110	35	10	1.0	2.0	1.3	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2604	Corymbia intermedia	Pink Bloodwood	180		180	57	17	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2605	Corymbia citriodora	Spotted Gum	250		250	79	21	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2606	Acacia disparrima	Hickory Wattle	150		150	47	14	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2607	Corymbia citriodora	Spotted Gum	120		120	38	17	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2608	Corymbia citriodora	Spotted Gum	260		260	82	24	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2609	Acacia disparrima	Hickory Wattle	180		180	57	14	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2610	Corymbia citriodora	Spotted Gum	160		160	50	16	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2611	Eucalyptus tereticornis	Forest Red Gum	260		260	82	19	5.0	3.1	1.9	Regular	-	-	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2612	Corymbia citriodora	Spotted Gum	200		200	63	13	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2613	Corymbia citriodora	Spotted Gum	190		190	60	14	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2614	Corymbia citriodora	Spotted Gum	100		100	31	8	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2615	Corymbia citriodora	Spotted Gum	180		180	57	19	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2616	Acacia disparrima	Hickory Wattle	130		130	41	14	4.0	2.0	1.4	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2617	Acacia disparrima	Hickory Wattle	130		130	41	13	5.0	2.0	1.4	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2618	Corymbia citriodora	Spotted Gum	380		380	119	24	9.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2619	Eucalyptus tereticornis	Forest Red Gum	190		190	60	14	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2620	Acacia disparrima	Hickory Wattle	120	100	156	49	11	7.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2621	Corymbia citriodora	Spotted Gum	360		360	113	24	7.0	4.3	2.2	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2622	Acacia disparrima	Hickory Wattle	120		120	38	12	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2623	Corymbia citriodora	Spotted Gum	150		150	47	16	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2624	Eucalyptus crebra	Narrow-leaved Ironbark	110		110	35	12	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2625	Alphitonia excelsa	Soap Tree	100		100	31	12	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2626	Alphitonia excelsa	Soap Tree	130		130	41	15	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2627	Corymbia citriodora	Spotted Gum	100		100	31	10	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2628	Eucalyptus crebra	Narrow-leaved Ironbark	190		190	60	17	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2629	Acacia disparrima	Hickory Wattle	140		140	44	10	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2630	Corymbia tessellaris	Moreton Bay Ash	140		140	44	13	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2631	Corymbia citriodora	Spotted Gum	130		130	41	14	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2632	Acacia disparrima	Hickory Wattle	120		120	38	13	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2633	Acacia disparrima	Hickory Wattle	140		140	44	15	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Retention TBC
2634	Corymbia tessellaris	Moreton Bay Ash	120		120	38	14	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2635	Corymbia citriodora	Spotted Gum	170		170	53	16	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2636	Acacia disparrima	Hickory Wattle	120		120	38	14	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2637	Corymbia citriodora	Spotted Gum	200		200	63	17	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2638	Corymbia citriodora	Spotted Gum	130		130	41	15	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2639	Acacia disparrima	Hickory Wattle	170	150, 130	261	82	17	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value							
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
2640	Corymbia citriodora	Spotted Gum	220		220	69	21	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2641	Eucalyptus crebra	Narrow-leaved Ironbark	240		240	75	21	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2642	Corymbia citriodora	Spotted Gum	240		240	75	22	7.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2643	Acacia disparrima	Hickory Wattle	240		240	75	14	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2644	Corymbia citriodora	Spotted Gum	280		280	88	24	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2645	Corymbia citriodora	Spotted Gum	130		130	41	14	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2646	Eucalyptus crebra	Narrow-leaved Ironbark	100		100	31	10	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2647	Corymbia citriodora	Spotted Gum	200		200	63	16	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2648	Corymbia citriodora	Spotted Gum	120		120	38	15	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2649	Corymbia citriodora	Spotted Gum	120		120	38	14	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2650	Acacia disparrima	Hickory Wattle	100		100	31	10	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2651	Acacia disparrima	Hickory Wattle	130	120	177	56	13	4.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2652	Corymbia tessellaris	Moreton Bay Ash	180		180	57	16	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2653	Alphitonia excelsa	Soap Tree	120		120	38	13	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2654	Acacia disparrima	Hickory Wattle	100		100	31	10	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2655	Corymbia citriodora	Spotted Gum	290		290	91	21	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2656	Corymbia citriodora	Spotted Gum	180		180	57	18	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2657	Allocasuarina littoralis	Black She-oak	100		100	31	9	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2658	Corymbia citriodora	Spotted Gum	110		110	35	14	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2659	Corymbia citriodora	Spotted Gum	230		230	72	16	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2660	Acacia disparrima	Hickory Wattle	120		120	38	13	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2661	Corymbia citriodora	Spotted Gum	130		130	41	15	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2662	Acacia disparrima	Hickory Wattle	180		180	57	15	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2663	Corymbia citriodora	Spotted Gum	160		160	50	19	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2664	Corymbia citriodora	Spotted Gum	120		120	38	15	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2665	Corymbia citriodora	Spotted Gum	100		100	31	12	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2666	Allocasuarina littoralis	Black She-oak	120		120	38	10	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2667	Alphitonia excelsa	Soap Tree	120		120	38	10	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2668	Alphitonia excelsa	Soap Tree	120		120	38	12	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2669	Corymbia citriodora	Spotted Gum	160		160	50	15	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2670	Acacia disparrima	Hickory Wattle	220		220	69	13	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2671	Alphitonia excelsa	Soap Tree	130		130	41	12	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2672	Eucalyptus tereticornis	Forest Red Gum	290		290	91	18	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2673	Acacia disparrima	Hickory Wattle	170		170	53	12	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2674	Alphitonia excelsa	Soap Tree	110		110	35	10	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2675	Corymbia tessellaris	Moreton Bay Ash	130		130	41	12	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2676	Acacia concurrens	Black Wattle	100		100	31	12	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2677	Acacia concurrens	Black Wattle	110		110	35	12	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2678	Corymbia citriodora	Spotted Gum	180		180	57	16	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2679	Eucalyptus crebra	Narrow-leaved Ironbark	190		190	60	15	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2680	Acacia concurrens	Black Wattle	110		110	35	12	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2681	Eucalyptus crebra	Narrow-leaved Ironbark	190		190	60	19	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value							
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
2682	Eucalyptus crebra	Narrow-leaved Ironbark	160		160	50	15	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2683	Eucalyptus crebra	Narrow-leaved Ironbark	250		250	79	18	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2684	Eucalyptus crebra	Narrow-leaved Ironbark	150		150	47	14	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2685	Alphitonia excelsa	Soap Tree	100		100	31	9	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2686	Acacia disparrima	Hickory Wattle	100		100	31	12	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2687	Alphitonia excelsa	Soap Tree	130		130	41	13	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2688	Eucalyptus crebra	Narrow-leaved Ironbark	110		110	35	12	3.0	2.0	1.3	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2689	Acacia disparrima	Hickory Wattle	150		150	47	12	4.0	2.0	1.5	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2690	Acacia disparrima	Hickory Wattle	240		240	75	14	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2691	Eucalyptus crebra	Narrow-leaved Ironbark	180		180	57	14	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2692	Corymbia tessellaris	Moreton Bay Ash	210		210	66	16	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2693	Acacia disparrima	Hickory Wattle	130		130	41	12	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
2694	Acacia disparrima	Hickory Wattle	140		140	44	12	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2695	Eucalyptus crebra	Narrow-leaved Ironbark	130		130	41	14	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2696	Acacia disparrima	Hickory Wattle	110		110	35	10	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2697	Alphitonia excelsa	Soap Tree	110		110	35	10	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2698	Alphitonia excelsa	Soap Tree	150		150	47	10	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2699	Eucalyptus tereticornis	Forest Red Gum	220		220	69	20	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2700	Acacia concurrens	Black Wattle	120		120	38	10	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2701	Eucalyptus crebra	Narrow-leaved Ironbark	210		210	66	17	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2702	Corymbia citriodora	Spotted Gum	190		190	60	18	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2703	Eucalyptus crebra	Narrow-leaved Ironbark	150		150	47	15	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2704	Eucalyptus crebra	Narrow-leaved Ironbark	320		320	101	18	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2705	Allocasuarina littoralis	Black She-oak	160		160	50	8	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2706	Corymbia citriodora	Spotted Gum	110		110	35	12	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2707	Eucalyptus tereticornis	Forest Red Gum	220		220	69	20	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2708	Eucalyptus crebra	Narrow-leaved Ironbark	130		130	41	14	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2709	Alphitonia excelsa	Soap Tree	120		120	38	11	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2710	Acacia disparrima	Hickory Wattle	180		180	57	12	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2711	Allocasuarina littoralis	Black She-oak	110		110	35	10	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2712	Acacia disparrima	Hickory Wattle	170		170	53	12	4.0	2.0	1.6	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2713	Corymbia tessellaris	Moreton Bay Ash	140		140	44	12	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2714	DEAD/STAG		320		320	101	12	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Remove
2715	Acacia disparrima	Hickory Wattle	120		120	38	11	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2716	Allocasuarina littoralis	Black She-oak	130		130	41	10	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2717	Eucalyptus tereticornis	Forest Red Gum	180		180	57	16	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2718	Eucalyptus crebra	Narrow-leaved Ironbark	160		160	50	15	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2719	Acacia disparrima	Hickory Wattle	110		110	35	10	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2720	Corymbia citriodora	Spotted Gum	130		130	41	16	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2721	Corymbia citriodora	Spotted Gum	230		230	72	19	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2722	Allocasuarina littoralis	Black She-oak	150		150	47	12	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2723	Allocasuarina littoralis	Black She-oak	130		130	41	14	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value							
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
2724	Eucalyptus tereticornis	Forest Red Gum	210		210	66	15	4.0	2.5	1.7	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2725	Allocasuarina littoralis	Black She-oak	130		130	41	12	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2726	Allocasuarina littoralis	Black She-oak	110		110	35	10	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2727	Allocasuarina littoralis	Black She-oak	160		160	50	14	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2728	Allocasuarina littoralis	Black She-oak	120		120	38	12	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2729	Eucalyptus tereticornis	Forest Red Gum	190		190	60	16	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2730	Corymbia citriodora	Spotted Gum	280		280	88	18	6.0	3.4	1.9	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2731	Acacia disparrima	Hickory Wattle	140		140	44	12	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2732	Corymbia citriodora	Spotted Gum	110		110	35	15	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2733	Acacia disparrima	Hickory Wattle	280		280	88	16	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2734	Eucalyptus tereticornis	Forest Red Gum	290		290	91	17	4.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2735	Eucalyptus crebra	Narrow-leaved Ironbark	150		150	47	15	3.0	2.0	1.5	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2736	Eucalyptus tereticornis	Forest Red Gum	170		170	53	12	4.0	2.0	1.6	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2737	Eucalyptus crebra	Narrow-leaved Ironbark	200		200	63	17	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2738	Eucalyptus crebra	Narrow-leaved Ironbark	190		190	60	16	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2739	Eucalyptus crebra	Narrow-leaved Ironbark	220		220	69	19	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2740	Corymbia intermedia	Pink Bloodwood	160		160	50	14	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Remove
2741	Eucalyptus tereticornis	Forest Red Gum	270		270	85	24	3.0	3.2	1.9	Regular	-	-	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2742	Corymbia intermedia	Pink Bloodwood	180		180	57	15	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2743	Eucalyptus crebra	Narrow-leaved Ironbark	280		280	88	22	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2744	Corymbia citriodora	Spotted Gum	110		110	35	15	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2745	Corymbia citriodora	Spotted Gum	120		120	38	14	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2746	Corymbia citriodora	Spotted Gum	220		220	69	15	5.0	2.6	1.8	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2752	Corymbia intermedia	Pink Bloodwood	250		250	79	16	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2753	Corymbia intermedia	Pink Bloodwood	170		170	53	15	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2754	Corymbia intermedia	Pink Bloodwood	150		150	47	15	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2755	Corymbia citriodora	Spotted Gum	100		100	31	10	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2756	Corymbia intermedia	Pink Bloodwood	120		120	38	15	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2757	Corymbia citriodora	Spotted Gum	110		110	35	14	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2758	Corymbia citriodora	Spotted Gum	150		150	47	16	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2759	Corymbia citriodora	Spotted Gum	100		100	31	14	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2760	Acacia disparrima	Hickory Wattle	120		120	38	13	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2761	Allocasuarina littoralis	Black She-oak	180		180	57	14	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2762	Corymbia intermedia	Pink Bloodwood	200		200	63	15	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Remove
2763	Eucalyptus moluccana	Gum-topped Box	200		200	63	17	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2772	Allocasuarina littoralis	Black She-oak	130		130	41	12	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2773	Acacia disparrima	Hickory Wattle	240		240	75	14	8.0	2.9	1.8	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2774	Eucalyptus tereticornis	Forest Red Gum	150		150	47	16	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2775	Acacia disparrima	Hickory Wattle	150		150	47	10	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2776	Acacia concurrens	Black Wattle	160		160	50	14	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2777	Corymbia citriodora	Spotted Gum	110		110	35	14	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2778	Corymbia citriodora	Spotted Gum	140		140	44	16	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value							
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
2779	Corymbia citriodora	Spotted Gum	150		150	47	15	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2780	Acacia disparrima	Hickory Wattle	140		140	44	14	7.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2799	Corymbia citriodora	Spotted Gum	210		210	66	14	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2800	Eucalyptus crebra	Narrow-leaved Ironbark	180		180	57	13	4.0	2.2	1.6	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2801	Corymbia citriodora	Spotted Gum	260		260	82	17	3.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2802	Eucalyptus crebra	Narrow-leaved Ironbark	270		270	85	23	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2803	Corymbia tessellaris	Moreton Bay Ash	210		210	66	16	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2804	Eucalyptus crebra	Narrow-leaved Ironbark	150		150	47	10	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2805	Corymbia citriodora	Spotted Gum	240		240	75	18	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2806	Corymbia citriodora	Spotted Gum	320		320	101	22	5.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2807	Corymbia citriodora	Spotted Gum	320		320	101	24	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2808	Corymbia citriodora	Spotted Gum	140		140	44	11	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2809	Eucalyptus moluccana	Gum-topped Box	340		340	107	24	6.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2810	Eucalyptus crebra	Narrow-leaved Ironbark	250		250	79	13	3.0	3.0	1.8	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2811	Corymbia tessellaris	Moreton Bay Ash	210		210	66	13	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2812	Corymbia citriodora	Spotted Gum	150		150	47	12	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2813	Eucalyptus moluccana	Gum-topped Box	150		150	47	12	1.0	2.0	1.5	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2814	Eucalyptus crebra	Narrow-leaved Ironbark	190		190	60	15	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2815	Corymbia citriodora	Spotted Gum	300		300	94	24	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2816	Corymbia citriodora	Spotted Gum	150		150	47	16	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2817	Eucalyptus moluccana	Gum-topped Box	350		350	110	24	7.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2818	Eucalyptus moluccana	Gum-topped Box	250		250	79	14	3.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2819	Corymbia citriodora	Spotted Gum	290		290	91	26	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2820	Eucalyptus crebra	Narrow-leaved Ironbark	260		260	82	17	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2821	Acacia disparrima	Hickory Wattle	100		100	31	6	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2822	Eucalyptus moluccana	Gum-topped Box	190		190	60	14	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2823	Eucalyptus crebra	Narrow-leaved Ironbark	120		120	38	10	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2824	Eucalyptus tereticornis	Forest Red Gum	340		340	107	18	6.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2825	Corymbia citriodora	Spotted Gum	100		100	31	9	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2826	Eucalyptus moluccana	Gum-topped Box	130		130	41	12	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2827	Corymbia tessellaris	Moreton Bay Ash	180		180	57	15	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2828	Corymbia tessellaris	Moreton Bay Ash	180		180	57	13	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2829	Corymbia tessellaris	Moreton Bay Ash	100		100	31	8	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2830	Corymbia tessellaris	Moreton Bay Ash	100		100	31	8	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2831	Corymbia tessellaris	Moreton Bay Ash	150	150	212	67	13	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2832	Corymbia tessellaris	Moreton Bay Ash	110		110	35	9	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2833	Acacia disparrima	Hickory Wattle	120		120	38	8	4.0	2.0	1.4	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2834	Corymbia citriodora	Spotted Gum	150		150	47	14	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2835	Corymbia citriodora	Spotted Gum	100		100	31	10	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2836	Acacia disparrima	Hickory Wattle	120	110	163	51	8	4.0	2.0	1.5	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2837	Eucalyptus crebra	Narrow-leaved Ironbark	110		110	35	10	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2838	Corymbia citriodora	Spotted Gum	120		120	38	9	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value							
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
2839	Corymbia citriodora	Spotted Gum	200		200	63	14	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2840	Corymbia citriodora	Spotted Gum	290		290	91	22	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2841	Corymbia tessellaris	Moreton Bay Ash	220		220	69	21	7.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2842	Corymbia citriodora	Spotted Gum	150		150	47	14	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2843	Corymbia citriodora	Spotted Gum	140		140	44	10	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2844	Corymbia citriodora	Spotted Gum	120		120	38	9	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2845	Eucalyptus crebra	Narrow-leaved Ironbark	220		220	69	20	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2846	Corymbia tessellaris	Moreton Bay Ash	210		210	66	18	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2847	Corymbia tessellaris	Moreton Bay Ash	300	150	335	105	16	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2848	Eucalyptus moluccana	Gum-topped Box	120		120	38	8	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2849	Corymbia citriodora	Spotted Gum	180		180	57	15	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2850	Eucalyptus moluccana	Gum-topped Box	160		160	50	15	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2851	Corymbia citriodora	Spotted Gum	130		130	41	17	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2852	Corymbia citriodora	Spotted Gum	100		100	31	10	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2853	Eucalyptus moluccana	Gum-topped Box	320		320	101	23	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2854	Corymbia tessellaris	Moreton Bay Ash	140		140	44	12	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2855	Corymbia citriodora	Spotted Gum	140		140	44	12	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2856	Corymbia tessellaris	Moreton Bay Ash	140		140	44	12	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2857	Corymbia citriodora	Spotted Gum	170		170	53	16	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2858	Acacia disarrima	Hickory Wattle	170		170	53	10	5.0	2.0	1.6	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2859	Eucalyptus moluccana	Gum-topped Box	230		230	72	18	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2860	Corymbia tessellaris	Moreton Bay Ash	140		140	44	5	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2861	Corymbia tessellaris	Moreton Bay Ash	130		130	41	9	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2862	Corymbia tessellaris	Moreton Bay Ash	130	90	158	50	10	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2863	Corymbia citriodora	Spotted Gum	100		100	31	12	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2864	Corymbia citriodora	Spotted Gum	120		120	38	13	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2865	Eucalyptus moluccana	Gum-topped Box	120		120	38	10	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2866	Corymbia citriodora	Spotted Gum	170		170	53	16	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2867	Corymbia citriodora	Spotted Gum	150		150	47	16	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2868	Acacia disarrima	Hickory Wattle	180		180	57	9	4.0	2.2	1.6	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2869	Alphitonia excelsa	Soap Tree	110		110	35	7	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2870	Corymbia citriodora	Spotted Gum	240		240	75	21	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2871	Eucalyptus crebra	Narrow-leaved Ironbark	270		270	85	19	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2872	Corymbia citriodora	Spotted Gum	350		350	110	24	7.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2873	Corymbia citriodora	Spotted Gum	120		120	38	15	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2874	Corymbia citriodora	Spotted Gum	250		250	79	18	5.0	3.0	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2875	Alphitonia excelsa	Soap Tree	110		110	35	7	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2876	Eucalyptus crebra	Narrow-leaved Ironbark	100		100	31	8	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2877	Corymbia citriodora	Spotted Gum	190		190	60	12	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2878	Corymbia citriodora	Spotted Gum	100		100	31	10	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2879	Acacia disarrima	Hickory Wattle	140		140	44	8	4.0	2.0	1.4	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2880	Corymbia citriodora	Spotted Gum	100		100	31	12	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
2881	Corymbia citriodora	Spotted Gum	150		150	47	13	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2882	Corymbia citriodora	Spotted Gum	100		100	31	10	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2883	Corymbia citriodora	Spotted Gum	130		130	41	10	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2884	Eucalyptus moluccana	Gum-topped Box	340	120	361	113	22	4.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2885	Corymbia citriodora	Spotted Gum	220		220	69	18	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2886	Eucalyptus moluccana	Gum-topped Box	170		170	53	16	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2887	Corymbia citriodora	Spotted Gum	130		130	41	14	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2888	Corymbia citriodora	Spotted Gum	140		140	44	15	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2889	Corymbia citriodora	Spotted Gum	180		180	57	19	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2890	Corymbia citriodora	Spotted Gum	160		160	50	14	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2891	Corymbia citriodora	Spotted Gum	120		120	38	11	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2892	Corymbia citriodora	Spotted Gum	180		180	57	14	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2893	Eucalyptus crebra	Narrow-leaved Ironbark	120		120	38	10	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2894	Corymbia citriodora	Spotted Gum	120		120	38	14	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2895	Eucalyptus crebra	Narrow-leaved Ironbark	120		120	38	14	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2896	Corymbia citriodora	Spotted Gum	130		130	41	14	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2897	Corymbia citriodora	Spotted Gum	100		100	31	9	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2898	Eucalyptus crebra	Narrow-leaved Ironbark	160		160	50	14	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2899	Eucalyptus crebra	Narrow-leaved Ironbark	170		170	53	14	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2900	Eucalyptus crebra	Narrow-leaved Ironbark	120		120	38	10	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2901	Corymbia citriodora	Spotted Gum	140		140	44	16	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2902	Corymbia citriodora	Spotted Gum	110		110	35	13	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2903	Corymbia citriodora	Spotted Gum	170		170	53	19	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2904	Eucalyptus moluccana	Gum-topped Box	320		320	101	24	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2905	Eucalyptus crebra	Narrow-leaved Ironbark	240		240	75	23	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2906	Corymbia citriodora	Spotted Gum	150		150	47	13	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2907	Corymbia citriodora	Spotted Gum	110		110	35	12	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2908	Corymbia citriodora	Spotted Gum	100		100	31	11	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2909	Corymbia citriodora	Spotted Gum	170		170	53	16	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2910	Corymbia citriodora	Spotted Gum	100		100	31	12	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2911	Corymbia citriodora	Spotted Gum	120		120	38	12	2.0	2.0	1.4	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2912	Corymbia citriodora	Spotted Gum	220		220	69	16	6.0	2.6	1.8	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2913	Eucalyptus tereticornis	Forest Red Gum	140		140	44	16	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2914	Corymbia citriodora	Spotted Gum	120		120	38	13	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2915	Corymbia citriodora	Spotted Gum	130		130	41	13	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2916	Corymbia citriodora	Spotted Gum	170		170	53	16	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2917	Eucalyptus moluccana	Gum-topped Box	300	170	345	108	25	9.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2918	Eucalyptus moluccana	Gum-topped Box	260		260	82	19	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2919	Corymbia citriodora	Spotted Gum	180		180	57	15	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2920	Eucalyptus moluccana	Gum-topped Box	270		270	85	23	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	Termite nest	-	-	Remove
2921	Corymbia citriodora	Spotted Gum	140		140	44	16	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2922	Corymbia citriodora	Spotted Gum	200		200	63	20	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value							
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
2923	Corymbia citriodora	Spotted Gum	140		140	44	16	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2924	Acacia disparrima	Hickory Wattle	180	120, 120	247	78	12	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2925	Corymbia citriodora	Spotted Gum	200		200	63	16	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2926	Corymbia citriodora	Spotted Gum	110		110	35	10	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2927	Eucalyptus moluccana	Gum-topped Box	340	340	481	151	26	10.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2928	Corymbia citriodora	Spotted Gum	250		250	79	18	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2929	Eucalyptus moluccana	Gum-topped Box	310		310	97	23	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2930	Corymbia citriodora	Spotted Gum	140		140	44	12	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2931	Eucalyptus moluccana	Gum-topped Box	190		190	60	22	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2932	Corymbia citriodora	Spotted Gum	150		150	47	16	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2933	Eucalyptus moluccana	Gum-topped Box	180		180	57	16	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2934	Eucalyptus tereticornis	Forest Red Gum	320		320	101	24	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2935	Corymbia citriodora	Spotted Gum	110		110	35	14	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2936	Eucalyptus moluccana	Gum-topped Box	280		280	88	19	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2937	Corymbia citriodora	Spotted Gum	200		200	63	17	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2938	Eucalyptus moluccana	Gum-topped Box	110		110	35	8	1.0	2.0	1.3	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2939	Eucalyptus moluccana	Gum-topped Box	170		170	53	17	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2940	Eucalyptus moluccana	Gum-topped Box	280		280	88	21	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2941	Eucalyptus moluccana	Gum-topped Box	160		160	50	12	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2942	Eucalyptus moluccana	Gum-topped Box	190		190	60	16	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2943	Eucalyptus moluccana	Gum-topped Box	260		260	82	24	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2944	Eucalyptus moluccana	Gum-topped Box	310		310	97	18	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2945	Corymbia citriodora	Spotted Gum	100		100	31	13	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2946	Eucalyptus moluccana	Gum-topped Box	280		280	88	19	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2947	Eucalyptus moluccana	Gum-topped Box	140		140	44	12	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2948	Corymbia citriodora	Spotted Gum	150		150	47	14	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2949	Eucalyptus moluccana	Gum-topped Box	260		260	82	21	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2950	Eucalyptus crebra	Narrow-leaved Ironbark	100		100	31	7	2.0	2.0	1.3	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2951	Acacia disparrima	Hickory Wattle	200		200	63	12	6.0	2.4	1.7	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2952	Corymbia citriodora	Spotted Gum	220		220	69	19	7.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2953	Acacia disparrima	Hickory Wattle	140		140	44	8	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2954	DEAD/STAG		320		320	101	17	3.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2955	Corymbia citriodora	Spotted Gum	150	90	175	55	15	5.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2956	Corymbia citriodora	Spotted Gum	190		190	60	15	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2957	Eucalyptus moluccana	Gum-topped Box	150		150	47	14	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2958	Corymbia tessellaris	Moreton Bay Ash	160		160	50	11	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2959	Corymbia citriodora	Spotted Gum	180		180	57	15	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2960	Corymbia citriodora	Spotted Gum	110		110	35	10	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2961	Corymbia citriodora	Spotted Gum	190		190	60	21	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2962	Eucalyptus moluccana	Gum-topped Box	130		130	41	14	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2963	Corymbia citriodora	Spotted Gum	120		120	38	14	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2964	Eucalyptus moluccana	Gum-topped Box	120		120	38	15	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value							
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
2965	Eucalyptus moluccana	Gum-topped Box	130		130	41	11	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2966	Corymbia citriodora	Spotted Gum	170		170	53	15	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2967	Eucalyptus moluccana	Gum-topped Box	200		200	63	16	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2968	Eucalyptus moluccana	Gum-topped Box	160		160	50	16	7.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2969	Corymbia citriodora	Spotted Gum	250		250	79	23	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2970	Corymbia citriodora	Spotted Gum	220		220	69	20	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2971	Eucalyptus tereticornis	Forest Red Gum	140		140	44	11	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2972	Eucalyptus tereticornis	Forest Red Gum	140		140	44	14	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2973	Eucalyptus moluccana	Gum-topped Box	110		110	35	14	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2974	Eucalyptus tereticornis	Forest Red Gum	100		100	31	12	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2975	Eucalyptus moluccana	Gum-topped Box	200		200	63	16	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2976	Corymbia citriodora	Spotted Gum	220		220	69	17	3.0	2.6	1.8	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2977	Eucalyptus moluccana	Gum-topped Box	150		150	47	13	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2978	Corymbia citriodora	Spotted Gum	340		340	107	21	7.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2979	Eucalyptus moluccana	Gum-topped Box	180		180	57	15	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2980	Eucalyptus tereticornis	Forest Red Gum	110		110	35	10	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2981	Eucalyptus moluccana	Gum-topped Box	250		250	79	19	3.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2982	Eucalyptus tereticornis	Forest Red Gum	160		160	50	14	3.0	2.0	1.5	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2983	Corymbia citriodora	Spotted Gum	260		260	82	24	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2984	Eucalyptus moluccana	Gum-topped Box	140		140	44	13	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2985	Eucalyptus moluccana	Gum-topped Box	220		220	69	21	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2986	Eucalyptus moluccana	Gum-topped Box	110		110	35	11	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2987	Eucalyptus moluccana	Gum-topped Box	110		110	35	10	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2988	Eucalyptus moluccana	Gum-topped Box	150		150	47	12	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2989	Eucalyptus moluccana	Gum-topped Box	210		210	66	21	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2990	Eucalyptus moluccana	Gum-topped Box	250		250	79	19	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2991	Eucalyptus moluccana	Gum-topped Box	190		190	60	16	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2992	Eucalyptus moluccana	Gum-topped Box	150		150	47	16	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2993	Corymbia citriodora	Spotted Gum	130	90	158	50	10	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2994	Corymbia citriodora	Spotted Gum	330		330	104	24	6.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2995	Eucalyptus crebra	Narrow-leaved Ironbark	240		240	75	15	2.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2996	Corymbia citriodora	Spotted Gum	130		130	41	15	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2997	Corymbia citriodora	Spotted Gum	290		290	91	25	5.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2998	Eucalyptus crebra	Narrow-leaved Ironbark	180		180	57	14	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
2999	Eucalyptus crebra	Narrow-leaved Ironbark	150		150	47	11	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3000	Eucalyptus crebra	Narrow-leaved Ironbark	250		250	79	16	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3001	Eucalyptus tereticornis	Forest Red Gum	810		810	254	27	8.0	9.7	3.0	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Remove
3002	Corymbia citriodora	Spotted Gum	120		120	38	14	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3003	Eucalyptus moluccana	Gum-topped Box	290		290	91	20	5.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3004	Corymbia citriodora	Spotted Gum	160		160	50	14	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3005	Eucalyptus moluccana	Gum-topped Box	310		310	97	25	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3006	Corymbia citriodora	Spotted Gum	120		120	38	12	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value							
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
3007	Corymbia citriodora	Spotted Gum	220		220	69	26	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3008	Eucalyptus crebra	Narrow-leaved Ironbark	110		110	35	9	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3009	Eucalyptus moluccana	Gum-topped Box	210		210	66	18	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3010	Eucalyptus crebra	Narrow-leaved Ironbark	180		180	57	16	3.0	2.2	1.6	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3011	Eucalyptus crebra	Narrow-leaved Ironbark	370		370	116	22	7.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3012	Corymbia citriodora	Spotted Gum	200		200	63	19	5.0	2.4	1.7	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3013	Corymbia citriodora	Spotted Gum	100		100	31	8	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3014	Corymbia citriodora	Spotted Gum	150		150	47	14	3.0	2.0	1.5	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3015	Corymbia tessellaris	Moreton Bay Ash	190		190	60	15	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3016	Eucalyptus moluccana	Gum-topped Box	220	100	242	76	16	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Remove
3017	Corymbia citriodora	Spotted Gum	230		230	72	20	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3018	Corymbia citriodora	Spotted Gum	120		120	38	14	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3019	Eucalyptus moluccana	Gum-topped Box	190		190	60	19	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3020	Corymbia citriodora	Spotted Gum	240		240	75	23	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3021	Corymbia citriodora	Spotted Gum	310		310	97	25	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3022	Eucalyptus moluccana	Gum-topped Box	200		200	63	18	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3023	Corymbia citriodora	Spotted Gum	250		250	79	21	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3024	Corymbia citriodora	Spotted Gum	260		260	82	27	7.0	3.1	1.9	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3025	Corymbia citriodora	Spotted Gum	170		170	53	17	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3026	Eucalyptus moluccana	Gum-topped Box	100		100	31	8	1.0	2.0	1.3	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3027	Eucalyptus tereticornis	Forest Red Gum	210		210	66	25	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3028	Corymbia citriodora	Spotted Gum	100		100	31	10	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3029	Corymbia citriodora	Spotted Gum	150		150	47	14	3.0	2.0	1.5	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3030	Eucalyptus moluccana	Gum-topped Box	150		150	47	14	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3031	Corymbia citriodora	Spotted Gum	220		220	69	20	6.0	2.6	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3032	Eucalyptus tereticornis	Forest Red Gum	180		180	57	16	2.0	2.2	1.6	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3033	Corymbia citriodora	Spotted Gum	150		150	47	16	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3034	Eucalyptus tereticornis	Forest Red Gum	160		160	50	16	2.0	2.0	1.5	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3035	Corymbia citriodora	Spotted Gum	110		110	35	10	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3036	Eucalyptus moluccana	Gum-topped Box	100		100	31	10	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3037	Corymbia citriodora	Spotted Gum	230		230	72	17	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3038	Eucalyptus tereticornis	Forest Red Gum	210		210	66	14	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3039	Corymbia citriodora	Spotted Gum	370		370	116	26	9.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3040	Corymbia citriodora	Spotted Gum	160		160	50	15	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3041	Eucalyptus moluccana	Gum-topped Box	230		230	72	21	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3042	Eucalyptus crebra	Narrow-leaved Ironbark	140		140	44	14	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3043	Corymbia citriodora	Spotted Gum	160		160	50	16	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3044	Eucalyptus moluccana	Gum-topped Box	180		180	57	17	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3045	Corymbia citriodora	Spotted Gum	120		120	38	13	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3046	Corymbia citriodora	Spotted Gum	150		150	47	16	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3047	Corymbia citriodora	Spotted Gum	120		120	38	14	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3048	Eucalyptus moluccana	Gum-topped Box	120		120	38	14	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value							
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
3049	Corymbia citriodora	Spotted Gum	140		140	44	10	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3050	Eucalyptus moluccana	Gum-topped Box	360		360	113	24	8.0	4.3	2.2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3051	DEAD/STAG		470		470	148	22	4.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Remove
3052	Eucalyptus moluccana	Gum-topped Box	220		220	69	18	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3053	Eucalyptus moluccana	Gum-topped Box	300		300	94	24	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3054	Eucalyptus moluccana	Gum-topped Box	150		150	47	17	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3055	Corymbia citriodora	Spotted Gum	150		150	47	7	1.0	2.0	1.5	Regular	-	-	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3056	Eucalyptus moluccana	Gum-topped Box	150		150	47	14	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3057	Eucalyptus moluccana	Gum-topped Box	130		130	41	13	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3058	Eucalyptus moluccana	Gum-topped Box	100		100	31	8	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3059	Eucalyptus moluccana	Gum-topped Box	390		390	123	26	10.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3060	Eucalyptus moluccana	Gum-topped Box	250		250	79	24	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3061	Eucalyptus moluccana	Gum-topped Box	200		200	63	21	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3062	Eucalyptus moluccana	Gum-topped Box	130		130	41	16	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3063	Eucalyptus moluccana	Gum-topped Box	150		150	47	12	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3064	Eucalyptus crebra	Narrow-leaved Ironbark	170		170	53	15	5.0	2.0	1.6	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3065	Eucalyptus crebra	Narrow-leaved Ironbark	160		160	50	15	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3066	Corymbia citriodora	Spotted Gum	280		280	88	24	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3067	Eucalyptus moluccana	Gum-topped Box	260		260	82	24	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3068	Eucalyptus moluccana	Gum-topped Box	240		240	75	18	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3069	Eucalyptus moluccana	Gum-topped Box	390		390	123	27	12.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3070	Eucalyptus moluccana	Gum-topped Box	350		350	110	27	5.0	4.2	2.1	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3071	Corymbia citriodora	Spotted Gum	100		100	31	10	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3072	Corymbia citriodora	Spotted Gum	130		130	41	13	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3073	Eucalyptus moluccana	Gum-topped Box	310		310	97	24	7.0	3.7	2.0	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3074	Eucalyptus moluccana	Gum-topped Box	250	230	340	107	24	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3075	Eucalyptus tereticornis	Forest Red Gum	110		110	35	12	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3076	Eucalyptus moluccana	Gum-topped Box	410		410	129	25	8.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3077	Corymbia citriodora	Spotted Gum	100		100	31	10	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3078	Eucalyptus moluccana	Gum-topped Box	200		200	63	15	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3079	Corymbia citriodora	Spotted Gum	180		180	57	16	2.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3080	Corymbia citriodora	Spotted Gum	140		140	44	15	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3081	Corymbia citriodora	Spotted Gum	160		160	50	16	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3082	Corymbia citriodora	Spotted Gum	160		160	50	15	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3083	Corymbia citriodora	Spotted Gum	370		370	116	22	5.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3084	Eucalyptus moluccana	Gum-topped Box	290		290	91	23	5.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3085	Eucalyptus moluccana	Gum-topped Box	290		290	91	25	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3086	Eucalyptus tereticornis	Forest Red Gum	180	150	234	74	15	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3087	Eucalyptus moluccana	Gum-topped Box	360		360	113	26	8.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3088	Eucalyptus moluccana	Gum-topped Box	220		220	69	19	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3089	Eucalyptus moluccana	Gum-topped Box	130		130	41	12	3.0	2.0	1.4	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3090	Eucalyptus moluccana	Gum-topped Box	190		190	60	17	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value							
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
3091	Eucalyptus moluccana	Gum-topped Box	150		150	47	13	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3092	Eucalyptus moluccana	Gum-topped Box	180		180	57	16	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3093	Eucalyptus moluccana	Gum-topped Box	310		310	97	26	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3094	Eucalyptus moluccana	Gum-topped Box	270		270	85	21	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3095	Corymbia citriodora	Spotted Gum	160		160	50	23	3.0	2.0	1.5	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3096	Corymbia citriodora	Spotted Gum	150		150	47	10	2.0	2.0	1.5	Regular	-	-	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3097	Eucalyptus moluccana	Gum-topped Box	150		150	47	14	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3098	Eucalyptus moluccana	Gum-topped Box	250		250	79	23	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3099	Eucalyptus moluccana	Gum-topped Box	210		210	66	16	9.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3100	Eucalyptus moluccana	Gum-topped Box	160		160	50	15	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3101	Corymbia citriodora	Spotted Gum	130		130	41	14	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3102	Eucalyptus tereticornis	Forest Red Gum	190		190	60	19	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3103	Corymbia citriodora	Spotted Gum	290		290	91	18	6.0	3.5	2.0	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3104	Corymbia citriodora	Spotted Gum	320		320	101	24	9.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3105	Corymbia citriodora	Spotted Gum	260		260	82	23	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3106	Eucalyptus moluccana	Gum-topped Box	140		140	44	12	4.0	2.0	1.4	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3107	Corymbia citriodora	Spotted Gum	260		260	82	21	9.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3108	Corymbia tessellaris	Moreton Bay Ash	180		180	57	8	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3109	Acacia dispartima	Hickory Wattle	100		100	31	7	3.0	2.0	1.3	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3110	Acacia dispartima	Hickory Wattle	170		170	53	12	4.0	2.0	1.6	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3111	Corymbia citriodora	Spotted Gum	120		120	38	9	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3112	Corymbia citriodora	Spotted Gum	100		100	31	7	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3113	Eucalyptus tereticornis	Forest Red Gum	190		190	60	14	3.0	2.3	1.6	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3114	Corymbia citriodora	Spotted Gum	140		140	44	15	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3115	Corymbia citriodora	Spotted Gum	140		140	44	14	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3116	Corymbia citriodora	Spotted Gum	120		120	38	12	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3117	Corymbia citriodora	Spotted Gum	190		190	60	17	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3118	Corymbia citriodora	Spotted Gum	140		140	44	14	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3119	Corymbia citriodora	Spotted Gum	330		330	104	24	8.0	4.0	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3120	Corymbia citriodora	Spotted Gum	300		300	94	23	9.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3121	Corymbia citriodora	Spotted Gum	150		150	47	13	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3122	Eucalyptus tereticornis	Forest Red Gum	510		510	160	20	10.0	6.1	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3123	Corymbia citriodora	Spotted Gum	170		170	53	18	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3124	Corymbia citriodora	Spotted Gum	120		120	38	15	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3125	Corymbia citriodora	Spotted Gum	110		110	35	13	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3126	Corymbia citriodora	Spotted Gum	120	70	139	44	12	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3127	Eucalyptus moluccana	Gum-topped Box	560		560	176	21	9.0	6.7	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3128	Eucalyptus crebra	Narrow-leaved Ironbark	180		180	57	13	8.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3129	Eucalyptus crebra	Narrow-leaved Ironbark	150		150	47	14	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3130	Acacia dispartima	Hickory Wattle	120		120	38	9	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3131	Acacia concurrens	Black Wattle	110		110	35	8	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3132	Eucalyptus moluccana	Gum-topped Box	320		320	101	19	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
3133	Eucalyptus moluccana	Gum-topped Box	120		120	38	16	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3134	Corymbia citriodora	Spotted Gum	110		110	35	13	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3135	Eucalyptus moluccana	Gum-topped Box	270		270	85	18	8.0	3.2	1.9	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3136	Corymbia citriodora	Spotted Gum	210		210	66	18	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3137	Corymbia tessellaris	Moreton Bay Ash	140	70	157	49	13	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3138	Corymbia citriodora	Spotted Gum	270		270	85	20	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3139	Eucalyptus crebra	Narrow-leaved Ironbark	170		170	53	16	2.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3140	Corymbia citriodora	Spotted Gum	210		210	66	18	2.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3141	Corymbia citriodora	Spotted Gum	110		110	35	16	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3142	Eucalyptus moluccana	Gum-topped Box	300		300	94	20	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3143	Corymbia intermedia	Pink Bloodwood	340		340	107	23	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3144	Corymbia citriodora	Spotted Gum	160		160	50	18	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3145	Corymbia citriodora	Spotted Gum	120		120	38	15	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3146	Lophostemon suaveolens	Swamp Box	110		110	35	6	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3147	Corymbia intermedia	Pink Bloodwood	110		110	35	7	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3148	Eucalyptus crebra	Narrow-leaved Ironbark	240		240	75	23	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3149	Corymbia tessellaris	Moreton Bay Ash	130		130	41	11	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3150	Corymbia tessellaris	Moreton Bay Ash	160		160	50	13	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3151	Corymbia tessellaris	Moreton Bay Ash	170		170	53	14	2.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3152	Eucalyptus crebra	Narrow-leaved Ironbark	150		150	47	16	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3153	Corymbia citriodora	Spotted Gum	190		190	60	13	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3154	Alphitonia excelsa	Soap Tree	110		110	35	6	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3155	Eucalyptus crebra	Narrow-leaved Ironbark	180		180	57	18	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3156	Eucalyptus crebra	Narrow-leaved Ironbark	120		120	38	8	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3157	Eucalyptus tereticornis	Forest Red Gum	190		190	60	19	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3158	Corymbia tessellaris	Moreton Bay Ash	180		180	57	12	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3159	Alphitonia excelsa	Soap Tree	130		130	41	9	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3160	Corymbia citriodora	Spotted Gum	190		190	60	18	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3161	Corymbia citriodora	Spotted Gum	330		330	104	23	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3162	Corymbia tessellaris	Moreton Bay Ash	120		120	38	9	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3163	Acacia dispartima	Hickory Wattle	250		250	79	16	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3164	Eucalyptus tereticornis	Forest Red Gum	180		180	57	18	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3165	Eucalyptus crebra	Narrow-leaved Ironbark	220		220	69	18	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3166	Corymbia citriodora	Spotted Gum	260		260	82	23	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3167	Eucalyptus tereticornis	Forest Red Gum	320		320	101	21	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3168	Alphitonia excelsa	Soap Tree	180		180	57	13	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3169	Corymbia citriodora	Spotted Gum	180		180	57	19	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3170	Alphitonia excelsa	Soap Tree	150		150	47	13	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3171	Alphitonia excelsa	Soap Tree	130		130	41	10	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3172	Alphitonia excelsa	Soap Tree	100		100	31	8	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3173	Corymbia intermedia	Pink Bloodwood	320		320	101	17	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3174	Lophostemon suaveolens	Swamp Box	170		170	53	16	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
3175	Allocasuarina littoralis	Black She-oak	130		130	41	8	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3176	Acacia disparrima	Hickory Wattle	170		170	53	15	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3177	Acacia disparrima	Hickory Wattle	200		200	63	17	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3178	Acacia disparrima	Hickory Wattle	200		200	63	14	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3179	Alphitonia excelsa	Soap Tree	130		130	41	8	13.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3180	Allocasuarina littoralis	Black She-oak	120		120	38	8	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3181	Acacia disparrima	Hickory Wattle	180		180	57	9	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3182	Acacia disparrima	Hickory Wattle	190		190	60	10	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3183	DEAD/STAG		290		290	91	6	2.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Retention TBC
3184	Corymbia citriodora	Spotted Gum	320		320	101	15	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3185	Acacia disparrima	Hickory Wattle	160		160	50	8	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3186	Eucalyptus tereticornis	Forest Red Gum	190		190	60	10	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3187	Lophostemon suaveolens	Swamp Box	130		130	41	9	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3188	Alphitonia excelsa	Soap Tree	110		110	35	9	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	Large	-	-	Retention TBC
3189	Allocasuarina littoralis	Black She-oak	110		110	35	7	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3190	Corymbia intermedia	Pink Bloodwood	230		230	72	17	3.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3191	Alphitonia excelsa	Soap Tree	120		120	38	12	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3192	Acacia disparrima	Hickory Wattle	160		160	50	17	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3193	Acacia disparrima	Hickory Wattle	220		220	69	16	7.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3194	Acacia disparrima	Hickory Wattle	150		150	47	15	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3195	Acacia disparrima	Hickory Wattle	190		190	60	14	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3196	Acacia disparrima	Hickory Wattle	120		120	38	6	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3197	Lophostemon suaveolens	Swamp Box	190		190	60	13	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3198	Lophostemon suaveolens	Swamp Box	140		140	44	7	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3199	DEAD/STAG		200		200	63	5	1.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Large	-	-	-	Retention TBC
3200	Corymbia citriodora	Spotted Gum	240		240	75	19	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3201	Allocasuarina littoralis	Black She-oak	110		110	35	8	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3202	Lophostemon suaveolens	Swamp Box	120		120	38	12	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3203	Acacia disparrima	Hickory Wattle	150		150	47	8	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3204	Lophostemon suaveolens	Swamp Box	110		110	35	14	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3205	Acacia disparrima	Hickory Wattle	170		170	53	14	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3206	Eucalyptus crebra	Narrow-leaved Ironbark	280		280	88	20	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3207	Eucalyptus moluccana	Gum-topped Box	490		490	154	17	8.0	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3208	Eucalyptus moluccana	Gum-topped Box	410		410	129	15	9.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3209	Eucalyptus tereticornis	Forest Red Gum	270		270	85	18	3.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3210	Eucalyptus moluccana	Gum-topped Box	480		480	151	17	8.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3211	Allocasuarina littoralis	Black She-oak	150		150	47	15	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3212	Corymbia citriodora	Spotted Gum	250		250	79	18	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3213	Eucalyptus moluccana	Gum-topped Box	180		180	57	11	2.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3214	Corymbia citriodora	Spotted Gum	250		250	79	18	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Old	-	-	-	-	Remove
3215	Eucalyptus moluccana	Gum-topped Box	320		320	101	17	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3216	Eucalyptus moluccana	Gum-topped Box	450		450	141	23	7.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value							
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
3217	Eucalyptus moluccana	Gum-topped Box	380		380	119	21	8.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3218	Eucalyptus tereticornis	Forest Red Gum	300		300	94	17	3.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3219	Corymbia citriodora	Spotted Gum	100		100	31	13	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3220	Corymbia citriodora	Spotted Gum	130		130	41	13	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3221	Allocasuarina littoralis	Black She-oak	150		150	47	13	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3222	Corymbia citriodora	Spotted Gum	110		110	35	14	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3223	Eucalyptus tereticornis	Forest Red Gum	170		170	53	17	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3224	Alphitonia excelsa	Soap Tree	140		140	44	7	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3225	Corymbia intermedia	Pink Bloodwood	290		290	91	17	3.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3226	Corymbia citriodora	Spotted Gum	120		120	38	19	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3227	Eucalyptus tereticornis	Forest Red Gum	230		230	72	17	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3228	Acacia disparrima	Hickory Wattle	120		120	38	8	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3229	Corymbia intermedia	Pink Bloodwood	250		250	79	20	3.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3230	Eucalyptus tereticornis	Forest Red Gum	200		200	63	20	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3231	Corymbia citriodora	Spotted Gum	150		150	47	13	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3232	Acacia disparrima	Hickory Wattle	160		160	50	16	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3233	Eucalyptus tereticornis	Forest Red Gum	280	160	322	101	20	5.0	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3234	Eucalyptus moluccana	Gum-topped Box	120		120	38	12	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3235	Acacia disparrima	Hickory Wattle	130		130	41	8	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3236	Corymbia intermedia	Pink Bloodwood	170	120	208	65	12	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3237	Eucalyptus crebra	Narrow-leaved Ironbark	700	250	743	234	23	10.0	8.9	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3238	Alphitonia excelsa	Soap Tree	170		170	53	12	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3239	Acacia disparrima	Hickory Wattle	130		130	41	8	8.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3249	Eucalyptus moluccana	Gum-topped Box	200		200	63	12	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3250	Corymbia citriodora	Spotted Gum	110		110	35	10	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3251	Eucalyptus moluccana	Gum-topped Box	120		120	38	8	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3252	Eucalyptus moluccana	Gum-topped Box	300		300	94	13	2.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3253	Corymbia citriodora	Spotted Gum	180		180	57	15	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3254	Corymbia citriodora	Spotted Gum	170		170	53	15	2.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3255	Corymbia citriodora	Spotted Gum	200		200	63	14	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3256	Acacia disparrima	Hickory Wattle	160		160	50	10	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3257	Acacia disparrima	Hickory Wattle	300		300	94	8	7.0	3.6	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3258	Corymbia citriodora	Spotted Gum	310		310	97	14	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3259	DEAD/STAG		160		160	50	4	1.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Retention TBC
3260	Eucalyptus moluccana	Gum-topped Box	640		640	201	19	11.0	7.7	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Retention TBC
3261	Eucalyptus moluccana	Gum-topped Box	350		350	110	20	8.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3262	Corymbia citriodora	Spotted Gum	220		220	69	13	2.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3263	Unknown sp.	Dead Stag	300		300	94	15	2.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Retention TBC
3264	Allocasuarina littoralis	Black She-oak	120	90	150	47	7	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3265	Corymbia citriodora	Spotted Gum	110		110	35	8	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3267	Eucalyptus moluccana	Gum-topped Box	270		270	85	16	3.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3268	Eucalyptus moluccana	Gum-topped Box	200		200	63	16	2.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
3269	Eucalyptus tereticornis	Forest Red Gum	180		180	57	15	2.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3270	Eucalyptus moluccana	Gum-topped Box	290		290	91	14	5.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3271	Eucalyptus moluccana	Gum-topped Box	170		170	53	7	2.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3272	Eucalyptus moluccana	Gum-topped Box	230		230	72	16	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3273	Eucalyptus moluccana	Gum-topped Box	210		210	66	17	2.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3274	Eucalyptus tereticornis	Forest Red Gum	170		170	53	12	2.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3275	Eucalyptus moluccana	Gum-topped Box	340		340	107	17	6.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3276	Eucalyptus moluccana	Gum-topped Box	120		120	38	14	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3302	Acacia leiocalyx	Early-flowering Black Wattle	105		105	33	5	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3303	Eucalyptus moluccana	Gum-topped Box	145		145	46	8	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3304	Eucalyptus moluccana	Gum-topped Box	190		190	60	10	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3305	Acacia leiocalyx	Early-flowering Black Wattle	100		100	31	5	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3306	Corymbia citriodora	Spotted Gum	255		255	80	14	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3307	Eucalyptus moluccana	Gum-topped Box	115		115	36	7	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3308	Eucalyptus moluccana	Gum-topped Box	145		145	46	8	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3309	Eucalyptus moluccana	Gum-topped Box	125		125	39	8	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3310	Corymbia citriodora	Spotted Gum	125		125	39	8	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3311	Allocasuarina littoralis	Black She-oak	100		100	31	7	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3312	Eucalyptus moluccana	Gum-topped Box	145		145	46	11	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3313	Eucalyptus moluccana	Gum-topped Box	225		225	71	12	5.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3314	Acacia disparrima	Hickory Wattle	180		180	57	7	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3315	Acacia disparrima	Hickory Wattle	215		215	68	10	5.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3316	Acacia disparrima	Hickory Wattle	120		120	38	7	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3317	Eucalyptus moluccana	Gum-topped Box	200		200	63	14	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3318	Eucalyptus moluccana	Gum-topped Box	310		310	97	17	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3319	Corymbia citriodora	Spotted Gum	110		110	35	9	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3320	Corymbia citriodora	Spotted Gum	105		105	33	7	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3321	Corymbia citriodora	Spotted Gum	115		115	36	12	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3322	Corymbia citriodora	Spotted Gum	105		105	33	9	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3323	Eucalyptus moluccana	Gum-topped Box	125		125	39	8	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3324	Corymbia citriodora	Spotted Gum	150		150	47	14	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3325	Eucalyptus moluccana	Gum-topped Box	285		285	90	17	9.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3326	Corymbia citriodora	Spotted Gum	435		435	137	20	10.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3327	Acacia disparrima	Hickory Wattle	145		145	46	6	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3328	Lophostemon suaveolens	Swamp Box	170	105	200	63	8	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3329	Eucalyptus moluccana	Gum-topped Box	125		125	39	10	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3330	Corymbia citriodora	Spotted Gum	170		170	53	12	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3331	Acacia disparrima	Hickory Wattle	100		100	31	4	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3332	Corymbia citriodora	Spotted Gum	105		105	33	8	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3333	Corymbia citriodora	Spotted Gum	115		115	36	9	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3334	Corymbia citriodora	Spotted Gum	100		100	31	8	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3335	Allocasuarina littoralis	Black She-oak	100		100	31	8	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value							
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
3336	Acacia disparrima	Hickory Wattle	185		185	58	9	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3337	Acacia disparrima	Hickory Wattle	120	110	163	51	7	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Retention TBC
3338	Acacia disparrima	Hickory Wattle	200	150	250	79	8	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3339	Eucalyptus moluccana	Gum-topped Box	105		105	33	9	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3340	Eucalyptus moluccana	Gum-topped Box	215		215	68	15	5.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3341	Acacia disparrima	Hickory Wattle	120		120	38	7	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3342	Eucalyptus moluccana	Gum-topped Box	110		110	35	8	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3343	Eucalyptus moluccana	Gum-topped Box	170		170	53	17	8.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
3344	Corymbia citriodora	Spotted Gum	185		185	58	15	7.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3345	Acacia leiocalyx	Early-flowering Black Wattle	105		105	33	7	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3346	Eucalyptus moluccana	Gum-topped Box	245		245	77	17	7.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3347	Corymbia citriodora	Spotted Gum	125		125	39	10	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3348	Eucalyptus moluccana	Gum-topped Box	110		110	35	8	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3349	Eucalyptus moluccana	Gum-topped Box	120		120	38	10	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3350	Eucalyptus moluccana	Gum-topped Box	200		200	63	14	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3351	Acacia leiocalyx	Early-flowering Black Wattle	150		150	47	5	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3352	Lophostemon suaveolens	Swamp Box	115		115	36	8	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3353	Allocasuarina littoralis	Black She-oak	105		105	33	6	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
3354	Acacia leiocalyx	Early-flowering Black Wattle	120		120	38	8	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove
4147	Casuarina cunninghamiana	River She-oak	330		330	104	16	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
6985	Acacia disparrima	Hickory Wattle	240		240	75	10	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
6986	Acacia disparrima	Hickory Wattle	250		250	79	10	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
6987	Eucalyptus moluccana	Gum-topped Box	200		200	63	14	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
6988	Eucalyptus moluccana	Gum-topped Box	150		150	47	14	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
6989	Acacia disparrima	Hickory Wattle	210		210	66	9	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
6990	Eucalyptus crebra	Narrow-leaved Ironbark	280		280	88	12	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
6991	Lophostemon suaveolens	Swamp Box	140		140	44	13	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
6992	Eucalyptus tereticornis	Forest Red Gum	280	160	322	101	15	4.0	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
6993	Eucalyptus moluccana	Gum-topped Box	180		180	57	13	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
6994	Corymbia citriodora	Spotted Gum	280		280	88	18	4.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
6995	Eucalyptus crebra	Narrow-leaved Ironbark	200		200	63	16	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
6996	Eucalyptus tereticornis	Forest Red Gum	140		140	44	8	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
6997	Corymbia citriodora	Spotted Gum	330		330	104	13	4.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
6998	Corymbia intermedia	Pink Bloodwood	270		270	85	13	4.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
6999	Eucalyptus crebra	Narrow-leaved Ironbark	290		290	91	16	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7000	Corymbia citriodora	Spotted Gum	120		120	38	9	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7001	Eucalyptus moluccana	Gum-topped Box	450		450	141	18	9.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7002	Corymbia citriodora	Spotted Gum	110		110	35	10	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7003	Eucalyptus moluccana	Gum-topped Box	270		270	85	15	4.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7004	Eucalyptus tereticornis	Forest Red Gum	170		170	53	13	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7005	Eucalyptus crebra	Narrow-leaved Ironbark	340		340	107	18	10.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7006	Corymbia citriodora	Spotted Gum	220		220	69	16	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value							
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
7007	Corymbia citriodora	Spotted Gum	150		150	47	14	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7008	Corymbia citriodora	Spotted Gum	220		220	69	18	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7009	Corymbia citriodora	Spotted Gum	130		130	41	13	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7010	Corymbia citriodora	Spotted Gum	210		210	66	18	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7011	Corymbia citriodora	Spotted Gum	140		140	44	12	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7012	Eucalyptus tereticornis	Forest Red Gum	250		250	79	20	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7013	Eucalyptus moluccana	Gum-topped Box	310		310	97	20	9.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7014	Eucalyptus moluccana	Gum-topped Box	140		140	44	12	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7015	Corymbia citriodora	Spotted Gum	200		200	63	13	2.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7016	Eucalyptus crebra	Narrow-leaved Ironbark	120		120	38	12	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7017	Corymbia citriodora	Spotted Gum	180		180	57	14	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7018	Eucalyptus crebra	Narrow-leaved Ironbark	150		150	47	12	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7019	Corymbia citriodora	Spotted Gum	260		260	82	15	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7020	Eucalyptus moluccana	Gum-topped Box	230		230	72	14	3.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7021	Eucalyptus crebra	Narrow-leaved Ironbark	250		250	79	19	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7022	Corymbia citriodora	Spotted Gum	130		130	41	12	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7023	Eucalyptus moluccana	Gum-topped Box	150		150	47	10	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7024	Corymbia citriodora	Spotted Gum	190		190	60	18	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7025	Corymbia citriodora	Spotted Gum	140		140	44	8	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7026	Corymbia citriodora	Spotted Gum	160		160	50	13	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7027	Corymbia citriodora	Spotted Gum	190		190	60	16	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7028	Eucalyptus crebra	Narrow-leaved Ironbark	180		180	57	12	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7029	Corymbia citriodora	Spotted Gum	310		310	97	20	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7030	Eucalyptus moluccana	Gum-topped Box	200		200	63	14	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7031	Eucalyptus moluccana	Gum-topped Box	190		190	60	16	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7032	Eucalyptus moluccana	Gum-topped Box	260		260	82	18	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7033	Eucalyptus moluccana	Gum-topped Box	170		170	53	14	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7034	Eucalyptus tereticornis	Forest Red Gum	240		240	75	17	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7035	Eucalyptus tereticornis	Forest Red Gum	380		380	119	18	10.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7036	Eucalyptus tereticornis	Forest Red Gum	260		260	82	15	11.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7037	Eucalyptus crebra	Narrow-leaved Ironbark	180		180	57	10	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7038	Corymbia citriodora	Spotted Gum	110		110	35	9	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7039	Corymbia citriodora	Spotted Gum	120		120	38	14	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7040	Corymbia citriodora	Spotted Gum	240		240	75	18	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7041	Corymbia citriodora	Spotted Gum	150	70	166	52	9	2.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7042	Corymbia citriodora	Spotted Gum	110		110	35	11	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7043	Corymbia tessellaris	Moreton Bay Ash	160		160	50	13	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7044	DEAD/STAG		390		390	123	14	9.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Retention TBC
7045	Corymbia tessellaris	Moreton Bay Ash	170		170	53	10	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7046	Corymbia intermedia	Pink Bloodwood	130		130	41	17	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7047	Alphitonia excelsa	Soap Tree	140		140	44	5	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7048	Corymbia citriodora	Spotted Gum	250	100	269	85	18	4.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
7049	Corymbia citriodora	Spotted Gum	210	90	228	72	18	6.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7050	Corymbia citriodora	Spotted Gum	210		210	66	19	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7051	Corymbia tessellaris	Moreton Bay Ash	150		150	47	14	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7052	Eucalyptus crebra	Narrow-leaved Ironbark	330		330	104	15	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7053	Eucalyptus crebra	Narrow-leaved Ironbark	150		150	47	14	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7054	Eucalyptus crebra	Narrow-leaved Ironbark	200		200	63	9	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7055	Corymbia citriodora	Spotted Gum	230		230	72	19	3.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7056	Corymbia citriodora	Spotted Gum	230		230	72	18	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7057	Corymbia citriodora	Spotted Gum	200		200	63	14	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7058	Eucalyptus tereticornis	Forest Red Gum	340		340	107	20	9.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7059	Eucalyptus tereticornis	Forest Red Gum	230		230	72	18	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7060	Corymbia intermedia	Pink Bloodwood	110		110	35	10	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7061	Eucalyptus tereticornis	Forest Red Gum	220		220	69	18	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7062	Corymbia citriodora	Spotted Gum	220		220	69	15	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7063	Eucalyptus tereticornis	Forest Red Gum	120		120	38	10	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7064	Corymbia citriodora	Spotted Gum	120		120	38	12	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7065	Corymbia citriodora	Spotted Gum	120		120	38	10	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7066	Corymbia citriodora	Spotted Gum	140		140	44	15	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7067	Corymbia tessellaris	Moreton Bay Ash	120		120	38	8	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7068	Eucalyptus tereticornis	Forest Red Gum	130		130	41	14	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7069	Corymbia citriodora	Spotted Gum	120		120	38	16	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7070	Corymbia citriodora	Spotted Gum	150		150	47	14	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7071	Corymbia citriodora	Spotted Gum	170		170	53	18	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7072	Corymbia citriodora	Spotted Gum	120		120	38	12	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7073	Lophostemon suaveolens	Swamp Box	120		120	38	6	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7074	Corymbia citriodora	Spotted Gum	100		100	31	9	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7075	Corymbia citriodora	Spotted Gum	190		190	60	16	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7076	Corymbia citriodora	Spotted Gum	290		290	91	20	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7077	Corymbia citriodora	Spotted Gum	120		120	38	14	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7078	Corymbia citriodora	Spotted Gum	140		140	44	12	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7079	Corymbia citriodora	Spotted Gum	280		280	88	18	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7080	Corymbia citriodora	Spotted Gum	290		290	91	18	4.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7081	Eucalyptus tereticornis	Forest Red Gum	360		360	113	20	5.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7082	Corymbia citriodora	Spotted Gum	220		220	69	10	2.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7083	Lophostemon suaveolens	Swamp Box	170		170	53	8	2.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7084	Lophostemon suaveolens	Swamp Box	130		130	41	8	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7085	Corymbia citriodora	Spotted Gum	120		120	38	12	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7086	Corymbia citriodora	Spotted Gum	110		110	35	9	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7087	Corymbia citriodora	Spotted Gum	150		150	47	10	1.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7088	Corymbia intermedia	Pink Bloodwood	260		260	82	15	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7089	Lophostemon suaveolens	Swamp Box	140		140	44	8	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7090	Corymbia citriodora	Spotted Gum	330		330	104	18	4.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value							
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
7091	Lophostemon suaveolens	Swamp Box	170		170	53	11	2.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7092	Lophostemon suaveolens	Swamp Box	470		470	148	15	6.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7093	Lophostemon suaveolens	Swamp Box	140		140	44	6	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7094	Lophostemon suaveolens	Swamp Box	160		160	50	8	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7095	Lophostemon suaveolens	Swamp Box	130		130	41	6	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7096	Corymbia citriodora	Spotted Gum	120		120	38	16	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7097	Corymbia citriodora	Spotted Gum	110		110	35	12	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7098	Eucalyptus tereticornis	Forest Red Gum	130		130	41	14	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7099	Corymbia citriodora	Spotted Gum	170		170	53	13	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7100	Corymbia citriodora	Spotted Gum	130		130	41	13	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7101	Corymbia tessellaris	Moreton Bay Ash	130		130	41	12	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7102	Eucalyptus tereticornis	Forest Red Gum	390		390	123	21	7.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7103	Corymbia tessellaris	Moreton Bay Ash	120	100	156	49	12	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7104	Corymbia citriodora	Spotted Gum	110		110	35	7	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7105	Corymbia citriodora	Spotted Gum	140		140	44	18	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7106	Eucalyptus tereticornis	Forest Red Gum	140		140	44	15	4.0	2.0	1.4	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7107	Corymbia citriodora	Spotted Gum	120		120	38	10	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7108	Corymbia citriodora	Spotted Gum	190	90	210	66	14	2.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7109	Eucalyptus tereticornis	Forest Red Gum	230		230	72	14	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7110	Corymbia citriodora	Spotted Gum	380		380	119	21	5.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7111	Corymbia citriodora	Spotted Gum	180		180	57	17	2.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7112	Corymbia citriodora	Spotted Gum	470		470	148	20	6.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7113	Eucalyptus tereticornis	Forest Red Gum	390		390	123	20	8.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7114	Corymbia intermedia	Pink Bloodwood	120		120	38	9	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7115	Corymbia intermedia	Pink Bloodwood	110		110	35	9	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7116	Corymbia tessellaris	Moreton Bay Ash	270		270	85	14	3.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7117	Eucalyptus tereticornis	Forest Red Gum	610		610	192	22	9.0	7.3	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7118	Corymbia intermedia	Pink Bloodwood	170		170	53	16	2.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7119	Corymbia intermedia	Pink Bloodwood	120		120	38	16	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7120	Corymbia intermedia	Pink Bloodwood	120		120	38	17	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7121	Angophora subvelutina	Broad-leaved Apple	190		190	60	15	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7122	Corymbia tessellaris	Moreton Bay Ash	160		160	50	16	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7123	Corymbia tessellaris	Moreton Bay Ash	110		110	35	12	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7124	Lophostemon suaveolens	Swamp Box	160		160	50	13	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7125	Corymbia citriodora	Spotted Gum	300		300	94	10	3.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7126	Corymbia tessellaris	Moreton Bay Ash	370		370	116	23	12.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7127	Eucalyptus crebra	Narrow-leaved Ironbark	240		240	75	16	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7128	Eucalyptus tereticornis	Forest Red Gum	520		520	163	21	7.0	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7129	Corymbia citriodora	Spotted Gum	120		120	38	12	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7130	DEAD/STAG		500		500	157	20	8.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Retention TBC
7131	Corymbia citriodora	Spotted Gum	570		570	179	19	7.0	6.8	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7132	Eucalyptus tereticornis	Forest Red Gum	110		110	35	10	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
7133	Corymbia citriodora	Spotted Gum	300		300	94	21	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7134	Corymbia intermedia	Pink Bloodwood	190	90	210	66	11	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7135	Corymbia citriodora	Spotted Gum	220		220	69	20	9.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7136	Corymbia intermedia	Pink Bloodwood	210		210	66	12	8.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7137	Corymbia citriodora	Spotted Gum	130		130	41	10	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7138	Corymbia citriodora	Spotted Gum	100		100	31	9	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7139	Corymbia citriodora	Spotted Gum	170		170	53	12	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7140	Corymbia citriodora	Spotted Gum	300		300	94	22	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7141	Corymbia citriodora	Spotted Gum	270		270	85	23	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7142	Corymbia tessellaris	Moreton Bay Ash	140		140	44	10	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7143	Corymbia citriodora	Spotted Gum	230		230	72	15	8.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7144	Corymbia citriodora	Spotted Gum	140		140	44	14	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7145	Corymbia citriodora	Spotted Gum	230		230	72	19	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7146	Corymbia citriodora	Spotted Gum	190		190	60	11	2.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7147	Corymbia citriodora	Spotted Gum	170		170	53	15	2.0	2.0	1.6	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7148	Corymbia citriodora	Spotted Gum	180		180	57	15	2.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7149	Corymbia citriodora	Spotted Gum	180		180	57	18	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7150	Corymbia citriodora	Spotted Gum	140	8	140	44	16	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7151	Corymbia citriodora	Spotted Gum	270		270	85	20	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7152	Corymbia citriodora	Spotted Gum	210		210	66	18	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7153	Corymbia citriodora	Spotted Gum	160		160	50	15	2.0	2.0	1.5	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7154	Corymbia citriodora	Spotted Gum	320		320	101	23	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7155	Corymbia citriodora	Spotted Gum	110		110	35	9	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7156	Eucalyptus crebra	Narrow-leaved Ironbark	200		200	63	12	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7157	Corymbia citriodora	Spotted Gum	200		200	63	16	2.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7158	Corymbia citriodora	Spotted Gum	300		300	94	24	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7159	Corymbia citriodora	Spotted Gum	310		310	97	24	12.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7160	Corymbia citriodora	Spotted Gum	300		300	94	25	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7161	Corymbia citriodora	Spotted Gum	340		340	107	26	12.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7162	Corymbia citriodora	Spotted Gum	210		210	66	18	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7163	Corymbia citriodora	Spotted Gum	220	160	272	85	19	6.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7164	Corymbia citriodora	Spotted Gum	270		270	85	21	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7165	Eucalyptus tereticornis	Forest Red Gum	240		240	75	21	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7166	Eucalyptus tereticornis	Forest Red Gum	270		270	85	24	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7167	Corymbia citriodora	Spotted Gum	230		230	72	16	9.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7168	Corymbia citriodora	Spotted Gum	200		200	63	22	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7169	Corymbia citriodora	Spotted Gum	200		200	63	22	9.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7170	Corymbia citriodora	Spotted Gum	340		340	107	24	6.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7171	Corymbia tessellaris	Moreton Bay Ash	200		200	63	13	2.0	2.4	1.7	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7172	Corymbia citriodora	Spotted Gum	160		160	50	18	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7173	Corymbia citriodora	Spotted Gum	120		120	38	9	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7174	Eucalyptus crebra	Narrow-leaved Ironbark	120		120	38	14	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value							
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
7175	Corymbia citriodora	Spotted Gum	130		130	41	13	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7176	Corymbia citriodora	Spotted Gum	220		220	69	18	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7177	Corymbia citriodora	Spotted Gum	290		290	91	25	13.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7178	Alphitonia excelsa	Soap Tree	110	100	149	47	7	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7179	Corymbia citriodora	Spotted Gum	320		320	101	25	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7180	Corymbia citriodora	Spotted Gum	230		230	72	21	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7181	Corymbia citriodora	Spotted Gum	240		240	75	18	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7182	Corymbia citriodora	Spotted Gum	400		400	126	25	10.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7183	Corymbia citriodora	Spotted Gum	140		140	44	13	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7184	Eucalyptus tereticornis	Forest Red Gum	130		130	41	14	1.0	2.0	1.4	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7185	Corymbia tessellaris	Moreton Bay Ash	150		150	47	8	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7186	Corymbia tessellaris	Moreton Bay Ash	190		190	60	10	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7187	Acacia disarrima	Hickory Wattle	170		170	53	12	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7188	Acacia disarrima	Hickory Wattle	210		210	66	13	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7189	Acacia disarrima	Hickory Wattle	330		330	104	14	6.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7190	Lophostemon suaveolens	Swamp Box	130		130	41	10	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7191	Corymbia citriodora	Spotted Gum	310		310	97	20	4.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7192	Eucalyptus moluccana	Gum-topped Box	180		180	57	12	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7193	Eucalyptus moluccana	Gum-topped Box	220		220	69	15	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7194	Acacia disarrima	Hickory Wattle	160		160	50	8	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7195	Corymbia citriodora	Spotted Gum	160		160	50	14	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7196	Eucalyptus moluccana	Gum-topped Box	230		230	72	18	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7197	Corymbia citriodora	Spotted Gum	170		170	53	12	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7198	Corymbia tessellaris	Moreton Bay Ash	240		240	75	14	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7199	Lophostemon suaveolens	Swamp Box	230		230	72	14	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7200	Corymbia citriodora	Spotted Gum	360		360	113	18	6.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7201	Corymbia citriodora	Spotted Gum	280		280	88	18	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7202	Acacia disarrima	Hickory Wattle	190		190	60	9	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7203	Acacia disarrima	Hickory Wattle	190		190	60	9	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7204	Corymbia citriodora	Spotted Gum	210		210	66	16	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7205	Corymbia intermedia	Pink Bloodwood	200		200	63	14	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7206	Acacia disarrima	Hickory Wattle	190		190	60	15	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7207	Acacia disarrima	Hickory Wattle	150		150	47	12	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7208	Corymbia citriodora	Spotted Gum	180		180	57	15	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7209	Corymbia citriodora	Spotted Gum	140		140	44	12	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7210	Corymbia intermedia	Pink Bloodwood	220	200	297	93	14	3.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7211	Corymbia citriodora	Spotted Gum	320		320	101	19	5.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7212	Corymbia intermedia	Pink Bloodwood	290		290	91	19	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7213	Lophostemon suaveolens	Swamp Box	150		150	47	6	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7214	Corymbia citriodora	Spotted Gum	120		120	38	10	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7215	Eucalyptus moluccana	Gum-topped Box	120		120	38	7	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7216	Corymbia citriodora	Spotted Gum	120		120	38	10	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value							
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
7217	Corymbia citriodora	Spotted Gum	130		130	41	12	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7218	Corymbia citriodora	Spotted Gum	130		130	41	10	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7219	Corymbia citriodora	Spotted Gum	110		110	35	12	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7220	Eucalyptus moluccana	Gum-topped Box	120		120	38	10	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7221	Eucalyptus moluccana	Gum-topped Box	150		150	47	12	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7222	Eucalyptus moluccana	Gum-topped Box	490		490	154	25	8.0	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7223	Eucalyptus moluccana	Gum-topped Box	180		180	57	10	2.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7224	Eucalyptus moluccana	Gum-topped Box	440		440	138	26	9.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7225	Corymbia citriodora	Spotted Gum	110		110	35	12	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7226	Eucalyptus crebra	Narrow-leaved Ironbark	170		170	53	10	2.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7227	Corymbia citriodora	Spotted Gum	280		280	88	15	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7228	Corymbia citriodora	Spotted Gum	260		260	82	20	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7229	Corymbia citriodora	Spotted Gum	140		140	44	13	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7230	Corymbia citriodora	Spotted Gum	270		270	85	17	4.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7231	Corymbia citriodora	Spotted Gum	100		100	31	8	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7232	Corymbia citriodora	Spotted Gum	180		180	57	16	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7233	Corymbia citriodora	Spotted Gum	160		160	50	14	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7234	Corymbia citriodora	Spotted Gum	180		180	57	15	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7235	Corymbia citriodora	Spotted Gum	100		100	31	12	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7236	Eucalyptus crebra	Narrow-leaved Ironbark	190		190	60	14	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7237	Eucalyptus tereticornis	Forest Red Gum	250		250	79	16	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7238	Corymbia citriodora	Spotted Gum	100		100	31	8	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7239	Corymbia citriodora	Spotted Gum	120		120	38	10	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7240	Eucalyptus moluccana	Gum-topped Box	390		390	123	19	7.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7241	Corymbia citriodora	Spotted Gum	190		190	60	13	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7242	Eucalyptus moluccana	Gum-topped Box	320		320	101	17	5.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7243	Eucalyptus moluccana	Gum-topped Box	190		190	60	15	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7244	Eucalyptus moluccana	Gum-topped Box	620		620	195	27	8.0	7.4	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7245	Eucalyptus moluccana	Gum-topped Box	230		230	72	17	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7246	Eucalyptus moluccana	Gum-topped Box	140		140	44	7	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7247	Eucalyptus moluccana	Gum-topped Box	290		290	91	16	5.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7248	Corymbia citriodora	Spotted Gum	120		120	38	10	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7249	Corymbia citriodora	Spotted Gum	100		100	31	7	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7250	Eucalyptus moluccana	Gum-topped Box	320	130	345	109	20	7.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7251	Corymbia citriodora	Spotted Gum	120		120	38	10	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7252	Corymbia citriodora	Spotted Gum	140		140	44	10	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7253	Eucalyptus crebra	Narrow-leaved Ironbark	140		140	44	10	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7254	Corymbia citriodora	Spotted Gum	130		130	41	8	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7255	Eucalyptus tereticornis	Forest Red Gum	170		170	53	10	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7256	Eucalyptus crebra	Narrow-leaved Ironbark	160		160	50	13	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7257	Eucalyptus crebra	Narrow-leaved Ironbark	130		130	41	10	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7258	Corymbia citriodora	Spotted Gum	220		220	69	15	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
7259	Eucalyptus crebra	Narrow-leaved Ironbark	450		450	141	25	12.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7260	Eucalyptus crebra	Narrow-leaved Ironbark	360		360	113	22	9.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7261	Corymbia citriodora	Spotted Gum	300		300	94	22	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7262	Corymbia citriodora	Spotted Gum	190		190	60	16	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7263	Eucalyptus crebra	Narrow-leaved Ironbark	440		440	138	25	12.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7264	Corymbia citriodora	Spotted Gum	120		120	38	12	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7265	Corymbia citriodora	Spotted Gum	140		140	44	13	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7266	Corymbia citriodora	Spotted Gum	150		150	47	15	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7267	Corymbia citriodora	Spotted Gum	290		290	91	24	8.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7268	Eucalyptus moluccana	Gum-topped Box	420		420	132	24	9.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7269	Corymbia citriodora	Spotted Gum	130		130	41	10	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7270	Eucalyptus moluccana	Gum-topped Box	240		240	75	16	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7271	Eucalyptus moluccana	Gum-topped Box	280		280	88	22	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7272	Eucalyptus moluccana	Gum-topped Box	180		180	57	14	2.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7273	Eucalyptus moluccana	Gum-topped Box	270		270	85	24	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7274	Eucalyptus moluccana	Gum-topped Box	160		160	50	12	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7275	Eucalyptus crebra	Narrow-leaved Ironbark	260		260	82	16	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7276	Corymbia citriodora	Spotted Gum	260		260	82	18	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7277	Corymbia citriodora	Spotted Gum	160		160	50	8	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7278	Eucalyptus moluccana	Gum-topped Box	260		260	82	18	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7279	Corymbia citriodora	Spotted Gum	280		280	88	20	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7280	Corymbia citriodora	Spotted Gum	260		260	82	24	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7281	Eucalyptus tereticornis	Forest Red Gum	190		190	60	8	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7282	Eucalyptus moluccana	Gum-topped Box	310		310	97	24	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7283	Corymbia citriodora	Spotted Gum	170		170	53	12	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7284	Eucalyptus moluccana	Gum-topped Box	320		320	101	18	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7285	Corymbia citriodora	Spotted Gum	190		190	60	14	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7286	Eucalyptus moluccana	Gum-topped Box	140		140	44	10	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7287	Corymbia citriodora	Spotted Gum	170		170	53	15	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7288	Corymbia citriodora	Spotted Gum	140		140	44	14	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7289	Eucalyptus moluccana	Gum-topped Box	420		420	132	26	10.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7290	Eucalyptus moluccana	Gum-topped Box	160		160	50	13	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7291	Eucalyptus moluccana	Gum-topped Box	160		160	50	13	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7292	Eucalyptus moluccana	Gum-topped Box	150		150	47	12	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7293	Corymbia citriodora	Spotted Gum	160		160	50	10	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7294	Eucalyptus tereticornis	Forest Red Gum	360		360	113	22	7.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7295	Eucalyptus tereticornis	Forest Red Gum	120		120	38	10	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7296	Eucalyptus moluccana	Gum-topped Box	340		340	107	21	5.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7297	Corymbia citriodora	Spotted Gum	180		180	57	12	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7298	Corymbia citriodora	Spotted Gum	180		180	57	14	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7299	Eucalyptus tereticornis	Forest Red Gum	180		180	57	13	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7300	Eucalyptus tereticornis	Forest Red Gum	300		300	94	22	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value							
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
7301	Corymbia citriodora	Spotted Gum	190		190	60	12	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7302	Corymbia citriodora	Spotted Gum	180		180	57	17	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7303	Eucalyptus tereticornis	Forest Red Gum	200		200	63	16	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7304	Corymbia citriodora	Spotted Gum	160		160	50	12	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7305	Corymbia citriodora	Spotted Gum	100		100	31	8	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7306	Corymbia citriodora	Spotted Gum	140		140	44	10	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7307	Corymbia citriodora	Spotted Gum	220		220	69	16	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7308	Corymbia citriodora	Spotted Gum	110		110	35	10	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7309	Corymbia citriodora	Spotted Gum	160		160	50	12	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7310	Eucalyptus crebra	Narrow-leaved Ironbark	120		120	38	7	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7311	Corymbia tessellaris	Moreton Bay Ash	240		240	75	12	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7312	Corymbia tessellaris	Moreton Bay Ash	150		150	47	10	1.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7313	Corymbia citriodora	Spotted Gum	100		100	31	8	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7314	Corymbia tessellaris	Moreton Bay Ash	170		170	53	12	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7315	Corymbia citriodora	Spotted Gum	150		150	47	9	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7316	Corymbia citriodora	Spotted Gum	120		120	38	9	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7317	Corymbia citriodora	Spotted Gum	130		130	41	10	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7318	Corymbia intermedia	Pink Bloodwood	190		190	60	10	2.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7319	Eucalyptus crebra	Narrow-leaved Ironbark	310		310	97	19	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7320	Corymbia citriodora	Spotted Gum	100		100	31	7	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7321	DEAD/STAG		580		580	182	17	4.0	7.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Retention TBC
7322	Eucalyptus tereticornis	Forest Red Gum	150		150	47	10	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7323	Eucalyptus crebra	Narrow-leaved Ironbark	200		200	63	14	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7324	Eucalyptus crebra	Narrow-leaved Ironbark	170		170	53	15	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7325	Eucalyptus tereticornis	Forest Red Gum	220		220	69	16	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7326	Corymbia citriodora	Spotted Gum	240		240	75	15	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7327	Corymbia citriodora	Spotted Gum	260		260	82	20	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7328	Eucalyptus crebra	Narrow-leaved Ironbark	300		300	94	16	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7329	Corymbia citriodora	Spotted Gum	300		300	94	23	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7330	Corymbia citriodora	Spotted Gum	200		200	63	13	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7331	Corymbia citriodora	Spotted Gum	190		190	60	16	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7332	Corymbia citriodora	Spotted Gum	280		280	88	24	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7333	Corymbia tessellaris	Moreton Bay Ash	180		180	57	7	2.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7334	Corymbia tessellaris	Moreton Bay Ash	130		130	41	7	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7335	Corymbia citriodora	Spotted Gum	370		370	116	24	9.0	4.4	2.2	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7336	Corymbia citriodora	Spotted Gum	150		150	47	12	1.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7337	Corymbia citriodora	Spotted Gum	330		330	104	23	6.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7338	Eucalyptus crebra	Narrow-leaved Ironbark	330		330	104	17	6.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7339	Corymbia citriodora	Spotted Gum	190		190	60	15	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7340	Corymbia citriodora	Spotted Gum	340		340	107	24	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7341	Eucalyptus tereticornis	Forest Red Gum	240		240	75	14	3.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7342	Eucalyptus crebra	Narrow-leaved Ironbark	260		260	82	16	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value							
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
7343	Corymbia citriodora	Spotted Gum	210		210	66	14	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7344	Corymbia citriodora	Spotted Gum	130		130	41	13	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7345	Eucalyptus crebra	Narrow-leaved Ironbark	300		300	94	16	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7346	Corymbia citriodora	Spotted Gum	300		300	94	12	2.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7347	Corymbia citriodora	Spotted Gum	110		110	35	7	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7348	Corymbia citriodora	Spotted Gum	130		130	41	12	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7349	Corymbia citriodora	Spotted Gum	210		210	66	16	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7350	Corymbia citriodora	Spotted Gum	200		200	63	15	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7351	Corymbia citriodora	Spotted Gum	300		300	94	17	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7352	Eucalyptus crebra	Narrow-leaved Ironbark	240		240	75	16	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7353	Corymbia citriodora	Spotted Gum	170		170	53	16	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7354	Corymbia citriodora	Spotted Gum	220		220	69	16	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7355	Corymbia citriodora	Spotted Gum	170		170	53	14	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7356	Corymbia tessellaris	Moreton Bay Ash	110		110	35	7	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7357	Corymbia citriodora	Spotted Gum	120		120	38	12	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7358	Corymbia citriodora	Spotted Gum	140		140	44	14	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7359	Corymbia citriodora	Spotted Gum	270		270	85	23	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7360	Corymbia citriodora	Spotted Gum	260		260	82	23	9.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7361	Corymbia citriodora	Spotted Gum	100		100	31	10	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7362	Corymbia citriodora	Spotted Gum	270		270	85	23	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7363	Corymbia citriodora	Spotted Gum	110		110	35	6	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7364	Corymbia citriodora	Spotted Gum	260		260	82	22	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7365	Corymbia citriodora	Spotted Gum	200		200	63	19	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7366	Corymbia citriodora	Spotted Gum	120		120	38	10	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7367	Corymbia citriodora	Spotted Gum	270		270	85	22	4.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7368	Corymbia citriodora	Spotted Gum	170		170	53	14	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7369	Corymbia citriodora	Spotted Gum	310		310	97	20	5.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7370	Corymbia citriodora	Spotted Gum	100		100	31	10	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7371	Corymbia citriodora	Spotted Gum	260		260	82	20	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7372	Corymbia citriodora	Spotted Gum	350		350	110	24	9.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7373	Lophostemon suaveolens	Swamp Box	240		240	75	12	3.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7374	Corymbia citriodora	Spotted Gum	250		250	79	22	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7375	Lophostemon suaveolens	Swamp Box	120		120	38	8	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7376	Eucalyptus crebra	Narrow-leaved Ironbark	110		110	35	10	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7377	Lophostemon suaveolens	Swamp Box	130		130	41	7	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7378	Eucalyptus crebra	Narrow-leaved Ironbark	430		430	135	22	7.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7379	Corymbia intermedia	Pink Bloodwood	120		120	38	7	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7380	Corymbia tessellaris	Moreton Bay Ash	130		130	41	9	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7381	Corymbia citriodora	Spotted Gum	120		120	38	13	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7382	Acacia dispartima	Hickory Wattle	200		200	63	13	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7383	Corymbia citriodora	Spotted Gum	120		120	38	12	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7384	Corymbia citriodora	Spotted Gum	120		120	38	14	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value							
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
7385	Corymbia intermedia	Pink Bloodwood	190		190	60	13	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7386	Corymbia tessellaris	Moreton Bay Ash	160		160	50	12	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7387	Lophostemon suaveolens	Swamp Box	130		130	41	10	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7388	Lophostemon suaveolens	Swamp Box	130		130	41	7	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7389	Lophostemon suaveolens	Swamp Box	140		140	44	9	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7390	Corymbia intermedia	Pink Bloodwood	170		170	53	14	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7391	Lophostemon suaveolens	Swamp Box	150		150	47	12	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7392	Lophostemon suaveolens	Swamp Box	170		170	53	10	1.0	2.0	1.6	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7393	Lophostemon suaveolens	Swamp Box	100		100	31	7	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7394	Lophostemon suaveolens	Swamp Box	150	130	198	62	12	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7395	Eucalyptus tereticornis	Forest Red Gum	340		340	107	16	5.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7396	Eucalyptus crebra	Narrow-leaved Ironbark	330		330	104	17	3.0	4.0	2.1	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7397	Lophostemon suaveolens	Swamp Box	170		170	53	11	2.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7398	Lophostemon suaveolens	Swamp Box	180		180	57	10	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7399	Corymbia intermedia	Pink Bloodwood	160		160	50	13	3.0	2.0	1.5	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7400	Corymbia intermedia	Pink Bloodwood	140		140	44	13	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7401	Lophostemon suaveolens	Swamp Box	120		120	38	7	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7402	Lophostemon suaveolens	Swamp Box	140		140	44	8	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7403	Corymbia intermedia	Pink Bloodwood	160		160	50	14	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7404	Lophostemon suaveolens	Swamp Box	140		140	44	8	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7405	Corymbia citriodora	Spotted Gum	370		370	116	23	8.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7406	Corymbia intermedia	Pink Bloodwood	220		220	69	16	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7407	Lophostemon suaveolens	Swamp Box	150		150	47	8	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7408	Eucalyptus crebra	Narrow-leaved Ironbark	320		320	101	24	9.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7409	Lophostemon suaveolens	Swamp Box	110		110	35	7	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7410	Lophostemon suaveolens	Swamp Box	180		180	57	7	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7411	Lophostemon suaveolens	Swamp Box	140		140	44	10	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7412	Lophostemon suaveolens	Swamp Box	120	80	144	45	9	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7413	Lophostemon suaveolens	Swamp Box	140		140	44	8	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7414	Lophostemon suaveolens	Swamp Box	160		160	50	11	3.0	2.0	1.5	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7415	Lophostemon suaveolens	Swamp Box	180		180	57	12	2.0	2.2	1.6	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7416	Angophora subvelutina	Broad-leaved Apple	180		180	57	7	2.0	2.2	1.6	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7417	Angophora subvelutina	Broad-leaved Apple	150		150	47	12	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7418	Lophostemon suaveolens	Swamp Box	160		160	50	14	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7419	Eucalyptus tereticornis	Forest Red Gum	490		490	154	26	9.0	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7420	Lophostemon suaveolens	Swamp Box	390		390	123	15	5.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7421	Lophostemon suaveolens	Swamp Box	130		130	41	7	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7422	Lophostemon suaveolens	Swamp Box	110		110	35	6	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7423	Lophostemon suaveolens	Swamp Box	120		120	38	6	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7424	Lophostemon suaveolens	Swamp Box	140		140	44	8	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7425	Corymbia citriodora	Spotted Gum	200	200	283	89	18	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7426	Corymbia citriodora	Spotted Gum	390		390	123	26	7.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	
7427	Corymbia citriodora	Spotted Gum	190	180, 160	190	60	16	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
7428	Corymbia citriodora	Spotted Gum	400		400	126	16	5.0	4.8	2.3	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7429	Corymbia citriodora	Spotted Gum	300		385	121	25	8.0	4.6	2.2	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7430	Lophostemon suaveolens	Swamp Box	140		140	44	12	2.0	2.0	1.4	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7431	Eucalyptus crebra	Narrow-leaved Ironbark	180		180	57	12	3.0	2.2	1.6	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7432	Corymbia citriodora	Spotted Gum	150		150	47	14	3.0	2.0	1.5	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7433	Corymbia citriodora	Spotted Gum	190		190	60	17	3.0	2.3	1.6	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7434	Eucalyptus tereticornis	Forest Red Gum	270		270	85	16	4.0	3.2	1.9	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7435	Angophora subvelutina	Broad-leaved Apple	160		160	50	12	2.0	2.0	1.5	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7436	Corymbia citriodora	Spotted Gum	220		220	69	19	4.0	2.6	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7437	Angophora subvelutina	Broad-leaved Apple	130		130	41	9	2.0	2.0	1.4	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7438	Corymbia citriodora	Spotted Gum	100		100	31	9	2.0	2.0	1.3	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7439	Corymbia citriodora	Spotted Gum	460		460	145	24	9.0	5.5	2.4	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7440	Eucalyptus crebra	Narrow-leaved Ironbark	130		130	41	9	2.0	2.0	1.4	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7441	Corymbia intermedia	Pink Bloodwood	170		170	53	13	4.0	2.0	1.6	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7442	Eucalyptus crebra	Narrow-leaved Ironbark	220		220	69	20	3.0	2.6	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7443	Corymbia intermedia	Pink Bloodwood	270		270	85	16	6.0	3.2	1.9	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7444	Corymbia citriodora	Spotted Gum	270		270	85	18	5.0	3.2	1.9	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7445	Corymbia citriodora	Spotted Gum	260		260	82	18	7.0	3.1	1.9	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7446	Corymbia citriodora	Spotted Gum	160		160	50	15	3.0	2.0	1.5	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7447	Corymbia citriodora	Spotted Gum	190		190	60	13	3.0	2.3	1.6	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7448	Eucalyptus tereticornis	Forest Red Gum	330		330	104	22	5.0	4.0	2.1	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7449	Corymbia citriodora	Spotted Gum	210		210	66	16	5.0	2.5	1.7	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7450	Corymbia citriodora	Spotted Gum	270		270	85	20	6.0	3.2	1.9	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7451	Corymbia citriodora	Spotted Gum	110		110	35	12	2.0	2.0	1.3	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7452	Corymbia intermedia	Pink Bloodwood	150		150	47	15	3.0	2.0	1.5	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7453	Corymbia citriodora	Spotted Gum	100		100	31	10	2.0	2.0	1.3	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7454	Corymbia citriodora	Spotted Gum	110		110	35	12	2.0	2.0	1.3	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7455	Corymbia intermedia	Pink Bloodwood	420		420	132	25	8.0	5.0	2.3	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7456	Eucalyptus tereticornis	Forest Red Gum	540		540	170	24	9.0	6.5	2.6	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7457	Corymbia intermedia	Pink Bloodwood	130		130	41	5	2.0	2.0	1.4	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7458	Corymbia citriodora	Spotted Gum	100		100	31	9	2.0	2.0	1.3	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7459	Corymbia tessellaris	Moreton Bay Ash	200		200	63	18	3.0	2.4	1.7	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7460	Eucalyptus tereticornis	Forest Red Gum	400		400	126	27	7.0	4.8	2.3	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7461	Eucalyptus tereticornis	Forest Red Gum	450		450	141	26	9.0	5.4	2.4	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7462	Eucalyptus tereticornis	Forest Red Gum	280		280	88	17	4.0	3.4	1.9	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7463	Lophostemon suaveolens	Swamp Box	150		150	47	9	3.0	2.0	1.5	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7464	Eucalyptus crebra	Narrow-leaved Ironbark	220		220	69	18	5.0	2.6	1.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7465	Corymbia citriodora	Spotted Gum	260		260	82	20	4.0	3.1	1.9	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7466	Angophora subvelutina	Broad-leaved Apple	290		290	91	16	6.0	3.5	2.0	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7467	Corymbia citriodora	Spotted Gum	190		190	60	15	2.0	2.3	1.6	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7468	Corymbia citriodora	Spotted Gum	120		120	38	8	2.0	2.0	1.4	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value							
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
7469	Corymbia citriodora	Spotted Gum	430		430	135	25	8.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7470	Eucalyptus tereticornis	Forest Red Gum	480		480	151	27	9.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7471	Corymbia citriodora	Spotted Gum	140		140	44	12	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7472	Angophora subvelutina	Broad-leaved Apple	550		550	173	26	8.0	6.6	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7473	Lophostemon suaveolens	Swamp Box	110		110	35	12	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7474	Corymbia tessellaris	Moreton Bay Ash	560		560	176	12	4.0	6.7	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7475	Corymbia tessellaris	Moreton Bay Ash	120		120	38	12	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7476	Corymbia citriodora	Spotted Gum	240		240	75	18	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7477	Acacia disparrima	Hickory Wattle	170		170	53	8	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7478	Corymbia tessellaris	Moreton Bay Ash	110		110	35	6	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7479	Corymbia tessellaris	Moreton Bay Ash	260		260	82	18	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	Introduced	-	-	Typical	-	-	-	-	-	-	Retention TBC
7480	Corymbia citriodora	Spotted Gum	130		130	41	13	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7481	Corymbia citriodora	Spotted Gum	100		100	31	12	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7482	Corymbia citriodora	Spotted Gum	100		100	31	12	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7483	Acacia disparrima	Hickory Wattle	150		150	47	10	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7484	Corymbia tessellaris	Moreton Bay Ash	160		160	50	13	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7485	Acacia disparrima	Hickory Wattle	180		180	57	13	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7486	Acacia disparrima	Hickory Wattle	160		160	50	14	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7487	Corymbia citriodora	Spotted Gum	120		120	38	9	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7488	Corymbia citriodora	Spotted Gum	230		230	72	16	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7489	Corymbia intermedia	Pink Bloodwood	170		170	53	13	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Retention TBC
7490	Corymbia citriodora	Spotted Gum	110		110	35	11	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7491	Corymbia citriodora	Spotted Gum	390		390	123	24	8.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7492	Acacia disparrima	Hickory Wattle	200		200	63	13	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7493	Corymbia citriodora	Spotted Gum	120		120	38	12	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7494	Eucalyptus crebra	Narrow-leaved Ironbark	180		180	57	12	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7495	Corymbia citriodora	Spotted Gum	120		120	38	10	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7496	Corymbia citriodora	Spotted Gum	240		240	75	15	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7497	Corymbia citriodora	Spotted Gum	130		130	41	14	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7498	Eucalyptus tereticornis	Forest Red Gum	360		360	113	22	7.0	4.3	2.2	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7499	Eucalyptus tereticornis	Forest Red Gum	330		330	104	20	6.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7500	Corymbia citriodora	Spotted Gum	150		150	47	12	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7501	Corymbia citriodora	Spotted Gum	100		100	31	8	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7502	Corymbia citriodora	Spotted Gum	130	90	158	50	12	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7503	Eucalyptus tereticornis	Forest Red Gum	370		370	116	23	5.0	4.4	2.2	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7504	Corymbia citriodora	Spotted Gum	100		100	31	12	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7505	Corymbia citriodora	Spotted Gum	100		100	31	10	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7506	Corymbia citriodora	Spotted Gum	390		390	123	18	5.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7507	Corymbia citriodora	Spotted Gum	330		330	104	17	6.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7508	Eucalyptus tereticornis	Forest Red Gum	200		200	63	13	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7509	Corymbia citriodora	Spotted Gum	140		140	44	14	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7510	Corymbia citriodora	Spotted Gum	120		120	38	14	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value							
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
7511	Lophostemon suaveolens	Swamp Box	140		140	44	10	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7512	Corymbia intermedia	Pink Bloodwood	130		130	41	7	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7513	Corymbia citriodora	Spotted Gum	120		120	38	12	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7514	Angophora subvelutina	Broad-leaved Apple	150		150	47	10	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7515	Corymbia citriodora	Spotted Gum	340		340	107	26	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7516	Corymbia citriodora	Spotted Gum	150		150	47	12	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7517	Lophostemon suaveolens	Swamp Box	120		120	38	8	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7518	Lophostemon suaveolens	Swamp Box	230		230	72	12	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7519	Corymbia citriodora	Spotted Gum	120		120	38	10	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7520	Corymbia intermedia	Pink Bloodwood	210		210	66	14	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7521	Corymbia citriodora	Spotted Gum	140		140	44	12	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7522	Corymbia intermedia	Pink Bloodwood	160		160	50	15	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7523	Corymbia citriodora	Spotted Gum	160		160	50	15	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7524	Corymbia citriodora	Spotted Gum	200		200	63	15	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7525	Corymbia citriodora	Spotted Gum	110		110	35	12	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7526	Corymbia tessellaris	Moreton Bay Ash	210		210	66	16	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7527	Eucalyptus tereticornis	Forest Red Gum	140		140	44	14	1.0	2.0	1.4	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7528	Eucalyptus tereticornis	Forest Red Gum	470		470	148	28	9.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7529	Eucalyptus tereticornis	Forest Red Gum	250		250	79	16	4.0	3.0	1.8	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7530	Corymbia citriodora	Spotted Gum	450		450	141	24	6.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7531	Corymbia citriodora	Spotted Gum	310		310	97	22	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7532	Corymbia citriodora	Spotted Gum	120		120	38	9	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7533	Corymbia citriodora	Spotted Gum	130		130	41	12	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7534	Corymbia citriodora	Spotted Gum	280		280	88	18	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7535	Corymbia citriodora	Spotted Gum	180		180	57	15	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7536	Eucalyptus tereticornis	Forest Red Gum	280		280	88	19	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7537	Corymbia citriodora	Spotted Gum	210		210	66	17	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7538	Corymbia citriodora	Spotted Gum	150		150	47	12	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7539	Corymbia citriodora	Spotted Gum	200		200	63	16	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7540	Corymbia citriodora	Spotted Gum	420		420	132	25	8.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7541	Corymbia citriodora	Spotted Gum	180		180	57	12	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7542	Corymbia citriodora	Spotted Gum	220		220	69	16	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7543	Eucalyptus tereticornis	Forest Red Gum	250		250	79	16	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7544	Corymbia intermedia	Pink Bloodwood	240		240	75	15	7.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7545	Corymbia citriodora	Spotted Gum	190		190	60	12	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7546	Corymbia citriodora	Spotted Gum	430		430	135	25	7.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7547	Eucalyptus tereticornis	Forest Red Gum	470		470	148	27	8.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7548	Corymbia citriodora	Spotted Gum	170		170	53	13	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7549	Corymbia citriodora	Spotted Gum	190		190	60	14	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7550	Corymbia citriodora	Spotted Gum	370		370	116	26	10.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7551	Corymbia citriodora	Spotted Gum	230		230	72	19	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7552	Corymbia citriodora	Spotted Gum	310	150	344	108	26	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value							
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
7553	Corymbia citriodora	Spotted Gum	270		270	85	24	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7554	Corymbia citriodora	Spotted Gum	330		330	104	25	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7555	Corymbia citriodora	Spotted Gum	240		240	75	22	3.0	2.9	1.8	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7556	Corymbia citriodora	Spotted Gum	390		390	123	18	6.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7557	Corymbia citriodora	Spotted Gum	160		160	50	14	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7558	Corymbia citriodora	Spotted Gum	400		400	126	25	6.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7559	Corymbia citriodora	Spotted Gum	400		400	126	26	9.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7560	Corymbia citriodora	Spotted Gum	290		290	91	15	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7561	Corymbia citriodora	Spotted Gum	440		440	138	25	8.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7562	Corymbia citriodora	Spotted Gum	230		230	72	15	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7563	Angophora subvelutina	Broad-leaved Apple	260		260	82	12	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7564	Corymbia citriodora	Spotted Gum	400		400	126	23	4.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7565	Corymbia citriodora	Spotted Gum	130		130	41	13	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7566	Corymbia citriodora	Spotted Gum	280		280	88	16	9.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7567	Corymbia citriodora	Spotted Gum	290		290	91	24	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7568	Corymbia citriodora	Spotted Gum	150		150	47	13	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7569	Eucalyptus tereticornis	Forest Red Gum	290		290	91	15	5.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7570	Corymbia citriodora	Spotted Gum	330		330	104	24	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7571	Eucalyptus crebra	Narrow-leaved Ironbark	420		420	132	18	8.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7572	Corymbia citriodora	Spotted Gum	230		230	72	20	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7573	Corymbia citriodora	Spotted Gum	200		200	63	17	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7574	Corymbia citriodora	Spotted Gum	150		150	47	10	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7575	Corymbia citriodora	Spotted Gum	280		280	88	27	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7576	Corymbia citriodora	Spotted Gum	520		520	163	27	8.0	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retention TBC
7577	Corymbia citriodora	Spotted Gum	320		320	101	25	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7578	Corymbia citriodora	Spotted Gum	170		170	53	18	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7579	Corymbia tessellaris	Moreton Bay Ash	280		280	88	15	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7580	Corymbia citriodora	Spotted Gum	290		290	91	27	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7581	Corymbia citriodora	Spotted Gum	120		120	38	10	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7582	Corymbia citriodora	Spotted Gum	130		130	41	12	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7583	Alphitonia excelsa	Soap Tree	160		160	50	10	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7584	Corymbia citriodora	Spotted Gum	200		200	63	12	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7585	Corymbia citriodora	Spotted Gum	260		260	82	22	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7586	Corymbia citriodora	Spotted Gum	290		290	91	18	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7587	Corymbia citriodora	Spotted Gum	320		320	101	15	5.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7588	Corymbia citriodora	Spotted Gum	210		210	66	16	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7589	Corymbia citriodora	Spotted Gum	110		110	35	8	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7590	Corymbia citriodora	Spotted Gum	120		120	38	8	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7591	Corymbia citriodora	Spotted Gum	160		160	50	11	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7592	Corymbia citriodora	Spotted Gum	220		220	69	18	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7593	Eucalyptus crebra	Narrow-leaved Ironbark	100		100	31	10	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7594	Corymbia citriodora	Spotted Gum	100		100	31	12	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value							
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
7595	Corymbia citriodora	Spotted Gum	270		270	85	24	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7596	Lophostemon suaveolens	Swamp Box	140		140	44	8	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7597	Corymbia citriodora	Spotted Gum	110		110	35	8	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7598	Eucalyptus tereticornis	Forest Red Gum	220		220	69	14	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7599	Eucalyptus tereticornis	Forest Red Gum	180		180	57	15	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7600	Corymbia citriodora	Spotted Gum	200		200	63	14	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7601	Corymbia citriodora	Spotted Gum	240		240	75	16	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7602	Corymbia citriodora	Spotted Gum	440	330	550	173	25	8.0	6.6	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7603	Corymbia citriodora	Spotted Gum	320		320	101	18	4.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7604	Corymbia citriodora	Spotted Gum	470		470	148	26	9.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7605	Corymbia citriodora	Spotted Gum	190		190	60	16	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7606	Eucalyptus tereticornis	Forest Red Gum	190		190	60	14	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7607	Corymbia citriodora	Spotted Gum	230	140	269	85	20	4.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7608	Corymbia citriodora	Spotted Gum	190		190	60	22	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7609	Corymbia citriodora	Spotted Gum	300		300	94.25	20	6	3.6	2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7610	Corymbia citriodora	Spotted Gum	360		360	113.1	19	7	4.32	2.15	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7611	Corymbia citriodora	Spotted Gum	180		180	56.55	18	4	2.16	1.61	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7612	Corymbia citriodora	Spotted Gum	180		180	56.55	16	4	2.16	1.61	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7613	Eucalyptus tereticornis	Forest Red Gum	150		150	47.12	12	2	1.49	1.61	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
7614	Eucalyptus tereticornis	Forest Red Gum	180		180	56.55	16	4	2.16	1.61	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
8110	Melaleuca viminalis	Weeping bottlebrush	130		130	40.84	8	3	2	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
10066	Corymbia citriodora	Spotted Gum	125		125	39	12	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
10067	Eucalyptus tereticornis	Forest Red Gum	190		190	60	17	3	2.3	1.6	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retention TBC
10080	Eucalyptus crebra	Narrow-leaved Ironbark	125		125	39	12	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
10081	Corymbia citriodora	Spotted Gum	165		165	52	21	7	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
10368	Corymbia citriodora	Spotted Gum	120		120	38	11	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
10369	Eucalyptus tereticornis	Forest Red Gum	290		290	91	16	4	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
10370	Corymbia citriodora	Spotted Gum	160		160	50	19	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
10371	Corymbia citriodora	Spotted Gum	100		100	31	14	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
10372	Corymbia citriodora	Spotted Gum	220		220	69	18	3	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
10374	Corymbia citriodora	Spotted Gum	170		170	53	16	3	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
10375	Corymbia citriodora	Spotted Gum	220		220	69	16	3	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
10376	Corymbia citriodora	Spotted Gum	190		190	60	16	6	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
10377	Eucalyptus tereticornis	Forest Red Gum	250		250	79	23	4	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
10378	Eucalyptus tereticornis	Forest Red Gum	120		120	38	12	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
10379	Corymbia citriodora	Spotted Gum	290		290	91	18	9	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
10380	Corymbia citriodora	Spotted Gum	270		270	85	20	7	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
10381	Eucalyptus crebra	Narrow-leaved Ironbark	140		140	44	12	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
10382	Corymbia citriodora	Spotted Gum	260		260	82	18	7	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
10383	Corymbia citriodora	Spotted Gum	150		150	47	16	7	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
10384	Corymbia citriodora	Spotted Gum	130		130	41	14	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
10385	Corymbia citriodora	Spotted Gum	100		100	31	11	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value							
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
10386	Corymbia citriodora	Spotted Gum	130		130	41	15	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
10388	Corymbia citriodora	Spotted Gum	160		160	50	17	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
10389	Eucalyptus tereticornis	Forest Red Gum	320		320	101	17	6	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
10390	Corymbia tessellaris	Moreton Bay Ash	130		130	41	14	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
10391	Corymbia citriodora	Spotted Gum	230		230	72	21	4	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
10402	Corymbia intermedia	Pink Bloodwood	120		120	38	6	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
10403	Corymbia citriodora	Spotted Gum	270		270	85	24	9	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
10404	Corymbia citriodora	Spotted Gum	210		210	66	19	5	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
10405	Eucalyptus tereticornis	Forest Red Gum	250		250	79	22	5	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
10406	Corymbia citriodora	Spotted Gum	200		200	63	14	4	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
10407	Corymbia citriodora	Spotted Gum	330		330	104	18	12	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
10408	Corymbia citriodora	Spotted Gum	120		120	38	8	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
10409	Corymbia intermedia	Pink Bloodwood	210		210	66	8	4	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
10410	Eucalyptus crebra	Narrow-leaved Ironbark	240		240	75	18	7	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
10411	Eucalyptus tereticornis	Forest Red Gum	380		380	119	16	9	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
10412	Eucalyptus tereticornis	Forest Red Gum	210		210	66	18	2	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
14215	Eucalyptus moluccana	Gum-topped Box	190		190	60	13	4	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
14216	Eucalyptus tereticornis	Forest Red Gum	320		320	101	18	8	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC
14217	Eucalyptus moluccana	Gum-topped Box	380		380	119	23	9	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC