

Vegetation Clearing & Fauna Management Plan

Economic Development Queensland (EDQ)

Vegetation clearing for Stage 2



CONTENTS

- 9216 E 02 VCFMP Stage 2 A -- Vegetation Clearing Notes
- 9216 E 03 VCFMP Stage 2 A -- Fauna Notes
- 9216 E 04 VCFMP Stage 2 D -- Detail Sheet Context
- 9216 E 05 - 10 VCFMP Stage 2 D -- Detail Sheets
- 9216 E 11 VCFMP Stage 2 D -- Clearing Direction
- Appendix A -- Tree Schedule

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV2021/1191
Date: 25 FEB 2022



SHG Contact

Mr James Gautrey
Phone: (07) 3251 9458
Email: jamesgautrey@saundershavill.com



Vegetation Clearing and Fauna Management Plan - Notes

INTRODUCTION

The Environmental Management Division of the **Saunders Havill Group (SHG)** was engaged by **Economic Development Queensland (EDQ)** to prepare a Vegetation Clearing and Fauna Management Plan (VCFMP) for proposed clearing for proposed Stage 2 development at 53 Seventeen Mile Rocks Road, Oxley (600/SP236626 & 551/SP142916).

The purpose of this plan is to manage the vegetation removal process and the protection of fauna species within proposed remediation areas. The clearing works will follow general principles for vegetation clearing documented on this sheet and *Sheet 3*.

This VCFMP has been produced by overlaying the following site datasets to determine impacts and disturbance on existing vegetation:

1. GPS accurate tree data including specimen details & features (SHG 2018-2020)
2. Survey accurate tree data (Land Partners 2018)
3. Site Remediation Layout Plans (Butler Partners 2020)
4. Staging layout Plan (Place Design Group 2021)
5. Engineering drawings (KN Group 2021)

PROJECT MANAGEMENT

Vegetation management and its processes are an integral part of the construction and operational works phases. The site supervisor is responsible for all onsite works including overseeing vegetation clearing, health and safety of fauna and adhering to relevant conditions and guidelines and Australian Standards - Protection of Trees on Development Sites AS4970-2009 and Pruning of Amenity Trees AS4373-1996.

The project arborist (with minimum AQF Level 5 in Arboriculture and minimum 5 years' experience) is responsible for: undertaking all appropriate arboricultural measures prior to the commencement of any earthworks on site to ensure the survival and long-term health of existing trees to be retained. These measures may include soil decompaction, soil aeration, fertilising, mulching, watering, root or crown reduction and hazard reduction or as otherwise determined by the arborist. The site arborist is also required to direct and supervise all works within TPZs of trees to be retained, and perform arboricultural care requirements where necessary.

SITE CONTACTS

Site and consulting contacts for queries relating to vegetation clearing include:

Client Contact:	Environmental Contact:
Economic Development Queensland	Saunders Havill Group
Mr Kaush Singh	Mr James Gautrey
Ph (07) 3452 7076	Ph (07) 3251 9458
Site Contractor:	Site Arborist:
<i>To be advised</i>	<i>To be advised</i>
Site Fauna spotter-catcher:	Site Bushfire Consultant:
<i>To be advised</i>	Land and Environment Consultants
(Refer to <i>Sheet 3</i> for responsibilities)	Mr Rob Janssen
	Ph 0466 714 833

CLEARING PHASES AND PROCESS

PHASE 1 - Tree Protection Fencing to be installed

Fencing to be installed prior to the commencement of any clearing works on the site. Tree protection fencing to be located at or beyond 12 x diameter at breast height (DBH) (AS4970-2009 Protection of trees on development sites)—unless approved by the appointed arborist.

PHASE 2 - Pre-start Meeting

Fencing shall be in place at the time of the official pre-start meeting for inspection and sign off by EDQ Officers.

PHASE 3 - Fauna Inspections and Management

Undertake necessary fauna management requirements prior to clearing works - as a minimum, this should include the specifications listed on sheet 3, and acknowledge specific EDQ approval requirements.

PHASE 4 - Undertake Bulk Clearing

Undertake wholesale removal of vegetation once approved for removal by a qualified fauna spotter.

Clearing direction is to be managed by the appointed fauna spotter-catcher.

Vegetation clearing techniques:

- By utilising the most appropriate machinery and equipment during vegetation clearing, the probability of injury or death of wildlife during clearing can be significantly reduced or eliminated while still maintaining an efficient vegetation removal process.
- Suggested techniques are as follows: (a) a vertical tree grab attachment on an excavator (30 tonne) can be used to pull entire trees in size up to 30-40cm diameter at a height measured at 1.3 metres above ground level and lay them down in a steady controlled fashion, allowing inspection by a fauna spotter-catcher (b) where large trees are too large for a vertical tree grab and have been identified, an elevated work platform or where practical, cherry picker should be used in conjunction with a chainsaw operator and fauna spotter-catcher. Alternatively, careful removal of hollow section from habitat tree and gentle lowering for inspection by fauna spotter-catcher (c) the use of bulldozers to clear vegetation is limited to vegetation that has been thoroughly inspected by a fauna spotter-catcher and is found to contain no fauna or potential habitat. Bulldozers are not to be used to push over large trees that contain hollows or other habitat features.

NOTE: Dogs are not permitted onsite at all times during construction. Construction works including clearing must occur between the hours of 6.30am and 6.30pm.

ACCESS AND STOCKPILING

A vegetation stockpiling location is to be designated in an easily accessible area outside of TPZs. Indicative vegetation stockpiling locations have been allocated at previously cleared locations near remediation areas, allowing for material to be easily delivered and stored. This location is subject to minor change according to cut/fill activities and intended location for reuse.

Cleared vegetation free of weeds is to be reused on or off the project site. Recycling techniques include mulching, tub-grinding, wood chipping and salvage (e.g. custom milling). Trees with identified hollows should have the hollow section preserved and should be suitably mounted on nearby or adjacent suitable trees.

MAINTENANCE

After tree clearing works on site, an analysis of the vegetation's health and growth should be undertaken by the project arborist to determine specific maintenance needs. Follow up maintenance works should be carried out on retained vegetation where required. If conditioned in the DA approval—the project arborist may be required to submit a report to EDQ detailing the measures undertaken during the construction period and any further work required post this period.

BUSHFIRE PROTECTION ZONE

Tree retention within the Bushfire Protection Zone is to be certified by the engaged Project Arborist (minimum AQF Level 5) and Bushfire Consultant prior to plan sealing. The certification by the Project Arborist is to include an individual tree assessment to identify specimens which may:


1. Contain limbs less than 2m above ground; or
2. Overhang or interfere with the building area; or
3. Contain dead/rotting limbs or be considered dangerous.

If trees are identified to meet any of the above criteria or contravene Section 6.1 of the Bushfire Management Plan, the retention or removal of these individual specimens is to be certified by the Project Arborist in consultation with the Bushfire Consultant. Evidence of the Project Arborist and Bushfire Consultant certification and final tree retention and removal status of all tree specimens within the Bushfire Protection Zone is to be provided to EDQ prior to plan sealing.


DYSCHORISTE DEPRESSA WEED CONTROL

24hrs prior to vegetation clearing commencing, *Dyschoriste depressa* is to be identified on-site by a suitably qualified professional and is to be treated via foliar spray. After vegetation clearing has been completed and prior to construction works commencing, an additional survey identifying *Dyschoriste depressa* is to be undertaken. If any additional locations of *Dyschoriste depressa* are identified, they are to be treated accordingly. Prior to plan sealing, certification of *Dyschoriste depressa* eradication within the development footprint is to be provided to EDQ.

Tree Protection Zone - Detail (not to scale)



AS 4970 Tree Protection Fencing - Detail (not to scale)



LEGEND

1. Chain wire mesh panels with shade cloth (if required) attached, held in place with concrete feet.
2. Alternative plywood or wooden paling fence. This fencing option also prevents building materials or soil entering the TPZ.
3. Mulch installation across surface of TPZ (at the discretion of the Project Arborist). No Excavation, construction activity, grade changes, surface treatment or storage of materials of any kind is permitted within the TPZ.
4. Bracing is permissible within the TPZ. Installation of supports should avoid damaging roots.



CLIENT:

ECONOMIC DEVELOPMENT
QUEENSLAND (EDQ)

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.
CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.
PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERSTANDING SERVICES AND TO OBTAIN PERMISSION FOR ALL SERVICES.

REFERENCES:

AS4970-2009 Protection of trees on development sites
Vegetation clearing techniques (Logan City Council, 2019)

AMENDMENTS:

Issue	Date	Description	Checked
A	31/05/2021	Preliminary	JG

PROJECT:

STAGE 2
SEVENTEEN MILE ROCKS ROAD
OXLEY
(600SP236626 / 551SP142916)

environmental management

PLAN OF:
Vegetation Clearing & Fauna
Management Plan

DATE: 31/05/2021 CHECKED: JG

CLIENT REF: 9216 DRAWN: MP

DRAWING No.: 9216 E 02 VCFMP Stage 2 A

Vegetation Clearing and Fauna Management Plan - Fauna Management Notes

INTRODUCTION

The Fauna Management specification on this VCFMP is designed to protect native animals and control/manage impacts during the vegetation clearing works. The clearing area is located within Stages 2A and 2B of the development footprint, in the eastern portion of the project site. Thirty-eight fauna species were recorded during diurnal and nocturnal fauna surveys, comprising amphibian, bird, reptile and mammal species. The Vulnerable *Pteropus poliocephalus* (Grey-headed Flying-fox) were observed foraging onsite however no evidence of Koala or Powerful Owl was observed despite habitat mapping over the site / historic records in the vicinity of the site (refer to Ecological Assessment Report prepared by SHG 2020). The fauna management specifications and principles incorporated in this VCFMP applies generically to all native animals and focuses on avoiding conflicts and incorporating measures to minimize disturbance. Compliance with this section of the VCFMP is compulsory and incorporates the use of expert consultants including a Fauna Spotter (holding a valid Wildlife Rehabilitation Permit issued by the **Department of Environment and Science**).

FAUNA IMPACTS

Clearing of vegetation provides an obvious source of impact to existing habitat and animal safety. More specifically the existing vegetation provides habitat, movement and protection opportunities for some fauna through both regrowth and canopy trees. These opportunities are to be altered during and post vegetation clearing works.

CONSTRUCTION IMPACTS

- Direct removal of site vegetation
- Loss of habitat
- Noise, vibration and dust
- Erosion and sedimentation
- Threats associated with open cuts etc. and fauna entrapment
- Loss of food sources
- Excavation/compaction/changes in ground levels
- Altering hydrological flows
- Fragmentation of habitat

OPERATIONAL IMPACTS

- Weed introduction (garden escapees)
- Increased hydrology with increased hardstand
- Altering of run-off chemical and nutrient components (quality)
- Barriers to fauna movement
- Vehicles and pedestrian movement and trespass
- Introduction of domestic and predatory species

Fauna Management Schedule

1.0 PRE CLEARING				
Ref:	Management Item	Responsibility	Timing	Reporting
1.1	TEMPORARY FENCING Prior to the commencement of works and to be inspected by the site Environmental Coordinator—Delineate areas where vegetation is proposed to be retained with exclusion fencing to prevent accidental felling. Clearing is to be undertaken in accordance with AS 4970-2009 Protection of Trees on Development Sites. <ul style="list-style-type: none"> ▪ Fencing shall be fauna friendly ▪ No clearing, stockpiling, site access, earthworks, storage, etc. is to occur within the temporary protection fencing. ▪ Only approved weed management works to occur within the temporary protection fencing ▪ Fencing to be reinstated immediately if damaged or knocked down, any damage to retained trees to be immediately reported to Project Arborist. ▪ Fencing to remain until the completion of all site works. 	SITE SUPERVISOR	Prior to the commencement of clearing	Inspected by EDQ or the Environmental Site Coordinator
1.2	CONTRACTOR EDUCATION & AWARENESS All site contractors and subcontractors will be made aware of their responsibilities to protect native fauna. The Fauna Management notes on this VCFMP is provided as a working document to assist on-site management and protection of native animals. This generally will form part of education and training on a broader work place health and safety but as a minimum will include: <ul style="list-style-type: none"> ▪ Copy of VCFMP kept on-site (Site Office). ▪ General education and awareness notification of contractors and sub-contractors involved in activities potentially impacting native animals as part of site induction – contractors must know the location of the VCFMP, key phone numbers and who to report to if they breach the VCFMP. A list of relevant contact phone numbers as listed on these drawings is kept in a visible and accessible location in the site office.	SITE SUPERVISOR / THE PROPONENT	Prior to the commencement of clearing and as part of the site induction for new staff and sub-contractors	SITE SUPERVISOR
2.0 VEGETATION CLEARING				
2.1	SPOTTER / RELOCATOR Immediately prior to the commencement of clearing of native vegetation a daily visual inspection of the area must be carried out by the fauna spotter-catcher. Furthermore, the fauna spotter-catcher is to be present on site during all clearing operations to supervise and direct clearing works, and to respond to any situations that may arise in relation to fauna. In the event of an animal being located, a suitable buffer area (as determined by the fauna spotter-catcher) should be established around the animal's location that excludes machinery until it has relocated at its own accord (usually overnight). If an animal requires relocating this must be undertaken by a suitable qualified fauna expert recognized by the Department of Environment & Science . For some fauna, specific permit requirements may apply. If vegetation is left stockpiled overnight, the fauna spotter-catcher must inspect the vegetation prior to chipping or removal from site. Any native fauna orphaned or injured by the development process must be reported to the Department of Environment & Science (1300 130 372) or RSPCA (1300 264 625). The Site Supervisor is responsible for the safe management of site fauna and implementation of these specific fauna requirements.	SITE SUPERVISOR	Prior to the commencement, and during clearing	Inspected by EDQ or the Environmental Site Coordinator
2.2	SPECIFIC KOALA MANAGEMENT NOTES A Koala Spotter is a person who holds a tertiary qualification in Biology or Zoology, or who is demonstrably experienced in the identification and location of Koalas in their natural habitat. For example, a koala keeper employed by a licensed Wildlife exhibitor (i.e. a zoo) may be capable of demonstrating competence in locating Koala's. Prior to the commencement and during felling operations, it is the responsibility of the Koala spotter to be present at the site of felling operations identify any tree at the site within which a Koala is present, as well as any tree that has a crown which is intermeshed or overlapping with such a tree; and advise the person who is authorised to conduct the felling operation, or that persons' representative, of the precise location of each such tree Management Item.	SITE SUPERVISOR	Prior to the commencement, and during clearing	Inspected by EDQ or the Environmental Site Coordinator
2.3	CLEARING PATTERN / FAUNA FLUSHING Clearing occurs once the fauna spotter-catcher gives sign off the site is clear of significant native species. The intended clearing directions is towards the proposed Public Open Space Area along western portion of site. Clearing direction is subject to amendment by the fauna spotter-catcher. At the completion of operational works, and prior to the sealing of survey plans for the relevant stage, the fauna spotter-catcher must provide certification to EDQ officers that all works were undertaken in accordance with these fauna management requirements and specific EDQ requirements.	SITE SUPERVISOR	Prior to the commencement, and during clearing	Inspected by EDQ or the Environmental Site Coordinator



CLIENT:

ECONOMIC DEVELOPMENT
QUEENSLAND (EDQ)

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.
 CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN METRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.
 PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND OR BALD LOCATIONS OF ALL SERVICES.

REFERENCES:

AS4970-2009 Protection of trees on development sites
 Ecological Assessment Report (SHG 2020)

AMENDMENTS:

Issue	Date	Description	Checked
A	31/05/2021	Preliminary	JG

PROJECT:

STAGE 2
SEVENTEEN MILE ROCKS ROAD
OXLEY
(600SP236626 / 551SP142916)




PLAN OF:
Vegetation Clearing & Fauna
Management Plan

DATE: 31/05/2021 CHECKED: JG

CLIENT REF: 9216 DRAWN: MP

DRAWING No.: 9216 E 03 VCFMP Stage 2 A



No additional clearing proposed in Stage 2C

- Native tree not part of this application
- ▲ Exotic tree not part of this application
- Native tree removed
- ▲ Exotic tree removed
- Native tree to remove for Stage 2
- Significant tree to remove for Stage 2
- Native tree subject to arborist assessment Stage 2
- Native tree subject to arborist assessment Stage 2
- External native tree to remove during tree clearing for Stage 2
- Native tree to retain during tree clearing for Stage 2
- External native tree subject to arborist assessment
- Native tree to remove during tree clearing for remediation works
- Weed tree to remove during tree clearing for remediation works
- Native tree to remove during tree clearing for Stage 2 stockpiling
- ▲ Weed tree to remove during tree clearing for Stage 2 stockpiling
- Native tree to retain
- Significant tree to be retained
- Retention during clearing for remediations works subject to works extent / requirements
- Project Site
- Stage boundaries
- QLD DCDB
- Path design
- Road design
- Lot design
- Easement design
- Indicative detention basin
- 1.5m high pool fence
- Stage 1 design
- Extent of Cut
- Extent of Fill
- External works

Vegetation Clearing & Fauna Management Plan - Detail sheet context



CLIENT:
ECONOMIC DEVELOPMENT
QUEENSLAND (EDQ)

DISCLAIMER:
THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.
CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.
PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDER-GROUND SERVICES AND DETAIL LOCATIONS OF ALL SERVICES.

REFERENCES:
Engineering drawings (KN Group 2021)

1:3,000 @ A3

AMENDMENTS:


Issue	Date	Description	Checked
A	31/05/2021	Preliminary	JG
B	25/08/2021	Preliminary	JG
C	02/09/2021	Preliminary	JG
D	22/10/2021	External works	JG

PROJECT:
STAGE 2
SEVENTEEN MILE ROCKS ROAD
OXLEY
(600SP236626 / 551SP142916)

environmental management

PLAN OF:
Vegetation Clearing & Fauna Management Plan

DATE: 22/10/2021	CHECKED: JG
CLIENT REF: 9216	DRAWN: MP
DRAWING No.: 9216 E 04 VCFMP Stage 2 D	



TREE PROTECTION FENCING TO BE INSTALLED WHERE ADJOINING TREES TO BE RETAINED MAY BE IMPACTED BY CIVIL WORKS

- Tree not part of this application (w/TPZ)
- Significant tree subject to arborist assessment Stage 2 (w/TPZ)
- Native tree to be removed during tree clearing for Stage 2 stockpiling (w/TPZ)
- Native tree to remove for Stage 2 (w/TPZ)
- Significant tree to retain (w/TPZ)
- Native tree to remove during tree clearing for remediation works (w/TPZ)
- Native tree to retain (w/TPZ)
- External native tree subject to arborist assessment (w/TPZ)
- Native tree subject to arborist assessment Stage 2 (w/TPZ)
- External native tree to remove during tree clearing for Stage 2 (w/TPZ)
- Native tree to retain during tree clearing for Stage 2 (w/TPZ)
- External native tree subject to arborist assessment (w/TPZ)
- Native tree subject to arborist assessment Stage 2 (w/TPZ)
- Weed tree
- Dead tree / stag
- Retention during clearing for remediations works subject to works extent / requirements
- Project Site
- Tree Protection Fence
- Stage boundary
- QLD DCDB
- Path design
- Road design
- Lot design
- Easement design
- Building envelope
- Retaining wall
- 1.5m high pool fence
- Indicative detention basin
- Stage 1 design
- Major design contour
- Minor design contour
- Existing major contours
- Existing minor contours
- Full depth pavement
- Asphalt/concrete
- Extent of Cut
- Extent of Fill
- Vegetation stockpile location (indicative)

Vegetation Clearing & Fauna Management Plan - Detail sheet 05



CLIENT:
ECONOMIC DEVELOPMENT
QUEENSLAND (EDQ)

DISCLAIMER:
THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.
CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.
PRIOR TO ANY EXCAVATION, ERECTION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAIL LOCATIONS OF ALL SERVICES.

REFERENCES:
Engineering drawings
(KN Group 2021)



AMENDMENTS:	Issue	Date	Description	Checked
A	31/05/2021	Preliminary	JG	
B	25/08/2021	Preliminary	JG	
C	02/09/2021	Preliminary	JG	
D	22/10/2021	External works	JG	


PROJECT:
STAGE 2
SEVENTEEN MILE ROCKS ROAD
OXLEY
(600SP236626 / 551SP142916)

environmental management	
PLAN OF: Vegetation Clearing & Fauna Management Plan	
DATE: 22/10/2021	CHECKED: JG
CLIENT REF.: 9216	DRAWN: MP
DRAWING No.: 9216 E 05 VCFMP Stage 2 D	

1:500 @ A3

203 PUBLIC RECREATION PARK PART 2


1.8ha
STAGE 2B




- Tree not part of this application (w/TPZ)
- Tree removed for remediation works (w/TPZ)
- Native tree to remove for Stage 2 (w/TPZ)
- Significant tree to retain (w/TPZ)
- Significant tree subject to arborist assessment Stage 2 (w/TPZ)
- Native tree to be removed during tree clearing for Stage 2 stockpiling (w/TPZ)
- Native tree to remove during tree clearing for remediation works (w/TPZ)
- Native tree to retain (w/TPZ)
- External native tree to remove during tree clearing for Stage 2 (w/TPZ)
- Native tree to retain during tree clearing for Stage 2 (w/TPZ)
- External native tree subject to arborist assessment (w/TPZ)
- Native tree subject to arborist assessment Stage 2 (w/TPZ)
- △ Weed tree
- Dead tree / stag
- Retention during clearing for remediations works subject to works extent / requirements
- Project Site
- Tree Protection Fence
- Stage boundary
- QLD DCDB
- Path design
- Road design
- Lot design
- Easement design
- - - Building envelope
- Retaining wall
- - - 1.5m high pool fence
- Indicative detention basin
- Stage 1 design
- - - Major design contour
- - - Minor design contour
- - - Existing major contours
- - - Existing minor contours
- ▨ Full depth pavement
- Asphalt/concrete
- Extent of Cut
- Extent of Fill
- Vegetation stockpile location (indicative)

Vegetation Clearing & Fauna Management Plan - Detail sheet 06

	CLIENT: ECONOMIC DEVELOPMENT QUEENSLAND (EDQ)	DISCLAIMER: THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK. PRIOR TO ANY EXCAVATION, ERECTION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAIL LOCATIONS OF ALL SERVICES.	REFERENCES: Engineering drawings (KN Group 2021)		AMENDMENTS: <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Issue</th> <th>Date</th> <th>Description</th> <th>Checked</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>31/05/2021</td> <td>Preliminary</td> <td>JG</td> </tr> <tr> <td>B</td> <td>25/08/2021</td> <td>Preliminary</td> <td>JG</td> </tr> <tr> <td>C</td> <td>02/09/2021</td> <td>Preliminary</td> <td>JG</td> </tr> <tr> <td>D</td> <td>22/10/2021</td> <td>External works</td> <td>JG</td> </tr> </tbody> </table>	Issue	Date	Description	Checked	A	31/05/2021	Preliminary	JG	B	25/08/2021	Preliminary	JG	C	02/09/2021	Preliminary	JG	D	22/10/2021	External works	JG	PROJECT: STAGE 2 SEVENTEEN MILE ROCKS ROAD OXLEY (600SP236626 / 551SP142916)	environmental management PLAN OF: Vegetation Clearing & Fauna Management Plan DATE: 22/10/2021 CHECKED: JG CLIENT REF: 9216 DRAWN: MP DRAWING No.: 9216 E 06 VCFMP Stage 2 D
Issue	Date	Description	Checked																								
A	31/05/2021	Preliminary	JG																								
B	25/08/2021	Preliminary	JG																								
C	02/09/2021	Preliminary	JG																								
D	22/10/2021	External works	JG																								





- Tree not part of this application (w/TPZ)
- Tree removed for remediation works (w/TPZ)
- Native tree to remove for Stage 2 (w/TPZ)
- Significant tree to retain (w/TPZ)
- Significant tree subject to arborist assessment Stage 2 (w/TPZ)
- Native tree to be removed during tree clearing for Stage 2 stockpiling (w/TPZ)
- Native tree to remove during tree clearing for remediation works (w/TPZ)
- Native tree to retain (w/TPZ)
- External native tree to remove during tree clearing for Stage 2 (w/TPZ)
- Native tree to retain during tree clearing for Stage 2 (w/TPZ)
- External native tree subject to arborist assessment (w/TPZ)
- Native tree subject to arborist assessment Stage 2 (w/TPZ)
- △ Weed tree
- Dead tree / stag
- Retention during clearing for remediations works subject to works extent / requirements
- Project Site
- Tree Protection Fence
- Stage boundary
- QLD DCDB
- Path design
- Road design
- Lot design
- Easement design
- Building envelope
- Retaining wall
- 1.5m high pool fence
- Indicative detention basin
- Stage 1 design
- Major design contour
- Minor design contour
- Existing major contours
- Existing minor contours
- Full depth pavement
- Asphalt/concrete
- Extent of Cut
- Extent of Fill
- Vegetation stockpile location (indicative)

Vegetation Clearing & Fauna Management Plan - Detail sheet 07



CLIENT:
ECONOMIC DEVELOPMENT QUEENSLAND (EDQ)


DISCLAIMER:
THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.
CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.
PRIOR TO ANY EXCAVATION, ERECTION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.


REFERENCES:
Engineering drawings (KN Group 2021)

AMENDMENTS:	Issue	Date	Description	Checked
A	31/05/2021	Preliminary	JG	
B	25/08/2021	Preliminary	JG	
C	02/09/2021	Preliminary	JG	
D	22/10/2021	External works	JG	

PROJECT:
STAGE 2 SEVENTEEN MILE ROCKS ROAD OXLEY (600SP236626 / 551SP142916)

environmental management	
PLAN OF: Vegetation Clearing & Fauna Management Plan	
DATE: 22/10/2021	CHECKED: JG
CLIENT REF: 9216	DRAWN: MP
DRAWING No.: 9216 E 07 VCFMP Stage 2 D	





<ul style="list-style-type: none"> Tree not part of this application (w/TPZ) Tree removed for remediation works (w/TPZ) Native tree to remove for Stage 2 (w/TPZ) Significant tree to retain (w/TPZ) 	<ul style="list-style-type: none"> Significant tree subject to arborist assessment Stage 2 (w/TPZ) Native tree to be removed during tree clearing for Stage 2 stockpiling (w/TPZ) Native tree to remove during tree clearing for remediation works (w/TPZ) Native tree to retain (w/TPZ) 	<ul style="list-style-type: none"> External native tree to remove during tree clearing for Stage 2 (w/TPZ) Native tree to retain during tree clearing for Stage 2 (w/TPZ) External native tree subject to arborist assessment (w/TPZ) Native tree subject to arborist assessment Stage 2 (w/TPZ) 	<ul style="list-style-type: none"> Weed tree Dead tree / stag Retention during clearing for remediations works subject to works extent / requirements Project Site Tree Protection Fence Stage boundary 	<ul style="list-style-type: none"> QLD DCDB Path design Road design Lot design Easement design Building envelope 	<ul style="list-style-type: none"> Retaining wall 1.5m high pool fence Indicative detention basin Stage 1 design Major design contour Minor design contour Existing major contours 	<ul style="list-style-type: none"> Existing minor contours Full depth pavement Asphalt/concrete Extent of Cut Extent of Fill Vegetation stockpile location (indicative)
--	--	--	---	--	---	---

Vegetation Clearing & Fauna Management Plan - Detail sheet 08



CLIENT:
ECONOMIC DEVELOPMENT
QUEENSLAND (EDQ)


DISCLAIMER:
THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.
CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.
PRIOR TO ANY EXCAVATION, ERECTION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDER-GROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.


REFERENCES:
Engineering drawings (KN Group 2021)

AMENDMENTS:	Issue	Date	Description	Checked
A	31/05/2021	Preliminary	JG	
B	25/08/2021	Preliminary	JG	
C	02/09/2021	Preliminary	JG	
D	22/10/2021	External works	JG	

PROJECT:
STAGE 2
SEVENTEEN MILE ROCKS ROAD
OXLEY
(600SP236626 / 551SP142916)

environmental management	
PLAN OF: Vegetation Clearing & Fauna Management Plan	
DATE: 22/10/2021	CHECKED: JG
CLIENT REF: 9216	DRAWN: MP
DRAWING No.: 9216 E 08 VCFMP Stage 2 D	





TREE PROTECTION FENCING TO BE INSTALLED WHERE EARTHWORKS ENCRACHES ON OR IS ADJACENT TO TPZ OF TREES TO BE RETAINED. ALL WORKS WITHIN TPZ TO BE SUPERVISED BY THE PROJECT ARBORIST. LOCATION OF TREE PROTECTION FENCING SUBJECT TO CHANGE FOLLOWING ARBORIST ASSESSMENT.

LOCATION OF TREE PROTECTION FENCING SUBJECT TO CHANGE FOLLOWING ARBORIST ASSESSMENT

LOCATION OF TREE PROTECTION FENCING SUBJECT TO CHANGE FOLLOWING ARBORIST ASSESSMENT

- Tree not part of this application (w/TPZ)
- Tree removed for remediation works (w/TPZ)
- Native tree to remove for Stage 2 (w/TPZ)
- Significant tree to retain (w/TPZ)
- Significant tree subject to arborist assessment Stage 2 (w/TPZ)
- Native tree to be removed during tree clearing for Stage 2 stockpiling (w/TPZ)
- Native tree to remove during tree clearing for remediation works (w/TPZ)
- Native tree to retain (w/TPZ)
- External native tree to remove during tree clearing for Stage 2 (w/TPZ)
- External native tree subject to arborist assessment (w/TPZ)
- Native tree subject to arborist assessment Stage 2 (w/TPZ)
- Weed tree
- Dead tree / stag
- Retention during clearing for remediations works subject to works extent / requirements
- Project Site
- Tree Protection Fence
- Stage boundary
- QLD DCDB
- Path design
- Road design
- Lot design
- Easement design
- Building envelope
- Retaining wall
- 1.5m high pool fence
- Indicative detention basin
- Stage 1 design
- Major design contour
- Minor design contour
- Existing major contours
- Existing minor contours
- Full depth pavement
- Asphalt/concrete
- Extent of Cut
- Extent of Fill
- Vegetation stockpile location (indicative)

Vegetation Clearing & Fauna Management Plan - Detail sheet 09



CLIENT:
ECONOMIC DEVELOPMENT
QUEENSLAND (EDQ)

DISCLAIMER:
THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.
CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.
PRIOR TO ANY EXCAVATION, ERECTION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:
Engineering drawings
(KN Group 2021)




AMENDMENTS:	Issue	Date	Description	Checked
A	31/05/2021	Preliminary	JG	
B	25/08/2021	Preliminary	JG	
C	02/09/2021	Preliminary	JG	
D	22/10/2021	External works	JG	

PROJECT:
STAGE 2
SEVENTEEN MILE ROCKS ROAD
OXLEY
(600SP236626 / 551SP142916)

environmental management	
PLAN OF: Vegetation Clearing & Fauna Management Plan	
DATE: 22/10/2021	CHECKED: JG
CLIENT REF: 9216	DRAWN: MP
DRAWING No.: 9216 E 09 VCFMP Stage 2 D	

1:500 @ A3



TREE PROTECTION FENCING TO BE INSTALLED WHERE EARTHWORKS ENCOACHES ON OR IS ADJACENT TO TPZ OF TREES TO BE RETAINED. ALL WORKS WITHIN TPZ TO BE SUPERVISED BY THE PROJECT ARBORIST. LOCATION OF TREE PROTECTION FENCING SUBJECT TO CHANGE FOLLOWING ARBORIST ASSESSMENT.

- Tree not part of this application (w/TPZ)
- Tree removed for remediation works (w/TPZ)
- Native tree to remove for Stage 2 (w/TPZ)
- Significant tree to retain (w/TPZ)
- Significant tree subject to arborist assessment Stage 2 (w/TPZ)
- Native tree to be removed during tree clearing for Stage 2 stockpiling (w/TPZ)
- Native tree to remove during tree clearing for remediation works (w/TPZ)
- Native tree to retain (w/TPZ)
- External native tree to remove during tree clearing for Stage 2 (w/TPZ)
- Native tree to retain during tree clearing for Stage 2 (w/TPZ)
- External native tree subject to arborist assessment (w/TPZ)
- Native tree subject to arborist assessment Stage 2 (w/TPZ)
- Weed tree
- Dead tree / stag
- Retention during clearing for remediations works subject to works extent / requirements
- Project Site
- Tree Protection Fence
- Stage boundary
- QLD DCDB
- Path design
- Road design
- Lot design
- Easement design
- Building envelope
- Retaining wall
- 1.5m high pool fence
- Indicative detention basin
- Stage 1 design
- Major design contour
- Minor design contour
- Existing major contours
- Existing minor contours
- Full depth pavement
- Asphalt/concrete
- Extent of Cut
- Extent of Fill
- Vegetation stockpile location (indicative)

Vegetation Clearing & Fauna Management Plan - Detail sheet 10



CLIENT:
ECONOMIC DEVELOPMENT
QUEENSLAND (EDQ)

DISCLAIMER:
THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.
CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.
PRIOR TO ANY EXCAVATION, ERECTION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

REFERENCES:
Engineering drawings
(KN Group 2021)



AMENDMENTS:	Issue	Date	Description	Checked
A	31/05/2021	Preliminary	JG	
B	25/08/2021	Preliminary	JG	
C	02/09/2021	Preliminary	JG	
D	22/10/2021	External works	JG	

PROJECT:
STAGE 2
SEVENTEEN MILE ROCKS ROAD
OXLEY
(600SP236626 / 551SP142916)


environmental management

PLAN OF:
Vegetation Clearing & Fauna Management Plan

DATE: 22/10/2021	CHECKED: JG
CLIENT REF: 9216	DRAWN: MP
DRAWING No.: 9216 E 10 VCFMP Stage 2 D	



1:500 @ A3



Clearing direction to be determined by Fauna Spotter Catcher

- Native tree not part of this application
- ▲ Exotic tree not part of this application
- Native tree removed
- ▲ Exotic tree removed
- Native tree to remove for Stage 2
- Significant tree subject to arborist assessment Stage 2
- Native tree subject to arborist assessment Stage 2
- External native tree to remove during tree clearing for Stage 2
- Native tree to retain during tree clearing for Stage 2
- External native tree subject to arborist assessment
- Native tree to remove during tree clearing for remediation works
- Weed tree to remove during tree clearing for remediation works
- Native tree to remove during tree clearing for Stage 2 stockpiling
- ▲ Weed tree to remove during tree clearing for Stage 2 stockpiling
- Native tree to retain
- Significant tree to be retained
- Retention during clearing for remediations works subject to works extent / requirements
- Project Site
- Tree Protection Fence
- Extent of Cut
- Extent of Fill
- External works
- Vegetation stockpile location (indicative)
- ← Vegetation clearing direction


Vegetation Clearing & Fauna Management Plan - Clearing Direction



CLIENT:
ECONOMIC DEVELOPMENT
QUEENSLAND (EDQ)

DISCLAIMER:
THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.
CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.
PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAIL LOCATIONS OF ALL SERVICES.

REFERENCES:
Engineering drawings
(KN Group 2021)



AMENDMENTS:	Issue	Date	Description	Checked
A	31/05/2021	Preliminary	JG	
B	25/08/2021	Preliminary	JG	
C	02/09/2021	Preliminary	JG	
D	22/10/2021	External works	JG	

PROJECT:
STAGE 2
SEVENTEEN MILE ROCKS ROAD
OXLEY
(600SP236626 / 551SP142916)

environmental management	
PLAN OF: Vegetation Clearing & Fauna Management Plan	
DATE: 22/10/2021	CHECKED: JG
CLIENT REF: 9216	DRAWN: MP
DRAWING No.: 9216 E 11 VCFMP Stage 2 D	

Tree ID	Specimen Details										Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Retention	Additional Notes		
	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest			Habitat Value	
1	<i>Ficus macrophylla</i>	Moreton Bay Fig	580	290, 260	699	219	12.0	14.0	8.4	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
2	<i>Eucalyptus siderophloia</i>	Grey Ironbark	730		730	229	25.0	14.0	8.8	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
3	<i>Eucalyptus siderophloia</i>	Grey Ironbark	955		955	300	26.0	10.0	11.5	3.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
4	<i>Corymbia citriodora</i>	Spotted Gum	810		810	254	27.0	14.0	9.7	3.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
5	<i>Corymbia citriodora</i>	Spotted Gum	570		570	179	27.0	12.0	6.8	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
6	<i>Corymbia citriodora</i>	Spotted Gum	570		570	179	27.0	11.0	6.8	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Old	-	-	-	-	-	Not part of this application	
7	<i>Flindersia australis</i>	Crows Ash	300		300	94	11.0	5.0	3.6	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
8	<i>Flindersia australis</i>	Crows Ash	510		510	160	12.0	7.0	6.1	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
9	<i>Flindersia australis</i>	Crows Ash	295		295	93	11.0	5.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
10	<i>Jacaranda mimosifolia</i>	Jacaranda	495		495	156	10.0	16.0	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
11	<i>Flindersia australis</i>	Crows Ash	440		440	138	15.0	7.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
12	<i>Flindersia australis</i>	Crows Ash	590		590	185	17.0	8.0	7.1	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
13	<i>Flindersia australis</i>	Crows Ash	535		535	168	17.0	7.0	6.4	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
14	<i>Delonix regia</i>	Poinciana	400	325	515	162	9.0	12.0	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
15	<i>Flindersia australis</i>	Crows Ash	430	395, 235	629	198	17.0	9.0	7.6	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
16	<i>Flindersia australis</i>	Crows Ash	630		630	198	18.0	10.0	7.6	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
17	<i>Flindersia australis</i>	Crows Ash	495		495	156	17.0	9.0	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
18	<i>Flindersia australis</i>	Crows Ash	420		420	132	18.0	8.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
19	<i>Flindersia australis</i>	Crows Ash	170		170	53	8.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
20	<i>Flindersia australis</i>	Crows Ash	510		510	160	14.0	8.0	6.1	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
21	<i>Flindersia australis</i>	Crows Ash	345		345	108	15.0	7.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
22	<i>Flindersia australis</i>	Crows Ash	350		350	110	13.0	9.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
23	<i>Flindersia australis</i>	Crows Ash	410		410	129	17.0	9.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
24	<i>Flindersia australis</i>	Crows Ash	175		175	55	9.0	4.0	2.1	1.6	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
25	<i>Flindersia australis</i>	Crows Ash	500		500	157	16.0	8.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
26	<i>Flindersia australis</i>	Crows Ash	350		350	110	13.0	7.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
27	<i>Flindersia australis</i>	Crows Ash	275		275	86	12.0	5.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
28	<i>Flindersia australis</i>	Crows Ash	210		210	66	8.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
29	<i>Jagera pseudorhus</i>	Foambark Tree	200	160, 135	290	91	9.0	8.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
30	<i>Flindersia australis</i>	Crows Ash	265		265	83	11.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
31	<i>Flindersia australis</i>	Crows Ash	320		320	101	11.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
32	<i>Flindersia australis</i>	Crows Ash	200		200	63	8.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
33	<i>Flindersia australis</i>	Crows Ash	165		165	52	9.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
34	<i>Flindersia australis</i>	Crows Ash	185		185	58	10.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
35	<i>Flindersia australis</i>	Crows Ash	260		260	82	11.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
36	<i>Flindersia australis</i>	Crows Ash	245		245	77	11.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
37	<i>Eucalyptus propinqua</i>	Grey Gum	1140		1140	358	34.0	16.0	13.7	3.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Old	-	-	-	-	-	Arborist Stage 2 (Significant tree)	
38	<i>Eucalyptus tereticornis</i>	Forest Red Gum	810		810	254	33.0	12.0	9.7	3.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain (Significant tree)	
39	<i>Eucalyptus tereticornis</i>	Forest Red Gum	860		860	270	27.0	14.0	10.3	3.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain (Significant tree)	

Tree ID	Specimen Details										Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Retention	Additional Notes	
	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest			Habitat Value
40	<i>Eucalyptus tereticornis</i>	Forest Red Gum	690		690	217	27.0	12.0	8.3	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain (Significant tree)	
41	<i>Eucalyptus tereticornis</i>	Forest Red Gum	1480		1480	465	37.0	22.0	15.0	3.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain (Significant tree)	
42	<i>Eucalyptus siderophloia</i>	Grey Ironbark	540	490	729	229	23.0	11.0	8.8	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Arborist Stage 2 subject to remediation	
43	<i>Eucalyptus siderophloia</i>	Grey Ironbark	750		750	236	26.0	14.0	9.0	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Remove remediation works	
44	<i>Grevillea robusta</i>	Silky Oak	520		520	163	21.0	8.0	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
45	<i>Eucalyptus microcorys</i>	Tallowwood	505		505	159	22.0	12.0	6.1	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove Stockpiling Stage 2	
46	<i>Eucalyptus siderophloia</i>	Grey Ironbark	765	265	810	254	27.0	14.0	9.7	3.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove Stockpiling Stage 2	
47	<i>Eucalyptus siderophloia</i>	Grey Ironbark	680		680	214	29.0	12.0	8.2	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Removed	
48	<i>Corymbia citriodora</i>	Spotted Gum	1065		1065	335	34.0	14.0	12.8	3.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
49	<i>Corymbia citriodora</i>	Spotted Gum	525		525	165	27.0	11.0	6.3	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
50	<i>Corymbia citriodora</i>	Spotted Gum	550		550	173	30.0	8.0	6.6	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
51	<i>Eucalyptus siderophloia</i>	Grey Ironbark	680		680	214	34.0	10.0	8.2	2.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
52	<i>Corymbia citriodora</i>	Spotted Gum	820		820	258	36.0	14.0	9.8	3.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
53	<i>Corymbia citriodora</i>	Spotted Gum	380		380	119	32.0	8.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
54	<i>Corymbia citriodora</i>	Spotted Gum	365		365	115	26.0	9.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
55	<i>Corymbia citriodora</i>	Spotted Gum	365		365	115	26.0	9.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
56	<i>Corymbia trachyphloia</i>	Brown Bloodwood	260		260	82	12.0	5.0	3.1	1.9	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
57	<i>Corymbia citriodora</i>	Spotted Gum	720		720	226	34.0	14.0	8.6	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
58	<i>Corymbia citriodora</i>	Spotted Gum	580		580	182	30.0	11.0	7.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
59	<i>Corymbia citriodora</i>	Spotted Gum	700		700	220	34.0	14.0	8.4	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
60	<i>Corymbia citriodora</i>	Spotted Gum	670		670	210	32.0	12.0	8.0	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
61	<i>Corymbia citriodora</i>	Spotted Gum	550		550	173	32.0	10.0	6.6	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
62	<i>Eucalyptus grandis</i>	Flooded Gum	790		790	248	26.0	12.0	9.5	3.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
63	<i>Corymbia citriodora</i>	Spotted Gum	485		485	152	25.0	12.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
64	<i>Corymbia citriodora</i>	Spotted Gum	580		580	182	32.0	12.0	7.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
65	<i>Corymbia citriodora</i>	Spotted Gum	600		600	188	32.0	9.0	7.2	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
66	<i>Corymbia citriodora</i>	Spotted Gum	570		570	179	32.0	12.0	6.8	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
67	<i>Corymbia citriodora</i>	Spotted Gum	485		485	152	25.0	11.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
68	<i>Eucalyptus siderophloia</i>	Grey Ironbark	960		960	302	36.0	16.0	11.5	3.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
69	<i>Lophostemon confertus</i>	Brush Box	530		530	167	17.0	12.0	6.4	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
70	<i>Eucalyptus siderophloia</i>	Grey Ironbark	820	540	982	308	34.0	12.0	11.8	3.3	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Not part of this application	
71	<i>Eucalyptus siderophloia</i>	Grey Ironbark	575		575	181	32.0	12.0	6.9	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
72	<i>Eucalyptus siderophloia</i>	Grey Ironbark	670		670	210	29.0	14.0	8.0	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
73	<i>Eucalyptus siderophloia</i>	Grey Ironbark	530		530	167	28.0	12.0	6.4	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
74	<i>Corymbia citriodora</i>	Spotted Gum	575		575	181	28.0	12.0	6.9	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
75	<i>Lophostemon confertus</i>	Brush Box	590		590	185	16.0	10.0	7.1	2.7	Regular	-	-	-	-	-	Typical	-	-	Introduced	-	Typical	-	-	-	-	-	-	Not part of this application	
76	<i>Eucalyptus moluccana</i>	Gum-Topped Box	240		240	75	16.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
77	<i>Eucalyptus moluccana</i>	Gum-Topped Box	670		670	210	26.0	12.0	8.0	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
78	<i>Celtis sinensis</i>	Chinese Elm	165		165	52	10.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
79	<i>Celtis sinensis</i>	Chinese Elm	180		180	57	10.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
80	<i>Acacia dispartima</i>	Hickory Wattle	265		265	83	10.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	Introduced	-	Typical	-	-	-	-	-	-	Not part of this application	
81	<i>Alphitonia excelsa</i>	Soap Tree	140		140	44	11.0	4.0	2.0	1.4	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	

Tree ID	Specimen Details										Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Retention	Additional Notes			
	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest			Habitat Value		
82	<i>Acacia disparrima</i>	Hickory-Wattle	240		240	75	11.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	Introduced	-	-	Typical	-	-	-	-	-	-	-	Not part of this application		
83	<i>Celtis sinensis</i>	Chinese-Elm	155		155	49	9.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application		
84	<i>Lophostemon confertus</i>	Brush-Box	620		620	195	15.0	8.0	7.4	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application		
85	<i>Lophostemon confertus</i>	Brush-Box	420		420	132	16.0	7.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application		
86	<i>Lophostemon confertus</i>	Brush-Box	445		445	140	16.0	6.0	5.3	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application		
87	<i>Acacia disparrima</i>	Hickory-Wattle	165		165	52	10.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application		
88	<i>Eucalyptus siderophloia</i>	Grey-Ironbark	260		260	82	16.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application		
89	<i>Acacia disparrima</i>	Hickory-Wattle	160		160	50	11.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application		
90	<i>Lophostemon confertus</i>	Brush-Box	150		150	47	10.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application		
91	<i>Eucalyptus siderophloia</i>	Grey-Ironbark	250		250	79	14.0	5.0	3.0	1.8	One-sided	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application		
92	<i>Eucalyptus siderophloia</i>	Grey-Ironbark	460		460	145	22.0	7.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application		
93	<i>Eucalyptus siderophloia</i>	Grey-Ironbark	465		465	146	23.0	7.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application		
94	<i>Commersonia bartramia</i>	Brown-Kurrajong	220	140, 130, 130	319	100	11.0	6.0	3.8	2.0	Regular	-	-	-	-	-	Typical	-	Introduced	-	-	Typical	-	-	-	-	-	-	-	Not part of this application		
95	<i>Lophostemon confertus</i>	Brush-Box	165		165	52	11.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application		
96	<i>Eucalyptus siderophloia</i>	Grey-Ironbark	235		235	74	22.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application		
97	<i>Auranticarpa rhombifolia</i>	Pittosporum	130		130	41	11.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application		
98	<i>Eucalyptus siderophloia</i>	Grey-Ironbark	245		245	77	18.0	5.0	2.9	1.8	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application		
99	<i>Jagera pseudorhus</i>	Foambark-Tree	180		180	57	11.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application		
100	<i>Eucalyptus siderophloia</i>	Grey-Ironbark	495		495	156	23.0	14.0	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite-nest	-	-	Not part of this application		
101	<i>Glochidion ferdinandi</i>	Cheese-Tree	265		265	83	10.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application		
102	<i>Jagera pseudorhus</i>	Foambark-Tree	125		125	39	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application		
103	<i>Acacia disparrima</i>	Hickory-Wattle	235		235	74	10.0	5.0	2.8	1.8	One-sided	-	-	-	-	-	Typical	Minor	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
104	<i>Lophostemon confertus</i>	Brush-Box	580	400	705	221	20.0	14.0	8.5	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application		
105	<i>Commersonia bartramia</i>	Brown-Kurrajong	125		125	39	7.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application		
106	<i>Acacia disparrima</i>	Hickory-Wattle	220		220	69	12.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application		
107	<i>Eucalyptus siderophloia</i>	Grey-Ironbark	310		310	97	13.0	4.0	3.7	2.0	Regular	-	-	-	Epicormic	Lopped	Poor	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application		
108	<i>Jagera pseudorhus</i>	Foambark-Tree	125		125	39	9.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application		
109	<i>Alphitonia excelsa</i>	Soap-Tree	130		130	41	10.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application		
110	<i>Acacia leiocalyx</i>	Early-Flowering Black-Wattle	185		185	58	9.0	5.0	2.2	1.6	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application		
111	<i>Eucalyptus siderophloia</i>	Grey-Ironbark	440		440	138	23.0	10.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite-nest	-	-	Not part of this application		
112	<i>Eucalyptus siderophloia</i>	Grey-Ironbark	510		510	160	24.0	11.0	6.1	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application		
113	<i>Eucalyptus siderophloia</i>	Grey-Ironbark	270		270	85	23.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application		
114	<i>Lophostemon confertus</i>	Brush-Box	365		365	115	17.0	7.0	4.4	2.2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application		
115	<i>Commersonia bartramia</i>	Brown-Kurrajong	160	165	230	72	9.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application		
116	<i>Alphitonia excelsa</i>	Soap-Tree	150		150	47	9.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application		
117	<i>Eucalyptus siderophloia</i>	Grey-Ironbark	500		500	157	27.0	14.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite-nest	-	-	Not part of this application		
118	<i>Eucalyptus siderophloia</i>	Grey-Ironbark	240	140	278	87	17.0	6.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application		
119	<i>Eucalyptus siderophloia</i>	Grey-Ironbark	465		465	146	23.0	9.0	5.6	2.4	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application		
120	DEAD/STAG		620	620	877	275	17.0	7.0	10.5	3.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	-	Not part of this application		
121	<i>Eucalyptus siderophloia</i>	Grey-Ironbark	165		165	52	12.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	Minor	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
122	<i>Eucalyptus siderophloia</i>	Grey-Ironbark	165		165	52	12.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application		
123	<i>Eucalyptus siderophloia</i>	Grey-Ironbark	620		620	195	23.0	14.0	7.4	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application		

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Retention	Additional Notes		
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes	
124	<i>Eucalyptus siderophloia</i>	Grey Ironbark	390		390	123	17.0	8.0	4.7	2.2	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
125	<i>Eucalyptus siderophloia</i>	Grey Ironbark	480		480	151	18.0	9.0	5.8	2.4	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
126	<i>Eucalyptus siderophloia</i>	Grey Ironbark	270		270	85	17.0	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
127	<i>Eucalyptus siderophloia</i>	Grey Ironbark	230		230	72	16.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
128	<i>Acacia dispartima</i>	Hickory Wattle	390		390	123	12.0	8.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
129	<i>Glochidion ferdinandi</i>	Cheese Tree	160	120, 100	224	70	9.0	5.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
130	<i>Lophostemon suaveolens</i>	Swmap Box	210		210	66	11.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
131	<i>Alphitonia excelsa</i>	Soap Tree	165		165	52	8.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	Major	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
132	<i>Alphitonia excelsa</i>	Soap Tree	150		150	47	12.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
133	<i>Flindersia schottiana</i>	Bumpy Ash	650		650	204	22.0	11.0	7.8	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
134	<i>Alphitonia excelsa</i>	Soap Tree	220		220	69	12.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
135	<i>Acacia dispartima</i>	Hickory Wattle	230		230	72	12.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
136	<i>Alphitonia excelsa</i>	Soap Tree	185		185	58	12.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
137	<i>Alphitonia excelsa</i>	Soap Tree	200		200	63	11.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
138	<i>Acacia dispartima</i>	Hickory Wattle	240		240	75	13.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	Both	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
139	<i>Acacia dispartima</i>	Hickory Wattle	240		240	75	12.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	Introduced	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
140	<i>Acacia dispartima</i>	Hickory Wattle	185		185	58	11.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
141	<i>Acacia dispartima</i>	Hickory Wattle	165		165	52	12.0	2.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	Introduced	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
142	<i>Acacia dispartima</i>	Hickory Wattle	205		205	64	11.0	2.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
143	<i>Corymbia torelliana</i>	Cadaghi	270		270	85	13.0	5.0	3.2	1.9	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
144	<i>Lophostemon confertus</i>	Brush Box	760		760	239	20.0	8.0	9.1	2.9	Regular	-	-	-	-	-	Typical	-	Introduced	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
145	<i>Jagera pseudorhus</i>	Foambark Tree	180	140, 125, 140	295	93	11.0	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
146	<i>Corymbia torelliana</i>	Cadaghi	210		210	66	9.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
147	<i>Lophostemon confertus</i>	Brush Box	210		210	66	12.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
148	<i>Lophostemon confertus</i>	Brush Box	200		200	63	10.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
149	<i>Acacia dispartima</i>	Hickory Wattle	260		260	82	12.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	Introduced	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
150	<i>Auranticarpa rhombifolia</i>	Pittosporum	370	120	389	122	16.0	7.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	Introduced	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
151	<i>Schinus terebinthifolius</i>	Broadleaved Pepper Tree	240	120	268	84	8.0	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
152	<i>Corymbia torelliana</i>	Cadaghi	150		150	47	11.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
153	<i>Corymbia torelliana</i>	Cadaghi	130		130	41	9.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
154	<i>Corymbia torelliana</i>	Cadaghi	330		330	104	16.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	Introduced	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
155	<i>Lophostemon confertus</i>	Brush Box	640		640	201	17.0	8.0	7.7	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
156	<i>Acacia leiocalyx</i>	Early Flowering Black Wattle	125		125	39	10.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	Introduced	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
157	<i>Acacia dispartima</i>	Hickory Wattle	235		235	74	12.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
158	<i>Acacia dispartima</i>	Hickory Wattle	220		220	69	12.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	Introduced	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
159	<i>Acacia leiocalyx</i>	Early Flowering Black Wattle	180		180	57	11.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	Introduced	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
160	<i>Lophostemon confertus</i>	Brush Box	260		260	82	14.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	Introduced	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
161	<i>Lophostemon confertus</i>	Brush Box	360		360	113	15.0	6.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	Introduced	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
162	<i>Acacia leiocalyx</i>	Early Flowering Black Wattle	160		160	50	11.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
163	<i>Stenocarpus sinuatus</i>	Wheel of Fire	160		160	50	11.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	Introduced	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
164	<i>Auranticarpa rhombifolia</i>	Pittosporum	165	110, 90	218	68	11.0	5.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
165	<i>Acacia dispartima</i>	Hickory Wattle	340		340	107	12.0	6.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	Introduced	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Retention	Additional Notes		
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes	
166	<i>Jagera pseudorhus</i>	Foambark Tree	230	230	325	102	13.0	6.0	3.9	2.1	Regular	-	-	-	-	-	Typical	-	Introduced	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
167	<i>Mallotus philippensis</i>	Red Kamala	135		135	42	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	Introduced	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
168	<i>Auranticarpa rhombifolia</i>	Pittosporum	200		200	63	12.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	Introduced	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
169	<i>Lophostemon confertus</i>	Brush-Box	570		570	179	17.0	8.0	6.8	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
170	<i>Lophostemon confertus</i>	Brush-Box	460	120, 140, 130	512	161	12.0	5.0	6.1	2.5	Regular	-	-	-	-	Lopped	Typical	-	-	Trunk Dmg.	-	Poor	-	-	-	-	-	-	-	Not part of this application	
171	<i>Lophostemon confertus</i>	Brush-Box	465		465	146	17.0	8.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
172	<i>Lophostemon confertus</i>	Brush-Box	450		450	141	20.0	6.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	Introduced	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
173	<i>Lophostemon confertus</i>	Brush-Box	380	150, 100, 130	440	138	16.0	5.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	Introduced	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
174	<i>Auranticarpa rhombifolia</i>	Pittosporum	200		200	63	9.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
175	<i>Acacia leiocalyx</i>	Early-Flowering Black Wattle	195		195	61	9.0	5.0	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
176	<i>Acacia disparrima</i>	Hickory Wattle	250		250	79	13.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
177	<i>Acacia disparrima</i>	Hickory Wattle	220	130	256	80	13.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
178	<i>Acacia disparrima</i>	Hickory Wattle	180	160	241	76	12.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
179	<i>Acacia disparrima</i>	Hickory Wattle	155	135, 80	221	69	11.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
180	<i>Acacia disparrima</i>	Hickory Wattle	195		195	61	12.0	4.0	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
181	<i>Acacia disparrima</i>	Hickory Wattle	210	170, 200	336	106	11.0	5.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
182	<i>Acacia disparrima</i>	Hickory Wattle	200	180	269	85	12.0	3.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
183	<i>Acacia disparrima</i>	Hickory Wattle	230	190, 230, 250	452	142	12.0	6.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
184	<i>Auranticarpa rhombifolia</i>	Pittosporum	160		160	50	12.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
185	<i>Mallotus philippensis</i>	Red Kamala	130	70	148	46	7.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
186	<i>Alphitonia excelsa</i>	Soap Tree	165		165	52	12.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
187	<i>Alphitonia excelsa</i>	Soap Tree	210		210	66	10.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
188	<i>Alphitonia excelsa</i>	Soap Tree	165		165	52	10.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
189	<i>Alphitonia excelsa</i>	Soap Tree	145		145	46	9.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
190	<i>Alphitonia excelsa</i>	Soap Tree	130		130	41	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
191	<i>Alphitonia excelsa</i>	Soap Tree	130		130	41	9.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
192	<i>Alphitonia excelsa</i>	Soap Tree	140		140	44	9.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
193	<i>Alphitonia excelsa</i>	Soap Tree	160		160	50	10.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
194	<i>Alphitonia excelsa</i>	Soap Tree	180		180	57	10.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
195	<i>Alphitonia excelsa</i>	Soap Tree	220		220	69	11.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
196	<i>Lophostemon confertus</i>	Brush-Box	230	230	325	102	17.0	8.0	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
197	<i>Alphitonia excelsa</i>	Soap Tree	160		160	50	9.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
198	<i>Acacia disparrima</i>	Hickory Wattle	170		170	53	11.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	Introduced	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
199	<i>Acacia disparrima</i>	Hickory Wattle	340		340	107	15.0	7.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
200	<i>Acacia disparrima</i>	Hickory Wattle	230		230	72	12.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
201	<i>Acacia disparrima</i>	Hickory Wattle	270		270	85	12.0	3.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	Introduced	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
202	<i>Acacia disparrima</i>	Hickory Wattle	230	200, 180	354	111	12.0	5.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
203	<i>Acacia disparrima</i>	Hickory Wattle	280		280	88	11.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
204	<i>Alphitonia excelsa</i>	Soap Tree	145		145	46	11.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
205	<i>Acacia disparrima</i>	Hickory Wattle	270		270	85	12.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
206	<i>Lophostemon suaveolens</i>	Swamp Box	145		145	46	9.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
207	<i>Alphitonia excelsa</i>	Soap Tree	130		130	41	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Retention	Additional Notes			
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes		
208	<i>Corymbia torelliana</i>	Cadaghi	150		150	47	10.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application		
209	<i>Acacia disparima</i>	Hickory-Wattle	310		310	97	11.0	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application		
210	<i>Angophora leiocarpa</i>	Early Flowering Black Wattle	230		230	72	16.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application		
211	<i>Corymbia citriodora</i>	Spotted-Gum	130		130	41	12.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application		
212	<i>Alphitonia excelsa</i>	Soap-Tree	160		160	50	12.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application		
213	<i>Acacia disparima</i>	Hickory-Wattle	160		160	50	11.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application		
214	<i>Corymbia torelliana</i>	Cadaghi	210		210	66	12.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application		
215	<i>Acacia disparima</i>	Hickory-Wattle	140		140	44	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application		
216	<i>Corymbia torelliana</i>	Cadaghi	185		185	58	10.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application		
217	<i>Acacia disparima</i>	Hickory-Wattle	230		230	72	11.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application		
218	<i>Lophostemon confertus</i>	Brush-Box	290		290	91	12.0	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application		
219	<i>Corymbia torelliana</i>	Cadaghi	230		230	72	10.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application		
220	<i>Alphitonia excelsa</i>	Soap-Tree	130		130	41	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application		
221	<i>Lophostemon confertus</i>	Brush-Box	120		120	38	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application		
222	<i>Acacia disparima</i>	Hickory-Wattle	270		270	85	12.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application		
223	<i>Lophostemon confertus</i>	Brush-Box	210		210	66	12.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application		
224	<i>Alphitonia excelsa</i>	Soap-Tree	130		130	41	9.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application		
225	<i>Lophostemon confertus</i>	Brush-Box	135		135	42	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application		
226	<i>Acacia disparima</i>	Hickory-Wattle	330	280	433	136	10.0	6.0	5.2	2.3	Regular	-	-	-	-	-	Typical	Minor	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
227	<i>Eucalyptus tereticornis</i>	Forest Red Gum	680		680	214	22.0	9.0	8.2	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application		
228	<i>Eucalyptus tereticornis</i>	Forest Red Gum	530		530	167	17.0	8.0	6.4	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application		
229	<i>Eucalyptus tereticornis</i>	Forest Red Gum	620		620	195	23.0	12.0	7.4	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application		
230	<i>Eucalyptus siderophloia</i>	Grey Ironbark	355		355	112	19.0	10.0	4.3	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	-	Not part of this application		
231	<i>Corymbia torelliana</i>	Cadaghi	165		165	52	10.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application		
232	<i>Acacia disparima</i>	Hickory-Wattle	180		180	57	11.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application		
233	<i>Alphitonia excelsa</i>	Soap-Tree	145		145	46	9.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application		
234	<i>Corymbia torelliana</i>	Cadaghi	200		200	63	11.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application		
235	<i>Corymbia torelliana</i>	Cadaghi	265		265	83	13.0	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application		
236	<i>Alphitonia excelsa</i>	Soap-Tree	145		145	46	10.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application		
237	<i>Acacia disparima</i>	Hickory-Wattle	280	180, 200, 160, 130	440	138	12.0	7.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application		
238	<i>Alphitonia excelsa</i>	Soap-Tree	155		155	49	12.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application		
239	<i>Acacia disparima</i>	Hickory-Wattle	240		240	75	10.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application		
240	<i>Corymbia torelliana</i>	Cadaghi	240		240	75	13.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application		
241	<i>Lophostemon suaveolens</i>	Swamp-Box	165		165	52	11.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application		
242	<i>Corymbia torelliana</i>	Cadaghi	260		260	82	11.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application		
243	<i>Corymbia torelliana</i>	Cadaghi	145		145	46	10.0	1.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application		
244	<i>Corymbia torelliana</i>	Cadaghi	350		350	110	14.0	8.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application		
245	<i>Lophostemon confertus</i>	Brush-Box	185		185	58	10.0	4.0	2.2	1.6	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application		
246	<i>Lophostemon suaveolens</i>	Swamp-Box	145		145	46	9.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application		
247	<i>Acacia disparima</i>	Hickory-Wattle	260		260	82	10.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application		
248	<i>Lophostemon confertus</i>	Brush-Box	150		150	47	10.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application		
249	<i>Acacia disparima</i>	Hickory-Wattle	260		260	82	11.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application		

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Retention	Additional Notes		
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes	
250	<i>Melaleuca bracteata</i>	Black Tea Tree	340		340	107	9.0	6.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed		
251	<i>Acacia disparrima</i>	Hickory Wattle	340		340	107	6.0	4.0	4.1	2.1	Regular	-	-	-	-	-	Typical	Minor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
252	<i>Casuarina cunninghamiana</i>	River She-oak	230	200	305	96	12.0	4.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed		
253	<i>Eucalyptus microcorys</i>	Tallowwood	400		400	126	22.0	12.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed		
254	<i>Eucalyptus propinqua</i>	Northern Grey Gum	340	320	467	147	24.0	10.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Old	-	-	-	-	Removed		
255	<i>Melaleuca leucadendra</i>	Weeping Paperbark	350		350	110	10.0	7.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed		
256	<i>Melaleuca quinquenervia</i>	Broad-leaf Paperbark	420	400, 280	644	202	16.0	8.0	7.7	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed		
257	<i>Eucalyptus saligna</i>	Sydney Blue Gum	340		340	107	20.0	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Removed		
258	<i>Corymbia torelliana</i>	Cadaghi	380		380	119	20.0	12.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed		
259	<i>Eucalyptus propinqua</i>	Northern Grey Gum	400		400	126	22.0	10.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application		
260	<i>Grevillea robusta</i>	Silky Oak	330		330	104	16.0	8.0	4.0	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application		
261	<i>Eucalyptus microcorys</i>	Tallowwood	500		500	157	22.0	12.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application		
262	<i>Eucalyptus propinqua</i>	Northern Grey Gum	520		520	163	24.0	12.0	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Old	-	-	-	-	Not part of this application		
263	<i>Eucalyptus microcorys</i>	Tallowwood	820		820	258	22.0	14.0	9.8	3.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application		
264	<i>Melaleuca viminalis</i>	Weeping Bottlebrush	240	190	306	96	8.0	4.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application		
265	<i>Lophostemon confertus</i>	Brush Box	160		160	50	7.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application		
266	<i>Melaleuca linariifolia</i>	Snow In Summer	220	130, 110	278	87	4.0	3.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application		
267	<i>Brachychiton acerifolius</i>	Illawara Flame Tree	180		180	57	6.0	2.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application		
268	<i>Eucalyptus microcorys</i>	Tallowwood	150		150	47	9.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application		
269	<i>Brachychiton acerifolius</i>	Illawara Flame Tree	200		200	63	6.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed		
270	<i>Lophostemon confertus</i>	Brush Box	320		320	101	8.0	5.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed		
271	<i>Euodia elleryana</i>	Corkwood	160		160	50	9.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed		
272	<i>Eucalyptus microcorys</i>	Tallowwood	540		540	170	26.0	14.0	6.5	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed		
273	<i>Acacia concurrens</i>	Black Wattle	180		180	57	6.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed		
274	<i>Eucalyptus siderophloia</i>	Grey Ironbark	490		490	154	24.0	12.0	5.9	2.5	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed		
275	<i>Acacia concurrens</i>	Black Wattle	170		170	53	5.0	2.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application		
276	<i>Eucalyptus siderophloia</i>	Grey Ironbark	130		130	41	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application		
277	<i>Lophostemon confertus</i>	Brush Box	350		350	110	6.0	4.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application		
278	<i>Acacia concurrens</i>	Black Wattle	170		170	53	6.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application		
279	<i>Acacia concurrens</i>	Black Wattle	160		160	50	6.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application		
280	<i>Alphitonia excelsa</i>	Soap Tree	180		180	57	12.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application		
281	<i>Lophostemon confertus</i>	Brush Box	200		200	63	10.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	Introduced	-	-	Typical	-	-	-	-	-	-	Not part of this application		
282	<i>Lophostemon confertus</i>	Brush Box	220		220	69	14.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application		
283	<i>Lophostemon confertus</i>	Brush Box	150		150	47	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application		
284	<i>Alphitonia excelsa</i>	Soap Tree	150		150	47	8.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application		
285	<i>Lophostemon confertus</i>	Brush Box	430	300, 240, 150	596	187	22.0	12.0	7.1	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application		
286	<i>Mallotus philippensis</i>	Red Kamala	100		100	31	5.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application		
287	<i>Alphitonia excelsa</i>	Soap Tree	180		180	57	12.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application		
288	<i>Acacia disparrima</i>	Hickory Wattle	280	130	309	97	14.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application		
289	<i>Alphitonia excelsa</i>	Soap Tree	140		140	44	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application		
290	<i>Alphitonia excelsa</i>	Soap Tree	130		130	41	12.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application		
291	<i>Acacia disparrima</i>	Hickory Wattle	200		200	63	10.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application		

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Retention	Additional Notes			
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes		
292	<i>Alphitonia excelsa</i>	Soap Tree	130		130	41	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application		
293	<i>Acacia dispartima</i>	Hickory Wattle	200		200	63	8.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application		
294	<i>Alphitonia excelsa</i>	Soap Tree	200		200	63	8.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application		
295	<i>Alphitonia excelsa</i>	Soap Tree	140		140	44	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application		
296	<i>Eucalyptus siderophloia</i>	Grey Ironbark	390		390	123	24.0	14.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application		
297	<i>Acacia dispartima</i>	Hickory Wattle	300		300	94	10.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application		
298	<i>Alphitonia excelsa</i>	Soap Tree	120		120	38	10.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application		
299	<i>Acacia dispartima</i>	Hickory Wattle	220		220	69	12.0	4.0	2.6	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application		
300	<i>Alphitonia excelsa</i>	Soap Tree	120		120	38	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application		
301	<i>Acacia dispartima</i>	Hickory Wattle	140		140	44	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application		
302	<i>Alphitonia excelsa</i>	Soap Tree	120		120	38	10.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application		
303	<i>Alphitonia excelsa</i>	Soap Tree	120		120	38	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application		
304	<i>Eucalyptus siderophloia</i>	Grey Ironbark	290		290	91	20.0	8.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application		
305	<i>Acacia dispartima</i>	Hickory Wattle	180		180	57	14.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application		
306	<i>Cryptocarya glaucescens</i>	Jackwood	130		130	41	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application		
307	<i>Cryptocarya glaucescens</i>	Jackwood	120		120	38	4.0	2.0	2.0	1.4	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application		
308	<i>Mallotus philippensis</i>	Red Kamala	120	70	139	44	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application		
309	<i>Mallotus philippensis</i>	Red Kamala	110	110	156	49	8.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application		
310	<i>Cryptocarya glaucescens</i>	Jackwood	100		100	31	8.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application		
311	<i>Eucalyptus siderophloia</i>	Grey Ironbark	480		480	151	28.0	17.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	-	-	-	-	Not part of this application		
312	<i>Acacia dispartima</i>	Hickory Wattle	220		220	69	12.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	Minor	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
313	<i>Eucalyptus siderophloia</i>	Grey Ironbark	420	140	443	139	26.0	14.0	5.3	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application		
314	<i>Grevillea robusta</i>	Silky Oak	170		170	53	16.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application		
315	<i>Acacia dispartima</i>	Hickory Wattle	230		230	72	12.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application		
316	<i>Eucalyptus siderophloia</i>	Grey Ironbark	200		200	63	8.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application		
317	<i>Eucalyptus siderophloia</i>	Grey Ironbark	180		180	57	12.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	Minor	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
318	<i>Eucalyptus siderophloia</i>	Grey Ironbark	370		370	116	22.0	8.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application		
319	<i>Jagera pseudorhus</i>	Foambark Tree	120	90, 80	170	53	8.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application		
320	<i>Acacia dispartima</i>	Hickory Wattle	180		180	57	6.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	Minor	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
321	<i>Jagera pseudorhus</i>	Foambark Tree	250	130	282	89	8.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application		
322	<i>Eucalyptus siderophloia</i>	Grey Ironbark	280	190	338	106	24.0	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application		
323	<i>Lophostemon confertus</i>	Brush-Box	130		130	41	12.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application		
324	<i>Lophostemon confertus</i>	Brush-Box	130	130	184	58	14.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application		
325	<i>Acacia dispartima</i>	Hickory Wattle	210		210	66	16.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application		
326	<i>Lophostemon confertus</i>	Brush-Box	380		380	119	20.0	12.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application		
327	<i>Alphitonia excelsa</i>	Soap Tree	300		300	94	12.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application		
328	<i>Alphitonia excelsa</i>	Soap Tree	170		170	53	10.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application		
329	<i>Corymbia torelliana</i>	Cadaghi	170		170	53	12.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application		
330	<i>Cryptocarya glaucescens</i>	Jackwood	130		130	41	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application		
331	<i>Acacia dispartima</i>	Hickory Wattle	140		140	44	10.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application		
332	<i>Eucalyptus tereticornis</i>	Forest Red Gum	280		280	88	18.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	Minor	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
333	<i>Lophostemon confertus</i>	Brush-Box	140		140	44	10.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	Both	-	-	Typical	-	-	-	-	-	-	-	Not part of this application		

Tree ID	Specimen Details										Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Retention	Additional Notes		
	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest			Habitat Value	
334	<i>Lophostemon confertus</i>	Brush-Box	150		150	47	10.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
335	<i>Alphitonia excelsa</i>	Soap-Tree	120		120	38	10.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
336	<i>Lophostemon confertus</i>	Brush-Box	370		370	116	22.0	10.0	4.4	2.2	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
337	<i>Lophostemon confertus</i>	Brush-Box	230		230	72	20.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
338	<i>Lophostemon confertus</i>	Brush-Box	380	330, 260	566	178	22.0	12.0	6.8	2.6	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
339	<i>Alphitonia excelsa</i>	Soap-Tree	100		100	31	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
340	<i>Lophostemon confertus</i>	Brush-Box	390		390	123	24.0	12.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
341	<i>Polyscias elegans</i>	Celerywood	170		170	53	12.0	7.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
342	<i>Syzygium australe</i>	Brush-Cherry	480		480	151	14.0	8.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
343	<i>Acacia disarrima</i>	Hickory Wattle	200		200	63	8.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
344	<i>Lophostemon confertus</i>	Brush-Box	200		200	63	12.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
345	<i>Alphitonia excelsa</i>	Soap Tree	150	120, 120	226	71	8.0	5.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
346	<i>Commersonia bartramia</i>	Brown Kurrajong	110	110	156	49	8.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
347	<i>Acacia disarrima</i>	Hickory Wattle	250		250	79	6.0	3.0	3.0	1.8	One-sided	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
348	<i>Alphitonia excelsa</i>	Soap Tree	170	130	214	67	8.0	4.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
349	<i>Mallotus philippensis</i>	Red Kamala	140	120, 120	220	69	8.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
350	<i>Lophostemon confertus</i>	Brush Box	370		370	116	18.0	8.0	4.4	2.2	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
351	<i>Lophostemon confertus</i>	Brush Box	190		190	60	12.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
352	<i>Acacia disarrima</i>	Hickory Wattle	150		150	47	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
353	<i>Lophostemon confertus</i>	Brush Box	130		130	41	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
354	<i>Eucalyptus cloeziana</i>	Gympie Messmate	190		190	60	12.0	2.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
355	<i>Lophostemon confertus</i>	Brush Box	120		120	38	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
356	<i>Jagera pseudorhus</i>	Foambark Tree	110	80	136	43	10.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
357	<i>Lophostemon confertus</i>	Brush Box	250		250	79	12.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
358	<i>Corymbia citriodora</i>	Spotted Gum	270		270	85	24.0	10.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
359	<i>Lophostemon confertus</i>	Brush Box	180		180	57	14.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
360	<i>Lophostemon confertus</i>	Brush Box	110		110	35	8.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
361	<i>Corymbia citriodora</i>	Spotted Gum	220		220	69	22.0	8.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
362	<i>Lophostemon confertus</i>	Brush Box	130		130	41	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	-	Not part of this application	
363	<i>Lophostemon confertus</i>	Brush Box	340		340	107	20.0	10.0	4.1	2.1	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
364	<i>Corymbia citriodora</i>	Spotted Gum	400		400	126	28.0	12.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
365	<i>Lophostemon confertus</i>	Brush Box	120		120	38	12.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
366	<i>Lophostemon confertus</i>	Brush Box	120		120	38	12.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
367	<i>Acacia disarrima</i>	Hickory Wattle	130		130	41	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
368	<i>Lophostemon confertus</i>	Brush Box	330	300	446	140	24.0	12.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
369	<i>Lophostemon suaveolens</i>	Swamp Box	160	100	189	59	10.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
370	<i>Lophostemon confertus</i>	Brush Box	290		290	91	22.0	8.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
371	<i>Lophostemon confertus</i>	Brush Box	280		280	88	24.0	10.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
372	<i>Alphitonia excelsa</i>	Soap Tree	210		210	66	8.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
373	<i>Lophostemon confertus</i>	Brush Box	320		320	101	20.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
374	<i>Eucalyptus siderophloia</i>	Grey Ironbark	250		250	79	20.0	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
375	<i>Lophostemon confertus</i>	Brush Box	440	430	615	193	22.0	16.0	7.4	2.7	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	

Tree ID	Specimen Details										Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Retention	Additional Notes			
	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest			Habitat Value		
376	<i>Eucalyptus siderophloia</i>	Grey Ironbark	120		120	38	10.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application		
377	<i>Eucalyptus siderophloia</i>	Grey Ironbark	240	150	283	89	18.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application		
378	<i>Eucalyptus siderophloia</i>	Grey Ironbark	200		200	63	20.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application		
379	<i>Eucalyptus siderophloia</i>	Grey Ironbark	230		230	72	20.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application		
380	<i>Eucalyptus siderophloia</i>	Grey Ironbark	170		170	53	22.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application		
381	<i>Eucalyptus siderophloia</i>	Grey Ironbark	290		290	91	24.0	12.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application		
382	<i>Eucalyptus siderophloia</i>	Grey Ironbark	160		160	50	16.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application		
383	<i>Eucalyptus siderophloia</i>	Grey Ironbark	260		260	82	16.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application		
384	<i>Acacia disparrima</i>	Hickory Wattle	150	150, 110	239	75	8.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application		
385	<i>Eucalyptus siderophloia</i>	Grey Ironbark	180		180	57	16.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application		
386	<i>Acacia disparrima</i>	Hickory Wattle	240		240	75	4.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	Minor	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
387	<i>Eucalyptus siderophloia</i>	Grey Ironbark	370	300	476	150	24.0	12.0	5.7	2.4	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application		
388	<i>Eucalyptus siderophloia</i>	Grey Ironbark	270		270	85	18.0	8.0	3.2	1.9	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application		
389	<i>Alphitonia excelsa</i>	Soap Tree	160	150	219	69	8.0	4.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove Stockpiling Stage 2		
390	<i>Lophostemon confertus</i>	Brush Box	230	140	269	85	8.0	4.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove Stockpiling Stage 2		
391	<i>Alphitonia excelsa</i>	Soap Tree	140		140	44	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove Stockpiling Stage 2		
392	<i>Millettia pinnata</i>	Pongamia	160	160	226	71	8.0	6.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove remediation works		
393	<i>Grevillea robusta</i>	Silky Oak	550		550	173	22.0	8.0	6.6	2.6	Regular	-	-	Die-back	-	-	Typical	Minor	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove remediation works	
394	<i>Eucalyptus siderophloia</i>	Grey Ironbark	520		520	163	24.0	14.0	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove Stage 2		
395	<i>Eucalyptus siderophloia</i>	Grey Ironbark	340		340	107	22.0	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove Stage 2		
396	<i>Eucalyptus siderophloia</i>	Grey Ironbark	320	270	419	132	24.0	8.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove Stockpiling Stage 2		
397	<i>Eucalyptus siderophloia</i>	Grey Ironbark	440	230	496	156	24.0	12.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove Stockpiling Stage 2		
398	<i>Eucalyptus siderophloia</i>	Grey Ironbark	540		540	170	24.0	14.0	6.5	2.6	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain		
399	<i>Alphitonia excelsa</i>	Soap Tree	220		220	69	10.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	Introduced	-	-	Typical	-	-	-	-	-	-	-	Retain		
400	<i>Casuarina cunninghamiana</i>	River She-oak	350		350	110	14.0	4.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove Stockpiling Stage 2		
401	<i>Casuarina cunninghamiana</i>	River She-oak	110		110	35	8.0		2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Removed		
402	<i>Casuarina cunninghamiana</i>	River She-oak	150		150	47	10.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Removed		
403	<i>Casuarina cunninghamiana</i>	River She-oak	180		180	57	10.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Removed		
404	<i>Acacia disparrima</i>	Hickory Wattle	220		220	69	7.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	Minor	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove Stockpiling Stage 2	
405	<i>Eucalyptus tereticornis</i>	Forest Red Gum	120		120	38	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	Minor	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove Stockpiling Stage 2	
406	<i>Eucalyptus tereticornis</i>	Forest Red Gum	360		360	113	24.0	10.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove Stockpiling Stage 2		
407	<i>Eucalyptus tereticornis</i>	Forest Red Gum	400		400	126	24.0	12.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove Stockpiling Stage 2		
408	<i>Alphitonia excelsa</i>	Soap Tree	110		110	35	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove Stockpiling Stage 2		
409	<i>Eucalyptus tereticornis</i>	Forest Red Gum	260		260	82	24.0	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove Stockpiling Stage 2		
410	<i>Eucalyptus tereticornis</i>	Forest Red Gum	170		170	53	14.0	7.0	2.0	1.6	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove Stockpiling Stage 2		
411	<i>Eucalyptus tereticornis</i>	Forest Red Gum	280		280	88	24.0	10.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove Stockpiling Stage 2		
412	<i>Acacia disparrima</i>	Hickory Wattle	200	200	283	89	10.0	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	Minor	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove Stockpiling Stage 2	
413	<i>Eucalyptus tereticornis</i>	Forest Red Gum	130		130	41	12.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove Stockpiling Stage 2		
414	<i>Eucalyptus tereticornis</i>	Forest Red Gum	140		140	44	14.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove Stockpiling Stage 2		
415	<i>Eucalyptus tereticornis</i>	Forest Red Gum	300		300	94	24.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove Stockpiling Stage 2		
416	<i>Eucalyptus tereticornis</i>	Forest Red Gum	170		170	53	12.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	Minor	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove Stage 2	
417	<i>Eucalyptus tereticornis</i>	Forest Red Gum	260		260	82	14.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove Stockpiling Stage 2		

Tree ID	Specimen Details										Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Retention	Additional Notes		
	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest			Habitat Value	
418	<i>Eucalyptus tereticornis</i>	Forest Red Gum	530		530	167	26.0	14.0	6.4	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove Stockpiling Stage 2		
419	<i>Eucalyptus tereticornis</i>	Forest Red Gum	300		300	94	22.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove Stockpiling Stage 2		
420	<i>Eucalyptus tereticornis</i>	Forest Red Gum	210		210	66	10.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove Stage 2		
421	<i>Eucalyptus tereticornis</i>	Forest Red Gum	450		450	141	24.0	14.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove Stage 2		
422	<i>Grevillea robusta</i>	Silky Oak	340		340	107	18.0	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove remediation works		
423	<i>Leptospermum petersonii</i>	Lemon-scented Tea-tree	110	100	149	47	4.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove remediation works		
424	<i>Araucaria bidwillii</i>	Bunya Pine	370		370	116	14.0	6.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove remediation works		
425	<i>Eucalyptus tereticornis</i>	Forest Red Gum	330		330	104	12.0	5.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
426	<i>Alphitonia excelsa</i>	Soap Tree	180	130	222	70	5.0	3.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
427	<i>Casuarina cunninghamiana</i>	River She-oak	230		230	72	16.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	Minor	-	-	-	-	Typical	-	-	-	-	-	Remove Stockpiling Stage 2		
428	<i>Alphitonia excelsa</i>	Soap Tree	180	150	234	74	5.0	3.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove Stockpiling Stage 2		
429	<i>Eucalyptus grandis</i>	Flooded Gum	440		440	138	20.0	8.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove Stockpiling Stage 2		
430	<i>Eucalyptus tereticornis</i>	Forest Red Gum	330		330	104	22.0	10.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove Stockpiling Stage 2		
431	<i>Eucalyptus tereticornis</i>	Forest Red Gum	250		250	79	18.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove Stockpiling Stage 2		
432	<i>Corymbia tessellaris</i>	Moreton Bay Ash	200		200	63	10.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove Stockpiling Stage 2		
433	<i>Eucalyptus tereticornis</i>	Forest Red Gum	160		160	50	14.0	3.0	2.0	1.5	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	-	Typical	-	-	-	-	-	Remove Stockpiling Stage 2		
434	<i>Eucalyptus tereticornis</i>	Forest Red Gum	380		380	119	28.0	14.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Old	-	-	-	-	Remove Stockpiling Stage 2		
435	<i>Eucalyptus propinqua</i>	Northern Grey Gum	200		200	63	14.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Old	-	-	-	-	Remove Stage 2		
436	<i>Eucalyptus tereticornis</i>	Forest Red Gum	490		490	154	26.0	14.0	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove Stockpiling Stage 2		
437	<i>Eucalyptus robusta</i>	Swamp Mahogany	200		200	63	8.0	4.0	2.4	1.7	Regular	-	-	Die-back	Epicormic	-	Poor	-	-	-	-	-	Typical	-	-	-	-	-	-	Remove Stockpiling Stage 2	
438	<i>Grevillea robusta</i>	Silky Oak	190		190	60	10.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed		
439	<i>Eucalyptus tereticornis</i>	Forest Red Gum	470		470	148	22.0	10.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed		
440	<i>Eucalyptus eugenioides</i>	Thin-leaved Stringybark	280		280	88	20.0	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed		
441	<i>Eucalyptus eugenioides</i>	Thin-leaved Stringybark	360		360	113	22.0	10.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed		
442	<i>Acacia concurrens</i>	Black Wattle	120		120	38	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application		
443	<i>Flindersia australis</i>	Crows Ash	120		120	38	3.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application		
444	<i>Corymbia citriodora</i>	Spotted Gum	440	330	550	173	24.0	14.0	6.6	2.6	Regular	-	-	-	-	-	Typical	Minor	-	-	-	-	Typical	-	-	-	-	-	Not part of this application		
445	<i>Flindersia australis</i>	Crows Ash	120		120	38	5.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application		
446	<i>Eucalyptus siderophloia</i>	Grey Ironbark	370		370	116	24.0	12.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application		
447	<i>Eucalyptus siderophloia</i>	Grey Ironbark	530		530	167	24.0	12.0	6.4	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application		
448	<i>Eucalyptus siderophloia</i>	Grey Ironbark	350	250	430	135	14.0	8.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application		
449	<i>Acacia disparrima</i>	Hickory Wattle	140		140	44	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application		
450	<i>Acacia disparrima</i>	Hickory Wattle	200		200	63	7.0	4.0	2.4	1.7	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application		
451	<i>Acacia disparrima</i>	Hickory Wattle	180		180	57	8.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	Minor	-	-	-	-	Typical	-	-	-	-	-	Not part of this application		
452	<i>Eucalyptus siderophloia</i>	Grey Ironbark	200		200	63	14.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed		
453	<i>Cupaniopsis anacardioides</i>	Tuckeroo	140	130	191	60	5.0	3.0	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed		
454	<i>Eucalyptus siderophloia</i>	Grey Ironbark	260		260	82	20.0	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed		
455	<i>Eucalyptus siderophloia</i>	Grey Ironbark	300		300	94	22.0	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed		
456	<i>Acacia disparrima</i>	Hickory Wattle	250		250	79	12.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	-	Termite nest	-	Removed		
457	<i>Eucalyptus siderophloia</i>	Grey Ironbark	140		140	44	12.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed		
458	<i>Alphitonia excelsa</i>	Soap Tree	110		110	35	10.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed		
459	<i>Alphitonia excelsa</i>	Soap Tree	130		130	41	12.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	-	-	-	Removed		

Tree ID	Specimen Details										Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Retention	Additional Notes		
	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest			Habitat Value	
460	<i>Acacia disparrima</i>	Hickory Wattle	220		220	69	12.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed		
461	<i>Acacia disparrima</i>	Hickory Wattle	200		200	63	6.0	2.0	2.4	1.7	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed		
462	<i>Eucalyptus tereticornis</i>	Forest Red Gum	520		520	163	26.0	14.0	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed		
463	<i>Eucalyptus microcorys</i>	Tallowwood	200		200	63	18.0	7.0	2.4	1.7	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed		
464	<i>Lophostemon confertus</i>	Brush Box	320		320	101	18.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	Minor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
465	<i>Eucalyptus siderophloia</i>	Grey Ironbark	120		120	38	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed		
466	<i>Acacia disparrima</i>	Hickory Wattle	120	120	170	53	8.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed		
467	<i>Corymbia torelliana</i>	Cadaghi	140		140	44	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed		
468	<i>Acacia disparrima</i>	Hickory Wattle	220		220	69	12.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed		
469	<i>Acacia disparrima</i>	Hickory Wattle	370		370	116	12.0	7.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed		
470	<i>Casuarina cunninghamiana</i>	River She-oak	150		150	47	8.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	Major	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
471	<i>Eucalyptus siderophloia</i>	Grey Ironbark	330		330	104	26.0	14.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application		
472	<i>Eucalyptus tereticornis</i>	Forest Red Gum	350	260	436	137	26.0	16.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application		
473	<i>Eucalyptus siderophloia</i>	Grey Ironbark	280	260	382	120	24.0	12.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application		
474	<i>Acacia disparrima</i>	Hickory Wattle	180	180	255	80	8.0	4.0	3.1	1.9	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application		
475	<i>Eucalyptus tereticornis</i>	Forest Red Gum	260		260	82	16.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application		
476	<i>Eucalyptus siderophloia</i>	Grey Ironbark	140		140	44	10.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application		
477	<i>Eucalyptus siderophloia</i>	Grey Ironbark	130		130	41	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application		
478	<i>Corymbia torelliana</i>	Cadaghi	110	110, 100	185	58	8.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application		
479	<i>Eucalyptus siderophloia</i>	Grey Ironbark	190		190	60	12.0	5.0	2.3	1.6	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application		
480	<i>Acacia disparrima</i>	Hickory Wattle	180		180	57	8.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application		
481	<i>Eucalyptus siderophloia</i>	Grey Ironbark	260	220	341	107	10.0	6.0	4.1	2.1	One-sided	-	-	-	-	-	Typical	Minor	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
482	<i>Acacia disparrima</i>	Hickory Wattle	120		120	38	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application		
483	<i>Eucalyptus tereticornis</i>	Forest Red Gum	180		180	57	12.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application		
484	<i>Melaleuca linariifolia</i>	Snow In Summer	500		500	157	8.0	6.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	Introduced	-	-	Typical	-	-	-	-	-	-	Removed		
485	<i>Casuarina cunninghamiana</i>	River She-oak	300		300	94	10.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed		
486	<i>Casuarina cunninghamiana</i>	River She-oak	330		330	104	12.0	5.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed		
487	<i>Casuarina cunninghamiana</i>	River She-oak	390		390	123	12.0	5.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed		
488	<i>Archontophoenix cunninghamii</i>	Bangalow Palm	230		230	72	10.0	2.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed		
489	<i>Casuarina cunninghamiana</i>	River She-oak	260		260	82	12.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed		
490	<i>Casuarina cunninghamiana</i>	River She-oak	180		180	57	11.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed		
491	<i>Casuarina cunninghamiana</i>	River She-oak	310		310	97	11.0	5.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed		
492	<i>Castanospermum australe</i>	Black Bean	210		210	66	8.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed		
493	<i>Grevillea robusta</i>	Silky Oak	280		280	88	10.0	4.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed		
494	<i>Eucalyptus tereticornis</i>	Forest Red Gum	440		440	138	25.0	14.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed		
495	<i>Corymbia citriodora</i>	Spotted Gum	830		830	261	25.0	16.0	10.0	3.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed		
496	<i>Corymbia citriodora</i>	Spotted Gum	380		380	119	23.0	8.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed		
497	<i>Corymbia torelliana</i>	Cadaghi	680		680	214	21.0	17.0	8.2	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed		
498	<i>Melaleuca bracteata</i>	Black Tea Tree	240	210, 210, 190	475	149	7.0	8.0	5.7	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed		
499	<i>Melaleuca viminalis</i>	Weeping Bottlebrush	250		250	79	9.0	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application		
500	<i>Alphitonia excelsa</i>	Soap Tree	130		130	41	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application		
501	<i>Acacia concurrens</i>	Black Wattle	260		260	82	8.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application		

Tree ID	Specimen Details										Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Retention	Additional Notes		
	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest			Habitat Value	
502	<i>Eucalyptus tereticornis</i>	Forest Red Gum	260	230	347	109	12.0	5.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
503	<i>Jagera pseudorhus</i>	Foambark Tree	130		130	41	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Removed	
504	<i>Eucalyptus siderophloia</i>	Grey Ironbark	510		510	160	25.0	10.0	6.1	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
505	<i>Eucalyptus siderophloia</i>	Grey Ironbark	450		450	141	22.0	10.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
506	<i>Acacia leiocalyx</i>	Early-flowering Black Wattle	180		180	57	6.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
507	<i>Acacia concurrens</i>	Black Wattle	120		120	38	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
508	<i>Corymbia torelliana</i>	Cadaghi	100		100	31	5.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
509	<i>Corymbia torelliana</i>	Cadaghi	110		110	35	4.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
510	<i>Acacia leiocalyx</i>	Early-flowering Black Wattle	110		110	35	5.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
511	<i>Corymbia torelliana</i>	Cadaghi	170		170	53	14.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
512	<i>Corymbia torelliana</i>	Cadaghi	210		210	66	15.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
513	<i>Corymbia torelliana</i>	Cadaghi	250		250	79	15.0	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
514	<i>Corymbia torelliana</i>	Cadaghi	210		210	66	13.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
515	<i>Corymbia torelliana</i>	Cadaghi	200		200	63	12.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
516	<i>Lophostemon confertus</i>	Brush Box	200	140, 140	281	88	11.0	4.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
517	<i>Lophostemon confertus</i>	Brush Box	220	150	266	84	9.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
518	<i>Alphitonia excelsa</i>	Soap Tree	180		180	57	10.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
519	<i>Castanospermum australe</i>	Black Bean	180		180	57	11.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
520	<i>Jagera pseudorhus</i>	Foambark Tree	150		150	47	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
521	<i>Acacia concurrens</i>	Black Wattle	200	190, 180	329	103	12.0	5.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
522	<i>Alphitonia excelsa</i>	Soap Tree	170	160, 100, 90	269	85	14.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
523	<i>Acacia dispartima</i>	Hickory Wattle	350		350	110	14.0	6.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
524	<i>Corymbia torelliana</i>	Cadaghi	180		180	57	12.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
525	<i>Alphitonia excelsa</i>	Soap Tree	140	90	166	52	10.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
526	<i>Alphitonia excelsa</i>	Soap Tree	150	150, 80	227	71	11.0	4.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
527	<i>Alphitonia excelsa</i>	Soap Tree	190		190	60	11.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
528	<i>Eucalyptus siderophloia</i>	Grey Ironbark	330		330	104	22.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
529	<i>Eucalyptus siderophloia</i>	Grey Ironbark	180		180	57	10.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
530	<i>Eucalyptus siderophloia</i>	Grey Ironbark	300		300	94	24.0	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
531	<i>Eucalyptus siderophloia</i>	Grey Ironbark	530		530	167	26.0	10.0	6.4	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
532	<i>Alphitonia excelsa</i>	Soap Tree	110		110	35	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
533	<i>Eucalyptus siderophloia</i>	Grey Ironbark	460	410	616	194	28.0	15.0	7.4	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
534	<i>Eucalyptus siderophloia</i>	Grey Ironbark	290		290	91	17.0	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
535	<i>Eucalyptus siderophloia</i>	Grey Ironbark	350		350	110	19.0	8.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
536	<i>Jagera pseudorhus</i>	Foambark Tree	170		170	53	11.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
537	<i>Eucalyptus siderophloia</i>	Grey Ironbark	300		300	94	18.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
538	<i>Jagera pseudorhus</i>	Foambark Tree	100		100	31	5.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
539	<i>Lophostemon confertus</i>	Brush Box	330		330	104	24.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
540	<i>Eucalyptus siderophloia</i>	Grey Ironbark	200		200	63	15.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
541	<i>Eucalyptus siderophloia</i>	Grey Ironbark	390		390	123	24.0	10.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
542	<i>Eucalyptus siderophloia</i>	Grey Ironbark	280		280	88	15.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
543	<i>Commersonia bartramia</i>	Brown Kurrajong	150	100	180	57	5.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	

Tree ID	Specimen Details										Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Retention	Additional Notes		
	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest			Habitat Value	
544	<i>Acacia-concurrens</i>	Black Wattle	170		170	53	13.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
545	<i>Acacia-concurrens</i>	Black Wattle	210		210	66	16.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
546	<i>Acacia-concurrens</i>	Black Wattle	200		200	63	16.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
547	<i>Acacia-concurrens</i>	Black Wattle	180		180	57	14.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
548	<i>Acacia-disparima</i>	Hickory Wattle	180		180	57	14.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
549	<i>Acacia-concurrens</i>	Black Wattle	180		180	57	14.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
550	<i>Acacia-concurrens</i>	Black Wattle	160		160	50	15.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
551	<i>Acacia-disparima</i>	Hickory Wattle	190		190	60	14.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
552	<i>Acacia-disparima</i>	Hickory Wattle	270	230	355	111	15.0	16.0	4.3	2.1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	-	Not part of this application	
553	<i>Eucalyptus-siderophloia</i>	Grey Ironbark	220		220	69	17.0	8.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
554	<i>Eucalyptus-siderophloia</i>	Grey Ironbark	390		390	123	26.0	13.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	Termite nest	-	-	Not part of this application	
555	<i>Acacia-disparima</i>	Hickory Wattle	290		290	91	16.0	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
556	<i>Lophostemon-confertus</i>	Brush-Box	130	110	170	53	10.0	7.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
557	<i>Acacia-disparima</i>	Hickory Wattle	170		170	53	14.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
558	<i>Lophostemon-confertus</i>	Brush-Box	150	120	192	60	14.0	6.0	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
559	<i>Alphitonia-excelsa</i>	Soap-Tree	230		230	72	16.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	Introduced	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
560	<i>Acacia-disparima</i>	Hickory Wattle	240		240	75	15.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	Introduced	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
561	<i>Lophostemon-confertus</i>	Brush-Box	120		120	38	5.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
562	<i>Alphitonia-excelsa</i>	Soap-Tree	290		290	91	15.0	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
563	<i>Lophostemon-confertus</i>	Brush-Box	440		440	138	15.0	6.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	Introduced	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
564	<i>Lophostemon-confertus</i>	Brush-Box	1030		1030	324	26.0	14.0	12.4	3.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
565	<i>Lophostemon-confertus</i>	Brush-Box	230		230	72	16.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
566	<i>Acacia-disparima</i>	Hickory Wattle	330		330	104	16.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
567	<i>Commersonia-bartamia</i>	Brown Kurradjong	230		230	72	9.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
568	<i>Cryptocarya-glaucescens</i>	Jackwood	150	150	212	67	9.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
569	<i>Alphitonia-excelsa</i>	Soap-Tree	150		150	47	13.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
570	<i>Jagera-pseudorhus</i>	Foambark Tree	130	50	139	44	9.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
571	<i>Flindersia-australis</i>	Crows Ash	590		590	185	23.0	15.0	7.1	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
572	<i>Cupaniopsis-anacardioides</i>	Tuckeroo	190		190	60	6.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
573	<i>Corymbia-torelliana</i>	Cadaghi	110		110	35	8.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
574	<i>Lophostemon-confertus</i>	Brush Box	120		120	38	14.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
575	<i>Lophostemon-suaveolens</i>	Swamp Box	110		110	35	8.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
576	<i>Lophostemon-confertus</i>	Brush Box	150		150	47	14.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
577	<i>Lophostemon-confertus</i>	Brush Box	140		140	44	14.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
578	<i>Lophostemon-suaveolens</i>	Swamp Box	170		170	53	13.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
579	<i>Lophostemon-confertus</i>	Brush Box	230		230	72	15.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
580	<i>Lophostemon-confertus</i>	Brush Box	140		140	44	13.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
581	<i>Lophostemon-confertus</i>	Brush Box	190		190	60	15.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
582	<i>Lophostemon-suaveolens</i>	Swamp Box	170		170	53	12.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
583	<i>Lophostemon-confertus</i>	Brush Box	330		330	104	15.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
584	<i>Lophostemon-confertus</i>	Brush Box	180		180	57	16.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
585	<i>Lophostemon-suaveolens</i>	Swamp Box	330		330	104	12.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	

Tree ID	Specimen Details										Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Retention	Additional Notes	
	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest			Habitat Value
586	<i>Alphitonia excelsa</i>	Soap Tree	110		110	35	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
587	<i>Lophostemon confertus</i>	Brush Box	280	230	362	114	17.0	7.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
588	<i>Lophostemon confertus</i>	Brush Box	260		260	82	16.0	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
589	<i>Lophostemon confertus</i>	Brush Box	240		240	75	16.0	10.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
590	<i>Lophostemon suaveolens</i>	Swamp Box	160		160	50	14.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
591	<i>Lophostemon confertus</i>	Brush Box	350		350	110	19.0	12.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
592	<i>Lophostemon confertus</i>	Brush Box	340		340	107	16.0	12.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
593	<i>Lophostemon confertus</i>	Brush Box	370		370	116	17.0	10.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
594	<i>Lophostemon confertus</i>	Brush Box	380		380	119	16.0	8.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
595	<i>Alphitonia excelsa</i>	Soap Tree	320		320	101	12.0	12.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
596	<i>Alphitonia excelsa</i>	Soap Tree	210		210	66	13.0	8.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
597	<i>Lophostemon confertus</i>	Brush Box	540		540	170	16.0	14.0	6.5	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
598	<i>Eucalyptus siderophloia</i>	Grey Ironbark	500	390	634	199	22.0	15.0	7.6	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
599	<i>Eucalyptus fibrosa</i>	Broad-leaved Red Ironbark	360		360	113	22.0	6.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
600	<i>Eucalyptus siderophloia</i>	Grey Ironbark	250		250	79	18.0	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
601	<i>Eucalyptus siderophloia</i>	Grey Ironbark	150		150	47	12.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
602	<i>Eucalyptus siderophloia</i>	Grey Ironbark	210		210	66	18.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
603	<i>Eucalyptus siderophloia</i>	Grey Ironbark	190		190	60	18.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
604	<i>Eucalyptus siderophloia</i>	Grey Ironbark	340	120	361	113	19.0	10.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
605	<i>Eucalyptus siderophloia</i>	Grey Ironbark	200		200	63	16.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
606	<i>Eucalyptus siderophloia</i>	Grey Ironbark	280		280	88	20.0	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
607	<i>Eucalyptus siderophloia</i>	Grey Ironbark	260		260	82	16.0	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
608	<i>Eucalyptus siderophloia</i>	Grey Ironbark	470	240	528	166	26.0	12.0	6.3	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
609	<i>Eucalyptus siderophloia</i>	Grey Ironbark	370		370	116	25.0	14.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
610	<i>Eucalyptus siderophloia</i>	Grey Ironbark	590		590	185	26.0	13.0	7.1	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
611	<i>Acacia leiocalyx</i>	Early-flowering Black Wattle	100		100	31	6.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove Stockpiling Stage 2	
612	<i>Acacia disparrima</i>	Hickory Wattle	420	350, 250	601	189	14.0	10.0	7.2	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove Stockpiling Stage 2	
613	<i>Acacia disparrima</i>	Hickory Wattle	310	259	404	127	13.0	8.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove Stockpiling Stage 2	
614	<i>Eucalyptus siderophloia</i>	Grey Ironbark	430		430	135	20.0	14.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove remediation works	
615	<i>Eucalyptus siderophloia</i>	Grey Ironbark	390	360, 330	625	196	18.0	15.0	7.5	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove remediation works	
616	<i>Eucalyptus siderophloia</i>	Grey Ironbark	610		610	192	24.0	13.0	7.3	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove Stockpiling Stage 2	
617	<i>Eucalyptus siderophloia</i>	Grey Ironbark	660		660	207	19.0	12.0	7.9	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove Stockpiling Stage 2	
618	<i>Eucalyptus siderophloia</i>	Grey Ironbark	420	270	499	157	19.0	12.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove Stockpiling Stage 2	
619	<i>Acacia disparrima</i>	Hickory Wattle	300		300	94	10.0	12.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove Stockpiling Stage 2	
620	<i>Acacia disparrima</i>	Hickory Wattle	260	210	334	105	12.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove Stockpiling Stage 2	
621	<i>Casuarina cunninghamiana</i>	River She-oak	150		150	47	12.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove Stockpiling Stage 2	
622	<i>Casuarina cunninghamiana</i>	River She-oak	210		210	66	14.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
623	<i>Casuarina cunninghamiana</i>	River She-oak	210		210	66	16.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
624	<i>Casuarina cunninghamiana</i>	River She-oak	180		180	57	14.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
625	<i>Casuarina cunninghamiana</i>	River She-oak	220		220	69	16.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
626	<i>Melaleuca quinquenervia</i>	Broad-leaf Paperbark	330		330	104	13.0	6.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove Stockpiling Stage 2	
627	<i>Casuarina cunninghamiana</i>	River She-oak	180		180	57	16.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove Stockpiling Stage 2	

Tree ID	Specimen Details										Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Retention	Additional Notes	
	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest			Habitat Value
628	<i>Acacia disparrima</i>	Hickory Wattle	260	150	300	94	14.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove Stockpiling Stage 2	
629	<i>Eucalyptus tereticornis</i>	Forest Red Gum	180		180	57	15.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove Stockpiling Stage 2	
630	<i>Acacia disparrima</i>	Hickory Wattle	210	150	258	81	8.0	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove Stockpiling Stage 2	
631	<i>Eucalyptus tereticornis</i>	Forest Red Gum	360		360	113	17.0	6.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove Stockpiling Stage 2	
632	<i>Eucalyptus tereticornis</i>	Forest Red Gum	390		390	123	19.0	6.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove Stockpiling Stage 2	
633	<i>Eucalyptus tereticornis</i>	Forest Red Gum	250		250	79	14.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove Stockpiling Stage 2	
634	<i>Eucalyptus tereticornis</i>	Forest Red Gum	120		120	38	12.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove Stage 2	
635	<i>Acacia disparrima</i>	Hickory Wattle	120		120	38	4.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove Stage 2	
636	<i>Casuarina cunninghamiana</i>	River She-oak	300		300	94	14.0	4.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove remediation works	
637	<i>Araucaria cunninghamii</i>	Hoop Pine	330		330	104	15.0	6.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove Stockpiling Stage 2	
638	<i>Eucalyptus moluccana</i>	Gum-topped Box	260		260	82	17.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove Stockpiling Stage 2	
639	<i>Eucalyptus tereticornis</i>	Forest Red Gum	190		190	60	14.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove Stockpiling Stage 2	
640	<i>Corymbia citriodora</i>	Spotted Gum	210		210	66	15.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove Stage 2	
641	<i>Eucalyptus tereticornis</i>	Forest Red Gum	540		540	170	16.0	8.0	6.5	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove Stockpiling Stage 2	
642	<i>Eucalyptus tereticornis</i>	Forest Red Gum	250		250	79	16.0	2.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove Stage 2	
643	<i>Eucalyptus tereticornis</i>	Forest Red Gum	470		470	148	21.0	8.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove Stockpiling Stage 2	
644	<i>Eucalyptus tereticornis</i>	Forest Red Gum	360		360	113	24.0	8.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove Stockpiling Stage 2	
645	<i>Grevillea robusta</i>	Silky Oak	200		200	63	10.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove Stockpiling Stage 2	
646	<i>Eucalyptus eugenioides</i>	Thin-leaved Stringybark	330		330	104	16.0	6.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove Stockpiling Stage 2	
647	<i>Eucalyptus eugenioides</i>	Thin-leaved Stringybark	430		430	135	15.0	10.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove Stockpiling Stage 2	
648	<i>Eucalyptus eugenioides</i>	Thin-leaved Stringybark	250	160	297	93	15.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove Stockpiling Stage 2	
649	<i>Eucalyptus tereticornis</i>	Forest Red Gum	190	140	236	74	9.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove Stockpiling Stage 2	
650	<i>Eucalyptus tereticornis</i>	Forest Red Gum	290		290	91	24.0	8.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove Stockpiling Stage 2	
651	<i>Eucalyptus tereticornis</i>	Forest Red Gum	230		230	72	15.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove Stockpiling Stage 2	
652	<i>Eucalyptus tereticornis</i>	Forest Red Gum	120		120	38	14.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove Stockpiling Stage 2	
653	<i>Eucalyptus tereticornis</i>	Forest Red Gum	390		390	123	25.0	10.0	4.7	2.2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove Stockpiling Stage 2	
654	<i>Lophostemon confertus</i>	Brush Box	280		280	88	15.0	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove Stockpiling Stage 2	
655	<i>Eucalyptus siderophloia</i>	Grey Ironbark	540		540	170	25.0	14.0	6.5	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
656	<i>Eucalyptus propinqua</i>	Northern Grey Gum	450	270	525	165	18.0	10.0	6.3	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	New	-	-	-	-	Not part of this application	
657	<i>Ficus obliqua</i>	Small Leaf Fig	350		350	110	12.0	18.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
658	<i>Eucalyptus melanophloia</i>	Silver-leaved Ironbark	400		400	126	14.0	7.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
659	<i>Eucalyptus propinqua</i>	Northern Grey Gum	240		240	75	15.0	7.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Old	-	-	-	-	Not part of this application	
660	<i>Ficus benamina</i>	Weeping Fig	400		400	126	14.0	18.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
661	<i>Acacia disparrima</i>	Hickory Wattle	200	170	262	82	14.0	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	Introduced	-	-	Typical	-	-	-	-	-	-	Not part of this application	
662	<i>Acacia disparrima</i>	Hickory Wattle	180	150	234	74	12.0	8.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	Introduced	-	-	Typical	-	-	-	-	-	-	Not part of this application	
663	<i>Eucalyptus siderophloia</i>	Grey Ironbark	120		120	38	13.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
664	<i>Eucalyptus siderophloia</i>	Grey Ironbark	310		310	97	19.0	9.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
665	<i>Eucalyptus siderophloia</i>	Grey Ironbark	230		230	72	17.0	8.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
666	<i>Casuarina cunninghamiana</i>	River She-oak	190		190	60	15.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
667	<i>Casuarina cunninghamiana</i>	River She-oak	140		140	44	14.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
668	<i>Acacia disparrima</i>	Hickory Wattle	130		130	41	6.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
669	<i>Acacia disparrima</i>	Hickory Wattle	130	100, 100, 100	217	68	14.0	7.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Retention	Additional Notes	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
670	<i>Acacia disparrima</i>	Hickory Wattle	180	100, 100, 80, 80	255	80	14.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
671	<i>Acacia disparrima</i>	Hickory Wattle	230		230	72	15.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
672	<i>Acacia disparrima</i>	Hickory Wattle	100		100	31	14.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
673	<i>Acacia disparrima</i>	Hickory Wattle	120		120	38	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
674	<i>Acacia disparrima</i>	Hickory Wattle	140		140	44	11.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
675	<i>Acacia disparrima</i>	Hickory Wattle	250		250	79	15.0	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
676	<i>Acacia disparrima</i>	Hickory Wattle	160	90	184	58	14.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
677	<i>Acacia disparrima</i>	Hickory Wattle	140		140	44	12.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
678	<i>Eucalyptus siderophloia</i>	Grey Ironbark	490		490	154	20.0	14.0	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
679	<i>Eucalyptus tereticornis</i>	Forest Red Gum	340		340	107	21.0	6.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
680	<i>Eucalyptus tereticornis</i>	Forest Red Gum	260		260	82	18.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
681	<i>Eucalyptus tereticornis</i>	Forest Red Gum	190		190	60	16.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
682	<i>Alphitonia excelsa</i>	Soap Tree	100		100	31	6.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
683	<i>Acacia disparrima</i>	Hickory Wattle	120		120	38	4.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
684	<i>Eucalyptus tereticornis</i>	Forest Red Gum	250		250	79	18.0	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
685	<i>Eucalyptus tereticornis</i>	Forest Red Gum	250		250	79	15.0	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
686	<i>Eucalyptus tereticornis</i>	Forest Red Gum	350		350	110	18.0	10.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
687	<i>Eucalyptus tereticornis</i>	Forest Red Gum	170		170	53	16.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
688	<i>Eucalyptus tereticornis</i>	Forest Red Gum	130		130	41	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
689	<i>Acacia disparrima</i>	Hickory Wattle	190		190	60	10.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
690	<i>Corymbia citriodora</i>	Spotted Gum	300		300	94	24.0	12.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
691	<i>Acacia disparrima</i>	Hickory Wattle	190		190	60	12.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
692	<i>Eucalyptus crebra</i>	Grey Ironbark	250	240	347	109	14.0	6.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
693	<i>Jacaranda mimosifolia</i>	Jacaranda	180		180	57	7.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
694	<i>Corymbia citriodora</i>	Spotted Gum	420	270	499	157	22.0	8.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
695	<i>Citharexylum sponosum</i>	Fiddlewood	180	100	206	65	11.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
696	<i>Jacaranda mimosifolia</i>	Jacaranda	150	140	205	64	10.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
697	<i>Corymbia citriodora</i>	Spotted Gum	270		270	85	23.0	10.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
698	<i>Corymbia citriodora</i>	Spotted Gum	170		170	53	12.0	5.0	2.0	1.6	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
699	<i>Jacaranda mimosifolia</i>	Jacaranda	130		130	41	6.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
700	<i>Citharexylum sponosum</i>	Fiddlewood	140	130, 130	231	73	9.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
701	<i>Eucalyptus propinqua</i>	Northern Grey Gum	460		460	145	24.0	9.0	5.5	2.4	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	Old	-	-	-	-	Not part of this application	
702	<i>Lophostemon confertus</i>	Brush Box	410		410	129	14.0	9.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
703	<i>Eucalyptus siderophloia</i>	Grey Ironbark	180		180	57	13.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
704	<i>Eucalyptus carnea</i>	Broad-leaved White Mahogan	280		280	88	18.0	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
705	<i>Jacaranda mimosifolia</i>	Jacaranda	130	100	164	52	5.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
706	<i>Eucalyptus siderophloia</i>	Grey Ironbark	200		200	63	15.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
707	<i>Eucalyptus microcorys</i>	Tallowwood	280		280	88	19.0	11.0	3.4	1.9	Irregular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
708	<i>Eucalyptus siderophloia</i>	Grey Ironbark	240		240	75	17.0	7.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
709	<i>Eucalyptus microcorys</i>	Tallowwood	180		180	57	10.0	5.0	2.2	1.6	One-sided	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Not part of this application	
710	<i>Eucalyptus microcorys</i>	Tallowwood	270		270	85	20.0	9.0	3.2	1.9	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
711	<i>Corymbia intermedia</i>	Pink Bloodwood	270		270	85	18.0	11.0	3.2	1.9	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	

Tree ID	Specimen Details										Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Retention	Additional Notes		
	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest			Habitat Value	
712	<i>Jacaranda mimosifolia</i>	Jacaranda	140		140	44	5.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
713	<i>Acacia leiocalyx</i>	Early-flowering Black Wattle	160		160	50	7.0	4.0	2.0	1.5	Regular	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	-	Not part of this application	
714	<i>Corymbia citriodora</i>	Spotted Gum	240		240	75	19.0	7.0	2.9	1.8	One-sided	-	Thinning	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	-	Not part of this application	
715	<i>Corymbia citriodora</i>	Spotted Gum	300		300	94	20.0	12.0	3.6	2.0	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
716	<i>Eucalyptus siderophloia</i>	Grey Ironbark	240		240	75	15.0	5.0	2.9	1.8	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
717	<i>Lophostemon confertus</i>	Brush Box	100		100	31	5.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
718	<i>Lophostemon confertus</i>	Brush Box	330		330	104	22.0	11.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
719	<i>Lophostemon confertus</i>	Brush Box	100		100	31	6.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
720	<i>Corymbia citriodora</i>	Spotted Gum	320		320	101	28.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
721	<i>Lophostemon suaveolens</i>	Swamp Box	100		100	31	11.0	3.0	2.0	1.3	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
722	<i>Corymbia citriodora</i>	Spotted Gum	250		250	79	17.0	8.0	3.0	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
723	<i>Lophostemon confertus</i>	Brush Box	140	130	191	60	11.0	5.0	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
724	<i>Lophostemon confertus</i>	Brush Box	100	100	141	44	7.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
725	<i>Lophostemon confertus</i>	Brush Box	130		130	41	7.0	4.0	2.0	1.4	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
726	<i>Corymbia citriodora</i>	Spotted Gum	470		470	148	34.0	17.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
727	<i>Lophostemon confertus</i>	Brush Box	120	100, 100, 100	211	66	7.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
728	<i>Lophostemon confertus</i>	Brush Box	120	110	163	51	9.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
729	<i>Lophostemon confertus</i>	Brush Box	230		230	72	15.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
730	<i>Lophostemon confertus</i>	Brush Box	110		110	35	10.0	6.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
731	<i>Acacia concurrens</i>	Black Wattle	190		190	60	12.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
732	<i>Acacia concurrens</i>	Black Wattle	120		120	38	11.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	-	Not part of this application	
733	<i>Acacia concurrens</i>	Black Wattle	180		180	57	13.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
734	<i>Acacia concurrens</i>	Black Wattle	140		140	44	10.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
735	<i>Lophostemon confertus</i>	Brush Box	100		100	31	11.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
736	<i>Lophostemon confertus</i>	Brush Box	100		100	31	12.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
737	<i>Lophostemon confertus</i>	Brush Box	140		140	44	11.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
738	<i>Corymbia citriodora</i>	Spotted Gum	470		470	148	33.0	18.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
739	<i>Acacia disparrima</i>	Hickory Wattle	180		180	57	10.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
740	<i>Corymbia citriodora</i>	Spotted Gum	120		120	38	13.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
741	<i>Acacia concurrens</i>	Black Wattle	150		150	47	12.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
742	<i>Acacia concurrens</i>	Black Wattle	280	200	344	108	7.0	9.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
743	<i>Erythrina crista-galli</i>	Cockspur Coral Tree	310	230, 210, 160	468	147	4.0	6.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
744	<i>Erythrina crista-galli</i>	Cockspur Coral Tree	150	150, 130	249	78	4.0	5.0	3.0	1.8	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
745	<i>Eucalyptus siderophloia</i>	Grey Ironbark	380		380	119	18.0	10.0	4.6	2.2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
746	<i>Delonix regia</i>	Poinciana	260		260	82	10.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
747	<i>Eucalyptus siderophloia</i>	Grey Ironbark	480		480	151	27.0	10.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
748	<i>Acacia leiocalyx</i>	Early-flowering Black Wattle	110		110	35	12.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
749	<i>Lophostemon confertus</i>	Brush Box	240	190	306	96	13.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
750	DEAD/STAG		360		360	113	23.0	8.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
751	<i>Jacaranda mimosifolia</i>	Jacaranda	160	150	219	69	12.0	6.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
752	<i>Melia azedarach</i>	White Cedar	270		270	85	14.0	7.0	3.2	1.9	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
753	<i>Acacia concurrens</i>	Black Wattle	230	240	332	104	12.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Retention	Additional Notes		
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes	
754	<i>Acacia leiocalyx</i>	Early-flowering Black Wattle	250	230, 240, 230, 240	532	167	15.0	9.0	6.4	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	old cubby in tree	
755	<i>Schefflera actinophylla</i>	Umbrella Tree	170	130, 120	245	77			2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application		
756	<i>Cinnamomum camphora</i>	Camphor Laurel	100		100	31	6.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application		
757	<i>Lophostemon confertus</i>	Brush Box	130		130	41	13.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application		
758	<i>Jacaranda mimosifolia</i>	Jacaranda	260		260	82	10.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application		
759	<i>Lophostemon confertus</i>	Brush Box	190		190	60	15.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application		
760	<i>Corymbia torelliana</i>	Cadaghi	440		440	138	23.0	12.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application		
761	<i>Eucalyptus fibrosa</i>	Broad-leaved Red Ironbark	370		370	116	22.0	11.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application		
762	<i>Acacia leiocalyx</i>	Early-flowering Black Wattle	110		110	35	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application		
763	<i>Eucalyptus fibrosa</i>	Broad-leaved Red Ironbark	370		370	116	30.0	15.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application		
764	<i>Acacia disparrima</i>	Hickory Wattle	140	140	198	62	8.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application		
765	<i>Corymbia citriodora</i>	Spotted Gum	240		240	75	13.0	7.0	2.9	1.8	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application		
766	<i>Corymbia trachyphloia</i>	Brown Bloodwood	210		210	66	14.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application		
767	<i>Eucalyptus fibrosa</i>	Broad-leaved Red Ironbark	140		140	44	10.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application		
768	<i>Acacia disparrima</i>	Hickory Wattle	140		140	44	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application		
769	<i>Corymbia citriodora</i>	Spotted Gum	380		380	119	22.0	10.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application		
770	<i>Acacia concurrens</i>	Black Wattle	200	180	269	85	12.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application		
771	<i>Lophostemon confertus</i>	Brush Box	380	250	455	143	11.0	8.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application		
772	<i>Corymbia citriodora</i>	Spotted Gum	350		350	110	22.0	12.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application		
773	<i>Eucalyptus siderophloia</i>	Grey Ironbark	280		280	88	23.0	10.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application		
774	<i>Eucalyptus siderophloia</i>	Grey Ironbark	330		330	104	29.0	11.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application		
775	<i>Eucalyptus siderophloia</i>	Grey Ironbark	290		290	91	23.0	12.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application		
776	<i>Eucalyptus siderophloia</i>	Grey Ironbark	340		340	107	28.0	13.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application		
777	<i>Eucalyptus siderophloia</i>	Grey Ironbark	340		340	107	19.0	11.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application		
778	<i>Eucalyptus siderophloia</i>	Grey Ironbark	290		290	91	13.0	4.0	3.5	2.0	Regular	-	Thinning	Die-back	Epicormic	-	Poor	Major	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
779	<i>Eucalyptus siderophloia</i>	Grey Ironbark	270		270	85	15.0	7.0	3.2	1.9	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application		
780	<i>Eucalyptus siderophloia</i>	Grey Ironbark	190		190	60	14.0	8.0	2.3	1.6	One-sided	-	Thinning	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application		
781	<i>Eucalyptus siderophloia</i>	Grey Ironbark	330		330	104	27.0	13.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application		
782	<i>Acacia concurrens</i>	Black Wattle	100		100	31	6.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application		
783	<i>Eucalyptus siderophloia</i>	Grey Ironbark	350		350	110	22.0	10.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application		
784	<i>Corymbia citriodora</i>	Spotted Gum	120		120	38	13.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application		
785	<i>Eucalyptus siderophloia</i>	Grey Ironbark	340		340	107	19.0	12.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application		
786	<i>Acacia disparrima</i>	Hickory Wattle	170		170	53	7.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application		
787	<i>Lophostemon confertus</i>	Brush Box	150	130, 140	243	76	11.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application		
788	<i>Eucalyptus siderophloia</i>	Grey Ironbark	190		190	60	12.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application		
789	<i>Melaleuca saligna</i>	Willow Bottlebrush	240	350, 300	520	163	20.0	8.0	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application		
790	<i>Melaleuca leucadendra</i>	Weeping Paperbark	700		700	220	22.0	14.0	8.4	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application		
791	<i>Melaleuca leucadendra</i>	Weeping Paperbark	650	700	955	300	14.0	12.0	11.5	3.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application		
792	<i>Melaleuca quinquenervia</i>	Broad-leaf Paperbark	200		200	63	12.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application		
793	<i>Melaleuca saligna</i>	Willow Bottlebrush	320	240	400	126	14.0	6.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application		
794	<i>Melaleuca saligna</i>	Willow Bottlebrush	460	370	590	185	15.0	10.0	7.1	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application		
795	<i>Grevillea robusta</i>	Silky Oak	390	380	545	171	25.0	12.0	6.5	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		

Tree ID	Specimen Details										Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Retention	Additional Notes	
	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest			Habitat Value
796	<i>Ficus rubiginosa</i>	Port Jackson Fig	130		130	41	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
797	<i>Acacia disparrima</i>	Hickory Wattle	390		390	123	10.0	8.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove Stockpiling Stage 2	
798	<i>Allocasuarina littoralis</i>	Black She-oak	180		180	57	12.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove Stage 2	
799	<i>Casuarina glauca</i>	Swamp Oak	200		200	63	14.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove Stage 2	
800	<i>Casuarina glauca</i>	Swamp Oak	390		390	123	14.0	4.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove Stage 2	
801	<i>Casuarina glauca</i>	Swamp Oak	290		290	91	16.0	4.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove Stage 2	
802	<i>Corymbia citriodora</i>	Spotted Gum	400		400	126	26.0	10.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
803	<i>Corymbia citriodora</i>	Spotted Gum	630		630	198	25.0	8.0	7.6	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
804	<i>Corymbia torelliana</i>	Cadaghi	160		160	50	12.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
805	<i>Corymbia torelliana</i>	Cadaghi	360		360	113	16.0	6.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
806	<i>Corymbia torelliana</i>	Cadaghi	300		300	94	16.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
807	<i>Corymbia torelliana</i>	Cadaghi	150		150	47	14.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
808	<i>Acacia disparrima</i>	Hickory Wattle	330		330	104	12.0	6.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
809	<i>Corymbia citriodora</i>	Spotted Gum	130		130	41	6.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
810	<i>Eucalyptus seeana</i>	Narrow-leaved Red Gum	250	200	320	101	16.0	5.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
811	<i>Corymbia torelliana</i>	Cadaghi	240		240	75	15.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
812	<i>Corymbia torelliana</i>	Cadaghi	260		260	82	14.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
813	<i>Corymbia torelliana</i>	Cadaghi	280		280	88	14.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
814	<i>Acacia disparrima</i>	Hickory Wattle	170		170	53	12.0	2.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
815	<i>Acacia disparrima</i>	Hickory Wattle	130		130	41	12.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
816	<i>Eucalyptus tereticornis</i>	Forest Red Gum	390		390	123	24.0	8.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
817	<i>Acacia disparrima</i>	Hickory Wattle	120		120	38	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
818	<i>Eucalyptus tereticornis</i>	Forest Red Gum	200		200	63	16.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
819	<i>Eucalyptus tereticornis</i>	Forest Red Gum	130		130	41	12.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
820	<i>Eucalyptus tereticornis</i>	Forest Red Gum	100		100	31	12.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
821	<i>Eucalyptus tereticornis</i>	Forest Red Gum	160		160	50	14.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
822	<i>Eucalyptus tereticornis</i>	Forest Red Gum	120		120	38	12.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
823	<i>Eucalyptus tereticornis</i>	Forest Red Gum	120		120	38	12.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
824	<i>Acacia disparrima</i>	Hickory Wattle	100		100	31	6.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
825	<i>Eucalyptus crebra</i>	Grey Ironbark	300		300	94	22.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
826	<i>Corymbia citriodora</i>	Spotted Gum	250		250	79	18.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
827	<i>Eucalyptus crebra</i>	Grey Ironbark	120		120	38	15.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
828	<i>Eucalyptus crebra</i>	Grey Ironbark	150		150	47	15.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
829	<i>Eucalyptus crebra</i>	Grey Ironbark	130		130	41	12.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
830	<i>Corymbia tessellaris</i>	Moreton Bay Ash	100		100	31	6.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
831	<i>Eucalyptus siderophloia</i>	Grey Ironbark	200		200	63	12.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
832	<i>Eucalyptus crebra</i>	Grey Ironbark	110		110	35	12.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
833	<i>Eucalyptus tereticornis</i>	Forest Red Gum	200		200	63	14.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
834	<i>Eucalyptus siderophloia</i>	Grey Ironbark	120		120	38	14.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
835	<i>Eucalyptus tereticornis</i>	Forest Red Gum	220		220	69	15.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
836	<i>Eucalyptus tereticornis</i>	Forest Red Gum	160		160	50	12.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
837	<i>Acacia disparrima</i>	Hickory Wattle	380		380	119	12.0	6.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	

Tree ID	Specimen Details										Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Retention	Additional Notes		
	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest			Habitat Value	
838	<i>Acacia disparrima</i>	Hickory Wattle	550		550	173	14.0	8.0	6.6	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
839	<i>Eucalyptus tereticornis</i>	Forest Red Gum	220		220	69	16.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
840	<i>Eucalyptus tereticornis</i>	Forest Red Gum	130		130	41	14.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
841	<i>Eucalyptus siderophloia</i>	Grey Ironbark	150		150	47	15.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
842	<i>Acacia disparrima</i>	Hickory Wattle	100		100	31	10.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
843	<i>Eucalyptus propinqua</i>	Northern Grey Gum	280		280	88	18.0	3.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
844	<i>Acacia disparrima</i>	Hickory Wattle	300		300	94	15.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
845	<i>Acacia disparrima</i>	Hickory Wattle	210		210	66	18.0	8.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
846	<i>Acacia disparrima</i>	Hickory Wattle	200		200	63	15.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
847	<i>Acacia disparrima</i>	Hickory Wattle	200		200	63	12.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
848	<i>Acacia disparrima</i>	Hickory Wattle	260		260	82	14.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
849	<i>Native spp</i>		220		220	69	14.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
850	<i>Alphitonia excelsa</i>	Soap Tree	150		150	47	8.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
851	<i>Citharexylum sponosum</i>	Fiddlewood	150		150	47	14.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
852	<i>Citharexylum sponosum</i>	Fiddlewood	150		150	47	12.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
853	<i>Corymbia citriodora</i>	Spotted Gum	150		150	47	18.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
854	<i>Corymbia citriodora</i>	Spotted Gum	650		650	204	28.0	15.0	7.8	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
855	<i>Corymbia citriodora</i>	Spotted Gum	370		370	116	25.0	10.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
856	<i>Corymbia citriodora</i>	Spotted Gum	160		160	50	15.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
857	<i>Corymbia citriodora</i>	Spotted Gum	100		100	31	10.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
858	<i>Corymbia citriodora</i>	Spotted Gum	120		120	38	15.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
859	<i>Corymbia citriodora</i>	Spotted Gum	160	120	200	63	15.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
860	<i>Corymbia citriodora</i>	Spotted Gum	170		170	53	16.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
861	<i>Corymbia citriodora</i>	Spotted Gum	300		300	94	18.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
862	<i>Acacia disparrima</i>	Hickory Wattle	130		130	41	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
863	<i>Eucalyptus crebra</i>	Grey Ironbark	220		220	69	15.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
864	<i>Citharexylum sponosum</i>	Fiddlewood	200		200	63	12.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
865	<i>Eucalyptus crebra</i>	Grey Ironbark	260		260	82	16.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
866	<i>Grevillea robusta</i>	Silky Oak	140		140	44	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
867	<i>Eucalyptus siderophloia</i>	Grey Ironbark	260		260	82	20.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
868	<i>Eucalyptus propinqua</i>	Northern Grey Gum	330		330	104	22.0	6.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
869	<i>Eucalyptus propinqua</i>	Northern Grey Gum	200		200	63	15.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
870	<i>Eucalyptus siderophloia</i>	Grey Ironbark	350		350	110	15.0	5.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
871	<i>Flindersia australis</i>	Crows Ash	250	210, 300, 250	509	160	16.0	8.0	6.1	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
872	<i>Lophostemon suaveolens</i>	Swamp Box	200		200	63	10.0	2.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
873	<i>Eucalyptus crebra</i>	Grey Ironbark	110		110	35	10.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
874	<i>Alphitonia excelsa</i>	Soap Tree	180		180	57	12.0	2.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
875	<i>Eucalyptus carnea</i>	Broad-leaved White Mahogany	270		270	85	16.0	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
876	<i>Eucalyptus siderophloia</i>	Grey Ironbark	180		180	57	12.0	2.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
877	<i>Eucalyptus microcorys</i>	Tallowwood	420		420	132	24.0	12.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
878	<i>Eucalyptus carnea</i>	Broad-leaved White Mahogany	200		200	63	10.0	2.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
879	<i>Libidibia ferrea</i>	Leopard Tree	270		270	85	12.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Retention	Additional Notes		
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes	
880	<i>Corymbia torelliana</i>	Cadaghi	330		330	104	18.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
881	<i>Corymbia torelliana</i>	Cadaghi	300		300	94	14.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
882	<i>Corymbia citriodora</i>	Spotted Gum	160		160	50	16.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
883	<i>Corymbia citriodora</i>	Spotted Gum	290	150, 120	348	109	25.0	8.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
884	<i>Corymbia citriodora</i>	Spotted Gum	580		580	182	30.0	14.0	7.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
885	<i>Corymbia citriodora</i>	Spotted Gum	110		110	35	10.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
886	<i>Corymbia citriodora</i>	Spotted Gum	700		700	220	33.0	15.0	8.4	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	Small	-	-	-	Not part of this application	
887	<i>Corymbia citriodora</i>	Spotted Gum	290		290	91	18.0	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
888	<i>Corymbia citriodora</i>	Spotted Gum	180		180	57	15.0	2.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
889	<i>Lophostemon confertus</i>	Brush Box	220		220	69	12.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
890	<i>Corymbia citriodora</i>	Spotted Gum	190		190	60	15.0	2.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
891	<i>Lophostemon confertus</i>	Brush Box	120		120	38	10.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
892	<i>Lophostemon suaveolens</i>	Swamp Box	140		140	44	12.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
893	<i>Corymbia citriodora</i>	Spotted Gum	170		170	53	15.0	2.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
894	<i>Eucalyptus siderophloia</i>	Grey Ironbark	540		540	170	30.0	14.0	6.5	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
895	<i>Corymbia citriodora</i>	Spotted Gum	380	190, 110	439	138	22.0	12.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
896	<i>Corymbia citriodora</i>	Spotted Gum	360		360	113	25.0	6.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
897	<i>Eucalyptus siderophloia</i>	Grey Ironbark	650		650	204	28.0	16.0	7.8	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
898	<i>Corymbia citriodora</i>	Spotted Gum	280		280	88	18.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
899	<i>Lophostemon confertus</i>	Brush Box	250		250	79	12.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
900	<i>Corymbia citriodora</i>	Spotted Gum	160		160	50	18.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
901	<i>Eucalyptus carnea</i>	Broad-leaved White Mahogan	370		370	116	20.0	6.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
902	<i>Lophostemon confertus</i>	Brush Box	310		310	97	15.0	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
903	<i>Eucalyptus siderophloia</i>	Grey Ironbark	420		420	132	25.0	12.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
904	<i>Lophostemon confertus</i>	Brush Box	150		150	47	14.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
905	<i>Corymbia citriodora</i>	Spotted Gum	430		430	135	30.0	12.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
906	<i>Lophostemon confertus</i>	Brush Box	250		250	79	12.0	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
907	<i>Lophostemon confertus</i>	Brush Box	360	250, 100	450	141	18.0	6.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
908	<i>Corymbia citriodora</i>	Spotted Gum	800		800	251	34.0	15.0	9.6	3.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
909	<i>Lophostemon confertus</i>	Brush Box	280		280	88	15.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
910	<i>Eucalyptus carnea</i>	Broad-leaved White Mahogan	260		260	82	15.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
911	<i>Lophostemon confertus</i>	Brush Box	210		210	66	12.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
912	<i>Acacia dispartima</i>	Hickory Wattle	240		240	75	14.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
913	<i>Corymbia citriodora</i>	Spotted Gum	460		460	145	28.0	12.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
914	<i>Lophostemon confertus</i>	Brush Box	200		200	63	8.0	2.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
915	<i>Corymbia citriodora</i>	Spotted Gum	900		900	283	32.0	15.0	10.8	3.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
916	<i>Acacia dispartima</i>	Hickory Wattle	200		200	63	10.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
917	<i>Acacia dispartima</i>	Hickory Wattle	140		140	44	12.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
918	<i>Acacia dispartima</i>	Hickory Wattle	140		140	44	12.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
919	<i>Acacia dispartima</i>	Hickory Wattle	160		160	50	12.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
920	<i>Acacia dispartima</i>	Hickory Wattle	160		160	50	12.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
921	<i>Acacia dispartima</i>	Hickory Wattle	390	380	545	171	14.0	10.0	6.5	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	

Tree ID	Specimen Details										Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Retention	Additional Notes		
	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest			Habitat Value	
922	<i>Lophostemon confertus</i>	Brush Box	280		280	88	12.0	4.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
923	<i>Allocasuarina littoralis</i>	Black She-oak	200		200	63	10.0	2.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
924	<i>Allocasuarina littoralis</i>	Black She-oak	220		220	69	12.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
925	<i>Lophostemon confertus</i>	Brush Box	200		200	63	12.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
926	<i>Corymbia torelliana</i>	Cadaghi	120		120	38	8.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
927	<i>Eucalyptus crebra</i>	Grey Ironbark	260		260	82	22.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
928	<i>Corymbia torelliana</i>	Cadaghi	210		210	66	10.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
929	<i>Eucalyptus siderophloia</i>	Grey Ironbark	320		320	101	22.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
930	<i>Eucalyptus siderophloia</i>	Grey Ironbark	370		370	116	25.0	6.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
931	<i>Acacia disparrima</i>	Hickory Wattle	150		150	47	14.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
932	<i>Araucaria cunninghamii</i>	Hoop Pine	200		200	63	15.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
933	<i>Jacaranda mimosifolia</i>	Jacaranda	400	200	447	140	14.0	6.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
934	<i>Corymbia torelliana</i>	Cadaghi	300		300	94	16.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
935	<i>Acacia disparrima</i>	Hickory Wattle	280		280	88	16.0	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
936	<i>Acacia disparrima</i>	Hickory Wattle	300		300	94	15.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
937	<i>Corymbia trachyphloia</i>	Brown Bloodwood	280		280	88	15.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
938	<i>Ficus rubiginosa</i>	Port Jackson Fig	520		520	163	20.0	14.0	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
939	<i>Corymbia torelliana</i>	Cadaghi	160		160	50	14.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
940	<i>Corymbia citriodora</i>	Spotted Gum	550		550	173	32.0	15.0	6.6	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
941	<i>Corymbia torelliana</i>	Cadaghi	400		400	126	25.0	12.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
942	<i>Corymbia citriodora</i>	Spotted Gum	400		400	126	28.0	12.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
943	<i>Corymbia citriodora</i>	Spotted Gum	340		340	107	26.0	10.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
944	<i>Lophostemon confertus</i>	Brush Box	500		500	157	25.0	15.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
945	<i>Corymbia citriodora</i>	Spotted Gum	510		510	160	26.0	14.0	6.1	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
946	<i>Angophora leiocarpa</i>	Smooth-barked Apple	470		470	148	25.0	10.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
947	<i>Eucalyptus siderophloia</i>	Grey Ironbark	250		250	79	16.0	3.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
948	<i>Corymbia trachyphloia</i>	Brown Bloodwood	200		200	63	15.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
949	<i>Eucalyptus siderophloia</i>	Grey Ironbark	890		890	280	26.0	14.0	10.7	3.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
950	<i>Acacia disparrima</i>	Hickory Wattle	110		110	35	8.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
951	<i>Acacia disparrima</i>	Hickory Wattle	140		140	44	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
952	<i>Corymbia citriodora</i>	Spotted Gum	330		330	104	22.0	6.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
953	<i>Lophostemon confertus</i>	Brush Box	130	100	164	52	10.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
954	<i>Corymbia trachyphloia</i>	Brown Bloodwood	240		240	75	15.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
955	<i>Eucalyptus siderophloia</i>	Grey Ironbark	460		460	145	32.0	14.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
956	<i>Lophostemon confertus</i>	Brush Box	110		110	35	10.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
957	<i>Angophora leiocarpa</i>	Smooth-barked Apple	260		260	82	25.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
958	<i>Corymbia trachyphloia</i>	Brown Bloodwood	190		190	60	14.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
959	<i>Eucalyptus siderophloia</i>	Grey Ironbark	420		420	132	28.0	14.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
960	<i>Acacia disparrima</i>	Hickory Wattle	190		190	60	10.0	2.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
961	<i>Eucalyptus siderophloia</i>	Grey Ironbark	340		340	107	18.0	5.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
962	<i>Corymbia trachyphloia</i>	Brown Bloodwood	240		240	75	14.0	2.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
963	<i>Corymbia citriodora</i>	Spotted Gum	420		420	132	30.0	14.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Retention	Additional Notes		
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes	
964	<i>Acacia disparrima</i>	Hickory Wattle	150		150	47	14.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
965	<i>Eucalyptus carnea</i>	Broad-leaved White Mahogan	460		460	145	24.0	12.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
966	<i>Acacia disparrima</i>	Hickory Wattle	180		180	57	12.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
967	<i>Acacia disparrima</i>	Hickory Wattle	290		290	91	14.0	4.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
968	<i>Eucalyptus crebra</i>	Grey Ironbark	120		120	38	8.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
969	<i>Lophostemon confertus</i>	Brush Box	250		250	79	15.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
970	<i>Melaleuca leucadendra</i>	Weeping Paperbark	380	370	530	167	14.0	8.0	6.4	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
971	<i>Melaleuca quinquenervia</i>	Broad-leaf Paperbark	710		710	223	15.0	11.0	8.5	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
972	<i>Melaleuca viminalis</i>	Weeping Bottlebrush	240		240	75	11.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
973	<i>Acacia leiocalyx</i>	Early-flowering Black Wattle	250		250	79	10.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	-	Retain	
974	<i>Acacia leiocalyx</i>	Early-flowering Black Wattle	210		210	66	7.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove Stockpiling Stage 2	
975	<i>Eucalyptus melanophloia</i>	Silver-leaved Ironbark	290		290	91	14.0	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove Stockpiling Stage 2	
976	<i>Corymbia intermedia</i>	Pink Bloodwood	210		210	66	8.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Removed	
977	<i>Corymbia citriodora</i>	Spotted Gum	600		600	188	21.0	12.0	7.2	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Removed	
978	<i>Eucalyptus carnea</i>	Broad-leaved White Mahogan	270	170	319	100	10.0	6.0	3.8	2.0	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
979	<i>Acacia leiocalyx</i>	Early-flowering Black Wattle	160		160	50	7.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
980	<i>Acacia leiocalyx</i>	Early-flowering Black Wattle	200	200	283	89	11.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
981	<i>Eucalyptus tereticornis</i>	Forest Red Gum	350		350	110	24.0	10.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	-	Not part of this application	
982	<i>Lophostemon confertus</i>	Brush Box	160		160	50	11.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
983	<i>Corymbia citriodora</i>	Spotted Gum	120		120	38	10.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
984	<i>Allocasuarina littoralis</i>	Black She-oak	240		240	75	8.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
985	<i>Eucalyptus tereticornis</i>	Forest Red Gum	300		300	94	21.0	9.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
986	<i>Allocasuarina littoralis</i>	Black She-oak	150	130	198	62	8.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
987	<i>Eucalyptus tereticornis</i>	Forest Red Gum	200		200	63	18.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
988	<i>Eucalyptus tereticornis</i>	Forest Red Gum	330		330	104	17.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
989	<i>Acacia leiocalyx</i>	Early-flowering Black Wattle	160	130, 130	244	77	8.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
990	<i>Eucalyptus tereticornis</i>	Forest Red Gum	290		290	91	20.0	8.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
991	<i>Eucalyptus tereticornis</i>	Forest Red Gum	130		130	41	12.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
992	<i>Acacia leiocalyx</i>	Early-flowering Black Wattle	110		110	35	6.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
993	<i>Acacia leiocalyx</i>	Early-flowering Black Wattle	120		120	38	3.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
994	<i>Eucalyptus tereticornis</i>	Forest Red Gum	150		150	47	13.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
995	<i>Eucalyptus tereticornis</i>	Forest Red Gum	210	170	270	85	19.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
996	<i>Allocasuarina littoralis</i>	Black She-oak	100	100, 100	173	54	5.0	4.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
997	<i>Eucalyptus tereticornis</i>	Forest Red Gum	130		130	41	11.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
998	<i>Eucalyptus tereticornis</i>	Forest Red Gum	180		180	57	17.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
999	<i>Eucalyptus tereticornis</i>	Forest Red Gum	200		200	63	18.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
1000	<i>Eucalyptus moluccana</i>	Gum-topped Box	250	200, 200, 180	418	131	19.0	8.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
1001	<i>Acacia disparrima</i>	Hickory Wattle	300		300	94	11.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
1002	<i>Acacia disparrima</i>	Hickory Wattle	290		290	91	13.0	8.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
1003	<i>Acacia disparrima</i>	Hickory Wattle	280	250	375	118	13.0	8.0	4.5	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Not part of this application	
1004	<i>Tipuana tipu</i>	Tipuana	240		240	75	13.0	3.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove remediation works	
1005	<i>Spathodea companulata</i>	African Tulip	310		310	97	12.0	4.0	3.7	2.0	Regular	-	-	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove remediation works	

Tree ID	Specimen Details										Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Retention	Additional Notes	
	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest			Habitat Value
1006	<i>Jacaranda mimosifolia</i>	Jacaranda	300	130	327	103	14.0	4.0	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove remediation works	
1007	<i>Spathodea companulata</i>	African Tulip	680		680	214	16.0	7.0	8.2	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove remediation works	
1008	<i>Ficus lyrata</i>	Fiddle Leaf Fig	190	200, 210	347	109	6.0	5.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove remediation works	
1009	<i>Schinus terebinthifolius</i>	Broad-leaf Pepper	320		320	101	5.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove Stockpiling Stage 2	
1010	<i>Eucalyptus siderophloia</i>	Grey Ironbark	350		350	110	26.0	10.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove remediation works	
1011	<i>Eucalyptus siderophloia</i>	Grey Ironbark	380		380	119	27.0	11.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1012	<i>Macadamia integrifolia</i>	Macadamia Nut	170	130, 100	236	74	10.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove remediation works	
1013	<i>Corymbia citriodora</i>	Spotted Gum	350		350	110	21.0	9.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove remediation works	
1014	<i>Jacaranda mimosifolia</i>	Jacaranda	210	180, 180, 150, 150	392	123	10.0	7.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove remediation works	
1015	<i>Harpullia pendula</i>	Tulipwood	230		230	72	9.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove remediation works	
1016	<i>Ulmus parvifolia</i>	Chinese elm	250	220, 220, 100	411	129	7.0	5.0	4.9	2.3	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove remediation works	
1017	<i>Plumeria sp.</i>	Frangipani	150	150, 150, 120, 110	307	96	7.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
1018	<i>Persea sp.</i>	Avocado Tree	130		130	41	5.0	3.0	2.0	1.4	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
1019	<i>Melaleuca nodosa</i>	Prickly-leaved Paperbark	340	270	434	136	10.0	6.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
1020	<i>Macadamia integrifolia</i>	Macadamia Nut	180	140, 130, 120	289	91	4.0	3.0	3.5	2.0	Regular	-	-	-	Epicormic	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
1021	<i>Mangifera indica</i>	Mango	450	350	570	179	12.0	8.0	6.8	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
1022	<i>Grevillea robusta</i>	Silky Oak	300		300	94	16.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
1023	<i>Mangifera indica</i>	Mango	350		350	110	7.0	5.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
1024	<i>Eucalyptus siderophloia</i>	Grey Ironbark	550		550	173	20.0	12.0	6.6	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
1025	<i>Melaleuca saligna</i>	Willow Bottlebrush	240		240	75	10.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
1026	<i>Mangifera indica</i>	Mango	260	200, 200	384	121	8.0	8.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
1027	<i>Celtis sinensis</i>	Chinese Elm	140		140	44	8.0	4.0	2.0	1.4	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
1028	<i>Schefflera actinophylla</i>	Umbrella Tree	200	80, 80, 80, 80	256	80	8.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
1029	<i>Mangifera indica</i>	Mango	410		410	129	8.0	6.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
1030	<i>Araucaria heterophylla</i>	Norfolk Pine	230		230	72	22.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
1031	<i>Corymbia citriodora</i>	Spotted Gum	160	130, 120	239	75	7.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
1032	<i>Corymbia citriodora</i>	Spotted Gum	400	120	418	131	22.0	12.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
1033	<i>Acacia concurrens</i>	Black Wattle	120	80	144	45	6.0	4.0	2.0	1.5	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
1034	<i>Corymbia citriodora</i>	Spotted Gum	100		100	31	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
1035	<i>Corymbia citriodora</i>	Spotted Gum	750		750	236	24.0	14.0	9.0	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
1036	<i>Corymbia citriodora</i>	Spotted Gum	380		380	119	20.0	8.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
1037	<i>Corymbia citriodora</i>	Spotted Gum	530		530	167	24.0	10.0	6.4	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
1038	<i>Corymbia citriodora</i>	Spotted Gum	200		200	63	12.0	5.0	2.4	1.7	One-sided	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
1039	<i>Corymbia citriodora</i>	Spotted Gum	840		840	264	24.0	12.0	10.1	3.1	Regular	-	-	Die-back	-	-	Typical	Minor	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Not part of this application	
1040	<i>Corymbia citriodora</i>	Spotted Gum	580		580	182	24.0	12.0	7.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
1041	<i>Eucalyptus fibrosa</i>	Broad-leaved Red Ironbark	400		400	126	20.0	10.0	4.8	2.3	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
1042	<i>Eucalyptus carnea</i>	Broad-leaved White Mahogany	400		400	126	22.0	10.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
1043	<i>Corymbia citriodora</i>	Spotted Gum	430		430	135	22.0	10.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
1044	<i>Tipuana tipu</i>	Tipuana	300		300	94	16.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	Major	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
1045	<i>Jacaranda mimosifolia</i>	Jacaranda	260		260	82	16.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
1046	<i>Eucalyptus carnea</i>	Broad-leaved White Mahogany	150	150	212	67	14.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
1047	<i>Eucalyptus fibrosa</i>	Broad-leaved Red Ironbark	720	150	735	231	26.0	14.0	8.8	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	

Tree ID	Specimen Details										Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Retention	Additional Notes		
	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest			Habitat Value	
1048	<i>Corymbia citriodora</i>	Spotted Gum	330		330	104	22.0	10.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application		
1049	<i>Corymbia citriodora</i>	Spotted Gum	250		250	79	22.0	12.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application		
1050	<i>Corymbia citriodora</i>	Spotted Gum	580		580	182	26.0	16.0	7.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application		
1051	<i>Corymbia trachyphloia</i>	Brown Bloodwood	200		200	63	12.0	6.0	2.4	1.7	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application		
1052	<i>Eucalyptus fibrosa</i>	Broad-leaved Red Ironbark	800		800	251	26.0	16.0	9.6	3.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application		
1053	<i>Eucalyptus siderophloia</i>	Grey Ironbark	750		750	236	24.0	12.0	9.0	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application		
1054	<i>Lophostemon confertus</i>	Brush Box	200	140	244	77	18.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application		
1055	<i>Corymbia citriodora</i>	Spotted Gum	750		750	236	22.0	10.0	9.0	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application		
1056	<i>Lophostemon confertus</i>	Brush Box	120	110, 80	181	57	5.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application		
1057	<i>Olea europaea</i>	Olive Tree	110	80	136	43	9.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application		
1058	<i>Mangifera indica</i>	Mango	510		510	160	6.0	6.0	6.1	2.5	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application		
1059	<i>Mangifera indica</i>	Mango	450		450	141	8.0	8.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application		
1060	<i>Delonix regia</i>	Poinciana	240	200	312	98	12.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application		
1061	<i>Araucaria cunninghamii</i>	Hoop Pine	240		240	75	12.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application		
1062	<i>Celtis sinensis</i>	Chinese Elm	120		120	38	6.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application		
1063	<i>Syagrus romanzoffiana</i>	Cocos Palm	220		220	69	16.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application		
1064	<i>Corymbia trachyphloia</i>	Brown Bloodwood	180		180	57	12.0	6.0	2.2	1.6	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application		
1065	<i>Syagrus romanzoffiana</i>	Cocos Palm	220		220	69	14.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application		
1066	<i>Alphitonia excelsa</i>	Soap Tree	130		130	41	10.0	4.0	2.0	1.4	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application		
1067	<i>Lophostemon confertus</i>	Brush Box	220	220	311	98	18.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application		
1068	<i>Eucalyptus siderophloia</i>	Grey Ironbark	750		750	236	24.0	12.0	9.0	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application		
1069	DEAD/STAG		180		180	57	14.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	no habitat	
1070	<i>Tristaniaopsis laurina</i>	Water Gum	120	110, 110	196	62	12.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application		
1071	<i>Eucalyptus microcorys</i>	Tallowwood	600		600	188	24.0	14.0	7.2	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application		
1072	<i>Harpullia pendula</i>	Tulipwood	220	80	234	74	10.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application		
1073	<i>Eucalyptus tereticornis</i>	Forest Red Gum	240		240	75	22.0	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application		
1074	<i>Celtis sinensis</i>	Chinese Elm	120	80	144	45	6.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application		
1075	<i>Eucalyptus siderophloia</i>	Grey Ironbark	520		520	163	24.0	10.0	6.2	2.5	Regular	-	-	-	-	-	Typical	Minor	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application	
1076	<i>Mangifera indica</i>	Mango	200	200	283	89	8.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application		
1077	<i>Mangifera indica</i>	Mango	180	160	241	76	7.0	7.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application		
1078	<i>Eucalyptus propinqua</i>	Northern Grey Gum	450		450	141	24.0	10.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application		
1079	<i>Celtis sinensis</i>	Chinese Elm	160	130	206	65	6.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application		
1080	<i>Celtis sinensis</i>	Chinese Elm	180		180	57	7.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application		
1081	<i>Mangifera indica</i>	Mango	240	200, 200	371	117	6.0	5.0	4.5	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application		
1082	<i>Corymbia trachyphloia</i>	Brown Bloodwood	550	150, 150	589	185	22.0	10.0	7.1	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application		
1083	<i>Angophora leiocarpa</i>	Smooth-barked Apple	310		310	97	20.0	10.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application		
1084	<i>Diospyros kaki</i>	Persimmon	160		160	50	6.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application		
1085	<i>Lophostemon confertus</i>	Brush Box	200	140	244	77	18.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Not part of this application		

Tree ID	Specimen Details										Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Retention	Additional Notes			
	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest			Habitat Value		
2464	<i>Alphitonia excelsa</i>	Soap Tree	150		150	47	5.0	1.0	2.0	1.5	Regular	-	-	-	-	-	Typical	Minor	Introduced	-	-	Typical	-	-	-	-	-	-	-	-	Not part of this application	
2465	<i>Flindersia australis</i>	Crows Ash	110	70	130	41	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Not part of this application	
2466	<i>Jagera pseudorhus</i>	Foam Bark	160	150, 130	255	80	10.5	3.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Not part of this application	
2467	<i>Lophostemon confertus</i>	Brush Box	130		130	41	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Not part of this application	
2468	DEAD/STAG		440		440	138	12.0	2.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Not part of this application	
2469	<i>Lophostemon confertus</i>	Brush Box	190	190, 150	308	97	10.5	4.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	-	-	Not part of this application	
2470	<i>Lophostemon confertus</i>	Brush Box	140		140	44	7.0	2.0	2.0	1.4	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Not part of this application	
2471	<i>Lophostemon confertus</i>	Brush Box	180		180	57	9.5	2.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	Introduced	-	-	Typical	-	-	-	-	-	-	-	-	Not part of this application	
2472	<i>Eucalyptus siderophloia</i>	Grey Ironbark	740		740	232	14.0	6.0	8.9	2.9	Regular	-	-	-	-	-	Typical	-	Introduced	-	-	Typical	-	-	-	-	-	-	-	-	Not part of this application	
2473	<i>Cupaniopsis anacardoides</i>	Tuckeroo	280		280	88	7.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	Introduced	-	-	Typical	-	-	-	-	-	-	-	-	Not part of this application	

Tree ID	Specimen Details										Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Retention	Additional Notes			
	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest			Habitat Value		
2474	<i>Eucalyptus fibrosa</i>	Broad-leaved Red Ironbar	830		830	261	19.0	11.0	10.0	3.1	Regular	-	-	-	-	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	External Tree - Remove Stage 2	
2475	<i>Corymbia citriodora</i>	Spotted Gum	365		365	115	14.0	6.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	External Tree - Arborist Stage 2	
2476	<i>Corymbia citriodora</i>	Spotted Gum	233		233	73	11.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	External Tree - Remove Stage 2	
2477	<i>Corymbia citriodora</i>	Spotted Gum	365		365	115	14.0	9.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	External Tree - Remove Stage 2	
2478	<i>Corymbia torelliana</i>	Cadaghi	750	350	828	260	16.0	12.0	9.9	3.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	External Tree - Remove Stage 2	
2479	<i>Lophostemon suaveolens</i>	Swamp Box	215		215	68	8.0	2.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	External Tree - Remove Stage 2	
2480	<i>Corymbia citriodora</i>	Spotted Gum	220		220	69	11.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	External Tree - Arborist Stage 2	
2481	<i>Lophostemon suaveolens</i>	Swamp Box	130		130	41	4.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	External Tree - Arborist Stage 2	
2482	<i>Corymbia citriodora</i>	Spotted Gum	395		395	124	13.0	8.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	External Tree - Arborist Stage 2	
2483	<i>Syncarpia glomulifera</i>	Turpentine	190		190	60	3.0	1.0	2.3	1.6	Regular	-	-	-	-	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Retain	
2484	<i>Syncarpia glomulifera</i>	Turpentine	370		370	116	13.0	5.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Retain	
2485	<i>Corymbia torelliana</i>	Cadaghi	465		465	146	12.0	8.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Retain	
2486	<i>Eucalyptus tereticornis</i>	Forest Red Gum	680		680	214	24.0	13.0	8.2	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	External Tree - Arborist Stage 2	
2487	<i>Acacia disparrima</i>	Hickory Wattle	260	220, 160	376	118	5.0	5.0	4.5	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Retain	
2488	<i>Lophostemon confertus</i>	Brush Box	140	110, 190	260	82	8.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Retain	
2489	<i>Lophostemon confertus</i>	Brush Box	330		330	104	6.0	5.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Retain	curlew under tree
2490	<i>Corymbia citriodora</i>	Spotted Gum	260		260	82	13.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Retain	
2491	<i>Corymbia citriodora</i>	Spotted Gum	110		110	35	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Retain	
2492	<i>Corymbia torelliana</i>	Cadaghi	550		550	173	14.0	10.0	6.6	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Retain	
2493	<i>Corymbia torelliana</i>	Cadaghi	690	490, 470	968	304	14.0	12.0	11.6	3.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	External Tree - Remove Stage 2	
2494	<i>Flindersia sp.</i>	Flindersia sp.	70		70	22	2.0	1.0	2.0	1.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Retain	
2495	<i>Xanthostemon chrysanthus</i>	Golden Penda	260	180	316	99	5.0	3.0	3.8	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Retain	
2496	<i>Delonix regia</i>	Poinciana	620	470	778	244	9.0	13.0	9.3	3.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Retain	