



Department of
**State Development, Infrastructure,
Local Government and Planning**

Our ref: DEV2022/1340

7 November 2022

Optus Mobile Pty Ltd
C/- CommPlan Pty Ltd
Att: Ms Emma Mytka
Suite 30, Level 1
100 New South Head Road
EDGECLIFF NSW 2027

Email: emmal@commplan.com.au

Dear Emma

S89(1)(a) Approval of PDA development application

PDA Development Permit for Operational Works for upgrade to existing Telecommunications Facility at 600 Gregory Terrace, Bowen Hills described as Lot 703 on SP288048

On 7 December 2022, pursuant to s.85(4)(b) of the *Economic Development Act 2012*, the Minister for Economic Development Queensland (MEDQ) decided to grant **all** of the PDA development application applied for, in accordance with the attached PDA decision notice.

The PDA decision notice and approved plans / documents can also be viewed in the MEDQ Development Approvals Register via the Department website at www.dsdilgp.qld.gov.au/pda-da-applications.

If you require any further information, please contact Marissa Bais, Planner, Development Assessment, in Economic Development Queensland, by telephone on (07) 3452 7344 or at Marissa.bais@dsdilgp.qld.gov.au, who will be pleased to assist.

Yours sincerely

Beatriz Gomez
Director
Development Assessment
Economic Development Queensland

PDA Decision Notice

Site information		
Name of priority development area (PDA)	Bowen Hills	
Site address	600 Gregory Terrace, Bowen Hills	
Lot on plan description	Lot number	Plan description
	Lot 703	SP288048

PDA development application details	
DEV reference number	DEV2022/1340
'Properly made' date	09/11/22
Type of application	☒ PDA development application for: ☐ Material change of use ☐ Preliminary approval ☐ Development permit ☐ Reconfiguring a lot ☐ Preliminary approval ☐ Development permit ☒ Operational work ☐ Preliminary approval ☒ Development permit ☐ Application to change PDA development approval ☐ Application to extend currency period
Proposed development	Operational Works for upgrade to existing Telecommunications Facility

PDA development approval details	
Decision of the MEDQ	The MEDQ has decided to grant all of the PDA development approval applied for, subject to PDA development conditions forming part of this decision.
Decision date	07/12/22
Currency period	2 years from the decision date

Approved plans and documents			
The plans and documents approved by the MEDQ and referred to in the PDA development conditions for the PDA development approval are detailed below.			
Approved plans and documents		Number	Date
1.	Site Setout Plan prepared by Cyient	440131-G2 Rev AB	24/04/20
2.	Site Elevation – Sheet 1 of 4 prepared by Cyient	440131-G3 Rev AB	24/04/20
3.	Equipment Area Layout prepared by Cyient	440131-F1 Rev AB	2/12/16
4.	Proposed EWP/Crane setup location prepared by Cyient	440131-F1 Rev AB	2/12/16
5.	Environmental EME Report issued by Nokia	V.12 Feb 2021	18/05/2022

Preamble, abbreviations, and definitions

PREAMBLE

Nil or insert preamble

ABBREVIATIONS AND DEFINITIONS

The following is a list of abbreviations utilised in this approval:

DSDILGP means the Department of State Development, Infrastructure Local Government and Planning.

EDQ means Economic Development Queensland.

EDQ DA means Economic Development Queensland's – Development Assessment team.

EDQ IS means Economic Development Queensland's – Infrastructure Solutions team.

MEDQ means the Minister for Economic Development Queensland.

PDA means Priority Development Area.

Compliance assessment

Where a condition of this approval requires Compliance Assessment, Compliance Assessment is required in accordance with the following:

- a) The applicant must:
 - i) pay to MEDQ at the time of submission the relevant fee for Compliance Assessment, including any third party peer review costs which will be charged on a 100% cost recovery basis. The Compliance Assessment fees are set out in EDQ Development Assessment Fees and Charges Schedule¹ (as amended from time to time).
 - ii) submit to EDQ DA a duly completed Compliance Assessment form².
 - iii) submit to EDQ DA the documentation as required under the relevant condition.
- b) Where EDQ is satisfied the documentation submitted for Compliance Assessment meets the requirements of the relevant condition (or element of the condition), EDQ will endorse the documentation and advise by written notice.
- c) Compliance Assessment and endorsement can be repeated where a different design or solution, to that already endorsed, is sought.
- d) The process and timeframes that apply to Compliance Assessment are as follows:
 - i) applicant submits items required under a) above to EDQ DA for Compliance Assessment.
 - ii) **within 20 business days** – EDQ assesses the documentation and:
 - 1. if satisfied, endorses the documentation; or
 - 2. if not satisfied, notifies the applicant accordingly.

¹ The EDQ Development Assessment Fees and Charges Schedule is available at EDQ's website.

² The Compliance Assessment form is available at EDQ's website. It sets out how to submit documentation for Compliance Assessment and how to pay Compliance Assessment fees.

- iii) if the applicant is notified under ii.2. above, revised documentation must be submitted **within 20 business days** from the date of notification.
- iv) **within 20 business days** – EDQ assesses the revised documentation and:
 - 1. if satisfied, endorses the revised documentation; or
 - 2. if not satisfied, notifies the applicant accordingly.
- v) where EDQ notifies the applicant as stated under iv.2. above, repeat steps iii. and iv. above. If either party is not satisfied by the outcome of this process, that party can elect to enter into a mediation process with an independent mediator agreed to by both parties.

Despite note v. above, the condition (or element of the condition) is determined to have been met only when EDQ endorses relevant documentation.

Submitting documentation to EDQ

Where a condition of this approval requires documentation to be submitted to either EDQ DA or EDQ IS, use the following email addresses:

- a) EDQ DA: pdadevelopmentassessment@dsdilgp.qld.gov.au
- b) EDQ IS: EDQ_PrePostConstruction@dsdilgp.qld.gov.au

PDA development conditions

No.	Condition	Timing
1.	Carry out the approved development Carry out the approved development generally in accordance with the approved plans and documents.	Prior to commencement of use.
2.	Maintain the approved development Maintain the approved development generally in accordance with the approved plans and documents.	At all times following commencement of use.
Construction management		
3.	Hours of work - construction Unless otherwise endorsed, via Compliance Assessment for out of hours work, construction hours for the approved development are limited to Monday to Saturday between 6:30am to 6:30pm, excluding public holidays.	During construction unless otherwise endorsed
4.	Out of hours work - Compliance Assessment Where out of hours work is proposed, submit to EDQ DA, for Compliance Assessment, an out of hours work request. The out of hours work request must include a duly completed out of hours work request form ³ .	Minimum of 10 business days prior to proposed out of hours work commencement date
5.	Public infrastructure (damage, repairs and relocation) a) Repair any damage to existing public infrastructure caused by works carried out in association with the approved development.	a) Prior to commencement of use or BFP endorsement, whichever occurs first

³ The out of hours work request form is available at EDQ's website.

PDA development conditions		
No.	Condition	Timing
	b) Where existing public infrastructure require repair or relocation, due to the approved development and/or works associated with the approved development, repair and/or relocate the public infrastructure at no cost to others and in accordance with statutory requirements and the External Authority's design standards. <i>NOTE: It is recommended applicants record their own dated photographic evidence of the condition of relevant existing public infrastructure both before and after works carried out in association with the approved development.</i>	b) Prior to commencement of use or BFP endorsement, whichever occurs first

STANDARD ADVICE

Please note that to lawfully undertake development, it may be necessary to obtain approvals other than this PDA development approval. For advice on other approvals that may be necessary in relation to your proposal, it is recommended that you seek professional advice.

**** End of Package ****