



Biodiversity Assessment

AND MANAGEMENT PTY LTD

ABN 59 097 464 992 ACN 097 464 992

5 October 2010

PLANS AND DOCUMENTS
referred to in the ULDA
APPROVAL dated 26 / 10 / 10

Bligh Tanner
PO Box Telegraph Road
Fitzgibbon

Attention: Chris Tanner
Re: Surveyed Tree Identification on Lot 11 on SP223412

Dear Chris,

I have attached a list of the species, height and diameter at breast height (DBH) for the surveyed trees that occur within the proposed footprint on property described as Lot 11 on SP223412 located at 253 Telegraph Road, Fitzgibbon (study area).

It is understood that the proposed footprint will result in the disturbance to and removal of 32 native trees with a DBH greater than 10cm in the study area. The location and the details of the vegetation to be removed are shown on **Figure 1** and listed in **Table 1** attached.

It is recommended that the nest boxes, currently located in trees 6, 7, and 8, be moved to adjacent bushland by a qualified fauna spotter/catcher. Note that nest boxes are also located in trees 13, 14 and 17. A fauna spotter/catcher must be present for all vegetation clearing works on the study area.

In addition, all construction works should be kept outside of the drip line of mature adjacent trees (i.e. trees 3, 2 and 1).


Weed and pest management must be in accordance with the Construction Environmental Management Plan for the Fitzgibbon site.

We trust this information is suitable for your purposes. Please do not hesitate to contact us on 3286 7788 if you have any queries.

Yours sincerely

Paula Boosamra
Senior Environmental Scientist
Biodiversity Assessment and Management Pty Ltd

Page 1



Legend

Surveyed Trees and Additional Trees
of 10 cm Diameter at Breast Height

Tree Identification for Bligh Tanner

Tree Identification for Bligh Tanner



Meters

Datum: GDA94

Legend

- Additional Trees >10 cm DBH

- Additional Trees >10 cm DBH

Infrastructure Footprint

Surveyed Trees

© Biodiversity Assessment and Management Pty Ltd
While every care is taken to ensure the accuracy of this data, Biodiversity Assessment and Management makes no representations or warranties about its accuracy, reliability, completeness or suitability for any particular purpose and disclaims any liability for any loss or damage, including consequential or special damages, arising from the use of or reliance on the information (including any loss or damage, including consequential damage) and costs which might be incurred as a result of the data being inaccurate or incomplete in any way and for any reason.

Image Courtesy of NearMap accessed October 2010

Table 1: Surveyed tree identification for individuals within the proposed footprint

Tree #	Species	DBH (cm)	Height (m)	Nest Box	Photo
4	<i>Eucalyptus tereticornis</i>	50	30		 Tree #5 centre left, tree #6 centre right
5	<i>Eucalyptus tereticornis</i>	57	31		

Tree #	Species	DBH (cm)	Height (m)	Nest Box	Photo
6	<i>Eucalyptus tereticornis</i>	71	24	yes	 Nest box on tree #6

Tree #	Species	DBH (cm)	Height (m)	Nest Box	Photo
7	<i>Eucalyptus tereticornis</i>	33.5	18	yes	 Nest box on tree #7


Tree #	Species	DBH (cm)	Height (m)	Nest Box	Photo
8	<i>Eucalyptus tereticornis</i>	35	21	yes	 Nest box in tree #8

Tree #	Species	DBH (cm)	Height (m)	Nest Box	Photo
42	<i>Eucalyptus tereticornis</i> *	28	10		 Tree #42 tallest tree left of centre

Tree #	Species	DBH (cm)	Height (m)	Nest Box	Photo
A	<i>Melaleuca quinquenervia</i>	15.5/20	8.9		 Tree A is double-stemmed <i>M. quinquenervia</i> in front of tree #6.

Tree #	Species	DBH (cm)	Height (m)	Nest Box	Photo
B	<i>Eucalyptus tereticornis</i>	18/18	15		 Tree B is double-stemmed <i>E. tereticornis</i> located between tree #s 8 (with nestbox) and 5.

* N.B. There is a total of approximately 25 *Melaleuca quinquenervia* surrounding tree # 42 ranging in size from approximately 28cm DBH (i.e. tree #s 43 and 44) to less than 10cm DBH.



FLORA AND FAUNA MANAGEMENT PLAN

PLANS AND DOCUMENTS

referred to in the ULDA

APPROVAL dated 26 / 10 / 10

Fitzgibbon Urban Development Area: Precinct 4

Report prepared
for
ULDA



**Biodiversity
Assessment**

AND MANAGEMENT PTY LTD

FAUNA AND HABITAT SPECIALISTS

THE AMERICAN
INSTITUTE OF
STATISTICS

1914-1915
ANNUAL REPORT
OF THE
INSTITUTE OF
STATISTICS

EDITED BY
J. V. K. B. B. B.
AND
J. V. K. B. B. B.

NEW YORK
1915

THE AMERICAN
INSTITUTE OF
STATISTICS
1914-1915
ANNUAL REPORT
OF THE
INSTITUTE OF
STATISTICS

Document Control Sheet

File Number: 0208-008

Project Manager: Dr Jo Chambers

Client: Urban Land Development Authority

Project Title: Flora and Fauna Management Plan – Precinct 4 Fitzgibbon Urban Development Area.

Project Author/s: Dr Jo Chambers and Dr. Chris Schell.

Project Summary: To provide management strategies designed to minimise any undue impacts to the fauna and/or fauna habitats within Precinct 4 of the Fitzgibbon Urban Development Area.

Draft Preparation History

Draft No.	Date draft completed	Reviewed by	Issued by
0208-008 Draft A	29/10/2009	Adrian Caneris	Dr Chris Schell
0208-008 Draft B	16/11/2009	Olivia Woosnam	Dr Chris Schell
0208-008 Draft C	25/11/2009	Olivia Woosnam	Dr Chris Schell

Revision/ Checking History Track

Version	Date of Issue	Checked by	Issued by
FINAL	30/11/2009		Olivia Woosnam

Document Distribution

Destination	Revision							
	1	Date Dispatched	2	Date Dispatched	3	Date Dispatched	4	Date Dispatched
Client Copy 1 - digital	A	30/10/09	B	17/11/2009	C	25/11/2009	FINAL	30/11/2009
Client Copy 1 - hard copy							FINAL	30/11/2009
PDF - server	A	30/10/09	B	17/11/2009	C	25/11/2009	FINAL	30/11/2009
PDF – backup – archived Disk/tape	A	30/10/09	B	17/11/2009	C	25/11/2009	FINAL	30/11/2009
Hard Copy - library							FINAL	30/11/2009

NOTICE TO USERS OF THIS REPORT

Copyright and reproduction

This report and all indexes, schedules, annexures or appendices are subject to copyright pursuant to the *Copyright Act 1968* (Cth). Subject to statutory defences, no party may reproduce, publish, adapt or communicate to the public, in whole or in part, the content of this report without the express written consent of Biodiversity Assessment and Management Pty Ltd.

Purpose of Report


Biodiversity Assessment and Management Pty Ltd has produced this report in its capacity as {consultants} for and on the request of Urban Land Development Authority (the "**Client**") for the sole purpose of providing a Flora and Fauna Management Plan for Precinct 4 of the Fitzgibbon Urban Development Area (the "**Specified Purpose**"). This information and any recommendations in this report are particular to the Specified Purpose and are based on facts, matters and circumstances particular to the subject matter of the report and the Specified Purpose at the time of production. This report is not to be used, nor is it suitable, for any purpose other than the Specified Purpose. Biodiversity Assessment and Management Pty Ltd disclaims all liability for any loss and/or damage whatsoever arising either directly or indirectly as a result of any application, use or reliance upon the report for any purpose other than the Specified Purpose.

This report has been produced solely for the benefit of the Client. Biodiversity Assessment and Management Pty Ltd does not accept that a duty of care is owed to any party other than the Client. This report is not to be used by any third party other than as authorised in writing by Biodiversity Assessment and Management Pty Ltd and any such use shall continue to be limited to the Specified Purpose. Further, Biodiversity Assessment and Management Pty Ltd does not make any warranty, express or implied, or assume any legal liability or responsibility for any third party's use in whole or in part of the report or application or use of any other information or process disclosed in this report and to the full extent allowed by law excludes liability in contract, tort or otherwise, for any loss or damage sustained by any person or body corporate arising from or in connection with the supply or use of the whole part of the report through any cause whatsoever.

Biodiversity Assessment and Management Pty Ltd has used information provided to it by the Client and governmental registers, databases, departments and agencies in the preparation of this report. Biodiversity Assessment and Management Pty Ltd does not know, nor does it have any reason to suspect, that the information provided to it was false, inaccurate, incomplete or misleading at the time of its receipt. This report is supplied on the basis that while Biodiversity Assessment and Management Pty Ltd believes all the information in it is deemed reliable at the time of publication, it does not warrant its accuracy or completeness and to the full extent allowed by law excludes liability in contract, tort or otherwise, for any loss or damage sustained by any person or body corporate arising from or in connection with the supply or use of the whole or any part of the information in this report through any cause whatsoever.

Signed on behalf of
Biodiversity Assessment and Management Pty Ltd

Date: 30/11/2009



Managing Director

FLORA AND FAUNA MANAGEMENT PLAN

PRECINCT 4, FITZGIBBON URBAN DEVELOPMENT AREA

Table of Contents

1.0	INTRODUCTION	1
1.1	PURPOSE OF THE PLAN.....	1
1.2	BACKGROUND INFORMATION	1
2.0	FLORA AND FAUNA MANAGEMENT PLAN.....	1
2.1	OBJECTIVES	1
2.2	MANAGEMENT STRATEGIES	2
2.2.1	Vegetation Clearing	2
2.2.2	Retained Fauna Habitat Areas	3
2.2.3	Site rehabilitation	4
2.2.4	Fauna Movement Corridors.....	4
2.2.5	Pest Management (fauna)	6
2.2.6	Pest Management (vegetation)	6
2.2.7	Monitoring and Reporting Procedures.....	6
3.0	GENERAL ENVIRONMENTAL DUTIES	7
3.1	ULDA (PRINCIPAL)	7
3.2	SITE MANAGER.....	7
3.3	ECOLOGIST	7
3.4	COMMUNITY MEMBERS	8
4.0	REFERENCES	18

List of Figures

Figure 2.1: Existing Vegetation and Potential Rehabilitation Areas	5
--	---

List of Tables

Table 1	Clearing that will be undertaken within each Development Stage	3
Table 2	Rehabilitation Opportunities within the Bushland and Open Space Area	5
Table 3	Overall Flora and Fauna Management Plan	9
Table 4	Recommendations to provide safe fauna movement opportunities within Precinct 4 and to habitats outside of Precinct 4	15
Table 5	Monitoring Program for Pest Species and Significant Fauna Species	17

List of Appendices

Appendix 1	Site-specific Management Actions for Staged Development of Precinct 4
Appendix 2	Rehabilitation Plan

List of Abbreviations

BAAM	Biodiversity Assessment and Management Pty Ltd
BCC	Brisbane City Council
EPBC Act -	Environment Protection and Biodiversity Conservation Act 1999
FBMP	Fitzgibbon Bushland Management Plan
FFMP	Flora and Fauna Management Plan
LP Act -	Queensland Lands Protection (Pest and Stock Route Management) Act 2002
NC Act	Nature Conservation Act 1992
UDA	Fitzgibbon Urban Development Area
ULDA	Urban Land Development Authority

1.0 INTRODUCTION

1.1 PURPOSE OF THE PLAN

Biodiversity Assessment and Management Pty Ltd (BAAM) has been commissioned by the Urban Land Development Authority (ULDA) to prepare a Flora and Fauna Management Plan (FFMP) for Precinct 4 of the Fitzgibbon Urban Development Area (UDA) (the subject site).

The aim of the FFMP is to ensure activities associated with development do not cause any undue negative impacts on fauna/vegetation communities or on individual fauna/flora species. The FFMP has been designed to address the management of significant flora/fauna species on the site, includes measures to minimise and mitigate impacts upon those species during all stages of development and provides strategies for rehabilitation of disturbed areas.

The FFMP forms an integral part of the conservation of the ecological values of the UDA.

1.2 BACKGROUND INFORMATION

Previous surveys conducted for the subject site (BAAM 2008), have confirmed that no Endangered, Vulnerable or Rare flora species as listed under the provisions of the NC Act and/or the EPBC Act were observed or are expected within the subject site. However, four species considered to be of local significance under the BCC *Natural Assets Planning Scheme Policy* Schedule 3 are relevant to the subject site. These being:

- *Abrus precatorius* – other significant species;
- *Cryptocarya microneura*– other significant species;
- *Eucalyptus baileyana*– other significant species; and
- *Keraudrenia* sp. (Chermside S.T. Blake) – other significant species.

Of these four species only two (*Abrus precatorius* and *Keraudrenia* sp.) occur within Precinct 4.

Precinct 4 also supports areas of remnant vegetation as mapped under the *Vegetation Management Act 1999*.

Previous surveys conducted for the subject site (BAAM 2008), have confirmed that seven conservation significant fauna species listed under the provisions of the NC Act, the EPBC Act and/or Brisbane City Plan 2000 (BCC) occur or have the potential to occur within the subject site:

- Grey-headed Flying-fox *Pteropus poliocephalus* (Vulnerable EPBC Act);
- Tusked Frog *Adelotus brevis* (Vulnerable NC Act);
- Grey Goshawk *Accipiter novaehollandiae* (Rare NC Act, Significant BCC);
- Squirrel Glider *Petaurus norfolcensis* (Significant BCC);
- Black-necked Stork *Ephippiorhynchus asiaticus* (Rare NC Act, Significant BCC);
- Australian Painted Snipe *Rostratula australis* (NC Act Vulnerable; EPBC Act Vulnerable; EPBC Act Migratory (as R. benghalensis); BCC Significant); and
- Koala *Phascolarctos cinereus* (Vulnerable (SEQ bioregion) and Culturally Significant NC Act, Significant BCC).

Background information relating to the distribution, ecological requirements and potential threats to these species have been addressed in BAAM (2008a). A Squirrel Glider Management and Action Plan (SGMAP) has been prepared for the entire UDA (BAAM 2008b). Actions and recommendations within the SGMAP are relevant to development within Precinct 4 and should be considered when formulating the final design stages for Precinct 4. The SGMAP should be referred to prior to commencement of works and during all stages of works.

The development plan for Precinct 4, together with the vegetation assessment has been examined to assist in compiling the FFMP.

2.0 FLORA AND FAUNA MANAGEMENT PLAN

2.1 OBJECTIVES

The objectives of the FFMP are to provide:

- A consistent and uniform approach which assures that the required standards of

environmental protection, maintenance and habitat enhancement are achieved as defined within the Fitzgibbon Bushland Management Plan (FBMP);

- Procedures for the minimisation of disturbance to existing flora and fauna in areas to be retained;
- An integrated approach to responsible management of the site's ecology and the maintenance or enhancement of ecosystem function in retained or rehabilitated areas;
- Detailed requirements to achieve the rehabilitation outcomes in the bushland and open space zone in accordance with the FBMP;
- Methods of physical identification of vegetation/habitat to be retained;
- A description of all measures to be used to protect vegetation and habitat features to be retained during construction, including protective fencing;
- A description of all pruning and tree surgery works (to AS 4373/96) to maintain health and stability of trees and reduce potential hazards for future residents, where appropriate;
- Details of all measures to protect fauna and fauna habitats during clearing operations;
- An estimation of costs associated with actions and recommendations;
- A schedule of monitoring to be undertaken; and
- State and Commonwealth authorities, stakeholders and the proponent with a common focus for approvals conditions and compliance with policies and conditions.

This plan forms an integrated and coordinated approach to the management of the site's ecology.

A priority of this FFMP is to address the long-term management of vegetation and conservation significant fauna species within disturbance areas and to include measures to minimise and mitigate impact on the site's ecology during all stages of the development.

2.2 MANAGEMENT STRATEGIES

This FFMP addresses the clearing and construction stages of the development as well as during the occupational stage and specifically focuses on the following issues:

- Practical strategies and actions to minimise disturbance to vegetation and fauna habitats;
- Rehabilitation of the site during and post development;
- Investigation of opportunities for the enhancement of Koala and Squirrel Glider habitat and movement through the site;
- Practical strategies and actions to manage potential pest species;
- Monitoring requirements for evaluating the success of management measures and mitigation actions.
- Establishing reporting requirements to the Administering Authority in relation to the monitoring and record keeping of unauthorised vegetation clearing or any fauna injuries or deaths on the site, including the need to address the cause for these and potential mitigation measures to be employed to reduce such; and

The overall intent and specific management actions for the protection of flora and fauna habitats during all stages of development are provided in **Table 3**.

Site-specific (i.e. for each stage of development within Precinct 4) management strategies for significant fauna, additional to those prescribed in the FFMP, are provided in **Appendix 1**.

The roles and responsibilities for personnel associated with the development and fauna management are provided in **Sections 3.1 to 3.4**.

2.2.1 Vegetation Clearing

Areas not required for development will be protected from vegetation clearing or disturbance through the clear marking/fencing of non-disturbance areas (refer to **Table 3**). These areas will be inspected once the final design plans are available. At this time an experienced ecologist will traverse the site and clearly mark all significant vegetation (i.e. fauna habitat trees) for retention. The location of these areas will also be highlighted to all contractors and employees through the site

induction process. Vegetation clearing will be conducted in a sequential manner.

The following vegetation communities are proposed to be lost within Precinct 4:

- RE 12.3.6 – 2.4ha;
- RE 12.3.11 – 5.2ha;
- Non-remnant RE 12.3.6 – 6.3ha;
- Non-remnant RE 12.3.11 – 10.2ha;
- Non-remnant RE 12.5.2 – 2.0ha.

A breakdown of the loss that will occur within each stage is provided in **Table 1**. In accordance with the requirements regarding the loss of bushland presented within the FBMP, rehabilitation of retained vegetation is required. Rehabilitation requirements for each vegetation community for each stage are presented in **Table 1**.

Table 1. Clearing that will be undertaken within each Development Stage and rehabilitation requirement

Stage	Vegetation Type (RE)	Area to be lost (ha)	Rehabilitation Requirement (ha)
B	12.3.11	0.062	0.124
B	non-remnant 12.3.11	0.732	0.732
C	12.3.11	0.624	1.248
C	non-remnant 12.3.11	0.009	0.009
C	non-remnant 12.3.11	4.451	4.451
D	non-remnant 12.3.11	1.315	1.315
D	non-remnant 12.5.2	0.457	0.457
E	12.3.11	0.046	0.092
E	12.3.11	4.204	8.408
E	12.3.6	1.824	3.648
E	non-remnant 12.3.11	2.071	2.071
E	non-remnant 12.3.6	0.187	0.187
E	non-remnant 12.5.2	0.281	0.281
F	12.3.11	0.270	0.54
F	non-remnant 12.3.11	1.661	1.661
F	non-remnant 12.5.2	1.281	1.281
G	12.3.6	0.589	1.178
G	non-remnant 12.3.6	6.075	6.075

In addition, it is proposed that the following trees (currently located outside the above vegetation communities) which have a Diameter at Breast Height (DBH) greater than 60cm will be lost:

- *Eucalyptus tereticornis* – 21 trees;
- *Eucalyptus seeana* – 1 tree;
- *Eucalyptus siderophloia* – 1 tree; and
- *Angophora leiocarpa* – 1 tree.

The planting of the following tree species will be required in order to comply with the FBMP:

- *Eucalyptus tereticornis* – 63 trees;
- *Eucalyptus seeana* – 3 trees;
- *Eucalyptus siderophloia* – 3 trees; and
- *Angophora leiocarpa* – 3 trees.

2.2.2 Retained Fauna Habitat Areas

The terrestrial habitats within Precinct 4 support a mixture of mature and regrowth native vegetation as well as hollow-bearing trees that provide important fauna habitat features. The site supports species of feed trees for Grey-headed Flying-Fox, Squirrel Glider and Koala and also provides roosting and nesting opportunities for numerous bird species.

Potential impacts, as a result of residential development, to fauna associated with these habitats include loss of habitat, including feeding and nesting resources, injury or death as a result of construction or from domestic dogs during the occupation phase, and displacement brought about by the presence of barriers to safe movement opportunities. **Tables 3 and 4** provide mitigation actions required to minimise these impacts.

With appropriate management (**Table 3** and **Appendix 1**), which includes promoting the natural recruitment of Squirrel Glider feed trees (**Appendix 2**), enhancement of retained areas will provide for foraging, nesting and sheltering resources for all fauna. Specific actions to minimise impacts on significant fauna habitats in retained areas are provided in the **Table 4**.

It is strongly recommended that ULDA consult with BCC to devise a fauna enhancement strategy for valuable fauna habitats outside of the UDA (e.g. Cabbage Tree Creek corridor,

reserve across from Telegraph Road and parkland on the opposite side of the transport corridor near Roghan Road). Enhancement of nearby adjacent habitats is considered necessary to mitigate potential impacts resulting from the expected loss of habitats within Precinct 4.

2.2.3 Site rehabilitation

The proposed development will be concentrated within the southern and western portions of Precinct 4. Most of this area currently supports disturbed non-remnant regrowth vegetation or pasture grasses. Although some areas of vegetation will be retained within areas of Precinct 4, most of the rehabilitation and enhancement effort will be located within the Bushland and open space area that is located to the north of Rogan Road and to the east of Precinct 4. Vegetation communities currently contained within the Bushland and Open Space area are shown in **Figure 2.1**. Areas available for potential Rehabilitation are indicated in **Table 2**.

Table 2. Rehabilitation Opportunities within the Bushland and Open Space Area

Current Vegetation Community	Proposed Climax Community	Available Rehabilitation Area (ha)
Queensland Blue-gum Regrowth	Queensland Blue-gum Open Forest	5.342
Grassy Areas with Scattered Trees	Woodland with Native Grassy Understory	6.833
Melaleuca Regrowth	Melaleuca Open Forest	8.701
Melaleuca Open Forest	Melaleuca Open Forest	14.613
Queensland Blue-gum and Bloodwood Open Forest	Queensland Blue-gum and Bloodwood Open Forest	13.321
Queensland Blue-gum Open Forest	Queensland Blue-gum Open Forest	5.432
Queensland Blue-gum and Bloodwood Regrowth	Queensland Blue-gum and Bloodwood Open Forest	1.981

A Rehabilitation Plan for the subject site, presented as **Appendix 2**, has been designed

to reflect the pre-disturbance state (i.e. prior to previous human disturbance) of the proposed Bushland and open space area. Flora species used in the rehabilitation plan will be, wherever practical, endemic to the local area. Specific details relating to the restoration of buffers between each phase of development and the proposed bushland and open space area are provided within **Appendix A** of **Appendix 2**.


It is recommended that the ULDA consult with Brisbane City Council (BCC) regarding the rehabilitation of Cabbage Tree Creek which is currently a source of weed propagules for the bushland and open space areas within Precinct 4. However the actual rehabilitation of this creek is beyond the scope of this management plan.

2.2.4 Fauna Movement Corridors

Currently, the presence of bushland areas within Precinct 4 provides opportunities for unrestricted fauna movement within the subject site. Studies have shown that Squirrel Gliders regularly use areas within Precinct 4 and move between adjacent lands north of Telegraph Road (Rowston 2000) and the subject site.

At present, safe movement to suitable habitats outside of the subject site is compromised by the rail corridor to the west and to a lesser degree, the presence of Telegraph Road in the north. Safe access to habitats outside of the UDA is necessary to ensure the long-term health and viability of the local Squirrel Glider population (Rowston 2000, Goldingay and Sharpe 2004).

The proposed residential development within Precinct 4 will cause fragmentation of some of the existing bushland areas. The proposed north south connector road will present an additional barrier to safe fauna movement between retained habitats. It is important this roadway is subject to detailed design with input from ecologist to ensure the roadway is appropriately designed and provides safe movement options. In addition, it is understood that construction of a bus lane adjacent to the existing rail line is proposed, as is the future duplication of Telegraph Road.



Legend

- | | |
|---|--|
| Precinct 4 | Melaleuca regrowth (8.7012 ha) |
| Bushland Area | Queensland Blue-gum Open Forest (5.432 ha) |
| Grassy areas with scattered Trees (6.833 ha) | Queensland Blue-gum and Bloodwood Open Forest (13.321 ha) |
| Melaleuca Open Forest (14.613 ha) | Queensland Blue-gum and Bloodwood regrowth (1.981 ha) |
| | Queensland Blue-gum regrowth (5.342 ha) |

0 50 100 200 300 400 Meters

Biodiversity Assessment

Figure 2.1:
Existing Vegetation and Potential Rehabilitation Areas

Flora and Fauna Management Plan-Precinct 4, Fitzgibbon Urban Development Area

To maintain viability of the local Squirrel Glider population, specific management strategies designed to ensure that conservation significant fauna species, including Squirrel Gliders, can move safely throughout the subject site and to adjacent habitats are provided in **Table 3**.

Tables 3 and **4** provide actions and recommendations designed to protect and enhance fauna habitats to ensure safe movement options continue within the retained bushland areas. This FFMP should be referred to prior to producing the final design plans for Precinct 4.

2.2.5 Pest Management (fauna)

Four fauna pest species (cane toad, black rat, house mouse and brown hare) were identified during the flora and fauna surveys (BAAM 2008). In addition, although not observed, it is expected that feral or stray cats (i.e. ex domestic cats) and foxes would also utilise the subject site.

Whilst it is expected that the development will not significantly influence the distribution and abundance of feral pests, it is important in the overall management of the site to employ achievable strategies to minimise the disturbance on native fauna by pests. This report details methods by which pest management and monitoring can be undertaken. It should be understood that effective pest management in the local landscape can only be achieved through cooperation/participation of landowners.

Strategies to manage fauna pest species in all areas associated with the development in Precinct 4 are provided in **Table 5**.

Although not considered a pest, domestic dogs and to a lesser extent, cats, can cause significant negative impacts on Squirrel Gliders and Koala. The preferred option to protect native fauna would be to prohibit the ownership of cats and dogs within Precinct 4. If this is deemed unacceptable, cats and dogs should be restricted indoors between dusk and dawn every night or restrained within outdoor enclosures. Potential feed trees should not be planted within outdoor enclosures, to ensure that native fauna are not attracted to enter enclosures.

2.2.6 Pest Management (vegetation)

Several pest weed species declared under the provisions of the Queensland *Land Protection*

(*Pest and Stock Route Management*) Act 2002 are known from Precinct 4. These species include but is not limited to the following species:

- Annual Ragweed *Ambrosia artemisiifolia* – Class 2 Weed;
- Fireweed *Senecio madagascariensis* – Class 2 Weed;
- Chinese Elm *Celtis senses* – Class 3 Weed;
- Lantana *Lantana camara* – Class 3 Pest;
- Creeping Lantana *Lantana montevidensis* – Class 3 Weed;
- Groundsel Bush *Baccharis halimifolia* – Class 2 Pest;
- Singapore Daisy *Sphagneticola trilobata* – Class 3 Weed;
- Broad-leaved Pepper Schinus terebinthifolius – Class 3 Weed;
- Camphor Laurel *Cinnamomum camphora* – Class 3 Weed;
- Asparagus Fern *Asparagus aethiopicus* – Class 3 Weed;
- Yellow Bells *Tecoma stans* – Class 3 Weed.

These species have the potential to further invade areas of Precinct 4 that are not currently infested. It is therefore important in the overall management of the site to employ weed eradication/control techniques to maintain and enhance the ecological value of retained vegetation, particularly within the Bushland and open space area to the north of Rogan Road. It should be understood that effective pest management in the local landscape can only be achieved through cooperation/participation of landowners. Control techniques and specific information relating to each of these weed species is provided within **Appendix b** of **Appendix 2**.

2.2.7 Monitoring and Reporting Procedures

Regular monitoring to record compliance with the requirements of the FFMP is required. These monitoring events, together with their frequency, performance indicators and the person responsible for undertaking each event are outlined within **Table 5**.

All unauthorised vegetation clearing and all deaths, injuries or near-misses to native fauna species must be reported to the site manager

immediately, or as soon as practical, after the incident has occurred.

It will be the responsibility of the Site Manager to formulate a Flora/or Fauna Incident Report Procedure. It is also the responsibility of the Site Manager to inform the Administering Authority of any reported incidents involving NC Act listed species (i.e. all native species), and to promptly enforce mitigation measures to prevent further incidents.

3.0 GENERAL ENVIRONMENTAL DUTIES

The following sections provide guidelines for the responsibilities of designated personnel who are engaged to ensure compliance with this FFMP.

3.1 ULDA (PRINCIPAL)

The roles and general responsibilities of the Principal are to:

- Comply with internal ULDA policy;
- Comply with the EPBC Act and NC Act;
- Nominate a Site Manager who will represent the Principal in reviewing the performance of staff, issue instructions and variations, and be responsible for FFMP implementation;
- Promptly notify Administering Authority of any changes to this FFMP and its implementation, reporting or monitoring, and any breach of Administering Authority conditions and proposed corrective action; and
- As necessary, engage the services of a qualified ecologist.

It will be the responsibility of the Principal to ensure that the contents of the FFMP are adequately communicated to all site personnel, and that they are advised of the consequences if the recommended actions are not observed.

3.2 SITE MANAGER

The roles and responsibilities of the Site Manager (and / or its representatives) are to:

- Conform Environmental Best Management Practices;
- Satisfactorily demonstrate to the Principal, Ecologist and relevant authorities that appropriate measures have been

implemented on-site during development to adequately manage the risks to protected fauna, protected flora and/or vegetation communities, as noted in the FFMP;

- Keep records of complaints received and responses relating to the site's flora and fauna, advise the Principal and Ecologist of complaints and responses, investigate and (where appropriate) implement control measures as soon as possible;
- Be present at inspections and as triggered by any environmental events or incidents
- Notify the Ecologist regarding FFMP performance and monitoring, non-compliance and actions taken, and seek advice and attendance at on-site inspections when required;
- Notify the Ecologist regarding environmental incidents with potential to cause environmental harm or nuisance and provide written details within 24 hours of occurrence;
- Report on FFMP implementation and performance to the Principal on completion of on-site works and following the maintenance and establishment periods; and
- Follow directions of the Principal with respect to performance of the FFMP.

3.3 ECOLOGIST

The roles and responsibilities of the Ecologist are to:

- Liaise with the Site Manager and the Principal to facilitate compliance with legislation, Council policy and conditions during the project;
- Conduct audit inspections as required /requested during earthworks, clearing and rehabilitation stages and other inspections as triggered by environmental events or incidents;
- Advise the Site Manager on the compliance and effectiveness of the FFMP/Site Instructions and its implementation;
- Immediately contact the Site Manager regarding any environmental incidents that have the potential to cause environmental harm, request written details within 24 hours of occurrence, and issue Site Instructions for rectification/remediation to the Site Manager as soon as possible;

- Issue Site Instructions (for correction of non-compliance) to the Site Manager within seven (7) days of inspections and completion of the Inspection Procedures and Checklist(s); and
- Review and advise the Principal and other relevant authorities of any changes to the FFMP.

3.4 COMMUNITY MEMBERS

The future residents of Precinct 4 can play a vital role in protecting significant fauna and their habitats. Interpretative programs to promote and inform the community about Squirrel Glider, Koala and other local fauna species and related management issues, particularly habitat requirements and threat mitigation strategies should be presented to residents prior to or immediately post occupation.

Table 3: Overall Flora and Fauna Management Plan

Overall Project Management		Aim: To ensure flora and fauna management is an integral component of development		
Performance Objective	Implementation Strategy	Performance Indicators Corrective Action	Responsibilities, Reporting and Review	Timing and Frequency
On-site establishment of procedures and responsibilities	A pre-start meeting is to be arranged by ULDA to clearly define roles and the approach to Flora and Fauna management. Roles will specifically include: Site Manager – Establishment of protective fencing around retained bushland areas where deemed necessary. Ecologist – Assistance delineating areas to be fenced for protection of wildlife movement opportunities and individual habitat trees. Regulating Authorities – - Established compliance will be met. This FFMP is to be kept on site at all stages during construction.	All site workers are informed of their obligations with regard to Flora and Fauna protection. Pre-start meeting undertaken. Any incidents that may result in a breach of approval are reported. Investigate reasons why performance indicators have not been met and ensure all relevant staff and contractors are debriefed and advised of their responsibilities. Where management methods are not achieving the desired performance indicators, the FFMP will be reviewed.	The Site Manager and ULDA to liaise with the Ecologist throughout construction. Reported by relevant staff to the respective authority within 24 hours of the incident being identified. Site Manager and Ecologist. Site Manager, Ecologist, ULDA.	At the pre-start meeting. Within 24 hours of the incident being identified. As soon as incident has been reported. If required.
Communication of pre-start meeting outcomes	Site inductions will include the communication of Pre-Start meeting outcomes to all site workers.	All site workers are informed of their obligations with regard to Flora and Fauna protection.	Site Manager to inform and report.	Prior to commencement of vegetation and native habitat disturbance.

Performance Objective	Implementation Strategy	Performance Indicators Corrective Action	Responsibilities, Reporting and Review	Timing and Frequency
Protect fauna and vegetation communities	Clearly define all areas not directly affected by development to delineate limits of disturbance. No unauthorised disturbances should occur within defined zones (e.g. dumping of excavated soil). Retain all trees marked for retention (alive or dead). Conduct clearing in a sequential manner. No vegetation clearing is to be conducted between the hours of 6pm and 6am. Ensure a QPWS authorised fauna spotter/catcher is present during all tree clearing activities. It is not expected that fauna will need to be trapped and relocated prior to vegetation clearing. However an experienced Ecologist will inspect potential habitat trees prior to clearing and if required, will co-ordinate a trapping/release program.	All vegetation communities and fauna habitats identified for protection remain undisturbed outside of designated disturbance zones.	ULDA, ecologist and Site Manager.	Ongoing.
		Induction of site staff regarding requirements for vegetation and fauna habitat protection.	ULDA and ecologist to present the induction. Site Manager to ensure all staff have completed induction.	Pre-clearing stage.
		Flag all trees to be retained.	Under the guidance of an ecologist.	Pre-clearing stage.
		Appropriate fencing/barrier to be erected to delineate no go areas.	Under the guidance of an ecologist.	Prior to commencement of ground works.
		Vegetation removal only conducted in a sequential manner between the hours of 6am and 6pm. No injury to fauna as a result of tree removal.	A qualified fauna spotter/catcher is present during tree clearing.	During vegetation removal.
		If disturbance is reported outside of the designated disturbance zone, all works are to cease. Assess damage and causes within 1 week. Prevent future occurrences through re-surveying, change of clearing plan, improve temporary (barrier) fencing of no go areas, update site personnel information and training on clearing procedures. Do not commence clearing until corrective actions have been implemented.	Site Manager to inform site personnel about corrective actions. All relevant personnel to implement corrective actions.	Ongoing.

Long-term Maintenance of Site's Fauna Populations			Aim: To ensure the continued presence of native fauna within the subject site	
Performance Objective	Implementation Strategy	Performance Indicators Corrective Action	Responsibilities, Reporting and Review	Timing and Frequency
Promote safe fauna movements within and outside of the subject site.	Identify barriers to safe fauna movement and remove or modify these barriers. Monitoring of the movements and any incidents of the fauna populations will identify if there is the need for erection of fauna exclusion fencing If required fencing should be designed and located with the assistance of an ecologist.	No deaths or injuries to native fauna have been reported. Fauna are regularly observed moving between habitats throughout the subject site. If deaths, injuries or barriers to safe movement are reported, rectify causes through updating site personnel; information and training; modify development plan and/or install equipment to prevent further impediments to safe movement.	Site Manager.	Ongoing.
Ensure development does not promote an increase in the presence of pest animals.	Prevent activities likely to promote the presence of pest species. All staff/contractors must remove any food scraps from the site. Unused building materials or rubble that could provide refuge for pest species is not to be stored on site.	All site personnel are aware of their responsibilities to keep the site clean of human refuse. No evidence of food scraps or commercial waste present within the areas of development. If waste is reported on site, Site Manager is to identify cause and rectify. If necessary reinforce site personnel responsibilities.	Site Manager and all site personnel.	Weekly inspections of development site and immediate surrounds.
Community Participation	Encourage residents to actively participate in protecting all native fauna and enhancing significant fauna habitats.	All residents are informed of the management strategies contained within this FFMP. Conduct regular information/education sessions for all residents to inform the management strategies and action contained within this FFMP.	Site Manager and ULDA.	Immediately following occupation at each development phase.

VEGETATION PROTECTION/CLEARING AND DISPOSAL			Aim: To establish boundaries and protection around vegetation and individual trees to be retained	
Performance Objective	Implementation Strategy	Performance Indicators Corrective Action	Responsibilities, Reporting and Review	Timing and Frequency
Protect retained vegetation communities	Clearly define, using flagging or fencing if considered necessary, all areas not directly affected by clearing activities to delineate limits of disturbance. Protect all trees marked for retention (alive or dead) as identified during on-site establishment.	All vegetation identified for protection remains undisturbed by operational works. Induction of site staff into requirements for vegetation and tree protection. Delineate areas of disturbance. Flagging of trees to be retained, If vegetation outside of disturbance area is damaged, it is to be rehabilitated. Prevent future occurrences through re-surveying, change of clearing plan, update site personnel information and training on clearing procedures.	ULDA, ecologist and Site Manager ULDA and ecologist to present the induction. Site Manager to ensure all staff have completed induction. Under guidance of an ecologist. Site Manager.	Pre-clearing stage. Pre-clearing stage. Prior to commencement of operational works. Ongoing
Prevention of secondary impacts on retained vegetation communities within the UDA	Monitor retained vegetation for secondary impacts such as weed invasion from disturbed areas, compaction, altered hydrology (e.g. water-logging), scouring and erosion from runoff and dumping of spoil.	No secondary impacts to affect the condition and long-term viability of retained vegetation communities. If a secondary impact is observed, remove the source of the impact (e.g. implement a weed control program).	During the occupational phase of the development, ULDA is to delegate a person responsible for regular visual monitoring and reporting of potential impacts. The ecologist is to conduct regular monitoring of retained vegetation and inform ULDA of requirements for remediation as necessary.	Ongoing Ongoing

INDIVIDUAL TREE PROTECTION				Aim: To ensure Individual Tree Protection is an integral component of site construction		
Performance Objective	Implementation Strategy	Performance Indicators	Corrective Action	Responsibilities, Reporting and Review	Timing and Frequency	
Ongoing Tree Management	Retained trees are to be monitored for signs of deterioration. Trees suspected of deteriorating health are to be assessed by a qualified arborist. Corrective actions to be prescribed by the arborist and corrective works supervised.	Trees are to remain visually healthy.	Induction of site staff into requirements for maintenance and monitoring of tree health.	Vegetation checked by Ecologist or qualified arborist as required throughout development.	Throughout occupational phase.	
				ULDA and ecologist to present the induction. Site Manager to ensure all staff have completed induction.		
		Regularly assess vegetation.	Vegetation checked by Ecologist or qualified arborist as required throughout development.			
Cleared vegetation management	Cleared vegetation to be used on site for rehabilitation. Fertile weed material to be removed off site. Cleared material should not be placed within 20m to the watercourse. Any logs, stumps or hollows should be incorporated into area of retained vegetation and rehabilitation areas for the creation of fauna habitat.	Stockpiled mulch to be free of weed propagules. Logs and hollows are incorporated into habitat creation where possible.	Vegetation checked by Ecologist as required throughout initial construction phase. Ecologist to provide advice regarding the placement of logs etc. for habitat enhancement.	Construction activities (prior to earth works) and during earthworks.		
NATIVE VEGETATION MONITORING AND MAINTENANCE				Aim: To prevent the long-term degradation of the habitat values of retained vegetation		
Performance Objective	Implementation Strategy	Performance Indicators	Corrective Action	Responsibilities, Reporting and Review	Timing and Frequency	
Weed Monitoring and Control	Regular visual search for declared weeds within the retained vegetation for weed infestations (as listed within Section 2.2.6 and Appendix C of Appendix 2). Weed control is implemented when weed infestations are significant or an increase in declared weed species (i.e. species declared under the provisions of the LP Act 2002) is observed.	No large weed infestations visible within retained vegetation. Weed Control is implemented to control weed infestations. Recommended weed control techniques are contained within Appendix C of Appendix 2.	Ecologist to report to nominated ULDA representative.	Bi-annual.	As Required.	

REHABILITATION ACTIVITIES			
Performance Objective	Implementation Strategy	Aim: To rehabilitate areas post development to reflect their pre-disturbance state	
		Performance Indicators Corrective Action	Responsibilities, Reporting and Review
Rehabilitation	Rehabilitation associated with each of the development phases (e.g. the provision of vegetated buffers between the area of development and the bushland and open space area) (refer to Appendix A of Appendix 2) is to commence prior to clearing of the relevant phase. Where this is not practical, rehabilitation of areas within the bushland and open space area is to occur prior to the initiation of tree removal. Rehabilitation works and species to be used in the rehabilitation program are provided within Appendix B of Appendix 2 . Signage within rehabilitation areas is to be erected to educate the public and temporary fencing may be required to reduce incidences of unauthorised entry into the rehabilitation areas. Specific recommendations regarding the planting of edges associated with each of the development Phases in Precinct 4 are provided within Appendix A of Appendix 2 .	Rehabilitation works are undertaken in accordance with Appendix 2 . Unauthorised entry into rehabilitation areas does not occur.	Ecologist to report to nominated ULDA representative. Then on an as needed basis following the completion of development. When required.
		Temporary fencing of and/or signage within rehabilitation areas is erected.	Site Manager.

Table 4. Recommendations to provide safe fauna movement opportunities within Precinct 4 and connections to habitats outside of Precinct 4.

Location of Fauna Movement Corridor	Implementation Strategy	Actions	Responsibilities, Reporting & Review	Timing and Frequency
Within Retained Habitats north of Stage G to habitats across Telegraph Road.	Enhance this crossing to provide valuable safe movement between UDA and the bushland reserve on northern side of Telegraph Road known to contain Squirrel Gliders. The crossing at this location must be reviewed prior to any works associated with the road duplication.	Refer to Appendix 2 for recommendations on rehabilitation, using Squirrel Glider feed trees, of retained habitats and along the powerlink easement. Install nest boxes on either side of powerlink easement.	Ecologist.	Before commencement of works associated with road duplication.
North south connection road	Ensure safe fauna movement continues between the bushland and open space area located between Phase E and G and the eastern bushland and open space area. Promote community awareness of the presence of significant fauna and encourage community participation in the protection of fauna and their habitats.	Road construction and final layout must consider the following actions: • Locate roadway to minimise the clearing of mature trees. • Clearly define all areas not directly affected by road construction to delineate limits of disturbance. No unauthorised disturbances should occur within defined zones (e.g. dumping of excavated soil). • Clearing for road construction must be done in a sequential manner to allow fauna to move away from the clearing area, and should only be conducted during the hours of 6am and 6pm. • Ensure mature trees are retained that allow Squirrel Gliders to glide across the distance of the roadway. Retained trees should be twice the height of the horizontal glide distance. Clearly mark trees to be retained. If tall trees are absent install glider poles of the appropriate height to allow Gliders to safely glide across the roadway. • Prevent clearing of any hollow-bearing trees. If hollows are removed these must be replaced with Squirrel Glider nest boxes (refer to SGMAP for design	Site Manager to ensure all actions are implemented and respected by all relevant staff. Any breach of compliance to be reported to Site Manager and corrective actions implemented. If any death/injury to fauna occurs, review Action Plan.	Ongoing.

Location of Fauna Movement Corridor	Implementation Strategy	Actions	Responsibilities, Reporting & Review	Timing and Frequency
TRANSPORT CORRIDOR At present, it is not expected that fauna could safely move across the existing rail corridor. The loss of fauna habitats within Stages E and G increases the need to provide safe access to additional habitats outside of the UDA to ensure population viability is maintained.	Facilitate safe fauna movement to parklands adjacent to retained habitats between Stages E and G.	specifications) at a rate of two nest boxes per hollow removed. - Ensure a QPWS authorised fauna spotter/catcher is present during all tree clearing activities. - Limit vehicle speed along this roadway to 50k/h and install signage to advise motorists of the presence of fauna and the need for caution. - Use fauna sensitive lighting (e.g. directional or shade barriers) along the section of the roadway where it adjoins retained bushland areas. - Monitor the roadway for fauna/vehicle hits. If death or injury to native fauna has occurred, review this Action plan. Wooden launch poles will need to be installed to allow Squirrel Gliders to cross the approximate 60 m gap associated with the transport corridor. The exact location and height of necessary launch poles will be decided once final development plans for the busway are completed. It is anticipated that 3 x 13 m high launch poles will be required on either side of the transport corridor. The existing culvert at this location should be subject to detailed design to allow retrofitting with fauna furniture. The installation of a raised platform to provide a dry ledge to facilitate safe movement for ground-dwelling fauna is required.	Ecologist.	Once final development plans for the busway are completed.

Table 5. Monitoring Program for Pest Species and Significant Fauna Species

Significant Fauna Monitoring and Maintenance		Aim: To highlight and prevent the long-term degradation of fauna populations within retained or rehabilitated habitats, wildlife corridors and ecological reserves		
Performance Objective	Implementation Strategy	Performance Indicators Corrective Action	Responsibilities, Reporting and Review	Timing and Frequency
Ongoing fauna Monitoring and Management.	Fauna populations on site, including pest species, are to be monitored by qualified ecologist to record any significant change in abundance of species.	Native fauna populations are to remain healthy and in similar abundances and diversity as recorded prior to development, as assessed by project ecologist. No increase in the abundance of fauna pest species. Corrective actions are to be prescribed by the ecologist and corrective works supervised.	During the occupational phase ULDA will engage competent contractors to monitor and manage fauna populations.	Once following clearing and construction phase, then biannually during occupational phase.

4.0 REFERENCES

- BAAM (2008a).** *Flora and Fauna Habitat Assessment – Fitzgibbon Urban Development Authority.* Unpublished report prepared for Urban Land Development Authority.
- BAAM (2008b).** *Squirrel Glider Management and Action Plan - Fitzgibbon Urban Development Authority.* Unpublished report prepared for Urban Land Development Authority.
- Goldingay, R. and Sharpe, D. (2007).** *Managing remnant bushland in Brisbane's urban Cabbage Tree Creek catchment for the Squirrel Glider.* Unpublished report.
- Rowston, C (2000).** *Fitzgibbon Squirrel Glider Study.* Unpublished report prepared for Brisbane City Council.
- WBM Oceanics (2003).** *An assessment of squirrel glider population viability and raptor habitat values – Queensland Department of Housing Land, Bracken Ridge.* Unpublished report prepared for Queensland Department of Housing.

APPENDIX 1

Site-specific Management Actions for Staged Development of Precinct 4

Development Stage E

It is understood that Stage E is the next area to be developed and development will occur in two stages. This area currently supports a mixture of remnant and non-remnant vegetation that provide valuable feeding resources for Squirrel Gliders.

Clearing of 8.613 ha of vegetation is to be undertaken in Stage E; the rehabilitation requirement for this Stage totals 14.687 ha. It is suggested that rehabilitation works should be located within the relevant vegetation communities as outlined within **Table 1, Table 2** and **Figure 2.1**.

The management strategies and actions in the following table are relevant to both stages and should be considered in conjunction with the Squirrel Glider Management and Action Plan.

Management Strategies and Actions for Stage E.

Management Intent	Implementation Strategy	Estimated Costings
To minimise the loss of significant fauna habitats.	Wherever practical potential feed trees for Squirrel Gliders and Koalas should be retained within individual Lots and within internal roadways. Supplementary plantings of feed trees should occur along the boundaries of these areas. Clearing of vegetation will not commence until planned rehabilitation works in the northern retained habitats have been undertaken. Areas to be cleared should be inspected by a spotter/catcher for hollows. If any are found, they should be replaced as per the recommendations of the previous BAAM reports (BAAM 2008a, BAAM 2008b).	Refer to Rehabilitation Plan for cost for plantings. \$90 per hour for spotter/catcher.
To minimise impacts on individual significant fauna.	Domestic dogs and to a lesser extent, cats, can kill, injure or stress native wildlife, especially Koala and Squirrel Gliders. Dog and cat ownership should be discouraged within areas associated with Stage E, as fencing will not be sufficient to deter Squirrel Gliders and from entering properties. If present, dogs and cats should be kept indoors or in enclosures that do not support potential feed trees from dusk until dawn each night. Ensure a QPWS authorised fauna spotter/catcher is present during all tree clearing activities.	\$90 per hour for spotter/catcher.
Provide for safe fauna movement in retained bushlands.	The retained bushland habitats to the north of Stage E should be rehabilitated as per the Rehabilitation Plan. Three wooden poles at least 13 m in height should be erected within the retained bushlands to the north of Stage E and three similar poles on the opposite side of the rail line to facilitate safe movement opportunities for Squirrel Gliders to access habitats west of the rail/bus corridor. These poles should be installed prior to commencement of vegetation clearing.	Cost estimate for six 13m Glider Poles: \$14,000 including installation

Development Stage F

The eastern boundary of Stage F forms the western boundary of the Precinct 4 Investigation Area identified in the FBMP. The investigation area supports abundant hollows and feed trees for Squirrel Gliders as well as feed trees for Koala and Grey-headed Flying-Fox.

Clearing of 3.212 ha of vegetation is to be undertaken in Stage F; the rehabilitation requirement for this Stage totals 3.482 ha. It is suggested that rehabilitation works should be located within the relevant vegetation communities as outlined within **Table 1**, **Table 2** and **Figure 2.1**.

The management strategies and actions for Stage F provided in the following table should be considered in conjunction with the Squirrel Glider Management and Action Plan.

Management Intent	Implementation Strategy	Estimated Costings
To minimise the loss of significant fauna habitats.	A previous study (WBM 2003) has identified the presence of one hollow-bearing tree within Stage F. If practical, this tree should be retained. Wherever practical potential feed trees for Squirrel Gliders and Koalas should be retained within individual Lots and within internal roadways. Supplementary plantings of feed trees should occur along the boundaries of this area. Clearing of vegetation will not commence until planned rehabilitation works in the eastern retained habitats have been undertaken. Areas to be cleared should be inspected by a spotter/catcher for hollows. If any are found, they should be replaced as per the recommendations of previous BAAM reports (BAAM 2008a, BAAM 2008b).	Refer to Rehabilitation Plan for cost for plantings. \$90 per hour for spotter/catcher.
To minimise impacts on individual significant fauna.	Dog and cat ownership should be discouraged within areas associated with Stage F, as fencing will not be sufficient to deter Squirrel Gliders and from entering properties. If present, dogs and cats should be kept indoors or in enclosures that do not support potential feed trees from dusk until dawn each night. Ensure a QPWS authorised fauna spotter/catcher is present during all tree clearing activities.	\$90 per hour for spotter/catcher.
Provide for safe fauna movement in retained bushlands.	The retained bushland habitats to the east of Stage F should be rehabilitated as per the Rehabilitation Plan. Landowners should be discouraged from erecting fencing that prohibits fauna from accessing feed trees within their properties, unless unrestrained dogs and cats are present within the property.	Refer to Rehabilitation Plan for cost for plantings

Development Stage G

The southern boundary of Stage G adjoins the western portion of the Precinct 4 Investigation Area identified in the FBMP. The investigation area supports a mixture of regrowth and mature *Melaleuca* trees that provide important feeding resources for Squirrel Gliders, Grey-headed Flying-Fox and to a lesser extent, Koala.

Clearing of 6.664 ha of vegetation is to be undertaken in Stage G; the rehabilitation requirement for this Stage totals 7.262 ha. It is suggested that rehabilitation works should be located within the relevant vegetation communities as outlined within **Table 1**, **Table 2** and **Figure 2.1**.

The management strategies and actions for Stage G provided in the following table should be considered in conjunction with the Squirrel Glider Management and Action Plan.

Management Intent	Implementation Strategy	Estimated Costings
To minimise the loss of significant fauna habitats.	Wherever practical potential feed trees for Squirrel Gliders and Koalas and tall trees for gliding should be retained within individual Lots and within internal roadways. Clearly mark trees to be retained. If tall trees are absent install glider poles of the appropriate height to allow Gliders to safely move through the site as specified in Table 3. Supplementary plantings of feed trees should occur along the northern and southern boundaries of this area, as prescribed in the Rehabilitation Plan. Clearing of vegetation will not commence until planned rehabilitation works in the northern retained habitats have been undertaken. Areas to be cleared should be inspected by a spotter/catcher for hollows. If any are found, they should be replaced as per the recommendations of the previous BAAM reports (BAAM 2008a, BAAM 2008b).	Refer to Rehabilitation Plan for cost for plantings. \$90 per hour for spotter/catcher. Cost for Glider Poles: \$2,000 per 12m pole including installation
To minimise impacts on individual significant fauna.	Dog and cat ownership should be discouraged within areas associated with Stage F, as fencing will not be sufficient to deter Squirrel Gliders and from entering properties. If present, dogs and cats should be kept indoors or in enclosures that do not support potential feed trees from dusk until dawn each night. Ensure a QPWS authorised fauna spotter/catcher is present during all tree clearing activities.	\$90 per hour for spotter/catcher.
Provide for safe fauna movement in retained bushlands.	Clearing of vegetation within this area should not commence until safe movement options have been provided for fauna, especially Squirrel Gliders to access habitats within the bushland reserve on the opposite side of Telegraph Road. Refer to Table 3 of the FFMP for specific actions for fauna movement options at this location. Landowners should be discouraged from erecting fencing that prohibits fauna from accessing feed trees within their properties, unless unrestrained dogs and cats are present within the property.	6 x Glider nest Boxes @ \$500 per box.

Development Stage B

Fauna habitats within Stage B have been highly degraded as a result of previous land clearing, and now consist of a patch of wattle regrowth, open grassy areas with some scattered trees and weeds.

Clearing of 0.794 ha of vegetation is to be undertaken in Stage B; the rehabilitation requirement for this Stage totals 0.856 ha. It is suggested that rehabilitation works should be located within the relevant vegetation communities as outlined within **Table 1**, **Table 2** and **Figure 2.1**.

Management strategies and actions within Stage B should ensure that all activities associated with the residential development and north south road construction comply with the overall intent of the FFMP for Precinct 4. No further site-specific actions are required for Stage B.

Development Stage C

Fauna habitats within Stage C have been highly degraded as a result of previous land clearing, and now consist of a patch of wattle regrowth, open grassy areas with some scattered trees and weeds.

Clearing of 5.084 ha of vegetation is to be undertaken in Stage C; the rehabilitation requirement for this Stage totals 5.708 ha. It is suggested that rehabilitation works should be located within the relevant vegetation communities as outlined within **Table 1**, **Table 2** and **Figure 2.1**.

Management strategies and actions within Stage C should ensure that all activities associated with the residential development and north south road construction comply with the overall intent of the FFMP for Precinct 4. No further site-specific actions are required for Stage C.

Management Intent	Implementation Strategy	Estimated Costings
To minimise the loss of significant fauna habitats.	Wherever practical potential feed trees for Squirrel Gliders and Koalas should be retained within individual Lots and within internal roadways. Clearing of vegetation will not commence until planned rehabilitation works in the eastern retained habitats have been undertaken. Areas to be cleared should be inspected by a spotter/catcher for hollows. If found, these should be replaced as per the recommendations of the previous BAAM reports (BAAM 2008a, BAAM 2008b). 8 mature <i>E. tereticornis</i> have been identified (as per the specifications set out in the FBMP on stage C that would require replacement replanting on a 3:1 basis if removed. Therefore the maximum replanting requirement for Stage C is 24 plantings. Replacement plantings can be located in parks within Stage C or within the Bushland and/or Open Space Area once land is stabilised therein.	\$90 per hour for spotter/catcher. Replacement planting cost per mature tree removed: 3 tube stocks @ \$1.50/unit = \$4.50 + Labour (cost of labour to be determined according to density of planting).
To minimise impacts on individual significant fauna.	Dog and cat ownership should be discouraged within areas associated with Stage C, as fencing will not be sufficient to deter Squirrel Gliders and from entering properties. If present, dogs and cats should be kept indoors or in enclosures that do not support potential feed trees from dusk until dawn each night. Ensure a QPWS authorised fauna spotter/catcher is present during all tree clearing activities.	\$90 per hour for spotter/catcher.
Provide for safe fauna movement between feed trees.	Landowners should be discouraged from erecting fencing that prohibits fauna from accessing feed trees within their properties, unless unrestrained dogs and cats are present within the property.	

APPENDIX 2

Rehabilitation Plan