



Department of
**State Development, Infrastructure,
Local Government and Planning**

Our ref: DEV2021/1193/2

20 December 2022

Construction Forestry Mining and Energy Industrial Union of Employees Queensland
C/- Urbis Pty Ltd
Att: Mr Sam Robinson
Level 32, 300 George Street
BRISBANE QLD 4000

Email: srobinson@urbis.com.au

Dear Sam

S99 Approval to Change a PDA Development Permit of PDA development application Material Change of Use for Multiple Dwelling (380 units), Shop, and Food and Drink Outlet at 19-27 Campbell Street, 9-11 Hazelmount Street and 26-30 Edgar Street, Bowen Hills described as Lots 10 and 12 on RP144655; Lots 41, 42, 43, 44 and 45 on RP9895; Lot 1 on RP151932; and Lot 1 on RP144514

On 20 December 2022, the Minister for Economic Development Queensland (MEDQ) decided to grant **all** of the PDA development application applied for, in accordance with the attached PDA decision notice.

The PDA decision notice and approved plans / documents can also be viewed in the MEDQ Development Approvals Register via the Department website at www.dsdilgp.qld.gov.au/pda-da-applications.

If you require any further information, please contact Essen Joseph (Principal Planner, Development Assessment) by telephone on (07) 3452 7196 or via email at essen.joseph@dsdilgp.qld.gov.au, who will be pleased to assist.

Yours sincerely

Beatriz Gomez
Director
Development Assessment
Economic Development Queensland

PDA Decision Notice

Site information		
Name of priority development area (PDA)	Bowen Hills	
Site address	19-27 Campbell Street, 9-11 Hazelmount Street and 26-30 Edgar Street, Bowen Hills	
Lot on plan description	Lot number	Plan description
	10 and 12	RP144655
	41, 42, 43, 44 and 45	RP9895
	1	RP151932
	1	RP144514
PDA development application details		
DEV reference number	DEV2021/1193/2	
'Properly made' date	20 December 2022	
Type of application	<input checked="" type="checkbox"/> Application to change PDA development approval	
Proposed development	Material Change of Use for Multiple Dwelling (380 units), Shop, and Food and Drink Outlet	
PDA development approval details		
Decision of the MEDQ	<p>The MEDQ has decided to grant all of the PDA development approval applied for, subject to PDA development conditions forming part of this decision notice.</p> <p>Changes to the development permit are summarised as follows:</p> <ol style="list-style-type: none"> 1) Change to condition 5 to alter the timing of landscape works requirements; and 2) Change to condition 32(a) to alter the timing of water and sewer connection requirements. 3) Administrative changes to ensure that the appropriate assessment team in EDQ are referenced 	
Original decision date	4 March 2022	
1 st change to approval	20 December 2022	
Currency period	Six (6) years from the original decision date	

Approved plans and documents

The plans and documents approved by the MEDQ and referred to in the PDA development conditions for the PDA development approval are detailed below.

Approved plans and documents		
	Number	Date
1.	'Summary – Area Plan', prepared by nettleontribe	Architectural Design Report, Page 42, Rev E 17 November 2021 (Amended in Red 3 February 2022)
2.	'Summary – Area Plan', prepared by nettleontribe	Architectural Design Report, Page 43, Rev E 17 November 2021 (Amended in Red 3 February 2022)
3.	'Development Summary', prepared by nettleontribe	Architectural Design Report, Page 44, Rev E 17 November 2021 (Amended in Green 3 February 2022)
4.	'Site Plan – Lot Diagram', prepared by nettleontribe	11703_SK050, Issue 14 3 February 2022
5.	'Basement 1 Floor Plan', prepared by nettleontribe	11703_SK101, Issue 14 3 February 2022 (Amended in Red 3 February 2022)
6.	'Ground Floor Plan', prepared by nettleontribe	11703_SK102, Issue 14 3 February 2022 (Amended in Red 3 February 2022)
7.	'Level 1 Floor Plan', prepared by nettleontribe	11703_SK103, Issue 14 3 February 2022
8.	'Level 2 Floor Plan', prepared by nettleontribe	11703_SK104, Issue 14 3 February 2022
9.	'Level 3 Floor Plan', prepared by nettleontribe	11703_SK105, Issue 14 3 February 2022
10.	'Level 4 Floor Plan', prepared by nettleontribe	11703_SK106, Issue 14 3 February 2022
11.	'Typical Alternate Levels 5-29 Floor Plan', prepared by nettleontribe	11703_SK107, Issue 14 3 February 2022 (Amended in Red 3 February 2022)
12.	'Typical Alternate Levels 6-28 Floor Plan', prepared by nettleontribe	11703_SK108, Issue 14 3 February 2022 (Amended in Red 3 February 2022)
13.	'Lower Roof Deck', prepared by nettleontribe	11703_SK109, Issue 14 3 February 2022
14.	'Rooftop Deck', prepared by nettleontribe	11703_SK110, Issue 14 3 February 2022
15.	'Roof Plan', prepared by nettleontribe	11703_SK111, Issue 14 3 February 2022
16.	'Level 7 Floor Plan', prepared by nettleontribe	11703_SK201, Issue 14 3 February 2022
17.	'Level 8 Floor Plan', prepared by nettleontribe	11703_SK202, Issue 14 3 February 2022

Approved plans and documents

The plans and documents approved by the MEDQ and referred to in the PDA development conditions for the PDA development approval are detailed below.

Approved plans and documents			Number	Date
18.	'Ground Floor – Covered Area Plan', prepared by nettleontribe	11703_SK203, Issue 14	3 February 2022	
19.	'North Elevation', prepared by nettleontribe	11703_SK210, Issue 14	3 February 2022	
20.	'South Elevation', prepared by nettleontribe	11703_SK211, Issue 14	3 February 2022	
21.	'West Elevation', prepared by nettleontribe	11703_SK212, Issue 14	3 February 2022	
22.	'East Elevation', prepared by nettleontribe	11703_SK213, Issue 14	3 February 2022	
23.	'Section A-A', prepared by nettleontribe	11703_SK302, Issue 14	3 February 2022	
24.	'Section B-B', prepared by nettleontribe	11703_SK303, Issue 14	3 February 2022	
25.	'Apartment Layouts', prepared by nettleontribe	11703_SK501, Issue 14	3 February 2022	
26.	'Apartment Layouts', prepared by nettleontribe	11703_SK502, Issue 14	3 February 2022 (Amended in Red 3 February 2022)	
27.	'Apartment Layouts', prepared by nettleontribe	11703_SK503, Issue 14	3 February 2022	
28.	'Apartment Layouts', prepared by nettleontribe	11703_SK504, Issue 14	3 February 2022	
29.	'Apartment Layouts', prepared by nettleontribe	11703_SK505, Issue 14	3 February 2022	
30.	'Street Edge Sections', prepared by nettleontribe	11703_SK304, Issue 12	16 November 2021	
31.	'Landscape Architectural Package', by ASdesign	REV02	Undated (Amended in Red 3 February 2022)	
32.	'Operational Waste Management Plan', prepared by ttm	21BRW0002, Rev 2	3 June 2021	
33.	'Stormwater Plan', prepared by ADG	SK-C30, Rev B	Undated (Amended in Green 3 February 2022)	
34.	'Stormwater Plan Ground Floor', prepared by ADG	SK-C31, Rev B	Undated (Amended in Green 3 February 2022)	

Supporting plans and documents		Number	Date
1.	'Road Widening Plan', prepared by Brisbane City Council	RC16018, Issue 2	8 July 2021
2.	'Prelim Bulk Earthworks Plan', prepared by ADG	SK-C10, Rev B	Undated (Amended in Red 3 February 2022)
3.	'Environmental Noise Assessment', prepared by TTM	21BRA0010 R01_0, No. 0	12 May 2021

PDA development conditions

PREAMBLE

For the purpose of interpreting this approval, including the conditions, the following applies:

ABBREVIATIONS AND DEFINITIONS:

The following is a list of abbreviations utilised in this approval:

1. **AILA** means a Landscape Architect registered by the Australian Institute of Landscape Architects.
2. **BFP** means Building Format Plan.
3. **Basic AC EV charging** means an electric vehicle charging facility on a dedicated AC circuit of 240 volts. Basic AC EV charging is typically used in long park situations such as dwellings and workplaces and requires a minimum 10-15amps, and installation of an EVSE charging unit capable of supplying 2.4 to 3.7kW of power.
4. **Certification Procedures Manual** means the document titled *Certification Procedures Manual*, prepared by EDQ, dated April 2020 (as amended from time to time).
5. **Contributed Asset** means an asset constructed under a PDA development approval or Infrastructure Agreement that will become the responsibility of an External Authority. For the purposes of operational works for a Contributed Asset, the following definitions apply:
 - a. **External Authority** means a public-sector entity other than the MEDQ;
 - b. **Parkland** means carrying out operational work related to the provision of parkland infrastructure;
 - c. **Roadworks** means carrying out any operational work within existing or proposed road(s), to a depth of 1.5m measured from the top of kerb, and includes Streetscape Works;
 - d. **Sewer Works** means carrying out any operational work related to the provision of wastewater infrastructure;
 - e. **Streetscape Works** means carrying out any operational work within the verge of a road, including footpath surface treatments, street furniture, street lighting and landscaping;
 - f. **Stormwater Works** means carrying out any operational work related to the provision of stormwater infrastructure; and
 - g. **Water Works** means carrying out any operational work related to the provision of water infrastructure.
6. **Council** means the relevant local government for the land the subject of this approval.

7. **Destination AC or DC EV charging** means an electric vehicle charging facility capable of supplying 11-25kW of power. Destination AC or DC EV charging requires three phase 415V, 16-32A, supplying 11-22kW of power.
8. **DSDILGP** means the Department of State Development, Infrastructure Local Government and Planning.
9. **EDQ** means Economic Development Queensland.
10. **EDQ DA** means Economic Development Queensland's – Development Assessment team.
11. **EDQ IS** means Economic Development Queensland's – Infrastructure Solutions team.
12. **EP Act** means the *Environmental Protection Act 1994*.
13. **MEDQ** means the Minister for Economic Development Queensland.
14. **PDA** means Priority Development Area.
15. **RPEQ** means Registered Professional Engineer of Queensland.
16. **Short-term/UU** for the purposes of electric vehicle charging, means land uses where the majority of parking is for a period of less than 2 hours, and includes use definitions including: hardware and trade supplies, food and drink outlet, garden centre, shop, showroom, health care services, veterinary services, and the like.
17. **UU** means Urban Utilities

COMPLIANCE ASSESSMENT:

Where a condition of this approval requires Compliance Assessment, Compliance Assessment is required in accordance with the following:

- a) The applicant must:
 - i) pay to MEDQ at the time of submission the relevant fee for Compliance Assessment, including any third party peer review costs which will be charged on a 100% cost recovery basis. The Compliance Assessment fees are set out in EDQ Development Assessment Fees and Charges Schedule¹ (as amended from time to time).
 - ii) submit to EDQ DA a duly completed Compliance Assessment form².
 - iii) submit to EDQ DA the documentation as required under the relevant condition.
- b) Where EDQ is satisfied the documentation submitted for Compliance Assessment meets the requirements of the relevant condition (or element of the condition), EDQ will endorse the documentation and advise by written notice.
- c) Compliance Assessment and endorsement can be repeated where a different design or solution, to that already endorsed, is sought.

¹ The EDQ Development Assessment Fees and Charges Schedule is available at EDQ's website.

² The Compliance Assessment form is available at EDQ's website. It sets out how to submit documentation for Compliance Assessment and how to pay Compliance Assessment fees.

- d) The process and timeframes that apply to Compliance Assessment are as follows:
- i) applicant submits items required under a) above to EDQ DA for Compliance Assessment.
 - ii) **within 20 business days** – EDQ assesses the documentation and:
 - 1. if satisfied, endorses the documentation; or
 - 2. if not satisfied, notifies the applicant accordingly.
 - iii) if the applicant is notified under ii.2. above, revised documentation must be submitted **within 20 business days** from the date of notification.
 - iv) **within 20 business days** – EDQ assesses the revised documentation and:
 - 1. if satisfied, endorses the revised documentation; or
 - 2. if not satisfied, notifies the applicant accordingly.
 - v) where EDQ notifies the applicant as stated under iv.2. above, repeat steps iii. and iv. above. If either party is not satisfied by the outcome of this process, that party can elect to enter into a mediation process with an independent mediator agreed to by both parties.

Despite note v. above, the condition (or element of the condition) is determined to have been met only when EDQ endorses relevant documentation.

SUBMITTING DOCUMENTATION TO EDQ:

Where a condition of this approval requires documentation to be submitted to either EDQ DA or EDQ TS, submit the documentation to:

- a) EDQ DA at: pdadevelopmentassessment@dsmip.qld.gov.au.
- b) EDQ TS at: EDQ_PrePostConstruction@dsmip.qld.gov.au.

PDA Development Conditions – Material Change of Use		
Ref	Condition	Timing
General		
1.	<p>Carry out the approved development</p> <p>Carry out the approved development generally in accordance with:</p> <ul style="list-style-type: none"> a) the approved plans and documents; and b) any other documentation endorsed via Compliance Assessment as required by these conditions. 	<p>Prior to commencement of use or BFP endorsement, whichever occurs first</p>
2.	<p>Maintain the approved development</p> <p>Maintain the approved development generally in accordance with:</p> <ul style="list-style-type: none"> a) the approved plans and documents; and b) any other documentation endorsed via Compliance Assessment as required by these conditions. 	<p>At all times following commencement of use</p>

PDA Development Conditions – Material Change of Use		
Ref	Condition	Timing
Planning and Design		
3.	<p>Affordable housing</p> <p>Submit to EDQ DA evidence that the approved development provides a minimum of 5% of total residential GFA as either or a mix of public housing, social housing or affordable housing.</p> <p><i>NOTE: For the purposes of this satisfying the affordable housing component of this condition, copies of sales/rental prices and an accompanying statement outlining compliance with PDA Guideline no. 16 – Housing are considered evidence.</i></p>	Prior to commencement of use or BFP endorsement, whichever occurs first
4.	<p>Accessible housing</p> <p>Submit to EDQ DA evidence that the approved development delivers:</p> <ul style="list-style-type: none"> i) a minimum 10% of all dwellings as accessible in accordance with <i>PDA Guideline no. 2 Accessible Housing</i>; and ii) Where a vehicle parking space is provided for the dwelling, the parking space are to have minimum dimensions of 3800mm by 5500mm clear of walls or other obstructions such as posts. <p><i>NOTE: For the purposes of this condition, copies of building work floor plans and an accompanying statement outline compliance with PDA Guideline no. 2 Accessible Housing are considered evidence.</i></p>	Prior to commencement of use or BFP endorsement, whichever occurs first
5.	<p>Landscape works – Compliance Assessment</p> <p>Submit to EDQ DA detailed landscape plans for compliance assessment, prepared and certified by an AILA Registered Landscape Architect with experience in the design and maintenance of landscaping on buildings. The detailed landscape plans are to be generally in accordance with the approved plans and address the following:</p> <p><i>Planting – generally</i></p> <ul style="list-style-type: none"> i) Provide details, locations, pot size and all plant species to be utilised. ii) Provide specifications of all planter designs, including media types that are suitable for planting on built structures, irrigation system, filtration and drainage elements, root barriers, water proofing, and any other relevant elements. <p><i>Podium-top and rooftop planters</i></p> <ul style="list-style-type: none"> iii) Provide planter details demonstrating the following minimum media depths can be achieved: <ul style="list-style-type: none"> 1. Ground covers with a mature height of 200mm or less – minimum 300mm; 2. Ground covers with a mature height of 200mm or more – suitable depth to support plant growth and longevity, as per media depth requirements established through compliance assessment; 	Prior to commencement of any works, other than demolition works or excavation works

PDA Development Conditions – Material Change of Use		
Ref	Condition	Timing
	<p>3. Shrubs with a mature height of 200mm or more – minimum 500mm;</p> <p>4. Trees – minimum 1,500mm.</p> <p><i>Façade planting</i></p> <p>iv) Provide details about the planting and maintenance of the plants to be grown on the building façade(s), including:</p> <ol style="list-style-type: none"> 1. Structure – details of all elements attached to structure to support plant growth / climbing. 2. Media type – specification of light-weight media suitable for vertical planting on built structures. 3. Media volume – designed to achieve and maintain suitable organic matter, nutrient and water balance to sustain vegetation. <p><i>Irrigation and maintenance</i></p> <p>v) Provide design details for all irrigation and maintenance which demonstrate the planting will achieve and maintain suitable organic matter, nutrient and water balance to establish and sustain vegetation.</p> <p><i>Structural design to support rooftop landscaping</i></p> <p>vi) Submit a statement from a structural engineer holding RPEQ certification that the building has been designed to accommodate the weight of rooftop planting, including a consideration of the volume of all planters when containing wet media.</p>	
6.	<p>Landscape work – construction</p> <p>a) Construct landscape works generally in accordance with the certified plans submitted under condition 5 of this approval.</p> <p>b) Supervise the landscape works under the oversight of an AILA Registered Landscape Architect to ensure works are undertaken in accordance with the approved drawings and documents.</p> <p>c) Submit to EDQ DA, AILA Registered Landscape Architect certification that the landscape works have been constructed generally in accordance with part a) of this condition.</p>	<p>a) Prior to commencement of use or BFP endorsement whichever occurs first</p> <p>b) During construction</p> <p>c) Prior to commencement of use or BFP endorsement whichever occurs first</p>

PDA Development Conditions – Material Change of Use		
Ref	Condition	Timing
Environmentally Sustainable Design		
7.	<p>Energy Efficiency</p> <p>a) Construct the approved development to incorporate at least one the following:</p> <ul style="list-style-type: none"> i) integration of solar generation technology within the built form and/or public realm. ii) integration of green roofs, green walls or other sustainable landscape elements within the built form and the public realm. iii) integration of smart technology which passively controls the use of electricity. <p>b) Submit to EDQ IS, documentation prepared by a suitably qualified consultant, which certifies the development has been constructed in accordance with part a) of this condition.</p>	<p>a) Prior to commencement of use or BFP endorsement, whichever occurs first</p> <p>b) Prior to commencement of use or BFP endorsement, whichever occurs first</p>
8.	<p>Charging for electric vehicles</p> <p>Submit to EDQ IS, certified evidence from a suitably qualified RPEQ (Electrical) demonstrating that electric vehicle charging facilities and/or provisioning has been provided as follows:</p> <ul style="list-style-type: none"> i) At least one (1) Destination charger in a short-term/visitor parking space; ii) Electrical capacity for Basic AC charging on all non-short-term/visitor parking spaces. The Basic AC charging must be installed such that it can be readily replaced with a dedicated electric vehicle charger; and iii) Electric vehicle charging is capable of electrical load control to manage development peak demand. 	<p>Prior to commencement of use or BFP endorsement, whichever occurs first</p>
9.	<p>Sustainability – Compliance Assessment</p> <p>a) Submit to EDQ DA for Compliance Assessment a sustainability report prepared by a suitably qualified professional which demonstrates how the building has been designed to comply with one of the following sustainability ratings:</p> <ul style="list-style-type: none"> i) 4-star Green Star: Design and As Built certification; ii) 6-leaf EnviroDevelopment; or iii) An equivalent rating, as approved through the compliance assessment process. <p>b) Construct the approved development generally in accordance the report endorsed under part a) of this condition.</p>	<p>a) Prior to commencement of site works</p> <p>b) Prior to commencement of use or BFP endorsement, whichever occurs first</p>

PDA Development Conditions – Material Change of Use		
Ref	Condition	Timing
	c) Submit to EDQ DA, documentation prepared by a suitably qualified professional, which certifies that the development has been constructed generally in accordance the sustainability report endorsed under part a) of this condition and satisfies Section 2.5.4.1 of the Bowen Hills Priority Development Scheme.	c) Prior to commencement of use or BFP endorsement, whichever occurs first
Construction Management and Engineering		
10.	Hours of work - construction Unless otherwise endorsed, via Compliance Assessment for out of hours work, construction hours for the approved development are limited to Monday to Saturday between 6:30am to 6:30pm, excluding public holidays.	During construction unless otherwise endorsed
11.	Out of hours work - Compliance Assessment Where out of hours work is proposed, submit to EDQ DA, for Compliance Assessment, an out of hours work request. The out of hours work request must include the nominated fee and a duly completed out of hours work request form ³ .	Minimum of 10 business days prior to proposed out of hours work commencement date
12.	Certification of Operational Work All operational work to be carried out in accordance with this approval must comply with the requirements of the <i>Certification Procedures Manual</i> .	At all times
13.	Construction management plan a) Submit to EDQ IS a site-based Construction Management Plan (CMP), prepared by the principal site contractor and reviewed by a suitably qualified and experienced person responsible for overseeing the site works, to manage construction impacts, including: iv) noise and dust in accordance with the EP Act; v) stormwater flows around and through the site without increasing the concentration of total suspended solids or Prescribed Water Contaminants (as defined in the EP Act), causing erosion, creating any ponding and causing any actionable nuisance to upstream and downstream properties; vi) contaminated land, where required under a site suitability statement prepared in accordance with Section 389 of the EP Act; vii) complaints procedures; viii) evidence that Energex supports the proposed construction management arrangements for the existing power lines along Edgar Street; and ix) site management provisions: 1. safe and functional alternative pedestrian routes, past, through or around the site; 2. strategies to mitigate impacts to public assets, including street trees, on or external to the site;	a) Prior to commencing work

³ The out of hours work request form is available at EDQ's website.

PDA Development Conditions – Material Change of Use		
Ref	Condition	Timing
	<ul style="list-style-type: none"> 3. for safe and functional temporary vehicular access points and frequency of use; 4. for the safe and functional loading and unloading of materials including the location of any remote loading sites; 5. for the location of materials, structures, plant and equipment; 6. of waste generated by construction activities; 7. efficiently sort and minimise waste and maximise recycling opportunities; 8. detailing how materials are to be loaded/unloaded; 9. of proposed external hoardings and gantries (with clearances to street furniture and other public sector entity assets); 10. of employee and visitor parking areas; 11. of anticipated staging and programming; 12. for the provision of safe and functional emergency exit routes; and <p>b) A copy of the CMP submitted under part a) of this condition must be current and available on site.</p> <p>c) Carry out all construction work generally in accordance with the CMP submitted under part a) of this condition.</p>	<p>b) During construction</p> <p>c) During construction</p>
14.	<p>Erosion and sediment management</p> <p>a) Submit to EDQ IS an Erosion and Sediment Control Plan (ESCP), certified by a RPEQ or an accredited professional in erosion and sediment control, such as CPESC, and prepared generally in accordance with the following:</p> <ul style="list-style-type: none"> i) construction phase stormwater management design objectives of the <i>State Planning Policy (Appendix 2 Table A)</i>; ii) <i>Healthy Land and Water Technical Note: Complying with the SPP – Sediment Management on Construction Sites.</i> iii) <i>Urban Stormwater Quality Planning Guidelines</i>, prepared by the former Department of Environment and Heritage Protection; and iv) <i>Best Practice Erosion and Sediment Control</i>, prepared by the International Erosion Control Association Australasia. <p>b) Implement the certified ESCP submitted under part a) of this condition.</p>	<p>a) Prior to commencing site works</p> <p>b) During construction</p>
15.	<p>Traffic management plan</p> <p>a) Submit to EDQ IS a Traffic Management Plan (TMP), certified by a person holding a current Traffic Management Design qualification. The TMP must include the following:</p>	<p>a) Prior to commencing site works</p>

PDA Development Conditions – Material Change of Use		
Ref	Condition	Timing
	<ul style="list-style-type: none"> i) provision for the safe and functional management of traffic around and through the site during and outside of construction work hours; ii) provision for the safe and functional management of pedestrian traffic, including alternative pedestrian routes past, through or around the site; iii) provision of parking for workers and materials delivery; iv) risk identification, assessment and identification of mitigation measures; v) ongoing monitoring, management review and certified updates (as required); and vi) Traffic Guidance Schemes, prepared in accordance with <i>Austrroads Guide to Temporary Traffic Management</i>, for any temporary part or full road closures. vii) where required, gantry shall be used to maintain footpath access along Campbell Street; viii) Campbell Street must not be used as a construction access. <p>b) Carry out all construction work generally in accordance with the certified TMP submitted under part a) of this condition, which is to be current and available on site.</p> <p><i>NOTE: Operational traffic changes, such as temporary and permanent lane modifications, relaxation of clearway zone hours or footpath closures may require authorisation from Council or DTMR as road manager. It is recommended that applicants engage directly with the applicable road manager.</i></p>	b) During construction
16.	<p>Haulage management plan</p> <ul style="list-style-type: none"> a) Submit to the EDQ IS a Haulage Management Plan (HMP) prepared by a person holding current Traffic Management Design qualifications, and endorsed by the Council. The HMP is to include at a minimum: <ul style="list-style-type: none"> i) Heavy vehicle size and load limits; ii) Load in/out facility locations, operation and access / egress; iii) Designated haulage route(s) including contingency haulage for all stages of the Works, both inside and outside of the CBD; iv) Haulage times; and v) Relevant actions and procedures identifying how loads will be appropriately secured, managed and loaded; b) Undertake all haulage in accordance with the relevant HMP, as Endorsed by the TTWG, which must be current and available on site at all times. 	<ul style="list-style-type: none"> a) Prior to commencing site works b) During construction
17.	<p>Construction noise management plan</p> <ul style="list-style-type: none"> a) Submit to EDQ IS a Construction Noise Management Plan (CNMP), certified by a suitably qualified acoustic engineer. At a minimum, the CNMP must address the 	<ul style="list-style-type: none"> a) Prior to commencing site works

PDA Development Conditions – Material Change of Use		
Ref	Condition	Timing
	<p>following sections of <i>Australian Standard AS2436-2010</i> as they relate to the site and construction activities:</p> <ul style="list-style-type: none"> i) section 3.4 – Community Relations, including schedule of activities, community notification strategy, complaints reporting and response strategies ii) section 4.4 – Post Approval/Construction Planning for Noise and Vibration, including strategies to minimise adverse impacts to proximate sensitive land uses/receptors iii) section 4.5 – Control of Noise at Source, including strategies to control noise at source; iv) section 4.6 – Controlling the Spread of Noise, including noise reduction measures; and v) section 5.0 – Methods for Measurement of Noise and Vibration, including noise measurement and monitoring strategy. <p>b) Carry out construction work generally in accordance with the certified CNMP required under part a) of this condition.</p> <p>c) Where requested by EDQ, submit to EDQ IS Noise Monitoring Reports, certified by a suitably qualified acoustic engineer, and evidence of compliance with the community relations elements of the CNMP required under part a) of this condition.</p>	<p>b) During construction</p> <p>c) As requested by EDQ</p>
18.	<p>Structural monitoring and vibration report</p> <ul style="list-style-type: none"> a) Submit to the EDQ IS a Structural Monitoring and Vibration Report (SMVR), certified by a suitably qualified RPEQ, including: <ul style="list-style-type: none"> i) the process for in-situ testing, based upon actual construction equipment, methods and onsite geotechnical conditions, to forecast expected vibration during all works, detailing: <ol style="list-style-type: none"> 1. excavation of basement and shoring; 2. new excavation; 3. installation of new foundations (i.e. piling); 4. pavements 5. proposed methods to mitigate and control vibration and ground movement during construction; ii) an instrumentation and monitoring plan, including drawings, frequency of monitoring, vibration limits and actions to be taken should limits be exceeded. The monitoring must commence prior to excavation, continue during excavation and construction, and finish one month after the completion of permanent works; iii) confirmation that the vibrations limits have been submitted to adjacent utility providers; iv) confirmation that Council, UU, APA, TMR and Energex have reviewed and support the monitoring procedure for works; 	<p>a) Prior to commencing site works</p>

PDA Development Conditions – Material Change of Use		
Ref	Condition	Timing
	<ul style="list-style-type: none"> v) proposed anchoring, including: <ul style="list-style-type: none"> 1. whether anchors are temporary or permanent; 2. anchors' lifespan; 3. consent from affected landowners and/or road authorities; vi) dilapidation survey of surrounding private and public assets, as determined by the certifier, and details of on-going monitoring of these assets. <p>b) Carry out construction work in accordance with the certified SMVR certified under part a) of this condition.</p>	<p>b) During construction</p>
19.	<p>Public infrastructure (damage, repairs and relocation)</p> <ul style="list-style-type: none"> a) Repair any damage to existing public infrastructure caused by works carried out in association with the approved development. b) Where existing public infrastructure require repair or relocation, due to the approved development and/or works associated with the approved development, repair and/or relocate the public infrastructure at no cost to others and in accordance with statutory requirements and the External Authority's design standards. <p><i>NOTE: It is recommended applicants record their own dated photographic evidence of the condition of relevant existing public infrastructure both before and after works carried out in association with the approved development.</i></p>	<ul style="list-style-type: none"> a) Prior to commencement of use or BFP endorsement, whichever occurs first b) Prior to commencement of use or BFP endorsement, whichever occurs first
20.	<p>Acid sulfate soils</p> <ul style="list-style-type: none"> a) Where on-site acid sulfate soils (ASS) are encountered, submit to EDQ IS an ASS management plan, prepared in accordance with the <i>Queensland Acid Sulfate Soil Technical Manual Soil Management Guidelines v4.0 2014</i> (as amended from time to time). b) Excavate, remove and/or treat on site all disturbed ASS generally in accordance with the ASS management plan submitted under part a) of this condition. c) Submit to EDQ IS a validation report, certified by a suitably qualified environmental or soil scientist, confirming that all earthworks have been carried out in accordance with the ASS management plan submitted under part b) of this condition. 	<ul style="list-style-type: none"> a) Prior to commencement of or during earthworks b) Prior to commencement of use or BFP endorsement, whichever occurs first c) Prior to commencement of use or BFP endorsement, whichever occurs first

PDA Development Conditions – Material Change of Use		
Ref	Condition	Timing
21.	<p>Groundwater management strategy</p> <p>a) Submit to EDQ IS a Groundwater Management Strategy (GMS), certified by a suitably qualified and experienced person, incorporating at a minimum:</p> <ul style="list-style-type: none"> i) strategies for managing groundwater during all works phases; ii) an assessment of the groundwater conditions to determine appropriate construction management procedures, including modelling in accordance with <i>Australian Groundwater Modelling Guidelines, 2012</i>; iii) strategies for a situation where the groundwater inflow is excessive and additional pumping is required (i.e. cut-off drain); iv) details of the extent of drawdown including plots of groundwater contours and proposed mitigation measures to reduce the impact of drawdown on existing infrastructure and structures (i.e. buildings and services); v) strategies for the collection and treatment of stormwater to ensure the stormwater discharge conforms with current <i>Australian and New Zealand Environment and Conservation Council Guidelines</i>; and vi) confirmation that the GMS has been prepared with reference to the relevant documentation prepared in accordance with other related conditions of this approval including. <p>b) Construct the approved development in accordance with the GMS submitted under part a) of this condition.</p>	<p>a) Prior to commencing site works</p> <p>b) During construction</p>
22.	<p>Shoring</p> <p>a) Submit to EDQ IS a Geotechnical, Shoring and Design Report (GSDR), certified by a suitably qualified and experienced RPEQ. The GSDR must include:</p> <ul style="list-style-type: none"> i) confirmation works are designed to meet the following <i>Australian Standards</i>: <ul style="list-style-type: none"> 1. <i>AS1726 Geotechnical Site Investigation</i>; 2. <i>AS2159 Piling - Design and Installation</i>; 3. <i>AS4678 Earth Retaining Structures</i>; ii) a Geotechnical Investigation Plan and Geotechnical Analysis including: <ul style="list-style-type: none"> 1. details on the stratigraphy, groundwater level, excavatability and profiling; 2. a table detailing geotechnical design parameters used to undertake detailed design; 3. where excavations will occur in rock, an assessment of potential defect risks (e.g. joints, fault zones, volcanic intrusions and weak zones) and mitigation measures to avoid and manage potential defect risks including impacts to adjacent buildings, structures and infrastructure; 	<p>a) Prior to commencing site works</p>

PDA Development Conditions – Material Change of Use

Ref	Condition	Timing
	<ul style="list-style-type: none"> iii) analysis of groundwater hydrology, including: <ol style="list-style-type: none"> 1. considerations of seasonality, tidal effects, possible fractured ground at depth 2. impact of dewatering and potential drawdown effects of construction and/or changed water table levels during demolition 3. temporary decommissioning of basement pumps, all construction phases and the ultimate development; iv) analysis and measures to minimise impacts to existing buildings and public utilities, including: <ol style="list-style-type: none"> 1. a dilapidation survey of buildings located within 20m of works located within 50m of works; 2. an assessment of potential impacts to public utilities located within 20m of works and how potential impacts will be avoided and/or mitigated; v) assessments of construction methodology impacts, including: <ol style="list-style-type: none"> 1. a Basement Retention and Foundation Assessment detailing key aspects of the site (e.g. rock excavatability, stability, rock and soil stress profile, groundwater modelling, seepage and dewatering assessment); 2. critical geotechnical model sections of all excavations, with reference to the geometry of the retention systems, load and design assumptions, load cases, structural section properties/material parameters, including analysis output (e.g. moment and shear envelopes, deflections, changes to stress and groundwater levels during temporary and permanent stages of work) and assessment of the installation of the retention system on adjacent properties; 3. design drawings and technical specifications, including any temporary and permanent structures; 4. groundwater chemistry assessment and proposed on-site treatment prior to discharge from site; 5. basement ground water design rationale (e.g. clarifying whether basements are fully tanked, designed for full hydrostatic groundwater pressure, whether ground water is collected via a subsoil collection system and pumped including details of where ground water is pumped to). 6. evidence that that groundwater quality has been properly analysed and evidence that it complies with ANZECC standards for groundwater quality. vi) an analysis of the durability aspects for buried concrete and reinforcement of areas that will be incorporated into the approved development. 	

PDA Development Conditions – Material Change of Use		
Ref	Condition	Timing
	b) Construct the approved development in accordance with the GSDR certified under part a) of this condition.	b) During construction
23.	<p>Excavation and basement design</p> <p>a) Submit to the EDQ IS an Excavation and Basement Report, certified by a suitably qualified and experienced RPEQ, including:</p> <ul style="list-style-type: none"> i) confirmation of design and performance criteria including standards and supporting documents used for the basis of design; ii) consistency with: <ul style="list-style-type: none"> 1. <i>Australian Standard AS 3798, Guidelines on Earthworks for Commercial and Residential Developments</i>; 2. the Geotechnical Shoring and Design Report submitted as part of this approval; 3. the Structural Monitoring and Vibration Report submitted as part of this approval; 4. the Rock and Ground Anchor Report submitted as part of this approval; iii) locations of cut and fill, and the character of material; iv) quantity of fill to be deposited; v) a maintenance regime for site access roads/tracks, ensuring they remain clean and free of material; vi) existing and proposed finished levels in reference to the Australian Height Datum and extending into the adjoining properties; vii) mitigation measures for the protection of adjoining properties and roads from ponding and/or nuisance from stormwater; viii) where earthworks disturb contaminated land (as defined under the EP Act), evidence of consistency with the site suitability statement submitted as part of this approval; and ix) Detailed Design and Construction Plans, including staging, for excavation and basement design, certified by a RPEQ. <p>b) Carry out excavation and basement work in accordance with the certified Detailed Design and Construction Plans submitted under part a) ix) of this condition.</p> <p>c) Submit to EDQ IS, RPEQ:</p> <ul style="list-style-type: none"> i) certification that excavation and basement work has been undertaken in accordance with part b) of this condition; and ii) certified 'as-constructed' drawings for the excavation and basement work carried out in accordance with part b) of this condition. <p><i>NOTE: When submitting 'as constructed drawings', the preferred format is one letter/certificate listing all drawings and signed by the appropriate RPEQ for each discipline of engineering.</i></p>	<p>a) Prior to commencing site works</p> <p>b) During construction</p> <p>c) Prior to commencement of use or BFP endorsement, whichever occurs first</p>

PDA Development Conditions – Material Change of Use

Ref	Condition	Timing
24.	<p>Temporary rock and ground anchors</p> <p>a) Submit to EDQ IS a Temporary Rock and Ground Anchor Report (TRGAR), certified by a suitably qualified and experienced RPEQ, including:</p> <ul style="list-style-type: none"> i) detailed engineering drawings detailing the locations and specifications of rock and ground anchors; ii) where rock or ground anchors encroach into adjoining road reserve(s) or land, include consents from relevant road manager(s) and/or landowner(s); iii) RPEQ certification confirming construction phase loads will not adversely impact adjacent buildings, structures and infrastructure. The RPEQ certification must consider the effects of the load imposed pressure bulb: <ul style="list-style-type: none"> 1. prior to the de-stressing of the temporary ground anchors; and 2. upon completion of the building. <p>b) Construct the approved development in accordance with the certified TRGAR as required under part a) of this condition.</p> <p>c) Submit to the EDQ IS RPEQ:</p> <ul style="list-style-type: none"> i) certification confirming that all rock and ground anchors have been constructed in accordance with the TRGAR required under part a) of this condition ii) certified ‘as-constructed’ drawings and associated test documentation for all rock and ground anchors constructed in accordance with part b) of this condition. The ‘as-constructed’ drawings and associated test documentation must include: <ul style="list-style-type: none"> 1. locality, site, layout and section/elevation plans depicting the anchoring system details (e.g. position, length, inclination angle, lock-off load and typical anchor block); 2. location of all bored piers, shoring and bored piling in plan and elevation views together with shoring and bored piling details; 3. construction methodology used during installation and the results of any tests; 4. surveyed location of the following plotted on the shoring plan and wall sections: <ul style="list-style-type: none"> A. existing infrastructure (e.g. water, stormwater, sewer, street trees, signs and markings); B. existing utility services (e.g. telecommunications, electricity, and gas) and adjacent foundation details; and C. existing Council pipelines and maintenance holes including depths of maintenance holes and clearances to anchors. 	<p>a) Prior to commencing site works</p> <p>b) During construction</p> <p>c) Within 20 business days of completion of work involving rock and ground anchors</p>

PDA Development Conditions – Material Change of Use		
Ref	Condition	Timing
	d) Submit to EDQ IS RPEQ certification confirming that all anchors constructed in accordance with part b) of this condition have been de-stressed.	d) Prior to commencement of use or BFP endorsement, whichever occurs first
25.	<p>Roadworks – Compliance Assessment</p> <p>a) Submit to EDQ IS for compliance assessment, a functional layout plan, certified by a suitably qualified and experienced RPEQ, for the civil works proposed in the public road reserve on all road frontages. The certified plans are to be designed:</p> <ul style="list-style-type: none"> (i) in accordance with the following approved and supporting plans: <ul style="list-style-type: none"> a. ‘Road Widening Plan’, prepared by Brisbane City Council (Ref: RC16018, Issue 2, dated 8 July 2021); and b. ‘Street Edge Sections’, prepared by NettletonTribe (Ref: 11703_SK304, Issue 12, dated 16 November 2021) (ii) generally in accordance with Council standards and EDQ’s Engineering Standards no.13; (iii) to include signage and line marking plan; (iv) to ensure no service or gully pits are located away from cross over; (v) to remove existing cross overs that are not proposed and replace with kerb and channel; (vi) upgrade the kerb ramp pair on Hazelmount St, on the corner of Campbell Street, to direct pedestrian to cross Hazelmount Street. The type and location should be in accordance with Council standards; (vii) install a kerb ramp pair on Edgar Street / Hazelmount St intersection, to direct pedestrian to cross Edgar Street and (viii) consistent with the streetscape plans. <p>b) Submit to EDQ IS detailed engineering plans, certified by a RPEQ, for all roadworks. The RPEQ certified engineering plans must be designed generally in accordance with the endorsed plan, in part a) of this condition.</p> <p>c) Construct roadworks generally in accordance with the certified plans submitted under part a) of this condition.</p>	<p>a) Prior to commencing roadworks</p> <p>b) Prior to commencing roadworks</p> <p>c) Prior to commencement of use or BFP endorsement, whichever occurs first</p>

PDA Development Conditions – Material Change of Use		
Ref	Condition	Timing
	<p>d) Submit to EDQ IS:</p> <ul style="list-style-type: none"> i) certification from a suitably qualified and experienced RPEQ that all roadworks have been constructed generally in accordance with the certified plans submitted under part b) of this condition; and ii) all documentation as required by the <i>Certification Procedures Manual</i>. iii) as-constructed drawings, asset register and test results, certified by a RPEQ, in a format acceptable to the end asset owners for all roadworks constructed under this condition. <p><i>Note: Within the Campbell Street road reserve, undertake verge improvements maintaining the existing kerb line with landscape planting located in accordance with the approved plans and to suit future road widening (to be undertaken by others)</i></p>	<p>d) Prior to commencement of use or BFP endorsement, whichever occurs first</p>
26.	<p>Streetscape works – Compliance Assessment</p> <p>a) Submit to EDQ IS for Compliance Assessment, detailed streetscape works drawings, certified by an AILA, for proposed streetscape works, including a schedule of proposed standard and non-standard Contributed Assets to be transferred to Council. The streetscape works must be consistent with the functional layout plan to be endorsed under Condition 25 'Roadworks - Compliance Assessment', and be designed generally in accordance with the approved drawings.</p> <p>The certified drawings are to include, where relevant:</p> <ol style="list-style-type: none"> 1. location and type of street lighting in accordance with AS1158 – 'Lighting for Roads and Public Spaces'; 2. footpath treatments including details of materials and joints; 3. location and specifications of streetscape furniture; 4. location and size of stormwater treatment devices; 5. street trees and plants, including species, size and location generally in accordance with Council's adopted planting schedules and guidelines. 6. Details of existing service grates and treatments 7. Driveway cross over details including tactile pavement treatments 8. Details of interface with private streetscape to be clearly delineated. 9. Provide a minimum 2-metre-wide unobstructed footpath on verge. 	<p>a) Prior to commencement of streetscape works</p>

PDA Development Conditions – Material Change of Use		
Ref	Condition	Timing
	<p>b) Construct streetscape works generally in accordance with the streetscape plans endorsed under part a) of this condition.</p> <p>c) Submit to EDQ IS ‘as constructed’ plans, certified by an AILA, and asset register in a format acceptable to Council.</p>	<p>b) Prior to commencement of use or BFP endorsement, whichever occurs first</p> <p>c) Prior to commencement of use or BFP endorsement, whichever occurs first</p>
27.	<p>Road dedication</p> <p>Dedicate as new road, land identified on the following approved and supporting plans:</p> <ul style="list-style-type: none"> i) ‘<i>Road Widening Plan</i>’, prepared by Brisbane City Council (Ref: RC16018, Issue 2, dated 8 July 2021); and ii) ‘<i>Street Edge Sections</i>’, prepared by nettletontribe (Ref: 11703_SK304, Issue 12, dated 16 November 2021) <p>As shown on the approved and supporting plans, the dedication must include the following:</p> <ul style="list-style-type: none"> i) A volumetric format dedication along the Edgar Street portion of the site frontage, in accordance with the following: <ul style="list-style-type: none"> 1. The vertical dimension of the volumetric dedication must be a minimum of 1.5m below and a minimum of 4.2 metres above finished footpath pavement surface level taken at the site boundary. 2. The dedication is to encroach into the site the required distance to provide a minimum verge width in Edgar Street of 2.5 metres from face of kerb. 3. The dedication is to accommodate a 6m x 3 chord truncation at the corner of Hazelmount and Edgar Streets. ii) A volumetric format dedication along the Hazelmount Street portion of the site, in accordance with the following: <ul style="list-style-type: none"> 1. The vertical dimension of the volumetric dedication must be a minimum of 1.5m below and a minimum of 4.2 metres above finished footpath pavement surface level taken at the site boundary. 2. The dedication is to encroach into the site the required distance to provide a minimum verge width in Hazelmount Street of 3.75 metres from face of kerb. 3. The dedication is to accommodate 6m x 3 chord truncations at the corners of 	<p>Prior to commencement of use or at registration of Building/Standard Format Plan, whichever occurs first</p>

PDA Development Conditions – Material Change of Use		
Ref	Condition	Timing
	<p>Hazelmount and Edgar Streets, and Hazelmount and Campbell Streets.</p> <p>iii) A standard format dedication along the Campbell Street portion of the site frontage to the western boundary of the lot. The dedication is to accommodate a 6m x 3 chord truncation at the corner of Hazelmount and Campbell Streets.</p> <p><i>Note: At the interface between the standard format dedication to be provided along Campbell Street and the volumetric format dedication along the Hazelmount Street, the standard format dedication is to take precedent over the volumetric format dedication to the maximum extent possible.</i></p>	
28.	<p>Street lighting - Edgar Street, Hazelmount Street and Campbell Street</p> <p>Comply with either parts a) and c) or parts b) and c) of this condition.</p> <p>a) Design and install a <u>Rate 2</u> street lighting system, certified by a RPEQ, to all roads, including footpaths within road reserves, along Edgar Street, Hazelmount Street and Campbell Street between Hazelmount Street and Jamieson Street. The design of the street lighting system must:</p> <ul style="list-style-type: none"> i) meet the relevant standards of Energex; ii) be endorsed by Energex as ‘Rate 2 Public Lighting’; iii) be endorsed by Council as the Energex ‘billable customer’; iv) be generally in accordance with <i>Australian Standards AS1158 – ‘Lighting for Roads and Public Spaces</i>. <p>b) Design and install a <u>Rate 3</u> street lighting system, certified by a suitably qualified and experienced RPEQ, to all roads, including footpaths/bikeways within road reserves. The design of the street lighting system must:</p> <ul style="list-style-type: none"> i) be in accordance with <i>Australian Standards AS1158 – ‘Lighting for Roads and Public Spaces’</i> ii) meet the requirements of AS3000 – ‘<i>SAA Wiring Rules</i>’. iii) meet the requirements of Energex for unmetered supply iv) be endorsed by the relevant ownership authority. <p>c) Submit to EDQ IS ‘as-constructed’ plans and test documentation, certified by a RPEQ, in a format acceptable to Council.</p>	<p>a) Prior to commencement of use or BFP endorsement, whichever occurs first</p> <p>b) Prior to commencement of use or BFP endorsement, whichever occurs first</p> <p>c) Prior to commencement of use or BFP endorsement, whichever occurs first</p>

PDA Development Conditions – Material Change of Use		
Ref	Condition	Timing
29.	<p>Vehicle access</p> <p>a) Construct a vehicle crossover: i) located generally in accordance with the approved plans; and ii) designed generally in accordance with Council's adopted standards for a Type B2 (6.2m).</p> <p>b) Submit to EDQ IS RPEQ certification that the crossover has been constructed in accordance with part a) of this condition.</p>	<p>a) Prior to commencement of use or BFP endorsement, whichever occurs first</p> <p>b) Prior to commencement of use or BFP endorsement, whichever occurs first</p>
30.	<p>Car parking</p> <p>a) Construct, sign and delineate car parking spaces generally in accordance with <i>Australian Standard AS2890 – Parking Facilities</i> and the approved plans.</p> <p>b) Submit to EDQ IS RPEQ certification that parking facilities have been constructed in accordance with part a) of this condition.</p>	<p>a) Prior to commencement of use or BFP endorsement, whichever occurs first</p> <p>b) Prior to commencement of use or BFP endorsement, whichever occurs first</p>
31.	<p>Bicycle parking</p> <p>a) Construct, sign and delineate bicycle parking facilities generally in accordance with <i>Australian Standard AS2890.3 – 1993 Bicycle parking facilities</i> and the approved plans.</p> <p>b) Submit to EDQ IS evidence demonstrating bicycle parking facilities have been constructed in accordance with part a) of this condition.</p>	<p>a) Prior to commencement of use or BFP endorsement, whichever occurs first</p> <p>b) Prior to commencement of use or BFP endorsement, whichever occurs first</p>
32.	<p>Water and sewer connections</p> <p>a) Submit to EDQ IS an updated Engineering Services Plan, certified by a suitably qualified and experienced RPEQ and endorsed by UU, showing the location of the proposed water and sewer connections and the plan for the decommissioning for the redundant connections.</p>	<p>a) Prior to commencement of use or the classification of the use under the Building Act, whichever occurs first</p>

PDA Development Conditions – Material Change of Use		
Ref	Condition	Timing
	<p>b) Connect the development to the water and sewer reticulation networks in accordance with Urban Utilities current adopted standards and the Engineering Services Plan provided under part a) of this condition.</p> <p>c) Decommission the redundant water and sewer connections in accordance with Urban Utilities current adopted standards and the Engineering Services Plan provided under part a) of this condition.</p> <p><i>Note: Any augmentations to the existing water and sewer networks required to support the proposed development while maintaining the UU Desired Standards of Service within the existing and planned networks is to be carried out by the applicant under a UU Water Approval, prior to commencement of use.</i></p>	<p>b) Prior to commencement of use or the classification of the use under the Building Act, whichever occurs first</p> <p>c) Prior to commencement of use or the classification of the use under the Building Act, whichever occurs first</p>
33.	<p>Stormwater connection</p> <p>Connect the approved development to a lawful point of discharge:</p> <ul style="list-style-type: none"> i) with 'no-worsening' to upstream or downstream properties for storm events up to 1% Annual Exceedance Probability; and ii) generally in accordance with Council's current adopted standards. 	<p>Prior to commencement of use or BFP endorsement, whichever occurs first</p>
34.	<p>Stormwater management (quality)</p> <p>a) Submit to EDQ IS detailed engineering drawings, certified by a RPEQ, for stormwater treatment devices designed generally in accordance with:</p> <ul style="list-style-type: none"> i) <i>PDA Guideline No. 13 Engineering standards – Stormwater quality</i>; ii) <i>Stormwater Plan</i>, prepared by ADG (Ref: SK-C30, Rev B, Undated (Amended in Green 3 February 2022)); and iii) <i>'Stormwater Plan Ground Floor'</i>, prepared by ADG (Ref: SK-C31, Rev B, Undated (Amended in Green 3 February 2022)) <p>b) Construct stormwater works generally in accordance with the certified plans submitted under part a) of this condition.</p> <p>c) Submit to EDQ IS RPEQ certification confirming stormwater treatment devices have been constructed generally in accordance with the certified plans submitted under part a) of this condition.</p>	<p>a) Prior to commencement of stormwater works</p> <p>b) Prior to commencement of use or BFP endorsement, whichever occurs first</p> <p>c) Prior to commencement of use or BFP endorsement, whichever occurs first</p>

PDA Development Conditions – Material Change of Use		
Ref	Condition	Timing
35.	<p>Stormwater management (quantity)</p> <p>a) Submit to EDQ IS detailed engineering drawings and hydraulic calculations, certified by a suitably qualified and experienced RPEQ, for the stormwater drainage system designed generally in accordance with <i>PDA Guideline No. 13 Engineering standards – Stormwater quantity</i> and the following approved plans:</p> <ul style="list-style-type: none"> i) <i>Stormwater Plan</i>, prepared by ADG (Ref: SK-C30, Rev B, Undated (Amended in Green 3 February 2022)); and ii) <i>Stormwater Plan Ground Floor</i>, prepared by ADG (Ref: SK-C31, Rev B, Undated (Amended in Green 3 February 2022)) <p>b) Construct stormwater works generally in accordance with the certified plans submitted under part a) of this condition.</p> <p>c) Submit to EDQ IS "as constructed" plans, certified by a suitably qualified and experienced RPEQ including an asset register in a format acceptable to Council.</p>	<p>a) Prior to commencement of stormwater works</p> <p>b) Prior to commencement of use or BFP endorsement, whichever occurs first</p> <p>c) Prior to commencement of use or BFP endorsement, whichever occurs first</p>
36.	<p>Electricity – Compliance Assessment</p> <p>a) Submit to EDQ IS for Compliance Assessment:</p> <ul style="list-style-type: none"> i) Written evidence from Energex demonstrating that all existing overhead powerlines along Edgar St will be relocated underground prior to the commencement of the use; or ii) If it can be demonstrated that the powerlines subject to part i) of this condition are unable to be placed underground, provide RPEQ certification to confirm that adequate clearance will be provided between the existing overhead powerlines and the proposed development, supplemented by evidence that the proposed clearances are supported by Energex. <p>b) Submit to EDQ IS a Certificate of Electricity Supply from Energex for the provision of electricity supply to the approved development.</p>	<p>a) Prior to commencement of work</p> <p>b) Prior to commencement of use or BFP endorsement, whichever occurs first</p>

PDA Development Conditions – Material Change of Use		
Ref	Condition	Timing
	<p>c) Connect the approved development in accordance with the Certificate of Electricity Supply submitted under part a) of this condition.</p> <p><i>Note: Under Condition 13 of this approval, evidence must also be provided in the approved CMP, that Energex supports the proposed construction management arrangements for the existing power lines, prior to commencement of works.</i></p>	<p>c) Prior to commencement of use or BFP endorsement, whichever occurs first</p>
37.	<p>Telecommunications</p> <p>a) Submit to EDQ IS documentation from an authorised telecommunication service provider confirming that an agreement has been entered into for the provision of underground telecommunication services to the approved development.</p> <p>b) Connect the approved development in accordance with the documentation submitted under part a) of this condition.</p>	<p>a) Prior to commencement of use or BFP endorsement, whichever occurs first</p> <p>b) Prior to commencement of use or BFP endorsement, whichever occurs first</p>
38.	<p>Broadband</p> <p>a) Submit to EDQ IS written agreement, from an authorised telecommunications service provider, confirming that fibre-ready pit and pipe infrastructure designed to service the approved development can accommodate services compliant with:</p> <ul style="list-style-type: none"> i) <i>Industry Guideline G645:2017 Fibre-Ready Pit and Pipe Specification for Real Estate Development Projects</i>; and ii) Telecommunications industry standards for high rise buildings, such as those set by Telstra or NBN Co. <p>b) Construct the infrastructure specified in the agreement submitted under part a) of this condition.</p>	<p>a) Prior to commencement of use or BFP endorsement, whichever occurs first</p> <p>b) Prior to commencement of use or BFP endorsement, whichever occurs first</p>
39.	<p>Refuse collection</p> <p>a) Submit to EDQ IS evidence of approved refuse collection arrangements, from Council or a private waste contractor, for the approved development.</p> <p>b) Construct the approved development to include the recommendation specified in section 4 of the approved '<i>Operational Waste Management Plan</i>', prepared by ttm (Ref: 21BRW0002, Rev 2, dated 3 June 2021)</p>	<p>a) Prior to commencement of use or BFP endorsement, whichever occurs first</p> <p>b) At all times following commencement of use</p>

PDA Development Conditions – Material Change of Use		
Ref	Condition	Timing
	c) Implement the refuse collection arrangements submitted under part a) of this condition.	c) At all times following commencement of use
40.	<p>Acoustic treatments – Compliance Assessment</p> <p>a) Submit to EDQ IS for Compliance Assessment, an updated report of the supporting document entitled ‘<i>Environmental Noise Assessment</i>’, prepared by TTM (Ref: 21BRA0010 R01_0, No. 0, dated 12 May 2021). The updated report, certified by a suitably qualified person, must include the recommendations included in the supporting document, and also determine the impacts and mitigations the noise generated from mechanical plant and equipment does not cause any nuisance for the occupants of the subject development and adjoining sites.</p> <p>b) Construct the development in accordance with the amended acoustic report submitted under part a) of this condition.</p> <p>c) Submit to EDQ IS evidence that the requirements of part a) and b) of this condition have been met.</p>	<p>a) Prior to commencement of building works</p> <p>b) Prior to commencement of use or BFP endorsement, whichever occurs first</p> <p>c) Prior to commencement of use or BFP endorsement, whichever occurs first</p>
41.	<p>Outdoor lighting</p> <p>Outdoor lighting within the site is to be designed and constructed in accordance with <i>Australian Standard AS 4282:1997 Control of the Obtrusive Effects of Outdoor Lighting</i>.</p>	Prior to commencement of use or BFP endorsement, whichever occurs first
42.	<p>Easements over infrastructure</p> <p>Provide public utility easements, in favour of and at no cost to the grantee, over any infrastructure located in land (other than road) for Contributed Assets. The terms of public utility easements are to be to the satisfaction of the Chief Executive Officer of the authority which is to accept and maintain the Contributed Assets.</p>	Prior to commencement of use or registration of a Building Format Plan, whichever occurs first
Infrastructure contributions		
43.	<p>Infrastructure Contributions</p> <p>Pay to MEDQ infrastructure charges in accordance with the Infrastructure Funding Framework (IFF) applicable at the time of approval, indexed to the date of payment.</p>	In accordance with the IFF

STANDARD ADVICE

Please note that to lawfully undertake development, it may be necessary to obtain approvals other than this PDA development approval. For advice on other approvals that may be necessary in relation to your proposal, it is recommended that you seek professional advice.

**** End of Package ****