

Yield Breakdown

					rielu brea									
Lot Type	Stage 10A	Stage 10B	Stage 10C	Stage 10D	Stage 10E	Stage 10F	Stage 10G	Stage 10H	Stage 10I	Stage 10J			erall	
	Yield	Yield	Yield	Yield	Yield	Yield	Yield	Yield	Yield	Yield	Yield	Yield	%	
25m Deep Product														
Villa 10m Allotment	_	4	-	ı	_	_	4	Í	_		_	8	3.9%	
Premium Villa 12.5m Allotment	5	5			_	2	9	I	_		_	21	10.1%	
Courtyard 14m Allotment	4	2			_	14	8	I	_		_	28	13.5%	
Premium Courtyard 16m Allotment	1	_			_	2	_	Í	_	_	_	3	1.4%	
Premium Traditional 20m Allotment	2	_			_	2	_	-	_		_	4	1.9%	
Subtotal	12	11	I	l	_	20	21	I	_	ı	_	64	30.9%	
28m Deep Terrace Product														
Terrace 7.5m Allotment	_	_			_	_	_	ı	9	_	_	9	4.3%	
Terrace 9.5m Allotment	_	_			_	_	_	-	4		_	4	1.9%	
Subtotal	_	_	I	l	_	_	1	I	13	I	_	13	6.3%	
30m Deep Product														
Villa 10m Allotment	4	3	6	_	_	4	5		_	1	_	23	11.1%	
Premium Villa 12.5m Allotment	12	4	16		_	5	7	I	_	8	_	52	25.1%	
Courtyard 14m Allotment	6	6	6		_	6	2	I	_	16	_	42	20.3%	
Premium Courtyard 16m Allotment	1	2			_	1	_	-	_	2	_	6	2.9%	
Traditional 18m Allotment	_	_			_	_	_	-	-	_	_	_	0.0%	
Premium Traditional 20m Allotment	_	3			_	1	_	I	_	1	_	5	2.4%	
Possible Multiple Residential Allotment	_	_	2		_	_	_	I	_		_	2	1.0%	
Subtotal	23	18	30	_	_	17	14		_	28	_	130	62.8%	
Total Residential Allotments	35	29	30			37	35		13	28		207	100.0%	
Residential Net Density	17.3 dw/ha	18.7 dw/ha	14.3 dw/ha	_	_	16.7 dw/ha	20.4 dw/ha	_	16.9 dw/ha	28 13.7 dw/ha	_		100.0% dw/ha	
Residential Net Delisity	17.3 dw/na	18.7 dw/na	14.3 dw/na		_	16.7 dw/na	20.4 dw/na	_	16.9 dw/na	13.7 dw/na	_	15.3	uw/na	
Super Lots														
Childcare	_	_	_	1	_	_	_	_	_	_	_	1		
Sub Total	_	_	_	1	_	_	_	_	_	_	_	1		
						•								
Total Allotments	35	29	30	1	_	37	35	_	13	28	_	208		
Maximum Potential Residential Dwellings (Includes Multiple Residential Allotments)	35	29	32	ı	_	37	35	ı	13	28	_	209		
Maximum Potential Net Residential Density	17.3 dw/ha	18.7 dw/ha	15.3 dw/ha	_	_	16.7 dw/ha	20.4 dw/ha	-	16.9 dw/ha	13.7 dw/ha	_	15.5 dw/ha		

Land Budget

					Lana Da	.901							
Land Use	Stage 10A	Stage 10B	Stage 10C	Stage 10D	Stage 10E	Stage 10F	Stage 10G	Stage 10H	Stage 10I	Stage 10J	Stage 10T	Ove	rall
	Area	%											
Stage Area	2.018 ha	1.554 ha	2.096 ha	0.301 ha	0.539 ha	2.219 ha	1.714 ha	0.555 ha	0.771 ha	2.046 ha	3.079 ha	16.892 ha	100.0%
Saleable Area													
Residential Allotments	1.352 ha	1.114 ha	1.237 ha	_		1.447 ha	1.213 ha	_	0.294 ha	1.203 ha		7.860 ha	46.5%
Child Care	_	_		0.301 ha	1	I	_	_	_			0.301 ha	1.8%
Total Area of Allotments	1.352 ha	1.114 ha	1.237 ha	0.301 ha	I	1.447 ha	1.213 ha	-	0.294 ha	1.203 ha	I	8.161 ha	48.3%
Road													
North South Arterial Dedication (incl. batters)	_	_	_	_		_	_	_	_	_	3.079 ha	3.079 ha	18.2%
Trunk Connector 2 Lanes (23.7m)	_	_	_	_		-	_	_	_	_	_	_	0.0%
Neighbourhood Connector (20.2m)	_	_	-	_		ĺ	_	_	_	0.598 ha		0.598 ha	3.5%
Neighbourhood Access Street (16.5m)	0.666 ha	0.440 ha	0.588 ha	_		0.742 ha	0.501 ha	_	0.402 ha	0.173 ha	_	3.512 ha	20.8%
Laneway (6.5m)	_	_	_	_		_	_	_	0.075 ha	_	_	0.075 ha	0.4%
Pedestrian Linkages	_	_	0.030 ha	_		0.030 ha	_	_	_	0.072 ha	_	0.132 ha	_
Total Area of New Road	0.666 ha	0.440 ha	0.618 ha	_	I	0.772 ha	0.501 ha	_	0.477 ha	0.843 ha	3.079 ha	7.396 ha	43.8%
Open Space													
Conservation Buffer	_	_		_		-	_	_	_			_	0.0%
Corridor Park / Conservation	_	_	-	_		ĺ	_	_	_	_		_	0.0%
Stormwater Management	_	_		_			_	0.555 ha	_	_		0.555 ha	3.3%
Regional Sports	_	_		_		_	_	_	_	_	_	_	0.0%
District Sports	_	_	_	_		1	_	_	_	_	_	_	0.0%
Neighbourhood Recreation Park	-	_	1	_	0.539 ha	ı	_	_	_	_	ı	0.539 ha	3.2%
Local Recreation Park	_	_	1	_	ı	_	_	_	_		1	_	0.0%
Local Linear Recreation Park	_	_	0.241 ha	_	1	_	_	_	_	-	-	0.241 ha	1.4%
Total Open Space	_	_	0.241 ha	_	0.539 ha	_	_	0.555 ha	_	_	_	1.335 ha	7.9%

PLAN REF: 110056 - 574

 Rev No:
 —

 DATE:
 13 MARCH 2024

 CLIENT:
 PEET

 DRAWN BY:
 JC / MM

 CHECKED BY: MD

FLAGSTONE CA3 SOUTH
STAGE 10 OVERALL
STATISTICS



URBAN DESIGN
Level 8
31 Duncan Street
PO Box 1559
Fortitude Valley QLD 4006
T +61 7 3539 9500
W rpsgroup.com
© COPYRIGHT
Unauthorised reproduction or a



Stage 10A Stage 10B Stage 10C Stage 10D Stage 10A Stage 10B Stage 10C Stage 10D Overall Overall Land Use Lot Type Yield Yield Yield Yield Yield Area Area Area Area Area 25m Deep Product Stage Area 2.018 ha 1.554 ha 2.096 ha 0.301 ha 5.969 ha 100.0% Saleable Area Villa 10m Allotment 4 4.3% Premium Villa 12.5m Allotment 5 5 10 10.6% Residential Allotments 1.352 ha 1.114 ha 1.237 ha 3.703 ha 62.0% Courtyard 14m Allotment 5.0% 6.4% 0.301 ha 4 2 _ 6 0.301 ha Premium Courtyard 16m Allotment 1.1% Total Area of Allotments 1.352 ha 1.114 ha 1.237 ha 0.301 ha 4.004 ha 67.1% 1 Premium Traditional 20m Allotment 2.1% Road 11 North South Arterial Dedication (incl. batters) Subtotal 24.5% 0.0% 28m Deep Terrace Product Trunk Connector 2 Lanes (23.7m) 0.0% Terrace 7.5m Allotment 0.0% Neighbourhood Connector (20.2m) 0.0% Terrace 9.5m Allotment 0.0% Neighbourhood Access Street (16.5m) 0.666 ha 0.440 ha 0.588 ha 1.694 ha 28.4% Subtotal 0.0% Laneway (6.5m) 0.0% 30m Deep Product Pedestrian Linkages 0.5% 0.030 ha 0.030 ha Villa 10m Allotment 6 13 13.8% Total Area of New Road 0.666 ha 1.724 ha 0.440 ha 0.618 ha 28.9% Premium Villa 12.5m Allotment 12 16 32 34.0% Open Space Courtyard 14m Allotment 6 6 6 18 19.1% 0.0% Premium Courtyard 16m Allotment Corridor Park / Conservation 2 3 3.2% 0.0% Traditional 18m Allotment 0.0% Stormwater Management 0.0% Premium Traditional 20m Allotment 3 3 3.2% Regional Sports 0.0% Possible Multiple Residential Allotment 2 2.1% 0.0% 23 18 30 71 75.5% 0.0% ocal Recreation Park 0.0% 0.241 ha 0.241 ha 4.0% ocal Linear Recreation Park **Total Residential Allotments** 35 29 30 94 100.0% **Total Open Space** 0.241 ha 0.241 ha 4.0% Residential Net Density 17.3 dw/ha 18.7 dw/ha | 14.3 dw/ha **KEY MAP** Super Lots Scale: 1:7,500 Sub Total **Total Allotments** 35 29 30 95 Maximum Potential Residential Dwellings 32 0 96 (Includes Multiple Residential Allotments) Maximum Potential Net Residential Density | 17.3 dw/ha | 18.7 dw/ha 15.3 dw/ha Y504 10E 3459 375m 3399 Legend \$ 3458 400m 410m² **General** 520m2 **Application Boundary** Stage Boundary 3456 300m Sub Stage Boundary 3395 Stage 10D Possible Multiple Residential 3455 400mi Allotment (Max. no. of dwellings) Concept Design Contours (1m) 50034 Bus Stop Catchment (400m) 390m Indicative Indented Bus Stop 3005m² Neighbourhood Park Catchment (400m) 3453 375m² 3452 385m² 590m² 3389 E \$3451 385m 600m² 3388 3450 310m 3449 310m 480m² 3381 3448 385m² 3447 3446 310m 3445 385m² 295172 3382 5 3444 385m 360m² 3381 ²⁵ 400m23380 ± Note: 3443 430m All Lot Numbers, Dimensions and Areas are 14.5m Wide Esplanade approximate only, and are subject to survey 91001 and Council approval. 3442 465m Dimensions have been rounded to the nearest 2410m² 0.1 metres. Areas have been rounded down to the nearest 5m². 23.7m The boundaries shown on this plan should not Connector Lane be used for final detailed engineers design. Source Information: Site boundaries: Veris Adjoining information: Veris. Contours: Qspatial. Environment constraints: Saunders Havill Group. Q100: Engeny North South Arterial Alignment: Colliers URBAN DESIGN Level 8 31 Duncan Street PO Box 1559 Fortitude Valley QLD 4006 T +61 7 3539 9500 PLAN REF: 110056 - 575 FLAGSTONE CA3 SOUTH PEE Rev No: 13 MARCH 2024 DATE: **STAGE 10A - 10D** CLIENT: PEET DRAWN BY: JC / MM **PLAN OF SUBDIVISION** W rpsgroup.com CHECKED BY: MD


1:1,500 @ A3


Yield Breakdown

Land Budget

© COPYRIGHT

A TETRA TECH COMPANY







Plan of Development Table	Rear Loaded Terrace Allotments		Villa Allotments		Premium Villa Allotments		Courtyard Allotments		Premium Courtyard Allotments		Traditional Allotments		Premium Traditional Allotments		Ridgetop Allotments		Multiple Residential Allotment (MR)	
	Ground Floor	First Floor	Ground Floor	First Floor	Ground Floor	First Floor	Ground Floor	First Floor	Ground Floor	First Floor	Ground Floor	First Floor	Ground Floor	First Floor	Ground Floor	First Floor	Ground Floor	First Floor
Front/Primary Frontage	2.4m	2.4m	3.0m	3.0m	3.0m	3.0m	3.0m	3.0m	3.0m	3.0m	4.5m	4.5m	4.5m	4.5m	3.0m	3.0m	3.0m	3.0m
Garage	n/a	n/a	5.0m	n/a	5.0m	n/a	5.0m	n/a	5.0m	n/a	5.0m	n/a	5.0m	n/a	5.0m	n/a	5.0m	n/a
Rear	0.9m	0.9m	0.9m	0.9m	1.0m	1.0m	1.0m	1.5m	1.0m	1.5m	1.5m	2.0m	1.5m	2.0m	1.5m	2.0m	1.5m	1.5m
Side - General Lots																		
Built to Boundary	0.0m	0.0m	0.0m	1.0m	0.0m	1.0m	0.0m	1.0m	0.0m	1.0m	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Maximum BTB Wall Length (% of boundary length)	90%		70%		65%		65%		60%		n/a		n/a		n/a		n/a	
Non Built to Boundary	0.9m	0.9m	0.9m	0.9m	1.0m	1.0m	1.0m	1.5m	1.0m	1.5m	1.5m	2.0m	1.5m	2.0m	1.5m	2.0m	1.0m	1.5m
Corner Lots - Secondary Frontage	1.5m	1.5m	1.5m	1.5m	1.5m	1.5m	1.5m	1.5m	1.5m	1.5m	1.5m	2.0m	1.5m	2.0m	1.5m	2.0m	1.5m	1.5m
Laneway Lots																		
Rear of Lot (from laneway boundary including garage)	0.9m	0.9m	0.9m	0.9m	0.9m	0.9m	0.9m	0.9m	0.9m	0.9m	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Site Cover	75% 65%		5%	60%		60%		60%		60%		60%		60%		75%		

TO BE READ IN CONJUNCTION WITH 110056-579 STAGE 10 OVERALL PLAN OF DEVELOPMENT NOTES

PLAN REF: 110056 - 578

Rev No:
DATE: 13 MARCH 2024

CLIENT: PEET

DRAWN BY: JC / MM

CHECKED BY: MD

100 **1:2,000 @ A3**

STAGE 10 OVERALL
PLAN OF DEVELOPMENT



Level 8
31 Duncan Street
PO Box 1559
Fortitude Valley QLD 4006
T +61 7 3539 9500
W rpsgroup.com



Notes:

General

- All development is to be undertaken in accordance with the Development Approval, and Queensland Development Code (QDC), except as varied below.
- The maximum height of buildings shall not exceed two (2) storeys.
- Maximum building location envelopes are subject to future proposed easements and/or other underground services.
- All lots subject to an acoustic assessment to determine level of acoustic treatments.
- Buildings shall be constructed in accordance with Bushfire AS3959.
- Secondary dwellings are not permitted on lots less than 400m².
- Provisions in this POD do not relate to the following allotments: the District Centre allotment (lot 50032); the Ambulance allotment (lot 50033); the Child Care Allotments (lot 50034, 50036, 50037); the State Primary School allotment (lot 30015); the Local Centre Allotments (lots 50038 and 50040); the Community Facility Allotment (lot 50039); or the Medium Density Allotment (lot 50041). A separate MCU application will need to be submitted for development on these lots.
- Approved uses are House, Multiple Residential, Home Based Business, Display Home and Sales Office.
- Advertising Devices, where associated with a display home/village and temporary in nature, are Exempt Development.

Setbacks

- Setbacks are as per the Plan of Development Table unless otherwise dimensioned. If a lot is not developed for a Multiple Residential (MR) site, then the equivalent size detached lot setbacks will apply.
- The location of the built to boundary walls are indicated on the Plan of Development. Where built to boundary walls are not adopted side setbacks shall be in accordance with the Plan of Development Table.
- Boundary setbacks are measured to the wall of the structure.
- Front verandah and covered areas to the front door are permitted to extend into the front setback on the condition that the roofed area is not enclosed. For front setbacks, this roofed area can extend to 1.0m from the front property line.
- Eaves cannot encroach (other than where buildings are built to boundary) closer than 450mm to the lot boundary.
- If a retaining wall which exceeds 2.0m in height is present along the rear boundary of an allotment (single face wall construction), a 2.5m rear setback must be adopted.
- 16. If a terraced retaining wall is adopted at the rear boundary of a property, the lower face is to be a maximum of 1.0m from the property boundary, and a 2.5m rear setback must be adopted
- A corner lot, for the purposes of determining setbacks, is a lot that adjoins the intersection of two streets. This excludes those lots that abut a shared access driveway, laneway or a pedestrian link/ landscape buffer and therefore in these cases a secondary frontage setback does not apply.
- In the case of corner allotments an additional setback from the street corner is applicable. The setback applies to any building or structure greater than 2m high as follows:
- In the case of Terrace and Villa Corner Lots, the setback is measured as the line that joins the points on the front and side street boundaries of the lot that are located 6m back from the point of intersection of these two poundaries.
- · In the case of Premium Villa, Courtyard, Premium Courtyard, Traditional, Premium Traditional, Ridgetop Allotments and Multiple Residential Corner Lots, the setback is measured as the line that joins the points on the front and side street boundaries of the lot that are located 9m back from the point of intersection of these two boundaries.

Private Open Space

- 19. Private open space must measure a minimum of 10m² with a minimum dimension in any direction of 2.4 metres.
- 20. Private open space must be directly accessible from a living space.

On-site car parking and driveways

- 21. On-site car parking is to be provided in accordance with the following minimum requirements:
- For lots <12.5 metres wide 1 covered space per dwelling;
- For lots 12.5 metres wide or greater 2 covered spaces per dwelling;
- For Multiple Residential sites, at least 1 covered space per dwelling, plus 0.5 spaces per dwelling (can be uncovered).
- 22. Garages for any single storey dwelling on a Lot between 10.0m and 12.49m in width must adhere to the following design criteria:
 - a. The front facing building wall, which comprises the garage door, must not exceed an external width of 5.7m
 - b. The garage door:
 - Width must not exceed 4.8m
 - ii. Must have a minimum 450mm eave above
 - iii. Must be setback a minimum of 240mm behind the pillar of the garage door, and
 - iv. Must have a sectional, tilt or roller door.
 - c. The front facade of the dwelling must be forward of the alignment of the garage wall, and must include the following:
 - A front entrance door with glass inserts and / or windows or with a sidelight where the front door is solid. If the front facade includes a habitable room with window, a sidelight is not required.
 - A front verandah, portico or porch located over the front entrance, which extends a minimum of 1600mm forward of the entrance door
 - The verandah, portico or porch is to include front piers with distinct materials and/or colours.
 - d. Driveways cannot exceed 3.0m across the verge on Lots between 10.0m and 12.49m
- 23. Double car garages are permitted on any double storey dwelling built on a Lot between 10.0m and 12.49m or a laneway dwelling.
- 24. Driveways are to accord with Logan City Council's (LCC) standards. Prior to construction, approval from LCC for Vehicular Access to Residential Premises is required.
- The maximum width of a driveway at the lot boundary shall be 4.8 metres for a lot with a double car width garage and 3.0 metres for a lot with a single car width garage.
- Garages and carports accessed from a Laneway must be built setback 0.9 metres from the boundary unless otherwise dimensioned on the Plan of Development. Ingress/egress must be achieved for a B99 Vehicle.
- 27. Maximum of one driveway per dwelling unless it is a MR lot.
- Minimum distance of a driveway from an intersection of one street with another street is 6.0 metres. The Driveway must be laid at the grade of the adjacent verge area. No grade changes to the verge for the driveway will be allowed.
- Where there is a footpath within the verge, the footpath should be cut at the nearest joint and the footpath reinstated to the driveway without compromising the structural integrity of the footpath.
- 30. Driveways must be completed prior to occupation of the dwelling.

- 31. Fencing erected by Peet must not be altered, modified or removed without prior written approval from Peet.
- Fencing on all park or street frontages has a maximum height of 1.2 metres where solid or have a maximum height of 1.8 metres where containing openings that make the fence more than 50% transparent.
- Fencing on all park or street frontages is constructed with visible posts, which are at least 120mm x 120mm and 100mm higher than the infill palings or panels.
- Fencing on lanes can be screen fencing at 1.8m high where along private open space, carparking and service areas. Fencing on corner lots is to be designed as
- front fences addressing both streets (rather than a front and a side fence). Notwithstanding the above, solid front fences

and walls may be 1.8 metres in height if the

volumes in excess of, or projected to exceed, 10,000 vehicles per day.

dwelling has a frontage to a street with traffic

Retaining Walls

- 37. For retaining walls not constructed by the developer:
- a. Retaining walls must not exceed more than 1.0m where fronted to a public street or park. Retaining walls to side and rear boundaries (which are not adjoining a public street or park) can be up to 2.0m. Retaining in excess of this must use terraced retaining.
- Where retaining walls are terraced, the lower face is to be a maximum of 1.0m from the property boundary.
- No timber retaining walls over 1.0m or adjoining parks or public streets.
- Walls over 1.0m require RPEQ certification.

Building Articulation

- 40. All buildings with a width of more than 10 metres that are visible from a street or park are to include articulation to reduce the mass of the building by one or more of the following:
- Windows recessed into the façade or bay windows;
- Balconies, porches or verandahs;
- · Articulation of roof lines
- · Window hoods; and/or
- · Use of multiple cladding materials
- 41. Where adjoining an area of open space, housing design must facilitate passive surveillance of the open space, which can be achieved through the incorporation of at least one (1) habitable room orientated towards the open space.
- 42. Carports and garages are to be compatible with the main building design in terms of height, roof form, detailing, materials and colours.
- 43. All building materials must be suitably coloured, stained or painted, including retaining, fences, walls and roofs. Untreated materials, such as zinc coated steel, bare metal, concrete block or masonry panels are not permitted.
- 44. Air-conditioners, gas bottles, hot water systems, clothes lines and other household services must be screened and/or located to minimise visual impact to public streets or
- 45. Homes must include a clearly identifiable and addressed front door and undercover point of
- Screened drying and rubbish bins area must be behind the main face of the dwelling.
- 47. At least two openings to all habitable rooms to facilitate cross flow ventilation are required.

Slope and Building Footings

- 48. Buildings on sloping sites must be built to the boundary on the low side of the lot and the footing must be projected deep enough to be below the adjoining property building pad
- 49. If the nominated pad level is not provided, the pad level is to be assumed as the average of the four corners of the adjacent block, using the as constructed levels.
- Building footings are to be designed in accordance with the appropriate Australian Standard. Building footings are to be designed to ensure that there are no adverse impacts (functional, financial or construction limitations) on adjoining allotments, particularly in relation to retaining walls.

Electric Vehicle Readiness

51. All dwellings are to have a dedicated electrical circuit from the circuit board to the garage for at least one Basic (slow) EVSE charger per home, in accordance with the Australian Wiring Rules AS/NZS 3000: 2018. The circuit is to be fitted with a minimum 20 Amp GPO outlet which can be replaced by a dedicated 7kW EVSE of the occupant's choice. Where not used for Electric Vehicle Supply Equipment, the circuit is to be terminated at an isolator.

Additional Criteria for Steep Residential

52. Steep Residential Allotments controls relate to all allotments within Stages 13A, 13B,13C, 13G and 13H.

- 53. Building design, cut and/or fill on site must not negatively impact the conveyance of stormwater or adversely affect neighbouring
- 54. Building design should consider the retention of existing vegetation and natural topography where viable.
- 55. Any views into the undercroft of the home from the street or park must be screened through architectural elements, such as vertical or horizontal battens that complement the aesthetic of the home.
- Class 10 buildings or structures are permitted within the prescribed building envelope and contribute towards site cover percentage.

Additional Criteria for Multiple Residential Allotments (excluding Lot 50041)

- 57. Buildings must address all street frontages with driveways, pedestrian entries or both.
- All dwellings must have a clearly identifiable front door, which is undercover.
- 59. Drying and rubbish bin areas must be located behind the main face of the dwelling or suitably screen from public streets and park frontages.
- 60. Maximum number of dwellings on each multiple residential lot is annotated on the Plan of Development.

Additional Criteria for Secondary Dwellings

- 61. Floor area must be between a minimum of 30m² and 75m².
- 62. Materials, detailing, colours and roof form are consistent with those of the primary house.
- 63. Outdoor living space must measure a minimum of 9m² with a minimum dimension in any direction of 3 metres.
- 64. Outdoor living space must be directly accessible from the main living space and can be combined with the primary dwelling outdoor space.
- 65. Outdoor living space on a corner allotment must be suitably screened if located within the secondary street boundary setback.
- A minimum of one (5m x 3m) car parking space must be provided for the secondary dwelling, in addition to parking for the primary dwelling.
- 67. The driveway must be shared with the primary house, however on corner allotments a separate driveway may be provided with a minimum width of 3 metres and a maximum width of 5 metres.
- 68. Corner allotments must provide dedicated pedestrian entry and a visible door from and addressing the secondary street to the secondary dwelling.
- 69. Corner allotments must provide a minimum of one habitable room, with large windows or balconies, fronting the secondary street.

Definitions

Laneway Allotment - Allotments serviced by a laneway.

PLAN REF: 110056 - 579 Rev No: DATE: 13 MARCH 2024 CLIENT: PEET

DRAWN BY: JC

CHECKED BY: MD




FLAGSTONE CA3 SOUTH **STAGE 10 OVERALL** PLAN OF DEVELOPMENT NOTES



URBAN DESIGN Level 8 31 Duncan Street PO Box 1559 Fortitude Valley QLD 4006 **T** +61 7 3539 9500 W rpsgroup.com







TO BE READ IN CONJUNCTION WITH 110056-579 STAGE 10 OVEALL PLAN OF DEVELOPMENT NOT

110056 - 580 Rev No: DATE: 13 MARCH 2024 CLIENT: PEET DRAWN BY: JC / MM CHECKED BY: MD


FLAGSTONE CA3 SOUTH **STAGE 10A - 10D PLAN OF DEVELOPMENT**

1:1,500 @ A3



URBAN DESIGN Level 8
31 Duncan Street
PO Box 1559
Fortitude Valley QLD 4006
T +61 7 3539 9500
W rpsgroup.com





TO BE READ IN CONJUNCTION WITH 110056-579 STAGE 10 OVERALL PLAN OF DEVELOPMENT NOTES

PLAN REF: 110056 — 581

Rev No: —

DATE: 13 MARCH 2024

CLIENT: PEET

DRAWN BY: JC / MM

CHECKED BY: MD

FLAGSTONE CA3 SOUTH STAGE 10E - 10G & 10I
PLAN OF SUBDIVISION

100 1:1,500 @ A3



URBAN DESIGN
Level 8
31 Duncan Street
PO Box 1559
Fortitude Valley QLD 4006
T +61 7 3539 9500
W rpsgroup.com





13 MARCH 2024 DATE: CLIENT: PEET DRAWN BY: JC / MM CHECKED BY: MD

1:1,000 @ A3

STAGE 10F, 10H & 10T PLAN OF DEVELOPMENT



Fortitude Valley QLD 4006 **T** +61 7 3539 9500 W rpsgroup.com



