

9 December 2024

Stockland Development Pty Ltd C/- Urbis Ltd Att: Mr Matt Ceccato Level 32, 300 George Street BRISBANE QLD 4000

Email: mceccato@urbis.com.au

Dear Matt

<u>Section 99 Approval - Application to Change PDA Development Approval</u> Material Change of Use, Reconfiguring a Lot and Operational Works in Accordance with a Plan of Development at Lot 3 Bells Creek Road, Banya described as Lot 10 on SP341009

On 5 December 2024 the Minister for Economic Development Queensland (MEDQ) decided to grant **all** of the amendment application applied for, subject to PDA development conditions set out in this PDA decision notice.

The PDA decision notice and approved plans/documents can be viewed in the MEDQ Development Approvals Register via the Department website <u>Current applications and approvals</u>.

If you require any further information, please contact Mrs Jennifer Davison, Principal Planner Development Assessment, in Economic Development Queensland, by telephone on (07) 3452 7127 or at Jennifer.davison@edq.qld.gov.au who will assist.

Yours sincerely

Amanda Dryden Director Development Assessment Economic Development Queensland





PDA Decision Notice – Approval

Site information			
Name of priority development area (PDA) Caloundra South PDA			
Site address	Lot 3 Bells Creek Road, Banya		
Lot on plan description	Lot number	Plan description	
	Lot 10	SP341009	
PDA development application details			
DEV reference number	DEV2022/1276		
'Properly made' date	10 October 2024		
Type of application	 PDA development application for: Material change of use Preliminary approval Development permit Reconfiguring a lot Preliminary approval Development permit Operational work Preliminary approval Development permit Application to change PDA development approval Application to extend currency period 		
Description of proposal applied for	Material Change of Use, Reconfiguring a Lot, and Operational Works in Accordance with a Plan of Development		
PDA development approval details			
Decision of the MEDQ	The MEDQ has decided to gr development approval applied development conditions form		
Original Decision date	5 April 2023		
1 st Change to approval date	8 September 2023		
2 nd Change to approval date	20 June 2024		
3 rd Change to approval date	5 December 2024		
Currency period	6 years from the original deci	sion date	
Assessment Team			
Assessment Manager (Lead)	Jennifer Davison, Principal P	lanner	
Manager	Jennifer Sneesby, Manager		
Engineer	Xi Gan, Engineer		
legate Amanda Dryden, Director			

Approved plans and documents

The plans and documents approved by the MEDQ and referred to in the PDA development conditions for the PDA development approval are detailed below.

oved plans and documents	Number	Date
Plan of Development (Parts 1 and 2) – Aura Southern Locality Precinct 15 + 16 (Part), prepared by Urbis (Parts 1 and 2)	N/A	September 2024
	Number	Date
Interim CAMCOS Crossing prepared by Egis Consulting	3015-SK123B Rev A	17 May 2024, Amended in Red by MEDQ 31 May 2024
s and documents previously approved on 5 April 2023	Number	Date
Road Traffic Noise Assessment, prepared by Trinity Consultants	227401.0008.R03V01	11 August 2023
Aura P15 East Sketch Plan – Boundary Realignment, prepared by Urbis	DRAWING NO: SKP- 01 Rev 1	30.08.2023
Temporary Access General Layout Plan, prepared by Egis	3058-022	11/08/23
Engineering Services Report – Aura Precinct 15 'East'	N/A	12 November 2022
Stormwater Quality Management Plan, prepared by DesignFlow	Version 3	September 2022
Stormwater Quantity Management Report, prepared by Calibre	17-000934-3058- SWMP01.Amcp.Docx	16 March 2022
Traffic Modelling Report (Precinct 15 Traffic Modelling Refresh), prepared by PWC	N/A	March 2022
oorting documents noted in 5 April 2023 approval	Number	Date
Landscape Master Plan, prepared by Urbis	Revision C	17 March 2022
Engineering (Stormwater) Response to Further Issues, prepared by DesignFlow	N/A	28 September 2022
Engineering (Services) Response to Further Issues, prepared by Calibre	7-000934-3058- CL02.AMC.oh	13 October 2022
	Locality Precinct 15 + 16 (Part), prepared by Urbis (Parts 1 and 2) s and documents previously approved on 20 June Interim CAMCOS Crossing prepared by Egis Consulting s and documents previously approved on 5 April 2023 Road Traffic Noise Assessment, prepared by Trinity Consultants Aura P15 East Sketch Plan – Boundary Realignment, prepared by Urbis Temporary Access General Layout Plan, prepared by Egis Engineering Services Report – Aura Precinct 15 'East' Stormwater Quality Management Plan, prepared by DesignFlow Stormwater Quantity Management Report, prepared by Calibre Traffic Modelling Report (Precinct 15 Traffic Modelling Refresh), prepared by PWC porting documents noted in 5 April 2023 approval Landscape Master Plan, prepared by Urbis Engineering (Stormwater) Response to Further Issues, prepared by DesignFlow Engineering (Services) Response to Further Issues,	Plan of Development (Parts 1 and 2) – Aura Southerm Locality Precinct 15 + 16 (Part), prepared by Urbis (Parts 1 and 2) N/A s and documents previously approved on 20 June Number Interim CAMCOS Crossing prepared by Egis Consulting 3015-SK123B Rev A s and documents previously approved on 5 April 2023 Number Road Traffic Noise Assessment, prepared by Trinity Consultants 227401.0008.R03V01 Aura P15 East Sketch Plan – Boundary Realignment, prepared by Urbis DRAWING NO: SKP- 01 Rev 1 Temporary Access General Layout Plan, prepared by Egis 3058-022 Engineering Services Report – Aura Precinct 15 'East' N/A Stormwater Quality Management Plan, prepared by DesignFlow 17-000934-3058- SWMP01.Amcp.Docx Storfic Modelling Report (Precinct 15 Traffic Modelling Refresh), prepared by PWC N/A Dorting documents noted in 5 April 2023 approval Number Landscape Master Plan, prepared by Urbis Revision C Engineering (Stormwater) Response to Further Issues, prepared by DesignFlow N/A

Preamble, abbreviations, and definitions

PREAMBLE

For the purpose of interpreting this approval, including the conditions, the following applies:

ABBREVIATIONS AND DEFINITONS

The following is a list of abbreviations utilised in this approval:

AILA means a Landscape Architect registered by the Australian Institute of Landscape Architects.

BFP means Building Format Plan.

BASIC (SLOW) CHARGERS means an electric vehicle charging facility on a dedicated electrical circuit, typically used in long park situations such as dwellings and workplaces. Basic (slow) EV chargers use AC (240 volts) power and require a minimum 20 Amps, as well as installation of an Electric Vehicle Supply Equipment (EVSE) unit capable of supplying up to 7kW of power.

CERTIFICATION PROCEDURES MANUAL means the document titled *Certification Procedures Manual*, prepared by EDQ, dated April 2020 (as amended from time to time).

CONTRIBUTED ASSET means an asset constructed under a PDA development approval or Infrastructure Agreement that will become the responsibility of an External Authority. For the purposes of operational works for a Contributed Asset, the following definitions apply:

- a) External Authority means a public-sector entity other than the MEDQ;
- b) Parkland means carrying out operational work related to the provision of parkland infrastructure;
- c) **Roadworks** means carrying out any operational work within existing or proposed road(s), to a depth of 1.5m measured from the top of kerb, and includes Streetscape Works;
- d) **Sewer Works** means carrying out any operational work related to the provision of wastewater infrastructure;
- e) **Streetscape Works** means carrying out any operational work within the verge of a road, including footpath surface treatments, street furniture, street lighting and landscaping;
- f) **Stormwater Works** means carrying out any operational work related to the provision of stormwater infrastructure; and
- g) **Water Works** means carrying out any operational work related to the provision of water infrastructure.

COUNCIL means the relevant local government for the land the subject of this approval.

DC (FAST) CHARGERS means an electric vehicle charging facility capable of supplying a minimum of 50kW of power per parking bay. DC (fast) charging is used for short term parking situations up to 1 hour in duration and provides convivence fast charging. DC (fast) chargers, generally operated by third parties, are suited to developments providing services on highways and major roads.

DESTINATION (FASTER) CHARGERS means an electric vehicle charging facility capable of supplying up to 25kW of power. Destination (faster) charging is typically used for short term parking, up to 2 hours duration. Destination (faster) charging usually requires three-phase (415 volts) power with 20-32 Amps. However, if three-phase power is unavailable, single-phase power with 40 Amps is acceptable.

DSDILGP means the Department of State Development, Infrastructure Local Government and Planning.

EDQ means Economic Development Queensland.

EDQ DA means Economic Development Queensland's – Development Assessment team.

EDQ IS means Economic Development Queensland's – Infrastructure Solutions team.

EP Act means the Environmental Protection Act 1994.

IFF means the Infrastructure Funding Framework, prepared by the Department of State Development, Tourism and Innovation, dated 1 July 2020 (as amended from time to time).

INTERIM pedestrian footpath means the temporary footpath arrangements to be in place for Precinct 15 until such time as the Department of Transport and Main Roads have constructed the Direct Sunshine Coast Rail Line in this location.

INTERIM CAMCOS Crossing means the temporary crossing arrangements to be in place for Precinct 15 until such time as the Department of Transport and Main Roads have constructed the Direct Sunshine Coast Rail Line in this location.

LTA means Land Title Act 1994.

LGIA means the Caloundra South Priority Development Area Infrastructure Agreement (Local Government Infrastructure) in effect 2 November 2015 (as amended from time to time).

MEDQ means the Minister for Economic Development Queensland.

PDA means Priority Development Area.

PoD means the Plan of Development (Parts 1 and 2) – Aura Southern Locality Precinct 15 + 16 (Part), prepared by Urbis listed in the approved plans and documents.

RPEQ means Registered Professional Engineer of Queensland.

SHORT-TERM PARKING for the purposes of electric vehicle charging, means land uses where parking is generally for a period of less than 2 hours, and includes uses such as: hardware and trade supplies, food and drink outlet, garden centre, shop, showroom, health care services, veterinary services and the like.

STIA means the Caloundra South Priority Development Area Infrastructure Agreement (State Transport Infrastructure) in effect on 28 September 2015 (as amended from time to time)

WSUD means Water Sensitive Urban Design

WWIA means the Caloundra South Infrastructure Agreement (Water and Wastewater Infrastructure) in effect 20 March 2017 (as amended from time to time).

Compliance Assessment

Where a condition of this approval requires Compliance Assessment, Compliance Assessment is required in accordance with the following:

- a) The applicant must:
 - i) pay to MEDQ at the time of submission the relevant fee for Compliance Assessment, including any third party peer review costs which will be charged on a 100% cost recovery basis. The Compliance Assessment fees are set out in EDQ Development Assessment Fees and Charges Schedule¹ (as amended from time to time).
 - ii) submit to EDQ DA a duly completed Compliance Assessment form².
 - iii) submit to EDQ DA the documentation as required under the relevant condition.
- b) Where EDQ is satisfied the documentation submitted for Compliance Assessment meets the requirements of the relevant condition (or element of the condition), EDQ will endorse the documentation and advise by written notice.
- c) Compliance Assessment and endorsement can be repeated where a different design or solution, to that already endorsed, is sought.
- d) The process and timeframes that apply to Compliance Assessment are as follows:
 - i) applicant submits items required under a) above to EDQ DA for Compliance Assessment.
 - ii) within 20 business days EDQ assesses the documentation and:
 - 1. if satisfied, endorses the documentation; or
 - 2. if not satisfied, notifies the applicant accordingly.
 - iii) if the applicant is notified under ii.2. above, revised documentation must be submitted **within 20 business days** from the date of notification.
 - iv) within 20 business days EDQ assesses the revised documentation and:
 - 1. if satisfied, endorses the revised documentation; or
 - 2. if not satisfied, notifies the applicant accordingly.
 - v) where EDQ notifies the applicant as stated under iv.2. above, repeat steps iii. and iv. above. If either party is not satisfied by the outcome of this process, that party can elect to enter into a mediation process with an independent mediator agreed to by both parties.

Despite note v. above, the condition (or element of the condition) is determined to have been met only when EDQ endorses relevant documentation.

¹ The EDQ Development Assessment Fees and Charges Schedule is available at EDQ's website.

² The Compliance Assessment form is available at EDQ's website. It sets out how to submit documentation for Compliance Assessment and how to pay Compliance Assessment fees.

Submitting documentation to EDQ

Where a condition of this approval requires documentation to be submitted to either EDQ DA or EDQ IS, use the following email addresses:

a) EDQ DA: <u>pdadevelopmentassessment@dsdilgp.qld.gov.au</u>
b) EDQ IS: <u>EDQ_PrePostConstruction@dsdilgp.qld.gov.au</u>

PDA	PDA Development Conditions						
No.	Condition	Timing					
Gen	eneral						
1.	Carry out the Approved Development						
	Carry out the approved development generally in accordance with the approved plans and documents, the STIA, LGIA and WWIA.	Prior to survey plan endorsement for the relevant stage.					
2.	Maintain the Approved Development						
	Maintain the approved development generally in accordance with any documentation and as required by these conditions.	At all times.					
3.	Certification of Operational Works – Water and Sewerage						
	All operational works for water and sewerage Contributed Assets, undertaken in accordance with this approval must comply with all requirements of and fulfil all responsibilities outlined in the WWIA.	As required by the WWIA.					
4.	Certification of Operational Works – State and Local Government Infrastructure						
	All operational works for Contributed Assets subject to the STIA or the LGIA, undertaken in accordance with this approval must comply with all requirements of and fulfil all responsibilities outlined in the STIA or the LGIA as applicable.	As required by the LGIA or the STIA.					
5.	Certification of Operational Works – Other						
	All operational works for Contributed Assets not subject to the STIA, LGIA or WWIA, undertaken in accordance with this approval must comply with all requirements and responsibilities outlined in the <i>Certification Procedures Manual</i> .	As required by the Certification Procedures Manual.					
6.	Street Naming						
	Submit to EDQ DA a schedule of street names approved by Council.	Prior to survey plan endorsement for the relevant stage.					
7.	Entry Walls or Features						
	The provision of entry walls or features is prohibited on roads and open space unless otherwise approved by EDQ DA.	As indicated.					

PDA	DA Development Conditions					
No.	Condition	Timing				
8.	Staging for Reconfiguration					
	 The stages of the reconfiguration must be generally in accordance with the indicative staging plan of the approved Plan of Development, dated September 2024 and prepared by Urbis. 	As indicated.				
	However, the stages indicated on the indicative staging plan do not need to be delivered sequentially unless required for infrastructure delivery purposes.					
	b) Unless otherwise approved in writing by EDQ DA, each stage must be independently serviced by roads, water, sewer, stormwater, and any other relevant utilities.					
9.	Advertising Devices					
	Design and install advertising devices generally in accordance with the approved Plan of Development, dated September 2024 and prepared by Urbis.	Ongoing.				
10.	Property Note – Lots Impacted by Future Rail Corridor					
	a) A request in writing shall be submitted to Council that written advice be included on rates notices/property notes for all lots affected by the potential rail corridor noise, as indicated on the approved PoD.	 a) Prior to survey plan endorsement for any stage which includes the affected lots. 				
	 The property note is to include the following information: i) The Queensland Government has designated a future rail corridor. ii) The lot will be potentially impacted by rail noise in the future if and when the rail corridor is constructed. iii) Any property owner and/or future purchaser of the relevant lot and building certifier is to be made aware of the requirements of the noise category identified on the approved Plan of Development. 					
	 Submit to EDQ DA a copy of the agreed wording to be included in the Property Note. 	 b) Prior to survey plan endorsement for any stage which includes the affected lots. 				
11.	Social Housing					
	 a) Provide written evidence (i.e., contracts or binding Memorandum of Understanding) to EDQ DA that confirms the delivery of social housing by relevant providers that ensures: minimum of 60 dwellings for social housing within the approval boundaries, unless otherwise agreed in writing by MEDQ. 	a) Prior to plan sealing of Stage 8a.				

PDA Development Conditions						
No.	Con	dition	Tin	ning		
	b)	Annual reporting for the Housing Overarching Site Strategy to include summary of compliance against this condition.	b)	As indicated		
Engi	ingineering					
12.	Em	ergency Access (Interim) – Compliance Assessment				
	a)	 Submit to EDQ DA, for compliance assessment a concept design for a temporary interim emergency access, certified by an RPEQ. This interim access is to provide a connection from a constructed road in Precinct 15 to a constructed road in DEV2018/987. The compliance assessment is to include: Civil design including levels and flood immunity, Temporary access easement for emergency purposes, and Decommissioning strategy for the interim emergency access. The decommissioning strategy for the interim emergency access must include a plan for the proper removal of the temporary road access. This plan must specify the timing for decommissioning the access, as well as any necessary procedures for safely closing off or removing the temporary road access. Additionally, the plan must outline how the affected area will be restored to its original condition, ensuring that no lasting impact is left on the environment or surrounding infrastructure. 	a)	No later than 6 months after first plan sealing.		
	b)	 Construct the temporary emergency access in accordance with the certified plans required under part a) of this condition. The design of the temporary emergency access is required to: Be all weather access (e.g., compacted gravel trafficable during any rain event); Has a minimum travel lane width of 3.5m; Achieve the design criteria (flood immunity) specified in Section 5.2 of the Stormwater Management Report, prepared by Calibre, as to be amended; Includes access control sufficient to prevent unauthorised access by vehicles. 	b)	No later than 12 months after first plan sealing.		
	c)	Decommission the interim access in accordance with the endorsed decommissioning strategy under part a) of this condition.	c)	As per the timing determined as part of a) of this condition.		
13.	Em	ergency Access (Ultimate) – Compliance Assessment				
	a)	 Submit to EDQ DA, for compliance assessment the following material which is required to be certified by an RPEQ: i) Concept design for ultimate emergency access to provide a connection from a constructed road in Precinct 15 to a constructed section of Aura Boulevard, across Lot 90025 to Lot 90026 (in DEV2013/469). The compliance assessment is to include: 	a)	No later than 6 months after first plan sealing.		

PDA	Development Conditions	
No.	Condition	Timing
	 Civil design including levels and flood immunity; Interface with the Major Sports Park infrastructure; Evidence that Council has been appropriately consulted regarding the design of the access through to the adjoining Major Sports Park. 	
	 b) Submit to EDQ IS, detail design for the ultimate emergency access, certified by RPEQ generally in accordance with the endorsed concept plans required by part a) of this condition. The design of the ultimate emergency access is required to: i) Be all weather access (suitable for emergency vehicles). ii) Has a minimum travel lane width of 3.5m with passing opportunities. iii) Achieve the design criteria (flood immunity) specified in Section 5.2 of the Stormwater Management Report, prepared by Calibre, as amended. iv) Include suitable surface treatment and railings for road traffic. v) Includes access control sufficient to prevent unauthorised access by vehicles. 	b) Prior to commencement of works for the relevant infrastructure
	c) Construct the works generally in accordance with the certified plans required under part c) of this condition.	 c) Prior to survey plan endorsement for the 900th lot.
	 Submit to EDQ IS 'as constructed' drawings, including an asset register, certified by a RPEQ in a format acceptable to the Council. 	d) Prior to survey plan endorsement for the 900 th lot.
	Note: As Council will be the asset owner for the access through the sports park, the compliance assessment will be forwarded to Council for review and advice.	
14.	Emergency Access and Evacuation Management Plan – Compliance Assessment	
	 a) Submit to EDQ DA, for compliance assessment an Emergency Access and Evacuation Management Plan (EAEMP) that outlines the following: i) the procedures for conducting safe and efficient evacuation in the event of a flood, fire, or explosion; ii) interim measures to be taken prior to emergency access delivery. iii) operational procedures for emergency access, including the removal of bollards, implementation of access restrictions, and placement of appropriate signage, all of which should be informed by input from appropriate representative from the Queensland Fire and Emergency Services (QFES). 	a) No later than 6 months after first plan sealing.

PDA	Developme	ent Conditions	
No.	Condition		Timing
	b) Impler	nent the EAEMP in accordance with a).	b) At all times.
15.	Out of Ho	ours of Work – Construction	
	of hours w are limited	nerwise endorsed, via Compliance Assessment for out vork, construction hours for the approved development to Monday to Saturday between 6:30am to 6:30pm, public holidays.	During construction unless otherwise endorsed.
16.	Out of Ho	ours Work – Compliance Assessment	
	Complian	t of hours work is proposed, submit to EDQ DA, for ce Assessment, an out of hours work request. The out of k request must include a duly completed out of hours est form.	Minimum of 10 business days prior to proposed out of hours work commencement date.
17.	Construct	ion Management Plan	
	Plan ((review respon constr i) r ii) s iii) s iv) o v) s iv) o v) s	 it to EDQ IS a site-based Construction Management CMP), prepared by the principal site contractor and yed by a suitably qualified and experienced person nsible for overseeing the site works, to manage uction impacts, including: noise and dust in accordance with the EP Act; stormwater flows around and through the site without noreasing the concentration of total suspended solids or Prescribed Water Contaminants (as defined in the EP Act), causing erosion, creating any ponding and causing any actionable nuisance to upstream and downstream properties; contaminated land, where required under a site suitability statement prepared in accordance with section 389 of the EP Act; complaints procedures; and site management: 1. for the provision of safe and functional alternative pedestrian and cycle routes, past, through or around the site; 2. to mitigate impacts to public sector entity assets, including street trees, on or external to the site; 3. for safe and functional temporary vehicular access points and frequency of use; 4. for the safe and functional loading and unloading of materials including the location of any remote loading sites; 5. for the location of materials, structures, plant and equipment; 6. of waste generated by construction activities; 7. detailing how materials are to be loaded/unloaded; 8. of proposed external hoardings and gantries (with clearances to street furniture and other public sector entity assets); 	a) Prior to commencing work for the relevant stage.

PDA	Development Conditions				
No.	Condition	Timing			
	 9. of employee and visitor parking areas; 10. of anticipated staging and programming; 11. for the provision of safe and functional emergency exit routes; and 12. any out of hours work as endorsed via Compliance Assessment. 				
	 A copy of the CMP submitted under part a) of this condition must be current and available on site. 	b) During construction.			
	c) Carry out all construction work generally in accordance with the CMP submitted under part a) of this condition.	c) During construction.			
18.	Traffic Management Plan				
	 a) Submit to EDQ IS a Traffic Management Plan (TMP), certified by a person holding a current Traffic Management Design qualification. The TMP must include the following: provision for the safe and functional management of traffic around and through the site during and outside of construction work hours; provision for the safe and functional management of pedestrian and cyclist traffic, including alternative pedestrian routes past, through or around the site; provision of parking for workers and materials delivery; risk identification, assessment and identification of mitigation measures; ongoing monitoring, management review and certified updates (as required); and traffic control plans and/or traffic control diagrams, prepared in accordance with Austroads Guide to Temporary Traffic Management, for any temporary part or full road closures. 	a) Prior to commencing work for the relevant stage.			
	 b) Carry out all construction work generally in accordance with the certified TMP submitted under part a) of this condition, which is to be current and available on site. 	b) During construction.			
	NOTE: Operational traffic changes, such as temporary and permanent lane modifications, relaxation of clearway zone hours or footpath closures may require authorisation from Council or DTMR as road manager. It is recommended that applicants engage directly with the applicable road manager.				
19.	Earthworks				
	 a) Submit to EDQ IS detailed earthworks plans, certified by a RPEQ, and designed generally in accordance with: i) Australian Standard AS3798 – 2007 Guidelines on Earthworks for Commercial and Residential Developments; and 	a) Prior to commencing earthworks for the relevant stage.			

PDA	Develop	ment Conditions		
No.	Conditio	on	Tin	ning
	ii)	the approved Engineering Services Report - Aura Precincts 15 'East' dated 12 October 2022 and prepared by Calibre.		
	The i)	certified earthworks plans are to: Include, where relevant, those works within the subject site that are required to be undertaken to manage stormwater within and around the site without worsening flooding on adjacent property or the Bruce Highway corridor;		
	ii) iii)	include a geotechnical soils assessment of the site;		
	iv)			
	v) vi)			
	vii)	 stockpiled; detail protection measures to: 1. ensure adjoining properties and roads are not impacted by ponding or nuisance stormwater resulting from earthworks associated with the approved development; 2. preserve all drainage structures from structural loading impacts resulting from earthworks associated with the approved development; and 		
	viii)	where rock or ground anchors are required within adjoining road or land, include consents from relevant road manager(s) and/or landowner(s).		
		v excavation, filling/backfilling/compaction, retaining actures and other works involving ground disturbance must : encroach upon or de-stabilise or cause damage to the	b)	At all times
	ii)	Bruce Highway and future rail corridor, including all transport infrastructure or the land supporting this infrastructure, or cause similar adverse impact; adversely impact on the Bruce Highway and future rail corridor through the addition or removal of lateral loads or additional surcharge load.		
		rry out earthworks generally in accordance with the certified ns submitted under part a) of this condition.	c)	Prior to survey plan endorsement for the relevant stage.
	d) Sut i)	omit to EDQ IS, RPEQ certification that: all earthworks have been carried out generally in accordance with the certified plans submitted under part a) of this condition; and	d)	Prior to survey plan endorsement for the relevant stage.

PDA	DA Development Conditions				
No.	Cor	ndition	Tim	ning	
		ii) any unsuitable material encountered has been treated or replaced with suitable material.			
20.	Ero	sion and Sediment Management			
	a)	 Submit to EDQ IS an Erosion and Sediment Control Plan (ESCP), certified by a RPEQ or an accredited professional in erosion and sediment control, and prepared generally in accordance with the following: i) Construction phase stormwater management design objectives of the <i>State Planning Policy 2017</i> (Appendix 2 Table A); and ii) Healthy Land and Water Technical Note: Complying with the SPP – Sediment Management on Construction Sites. 	a)	Prior to commencing work for the relevant stage	
	b)	Implement the certified ESCP submitted under part a) of this condition.	b)	During construction	
21.	Ret	aining Walls			
	a)	 Submit to EDQ IS detailed engineering plans, certified by a RPEQ, of all retaining walls 1m or greater in height. Retaining walls must be: i) certified to achieve a minimum 50-year design life; ii) designed generally in accordance with Australian Standard AS4678 – Earth Retaining Structures and relevant material standards (e.g., AS3600 – Concrete Structures); 	a)	Prior to commencing earthworks.	
	b)	Construct retaining walls generally in accordance with the certified plans required under part a) of this condition.	b)	Prior to survey plan endorsement for the relevant stage.	
	c)	Submit to EDQ IS certification from an RPEQ that all retaining wall works 1.0m or greater in height have been constructed generally in accordance with the certified plans submitted under part a) of this condition.	c)	Prior to survey plan endorsement for the relevant stage.	
22.	Ac	id Sulfate Soils			
	a)	Where on-site Acid Sulfate Soils (ASS) are encountered, submit to EDQ IS an ASS Management Plan, prepared in accordance with the <i>Queensland Acid Sulfate Soil Technical</i> <i>Manual Soil Management Guidelines v4.0 2014</i> (as amended from time to time).	a)	Prior to or during earthworks for the relevant stage.	
	b)	Excavate, remove and/or treat on site all disturbed ASS generally in accordance with the ASS Management Plan submitted under part a) of this condition.	b)	Prior to survey plan endorsement for the relevant stage.	

ndition Submit to EDQ IS a validation report, certified by a suitably qualified environmental or soil scientist, confirming that all earthworks have been carried out in accordance with the ASS Management Plan submitted under part b) of this condition. ture Rail Corridor cept with prior written agreement from DTMR, the land mprising the future rail corridor must be kept clear of permanent ildings, structures and improvements above ground level. terim CAMCOS Crossing – Compliance Assessment Submit to EDQ DA for compliance assessment detailed design plans for the interim CAMCOS Crossing and the 3.0m wide shared path with Aura Brook (future Lot 90025 under DEV2013/469) generally in accordance with approved Interim CAMCOS Crossing Drawing No. 3015-SK123B Rev A, as an and ad in red bulk IDD on 21 Mark 2024. This data ited	c)	ning Prior to survey plan endorsement for the relevant stage.
qualified environmental or soil scientist, confirming that all earthworks have been carried out in accordance with the ASS Management Plan submitted under part b) of this condition. ture Rail Corridor cept with prior written agreement from DTMR, the land mprising the future rail corridor must be kept clear of permanent ildings, structures and improvements above ground level. terim CAMCOS Crossing – Compliance Assessment Submit to EDQ DA for compliance assessment detailed design plans for the interim CAMCOS Crossing and the 3.0m wide shared path with Aura Brook (future Lot 90025 under DEV2013/469) generally in accordance with approved Interim CAMCOS Crossing Drawing No. 3015-SK123B Rev A, as	t At	endorsement for the relevant stage.
cept with prior written agreement from DTMR, the land mprising the future rail corridor must be kept clear of permanent ildings, structures and improvements above ground level. Terim CAMCOS Crossing – Compliance Assessment Submit to EDQ DA for compliance assessment detailed design plans for the interim CAMCOS Crossing and the 3.0m wide shared path with Aura Brook (future Lot 90025 under DEV2013/469) generally in accordance with approved Interim CAMCOS Crossing Drawing No. 3015-SK123B Rev A, as	t	all times.
mprising the future rail corridor must be kept clear of permanent ildings, structures and improvements above ground level. Terim CAMCOS Crossing – Compliance Assessment Submit to EDQ DA for compliance assessment detailed design plans for the interim CAMCOS Crossing and the 3.0m wide shared path with Aura Brook (future Lot 90025 under DEV2013/469) generally in accordance with approved Interim CAMCOS Crossing Drawing No. 3015-SK123B Rev A, as	t	all times.
Submit to EDQ DA for compliance assessment detailed design plans for the interim CAMCOS Crossing and the 3.0m wide shared path with Aura Brook (future Lot 90025 under DEV2013/469) generally in accordance with approved Interim CAMCOS Crossing Drawing No. 3015-SK123B Rev A, as	a)	
design plans for the interim CAMCOS Crossing and the 3.0m wide shared path with Aura Brook (future Lot 90025 under DEV2013/469) generally in accordance with approved Interim CAMCOS Crossing Drawing No. 3015-SK123B Rev A, as	a)	
 amended in red by MEDQ on 31 May 2024. This detailed design is to include (but not be limited to): Appropriate batters; Fencing, if required, with a minimum 50% transparency; Landscape design including appropriate shade planting; and 		Prior to commencement of works for Stage 8C.
 Warning signage of adjoining flood impacts. 		
Construct the works in accordance with the endorsed plans as required under part a) of this condition.	; b)	Prior to survey plan endorsement of Stage 8C.
te: This condition only relates to the interim crossing of the MCOS corridor and has no affect when the corridor is licated to DTMR for the construction of the Direct Sunshine ast Rail Line.		
oustic Treatment – Noise Barriers		
Submit to EDQ IS, detailed engineering plans, certified by a RPEQ, for the noise barriers generally in accordance with the Road Traffic Noise Assessment dated 11 August 2023 and prepared by Trinity Consultants Australia.	a)	Prior to commencement of site works for the relevant stage.
Construct the noise barriers generally in accordance with the	b)	Prior to survey plan endorsement for the relevant stage.
certified plans required under part a) of this condition.	c)	Prior to survey plan endorsement for the relevant stage.
	certified plans required under part a) of this condition. Submit to EDQ IS 'as–constructed' plans, and an asset register for all barriers and bunds, and confirmation that	certified plans required under part a) of this condition. Submit to EDQ IS 'as–constructed' plans, and an asset c)

PDA	DA Development Conditions				
No.	Con	dition	Tin	ning	
26.	Hig	hway Buffer – Compliance Assessment			
	a)	 Submit to EDQ DA, for compliance assessment a Highway Buffer Plan that addresses the following: i) civil design, including details of the proposed bund and any stormwater management infrastructure; ii) detailed landscape plans, including a schedule of proposed standard and non-standard assets to be transferred to Council, certified by an AILA; iii) interface with adjoining uses; iv) fencing and/ or access control sufficient to prevent unauthorised access by people and vehicles; v) the location and design of all maintenance access paths; and vi) the intended staging and timing of construction of the proposed buffer. 	a)	Prior to 30 June 2025, or the plan sealing of any residential lot with 400m of the western boundary of the Highway Buffer, whichever occurs first.	
	b)	Construct the works generally in accordance with the certified plans required under part b) of this condition.	b)	As required by the timing established in the Highway Buffer Plan endorsed under part a).	
		Submit to EDQ IS 'as constructed' drawings, including an asset register, certified by a RPEQ and an AILA, in a format acceptable to the Council. = - Only submission of the Highway Buffer Plan for compliance assment is required.	c)	As required by the timing established in the Highway Buffer Plan endorsed under part a).	
27.	Roa	ads (Trunk connector) – Compliance Assessment			
	a)	 Submit to EDQ DA, for compliance assessment engineering design drawings, certified by a RPEQ, for the following road generally in accordance with the <i>LGIA Infrastructure Network</i> 5 – <i>Local Transport Infrastructure Part C</i>: Neighbourhood Connector H, including transitional road to the start of Neighbourhood Connector J. 	a)	Prior to commencement of work for the relevant stage.	
	b)	 The trunk connector must be designed and constructed in accordance with the following to accommodate a single unit rigid bus of 12.5m in length (urban buses) or 14.5m (school buses) where applicable: i) Department of Transport and Main Roads Road Planning and Design Manual, 2nd Edition, Volume 3 – Guide to Road Design (March 2016); ii) Department of Transport and Main Roads Supplement to Austroads Guide to Road Design (Parts 3, 4-4C and 6); iii) Austroads Guide to Road Design (Parts 3, 4-4C and 6); 	b)	Prior to commencement of work for the first stage.	

PDA	Deve	elop	ment Conditions		
No.	Con	ditic	on	Tin	ning
		iv) v) vi)	Austroads Design Vehicles and Turning Path Templates; and Department of Transport and Main Roads Queensland Manual of Uniform Traffic Control Devices, Part 13 Local Area Traffic Management (March 2018); and Chapter 2 - Planning and Design, Section 2.3.2 Bus Route Infrastructure (page 6) of the Department of Transport and Main Roads Public Transport Infrastructure Manual 2015.		
	c)	dra	omit to EDQ IS, detailed engineering design/ construction wings certified by a RPEQ, generally in accordance with endorsed plans required under part a) of this condition.	c)	Prior to survey plan endorsement for the relevant stage.
	d)	cer	nstruct the works generally in accordance with the tified plans as required under part b) and c) of this idition.	d)	Prior to survey plan endorsement for the relevant stage.
	e)	anc to t	omit to EDQ IS, 'as–constructed' drawings, asset register I test results, certified by a RPEQ, in a format acceptable he Council of all works constructed in accordance with condition.	e)	Prior to survey plan endorsement for the relevant stage.
28.	Ro	adw	orks		
	a)	a R dev with	omit to EDQ IS, detailed engineering plans, certified by PEQ, for all roadworks, including parking bays, traffic vices and shared paths/footpaths generally in accordance in the LGIA Infrastructure Network 5 – Local Transport astructure Part C.	a)	Prior to commencement for the relevant stage.
	b)		nstruct roadworks generally in accordance with the tified plans submitted under part a) of this condition.	b)	Prior to survey plan endorsement for the relevant stage.
	c)	Sut i) ii) iii)	omit to EDQ IS: certification from a suitably qualified and experienced RPEQ that all roadworks have been constructed generally in accordance with the certified plans submitted under part b) of this condition; and all documentation as required by the LGIA; and as-constructed drawings, asset register and test results, certified by a RPEQ, in a format acceptable to the end asset owners for all roadworks constructed under this condition.	c)	Prior to survey plan endorsement for the relevant stage.
29.			ction Counts – Banya Avenue/Trunk Connector ol Access		
	Ave	enue	to EDQ IS, an intersection count report on Banya /Trunk Connector E/school access intersection indicating k hour volumes, including pedestrian and cyclist count.		ior to survey plan dorsement for the 600th

PDA	Development Conditions		
No.	Condition	Timing	
	The intersection count must be undertaken during a school day, Tuesday to Thursday and must not occur during the first and last week of Queensland school term.		
30.	Bells Creek South Bridge Road Connection – Compliance Assessment		
	 a) Submit to EDQ IS for compliance assessment, a traffic investigation report to determine the trigger for the construction of the road bridge connecting to the southern side of Bells Creek South. The report is to assess the following road capacity: i) Trunk Connector C and E, from P15 signalised intersection to Banya Avenue ii) Include assessment of two signalised intersections capacity; Banya Avenue/Trunk Connector E intersection, Trunk Connector E/Neighbourhood Connector B intersection. 	Prior to survey plan endorsement for the 600th lot.	
	b) The traffic report is to calculate the equivalent number of lots/dwellings which would trigger the bridge construction and indicative timing for this infrastructure to be operational.		
31.	Water and Sewer – Final Precinct Network Plan		
	Submit to EDQ IS, a Water and Sewer Final Precinct Network Plan, approved by Unitywater. The Water and Sewer Final Precinct Network Plan must identify any 'high-risk infrastructure' (as defined in Schedule 8 of the WWIA). Low-risk infrastructure is all other infrastructure.	Prior to the commencement of works for the first stage.	
32.	Water and Sewer – High-Risk Infrastructure		
	 Submit to EDQ IS, detailed water and sewer reticulation design plans approved by Unitywater for any water and sewer infrastructure identified as 'high-risk infrastructure' in the Final Precinct Network Plan approved by Unitywater. 	 a) Prior to commencement of works for the relevant stage. 	
	 b) Construct the works generally in accordance with the approved plans required under part a) of this condition. 	 b) Prior to survey plan endorsement for the relevant stage. 	
	c) Submit to EDQ IS, certified by a RPEQ 'as–constructed' plans, asset register, pressure and bacterial test results in accordance with Unitywater's current adopted standards.	 c) Prior to survey plan endorsement for the relevant stage. 	
33.	Water and Sewer – Low-Risk Infrastructure		
	a) Submit to EDQ IS, detailed water and sewer reticulation design plans certified by a RPEQ for the water and sewer infrastructure identified as 'low-risk infrastructure' in the final precinct network plan approved by Unitywater.	 a) Prior to commencement of works for the relevant stage. 	

PDA	Development Conditions			
No.	Con	dition	Timing	
	b)	Construct the works generally in accordance with the certified plans required under part a) of this condition.	 b) Prior to survey plan endorsement for the relevant stage. 	
	c)	Submit to EDQ IS certified by a RPEQ 'as–constructed' plans, asset register, pressure and bacterial test results in accordance with Unitywater's current adopted standards.	 c) Prior to survey plan endorsement for the relevant stage. 	
34.	Sto	rmwater Management (Quality) – Compliance Assessment		
	a)	Submit to EDQ DA, for compliance assessment civil design and landscape drawings and supporting documentation for the proposed stormwater quality treatment devices, certified by a RPEQ/AILA generally in accordance with the approved Stormwater Quality Management Plan and the LGIA Infrastructure Network 4 – Stormwater Part C – Infrastructure Standards.	a) Prior to commencement of works for the relevant stage.	
		This shall include MUSIC modelling to demonstrate that water quality treatment measures are in place to achieve runoff water quality that equals or exceeds water quality objectives at all stages of development. Music modelling is to be based on a mean annual rainfall figure of 1,570 mm/annum.		
		Temporary stormwater quality treatment measures that achieve prescribed water quality objectives for individual catchments are installed in accordance with the LGIA and operational prior to runoff being generated from individual stages of development.		
		Permanent stormwater quality treatment measures that achieve prescribed water quality objectives for individual catchments are to be installed in accordance with the LGIA and operational prior to achieving 80% build out of the subject catchment.		
	b)	Construct the works generally in accordance with the certified plans required under part a) of this condition.	 b) Prior to survey plan endorsement for the relevant stage. 	
	c)	Submit to EDQ IS 'as constructed' civil and landscape drawings, including an asset register, certified by a RPEQ/ AILA, in a format acceptable to the Council.	 c) Prior to survey plan endorsement for the relevant stage. 	
35.		rmwater Quality Infrastructure Maintenance Plan – mpliance Assessment		
	Infr	omit to EDQ DA, for compliance assessment a Stormwater astructure Maintenance Plan certified by a RPEQ. Plans and cumentation are to include the following:	Prior to survey plan endorsement for the relevant stage.	

PDA	PDA Development Conditions				
No.	Con	dition	Timing		
	a) b) c) d) e) f) g)	Plan to be in accordance with the recommendations provided in <i>Water By Design Maintaining Vegetated</i> <i>Stormwater Assets (2012)</i> ; the location of the individual components of the system and any inspection or monitoring points; manufacturer's data and product information sheets for any proprietary products; description of inspection/maintenance techniques and associated rectification procedures; proposed schedule or timetable for regular inspection and monitoring of the devices; record keeping and reporting requirements relating to the performance of the Works Contribution; identify review and update requirements for the Maintenance Plan.			
	Infr incl pro wol site as	te: In accordance with clause 3 of the Stormwater astructure Network in the LGIA, fixed monitoring sites, luding all instrumentation, loggers, and power source, shall be vided to Sunshine Coast Council as part of the contributed rks for a developed catchment. Water level monitoring at these as shall be incorporated into Council's Flood Warning System part of installation. The instrumentation at the sites are inpatible with the Council's Flood Warning System.			
36.	Stor	mwater Management (Quantity)			
	a)	Submit to EDQ DA for Compliance Assessment, detailed engineering plans for open channel located within Lot 9006, certified by a RPEQ, generally in accordance with <i>the LGIA</i> <i>Infrastructure Network 4 – Stormwater Part C – Infrastructure</i> <i>Standards</i> and the approved Plan of Development, dated September 2024 and prepared by Urbis.	 a) Prior to commencement of works for the relevant stage. 		
	b)	Submit to EDQ IS, detailed engineering design plans, certified by a RPEQ, for the proposed stormwater drainage network generally in accordance with the endorsed plans required under part a) of this condition.	 b) Prior to commencement of works for the relevant stage. 		
		Where the underground drainage being provided is contained within a road that has been subject to compliance assessment under the requirements of this approval, the design of the underground drainage is to be in accordance with the endorsed roadworks plans.			
	c)	Construct the works in accordance with the endorsed plans as required under part a) and b) of this condition.	 c) Prior to survey plan endorsement for the relevant stage. 		

PDA	Development Conditions		
No.	Condition	Timing	
	 Submit to EDQ IS 'as constructed' plans including an asset register and test results, certified by a RPEQ, in a format acceptable to the Council. 	 d) Prior to survey plan endorsement for the relevant stage. 	
37.	Stormwater Management Report (Quantity) – Compliance Assessment		
	 a) Submit to EDQ DA, for compliance assessment, an amended Stormwater Management Report, prepared by Calibre, Ref No. 17000934.3058 SWMP01 Rev B and dated 6 July 2022, to address the following: i) The pervious area initial loss of 35mm and continuing loss of 5 mm/hr is well beyond the typical range for urban areas. Adopt the values consistent with the Aura Flood Risk Management Report, prepared by BMT, dated October 2021. ii) Mini Brook (future Lot 9006) pedestrian crossing (future underpass) is to achieve a flood immunity of 39% AEP. iii) Aura Brook (future Lot 90025 under DEV2013/469) interim pedestrian footpath is to achieve a flood immunity of 10% AEP. 	Prior to survey plan endorsement for the first stage.	
38.	iv) Amend the drawings in Appendix A accordingly. Engineering Services Report – Compliance Assessment		
	 a) Submit to EDQ DA, for compliance assessment, an amended Engineering Services Report, prepared by Calibre, Ref No. 17000934.3058 ESR01 Rev C and dated 12 October 2022, to address the following: i) Amend the drawings in Appendix D to demonstrate Mini Brook (future Lot 9006) pedestrian crossing (future underpass) achieves a flood immunity of 39% AEP; ii) Amend the drawings in Appendix D to provide an interim pedestrian footpath connection at Aura Brook (future Lot 90025 under DEV2013/469) to the northern side of CAMCOS, with a flood immunity of 10% AEP. iii) All residential lots must achieve 500mm freeboard to the 1% AEP + CC, for the whole lot. 	Prior to survey plan endorsement for the first stage.	
39.	Drainage Works External to the PDA Provide to EDQ IS evidence of the required approvals from the relevant Local and State authorities, for all drainage works including diversion drains, detention basins, and other drainage infrastructure external to the PDA identified in the Aura Flood Risk Management Report prepared by BMT dated October 2021 and relevant technical memorandums as required by application reference DEV2021/1235.	Prior to survey plan endorsement for the first stage.	

PDA	Development Conditions	
No.	Condition	Timing
40.	Stormwater – State Transport Infrastructure	
	 Any excavation, filling/backfilling/compaction, retaining structures, batters, stormwater management measures and other works involving ground disturbance must not encroach upon or de-stabilise the future railway corridor or cause similar adverse impacts. 	a) At all times.
	b) Stormwater management of the development must ensure no worsening or actionable nuisance to State transport infrastructure and future railway corridor, or cause similar adverse impacts, other than that which is contemplated by the STIA.	b) At all times.
	 Stormwater and flooding management of the development must ensure no worsening or actionable nuisance to the State transport infrastructure and future railway corridor. 	c) At all times.
	 d) Any works on the land must not: i) create any new discharge points for stormwater runoff onto the Bruce Highway and future rail corridor; ii) interfere with and/or cause damage to the existing stormwater drainage on the Bruce Highway and future rail corridor; iii) surcharge any existing culvert or drain on Bruce Highway and future rail corridor; or iv) reduce the quality of stormwater discharge onto the Bruce Highway and future rail corridor; or v) impede or interfere with hydraulic conveyance on the site. 	d) At all times.
	 Submit to EDQ IS, supporting documentation, certified by a RPEQ, confirming that the development has been constructed in accordance with parts a) to c) of this condition. 	 e) Prior to survey plan endorsement for the relevant stage.
41.	Street Lighting	
	Comply with either parts a) and c) or parts b) and c) of this condition.	
	 a) Design and install a <u>Rate 2</u> street lighting system, certified by a RPEQ, to all roads, including footpaths/bikeways within road reserves. The design of the street lighting system must: i) meet the relevant standards of Energex; ii) be endorsed by Energex as 'Rate 2 Public Lighting' iii) be endorsed by Council as the Energex 'billable customer'; iv) be generally in accordance with Australian Standards AS1158 – 'Lighting for Roads and Public Spaces. 	a) Prior to survey plan endorsement for the relevant stage.

PDA	Dev	elopment Conditions	
No.	Con	dition	Timing
		OR	
	b)	 Design and install a <u>Rate 3</u> street lighting system, certified by a suitably qualified and experienced RPEQ, to all roads, including footpaths/bikeways within road reserves. The design of the street lighting system must: i) be in accordance with Australian Standards AS1158 – 'Lighting for Roads and Public Spaces;' ii) meet the requirements of AS3000 – 'SAA Wiring Rules'; and iii) meet the requirements of Energex for unmetered supply. 	b) Prior to survey plan endorsement for the relevant stage.
	c)	Submit to EDQ IS 'as-constructed' plans and test documentation, certified by a RPEQ, in a format acceptable to Council.	 c) Prior to survey plan endorsement for the relevant stage.
42.	Elec	ctricity	
	a)	Submit to EDQ IS a Certificate of Electricity Supply from Energex for the provision of electricity supply to the approved development.	a) Prior to survey plan endorsement for the relevant stage.
	b)	Connect the approved development in accordance with the Certificate of Electricity Supply submitted under part a) of this condition.	 b) Prior to survey plan endorsement for the relevant stage.
43.	Tele	ecommunications	
	a)	Submit to EDQ IS documentation from an authorised telecommunication service provider confirming that an agreement has been entered into for the provision of underground telecommunication services to the approved development.	a) Prior to survey plan endorsement for the relevant stage.
	b)	Connect the approved development in accordance with the documentation submitted under part a) of this condition.	 b) Prior to survey plan endorsement for the relevant stage.
44.	Bro	badband	
	a)	Submit to EDQ IS written agreement, from an authorised telecommunications service provider, confirming that fibre-ready pit and pipe infrastructure designed to service the approved development can accommodate services compliant with <i>Industry Guideline G645:2017 Fibre-Ready Pit and Pipe Specification for Real Estate Development Projects.</i>	a) Prior to survey plan endorsement for the relevant stage
	b)	Construct the fibre-ready pit and pipe infrastructure specified in the agreement submitted under part a) of this condition.	 b) Prior to survey plan endorsement for the relevant stage

PDA	DA Development Conditions				
No.	Condition	Timing			
45.	Public Infrastructure (Damage, Repairs and Relocation)				
	 Repair any damage to existing public infrastructure caused by works carried out in association with the approved development. 	 a) Prior to survey plan endorsement for the relevant stage 			
	b) Where existing public infrastructure require repair or relocation, due to the approved development and/or works associated with the approved development, repair and/or relocate the public infrastructure at no cost to others and in accordance with statutory requirements and adopted design standards.	 b) Prior to survey plan endorsement for the relevant stage 			
	NOTE: It is recommended applicants record their own dated photographic evidence of the condition of relevant existing public infrastructure both before and after works carried out in association with the approved development.				
Elec	tric Vehicle Readiness				
46.	Multiple Residential Electric Vehicle Readiness				
	 All Multiple Residential developments (excluding Duplex Lots) must: a) Include electric vehicle readiness in the development as follows: Provision of electrical capacity for Basic (slow) EVSE chargers for 100% of all parking bays, including visitor spaces. Provision of conduits, cable trays and/or wiring from car park distribution boards to individual parking spaces to all unit parking bays (during construction) to enable future Basic (slow) EVSE installation. Electric vehicle charging shall be capable of electrical load control to manage the development's electricity demand profile in the context of the network supply profile and designed with regard to fire retardance and ventilation. b) The requirements under a) are not applicable for Multiple 	As required.			
	Residential lots used exclusively for social / community housing.				
	ndscape and Environment				
47.	Streetscape Works Where the streetscape works comply with Council's Infrastructure Planning Scheme Policy – Landscaping (Open Space Landscape Infrastructure Manual):				
	 a) Submit to EDQ IS, detailed landscape plans for streetscape works, including a schedule of assets, certified by an AILA, in 	 a) Prior to survey plan endorsement for the relevant stage. 			

PDA	PDA Development Conditions				
No.	Con	dition	Timing		
		accordance with Council's Infrastructure Planning Scheme Policy – Landscaping.			
	b)	Construct the works generally in accordance with the certified plans submitted under part a) of this condition.	 b) Prior to survey plan endorsement for the relevant stage. 		
	c)	Submit to EDQ IS 'As Constructed' plans and asset register in a format acceptable to Council.	 c) Prior to survey plan endorsement for the relevant stage. 		
	Infr	ere the streetscape works do not comply with Council's astructure Planning Scheme Policy – Landscaping (Open ace Landscape Infrastructure Manual):			
	d)	Submit to EDQ DA, for compliance assessment functional streetscape layout plans, including a schedule of proposed standard and non-standard assets to be transferred to Council certified by an AILA.	 d) Prior to commencement of site works for the relevant stage. 		
		The detailed functional layout plans are to include where applicable: i) location and type of street lighting in accordance with			
		 i) Iocation and type of street lighting in accordance with Australian Standard AS1158 – 'Lighting for Roads and Public Spaces'; i) footpath treatments; ii) location and types of streetscape furniture; iii) location and size of stormwater treatment devices; and iv) street trees, including species, size and location generally in accordance with Council adopted planting schedules and guidelines. 			
	e)	Submit to EDQ IS detailed streetscape works plans certified by an AILA generally in accordance with the endorsed plans required under part b) of this condition.	 e) Prior to survey plan endorsement for the relevant stage. 		
	f)	Construct the works generally in accordance with the endorsed streetscape plans as required under part b) of this condition.	 f) Prior to survey plan endorsement for the relevant stage. 		
	g)	Submit to EDQ IS 'As Constructed' plans and asset register in a format acceptable to Council.	 g) Prior to survey plan endorsement for the relevant stage. 		
48.		k Plans and Landscape Works (Parks, Open Space and en Drain) – Compliance Assessment			
	a)	Submit to EDQ DA, for compliance assessment, detailed landscape plans, certified by an AILA, for proposed landscape works within parks, open space and open drain. The certified plans must include a schedule of proposed	 a) Prior to commencement of landscape work for the relevant stage. 		

PDA	Deve	elopment Conditions	
No.	Con	dition	Timing
		standard and non-standard Contributed Assets to be transferred to Council and landscaping designed generally in accordance with the <i>LGIA</i> – <i>Infrastructure Network Schedule</i> 1 – <i>Open Space</i> and the approved PoD.	
	b)	Construct the landscape works generally in accordance with the endorsed plans required under part a) of this condition.	 b) Prior to survey plan endorsement for the relevant stage.
	c)	Submit to EDQ IS, 'as constructed' plans, certified by an AILA, and asset register in a format acceptable to Council.	 c) Prior to survey plan endorsement for the relevant stage.
49.	Wa	ter Quality Monitoring – Bells Creek South	
	qua Bel upc	omit to EDQ IS, pre-, during and post-construction water lity monitoring data for surface stormwater and groundwater in s Creek South catchments generally in accordance with the lated <i>Caloundra South Water Quality Management Plan</i> SWQMP) prepared by BMT WBM endorsed on 15/09/16.	As per the CSWQMP
50.	Со	nservation Zone Rehabilitation – Compliance Assessment	
	a)	Submit to EDQ DA, for compliance assessment a detailed Environmental Rehabilitation Plan certified by a suitably qualified person for rehabilitation works within Lot 9019 in accordance with the LGIA.	 a) Prior to commencement of works for the first stage.
	b)	Commence construction of the works generally in accordance with the endorsed Environmental Rehabilitation Plan required by part a) of this condition.	 b) Within 12 months of the registration of the first Plan of Subdivision.
	c)	Submit to EDQ DA, evidence from a suitably qualified person that the works have been inspected and completed generally in accordance with parts a) and b) of this condition.	c) In accordance with the LGIA.
Surv	eying	g, Land Dedication and Easements	
51.	Hig	h Density Development Easements (lots ≤450m² in area)	
	a)	Submit to EDQ DA high-density development easement documentation, in a registerable form, for approved lots \leq 450m ² in area and involving common wall construction.	 At or prior to survey plan endorsement for the relevant stage.
	b)	Register all high-density development easements required under part a) of this condition.	 b) At registration of survey plan for the relevant stage.
	circu	E: For the purposes of this condition, common wall construction includes the nstances listed under section 94(2) (a) of the LTA (e.g. terrace housing on lard format lots).	

PDA	Development Conditions	
No.	Condition	Timing
52.	Reciprocal Easements (lots >450m ² in area)	
	 a) Submit to EDQ DA reciprocal easement documentation, in a registerable form, for approved lots >450m² in area and involving common wall construction. 	 At or prior to survey plan endorsement for the relevant stage.
	 Register all reciprocal easements required under part a) of this condition. 	 b) At registration of survey plan for the relevant stage.
	NOTE: For the purposes of this condition, common wall construction includes the circumstances listed under section 94(2) (a) of the LTA (e.g., terrace housing on standard format lots).	
53.	Land Transfer	
	Demonstrate to EDQ DA, that all land to be transferred in fee simple is not registered on either the Environmental Management Register or the Contaminated Land Register.	At registration of survey plan for the relevant stage.
54.	Land Transfers – Drainage	
	Transfer, in fee simple, to Council as trustee, all lots shown on the approved plans for drainage purposes.	In accordance with the LGIA.
55.	Land Transfer – Park and Open Space	
	Transfer, in fee simple, to Council as trustee land shown on the approved plans for park and open space purposes.	In accordance with the LGIA.
56.	Land Transfer – Conservation	
	Transfer, in fee simple, to Council as trustee Lot 9018, 9019 and 9026 for conservation purposes.	In accordance with the LGIA.
57.	Delivery of Neighbourhood Recreation Park Lot 9000	
	Neighbourhood Recreation Park Lot 9000 is to be delivered within 9 months of the registration of 100 residential lots within the approval boundary.	As stated.
58.	Delivery of Linear Park Lot 9013	
	Linear Park Lot 9013* is to be delivered before or at the same time as the registration of a Plan of Subdivision containing any Lots in Neighbourhood 15.2d.	As stated.
	*Note - the LGIA requires the delivery of the park linked to adjoining lots. In this case, there are no lots adjoining Lot 9013 and so this condition provides clear timing for the delivery of this park.	
59.	Easements Over Infrastructure	
	Provide public utility easements, in favour of and at no cost to the grantee, over infrastructure located in land (other than road) for Contributed Assets.	At registration of survey plan for the relevant stage.

PDA	Development Conditions	
No.	Condition	Timing
	The terms of public utility easements are to be to the satisfaction of the Chief Executive Officer of the authority which is to accept and maintain the Contributed Assets.	
Infra	structure Charges	
60.	Sub-Regional (Roads), Municipal and State Charge	
	 In lieu of paying the municipal, state and sub-regional (roads) infrastructure charges, the applicant will provide the infrastructure in accordance with the following conditions of approval: Conditions 30: Movement Network; Conditions 32, 33 and 34: Water and Sewage; and Conditions 57 and 58: Park and Open Space. 	As required by the relevant condition.
61.	Sub-Regional (Water and Sewer) Charge	
	In lieu of paying the sub-regional (water and sewer) infrastructure charges, the applicant will:	
	 a) Provide the MEDQ a copy of the Payment Certificate in accordance with clause W24.6 of the WWIA. OR 	 a) Prior to survey plan endorsement for the relevant stage.
	 b) If the WWIA is no longer in effect, the applicant must pay to the MEDQ the relevant charges calculated in accordance with the IFF and indexed to the date of payment. 	b) As required by the IFF.
62.	Implementation Charge	
	The applicant must pay to the MEDQ the Implementation Charge calculated in accordance with the IFF and indexed to the date of payment.	As required by the IFF and LGIA.
Gene	eral – Plan of Development	
63.	Carry out the Approved Development – PoD	
	 Carry out the approved development generally in accordance with: a) the approved PoD; and b) any documentation endorsed via Compliance Assessment as required by these conditions. 	Prior to commencement of use and to be maintained.
64.	Maintain the Approved Development – PoD	
	Maintain the approved development generally in accordance with any documentation endorsed via Compliance Assessment as required by these conditions.	At all times following commencement of use.

PDA Development Conditions									
No.	Cor	nditio	n	Timing					
65.	Pla	ins ar	nd Supporting Information – PoD						
	a)	supp listec agair	nit to EDQ DA, for compliance assessment plans/ orting information for the compliance assessable uses I in the approved Plan of Development for assessment ast the approved Plan of Development, dated September and prepared by Urbis.	a) Prior to commencement of building works.					
	b)	to de i) ii) iii) iv) v) v) vi) vii) viii) viii) ix) x) xi)	documentation submitted under part a) of this condition is tail and/or include the following where applicable: site location lot size and configuration; plans for each building (site plan, floor plans, elevations, sections, roof plans, external building materials and finishes, private and semi-private open space etc.); building height, gross floor area and site cover, number of dwelling units and bedrooms; interface with adjoining land uses; on-site access, bicycle and vehicle parking and servicing arrangements (waste collection points, wash-down bays, waste bin capacity, electric vehicle recharging stations etc); short duration pick up/drop off areas (taxi/ride share/school drop off); entry and exit points for vehicles, pedestrians and/or cyclists; public realm and landscape plans; specialist assessment reports as required that may include traffic, civil engineering, geotechnical, flooding, acoustics and air quality. an assessment of compliance against the approved Plan of Development, dated September 2024 and prepared by Urbis.	b) Prior to commencement of building works.					
	c)	for pa to be i)	 wing EDQ endorsement of the compliance assessment art (a) above, the following specialist technical reports are submitted to EDQ IS, through the CPM process; Site Based Construction Management Plan prepared by the principal site contractor that manages the following: noise and dust in accordance with the EP Act; stormwater flows around and through the site without increasing the concentration of total suspended solids or Prescribed Water Contaminants (as defined in the EP Act), causing erosion, creating any ponding and causing any actionable nuisance to upstream and downstream properties; contaminated land, where required under a site suitability statement prepared in accordance with section 389 of the EP Act; complaints procedures; 	c) Prior to commencement of building works.					

PDA Development Conditions							
No.	Conditio	on		Timing			
		5.	site management:				
		6.	for the provision of safe and functional alternative pedestrian and cycle routes, past, through or around the site;				
		7.	to mitigate impacts to public sector entity assets, including street trees, on or external to the site;				
		8.	for safe and functional temporary vehicular access points and frequency of use;				
		9.	for the safe and functional loading and unloading of materials including the location of any remote loading sites;				
		10.	for the location of materials, structures, plant and equipment;				
		11.	of waste generated by construction activities;				
		12.	detailing how materials are to be loaded/unloaded;				
		13.	of proposed external hoardings and gantries (with clearances to street furniture and other public sector entity assets);				
		14.	of employee and visitor parking areas;				
		15.	of anticipated staging and programming;				
		16.	for the provision of safe and functional emergency exit routes; and				
		17.	any out of hours work as endorsed via Compliance Assessment.				
	ii)	holdin	c Management Plan (TMP), certified by a person g a current Traffic Management Design cation which addresses the following: traffic around and through the site during and outside of construction work hours; provision for the safe and functional management of pedestrian and cyclist traffic, including alternative pedestrian routes past, through or around the site; provision of parking for workers and materials				
		4. 5.	delivery; risk identification, assessment and identification of mitigation measures; ongoing monitoring, management review and				
		6.	certified updates (as required); and traffic control plans and/or traffic control diagrams, prepared in accordance with <i>Austroads Guide to</i> <i>Temporary Traffic Management</i> , for any temporary part or full road closures.				
	iii)	(ESCI profes	works and Erosion and Sediment Control Plan P), certified by a RPEQ or an accredited ssional in erosion and sediment control (CPESC), ally in accordance with the following guidelines: The construction phase stormwater management design objectives of the State Planning Policy 2017 (Appendix 2 Table A);				

PDA Development Conditions								
No.	Conditio	on		Timing				
	iv) v)	found Quee Mana time to Storm RPEC Storm Infras	Healthy Land and Water Technical Note: <i>Complying with the SPP - Sediment Management</i> <i>on Construction Sites</i> Urban Stormwater Quality Planning Guidelines 2010 (DEHP); and Best Practice Erosion and Sediment Control (International Erosion Control Association). Sulfate Soils Management Plan where ASS are on site, prepared in accordance with the <i>nsland Acid Sulfate Soil Technical Manual Soil</i> <i>gement Guidelines v4.0 2014</i> (as amended from o time). water Quality Management Plan certified by a Q/AILA generally in accordance with the approved water Quality Management Plan and the LGIA <i>tructure Network 4 – Stormwater Part C –</i> <i>tructure Standards.</i>					

STANDARD ADVICE

Please note that to lawfully undertake development, it may be necessary to obtain approvals other than this PDA development approval. For advice on other approvals that may be necessary in relation to your proposal, it is recommended that you seek professional advice.

** End of Package **