

Our ref: DEV2023/1458/6

13 February 2025

Stockland Development Pty Ltd C/- Urbis Ltd Att: Mr Matthew Ceccato and Ms Beth Foley Level 32, 300 George Street BRISBANE QLD 4000

Email: mceccato@urbis.com.au; bfoley@urbis.com.au

Dear Matthew and Beth

Section 99 Approval - Application to Change PDA Development Approval

PDA Development Permit for Material Change of Use, Reconfiguring a Lot and Operational Work in accordance with a Plan of Development and Context Plan at Lot 3 Bells Creek Road, Gagalba described as Part Lot 3 on SP333886, Lot 1 on SP332399 and Lot 2 on SP334580

On 13 February 2025 the Minister for Economic Development Queensland (MEDQ) decided to grant **all** of the amendment application applied for, subject to PDA development conditions set out in this PDA decision notice.

The PDA decision notice and approved plans/documents can be viewed in the MEDQ Development Approvals Register via the Department website <u>Current applications and approvals</u>.

If you require any further information, please contact Jennifer Davison, Principal Planner Development Assessment, in Economic Development Queensland, by telephone on (07) 3452 7127 or at Jennifer.davison@edq.qld.gov.au, who will assist.

Yours sincerely

Jeanine Stone Project Director Development Assessment Economic Development Queensland



PDA Decision Notice – Approval

| Site information | | | | |
|---|--|----------|--|--|
| Iame of priority development area (PDA) Caloundra South PDA | | | | |
| Site address | Lot 3 Bells Creek Road, Gagalba | | | |
| Lot on plan description | Lot number Plan description | | | |
| | 3 | SP333886 | | |
| | 1 | SP332399 | | |
| | 2 | SP334580 | | |
| PDA development application details | | | | |
| DEV reference number | DEV2023/1458 | | | |
| 'Properly made' date | 24 January 2025 | | | |
| Type of application | PDA development application for: Material change of use Preliminary approval Development permit Reconfiguring a lot Preliminary approval Development permit Operational work Preliminary approval Development permit Application to change PDA development approval Application to extend currency period | | | |
| Description of proposal applied for | Material Change of Use, Reconfiguring a Lot and Operational Work in accordance with a Plan of Development and Context Plan | | | |
| PDA development approval details | | | | |
| Decision of the MEDQ | The MEDQ has decided to g development approval applie development conditions form | | | |
| Original Decision date | 2 August 2024 | | | |
| Change to approval date | 13 February 2025 | | | |
| Currency period | 20 years from the original decision date | | | |
| Assessment Team | | | | |
| Assessment Manager (Lead) | Jennifer Davison, Principal Planner | | | |
| Manager | Jennifer Sneesby, Manager | | | |
| Delegate | Jeanine Stone, Project Director | | | |

Approved plans and documents

The plans and documents approved by the MEDQ and referred to in the PDA development conditions for the PDA development approval are detailed below.

| Appr | oved plans and documents | Number | Date |
|-------|--|--------------------|--|
| 1. | Plan of Development – Aura Southern Locality Precinct 18 Plan of Development, prepared by Urbis | | January 2025 with existing markups |
| Plan | s and documents previously approved on 2 August 2024 | Number | Date |
| 1. | Bushfire Management Plan, prepared by LEC | Report 24065 | 4 July 2024 |
| 2. | Gagalba Lakes Statement of Landscape Intent, prepared by Urbis | Revision A | 10 April 2024 and as Amended in Red on 9 July 2024 |
| 3. | Engineering Services Report – Precinct 18 – First Development, prepared by Stantec | 304701171-001 | 3 July 2024, and as Amended in Red on 9 July 2024 |
| 4. | Stormwater Management Plan – Aura Precinct 18, prepared by Bligh Tanner | 2020.0883 | 19 June 2024 |
| 5. | Response to Information Request – Flood Impact, prepared by Stantec | 304701171-00 | 16 May 2024 |
| 6. | Traffic Modelling Refresh – Aura Precinct 17-19, prepared by PWC | | June 2024 |
| For I | nformation Only | Number | Date |
| 7. | Road Traffic Noise Assessment - Aura Development – Precinct 18 Aura Lakes, prepared by Trinity Consultants Australia | 217401.0141.R02V03 | 26 June 2024 |
| Endo | orsed plans and documents | Number | Date |
| 8. | Context Plan – Aura Lakes Context Plan P17, P18 and P19, prepared by RPS | AU12885-14E | 19 June 2024 and as Amended in Red on 9 July 2024. |

Preamble, abbreviations, and definitions

PREAMBLE

For the purpose of interpreting this approval, including the conditions, the following applies:

ABBREVIATIONS AND DEFINITONS

The following is a list of abbreviations utilised in this approval:

AILA means a Landscape Architect registered by the Australian Institute of Landscape Architects.

BFP means Building Format Plan.

BASIC (SLOW) CHARGERS means an electric vehicle charging facility on a dedicated electrical circuit, typically used in long park situations such as dwellings and workplaces. Basic (slow) EV chargers use AC (240 volts) power and require a minimum 20 Amps, as well as installation of an Electric Vehicle Supply Equipment (EVSE) unit capable of supplying up to 7kW of power.

CERTIFICATION PROCEDURES MANUAL means the document titled *Certification Procedures Manual*, prepared by EDQ, dated April 2020 (as amended from time to time).

CONTRIBUTED ASSET means an asset constructed under a PDA development approval or Infrastructure Agreement that will become the responsibility of an External Authority. For the purposes of operational works for a Contributed Asset, the following definitions apply:

- a) **External Authority** means a public-sector entity other than the MEDQ;
- b) **Parkland** means carrying out operational work related to the provision of parkland infrastructure;
- c) **Roadworks** means carrying out any operational work within existing or proposed road(s), to a depth of 1.5m measured from the top of kerb, and includes Streetscape Works;
- d) **Sewer Works** means carrying out any operational work related to the provision of wastewater infrastructure;
- e) **Streetscape Works** means carrying out any operational work within the verge of a road, including footpath surface treatments, street furniture, street lighting and landscaping;
- f) **Stormwater Works** means carrying out any operational work related to the provision of stormwater infrastructure; and
- g) **Water Works** means carrying out any operational work related to the provision of water infrastructure.

COUNCIL means the relevant local government for the land the subject of this approval.

DC (FAST) CHARGERS means an electric vehicle charging facility capable of supplying a minimum of 50kW of power per parking bay. DC (fast) charging is used for short term parking situations up to 1 hour in duration and provides convivence fast charging. DC (fast) chargers, generally operated by third parties, are suited to developments providing services on highways and major roads.

DESTINATION (FASTER) CHARGERS means an electric vehicle charging facility capable of supplying up to 25kW of power. Destination (faster) charging is typically used for short term parking, up to 2 hours duration. Destination (faster) charging usually requires three-phase (415 volts) power with 20-32 Amps. However, if three-phase power is unavailable, single-phase power with 40 Amps is acceptable.

EDQ means Economic Development Queensland.

EDQ DA means Economic Development Queensland's – Development Assessment team.

EDQ IS means Economic Development Queensland's – Infrastructure Solutions team.

EP Act means the *Environmental Protection Act 1994*.

IFF means the Infrastructure Funding Framework, prepared by the Department of State Development, Tourism and Innovation, dated 1 July 2020 (as amended from time to time).

LTA means Land Title Act 1994.

LGIA means the Caloundra South Priority Development Area Infrastructure Agreement (Local Government Infrastructure) in effect 2 November 2015 (as amended from time to time).

MEDQ means the Minister for Economic Development Queensland. **PDA** means Priority Development Area.

PoD means the Plan of Development (Parts 1 and 2) – Aura Southern Locality Precinct 18 (part), prepared by Urbis listed in the approved plans and documents.

RPEQ means Registered Professional Engineer of Queensland.

SHORT-TERM PARKING for the purposes of electric vehicle charging, means land uses where parking is generally for a period of less than 2 hours, and includes uses such as: hardware and trade supplies, food and drink outlet, garden centre, shop, showroom, health care services, veterinary services and the like.

STIA means the Caloundra South Priority Development Area Infrastructure Agreement (State Transport Infrastructure) in effect on 28 September 2015 (as amended from time to time)

WSUD means Water Sensitive Urban Design

WWIA means the Caloundra South Infrastructure Agreement (Water and Wastewater Infrastructure) in effect 20 March 2017 (as amended from time to time).

Compliance Assessment

Where a condition of this approval requires Compliance Assessment, Compliance Assessment is required in accordance with the following:

- a) The applicant must:
 - i) pay to MEDQ at the time of submission the relevant fee for Compliance Assessment, including any third-party peer review costs which will be charged on a 100% cost recovery basis. The Compliance Assessment fees are set out in EDQ Development Assessment Fees and Charges Schedule¹ (as amended from time to time).
 - ii) submit to EDQ DA a duly completed Compliance Assessment form².
 - iii) submit to EDQ DA the documentation as required under the relevant condition.
- b) Where EDQ is satisfied the documentation submitted for Compliance Assessment meets the requirements of the relevant condition (or element of the condition), EDQ will endorse the documentation and advise by written notice.

¹ The EDQ Development Assessment Fees and Charges Schedule is available at EDQ's website.

² The Compliance Assessment form is available at EDQ's website. It sets out how to submit documentation for Compliance Assessment and how to pay Compliance Assessment fees.

- c) Compliance Assessment and endorsement can be repeated where a different design or solution, to that already endorsed, is sought.
- d) The process and timeframes that apply to Compliance Assessment are as follows:
 - i) applicant submits items required under a) above to EDQ DA for Compliance Assessment.
 - ii) within 20 business days EDQ assesses the documentation and:
 - 1. if satisfied, endorses the documentation; or
 - 2. if not satisfied, notifies the applicant accordingly.
 - iii) if the applicant is notified under ii.2. above, revised documentation must be submitted **within 20 business days** from the date of notification.
 - iv) within 20 business days EDQ assesses the revised documentation and:
 - 1. if satisfied, endorses the revised documentation; or
 - 2. if not satisfied, notifies the applicant accordingly.
 - v) where EDQ notifies the applicant as stated under iv.2. above, repeat steps iii. and iv. above. If either party is not satisfied by the outcome of this process, that party can elect to enter into a mediation process with an independent mediator agreed to by both parties.

Despite note v. above, the condition (or element of the condition) is determined to have been met only when EDQ endorses relevant documentation.

Submitting documentation to EDQ

Where a condition of this approval requires documentation to be submitted to either EDQ DA or EDQ IS, use the following email addresses:

- a) EDQ DA: pdadevelopmentassessment@edq.qld.gov.au
- b) EDQ IS: PrePostConstruction@edq.qld.gov.au

| PDA | PDA Development Conditions | | | | | |
|-----|---|--|--|--|--|--|
| No. | Condition | Timing | | | | |
| Gen | eral | | | | | |
| 1. | Carry out the Approved Development | | | | | |
| | Carry out the approved development generally in accordance with the approved plans and documents, the STIA, LGIA and WWIA. | Prior to survey plan endorsement for the relevant stage. | | | | |
| 2. | Maintain the Approved Development | | | | | |
| | Maintain the approved development generally in accordance with any documentation and as required by these conditions. | At all times. | | | | |
| 3. | Certification of Operational Works – Water and Sewerage | | | | | |
| | All operational works for water and sewerage Contributed Assets, undertaken in accordance with this approval must comply with all requirements of and fulfil all responsibilities outlined in the WWIA. | As required by the WWIA. | | | | |

| PDA | Development Conditions | |
|-----|---|--|
| No. | Condition | Timing |
| 4. | Certification of Operational Works – State and Local Government Infrastructure All operational works for Contributed Assets subject to the STIA or | As required by the LGIA or |
| | the LGIA, undertaken in accordance with this approval must comply with all requirements of and fulfil all responsibilities outlined in the STIA or the LGIA as applicable. | the STIA. |
| 5. | Certification of Operational Works – Other | |
| | All operational works for Contributed Assets not subject to the STIA, LGIA or WWIA, undertaken in accordance with this approval must comply with all requirements and responsibilities outlined in the <i>Certification Procedures Manual</i> . | As required by the Certification Procedures Manual. |
| 6. | Street Naming | |
| | Submit to EDQ DA a schedule of street names approved by Council. | Prior to survey plan endorsement for the relevant stage. |
| 7. | Entry Walls or Features | |
| | The provision of entry walls or features is prohibited on roads and open space unless otherwise approved by EDQ DA. | As indicated. |
| 8. | Staging for Reconfiguration | |
| | The stages of the reconfiguration must be generally in accordance with the indicative staging plan of the approved Plan of Development. | As indicated. |
| | However, the stages indicated on the indicative staging plan do not need to be delivered sequentially unless required for infrastructure delivery purposes. | |
| | c) Unless otherwise approved in writing by EDQ DA, each stage must be independently serviced by roads, water, sewer, stormwater, and any other relevant utilities. | |
| 9. | Advertising Devices | |
| | Design and install advertising devices generally in accordance with the approved Plan of Development. | Ongoing. |
| 10. | Social Housing | |
| | Provide written evidence (i.e., contracts or binding MOU) to EDQ DA that confirms the delivery of social housing that ensures a minimum of 35 dwellings for social housing within the development. | a) Prior to plan sealing of 700th lot. |
| | Annual reporting for the Affordable Housing OSS to include summary of compliance against this condition. | b) As required. |

| PDA | Development Conditions | | | | | | |
|------|---|---|--|--|--|--|--|
| No. | Condition | Timing | | | | | |
| Bush | ushfire and Emergency Access | | | | | | |
| 11. | Emergency Access and Evacuation Management Plan – Compliance Assessment | | | | | | |
| | a) Submit to EDQ DA, for Compliance Assessment an Emergency Access and Evacuation Management Plan (EAEMP) that outlines the following: i) the procedures for conducting safe and efficient evacuation in the event of a fire or explosion; ii) interim measures to be taken prior to emergency access delivery. iii) operational procedures for emergency access, including the removal of bollards, implementation of access restrictions, and placement of appropriate signage, all of which should be informed by input from appropriate representative from the Queensland Fire and Emergency Services (QFES). | a) No later than 6 months after first plan sealing. | | | | | |
| | b) Implement the EAEMP in accordance with a). | b) At all times | | | | | |
| 12. | Plan of Development – BAL Levels | | | | | | |
| | a) Submit an amended Plan of Development (POD) that identifies all lots where dwellings are to be constructed to meet the mandatory bushfire provisions of the Building Code of Australia in accordance with the approved Bushfire Management Plan. | Prior to plan sealing for the relevant lots | | | | | |
| | Submit written advice that any purchaser of the relevant lot is to be made aware of the BAL rating of the lot at the time of purchase. | | | | | | |
| 13. | Emergency Fire Access | | | | | | |
| | The existing access track leading to the north of the site, as identified in Figure 5.1 of the approved Bushfire Management Plan, prepared by LEC, must be maintained as a temporary alternate emergency access and egress route until the sub- arterial and trunk road network is developed within the Context Plan area. | At all times | | | | | |
| Engi | neering | | | | | | |
| 14. | Out of Hours of Work – Construction Unless otherwise endorsed, via Compliance Assessment for out of hours work, construction hours for the approved development are limited to Monday to Saturday between 6:30am to 6:30pm, excluding public holidays. | During construction unless otherwise endorsed. | | | | | |

| PDA | PDA Development Conditions | | | | |
|-----|---|--|--|--|--|
| No. | Condition | Timing | | | |
| 15. | Out of Hours Work – Compliance Assessment | | | | |
| | Where out of hours work is proposed, submit to EDQ DA, for Compliance Assessment, an out of hours work request. The out of hours work request must include a duly completed out of hours work request form. | Minimum of 10 business days prior to proposed out of hours work commencement date. | | | |
| 16. | Construction Management Plan | | | | |
| | a) Submit to EDQ IS a site-based Construction Management Plan (CMP), prepared by the principal site contractor and reviewed by a suitably qualified and experienced person responsible for overseeing the site works, to manage construction impacts, including: noise and dust in accordance with the EP Act; stormwater flows around and through the site without increasing the concentration of total suspended solids or Prescribed Water Contaminants (as defined in the EP Act), causing erosion, creating any ponding and causing any actionable nuisance to upstream and downstream properties; contaminated land, where required under a site suitability statement prepared in accordance with section 389 of the EP Act; complaints procedures; and site management: for the provision of safe and functional alternative pedestrian and cycle routes, past, through or around the site; to mitigate impacts to public sector entity assets, including street trees, on or external to the site; for safe and functional temporary vehicular access points and frequency of use; for the location of materials, structures, plant and equipment; of waste generated by construction activities; detailing how materials are to be loaded/unloaded; of anticipated staging and programming; for the provision of safe and functional emergency exit routes; and | a) Prior to commencing work for the relevant stage. | | | |

| PDA | PDA Development Conditions | | | | | | |
|-----|----------------------------|---|-----|--|--|--|--|
| No. | Con | dition | Tim | ing | | | |
| | b) | A copy of the CMP submitted under part a) of this condition must be current and available on site. | b) | During construction. | | | |
| | c) | Carry out all construction work generally in accordance with the CMP submitted under part a) of this condition. | c) | During construction. | | | |
| 17. | Tra | ffic Management Plan | | | | | |
| | a) | Submit to EDQ IS a Traffic Management Plan (TMP), certified by a person holding a current Traffic Management Design qualification. The TMP must include the following: provision for the safe and functional management of traffic around and through the site during and outside of construction work hours; provision for the safe and functional management of pedestrian and cyclist traffic, including alternative pedestrian routes past, through or around the site; provision of parking for workers and materials delivery; risk identification, assessment and identification of mitigation measures; ongoing monitoring, management review and certified updates (as required); and traffic control plans and/or traffic control diagrams, prepared in accordance with <i>Austroads Guide to Temporary Traffic Management</i>, for any temporary part or full road closures. | a) | Prior to commencing work for the relevant stage. | | | |
| | per or f DT | Carry out all construction work generally in accordance with the certified TMP submitted under part a) of this condition, which is to be current and available on site. TE: Operational traffic changes, such as temporary and manent lane modifications, relaxation of clearway zone hours potpath closures may require authorisation from Council or MR as road manager. It is recommended that applicants age directly with the applicable road manager. | b) | During construction. | | | |
| 18. | | thworks | | | | | |
| | a) | Submit to EDQ IS detailed earthworks plans, certified by a RPEQ, and designed generally in accordance with: i) Australian Standard AS3798 – 2007 Guidelines on Earthworks for Commercial and Residential Developments; and ii) the approved Aura Lakes Precinct Engineering Services Report Precinct 18 – First Development. The certified earthworks plans are to: i) Include, where relevant, those works within the subject site that are required to be undertaken to manage stormwater within and around the site without | a) | Prior to commencing earthworks for the relevant stage. | | | |

| PDA | Deve | lopment Conditions | | |
|-----|------|---|-----|--|
| No. | Cond | lition | Tim | ing |
| | | worsening flooding on adjacent property or the Bruce Highway corridor; ii) include a geotechnical soils assessment of the site; accord with the Erosion and Sediment Control Plans; iv) include the location and finished surface levels of any cut and/or fill; v) detail areas where dispersive soils will be disturbed, treatment of dispersive soils and their rehabilitation; vi) provide details of any areas where surplus soils are to be stockpiled; vii) detail protection measures to: ensure adjoining properties and roads are not impacted by ponding or nuisance stormwater resulting from earthworks associated with the approved development; preserve all drainage structures from structural loading impacts resulting from earthworks associated with the approved development; and viii) where rock or ground anchors are required within adjoining road or land, include consents from relevant road manager(s) and/or landowner(s). | | |
| | b) | Any excavation, filling/backfilling/compaction, retaining structures and other works involving ground disturbance must not: i) encroach upon or de-stabilise or cause damage to Bells Creek Arterial, including all transport infrastructure or the land supporting this infrastructure, or cause similar adverse impact; ii) adversely impact on Bells Creek Arterial through the addition or removal of lateral loads or additional surcharge load. | b) | At all times |
| | c) | Carry out earthworks generally in accordance with the certified plans submitted under part a) of this condition. | c) | Prior to survey plan endorsement for the relevant stage. |
| | d) | Submit to EDQ IS, RPEQ certification that: all earthworks have been carried out generally in accordance with the certified plans submitted under part a) of this condition; and any unsuitable material encountered has been treated or replaced with suitable material. | d) | Prior to survey plan endorsement for the relevant stage. |
| 19. | Eros | ion and Sediment Management | | |
| | a) | Submit to EDQ IS an Erosion and Sediment Control Plan (ESCP), certified by a RPEQ or an accredited professional in erosion and sediment control, and prepared generally in accordance with the following: | a) | Prior to commencing work for the relevant stage |

| PDA | DA Development Conditions | | | | |
|-----|---------------------------|-----------------------------|---|-----|--|
| No. | Con | dition | | Tim | ing |
| | | i) ii) | Construction <i>phase</i> stormwater management design objectives of the <i>State Planning Policy 2017</i> (Appendix 2 Table A); and <i>Healthy Land and Water Technical Note: Complying</i> <i>with the SPP – Sediment Management on Construction</i> <i>Sites.</i> | | |
| | b) | | ement the certified ESCP submitted under part a) of this dition. | b) | During construction |
| 20. | Reta | aining |) Walls | | |
| | a) | RPE Reta i) ii) | mit to EDQ IS detailed engineering plans, certified by a Q, of all retaining walls 1m or greater in height. ining walls must be: certified to achieve a minimum 50-year design life; designed generally in accordance with <i>Australian</i> <i>Standard AS4678 – Earth Retaining Structures</i> and relevant material standards (e.g., <i>AS3600 – Concrete</i> <i>Structures</i>); | a) | Prior to commencing earthworks for the relevant stage. |
| | b) | | struct retaining walls generally in accordance with the fied plans required under part a) of this condition. | b) | Prior to survey plan endorsement for the relevant stage. |
| | c) | retai cons | mit to EDQ IS certification from an RPEQ that all ning wall works 1.0m or greater in height have been structed generally in accordance with the certified plans nitted under part a) of this condition. | c) | Prior to survey plan endorsement for the relevant stage. |
| 21. | Aci | d Sulf | fate Soils | | |
| | a) | subr acco <i>Tech</i> | re on-site Acid Sulfate Soils (ASS) are encountered, nit to EDQ IS an ASS Management Plan, prepared in ordance with the <i>Queensland Acid Sulfate Soil</i> <i>Innical Manual Soil Management Guidelines v4.0 2014</i> amended from time to time). | a) | Prior to or during earthworks for the relevant stage. |
| | b) | gene | avate, remove and/or treat on site all disturbed ASS erally in accordance with the ASS Management Plan nitted under part a) of this condition. | b) | Prior to survey plan endorsement for the relevant stage. |
| | c) | quali earth ASS | mit to EDQ IS a validation report, certified by a suitably ified environmental or soil scientist, confirming that all nworks have been carried out in accordance with the Management Plan submitted under part b) of this lition. | c) | Prior to survey plan endorsement for the relevant stage. |

| PDA | PDA Development Conditions | | | | | |
|-----|--|--|--|--|--|--|
| No. | Condition | Timing | | | | |
| 22. | Road Traffic Noise Assessment – Compliance Assessment | | | | | |
| | Submit to EDQ DA for Compliance Assessment an amended Road Traffic Noise Assessment, certified by a suitably qualified person, addressing the following: a) Noise attenuation measures to achieve the noise criteria setout in State Development Assessment Provisions (SDAP) State Code 1 – PO38. b) Clearly identify the earthworks levels of the proposed subdivision used in the noise modelling and provide a copy of the earthworks plans. c) Detail the pad levels for the proposed lots. d) Provide an additional scenario in the report which models the interchange of Bells Creek Arterial and Sub-Arterial 3A based on the ultimate interchange design and include traffic volumes on the interchange. e) Apply planning horizon of 10 years on the Bells Creek Arterial from the completion of the development, based on the STIA traffic model. f) Compliance with the free field noise criteria must be based on free field predictions. g) Identify all locations that will be impacted by Noise Category 1 or higher, where the QDC MP4.4 will apply. All noise contour plots must be extended to clearly show the full extent of Noise Category 1 and above. h) Model the noise barrier opening at Lot 9015. i) Provide an updated Plan of Development that includes the necessary acoustic modifications required by this condition. | Prior to commencement of any site works, excluding bulk earthworks not related to this RoL. | | | | |
| 23. | Acoustic Treatment for Noise Barriers – Compliance Assessment | | | | | |
| | Submit to EDQ DA for Compliance Assessment detailed engineering plans for the noise barriers, certified by a RPEQ, generally in accordance with the approved Road Traffic Noise Assessment prepared by Trinity Consultants Australia. | a) Prior to commencement of work for the relevant stage. | | | | |
| | Any noise barrier and all supporting infrastructure must be designed and constructed in accordance with: i) Department of Transport and Main Roads Road Traffic Noise Management Code of Practice – Chapter 7 Specifications, MRS15 and MRTS15; ii) Department of Transport and Main Roads Standard Drawings – Noise Barriers; and iii) Be located completely outside of the state-controlled road corridor. | | | | | |
| | b) Construct the noise barriers generally in accordance with the certified plans required under part a) of this condition. | b) Prior to survey plan endorsement for the relevant stage. | | | | |

| PDA | PDA Development Conditions | | | | | |
|-----|----------------------------|--|-----|--|--|--|
| No. | Con | dition | Tim | ing | | |
| | c) | Submit to EDQ IS 'as–constructed' plans, and an asset register for all barriers and bunds, and confirmation that finished earthworks pad levels on noise affected allotments are within +/- 200mm of the pad levels adopted in the approved acoustic assessment certified by a RPEQ. | c) | Prior to survey plan endorsement for the relevant stage. | | |
| 24. | Roa | adworks – Compliance Assessment | | | | |
| | a) | Submit to EDQ DA, for Compliance Assessment engineering design drawings, certified by a RPEQ, for the following road generally in accordance with the LGIA Infrastructure Network 5 – Local Transport Infrastructure Part C: Sub-Arterial 3A Trunk Connector C2 Trunk Connector G Neighbourhood Connector N1 adjacent to Lot 8006 and 9000 Neighbourhood Connector N2 Sub-arterial interim signalised intersection (Aura Boulevard), including SIDRA assessment and phasing plans All Trunk Collector interim and ultimate signalised intersections, including SIDRA assessment and phasing plans, for interim and ultimate design. | a) | Prior to commencement of work for the relevant stage. | | |
| | b) | The trunk connector must be designed and constructed in accordance with the following to accommodate a single unit rigid bus of 12.5m in length (urban buses) or 14.5m (school buses) where applicable: i) Department of Transport and Main Roads Road Planning and Design Manual, 2nd Edition, Volume 3 – Guide to Road Design; and ii) Department of Transport and Main Roads Queensland Manual of Uniform Traffic Control Devices, Part 13 Local Area Traffic Management; and iii) Chapter 2 - Planning and Design, Section 2.3.2 Bus Route Infrastructure (page 6) of the Department of Transport Infrastructure Manual 2015. | b) | Prior to commencement of work for the relevant stage. | | |
| | c) | Submit to EDQ IS, detailed engineering design/ construction drawings certified by a RPEQ, generally in accordance with the endorsed plans required under part a) of this condition. | c) | Prior to survey plan endorsement for the relevant stage. | | |
| | d) | Construct the works generally in accordance with the certified plans as required under part b) and c) of this condition. | d) | Prior to survey plan endorsement for the relevant stage. | | |

| PDA | PDA Development Conditions | | | | |
|-----|--|--|-----|--|--|
| No. | Con | dition | Tim | ing | |
| | e) | Submit to EDQ IS, 'as–constructed' drawings, asset register and test results, certified by a RPEQ, in a format acceptable to the Council of all works constructed in accordance with this condition. | e) | Prior to survey plan endorsement for the relevant stage. | |
| 25. | Sch | ool Bus Stop – Compliance Assessment | | | |
| | a) | Submit to EDQ DA, for Compliance Assessment engineering design drawings, certified by a RPEQ, for the school bus stop adjacent to the school, demonstrating a sufficient number of bus bays for school enrolments and appropriate road cross section to accommodate this infrastructure. | a) | Prior to commencement of work for the relevant stage. | |
| | b) | Submit to EDQ IS, detailed engineering design/ construction drawings certified by a RPEQ, generally in accordance with the endorsed plans required under part a) of this condition. | b) | Prior to survey plan endorsement for the relevant stage. | |
| | c) | Construct the works generally in accordance with the certified plans as required under part b) and c) of this condition. | c) | Prior to survey plan endorsement for the relevant stage. | |
| | d) | Submit to EDQ IS, 'as–constructed' drawings, asset register and test results, certified by a RPEQ, in a format acceptable to the Council of all works constructed in accordance with this condition. | d) | Prior to survey plan endorsement for the relevant stage. | |
| 26. | Amended Engineering Services Report and RoL Plan | | | | |
| | a) | Submit to EDQ DA, an amended Engineering Services Report and RoL plan to reflect the changes to the signalised intersections as marked in red in the approved plans, and in accordance with the following: Aura Boulevard/Trunk Collector C2 signalised intersection (noting it may not be in the ultimate form) While approved as part of this application, this intersection will be reassessed as part of future development application/s in accordance with the STIA Traffic Model Update. At Trunk Collector C2/Neighborhood Connector N1 signalised intersection, provide auxiliary left-turn lane and shared through/right hand turn. The signal phasing is to be in accordance with DTMR Selection and Design of Cycle Tracks (LTS1). At Trunk Collector C2/Neighbourhood Connector N1 signalised intersection, all legs of the intersection must have minimum 2.0m landscaping width between the kerb and footpath. The verge typology must be generally in accordance with the approved road cross section as shown in the PoD. Amend Section 4.7 of the Engineering Services report to include final detail of the acoustic fence opening. | | or to survey plan dorsement for the first ge. | |

| PDA | Deve | elopment Conditions | | |
|-----|------|---|-----|--|
| No. | Con | dition | Tim | ing |
| | b) | Lodge amended PoD to reflect any incidental changes to surrounding lots. | | |
| 27. | Inte | rim Neighbourhood Connector – Removal | | |
| | a) | Submit to EDQ IS, detailed engineering plans, certified by a RPEQ, for the removal of the interim Neighbourhood Connector N1 connection at Aura Boulevard and reinstatement of separated cycle track and footpath generally in accordance with the <i>LGIA Infrastructure Network 5 – Local Transport Infrastructure Part C.</i> | a) | Prior to commencement of work for the relevant stage. |
| | b) | Construct roadworks generally in accordance with the certified plans submitted under part a) of this condition. | b) | Prior to survey plan endorsement of the 600th lot. |
| | c) | Submit to EDQ IS: i) Certification from a suitably qualified and experienced RPEQ that all roadworks have been constructed generally in accordance with the certified plans submitted under part b) of this condition; and ii) all documentation as required by the LGIA; and iii) as-constructed drawings, asset register and test results, certified by a RPEQ, in a format acceptable to the end asset owners for all roadworks constructed under this condition. | c) | Prior to survey plan endorsement of the 600 th lot. |
| 28. | Roa | adworks | | |
| | a) | Submit to EDQ IS, detailed engineering plans, certified by a RPEQ, for all roadworks, including parking bays, traffic devices and shared paths/footpaths generally in accordance with the LGIA Infrastructure Network 5 – Local Transport Infrastructure Part C. | a) | Prior to commencement of work for the relevant stage. |
| | b) | Construct roadworks generally in accordance with the certified plans submitted under part a) of this condition. | b) | Prior to survey plan endorsement for the relevant stage. |
| | c) | Submit to EDQ IS: i) certification from a suitably qualified and experienced RPEQ that all roadworks have been constructed generally in accordance with the certified plans submitted under part b) of this condition; and ii) all documentation as required by the LGIA; and iii) as-constructed drawings, asset register and test results, certified by a RPEQ, in a format acceptable to the end asset owners for all roadworks constructed under this condition. | c) | Prior to survey plan endorsement for the relevant stage. |

| PDA | Deve | lopment Conditions | | | |
|-----|---------------------|--|-----|--|--|
| No. | Con | dition | Tim | ing | |
| 29. | Wat | er and Sewer – Final Precinct Network Plan | | | |
| | Plar Prec (as | mit to EDQ IS, a Water and Sewer Final Precinct Network a, approved by Unitywater. The Water and Sewer Final cinct Network Plan must identify any 'high-risk infrastructure' defined in Schedule 8 of the WWIA). Low-risk infrastructure is ther infrastructure. | | Prior to the commencement of works for the first stage. | |
| 30. | Wat | er and Sewer – High-Risk Infrastructure | | | |
| | a) | Submit to EDQ IS, detailed water and sewer reticulation design plans approved by Unitywater for any water and sewer infrastructure identified as 'high-risk infrastructure' in the Final Precinct Network Plan approved by Unitywater. | a) | Prior to commencement of works for the relevant stage. | |
| | b) | Construct the works generally in accordance with the approved plans required under part a) of this condition. | b) | Prior to survey plan endorsement for the relevant stage. | |
| | c) | Submit to EDQ IS, certified by a RPEQ 'as–constructed' plans, asset register, pressure and bacterial test results in accordance with Unitywater's current adopted standards. | c) | Prior to survey plan endorsement for the relevant stage. | |
| 31. | Wat | er and Sewer – Low-Risk Infrastructure | | | |
| | a) | Submit to EDQ IS, detailed water and sewer reticulation design plans certified by a RPEQ for the water and sewer infrastructure identified as 'low-risk infrastructure' in the final precinct network plan approved by Unitywater. | a) | Prior to commencement of works for the relevant stage. | |
| | b) | Construct the works generally in accordance with the certified plans required under part a) of this condition. | b) | Prior to survey plan endorsement for the relevant stage. | |
| | c) | Submit to EDQ IS certified by a RPEQ 'as–constructed' plans, asset register, pressure and bacterial test results in accordance with Unitywater's current adopted standards. | c) | Prior to survey plan endorsement for the relevant stage. | |
| 32. | Sto | rmwater Management (Quality) – Compliance Assessment | | | |
| | a) | Submit to EDQ DA for Compliance Assessment civil design and landscape drawings and supporting documentation for the proposed stormwater quality treatment devices, certified by a RPEQ and AILA generally in accordance with the approved Stormwater Quality Management Plan and the LGIA Infrastructure Network 4 – Stormwater Part C – Infrastructure Standards. | a) | Prior to commencement of works for the relevant stage. | |
| | | Temporary stormwater quality treatment measures for individual catchments are installed in accordance with the State Planning Policy Appendix 2 – Construction Phase, and operational prior to runoff being generated from individual | | | |

| PDA | Development Conditions | |
|-----|---|---|
| No. | Condition | Timing |
| | stages of development. Permanent stormwater quality treatment measure achieve prescribed water quality objectives for in catchments are to be installed in accordance with and operational prior to achieving 80% build out subject catchment. | ndividual th the LGIA |
| | b) Construct the works generally in accordance with certified plans required under part a) of this cond | |
| | c) Submit to EDQ IS 'as constructed' civil and lands drawings, including an asset register, certified by AILA, in a format acceptable to the Council | y a RPEQ/ endorsement for the relevant stage. |
| 33. | Stormwater Quality Infrastructure Maintenance Pla Compliance Assessment Submit to EDQ DA, for Compliance Assessment a Stor Infrastructure Maintenance Plan certified by a RPEQ. documentation are to include the following a) Plan to be in accordance with the recommendation provided in <i>Water by Design Maintaining Vegetar</i> <i>Stormwater Assets (2012)</i>; b) the location of the individual components of the s any inspection or monitoring points; c) manufacturer's data and product information sher proprietary products; d) description of inspection/maintenance techniques associated rectification procedures; e) proposed schedule or timetable for regular inspection monitoring of the devices; f) record keeping and reporting requirements relatin performance of the Works Contribution; g) identify review and update requirements for the M Plan. | tormwater a. Plans and sions atedPrior to survey plan endorsement for the relevant stage.system and eets for any es and ting to the |
| 34. | Stormwater Management (Quantity) a) Submit to EDQ IS, detailed engineering plans for proposed stormwater underground reticulation ne certified by a RPEQ, generally in accordance with <i>Infrastructure Network 4 – Stormwater Part C – Infrastructure Standards</i> and the approved Plan of Development. Where the underground drainage being provided contained within a road that has been subject to Assessment under the requirements of this approdesign of the underground drainage is to be in adwith the endorsed roadworks plans. | of works for the relevant stage. of ed is o Compliance proval, the |

| PDA | PDA Development Conditions | | | | | |
|-----|----------------------------|---|------|---|--|--|
| No. | Con | dition | Timi | Timing | | |
| | b) | Construct the works in accordance with the endorsed plans as required under part b) of this condition. | b) | Prior to survey plan endorsement for the relevant stage. | | |
| | c) | Submit to EDQ IS 'as constructed' plans including an asset register and test results, certified by a RPEQ, in a format acceptable to the Council. | c) | Prior to survey plan endorsement for the relevant stage. | | |
| 35. | | gional Flood Impact Assessment – Compliance sessment | | | | |
| | a) | Submit to EDQ DA for compliance assessment a flooding report, certified by a RPEQ, that demonstrates that the development staging can achieve: i) Bells Creek Arterial - a non-worsening up to 1% AEP with climate change. ii) Future railway corridor (CAMCOS) - a non-worsening up to 1% AEP with climate change and storm surge allowing for 300mm freeboard to edge of formation and 1% AEP with climate change and storm surge and a 500mm debris zone to underside of bridges. | any | or to commencement of r site works, excluding bulk thworks related to the L. | | |
| | b) | The flooding report is to be prepared in accordance with: i) Department of Transport and Main Road's <i>Road</i> <i>Planning and Design Manual;</i> ii) Department of Transport and Main Road's Engineering Policy 170: Climate Change Risk Assessment Methodology; iii) <i>Queensland Urban Drainage Manual</i>; and iv) Queensland Rail standards and specification <i>Civil –</i> <i>Track Design MD-18-305.</i> | | | | |
| | c) | The flooding report must include the following: i) Flood peak discharges and flood peak levels for 1% AEP with climate change along the length of Bells Creek South within the development site and downstream area, at various stages of the development. ii) Indicative phasing/timing of when the lake and Aura Boulevard embankment is required to be constructed. iii) Indicative phasing/timing of any other mitigation works required by the overall regional flood model. This must detail the mitigation works that have been completed or approved and yet to be constructed. iv) Clearly identify the existing and future state transport infrastructure has been incorporated in the modelling. This must include details of the source of design levels and detail heights and levels. | | | | |

| PDA | Deve | elopment Conditions | | |
|-----|------------|---|------|--|
| No. | Con | dition | Timi | ing |
| 36. | Sto | rmwater Harvesting – Compliance Assessment | | |
| | exp Pre | omit to EDQ DA, a demonstrated investigation by an RPEQ erienced in Stormwater Harvesting for the consideration of cinct based local stormwater infrastructure harvesting which uld consider the following: SWOT analysis of all potential stormwater harvesting infrastructure; Assessment against the Ecological Sustainability targets setout in the Development Scheme (Section 5.3) and Resource Management Overarching Site Strategy (DEV2011/200); and The long-term protection and viability of infrastructure for sports parks. | a) | Prior to survey plan endorsement for the first stage |
| 37. | Stor | mwater – Bells Creek Arterial | | |
| | a) | Stormwater management of the development must ensure no worsening or actionable nuisance to State transport infrastructure, or cause similar adverse impacts, other than that which is contemplated by the STIA. | a) | At all times. |
| | b) | Stormwater and flooding management of the development must ensure no worsening or actionable nuisance to Bells Creek Arterial. | b) | At all times. |
| | c) | Any works on the land must not: i) create any new discharge points for stormwater runoff onto the Bells Creek Arterial; ii) interfere with and/or cause damage to the existing stormwater drainage on the Bells Creek Arterial; iii) surcharge any existing culvert or drain on Bells Creek Arterial; iv) reduce the quality of stormwater discharge onto the Bells Creek Arterial and future rail corridor; or v) impede or interfere with hydraulic conveyance on the site. | c) | At all times. |
| | d) | Submit to EDQ IS, supporting documentation, certified by a RPEQ, confirming that the development has been constructed in accordance with parts a) to c) of this condition. | d) | Prior to survey plan endorsement for the relevant stage. |
| 38. | Str | eet Lighting | | |
| | | nply with either parts a) and c) or parts b) and c) of this dition. | | |
| | a) | Design and install a <u>Rate 2</u> street lighting system, certified by a RPEQ, to all roads, including footpaths/bikeways within road reserves. The design of the street lighting system must: i) meet the relevant standards of Energex; | a) | Prior to survey plan endorsement for the relevant stage. |

| PDA | Deve | Iopment Conditions | | |
|-----|------|--|------|--|
| No. | Con | lition | Timi | ing |
| | | ii) be endorsed by Energex as 'Rate 2 Public Lighting' iii) be endorsed by Council as the Energex 'billable customer'; iv) be generally in accordance with Australian Standards AS1158 – 'Lighting for Roads and Public Spaces. | | |
| | | OR | | |
| | b) | Design and install a <u>Rate 3</u> street lighting system, certified by a suitably qualified and experienced RPEQ, to all roads, including footpaths/bikeways within road reserves. The design of the street lighting system must: i) be in accordance with <i>Australian Standards AS1158 – 'Lighting for Roads and Public Spaces;'</i> ii) meet the requirements of AS3000 – 'SAA Wiring Rules'; and | b) | Prior to survey plan endorsement for the relevant stage. |
| | | iii) meet the requirements of Energex for unmetered supply. | c) | Prior to survey plan endorsement for the |
| | c) | Submit to EDQ IS 'as-constructed' plans and test documentation, certified by a RPEQ, in a format acceptable to Council. | | relevant stage. |
| 39. | Elec | tricity | | |
| | a) | Submit to EDQ IS a Certificate of Electricity Supply from Energex for the provision of electricity supply to the approved development. | a) | Prior to survey plan endorsement for the relevant stage. |
| | b) | Connect the approved development in accordance with the Certificate of Electricity Supply submitted under part a) of this condition. | b) | Prior to survey plan endorsement for the relevant stage. |
| 40. | Tele | communications | | |
| | a) | Submit to EDQ IS documentation from an authorised telecommunication service provider confirming that an agreement has been entered into for the provision of underground telecommunication services to the approved development. | a) | Prior to survey plan endorsement for the relevant stage. |
| | b) | Connect the approved development in accordance with the documentation submitted under part a) of this condition. | b) | Prior to survey plan endorsement for the relevant stage. |
| 41. | Bro | adband | | |
| | a) | Submit to EDQ IS written agreement, from an authorised telecommunications service provider, confirming that fibre-ready pit and pipe infrastructure designed to service the approved development can accommodate services compliant | a) | Prior to survey plan endorsement for the relevant stage |

| PDA | Deve | lopment Conditions | | |
|-----|-------|--|-----|---|
| No. | Con | dition | Tim | ing |
| | | with Industry Guideline G645:2017 Fibre-Ready Pit and Pipe Specification for Real Estate Development Projects. | | |
| | b) | Construct the fibre-ready pit and pipe infrastructure specified in the agreement submitted under part a) of this condition. | b) | Prior to survey plan endorsement for the relevant stage |
| 42. | Put | olic Infrastructure (Damage, Repairs and Relocation) | | |
| | a) | Repair any damage to existing public infrastructure caused by works carried out in association with the approved development. | a) | Prior to survey plan endorsement for the relevant stage |
| | b) | Where existing public infrastructure require repair or relocation, due to the approved development and/or works associated with the approved development, repair and/or relocate the public infrastructure at no cost to others and in accordance with statutory requirements and adopted design standards. | b) | Prior to survey plan endorsement for the relevant stage |
| | evide | E: It is recommended applicants record their own dated photographic nce of the condition of relevant existing public infrastructure both before and works carried out in association with the approved development. | | |
| 43. | | perty Note – Lots Impacted by Future Bells Creek Arterial erchange – No change | | |
| | a) | A request in writing shall be submitted to Council that written advice be included on rates notices/property notes for all lots that may be acoustically impacted by the future interchange, as determined by the acoustic modelling required by Condition 22 - Road Traffic Noise Assessment – Compliance Assessment. | a) | Prior to survey plan endorsement for any stage which includes the affected lots. |
| | | The property note is to include the following information: i) The Bells Creek Arterial Interchange may be required as part of future construction for the locality. ii) Lots may be subject to increased traffic noise once the interchange is constructed. This should be considered in the design and/or construction of dwellings on the lot. iii) Any property owner and/or future purchaser of the relevant lot and building certifier is to be made aware of the potential noise category increase. | | |
| | b) | Submit to EDQ DA a copy of the agreed wording to be included in the Property Note. | b) | Prior to survey plan endorsement for any stage which includes the affected lot |
| | | | | |

| PDA | Deve | lopment Conditions | | |
|------|--------------|---|-----|--|
| No. | Con | dition | Tim | ing |
| Elec | tric \ | /ehicle Readiness | | |
| 44. | Mul | tiple Residential Electric Vehicle Readiness – no change | | |
| | All I mus | Multiple Residential developments (excluding Duplex Lots) st: | As | required. |
| | a) | Include electric vehicle readiness in the development as follows: i) Provision of electrical capacity for Basic (slow) EVSE chargers for 100% of all parking bays, including visitor spaces. ii) Provision of conduits, cable trays and/or wiring from car park distribution boards to individual parking spaces to all unit parking bays (during construction) to enable future Basic (slow) EVSE installation. iii) Electric vehicle charging shall be capable of electrical load control to manage the development's electricity demand profile in the context of the network supply profile and designed with regard to fire retardance and ventilation. | | |
| | b) | The requirements under a) are not applicable for Multiple Residential lots used exclusively for social / community housing. | | |
| Land | lscap | e and Environment | r | |
| 45. | Stre | eetscape Works | | |
| | Plar | ere the streetscape works comply with Council's Infrastructure nning Scheme Policy – Landscaping (Open Space Landscape astructure Manual): | | |
| | a) | Submit to EDQ IS, detailed landscape plans for streetscape works, including a schedule of assets, certified by an AILA, in accordance with Council's Infrastructure Planning Scheme Policy – Landscaping. | a) | Prior to commencement of work for the relevant stage. |
| | b) | Construct the works generally in accordance with the certified plans submitted under part a) of this condition. | b) | Prior to survey plan endorsement for the relevant stage. |
| | c) | Submit to EDQ IS 'As Constructed' plans and asset register in a format acceptable to Council. | c) | Prior to survey plan endorsement for the relevant stage. |
| | Infra | ere the streetscape works do not comply with Council's astructure Planning Scheme Policy – Landscaping (Open ice Landscape Infrastructure Manual): | | |

| PDA | PDA Development Conditions | | | | |
|-----|----------------------------|--|------|---|--|
| No. | Con | dition | Timi | ing | |
| | d) | Submit to EDQ DA, for Compliance Assessment functional streetscape layout plans, including a schedule of proposed standard and non-standard assets to be transferred to Council certified by an AILA. | d) | Prior to commencement of work for the relevant stage. | |
| | | The detailed functional layout plans are to include where applicable: i) location and type of street lighting in accordance with Australian Standard AS1158 – 'Lighting for Roads and Public Spaces'; i) footpath treatments; ii) location and types of streetscape furniture; iii) location and size of stormwater treatment devices; and iv) street trees, including species, size and location generally in accordance with Council adopted planting schedules and guidelines. | | | |
| | e) | Submit to EDQ IS detailed streetscape works plans certified by an AILA generally in accordance with the endorsed plans required under part b) of this condition. | e) | Prior to survey plan endorsement for the relevant stage. | |
| | f) | Construct the works generally in accordance with the endorsed streetscape plans as required under part b) of this condition. | f) | Prior to survey plan endorsement for the relevant stage. | |
| | g) | Submit to EDQ IS 'As Constructed' plans and asset register in a format acceptable to Council. | g) | Prior to survey plan endorsement for the relevant stage. | |
| 46. | | k Plans and Landscape Works (Parks and Open Space) – npliance Assessment | | | |
| | a) | Submit to EDQ DA, for Compliance Assessment, detailed landscape plans, certified by an AILA, for proposed landscape works within parks and open space. The certified plans must include: i) a schedule of proposed standard and non-standard Contributed Assets to be transferred to Council; ii) landscaping designed generally in accordance with the <i>LGIA – Infrastructure Network Schedule 1 – Open Space</i> and the approved PoD; iii) Landscaping within the proposed local linear parks, local recreation park, neighbourhood sports park, and pedestrian links is to result in a low level of discontinuous bushfire fuel in accordance with the approved Bushfire Management Plan. | a) | Prior to commencement of landscape work for the relevant stage. | |
| | b) | Construct the landscape works generally in accordance with the endorsed plans required under part a) of this condition. | b) | Prior to survey plan endorsement for the relevant stage. | |

| PDA | Development Conditions | | | |
|------|--|-------|---|--|
| No. | Condition | Timiı | ng | |
| | c) Submit to EDQ IS, 'as constructed' plans, certified by an AILA, and asset register in a format acceptable to Council. | c) | Prior to survey plan endorsement for the relevant stage. | |
| 47. | Water Quality Monitoring – Bells Creek South | | | |
| | Submit to EDQ IS, pre-, during and post-construction water quality monitoring data for surface stormwater and groundwater in Bells Creek South catchments generally in accordance with the updated <i>Caloundra South Water Quality Management Plan</i> <i>(CSWQMP).</i> | As p | As per the CSWQMP | |
| Surv | eying, Land Dedication and Easements | | | |
| 48. | High Density Development Easements (lots ≤450m² in area) | | | |
| | Submit to EDQ DA high-density development easement documentation, in a registerable form, for approved lots ≤450m² in area and involving common wall construction. | | At or prior to survey plan endorsement for the relevant stage. | |
| | Register all high density development easements required under part a) of this condition. | b) | At registration of survey plan for the relevant stage. | |
| | NOTE: For the purposes of this condition, common wall construction includes the circumstances listed under section 94(2) (a) of the LTA (e.g. terrace housing on standard format lots). | | | |
| 49. | Reciprocal Easements (lots >450m ² in area) | | | |
| | Submit to EDQ DA reciprocal easement documentation, in a registerable form, for approved lots >450m² in area and involving common wall construction. | a) | At or prior to survey plan endorsement for the relevant stage. | |
| | Register all reciprocal easements required under part a) of this condition. | b) | At registration of survey plan for the relevant stage. | |
| | NOTE: For the purposes of this condition, common wall construction includes the circumstances listed under section 94(2) (a) of the LTA (e.g., terrace housing on standard format lots). | | | |
| 50. | Land Transfer | | | |
| | Demonstrate to EDQ DA, that all land to be transferred in fee simple is not registered on either the Environmental Management Register or the Contaminated Land Register. | | egistration of survey plan he relevant stage. | |
| 51. | Road Dedication – Stage 4B | | | |
| | Transfer, in fee simple to Department of Transport and Main Road as trustee, the land shown as Stage 4B. | ende | Prior to survey plan endorsement for either Stage 2 or Stage 3. | |
| | | | | |

| PDA | Development Conditions | |
|-------|--|---|
| No. | Condition | Timing |
| 52. | Land Transfer – Drainage | |
| | Transfer, in fee simple, to Council as trustee, all lots shown on the approved plans for drainage purposes. | In accordance with the LGIA. |
| 53. | Land Transfer – Park and Open Space | |
| | Transfer, in fee simple, to Council as trustee land shown on the approved plans for park and open space purposes. | In accordance with the LGIA. |
| 54. | Easements over Infrastructure | |
| | Provide public utility easements, in favour of and at no cost to the grantee, over infrastructure located in land (other than road) for Contributed Assets. | At registration of survey plan for the relevant stage. |
| | The terms of public utility easements are to be to the satisfaction of the Chief Executive Officer of the authority which is to accept and maintain the Contributed Assets. | |
| Infra | structure Charges | |
| 55. | Sub-Regional (Roads), Municipal and State Charge | |
| | In lieu of paying the municipal, state and sub-regional (roads) infrastructure charges, the applicant will provide the infrastructure in accordance with the following conditions of approval: Condition 24: Roadworks – Compliance Assessment Conditions 29, 30, 31: Water and Sewer; and Condition 53: Land Transfer – Park and Open Space. | As required by the relevant condition. |
| 56. | Sub-Regional (Water and Sewer) Charge | |
| | In lieu of paying the sub-regional (water and sewer) infrastructure charges, the applicant will: | |
| | a) Provide the MEDQ a copy of the Payment Certificate in accordance with clause W24.6 of the WWIA. | a) Prior to survey plan endorsement for the relevant stage. |
| | OR | loioran olagoi |
| | b) If the WWIA is no longer in effect, the applicant must pay to the MEDQ the relevant charges calculated in accordance with the IFF and indexed to the date of payment. | b) As required by the IFF. |
| 57. | Implementation Charge | |
| | The applicant must pay to the MEDQ the Implementation Charge calculated in accordance with the IFF and indexed to the date of payment. | As required by the IFF and LGIA. |
| | | |

| No. Co | DA Development Conditions | | | | | |
|----------|--|---|--|--|--|--|
| | ndition | Timing | | | | |
| General | – Plan of Development | | | | | |
| 58. C | arry out the Approved Development – PoD | | | | | |
| th ei | arry out the approved development generally in accordance with e approved Plan of Development and any documentation dorsed via Compliance Assessment as required by these nditions. | Prior to commencement of use and to be maintained. | | | | |
| 59. M | aintain the Approved Development – PoD | | | | | |
| a | aintain the approved development generally in accordance with y documentation endorsed via Compliance Assessment as quired by these conditions. | At all times following commencement of use. | | | | |
| 60. P | ans and Supporting Information – PoD | | | | | |
| a | Submit to EDQ DA, for Compliance Assessment plans/ supporting information for the compliance assessable uses listed in the approved Plan of Development for assessment against the approved Plan of Development. | a) Prior to commencement of building works. | | | | |
| b | is to detail and/or include the following where applicable: site location lot size and configuration; plans for each building (site plan, floor plans, elevations, sections, roof plans, external building materials and finishes, private and semi-private open space etc.); building height, gross floor area and site cover, number of dwelling units and bedrooms; on-site access, bicycle and vehicle parking and servicing arrangements (waste collection points, washdown bays, waste bin capacity, electric vehicle recharging stations etc); short duration pick up/drop off areas (taxi/ride share/school drop off); viii) entry and exit points for vehicles, pedestrians and/or cyclists; public realm and landscape plans; x) specialist assessment reports as required that may include traffic, civil engineering, geotechnical, flooding, acoustics and air quality. xi) an assessment of compliance against the approved Plan of Development. | b) Prior to commencement of building works. c) Prior to commencement | | | | |

| No. Condition Timing i) Site Based Construction Management Plan prepared by the principal site contractor that manages the following: noise and dust in accordance with the EP Act; stormwater flows around and through the site without increasing the concentration of total suspended solids or Prescribed Water Contaminants (as defined in the EP Act), causing ension, creating any ponding and causing any actionable nuisance to upstream and downstream properties; contaminated land, where required under a site suitability statement prepareties; contaminate land, where required under a site suitability statement prepareties; ster management: for the provision of safe and functional alternative pedestrian and cycle routes, past, through or around the site; for safe and functional lemporary vehicular access points and frequency of use; for the safe and functional loading and unloading of materials including the location of any remote loading sites; for the location of materials, structures, plant and equipment; of or proposed external hoardings and gantries (with clearances to street furniture and other public sector entity assets); of anticipated staging and programming; for demotional stafe and functional emergency exit routes; and for the provision of safe and functional emergency exit routes; and of anticipated staging and programming; for the provision of safe and functional emergency exit routes; and for the provision of safe and functional emergency exit routes; and any out of hours work as endorsed via Compliance Asses | PDA Development Conditions | | | | | | |
|--|----------------------------|-----------|--|--------|--|--|--|
| the principal site contractor thair manages the following: noise and dust in accordance with the EP Act; stormwater flows around and through the site without increasing the concentration of total suspended solids or Prescribed Water Contaminants (as defined in the EP Act), causing any actionable nuisance to upstream and downstream properties; contaminated land, where required under a site suitability statement prepared in accordance with section 389 of the EP Act; complaints procedures; site management: for the provision of safe and functional alternative pedestrian and cycle routes, past, through or around the site; to mitigate impacts to public sector entity assets, including street trees, on or external to the site; for safe and functional loading and unloading of materials including and unloading of materials including the location of any remote loading sites; for the location of materials, structures, plant and equipment; of wate generated by construction activities; of entipoyee and visitor parking areas; of anticipated staging and programming; for the provision of safe and functional alteriation of a sector and gentries (with clearances to street furniture and other public sector entity assets); of employee and visitor parking areas; of anticipated staging and programming; for the provision of safe and functional alterials, and gantries (with clearances to street furniture and other public sector entity assets); for the provision of safe and functional generated by construction activities; of anticipated staging and programming; for the provision of safe and functional emergency exit routes; and any out of hours work as endorsed via Compliance Assessment. traffic around and through the site during and outside of construction work hours; provision for the safe and functional management of pedestrian an | No. | Condition | | Timing | | | |
| through or around the site;3. provision of parking for workers and materials | No. | i) | Site Based Construction Management Plan prepared by the principal site contractor that manages the following: noise and dust in accordance with the EP Act; stormwater flows around and through the site without increasing the concentration of total suspended solids or Prescribed Water Contaminants (as defined in the EP Act), causing erosion, creating any ponding and causing any actionable nuisance to upstream and downstream properties; contaminated land, where required under a site suitability statement prepared in accordance with section 389 of the EP Act; complaints procedures; site management: for the provision of safe and functional alternative pedestrian and cycle routes, past, through or around the site; to mitigate impacts to public sector entity assets, including street trees, on or external to the site; for safe and functional temporary vehicular access points and frequency of use; for the safe and functional loading and unloading of materials including the location of any remote loading sites; for the location of materials, structures, plant and equipment; of eropsed external hoardings and gantries (with clearances to street furniture and other public sector entity assets); of anticipated staging and programming; for the provision of safe and functional and the public sector entity assets); and proposed external hoardings and gantries (with clearances to street furniture and other public sector entity assets); and proposed external hoardings and gantries (with clearances to street furniture and other public sector entity assets); for the provision of safe and functional emergency exit routes; and for the provision of safe and functional anterials are to be loaded/unloaded; of anticipated staging and programming; for of the provision of safe and functional emergency exit routes; and for the provision of safe and functi | | | | |

| PDA Development Conditions | | | | | |
|----------------------------|-----------|--|--------|--|--|
| No. | Condition | | Timing | | |
| No. | iii) | risk identification, assessment and identification of mitigation measures; ongoing monitoring, management review and certified updates (as required); and traffic control plans and/or traffic control diagrams, prepared in accordance with <i>Austroads Guide to Temporary Traffic Management</i>, for any temporary part or full road closures. Earthworks and Erosion and Sediment Control Plan (ESCP), certified by a RPEQ or an accredited professional in erosion and sediment control (CPESC), generally in accordance with the following guidelines: The construction phase stormwater management design objectives of the State Planning Policy 2017 (Appendix 2 Table A); Healthy Land and Water Technical Note: <i>Complying with the SPP - Sediment Management on Construction Sites</i> Urban Stormwater Quality Planning Guidelines 2010 (DEHP); and Best Practice Erosion and Sediment Control (International Erosion Control Association). | Timing | | |
| | iv) v) | Acid Sulfate Soils Management Plan where ASS are found on site, prepared in accordance with the <i>Queensland Acid Sulfate Soil Technical Manual Soil</i> <i>Management Guidelines v4.0 2014</i> (as amended from time to time). Stormwater Quality Management Plan certified by a RPEQ/AILA generally in accordance with the approved Stormwater Quality Management Plan and the LGIA Infrastructure Network 4 – Stormwater Part C – | | | |
| | | Infrastructure Network 4 – Stormwater Part C – Infrastructure Standards. | | | |

STANDARD ADVICE

Please note that to lawfully undertake development, it may be necessary to obtain approvals other than this PDA development approval. For advice on other approvals that may be necessary in relation to your proposal, it is recommended that you seek professional advice.

** End of Package **