

14 March 2025

Jennifer Duncan C/- Ken Drew Town Planning Pty Ltd Att: Mr Ken Drew PO Box 860 HAMILTON QLD 4007

Email: ken@kendrew.com.au

Dear Mr Drew

<u>Section 99 Approval - Application to Change PDA Development Approval</u> Material Change of Use (multiple dwelling – 33 units), Reconfiguring a Lot (four lots into two lots) and Operational Works (tidal works, earthworks and removal of significant vegetation) at Unit 32 12 Auster Street, Redland Bay (formerly known as 6-12 Auster Street, Redland Bay), described as Lot 32 on SP287109 (formerly Lots 2-5 on RP75327)

On 14 March 2025, pursuant to s.85(4)(b) of the *Economic Development Act 2012*, the Minister for Economic Development Queensland (MEDQ) decided to grant **all** of the PDA development application applied for, in accordance with the attached PDA decision notice.

The PDA decision notice and approved plans / documents can also be viewed in the MEDQ Development Approvals Register via the website at <u>Current applications and approvals</u>.

If you require any further information, please contact Nicole Tobias, Senior Planner, Development Assessment, in Economic Development Queensland, by telephone on (07) 3452 6752 or at nicole.tobias@edq.qld.gov.au, who will assist.

Yours sincerely

Brandon Bouda A/Director Development Assessment Economic Development Queensland





PDA Decision Notice

Site information			
Name of priority development area (PDA)	Weinam Creek		
Site address	Unit 32 12 Auster Street, Redland Bay (formerly known as 6-12 Auster Street, Redland Bay)		
Lot on plan description	Lot number	Plan description	
	Lot 32 (formerly Lots 2-5)	SP287109 (formally RP75327)	
PDA development application details			
DEV reference number	DEV2019/1001/9		
'Properly made' date	5 February 2025		
Type of application	 PDA development application for: Material change of use Preliminary approval Development permit Reconfiguring a lot Preliminary approval Development permit Operational work Preliminary approval Development permit Application to change PDA development approval Application to extend currency period 		
Proposed development	Material Change of Use (Multiple Dwelling – 33 Units), Reconfiguring a Lot (four lots into two) and Operational Works (Tidal Works, Earthworks and Removal of Significant Vegetation)		
PDA development approval details			
Decision of the MEDQ	 The MEDQ has decided to grant <u>all</u> of the PDA development approval applied for, <u>subject to</u> PDA development conditions forming part of this decision notice. The approval is for: A patio roof structure 		
Original Decision date	3 December 2019		
Change #1 Approval date	19 December 2019		
Change #2 Approval date	14 March 2025		
Currency period	6 years from the Original Decision date		

Assessment Team		
Assessment Manager (Lead)	Nicole Tobias, Senior Planner	
Manager	Julie-Anne Dawson, Manager	
Engineer	Nil.	
Director	Brandon Bouda, A/Director	
Delegate	Local Representative Committee	

Approved plans and documents

The plans and documents approved by the MEDQ and referred to in the PDA development conditions for the PDA development approval are detailed below.

Approved plans and documents		Number	Date
1.	Floor Plan – Proposed Vergola 32/12 Auster Street Redland Bay 4165	SK1	-
2.	Roof Plan – Proposed Vergola 32/12 Auster Street Redland Bay 4165	SK2	-
3.	Elevation - Proposed Vergola 32/12 Auster Street Redland Bay 4165	SK3	-
4.	Site Plan, prepared by thinktank architects (amended by applicant)	A010 Revision P	18/11/2021
5.	G.A Level 3 Floor Plan, prepared by thinktank architects (amended by applicant)	A 138 Revision O	22/11/2021
6.	G.A Roof Plan East, prepared by thinktank architects (amended by applicant)	A139 Revision V	27/09/2022
7.	Elevations, prepared by thinktank architects (amended by applicant)	A200 Revision V	09/02/2022
Plan	s and Documents previously approved on 3 Decem	ber 2019	
8.	Site Plan, prepared by thinktank architects	DA002 DA 1 RFI 2 Rev E	17/10/19
9.	Basement Floor Plan, prepared by thinktank architects	DA100 DA 1 RFI 2 Rev E	17/10/19
10.	Ground Floor Plan, prepared by thinktank architects	DA110 DA 1 RFI 2 Rev E	17/10/19
11.	Level 1 Floor Plan, prepared by thinktank architects	DA120 DA 1 RFI 2 Rev E	17/10/19
12.	Level 2 Floor Plan, prepared by thinktank architects	DA130 DA 1 RFI 2 Rev E	17/10/19
13.	Level 3 Floor Plan, prepared by thinktank architects	DA140 DA 1 RFI 2 Rev E	17/10/19
14.	Roof Plan, prepared by thinktank architects	DA150 DA 1 RFI 2 Rev E	17/10/19
15.	Elevations, prepared by thinktank architects	DA200 DA 1 RFI 2 Rev E	17/10/19
16.	Elevations, prepared by thinktank architects	DA201 DA 1 RFI 2 Rev E	17/10/19
17.	Sections, prepared by thinktank architects	DA300 DA 1 RFI 2 Rev E	17/10/19
18.	Sections, prepared by thinktank architects	DA400 DA 1 RFI 2 Rev E	17/10/19
19.	Screen details, prepared by thinktank architects	DA401 DA 1 RFI 2 Rev E	17/10/19
20.	Daylight factor, prepared by thinktank architects	DA410 DA 1 RFI 2 Rev E	17/10/19

21.	Perspectives 01, prepared by thinktank architects	DA600 DA 1 RFI 2 Rev E	17/10/19
22.	Perspectives 02, prepared by thinktank architects	DA601 DA 1 RFI 2 Rev E	17/10/19
23.	Perspectives 03, prepared by thinktank architects	DA602 DA 1 RFI 2 Rev E	17/10/19
24.	Perspectives 04, prepared by thinktank architects	DA603 DA 1 RFI 2 Rev E	17/10/19
25.	Perspectives 05, prepared by thinktank architects	DA604 DA 1 RFI 2 Rev E	17/10/19
26.	Materials, prepared by thinktank architects	DA700 DA 1 RFI 2 Rev E	17/10/19
27.	Villa and Units 1-20 GFA	W313.2 Rev B	17/10/19
28.	Earthworks Plan, prepared by Westera Partners	B18/082 E revision A	18/01/2019
29.	Earthwork Sections, prepared by Westera Partners	B18/082 E revision A	18/01/2019
30.	Revetment Wall Plan and Detail, prepared by Westra Partners	RVW.01 Rev C	February 2019
31.	Proposed Subdivision, 6-10 Auster St, Redland Bay, prepared by JDA Consultants Pty Ltd	02218_NewLots.dwg Comp. No 1Z	23/10/2018
32.	Stormwater Management Report, prepared by Westera Partners	document ref. B18-082	5/04/2019 Amended in red 14/11/19
33.	Flood Impact Assessment – Reponses to Information Request, prepared by Stormwater Consulting		8/05/2019 and 1/04/2019

Preamble, abbreviations, and definitions

PREAMBLE

Nil or insert preamble

ABBREVIATIONS AND DEFINITONS

The following is a list of abbreviations utilised in this approval:

AILA means a Landscape Architect registered by the Australian Institute of Landscape Architects.

CERTIFICATION PROCEDURES MANUAL means the document titled *Certification Procedures Manual*, prepared by EDQ, dated April 2020 (as amended from time to time).

CONTRIBUTED ASSET means an asset constructed under a PDA development approval or Infrastructure Agreement that will become the responsibility of an External Authority. For the purposes of operational works for a Contributed Asset, the following definitions apply:

- a) External Authority means a public-sector entity other than the MEDQ;
- b) **Parkland** means carrying out operational work related to the provision of parkland infrastructure;
- c) **Roadworks** means carrying out any operational work within existing or proposed road(s), to a depth of 1.5m measured from the top of kerb, and includes Streetscape Works;
- d) **Sewer Works** means carrying out any operational work related to the provision of wastewater infrastructure;
- e) **Streetscape Works** means carrying out any operational work within the verge of a road, including footpath surface treatments, street furniture, street lighting and landscaping;
- f) **Stormwater Works** means carrying out any operational work related to the provision of stormwater infrastructure; and
- g) **Water Works** means carrying out any operational work related to the provision of water infrastructure.

COUNCIL means the relevant local government for the land the subject of this approval.

EDQ means Economic Development Queensland.

IFF means the Infrastructure Funding Framework, prepared by the Department of State Development, Tourism and Innovation, dated 1 July 2020 (as amended from time to time).

MEDQ means the Minister for Economic Development Queensland.

PDA means Priority Development Area.

RPEQ means Registered Professional Engineer of Queensland.

Compliance assessment

Where a condition of this approval requires Compliance Assessment, Compliance Assessment is required in accordance with the following:

- a) The applicant must:
 - i) pay to MEDQ at the time of submission the relevant fee for Compliance Assessment, including any third party peer review costs which will be charged on a 100% cost recovery basis. The Compliance Assessment fees are set out in EDQ Development Assessment Fees and Charges Schedule¹ (as amended from time to time).
 - ii) submit to EDQ DA a duly completed Compliance Assessment form².
 - iii) submit to EDQ DA the documentation as required under the relevant condition.
- b) Where EDQ is satisfied the documentation submitted for Compliance Assessment meets the requirements of the relevant condition (or element of the condition), EDQ will endorse the documentation and advise by written notice.
- c) Compliance Assessment and endorsement can be repeated where a different design or solution, to that already endorsed, is sought.
- d) The process and timeframes that apply to Compliance Assessment are as follows:
 - i) applicant submits items required under a) above to EDQ DA for Compliance Assessment.
 - ii) within 20 business days EDQ assesses the documentation and:
 - 1. if satisfied, endorses the documentation; or
 - 2. if not satisfied, notifies the applicant accordingly.
 - iii) if the applicant is notified under ii.2. above, revised documentation must be submitted **within 20 business days** from the date of notification.
 - iv) within 20 business days EDQ assesses the revised documentation and:
 1. if satisfied, endorses the revised documentation; or

¹ The EDQ Development Assessment Fees and Charges Schedule is available at EDQ's website.

² The Compliance Assessment form is available at EDQ's website. It sets out how to submit documentation for Compliance Assessment and how to pay Compliance Assessment fees.

- 2. if not satisfied, notifies the applicant accordingly.
- v) where EDQ notifies the applicant as stated under iv.2. above, repeat steps iii. and iv. above. If either party is not satisfied by the outcome of this process, that party can elect to enter into a mediation process with an independent mediator agreed to by both parties.

Despite note v. above, the condition (or element of the condition) is determined to have been met only when EDQ endorses relevant documentation.

Submitting documentation to EDQ

Where a condition of this approval requires documentation to be submitted to either EDQ DA or EDQ IS, use the following email addresses:

- a) EDQ DA: pdadevelopmentassessment@edq.qld.gov.au
- b) EDQ IS: <u>PrePostConstruction@edq.qld.gov.au</u>

PDA	PDA Development Conditions			
No.	Condition	Timing		
Gen	eral			
1.	Carry out the Approved Development			
	Carry out the approved development generally in accordance with the approved plans and documents.	Prior to commencement of use		
2.	Certification of Operational Works			
	All operational works for contributed assets, undertaken in accordance with this approval are to comply with all requirements of and fulfil all responsibilities outlined in the <i>Certification Procedures Manual</i> .	As required by the <i>Certification Procedures</i> <i>Manual</i>		
3.	Maintain the Approved Development			
	Maintain the approved development (including landscaping, parking, driveways and other external spaces) generally in accordance with the approved plans and documents, and any other approval or endorsement required by these conditions.	At all times		
4.	Community Management Statement			
	 Any proposed Community Management Statement for the approved development must provide for: Restricted hours of access to and use of the north-easterly communal open space areas (adjacent to Units 10 and 11) to between the hours of 7am to 9pm Monday to Sunday; and Prompt removal of all debris from the building surrounds, resulting from flooding or storm tide inundation, at the registered landowner(s) or lessee(s) expense. 	Prior to endorsement of a Building Format Plan and to be maintained		

PDA	DA Development Conditions			
No.	Condition		Tir	ning
Engi	neering			
5.	Appointment of the Project Coordinator			
	 a) The Development Proponent must appoint suitably quinsured persons to carry out project coordination, certificati and of other matters required by conditions contained with development approval. 	ion of works		Prior to commencement of site works
	 The nominated project coordinator and certifiers must following criteria: i. Project coordinator must have project management a demonstrated experience commensurate with the so development; and ii. Certifiers must have the required technical qualificate discipline being certified and demonstrated experience commensurate with the scale of the development. 	skills and cale of the ions in the		
	b) Submit to EDQ Development Assessment for acceptance relevant qualifications and experience of the project coord certifiers.		b)	Prior to commencement of site works
6.	Construction Environment Management Plan			
	 a) Submit to EDQ Development Assessment a site-based C Environment Management Plan (CEMP), prepared by the p contractor, that manages the following: Noise and dust generated from the site during and o construction work hours in accordance with the <i>EnviProtection Act 1994</i>; Stormwater flows around or through the site without the concentration of total suspended solids or Presc. Water Contaminants (as defined in the <i>Environment Protection Act 1994</i>), causing erosion, creating any p and causing any actionable nuisance to upstream or downstream properties; Contaminated land (if required), including removal, the and replacement in accordance with a compliance p an approved contaminated land auditor; Measures to be taken to prevent polluting adjacent v result of silt run-off, oil and grease spills from maching v. Removal of structures from the creek bed; Turbidity in tidal waters as a result of the tidal works; Sediment disturbance and discharge into waterways works; The removal of the mangroves during times of limite to limit the suspension of sediment and increased tu within the adjacent waterway; and 	orincipal site outside <i>ironmental</i> increasing ribed tal ponding r reatment vermit from waters as a nery; ; s during ed tidal flow irbidity		Prior to commencement of site works

PDA	A Development Conditions			
No.	Condition	Timing		
	 A. Provision for pedestrian management including alternative pedestrian routes, past or around the site; B. Location of and impacts on any local authority's assets on or external to the site; C. Temporary vehicular access points and frequency of use; D. Provision for loading and unloading materials including the location of any remote loading sites; E. Location of materials, structures plant and equipment to be stored or placed on the construction site; F. Management of waste generated during the construction activities; G. How materials are to be loaded/unloaded and potential impacts on existing street trees; H. Location of proposed external hoardings and gantries (with clearances to street furniture and other footpath assets); I. Employee and visitor parking areas; and J. Anticipated staging, programming. 			
	 b) Prior to submitting the CEMP under part a) of this condition, the CEMP is to be reviewed and approved by an experienced RPEQ, or other suitably qualified and experienced person responsible for overseeing the construction works. c) Undertake all works generally in accordance with the CEMP submitted under part a) of this condition, which is to be current and available on 	commencement of site works		
7.	site at all times during the construction period. Traffic Management Plan			
	 a) Submit to EDQ Development Assessment, a Traffic Management Plan (TMP), certified by a person holding a current Traffic Management Level 3 qualification or higher. The TMP is to include the following: 	a) Prior to commencement of site works		
	 i. Provision for the management of traffic around and through the site during and outside of construction work hours; ii. Provision of parking for workers and materials delivery; iii. Risk identification, assessment and identification of mitigation measures; iv. Ongoing monitoring, management review and certified updates (as required); and v. Traffic control plans and/or traffic control diagrams, prepared in accordance with Manual of Uniform Traffic Control Devices (MUTCD), for any temporary part or full road closures of any Council or State road(s). 			
	b) Undertake all works generally in accordance with the certified TMP submitted under part a) of this condition, which is to be current and available on site at all times.	 b) At all times during construction 		

PDA	DA Development Conditions			
No.	Condition	Timing		
8.	Groundwater Management Strategy			
	a) Submit to EDQ Development Assessment, a Site Condition Report, certified an RPEQ to include groundwater risk assessment.	a) Prior to commencement of site works		
	 b) Where the Site Condition Report required under part a) of this condition identifies a groundwater risk, submit to EDQ Development Assessment, a Groundwater Management Strategy (GMS), certified by an RPEQ incorporating at a minimum: Strategies for managing groundwater during the staged works phases; An assessment of the groundwater conditions to determine appropriate construction management procedures; Strategies for a situation where the groundwater inflow is excessive and additional pumping is required (i.e. cut-off drain); and Supporting information confirming the GMS was prepared with reference to the relevant documentation prepared in accordance with Condition 6. 	commencement of		
	c) Where relevant, undertake all works in accordance with the GMS certified under part b) of this condition.	c) At all time during construction		
9.	Retaining Walls			
	a) Submit to EDQ Development Assessment, detailed engineering plans, certified by an RPEQ, of all retaining walls 1.0m or greater in height. Retaining walls shall be designed for a design life of not less than 50 years. The design of the walls shall be in accordance with AS4678 – Earth Retaining Structures and the relevant material standards e.g. AS3600 – Concrete Structures.	commencement of		
	Retaining walls are to be generally in accordance with <i>PDA Practice Note No. 10 – Plans of development</i> , unless otherwise approved by EDQ Development Assessment.			
	b) Construct the works generally in accordance with the certified plans submitted under part a) of this condition.	 b) At all times during construction 		
	c) Submit to EDQ Development Assessment, certification by an RPEQ that all retaining wall works 1.0m or greater in height have been carried out generally in accordance with the certified plans submitted under part a) of this condition.	commencement of		
10.	Revetment wall			
	 a) Submit to EDQ Development Assessment, detailed design plans certified by an RPEQ, demonstrating the revetment walls: i. reflect updated LAT data; ii. are wholly located within the property boundary; and 	a) Prior to commencement of site works		

PDA	A Development Conditions			
No.	Condition	Timing		
	 iii. are generally in accordance with approved plan <i>Revetment</i> Wall Plan and Detail, drawing no. RVW.01 Rev C, dated February 2019, prepared by Westra Partners. 			
	b) Carry out the works generally in accordance with the certified plans submitted under part a) of this condition.	 b) At all times during construction 		
	c) Submit to EDQ Development Assessment, certified as constructed plans that the works have been carried out generally in accordance with the approved plans submitted under part a) of this condition.	,		
11.	Filling and Excavation			
	 a) Submit to EDQ Development Assessment, detailed earthworks plans certified by an RPEQ, generally in accordance with AS3798 – 2007"Guidelines on Earthworks for Commercial and Residential Developments and the following approved plans: Earthworks Plan, drawing No. B18/082 E revision A, prepared by Westera Partners and dated 18/01/2019; and Earthwork Sections, drawing No. B18/082 E revision A, prepared by Westera Partners and dated 18/01/2019. 	commencement of site works		
	 The certified earthworks plans are to: Include a geotechnical soils assessment of the site; Be consistent with the Erosion and Sediment Control plans as required by Condition 31 – Erosion and Sediment Management; Be consistent with any ASSMP required by Condition 30 – Acid Sulfate Soils; Provide full detail of areas where dispersive soils will be disturbed, treatment of dispersive soils and their rehabilitation; Provide full details of any areas where surplus soils are to be stockpiled; Ensure the protection of adjoining properties and roads from ponding or nuisance stormwater; and Provide for the preservation of all drainage structures from the effects of structural loading generated by the earthworks. 			
	b) Carry out the earthworks generally in accordance with the certified plans submitted under part a) of this condition.	b) At all times during construction		
	c) Submit to EDQ Development Assessment, certification by an RPEQ that all earthworks have been carried out generally in accordance with the certified plans submitted under part a) of this condition and any unsuitable material encountered has been treated or replaced with suitable material.	commencement of		
12.	Vehicle Access			
	 a) Submit to EDQ Development Assessment, detailed design drawings certified by an RPEQ for the vehicle crossovers which are to: i. Be generally in accordance with the approved plans; 	a) Prior to commencement of		

PDA	DA Development Conditions			
No.	Condition	Timing		
	 ii. Be generally in accordance with the provisions of the <i>Redland City Council Plan – Transport, Servicing, Access and Parking Code</i>; and iii. Achieve immunity from the design storm tide inundation event level of 3.21m AHD. 	vehicle crossover works		
	b) Construct vehicle crossovers in accordance with the plans submitted under part a) of this condition.	 b) At all times during construction 		
	c) Submit to EDQ Development Assessment, certification by an RPEQ written evidence demonstrating that the crossovers have been constructed in accordance with part a) of this condition.	 c) Prior to commencement of use 		
13.	Existing Vehicle Crossovers			
	Remove the existing vehicle crossovers and reinstate the areas to match the road verge in Auster Street.	Prior to commencement of use		
14.	Car Parking			
	 a) Provide car parking spaces, delineated and signed generally in accordance with: Approved plans Basement Floor Plan, drawing number DA100 DA 1 RFI 2 Rev E dated 17/10/19, and Ground Floor Plan, drawing number DA110 DA 1 RFI 2 Rev E dated 17/10/19, prepared by thinktank architects; and AS2890 – Parking Facilities and the Redland City Council Plan – Transport, Servicing, Access and Parking Code. 	 a) Prior to commencement of use and to be maintained 		
	b) Submit to EDQ Development Assessment, certification by an RPEQ demonstrating that the parking facilities have been provided in accordance with part a) of this condition.	 b) Prior to commencement of use 		
15.	Bicycle Parking			
	 a) Provide bicycle parking delineated and signed generally in accordance with approved plan <i>Basement Floor Plan</i>, drawing number DA100 DA 1 RFI 2 Rev E dated 17/10/19. 	a) Prior to commencement of use and to be maintained		
	b) Submit to EDQ Development Assessment, written evidence demonstrating bicycle parking has been provided in accordance with part a) of this condition.	 b) Prior to commencement of use 		
16.	Footpath			
	 Construct a 1.5m wide footpath along the entire length of the site frontage to Auster Street generally in accordance with Council's standards. 	a) Prior to commencement of use		

PDA	A Development Conditions			
No.	Condition	Timing		
	 b) Submit to EDQ Development Assessment, "as constructed" plans certified by a RPEQ for the footpath constructed in accordance with part a) of this condition. 			
17.	Network Capacity			
	 Submit to EDQ Development Assessment, written advice from Redland Water that the following reports and their conclusions have been supported: a) Water Supply Network Capacity Assessment Final Report V1, dated 15 April 2019, prepared by H2One Pty Ltd; and b) Sewerage Network Capacity Assessment Final Report V2, dated 10 April 2019, prepared by H2One Pty Ltd. 	Prior to commencement of site works.		
18.	Water Connection			
	Connect the development to the existing water reticulation network in accordance with Redland Water current adopted standards.	Prior to commencement of use		
19.	Sewer Connection			
	Connect the development to the existing sewer reticulation network in accordance with Redland Water current adopted standards.	Prior to commencement of use		
20.	Stormwater Connection			
	Connect the development to a lawful point of discharge with 'no- worsening' to upstream or downstream properties for storm events up to 1% Annual Exceedance Probability (AEP) in accordance with Council current adopted standards.			
21.	Stormwater Management (Quality)			
	 a) Submit to EDQ Development Assessment, detailed engineering drawings, certified by an RPEQ for the proposed stormwater treatment devices designed generally in accordance with <i>PDA Guideline No. 13 Engineering standards – Stormwater quality</i> and the following documents: <i>Stormwater Management Report</i>, document ref. B18-082, prepared by Westera Partners and dated 5/04/2019; and <i>Flood Impact Assessment – Reponses to Information Request</i>, prepared by Stormwater Consulting and dated 8/04/2019 and 1/04/2019. 	commencement of		
	 b) Construct the works generally in accordance with the certified plans submitted under part a) of this condition. 	 b) At all times during construction 		
	 c) Provide evidence from an RPEQ that the works have been constructed generally in accordance with the certified plans submitted under part a) of this condition. 			

PDA	Development Conditions		
No.	Condition	Timing	
22.	Storm tide inundation – Minimum floor levels		
	 a) Construct works in accordance with the approved plans: Site Plan, drawing number DA002 DA 1 RFI 2 Rev E dated 17/10/19, prepared by thinktank architects; Basement Floor Plan, drawing number DA100 DA 1 RFI 2 Rev E dated 17/10/19 prepared by thinktank architects; Ground Floor Plan, drawing number DA110 DA 1 RFI 2 Rev E dated 17/10/19, prepared by thinktank architects; <i>Ground Floor Plan</i>, drawing number DA120 DA 1 RFI 2 Rev E dated 17/10/19, prepared by thinktank architects; <i>Level 1 Floor Plan</i>, drawing number DA120 DA 1 RFI 2 Rev E dated 17/10/19, prepared by thinktank architects; <i>Level 2 Floor Plan</i>, drawing number DA130 DA 1 RFI 2 Rev E dated 17/10/19, prepared by thinktank architects; <i>Level 3 Floor Plan</i>, drawing number DA140 DA 1 RFI 2 Rev E dated 17/10/19, prepared by thinktank architects; <i>Roof Plan</i>, drawing number DWG NO DA150 DA 1 RFI 2 Rev E dated 17/10/19, prepared by thinktank architects; <i>Elevations</i>, drawing number DA200 DA 1 RFI 2 Rev E dated 17/10/19, prepared by thinktank architects; <i>Elevations</i>, drawing number DA201 DA 1 RFI 2 Rev E dated 17/10/19, prepared by thinktank architects; 	a) At all times during construction	
	 b) Submit to EDQ Development Assessment, as-constructed drawings and documentation, certified by an RPEQ, demonstrating the development has been constructed to ensure that: The floor level of all habitable rooms is 300mm standard freeboard above the design storm tide event level of 3.21m AHD; and Critical services and infrastructure remain operational, up to the design storm tide event level of 3.21m AHD. 	-	
23.	Storm tide inundation – Removal of debris		
	Should development works, or the development, become damaged as a result of flooding or storm tide inundation, the registered landowner(s) or lessee(s) of the subject land shall be responsible for the removal of all debris promptly after the storm tide inundation event, at their own expense.	At all times	
24.	Outdoor Lighting		
	Outdoor lighting within the development is to be designed and installed in accordance with AS 4282:1997 Control of the Obtrusive Effects of Outdoor Lighting.	Prior to commencement of use and to be maintained	
25.	Electricity		
	Submit to EDQ Development Assessment, either:	Prior to commencement of site works	

PDA	Development Conditions		
No.	Condition	Timing	
i	a) written evidence from Energex confirming that existing underground low-voltage electricity supply is available to the development; or		
	b) written evidence from Energex confirming that the applicant has entered into an agreement with it to provide underground electricity services.		
26.	Telecommunications		
	Submit to EDQ Development Assessment, documentation from an authorised telecommunication service provider confirming that an agreement has been entered into for the provision of underground telecommunication services to the proposed development.		
27.	Broadband		
	Submit to EDQ Development Assessment, a written agreement from an authorised telecommunications service provider that infrastructure within the development as defined under the <i>Telecommunications Legislation Amendment (Fibre Deployment) Act 2011)</i> can be provided in accordance with the Communications Alliance G645:2017 guideline, to accommodate services which are compliant with the Federal Government's National Broadband Network policy.		
28.	Public Infrastructure – Damage, Repairs and Relocation		
	a) All works must not damage or compromise the function or performance of any existing public infrastructure.	a) At all times during construction	
	b) Notify, and obtain all necessary approvals from the relevant infrastructure provider where the development requires alterations to existing utility mains, services, roads, bikeways and footpaths, or other installations prior to commencing works.		
	c) Repair any damage to existing public infrastructure that occurs during Works carried out in association with the Development, within or external to the site, in compliance with the relevant standards and infrastructure provider's requirements. Rectification works are to be completed no later than 20 business days after damage occurs during Works, unless otherwise agreed to in writing by the EDQ Development Assessment.		
29.	Landscape Works – Compliance Assessment		
	 a) Submit to EDQ Development Assessment, for compliance assessment, concept landscape plans, prepared by an AILA, for landscape works which include: i. A species schedule; ii. Native species endemic to the area; iii. Finished surface levels; iv. Deep planting zones, including proposed canopy height and spread, along part of the frontage and the eastern side boundary setback; 	a) Prior to commencement of works	

PDA	De	velopment Conditions		
No.	Со	ndition	Tim	ing
		 v. Species that will provide immediate and substantial screening along full length of the eastern boundary; vi. Details of vertical planting elements; vii. Landscape elements within communal open space areas including outdoor furniture, shade structures, BBQ's and planter boxes; viii. Irrigation details; ix. Lighting details; x. Specification notes for plant establishment period and maintenance; xi. Fences and screens indicating materials, heights and construction details; and xii. Provision of street trees in accordance with Council requirements, the length of the site frontage to Auster Street at 10m intervals. 		
	b)	Construct the works generally in accordance with the plans approved under part a) of this condition.	,	At all times during construction
	c)	Submit to EDQ Development Assessment, a statement of compliance by an AILA certifying that the constructed works are generally in accordance with the plans approved under part a) of this condition.		Prior to commencement of use and to be maintained
30.	Ac	id Sulfate Soils (ASSMP)		
	a)	Submit to EDQ Development Assessment, an Acid Sulfate Soils Management Plan (ASSMP). The ASSMP is to be prepared certified by a suitably qualified professional in soils and/or erosion sediment control.	Í (Prior to commencement site works
		Acid sulfate soils are known to be present within the surrounding locality which may include the development site.		
	b)	Excavate, remove and/or treat on-site all acid sulfate soils generally in accordance with the certified ASSMP submitted under part a) of this condition.		At all times during construction
31.	Ere	osion and Sediment Management		
	a)	 Submit to EDQ Development Assessment, an Erosion and Sediment Control Plan (ESCP) certified by an RPEQ or an accredited professional in erosion and sediment control (CPESC), generally in accordance with the following guidelines: i. Urban Stormwater Quality Planning Guidelines, dated 2010, prepared by the former Department of Environment and Heritage Protection; and ii. Best Practice Erosion and Sediment Control, dated November 2008, prepared by the International Erosion Control Association Australasia (as amended from time to time). 	. (Prior to commencement of site works

PDA	Development Conditions	
No.	Condition	Timing
	The ESCP is to demonstrate how the works will not release sediment into tidal waters.	
	b) Implement the certified ESCP as submitted under part a) of this condition.	 b) At all times during construction
32.	Refuse Collection	
	Submit to EDQ Development Assessment, refuse collection approval from Council or a private waste contractor.	Prior to commencement of use
33.	Approval of 'as constructed' sustainable design	
	a) Ensure the development can achieve a NatHERS rating of 5 stars.	a) Prior to commencement of building works
	b) Submit to EDQ Development Assessment, written evidence, from a suitably qualified sustainability professional, that the development has been constructed to meet part a) of this condition.	
Surv	eying, land transfers and easements	
34.	Easements over Infrastructure	
	Public utility easements are to be provided, in favour of and at no cost to the grantee, over infrastructure located in land that becomes contributed assets.	Prior to commencement of use or endorsement of a Building Format Plan, whichever occurs first
	The terms of the easements are to be to the satisfaction of the Chief Executive Officer of the authority which ultimately is to takeover and maintain the contributed assets.	
Infra	structure Charges	
35.	Unless a relevant infrastructure agreement provides to the contrary, pay to the MEDQ, the applicable infrastructure changes under the IFF calculated as follows:	In accordance with the IFF
	 a) where a use has commenced on or before six (6) years from the original decision date – in accordance with the IFF in force at the time of the original decision date (July 2019); OR 	
	 b) where a use has commenced more than six (6) years from the original decision date – in accordance with the IFF in force at the time of the payment; AND 	
	 c) certified construction plans detailing the GFA must also be provided to the MEDQ prior to the commencement of use for calculation of final charges. 	

STANDARD ADVICE

Please note that to lawfully undertake development, it may be necessary to obtain approvals other than this PDA development approval. For advice on other approvals that may be necessary in relation to your proposal, it is recommended that you seek professional advice.

** End of Package **