#### Yield Breakdown Lot Type Overall Yield 25m Deep Product Villa 10m Allotment 0.0% Premium Villa 12.5m Allotm 0.5% Courtyard 14m Allotment 0.8% Premium Courtyard 16m Allotment 0.0% 0.0% Premium Traditional 20m Allotment 5 1.3% 28m Deep Terrace Product 10 2.5% Terrace 9m Allotment 1.0% Subtotal 14 3.5% 30m Deep Product


Villa 10m Allotment	50	12.6%
Premium Villa 12.5m Allotment	110	27.8%
Courtyard 14m Allotment	153	38.6%
Premium Courtyard 16m Allotment	45	11.4%
Traditional 18m Allotment	_	0.0%
Premium Traditional 20m Allotment	16	4.0%
Possible Multiple Residential Allotment	3	0.8%
Subtotal	377	95.2%
Total Residential Allotments	396	100.0%
Residential Net Density	15.1 0	dw/ha
Super Lots	Lo	ots
Super Lots Medium Density Allotment		ots 1
•		
Medium Density Allotment	2	1
Medium Density Allotment Balance Allotment	2	1

# **Land Budget**

15.3 dw/ha

Maximum Potential Net Residential Denisty

Lana Baagot		
Land Use	Ove	erall
Land Use	Area	%
	144.025 ha	100.0%
Saleable Area		
Residential Allotments	16.542 ha	11.5%
Medium Density	2.863 ha	2.0%
Total Area of Allotments	19.405 ha	13.5%
Road		
North South Arterial Dedication (incl. batters)	0.132 ha	0.1%
Trunk Connector 2 Lanes (23.7m)	4.135 ha	2.9%
Neighbourhood Connector (20.2m)	0.687 ha	0.5%
Neighbourhood Access Street (16.5m)	6.101 ha	4.2%
Laneway (6.5m)	0.082 ha	0.1%
Pedestrian Linkages	0.642 ha	0.4%
Total Area of New Road	11.779 ha	8.2%
Open Space		
Conservation Buffer	1.988 ha	1.4%
Corridor Park / Conservation	18.061 ha	12.5%
Regional Sports	_	0.0%
District Sports	8.560 ha	5.9%
Neighbourhood Recreation Park	1.905 ha	1.3%
Local Recreation Park	0.293 ha	0.2%
Local Linear Recreation Park	_	0.0%
Total Open Space	30.807 ha	21.4%
Balance Allotment		
Balance Allotment	82.034 ha	57.0%
Total Total Balance Allotment	82.034 ha	57.0%



PLAN REF: 110056 - 623

DATE: 12 DECEMBER 2024 PEET CLIENT: DRAWN BY: JC / MM



200 1:4,000 @ A3

referred to in the PDA **DEVELOPMENT APPROVAL** 

Approval no: DEV2024/1491 7 May 2025



**STAGE 14 OVERALL PLAN OF SUBDIVISION**  PEET

URBAN DESIGN Level 8 31 Duncan Street PO Box 1559 Fortitude Valley QLD 4006 T +61 7 3539 9500 W presgroup com

A TETRA TECH COMPANY

© COPYRIGHT

# Yield Breakdown

Lot Type	Stage 14A	Stage 14B	Stage 14C	Stage 14D	Stage 14E	Stage 14F	Stage 14G	Stage 14H	Stage 14I	Stage 14J	Stage 14K	Stage 14L	Stage 14M	Stage 14N	Stage 140	Stage 14P	Stage 14Q-1	Stage 14Q-2	Stage 14Q-3	Stage 14R	Stage 14S-1	Stage 14S-2	Stage 14S-3	Stage 14S-4	Stage 14S-5	Balance	Ove	erall
	Yield	Yield	Yield	Yield	Yield	Yield	Yield	Yield	Yield	Yield	Yield	Yield	Yield	Yield	Yield	Yield	Yield	Yield	Yield	Yield	Yield	Yield	Yield	Yield	Yield	Yield	Yield	%
25m Deep Product	Tiolu	11010	11010	11010	11010	11010	11014	11010	11014	11010	11010	11010	11014	11010	11010	11014	11010	11010	11010	11014	11010	11014	11010	11014	11010	Tiola	Tiolu	/*
Villa 10m Allotment	_	_	_	_	_	_	_	_	_	_	I –	_	_	Ι –	Ι –		_	_	_	_	_	_	_	_	Ι –	_	_	0.0%
Premium Villa 12.5m Allotment	_	_	_	_	_	_	_	_	_	_	2	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	2	0.5%
Courtyard 14m Allotment	_	_	_	_	_	_	_	_	_	1	2	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	3	0.8%
Premium Courtyard 16m Allotment	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	0.0%
Premium Traditional 20m Allotment	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	0.0%
Subtotal	_	_	_	_	_	_	_	_	_	1	4	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	5	1.3%
28m Deep Terrace Product																												
Terrace 7.5m Allotment	_	_	10	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	10	2.5%
Terrace 9m Allotment	_	_	4	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	4	1.0%
Subtotal	-	_	14	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	14	3.5%
30m Deep Product																												
Villa 10m Allotment	1	3	2	1	3	4	_	3	5	_	5	4	3	9	2	5	_	_	_	_	_	_	_	_	_	_	50	12.6%
Premium Villa 12.5m Allotment	4	10	5	6	7	9	_	4	6	7	15	8	9	13	4	3	_	_	_	_	_	_	_	_	_	_	110	27.8%
Courtyard 14m Allotment	17	14	4	14	13	13	_	3	12	8	19	13	9	9	4	1	_	_	_	_	_	_	_	_	_	_	153	38.6%
Premium Courtyard 16m Allotment	5	1	1	11	7	3	_	1	4	_	4	2	5	_	1	_	_	_	_	_	_	_	_	_	_	_	45	11.4%
Traditional 18m Allotment	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	0.0%
Premium Traditional 20m Allotment	3	_	1	3	2	1	_	1	1	4	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	16	4.0%
Possible Multiple Residential Allotment	_	_	_	_	1	_	_	_	_	1	_	_	1	_	_	_	_	_	_	_	_	_	_	_	_	_	3	0.8%
Subtotal	30	28	13	35	33	30	_	12	28	20	43	27	27	31	11	9	_	_	_	_	_	_	_	_		_	377	95.2%
																							,					
Total Residential Allotments	30	28	27	35	33	30	_	12	28	21	47	27	27	31	11	9	_	_	_	_	_	_	_	_	_	_	396	100.0%
Residential Net Density	19.9	17.7	14.8	15.6	16.7	15.0	_	19.6	17.2	11.5	16.9	17.9	17.4	18.5	21.7	27.7	_	_	_	_	_	_	_	_	_	_	15.1	dw/ha
·	dw/ha	dw/ha	dw/ha	dw/ha	dw/ha	dw/ha		dw/ha	dw/ha	dw/ha																		
Super Lots																												
Medium Density Allotment		_		_	_	Ι _	_	Ι _	_	I _	I _	_	_	Ι _	Ι _	T _	_	_	_	4		_	_	_	Ι _	I _		
Balance Allotment			-	$\vdash \equiv$	+=-	$+ \equiv -$		$+ \equiv -$	_		$+ \equiv$	<del></del>		+ =	<del>                                     </del>						-	-		-		2		2
Subtotal						<del></del>		<del></del>	_		<del></del>			<del>                                     </del>						1					<del>                                     </del>	2		3
Custotai																				•						_		
Total Allotments	30	28	27	35	33	30	_	12	28	21	47	27	27	31	11	9	_	_	_	1		_	_	_	Τ _	2	3:	99
																									1			
Maximum Potential Residential Dwellings (Includes Multiple Residential Allotments)	30	28	27	35	35	30	_	12	28	22	47	27	29	31	11	9	_	_	_	_	_	_	_	_	_	_	4	l01
Maximum Potential Net Residential Density	19.9 dw/ha	17.7 dw/ha	14.8 dw/ha	15.6 dw/ha	17.7 dw/ha	15.0 dw/ha	_	19.6 dw/ha	17.2 dw/ha	12.0 dw/ha	16.9 dw/ha	17.9 dw/ha	18.7 dw/ha	18.5 dw/ha	21.7 dw/ha	27.7 dw/ha	_	_	_	_	_	_	_	_	_	_	15.3	dw/ha

# **Land Budget**

Land Use	Stage 14A	Stage 14B	Stage 14C	Stage 14D	Stage 14E	Stage 14F	Stage 14G	Stage 14H	Stage 14I	Stage 14J	Stage 14K	Stage 14L	Stage 14M	Stage 14N	Stage 140	Stage 14P	Stage 14Q-1	Stage 14Q-2	Stage 14Q-3	Stage 14R	Stage 14S-1	Stage 14S-2	Stage 14S-3	Stage 14S-4	Stage 14S-5	Balance	Ove	rall
	Area	Area	Area	Area	Area	Area	Area	Area	Area	Area	Area	Area	Area	Area	Area	Area	Area	Area	Area	Area	%							
Stage Area	1.505 ha	1.583 ha	1.824 ha	2.250 ha	1.979 ha	2.002 ha	2.041 ha	1.489 ha	1.628 ha	1.827 ha	2.789 ha	1.509 ha	1.552 ha	1.677 ha	1.247 ha	1.716 ha	1.905 ha	8.354 ha	1.988 ha	2.863 ha	1.218 ha	8.560 ha	0.687 ha	7.669 ha	0.129 ha	82.034 ha	144.025 ha	100.0%
Saleable Area																												
Residential Allotments	1.388 ha	1.120 ha	0.908 ha	1.664 ha	1.436 ha	1.282 ha	_	0.483 ha	1.190 ha	1.016 ha	1.923 ha	1.085 ha	1.116 ha	1.171 ha	0.435 ha	0.325 ha	_	_	_	_	_	_	_	_	_	_	16.542 ha	11.5%
Medium Density	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	2.863 ha	_	_	_	_	_	_	2.863 ha	2.0%
Total Area of Allotments	1.388 ha	1.120 ha	0.908 ha	1.664 ha	1.436 ha	1.282 ha	_	0.483 ha	1.190 ha	1.016 ha	1.923 ha	1.085 ha	1.116 ha	1.171 ha	0.435 ha	0.325 ha	_	_	_	2.863 ha	_	_	_	_	_	_	19.405 ha	13.5%
Road																												
North South Arterial Dedication (incl. batters)	_	-		_	_	_	_	I	_	_	_	_	ı	_	_	_	_	_	_	_	_	_	_	0.003 ha	0.129 ha	_	0.132 ha	0.1%
Trunk Connector 2 Lanes (23.7m)	_	_	_	_	_	_	_	0.877 ha	_	_	_	_		_	0.740 ha	1.391 ha	_	_	_	_	1.127 ha	_	_	_	_	_	4.135 ha	2.9%
Neighbourhood Connector (20.2m)	_	_	_	_	_	_			_	_	_			_	_	_	_		_	_	_	_	0.687 ha	_	_	_	0.687 ha	0.5%
Neighbourhood Access Street (16.5m)	0.051 ha	0.427 ha	0.680 ha	0.556 ha	0.543 ha	0.684 ha	_	0.046 ha	0.438 ha	0.582 ha	0.758 ha	0.424 ha	0.436 ha	0.476 ha	_	_	_		_	_	_	_	_	_	_	_	6.101 ha	4.2%
Laneway (6.5m)	_	_	0.082 ha	_	_	_	_		_	_	_			_	_	_	_		_	_	_	_	_	_	_	_	0.082 ha	0.1%
Pedestrian Linkages	0.066 ha	0.036 ha	0.075 ha	0.030 ha	_	0.036 ha	1	0.083 ha	_	0.015 ha	0.108 ha		-	0.030 ha	0.072 ha	_	_		_	_	0.091 ha	_	_	_	_	_	0.642 ha	0.4%
Total Area of New Road	0.117 ha	0.463 ha	0.837 ha	0.586 ha	0.543 ha	0.720 ha		1.006 ha	0.438 ha	0.597 ha	0.866 ha	0.424 ha	0.436 ha	0.506 ha	0.812 ha	1.391 ha	_	_	_	_	1.218 ha	_	0.687 ha	0.003 ha	0.129 ha	_	11.779 ha	8.2%
Open Space																												
Conservation Buffer	_	_	_	_	_	_	_	-	_	_	_	_	_	_	_	_	_	_	1.988 ha	_	_	_	_	_	_	_	1.988 ha	1.4%
Corridor Park / Conservation	_	-		_	_	_	2.041 ha	ı	_	_	_	_	_	_	_	_		8.354 ha	_	_	_	_	_	7.666 ha		_	18.061 ha	12.5%
Stormwater Management	_	-		_	_	_	_	l	_	_	_	_	ı	_	_	_	_	_	_	_	_	_	_	_		_	I	0.0%
Regional Sports	_	-		_	_	_	_	I	_	_	_	_	ı	_	_	_	_	_	_	_	_	_	_	_		_	I	0.0%
District Sports	_	_	_	_	_	_	_	I	_	_	_	_		_	_	_	_	_	_	_	_	8.560 ha	_	_	_	_	8.560 ha	5.9%
Neighbourhood Recreation Park	_	_	_	_	_	_	_		_	_	_			_	_	_	1.905 ha		_	_	_	_	_	_	_	_	1.905 ha	1.3%
Local Recreation Park	_	_	0.079 ha	_	_	_	_		_	0.214 ha	_			_	_	_	_		_	_	_	_	_	_	_	_	0.293 ha	0.2%
Local Linear Recreation Park	_	_	_	_	_	_	_	-	_	_	_	_		_	_	_	_	_	_	_	_	_	_	_	_	_	1	0.0%
Total Open Space	_	_	0.079 ha	_	-	_	2.041 ha	-	_	0.214 ha	_	-	-	_	_	_	1.905 ha	8.354 ha	1.988 ha	_	_	8.560 ha	_	7.666 ha	_	_	30.807 ha	21.4%
Balance Allotment																												
Balance Allotment	_	_	_	_	_	_	_		_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	82.034 ha	82.034 ha	57.0%
Total Total Balance Allotment	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_		_	_	_	_	_	_	_	_	82.034 ha	82.034 ha	57.0%

PLAN REF: 110056 - 624

Rev No: B

DATE: 12 DECEMBER 2024

CLIENT: PEET

DRAWN BY: JC / MM

CHECKED BY: MD

PLANS AND DOCUMENTS referred to in the PDA DEVELOPMENT APPROVAL Approval no: DEV2024/1491


7 May 2025


Queensland Governmen FLAGSTONE CA3 SOUTH
STAGE 14 OVERALL
PLAN OF SUBDIVISION



URBAN DESIGN
Level 8
31 Duncan Street
PO Box 1559
Fortitude Valley QLD 4006
T +61 7 3539 9500
W rpsgroup.com
© COPYRIGHT
Unauthorised reproduction or amen







Yield Breakdown Stage 14L Stage 14M Stage 14N Stage 14O Stage 14L Stage 14M Stage 14N Stage 140 Overall Lot Type Overall Land Use Area Area Area Area Yield Yield Yield Yield Yield % 25m Deep Product 1.509 ha 1.552 ha 1.677 ha 1.247 ha 5.985 ha 100.0% Saleable Area Villa 10m Allotmen 0.0% Premium Villa 12.5m Allotment Residential Allotments 1.085 ha 1.116 ha 1.171 ha 0.435 ha 3.807 ha 63.6% 0.0% Medium Densit Courtyard 14m Allotment 0.0% 0.0% Total Area of Allotments 1.085 ha 1.116 ha 1.171 ha 0.435 ha 3.807 ha 63.6% Premium Courtyard 16m Allotment \_ 0.0% Road Premium Traditional 20m Allotment \_ 0.0% North South Arterial Dedication (incl. batters) Subtotal 0.0% 0.0% 28m Deep Terrace Product Trunk Connector 2 Lanes (23.7m) 0.740 ha 0.740 ha 12.4% Neighbourhood Connector (20.2m) 0.0% Terrace 7.5m Allotment 0.0% Neighbourhood Access Street (16.5m) 0.424 ha 0.436 ha 0.476 ha 1.336 ha 0.0% 22.3% Laneway (6.5m) 0.0% Subtotal 0.0% 30m Deep Product Pedestrian Linkages 0.030 ha 0.072 ha 0.102 ha 1.7% 0.506 ha Total Area of New Road 0.424 ha 0.436 ha 0.812 ha 2.178 ha 36.4% Villa 10m Allotment 18.8% 4 3 9 2 18 Premium Villa 12.5m Allotment Open Space 9 13 35.4% 8 34 Courtyard 14m Allotment 0.0% 13 9 9 35 36.5% Corridor Park / Conservation Premium Courtyard 16m Allotment 2 5 8.3% 0.0% 1 8 Regional Sports 0.0% Traditional 18m Allotment 0.0% 0.0% Premium Traditional 20m Allotment 0.0% Neighbourhood Recreation Park 0.0% Possible Multiple Residential Allotment 1 1.0% 0.0% Subtotal 27 27 31 11 96 100.0% Local Recreation Park Local Linear Recreation Park 0.0% **Total Open Space Total Residential Allotments** 27 27 31 11 96 100.0% 0.0% Residential Net Density 17.9 dw/ha 17.4 dw/ha 18.5 dw/ha 21.7 dw/ha Super Lots Lots Lots Lots Lots Lots Stage 145. Medium Density Allotment Subtotal Stage 14Q-2 **Stage 14S-3 Maximum Potential Residential Dwellings** 27 11 98 29 31 Stage 14P (Includes Multiple Residential Allotments) Stage 14R **Stage 14S-2** Maximum Potential Net Residential Denisty | 17.9 dw/ha | 18.7 dw/ha | 18.5 dw/ha | 21.7 dw/ha 480m² 420m² 480m² 4560 Road 470m² 4562 **KEY MAP** \$4529 375m² 470m² 420m² 420m² 435m² 4481 Road Esplanade New Mige. Wide 4530 375m2 4480 14.5m 420m 300m² 4479 420m 420mi 300m² 4478 4504 470m2 d 375m2 4477 420m 420m 4565 420m 4582 375m2 4476 4588 420m² 420m² 4475 4589 470m² z 375m² 4474 Road 4428 New 300m² 4473 Wide 470m² 4429 4427 16.5m 16.5M 375m2 4472 tage 4/,46 375m² 4430 4426 480m² 4445 375m² 375m2 4431 5 4447 4425 420m 470m² 4444 375m² 300m² 4432 4448 4424 480mi 37.5m2 300m<sup>2</sup> 4433 4443 300m² 4470 375m2 4449 Legend 4442 300m2 300m² 31002 4434 4423 A20m2 4469 300m² 375m² 4450° General 4441 375m² 300m2 4435 **Application Boundary** \$ 4468 375m² Stage Boundary 4422 530m² 4440 300m² 375m² 4436 Sub Stage Boundary 420m² =4467 420m² Concept Design Contours (1m) 4452 3 4439 375m² Possible Multiple Residential Allotment (Max. no. of dwellings) 375m² 1 4438 425m2 425m2 4 137 \$ 4466 375m² 300m² 44535 Road Bus Stop Catchment (400m) Indicative Indented Bus Stop Location New \$4465 300m² 454 16.5m Wide Neighbourhood Park Catchment (400m) 375m² 4464 375m² 4455 4420 Note: All Lot Numbers, Dimensions and Areas are 4421 4463 450m2 approximate only, and are subject to survey and Council approval. 4456 480m² 4457 Dimensions have been rounded to the nearest 0.1 480m² metres. 4460 4459 420m Areas have been rounded down to the nearest 5m2. 420m \$4462 480m<sup>2</sup> PLANS AND DOCUMENTS The boundaries shown on this plan should not be W. used for final detailed engineers design. referred to in the PDA **DEVELOPMENT APPROVAL** 4461 420m² **Source Information:** Site boundaries: Veris Approval no: DEV2024/1491 Adjoining information: Veris. Design Contours: Colliers (29-08-2024). Date: 7 May 202 Environment constraints: Saunders Havill Group Existing Q100: Engeny. North South Arterial Alignment: Colliers. URBAN DESIGN Level 8 31 Duncan Street PO Box 1559 PLAN REF: 110056 - 627 FLAGSTONE CA3 SOUTH Rev No: DATE: 12 DECEMBER 2024 **STAGE 14L, 14M - 14O** Fortitude Valley QLD 4006 **T** +61 7 3539 9500 CLIENT: PEET DRAWN BY: JC / MM W rpsgroup.com **PLAN OF SUBDIVISION** 


CHECKED BY: MD


1:1,500 @ A3

**Land Budget** 

© COPYRIGHT

A TETRA TECH COMPANY





# Stage 14R **Stage 14S-2** Stg **KEY MAP** Scale: 1 : 12,000

# Yield Breakdown

Lot Type	Stage 14H	Stage 14R	Ov	erall
	Yield	Yield	Yield	%
25m Deep Product				•
Villa 10m Allotment	_	_	_	0.0%
Premium Villa 12.5m Allotment	_	_	_	0.0%
Courtyard 14m Allotment	_	_	_	0.0%
Premium Courtyard 16m Allotment	_	_	_	0.0%
Premium Traditional 20m Allotment	_	_	_	0.0%
Subtotal	_	_	_	0.0%
28m Deep Terrace Product				
Terrace 7.5m Allotment	_		_	0.0%
Terrace 9m Allotment	_	_	_	0.0%
Subtotal	I	_	_	0.0%
30m Deep Product				
Villa 10m Allotment	3	_	3	25.0%
Premium Villa 12.5m Allotment	4	_	4	33.3%
Courtyard 14m Allotment	3	_	3	25.0%
Premium Courtyard 16m Allotment	1	_	1	8.3%
Traditional 18m Allotment	_	_	_	0.0%
Premium Traditional 20m Allotment	1	_	1	8.3%
Possible Multiple Residential Allotment	_	_	_	0.0%
Subtotal	12	_	12	100.0%
Total Residential Allotments	12		12	100.0%
Residential Net Density	19.6 dw/ha	_		
Super Lots	Lots	Lots	L	ots
Medium Density Allotment		1		1
Subtotal	_	1		1
Maximum Potential Residential Dwellings (Includes Multiple Residential Allotments)	12	_		12
Maximum Potential Net Residential Denisty	19.6 dw/ha	_		

91409 1.988ha 91408 8.354ha **Diagram A** Scale: 1:5,000

# Land Budget

	1	Buaget	Ctono				1
Land Use	Stage 14H	Stage 14Q-2	Stage 14Q-3	Stage 14R	Ove	erall	
	Area	Area	Area	Area	Area	%	
	1.489 ha	8.354 ha	1.988 ha	2.863 ha	14.694 ha	100.0%	
Saleable Area							
Residential Allotments	0.483 ha	_	_	_	0.483 ha	3.3%	
Medium Density	_	_	_	2.863 ha	2.863 ha	19.5%	
Total Area of Allotments	0.483 ha	1	_	2.863 ha	3.346 ha	22.8%	
Road							
North South Arterial Dedication (incl. batters)	_	_	_	_	-	0.0%	
Trunk Connector 2 Lanes (23.7m)	0.877 ha	_	_	_	0.877 ha	6.0%	Note:
Neighbourhood Connector (20.2m)	_	_	_	_	_	0.0%	All Lot Numbers, Dimensions and Areas are
Neighbourhood Access Street (16.5m)	0.046 ha	_	_	_	0.046 ha	0.3%	approximate only, and are subject to survey
Laneway (6.5m)	_	_	_	_	_	0.0%	and Council approval.
Pedestrian Linkages	0.083 ha	_	_	_	0.083 ha	0.6%	Dimensions have been rounded to the nearest 0.1 metres.
Total Area of New Road	1.006 ha	_	_	_	1.006 ha	6.8%	Areas have been rounded down to the
Open Space							nearest 5m².
Conservation Buffer	_	_	1.988 ha	_	1.988 ha	13.5%	The boundaries shown on this plan should not
Corridor Park / Conservation	_	8.354 ha	_	_	8.354 ha	56.9%	be used for final detailed engineers design.
Regional Sports	_	_	_	_	_	0.0%	Source Information:
District Sports	_	_	_	_	_	0.0%	Site boundaries: Veris.
Neighbourhood Recreation Park	_	_	_	_	_	0.0%	Adjoining information: Veris.  Design Contours: Colliers (29-08-2024).
Local Recreation Park	_	_	_	_	_	0.0%	Environment constraints: Saunders Havill
Local Linear Recreation Park	_	_	_	_	_	0.0%	Group.
Total Open Space	_	8.354 ha	1.988 ha	_	10.342 ha	70.4%	Existing Q100: Engeny.  North South Arterial Alignment: Colliers.

# Note:

PLAN REF: 110056 - 629

Rev No: 12 DECEMBER 2024 DATE: CLIENT: PEET DRAWN BY: JC / MM CHECKED BY: MD

7 May 2025

PLANS AND DOCUMENTS
referred to in the PDA FLAGO NE CA3 SOUTH
DEVELOPMENT APPROVAL Approval no: DEV2024/1491AG Fueensland, 14Q-2, 14Q-3 & 14R PLAN OF DEVELOPMENT




URBAN DESIGN
Level 8
31 Duncan Street
PO Box 1559
Fortitude Valley QLD 4006
T +61 7 3539 9500 W rpsgroup.com



© COPYRIGHT A TETRA TECH COMPANY





## Notes:

#### General

- 1. All development is to be undertaken in accordance with the Development Approval, and Queensland Development Code (QDC). except as varied below
- The maximum height of buildings shall not exceed two (2) storeys.
- Maximum building location envelopes are subject to future proposed easements and/or other underground services.
- All lots subject to an acoustic assessment to determine level of acoustic treatments.
- Buildings shall be constructed in accordance with Bushfire AS3959.
- Secondary dwellings are not permitted on lots less than 400m<sup>2</sup>.
- Provisions in this POD do not relate to the following allotments: the District Centre allotment (lot 50032): the Ambulance allotment (lot 50033); the Child Care Allotments (lot 50034, 50036, 50037); the State Primary School allotment (lot 30015); the Local Centre Allotments (lots 50038 and 50040); the Community Facility Allotment (lot 50039); or Medium Density Allotments (lot 50041, 50042 and 50043). A separate MCU application will need to be submitted for development on these
- Approved uses are House, Multiple Residential, Home Based Business, Display Home and Sales Office
- Approved uses also includes 'Other Residential' - where limited to accommodation for disadvantaged persons, accommodation for persons who are being nursed, require ongoing supervision/support or are convalescing or crisis accommodation (including persons escaping domestic violence). A separate MCU application will need to be submitted for Residential care facility or retirement facility
- 10. Advertising Devices, where associated with a display home/village and temporary in nature, are Exempt Development.

#### Setbacks

- 11. Setbacks are as per the Plan of Development Table unless otherwise dimensioned. If a lot is not developed for a Multiple Residential (MR) site, then the equivalent size detached lot setbacks will apply.
- 12. The location of the built to boundary walls are indicated on the Plan of Development. Where built to boundary walls are not adopted side setbacks shall be in accordance with the Plan of Development Table
- Boundary setbacks are measured to the wall of the structure.
- 14. Front verandah and covered areas to the front door are permitted to extend into the front setback on the condition that the roofed area is not enclosed. For front setbacks, this roofed area can extend to 1.0m from the front property
- 15. Eaves cannot encroach (other than where buildings are built to boundary) closer than 450mm to the lot boundary.

PLAN REF:

DATE:

CLIENT:

DRAWN BY:

CHECKED BY: MD

16. If a retaining wall which exceeds 2.0m in height is present along the rear boundary of an allotment (single face wall construction), a 2.5m rear setback must be adopted.

110056 - 632

12 DECEMBER 2024

PEET

JC

- 17. If a terraced retaining wall is adopted at the rear boundary of a property, the lower face is to be a maximum of 1.0m from the property boundary, and a 2.5m rear setback must be adopted
- 18. A corner lot, for the purposes of determining setbacks, is a lot that adjoins the intersection of two streets. This excludes those lots that abut a shared access driveway, laneway or a pedestrian link/ landscape buffer and therefore in these cases a secondary frontage setback does not apply.
- 19. In the case of corner allotments an additional setback from the street corner is applicable. The setback applies to any building or structure greater than 2m high as follows:
  - In the case of Terrace and Villa Corner Lots, the setback is measured as the line that ioins the points on the front and side street boundaries of the lot that are located 6m back from the point of intersection of these two boundaries.
  - In the case of Premium Villa, Courtyard, Premium Courtvard, Traditional, Premium Traditional, Ridgetop Allotments and Multiple Residential Corner Lots, the setback is measured as the line that joins the points on the front and side street boundaries of the lot that are located 9m back from the point of intersection of these two boundaries

#### Private Open Space

- 20. Private open space must measure a minimum of 10m<sup>2</sup> with a minimum dimension in any direction of 2.4 metres
- 21. Private open space must be directly accessible from a living space.

#### On-site car parking and driveways

- 22. On-site car parking is to be provided in accordance with the following minimum requirements:
  - For lots <12.5 metres wide 1 covered space per dwelling:
  - For lots 12.5 metres wide or greater 2 covered spaces per dwelling;
  - For Multiple Residential sites, at least 1 covered space per dwelling, plus 0.5 spaces per dwelling (can be uncovered).
- Garages for any single storey dwelling on a Lot between 10.0m and 12.49m in width must adhere to the following design criteria:
  - a. The front facing building wall, which comprises the garage door, must not exceed an external width of 5.7m
  - b The garage door:
  - i. Width must not exceed 4.8m
  - ii. Must have a minimum 450mm eave above it 35.
  - iii. Must be setback a minimum of 240mm behind the pillar of the garage door, and
  - iv. Must have a sectional, tilt or roller door.
  - c. The front façade of the dwelling must be forward of the alignment of the garage wall, and must include the following:
  - i. A front entrance door with glass inserts and / or windows or with a sidelight where the front door is solid. If the front facade includes a habitable room with window, a sidelight is not required.

- ii. A front verandah, portico or porch located over the front entrance, which extends a minimum of 1600mm forward of the entrance door
- iii. The verandah, portico or porch is to include front piers with distinct materials and/or
- d. Driveways cannot exceed 3.0m across the verge on Lots between 10.0m and 12.49m
- 24. Double car garages are permitted on any double storey dwelling built on a Lot between 10.0m and 12.49m or a laneway dwelling.
- Driveways are to accord with Logan City Council's (LCC) standards. Prior to construction, approval from LCC for Vehicular Access to Residential Premises is required.
- The maximum width of a driveway at the lot boundary shall be 4.8 metres for a lot with a double car width garage and 3.0 metres for a lot with a single car width garage.
- 27. Garages and carports accessed from a Laneway must be built setback 0.9 metres from the boundary unless otherwise dimensioned on the Plan of Development. Ingress/egress must be achieved for a B99 Vehicle.
- Maximum of one driveway per dwelling unless it is a MR lot.
- Minimum distance of a driveway from an intersection of one street with another street is 6.0 metres. The Driveway must be laid at the grade of the adjacent verge area. No grade changes to the verge for the driveway will be allowed.
- Where there is a footpath within the verge, the footpath should be cut at the nearest joint and the footpath reinstated to the driveway without compromising the structural integrity of the footpath.
- 31. Driveways must be completed prior to occupation of the dwelling

- 32. Fencing erected by Peet must not be altered. modified or removed without prior written approval from Peet
- Fencing on all open space and/or street frontages has a maximum height of 1.2 metres where solid or has a maximum height of 1.8 metres where containing openings that make the fence more than 50% transparent. This does not apply to side boundary fencing that abuts open space.
- 34. Fencing on all park or street frontages is constructed with visible posts, which are at least 120mm x 120mm and 100mm higher than the infill palings or panels.
- Fencing on lanes can be screen fencing at 1.8m 44. high where along private open space, carparking and service areas
- Fencing on corner lots is to be designed as front fences addressing both streets (rather than a front and a side fence).
- Notwithstanding the above, solid front fences and walls may be 1.8 metres in height if the dwelling has a frontage to a street with traffic volumes in excess of, or projected to exceed, 10,000 vehicles per day.

- Fencing on shared side boundaries of lots 4134-4138 and 4189-4130 to comply with the
- 1.8m high good neighbour style fencing permitted for the first 30 metres of the side boundary to ensure privacy between dwellings, measured from the primary street not protrude forward of the front building
- No side fencing <u>or timber post and rail rural</u> style fencing for the remainder of the side
- Timber post and rail rural style fencing is to be 1200mm high sanded and stained hard wood posts at 2400mm intervals with rails at 600mm and 1100mm. Both rails must be level. Transparent infill panels of chainmesh are permitted - if adopted, a bottom rail must be incorporated which follows the angle of the ground and spaced 50mm above ground
- 39. Fencing on the rear boundaries of lots 4111-4115, 4125-4133, 4139-4144 and 4147-4188 must be 1 8m high good neighbour style fencing and adopt one consistent and uniform design to ensure allotments with multiple neighbours have consistent fencing.

#### **Retaining Walls**

- 40. For retaining walls not constructed by the
  - a. Retaining walls must not exceed more than 1.0m where fronted to a public street or park. Retaining walls to side and rear boundaries (which are not adjoining a public street or park) can be up to 2.0m. Retaining in excess of this must use terraced
  - b. Where retaining walls are terraced, the lower face is to be a maximum of 1 0m from the property boundary.
- 41. No timber retaining walls over 1.0m or adjoining parks or public streets.
- 42. Walls over 1.0m require RPEQ certification.

#### **Building Articulation**

- 43. All buildings with a width of more than 10 metres that are visible from a street or park are to include articulation to reduce the mass of the building by one or more of the following:
  - · Windows recessed into the façade or bay windows
  - Balconies, porches or verandahs;
  - · Articulation of roof lines
  - Window hoods; and/or
  - Use of multiple cladding materials
- Where adjoining an area of open space, housing design must facilitate passive surveillance of the open space, which can be achieved through the incorporation of at least one (1) habitable room orientated towards the open space.
- 45. Carports and garages are to be compatible with the main building design in terms of height, roof form, detailing, materials and colours.
- 46. All building materials must be suitably coloured, stained or painted, including retaining, fences, walls and roofs. Untreated materials, such as zinc coated steel, bare metal, concrete block or masonry panels are not permitted.

- 47. Air-conditioners, gas bottles, hot water systems, 61. Refer to POD Note 38 and 39 for additional clothes lines and other household services must be screened and/or located to minimise visual impact to public streets or parks.
- Homes must include a clearly identifiable and addressed front door and undercover point of
- frontage. Good neighbour style fencing must 49. Screened drying and rubbish bins area must be behind the main face of the dwelling.
  - 50. At least two openings to all habitable rooms to facilitate cross flow ventilation are required.

#### Slope and Building Footings

- Buildings on sloping sites must be built to the boundary on the low side of the lot and the footing must be projected deep enough to be below the adjoining property building pad level.
- If the nominated pad level is not provided, the pad level is to be assumed as the average of the four corners of the adjacent block, using the as constructed levels
- 53. Building footings are to be designed in accordance with the appropriate Australian Standard. Building footings are to be designed to ensure that there are no adverse impacts (functional, financial or construction limitations) on adjoining allotments, particularly in relation to retaining walls.

#### **Electric Vehicle Readiness**

54. All dwellings are to have a dedicated electrical circuit from the circuit board to the garage for at least one Basic (slow) EVSE charger per home, in accordance with the Australian Wiring Rules AS/NZS 3000: 2018. The circuit is to be fitted with a minimum 20 Amp GPO outlet which can be replaced by a dedicated 7kW EVSE of the occupant's choice. Where not used for Electric Vehicle Supply Equipment, the circuit is to be terminated at an isolator.

#### Additional Criteria for Steep Residential **Allotments**

- 55. Steep Residential Allotments controls relate to all allotments within Stages 13A, 13B,13C, 13G
- 56. Building design and construction techniques are to minimse cut and fill of sloping sites through site responsive home designs that consider:
  - Stepped floor levels to take up the site slope withing the building;
  - · Split level home designs; and/or
  - Part slab / part posts and been construction; and/or
  - Pole home construction.
- 57. Building design, cut and/or fill on site must not negatively impact the conveyance of stormwater or adversely affect neighbouring properties
- 58. Building design should consider the retention of existing vegetation outside of the BLE.
- 59. Any views into the undercroft of the home from the public street or park must be screened through architectual elements, such as vertical or horizontal battens or alttice screening that complements the aesthetic of the home.
- 60. Class 10 buildings or structures are permitted within the prescribed building envelope and contribute towards site cover percentage.

## **Additional Criteria for Multiple Residential** Allotments (excluding Lots 50041, 50042 & 50043)

- 62. Buildings must address all street frontages with driveways, pedestrian entries or both.
- 63. All dwellings must have a clearly identifiable front door, which is undercover.
- Drving and rubbish bin areas must be located behind the main face of the dwelling or suitably screen from public streets and park frontages.
- 65. Maximum number of dwellings on each multiple residential lot is annotated on the Plan of Development

# **Additional Criteria for Secondary Dwellings**

- 66. Floor area must be between a minimum of 45m<sup>2</sup> and 75m<sup>2</sup>.
- 67. Materials, detailing, colours and roof form are consistent with those of the primary house.
- 68. Outdoor living space must measure a minimum of 9m<sup>2</sup> with a minimum dimension in any direction of 3 metres.
- Outdoor living space must be directly accessible from the main living space and can be combined with the primary dwelling outdoor
- 70. Outdoor living space on a corner allotment must be suitably screened if located within the secondary street boundary setback.
- 71. A minimum of one (5m x 3m) car parking space must be provided for the secondary dwelling, in addition to parking for the primary dwelling.
- The driveway must be shared with the primary house however on corner allotments a separate driveway may be provided with a minimum width of 3 metres and a maximum width of 5 metres
- 73. Corner allotments must provide dedicated pedestrian entry and a visible door from and addressing the secondary street to the secondary dwelling.
- Corner allotments must provide a minimum of one habitable room, with large windows or balconies, fronting the secondary street.
- 75. Subdivision of Secondary Dwellings is not

# **Definitions**

Laneway Allotment - Allotments serviced by a

PLANS AND DOCUMENTS referred to in the PDA **DEVELOPMENT APPROVAL** 

> Approval no: DEV2024/1491 7 May 2025



FLAGSTONE CA3 SOUTH **STAGE 14 OVERALL** PLAN OF DEVELOPMENT NOTES



Level 8
31 Duncan Street
PO Box 1559
Fortitude Valley QLD 4006
T +61 7 3539 9500

© COPYRIGHT

Plan of Development Table	Rear Loaded Terrace Allotments		Villa Allotments		Premium Villa Allotments			tyard nents		Courtyard ments		tional ments		Traditional ments	Multiple Residentia Allotments (MR)	
rian of Development Table	Ground Floor	First Floor	Ground Floor	First Floor	Ground Floor	First Floor	Ground Floor	First Floor	Ground Floor	First Floor	Ground Floor	First Floor	Ground Floor	First Floor	Ground Floor	First Floor
Front/Primary Frontage	2.4m	2.4m	3.0m	3.0m	3.0m	3.0m	3.0m	3.0m	3.0m	3.0m	4.5m	4.5m	4.5m	4.5m	3.0m	3.0m
Garage	n/a	n/a	5.0m	n/a	5.0m	n/a	5.0m	n/a	5.0m	n/a	5.0m	n/a	5.0m	n/a	5.0m	n/a
Rear	0.9m	0.9m	0.9m	0.9m	1.0m	1.0m	1.0m	1.5m	1.0m	1.5m	1.5m	2.0m	1.5m	2.0m	1.5m	1.5m
Side - General Lots									•			•	•			•
Built to Boundary	0.0m	0.0m	0.0m	1.0m	0.0m	1.0m	0.0m	1.0m	0.0m	1.0m	n/a	n/a	n/a	n/a	n/a	n/a
Maximum BTB Wall Length (% of boundary length)	90	)%	70	)%	65	5%	65	5%	60	)%	n.	/a	n	/a	n,	/a
Non Built to Boundary	0.9m	0.9m	0.9m	0.9m	1.0m	1.0m	1.0m	1.5m	1.0m	1.5m	1.5m	2.0m	1.5m	2.0m	1.0m	1.5m
Corner Lots - Secondary Frontage	1.5m	1.5m	1.5m	1.5m	1.5m	1.5m	1.5m	1.5m	1.5m	1.5m	1.5m	2.0m	1.5m	2.0m	1.5m	1.5m
Laneway Lots	•				•	•			•		•	•	•	•		•
Rear of Lot (from laneway boundary including garage)	0.9m	0.9m	0.9m	0.9m	0.9m	0.9m	0.9m	0.9m	0.9m	0.9m	n/a	n/a	n/a	n/a	n/a	n/a
Site Cover	75	5%	65	5%	60	0%	60	)%	60	0%	60	)%	60	)%	75	5%



PLAN REF: 110056 - 633 Rev No: DATE: 12 DECEMBER 2024 CLIENT: PEET DRAWN BY: JC / MM CHECKED BY: MD

FLAGSTONE CA3 SOUTH **STAGE 14A - 14D PLAN OF DEVELOPMENT** 


100 **1:1,500 @ A3** 



URBAN DESIGN
Level 8
31 Duncan Street
PO Box 1559
Fortitude Valley QLD 4006
T +61 7 3539 9500 W rpsgroup.com



© COPYRIGHT



Plan of Development Table		ed Terrace nents	Villa Allotments		Premium Villa Allotments		Cour Alloti	tyard nents		Courtyard nents		tional ments	Premium Alloti	Traditional nents	Multiple Residential Allotments (MR)		
Tian of Development Table	Ground Floor	First Floor	Ground Floor	First Floor	Ground Floor	First Floor	Ground Floor	First Floor	Ground Floor	First Floor	Ground Floor	First Floor	Ground Floor	First Floor	Ground Floor	First Floor	
Front/Primary Frontage	2.4m	2.4m	3.0m	3.0m	3.0m	3.0m	3.0m	3.0m	3.0m	3.0m	4.5m	4.5m	4.5m	4.5m	3.0m	3.0m	
Garage	n/a	n/a	5.0m	n/a	5.0m	n/a	5.0m	n/a	5.0m	n/a	5.0m	n/a	5.0m	n/a	5.0m	n/a	
Rear	0.9m	0.9m	0.9m	0.9m	1.0m	1.0m	1.0m	1.5m	1.0m	1.5m	1.5m	2.0m	1.5m	2.0m	1.5m	1.5m	
Side - General Lots																	
Built to Boundary	0.0m	0.0m	0.0m	1.0m	0.0m	1.0m	0.0m	1.0m	0.0m	1.0m	n/a	n/a	n/a	n/a	n/a	n/a	
Maximum BTB Wall Length (% of boundary length)	90	)%	70	1%	65	5%	65	%	60	)%	n.	/a	n.	/a	n	/a	
Non Built to Boundary	0.9m	0.9m	0.9m	0.9m	1.0m	1.0m	1.0m	1.5m	1.0m	1.5m	1.5m	2.0m	1.5m	2.0m	1.0m	1.5m	
Corner Lots - Secondary Frontage	1.5m	1.5m	1.5m	1.5m	1.5m	1.5m	1.5m	1.5m	1.5m	1.5m	1.5m	2.0m	1.5m	2.0m	1.5m	1.5m	
Laneway Lots	•								•			•				•	
Rear of Lot (from laneway boundary including garage)	0.9m	0.9m	0.9m	0.9m	0.9m	0.9m	0.9m	0.9m	0.9m	0.9m	n/a	n/a	n/a	n/a	n/a	n/a	
Site Cover	75	5%	65	5%	60	)%	60	%	60	)%	60	)%	60	)%	75	5%	

# TO BE READ IN CONJUNCTION WITH 110056-632B STAGE 14 OVERALL PLAN OF DEVELOPMENT NOTES

PLAN REF: 110056 — 634

Rev No: B

DATE: 12 DECEMBER 2024

CLIENT: PEET

DRAWN BY: JC / MM

CHECKED BY: MD

FLAGSTONE CA3 SOUTH STAGE 14E - 14G & 14I
PLAN OF DEVELOPMENT

1:1,500 @ A3



URBAN DESIGN
Level 8
31 Duncan Street
PO Box 1559
Fortitude Valley QLD 4006
T +61 7 3539 9500
W rpsgroup.com



© COPYRIGHT A TETRA TECH COMPANY
Unauthorised reproduction or amendment not permitted. Please contact the auth



Plan of Development Table		ed Terrace ments	Villa Allotments		Premium Villa Allotments		Cour Allotr	tyard nents		Courtyard nents		tional nents	Premium Allotr	Fraditional nents	Multiple Residential Allotments (MR)	
Tidit of Bevelopment Tubic	Ground Floor	First Floor	Ground Floor	First Floor	Ground Floor	First Floor	Ground Floor	First Floor	Ground Floor	First Floor	Ground Floor	First Floor	Ground Floor	First Floor	Ground Floor	First Floor
Front/Primary Frontage	2.4m	2.4m	3.0m	3.0m	3.0m	3.0m	3.0m	3.0m	3.0m	3.0m	4.5m	4.5m	4.5m	4.5m	3.0m	3.0m
Garage	n/a	n/a	5.0m	n/a	5.0m	n/a	5.0m	n/a	5.0m	n/a	5.0m	n/a	5.0m	n/a	5.0m	n/a
Rear	0.9m	0.9m	0.9m	0.9m	1.0m	1.0m	1.0m	1.5m	1.0m	1.5m	1.5m	2.0m	1.5m	2.0m	1.5m	1.5m
Side - General Lots																•
Built to Boundary	0.0m	0.0m	0.0m	1.0m	0.0m	1.0m	0.0m	1.0m	0.0m	1.0m	n/a	n/a	n/a	n/a	n/a	n/a
Maximum BTB Wall Length (% of boundary length)	90	)%	70	)%	65	5%	65	%	60	)%	n,	/a	n,	/a	n.	/a
Non Built to Boundary	0.9m	0.9m	0.9m	0.9m	1.0m	1.0m	1.0m	1.5m	1.0m	1.5m	1.5m	2.0m	1.5m	2.0m	1.0m	1.5m
Corner Lots - Secondary Frontage	1.5m	1.5m	1.5m	1.5m	1.5m	1.5m	1.5m	1.5m	1.5m	1.5m	1.5m	2.0m	1.5m	2.0m	1.5m	1.5m
Laneway Lots	•	•				•			•							
Rear of Lot (from laneway boundary including garage)	0.9m	0.9m	0.9m	0.9m	0.9m	0.9m	0.9m	0.9m	0.9m	0.9m	n/a	n/a	n/a	n/a	n/a	n/a
Site Cover	75	5%	65	5%	60	0%	60	1%	60	)%	60	)%	60	1%	75	5%

# TO BE READ IN CONJUNCTION WITH 110056-632B STAGE 14 OVERALL PLAN OF DEVELOPMENT NOTES

PLAN REF: 110056 - 635

Rev No: B

DATE: 12 DECEMBER 2024

CLIENT: PEET

DRAWN BY: JC / MM

CHECKED BY: MD

STAGE 14L, 14M - 14O
PLAN OF DEVELOPMENT


1:1,500 @ A3




URBAN DESIGN
Level 8
31 Duncan Street
PO Box 1559
Fortitude Valley QLD 4006
T +61 7 3539 9500
W rpsgroup.com



© COPYRIGHT A TETRA TECH COMPANY
Unauthorised reproduction or amendment not permitted. Please contact the auth





Rev No: DATE: 12 DECEMBER 2024 CLIENT: PEET DRAWN BY: JC / MM CHECKED BY: MD

1:1,000 @ A3

**STAGE 14H & 14R PLAN OF SUBDIVISION** 



URBAN DESIGN Level 8 31 Duncan Street PO Box 1559 Fortitude Valley QLD 4006 **T** +61 7 3539 9500 W rpsgroup.com



© COPYRIGHT A TETRA TECH COMPANY

