



**zone**  
Planning Group

PLANS AND DOCUMENTS  
REFERRED TO IN THE PSA  
DEVELOPMENT APPROVAL  
Approval no. DEV20251844  
Date: 7 August 2025



# Waste Management Plan

DEVELOPMENT APPLICATION  
Warehouse Development

Q Farmers Pty Ltd

May 2025  
Q25181

10 & 26 Edison Crescent,  
Yarrabilba (Lots 20-21)



This report was prepared by



Zone Planning QLD Pty Ltd  
ABN 13 660 561 704

1638 Tweed Street  
BURLEIGH HEADS QLD 4220

PO Box 3805  
BURLEIGH TOWN QLD 4220

07 5562 2303

[admin@zoneplanning.com.au](mailto:admin@zoneplanning.com.au)  
[www.zoneplanning.com.au](http://www.zoneplanning.com.au)

| Zone Ref | Issue     | Date       | Prepared by | Checked by |
|----------|-----------|------------|-------------|------------|
| Q25181   | Version 1 | 21/05/2025 | AS          | AS         |

#### **Disclaimer**

*Zone Planning QLD Pty Ltd retains the ownership and copyright of the contents of this document including drawings, plans, figures and all work produced by Zone Planning QLD Pty Ltd. This document is not to be reproduced in full or in part, unless separately approved by Zone Planning QLD Pty Ltd. The client may use this document only for the purpose for which it was prepared. No third party is entitled to use or rely on this document whatsoever. Zone Planning QLD Pty Ltd accepts no liability whatsoever for any possible subsequent loss or damage arising from the use of this data or any part thereof.*



## Contents

|                                                |   |
|------------------------------------------------|---|
| Appendices .....                               | 0 |
| Glossary of Terms .....                        | 1 |
| 1.0 Introduction .....                         | 3 |
| 1.1 Site & Application Details .....           | 3 |
| 1.2 Site Location & Characteristics .....      | 3 |
| 1.3 Scope of Report .....                      | 4 |
| 1.4 Proposed Development .....                 | 4 |
| 2.0 Waste & Recycling Generation .....         | 6 |
| 2.1 Type of Waste Streams .....                | 6 |
| 2.2 General & Recycling Waste Quantities ..... | 6 |
| 3.0 Waste & Recycling Storage .....            | 7 |
| 3.1 Waste & Recycling Bin Requirements .....   | 7 |
| 3.2 Waste Storage Area .....                   | 7 |
| 4.0 Collection Details .....                   | 8 |
| 4.1 Collection Frequency .....                 | 8 |
| 4.2 Collection Vehicle Access .....            | 8 |
| 5.0 Conclusion .....                           | 9 |

## Appendices

|                   |                |
|-------------------|----------------|
| <b>Appendix 1</b> | Proposal Plans |
|-------------------|----------------|



## Glossary of Terms

**Bin carting route** – the proposed route to move bins between the storage point and the servicing point.

**Bulk bins** – bins fitted with lids and side pockets to allow them to be serviced by a front-lift truck.

**Clinical or related waste** – waste that has the potential to cause disease, including, for example, the following –

- animal waste;
- discarded sharps;
- human tissue waste; or
- laboratory waste.

**Commercial accommodation** – for the purposes of this policy means commercial development that includes a domestic or residential component, such as Retirement facility, Community care centre, Rooming accommodation, Short term accommodation or Resort complex.

**Commercial premises** – for the purpose of this policy means any of the following types of premises:

- a Hotel, Short term accommodation, Tourist park, Food and drink outlet;
- an assembly building, institutional building, Child care centre, Educational establishment;
- premises where a sport or game is ordinarily played in public;
- an exhibition ground, show ground or racecourse;
- an Office, Shop or other premises where business or work other than a manufacturing process is carried out.

**Commercial waste** – means waste, other than green waste, recyclable waste, and interceptor waste or waste discharged to a sewer, produced as a result of the ordinary use or occupation of commercial developments.

**Common servicing point** – a common area where more than two dwellings/tenancies stand their wheelie bins for servicing.

**Common storage point** – a common area where more than two dwellings/tenancies store their wheelie bins.

**Constructed hardstand area** – a hardstand area, for example a concrete pad, which has been constructed for bin storage.

**Digesters and dehydrators** – machines specifically designed to reduce food waste volumes to allow for efficient disposal. Digesters typically process the material into sludge while dehydrators remove liquid from food waste generating a fertiliser as the end product. Disposal of end product can be used on either internal gardens or on external gardens/farms.

**General waste** – waste, other than domestic clean-up waste, green waste, recyclable waste, interceptor waste or waste discharged to a sewer, produced as a result of the ordinary use or occupation of domestic or commercial premises.

**Glass crushers** – machines that can reduce the volume of glass waste by up to 75%, saving valuable space.

**Hazardous waste** – solid waste that is or contains toxic material, for example light bulbs, fluorescence lights, batteries.

**Internal servicing roadway** – is a driveway, private roadway or other path intended for use by vehicles, in which the waste collection vehicle is required to use to service a bin.

**Mixed-use development** – for the purpose of this policy, any building or development complex used, or intended to be used, for residential purposes in combination with other commercial uses (e.g. Offices, Food and drink outlets etc).





**Non-serviced area** – an area within the boundaries of Logan LGA which is not serviced by Council’s waste collection contractor.

**Organic waste** – is waste that comes from plants or animal that is biodegradable for example green waste and food waste.

**Recycling chute** – a duct in which recycling descends from one point to another.

**Recyclable waste** – for a local government’s area, means clean and inoffensive waste that is declared by the local government to be recyclable waste for the area. In the City of Gold Coast the following wastes are deemed recyclable:

- all household plastics, bottles and containers;
- aluminium and steel cans and aerosols;
- bottles and jars made only of glass;
- clean cardboard, newspaper, loose paper, junk mail, magazines and cartons.

**Related waste** – means waste that constitutes, or is contaminated with, chemicals, cytotoxic drugs, human body parts, pharmaceutical products or radioactive substances.

**Ro-Ro bin** – roll-on roll-off bin.

**Roll-on roll-off bin** – large steel open top skip bins or enclosed bins. Bins are collected by a hook-lift truck.

**Solid waste** – any general or recyclable waste, be it commercial or domestic. Solid waste does not include waste discharges to sewer/water or the atmosphere.

**Servicing point** – the designated area allocated to the temporary storage of waste bins for the period of servicing only. The point may be within or external to a development.

**Storage point** – the area allocated to the permanent storage of waste bins. This is the normal location of the waste bins and excludes the period where the bin is serviced. A storage point may be a common storage point or an individual bin storage point.

**Waste** – includes anything, other than a resource that is:

- left over, or an unwanted by-product from an industrial, commercial, domestic or other activity; or
- surplus to the industrial, commercial, domestic or other activity generating the waste.

**Waste carting distance** – the distance required for a person to transport their waste from the nearest point of exit of their dwelling/tenancy to a storage point (or in the case of a multi-level building, to the nearest waste disposal point).

**Waste chute** – a duct in which waste descends from one point/level to a collection bin.

**Waste disposal point** – the point where waste is disposed of into the chute, also known as waste hopper. It consists of a fixed frame and hood unit, covered with a hinged or pivoted door.

**Waste storage room** – the room at the base of the chute used for the storage of waste bins.

**Wheelie bin** – two wheeled mobile garbage bins, made from high density polyethylene (HDPE). Wheelie bins are collected by a side-lift truck.



## 1.0 Introduction

### 1.1 Site & Application Details

Table 1: Site & Application Details

|                                  |                                                                                                                                                                            |
|----------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Address</b>                   | 10 & 26 Edison Crescent,<br>Yarrabilba QLD 4207                                                                                                                            |
| <b>Real Property Description</b> | Lots 20 & 21 on SP333769                                                                                                                                                   |
| <b>Site Area</b>                 | 4,204m <sup>2</sup>                                                                                                                                                        |
| <b>Applicant</b>                 | Q Farmers Pty Ltd                                                                                                                                                          |
| <b>Applicant Contact Details</b> | C/- Zone Planning QLD (Andre Sultan)<br>PO Box 3805, Burleigh Town QLD 4220<br>07 5562 2303   <a href="mailto:asultan@zoneplanning.com.au">asultan@zoneplanning.com.au</a> |

### 1.2 Site Location & Characteristics

The subject site, 10 & 26 Edison Crescent (lots 20-21), Yarrabilba, comprises of two adjacent, relatively rectangular shaped allotments which comprise a combined site area of 4,204m<sup>2</sup>. The site is located on the eastern edge of Edison Crescent.

The land has been the subject of a PDA Development Approval (DEV2022/1306/7) as per amended approval dated 26 February 2024.



Figure 1: Aerial Image of Subject Site (Source: Nearmap)





## 1.3 Scope of Report

This report has been prepared in support of a Compliance Assessment seeking endorsement for the proposed development from Economic Development Queensland (EDQ). This report presents a Waste Management Plan for the operational phase of the proposed development.

This Waste Management Plan includes:

- › details of the anticipated type and quantity of waste;
- › details of the waste storage bins needed; and
- › details of the proposed waste collection arrangements.

This report is based on the Plans referenced in **Appendix 1** and presents conceptual information on the abovementioned elements rather than detailed design and calculations and presents the 'end case' scenario once the proposed development has been constructed and becomes operational.

## 1.4 Proposed Development

The proposed development is to comprise of four warehouse tenancies with a total gross floor area of 2,674.2m<sup>2</sup>. The development will be serviced by two new vehicular crossovers from Edison Crescent as shown in **Figures 2** and **3** below.



Figure 2: Perspective of Development (Source: R.H. Frankland)




Figure 3: Proposed Site Plan (Source: R.H. Frankland)



## 2.0 Waste & Recycling Generation

### 2.1 Type of Waste Streams

The proposed development will generate both general waste and recycling associated with the operation of the proposed industrial development.

### 2.2 General & Recycling Waste Quantities

Calculations of the general and recycling waste predicted to be generated by the development have been prepared adopting industry standard waste generation rates on the basis that Logan Council does not prescribe standard rates. Therefore, the proposal adopts Brisbane City Council (BCC) rates and assumes a 6-day week operation.

Table 2: Waste Generation Calculations

| LAND USE  | AREA                  | GENERAL WASTE RATE         | TOTAL          | RECYCLING RATE             | TOTAL          |
|-----------|-----------------------|----------------------------|----------------|----------------------------|----------------|
| Warehouse | 2,674.2m <sup>2</sup> | 15L/100m <sup>2</sup> /day | 2,382.48L/week | 15L/100m <sup>2</sup> /day | 2,382.48L/week |
| TOTAL     |                       |                            | 2,382.48L/week |                            | 2,382.48L/week |

It is considered that the estimated waste generation volumes equate to **2.38m<sup>3</sup>** of General Waste and **2.38m<sup>3</sup>** of Recycling Waste per week.



### 3.0 Waste & Recycling Storage

### 3.1 Waste & Recycling Bin Requirements

Waste will be collected by private contractor on-site, as is commonplace across industrial types of development.

**Table 3** provides a breakdown of the general and recycling waste bins required by the development based on the calculations in Section 2.2 of this report. The waste storage points have been designed to accommodate these bin sizes.

Table 3: Refuse Bin Recommendations

| GENERAL WASTE STORAGE REQUIREMENT                   | RECYCLING WASTE STORAGE REQUIREMENT                 | TOTAL WASTE STORAGE REQUIREMENT              |
|-----------------------------------------------------|-----------------------------------------------------|----------------------------------------------|
| 2,382.48L/week                                      | 2,382.48L/week                                      | <i>General Waste</i><br>1 x 2,000L bulk bins |
| 1 x 2,000L bulk bins                                | 1 x 2,000L bulk bins                                | <i>Recycling</i><br>1 x 2,000L bulk bin      |
| Dimensions:<br>2080mm (W) x 1300mm (H) x 1255mm (D) | Dimensions:<br>2080mm (W) x 1300mm (H) x 1255mm (D) |                                              |

### 3.2 Waste Storage Area

The waste storage area is located internal to the building within an enclosed area (see **Figure 4**).




Figure 4: Extract of Site Plan



## 4.0 Collection Details

The following provides an overview of the refuse bin collection and servicing details relevant to this proposal.

Based on the calculations provided in Section 2.2 of this Report, and the bin requirements determined in Section 2.3, both general and recycling waste can be serviced twice per week. Once the development is operational, the collection frequency should be reviewed to ensure that an efficient practice is in place.

### 4.1 Collection Frequency

Given the nature of the development, refuse bins are required to be serviced twice per week as outlined below (see **Table 5**).

Table 4: Refuse Bin Collection Frequency

| WASTE STREAM  | TOTAL WASTE STORAGE REQUIREMENT | COLLECTION FREQUENCY |
|---------------|---------------------------------|----------------------|
| General Waste | 1 x 2,000L bulk bin             | Two times per week   |
| Recycling     | 1 x 2,000L bulk bin             | Two times per week   |

### 4.2 Collection Vehicle Access

The development will be serviced on-site via a private contractor by a front loading refuse collection vehicle (RCV). It is understood that a HRV which is a larger service vehicle than the RCV, can safely manoeuvre the site in a forward gear and therefore, swept paths for a RCV have not been prepared.

The bin storage room is located internal to the building, with bins moved by on-site management on collection day to the vehicle for collection.



## 5.0 Conclusion

This Report has been prepared to demonstrate the proposed waste management practices to be implemented during the operational phase of the proposed Warehouse at 10 & 26 Edison Crescent, Yarrabilba.

The proposed development comprises a single industrial tenancy. The development is anticipated to generate minimal general and recycling waste streams with access for a RCV able to occur on the site.

The proposed waste management arrangements consist of the following:

- The proposal the proposal is estimated to generate a total of approximately **0.4m<sup>3</sup>/day** of general waste and **0.4m<sup>3</sup>/day** of recycling waste based on a typical 6-day operating week;
- The development will require 1 x 2,000L bulk bins for general waste and 1 x 2,000L bulk bins for recycling;
- The development is anticipated to be serviced two times per week for general and recycling waste;
- General waste and recycling bulk bins will be serviced on-site with the servicing point to occur conveniently internal to the site on collection days;
- Transfer of the bulk bins to the bulk bin servicing point and return is to be the responsibility of on-site management and servicing personnel.