FLAGSTONE CITY - STAGES 2-5

Vegetation Management Plan

DWG NO.	DRAWING TITLE	ISSUE	DATE
8047 E 01	COVER SHEET	O	17/10/2025
8047 E 02	VEGETATION CLEARING NOTES	O	17/10/2025
8047 E 03	CONTEXT SHEET	O	17/10/2025
8047 E 04-88	DETAIL SHEET/S	O	17/10/2025
8047 E 89	CLEARING DIRECTION	O	17/10/2025
8047 E A1	APPENDIX 1. TREE SCHEDULE	O	17/10/2025



PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: DEV2012/403/303
Date: 30 October 2025
Queensland Government

Saunders Havill

PATHWAYS TO SUCCESS

FLAGSTONE CITY - STAGES 2-5

Vegetation Management Plan - *Notes*

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: DEV2012/403/303
Date: 30 October 2025
Queensland Government

INTRODUCTION

The Environmental Management Division of the Saunders Havill Group was engaged by PEET Flagstone City to prepare a Vegetation Management Plan (VMP) for the removal of vegetation for the second phase of operational works in stages 2 to 5 of the Flagstone City project.

This VMP was drafted in response to the project's Natural Environment Site Strategy's (NESS) requirement for VMPs. The VMP will manage the vegetation clearing practices during operational work stages. The VMP will cover the second phase of clearing in the Stage 2-5 area and correspond with the lodgement of the planning and civil applications for the proposed development, including basins and road locations. The clearing works will follow the general principal for vegetation clearing documented on this sheet and be read in conjunction with the Fauna Management Plan document.

To assist in the spatial depiction of stages 2 to 5 clearing area and better allocate a tree retention and removal status, ecologists from the Saunders Havill Group completed a tree survey using Trimble GNSS based GPS units. The survey collected the following features of trees within and adjoining the Stage 2 to 5 works extent as provided by the project engineer (Colliers):

- Reference number and point location
- Botanical Name / Common Name
- Trunk DBH
- AS4970-2009 – Tree Protection Zone
- Height and Spread
- Canopy and Trunk Condition
- Fauna and Habitat Values Details

Fauna and Habitat Values Details

Particular attention and detail was collected along Sandy Creek & Flagstone Creek interface areas to maximise the retention of healthy native habitat trees along the corridor.

CLEARING PHASES AND PROCESS

The following stages are required for clearing to be undertaken on this property and a copy of this VMP must be present with the clearing contractor on-site:

PHASE 1 – Demarcation

Tree Protection Fencing to be installed prior to the commencement of any clearing works on the site. Tree protection fencing is to be located at or beyond 12 x diameter at breast height (DBH) unless approved by an appointed Arborist around trees designated for retention or as per the locations shown in this drawing package (refer Fencing Note). Fencing shall clearly demark the extent of works ensuring no additional vegetation will be cleared.

PHASE 2 - Pre-start Meeting

Fencing shall be in place at the time of the official pre-start meeting for inspection by the Environmental Coordinator. A fauna spotter pre-works assessment report must be carried out prior to the pre-start meeting and provided to the clearing contractor (Refer to Fauna Management Plan accompanying this application for details).

PHASE 4 - Undertake Clearing Works


Undertake removal of vegetation once approved for removal by the appointed fauna spotter. Clearing will occur in the direction outlined in Fauna Management Plan and managed by the appointed fauna spotter to allow all fauna unimpeded movement away from works areas. The contractor is to follow any tree felling directions of the appointed fauna spotter/arborist, including but not limited to, an excavator vertical tree grab attachment or cherry picker, where the use of bulldozer is not appropriate.

PHASE 5 - Post clearing Works


Cleared vegetation is to be reused on or off premises. Recycling techniques include mulching, tub-grinding, wood chipping and salvage (e.g. custom milling). Trees with identified hollows should have the hollow section preserved and this section should be suitably mounted on nearby or adjacent suitable trees.

Carry out assessment of all retained trees by a qualified arborist along the edge of development once civil works have been completed. Implement any tree management measures if advised by the arborist.

Tree Protection Zone - Detail (not to scale)



Tree Protection Fencing - Detail (not to scale)



Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER
DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

References:
AS4970-2009 Protection of trees on development sites

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
O	17/10/2025	UPDATED STAGE 4 BASIN	TC	AD

CLIENT
PEET Flagstone

PROJECT
FLAGSTONE CITY - STAGES 2-5

DRAWING TITLE
VEGETATION MANAGEMENT PLAN

DRAWING NO.
8047 E 02 BAL Stage 2 VMP O

FLAGSTONE CITY - STAGES 2-5


Vegetation Management Plan - *Context Detail Sheet*

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV2012/403/303

Date: 30 October 2025

Queensland Government



LEGEND

- Context Plan 1 boundary
- Proposed layout
- Proposed vegetation clearing extent

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:8,000

References:
AS4970-2009 Protection of trees on development sites

0 100 200 300 m

AMENDMENTS				
ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
O	17/10/2025	UPDATED STAGE 4 BASIN	TC	AD

CLIENT: PEET Flagstone

PROJECT: FLAGSTONE CITY - STAGES 2-5

DRAWING TITLE: VEGETATION MANAGEMENT PLAN

DRAWING NO.: 8047 E 03 BAL Stage 2 VMP O

FLAGSTONE CITY - STAGE 2-5


Vegetation Management Plan - *Detail Sheet*

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV2012/403/303

Date: 30 October 2025

Queensland Government



- Tree (with TPZ) to retain
- Tree (with TPZ) to remove in development design/ construction acess
- Tree (with TPZ) removal to be confirmed at detail design stage of stormwater management
- Tree (with TPZ) to remove for trunk sewer works
- Tree (with TPZ) retention status TBC in park by CPTED principles & park detail design
- Tree (with TPZ) removed as part of previsouly approved VMPs
- Tree (with TPZ) retention subject to cultural heritage
- Proposed lots
- Civil design contours for development area/basins
- SW Civil stormwater
- Maxmimum BLE
- Earthwork pad setback
- Retaining wall
- Built to boundary wall
- Road pavement design

Road design

- Road design contours
- Sewer pump station pad
- S Civil trunk sewer
- Top & toe of batters
- Existing contours
- W Civil water
- Context Area 1 boundary
- Tree protection fencing - to be fauna friendly design & subject to minor changes by Arborist and civil engineer
- Stage 2-5 phase 2 site works (including additional vegetation clearing for construction access & areas of CPTED selective clearing)
- Bushfire Managed Zone - maintain cleared understory
- Trees cleared for Logan Water pump station works
- Approved Phase 1 & School site VMP area
- Existing New Beith Rd (dirt track)
- Remnant Vegetation extent
- Indicative cleared area to rehabilitate
- CA3 (south) VMP approved clearing

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:600

References:
AS4970-2009 Protection of trees on development sites

0 5 10 15 20 m

AMENDMENTS				
ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
O	17/10/2025	UPDATED STAGE 4 BASIN	TC	AD

CLIENT
PEET Flagstone

PROJECT
FLAGSTONE CITY - STAGES 2-5

DRAWING TITLE
VEGETATION MANAGEMENT PLAN

DRAWING NO.
8047 E 04 BAL Stage 2 VMP O

FLAGSTONE CITY - STAGE 2-5


Vegetation Management Plan - *Detail Sheet*

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV2012/403/303

Date: 30 October 2025

Queensland Government



- Tree (with TPZ) to retain
- Tree (with TPZ) to remove in development design/ construction acess
- Tree (with TPZ) removal to be confirmed at detail design stage of stormwater management
- Tree (with TPZ) to remove for trunk sewer works
- Tree (with TPZ) retention status TBC in park by CPTED principles & park detail design
- Tree (with TPZ) removed as part of previsouly approved VMPs
- Tree (with TPZ) retention subject to cultural heritage
- Proposed lots
- Civil design contours for development area/basins
- SW Civil stormwater
- Maxmimum BLE
- Earthwork pad setback
- Retaining wall
- Built to boundary wall
- Road pavement design

Road design

- Road design contours
- Sewer pump station pad
- S Civil trunk sewer
- Top & toe of batters
- Existing contours
- W Civil water
- Context Area 1 boundary
- Tree protection fencing - to be fauna friendly design & subject to minor changes by Arborist and civil engineer
- Stage 2-5 phase 2 site works (including additional vegetation clearing for construction access & areas of CPTED selective clearing)
- Bushfire Managed Zone - maintain cleared understory
- Trees cleared for Logan Water pump station works
- Approved Phase 1 & School site VMP area
- Existing New Beith Rd (dirt track)
- Remnant Vegetation extent
- Indicative cleared area to rehabilitate
- CA3 (south) VMP approved clearing

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:600

References:
AS4970-2009 Protection of trees on development sites

0 5 10 15 20 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
O	17/10/2025	UPDATED STAGE 4 BASIN	TC	AD

CLIENT
PEET Flagstone

PROJECT
FLAGSTONE CITY - STAGES 2-5

DRAWING TITLE
VEGETATION MANAGEMENT PLAN

DRAWING NO.
8047 E 05 BAL Stage 2 VMP O

FLAGSTONE CITY - STAGE 2-5


Vegetation Management Plan - *Detail Sheet*

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV2012/403/303

Date: 30 October 2025

Queensland Government



- Tree (with TPZ) to retain
- Tree (with TPZ) to remove in development design/ construction acess
- Tree (with TPZ) removal to be confirmed at detail design stage of stormwater management
- Tree (with TPZ) to remove for trunk sewer works
- Tree (with TPZ) retention status TBC in park by CPTED principles & park detail design
- Tree (with TPZ) removed as part of previsouly approved VMPs
- Tree (with TPZ) retention subject to cultural heritage
- Proposed lots
- Civil design contours for development area/basins
- Civil stormwater
- Maxmimum BLE
- Earthwork pad setback
- Retaining wall
- Built to boundary wall
- Road pavement design — Road design
- Road design contours
- Sewer pump station pad
- Civil trunk sewer
- Top & toe of batters
- Existing contours
- Civil water
- Context Area 1 boundary
- Tree protection fencing - to be fauna friendly design & subject to minor changes by Arborist and civil engineer
- Stage 2-5 phase 2 site works (including additional vegetation clearing for construction access & areas of CPTED selective clearing)
- Bushfire Managed Zone - maintain cleared understory
- Trees cleared for Logan Water pump station works
- Approved Phase 1 & School site VMP area
- Existing New Beith Rd (dirt track)
- Remnant Vegetation extent
- Indicative cleared area to rehabilitate
- CA3 (south) VMP approved clearing

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:600

References:
AS4970-2009 Protection of trees on development sites

0 5 10 15 20 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
O	17/10/2025	UPDATED STAGE 4 BASIN	TC	AD

CLIENT
PEET Flagstone

PROJECT
FLAGSTONE CITY - STAGES 2-5

DRAWING TITLE
VEGETATION MANAGEMENT PLAN

DRAWING NO.
8047 E 06 BAL Stage 2 VMP O

FLAGSTONE CITY - STAGE 2-5


Vegetation Management Plan - *Detail Sheet*

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV2012/403/303

Date: 30 October 2025

Queensland Government



Tree (with TPZ) to retain

Tree (with TPZ) to remove in development design/ construction acess

Tree (with TPZ) removal to be confirmed at detail design stage of stormwater management

Tree (with TPZ) to remove for trunk sewer works

Tree (with TPZ) retention status TBC in park by CPTED principles & park detail design

Tree (with TPZ) removed as part of previsouly approved VMPs

Tree (with TPZ) retention subject to cultural heritage

Proposed lots

Civil design contours for development area/basins

SW Civil stormwater

Maxmimum BLE

Earthwork pad setback

Retaining wall

Built to boundary wall

Road pavement design Road design

Road design contours

Sewer pump station pad

S Civil trunk sewer

Top & toe of batters

Existing contours

W Civil water

Context Area 1 boundary

Tree protection fencing - to be fauna friendly design & subject to minor changes by Arborist and civil engineer

Stage 2-5 phase 2 site works (including additional vegetation clearing for construction access & areas of CPTED selective clearing)

Bushfire Managed Zone - maintain cleared understory

Trees cleared for Logan Water pump station works

Approved Phase 1 & School site VMP area

Existing New Beith Rd (dirt track)

Remnant Vegetation extent

Indicative cleared area to rehabilitate

CA3 (south) VMP approved clearing

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:600

References:
AS4970-2009 Protection of trees on development sites

0 5 10 15 20 m

AMENDMENTS				
ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
O	17/10/2025	UPDATED STAGE 4 BASIN	TC	AD

CLIENT
PEET Flagstone

PROJECT
FLAGSTONE CITY - STAGES 2-5

DRAWING TITLE
VEGETATION MANAGEMENT PLAN

DRAWING NO.
8047 E 07 BAL Stage 2 VMP O

FLAGSTONE CITY - STAGE 2-5


Vegetation Management Plan - *Detail Sheet*

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV2012/403/303

Date: 30 October 2025

Queensland Government



Tree (with TPZ) to retain

Tree (with TPZ) to remove in development design/ construction acess

Tree (with TPZ) removal to be confirmed at detail design stage of stormwater management

Tree (with TPZ) to remove for trunk sewer works

Tree (with TPZ) retention status TBC in park by CPTED principles & park detail design

Tree (with TPZ) removed as part of previsouly approved VMPs

Tree (with TPZ) retention subject to cultural heritage

Proposed lots

Civil design contours for development area/basins

SW Civil stormwater

Maxmimum BLE

Earthwork pad setback

Retaining wall

Built to boundary wall

Road pavement design

Road design

Road design contours

Sewer pump station pad

S Civil trunk sewer

Top & toe of batters

Existing contours

W Civil water

Context Area 1 boundary

Tree protection fencing - to be fauna friendly design & subject to minor changes by Arborist and civil engineer

Stage 2-5 phase 2 site works (including additional vegetation clearing for construction access & areas of CPTED selective clearing)

Bushfire Managed Zone - maintain cleared understory

Trees cleared for Logan Water pump station works

Approved Phase 1 & School site VMP area

Existing New Beith Rd (dirt track)

Remnant Vegetation extent

Indicative cleared area to rehabilitate

CA3 (south) VMP approved clearing

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3) 1:600

References:
AS4970-2009 Protection of trees on development sites

0 5 10 15 20 m

AMENDMENTS				
ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
O	17/10/2025	UPDATED STAGE 4 BASIN	TC	AD

CLIENT: PEET Flagstone

PROJECT: FLAGSTONE CITY - STAGES 2-5

DRAWING TITLE: VEGETATION MANAGEMENT PLAN

DRAWING NO.: **8047 E 08 BAL Stage 2 VMP O**

FLAGSTONE CITY - STAGE 2-5


Vegetation Management Plan - *Detail Sheet*

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV2012/403/303

Date: 30 October 2025

Queensland Government



- Tree (with TPZ) to retain
- Tree (with TPZ) to remove in development design/ construction acess
- Tree (with TPZ) removal to be confirmed at detail design stage of stormwater management
- Tree (with TPZ) to remove for trunk sewer works
- Tree (with TPZ) retention status TBC in park by CPTED principles & park detail design
- Tree (with TPZ) removed as part of previsouly approved VMPs
- Tree (with TPZ) retention subject to cultural heritage
- Proposed lots
- Civil design contours for development area/basins
- SW Civil stormwater
- Maxmimum BLE
- Earthwork pad setback
- Retaining wall
- Built to boundary wall
- Road pavement design
- Road design
- Road design contours
- Sewer pump station pad
- S Civil trunk sewer
- Top & toe of batters
- Existing contours
- W Civil water
- Context Area 1 boundary
- Tree protection fencing - to be fauna friendly design & subject to minor changes by Arborist and civil engineer
- Stage 2-5 phase 2 site works (including additional vegetation clearing for construction access & areas of CPTED selective clearing)
- Bushfire Managed Zone - maintain cleared understory
- Trees cleared for Logan Water pump station works
- Approved Phase 1 & School site VMP area
- Existing New Beith Rd (dirt track)
- Remnant Vegetation extent
- Indicative cleared area to rehabilitate
- CA3 (south) VMP approved clearing

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:600

References:
AS4970-2009 Protection of trees on development sites

0 5 10 15 20 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
O	17/10/2025	UPDATED STAGE 4 BASIN	TC	AD

CLIENT
PEET Flagstone

PROJECT
FLAGSTONE CITY - STAGES 2-5

DRAWING TITLE
VEGETATION MANAGEMENT PLAN

DRAWING NO.
8047 E 09 BAL Stage 2 VMP O

FLAGSTONE CITY - STAGE 2-5


Vegetation Management Plan - *Detail Sheet*

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV2012/403/303

Date: 30 October 2025

Queensland Government



Tree (with TPZ) to retain

Tree (with TPZ) to remove in development design/ construction acess

Tree (with TPZ) removal to be confirmed at detail design stage of stormwater management

Tree (with TPZ) to remove for trunk sewer works

Tree (with TPZ) retention status TBC in park by CPTED principles & park detail design

Tree (with TPZ) removed as part of previsouly approved VMPs

Tree (with TPZ) retention subject to cultural heritage

Proposed lots

Civil design contours for development area/basins

SW Civil stormwater

Maxmimum BLE

Earthwork pad setback

Retaining wall

Built to boundary wall

Road pavement design Road design

Road design contours

Sewer pump station pad

S Civil trunk sewer

Top & toe of batters

Existing contours

W Civil water

Context Area 1 boundary

Tree protection fencing - to be fauna friendly design & subject to minor changes by Arborist and civil engineer

Stage 2-5 phase 2 site works (including additional vegetation clearing for construction access & areas of CPTED selective clearing)

Bushfire Managed Zone - maintain cleared understory

Trees cleared for Logan Water pump station works

Approved Phase 1 & School site VMP area

Existing New Beith Rd (dirt track)

Remnant Vegetation extent

Indicative cleared area to rehabilitate

CA3 (south) VMP approved clearing

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:600

References:
AS4970-2009 Protection of trees on development sites

0 5 10 15 20 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
O	17/10/2025	UPDATED STAGE 4 BASIN	TC	AD

CLIENT
PEET Flagstone

PROJECT
FLAGSTONE CITY - STAGES 2-5

DRAWING TITLE
VEGETATION MANAGEMENT PLAN

DRAWING NO.
8047 E 10 BAL Stage 2 VMP O

FLAGSTONE CITY - STAGE 2-5


Vegetation Management Plan - *Detail Sheet*

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV2012/403/303

Date: 30 October 2025

Queensland Government



- Tree (with TPZ) to retain
- Tree (with TPZ) to remove in development design/ construction acess
- Tree (with TPZ) removal to be confirmed at detail design stage of stormwater management
- Tree (with TPZ) to remove for trunk sewer works
- Tree (with TPZ) retention status TBC in park by CPTED principles & park detail design
- Tree (with TPZ) removed as part of previsouly approved VMPs
- Tree (with TPZ) retention subject to cultural heritage
- Proposed lots
- Civil design contours for development area/basins
- SW Civil stormwater
- Maxmimum BLE
- Earthwork pad setback
- Retaining wall
- Built to boundary wall
- Road pavement design Road design
- Road design contours
- Sewer pump station pad
- S Civil trunk sewer
- Top & toe of batters
- Existing contours
- W Civil water
- Context Area 1 boundary
- Tree protection fencing - to be fauna friendly design & subject to minor changes by Arborist and civil engineer
- Stage 2-5 phase 2 site works (including additional vegetation clearing for construction access & areas of CPTED selective clearing)
- Bushfire Managed Zone - maintain cleared understory
- Trees cleared for Logan Water pump station works
- Approved Phase 1 & School site VMP area
- Existing New Beith Rd (dirt track)
- Remnant Vegetation extent
- Indicative cleared area to rehabilitate
- CA3 (south) VMP approved clearing

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:600

References:
AS4970-2009 Protection of trees on development sites

0 5 10 15 20 m

AMENDMENTS				
ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
O	17/10/2025	UPDATED STAGE 4 BASIN	TC	AD

CLIENT
PEET Flagstone

PROJECT
FLAGSTONE CITY - STAGES 2-5

DRAWING TITLE
VEGETATION MANAGEMENT PLAN

DRAWING NO.
8047 E 11 BAL Stage 2 VMP O

FLAGSTONE CITY - STAGE 2-5


Vegetation Management Plan - *Detail Sheet*

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV2012/403/303

Date: 30 October 2025

Queensland Government



- Tree (with TPZ) to retain
- Tree (with TPZ) to remove in development design/ construction acess
- Tree (with TPZ) removal to be confirmed at detail design stage of stormwater management
- Tree (with TPZ) to remove for trunk sewer works
- Tree (with TPZ) retention status TBC in park by CPTED principles & park detail design
- Tree (with TPZ) removed as part of previsouly approved VMPs
- Tree (with TPZ) retention subject to cultural heritage
- Proposed lots
- Civil design contours for development area/basins
- SW Civil stormwater
- Maxmimum BLE
- Earthwork pad setback
- Retaining wall
- Built to boundary wall
- Road pavement design Road design
- Road design contours
- Sewer pump station pad
- S Civil trunk sewer
- Top & toe of batters
- Existing contours
- W Civil water
- Context Area 1 boundary
- Tree protection fencing - to be fauna friendly design & subject to minor changes by Arborist and civil engineer
- Stage 2-5 phase 2 site works (including additional vegetation clearing for construction access & areas of CPTED selective clearing)
- Bushfire Managed Zone - maintain cleared understory
- Trees cleared for Logan Water pump station works
- Approved Phase 1 & School site VMP area
- Existing New Beith Rd (dirt track)
- Remnant Vegetation extent
- Indicative cleared area to rehabilitate
- CA3 (south) VMP approved clearing

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3) 1:600

References:
AS4970-2009 Protection of trees on development sites

0 5 10 15 20 m

AMENDMENTS				
ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
O	17/10/2025	UPDATED STAGE 4 BASIN	TC	AD

CLIENT: PEET Flagstone

PROJECT: FLAGSTONE CITY - STAGES 2-5

DRAWING TITLE: VEGETATION MANAGEMENT PLAN

DRAWING NO.: **8047 E 12 BAL Stage 2 VMP O**

FLAGSTONE CITY - STAGE 2-5


Vegetation Management Plan - *Detail Sheet*

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV2012/403/303

Date: 30 October 2025

Queensland Government



- Tree (with TPZ) to retain
- Tree (with TPZ) to remove in development design/ construction acess
- Tree (with TPZ) removal to be confirmed at detail design stage of stormwater management
- Tree (with TPZ) to remove for trunk sewer works
- Tree (with TPZ) retention status TBC in park by CPTED principles & park detail design
- Tree (with TPZ) removed as part of previsouly approved VMPs
- Tree (with TPZ) retention subject to cultural heritage
- Proposed lots
- Civil design contours for development area/basins
- SW Civil stormwater
- Maxmimum BLE
- Earthwork pad setback
- Retaining wall
- Built to boundary wall
- Road pavement design
- Road design
- Road design contours
- Sewer pump station pad
- S Civil trunk sewer
- Top & toe of batters
- Existing contours
- W Civil water
- Context Area 1 boundary
- Tree protection fencing - to be fauna friendly design & subject to minor changes by Arborist and civil engineer
- Stage 2-5 phase 2 site works (including additional vegetation clearing for construction access & areas of CPTED selective clearing)
- Bushfire Managed Zone - maintain cleared understory
- Trees cleared for Logan Water pump station works
- Approved Phase 1 & School site VMP area
- Existing New Beith Rd (dirt track)
- Remnant Vegetation extent
- Indicative cleared area to rehabilitate
- CA3 (south) VMP approved clearing

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:600

References:
AS4970-2009 Protection of trees on development sites

0 5 10 15 20 m

AMENDMENTS				
ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
O	17/10/2025	UPDATED STAGE 4 BASIN	TC	AD

CLIENT
PEET Flagstone

PROJECT
FLAGSTONE CITY - STAGES 2-5

DRAWING TITLE
VEGETATION MANAGEMENT PLAN

DRAWING NO.
8047 E 13 BAL Stage 2 VMP O

FLAGSTONE CITY - STAGE 2-5


Vegetation Management Plan - *Detail Sheet*

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV2012/403/303

Date: 30 October 2025

Queensland Government



- Tree (with TPZ) to retain
- Tree (with TPZ) to remove in development design/ construction acess
- Tree (with TPZ) removal to be confirmed at detail design stage of stormwater management
- Tree (with TPZ) to remove for trunk sewer works
- Tree (with TPZ) retention status TBC in park by CPTED principles & park detail design
- Tree (with TPZ) removed as part of previsouly approved VMPs
- Tree (with TPZ) retention subject to cultural heritage
- Proposed lots
- Civil design contours for development area/basins
- SW Civil stormwater
- Maxmimum BLE
- Earthwork pad setback
- Retaining wall
- Built to boundary wall
- Road pavement design
- Road design contours
- Sewer pump station pad
- S Civil trunk sewer
- Top & toe of batters
- Existing contours
- W Civil water
- Context Area 1 boundary
- Tree protection fencing - to be fauna friendly design & subject to minor changes by Arborist and civil engineer
- Stage 2-5 phase 2 site works (including additional vegetation clearing for construction access & areas of CPTED selective clearing)
- Bushfire Managed Zone - maintain cleared understory
- Trees cleared for Logan Water pump station works
- Approved Phase 1 & School site VMP area
- Existing New Beith Rd (dirt track)
- Remnant Vegetation extent
- Indicative cleared area to rehabilitate
- CA3 (south) VMP approved clearing

Road design

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:600

References:
AS4970-2009 Protection of trees on development sites

0 5 10 15 20 m

AMENDMENTS				
ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
O	17/10/2025	UPDATED STAGE 4 BASIN	TC	AD

CLIENT
PEET Flagstone

PROJECT
FLAGSTONE CITY - STAGES 2-5

DRAWING TITLE
VEGETATION MANAGEMENT PLAN

DRAWING NO.
8047 E 14 BAL Stage 2 VMP O

FLAGSTONE CITY - STAGE 2-5


Vegetation Management Plan - *Detail Sheet*

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV2012/403/303

Date: 30 October 2025

Queensland Government



Tree (with TPZ) to retain

Tree (with TPZ) to remove in development design/ construction acess

Tree (with TPZ) removal to be confirmed at detail design stage of stormwater management

Tree (with TPZ) to remove for trunk sewer works

Tree (with TPZ) retention status TBC in park by CPTED principles & park detail design

Tree (with TPZ) removed as part of previsouly approved VMPs

Tree (with TPZ) retention subject to cultural heritage

Proposed lots

Civil design contours for development area/basins

SW Civil stormwater

Maxmimum BLE

Earthwork pad setback

Retaining wall

Built to boundary wall

Road pavement design

Road design

Road design contours

Sewer pump station pad

S Civil trunk sewer

Top & toe of batters

Existing contours

W Civil water

Context Area 1 boundary

Tree protection fencing - to be fauna friendly design & subject to minor changes by Arborist and civil engineer

Stage 2-5 phase 2 site works (including additional vegetation clearing for construction access & areas of CPTED selective clearing)

Bushfire Managed Zone - maintain cleared understory

Trees cleared for Logan Water pump station works

Approved Phase 1 & School site VMP area

Existing New Beith Rd (dirt track)

Remnant Vegetation extent

Indicative cleared area to rehabilitate

CA3 (south) VMP approved clearing

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:600

References:
AS4970-2009 Protection of trees on development sites

0 5 10 15 20 m

AMENDMENTS				
ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
O	17/10/2025	UPDATED STAGE 4 BASIN	TC	AD

CLIENT
PEET Flagstone

PROJECT
FLAGSTONE CITY - STAGES 2-5

DRAWING TITLE
VEGETATION MANAGEMENT PLAN

DRAWING NO.
8047 E 15 BAL Stage 2 VMP O

FLAGSTONE CITY - STAGE 2-5


Vegetation Management Plan - *Detail Sheet*

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV2012/403/303

Date: 30 October 2025

Queensland Government



- Tree (with TPZ) to retain
- Tree (with TPZ) to remove in development design/ construction acess
- Tree (with TPZ) removal to be confirmed at detail design stage of stormwater management
- Tree (with TPZ) to remove for trunk sewer works
- Tree (with TPZ) retention status TBC in park by CPTED principles & park detail design
- Tree (with TPZ) removed as part of previsouly approved VMPs
- Tree (with TPZ) retention subject to cultural heritage
- Proposed lots
- Civil design contours for development area/basins
- SW Civil stormwater
- Maxmimum BLE
- Earthwork pad setback
- Retaining wall
- Built to boundary wall
- Road pavement design — Road design
- Road design contours
- Sewer pump station pad
- S Civil trunk sewer
- Top & toe of batters
- Existing contours
- W Civil water
- Context Area 1 boundary
- Tree protection fencing - to be fauna friendly design & subject to minor changes by Arborist and civil engineer
- Stage 2-5 phase 2 site works (including additional vegetation clearing for construction access & areas of CPTED selective clearing)
- Bushfire Managed Zone - maintain cleared understory
- Trees cleared for Logan Water pump station works
- Approved Phase 1 & School site VMP area
- Existing New Beith Rd (dirt track)
- Remnant Vegetation extent
- Indicative cleared area to rehabilitate
- CA3 (south) VMP approved clearing

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3) 1:600

References:
AS4970-2009 Protection of trees on development sites

0 5 10 15 20 m

AMENDMENTS				
ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
O	17/10/2025	UPDATED STAGE 4 BASIN	TC	AD

CLIENT: PEET Flagstone

PROJECT: FLAGSTONE CITY - STAGES 2-5

DRAWING TITLE: VEGETATION MANAGEMENT PLAN

DRAWING NO.: **8047 E 16 BAL Stage 2 VMP O**

FLAGSTONE CITY - STAGE 2-5


Vegetation Management Plan - *Detail Sheet*

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV2012/403/303

Date: 30 October 2025

Queensland Government



- Tree (with TPZ) to retain
- Tree (with TPZ) to remove in development design/ construction acess
- Tree (with TPZ) removal to be confirmed at detail design stage of stormwater management
- Tree (with TPZ) to remove for trunk sewer works
- Tree (with TPZ) retention status TBC in park by CPTED principles & park detail design
- Tree (with TPZ) removed as part of previsouly approved VMPs
- Tree (with TPZ) retention subject to cultural heritage
- Proposed lots
- Civil design contours for development area/basins
- SW Civil stormwater
- Maxmimum BLE
- Earthwork pad setback
- Retaining wall
- Built to boundary wall
- Road pavement design
- Road design contours
- Sewer pump station pad
- S Civil trunk sewer
- Top & toe of batters
- Existing contours
- W Civil water
- Context Area 1 boundary
- Tree protection fencing - to be fauna friendly design & subject to minor changes by Arborist and civil engineer
- Stage 2-5 phase 2 site works (including additional vegetation clearing for construction access & areas of CPTED selective clearing)
- Bushfire Managed Zone - maintain cleared understory
- Trees cleared for Logan Water pump station works
- Approved Phase 1 & School site VMP area
- Existing New Beith Rd (dirt track)
- Remnant Vegetation extent
- Indicative cleared area to rehabilitate
- CA3 (south) VMP approved clearing

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:600

References:
AS4970-2009 Protection of trees on development sites

0 5 10 15 20 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
O	17/10/2025	UPDATED STAGE 4 BASIN	TC	AD

CLIENT
PEET Flagstone

PROJECT
FLAGSTONE CITY - STAGES 2-5

DRAWING TITLE
VEGETATION MANAGEMENT PLAN

DRAWING NO.
8047 E 17 BAL Stage 2 VMP O

FLAGSTONE CITY - STAGE 2-5


Vegetation Management Plan - *Detail Sheet*

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV2012/403/303

Date: 30 October 2025

Queensland Government



Tree (with TPZ) to retain

Tree (with TPZ) to remove in development design/ construction acess

Tree (with TPZ) removal to be confirmed at detail design stage of stormwater management

Tree (with TPZ) to remove for trunk sewer works

Tree (with TPZ) retention status TBC in park by CPTED principles & park detail design

Tree (with TPZ) removed as part of previsouly approved VMPs

Tree (with TPZ) retention subject to cultural heritage

Proposed lots

Civil design contours for development area/basins

SW Civil stormwater

Maxmimum BLE

Earthwork pad setback

Retaining wall

Built to boundary wall

Road pavement design Road design

Road design contours

Sewer pump station pad

S Civil trunk sewer

Top & toe of batters

Existing contours

W Civil water

Context Area 1 boundary

Tree protection fencing - to be fauna friendly design & subject to minor changes by Arborist and civil engineer

Stage 2-5 phase 2 site works (including additional vegetation clearing for construction access & areas of CPTED selective clearing)

Bushfire Managed Zone - maintain cleared understory

Trees cleared for Logan Water pump station works

Approved Phase 1 & School site VMP area

Existing New Beith Rd (dirt track)

Remnant Vegetation extent

Indicative cleared area to rehabilitate

CA3 (south) VMP approved clearing

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:600

References:
AS4970-2009 Protection of trees on development sites

0 5 10 15 20 m

AMENDMENTS				
ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
O	17/10/2025	UPDATED STAGE 4 BASIN	TC	AD

CLIENT
PEET Flagstone

PROJECT
FLAGSTONE CITY - STAGES 2-5

DRAWING TITLE
VEGETATION MANAGEMENT PLAN

DRAWING NO.
8047 E 18 BAL Stage 2 VMP O

FLAGSTONE CITY - STAGE 2-5


Vegetation Management Plan - *Detail Sheet*

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV2012/403/303

Date: 30 October 2025

Queensland Government



Tree (with TPZ) to retain

Tree (with TPZ) to remove in development design/ construction acess

Tree (with TPZ) removal to be confirmed at detail design stage of stormwater management

Tree (with TPZ) to remove for trunk sewer works

Tree (with TPZ) retention status TBC in park by CPTED principles & park detail design

Tree (with TPZ) removed as part of previsouly approved VMPs

Tree (with TPZ) retention subject to cultural heritage

Proposed lots

Civil design contours for development area/basins

SW Civil stormwater

Maxmimum BLE

Earthwork pad setback

Retaining wall

Built to boundary wall

Road pavement design

Road design

Road design contours

Sewer pump station pad

S Civil trunk sewer

Top & toe of batters

Existing contours

W Civil water

Context Area 1 boundary

Tree protection fencing - to be fauna friendly design & subject to minor changes by Arborist and civil engineer

Stage 2-5 phase 2 site works (including additional vegetation clearing for construction access & areas of CPTED selective clearing)

Bushfire Managed Zone - maintain cleared understory

Trees cleared for Logan Water pump station works

Approved Phase 1 & School site VMP area

Existing New Beith Rd (dirt track)

Remnant Vegetation extent

Indicative cleared area to rehabilitate

CA3 (south) VMP approved clearing

Saunders Havill

BOWENHILLS | SPRINGFIELD

1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:600

References:
AS4970-2009 Protection of trees on development sites

0 5 10 15 20 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
O	17/10/2025	UPDATED STAGE 4 BASIN	TC	AD

CLIENT

PEET Flagstone

PROJECT

FLAGSTONE CITY - STAGES 2-5

DRAWING TITLE

VEGETATION MANAGEMENT PLAN

DRAWING NO.

8047 E 19 BAL Stage 2 VMP O

FLAGSTONE CITY - STAGE 2-5


Vegetation Management Plan - *Detail Sheet*

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV2012/403/303

Date: 30 October 2025

Queensland Government



- Tree (with TPZ) to retain
- Tree (with TPZ) to remove in development design/ construction acess
- Tree (with TPZ) removal to be confirmed at detail design stage of stormwater management
- Tree (with TPZ) to remove for trunk sewer works
- Tree (with TPZ) retention status TBC in park by CPTED principles & park detail design
- Tree (with TPZ) removed as part of previsouly approved VMPs
- Tree (with TPZ) retention subject to cultural heritage
- Proposed lots
- Civil design contours for development area/basins
- SW Civil stormwater
- Maxmimum BLE
- Earthwork pad setback
- Retaining wall
- Built to boundary wall
- Road pavement design

Road design

- Road design contours
- Sewer pump station pad
- S Civil trunk sewer
- Top & toe of batters
- Existing contours
- W Civil water
- Context Area 1 boundary
- Tree protection fencing - to be fauna friendly design & subject to minor changes by Arborist and civil engineer
- Stage 2-5 phase 2 site works (including additional vegetation clearing for construction access & areas of CPTED selective clearing)
- Bushfire Managed Zone - maintain cleared understory
- Trees cleared for Logan Water pump station works
- Approved Phase 1 & School site VMP area
- Existing New Beith Rd (dirt track)
- Remnant Vegetation extent
- Indicative cleared area to rehabilitate
- CA3 (south) VMP approved clearing

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:600

References:
AS4970-2009 Protection of trees on development sites

0 5 10 15 20 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
O	17/10/2025	UPDATED STAGE 4 BASIN	TC	AD

CLIENT
PEET Flagstone

PROJECT
FLAGSTONE CITY - STAGES 2-5

DRAWING TITLE
VEGETATION MANAGEMENT PLAN

DRAWING NO.
8047 E 20 BAL Stage 2 VMP O

FLAGSTONE CITY - STAGE 2-5


Vegetation Management Plan - *Detail Sheet*

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV2012/403/303

Date: 30 October 2025

Queensland Government



- Tree (with TPZ) to retain
- Tree (with TPZ) to remove in development design/ construction acess
- Tree (with TPZ) removal to be confirmed at detail design stage of stormwater management
- Tree (with TPZ) to remove for trunk sewer works
- Tree (with TPZ) retention status TBC in park by CPTED principles & park detail design
- Tree (with TPZ) removed as part of previsouly approved VMPs
- Tree (with TPZ) retention subject to cultural heritage
- Proposed lots
- Civil design contours for development area/basins
- SW Civil stormwater
- Maxmimum BLE
- Earthwork pad setback
- Retaining wall
- Built to boundary wall
- Road pavement design Road design
- Road design contours
- Sewer pump station pad
- S Civil trunk sewer
- Top & toe of batters
- Existing contours
- W Civil water
- Context Area 1 boundary
- Tree protection fencing - to be fauna friendly design & subject to minor changes by Arborist and civil engineer
- Stage 2-5 phase 2 site works (including additional vegetation clearing for construction access & areas of CPTED selective clearing)
- Bushfire Managed Zone - maintain cleared understory
- Trees cleared for Logan Water pump station works
- Approved Phase 1 & School site VMP area
- Existing New Beith Rd (dirt track)
- Remnant Vegetation extent
- Indicative cleared area to rehabilitate
- CA3 (south) VMP approved clearing

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:600

References:
AS4970-2009 Protection of trees on development sites

0 5 10 15 20 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
O	17/10/2025	UPDATED STAGE 4 BASIN	TC	AD

CLIENT
PEET Flagstone

PROJECT
FLAGSTONE CITY - STAGES 2-5

DRAWING TITLE
VEGETATION MANAGEMENT PLAN

DRAWING NO.
8047 E 21 BAL Stage 2 VMP O

FLAGSTONE CITY - STAGE 2-5

Vegetation Management Plan - *Detail Sheet*

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV2012/403/303

Date: 30 October 2025

Queensland Government



Tree (with TPZ) to retain

Tree (with TPZ) to remove in development design/ construction acess

Tree (with TPZ) removal to be confirmed at detail design stage of stormwater management

Tree (with TPZ) to remove for trunk sewer works

Tree (with TPZ) retention status TBC in park by CPTED principles & park detail design

Tree (with TPZ) removed as part of previsouly approved VMPs

Tree (with TPZ) retention subject to cultural heritage

Proposed lots

Civil design contours for development area/basins

SW Civil stormwater

Maxmimum BLE

Earthwork pad setback

Retaining wall

Built to boundary wall

Road pavement design

Road design

Road design contours

Sewer pump station pad

S Civil trunk sewer

Top & toe of batters

Existing contours

W Civil water

Context Area 1 boundary

Tree protection fencing - to be fauna friendly design & subject to minor changes by Arborist and civil engineer

Stage 2-5 phase 2 site works (including additional vegetation clearing for construction access & areas of CPTED selective clearing)

Bushfire Managed Zone - maintain cleared understory

Trees cleared for Logan Water pump station works

Approved Phase 1 & School site VMP area

Existing New Beith Rd (dirt track)

Remnant Vegetation extent

Indicative cleared area to rehabilitate

CA3 (south) VMP approved clearing

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:600

References:
AS4970-2009 Protection of trees on development sites

0 5 10 15 20 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
O	17/10/2025	UPDATED STAGE 4 BASIN	TC	AD

CLIENT

PEET Flagstone

PROJECT

FLAGSTONE CITY - STAGES 2-5

DRAWING TITLE

VEGETATION MANAGEMENT PLAN

DRAWING NO.

8047 E 22 BAL Stage 2 VMP O

FLAGSTONE CITY - STAGE 2-5

Vegetation Management Plan - *Detail Sheet*

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV2012/403/303

Date: 30 October 2025

Queensland Government



- Tree (with TPZ) to retain
- Tree (with TPZ) to remove in development design/ construction acess
- Tree (with TPZ) removal to be confirmed at detail design stage of stormwater management
- Tree (with TPZ) to remove for trunk sewer works
- Tree (with TPZ) retention status TBC in park by CPTED principles & park detail design
- Tree (with TPZ) removed as part of previsouly approved VMPs
- Tree (with TPZ) retention subject to cultural heritage
- Proposed lots
- Civil design contours for development area/basins
- SW Civil stormwater
- Maxmimum BLE
- Earthwork pad setback
- Retaining wall
- Built to boundary wall
- Road pavement design

Road design

- Road design contours
- Sewer pump station pad
- S Civil trunk sewer
- Top & toe of batters
- Existing contours
- W Civil water
- Context Area 1 boundary
- Tree protection fencing - to be fauna friendly design & subject to minor changes by Arborist and civil engineer
- Stage 2-5 phase 2 site works (including additional vegetation clearing for construction access & areas of CPTED selective clearing)
- Bushfire Managed Zone - maintain cleared understory
- Trees cleared for Logan Water pump station works
- Approved Phase 1 & School site VMP area
- Existing New Beith Rd (dirt track)
- Remnant Vegetation extent
- Indicative cleared area to rehabilitate
- CA3 (south) VMP approved clearing

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:600

References:
AS4970-2009 Protection of trees on development sites

0 5 10 15 20 m

AMENDMENTS				
ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
O	17/10/2025	UPDATED STAGE 4 BASIN	TC	AD

CLIENT
PEET Flagstone

PROJECT
FLAGSTONE CITY - STAGES 2-5

DRAWING TITLE
VEGETATION MANAGEMENT PLAN

DRAWING NO.
8047 E 23 BAL Stage 2 VMP O

FLAGSTONE CITY - STAGE 2-5


Vegetation Management Plan - *Detail Sheet*

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV2012/403/303

Date: 30 October 2025

Queensland Government



- Tree (with TPZ) to retain
- Tree (with TPZ) to remove in development design/ construction acess
- Tree (with TPZ) removal to be confirmed at detail design stage of stormwater management
- Tree (with TPZ) to remove for trunk sewer works
- Tree (with TPZ) retention status TBC in park by CPTED principles & park detail design
- Tree (with TPZ) removed as part of previsouly approved VMPs
- Tree (with TPZ) retention subject to cultural heritage
- Proposed lots
- Civil design contours for development area/basins
- SW Civil stormwater
- Maxmimum BLE
- Earthwork pad setback
- Retaining wall
- Built to boundary wall
- Road pavement design — Road design
- Road design contours
- Sewer pump station pad
- S Civil trunk sewer
- Top & toe of batters
- Existing contours
- W Civil water
- Context Area 1 boundary
- Tree protection fencing - to be fauna friendly design & subject to minor changes by Arborist and civil engineer
- Stage 2-5 phase 2 site works (including additional vegetation clearing for construction access & areas of CPTED selective clearing)
- Bushfire Managed Zone - maintain cleared understory
- Trees cleared for Logan Water pump station works
- Approved Phase 1 & School site VMP area
- Existing New Beith Rd (dirt track)
- Remnant Vegetation extent
- Indicative cleared area to rehabilitate
- CA3 (south) VMP approved clearing

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:600

References:
AS4970-2009 Protection of trees on development sites

0 5 10 15 20 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
O	17/10/2025	UPDATED STAGE 4 BASIN	TC	AD

CLIENT
PEET Flagstone

PROJECT
FLAGSTONE CITY - STAGES 2-5

DRAWING TITLE
VEGETATION MANAGEMENT PLAN

DRAWING NO.
8047 E 24 BAL Stage 2 VMP O

FLAGSTONE CITY - STAGE 2-5


Vegetation Management Plan - *Detail Sheet*

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV2012/403/303

Date: 30 October 2025

Queensland Government



- Tree (with TPZ) to retain
- Tree (with TPZ) to remove in development design/ construction acess
- Tree (with TPZ) removal to be confirmed at detail design stage of stormwater management
- Tree (with TPZ) to remove for trunk sewer works
- Tree (with TPZ) retention status TBC in park by CPTED principles & park detail design
- Tree (with TPZ) removed as part of previsouly approved VMPs
- Tree (with TPZ) retention subject to cultural heritage
- Proposed lots
- Civil design contours for development area/basins
- SW Civil stormwater
- Maxmimum BLE
- Earthwork pad setback
- Retaining wall
- Built to boundary wall
- Road pavement design Road design
- Road design contours
- Sewer pump station pad
- S Civil trunk sewer
- Top & toe of batters
- Existing contours
- W Civil water
- Context Area 1 boundary
- Tree protection fencing - to be fauna friendly design & subject to minor changes by Arborist and civil engineer
- Stage 2-5 phase 2 site works (including additional vegetation clearing for construction access & areas of CPTED selective clearing)
- Bushfire Managed Zone - maintain cleared understory
- Trees cleared for Logan Water pump station works
- Approved Phase 1 & School site VMP area
- Existing New Beith Rd (dirt track)
- Remnant Vegetation extent
- Indicative cleared area to rehabilitate
- CA3 (south) VMP approved clearing

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:600

References:
AS4970-2009 Protection of trees on development sites

0 5 10 15 20 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
O	17/10/2025	UPDATED STAGE 4 BASIN	TC	AD

CLIENT
PEET Flagstone

PROJECT
FLAGSTONE CITY - STAGES 2-5

DRAWING TITLE
VEGETATION MANAGEMENT PLAN

DRAWING NO.
8047 E 25 BAL Stage 2 VMP O

FLAGSTONE CITY - STAGE 2-5


Vegetation Management Plan - *Detail Sheet*

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV2012/403/303

Date: 30 October 2025

Queensland Government



- Tree (with TPZ) to retain
- Tree (with TPZ) to remove in development design/ construction acess
- Tree (with TPZ) removal to be confirmed at detail design stage of stormwater management
- Tree (with TPZ) to remove for trunk sewer works
- Tree (with TPZ) retention status TBC in park by CPTED principles & park detail design
- Tree (with TPZ) removed as part of previsouly approved VMPs
- Tree (with TPZ) retention subject to cultural heritage
- Proposed lots
- Civil design contours for development area/basins
- Civil stormwater
- Maxmimum BLE
- Earthwork pad setback
- Retaining wall
- Built to boundary wall
- Road pavement design
- Road design contours
- Sewer pump station pad
- Civil trunk sewer
- Top & toe of batters
- Existing contours
- Civil water
- Context Area 1 boundary
- Tree protection fencing - to be fauna friendly design & subject to minor changes by Arborist and civil engineer
- Stage 2-5 phase 2 site works (including additional vegetation clearing for construction access & areas of CPTED selective clearing)
- Bushfire Managed Zone - maintain cleared understory
- Trees cleared for Logan Water pump station works
- Approved Phase 1 & School site VMP area
- Existing New Beith Rd (dirt track)
- Remnant Vegetation extent
- Indicative cleared area to rehabilitate
- CA3 (south) VMP approved clearing

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:600

References:
AS4970-2009 Protection of trees on development sites

0 5 10 15 20 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
O	17/10/2025	UPDATED STAGE 4 BASIN	TC	AD

CLIENT
PEET Flagstone

PROJECT
FLAGSTONE CITY - STAGES 2-5

DRAWING TITLE
VEGETATION MANAGEMENT PLAN

DRAWING NO.
8047 E 26 BAL Stage 2 VMP O

FLAGSTONE CITY - STAGE 2-5


Vegetation Management Plan - *Detail Sheet*

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV2012/403/303

Date: 30 October 2025

Queensland Government



- Tree (with TPZ) to retain
- Tree (with TPZ) to remove in development design/ construction acess
- Tree (with TPZ) removal to be confirmed at detail design stage of stormwater management
- Tree (with TPZ) to remove for trunk sewer works
- Tree (with TPZ) retention status TBC in park by CPTED principles & park detail design
- Tree (with TPZ) removed as part of previsouly approved VMPs
- Tree (with TPZ) retention subject to cultural heritage
- Proposed lots
- Civil design contours for development area/basins
- SW Civil stormwater
- Maxmimum BLE
- Earthwork pad setback
- Retaining wall
- Built to boundary wall
- Road pavement design
- Road design
- Road design contours
- Sewer pump station pad
- S Civil trunk sewer
- Top & toe of batters
- Existing contours
- W Civil water
- Context Area 1 boundary
- Tree protection fencing - to be fauna friendly design & subject to minor changes by Arborist and civil engineer
- Stage 2-5 phase 2 site works (including additional vegetation clearing for construction access & areas of CPTED selective clearing)
- Bushfire Managed Zone - maintain cleared understory
- Trees cleared for Logan Water pump station works
- Approved Phase 1 & School site VMP area
- Existing New Beith Rd (dirt track)
- Remnant Vegetation extent
- Indicative cleared area to rehabilitate
- CA3 (south) VMP approved clearing

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:600

References:
AS4970-2009 Protection of trees on development sites

0 5 10 15 20 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
O	17/10/2025	UPDATED STAGE 4 BASIN	TC	AD

CLIENT
PEET Flagstone

PROJECT
FLAGSTONE CITY - STAGES 2-5

DRAWING TITLE
VEGETATION MANAGEMENT PLAN

DRAWING NO.
8047 E 27 BAL Stage 2 VMP O

FLAGSTONE CITY - STAGE 2-5


Vegetation Management Plan - *Detail Sheet*

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV2012/403/303

Date: 30 October 2025

Queensland Government



- Tree (with TPZ) to retain
- Tree (with TPZ) to remove in development design/ construction acess
- Tree (with TPZ) removal to be confirmed at detail design stage of stormwater management
- Tree (with TPZ) to remove for trunk sewer works
- Tree (with TPZ) retention status TBC in park by CPTED principles & park detail design
- Tree (with TPZ) removed as part of previsouly approved VMPs
- Tree (with TPZ) retention subject to cultural heritage
- Proposed lots
- Civil design contours for development area/basins
- SW Civil stormwater
- Maxmimum BLE
- Earthwork pad setback
- Retaining wall
- Built to boundary wall
- Road pavement design
- Road design contours
- Sewer pump station pad
- S Civil trunk sewer
- Top & toe of batters
- Existing contours
- W Civil water
- Context Area 1 boundary
- Tree protection fencing - to be fauna friendly design & subject to minor changes by Arborist and civil engineer
- Stage 2-5 phase 2 site works (including additional vegetation clearing for construction access & areas of CPTED selective clearing)
- Bushfire Managed Zone - maintain cleared understory
- Trees cleared for Logan Water pump station works
- Approved Phase 1 & School site VMP area
- Existing New Beith Rd (dirt track)
- Remnant Vegetation extent
- Indicative cleared area to rehabilitate
- CA3 (south) VMP approved clearing

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3) 1:600

References:
AS4970-2009 Protection of trees on development sites

0 5 10 15 20 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
O	17/10/2025	UPDATED STAGE 4 BASIN	TC	AD

CLIENT: PEET Flagstone

PROJECT: FLAGSTONE CITY - STAGES 2-5

DRAWING TITLE: VEGETATION MANAGEMENT PLAN

DRAWING NO.: **8047 E 28 BAL Stage 2 VMP O**

FLAGSTONE CITY - STAGE 2-5


Vegetation Management Plan - *Detail Sheet*

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV2012/403/303

Date: 30 October 2025

Queensland Government



- Tree (with TPZ) to retain
- Tree (with TPZ) to remove in development design/ construction acess
- Tree (with TPZ) removal to be confirmed at detail design stage of stormwater management
- Tree (with TPZ) to remove for trunk sewer works
- Tree (with TPZ) retention status TBC in park by CPTED principles & park detail design
- Tree (with TPZ) removed as part of previsouly approved VMPs
- Tree (with TPZ) retention subject to cultural heritage
- Proposed lots
- Civil design contours for development area/basins
- SW Civil stormwater
- Maxmimum BLE
- Earthwork pad setback
- Retaining wall
- Built to boundary wall
- Road pavement design

Road design

- Road design contours
- Sewer pump station pad
- S Civil trunk sewer
- Top & toe of batters
- Existing contours
- W Civil water
- Context Area 1 boundary
- Tree protection fencing - to be fauna friendly design & subject to minor changes by Arborist and civil engineer
- Stage 2-5 phase 2 site works (including additional vegetation clearing for construction access & areas of CPTED selective clearing)
- Bushfire Managed Zone - maintain cleared understory
- Trees cleared for Logan Water pump station works
- Approved Phase 1 & School site VMP area
- Existing New Beith Rd (dirt track)
- Remnant Vegetation extent
- Indicative cleared area to rehabilitate
- CA3 (south) VMP approved clearing

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:600

References:
AS4970-2009 Protection of trees on development sites

0 5 10 15 20 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
O	17/10/2025	UPDATED STAGE 4 BASIN	TC	AD

CLIENT
PEET Flagstone

PROJECT
FLAGSTONE CITY - STAGES 2-5

DRAWING TITLE
VEGETATION MANAGEMENT PLAN

DRAWING NO.
8047 E 29 BAL Stage 2 VMP O

FLAGSTONE CITY - STAGE 2-5


Vegetation Management Plan - *Detail Sheet*

PLANS AND DOCUMENTS referred to in the PDA DEVELOPMENT APPROVAL

Approval no: DEV2012/403/303

Date: 30 October 2025

Queensland Government



- Tree (with TPZ) to retain
- Tree (with TPZ) to remove in development design/ construction acess
- Tree (with TPZ) removal to be confirmed at detail design stage of stormwater management
- Tree (with TPZ) to remove for trunk sewer works
- Tree (with TPZ) retention status TBC in park by CPTED principles & park detail design
- Tree (with TPZ) removed as part of previsouly approved VMPs
- Tree (with TPZ) retention subject to cultural heritage
- Proposed lots
- Civil design contours for development area/basins
- SW Civil stormwater
- Maxmimum BLE
- Earthwork pad setback
- Retaining wall
- Built to boundary wall
- Road pavement design
- Road design contours
- Sewer pump station pad
- S Civil trunk sewer
- Top & toe of batters
- Existing contours
- W Civil water
- Context Area 1 boundary
- Tree protection fencing - to be fauna friendly design & subject to minor changes by Arborist and civil engineer
- Stage 2-5 phase 2 site works (including additional vegetation clearing for construction access & areas of CPTED selective clearing)
- Bushfire Managed Zone - maintain cleared understory
- Trees cleared for Logan Water pump station works
- Approved Phase 1 & School site VMP area
- Existing New Beith Rd (dirt track)
- Remnant Vegetation extent
- Indicative cleared area to rehabilitate
- CA3 (south) VMP approved clearing

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3) 1:600

References:
AS4970-2009 Protection of trees on development sites

0 5 10 15 20 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
O	17/10/2025	UPDATED STAGE 4 BASIN	TC	AD

CLIENT: PEET Flagstone

PROJECT: FLAGSTONE CITY - STAGES 2-5

DRAWING TITLE: VEGETATION MANAGEMENT PLAN

DRAWING NO.: **8047 E 30 BAL Stage 2 VMP O**

FLAGSTONE CITY - STAGE 2-5


Vegetation Management Plan - *Detail Sheet*

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV2012/403/303

Date: 30 October 2025

Queensland Government



- Tree (with TPZ) to retain
- Tree (with TPZ) to remove in development design/ construction acess
- Tree (with TPZ) removal to be confirmed at detail design stage of stormwater management
- Tree (with TPZ) to remove for trunk sewer works
- Tree (with TPZ) retention status TBC in park by CPTED principles & park detail design
- Tree (with TPZ) removed as part of previsouly approved VMPs
- Tree (with TPZ) retention subject to cultural heritage
- Proposed lots
- Civil design contours for development area/basins
- SW Civil stormwater
- Maxmimum BLE
- Earthwork pad setback
- Retaining wall
- Built to boundary wall
- Road pavement design Road design
- Road design contours
- Sewer pump station pad
- S Civil trunk sewer
- Top & toe of batters
- Existing contours
- W Civil water
- Context Area 1 boundary
- Tree protection fencing - to be fauna friendly design & subject to minor changes by Arborist and civil engineer
- Stage 2-5 phase 2 site works (including additional vegetation clearing for construction access & areas of CPTED selective clearing)
- Bushfire Managed Zone - maintain cleared understory
- Trees cleared for Logan Water pump station works
- Approved Phase 1 & School site VMP area
- Existing New Beith Rd (dirt track)
- Remnant Vegetation extent
- Indicative cleared area to rehabilitate
- CA3 (south) VMP approved clearing

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:600

References:
AS4970-2009 Protection of trees on development sites

0 5 10 15 20 m

AMENDMENTS				
ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
O	17/10/2025	UPDATED STAGE 4 BASIN	TC	AD

CLIENT
PEET Flagstone

PROJECT
FLAGSTONE CITY - STAGES 2-5

DRAWING TITLE
VEGETATION MANAGEMENT PLAN

DRAWING NO.
8047 E 31 BAL Stage 2 VMP O

FLAGSTONE CITY - STAGE 2-5


Vegetation Management Plan - *Detail Sheet*

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV2012/403/303

Date: 30 October 2025

Queensland Government



Tree (with TPZ) to retain

Tree (with TPZ) to remove in development design/ construction acess

Tree (with TPZ) removal to be confirmed at detail design stage of stormwater management

Tree (with TPZ) to remove for trunk sewer works

Tree (with TPZ) retention status TBC in park by CPTED principles & park detail design

Tree (with TPZ) removed as part of previsouly approved VMPs

Tree (with TPZ) retention subject to cultural heritage

Proposed lots

Civil design contours for development area/basins

SW Civil stormwater

Maxmimum BLE

Earthwork pad setback

Retaining wall

Built to boundary wall

Road pavement design Road design

Road design contours

Sewer pump station pad

S Civil trunk sewer

Top & toe of batters

Existing contours

W Civil water

Context Area 1 boundary

Tree protection fencing - to be fauna friendly design & subject to minor changes by Arborist and civil engineer

Stage 2-5 phase 2 site works (including additional vegetation clearing for construction access & areas of CPTED selective clearing)

Bushfire Managed Zone - maintain cleared understory

Trees cleared for Logan Water pump station works

Approved Phase 1 & School site VMP area

Existing New Beith Rd (dirt track)

Remnant Vegetation extent

Indicative cleared area to rehabilitate

CA3 (south) VMP approved clearing

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3) 1:600

References:
AS4970-2009 Protection of trees on development sites

0 5 10 15 20 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
O	17/10/2025	UPDATED STAGE 4 BASIN	TC	AD

CLIENT: PEET Flagstone

PROJECT: FLAGSTONE CITY - STAGES 2-5

DRAWING TITLE: VEGETATION MANAGEMENT PLAN

DRAWING NO.: **8047 E 32 BAL Stage 2 VMP O**

FLAGSTONE CITY - STAGE 2-5

Vegetation Management Plan - *Detail Sheet*

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV2012/403/303

Date: 30 October 2025

Queensland Government



Tree (with TPZ) to retain

Tree (with TPZ) to remove in development design/ construction acess

Tree (with TPZ) removal to be confirmed at detail design stage of stormwater management

Tree (with TPZ) to remove for trunk sewer works

Tree (with TPZ) retention status TBC in park by CPTED principles & park detail design

Tree (with TPZ) removed as part of previsouly approved VMPs

Tree (with TPZ) retention subject to cultural heritage

Proposed lots

Civil design contours for development area/basins

SW Civil stormwater

Maxmimum BLE

Earthwork pad setback

Retaining wall

Built to boundary wall

Road pavement design

Road design

Road design contours

Sewer pump station pad

S Civil trunk sewer

Top & toe of batters

Existing contours

W Civil water

Context Area 1 boundary

Tree protection fencing - to be fauna friendly design & subject to minor changes by Arborist and civil engineer

Stage 2-5 phase 2 site works (including additional vegetation clearing for construction access & areas of CPTED selective clearing)

Bushfire Managed Zone - maintain cleared understory

Trees cleared for Logan Water pump station works

Approved Phase 1 & School site VMP area

Existing New Beith Rd (dirt track)

Remnant Vegetation extent

Indicative cleared area to rehabilitate

CA3 (south) VMP approved clearing

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:600

References:
AS4970-2009 Protection of trees on development sites

0 5 10 15 20 m

AMENDMENTS					
ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
O	17/10/2025	UPDATED STAGE 4 BASIN	TC	AD

CLIENT
PEET Flagstone

PROJECT
FLAGSTONE CITY - STAGES 2-5

DRAWING TITLE
VEGETATION MANAGEMENT PLAN

DRAWING NO.
8047 E 33 BAL Stage 2 VMP O

FLAGSTONE CITY - STAGE 2-5

Vegetation Management Plan - *Detail Sheet*

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV2012/403/303

Date: 30 October 2025

Queensland Government



- Tree (with TPZ) to retain
- Tree (with TPZ) to remove in development design/ construction acess
- Tree (with TPZ) removal to be confirmed at detail design stage of stormwater management
- Tree (with TPZ) to remove for trunk sewer works
- Tree (with TPZ) retention status TBC in park by CPTED principles & park detail design
- Tree (with TPZ) removed as part of previsouly approved VMPs
- Tree (with TPZ) retention subject to cultural heritage
- Proposed lots
- Civil design contours for development area/basins
- Civil stormwater
- Maxmimum BLE
- Earthwork pad setback
- Retaining wall
- Built to boundary wall
- Road pavement design

Road design

- Road design contours
- Sewer pump station pad
- Civil trunk sewer
- Top & toe of batters
- Existing contours
- Civil water
- Context Area 1 boundary
- Tree protection fencing - to be fauna friendly design & subject to minor changes by Arborist and civil engineer
- Stage 2-5 phase 2 site works (including additional vegetation clearing for construction access & areas of CPTED selective clearing)
- Bushfire Managed Zone - maintain cleared understory
- Trees cleared for Logan Water pump station works
- Approved Phase 1 & School site VMP area
- Existing New Beith Rd (dirt track)
- Remnant Vegetation extent
- Indicative cleared area to rehabilitate
- CA3 (south) VMP approved clearing

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:600

References:
AS4970-2009 Protection of trees on development sites

0 5 10 15 20 m

AMENDMENTS					
ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
O	17/10/2025	UPDATED STAGE 4 BASIN	TC	AD

CLIENT
PEET Flagstone

PROJECT
FLAGSTONE CITY - STAGES 2-5

DRAWING TITLE
VEGETATION MANAGEMENT PLAN

DRAWING NO.
8047 E 34 BAL Stage 2 VMP O

FLAGSTONE CITY - STAGE 2-5

Vegetation Management Plan - *Detail Sheet*

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV2012/403/303

Date: 30 October 2025

Queensland Government

- Tree (with TPZ) to retain
- Tree (with TPZ) to remove in development design/ construction acess
- Tree (with TPZ) removal to be confirmed at detail design stage of stormwater management
- Tree (with TPZ) to remove for trunk sewer works
- Tree (with TPZ) retention status TBC in park by CPTED principles & park detail design
- Tree (with TPZ) removed as part of previsouly approved VMPs
- Tree (with TPZ) retention subject to cultural heritage
- Proposed lots
- Civil design contours for development area/basins
- SW Civil stormwater
- Maxmimum BLE
- Earthwork pad setback
- Retaining wall
- Built to boundary wall
- Road pavement design Road design
- Road design contours
- Sewer pump station pad
- S Civil trunk sewer
- Top & toe of batters
- Existing contours
- W Civil water
- Context Area 1 boundary
- Tree protection fencing - to be fauna friendly design & subject to minor changes by Arborist and civil engineer
- Stage 2-5 phase 2 site works (including additional vegetation clearing for construction access & areas of CPTED selective clearing)
- Bushfire Managed Zone - maintain cleared understory
- Trees cleared for Logan Water pump station works
- Approved Phase 1 & School site VMP area
- Existing New Beith Rd (dirt track)
- Remnant Vegetation extent
- Indicative cleared area to rehabilitate
- CA3 (south) VMP approved clearing

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:600

References:
AS4970-2009 Protection of trees on development sites

0 5 10 15 20 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
O	17/10/2025	UPDATED STAGE 4 BASIN	TC	AD

CLIENT
PEET Flagstone

PROJECT
FLAGSTONE CITY - STAGES 2-5

DRAWING TITLE
VEGETATION MANAGEMENT PLAN

DRAWING NO.
8047 E 35 BAL Stage 2 VMP O

FLAGSTONE CITY - STAGE 2-5


Vegetation Management Plan - *Detail Sheet*

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV2012/403/303

Date: 30 October 2025

Queensland Government



Tree (with TPZ) to retain

Tree (with TPZ) to remove in development design/ construction acess

Tree (with TPZ) removal to be confirmed at detail design stage of stormwater management

Tree (with TPZ) to remove for trunk sewer works

Tree (with TPZ) retention status TBC in park by CPTED principles & park detail design

Tree (with TPZ) removed as part of previsouly approved VMPs

Tree (with TPZ) retention subject to cultural heritage

Proposed lots

Civil design contours for development area/basins

SW Civil stormwater

Maxmimum BLE

Earthwork pad setback

Retaining wall

Built to boundary wall

Road pavement design Road design

Road design contours

Sewer pump station pad

S Civil trunk sewer

Top & toe of batters

Existing contours

W Civil water

Context Area 1 boundary

Tree protection fencing - to be fauna friendly design & subject to minor changes by Arborist and civil engineer

Stage 2-5 phase 2 site works (including additional vegetation clearing for construction access & areas of CPTED selective clearing)

Bushfire Managed Zone - maintain cleared understory

Trees cleared for Logan Water pump station works

Approved Phase 1 & School site VMP area

Existing New Beith Rd (dirt track)

Remnant Vegetation extent

Indicative cleared area to rehabilitate

CA3 (south) VMP approved clearing

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:600

References:
AS4970-2009 Protection of trees on development sites

0 5 10 15 20 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
O	17/10/2025	UPDATED STAGE 4 BASIN	TC	AD

CLIENT
PEET Flagstone

PROJECT
FLAGSTONE CITY - STAGES 2-5

DRAWING TITLE
VEGETATION MANAGEMENT PLAN

DRAWING NO.
8047 E 36 BAL Stage 2 VMP O

FLAGSTONE CITY - STAGE 2-5


Vegetation Management Plan - *Detail Sheet*

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV2012/403/303

Date: 30 October 2025

Queensland Government



- Tree (with TPZ) to retain
- Tree (with TPZ) to remove in development design/ construction acess
- Tree (with TPZ) removal to be confirmed at detail design stage of stormwater management
- Tree (with TPZ) to remove for trunk sewer works
- Tree (with TPZ) retention status TBC in park by CPTED principles & park detail design
- Tree (with TPZ) removed as part of previsouly approved VMPs
- Tree (with TPZ) retention subject to cultural heritage
- Proposed lots
- Civil design contours for development area/basins
- SW Civil stormwater
- Maxmimum BLE
- Earthwork pad setback
- Retaining wall
- Built to boundary wall
- Road pavement design
- Road design contours
- Sewer pump station pad
- S Civil trunk sewer
- Top & toe of batters
- Existing contours
- W Civil water
- Context Area 1 boundary
- Tree protection fencing - to be fauna friendly design & subject to minor changes by Arborist and civil engineer
- Stage 2-5 phase 2 site works (including additional vegetation clearing for construction access & areas of CPTED selective clearing)
- Bushfire Managed Zone - maintain cleared understory
- Trees cleared for Logan Water pump station works
- Approved Phase 1 & School site VMP area
- Existing New Beith Rd (dirt track)
- Remnant Vegetation extent
- Indicative cleared area to rehabilitate
- CA3 (south) VMP approved clearing

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:600

References:
AS4970-2009 Protection of trees on development sites

0 5 10 15 20 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
O	17/10/2025	UPDATED STAGE 4 BASIN	TC	AD

CLIENT
PEET Flagstone

PROJECT
FLAGSTONE CITY - STAGES 2-5

DRAWING TITLE
VEGETATION MANAGEMENT PLAN

DRAWING NO.
8047 E 37 BAL Stage 2 VMP O

FLAGSTONE CITY - STAGE 2-5


Vegetation Management Plan - *Detail Sheet*

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV2012/403/303

Date: 30 October 2025

Queensland Government



- Tree (with TPZ) to retain
- Tree (with TPZ) to remove in development design/ construction acess
- Tree (with TPZ) removal to be confirmed at detail design stage of stormwater management
- Tree (with TPZ) to remove for trunk sewer works
- Tree (with TPZ) retention status TBC in park by CPTED principles & park detail design
- Tree (with TPZ) removed as part of previsouly approved VMPs
- Tree (with TPZ) retention subject to cultural heritage
- Proposed lots
- Civil design contours for development area/basins
- SW Civil stormwater
- Maxmimum BLE
- Earthwork pad setback
- Retaining wall
- Built to boundary wall
- Road pavement design

Road design

- Road design contours
- Sewer pump station pad
- S Civil trunk sewer
- Top & toe of batters
- Existing contours
- W Civil water
- Context Area 1 boundary
- Tree protection fencing - to be fauna friendly design & subject to minor changes by Arborist and civil engineer
- Stage 2-5 phase 2 site works (including additional vegetation clearing for construction access & areas of CPTED selective clearing)
- Bushfire Managed Zone - maintain cleared understory
- Trees cleared for Logan Water pump station works
- Approved Phase 1 & School site VMP area
- Existing New Beith Rd (dirt track)
- Remnant Vegetation extent
- Indicative cleared area to rehabilitate
- CA3 (south) VMP approved clearing

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:600

References:
AS4970-2009 Protection of trees on development sites

0 5 10 15 20 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
O	17/10/2025	UPDATED STAGE 4 BASIN	TC	AD

CLIENT
PEET Flagstone

PROJECT
FLAGSTONE CITY - STAGES 2-5

DRAWING TITLE
VEGETATION MANAGEMENT PLAN

DRAWING NO.
8047 E 38 BAL Stage 2 VMP O

FLAGSTONE CITY - STAGE 2-5


Vegetation Management Plan - *Detail Sheet*

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV2012/403/303

Date: 30 October 2025

Queensland Government



Tree (with TPZ) to retain

Tree (with TPZ) to remove in development design/ construction acess

Tree (with TPZ) removal to be confirmed at detail design stage of stormwater management

Tree (with TPZ) to remove for trunk sewer works

Tree (with TPZ) retention status TBC in park by CPTED principles & park detail design

Tree (with TPZ) removed as part of previsouly approved VMPs

Tree (with TPZ) retention subject to cultural heritage

Proposed lots

Civil design contours for development area/basins

SW Civil stormwater

Maxmimum BLE

Earthwork pad setback

Retaining wall

Built to boundary wall

Road pavement design

Road design

Road design contours

Sewer pump station pad

S Civil trunk sewer

Top & toe of batters

Existing contours

W Civil water

Context Area 1 boundary

Tree protection fencing - to be fauna friendly design & subject to minor changes by Arborist and civil engineer

Stage 2-5 phase 2 site works (including additional vegetation clearing for construction access & areas of CPTED selective clearing)

Bushfire Managed Zone - maintain cleared understory

Trees cleared for Logan Water pump station works

Approved Phase 1 & School site VMP area

Existing New Beith Rd (dirt track)

Remnant Vegetation extent

Indicative cleared area to rehabilitate

CA3 (south) VMP approved clearing

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:600

References:
AS4970-2009 Protection of trees on development sites

0 5 10 15 20 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
O	17/10/2025	UPDATED STAGE 4 BASIN	TC	AD

CLIENT
PEET Flagstone

PROJECT
FLAGSTONE CITY - STAGES 2-5

DRAWING TITLE
VEGETATION MANAGEMENT PLAN

DRAWING NO.
8047 E 39 BAL Stage 2 VMP O

FLAGSTONE CITY - STAGE 2-5


Vegetation Management Plan - *Detail Sheet*

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV2012/403/303

Date: 30 October 2025

Queensland Government



- Tree (with TPZ) to retain
- Tree (with TPZ) to remove in development design/ construction acess
- Tree (with TPZ) removal to be confirmed at detail design stage of stormwater management
- Tree (with TPZ) to remove for trunk sewer works
- Tree (with TPZ) retention status TBC in park by CPTED principles & park detail design
- Tree (with TPZ) removed as part of previsouly approved VMPs
- Tree (with TPZ) retention subject to cultural heritage
- Proposed lots
- Civil design contours for development area/basins
- SW Civil stormwater
- Maxmimum BLE
- Earthwork pad setback
- Retaining wall
- Built to boundary wall
- Road pavement design
- Road design contours
- Sewer pump station pad
- S Civil trunk sewer
- Top & toe of batters
- Existing contours
- W Civil water
- Context Area 1 boundary
- Tree protection fencing - to be fauna friendly design & subject to minor changes by Arborist and civil engineer
- Stage 2-5 phase 2 site works (including additional vegetation clearing for construction access & areas of CPTED selective clearing)
- Bushfire Managed Zone - maintain cleared understory
- Trees cleared for Logan Water pump station works
- Approved Phase 1 & School site VMP area
- Existing New Beith Rd (dirt track)
- Remnant Vegetation extent
- Indicative cleared area to rehabilitate
- CA3 (south) VMP approved clearing

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:600

References:
AS4970-2009 Protection of trees on development sites

0 5 10 15 20 m

AMENDMENTS				
ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
O	17/10/2025	UPDATED STAGE 4 BASIN	TC	AD

CLIENT
PEET Flagstone

PROJECT
FLAGSTONE CITY - STAGES 2-5

DRAWING TITLE
VEGETATION MANAGEMENT PLAN

DRAWING NO.
8047 E 40 BAL Stage 2 VMP O

FLAGSTONE CITY - STAGE 2-5


Vegetation Management Plan - *Detail Sheet*

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV2012/403/303

Date: 30 October 2025

Queensland Government



- Tree (with TPZ) to retain
- Tree (with TPZ) to remove in development design/ construction acess
- Tree (with TPZ) removal to be confirmed at detail design stage of stormwater management
- Tree (with TPZ) to remove for trunk sewer works
- Tree (with TPZ) retention status TBC in park by CPTED principles & park detail design
- Tree (with TPZ) removed as part of previsouly approved VMPs
- Tree (with TPZ) retention subject to cultural heritage
- Proposed lots
- Civil design contours for development area/basins
- SW Civil stormwater
- Maxmimum BLE
- Earthwork pad setback
- Retaining wall
- Built to boundary wall
- Road pavement design Road design
- Road design contours
- Sewer pump station pad
- S Civil trunk sewer
- Top & toe of batters
- Existing contours
- W Civil water
- Context Area 1 boundary
- Tree protection fencing - to be fauna friendly design & subject to minor changes by Arborist and civil engineer
- Stage 2-5 phase 2 site works (including additional vegetation clearing for construction access & areas of CPTED selective clearing)
- Bushfire Managed Zone - maintain cleared understory
- Trees cleared for Logan Water pump station works
- Approved Phase 1 & School site VMP area
- Existing New Beith Rd (dirt track)
- Remnant Vegetation extent
- Indicative cleared area to rehabilitate
- CA3 (south) VMP approved clearing

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:600

References:
AS4970-2009 Protection of trees on development sites

0 5 10 15 20 m

AMENDMENTS				
ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
O	17/10/2025	UPDATED STAGE 4 BASIN	TC	AD

CLIENT: PEET Flagstone

PROJECT: FLAGSTONE CITY - STAGES 2-5

DRAWING TITLE: VEGETATION MANAGEMENT PLAN

DRAWING NO.: **8047 E 41 BAL Stage 2 VMP O**

FLAGSTONE CITY - STAGE 2-5

Vegetation Management Plan - *Detail Sheet*

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV2012/403/303

Date: 30 October 2025

Queensland Government



- Tree (with TPZ) to retain
- Tree (with TPZ) to remove in development design/ construction acess
- Tree (with TPZ) removal to be confirmed at detail design stage of stormwater management
- Tree (with TPZ) to remove for trunk sewer works
- Tree (with TPZ) retention status TBC in park by CPTED principles & park detail design
- Tree (with TPZ) removed as part of previsouly approved VMPs
- Tree (with TPZ) retention subject to cultural heritage
- Proposed lots
- Civil design contours for development area/basins
- SW Civil stormwater
- Maxmimum BLE
- Earthwork pad setback
- Retaining wall
- Built to boundary wall
- Road pavement design

Road design

- Road design contours
- Sewer pump station pad
- S Civil trunk sewer
- Top & toe of batters
- Existing contours
- W Civil water
- Context Area 1 boundary
- Tree protection fencing - to be fauna friendly design & subject to minor changes by Arborist and civil engineer
- Stage 2-5 phase 2 site works (including additional vegetation clearing for construction access & areas of CPTED selective clearing)
- Bushfire Managed Zone - maintain cleared understory
- Trees cleared for Logan Water pump station works
- Approved Phase 1 & School site VMP area
- Existing New Beith Rd (dirt track)
- Remnant Vegetation extent
- Indicative cleared area to rehabilitate
- CA3 (south) VMP approved clearing

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:600

References:
AS4970-2009 Protection of trees on development sites

0 5 10 15 20 m

AMENDMENTS					
ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
O	17/10/2025	UPDATED STAGE 4 BASIN	TC	AD

CLIENT
PEET Flagstone

PROJECT
FLAGSTONE CITY - STAGES 2-5

DRAWING TITLE
VEGETATION MANAGEMENT PLAN

DRAWING NO.
8047 E 42 BAL Stage 2 VMP O

FLAGSTONE CITY - STAGE 2-5


Vegetation Management Plan - *Detail Sheet*

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV2012/403/303

Date: 30 October 2025

Queensland Government



- Tree (with TPZ) to retain
- Tree (with TPZ) to remove in development design/ construction acess
- Tree (with TPZ) removal to be confirmed at detail design stage of stormwater management
- Tree (with TPZ) to remove for trunk sewer works
- Tree (with TPZ) retention status TBC in park by CPTED principles & park detail design
- Tree (with TPZ) removed as part of previsouly approved VMPs
- Tree (with TPZ) retention subject to cultural heritage
- Proposed lots
- Civil design contours for development area/basins
- SW Civil stormwater
- Maxmimum BLE
- Earthwork pad setback
- Retaining wall
- Built to boundary wall
- Road pavement design
- Road design contours
- Sewer pump station pad
- S Civil trunk sewer
- Top & toe of batters
- Existing contours
- W Civil water
- Context Area 1 boundary
- Tree protection fencing - to be fauna friendly design & subject to minor changes by Arborist and civil engineer
- Stage 2-5 phase 2 site works (including additional vegetation clearing for construction access & areas of CPTED selective clearing)
- Bushfire Managed Zone - maintain cleared understory
- Trees cleared for Logan Water pump station works
- Approved Phase 1 & School site VMP area
- Existing New Beith Rd (dirt track)
- Remnant Vegetation extent
- Indicative cleared area to rehabilitate
- CA3 (south) VMP approved clearing

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:600

References:
AS4970-2009 Protection of trees on development sites

0 5 10 15 20 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
O	17/10/2025	UPDATED STAGE 4 BASIN	TC	AD

CLIENT
PEET Flagstone

PROJECT
FLAGSTONE CITY - STAGES 2-5

DRAWING TITLE
VEGETATION MANAGEMENT PLAN

DRAWING NO.
8047 E 43 BAL Stage 2 VMP O

FLAGSTONE CITY - STAGE 2-5

Vegetation Management Plan - *Detail Sheet*

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV2012/403/303

Date: 30 October 2025

Queensland Government



- Tree (with TPZ) to retain
- Tree (with TPZ) to remove in development design/ construction acess
- Tree (with TPZ) removal to be confirmed at detail design stage of stormwater management
- Tree (with TPZ) to remove for trunk sewer works
- Tree (with TPZ) retention status TBC in park by CPTED principles & park detail design
- Tree (with TPZ) removed as part of previsouly approved VMPs
- Tree (with TPZ) retention subject to cultural heritage
- Proposed lots
- Civil design contours for development area/basins
- SW Civil stormwater
- Maxmimum BLE
- Earthwork pad setback
- Retaining wall
- Built to boundary wall
- Road pavement design

Road design

- Road design contours
- Sewer pump station pad
- S Civil trunk sewer
- Top & toe of batters
- Existing contours
- W Civil water
- Context Area 1 boundary
- Tree protection fencing - to be fauna friendly design & subject to minor changes by Arborist and civil engineer
- Stage 2-5 phase 2 site works (including additional vegetation clearing for construction access & areas of CPTED selective clearing)
- Bushfire Managed Zone - maintain cleared understory
- Trees cleared for Logan Water pump station works
- Approved Phase 1 & School site VMP area
- Existing New Beith Rd (dirt track)
- Remnant Vegetation extent
- Indicative cleared area to rehabilitate
- CA3 (south) VMP approved clearing

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:600

References:
AS4970-2009 Protection of trees on development sites

0 5 10 15 20 m

AMENDMENTS				
ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
O	17/10/2025	UPDATED STAGE 4 BASIN	TC	AD

CLIENT
PEET Flagstone

PROJECT
FLAGSTONE CITY - STAGES 2-5

DRAWING TITLE
VEGETATION MANAGEMENT PLAN

DRAWING NO.
8047 E 44 BAL Stage 2 VMP O

FLAGSTONE CITY - STAGE 2-5

Vegetation Management Plan - *Detail Sheet*

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV2012/403/303

Date: 30 October 2025

Queensland Government



Tree (with TPZ) to retain

Tree (with TPZ) to remove in development design/ construction acess

Tree (with TPZ) removal to be confirmed at detail design stage of stormwater management

Tree (with TPZ) to remove for trunk sewer works

Tree (with TPZ) retention status TBC in park by CPTED principles & park detail design

Tree (with TPZ) removed as part of previsouly approved VMPs

Tree (with TPZ) retention subject to cultural heritage

Proposed lots

Civil design contours for development area/basins

Civil stormwater

Maxmimum BLE

Earthwork pad setback

Retaining wall

Built to boundary wall

Road pavement design

Road design

Road design contours

Sewer pump station pad

Civil trunk sewer

Top & toe of batters

Existing contours

Civil water

Context Area 1 boundary

Tree protection fencing - to be fauna friendly design & subject to minor changes by Arborist and civil engineer

Stage 2-5 phase 2 site works (including additional vegetation clearing for construction access & areas of CPTED selective clearing)

Bushfire Managed Zone - maintain cleared understory

Trees cleared for Logan Water pump station works

Approved Phase 1 & School site VMP area

Existing New Beith Rd (dirt track)

Remnant Vegetation extent

Indicative cleared area to rehabilitate

CA3 (south) VMP approved clearing

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:600

References:
AS4970-2009 Protection of trees on development sites

0 5 10 15 20 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
O	17/10/2025	UPDATED STAGE 4 BASIN	TC	AD

CLIENT
PEET Flagstone

PROJECT
FLAGSTONE CITY - STAGES 2-5

DRAWING TITLE
VEGETATION MANAGEMENT PLAN

DRAWING NO.
8047 E 45 BAL Stage 2 VMP O

FLAGSTONE CITY - STAGE 2-5


Vegetation Management Plan - *Detail Sheet*

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV2012/403/303

Date: 30 October 2025

Queensland Government



- Tree (with TPZ) to retain
- Tree (with TPZ) to remove in development design/ construction acess
- Tree (with TPZ) removal to be confirmed at detail design stage of stormwater management
- Tree (with TPZ) to remove for trunk sewer works
- Tree (with TPZ) retention status TBC in park by CPTED principles & park detail design
- Tree (with TPZ) removed as part of previsouly approved VMPs
- Tree (with TPZ) retention subject to cultural heritage
- Proposed lots
- Civil design contours for development area/basins
- SW Civil stormwater
- Maxmimum BLE
- Earthwork pad setback
- Retaining wall
- Built to boundary wall
- Road pavement design

Road design

- Road design contours
- Sewer pump station pad
- S Civil trunk sewer
- Top & toe of batters
- Existing contours
- W Civil water
- Context Area 1 boundary
- Tree protection fencing - to be fauna friendly design & subject to minor changes by Arborist and civil engineer
- Stage 2-5 phase 2 site works (including additional vegetation clearing for construction access & areas of CPTED selective clearing)
- Bushfire Managed Zone - maintain cleared understory
- Trees cleared for Logan Water pump station works
- Approved Phase 1 & School site VMP area
- Existing New Beith Rd (dirt track)
- Remnant Vegetation extent
- Indicative cleared area to rehabilitate
- CA3 (south) VMP approved clearing

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:600

References:
AS4970-2009 Protection of trees on development sites

0 5 10 15 20 m

AMENDMENTS				
ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
O	17/10/2025	UPDATED STAGE 4 BASIN	TC	AD

CLIENT
PEET Flagstone

PROJECT
FLAGSTONE CITY - STAGES 2-5

DRAWING TITLE
VEGETATION MANAGEMENT PLAN

DRAWING NO.
8047 E 46 BAL Stage 2 VMP O

FLAGSTONE CITY - STAGE 2-5


Vegetation Management Plan - *Detail Sheet*

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV2012/403/303

Date: 30 October 2025

Queensland Government



- Tree (with TPZ) to retain
- Tree (with TPZ) to remove in development design/ construction acess
- Tree (with TPZ) removal to be confirmed at detail design stage of stormwater management
- Tree (with TPZ) to remove for trunk sewer works
- Tree (with TPZ) retention status TBC in park by CPTED principles & park detail design
- Tree (with TPZ) removed as part of previsouly approved VMPs
- Tree (with TPZ) retention subject to cultural heritage
- Proposed lots
- Civil design contours for development area/basins
- SW Civil stormwater
- Maxmimum BLE
- Earthwork pad setback
- Retaining wall
- Built to boundary wall
- Road pavement design
- Road design contours
- Sewer pump station pad
- S Civil trunk sewer
- Top & toe of batters
- Existing contours
- W Civil water
- Context Area 1 boundary
- Tree protection fencing - to be fauna friendly design & subject to minor changes by Arborist and civil engineer
- Stage 2-5 phase 2 site works (including additional vegetation clearing for construction access & areas of CPTED selective clearing)
- Bushfire Managed Zone - maintain cleared understory
- Trees cleared for Logan Water pump station works
- Approved Phase 1 & School site VMP area
- Existing New Beith Rd (dirt track)
- Remnant Vegetation extent
- Indicative cleared area to rehabilitate
- CA3 (south) VMP approved clearing

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:600

References:
AS4970-2009 Protection of trees on development sites

0 5 10 15 20 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
O	17/10/2025	UPDATED STAGE 4 BASIN	TC	AD

CLIENT
PEET Flagstone

PROJECT
FLAGSTONE CITY - STAGES 2-5

DRAWING TITLE
VEGETATION MANAGEMENT PLAN

DRAWING NO.
8047 E 47 BAL Stage 2 VMP O

FLAGSTONE CITY - STAGE 2-5


Vegetation Management Plan - *Detail Sheet*

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV2012/403/303

Date: 30 October 2025

Queensland Government



- Tree (with TPZ) to retain
- Tree (with TPZ) to remove in development design/ construction acess
- Tree (with TPZ) removal to be confirmed at detail design stage of stormwater management
- Tree (with TPZ) to remove for trunk sewer works
- Tree (with TPZ) retention status TBC in park by CPTED principles & park detail design
- Tree (with TPZ) removed as part of previsouly approved VMPs
- Tree (with TPZ) retention subject to cultural heritage
- Proposed lots
- Civil design contours for development area/basins
- Civil stormwater
- Maxmimum BLE
- Earthwork pad setback
- Retaining wall
- Built to boundary wall
- Road pavement design

Road design

- Road design contours
- Sewer pump station pad
- Civil trunk sewer
- Top & toe of batters
- Existing contours
- Civil water
- Context Area 1 boundary
- Tree protection fencing - to be fauna friendly design & subject to minor changes by Arborist and civil engineer
- Stage 2-5 phase 2 site works (including additional vegetation clearing for construction access & areas of CPTED selective clearing)
- Bushfire Managed Zone - maintain cleared understory
- Trees cleared for Logan Water pump station works
- Approved Phase 1 & School site VMP area
- Existing New Beith Rd (dirt track)
- Remnant Vegetation extent
- Indicative cleared area to rehabilitate
- CA3 (south) VMP approved clearing

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3) 1:600

References:
AS4970-2009 Protection of trees on development sites

0 5 10 15 20 m

AMENDMENTS				
ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
O	17/10/2025	UPDATED STAGE 4 BASIN	TC	AD

CLIENT: PEET Flagstone

PROJECT: FLAGSTONE CITY - STAGES 2-5

DRAWING TITLE: VEGETATION MANAGEMENT PLAN

DRAWING NO.: **8047 E 48 BAL Stage 2 VMP O**

FLAGSTONE CITY - STAGE 2-5


Vegetation Management Plan - *Detail Sheet*

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV2012/403/303

Date: 30 October 2025

Queensland Government



Tree (with TPZ) to retain

Tree (with TPZ) to remove in development design/ construction acess

Tree (with TPZ) removal to be confirmed at detail design stage of stormwater management

Tree (with TPZ) to remove for trunk sewer works

Tree (with TPZ) retention status TBC in park by CPTED principles & park detail design

Tree (with TPZ) removed as part of previsouly approved VMPs

Tree (with TPZ) retention subject to cultural heritage

Proposed lots

Civil design contours for development area/basins

SW Civil stormwater

Maxmimum BLE

Earthwork pad setback

Retaining wall

Built to boundary wall

Road pavement design Road design

Road design contours

Sewer pump station pad

S Civil trunk sewer

Top & toe of batters

Existing contours

W Civil water

Context Area 1 boundary

Tree protection fencing - to be fauna friendly design & subject to minor changes by Arborist and civil engineer

Stage 2-5 phase 2 site works (including additional vegetation clearing for construction access & areas of CPTED selective clearing)

Bushfire Managed Zone - maintain cleared understory

Trees cleared for Logan Water pump station works

Approved Phase 1 & School site VMP area

Existing New Beith Rd (dirt track)

Remnant Vegetation extent

Indicative cleared area to rehabilitate

CA3 (south) VMP approved clearing

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:600

References:
AS4970-2009 Protection of trees on development sites

0 5 10 15 20 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
O	17/10/2025	UPDATED STAGE 4 BASIN	TC	AD

CLIENT
PEET Flagstone

PROJECT
FLAGSTONE CITY - STAGES 2-5

DRAWING TITLE
VEGETATION MANAGEMENT PLAN

DRAWING NO.
8047 E 49 BAL Stage 2 VMP O

FLAGSTONE CITY - STAGE 2-5


Vegetation Management Plan - *Detail Sheet*

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV2012/403/303

Date: 30 October 2025

Queensland Government



Tree (with TPZ) to retain

Tree (with TPZ) to remove in development design/ construction acess

Tree (with TPZ) removal to be confirmed at detail design stage of stormwater management

Tree (with TPZ) to remove for trunk sewer works

Tree (with TPZ) retention status TBC in park by CPTED principles & park detail design

Tree (with TPZ) removed as part of previsouly approved VMPs

Tree (with TPZ) retention subject to cultural heritage

Proposed lots

Civil design contours for development area/basins

SW Civil stormwater

Maxmimum BLE

Earthwork pad setback

Retaining wall

Built to boundary wall

Road pavement design Road design

Road design contours

Sewer pump station pad

S Civil trunk sewer

Top & toe of batters

Existing contours

W Civil water

Context Area 1 boundary

Tree protection fencing - to be fauna friendly design & subject to minor changes by Arborist and civil engineer

Stage 2-5 phase 2 site works (including additional vegetation clearing for construction access & areas of CPTED selective clearing)

Bushfire Managed Zone - maintain cleared understory

Trees cleared for Logan Water pump station works

Approved Phase 1 & School site VMP area

Existing New Beith Rd (dirt track)

Remnant Vegetation extent

Indicative cleared area to rehabilitate

CA3 (south) VMP approved clearing

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:600

References:
AS4970-2009 Protection of trees on development sites

0 5 10 15 20 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
O	17/10/2025	UPDATED STAGE 4 BASIN	TC	AD

CLIENT
PEET Flagstone

PROJECT
FLAGSTONE CITY - STAGES 2-5

DRAWING TITLE
VEGETATION MANAGEMENT PLAN

DRAWING NO.
8047 E 50 BAL Stage 2 VMP O

FLAGSTONE CITY - STAGE 2-5


Vegetation Management Plan - *Detail Sheet*

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV2012/403/303

Date: 30 October 2025

Queensland Government



- Tree (with TPZ) to retain
- Tree (with TPZ) to remove in development design/ construction acess
- Tree (with TPZ) removal to be confirmed at detail design stage of stormwater management
- Tree (with TPZ) to remove for trunk sewer works
- Tree (with TPZ) retention status TBC in park by CPTED principles & park detail design
- Tree (with TPZ) removed as part of previsouly approved VMPs
- Tree (with TPZ) retention subject to cultural heritage
- Proposed lots
- Civil design contours for development area/basins
- SW Civil stormwater
- Maxmimum BLE
- Earthwork pad setback
- Retaining wall
- Built to boundary wall
- Road pavement design
- Road design contours
- Sewer pump station pad
- S Civil trunk sewer
- Top & toe of batters
- Existing contours
- W Civil water
- Context Area 1 boundary
- Tree protection fencing - to be fauna friendly design & subject to minor changes by Arborist and civil engineer
- Stage 2-5 phase 2 site works (including additional vegetation clearing for construction access & areas of CPTED selective clearing)
- Bushfire Managed Zone - maintain cleared understory
- Trees cleared for Logan Water pump station works
- Approved Phase 1 & School site VMP area
- Existing New Beith Rd (dirt track)
- Remnant Vegetation extent
- Indicative cleared area to rehabilitate
- CA3 (south) VMP approved clearing

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:600

References:
AS4970-2009 Protection of trees on development sites

0 5 10 15 20 m

AMENDMENTS				
ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
O	17/10/2025	UPDATED STAGE 4 BASIN	TC	AD

CLIENT
PEET Flagstone

PROJECT
FLAGSTONE CITY - STAGES 2-5

DRAWING TITLE
VEGETATION MANAGEMENT PLAN

DRAWING NO.
8047 E 51 BAL Stage 2 VMP O

FLAGSTONE CITY - STAGE 2-5

Vegetation Management Plan - *Detail Sheet*

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV2012/403/303

Date: 30 October 2025

Queensland Government

- Tree (with TPZ) to retain
- Tree (with TPZ) to remove in development design/ construction acess
- Tree (with TPZ) removal to be confirmed at detail design stage of stormwater management
- Tree (with TPZ) to remove for trunk sewer works
- Tree (with TPZ) retention status TBC in park by CPTED principles & park detail design
- Tree (with TPZ) removed as part of previsouly approved VMPs
- Tree (with TPZ) retention subject to cultural heritage
- Proposed lots
- Civil design contours for development area/basins
- SW Civil stormwater
- Maxmimum BLE
- Earthwork pad setback
- Retaining wall
- Built to boundary wall
- Road pavement design
- Road design contours
- Sewer pump station pad
- S Civil trunk sewer
- Top & toe of batters
- Existing contours
- W Civil water
- Context Area 1 boundary
- Tree protection fencing - to be fauna friendly design & subject to minor changes by Arborist and civil engineer
- Stage 2-5 phase 2 site works (including additional vegetation clearing for construction access & areas of CPTED selective clearing)
- Bushfire Managed Zone - maintain cleared understory
- Trees cleared for Logan Water pump station works
- Approved Phase 1 & School site VMP area
- Existing New Beith Rd (dirt track)
- Remnant Vegetation extent
- Indicative cleared area to rehabilitate
- CA3 (south) VMP approved clearing

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:600

References:
AS4970-2009 Protection of trees on development sites

0 5 10 15 20 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
O	17/10/2025	UPDATED STAGE 4 BASIN	TC	AD

CLIENT
PEET Flagstone

PROJECT
FLAGSTONE CITY - STAGES 2-5

DRAWING TITLE
VEGETATION MANAGEMENT PLAN

DRAWING NO.
8047 E 52 BAL Stage 2 VMP O

FLAGSTONE CITY - STAGE 2-5

Vegetation Management Plan - *Detail Sheet*

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV2012/403/303

Date: 30 October 2025

Queensland Government



Tree (with TPZ) to retain

Tree (with TPZ) to remove in development design/ construction acess

Tree (with TPZ) removal to be confirmed at detail design stage of stormwater management

Tree (with TPZ) to remove for trunk sewer works

Tree (with TPZ) retention status TBC in park by CPTED principles & park detail design

Tree (with TPZ) removed as part of previsouly approved VMPs

Tree (with TPZ) retention subject to cultural heritage

Proposed lots

Civil design contours for development area/basins

SW Civil stormwater

Maxmimum BLE

Earthwork pad setback

Retaining wall

Built to boundary wall

Road pavement design

Road design

Road design contours

Sewer pump station pad

S Civil trunk sewer

Top & toe of batters

Existing contours

W Civil water

Context Area 1 boundary

Tree protection fencing - to be fauna friendly design & subject to minor changes by Arborist and civil engineer

Stage 2-5 phase 2 site works (including additional vegetation clearing for construction access & areas of CPTED selective clearing)

Bushfire Managed Zone - maintain cleared understory

Trees cleared for Logan Water pump station works

Approved Phase 1 & School site VMP area

Existing New Beith Rd (dirt track)

Remnant Vegetation extent

Indicative cleared area to rehabilitate

CA3 (south) VMP approved clearing

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:600

References:
AS4970-2009 Protection of trees on development sites

0 5 10 15 20 m

AMENDMENTS				
ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
O	17/10/2025	UPDATED STAGE 4 BASIN	TC	AD

CLIENT
PEET Flagstone

PROJECT
FLAGSTONE CITY - STAGES 2-5

DRAWING TITLE
VEGETATION MANAGEMENT PLAN

DRAWING NO.
8047 E 53 BAL Stage 2 VMP O

FLAGSTONE CITY - STAGE 2-5


Vegetation Management Plan - *Detail Sheet*

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV2012/403/303

Date: 30 October 2025

Queensland Government



- Tree (with TPZ) to retain
- Tree (with TPZ) to remove in development design/ construction acess
- Tree (with TPZ) removal to be confirmed at detail design stage of stormwater management
- Tree (with TPZ) to remove for trunk sewer works
- Tree (with TPZ) retention status TBC in park by CPTED principles & park detail design
- Tree (with TPZ) removed as part of previsouly approved VMPs
- Tree (with TPZ) retention subject to cultural heritage
- Proposed lots
- Civil design contours for development area/basins
- SW Civil stormwater
- Maxmimum BLE
- Earthwork pad setback
- Retaining wall
- Built to boundary wall
- Road pavement design Road design
- Road design contours
- Sewer pump station pad
- S Civil trunk sewer
- Top & toe of batters
- Existing contours
- W Civil water
- Context Area 1 boundary
- Tree protection fencing - to be fauna friendly design & subject to minor changes by Arborist and civil engineer
- Stage 2-5 phase 2 site works (including additional vegetation clearing for construction access & areas of CPTED selective clearing)
- Bushfire Managed Zone - maintain cleared understory
- Trees cleared for Logan Water pump station works
- Approved Phase 1 & School site VMP area
- Existing New Beith Rd (dirt track)
- Remnant Vegetation extent
- Indicative cleared area to rehabilitate
- CA3 (south) VMP approved clearing

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3) 1:600

References:
AS4970-2009 Protection of trees on development sites

0 5 10 15 20 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
O	17/10/2025	UPDATED STAGE 4 BASIN	TC	AD

CLIENT: PEET Flagstone

PROJECT: FLAGSTONE CITY - STAGES 2-5

DRAWING TITLE: VEGETATION MANAGEMENT PLAN

DRAWING NO.: **8047 E 54 BAL Stage 2 VMP O**

FLAGSTONE CITY - STAGE 2-5


Vegetation Management Plan - *Detail Sheet*

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV2012/403/303

Date: 30 October 2025

Queensland Government



- Tree (with TPZ) to retain
- Tree (with TPZ) to remove in development design/ construction acess
- Tree (with TPZ) removal to be confirmed at detail design stage of stormwater management
- Tree (with TPZ) to remove for trunk sewer works
- Tree (with TPZ) retention status TBC in park by CPTED principles & park detail design
- Tree (with TPZ) removed as part of previsouly approved VMPs
- Tree (with TPZ) retention subject to cultural heritage
- Proposed lots
- Civil design contours for development area/basins
- SW Civil stormwater
- Maxmimum BLE
- Earthwork pad setback
- Retaining wall
- Built to boundary wall
- Road pavement design

Road design

- Road design contours
- Sewer pump station pad
- S Civil trunk sewer
- Top & toe of batters
- Existing contours
- W Civil water
- Context Area 1 boundary
- Tree protection fencing - to be fauna friendly design & subject to minor changes by Arborist and civil engineer
- Stage 2-5 phase 2 site works (including additional vegetation clearing for construction access & areas of CPTED selective clearing)
- Bushfire Managed Zone - maintain cleared understory
- Trees cleared for Logan Water pump station works
- Approved Phase 1 & School site VMP area
- Existing New Beith Rd (dirt track)
- Remnant Vegetation extent
- Indicative cleared area to rehabilitate
- CA3 (south) VMP approved clearing

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:600

References:
AS4970-2009 Protection of trees on development sites

0 5 10 15 20 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
O	17/10/2025	UPDATED STAGE 4 BASIN	TC	AD

CLIENT
PEET Flagstone

PROJECT
FLAGSTONE CITY - STAGES 2-5

DRAWING TITLE
VEGETATION MANAGEMENT PLAN

DRAWING NO.
8047 E 55 BAL Stage 2 VMP O

FLAGSTONE CITY - STAGE 2-5


Vegetation Management Plan - *Detail Sheet*

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV2012/403/303

Date: 30 October 2025

Queensland Government



- Tree (with TPZ) to retain
- Tree (with TPZ) to remove in development design/ construction acess
- Tree (with TPZ) removal to be confirmed at detail design stage of stormwater management
- Tree (with TPZ) to remove for trunk sewer works
- Tree (with TPZ) retention status TBC in park by CPTED principles & park detail design
- Tree (with TPZ) removed as part of previsouly approved VMPs
- Tree (with TPZ) retention subject to cultural heritage
- Proposed lots
- Civil design contours for development area/basins
- SW Civil stormwater
- Maxmimum BLE
- Earthwork pad setback
- Retaining wall
- Built to boundary wall
- Road pavement design

Road design

- Road design contours
- Sewer pump station pad
- S Civil trunk sewer
- Top & toe of batters
- Existing contours
- W Civil water
- Context Area 1 boundary
- Tree protection fencing - to be fauna friendly design & subject to minor changes by Arborist and civil engineer
- Stage 2-5 phase 2 site works (including additional vegetation clearing for construction access & areas of CPTED selective clearing)
- Bushfire Managed Zone - maintain cleared understory
- Trees cleared for Logan Water pump station works
- Approved Phase 1 & School site VMP area
- Existing New Beith Rd (dirt track)
- Remnant Vegetation extent
- Indicative cleared area to rehabilitate
- CA3 (south) VMP approved clearing

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:600

References:
AS4970-2009 Protection of trees on development sites

0 5 10 15 20 m

AMENDMENTS				
ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
O	17/10/2025	UPDATED STAGE 4 BASIN	TC	AD

CLIENT: PEET Flagstone

PROJECT: FLAGSTONE CITY - STAGES 2-5

DRAWING TITLE: VEGETATION MANAGEMENT PLAN

DRAWING NO.: **8047 E 56 BAL Stage 2 VMP O**

FLAGSTONE CITY - STAGE 2-5


Vegetation Management Plan - *Detail Sheet*

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV2012/403/303

Date: 30 October 2025

Queensland Government



Tree (with TPZ) to retain

Tree (with TPZ) to remove in development design/ construction acess

Tree (with TPZ) removal to be confirmed at detail design stage of stormwater management

Tree (with TPZ) to remove for trunk sewer works

Tree (with TPZ) retention status TBC in park by CPTED principles & park detail design

Tree (with TPZ) removed as part of previsouly approved VMPs

Tree (with TPZ) retention subject to cultural heritage

Proposed lots

Civil design contours for development area/basins

SW Civil stormwater

Maxmimum BLE

Earthwork pad setback

Retaining wall

Built to boundary wall

Road pavement design Road design

Road design contours

Sewer pump station pad

S Civil trunk sewer

Top & toe of batters

Existing contours

W Civil water

Context Area 1 boundary

Tree protection fencing - to be fauna friendly design & subject to minor changes by Arborist and civil engineer

Stage 2-5 phase 2 site works (including additional vegetation clearing for construction access & areas of CPTED selective clearing)

Bushfire Managed Zone - maintain cleared understory

Trees cleared for Logan Water pump station works

Approved Phase 1 & School site VMP area

Existing New Beith Rd (dirt track)

Remnant Vegetation extent

Indicative cleared area to rehabilitate

CA3 (south) VMP approved clearing

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:600

References:
AS4970-2009 Protection of trees on development sites

0 5 10 15 20 m

AMENDMENTS				
ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
O	17/10/2025	UPDATED STAGE 4 BASIN	TC	AD

CLIENT
PEET Flagstone

PROJECT
FLAGSTONE CITY - STAGES 2-5

DRAWING TITLE
VEGETATION MANAGEMENT PLAN

DRAWING NO.
8047 E 57 BAL Stage 2 VMP O

FLAGSTONE CITY - STAGE 2-5

Vegetation Management Plan - *Detail Sheet*

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV2012/403/303

Date: 30 October 2025

Queensland Government



Tree (with TPZ) to retain

Tree (with TPZ) to remove in development design/ construction acess

Tree (with TPZ) removal to be confirmed at detail design stage of stormwater management

Tree (with TPZ) to remove for trunk sewer works

Tree (with TPZ) retention status TBC in park by CPTED principles & park detail design

Tree (with TPZ) removed as part of previsouly approved VMPs

Tree (with TPZ) retention subject to cultural heritage

Proposed lots

Civil design contours for development area/basins

SW Civil stormwater

Maxmimum BLE

Earthwork pad setback

Retaining wall

Built to boundary wall

Road pavement design

Road design

Road design contours

Sewer pump station pad

S Civil trunk sewer

Top & toe of batters

Existing contours

W Civil water

Context Area 1 boundary

Tree protection fencing - to be fauna friendly design & subject to minor changes by Arborist and civil engineer

Stage 2-5 phase 2 site works (including additional vegetation clearing for construction access & areas of CPTED selective clearing)

Bushfire Managed Zone - maintain cleared understory

Trees cleared for Logan Water pump station works

Approved Phase 1 & School site VMP area

Existing New Beith Rd (dirt track)

Remnant Vegetation extent

Indicative cleared area to rehabilitate

CA3 (south) VMP approved clearing

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:600

References:
AS4970-2009 Protection of trees on development sites

0 5 10 15 20 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
O	17/10/2025	UPDATED STAGE 4 BASIN	TC	AD

CLIENT
PEET Flagstone

PROJECT
FLAGSTONE CITY - STAGES 2-5

DRAWING TITLE
VEGETATION MANAGEMENT PLAN

DRAWING NO.
8047 E 58 BAL Stage 2 VMP O

FLAGSTONE CITY - STAGE 2-5


Vegetation Management Plan - *Detail Sheet*

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV2012/403/303

Date: 30 October 2025

Queensland Government



Tree (with TPZ) to retain

Tree (with TPZ) to remove in development design/ construction acess

Tree (with TPZ) removal to be confirmed at detail design stage of stormwater management

Tree (with TPZ) to remove for trunk sewer works

Tree (with TPZ) retention status TBC in park by CPTED principles & park detail design

Tree (with TPZ) removed as part of previsouly approved VMPs

Tree (with TPZ) retention subject to cultural heritage

Proposed lots

Civil design contours for development area/basins

SW — Civil stormwater

Maxmimum BLE

Earthwork pad setback

Retaining wall

Built to boundary wall

Road pavement design

Road design contours

Sewer pump station pad

S — Civil trunk sewer

Top & toe of batters

Existing contours

W — Civil water

Context Area 1 boundary

Tree protection fencing - to be fauna friendly design & subject to minor changes by Arborist and civil engineer

Stage 2-5 phase 2 site works (including additional vegetation clearing for construction access & areas of CPTED selective clearing)

Bushfire Managed Zone - maintain cleared understory

Trees cleared for Logan Water pump station works

Approved Phase 1 & School site VMP area

Existing New Beith Rd (dirt track)

Remnant Vegetation extent

Indicative cleared area to rehabilitate

CA3 (south) VMP approved clearing

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:600

References:
AS4970-2009 Protection of trees on development sites

0 5 10 15 20 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
O	17/10/2025	UPDATED STAGE 4 BASIN	TC	AD

CLIENT
PEET Flagstone

PROJECT
FLAGSTONE CITY - STAGES 2-5

DRAWING TITLE
VEGETATION MANAGEMENT PLAN

DRAWING NO.
8047 E 59 BAL Stage 2 VMP O

FLAGSTONE CITY - STAGE 2-5


Vegetation Management Plan - *Detail Sheet*

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV2012/403/303

Date: 30 October 2025

Queensland Government



- Tree (with TPZ) to retain
- Tree (with TPZ) to remove in development design/ construction acess
- Tree (with TPZ) removal to be confirmed at detail design stage of stormwater management
- Tree (with TPZ) to remove for trunk sewer works
- Tree (with TPZ) retention status TBC in park by CPTED principles & park detail design
- Tree (with TPZ) removed as part of previsouly approved VMPs
- Tree (with TPZ) retention subject to cultural heritage
- Proposed lots
- Civil design contours for development area/basins
- SW Civil stormwater
- Maxmimum BLE
- Earthwork pad setback
- Retaining wall
- Built to boundary wall
- Road pavement design

Road design

- Road design contours
- Sewer pump station pad
- S Civil trunk sewer
- Top & toe of batters
- Existing contours
- W Civil water
- Context Area 1 boundary
- Tree protection fencing - to be fauna friendly design & subject to minor changes by Arborist and civil engineer
- Stage 2-5 phase 2 site works (including additional vegetation clearing for construction access & areas of CPTED selective clearing)
- Bushfire Managed Zone - maintain cleared understory
- Trees cleared for Logan Water pump station works
- Approved Phase 1 & School site VMP area
- Existing New Beith Rd (dirt track)
- Remnant Vegetation extent
- Indicative cleared area to rehabilitate
- CA3 (south) VMP approved clearing

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:600

References:
AS4970-2009 Protection of trees on development sites

0 5 10 15 20 m

AMENDMENTS				
ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
O	17/10/2025	UPDATED STAGE 4 BASIN	TC	AD

CLIENT
PEET Flagstone

PROJECT
FLAGSTONE CITY - STAGES 2-5

DRAWING TITLE
VEGETATION MANAGEMENT PLAN

DRAWING NO.
8047 E 60 BAL Stage 2 VMP O

FLAGSTONE CITY - STAGE 2-5


Vegetation Management Plan - *Detail Sheet*

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV2012/403/303

Date: 30 October 2025

Queensland Government



- Tree (with TPZ) to retain
- Tree (with TPZ) to remove in development design/ construction acess
- Tree (with TPZ) removal to be confirmed at detail design stage of stormwater management
- Tree (with TPZ) to remove for trunk sewer works
- Tree (with TPZ) retention status TBC in park by CPTED principles & park detail design
- Tree (with TPZ) removed as part of previsouly approved VMPs
- Tree (with TPZ) retention subject to cultural heritage
- Proposed lots
- Civil design contours for development area/basins
- SW Civil stormwater
- Maxmimum BLE
- Earthwork pad setback
- Retaining wall
- Built to boundary wall
- Road pavement design
- Road design contours
- Sewer pump station pad
- S Civil trunk sewer
- Top & toe of batters
- Existing contours
- W Civil water
- Context Area 1 boundary
- Tree protection fencing - to be fauna friendly design & subject to minor changes by Arborist and civil engineer
- Stage 2-5 phase 2 site works (including additional vegetation clearing for construction access & areas of CPTED selective clearing)
- Bushfire Managed Zone - maintain cleared understory
- Trees cleared for Logan Water pump station works
- Approved Phase 1 & School site VMP area
- Existing New Beith Rd (dirt track)
- Remnant Vegetation extent
- Indicative cleared area to rehabilitate
- CA3 (south) VMP approved clearing

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:600

References:
AS4970-2009 Protection of trees on development sites

0 5 10 15 20 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
O	17/10/2025	UPDATED STAGE 4 BASIN	TC	AD

CLIENT
PEET Flagstone

PROJECT
FLAGSTONE CITY - STAGES 2-5

DRAWING TITLE
VEGETATION MANAGEMENT PLAN

DRAWING NO.
8047 E 61 BAL Stage 2 VMP O

FLAGSTONE CITY - STAGE 2-5

Vegetation Management Plan - *Detail Sheet*

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV2012/403/303

Date: 30 October 2025

Queensland Government



- Tree (with TPZ) to retain
- Tree (with TPZ) to remove in development design/ construction acess
- Tree (with TPZ) removal to be confirmed at detail design stage of stormwater management
- Tree (with TPZ) to remove for trunk sewer works
- Tree (with TPZ) retention status TBC in park by CPTED principles & park detail design
- Tree (with TPZ) removed as part of previsouly approved VMPs
- Tree (with TPZ) retention subject to cultural heritage
- Proposed lots
- Civil design contours for development area/basins
- SW Civil stormwater
- Maxmimum BLE
- Earthwork pad setback
- Retaining wall
- Built to boundary wall
- Road pavement design
- Road design contours
- Sewer pump station pad
- S Civil trunk sewer
- Top & toe of batters
- Existing contours
- W Civil water
- Context Area 1 boundary
- Tree protection fencing - to be fauna friendly design & subject to minor changes by Arborist and civil engineer
- Stage 2-5 phase 2 site works (including additional vegetation clearing for construction access & areas of CPTED selective clearing)
- Bushfire Managed Zone - maintain cleared understory
- Trees cleared for Logan Water pump station works
- Approved Phase 1 & School site VMP area
- Existing New Beith Rd (dirt track)
- Remnant Vegetation extent
- Indicative cleared area to rehabilitate
- CA3 (south) VMP approved clearing

Saunders Havill

BOWENHILLS | SPRINGFIELD

1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:600

References:
AS4970-2009 Protection of trees on development sites

0 5 10 15 20 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
O	17/10/2025	UPDATED STAGE 4 BASIN	TC	AD

CLIENT

PEET Flagstone

PROJECT

FLAGSTONE CITY - STAGES 2-5

DRAWING TITLE

VEGETATION MANAGEMENT PLAN

DRAWING NO.

8047 E 62 BAL Stage 2 VMP O

FLAGSTONE CITY - STAGE 2-5


Vegetation Management Plan - *Detail Sheet*

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV2012/403/303

Date: 30 October 2025

Queensland Government



- Tree (with TPZ) to retain
- Tree (with TPZ) to remove in development design/ construction acess
- Tree (with TPZ) removal to be confirmed at detail design stage of stormwater management
- Tree (with TPZ) to remove for trunk sewer works
- Tree (with TPZ) retention status TBC in park by CPTED principles & park detail design
- Tree (with TPZ) removed as part of previsouly approved VMPs
- Tree (with TPZ) retention subject to cultural heritage
- Proposed lots
- Civil design contours for development area/basins
- SW Civil stormwater
- Maxmimum BLE
- Earthwork pad setback
- Retaining wall
- Built to boundary wall
- Road pavement design
- Road design contours
- Sewer pump station pad
- S Civil trunk sewer
- Top & toe of batters
- Existing contours
- W Civil water
- Context Area 1 boundary
- Tree protection fencing - to be fauna friendly design & subject to minor changes by Arborist and civil engineer
- Stage 2-5 phase 2 site works (including additional vegetation clearing for construction access & areas of CPTED selective clearing)
- Bushfire Managed Zone - maintain cleared understory
- Trees cleared for Logan Water pump station works
- Approved Phase 1 & School site VMP area
- Existing New Beith Rd (dirt track)
- Remnant Vegetation extent
- Indicative cleared area to rehabilitate
- CA3 (south) VMP approved clearing

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3) 1:600

References:
AS4970-2009 Protection of trees on development sites

0 5 10 15 20 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
O	17/10/2025	UPDATED STAGE 4 BASIN	TC	AD

CLIENT: PEET Flagstone

PROJECT: FLAGSTONE CITY - STAGES 2-5

DRAWING TITLE: VEGETATION MANAGEMENT PLAN

DRAWING NO.: **8047 E 63 BAL Stage 2 VMP O**

FLAGSTONE CITY - STAGE 2-5


Vegetation Management Plan - *Detail Sheet*

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV2012/403/303

Date: 30 October 2025

Queensland Government



Tree (with TPZ) to retain

Tree (with TPZ) to remove in development design/ construction acess

Tree (with TPZ) removal to be confirmed at detail design stage of stormwater management

Tree (with TPZ) to remove for trunk sewer works

Tree (with TPZ) retention status TBC in park by CPTED principles & park detail design

Tree (with TPZ) removed as part of previsouly approved VMPs

Tree (with TPZ) retention subject to cultural heritage

Proposed lots

Civil design contours for development area/basins

SW Civil stormwater

Maxmimum BLE

Earthwork pad setback

Retaining wall

Built to boundary wall

Road pavement design

Road design contours

Sewer pump station pad

S Civil trunk sewer

Top & toe of batters

Existing contours

W Civil water

Context Area 1 boundary

Tree protection fencing - to be fauna friendly design & subject to minor changes by Arborist and civil engineer

Stage 2-5 phase 2 site works (including additional vegetation clearing for construction access & areas of CPTED selective clearing)

Bushfire Managed Zone - maintain cleared understory

Trees cleared for Logan Water pump station works

Approved Phase 1 & School site VMP area

Existing New Beith Rd (dirt track)

Remnant Vegetation extent

Indicative cleared area to rehabilitate

CA3 (south) VMP approved clearing

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:600

References:
AS4970-2009 Protection of trees on development sites

0 5 10 15 20 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
O	17/10/2025	UPDATED STAGE 4 BASIN	TC	AD

CLIENT
PEET Flagstone

PROJECT
FLAGSTONE CITY - STAGES 2-5

DRAWING TITLE
VEGETATION MANAGEMENT PLAN

DRAWING NO.
8047 E 64 BAL Stage 2 VMP O

FLAGSTONE CITY - STAGE 2-5


Vegetation Management Plan - *Detail Sheet*

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV2012/403/303

Date: 30 October 2025

Queensland Government



- Tree (with TPZ) to retain
- Tree (with TPZ) to remove in development design/ construction acess
- Tree (with TPZ) removal to be confirmed at detail design stage of stormwater management
- Tree (with TPZ) to remove for trunk sewer works
- Tree (with TPZ) retention status TBC in park by CPTED principles & park detail design
- Tree (with TPZ) removed as part of previsouly approved VMPs
- Tree (with TPZ) retention subject to cultural heritage
- Proposed lots
- Civil design contours for development area/basins
- SW Civil stormwater
- Maxmimum BLE
- Earthwork pad setback
- Retaining wall
- Built to boundary wall
- Road pavement design

Road design

- Road design contours
- Sewer pump station pad
- S Civil trunk sewer
- Top & toe of batters
- Existing contours
- W Civil water
- Context Area 1 boundary
- Tree protection fencing - to be fauna friendly design & subject to minor changes by Arborist and civil engineer
- Stage 2-5 phase 2 site works (including additional vegetation clearing for construction access & areas of CPTED selective clearing)
- Bushfire Managed Zone - maintain cleared understory
- Trees cleared for Logan Water pump station works
- Approved Phase 1 & School site VMP area
- Existing New Beith Rd (dirt track)
- Remnant Vegetation extent
- Indicative cleared area to rehabilitate
- CA3 (south) VMP approved clearing

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:600

References:
AS4970-2009 Protection of trees on development sites

0 5 10 15 20 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
O	17/10/2025	UPDATED STAGE 4 BASIN	TC	AD

CLIENT
PEET Flagstone

PROJECT
FLAGSTONE CITY - STAGES 2-5

DRAWING TITLE
VEGETATION MANAGEMENT PLAN

DRAWING NO.
8047 E 65 BAL Stage 2 VMP O

FLAGSTONE CITY - STAGE 2-5


Vegetation Management Plan - *Detail Sheet*

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV2012/403/303

Date: 30 October 2025

Queensland Government



- Tree (with TPZ) to retain
- Tree (with TPZ) to remove in development design/ construction acess
- Tree (with TPZ) removal to be confirmed at detail design stage of stormwater management
- Tree (with TPZ) to remove for trunk sewer works
- Tree (with TPZ) retention status TBC in park by CPTED principles & park detail design
- Tree (with TPZ) removed as part of previsouly approved VMPs
- Tree (with TPZ) retention subject to cultural heritage
- Proposed lots
- Civil design contours for development area/basins
- SW Civil stormwater
- Maxmimum BLE
- Earthwork pad setback
- Retaining wall
- Built to boundary wall
- Road pavement design

Road design

- Road design contours
- Sewer pump station pad
- S Civil trunk sewer
- Top & toe of batters
- Existing contours
- W Civil water
- Context Area 1 boundary
- Tree protection fencing - to be fauna friendly design & subject to minor changes by Arborist and civil engineer
- Stage 2-5 phase 2 site works (including additional vegetation clearing for construction access & areas of CPTED selective clearing)
- Bushfire Managed Zone - maintain cleared understory
- Trees cleared for Logan Water pump station works
- Approved Phase 1 & School site VMP area
- Existing New Beith Rd (dirt track)
- Remnant Vegetation extent
- Indicative cleared area to rehabilitate
- CA3 (south) VMP approved clearing

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:600

References:
AS4970-2009 Protection of trees on development sites

0 5 10 15 20 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
O	17/10/2025	UPDATED STAGE 4 BASIN	TC	AD

CLIENT
PEET Flagstone

PROJECT
FLAGSTONE CITY - STAGES 2-5

DRAWING TITLE
VEGETATION MANAGEMENT PLAN

DRAWING NO.
8047 E 66 BAL Stage 2 VMP O

FLAGSTONE CITY - STAGE 2-5


Vegetation Management Plan - *Detail Sheet*

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV2012/403/303

Date: 30 October 2025

Queensland Government



- Tree (with TPZ) to retain
- Tree (with TPZ) to remove in development design/ construction acess
- Tree (with TPZ) removal to be confirmed at detail design stage of stormwater management
- Tree (with TPZ) to remove for trunk sewer works
- Tree (with TPZ) retention status TBC in park by CPTED principles & park detail design
- Tree (with TPZ) removed as part of previsouly approved VMPs
- Tree (with TPZ) retention subject to cultural heritage
- Proposed lots
- Civil design contours for development area/basins
- SW Civil stormwater
- Maxmimum BLE
- Earthwork pad setback
- Retaining wall
- Built to boundary wall
- Road pavement design

Road design

- Road design contours
- Sewer pump station pad
- S Civil trunk sewer
- Top & toe of batters
- Existing contours
- W Civil water
- Context Area 1 boundary
- Tree protection fencing - to be fauna friendly design & subject to minor changes by Arborist and civil engineer
- Stage 2-5 phase 2 site works (including additional vegetation clearing for construction access & areas of CPTED selective clearing)
- Bushfire Managed Zone - maintain cleared understory
- Trees cleared for Logan Water pump station works
- Approved Phase 1 & School site VMP area
- Existing New Beith Rd (dirt track)
- Remnant Vegetation extent
- Indicative cleared area to rehabilitate
- CA3 (south) VMP approved clearing

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:600

References:
AS4970-2009 Protection of trees on development sites

0 5 10 15 20 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
O	17/10/2025	UPDATED STAGE 4 BASIN	TC	AD

CLIENT
PEET Flagstone

PROJECT
FLAGSTONE CITY - STAGES 2-5

DRAWING TITLE
VEGETATION MANAGEMENT PLAN

DRAWING NO.
8047 E 67 BAL Stage 2 VMP O

FLAGSTONE CITY - STAGE 2-5


Vegetation Management Plan - *Detail Sheet*

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV2012/403/303

Date: 30 October 2025

Queensland Government



- Tree (with TPZ) to retain
- Tree (with TPZ) to remove in development design/ construction acess
- Tree (with TPZ) removal to be confirmed at detail design stage of stormwater management
- Tree (with TPZ) to remove for trunk sewer works
- Tree (with TPZ) retention status TBC in park by CPTED principles & park detail design
- Tree (with TPZ) removed as part of previsouly approved VMPs
- Tree (with TPZ) retention subject to cultural heritage
- Proposed lots
- Civil design contours for development area/basins
- SW Civil stormwater
- Maxmimum BLE
- Earthwork pad setback
- Retaining wall
- Built to boundary wall
- Road pavement design — Road design
- Road design contours
- Sewer pump station pad
- S Civil trunk sewer
- Top & toe of batters
- Existing contours
- W Civil water
- Context Area 1 boundary
- Tree protection fencing - to be fauna friendly design & subject to minor changes by Arborist and civil engineer
- Stage 2-5 phase 2 site works (including additional vegetation clearing for construction access & areas of CPTED selective clearing)
- Bushfire Managed Zone - maintain cleared understory
- Trees cleared for Logan Water pump station works
- Approved Phase 1 & School site VMP area
- Existing New Beith Rd (dirt track)
- Remnant Vegetation extent
- Indicative cleared area to rehabilitate
- CA3 (south) VMP approved clearing

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:600

References:
AS4970-2009 Protection of trees on development sites

0 5 10 15 20 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
O	17/10/2025	UPDATED STAGE 4 BASIN	TC	AD

CLIENT
PEET Flagstone

PROJECT
FLAGSTONE CITY - STAGES 2-5

DRAWING TITLE
VEGETATION MANAGEMENT PLAN

DRAWING NO.
8047 E 68 BAL Stage 2 VMP O

FLAGSTONE CITY - STAGE 2-5

Vegetation Management Plan - *Detail Sheet*

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV2012/403/303

Date: 30 October 2025

Queensland Government

- Tree (with TPZ) to retain
- Tree (with TPZ) to remove in development design/ construction acess
- Tree (with TPZ) removal to be confirmed at detail design stage of stormwater management
- Tree (with TPZ) to remove for trunk sewer works
- Tree (with TPZ) retention status TBC in park by CPTED principles & park detail design
- Tree (with TPZ) removed as part of previsouly approved VMPs
- Tree (with TPZ) retention subject to cultural heritage
- Proposed lots
- Civil design contours for development area/basins
- SW Civil stormwater
- Maxmimum BLE
- Earthwork pad setback
- Retaining wall
- Built to boundary wall
- Road pavement design

Road design

- Road design contours
- Sewer pump station pad
- S Civil trunk sewer
- Top & toe of batters
- Existing contours
- W Civil water
- Context Area 1 boundary
- Tree protection fencing - to be fauna friendly design & subject to minor changes by Arborist and civil engineer
- Stage 2-5 phase 2 site works (including additional vegetation clearing for construction access & areas of CPTED selective clearing)
- Bushfire Managed Zone - maintain cleared understory
- Trees cleared for Logan Water pump station works
- Approved Phase 1 & School site VMP area
- Existing New Beith Rd (dirt track)
- Remnant Vegetation extent
- Indicative cleared area to rehabilitate
- CA3 (south) VMP approved clearing

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:600

References:
AS4970-2009 Protection of trees on development sites

0 5 10 15 20 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
O	17/10/2025	UPDATED STAGE 4 BASIN	TC	AD

CLIENT
PEET Flagstone

PROJECT
FLAGSTONE CITY - STAGES 2-5

DRAWING TITLE
VEGETATION MANAGEMENT PLAN

DRAWING NO.
8047 E 69 BAL Stage 2 VMP O

FLAGSTONE CITY - STAGE 2-5

Vegetation Management Plan - *Detail Sheet*

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV2012/403/303

Date: 30 October 2025

Queensland Government



- Tree (with TPZ) to retain
- Tree (with TPZ) to remove in development design/ construction acess
- Tree (with TPZ) removal to be confirmed at detail design stage of stormwater management
- Tree (with TPZ) to remove for trunk sewer works
- Tree (with TPZ) retention status TBC in park by CPTED principles & park detail design
- Tree (with TPZ) removed as part of previsouly approved VMPs
- Tree (with TPZ) retention subject to cultural heritage
- Proposed lots
- Civil design contours for development area/basins
- SW Civil stormwater
- Maxmimum BLE
- Earthwork pad setback
- Retaining wall
- Built to boundary wall
- Road pavement design Road design
- Road design contours
- Sewer pump station pad
- S Civil trunk sewer
- Top & toe of batters
- Existing contours
- W Civil water
- Context Area 1 boundary
- Tree protection fencing - to be fauna friendly design & subject to minor changes by Arborist and civil engineer
- Stage 2-5 phase 2 site works (including additional vegetation clearing for construction access & areas of CPTED selective clearing)
- Bushfire Managed Zone - maintain cleared understory
- Trees cleared for Logan Water pump station works
- Approved Phase 1 & School site VMP area
- Existing New Beith Rd (dirt track)
- Remnant Vegetation extent
- Indicative cleared area to rehabilitate
- CA3 (south) VMP approved clearing

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:600

References:
AS4970-2009 Protection of trees on development sites

0 5 10 15 20 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
O	17/10/2025	UPDATED STAGE 4 BASIN	TC	AD

CLIENT
PEET Flagstone

PROJECT
FLAGSTONE CITY - STAGES 2-5

DRAWING TITLE
VEGETATION MANAGEMENT PLAN

DRAWING NO.
8047 E 70 BAL Stage 2 VMP O

FLAGSTONE CITY - STAGE 2-5

Vegetation Management Plan - *Detail Sheet*

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV2012/403/303

Date: 30 October 2025

Queensland Government



- Tree (with TPZ) to retain
- Tree (with TPZ) to remove in development design/ construction acess
- Tree (with TPZ) removal to be confirmed at detail design stage of stormwater management
- Tree (with TPZ) to remove for trunk sewer works
- Tree (with TPZ) retention status TBC in park by CPTED principles & park detail design
- Tree (with TPZ) removed as part of previsouly approved VMPs
- Tree (with TPZ) retention subject to cultural heritage
- Proposed lots
- Civil design contours for development area/basins
- SW Civil stormwater
- Maxmimum BLE
- Earthwork pad setback
- Retaining wall
- Built to boundary wall
- Road pavement design
- Road design
- Road design contours
- Sewer pump station pad
- S Civil trunk sewer
- Top & toe of batters
- Existing contours
- W Civil water
- Context Area 1 boundary
- Tree protection fencing - to be fauna friendly design & subject to minor changes by Arborist and civil engineer
- Stage 2-5 phase 2 site works (including additional vegetation clearing for construction access & areas of CPTED selective clearing)
- Bushfire Managed Zone - maintain cleared understory
- Trees cleared for Logan Water pump station works
- Approved Phase 1 & School site VMP area
- Existing New Beith Rd (dirt track)
- Remnant Vegetation extent
- Indicative cleared area to rehabilitate
- CA3 (south) VMP approved clearing

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:600

References:
AS4970-2009 Protection of trees on development sites

0 5 10 15 20 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
O	17/10/2025	UPDATED STAGE 4 BASIN	TC	AD

CLIENT
PEET Flagstone

PROJECT
FLAGSTONE CITY - STAGES 2-5

DRAWING TITLE
VEGETATION MANAGEMENT PLAN

DRAWING NO.
8047 E 71 BAL Stage 2 VMP O

FLAGSTONE CITY - STAGE 2-5


Vegetation Management Plan - *Detail Sheet*

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV2012/403/303

Date: 30 October 2025

Queensland Government



- Tree (with TPZ) to retain
- Tree (with TPZ) to remove in development design/ construction acess
- Tree (with TPZ) removal to be confirmed at detail design stage of stormwater management
- Tree (with TPZ) to remove for trunk sewer works
- Tree (with TPZ) retention status TBC in park by CPTED principles & park detail design
- Tree (with TPZ) removed as part of previsouly approved VMPs
- Tree (with TPZ) retention subject to cultural heritage
- Proposed lots
- Civil design contours for development area/basins
- SW Civil stormwater
- Maxmimum BLE
- Earthwork pad setback
- Retaining wall
- Built to boundary wall
- Road pavement design

Road design

- Road design contours
- Sewer pump station pad
- S Civil trunk sewer
- Top & toe of batters
- Existing contours
- W Civil water
- Context Area 1 boundary
- Tree protection fencing - to be fauna friendly design & subject to minor changes by Arborist and civil engineer
- Stage 2-5 phase 2 site works (including additional vegetation clearing for construction access & areas of CPTED selective clearing)
- Bushfire Managed Zone - maintain cleared understory
- Trees cleared for Logan Water pump station works
- Approved Phase 1 & School site VMP area
- Existing New Beith Rd (dirt track)
- Remnant Vegetation extent
- Indicative cleared area to rehabilitate
- CA3 (south) VMP approved clearing

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:600

References:
AS4970-2009 Protection of trees on development sites

0 5 10 15 20 m

AMENDMENTS				
ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
O	17/10/2025	UPDATED STAGE 4 BASIN	TC	AD

CLIENT
PEET Flagstone

PROJECT
FLAGSTONE CITY - STAGES 2-5

DRAWING TITLE
VEGETATION MANAGEMENT PLAN

DRAWING NO.
8047 E 72 BAL Stage 2 VMP O

FLAGSTONE CITY - STAGE 2-5


Vegetation Management Plan - *Detail Sheet*

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV2012/403/303

Date: 30 October 2025

Queensland Government



- Tree (with TPZ) to retain
- Tree (with TPZ) to remove in development design/ construction acess
- Tree (with TPZ) removal to be confirmed at detail design stage of stormwater management
- Tree (with TPZ) to remove for trunk sewer works
- Tree (with TPZ) retention status TBC in park by CPTED principles & park detail design
- Tree (with TPZ) removed as part of previsouly approved VMPs
- Tree (with TPZ) retention subject to cultural heritage
- Proposed lots
- Civil design contours for development area/basins
- SW Civil stormwater
- Maxmimum BLE
- Earthwork pad setback
- Retaining wall
- Built to boundary wall
- Road pavement design

Road design

- Road design contours
- Sewer pump station pad
- S Civil trunk sewer
- Top & toe of batters
- Existing contours
- W Civil water
- Context Area 1 boundary
- Tree protection fencing - to be fauna friendly design & subject to minor changes by Arborist and civil engineer
- Stage 2-5 phase 2 site works (including additional vegetation clearing for construction access & areas of CPTED selective clearing)
- Bushfire Managed Zone - maintain cleared understory
- Trees cleared for Logan Water pump station works
- Approved Phase 1 & School site VMP area
- Existing New Beith Rd (dirt track)
- Remnant Vegetation extent
- Indicative cleared area to rehabilitate
- CA3 (south) VMP approved clearing

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:600

References:
AS4970-2009 Protection of trees on development sites

0 5 10 15 20 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
O	17/10/2025	UPDATED STAGE 4 BASIN	TC	AD

CLIENT
PEET Flagstone

PROJECT
FLAGSTONE CITY - STAGES 2-5

DRAWING TITLE
VEGETATION MANAGEMENT PLAN

DRAWING NO.
8047 E 73 BAL Stage 2 VMP O

FLAGSTONE CITY - STAGE 2-5


Vegetation Management Plan - *Detail Sheet*

PLANS AND DOCUMENTS referred to in the PDA DEVELOPMENT APPROVAL

Approval no: DEV2012/403/303

Date: 30 October 2025

Queensland Government



- Tree (with TPZ) to retain
- Tree (with TPZ) to remove in development design/ construction acess
- Tree (with TPZ) removal to be confirmed at detail design stage of stormwater management
- Tree (with TPZ) to remove for trunk sewer works
- Tree (with TPZ) retention status TBC in park by CPTED principles & park detail design
- Tree (with TPZ) removed as part of previsouly approved VMPs
- Tree (with TPZ) retention subject to cultural heritage
- Proposed lots
- Civil design contours for development area/basins
- SW Civil stormwater
- Maxmimum BLE
- Earthwork pad setback
- Retaining wall
- Built to boundary wall
- Road pavement design
- Road design contours
- Sewer pump station pad
- S Civil trunk sewer
- Top & toe of batters
- Existing contours
- W Civil water
- Context Area 1 boundary
- Tree protection fencing - to be fauna friendly design & subject to minor changes by Arborist and civil engineer
- Stage 2-5 phase 2 site works (including additional vegetation clearing for construction access & areas of CPTED selective clearing)
- Bushfire Managed Zone - maintain cleared understory
- Trees cleared for Logan Water pump station works
- Approved Phase 1 & School site VMP area
- Existing New Beith Rd (dirt track)
- Remnant Vegetation extent
- Indicative cleared area to rehabilitate
- CA3 (south) VMP approved clearing

Saunders Havill

BOWENHILLS | SPRINGFIELD

1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3) 1:600

References:

AS4970-2009 Protection of trees on development sites

0 5 10 15 20 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
O	17/10/2025	UPDATED STAGE 4 BASIN	TC	AD

CLIENT: PEET Flagstone

PROJECT: FLAGSTONE CITY - STAGES 2-5

DRAWING TITLE: VEGETATION MANAGEMENT PLAN

DRAWING NO.: **8047 E 74 BAL Stage 2 VMP O**

FLAGSTONE CITY - STAGE 2-5


Vegetation Management Plan - *Detail Sheet*

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV2012/403/303

Date: 30 October 2025

Queensland Government



Tree (with TPZ) to retain

Tree (with TPZ) to remove in development design/ construction acess

Tree (with TPZ) removal to be confirmed at detail design stage of stormwater management

Tree (with TPZ) to remove for trunk sewer works

Tree (with TPZ) retention status TBC in park by CPTED principles & park detail design

Tree (with TPZ) removed as part of previsouly approved VMPs

Tree (with TPZ) retention subject to cultural heritage

Proposed lots

Civil design contours for development area/basins

SW Civil stormwater

Maxmimum BLE

Earthwork pad setback

Retaining wall

Built to boundary wall

Road pavement design Road design

Road design contours

Sewer pump station pad

S Civil trunk sewer

Top & toe of batters

Existing contours

W Civil water

Context Area 1 boundary

Tree protection fencing - to be fauna friendly design & subject to minor changes by Arborist and civil engineer

Stage 2-5 phase 2 site works (including additional vegetation clearing for construction access & areas of CPTED selective clearing)

Bushfire Managed Zone - maintain cleared understory

Trees cleared for Logan Water pump station works

Approved Phase 1 & School site VMP area

Existing New Beith Rd (dirt track)

Remnant Vegetation extent

Indicative cleared area to rehabilitate

CA3 (south) VMP approved clearing

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:600

References:
AS4970-2009 Protection of trees on development sites

0 5 10 15 20 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
O	17/10/2025	UPDATED STAGE 4 BASIN	TC	AD

CLIENT
PEET Flagstone

PROJECT
FLAGSTONE CITY - STAGES 2-5

DRAWING TITLE
VEGETATION MANAGEMENT PLAN

DRAWING NO.
8047 E 75 BAL Stage 2 VMP O

FLAGSTONE CITY - STAGE 2-5

Vegetation Management Plan - *Detail Sheet*

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV2012/403/303

Date: 30 October 2025

Queensland Government



Tree (with TPZ) to retain

Tree (with TPZ) to remove in development design/ construction acess

Tree (with TPZ) removal to be confirmed at detail design stage of stormwater management

Tree (with TPZ) to remove for trunk sewer works

Tree (with TPZ) retention status TBC in park by CPTED principles & park detail design

Tree (with TPZ) removed as part of previsouly approved VMPs

Tree (with TPZ) retention subject to cultural heritage

Proposed lots

Civil design contours for development area/basins

SW Civil stormwater

Maxmimum BLE

Earthwork pad setback

Retaining wall

Built to boundary wall

Road pavement design

Road design

Road design contours

Sewer pump station pad

S Civil trunk sewer

Top & toe of batters

Existing contours

W Civil water

Context Area 1 boundary

Tree protection fencing - to be fauna friendly design & subject to minor changes by Arborist and civil engineer

Stage 2-5 phase 2 site works (including additional vegetation clearing for construction access & areas of CPTED selective clearing)

Bushfire Managed Zone - maintain cleared understory

Trees cleared for Logan Water pump station works

Approved Phase 1 & School site VMP area

Existing New Beith Rd (dirt track)

Remnant Vegetation extent

Indicative cleared area to rehabilitate

CA3 (south) VMP approved clearing

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3) 1:600

References:
AS4970-2009 Protection of trees on development sites

0 5 10 15 20 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
O	17/10/2025	UPDATED STAGE 4 BASIN	TC	AD

CLIENT: PEET Flagstone

PROJECT: FLAGSTONE CITY - STAGES 2-5

DRAWING TITLE: VEGETATION MANAGEMENT PLAN

DRAWING NO.: 8047 E 76 BAL Stage 2 VMP O

FLAGSTONE CITY - STAGE 2-5

Vegetation Management Plan - *Detail Sheet*

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV2012/403/303

Date: 30 October 2025

Queensland Government



Tree (with TPZ) to retain

Tree (with TPZ) to remove in development design/ construction acess

Tree (with TPZ) removal to be confirmed at detail design stage of stormwater management

Tree (with TPZ) to remove for trunk sewer works

Tree (with TPZ) retention status TBC in park by CPTED principles & park detail design

Tree (with TPZ) removed as part of previsouly approved VMPs

Tree (with TPZ) retention subject to cultural heritage

Proposed lots

Civil design contours for development area/basins

SW Civil stormwater

Maxmimum BLE

Earthwork pad setback

Retaining wall

Built to boundary wall

Road pavement design Road design

Road design contours

Sewer pump station pad

S Civil trunk sewer

Top & toe of batters

Existing contours

W Civil water

Context Area 1 boundary

Tree protection fencing - to be fauna friendly design & subject to minor changes by Arborist and civil engineer

Stage 2-5 phase 2 site works (including additional vegetation clearing for construction access & areas of CPTED selective clearing)

Bushfire Managed Zone - maintain cleared understory

Trees cleared for Logan Water pump station works

Approved Phase 1 & School site VMP area

Existing New Beith Rd (dirt track)

Remnant Vegetation extent

Indicative cleared area to rehabilitate

CA3 (south) VMP approved clearing

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:600

References:
AS4970-2009 Protection of trees on development sites

0 5 10 15 20 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
O	17/10/2025	UPDATED STAGE 4 BASIN	TC	AD

CLIENT
PEET Flagstone

PROJECT
FLAGSTONE CITY - STAGES 2-5

DRAWING TITLE
VEGETATION MANAGEMENT PLAN

DRAWING NO.
8047 E 77 BAL Stage 2 VMP O

FLAGSTONE CITY - STAGE 2-5


Vegetation Management Plan - *Detail Sheet*

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV2012/403/303

Date: 30 October 2025

Queensland Government



- Tree (with TPZ) to retain
- Tree (with TPZ) to remove in development design/ construction acess
- Tree (with TPZ) removal to be confirmed at detail design stage of stormwater management
- Tree (with TPZ) to remove for trunk sewer works
- Tree (with TPZ) retention status TBC in park by CPTED principles & park detail design
- Tree (with TPZ) removed as part of previsouly approved VMPs
- Tree (with TPZ) retention subject to cultural heritage
- Proposed lots
- Civil design contours for development area/basins
- SW — Civil stormwater
- Maxmimum BLE
- Earthwork pad setback
- Retaining wall
- Built to boundary wall
- Road pavement design
- Road design
- Road design contours
- Sewer pump station pad
- S — Civil trunk sewer
- Top & toe of batters
- Existing contours
- W — Civil water
- Context Area 1 boundary
- Tree protection fencing - to be fauna friendly design & subject to minor changes by Arborist and civil engineer
- Stage 2-5 phase 2 site works (including additional vegetation clearing for construction access & areas of CPTED selective clearing)
- Bushfire Managed Zone - maintain cleared understory
- Trees cleared for Logan Water pump station works
- Approved Phase 1 & School site VMP area
- Existing New Beith Rd (dirt track)
- Remnant Vegetation extent
- Indicative cleared area to rehabilitate
- CA3 (south) VMP approved clearing

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:600

References:
AS4970-2009 Protection of trees on development sites

0 5 10 15 20 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
O	17/10/2025	UPDATED STAGE 4 BASIN	TC	AD

CLIENT
PEET Flagstone

PROJECT
FLAGSTONE CITY - STAGES 2-5

DRAWING TITLE
VEGETATION MANAGEMENT PLAN

DRAWING NO.
8047 E 78 BAL Stage 2 VMP O

FLAGSTONE CITY - STAGE 2-5


Vegetation Management Plan - *Detail Sheet*

PLANS AND DOCUMENTS referred to in the PDA DEVELOPMENT APPROVAL

Approval no: DEV2012/403/303

Date: 30 October 2025

Queensland Government



- Tree (with TPZ) to retain
- Tree (with TPZ) to remove in development design/ construction acess
- Tree (with TPZ) removal to be confirmed at detail design stage of stormwater management
- Tree (with TPZ) to remove for trunk sewer works
- Tree (with TPZ) retention status TBC in park by CPTED principles & park detail design
- Tree (with TPZ) removed as part of previsouly approved VMPs
- Tree (with TPZ) retention subject to cultural heritage
- Proposed lots
- Civil design contours for development area/basins
- SW Civil stormwater
- Maxmimum BLE
- Earthwork pad setback
- Retaining wall
- Built to boundary wall
- Road pavement design
- Road design
- Road design contours
- Sewer pump station pad
- S Civil trunk sewer
- Top & toe of batters
- Existing contours
- W Civil water
- Context Area 1 boundary
- Tree protection fencing - to be fauna friendly design & subject to minor changes by Arborist and civil engineer
- Stage 2-5 phase 2 site works (including additional vegetation clearing for construction access & areas of CPTED selective clearing)
- Bushfire Managed Zone - maintain cleared understory
- Trees cleared for Logan Water pump station works
- Approved Phase 1 & School site VMP area
- Existing New Beith Rd (dirt track)
- Remnant Vegetation extent
- Indicative cleared area to rehabilitate
- CA3 (south) VMP approved clearing

Saunders Havill

BOWENHILLS | SPRINGFIELD

1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3) 1:600

References:
AS4970-2009 Protection of trees on development sites

0 5 10 15 20 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
O	17/10/2025	UPDATED STAGE 4 BASIN	TC	AD

CLIENT: PEET Flagstone

PROJECT: FLAGSTONE CITY - STAGES 2-5

DRAWING TITLE: VEGETATION MANAGEMENT PLAN

DRAWING NO.: **8047 E 79 BAL Stage 2 VMP O**

FLAGSTONE CITY - STAGE 2-5


Vegetation Management Plan - *Detail Sheet*

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV2012/403/303

Date: 30 October 2025

Queensland Government



- Tree (with TPZ) to retain
- Tree (with TPZ) to remove in development design/ construction acess
- Tree (with TPZ) removal to be confirmed at detail design stage of stormwater management
- Tree (with TPZ) to remove for trunk sewer works
- Tree (with TPZ) retention status TBC in park by CPTED principles & park detail design
- Tree (with TPZ) removed as part of previsouly approved VMPs
- Tree (with TPZ) retention subject to cultural heritage
- Proposed lots
- Civil design contours for development area/basins
- SW Civil stormwater
- Maxmimum BLE
- Earthwork pad setback
- Retaining wall
- Built to boundary wall
- Road pavement design Road design
- Road design contours
- Sewer pump station pad
- S Civil trunk sewer
- Top & toe of batters
- Existing contours
- W Civil water
- Context Area 1 boundary
- Tree protection fencing - to be fauna friendly design & subject to minor changes by Arborist and civil engineer
- Stage 2-5 phase 2 site works (including additional vegetation clearing for construction access & areas of CPTED selective clearing)
- Bushfire Managed Zone - maintain cleared understory
- Trees cleared for Logan Water pump station works
- Approved Phase 1 & School site VMP area
- Existing New Beith Rd (dirt track)
- Remnant Vegetation extent
- Indicative cleared area to rehabilitate
- CA3 (south) VMP approved clearing

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:600

References:
AS4970-2009 Protection of trees on development sites

0 5 10 15 20 m

AMENDMENTS				
ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
O	17/10/2025	UPDATED STAGE 4 BASIN	TC	AD

CLIENT
PEET Flagstone

PROJECT
FLAGSTONE CITY - STAGES 2-5

DRAWING TITLE
VEGETATION MANAGEMENT PLAN

DRAWING NO.
8047 E 80 BAL Stage 2 VMP O

FLAGSTONE CITY - STAGE 2-5


Vegetation Management Plan - *Detail Sheet*

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV2012/403/303

Date: 30 October 2025

Queensland Government



- Tree (with TPZ) to retain
- Tree (with TPZ) to remove in development design/ construction acess
- Tree (with TPZ) removal to be confirmed at detail design stage of stormwater management
- Tree (with TPZ) to remove for trunk sewer works
- Tree (with TPZ) retention status TBC in park by CPTED principles & park detail design
- Tree (with TPZ) removed as part of previsouly approved VMPs
- Tree (with TPZ) retention subject to cultural heritage
- Proposed lots
- Civil design contours for development area/basins
- SW Civil stormwater
- Maxmimum BLE
- Earthwork pad setback
- Retaining wall
- Built to boundary wall
- Road pavement design
- Road design contours
- Sewer pump station pad
- S Civil trunk sewer
- Top & toe of batters
- Existing contours
- W Civil water
- Context Area 1 boundary
- Tree protection fencing - to be fauna friendly design & subject to minor changes by Arborist and civil engineer
- Stage 2-5 phase 2 site works (including additional vegetation clearing for construction access & areas of CPTED selective clearing)
- Bushfire Managed Zone - maintain cleared understory
- Trees cleared for Logan Water pump station works
- Approved Phase 1 & School site VMP area
- Existing New Beith Rd (dirt track)
- Remnant Vegetation extent
- Indicative cleared area to rehabilitate
- CA3 (south) VMP approved clearing

Road design

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER
DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:600

References:
AS4970-2009 Protection of trees on development sites

0 5 10 15 20 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
O	17/10/2025	UPDATED STAGE 4 BASIN	TC	AD

CLIENT
PEET Flagstone

PROJECT
FLAGSTONE CITY - STAGES 2-5

DRAWING TITLE
VEGETATION MANAGEMENT PLAN

DRAWING NO.
8047 E 81 BAL Stage 2 VMP O

FLAGSTONE CITY - STAGE 2-5


Vegetation Management Plan - *Detail Sheet*

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV2012/403/303

Date: 30 October 2025

Queensland Government



- Tree (with TPZ) to retain
- Tree (with TPZ) to remove in development design/ construction acess
- Tree (with TPZ) removal to be confirmed at detail design stage of stormwater management
- Tree (with TPZ) to remove for trunk sewer works
- Tree (with TPZ) retention status TBC in park by CPTED principles & park detail design
- Tree (with TPZ) removed as part of previsouly approved VMPs
- Tree (with TPZ) retention subject to cultural heritage
- Proposed lots
- Civil design contours for development area/basins
- SW Civil stormwater
- Maxmimum BLE
- Earthwork pad setback
- Retaining wall
- Built to boundary wall
- Road pavement design
- Road design contours
- Sewer pump station pad
- S Civil trunk sewer
- Top & toe of batters
- Existing contours
- W Civil water
- Context Area 1 boundary
- Tree protection fencing - to be fauna friendly design & subject to minor changes by Arborist and civil engineer
- Stage 2-5 phase 2 site works (including additional vegetation clearing for construction access & areas of CPTED selective clearing)
- Bushfire Managed Zone - maintain cleared understory
- Trees cleared for Logan Water pump station works
- Approved Phase 1 & School site VMP area
- Existing New Beith Rd (dirt track)
- Remnant Vegetation extent
- Indicative cleared area to rehabilitate
- CA3 (south) VMP approved clearing

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:600

References:
AS4970-2009 Protection of trees on development sites

0 5 10 15 20 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
O	17/10/2025	UPDATED STAGE 4 BASIN	TC	AD

CLIENT
PEET Flagstone

PROJECT
FLAGSTONE CITY - STAGES 2-5

DRAWING TITLE
VEGETATION MANAGEMENT PLAN

DRAWING NO.
8047 E 82 BAL Stage 2 VMP O

FLAGSTONE CITY - STAGE 2-5


Vegetation Management Plan - *Detail Sheet*

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV2012/403/303

Date: 30 October 2025

Queensland Government



Tree (with TPZ) to retain

Tree (with TPZ) to remove in development design/ construction acess

Tree (with TPZ) removal to be confirmed at detail design stage of stormwater management

Tree (with TPZ) to remove for trunk sewer works

Tree (with TPZ) retention status TBC in park by CPTED principles & park detail design

Tree (with TPZ) removed as part of previsouly approved VMPs

Tree (with TPZ) retention subject to cultural heritage

Proposed lots

Civil design contours for development area/basins

SW Civil stormwater

Maxmimum BLE

Earthwork pad setback

Retaining wall

Built to boundary wall

Road pavement design

Road design

Road design contours

Sewer pump station pad

S Civil trunk sewer

Top & toe of batters

Existing contours

W Civil water

Context Area 1 boundary

Tree protection fencing - to be fauna friendly design & subject to minor changes by Arborist and civil engineer

Stage 2-5 phase 2 site works (including additional vegetation clearing for construction access & areas of CPTED selective clearing)

Bushfire Managed Zone - maintain cleared understory

Trees cleared for Logan Water pump station works

Approved Phase 1 & School site VMP area

Existing New Beith Rd (dirt track)

Remnant Vegetation extent

Indicative cleared area to rehabilitate

CA3 (south) VMP approved clearing

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:600

References:
AS4970-2009 Protection of trees on development sites

0 5 10 15 20 m

AMENDMENTS				
ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
O	17/10/2025	UPDATED STAGE 4 BASIN	TC	AD

CLIENT
PEET Flagstone

PROJECT
FLAGSTONE CITY - STAGES 2-5

DRAWING TITLE
VEGETATION MANAGEMENT PLAN

DRAWING NO.
8047 E 83 BAL Stage 2 VMP O

FLAGSTONE CITY - STAGE 2-5


Vegetation Management Plan - *Detail Sheet*

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV2012/403/303

Date: 30 October 2025

Queensland Government



- Tree (with TPZ) to retain
- Tree (with TPZ) to remove in development design/ construction acess
- Tree (with TPZ) removal to be confirmed at detail design stage of stormwater management
- Tree (with TPZ) to remove for trunk sewer works
- Tree (with TPZ) retention status TBC in park by CPTED principles & park detail design
- Tree (with TPZ) removed as part of previsouly approved VMPs
- Tree (with TPZ) retention subject to cultural heritage
- Proposed lots
- Civil design contours for development area/basins
- SW Civil stormwater
- Maxmimum BLE
- Earthwork pad setback
- Retaining wall
- Built to boundary wall
- Road pavement design
- Road design contours
- Sewer pump station pad
- S Civil trunk sewer
- Top & toe of batters
- Existing contours
- W Civil water
- Context Area 1 boundary
- Tree protection fencing - to be fauna friendly design & subject to minor changes by Arborist and civil engineer
- Stage 2-5 phase 2 site works (including additional vegetation clearing for construction access & areas of CPTED selective clearing)
- Bushfire Managed Zone - maintain cleared understory
- Trees cleared for Logan Water pump station works
- Approved Phase 1 & School site VMP area
- Existing New Beith Rd (dirt track)
- Remnant Vegetation extent
- Indicative cleared area to rehabilitate
- CA3 (south) VMP approved clearing

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:600

References:
AS4970-2009 Protection of trees on development sites

0 5 10 15 20 m

AMENDMENTS				
ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
O	17/10/2025	UPDATED STAGE 4 BASIN	TC	AD

CLIENT
PEET Flagstone

PROJECT
FLAGSTONE CITY - STAGES 2-5

DRAWING TITLE
VEGETATION MANAGEMENT PLAN

DRAWING NO.
8047 E 84 BAL Stage 2 VMP O

FLAGSTONE CITY - STAGE 2-5


Vegetation Management Plan - *Detail Sheet*

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV2012/403/303

Date: 30 October 2025

Queensland Government



- Tree (with TPZ) to retain
- Tree (with TPZ) to remove in development design/ construction acess
- Tree (with TPZ) removal to be confirmed at detail design stage of stormwater management
- Tree (with TPZ) to remove for trunk sewer works
- Tree (with TPZ) retention status TBC in park by CPTED principles & park detail design
- Tree (with TPZ) removed as part of previsouly approved VMPs
- Tree (with TPZ) retention subject to cultural heritage
- Proposed lots
- Civil design contours for development area/basins
- SW Civil stormwater
- Maxmimum BLE
- Earthwork pad setback
- Retaining wall
- Built to boundary wall
- Road pavement design

Road design

- Road design contours
- Sewer pump station pad
- S Civil trunk sewer
- Top & toe of batters
- Existing contours
- W Civil water
- Context Area 1 boundary
- Tree protection fencing - to be fauna friendly design & subject to minor changes by Arborist and civil engineer
- Stage 2-5 phase 2 site works (including additional vegetation clearing for construction access & areas of CPTED selective clearing)
- Bushfire Managed Zone - maintain cleared understory
- Trees cleared for Logan Water pump station works
- Approved Phase 1 & School site VMP area
- Existing New Beith Rd (dirt track)
- Remnant Vegetation extent
- Indicative cleared area to rehabilitate
- CA3 (south) VMP approved clearing

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3) 1:600

References:
AS4970-2009 Protection of trees on development sites

0 5 10 15 20 m

AMENDMENTS				
ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
O	17/10/2025	UPDATED STAGE 4 BASIN	TC	AD

CLIENT: PEET Flagstone

PROJECT: FLAGSTONE CITY - STAGES 2-5

DRAWING TITLE: VEGETATION MANAGEMENT PLAN

DRAWING NO.: **8047 E 85 BAL Stage 2 VMP O**

FLAGSTONE CITY - STAGE 2-5


Vegetation Management Plan - *Detail Sheet*

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV2012/403/303

Date: 30 October 2025

Queensland Government



Tree (with TPZ) to retain

Tree (with TPZ) to remove in development design/ construction acess

Tree (with TPZ) removal to be confirmed at detail design stage of stormwater management

Tree (with TPZ) to remove for trunk sewer works

Tree (with TPZ) retention status TBC in park by CPTED principles & park detail design

Tree (with TPZ) removed as part of previsouly approved VMPs

Tree (with TPZ) retention subject to cultural heritage

Proposed lots

Civil design contours for development area/basins

Civil stormwater

Maxmimum BLE

Earthwork pad setback

Retaining wall

Built to boundary wall

Road pavement design

Road design

Road design contours

Sewer pump station pad

Civil trunk sewer

Top & toe of batters

Existing contours

Civil water

Context Area 1 boundary

Tree protection fencing - to be fauna friendly design & subject to minor changes by Arborist and civil engineer

Stage 2-5 phase 2 site works (including additional vegetation clearing for construction access & areas of CPTED selective clearing)

Bushfire Managed Zone - maintain cleared understory

Trees cleared for Logan Water pump station works

Approved Phase 1 & School site VMP area

Existing New Beith Rd (dirt track)

Remnant Vegetation extent

Indicative cleared area to rehabilitate

CA3 (south) VMP approved clearing

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:600

References:
AS4970-2009 Protection of trees on development sites

0 5 10 15 20 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
O	17/10/2025	UPDATED STAGE 4 BASIN	TC	AD

CLIENT
PEET Flagstone

PROJECT
FLAGSTONE CITY - STAGES 2-5

DRAWING TITLE
VEGETATION MANAGEMENT PLAN

DRAWING NO.
8047 E 86 BAL Stage 2 VMP O

FLAGSTONE CITY - STAGE 2-5


Vegetation Management Plan - *Detail Sheet*

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV2012/403/303

Date: 30 October 2025

Queensland Government



Tree (with TPZ) to retain

Tree (with TPZ) to remove in development design/ construction acess

Tree (with TPZ) removal to be confirmed at detail design stage of stormwater management

Tree (with TPZ) to remove for trunk sewer works

Tree (with TPZ) retention status TBC in park by CPTED principles & park detail design

Tree (with TPZ) removed as part of previsouly approved VMPs

Tree (with TPZ) retention subject to cultural heritage

Proposed lots

Civil design contours for development area/basins

SW Civil stormwater

Maxmimum BLE

Earthwork pad setback

Retaining wall

Built to boundary wall

Road pavement design Road design

Road design contours

Sewer pump station pad

S Civil trunk sewer

Top & toe of batters

Existing contours

W Civil water

Context Area 1 boundary

Tree protection fencing - to be fauna friendly design & subject to minor changes by Arborist and civil engineer

Stage 2-5 phase 2 site works (including additional vegetation clearing for construction access & areas of CPTED selective clearing)

Bushfire Managed Zone - maintain cleared understory

Trees cleared for Logan Water pump station works

Approved Phase 1 & School site VMP area

Existing New Beith Rd (dirt track)

Remnant Vegetation extent

Indicative cleared area to rehabilitate

CA3 (south) VMP approved clearing

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:600

References:
AS4970-2009 Protection of trees on development sites

0 5 10 15 20 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
O	17/10/2025	UPDATED STAGE 4 BASIN	TC	AD

CLIENT
PEET Flagstone

PROJECT
FLAGSTONE CITY - STAGES 2-5

DRAWING TITLE
VEGETATION MANAGEMENT PLAN

DRAWING NO.
8047 E 87 BAL Stage 2 VMP O

FLAGSTONE CITY - STAGE 2-5


Vegetation Management Plan - *Detail Sheet*

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV2012/403/303

Date: 30 October 2025

Queensland Government



- Tree (with TPZ) to retain
- Tree (with TPZ) to remove in development design/ construction acess
- Tree (with TPZ) removal to be confirmed at detail design stage of stormwater management
- Tree (with TPZ) to remove for trunk sewer works
- Tree (with TPZ) retention status TBC in park by CPTED principles & park detail design
- Tree (with TPZ) removed as part of previsouly approved VMPs
- Tree (with TPZ) retention subject to cultural heritage
- Proposed lots
- Civil design contours for development area/basins
- SW Civil stormwater
- Maxmimum BLE
- Earthwork pad setback
- Retaining wall
- Built to boundary wall
- Road pavement design

Road design

- Road design contours
- Sewer pump station pad
- S Civil trunk sewer
- Top & toe of batters
- Existing contours
- W Civil water
- Context Area 1 boundary
- Tree protection fencing - to be fauna friendly design & subject to minor changes by Arborist and civil engineer
- Stage 2-5 phase 2 site works (including additional vegetation clearing for construction access & areas of CPTED selective clearing)
- Bushfire Managed Zone - maintain cleared understory
- Trees cleared for Logan Water pump station works
- Approved Phase 1 & School site VMP area
- Existing New Beith Rd (dirt track)
- Remnant Vegetation extent
- Indicative cleared area to rehabilitate
- CA3 (south) VMP approved clearing

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:600

References:
AS4970-2009 Protection of trees on development sites

0 5 10 15 20 m

AMENDMENTS				
ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
O	17/10/2025	UPDATED STAGE 4 BASIN	TC	AD

CLIENT
PEET Flagstone

PROJECT
FLAGSTONE CITY - STAGES 2-5

DRAWING TITLE
VEGETATION MANAGEMENT PLAN

DRAWING NO.
8047 E 88 BAL Stage 2 VMP O

FLAGSTONE CITY - STAGE 2-5

Vegetation Management Plan - *Vegetation Clearing Direction*

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV2012/403/303

Date: 30 October 2025

Queensland Government



LEGEND

- Tree to retain in this application
- Tree to retain subject to cultural heritage
- Tree to remove in development design/ construction acess
- Tree to remove for trunk sewer
- Tree to remove for stormwater management/basin design - detail design TBC
- Tree removed as part of previous approved VMPs
- Tree retention status TBC in park by CPTED principles
- Proposed works extent
- Tree protection fencing
- Indicative Vegetation Stockpile

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:8,250

References:
AS4970-2009 Protection of trees on development sites

0 100 200 300 m

AMENDMENTS				
ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
O	17/10/2025	UPDATED STAGE 4 BASIN	TC	AD

CLIENT: PEET Flagstone

PROJECT: FLAGSTONE CITY - STAGES 2-5

DRAWING TITLE: VEGETATION MANAGEMENT PLAN

DRAWING NO.: **8047 E 89 BAL Stage 2 VMP O**

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: DEV2012/403/303
Date: 30 October 2025
Queensland Government

Tree Schedule - 8047
Flagstone City - Stages 2-5 VMP O (PEET LTD)
Date: 2025/10/17

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
1	*Eucalyptus tereticornis*	Forest Red Gum	580		580	24.0	8.0	7.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
16	*DEAD/STAG*		1250		1250	12.0	1.0	15.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Large	-	-	High	Removed	
160	*Lophostemon suaveolens*	Swamp Box	210		210	11.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
161	*Corymbia intermedia*	Pink Bloodwood	265		265	15.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
162	*Acacia disparrima*	Hickory Wattle	250		250	10.0	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
163	*Acacia disparrima*	Hickory Wattle	260		260	11.0	4.0	3.1	1.9	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
164	*Corymbia intermedia*	Pink Bloodwood	265		265	9.0	3.0	3.2	1.9	Regular	-	-	-	-	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
165	*Lophostemon suaveolens*	Swamp Box	275		275	11.0	4.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
166	*Acacia disparrima*	Hickory Wattle	270		270	11.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
167	*Lophostemon suaveolens*	Swamp Box	285	210	354	12.0	5.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
168	*Lophostemon suaveolens*	Swamp Box	200		200	11.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
169	*Angophora floribunda*	Rough-barked Apple	365		365	18.0	6.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
170	*Acacia disparrima*	Hickory Wattle	210	150	258	13.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
171	*Corymbia intermedia*	Pink Bloodwood	200		200	16.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
172	*Angophora floribunda*	Rough-barked Apple	310		310	17.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
173	*Acacia disparrima*	Hickory Wattle	250		250	13.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
174	*Eucalyptus tereticornis*	Forest Red Gum	630		630	26.0	12.0	7.6	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
175	*Casuarina cunninghamiana*	River Sheoak	320		320	18.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Removed	
176	*Casuarina cunninghamiana*	River Sheoak	220		220	9.0	7.0	2.6	1.8	One-sided	-	-	-	-	-	Typical	Major	-	-	-	Typical	-	-	-	-	-	-	Removed	
177	*Casuarina cunninghamiana*	River Sheoak	420		420	17.0	7.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
178	*Melaleuca viminalis*	Weeping Bottlebrush	220		220	12.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
179	*Acacia disparrima*	Hickory Wattle	200	190, 150	314	13.0	7.0	3.8	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
180	*Eucalyptus tereticornis*	Forest Red Gum	265		265	16.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
181	*Eucalyptus tereticornis*	Forest Red Gum	485		485	19.0	7.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
182	*Lophostemon suaveolens*	Swamp Box	200		200	12.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
183	*Lophostemon suaveolens*	Swamp Box	220		220	12.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
184	*Lophostemon suaveolens*	Swamp Box	320		320	13.0	5.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
212	*Corymbia intermedia*	Pink Bloodwood	270	330	426	17.0	9.0	5.1	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	nestbox
252	*Corymbia citriodora*	Spotted Gum	360		360	19.0	9.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
253	*Eucalyptus tereticornis*	Forest Red Gum	290		290	16.0	4.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
254	*Eucalyptus tereticornis*	Forest Red Gum	220		220	15.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
255	*Eucalyptus saligna*	Sydney Blue Gum	230		230	12.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
256	*Eucalyptus saligna*	Sydney Blue Gum	360		360	13.0	8.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
257	*Eucalyptus pilularis*	Blackbutt	210		210	10.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
258	*Eucalyptus pilularis*	Blackbutt	230		230	11.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
259	*Eucalyptus pilularis*	Blackbutt	220		220	10.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
260	*Eucalyptus pilularis*	Blackbutt	200		200	10.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
261	*Eucalyptus tereticornis*	Forest Red Gum	290		290	20.0	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: 1E\2025\2047303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
262	*Eucalyptus pilularis*	Blackbutt	300		300	14.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
263	*DEAD/STAG*		330		330	21.0	1.0	4.0	2.1	Irregular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	Large	-	-	-	Retain	
264	*Eucalyptus pilularis*	Blackbutt	210	200	290	16.0	10.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
265	*Eucalyptus pilularis*	Blackbutt	300	280	410	16.0	8.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
266	*Eucalyptus pilularis*	Blackbutt	260		260	13.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Poor	-	-	Small	-	-	Low	Removed	large crack in trunk
267	*Eucalyptus pilularis*	Blackbutt	210	190	283	12.0	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
268	*Eucalyptus pilularis*	Blackbutt	210		210	12.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
269	*DEAD/STAG*		420		420	17.0	1.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Large	-	Termites	High	Retain	large crack in trunk
270	*Eucalyptus pilularis*	Blackbutt	510		510	21.0	12.0	6.1	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Large	-	-	High	Retain	
271	*Eucalyptus pilularis*	Blackbutt	300	260	397	11.0	12.0	4.8	2.2	Irregular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
272	*Eucalyptus tereticornis*	Forest Red Gum	210		210	19.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
273	*Eucalyptus tereticornis*	Forest Red Gum	220		220	18.0	11.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
274	*Eucalyptus tereticornis*	Forest Red Gum	230		230	18.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
275	*Eucalyptus tereticornis*	Forest Red Gum	260		260	18.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
276	*Eucalyptus tereticornis*	Forest Red Gum	200		200	17.0	8.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
277	*Corymbia citriodora*	Spotted Gum	330		330	16.0	9.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
278	*Eucalyptus acmenoides*	White Mahogany	500		500	15.0	9.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
279	*Lophostemon suaveolens*	Swamp Box	210		210	8.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
280	*Lophostemon suaveolens*	Swamp Box	240		240	7.0	3.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
281	*Corymbia intermedia*	Pink Bloodwood	260		260	13.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
282	*Corymbia intermedia*	Pink Bloodwood	290		290	12.0	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
283	*Melaleuca quinquenervia*	Broad-leaved Paperbark	250	240	347	9.0	12.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
284	*Angophora leiocarpa*	Smooth-barked Apple	310		310	20.0	12.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
285	*Angophora leiocarpa*	Smooth-barked Apple	280		280	20.0	13.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
286	*Eucalyptus acmenoides*	White Mahogany	310		310	17.0	9.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
287	*Angophora leiocarpa*	Smooth-barked Apple	220		220	18.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
288	*Lophostemon suaveolens*	Swamp Box	210		210	12.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
289	*Eucalyptus acmenoides*	White Mahogany	280		280	16.0	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
290	*Lophostemon suaveolens*	Swamp Box	240		240	15.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
291	*Eucalyptus acmenoides*	White Mahogany	240		240	12.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
292	*Lophostemon suaveolens*	Swamp Box	200		200	7.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
293	*Eucalyptus acmenoides*	White Mahogany	270		270	14.0	9.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
294	*Corymbia intermedia*	Pink Bloodwood	300		300	15.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
295	*Alphitonia excelsa*	Soap Tree	260		260	13.0	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
296	*Lophostemon suaveolens*	Swamp Box	230		230	13.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
297	*DEAD/STAG*		200		200	20.0	1.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
298	*Eucalyptus acmenoides*	White Mahogany	300		300	19.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
299	*Eucalyptus acmenoides*	White Mahogany	290		290	17.0	8.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
300	*Corymbia intermedia*	Pink Bloodwood	230		230	16.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
301	*Corymbia intermedia*	Pink Bloodwood	400		400	15.0	12.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
302	*Corymbia intermedia*	Pink Bloodwood	380		380	12.0	10.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
303	*Corymbia intermedia*	Pink Bloodwood	320		320	19.0	11.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: 1E\2025\2047303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
304	*Corymbia intermedia*	Pink Bloodwood	410		410	18.0	12.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
305	*Corymbia intermedia*	Pink Bloodwood	240		240	16.0	9.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
306	*Lophostemon suaveolens*	Swamp Box	220		220	12.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
307	*Angophora leiocarpa*	Smooth-barked Apple	260		260	21.0	9.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - basin & outlet works	
308	*Lophostemon suaveolens*	Swamp Box	200		200	10.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - basin & outlet works	
309	*Acacia disparrima*	Hickory Wattle	280		280	9.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - basin & outlet works	
310	*Alphitonia excelsa*	Soap Tree	270		270	12.0	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - basin & outlet works	
311	*Angophora leiocarpa*	Smooth-barked Apple	340		340	22.0	10.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - basin & outlet works	
312	*Corymbia intermedia*	Pink Bloodwood	350		350	20.0	11.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
313	*Eucalyptus tereticornis*	Forest Red Gum	320		320	18.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
314	*Eucalyptus tereticornis*	Forest Red Gum	260		260	22.0	14.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
315	*Corymbia intermedia*	Pink Bloodwood	360		360	20.0	9.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
316	*Eucalyptus tereticornis*	Forest Red Gum	260		260	18.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
317	*Eucalyptus crebra*	Narrow-leaved Ironbark	500		500	25.0	13.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
318	*Eucalyptus crebra*	Narrow-leaved Ironbark	200		200	25.0	13.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
319	*Eucalyptus crebra*	Narrow-leaved Ironbark	370		370	22.0	9.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
320	*Lophostemon suaveolens*	Swamp Box	300	210	366	9.0	6.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
321	*Corymbia intermedia*	Pink Bloodwood	350		350	18.0	8.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
322	*Corymbia intermedia*	Pink Bloodwood	360		360	18.0	10.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
323	*Lophostemon suaveolens*	Swamp Box	240		240	8.0	3.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
324	*Eucalyptus tereticornis*	Forest Red Gum	350		350	18.0	6.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
325	*Angophora subvelutina*	Broad-leaved Apple	360		360	21.0	14.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
326	*Banksia integrifolia*	Coast Banksia	320		320	6.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
327	*Eucalyptus saligna*	Sydney Blue Gum	610	400	729	23.0	17.0	8.8	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
328	*Casuarina cunninghamiana*	River Sheoak	240		240	12.0	3.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
329	*Casuarina cunninghamiana*	River Sheoak	230		230	12.0	3.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
330	*Eucalyptus saligna*	Sydney Blue Gum	550		550	22.0	13.0	6.6	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
331	*Lophostemon suaveolens*	Swamp Box	270		270	12.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
332	*Eucalyptus saligna*	Sydney Blue Gum	260		260	18.0	9.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
333	*Eucalyptus tereticornis*	Forest Red Gum	590		590	25.0	16.0	7.1	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
334	*Eucalyptus tereticornis*	Forest Red Gum	280		280	20.0	10.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
335	*Angophora subvelutina*	Broad-leaved Apple	250		250	16.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
336	*Eucalyptus tereticornis*	Forest Red Gum	260		260	17.0	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
337	*Angophora leiocarpa*	Smooth-barked Apple	240		240	11.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
338	*Angophora leiocarpa*	Smooth-barked Apple	210		210	11.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
363	*Angophora subvelutina*	Broad-leaved Apple	340		340	15.0	5.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
364	*Angophora subvelutina*	Broad-leaved Apple	240		240	14.0	3.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
365	*Angophora subvelutina*	Broad-leaved Apple	320		320	16.0	4.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
366	*Eucalyptus crebra*	Narrow-leaved Ironbark	480		480	28.0	12.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
367	*Eucalyptus tereticornis*	Forest Red Gum	220		220	25.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
368	*Angophora subvelutina*	Broad-leaved Apple	300		300	19.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
369	*Angophora subvelutina*	Broad-leaved Apple	260		260	17.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: DEV2025/2047303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
370	*Corymbia intermedia*	Pink Bloodwood	440		440	27.0	12.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
371	*Angophora subvelutina*	Broad-leaved Apple	380		380	22.0	11.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
372	*Eucalyptus tereticornis*	Forest Red Gum	240		240	25.0	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
373	*Lophostemon suaveolens*	Swamp Box	310		310	18.0	9.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
374	*Eucalyptus tereticornis*	Forest Red Gum	700		700	33.0	19.0	8.4	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
375	*Angophora subvelutina*	Broad-leaved Apple	520		520	30.0	15.0	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
376	*Lophostemon suaveolens*	Swamp Box	330		330	7.0	6.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
377	*Angophora leiocarpa*	Smooth-barked Apple	250		250	14.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	Large	-	-	Removed	
378	*Petalostigma pubescens*	Quinine Bush	220		220	6.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
379	*Lophostemon suaveolens*	Swamp Box	330		330	10.0	5.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
380	*Lophostemon suaveolens*	Swamp Box	320		320	12.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
381	*Acacia disparrima*	Hickory Wattle	220		220	5.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
382	*Eucalyptus saligna*	Sydney Blue Gum	270		270	13.0	4.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
383	*Lophostemon suaveolens*	Swamp Box	230		230	12.0	3.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
384	*Lophostemon suaveolens*	Swamp Box	240		240	13.0	3.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
385	*Eucalyptus tereticornis*	Forest Red Gum	250		250	18.0	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
386	*Lophostemon suaveolens*	Swamp Box	300		300	15.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
387	*Eucalyptus tereticornis*	Forest Red Gum	260		260	16.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
388	*Lophostemon suaveolens*	Swamp Box	240		240	13.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
389	*Angophora subvelutina*	Broad-leaved Apple	250		250	15.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
390	*Eucalyptus moluccana*	Gum Topped Box	260		260	23.0	9.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
391	*Angophora subvelutina*	Broad-leaved Apple	230		230	12.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
392	*Angophora subvelutina*	Broad-leaved Apple	200		200	15.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
393	*Angophora subvelutina*	Broad-leaved Apple	230		230	15.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
394	*Angophora subvelutina*	Broad-leaved Apple	280		280	20.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
395	*Angophora subvelutina*	Broad-leaved Apple	280		280	15.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
396	*Angophora subvelutina*	Broad-leaved Apple	230		230	20.0	8.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
397	*Eucalyptus tereticornis*	Forest Red Gum	310		310	25.0	10.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
398	*Angophora subvelutina*	Broad-leaved Apple	240		240	17.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
399	*Angophora subvelutina*	Broad-leaved Apple	330		330	25.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
400	*Angophora subvelutina*	Broad-leaved Apple	470		470	28.0	10.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
401	*Angophora subvelutina*	Broad-leaved Apple	390	250	463	26.0	9.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
402	*Lophostemon suaveolens*	Swamp Box	230		230	14.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
403	*Eucalyptus tereticornis*	Forest Red Gum	350		350	25.0	12.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
404	*Corymbia tessellaris*	Moreton Bay Ash	220		220	21.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
405	*Angophora subvelutina*	Broad-leaved Apple	400		400	26.0	9.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
406	*Eucalyptus tereticornis*	Forest Red Gum	390		390	30.0	12.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
407	*Eucalyptus crebra*	Narrow-leaved Ironbark	250		250	22.0	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
408	*Corymbia tessellaris*	Moreton Bay Ash	320		320	28.0	9.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
409	*Angophora subvelutina*	Broad-leaved Apple	250		250	24.0	13.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
410	*Angophora subvelutina*	Broad-leaved Apple	260		260	15.0	10.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
411	*Angophora subvelutina*	Broad-leaved Apple	450		450	26.0	12.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: DEV2025/2047303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
412	*Eucalyptus tereticornis*	Forest Red Gum	620		620	32.0	13.0	7.4	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
413	*Eucalyptus tereticornis*	Forest Red Gum	450		450	33.0	16.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
414	*Angophora subvelutina*	Broad-leaved Apple	450		450	26.0	11.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
415	*Eucalyptus tereticornis*	Forest Red Gum	470		470	33.0	16.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
416	*Angophora subvelutina*	Broad-leaved Apple	380		380	28.0	15.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
417	*Angophora leiocarpa*	Smooth-barked Apple	260		260	19.0	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
418	*Corymbia citriodora*	Spotted Gum	470		470	27.0	13.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
419	*Corymbia tessellaris*	Moreton Bay Ash	230		230	17.0	9.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
420	*Eucalyptus tereticornis*	Forest Red Gum	410		410	25.0	11.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
421	*Corymbia citriodora*	Spotted Gum	470		470	26.0	13.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Large	-	-	-	Retain	
422	*Eucalyptus moluccana*	Gum Topped Box	450		450	30.0	14.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
423	*Eucalyptus tereticornis*	Forest Red Gum	390		390	25.0	10.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
424	*Corymbia citriodora*	Spotted Gum	290		290	21.0	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
425	*Eucalyptus moluccana*	Gum Topped Box	710		710	30.0	14.0	8.5	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
426	*Eucalyptus moluccana*	Gum Topped Box	450	220	501	27.0	10.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
427	*Eucalyptus moluccana*	Gum Topped Box	320		320	20.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
428	*Eucalyptus moluccana*	Gum Topped Box	360	280	456	26.0	10.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
429	*Eucalyptus moluccana*	Gum Topped Box	240		240	17.0	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
430	*Eucalyptus moluccana*	Gum Topped Box	440		440	25.0	13.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
431	*Eucalyptus moluccana*	Gum Topped Box	610		610	27.0	11.0	7.3	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
432	*Eucalyptus moluccana*	Gum Topped Box	260		260	23.0	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
433	*Eucalyptus moluccana*	Gum Topped Box	380		380	25.0	15.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
434	*Eucalyptus moluccana*	Gum Topped Box	420	180	457	21.0	9.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
435	*Eucalyptus tereticornis*	Forest Red Gum	240		240	20.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
436	*Angophora subvelutina*	Broad-leaved Apple	330		330	15.0	9.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
437	*Eucalyptus tereticornis*	Forest Red Gum	350		350	21.0	9.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
438	*Eucalyptus tereticornis*	Forest Red Gum	390		390	27.0	15.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
439	*Eucalyptus tereticornis*	Forest Red Gum	250		250	20.0	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
440	*Lophostemon suaveolens*	Swamp Box	260		260	14.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
441	*Corymbia intermedia*	Pink Bloodwood	450		450	26.0	11.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
442	*Eucalyptus tereticornis*	Forest Red Gum	270		270	22.0	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
443	*Eucalyptus tereticornis*	Forest Red Gum	300		300	16.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
444	*Eucalyptus tereticornis*	Forest Red Gum	310		310	17.0	5.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
445	*Eucalyptus saligna*	Sydney Blue Gum	330		330	16.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
446	*Eucalyptus saligna*	Sydney Blue Gum	290		290	16.0	4.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
447	*Eucalyptus saligna*	Sydney Blue Gum	370		370	17.0	6.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
448	*Eucalyptus tereticornis*	Forest Red Gum	250		250	15.0	2.0	3.0	1.8	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
449	*Eucalyptus tereticornis*	Forest Red Gum	290		290	19.0	5.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
450	*Eucalyptus pilularis*	Blackbutt	520		520	18.0	12.0	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
451	*Eucalyptus pilularis*	Blackbutt	480	450	658	21.0	10.0	7.9	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
452	*Corymbia intermedia*	Pink Bloodwood	270	190, 150	363	14.0	5.0	4.4	2.2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
453	*Eucalyptus tereticornis*	Forest Red Gum	260		260	18.0	5.0	3.1	1.9	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: DEV2025/2047303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
454	*Angophora leiocarpa*	Smooth-barked Apple	240		240	16.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
455	*Eucalyptus pilularis*	Blackbutt	670		670	20.0	12.0	8.0	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
456	*Eucalyptus pilularis*	Blackbutt	600		600	18.0	10.0	7.2	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
457	*Eucalyptus pilularis*	Blackbutt	230	210	311	17.0	4.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
458	*Eucalyptus pilularis*	Blackbutt	210	150	258	18.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
459	*Eucalyptus pilularis*	Blackbutt	190	180, 170, 140	342	16.0	4.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
460	*Eucalyptus pilularis*	Blackbutt	230		230	18.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
461	*Eucalyptus pilularis*	Blackbutt	280		280	18.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
462	*Eucalyptus pilularis*	Blackbutt	270		270	18.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
463	*Eucalyptus pilularis*	Blackbutt	240		240	18.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
464	*Eucalyptus pilularis*	Blackbutt	300	220	372	19.0	7.0	4.5	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
465	*Eucalyptus pilularis*	Blackbutt	230		230	17.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
466	*Eucalyptus pilularis*	Blackbutt	250		250	19.0	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
467	*Eucalyptus pilularis*	Blackbutt	210		210	18.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
468	*Angophora leiocarpa*	Smooth-barked Apple	250		250	17.0	4.0	3.0	1.8	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
469	*Eucalyptus pilularis*	Blackbutt	300		300	16.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
470	*Eucalyptus pilularis*	Blackbutt	210		210	12.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
471	*Eucalyptus pilularis*	Blackbutt	200		200	12.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
472	*Eucalyptus pilularis*	Blackbutt	490		490	20.0	11.0	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
473	*Eucalyptus pilularis*	Blackbutt	250		250	15.0	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
474	*Eucalyptus pilularis*	Blackbutt	200		200	12.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
475	*Eucalyptus pilularis*	Blackbutt	290		290	17.0	3.0	3.5	2.0	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
476	*Eucalyptus pilularis*	Blackbutt	350		350	19.0	5.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
477	*Eucalyptus pilularis*	Blackbutt	400	400	566	21.0	11.0	6.8	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
478	*Eucalyptus siderophloia*	Grey Ironbark	440		440	21.0	10.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termites	-	Removed	
479	*Eucalyptus pilularis*	Blackbutt	260		260	12.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
480	*Eucalyptus tereticornis*	Forest Red Gum	310		310	17.0	5.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
481	*Corymbia intermedia*	Pink Bloodwood	310		310	18.0	9.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
482	*Corymbia intermedia*	Pink Bloodwood	380		380	19.0	10.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
483	*Corymbia intermedia*	Pink Bloodwood	290		290	18.0	9.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
484	*Lophostemon suaveolens*	Swamp Box	220		220	11.0	7.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
485	*Corymbia intermedia*	Pink Bloodwood	260		260	18.0	8.0	3.1	1.9	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
486	*Corymbia intermedia*	Pink Bloodwood	340		340	20.0	10.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - basin & outlet works	
487	*Corymbia intermedia*	Pink Bloodwood	260		260	18.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - basin & outlet works	
488	*Corymbia intermedia*	Pink Bloodwood	210		210	16.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - basin & outlet works	
489	*Corymbia intermedia*	Pink Bloodwood	260		260	18.0	4.0	3.1	1.9	Regular	-	Thinning	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - basin & outlet works	
490	*Eucalyptus acmenoides*	White Mahogany	270	230	355	16.0	7.0	4.3	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
491	*Lophostemon suaveolens*	Swamp Box	200		200	10.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
492	*Lophostemon suaveolens*	Swamp Box	200		200	9.0	3.0	2.4	1.7	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
493	*Lophostemon suaveolens*	Swamp Box	270		270	8.0	2.0	3.2	1.9	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
494	*Angophora leiocarpa*	Smooth-barked Apple	200		200	14.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
495	*Lophostemon suaveolens*	Swamp Box	270		270	10.0	4.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: DEV2025/2047303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
496	*Angophora leiocarpa*	Smooth-barked Apple	210		210	16.0	5.0	2.5	1.7	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
497	*Lophostemon suaveolens*	Swamp Box	270		270	9.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	Major	-	-	-	Typical	-	-	-	-	-	-	Removed	
498	*Lophostemon suaveolens*	Swamp Box	200		200	14.0	4.0	2.4	1.7	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
499	*Angophora leiocarpa*	Smooth-barked Apple	330		330	18.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
500	*Angophora leiocarpa*	Smooth-barked Apple	260		260	17.0	4.0	3.1	1.9	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
501	*Lophostemon suaveolens*	Swamp Box	200		200	11.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
502	*Acacia disparrima*	Hickory Wattle	240		240	10.0	4.0	2.9	1.8	Regular	-	Thinning	Die-back	-	-	Poor	Major	-	-	-	Typical	-	-	-	-	-	-	Removed	
503	*Eucalyptus tereticornis*	Forest Red Gum	340		340	18.0	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
504	*Eucalyptus tereticornis*	Forest Red Gum	290		290	19.0	7.0	3.5	2.0	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
505	*Corymbia intermedia*	Pink Bloodwood	320		320	18.0	3.0	3.8	2.1	Regular	-	Thinning	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
506	*Corymbia intermedia*	Pink Bloodwood	260		260	17.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
507	*Corymbia intermedia*	Pink Bloodwood	260		260	18.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
508	*Corymbia intermedia*	Pink Bloodwood	420		420	20.0	8.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
509	*Eucalyptus tereticornis*	Forest Red Gum	500		500	19.0	11.0	6.0	2.5	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	Small	-	-	Removed	
510	*Lophostemon suaveolens*	Swamp Box	240		240	10.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
511	*Corymbia intermedia*	Pink Bloodwood	300		300	18.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
512	*Angophora leiocarpa*	Smooth-barked Apple	300		300	19.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
513	*Lophostemon suaveolens*	Swamp Box	200		200	11.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
514	*Corymbia intermedia*	Pink Bloodwood	300		300	18.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
515	*Corymbia intermedia*	Pink Bloodwood	280		280	17.0	4.0	3.4	1.9	Regular	-	Thinning	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
516	*Corymbia intermedia*	Pink Bloodwood	430		430	19.0	10.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
517	*Eucalyptus acmenoides*	White Mahogany	270		270	16.0	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
518	*Eucalyptus siderophloia*	Grey Ironbark	330		330	18.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
519	*Lophostemon suaveolens*	Swamp Box	220		220	11.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
520	*Corymbia intermedia*	Pink Bloodwood	250		250	16.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
521	*Corymbia citriodora*	Spotted Gum	310		310	18.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
522	*Lophostemon suaveolens*	Swamp Box	210		210	10.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
523	*Eucalyptus acmenoides*	White Mahogany	330		330	17.0	9.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
524	*Eucalyptus acmenoides*	White Mahogany	230		230	15.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
525	*Eucalyptus acmenoides*	White Mahogany	290		290	18.0	8.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
526	*Corymbia intermedia*	Pink Bloodwood	210		210	19.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
527	*Eucalyptus acmenoides*	White Mahogany	330	300	446	18.0	10.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
528	*Corymbia intermedia*	Pink Bloodwood	270	270	382	18.0	9.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
529	*Eucalyptus acmenoides*	White Mahogany	250		250	14.0	7.0	3.0	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
530	*Corymbia intermedia*	Pink Bloodwood	230		230	17.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
531	*Corymbia intermedia*	Pink Bloodwood	240		240	18.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
532	*Eucalyptus tereticornis*	Forest Red Gum	270		270	18.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
533	*Eucalyptus acmenoides*	White Mahogany	250	200	320	17.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
534	*Eucalyptus acmenoides*	White Mahogany	200	230	305	18.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
535	*Eucalyptus acmenoides*	White Mahogany	230	210	311	16.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
536	*Eucalyptus tereticornis*	Forest Red Gum	260		260	18.0	5.0	3.1	1.9	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
537	*Eucalyptus tereticornis*	Forest Red Gum	230		230	19.0	4.0	2.8	1.8	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: DEV2025/2047303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
538	*Eucalyptus acmenoides*	White Mahogany	230		230	16.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
539	*Eucalyptus acmenoides*	White Mahogany	270	200	336	17.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
540	*Eucalyptus tereticornis*	Forest Red Gum	250		250	20.0	6.0	3.0	1.8	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
541	*Eucalyptus acmenoides*	White Mahogany	200		200	16.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
542	*Eucalyptus tereticornis*	Forest Red Gum	290		290	20.0	6.0	3.5	2.0	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
543	*Corymbia intermedia*	Pink Bloodwood	280		280	18.0	5.0	3.4	1.9	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
544	*Eucalyptus acmenoides*	White Mahogany	320		320	16.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
545	*Eucalyptus tereticornis*	Forest Red Gum	200		200	15.0	3.0	2.4	1.7	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
546	*Eucalyptus tereticornis*	Forest Red Gum	240		240	17.0	3.0	2.9	1.8	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
547	*Corymbia intermedia*	Pink Bloodwood	240	170	294	17.0	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
548	*Lophostemon suaveolens*	Swamp Box	250		250	10.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
549	*Corymbia intermedia*	Pink Bloodwood	340		340	18.0	7.0	4.1	2.1	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
550	*Corymbia intermedia*	Pink Bloodwood	210		210	16.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
551	*Eucalyptus acmenoides*	White Mahogany	230		230	17.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
552	*Corymbia intermedia*	Pink Bloodwood	200		200	16.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
553	*Eucalyptus acmenoides*	White Mahogany	200		200	16.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
554	*Angophora leiocarpa*	Smooth-barked Apple	290		290	19.0	8.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
555	*Eucalyptus siderophloia*	Grey Ironbark	430		430	19.0	9.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
556	*Angophora leiocarpa*	Smooth-barked Apple	330		330	21.0	8.0	4.0	2.1	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
557	*Lophostemon suaveolens*	Swamp Box	300		300	12.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
558	*Corymbia intermedia*	Pink Bloodwood	280		280	16.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
559	*Angophora leiocarpa*	Smooth-barked Apple	340		340	18.0	7.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
560	*Lophostemon suaveolens*	Swamp Box	190		190	14.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
561	*Eucalyptus saligna*	Sydney Blue Gum	300		300	18.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
562	*Banksia integrifolia*	Coast Banksia	240		240	14.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
563	*Angophora subvelutina*	Broad-leaved Apple	220		220	15.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
564	*Angophora subvelutina*	Broad-leaved Apple	320		320	16.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
565	*Angophora subvelutina*	Broad-leaved Apple	380		380	18.0	8.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
566	*Alphitonia excelsa*	Soap Tree	280		280	16.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
567	*Casuarina cunninghamiana*	River Sheoak	190	160	248	17.0	4.0	3.0	1.8	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
568	*Lophostemon suaveolens*	Swamp Box	260	280	382	18.0	9.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
569	*Eucalyptus saligna*	Sydney Blue Gum	350		350	20.0	10.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
570	*Eucalyptus siderophloia*	Grey Ironbark	400		400	25.0	10.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
571	*Eucalyptus saligna*	Sydney Blue Gum	290		290	24.0	9.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
572	*Corymbia intermedia*	Pink Bloodwood	200		200	14.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
573	*Angophora subvelutina*	Broad-leaved Apple	300		300	14.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
574	*Eucalyptus saligna*	Sydney Blue Gum	300		300	22.0	12.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
575	*Eucalyptus saligna*	Sydney Blue Gum	250		250	20.0	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
576	*Eucalyptus saligna*	Sydney Blue Gum	330		330	25.0	10.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
577	*Lophostemon suaveolens*	Swamp Box	300		300	15.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
578	*Eucalyptus saligna*	Sydney Blue Gum	520		520	25.0	12.0	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
579	*Eucalyptus acmenoides*	White Mahogany	400		400	16.0	6.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: PE/2025/2047/303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
580	*Eucalyptus tereticornis*	Forest Red Gum	270		270	18.0	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
581	*Eucalyptus tereticornis*	Forest Red Gum	220		220	18.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
582	*Angophora subvelutina*	Broad-leaved Apple	300		300	16.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
583	*Angophora subvelutina*	Broad-leaved Apple	450		450	17.0	8.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
584	*Corymbia intermedia*	Pink Bloodwood	180	140	228	10.0	3.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
585	*Angophora leiocarpa*	Smooth-barked Apple	230		230	12.0	3.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
627	*Eucalyptus tereticornis*	Forest Red Gum	270		270	17.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
628	*Lophostemon suaveolens*	Swamp Box	210		210	13.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
629	*Eucalyptus tereticornis*	Forest Red Gum	300		300	17.0	4.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
630	*Eucalyptus crebra*	Narrow-leaved Ironbark	200		200	16.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
631	*Corymbia tessellaris*	Moreton Bay Ash	250		250	17.0	4.0	3.0	1.8	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
632	*Corymbia tessellaris*	Moreton Bay Ash	200		200	17.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
633	*Lophostemon suaveolens*	Swamp Box	270		270	17.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
634	*Lophostemon suaveolens*	Swamp Box	250		250	17.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
635	*Eucalyptus major*	Grey Gum	450		450	25.0	12.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
636	*Lophostemon suaveolens*	Swamp Box	200		200	15.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
637	*Lophostemon suaveolens*	Swamp Box	250		250	13.0	4.0	3.0	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
638	*Lophostemon suaveolens*	Swamp Box	220		220	15.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
639	*Eucalyptus tereticornis*	Forest Red Gum	200		200	12.0	4.0	2.4	1.7	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
640	*Corymbia tessellaris*	Moreton Bay Ash	300		300	19.0	5.0	3.6	2.0	One-sided	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
641	*Angophora subvelutina*	Broad-leaved Apple	270		270	15.0	9.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
642	*Lophostemon suaveolens*	Swamp Box	280		280	18.0	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
643	*Lophostemon suaveolens*	Swamp Box	290		290	18.0	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
644	*Eucalyptus tereticornis*	Forest Red Gum	600		600	25.0	10.0	7.2	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
645	*Lophostemon suaveolens*	Swamp Box	200		200	14.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
646	*Eucalyptus tereticornis*	Forest Red Gum	450		450	27.0	14.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
647	*Eucalyptus tereticornis*	Forest Red Gum	660		660	28.0	10.0	7.9	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
648	*Lophostemon suaveolens*	Swamp Box	200		200	13.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
649	*Casuarina cunninghamiana*	River Sheoak	430		430	18.0	7.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
650	*Casuarina cunninghamiana*	River Sheoak	280		280	19.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
651	*Casuarina cunninghamiana*	River Sheoak	350		350	22.0	10.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
652	*Casuarina cunninghamiana*	River Sheoak	300		300	18.0	7.0	3.6	2.0	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
653	*Casuarina cunninghamiana*	River Sheoak	500		500	22.0	12.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
654	*Casuarina cunninghamiana*	River Sheoak	370		370	19.0	4.0	4.4	2.2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
655	*Casuarina cunninghamiana*	River Sheoak	400		400	20.0	9.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
656	*Casuarina cunninghamiana*	River Sheoak	200		200	15.0	5.0	2.4	1.7	One-sided	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
657	*Casuarina cunninghamiana*	River Sheoak	400		400	20.0	9.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
658	*Casuarina cunninghamiana*	River Sheoak	210		210	17.0	4.0	2.5	1.7	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
659	*Casuarina cunninghamiana*	River Sheoak	240		240	10.0	5.0	2.9	1.8	One-sided	-	-	-	-	-	Typical	Major	-	-	-	Typical	-	-	-	-	-	-	Retain	
660	*Casuarina cunninghamiana*	River Sheoak	360		360	20.0	8.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
661	*Casuarina cunninghamiana*	River Sheoak	400		400	15.0	6.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
662	*Acacia disparrima*	Hickory Wattle	200		200	10.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: 1E\2025\2047303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
663	*Lophostemon suaveolens*	Swamp Box	290		290	15.0	4.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
664	*Casuarina cunninghamiana*	River Sheoak	330		330	20.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
665	*Lophostemon suaveolens*	Swamp Box	310		310	17.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
666	*Eucalyptus tereticornis*	Forest Red Gum	330		330	21.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
667	*Eucalyptus tereticornis*	Forest Red Gum	280		280	20.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
668	*Eucalyptus siderophloia*	Grey Ironbark	260		260	17.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
669	*Eucalyptus siderophloia*	Grey Ironbark	250		250	17.0	4.0	3.0	1.8	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
670	*Eucalyptus siderophloia*	Grey Ironbark	290		290	18.0	8.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
671	*Eucalyptus tereticornis*	Forest Red Gum	310		310	15.0	4.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
672	*Eucalyptus tereticornis*	Forest Red Gum	240		240	18.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
673	*Eucalyptus tereticornis*	Forest Red Gum	200		200	17.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
674	*Eucalyptus tereticornis*	Forest Red Gum	230		230	18.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
675	*Lophostemon suaveolens*	Swamp Box	230		230	16.0	3.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
676	*Corymbia tessellaris*	Moreton Bay Ash	230		230	17.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
677	*Lophostemon suaveolens*	Swamp Box	210		210	12.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
678	*Eucalyptus tereticornis*	Forest Red Gum	380		380	19.0	4.0	4.6	2.2	Regular	-	Thinning	-	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
679	*Eucalyptus tereticornis*	Forest Red Gum	220		220	20.0	4.0	2.6	1.8	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
680	*Eucalyptus tereticornis*	Forest Red Gum	300		300	22.0	9.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
681	*Eucalyptus siderophloia*	Grey Ironbark	310		310	20.0	9.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termites	-	Removed	
682	*Lophostemon suaveolens*	Swamp Box	240		240	12.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
683	*Eucalyptus moluccana*	Gum Topped Box	250	200, 140	349	16.0	4.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
684	*Eucalyptus tereticornis*	Forest Red Gum	270		270	18.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
685	*Eucalyptus tereticornis*	Forest Red Gum	330		330	20.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
686	*Eucalyptus tereticornis*	Forest Red Gum	250		250	18.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
687	*Lophostemon suaveolens*	Swamp Box	200		200	14.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
688	*Eucalyptus tereticornis*	Forest Red Gum	250	180	308	16.0	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
689	*Eucalyptus tereticornis*	Forest Red Gum	220		220	17.0	5.0	2.6	1.8	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
690	*Eucalyptus tereticornis*	Forest Red Gum	200		200	16.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
691	*Eucalyptus tereticornis*	Forest Red Gum	250		250	20.0	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	-	-	-	Retain	
692	*Angophora subvelutina*	Broad-leaved Apple	300		300	17.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
693	*Eucalyptus tereticornis*	Forest Red Gum	260		260	18.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
694	*Angophora subvelutina*	Broad-leaved Apple	300		300	16.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
695	*Angophora subvelutina*	Broad-leaved Apple	300		300	17.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
696	*Eucalyptus tereticornis*	Forest Red Gum	310		310	28.0	10.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
697	*Eucalyptus tereticornis*	Forest Red Gum	300		300	25.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
698	*Eucalyptus tereticornis*	Forest Red Gum	350		350	28.0	9.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
699	*Angophora subvelutina*	Broad-leaved Apple	240		240	17.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
700	*Angophora subvelutina*	Broad-leaved Apple	300		300	18.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
701	*Eucalyptus tereticornis*	Forest Red Gum	280		280	20.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
702	*Angophora subvelutina*	Broad-leaved Apple	220		220	17.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
703	*Angophora subvelutina*	Broad-leaved Apple	250		250	21.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
704	*Angophora subvelutina*	Broad-leaved Apple	300		300	21.0	9.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: PE/2025/2047/303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
705	*Angophora subvelutina*	Broad-leaved Apple	280		280	20.0	9.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
706	*Corymbia tessellaris*	Moreton Bay Ash	270		270	20.0	5.0	3.2	1.9	Regular	-	Thinning	-	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
707	*Corymbia tessellaris*	Moreton Bay Ash	220		220	23.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
708	*Lophostemon suaveolens*	Swamp Box	260		260	18.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
709	*Eucalyptus tereticornis*	Forest Red Gum	400		400	27.0	9.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
710	*Acacia disparrima*	Hickory Wattle	200		200	14.0	4.0	2.4	1.7	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
711	*Eucalyptus tereticornis*	Forest Red Gum	670		670	28.0	14.0	8.0	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
712	*Eucalyptus tereticornis*	Forest Red Gum	500		500	30.0	12.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
713	*Corymbia tessellaris*	Moreton Bay Ash	220		220	18.0	5.0	2.6	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
714	*Corymbia tessellaris*	Moreton Bay Ash	320		320	27.0	8.0	3.8	2.1	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
715	*Lophostemon suaveolens*	Swamp Box	200		200	17.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	Introduced	-	-	Typical	-	-	-	-	-	-	Retain	
716	*Angophora subvelutina*	Broad-leaved Apple	800		800	30.0	16.0	9.6	3.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
717	*Casuarina cunninghamiana*	River Sheoak	330		330	21.0	6.0	4.0	2.1	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
718	*Casuarina cunninghamiana*	River Sheoak	320		320	18.0	9.0	3.8	2.1	Regular	-	-	-	-	-	Typical	Major	-	-	-	Typical	-	-	-	-	-	-	Retain	
719	*Casuarina cunninghamiana*	River Sheoak	420		420	21.0	12.0	5.0	2.3	Regular	-	-	-	-	-	Typical	Major	-	-	-	Typical	-	-	-	-	-	-	Retain	
720	*Casuarina cunninghamiana*	River Sheoak	400		400	22.0	12.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
721	*Casuarina cunninghamiana*	River Sheoak	360		360	20.0	10.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
722	*Casuarina cunninghamiana*	River Sheoak	400		400	19.0	5.0	4.8	2.3	Regular	-	Thinning	Die-back	-	-	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain	
723	*Casuarina cunninghamiana*	River Sheoak	460		460	20.0	8.0	5.5	2.4	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
724	*Casuarina cunninghamiana*	River Sheoak	400		400	21.0	5.0	4.8	2.3	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
725	*Casuarina cunninghamiana*	River Sheoak	350	380	517	20.0	8.0	6.2	2.5	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
726	*Eucalyptus tereticornis*	Forest Red Gum	410		410	25.0	10.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
727	*Corymbia tessellaris*	Moreton Bay Ash	570		570	22.0	10.0	6.8	2.6	Regular	-	Thinning	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
728	*Corymbia tessellaris*	Moreton Bay Ash	410		410	30.0	14.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
729	*Casuarina cunninghamiana*	River Sheoak	460		460	20.0	9.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
730	*Casuarina cunninghamiana*	River Sheoak	240		240	18.0	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
731	*Eucalyptus tereticornis*	Forest Red Gum	460		460	22.0	10.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
732	*Angophora subvelutina*	Broad-leaved Apple	360		360	18.0	7.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
733	*Lophostemon suaveolens*	Swamp Box	200		200	12.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
734	*Corymbia tessellaris*	Moreton Bay Ash	220		220	17.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
735	*Angophora leiocarpa*	Smooth-barked Apple	200		200	20.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
736	*Eucalyptus tereticornis*	Forest Red Gum	250		250	18.0	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
737	*Corymbia citriodora*	Spotted Gum	400		400	24.0	10.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
738	*Corymbia citriodora*	Spotted Gum	340	160	376	24.0	8.0	4.5	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
739	*Eucalyptus tereticornis*	Forest Red Gum	650		650	25.0	9.0	7.8	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
740	*Corymbia citriodora*	Spotted Gum	260		260	21.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
741	*Eucalyptus moluccana*	Gum Topped Box	600		600	25.0	14.0	7.2	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
742	*Corymbia citriodora*	Spotted Gum	440		440	29.0	8.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
743	*Lophostemon suaveolens*	Swamp Box	280		280	16.0	5.0	3.4	1.9	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
744	*Eucalyptus moluccana*	Gum Topped Box	800		800	28.0	10.0	9.6	3.0	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
745	*Eucalyptus moluccana*	Gum Topped Box	560		560	27.0	7.0	6.7	2.6	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
746	*Eucalyptus moluccana*	Gum Topped Box	600		600	29.0	10.0	7.2	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: PE/2025/2047/303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
747	*Angophora leiocarpa*	Smooth-barked Apple	410		410	19.0	4.0	4.9	2.3	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
748	*Eucalyptus moluccana*	Gum Topped Box	400		400	22.0	8.0	4.8	2.3	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
749	*Eucalyptus moluccana*	Gum Topped Box	510		510	24.0	10.0	6.1	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
750	*Eucalyptus moluccana*	Gum Topped Box	440		440	22.0	8.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
751	*Eucalyptus moluccana*	Gum Topped Box	220		220	19.0	3.0	2.6	1.8	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
752	*Lophostemon suaveolens*	Swamp Box	220		220	12.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
753	*Eucalyptus moluccana*	Gum Topped Box	220		220	16.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
754	*Eucalyptus moluccana*	Gum Topped Box	220		220	19.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
755	*Eucalyptus moluccana*	Gum Topped Box	400		400	30.0	9.0	4.8	2.3	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
756	*Eucalyptus moluccana*	Gum Topped Box	510		510	26.0	8.0	6.1	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
757	*Eucalyptus moluccana*	Gum Topped Box	290	150	326	27.0	6.0	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
758	*Eucalyptus moluccana*	Gum Topped Box	400		400	20.0	7.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
759	*Eucalyptus moluccana*	Gum Topped Box	420		420	26.0	8.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
760	*Eucalyptus moluccana*	Gum Topped Box	350		350	19.0	4.0	4.2	2.1	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
761	*Eucalyptus moluccana*	Gum Topped Box	430		430	27.0	9.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
762	*Eucalyptus moluccana*	Gum Topped Box	540		540	27.0	13.0	6.5	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
763	*Eucalyptus moluccana*	Gum Topped Box	470		470	30.0	8.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
764	*Eucalyptus tereticornis*	Forest Red Gum	230		230	17.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
765	*Acacia disparrima*	Hickory Wattle	230		230	8.0	3.0	2.8	1.8	Regular	-	Thinning	Die-back	-	-	Poor	Major	-	-	-	Typical	-	-	-	-	-	-	Removed	
766	*Corymbia intermedia*	Pink Bloodwood	230		230	16.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
767	*Lophostemon suaveolens*	Swamp Box	230		230	14.0	4.0	2.8	1.8	One-sided	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Removed	
768	*Lophostemon suaveolens*	Swamp Box	240		240	16.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
769	*Eucalyptus tereticornis*	Forest Red Gum	520		520	21.0	9.0	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
772	*Acacia disparrima*	Hickory Wattle	220		220	10.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
773	*Eucalyptus siderophloia*	Grey Ironbark	200		200	12.0	3.0	2.4	1.7	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
774	*Eucalyptus tereticornis*	Forest Red Gum	270		270	20.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
775	*Eucalyptus saligna*	Sydney Blue Gum	260		260	20.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - basin & outlet works	
776	*Acacia disparrima*	Hickory Wattle	200		200	12.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - basin & outlet works	
777	*Eucalyptus saligna*	Sydney Blue Gum	270		270	19.0	6.0	3.2	1.9	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - basin & outlet works	
778	*Corymbia tessellaris*	Moreton Bay Ash	200		200	21.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - basin & outlet works	
779	*Eucalyptus saligna*	Sydney Blue Gum	300		300	20.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
780	*Corymbia intermedia*	Pink Bloodwood	270		270	23.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
781	*Corymbia intermedia*	Pink Bloodwood	200		200	22.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - basin & outlet works	
782	*Eucalyptus saligna*	Sydney Blue Gum	320		320	23.0	11.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
783	*Allocasuarina littoralis*	Black She Oak	260		260	14.0	3.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
784	*Corymbia tessellaris*	Moreton Bay Ash	270		270	21.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - basin & outlet works	
785	*Acacia disparrima*	Hickory Wattle	230		230	12.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
786	*Eucalyptus saligna*	Sydney Blue Gum	230		230	22.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - basin & outlet works	
787	*Eucalyptus saligna*	Sydney Blue Gum	370		370	22.0	5.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
788	*Eucalyptus saligna*	Sydney Blue Gum	330		330	22.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - basin & outlet works	
789	*Eucalyptus saligna*	Sydney Blue Gum	250		250	24.0	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
790	*Eucalyptus tereticornis*	Forest Red Gum	220		220	19.0	3.0	2.6	1.8	Regular	-	Thinning	-	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: RAL/2025/10303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
791	*Eucalyptus saligna*	Sydney Blue Gum	400		400	24.0	10.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - basin & outlet works	
792	*Eucalyptus saligna*	Sydney Blue Gum	320		320	23.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - basin & outlet works	
793	*Acacia disparrima*	Hickory Wattle	200		200	8.0	4.0	2.4	1.7	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
794	*Acacia disparrima*	Hickory Wattle	160	140, 140	255	16.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
795	*Acacia disparrima*	Hickory Wattle	220		220	18.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
796	*Eucalyptus tereticornis*	Forest Red Gum	260		260	24.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
797	*Eucalyptus saligna*	Sydney Blue Gum	370		370	24.0	10.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
798	*Eucalyptus saligna*	Sydney Blue Gum	250		250	23.0	9.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
799	*Lophostemon suaveolens*	Swamp Box	210		210	16.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
800	*Lophostemon suaveolens*	Swamp Box	300		300	17.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
801	*Alphitonia excelsa*	Soap Tree	200		200	16.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
802	*Eucalyptus siderophloia*	Grey Ironbark	210		210	22.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
803	*Eucalyptus saligna*	Sydney Blue Gum	330		330	23.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
804	*Corymbia tessellaris*	Moreton Bay Ash	300		300	27.0	9.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - basin & outlet works	
805	*Petalostigma pubescens*	Quinine Bush	210	200, 120	314	12.0	7.0	3.8	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - basin & outlet works	
806	*Angophora subvelutina*	Broad-leaved Apple	280		280	20.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
807	*Corymbia intermedia*	Pink Bloodwood	310		310	25.0	9.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
808	*Eucalyptus siderophloia*	Grey Ironbark	250		250	21.0	4.0	3.0	1.8	Regular	-	Thinning	-	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
809	*Angophora subvelutina*	Broad-leaved Apple	230		230	20.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
810	*Acacia disparrima*	Hickory Wattle	220		220	16.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
811	*Corymbia intermedia*	Pink Bloodwood	260		260	20.0	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
812	*Lophostemon suaveolens*	Swamp Box	230		230	20.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
813	*Eucalyptus siderophloia*	Grey Ironbark	210		210	20.0	4.0	2.5	1.7	Regular	-	Thinning	-	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
814	*Lophostemon suaveolens*	Swamp Box	200		200	16.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
815	*Angophora subvelutina*	Broad-leaved Apple	220		220	22.0	7.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
816	*Corymbia tessellaris*	Moreton Bay Ash	420		420	23.0	7.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
817	*Lophostemon suaveolens*	Swamp Box	210		210	17.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
818	*Lophostemon suaveolens*	Swamp Box	220	190	291	18.0	5.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
819	*Eucalyptus tereticornis*	Forest Red Gum	400		400	24.0	8.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
820	*Corymbia intermedia*	Pink Bloodwood	240	190	306	22.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
821	*Corymbia intermedia*	Pink Bloodwood	240		240	19.0	5.0	2.9	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
822	*Lophostemon suaveolens*	Swamp Box	240		240	18.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
823	*Eucalyptus tereticornis*	Forest Red Gum	210		210	20.0	4.0	2.5	1.7	Regular	-	Thinning	-	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
824	*Lophostemon suaveolens*	Swamp Box	210		210	17.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
825	*Eucalyptus tereticornis*	Forest Red Gum	280		280	22.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
826	*Eucalyptus tereticornis*	Forest Red Gum	290		290	23.0	5.0	3.5	2.0	Regular	-	Thinning	-	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
827	*Corymbia tessellaris*	Moreton Bay Ash	250	240	347	17.0	5.0	4.2	2.1	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
828	*Eucalyptus siderophloia*	Grey Ironbark	200		200	19.0	4.0	2.4	1.7	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
829	*Angophora subvelutina*	Broad-leaved Apple	270		270	22.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
830	*Alphitonia excelsa*	Soap Tree	200		200	18.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
831	*Acacia disparrima*	Hickory Wattle	220		220	15.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
832	*Corymbia intermedia*	Pink Bloodwood	240		240	21.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: PE/2025/2047/303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
833	*Eucalyptus tereticornis*	Forest Red Gum	250		250	22.0	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
834	*Angophora leiocarpa*	Smooth-barked Apple	280		280	19.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
835	*Eucalyptus tereticornis*	Forest Red Gum	250		250	18.0	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
836	*Angophora leiocarpa*	Smooth-barked Apple	300		300	17.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
837	*Lophostemon suaveolens*	Swamp Box	210	150	258	12.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
838	*Corymbia citriodora*	Spotted Gum	270		270	19.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
839	*Corymbia intermedia*	Pink Bloodwood	230		230	20.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
840	*Eucalyptus tereticornis*	Forest Red Gum	210		210	20.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
841	*Corymbia intermedia*	Pink Bloodwood	250		250	18.0	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
842	*Corymbia citriodora*	Spotted Gum	310		310	20.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
843	*Eucalyptus tereticornis*	Forest Red Gum	360		360	21.0	6.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
844	*Corymbia citriodora*	Spotted Gum	240		240	23.0	7.0	2.9	1.8	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
845	*Acacia disparrima*	Hickory Wattle	200		200	12.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
846	*Lophostemon suaveolens*	Swamp Box	250		250	16.0	3.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
847	*Corymbia henryi*	Large-leaved Spotted Gum	250		250	19.0	5.0	3.0	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
848	*Lophostemon suaveolens*	Swamp Box	220		220	17.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
849	*Eucalyptus tereticornis*	Forest Red Gum	270		270	20.0	4.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
850	*Allocasuarina littoralis*	Black She Oak	200		200	16.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
851	*Corymbia intermedia*	Pink Bloodwood	240		240	16.0	4.0	2.9	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
852	*Allocasuarina littoralis*	Black She Oak	180	170	248	16.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
853	*Eucalyptus tereticornis*	Forest Red Gum	200		200	15.0	4.0	2.4	1.7	Regular	-	Thinning	-	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
854	*Angophora leiocarpa*	Smooth-barked Apple	210		210	13.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
855	*Eucalyptus acmenoides*	White Mahogany	420		420	16.0	6.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
856	*Angophora leiocarpa*	Smooth-barked Apple	320	150	353	18.0	5.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
857	*Eucalyptus acmenoides*	White Mahogany	200		200	16.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
858	*Eucalyptus acmenoides*	White Mahogany	220		220	16.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
859	*Eucalyptus tereticornis*	Forest Red Gum	290		290	20.0	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
860	*Lophostemon suaveolens*	Swamp Box	200		200	17.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
861	*Lophostemon suaveolens*	Swamp Box	200		200	16.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
862	*Corymbia intermedia*	Pink Bloodwood	230		230	17.0	3.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
863	*Corymbia intermedia*	Pink Bloodwood	330		330	17.0	6.0	4.0	2.1	Regular	-	Thinning	-	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
864	*Lophostemon suaveolens*	Swamp Box	220		220	14.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
865	*Corymbia intermedia*	Pink Bloodwood	320		320	16.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
866	*Eucalyptus tereticornis*	Forest Red Gum	430		430	20.0	5.0	5.2	2.3	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
867	*Corymbia intermedia*	Pink Bloodwood	350		350	18.0	7.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
868	*Angophora leiocarpa*	Smooth-barked Apple	220	190	291	16.0	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Removed	
869	*Corymbia citriodora*	Spotted Gum	470		470	20.0	10.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Removed	
870	*Eucalyptus saligna*	Sydney Blue Gum	290		290	19.0	5.0	3.5	2.0	Regular	-	Thinning	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
871	*Corymbia intermedia*	Pink Bloodwood	240		240	18.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
872	*Eucalyptus tereticornis*	Forest Red Gum	230		230	17.0	5.0	2.8	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
873	*Eucalyptus tereticornis*	Forest Red Gum	310		310	20.0	9.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
874	*Corymbia citriodora*	Spotted Gum	240		240	19.0	3.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: PE/2025/2047/303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
875	*Corymbia citriodora*	Spotted Gum	240		240	18.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
876	*Eucalyptus crebra*	Narrow-leaved Ironbark	280		280	20.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
877	*Eucalyptus crebra*	Narrow-leaved Ironbark	210		210	16.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
878	*Corymbia citriodora*	Spotted Gum	250		250	18.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
879	*Eucalyptus crebra*	Narrow-leaved Ironbark	550		550	24.0	10.0	6.6	2.6	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Removed	
880	*Corymbia citriodora*	Spotted Gum	200		200	17.0	3.0	2.4	1.7	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
881	*Corymbia citriodora*	Spotted Gum	200		200	17.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
882	*Eucalyptus moluccana*	Gum Topped Box	280		280	17.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
883	*Corymbia citriodora*	Spotted Gum	230	150, 80	286	16.0	4.0	3.4	2.0	Regular	-	-	-	-	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
884	*Corymbia citriodora*	Spotted Gum	270		270	17.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
885	*Corymbia citriodora*	Spotted Gum	320		320	19.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
886	*Corymbia citriodora*	Spotted Gum	250		250	17.0	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
887	*Corymbia citriodora*	Spotted Gum	270		270	18.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
888	*Corymbia citriodora*	Spotted Gum	230		230	17.0	3.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
889	*Corymbia citriodora*	Spotted Gum	360	180	402	22.0	6.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
890	*Corymbia citriodora*	Spotted Gum	220		220	14.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
891	*Corymbia citriodora*	Spotted Gum	210		210	16.0	3.0	2.5	1.7	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
892	*Corymbia citriodora*	Spotted Gum	270		270	18.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
893	*Corymbia citriodora*	Spotted Gum	280		280	17.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
894	*Corymbia citriodora*	Spotted Gum	230		230	15.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
895	*Eucalyptus crebra*	Narrow-leaved Ironbark	230		230	18.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
896	*Corymbia citriodora*	Spotted Gum	220		220	19.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
897	*Corymbia citriodora*	Spotted Gum	240		240	16.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
898	*Corymbia citriodora*	Spotted Gum	230		230	22.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
899	*Corymbia citriodora*	Spotted Gum	210		210	19.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
900	*Eucalyptus crebra*	Narrow-leaved Ironbark	340		340	17.0	6.0	4.1	2.1	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
901	*Corymbia citriodora*	Spotted Gum	210		210	20.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
902	*Corymbia citriodora*	Spotted Gum	280		280	23.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
903	*Corymbia citriodora*	Spotted Gum	200		200	20.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
904	*Corymbia citriodora*	Spotted Gum	190	80	206	18.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
905	*Corymbia citriodora*	Spotted Gum	210		210	18.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
906	*Eucalyptus crebra*	Narrow-leaved Ironbark	240		240	19.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
907	*Corymbia citriodora*	Spotted Gum	260		260	22.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
908	*Eucalyptus crebra*	Narrow-leaved Ironbark	200		200	18.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
909	*Corymbia citriodora*	Spotted Gum	250		250	22.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
910	*Corymbia citriodora*	Spotted Gum	210		210	20.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
911	*Corymbia citriodora*	Spotted Gum	230		230	19.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
912	*Eucalyptus crebra*	Narrow-leaved Ironbark	330		330	25.0	9.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
913	*Eucalyptus crebra*	Narrow-leaved Ironbark	220		220	18.0	4.0	2.6	1.8	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
914	*Corymbia citriodora*	Spotted Gum	200		200	18.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
915	*Corymbia citriodora*	Spotted Gum	200		200	18.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
916	*Corymbia citriodora*	Spotted Gum	230		230	20.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: PE/2025/2047/303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
917	*Eucalyptus crebra*	Narrow-leaved Ironbark	260		260	19.0	4.0	3.1	1.9	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
918	*Corymbia citriodora*	Spotted Gum	210		210	18.0	4.0	2.5	1.7	Regular	-	Thinning	-	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
919	*Corymbia citriodora*	Spotted Gum	250		250	18.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
920	*Corymbia citriodora*	Spotted Gum	200		200	22.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
921	*Corymbia citriodora*	Spotted Gum	220		220	19.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
922	*Corymbia citriodora*	Spotted Gum	210		210	19.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
923	*Corymbia citriodora*	Spotted Gum	350		350	20.0	6.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
924	*Eucalyptus crebra*	Narrow-leaved Ironbark	400		400	22.0	8.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
925	*Eucalyptus crebra*	Narrow-leaved Ironbark	260		260	19.0	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
926	*Eucalyptus siderophloia*	Grey Ironbark	390		390	19.0	7.0	4.7	2.2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Removed	
927	*Eucalyptus crebra*	Narrow-leaved Ironbark	270		270	18.0	4.0	3.2	1.9	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
928	*Corymbia citriodora*	Spotted Gum	290		290	18.0	9.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
929	*Corymbia citriodora*	Spotted Gum	210		210	18.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
930	*Corymbia citriodora*	Spotted Gum	220	140	261	17.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
931	*Corymbia citriodora*	Spotted Gum	230	170	286	16.0	6.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
932	*Eucalyptus crebra*	Narrow-leaved Ironbark	290		290	18.0	5.0	3.5	2.0	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
933	*Eucalyptus crebra*	Narrow-leaved Ironbark	330		330	23.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
934	*Eucalyptus crebra*	Narrow-leaved Ironbark	280		280	20.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
935	*Eucalyptus crebra*	Narrow-leaved Ironbark	230	130	264	18.0	3.0	3.2	1.9	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
936	*Eucalyptus crebra*	Narrow-leaved Ironbark	210		210	16.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
937	*Eucalyptus crebra*	Narrow-leaved Ironbark	210		210	12.0	3.0	2.5	1.7	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
938	*Eucalyptus crebra*	Narrow-leaved Ironbark	230		230	17.0	3.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
939	*Corymbia citriodora*	Spotted Gum	240		240	21.0	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
940	*Corymbia citriodora*	Spotted Gum	220		220	19.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
941	*Eucalyptus crebra*	Narrow-leaved Ironbark	350		350	23.0	10.0	4.2	2.1	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
942	*Eucalyptus siderophloia*	Grey Ironbark	210		210	17.0	3.0	2.5	1.7	Regular	-	Thinning	-	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
943	*Corymbia citriodora*	Spotted Gum	300		300	25.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
944	*Eucalyptus tereticornis*	Forest Red Gum	320		320	20.0	9.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
945	*Eucalyptus major*	Grey Gum	260		260	18.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
946	*Eucalyptus crebra*	Narrow-leaved Ironbark	290		290	20.0	3.0	3.5	2.0	Regular	-	Thinning	Die-back	-	-	Poor	-	-	Trunk Dmg.	-	Poor	-	-	-	-	-	-	Removed	
947	*Corymbia citriodora*	Spotted Gum	270		270	21.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
948	*Eucalyptus crebra*	Narrow-leaved Ironbark	200		200	17.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
949	*Eucalyptus crebra*	Narrow-leaved Ironbark	290		290	20.0	8.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
950	*Corymbia citriodora*	Spotted Gum	260		260	19.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
951	*Corymbia citriodora*	Spotted Gum	220		220	16.0	3.0	2.6	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
952	*Eucalyptus tereticornis*	Forest Red Gum	230		230	17.0	3.0	2.8	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
953	*Eucalyptus tereticornis*	Forest Red Gum	400		400	22.0	8.0	4.8	2.3	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
954	*Corymbia citriodora*	Spotted Gum	230		230	18.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
955	*Eucalyptus siderophloia*	Grey Ironbark	280		280	24.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
956	*Eucalyptus crebra*	Narrow-leaved Ironbark	220		220	20.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
957	*Corymbia citriodora*	Spotted Gum	300		300	20.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
958	*Corymbia citriodora*	Spotted Gum	270		270	21.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: PE/2025/2047/303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
959	*Corymbia citriodora*	Spotted Gum	250		250	22.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
960	*Corymbia citriodora*	Spotted Gum	340		340	24.0	10.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
961	*Eucalyptus crebra*	Narrow-leaved Ironbark	240		240	18.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
962	*Corymbia citriodora*	Spotted Gum	210		210	18.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
963	*Eucalyptus crebra*	Narrow-leaved Ironbark	200		200	16.0	5.0	2.4	1.7	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
964	*Corymbia citriodora*	Spotted Gum	480		480	26.0	7.0	5.8	2.4	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
965	*Corymbia citriodora*	Spotted Gum	400		400	22.0	9.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
966	*Eucalyptus crebra*	Narrow-leaved Ironbark	220		220	16.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
967	*Corymbia citriodora*	Spotted Gum	380		380	25.0	10.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
968	*Corymbia citriodora*	Spotted Gum	340		340	16.0	5.0	4.1	2.1	One-sided	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Removed	
969	*Corymbia citriodora*	Spotted Gum	300		300	18.0	3.0	3.6	2.0	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
970	*Eucalyptus siderophloia*	Grey Ironbark	200	170, 140	297	16.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
971	*Corymbia citriodora*	Spotted Gum	680		680	25.0	10.0	8.2	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Large	-	-	-	Removed	
972	*Eucalyptus crebra*	Narrow-leaved Ironbark	230		230	18.0	3.0	2.8	1.8	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
973	*Eucalyptus tereticornis*	Forest Red Gum	300		300	18.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
974	*Corymbia citriodora*	Spotted Gum	220		220	17.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
975	*Eucalyptus crebra*	Narrow-leaved Ironbark	250		250	16.0	5.0	3.0	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
976	*Eucalyptus siderophloia*	Grey Ironbark	200		200	16.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
977	*Corymbia citriodora*	Spotted Gum	450		450	20.0	8.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Large	-	-	-	Removed	
978	*Corymbia citriodora*	Spotted Gum	680		680	26.0	10.0	8.2	2.8	Regular	-	-	-	Epicormic	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
979	*Corymbia citriodora*	Spotted Gum	260		260	18.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
980	*Corymbia citriodora*	Spotted Gum	200		200	18.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
981	*Eucalyptus siderophloia*	Grey Ironbark	500		500	23.0	12.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
982	*Eucalyptus crebra*	Narrow-leaved Ironbark	280		280	18.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
983	*Eucalyptus crebra*	Narrow-leaved Ironbark	100	100	120	14.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
984	*Corymbia citriodora*	Spotted Gum	420		420	16.0	3.0	5.0	2.3	Regular	-	Thinning	Die-back	-	-	Poor	-	-	Trunk Dmg.	-	Poor	-	-	Large	-	-	-	Removed	
985	*Corymbia citriodora*	Spotted Gum	320		320	19.0	10.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
986	*Corymbia citriodora*	Spotted Gum	410		410	28.0	12.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
987	*Corymbia citriodora*	Spotted Gum	370		370	16.0	6.0	4.4	2.2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
988	*Corymbia citriodora*	Spotted Gum	470		470	22.0	10.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
989	*Corymbia citriodora*	Spotted Gum	550		550	27.0	8.0	6.6	2.6	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
990	*Corymbia citriodora*	Spotted Gum	470		470	27.0	9.0	5.6	2.4	Regular	-	Thinning	-	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
991	*Corymbia citriodora*	Spotted Gum	240		240	17.0	4.0	2.9	1.8	Regular	-	Thinning	-	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
992	*Corymbia citriodora*	Spotted Gum	680		680	28.0	11.0	8.2	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
993	*Eucalyptus siderophloia*	Grey Ironbark	400		400	20.0	10.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
994	*Corymbia citriodora*	Spotted Gum	470		470	21.0	5.0	5.6	2.4	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
995	*Corymbia intermedia*	Pink Bloodwood	540		540	30.0	10.0	6.5	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
996	*Corymbia citriodora*	Spotted Gum	260		260	21.0	2.0	3.1	1.9	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
997	*Corymbia citriodora*	Spotted Gum	300		300	24.0	3.0	3.6	2.0	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
998	*Corymbia citriodora*	Spotted Gum	540		540	27.0	10.0	6.5	2.6	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
999	*Corymbia citriodora*	Spotted Gum	600		600	27.0	14.0	7.2	2.7	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	Large	-	-	-	Remove	
1000	*Corymbia citriodora*	Spotted Gum	650		650	30.0	16.0	7.8	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Large	-	-	-	Remove	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: PE/2025/2047/303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
1001	*Corymbia citriodora*	Spotted Gum	250		250	13.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1002	*Eucalyptus tereticornis*	Forest Red Gum	260		260	17.0	5.0	3.1	1.9	One-sided	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1003	*Corymbia citriodora*	Spotted Gum	250		250	17.0	5.0	3.0	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1004	*Angophora leiocarpa*	Smooth-barked Apple	240		240	14.0	4.0	2.9	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1005	*Corymbia citriodora*	Spotted Gum	390		390	17.0	4.0	4.7	2.2	Regular	-	-	-	-	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1031	*Eucalyptus siderophloia*	Grey Ironbark	400		400	25.0	8.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1032	*Eucalyptus tereticornis*	Forest Red Gum	280	170	328	17.0	6.0	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1033	*Eucalyptus tereticornis*	Forest Red Gum	330		330	20.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1034	*Eucalyptus tereticornis*	Forest Red Gum	280		280	20.0	11.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1035	*Eucalyptus seeana*	Narrow-leaved Red Gum	380		380	22.0	10.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1036	*Eucalyptus resinifera*	Red Mahogany	200		200	18.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1037	*Eucalyptus seeana*	Narrow-leaved Red Gum	400		400	27.0	8.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1038	*Eucalyptus saligna*	Sydney Blue Gum	380		380	20.0	8.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1039	*Eucalyptus siderophloia*	Grey Ironbark	220		220	17.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1040	*Corymbia intermedia*	Pink Bloodwood	180	150, 150, 140	311	17.0	5.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1041	*Corymbia citriodora*	Spotted Gum	210		210	16.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1042	*Corymbia citriodora*	Spotted Gum	220		220	16.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1043	*Eucalyptus tereticornis*	Forest Red Gum	260		260	17.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1044	*Corymbia citriodora*	Spotted Gum	210		210	16.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1045	*Angophora leiocarpa*	Smooth-barked Apple	350		350	19.0	6.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1046	*Alphitonia excelsa*	Soap Tree	220		220	15.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1047	*Corymbia intermedia*	Pink Bloodwood	210	150	258	16.0	3.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1048	*Corymbia intermedia*	Pink Bloodwood	210		210	14.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1049	*Eucalyptus crebra*	Narrow-leaved Ironbark	360		360	20.0	8.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1050	*Eucalyptus siderophloia*	Grey Ironbark	330		330	19.0	6.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1051	*Eucalyptus crebra*	Narrow-leaved Ironbark	390		390	22.0	8.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1052	*Angophora woodsiana*	Broad-leaved Apple	330		330	18.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1053	*Acacia disparrima*	Hickory Wattle	210		210	10.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1054	*Lophostemon suaveolens*	Swamp Box	310		310	16.0	5.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1055	*Lophostemon suaveolens*	Swamp Box	280		280	16.0	4.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1056	*Corymbia intermedia*	Pink Bloodwood	450		450	23.0	9.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1057	*Angophora leiocarpa*	Smooth-barked Apple	360		360	20.0	10.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1058	*Eucalyptus tereticornis*	Forest Red Gum	290		290	21.0	5.0	3.5	2.0	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1059	*Lophostemon suaveolens*	Swamp Box	270		270	16.0	4.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1060	*Eucalyptus crebra*	Narrow-leaved Ironbark	260		260	25.0	6.0	3.1	1.9	Regular	-	Thinning	-	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1061	*Corymbia intermedia*	Pink Bloodwood	400		400	20.0	7.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1062	*Lophostemon suaveolens*	Swamp Box	270		270	16.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1063	*Lophostemon suaveolens*	Swamp Box	220	140	261	12.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1064	*Lophostemon suaveolens*	Swamp Box	250		250	17.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1065	*Eucalyptus tereticornis*	Forest Red Gum	270		270	20.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1066	*Acacia disparrima*	Hickory Wattle	270		270	12.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Removed	
1067	*Eucalyptus tereticornis*	Forest Red Gum	460		460	24.0	10.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: PE/2025/2047/303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
1068	*Lophostemon suaveolens*	Swamp Box	200	110	228	10.0	5.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1069	*Eucalyptus siderophloia*	Grey Ironbark	330		330	20.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1070	*Eucalyptus tereticornis*	Forest Red Gum	500		500	22.0	12.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1071	*Lophostemon suaveolens*	Swamp Box	180	200	269	11.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1072	*Lophostemon suaveolens*	Swamp Box	180	180	255	14.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1073	*Eucalyptus tereticornis*	Forest Red Gum	490		490	20.0	12.0	5.9	2.5	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	Small	-	-	-	Removed	
1074	*Lophostemon suaveolens*	Swamp Box	260		260	17.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1075	*Corymbia intermedia*	Pink Bloodwood	250		250	19.0	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1076	*Lophostemon suaveolens*	Swamp Box	190	140	236	18.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1077	*Lophostemon suaveolens*	Swamp Box	250		250	18.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1078	*Lophostemon suaveolens*	Swamp Box	200		200	10.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1079	*Lophostemon suaveolens*	Swamp Box	200		200	18.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1080	*Corymbia intermedia*	Pink Bloodwood	230		230	19.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1081	*Lophostemon suaveolens*	Swamp Box	210		210	19.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1082	*Lophostemon suaveolens*	Swamp Box	215		215	16.0	5.0	2.6	1.7	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1083	*Lophostemon suaveolens*	Swamp Box	240		240	16.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1084	*Lophostemon suaveolens*	Swamp Box	220	140	261	17.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1085	*Lophostemon suaveolens*	Swamp Box	210		210	18.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1086	*Lophostemon suaveolens*	Swamp Box	200		200	14.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1087	*Lophostemon suaveolens*	Swamp Box	250		250	16.0	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1088	*Lophostemon suaveolens*	Swamp Box	220		220	16.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1089	*Corymbia intermedia*	Pink Bloodwood	260		260	18.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1090	*Lophostemon suaveolens*	Swamp Box	260		260	17.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1091	*Lophostemon suaveolens*	Swamp Box	210		210	16.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1092	*Lophostemon suaveolens*	Swamp Box	210		210	14.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1093	*Lophostemon suaveolens*	Swamp Box	220		220	16.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1094	*Lophostemon suaveolens*	Swamp Box	360		360	19.0	8.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1095	*Corymbia intermedia*	Pink Bloodwood	320		320	25.0	9.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1096	*Lophostemon suaveolens*	Swamp Box	190	150	242	14.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1097	*Eucalyptus tereticornis*	Forest Red Gum	580		580	28.0	14.0	7.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1098	*Lophostemon suaveolens*	Swamp Box	200	180	269	16.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1099	*Corymbia intermedia*	Pink Bloodwood	210		210	14.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1100	*Acacia melanoxylon*	Australian Blackwood	240	180, 170, 120	365	10.0	5.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1101	*Eucalyptus tereticornis*	Forest Red Gum	250		250	20.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1102	*Corymbia intermedia*	Pink Bloodwood	310		310	21.0	6.0	3.7	2.0	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1103	*Angophora subvelutina*	Broad-leaved Apple	170	170, 150	283	14.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1104	*Lophostemon suaveolens*	Swamp Box	160	150, 140, 140	295	12.0	4.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1105	*Lophostemon suaveolens*	Swamp Box	170	180, 120	275	14.0	3.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1106	*Acacia concurrens*	Black Wattle	200		200	12.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1107	*Lophostemon suaveolens*	Swamp Box	180	160	241	12.0	3.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1108	*Lophostemon suaveolens*	Swamp Box	190		190	10.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1109	*Lophostemon suaveolens*	Swamp Box	190	150	242	14.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: DEV2025/2047303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
1110	*Eucalyptus tereticornis*	Forest Red Gum	230		230	19.0	3.0	2.8	1.8	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1111	*Lophostemon suaveolens*	Swamp Box	210		210	17.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1112	*Lophostemon suaveolens*	Swamp Box	220	130, 100	274	15.0	13.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1113	*Lophostemon suaveolens*	Swamp Box	190	180, 150	302	14.0	3.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1114	*Lophostemon suaveolens*	Swamp Box	200		200	12.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1115	*Eucalyptus tereticornis*	Forest Red Gum	280		280	25.0	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1116	*Corymbia citriodora*	Spotted Gum	220		220	22.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1117	*Corymbia citriodora*	Spotted Gum	260		260	25.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1118	*Eucalyptus saligna*	Sydney Blue Gum	380		380	16.0	4.0	4.6	2.2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	Trunk Dmg.	Fire Dmg.	Poor	-	-	-	-	-	-	Removed	
1119	*Corymbia citriodora*	Spotted Gum	280		280	25.0	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1120	*Eucalyptus tereticornis*	Forest Red Gum	220		220	18.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1121	*Corymbia citriodora*	Spotted Gum	240	180	300	19.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1122	*Eucalyptus saligna*	Sydney Blue Gum	240		240	17.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1123	*Angophora leiocarpa*	Smooth-barked Apple	230		230	19.0	8.0	2.8	1.8	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1124	*Eucalyptus saligna*	Sydney Blue Gum	260		260	19.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1125	*Lophostemon suaveolens*	Swamp Box	200		200	16.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - trunk sewer works	
1126	*Corymbia intermedia*	Pink Bloodwood	220		220	18.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - trunk sewer works	
1127	*Angophora leiocarpa*	Smooth-barked Apple	240		240	18.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1128	*Corymbia intermedia*	Pink Bloodwood	220		220	17.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1129	*Eucalyptus siderophloia*	Grey Ironbark	200		200	19.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1130	*Acacia disparrima*	Hickory Wattle	220		220	12.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1131	*Angophora leiocarpa*	Smooth-barked Apple	260		260	17.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1132	*Corymbia intermedia*	Pink Bloodwood	250		250	15.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1133	*Corymbia intermedia*	Pink Bloodwood	300		300	19.0	9.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - trunk sewer works	
1134	*Corymbia intermedia*	Pink Bloodwood	210	220	304	15.0	7.0	3.6	2.0	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - trunk sewer works	
1135	*Corymbia citriodora*	Spotted Gum	230		230	18.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - trunk sewer works	
1136	*Angophora leiocarpa*	Smooth-barked Apple	270		270	20.0	8.0	3.2	1.9	Regular	-	Thinning	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1137	*Lophostemon suaveolens*	Swamp Box	190	140	236	10.0	3.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1138	*Lophostemon suaveolens*	Swamp Box	240		240	12.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1139	*Corymbia intermedia*	Pink Bloodwood	210		210	12.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - trunk sewer works	
1140	*Lophostemon suaveolens*	Swamp Box	200		200	16.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - trunk sewer works	
1141	*Angophora leiocarpa*	Smooth-barked Apple	260		260	20.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - trunk sewer works	
1142	*Angophora leiocarpa*	Smooth-barked Apple	240		240	23.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - trunk sewer works	
1143	*Angophora leiocarpa*	Smooth-barked Apple	260		260	17.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - trunk sewer works	
1144	*Angophora leiocarpa*	Smooth-barked Apple	200		200	17.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - trunk sewer works	
1145	*Eucalyptus saligna*	Sydney Blue Gum	200		200	14.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1146	*Angophora leiocarpa*	Smooth-barked Apple	240		240	15.0	4.0	2.9	1.8	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1147	*Corymbia intermedia*	Pink Bloodwood	220		220	18.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1148	*Corymbia intermedia*	Pink Bloodwood	190	130	230	14.0	3.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1149	*Lophostemon suaveolens*	Swamp Box	240		240	18.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1150	*Corymbia citriodora*	Spotted Gum	360		360	25.0	10.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1151	*Eucalyptus tereticornis*	Forest Red Gum	360		360	20.0	8.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: 1E\2025\2047303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
1152	*Corymbia citriodora*	Spotted Gum	220		220	24.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1153	*Corymbia citriodora*	Spotted Gum	300		300	20.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1154	*Corymbia citriodora*	Spotted Gum	230		230	23.0	8.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1155	*Alphitonia excelsa*	Soap Tree	220		220	16.0	7.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1156	*Corymbia intermedia*	Pink Bloodwood	220		220	19.0	8.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - trunk sewer works	
1157	*Acacia disparrima*	Hickory Wattle	260		260	14.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - trunk sewer works	
1158	*Corymbia citriodora*	Spotted Gum	240		240	18.0	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - trunk sewer works	
1159	*Corymbia citriodora*	Spotted Gum	210		210	17.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - trunk sewer works	
1160	*Corymbia intermedia*	Pink Bloodwood	160	150	219	15.0	5.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - trunk sewer works	
1161	*Corymbia citriodora*	Spotted Gum	280		280	18.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - trunk sewer works	
1162	*Lophostemon suaveolens*	Swamp Box	200		200	15.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - trunk sewer works	
1163	*Eucalyptus tereticornis*	Forest Red Gum	240		240	20.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1164	*Angophora leiocarpa*	Smooth-barked Apple	210		210	18.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1165	*Corymbia citriodora*	Spotted Gum	320		320	22.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1166	*Angophora leiocarpa*	Smooth-barked Apple	320		320	23.0	9.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1167	*Lophostemon suaveolens*	Swamp Box	240		240	16.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - trunk sewer works	
1168	*Lophostemon suaveolens*	Swamp Box	200		200	15.0	4.0	2.4	1.7	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - trunk sewer works	
1169	*Lophostemon suaveolens*	Swamp Box	270	230	355	17.0	7.0	4.3	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - trunk sewer works	
1170	*Corymbia intermedia*	Pink Bloodwood	260		260	18.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - trunk sewer works	
1171	*Eucalyptus tereticornis*	Forest Red Gum	240		240	18.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - trunk sewer works	
1172	*Eucalyptus tereticornis*	Forest Red Gum	250		250	19.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - trunk sewer works	
1173	*Corymbia intermedia*	Pink Bloodwood	230		230	16.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1174	*Alphitonia excelsa*	Soap Tree	220		220	14.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1175	*Eucalyptus saligna*	Sydney Blue Gum	320		320	18.0	9.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1176	*Corymbia intermedia*	Pink Bloodwood	210		210	18.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1177	*Eucalyptus saligna*	Sydney Blue Gum	200		200	15.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1178	*Eucalyptus tereticornis*	Forest Red Gum	210		210	19.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1179	*Corymbia intermedia*	Pink Bloodwood	340		340	21.0	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1180	*Acacia disparrima*	Hickory Wattle	200	180	269	12.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1181	*Eucalyptus saligna*	Sydney Blue Gum	210		210	14.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1182	*Eucalyptus saligna*	Sydney Blue Gum	240		240	20.0	10.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1183	*Eucalyptus saligna*	Sydney Blue Gum	220		220	18.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1184	*Eucalyptus saligna*	Sydney Blue Gum	250		250	10.0	2.0	3.0	1.8	Regular	-	-	-	Epicormic	Lopped	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1185	*Lophostemon suaveolens*	Swamp Box	200		200	14.0	3.0	2.4	1.7	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1186	*Eucalyptus saligna*	Sydney Blue Gum	240		240	18.0	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1187	*Eucalyptus saligna*	Sydney Blue Gum	290		290	10.0	2.0	3.5	2.0	Regular	-	-	-	-	Lopped	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - trunk sewer works	
1188	*Eucalyptus tereticornis*	Forest Red Gum	220		220	19.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1189	*Eucalyptus tereticornis*	Forest Red Gum	210		210	16.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1190	*Corymbia intermedia*	Pink Bloodwood	220		220	17.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1191	*Eucalyptus tereticornis*	Forest Red Gum	240		240	17.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - trunk sewer works	
1192	*Angophora leiocarpa*	Smooth-barked Apple	210		210	16.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - trunk sewer works	
1193	*Lophostemon suaveolens*	Swamp Box	210		210	16.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - trunk sewer works	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: 1E\2025\2047303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
1194	*Eucalyptus saligna*	Sydney Blue Gum	320		320	20.0	10.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - trunk sewer works	
1195	*Lophostemon suaveolens*	Swamp Box	240		240	17.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1196	*Eucalyptus saligna*	Sydney Blue Gum	300		300	18.0	9.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1197	*Eucalyptus tereticornis*	Forest Red Gum	220		220	20.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1198	*Acacia disparrima*	Hickory Wattle	150	160	219	10.0	4.0	2.6	1.7	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1199	*Lophostemon suaveolens*	Swamp Box	260		260	18.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	Termites	-	Removed	
1200	*Lophostemon suaveolens*	Swamp Box	220		220	16.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1201	*Eucalyptus saligna*	Sydney Blue Gum	250		250	20.0	9.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1202	*Corymbia tessellaris*	Moreton Bay Ash	210		210	18.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - trunk sewer works	
1203	*Eucalyptus saligna*	Sydney Blue Gum	300		300	18.0	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - trunk sewer works	
1204	*Eucalyptus saligna*	Sydney Blue Gum	200		200	12.0	4.0	2.4	1.7	One-sided	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Removed	
1205	*Eucalyptus saligna*	Sydney Blue Gum	310		310	20.0	10.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1206	*Eucalyptus saligna*	Sydney Blue Gum	350		350	20.0	11.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1207	*Eucalyptus saligna*	Sydney Blue Gum	200		200	15.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1208	*Eucalyptus saligna*	Sydney Blue Gum	290		290	20.0	8.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1209	*Eucalyptus saligna*	Sydney Blue Gum	220		220	19.0	9.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1210	*Acacia concurrens*	Black Wattle	200		200	11.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1211	*Eucalyptus saligna*	Sydney Blue Gum	230		230	21.0	8.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1212	*Eucalyptus saligna*	Sydney Blue Gum	290		290	21.0	10.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1213	*Eucalyptus saligna*	Sydney Blue Gum	200		200	19.0	2.0	2.4	1.7	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1214	*Eucalyptus saligna*	Sydney Blue Gum	230		230	22.0	6.0	2.8	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1215	*Eucalyptus saligna*	Sydney Blue Gum	210		210	19.0	5.0	2.5	1.7	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1216	*Eucalyptus tereticornis*	Forest Red Gum	240	180	300	25.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1217	*Eucalyptus saligna*	Sydney Blue Gum	210		210	20.0	5.0	2.5	1.7	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1218	*Eucalyptus saligna*	Sydney Blue Gum	200		200	16.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1219	*Eucalyptus saligna*	Sydney Blue Gum	270		270	20.0	9.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1220	*Eucalyptus saligna*	Sydney Blue Gum	310		310	23.0	11.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1221	*Acacia disparrima*	Hickory Wattle	200		200	14.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1222	*Eucalyptus saligna*	Sydney Blue Gum	260		260	28.0	14.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1223	*Eucalyptus saligna*	Sydney Blue Gum	280		280	28.0	10.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1224	*Eucalyptus saligna*	Sydney Blue Gum	280		280	25.0	10.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1225	*Eucalyptus saligna*	Sydney Blue Gum	320		320	22.0	11.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1226	*Eucalyptus saligna*	Sydney Blue Gum	280		280	30.0	14.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1227	*Eucalyptus saligna*	Sydney Blue Gum	400		400	30.0	15.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1228	*Eucalyptus tereticornis*	Forest Red Gum	200		200	19.0	4.0	2.4	1.7	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1229	*Eucalyptus saligna*	Sydney Blue Gum	400		400	29.0	11.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - basin & outlet works	
1230	*Eucalyptus tereticornis*	Forest Red Gum	220		220	25.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - basin & outlet works	
1231	*Eucalyptus saligna*	Sydney Blue Gum	240		240	17.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1232	*Eucalyptus saligna*	Sydney Blue Gum	260		260	27.0	9.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - basin & outlet works	
1233	*Eucalyptus saligna*	Sydney Blue Gum	280		280	30.0	9.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - basin & outlet works	
1234	*Eucalyptus saligna*	Sydney Blue Gum	300		300	30.0	12.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1235	*Angophora subvelutina*	Broad-leaved Apple	220		220	20.0	9.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: PE/2025/2047/303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
1236	*Angophora subvelutina*	Broad-leaved Apple	280		280	26.0	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1237	*Angophora subvelutina*	Broad-leaved Apple	290		290	29.0	9.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1238	*Eucalyptus saligna*	Sydney Blue Gum	400		400	28.0	10.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1239	*Eucalyptus saligna*	Sydney Blue Gum	220		220	19.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - basin & outlet works	
1240	*Eucalyptus saligna*	Sydney Blue Gum	270		270	25.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - basin & outlet works	
1241	*Eucalyptus saligna*	Sydney Blue Gum	210		210	25.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - basin & outlet works	
1242	*Eucalyptus saligna*	Sydney Blue Gum	200		200	18.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - basin & outlet works	
1243	*Eucalyptus saligna*	Sydney Blue Gum	210		210	17.0	8.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - basin & outlet works	
1244	*Eucalyptus saligna*	Sydney Blue Gum	320		320	22.0	10.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - basin & outlet works	
1245	*Eucalyptus saligna*	Sydney Blue Gum	320		320	20.0	11.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - basin & outlet works	
1246	*Eucalyptus saligna*	Sydney Blue Gum	200		200	23.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - basin & outlet works	
1247	*Eucalyptus saligna*	Sydney Blue Gum	230		230	18.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - basin & outlet works	
1248	*Eucalyptus saligna*	Sydney Blue Gum	370		370	24.0	10.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1249	*Eucalyptus saligna*	Sydney Blue Gum	310		310	20.0	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1250	*Eucalyptus saligna*	Sydney Blue Gum	280		280	21.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1251	*Eucalyptus saligna*	Sydney Blue Gum	300		300	20.0	9.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1252	*Eucalyptus saligna*	Sydney Blue Gum	220		220	18.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - basin & outlet works	
1253	*Eucalyptus saligna*	Sydney Blue Gum	280		280	20.0	9.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1254	*Eucalyptus saligna*	Sydney Blue Gum	320		320	21.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - basin & outlet works	
1255	*Eucalyptus saligna*	Sydney Blue Gum	250		250	18.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1256	*Eucalyptus saligna*	Sydney Blue Gum	270		270	21.0	10.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - basin & outlet works	
1257	*Eucalyptus saligna*	Sydney Blue Gum	370		370	18.0	10.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - basin & outlet works	
1258	*Corymbia citriodora*	Spotted Gum	350		350	17.0	5.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1259	*Petalostigma pubescens*	Quinine Bush	240	150	283	8.0	4.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1260	*Petalostigma pubescens*	Quinine Bush	210		210	7.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1261	*Eucalyptus tereticornis*	Forest Red Gum	260		260	17.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1262	*Eucalyptus tereticornis*	Forest Red Gum	220		220	17.0	3.0	2.6	1.8	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1263	*Corymbia tessellaris*	Moreton Bay Ash	410		410	21.0	6.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1264	*Corymbia citriodora*	Spotted Gum	510		510	22.0	7.0	6.1	2.5	Regular	-	Thinning	Die-back	-	-	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Removed	
1265	*Corymbia citriodora*	Spotted Gum	460		460	23.0	7.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1266	*Corymbia citriodora*	Spotted Gum	420		420	23.0	5.0	5.0	2.3	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1267	*Corymbia citriodora*	Spotted Gum	320		320	22.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1268	*Eucalyptus tereticornis*	Forest Red Gum	380		380	22.0	6.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1269	*Angophora leiocarpa*	Smooth-barked Apple	220		220	13.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1270	*Corymbia citriodora*	Spotted Gum	250		250	18.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1271	*Lophostemon suaveolens*	Swamp Box	260		260	14.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1272	*Corymbia citriodora*	Spotted Gum	380		380	19.0	5.0	4.6	2.2	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Removed	
1273	*Corymbia intermedia*	Pink Bloodwood	260		260	15.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1274	*Acacia disparrima*	Hickory Wattle	320	180	367	12.0	5.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1275	*Corymbia tessellaris*	Moreton Bay Ash	300		300	21.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1276	*Eucalyptus saligna*	Sydney Blue Gum	200		200	13.0	3.0	2.4	1.7	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1277	*Eucalyptus saligna*	Sydney Blue Gum	300		300	19.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: PE/2025/2047/303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
1278	*Corymbia trachyphloia*	Brown Bloodwood	370		370	23.0	8.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - trunk sewer works	
1279	*Angophora leiocarpa*	Smooth-barked Apple	230		230	16.0	6.0	2.8	1.8	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1280	*Angophora leiocarpa*	Smooth-barked Apple	250		250	17.0	3.0	3.0	1.8	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1281	*Angophora leiocarpa*	Smooth-barked Apple	260		260	17.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1282	*Eucalyptus tereticornis*	Forest Red Gum	300		300	21.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1283	*Eucalyptus siderophloia*	Grey Ironbark	320		320	17.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1284	*Eucalyptus tereticornis*	Forest Red Gum	200		200	16.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1285	*Lophostemon suaveolens*	Swamp Box	320		320	14.0	5.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1286	*Lophostemon suaveolens*	Swamp Box	200		200	15.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1287	*Corymbia tessellaris*	Moreton Bay Ash	200		200	18.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1288	*Lophostemon suaveolens*	Swamp Box	200		200	13.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1289	*Lophostemon suaveolens*	Swamp Box	220		220	14.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1290	*Eucalyptus crebra*	Narrow-leaved Ironbark	220		220	17.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1291	*Acacia disparrima*	Hickory Wattle	280	200	344	12.0	6.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1292	*Angophora leiocarpa*	Smooth-barked Apple	200		200	17.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1293	*Eucalyptus crebra*	Narrow-leaved Ironbark	210		210	18.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1294	*Angophora leiocarpa*	Smooth-barked Apple	230		230	16.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1295	*Angophora leiocarpa*	Smooth-barked Apple	300	220	372	19.0	7.0	4.5	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1296	*Eucalyptus tereticornis*	Forest Red Gum	340		340	21.0	6.0	4.1	2.1	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1297	*Corymbia trachyphloia*	Brown Bloodwood	300		300	16.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1298	*Petalostigma pubescens*	Quinine Bush	240		240	9.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1299	*Corymbia citriodora*	Spotted Gum	200		200	13.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1300	*Corymbia citriodora*	Spotted Gum	420		420	24.0	7.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1301	*Corymbia intermedia*	Pink Bloodwood	220	240	326	18.0	6.0	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1302	*Angophora leiocarpa*	Smooth-barked Apple	380		380	17.0	6.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1303	*Angophora leiocarpa*	Smooth-barked Apple	240		240	14.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1304	*Eucalyptus tereticornis*	Forest Red Gum	240		240	18.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - trunk sewer works	
1305	*Corymbia tessellaris*	Moreton Bay Ash	200		200	12.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - trunk sewer works	
1306	*Eucalyptus tereticornis*	Forest Red Gum	200		200	16.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1307	*Angophora leiocarpa*	Smooth-barked Apple	200		200	15.0	6.0	2.4	1.7	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1308	*Eucalyptus tereticornis*	Forest Red Gum	330		330	21.0	6.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1309	*Eucalyptus siderophloia*	Grey Ironbark	220		220	14.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain	
1310	*Alphitonia excelsa*	Soap Tree	220		220	7.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1311	*Acacia disparrima*	Hickory Wattle	210	180	277	9.0	4.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1312	*Corymbia intermedia*	Pink Bloodwood	270		270	16.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1313	*Eucalyptus tereticornis*	Forest Red Gum	220		220	18.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1314	*Eucalyptus crebra*	Narrow-leaved Ironbark	290		290	21.0	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1315	*Corymbia intermedia*	Pink Bloodwood	210		210	17.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1316	*Acacia disparrima*	Hickory Wattle	210		210	14.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1317	*Eucalyptus crebra*	Narrow-leaved Ironbark	370		370	23.0	7.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1318	*Angophora leiocarpa*	Smooth-barked Apple	210		210	14.0	2.0	2.5	1.7	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1319	*Corymbia intermedia*	Pink Bloodwood	270	210	342	18.0	6.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: 1E\2025\2047303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
1320	*Eucalyptus crebra*	Narrow-leaved Ironbark	490		490	24.0	9.0	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1321	*Acacia disparrima*	Hickory Wattle	220		220	13.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1322	*Corymbia intermedia*	Pink Bloodwood	200	90	219	16.0	6.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1323	*Angophora leiocarpa*	Smooth-barked Apple	230		230	24.0	6.0	2.8	1.8	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1324	*Angophora leiocarpa*	Smooth-barked Apple	430		430	18.0	7.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1325	*Corymbia citriodora*	Spotted Gum	280	230	362	23.0	8.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1326	*Angophora leiocarpa*	Smooth-barked Apple	230		230	17.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1327	*Corymbia tessellaris*	Moreton Bay Ash	260		260	19.0	4.0	3.1	1.9	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - trunk sewer works	
1328	*Eucalyptus tereticornis*	Forest Red Gum	240		240	18.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1329	*Eucalyptus crebra*	Narrow-leaved Ironbark	200		200	19.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1330	*Corymbia intermedia*	Pink Bloodwood	270	140	304	16.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - trunk sewer works	
1331	*Eucalyptus tereticornis*	Forest Red Gum	320		320	20.0	5.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1332	*Eucalyptus tereticornis*	Forest Red Gum	310	190	364	22.0	6.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - trunk sewer works	
1333	*Corymbia citriodora*	Spotted Gum	320		320	23.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1334	*Corymbia citriodora*	Spotted Gum	330		330	25.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - trunk sewer works	
1335	*Eucalyptus tereticornis*	Forest Red Gum	300	260	397	19.0	8.0	4.8	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - trunk sewer works	
1336	*Corymbia intermedia*	Pink Bloodwood	270		270	15.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1337	*Corymbia citriodora*	Spotted Gum	290		290	21.0	5.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1338	*Corymbia henryi*	Large-leaved Spotted Gum	240		240	22.0	5.0	2.9	1.8	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1339	*Angophora leiocarpa*	Smooth-barked Apple	210		210	17.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1340	*Eucalyptus tereticornis*	Forest Red Gum	410		410	23.0	6.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1341	*Angophora leiocarpa*	Smooth-barked Apple	260		260	19.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1342	*Corymbia citriodora*	Spotted Gum	490		490	23.0	6.0	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Removed	
1343	*Eucalyptus acmenoides*	White Mahogany	220		220	17.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
1344	*Eucalyptus tereticornis*	Forest Red Gum	580		580	28.0	12.0	7.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1345	*Eucalyptus acmenoides*	White Mahogany	280	260, 200	431	17.0	7.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1346	*Eucalyptus seeana*	Narrow-leaved Red Gum	240		240	16.0	6.0	2.9	1.8	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1347	*Corymbia intermedia*	Pink Bloodwood	400		400	19.0	6.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1348	*Corymbia intermedia*	Pink Bloodwood	340		340	19.0	4.0	4.1	2.1	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1349	*Corymbia intermedia*	Pink Bloodwood	300		300	19.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1350	*Corymbia intermedia*	Pink Bloodwood	200		200	17.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1351	*Eucalyptus tereticornis*	Forest Red Gum	240		240	17.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1352	*Corymbia citriodora*	Spotted Gum	590		590	28.0	14.0	7.1	2.7	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1353	*Corymbia intermedia*	Pink Bloodwood	220		220	17.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1354	*Eucalyptus saligna*	Sydney Blue Gum	400		400	22.0	8.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1355	*Eucalyptus tereticornis*	Forest Red Gum	290		290	23.0	5.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1356	*Eucalyptus tereticornis*	Forest Red Gum	450		450	26.0	8.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1357	*Eucalyptus tereticornis*	Forest Red Gum	300		300	21.0	5.0	3.6	2.0	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1358	*Corymbia citriodora*	Spotted Gum	470		470	27.0	9.0	5.6	2.4	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1359	*Corymbia citriodora*	Spotted Gum	370		370	26.0	11.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1360	*Eucalyptus crebra*	Narrow-leaved Ironbark	200		200	19.0	7.0	2.4	1.7	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1361	*Eucalyptus crebra*	Narrow-leaved Ironbark	210		210	17.0	8.0	2.5	1.7	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Removed	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: 1E\2025\2047303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
1362	*Corymbia citriodora*	Spotted Gum	630		630	30.0	12.0	7.6	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1363	*Corymbia citriodora*	Spotted Gum	200		200	15.0	8.0	2.4	1.7	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1364	*Corymbia citriodora*	Spotted Gum	290		290	18.0	7.0	3.5	2.0	Regular	-	-	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1365	*Corymbia citriodora*	Spotted Gum	210		210	14.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1366	*Corymbia citriodora*	Spotted Gum	310		310	26.0	12.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1367	*Corymbia citriodora*	Spotted Gum	220		220	24.0	9.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1368	*Eucalyptus siderophloia*	Grey Ironbark	260		260	20.0	10.0	3.1	1.9	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1369	*Eucalyptus crebra*	Narrow-leaved Ironbark	340		340	26.0	13.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1370	*Corymbia citriodora*	Spotted Gum	240		240	23.0	8.0	2.9	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1371	*Eucalyptus siderophloia*	Grey Ironbark	220		220	23.0	10.0	2.6	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1372	*Corymbia citriodora*	Spotted Gum	380		380	27.0	11.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1373	*Eucalyptus tereticornis*	Forest Red Gum	320		320	25.0	8.0	3.8	2.1	One-sided	-	-	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1374	*Corymbia citriodora*	Spotted Gum	340		340	26.0	13.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1375	*Eucalyptus tereticornis*	Forest Red Gum	330		330	25.0	13.0	4.0	2.1	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1376	*Corymbia citriodora*	Spotted Gum	240		240	22.0	10.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1377	*Corymbia citriodora*	Spotted Gum	360		360	31.0	8.0	4.3	2.2	Regular	-	-	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1378	*Eucalyptus crebra*	Narrow-leaved Ironbark	200		200	22.0	7.0	2.4	1.7	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1379	*Corymbia citriodora*	Spotted Gum	650		650	30.0	16.0	7.8	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1380	*Eucalyptus tereticornis*	Forest Red Gum	350	110	367	26.0	12.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1381	*Corymbia citriodora*	Spotted Gum	230		230	26.0	8.0	2.8	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1382	*Corymbia citriodora*	Spotted Gum	370		370	27.0	10.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1383	*Eucalyptus tereticornis*	Forest Red Gum	220		220	25.0	8.0	2.6	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1384	*Corymbia citriodora*	Spotted Gum	510		510	31.0	11.0	6.1	2.5	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1385	*Corymbia citriodora*	Spotted Gum	430		430	26.0	9.0	5.2	2.3	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Removed	
1386	*Corymbia citriodora*	Spotted Gum	230		230	19.0	10.0	2.8	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1387	*Eucalyptus siderophloia*	Grey Ironbark	440		440	22.0	14.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1388	*Eucalyptus tereticornis*	Forest Red Gum	380		380	19.0	10.0	4.6	2.2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1389	*Corymbia citriodora*	Spotted Gum	350		350	24.0	12.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1390	*Corymbia citriodora*	Spotted Gum	230		230	17.0	9.0	2.8	1.8	One-sided	-	-	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1391	*Corymbia citriodora*	Spotted Gum	250		250	16.0	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1392	*Eucalyptus crebra*	Narrow-leaved Ironbark	310		310	18.0	10.0	3.7	2.0	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1393	*Eucalyptus crebra*	Narrow-leaved Ironbark	220		220	15.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1394	*Eucalyptus seeana*	Narrow-leaved Red Gum	220		220	20.0	6.0	2.6	1.8	Regular	-	Thinning	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1395	*Eucalyptus moluccana*	Gum Topped Box	360		360	24.0	10.0	4.3	2.2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1396	*Corymbia citriodora*	Spotted Gum	180	160, 150	284	17.0	11.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1397	*Eucalyptus crebra*	Narrow-leaved Ironbark	260		260	20.0	12.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1398	*Eucalyptus crebra*	Narrow-leaved Ironbark	290		290	21.0	10.0	3.5	2.0	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1399	*Eucalyptus crebra*	Narrow-leaved Ironbark	250		250	23.0	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1400	*Eucalyptus crebra*	Narrow-leaved Ironbark	280		280	24.0	12.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1401	*Corymbia citriodora*	Spotted Gum	250		250	21.0	8.0	3.0	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1402	*Eucalyptus moluccana*	Gum Topped Box	480		480	25.0	16.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1403	*Eucalyptus tereticornis*	Forest Red Gum	230		230	23.0	9.0	2.8	1.8	Regular	-	-	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: DEV2025/2047303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
1404	*Corymbia citriodora*	Spotted Gum	270		270	24.0	10.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1405	*Eucalyptus siderophloia*	Grey Ironbark	200	110	228	15.0	8.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1406	*Eucalyptus crebra*	Narrow-leaved Ironbark	260		260	25.0	16.0	3.1	1.9	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1407	*Eucalyptus crebra*	Narrow-leaved Ironbark	300		300	25.0	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1408	*Corymbia citriodora*	Spotted Gum	210		210	22.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1409	*Eucalyptus crebra*	Narrow-leaved Ironbark	240		240	22.0	5.0	2.9	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1410	*Eucalyptus siderophloia*	Grey Ironbark	360		360	24.0	13.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1411	*Corymbia citriodora*	Spotted Gum	200		200	20.0	8.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1412	*Corymbia citriodora*	Spotted Gum	210		210	22.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1413	*Corymbia citriodora*	Spotted Gum	200		200	21.0	5.0	2.4	1.7	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1414	*Eucalyptus crebra*	Narrow-leaved Ironbark	340		340	25.0	11.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1415	*Corymbia citriodora*	Spotted Gum	310		310	25.0	13.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1416	*Corymbia citriodora*	Spotted Gum	250		250	24.0	9.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1417	*Eucalyptus crebra*	Narrow-leaved Ironbark	220		220	25.0	7.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1418	*Corymbia citriodora*	Spotted Gum	270		270	26.0	10.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1419	*Eucalyptus crebra*	Narrow-leaved Ironbark	200		200	21.0	8.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1420	*Corymbia citriodora*	Spotted Gum	230		230	22.0	9.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1421	*Corymbia citriodora*	Spotted Gum	200		200	15.0	9.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1422	*Eucalyptus siderophloia*	Grey Ironbark	200		200	17.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1423	*Eucalyptus crebra*	Narrow-leaved Ironbark	210		210	17.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Removed	
1424	*Eucalyptus siderophloia*	Grey Ironbark	310		310	22.0	12.0	3.7	2.0	Regular	-	-	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1425	*Eucalyptus crebra*	Narrow-leaved Ironbark	300		300	22.0	10.0	3.6	2.0	One-sided	-	-	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1426	*Corymbia citriodora*	Spotted Gum	260	190	322	22.0	12.0	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1427	*Eucalyptus siderophloia*	Grey Ironbark	330		330	24.0	13.0	4.0	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1428	*Corymbia citriodora*	Spotted Gum	200		200	20.0	8.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1429	*Eucalyptus siderophloia*	Grey Ironbark	230		230	21.0	8.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1430	*Corymbia citriodora*	Spotted Gum	200		200	19.0	9.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1431	*Eucalyptus crebra*	Narrow-leaved Ironbark	370		370	25.0	13.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1432	*Eucalyptus crebra*	Narrow-leaved Ironbark	320		320	22.0	12.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1433	*Eucalyptus siderophloia*	Grey Ironbark	240	130	273	15.0	9.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1434	*Eucalyptus tereticornis*	Forest Red Gum	250		250	18.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1435	*Eucalyptus siderophloia*	Grey Ironbark	290		290	18.0	9.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1436	*Corymbia citriodora*	Spotted Gum	290		290	20.0	10.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1437	*Corymbia citriodora*	Spotted Gum	200		200	14.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1438	*Eucalyptus crebra*	Narrow-leaved Ironbark	210		210	10.0	8.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1439	*Corymbia citriodora*	Spotted Gum	250		250	18.0	10.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1440	*Corymbia citriodora*	Spotted Gum	240		240	19.0	9.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1441	*Eucalyptus siderophloia*	Grey Ironbark	200		200	15.0	8.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1442	*Eucalyptus siderophloia*	Grey Ironbark	260		260	18.0	8.0	3.1	1.9	Regular	-	-	-	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1443	*Corymbia citriodora*	Spotted Gum	200		200	15.0	8.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1444	*Eucalyptus siderophloia*	Grey Ironbark	350		350	23.0	14.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1445	*Eucalyptus tereticornis*	Forest Red Gum	230		230	17.0	8.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: PE/2025/2047/303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
1446	*Corymbia citriodora*	Spotted Gum	300		300	22.0	13.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1447	*Eucalyptus crebra*	Narrow-leaved Ironbark	580		580	25.0	12.0	7.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1448	*Eucalyptus crebra*	Narrow-leaved Ironbark	220		220	22.0	9.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1449	*Eucalyptus crebra*	Narrow-leaved Ironbark	350		350	25.0	13.0	4.2	2.1	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Removed	
1450	*Eucalyptus crebra*	Narrow-leaved Ironbark	300		300	27.0	8.0	3.6	2.0	Regular	-	-	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1451	*Corymbia citriodora*	Spotted Gum	640		640	32.0	16.0	7.7	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	Large	-	-	Removed	
1452	*Eucalyptus crebra*	Narrow-leaved Ironbark	290		290	25.0	13.0	3.5	2.0	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1453	*Corymbia citriodora*	Spotted Gum	200		200	15.0	9.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1454	*Corymbia citriodora*	Spotted Gum	220		220	16.0	8.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1455	*Corymbia citriodora*	Spotted Gum	270		270	25.0	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1456	*Eucalyptus siderophloia*	Grey Ironbark	210		210	17.0	9.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1457	*Corymbia citriodora*	Spotted Gum	320		320	18.0	11.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1458	*Eucalyptus tereticornis*	Forest Red Gum	280		280	23.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1459	*Corymbia citriodora*	Spotted Gum	350		350	25.0	13.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1460	*Corymbia citriodora*	Spotted Gum	270		270	20.0	9.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1461	*Eucalyptus tereticornis*	Forest Red Gum	200		200	15.0	7.0	2.4	1.7	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1462	*Corymbia citriodora*	Spotted Gum	200		200	14.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1463	*Corymbia citriodora*	Spotted Gum	360		360	23.0	10.0	4.3	2.2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1464	*Corymbia citriodora*	Spotted Gum	430		430	25.0	12.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1465	*Corymbia citriodora*	Spotted Gum	300		300	23.0	12.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1466	*Corymbia citriodora*	Spotted Gum	230		230	14.0	6.0	2.8	1.8	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1467	*Corymbia citriodora*	Spotted Gum	310		310	19.0	12.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1468	*Corymbia citriodora*	Spotted Gum	270		270	17.0	8.0	3.2	1.9	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1469	*Eucalyptus crebra*	Narrow-leaved Ironbark	250		250	16.0	11.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1470	*Corymbia citriodora*	Spotted Gum	270		270	17.0	9.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1471	*Eucalyptus tereticornis*	Forest Red Gum	200		200	18.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1472	*Corymbia tessellaris*	Moreton Bay Ash	220		220	17.0	2.0	2.6	1.8	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1473	*Eucalyptus tereticornis*	Forest Red Gum	230		230	15.0	8.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1474	*Corymbia citriodora*	Spotted Gum	200		200	19.0	8.0	2.4	1.7	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1475	*Corymbia citriodora*	Spotted Gum	330		330	22.0	9.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1476	*Eucalyptus tereticornis*	Forest Red Gum	480		480	25.0	8.0	5.8	2.4	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1477	*Eucalyptus tereticornis*	Forest Red Gum	350		350	26.0	7.0	4.2	2.1	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1478	*Corymbia citriodora*	Spotted Gum	550		550	30.0	15.0	6.6	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1479	*Corymbia citriodora*	Spotted Gum	420		420	27.0	9.0	5.0	2.3	One-sided	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1480	*Corymbia citriodora*	Spotted Gum	300		300	28.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1481	*Corymbia citriodora*	Spotted Gum	410		410	27.0	8.0	4.9	2.3	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1482	*Corymbia citriodora*	Spotted Gum	340		340	17.0	9.0	4.1	2.1	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Removed	
1483	*Corymbia citriodora*	Spotted Gum	350		350	26.0	14.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1484	*Eucalyptus tereticornis*	Forest Red Gum	330		330	13.0	4.0	4.0	2.1	One-sided	-	Thinning	Die-back	Epicormic	-	Poor	Major	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Removed	
1485	*Corymbia citriodora*	Spotted Gum	360		360	25.0	9.0	4.3	2.2	One-sided	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1486	*Eucalyptus tereticornis*	Forest Red Gum	530		530	29.0	13.0	6.4	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1487	*Corymbia citriodora*	Spotted Gum	490		490	27.0	15.0	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: DEV2025/2047303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
1488	*Eucalyptus siderophloia*	Grey Ironbark	270		270	17.0	9.0	3.2	1.9	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1489	*Corymbia citriodora*	Spotted Gum	410		410	24.0	11.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1490	*Corymbia citriodora*	Spotted Gum	600		600	31.0	16.0	7.2	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1494	*Eucalyptus crebra*	Narrow-leaved Ironbark	510		510	24.0	13.0	6.1	2.5	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1495	*Corymbia citriodora*	Spotted Gum	330		330	16.0	14.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1529	*Eucalyptus saligna*	Sydney Blue Gum	270		270	18.0	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1530	*Angophora leiocarpa*	Smooth-barked Apple	250		250	18.0	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1531	*Eucalyptus saligna*	Sydney Blue Gum	310		310	18.0	10.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - trunk sewer works	
1532	*Eucalyptus saligna*	Sydney Blue Gum	210		210	14.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	Major	-	-	-	Typical	-	-	-	-	-	-	Remove - trunk sewer works	
1533	*Corymbia intermedia*	Pink Bloodwood	140	140, 90	217	15.0	8.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1534	*Corymbia citriodora*	Spotted Gum	230		230	19.0	8.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1535	*Lophostemon suaveolens*	Swamp Box	230		230	12.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1536	*Eucalyptus saligna*	Sydney Blue Gum	220		220	17.0	7.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1537	*Eucalyptus saligna*	Sydney Blue Gum	270		270	22.0	9.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1538	*Lophostemon suaveolens*	Swamp Box	200		200	11.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1539	*Corymbia intermedia*	Pink Bloodwood	210		210	18.0	9.0	2.5	1.7	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1540	*Lophostemon suaveolens*	Swamp Box	200		200	13.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1541	*Corymbia intermedia*	Pink Bloodwood	230		230	19.0	9.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1542	*Angophora leiocarpa*	Smooth-barked Apple	250		250	22.0	11.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - trunk sewer works	
1543	*Eucalyptus saligna*	Sydney Blue Gum	290		290	23.0	10.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - trunk sewer works	
1544	*Eucalyptus saligna*	Sydney Blue Gum	220		220	18.0	8.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1545	*Eucalyptus saligna*	Sydney Blue Gum	310		310	18.0	10.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1546	*Eucalyptus saligna*	Sydney Blue Gum	200		200	16.0	5.0	2.4	1.7	Regular	-	-	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - trunk sewer works	
1547	*Eucalyptus siderophloia*	Grey Ironbark	290		290	17.0	11.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - trunk sewer works	
1548	*Corymbia citriodora*	Spotted Gum	240		240	12.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1549	*Eucalyptus tereticornis*	Forest Red Gum	230		230	14.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1550	*Corymbia citriodora*	Spotted Gum	520		520	22.0	8.0	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1551	*Acacia disparrima*	Hickory Wattle	270		270	10.0	5.0	3.2	1.9	Regular	-	Thinning	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Removed	
1552	*Corymbia citriodora*	Spotted Gum	320		320	17.0	5.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1553	*Eucalyptus crebra*	Narrow-leaved Ironbark	220		220	16.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1554	*Angophora leiocarpa*	Smooth-barked Apple	240		240	16.0	3.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1555	*Eucalyptus crebra*	Narrow-leaved Ironbark	200		200	14.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1556	*Corymbia intermedia*	Pink Bloodwood	260		260	17.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1557	*Eucalyptus crebra*	Narrow-leaved Ironbark	180	200	269	17.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1558	*Alphitonia excelsa*	Soap Tree	220		220	11.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1559	*Eucalyptus crebra*	Narrow-leaved Ironbark	200	90	219	15.0	3.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1560	*Eucalyptus tereticornis*	Forest Red Gum	330		330	19.0	6.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1561	*Eucalyptus seeana*	Narrow-leaved Red Gum	360		360	18.0	7.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1562	*Alphitonia excelsa*	Soap Tree	200		200	9.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1563	*Corymbia tessellaris*	Moreton Bay Ash	220		220	15.0	7.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1564	*Corymbia intermedia*	Pink Bloodwood	230		230	15.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1565	*Corymbia tessellaris*	Moreton Bay Ash	220		220	14.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: DEV2025/2047303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
1566	*Corymbia tessellaris*	Moreton Bay Ash	220		220	14.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1567	*Angophora subvelutina*	Broad-leaved Apple	230		230	13.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1568	*Eucalyptus crebra*	Narrow-leaved Ironbark	540		540	24.0	11.0	6.5	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1569	*Eucalyptus tereticornis*	Forest Red Gum	220	200	297	17.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1570	*Eucalyptus crebra*	Narrow-leaved Ironbark	460		460	22.0	7.0	5.5	2.4	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1571	*Eucalyptus crebra*	Narrow-leaved Ironbark	660		660	22.0	8.0	7.9	2.8	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1572	*Corymbia intermedia*	Pink Bloodwood	240		240	15.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1573	*Acacia disparrima*	Hickory Wattle	280		280	13.0	6.0	3.4	1.9	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1574	*Acacia concurrens*	Black Wattle	210		210	9.0	5.0	2.5	1.7	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1575	*Acacia disparrima*	Hickory Wattle	240		240	12.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1576	*Lophostemon suaveolens*	Swamp Box	220		220	11.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1577	*Eucalyptus crebra*	Narrow-leaved Ironbark	680		680	24.0	9.0	8.2	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1578	*Eucalyptus crebra*	Narrow-leaved Ironbark	330		330	22.0	6.0	4.0	2.1	One-sided	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1579	*Eucalyptus crebra*	Narrow-leaved Ironbark	330		330	17.0	6.0	4.0	2.1	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1580	*Corymbia intermedia*	Pink Bloodwood	340		340	16.0	7.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1581	*Corymbia intermedia*	Pink Bloodwood	280		280	16.0	4.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1582	*Eucalyptus crebra*	Narrow-leaved Ironbark	330		330	17.0	6.0	4.0	2.1	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1583	*Eucalyptus crebra*	Narrow-leaved Ironbark	260		260	22.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1584	*Petalostigma pubescens*	Quinine Bush	220		220	10.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1585	*Eucalyptus crebra*	Narrow-leaved Ironbark	590		590	25.0	9.0	7.1	2.7	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1586	*Corymbia tessellaris*	Moreton Bay Ash	320		320	19.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1587	*Corymbia intermedia*	Pink Bloodwood	350		350	21.0	7.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1588	*Corymbia tessellaris*	Moreton Bay Ash	250		250	17.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1589	*Lophostemon suaveolens*	Swamp Box	220		220	12.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1590	*Corymbia tessellaris*	Moreton Bay Ash	200		200	18.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1591	*Lophostemon suaveolens*	Swamp Box	290		290	14.0	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1592	*Lophostemon suaveolens*	Swamp Box	200	160, 130	287	13.0	6.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1593	*Eucalyptus tereticornis*	Forest Red Gum	430		430	26.0	9.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1594	*Lophostemon suaveolens*	Swamp Box	320	160	358	15.0	6.0	4.3	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1595	*Lophostemon suaveolens*	Swamp Box	200	170	262	12.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1596	*Lophostemon suaveolens*	Swamp Box	290	150	326	12.0	5.0	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1597	*Lophostemon suaveolens*	Swamp Box	310		310	12.0	5.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1598	*Lophostemon suaveolens*	Swamp Box	200	170	262	10.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Removed	
1599	*Eucalyptus tereticornis*	Forest Red Gum	210		210	12.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1600	*Angophora subvelutina*	Broad-leaved Apple	240		240	11.0	3.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1601	*Angophora subvelutina*	Broad-leaved Apple	260		260	11.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1602	*Acacia concurrens*	Black Wattle	270	260, 230, 230	496	12.0	8.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1603	*Eucalyptus tereticornis*	Forest Red Gum	690		690	29.0	9.0	8.3	2.8	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1604	*Lophostemon suaveolens*	Swamp Box	230	140, 120	295	13.0	5.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1605	*Lophostemon suaveolens*	Swamp Box	210		210	11.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1606	*Eucalyptus tereticornis*	Forest Red Gum	200		200	13.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1607	*Eucalyptus tereticornis*	Forest Red Gum	210		210	12.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: DEV2025/2047303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
1608	*Corymbia tessellaris*	Moreton Bay Ash	170	150, 150, 150	310	14.0	5.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1609	*Acacia melanoxylon*	Australian Blackwood	220	240, 220, 180, 160	461	12.0	10.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1610	*Lophostemon suaveolens*	Swamp Box	200		200	11.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1611	*Lophostemon suaveolens*	Swamp Box	200		200	12.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1612	*Lophostemon suaveolens*	Swamp Box	200		200	12.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1613	*Corymbia citriodora*	Spotted Gum	280		280	17.0	5.0	3.4	1.9	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1614	*Corymbia intermedia*	Pink Bloodwood	210		210	13.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1615	*Eucalyptus saligna*	Sydney Blue Gum	240		240	14.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	Major	-	-	-	Typical	-	-	-	-	-	-	Removed	
1616	*Corymbia citriodora*	Spotted Gum	230		230	18.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1617	*Lophostemon suaveolens*	Swamp Box	240		240	13.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1618	*Eucalyptus tereticornis*	Forest Red Gum	230		230	15.0	4.0	2.8	1.8	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1619	*Eucalyptus saligna*	Sydney Blue Gum	260		260	16.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1620	*Angophora leiocarpa*	Smooth-barked Apple	200	170	262	18.0	5.0	3.1	1.9	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1621	*Corymbia intermedia*	Pink Bloodwood	200		200	15.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1622	*Corymbia intermedia*	Pink Bloodwood	200		200	14.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1623	*Corymbia citriodora*	Spotted Gum	250		250	18.0	2.0	3.0	1.8	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1624	*Eucalyptus saligna*	Sydney Blue Gum	350		350	19.0	7.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - trunk sewer works	
1625	*Angophora leiocarpa*	Smooth-barked Apple	260		260	17.0	5.0	3.1	1.9	Regular	-	Thinning	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - trunk sewer works	
1626	*Lophostemon suaveolens*	Swamp Box	240	190	306	12.0	4.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - trunk sewer works	
1627	*Eucalyptus saligna*	Sydney Blue Gum	210		210	12.0	3.0	2.5	1.7	Regular	-	-	-	-	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1628	*Lophostemon suaveolens*	Swamp Box	200	80	215	10.0	4.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1629	*Corymbia citriodora*	Spotted Gum	210		210	17.0	3.0	2.5	1.7	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1630	*Angophora leiocarpa*	Smooth-barked Apple	220		220	17.0	4.0	2.6	1.8	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1631	*Lophostemon suaveolens*	Swamp Box	230	190	298	11.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1632	*Angophora leiocarpa*	Smooth-barked Apple	230		230	16.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1633	*Corymbia intermedia*	Pink Bloodwood	220		220	14.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1634	*Angophora leiocarpa*	Smooth-barked Apple	230	190	298	16.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1635	*Angophora leiocarpa*	Smooth-barked Apple	210		210	14.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1636	*Corymbia citriodora*	Spotted Gum	290		290	17.0	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1637	*Corymbia intermedia*	Pink Bloodwood	250		250	16.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - trunk sewer works	
1638	*Corymbia intermedia*	Pink Bloodwood	200		200	12.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - trunk sewer works	
1639	*Angophora leiocarpa*	Smooth-barked Apple	300	200	361	16.0	6.0	4.3	2.2	Regular	-	-	-	-	-	Typical	Major	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove - trunk sewer works	
1640	*Corymbia intermedia*	Pink Bloodwood	200		200	15.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - trunk sewer works	
1641	*Angophora leiocarpa*	Smooth-barked Apple	220		220	12.0	4.0	2.6	1.8	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - trunk sewer works	
1642	*Corymbia citriodora*	Spotted Gum	280		280	18.0	3.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - trunk sewer works	
1643	*Angophora leiocarpa*	Smooth-barked Apple	230		230	14.0	4.0	2.8	1.8	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - trunk sewer works	
1644	*Lophostemon suaveolens*	Swamp Box	230		230	12.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - trunk sewer works	
1645	*Eucalyptus crebra*	Narrow-leaved Ironbark	240		240	15.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - trunk sewer works	
1646	*Lophostemon suaveolens*	Swamp Box	200		200	11.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1647	*Angophora leiocarpa*	Smooth-barked Apple	230		230	17.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - trunk sewer works	
1648	*Angophora leiocarpa*	Smooth-barked Apple	230		230	17.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - trunk sewer works	
1649	*Angophora leiocarpa*	Smooth-barked Apple	370		370	21.0	10.0	4.4	2.2	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - trunk sewer works	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: DEV2025/2047303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
1650	*Lophostemon suaveolens*	Swamp Box	280		280	12.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1651	*Lophostemon suaveolens*	Swamp Box	290		290	13.0	5.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1652	*Corymbia intermedia*	Pink Bloodwood	210		210	16.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	Minor	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain	
1653	*Lophostemon suaveolens*	Swamp Box	210		210	11.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1654	*Angophora leiocarpa*	Smooth-barked Apple	220		220	17.0	5.0	2.6	1.8	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1655	*Lophostemon suaveolens*	Swamp Box	240		240	11.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1656	*Eucalyptus tereticornis*	Forest Red Gum	240		240	18.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1657	*Corymbia tessellaris*	Moreton Bay Ash	200		200	16.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1658	*Angophora leiocarpa*	Smooth-barked Apple	320		320	16.0	7.0	3.8	2.1	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1659	*Lophostemon suaveolens*	Swamp Box	210		210	13.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1660	*Corymbia intermedia*	Pink Bloodwood	200		200	16.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1661	*Angophora leiocarpa*	Smooth-barked Apple	200		200	17.0	6.0	2.4	1.7	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1662	*Lophostemon suaveolens*	Swamp Box	220		220	12.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1663	*Corymbia intermedia*	Pink Bloodwood	250		250	16.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1664	*Angophora leiocarpa*	Smooth-barked Apple	200		200	14.0	4.0	2.4	1.7	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1665	*Angophora leiocarpa*	Smooth-barked Apple	210		210	14.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1666	*Angophora leiocarpa*	Smooth-barked Apple	200		200	16.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - trunk sewer works	
1667	*Lophostemon suaveolens*	Swamp Box	200	160	256	11.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - trunk sewer works	
1668	*Angophora leiocarpa*	Smooth-barked Apple	200		200	15.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - trunk sewer works	
1669	*Angophora leiocarpa*	Smooth-barked Apple	230		230	14.0	3.0	2.8	1.8	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - trunk sewer works	
1670	*Angophora leiocarpa*	Smooth-barked Apple	260		260	14.0	5.0	3.1	1.9	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - trunk sewer works	
1671	*Corymbia intermedia*	Pink Bloodwood	220		220	16.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1672	*Corymbia citriodora*	Spotted Gum	330		330	18.0	5.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1673	*Corymbia citriodora*	Spotted Gum	280		280	17.0	3.0	3.4	1.9	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1674	*Corymbia citriodora*	Spotted Gum	250		250	18.0	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - trunk sewer works	
1675	*Corymbia citriodora*	Spotted Gum	350		350	18.0	4.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - trunk sewer works	
1676	*Corymbia intermedia*	Pink Bloodwood	250		250	15.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - trunk sewer works	
1677	*Corymbia citriodora*	Spotted Gum	250		250	18.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - trunk sewer works	
1678	*Eucalyptus tereticornis*	Forest Red Gum	210	190	283	17.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1679	*Angophora leiocarpa*	Smooth-barked Apple	280		280	15.0	7.0	3.4	1.9	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1680	*Eucalyptus crebra*	Narrow-leaved Ironbark	420		420	22.0	9.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1681	*Angophora leiocarpa*	Smooth-barked Apple	230		230	14.0	5.0	2.8	1.8	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1682	*Angophora leiocarpa*	Smooth-barked Apple	240		240	14.0	5.0	2.9	1.8	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1683	*Angophora leiocarpa*	Smooth-barked Apple	240		240	14.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1684	*Corymbia citriodora*	Spotted Gum	290		290	18.0	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1685	*Corymbia intermedia*	Pink Bloodwood	260		260	16.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1686	*Angophora leiocarpa*	Smooth-barked Apple	200		200	13.0	4.0	2.4	1.7	One-sided	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1687	*Angophora leiocarpa*	Smooth-barked Apple	240		240	17.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1688	*Corymbia intermedia*	Pink Bloodwood	200	140, 140	281	16.0	3.0	3.4	1.9	Regular	-	Thinning	Die-back	Epicormic	Lopped	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1689	*Eucalyptus tereticornis*	Forest Red Gum	240		240	18.0	3.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1690	*Lophostemon suaveolens*	Swamp Box	220		220	12.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1691	*Angophora leiocarpa*	Smooth-barked Apple	270		270	18.0	6.0	3.2	1.9	One-sided	-	Thinning	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Removed	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: PE/2025/2047/303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
1692	*Corymbia intermedia*	Pink Bloodwood	210		210	15.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1693	*Lophostemon suaveolens*	Swamp Box	250		250	13.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1694	*Lophostemon suaveolens*	Swamp Box	330		330	13.0	6.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1695	*Alphitonia excelsa*	Soap Tree	210		210	12.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1696	*Angophora leiocarpa*	Smooth-barked Apple	220		220	17.0	3.0	2.6	1.8	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1697	*Eucalyptus tereticornis*	Forest Red Gum	530		530	24.0	8.0	6.4	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1698	*Corymbia intermedia*	Pink Bloodwood	320	150	353	17.0	8.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1699	*Eucalyptus tereticornis*	Forest Red Gum	220		220	15.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1700	*Acacia disparrima*	Hickory Wattle	220		220	8.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1701	*Corymbia intermedia*	Pink Bloodwood	390		390	18.0	7.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1702	*Corymbia intermedia*	Pink Bloodwood	300		300	14.0	4.0	3.6	2.0	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1703	*Casuarina cunninghamiana*	River Sheoak	230		230	16.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1704	*Corymbia intermedia*	Pink Bloodwood	280		280	17.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1705	*Petalostigma pubescens*	Quinine Bush	200		200	9.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1706	*Corymbia tessellaris*	Moreton Bay Ash	200		200	18.0	3.0	2.4	1.7	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1707	*Eucalyptus saligna*	Sydney Blue Gum	200		200	15.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1708	*Corymbia intermedia*	Pink Bloodwood	200		200	14.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1709	*Corymbia intermedia*	Pink Bloodwood	200		200	13.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1710	*Eucalyptus saligna*	Sydney Blue Gum	200		200	17.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1711	*Eucalyptus saligna*	Sydney Blue Gum	210		210	16.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1712	*Eucalyptus saligna*	Sydney Blue Gum	280		280	17.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1713	*Eucalyptus saligna*	Sydney Blue Gum	230		230	14.0	6.0	2.8	1.8	Regular	-	Thinning	Die-back	Epicormic	Lopped	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1714	*Eucalyptus saligna*	Sydney Blue Gum	290		290	19.0	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1715	*Eucalyptus saligna*	Sydney Blue Gum	240		240	15.0	4.0	2.9	1.8	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1716	*Eucalyptus saligna*	Sydney Blue Gum	390		390	21.0	7.0	4.7	2.2	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1717	*Eucalyptus tereticornis*	Forest Red Gum	260		260	18.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1718	*Corymbia tessellaris*	Moreton Bay Ash	250		250	18.0	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1719	*Eucalyptus tereticornis*	Forest Red Gum	250		250	17.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1720	*Eucalyptus saligna*	Sydney Blue Gum	330		330	19.0	6.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1721	*Corymbia tessellaris*	Moreton Bay Ash	280		280	18.0	6.0	3.4	1.9	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1722	*Eucalyptus saligna*	Sydney Blue Gum	340		340	19.0	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1723	*Eucalyptus saligna*	Sydney Blue Gum	270		270	18.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1724	*Eucalyptus saligna*	Sydney Blue Gum	330		330	21.0	6.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1725	*Eucalyptus saligna*	Sydney Blue Gum	210		210	18.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1726	*Eucalyptus saligna*	Sydney Blue Gum	330		330	18.0	5.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1727	*Eucalyptus saligna*	Sydney Blue Gum	240		240	19.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1728	*Eucalyptus saligna*	Sydney Blue Gum	340		340	19.0	3.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1729	*Eucalyptus saligna*	Sydney Blue Gum	310		310	21.0	5.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1730	*Eucalyptus saligna*	Sydney Blue Gum	200		200	17.0	4.0	2.4	1.7	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1731	*Eucalyptus saligna*	Sydney Blue Gum	200		200	16.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1732	*Eucalyptus saligna*	Sydney Blue Gum	230		230	14.0	4.0	2.8	1.8	Regular	-	Thinning	-	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1733	*Eucalyptus saligna*	Sydney Blue Gum	300		300	19.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: DEV2025/2054/303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
1734	*Eucalyptus saligna*	Sydney Blue Gum	200		200	17.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1735	*Eucalyptus saligna*	Sydney Blue Gum	210		210	18.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1736	*Eucalyptus saligna*	Sydney Blue Gum	320		320	19.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1737	*Eucalyptus saligna*	Sydney Blue Gum	230		230	19.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1738	*Eucalyptus saligna*	Sydney Blue Gum	240		240	18.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1739	*Petalostigma pubescens*	Quinine Bush	210		210	9.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1740	*Eucalyptus saligna*	Sydney Blue Gum	300		300	19.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1741	*Eucalyptus saligna*	Sydney Blue Gum	320		320	19.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1742	*Eucalyptus saligna*	Sydney Blue Gum	340		340	19.0	6.0	4.1	2.1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1743	*Corymbia intermedia*	Pink Bloodwood	240		240	16.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1744	*Eucalyptus saligna*	Sydney Blue Gum	390		390	22.0	7.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1745	*Eucalyptus saligna*	Sydney Blue Gum	210		210	17.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1746	*Eucalyptus saligna*	Sydney Blue Gum	420		420	18.0	9.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1747	*Eucalyptus saligna*	Sydney Blue Gum	330		330	19.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1748	*Eucalyptus tereticornis*	Forest Red Gum	400	260	477	19.0	7.0	5.7	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1749	*Acacia disparrima*	Hickory Wattle	240	270	361	12.0	8.0	4.3	2.2	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1750	*Eucalyptus saligna*	Sydney Blue Gum	270		270	17.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1751	*Eucalyptus saligna*	Sydney Blue Gum	420		420	23.0	9.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1752	*Eucalyptus saligna*	Sydney Blue Gum	210		210	16.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1753	*Eucalyptus saligna*	Sydney Blue Gum	410		410	21.0	9.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1754	*Lophostemon suaveolens*	Swamp Box	200		200	11.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1755	*Eucalyptus saligna*	Sydney Blue Gum	350		350	17.0	8.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1756	*Eucalyptus saligna*	Sydney Blue Gum	340		340	18.0	6.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1757	*Eucalyptus saligna*	Sydney Blue Gum	270		270	17.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1758	*Eucalyptus saligna*	Sydney Blue Gum	290		290	18.0	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1759	*Eucalyptus saligna*	Sydney Blue Gum	300		300	15.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1760	*Eucalyptus saligna*	Sydney Blue Gum	270		270	19.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1761	*Acacia disparrima*	Hickory Wattle	230	150	275	12.0	7.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1762	*Eucalyptus tereticornis*	Forest Red Gum	200		200	18.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1763	*Eucalyptus saligna*	Sydney Blue Gum	220		220	17.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1764	*Eucalyptus saligna*	Sydney Blue Gum	260		260	18.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1765	*Eucalyptus saligna*	Sydney Blue Gum	310		310	19.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1766	*Eucalyptus saligna*	Sydney Blue Gum	240		240	19.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1767	*Acacia disparrima*	Hickory Wattle	220		220	12.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1768	*Eucalyptus crebra*	Narrow-leaved Ironbark	230		230	18.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1769	*Corymbia intermedia*	Pink Bloodwood	260		260	16.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1770	*Corymbia intermedia*	Pink Bloodwood	330		330	27.0	11.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1771	*Corymbia intermedia*	Pink Bloodwood	270		270	21.0	10.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1772	*Lophostemon suaveolens*	Swamp Box	220		220	10.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1773	*Corymbia intermedia*	Pink Bloodwood	240		240	19.0	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1774	*Lophostemon suaveolens*	Swamp Box	220		220	10.0	5.0	2.6	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1775	*Corymbia intermedia*	Pink Bloodwood	290		290	15.0	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: DEV2025/2047303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
1776	*Lophostemon suaveolens*	Swamp Box	230		230	12.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1777	*Lophostemon suaveolens*	Swamp Box	220		220	12.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1778	*Lophostemon suaveolens*	Swamp Box	230		230	13.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1779	*Lophostemon suaveolens*	Swamp Box	210		210	10.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1780	*Eucalyptus tereticornis*	Forest Red Gum	380		380	22.0	10.0	4.6	2.2	One-sided	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Remove	
1781	*Eucalyptus crebra*	Narrow-leaved Ironbark	260		260	24.0	10.0	3.1	1.9	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1782	*Corymbia citriodora*	Spotted Gum	500		500	32.0	14.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1783	*Corymbia citriodora*	Spotted Gum	290		290	18.0	10.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1784	*Eucalyptus crebra*	Narrow-leaved Ironbark	210		210	17.0	9.0	2.5	1.7	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1785	*Eucalyptus crebra*	Narrow-leaved Ironbark	420		420	32.0	13.0	5.0	2.3	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1786	*Corymbia citriodora*	Spotted Gum	360		360	24.0	14.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1787	*Corymbia citriodora*	Spotted Gum	430		430	27.0	10.0	5.2	2.3	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1788	*Eucalyptus tereticornis*	Forest Red Gum	280		280	25.0	9.0	3.4	1.9	One-sided	-	-	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1789	*Angophora leiocarpa*	Smooth-barked Apple	240		240	16.0	6.0	2.9	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1790	*Angophora leiocarpa*	Smooth-barked Apple	390		390	28.0	13.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1791	*Eucalyptus tereticornis*	Forest Red Gum	270		270	21.0	11.0	3.2	1.9	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1792	*Corymbia citriodora*	Spotted Gum	470		470	25.0	13.0	5.6	2.4	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1793	*Eucalyptus tereticornis*	Forest Red Gum	520		520	26.0	16.0	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1794	*Corymbia trachyphloia*	Brown Bloodwood	350		350	25.0	8.0	4.2	2.1	One-sided	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1795	*Corymbia citriodora*	Spotted Gum	350		350	28.0	14.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1796	*Angophora leiocarpa*	Smooth-barked Apple	240		240	13.0	12.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1797	*Eucalyptus tereticornis*	Forest Red Gum	280		280	26.0	14.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1798	*Angophora leiocarpa*	Smooth-barked Apple	200		200	22.0	4.0	2.4	1.7	Regular	-	Thinning	Die-back	Epicormic	-	Poor	Minor	-	-	-	Typical	-	-	-	-	-	-	Remove	
1799	*Eucalyptus crebra*	Narrow-leaved Ironbark	270		270	16.0	5.0	3.2	1.9	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1800	*Corymbia citriodora*	Spotted Gum	240		240	17.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1801	*Angophora leiocarpa*	Smooth-barked Apple	210		210	18.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1802	*Corymbia citriodora*	Spotted Gum	330		330	21.0	10.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1803	*Corymbia citriodora*	Spotted Gum	350		350	32.0	8.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1804	*Corymbia citriodora*	Spotted Gum	250		250	25.0	8.0	3.0	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1805	*Corymbia citriodora*	Spotted Gum	280		280	28.0	8.0	3.4	1.9	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1806	*Corymbia citriodora*	Spotted Gum	210		210	20.0	3.0	2.5	1.7	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1807	*Corymbia citriodora*	Spotted Gum	310		310	24.0	14.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1808	*Eucalyptus tereticornis*	Forest Red Gum	290		290	20.0	10.0	3.5	2.0	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1809	*Eucalyptus tereticornis*	Forest Red Gum	230		230	26.0	8.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1810	*Corymbia citriodora*	Spotted Gum	390		390	31.0	15.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1811	*Corymbia citriodora*	Spotted Gum	300		300	24.0	12.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1812	*Corymbia citriodora*	Spotted Gum	310		310	25.0	8.0	3.7	2.0	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1813	*Eucalyptus crebra*	Narrow-leaved Ironbark	350		350	28.0	11.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1814	*Eucalyptus crebra*	Narrow-leaved Ironbark	320		320	23.0	12.0	3.8	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1815	*Eucalyptus crebra*	Narrow-leaved Ironbark	200		200	15.0	7.0	2.4	1.7	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1816	*Corymbia citriodora*	Spotted Gum	360		360	26.0	13.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1817	*Corymbia citriodora*	Spotted Gum	320		320	22.0	14.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: PE/2025/2047/303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
1818	*Corymbia citriodora*	Spotted Gum	430		430	30.0	16.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1819	*Eucalyptus crebra*	Narrow-leaved Ironbark	210		210	14.0	8.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1820	*Corymbia citriodora*	Spotted Gum	260		260	21.0	10.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1821	*Eucalyptus crebra*	Narrow-leaved Ironbark	280		280	23.0	11.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1822	*Eucalyptus tereticornis*	Forest Red Gum	280		280	21.0	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1823	*Corymbia citriodora*	Spotted Gum	820		820	31.0	15.0	9.8	3.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Large	-	-	-	Remove	
1824	*Eucalyptus tereticornis*	Forest Red Gum	340		340	20.0	12.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1825	*Corymbia intermedia*	Pink Bloodwood	210		210	13.0	12.0	2.5	1.7	One-sided	-	-	-	Epicormic	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Remove	
1826	*Corymbia citriodora*	Spotted Gum	230		230	22.0	8.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1827	*Eucalyptus crebra*	Narrow-leaved Ironbark	210		210	14.0	8.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1828	*Eucalyptus tereticornis*	Forest Red Gum	290		290	20.0	9.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1829	*Lophostemon suaveolens*	Swamp Box	200		200	12.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1830	*Lophostemon suaveolens*	Swamp Box	210		210	8.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1831	*Eucalyptus tereticornis*	Forest Red Gum	350		350	22.0	10.0	4.2	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1832	*Lophostemon suaveolens*	Swamp Box	260		260	12.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1833	*Eucalyptus tereticornis*	Forest Red Gum	250		250	18.0	10.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1834	*Eucalyptus tereticornis*	Forest Red Gum	220		220	15.0	5.0	2.6	1.8	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1835	*Corymbia intermedia*	Pink Bloodwood	200		200	14.0	2.0	2.4	1.7	Regular	-	-	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1836	*Lophostemon suaveolens*	Swamp Box	300		300	10.0	5.0	3.6	2.0	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1837	*Petalostigma pubescens*	Quinine Bush	210		210	10.0	6.0	2.5	1.7	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1838	*Lophostemon suaveolens*	Swamp Box	220		220	12.0	7.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1839	*Corymbia intermedia*	Pink Bloodwood	220		220	15.0	6.0	2.6	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1840	*Angophora leiocarpa*	Smooth-barked Apple	320		320	15.0	11.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1841	*Eucalyptus tereticornis*	Forest Red Gum	410		410	25.0	12.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1842	*Lophostemon suaveolens*	Swamp Box	300	290, 200	463	12.0	10.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1843	*Eucalyptus tereticornis*	Forest Red Gum	240		240	18.0	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	Major	-	-	-	Typical	-	-	-	-	-	-	Retain	
1844	*Corymbia citriodora*	Spotted Gum	340		340	25.0	12.0	4.1	2.1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain	nearly dead
1845	*Lophostemon suaveolens*	Swamp Box	210		210	10.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1846	*Angophora leiocarpa*	Smooth-barked Apple	270		270	18.0	7.0	3.2	1.9	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1847	*Lophostemon suaveolens*	Swamp Box	240		240	13.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1848	*Eucalyptus tereticornis*	Forest Red Gum	230		230	19.0	8.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1849	*Lophostemon suaveolens*	Swamp Box	210		210	13.0	5.0	2.5	1.7	One-sided	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1850	*Lophostemon suaveolens*	Swamp Box	220		220	14.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1851	*Lophostemon suaveolens*	Swamp Box	240		240	11.0	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1852	*Eucalyptus siderophloia*	Grey Ironbark	360		360	24.0	9.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1853	*Corymbia citriodora*	Spotted Gum	230		230	26.0	10.0	2.8	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1854	*Lophostemon suaveolens*	Swamp Box	370		370	15.0	6.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termites	-	Remove	
1855	*Corymbia citriodora*	Spotted Gum	400		400	29.0	9.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1856	*Corymbia intermedia*	Pink Bloodwood	250		250	20.0	7.0	3.0	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1857	*Eucalyptus tereticornis*	Forest Red Gum	300		300	21.0	9.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1858	*Lophostemon suaveolens*	Swamp Box	250		250	12.0	6.0	3.0	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1859	*Lophostemon suaveolens*	Swamp Box	270		270	12.0	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: DEV2025/2047303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
1860	*Eucalyptus tereticornis*	Forest Red Gum	200		200	15.0	4.0	2.4	1.7	Regular	-	Thinning	Die-back	Epicormic	-	Poor	Minor	-	-	-	Typical	-	-	-	-	-	-	Remove	
1861	*Corymbia tessellaris*	Moreton Bay Ash	250		250	21.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1862	*Lophostemon suaveolens*	Swamp Box	270		270	12.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1863	*Eucalyptus tereticornis*	Forest Red Gum	400		400	20.0	10.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1864	*Eucalyptus tereticornis*	Forest Red Gum	520		520	22.0	11.0	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1865	*Corymbia tessellaris*	Moreton Bay Ash	200	200	283	16.0	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1866	*Corymbia citriodora*	Spotted Gum	360		360	26.0	9.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1867	*Corymbia citriodora*	Spotted Gum	360		360	27.0	10.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1868	*Eucalyptus tereticornis*	Forest Red Gum	230	170	286	16.0	8.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1869	*Corymbia citriodora*	Spotted Gum	250		250	17.0	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	fence around base
1870	*Corymbia citriodora*	Spotted Gum	470		470	20.0	15.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1871	*Eucalyptus tereticornis*	Forest Red Gum	530		530	26.0	13.0	6.4	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1872	*Corymbia citriodora*	Spotted Gum	440		440	24.0	12.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1873	*Eucalyptus crebra*	Narrow-leaved Ironbark	240		240	16.0	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1874	*Eucalyptus tereticornis*	Forest Red Gum	300		300	20.0	8.0	3.6	2.0	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1875	*Eucalyptus tereticornis*	Forest Red Gum	220	220	311	15.0	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1876	*Eucalyptus tereticornis*	Forest Red Gum	160		160	15.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1877	*Eucalyptus crebra*	Narrow-leaved Ironbark	210	200, 160	331	13.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1878	*Corymbia citriodora*	Spotted Gum	470		470	26.0	9.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1879	*Angophora leiocarpa*	Smooth-barked Apple	430		430	28.0	8.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1880	*Eucalyptus siderophloia*	Grey Ironbark	370		370	22.0	9.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1881	*Eucalyptus tereticornis*	Forest Red Gum	230		230	18.0	9.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1882	*Corymbia intermedia*	Pink Bloodwood	260		260	20.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1883	*Eucalyptus siderophloia*	Grey Ironbark	290		290	23.0	7.0	3.5	2.0	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1884	*Eucalyptus siderophloia*	Grey Ironbark	370		370	21.0	10.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1885	*Angophora leiocarpa*	Smooth-barked Apple	270		270	13.0	6.0	3.2	1.9	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1886	*Eucalyptus tereticornis*	Forest Red Gum	310		310	23.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1887	*Eucalyptus siderophloia*	Grey Ironbark	300		300	22.0	10.0	3.6	2.0	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1888	*Corymbia citriodora*	Spotted Gum	440		440	29.0	13.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1889	*Corymbia citriodora*	Spotted Gum	300		300	23.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1890	*Eucalyptus tereticornis*	Forest Red Gum	310		310	24.0	9.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1891	*Eucalyptus siderophloia*	Grey Ironbark	260		260	15.0	10.0	3.1	1.9	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1892	*Corymbia citriodora*	Spotted Gum	210		210	18.0	6.0	2.5	1.7	Regular	-	-	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1893	*Eucalyptus tereticornis*	Forest Red Gum	190		190	26.0	5.0	2.3	1.6	One-sided	-	Thinning	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1894	*Corymbia citriodora*	Spotted Gum	320		320	28.0	12.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1895	*Eucalyptus siderophloia*	Grey Ironbark	210		210	18.0	8.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1896	*Corymbia citriodora*	Spotted Gum	240		240	20.0	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1897	*Eucalyptus siderophloia*	Grey Ironbark	300		300	26.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1898	*Eucalyptus siderophloia*	Grey Ironbark	260		260	13.0	4.0	3.1	1.9	One-sided	-	-	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1899	*Eucalyptus siderophloia*	Grey Ironbark	220		220	15.0	6.0	2.6	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1900	*Eucalyptus siderophloia*	Grey Ironbark	330		330	13.0	5.0	4.0	2.1	Regular	-	-	-	-	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1901	*Eucalyptus tereticornis*	Forest Red Gum	220		220	13.0	6.0	2.6	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: DEV2025/2047303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
1902	*Alphitonia excelsa*	Soap Tree	260		260	9.0	4.0	3.1	1.9	Regular	-	Thinning	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Poor	-	-	-	-	-	-	Removed	
1903	*Corymbia citriodora*	Spotted Gum	240		240	16.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1904	*Corymbia citriodora*	Spotted Gum	340		340	22.0	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1905	*Corymbia citriodora*	Spotted Gum	250		250	21.0	9.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1906	*Eucalyptus siderophloia*	Grey Ironbark	230		230	18.0	5.0	2.8	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1907	*Corymbia citriodora*	Spotted Gum	230		230	22.0	5.0	2.8	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1908	*Corymbia citriodora*	Spotted Gum	240		240	14.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1909	*Corymbia citriodora*	Spotted Gum	290		290	22.0	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1910	*Corymbia citriodora*	Spotted Gum	330		330	22.0	6.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1911	*Corymbia citriodora*	Spotted Gum	200		200	22.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1912	*Corymbia citriodora*	Spotted Gum	210		210	14.0	5.0	2.5	1.7	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1913	*Corymbia citriodora*	Spotted Gum	310		310	22.0	9.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1914	*Corymbia citriodora*	Spotted Gum	270		270	15.0	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1915	*Corymbia citriodora*	Spotted Gum	430		430	29.0	12.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1916	*Eucalyptus moluccana*	Gum Topped Box	280		280	15.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Removed	
1917	*Corymbia citriodora*	Spotted Gum	240		240	16.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1918	*Corymbia citriodora*	Spotted Gum	230	230	325	24.0	9.0	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1919	*Eucalyptus tereticornis*	Forest Red Gum	330		330	27.0	11.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1920	*Corymbia citriodora*	Spotted Gum	290		290	24.0	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Removed	
1921	*Corymbia citriodora*	Spotted Gum	330		330	25.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1922	*Corymbia citriodora*	Spotted Gum	260		260	18.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1923	*Angophora leiocarpa*	Smooth-barked Apple	240		240	15.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1924	*Corymbia citriodora*	Spotted Gum	200		200	18.0	8.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1925	*Corymbia citriodora*	Spotted Gum	390		390	27.0	12.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1926	*Corymbia citriodora*	Spotted Gum	230		230	24.0	10.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1927	*Corymbia citriodora*	Spotted Gum	300		300	24.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1928	*Eucalyptus tereticornis*	Forest Red Gum	830		830	26.0	15.0	10.0	3.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1929	*Corymbia citriodora*	Spotted Gum	360		360	23.0	8.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1930	*Eucalyptus siderophloia*	Grey Ironbark	260		260	18.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Removed	
1931	*Eucalyptus tereticornis*	Forest Red Gum	310		310	25.0	9.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1932	*Eucalyptus tereticornis*	Forest Red Gum	310		310	24.0	9.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1933	*Eucalyptus tereticornis*	Forest Red Gum	400		400	26.0	14.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	New	-	-	-	-	Removed	
1934	*Eucalyptus crebra*	Narrow-leaved Ironbark	260		260	20.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1935	*Acacia disparrima*	Hickory Wattle	260	180	316	12.0	10.0	3.8	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1936	*Eucalyptus tereticornis*	Forest Red Gum	400		400	29.0	13.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1937	*Eucalyptus tereticornis*	Forest Red Gum	350		350	28.0	8.0	4.2	2.1	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1938	*Eucalyptus tereticornis*	Forest Red Gum	310		310	25.0	9.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1939	*Eucalyptus tereticornis*	Forest Red Gum	320		320	20.0	9.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1940	*Corymbia citriodora*	Spotted Gum	230		230	21.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1941	*Corymbia citriodora*	Spotted Gum	280		280	17.0	8.0	3.4	1.9	One-sided	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Removed	
1942	*Eucalyptus tereticornis*	Forest Red Gum	430		430	24.0	10.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1943	*Corymbia citriodora*	Spotted Gum	370		370	26.0	14.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: 1E\2025\2047303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
1944	*Eucalyptus tereticornis*	Forest Red Gum	310		310	24.0	12.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termites	-	Removed	
1945	*Corymbia citriodora*	Spotted Gum	260		260	21.0	7.0	3.1	1.9	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1946	*Corymbia citriodora*	Spotted Gum	450		450	27.0	16.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1947	*Angophora leiocarpa*	Smooth-barked Apple	220		220	17.0	8.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1948	*Eucalyptus tereticornis*	Forest Red Gum	510		510	28.0	14.0	6.1	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1949	*Corymbia intermedia*	Pink Bloodwood	260		260	18.0	8.0	3.1	1.9	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1950	*Eucalyptus tereticornis*	Forest Red Gum	500		500	25.0	14.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1951	*Corymbia citriodora*	Spotted Gum	350		350	26.0	10.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1952	*Eucalyptus tereticornis*	Forest Red Gum	260		260	16.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	Major	-	-	-	Typical	-	-	-	-	-	-	Removed	
1953	*Corymbia citriodora*	Spotted Gum	710		710	30.0	15.0	8.5	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1954	*Eucalyptus tereticornis*	Forest Red Gum	280		280	24.0	12.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1955	*Corymbia citriodora*	Spotted Gum	240		240	18.0	8.0	2.9	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1956	*Corymbia citriodora*	Spotted Gum	510		510	26.0	12.0	6.1	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1957	*Corymbia citriodora*	Spotted Gum	200		200	12.0	7.0	2.4	1.7	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1958	*Corymbia citriodora*	Spotted Gum	300		300	27.0	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1959	*Eucalyptus tereticornis*	Forest Red Gum	320		320	23.0	9.0	3.8	2.1	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1960	*Corymbia citriodora*	Spotted Gum	240		240	23.0	10.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1961	*Eucalyptus tereticornis*	Forest Red Gum	210		210	18.0	5.0	2.5	1.7	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1962	*Petalostigma pubescens*	Quinine Bush	260		260	8.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1963	*Corymbia intermedia*	Pink Bloodwood	250		250	22.0	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1964	*Corymbia citriodora*	Spotted Gum	260		260	25.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1965	*Corymbia citriodora*	Spotted Gum	320		320	23.0	10.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1966	*Corymbia citriodora*	Spotted Gum	270		270	23.0	9.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1967	*Corymbia citriodora*	Spotted Gum	230		230	21.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1968	*Eucalyptus tereticornis*	Forest Red Gum	340		340	24.0	12.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1969	*Corymbia citriodora*	Spotted Gum	250		250	25.0	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1970	*Corymbia citriodora*	Spotted Gum	240		240	25.0	10.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1971	*Corymbia citriodora*	Spotted Gum	380		380	27.0	14.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1972	*Corymbia citriodora*	Spotted Gum	210		210	22.0	9.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1973	*Corymbia citriodora*	Spotted Gum	210		210	22.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1974	*Corymbia citriodora*	Spotted Gum	480		480	29.0	12.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1975	*Corymbia citriodora*	Spotted Gum	330		330	26.0	14.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1976	*Corymbia citriodora*	Spotted Gum	310		310	23.0	16.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1977	*Eucalyptus tereticornis*	Forest Red Gum	330		330	26.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1978	*Eucalyptus tereticornis*	Forest Red Gum	360		360	27.0	13.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1979	*Eucalyptus tereticornis*	Forest Red Gum	220		220	19.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1980	*Corymbia citriodora*	Spotted Gum	300		300	24.0	11.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1981	*Corymbia citriodora*	Spotted Gum	280		280	22.0	10.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1982	*Eucalyptus siderophloia*	Grey Ironbark	320	240	400	24.0	12.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1983	*Eucalyptus crebra*	Narrow-leaved Ironbark	350		350	23.0	15.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1984	*Corymbia citriodora*	Spotted Gum	430		430	30.0	17.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1985	*Corymbia citriodora*	Spotted Gum	390		390	29.0	17.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: PE/2025/2047/303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
1986	*Corymbia citriodora*	Spotted Gum	450		450	24.0	12.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1987	*Corymbia citriodora*	Spotted Gum	240		240	16.0	7.0	2.9	1.8	Regular	-	-	-	-	-	Typical	Major	-	-	-	Typical	-	-	-	-	-	-	Removed	
1988	*Eucalyptus crebra*	Narrow-leaved Ironbark	500		500	26.0	12.0	6.0	2.5	One-sided	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Removed	
1989	*Corymbia citriodora*	Spotted Gum	240		240	16.0	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1990	*Eucalyptus tereticornis*	Forest Red Gum	550		550	26.0	8.0	6.6	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1991	*Corymbia citriodora*	Spotted Gum	230		230	19.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1992	*Corymbia citriodora*	Spotted Gum	250		250	18.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1993	*Corymbia citriodora*	Spotted Gum	220		220	23.0	5.0	2.6	1.8	One-sided	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1994	*Eucalyptus crebra*	Narrow-leaved Ironbark	240		240	21.0	6.0	2.9	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1995	*Corymbia citriodora*	Spotted Gum	240		240	18.0	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1996	*Eucalyptus crebra*	Narrow-leaved Ironbark	210		210	19.0	4.0	2.5	1.7	One-sided	-	-	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1997	*Eucalyptus crebra*	Narrow-leaved Ironbark	240		240	14.0	6.0	2.9	1.8	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
1998	*Eucalyptus crebra*	Narrow-leaved Ironbark	290		290	17.0	12.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termites	-	Removed	
1999	*Corymbia citriodora*	Spotted Gum	240		240	15.0	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2000	*Eucalyptus moluccana*	Gum Topped Box	330		330	22.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Removed	
2001	*Eucalyptus moluccana*	Gum Topped Box	480		480	31.0	11.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2002	*Corymbia citriodora*	Spotted Gum	240		240	18.0	9.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2003	*Corymbia citriodora*	Spotted Gum	410		410	23.0	8.0	4.9	2.3	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2004	*Corymbia citriodora*	Spotted Gum	250		250	21.0	7.0	3.0	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2005	*Eucalyptus moluccana*	Gum Topped Box	530		530	30.0	13.0	6.4	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2006	*Eucalyptus crebra*	Narrow-leaved Ironbark	200		200	13.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Removed	
2007	*Corymbia citriodora*	Spotted Gum	320	280	425	24.0	12.0	5.1	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2008	*Corymbia citriodora*	Spotted Gum	300		300	28.0	8.0	3.6	2.0	One-sided	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2009	*Eucalyptus moluccana*	Gum Topped Box	200		200	16.0	8.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2010	*Corymbia citriodora*	Spotted Gum	260		260	25.0	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2011	*Corymbia citriodora*	Spotted Gum	300		300	26.0	15.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2012	*Corymbia citriodora*	Spotted Gum	300		300	28.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2013	*Corymbia citriodora*	Spotted Gum	230		230	25.0	5.0	2.8	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2014	*Eucalyptus moluccana*	Gum Topped Box	360		360	29.0	12.0	4.3	2.2	Regular	-	-	-	-	-	Typical	Major	-	-	-	Typical	-	-	-	-	-	-	Removed	
2015	*Eucalyptus crebra*	Narrow-leaved Ironbark	230		230	24.0	8.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2016	*Corymbia citriodora*	Spotted Gum	260		260	17.0	9.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2017	*Corymbia citriodora*	Spotted Gum	200		200	24.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2018	*Corymbia citriodora*	Spotted Gum	210		210	22.0	8.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2019	*Corymbia citriodora*	Spotted Gum	410		410	29.0	14.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2020	*Corymbia citriodora*	Spotted Gum	360		360	26.0	15.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2021	*Corymbia citriodora*	Spotted Gum	390		390	32.0	13.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2022	*Corymbia citriodora*	Spotted Gum	370		370	28.0	11.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2023	*Eucalyptus crebra*	Narrow-leaved Ironbark	200	170	262	15.0	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2024	*Corymbia citriodora*	Spotted Gum	370		370	29.0	17.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2025	*Corymbia citriodora*	Spotted Gum	380		380	30.0	16.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2026	*Corymbia citriodora*	Spotted Gum	270		270	23.0	11.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2027	*Corymbia citriodora*	Spotted Gum	420		420	26.0	12.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: DEV2025/2047303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
2028	*Corymbia citriodora*	Spotted Gum	210		210	19.0	5.0	2.5	1.7	One-sided	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2029	*Corymbia citriodora*	Spotted Gum	330		330	31.0	15.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2030	*Eucalyptus crebra*	Narrow-leaved Ironbark	210		210	14.0	9.0	2.5	1.7	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2031	*Corymbia citriodora*	Spotted Gum	250		250	22.0	9.0	3.0	1.8	One-sided	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Removed	
2032	*Corymbia citriodora*	Spotted Gum	280		280	25.0	10.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2033	*Eucalyptus crebra*	Narrow-leaved Ironbark	200		200	21.0	8.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2034	*Corymbia citriodora*	Spotted Gum	290		290	27.0	11.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2035	*Corymbia citriodora*	Spotted Gum	240		240	16.0	8.0	2.9	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2036	*Corymbia citriodora*	Spotted Gum	210		210	15.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2037	*Corymbia citriodora*	Spotted Gum	250		250	28.0	9.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2038	*Eucalyptus crebra*	Narrow-leaved Ironbark	270		270	29.0	9.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Removed	
2039	*Eucalyptus crebra*	Narrow-leaved Ironbark	250		250	21.0	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2040	*Eucalyptus moluccana*	Gum Topped Box	220		220	22.0	9.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2041	*Corymbia citriodora*	Spotted Gum	350		350	28.0	16.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2042	*Corymbia citriodora*	Spotted Gum	200		200	15.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2043	*Corymbia citriodora*	Spotted Gum	330		330	26.0	10.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2044	*Corymbia citriodora*	Spotted Gum	250		250	26.0	5.0	3.0	1.8	Regular	-	-	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2045	*Eucalyptus moluccana*	Gum Topped Box	400		400	29.0	12.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2046	*Corymbia citriodora*	Spotted Gum	290		290	20.0	10.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2047	*Corymbia citriodora*	Spotted Gum	290		290	19.0	8.0	3.5	2.0	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2048	*Eucalyptus tereticornis*	Forest Red Gum	240		240	16.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2049	*Corymbia citriodora*	Spotted Gum	470		470	19.0	7.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2050	*Eucalyptus siderophloia*	Grey Ironbark	230		230	16.0	3.0	2.8	1.8	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2051	*Alphitonia excelsa*	Soap Tree	200		200	12.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2052	*Angophora leiocarpa*	Smooth-barked Apple	200		200	14.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2053	*Lophostemon suaveolens*	Swamp Box	430		430	16.0	7.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2054	*Corymbia citriodora*	Spotted Gum	210		210	16.0	6.0	2.5	1.7	Irregular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2055	*Eucalyptus siderophloia*	Grey Ironbark	260		260	15.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2056	*Eucalyptus crebra*	Narrow-leaved Ironbark	280		280	20.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2057	*Lophostemon suaveolens*	Swamp Box	180	210	277	12.0	4.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2058	*Corymbia citriodora*	Spotted Gum	460		460	22.0	5.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2059	*Corymbia intermedia*	Pink Bloodwood	550		550	23.0	10.0	6.6	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2060	*Corymbia tessellaris*	Moreton Bay Ash	200		200	15.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2061	*Lophostemon suaveolens*	Swamp Box	230		230	9.0	3.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2062	*Lophostemon suaveolens*	Swamp Box	290		290	10.0	4.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2063	*Lophostemon suaveolens*	Swamp Box	230		230	10.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2064	*Corymbia citriodora*	Spotted Gum	340		340	22.0	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2065	*Lophostemon suaveolens*	Swamp Box	200		200	10.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2066	*Acacia concurrens*	Black Wattle	200		200	10.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2067	*Alphitonia excelsa*	Soap Tree	220		220	10.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2068	*Corymbia intermedia*	Pink Bloodwood	210		210	16.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2069	*Corymbia citriodora*	Spotted Gum	340		340	19.0	5.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: PE/2025/2047/303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
2070	*Corymbia citriodora*	Spotted Gum	320		320	16.0	5.0	3.8	2.1	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2071	*Eucalyptus tereticornis*	Forest Red Gum	470		470	22.0	6.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2072	*Eucalyptus crebra*	Narrow-leaved Ironbark	250		250	15.0	4.0	3.0	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2073	*Eucalyptus siderophloia*	Grey Ironbark	200		200	16.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2074	*Corymbia citriodora*	Spotted Gum	210		210	14.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2075	*Eucalyptus tereticornis*	Forest Red Gum	320		320	17.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2076	*Corymbia citriodora*	Spotted Gum	260		260	17.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2077	*Corymbia citriodora*	Spotted Gum	350		350	17.0	4.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2078	*Lophostemon suaveolens*	Swamp Box	240		240	10.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2079	*Corymbia citriodora*	Spotted Gum	250		250	18.0	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2080	*Eucalyptus siderophloia*	Grey Ironbark	210		210	11.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2081	*Corymbia citriodora*	Spotted Gum	550		550	20.0	7.0	6.6	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2082	*Corymbia citriodora*	Spotted Gum	260		260	16.0	5.0	3.1	1.9	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2083	*Eucalyptus siderophloia*	Grey Ironbark	230		230	16.0	2.0	2.8	1.8	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2084	*Corymbia citriodora*	Spotted Gum	290		290	20.0	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2085	*Corymbia intermedia*	Pink Bloodwood	270		270	17.0	3.0	3.2	1.9	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2086	*Corymbia citriodora*	Spotted Gum	350		350	20.0	6.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2087	*Corymbia citriodora*	Spotted Gum	270		270	18.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2088	*Eucalyptus siderophloia*	Grey Ironbark	330		330	14.0	4.0	4.0	2.1	One-sided	-	-	-	-	-	Typical	Major	-	-	-	Typical	-	-	-	-	-	-	Remove	
2089	*Eucalyptus siderophloia*	Grey Ironbark	200		200	12.0	4.0	2.4	1.7	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2090	*Corymbia citriodora*	Spotted Gum	220	190	291	12.0	2.0	3.5	2.0	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2091	*Corymbia citriodora*	Spotted Gum	300		300	18.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2092	*Corymbia citriodora*	Spotted Gum	380		380	23.0	8.0	4.6	2.2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2093	*Corymbia citriodora*	Spotted Gum	420		420	24.0	9.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2094	*Eucalyptus siderophloia*	Grey Ironbark	230		230	14.0	4.0	2.8	1.8	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2095	*Eucalyptus siderophloia*	Grey Ironbark	200		200	14.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2096	*Corymbia citriodora*	Spotted Gum	200		200	10.0	3.0	2.4	1.7	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2097	*Eucalyptus siderophloia*	Grey Ironbark	200		200	14.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2098	*Corymbia citriodora*	Spotted Gum	290		290	18.0	4.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2099	*Corymbia citriodora*	Spotted Gum	350		350	22.0	6.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2100	*Eucalyptus siderophloia*	Grey Ironbark	580		580	22.0	4.0	7.0	2.6	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2101	*Eucalyptus siderophloia*	Grey Ironbark	350		350	18.0	4.0	4.2	2.1	Regular	-	Thinning	-	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2102	*Eucalyptus tereticornis*	Forest Red Gum	460		460	22.0	10.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2103	*Corymbia citriodora*	Spotted Gum	300		300	20.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2104	*Eucalyptus crebra*	Narrow-leaved Ironbark	530		530	23.0	7.0	6.4	2.5	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove	
2105	*Eucalyptus siderophloia*	Grey Ironbark	260		260	19.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2106	*Corymbia citriodora*	Spotted Gum	550	440	704	29.0	14.0	8.5	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2107	*Eucalyptus siderophloia*	Grey Ironbark	460		460	20.0	6.0	5.5	2.4	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2108	*Eucalyptus tereticornis*	Forest Red Gum	430		430	20.0	5.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2109	*Corymbia citriodora*	Spotted Gum	200		200	12.0	4.0	2.4	1.7	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2110	*Corymbia citriodora*	Spotted Gum	230		230	16.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2111	*Corymbia citriodora*	Spotted Gum	470		470	26.0	9.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: 1E\2025\2047303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
2112	*Eucalyptus tereticornis*	Forest Red Gum	430		430	23.0	8.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2113	*Corymbia citriodora*	Spotted Gum	200		200	17.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2114	*Corymbia citriodora*	Spotted Gum	450		450	30.0	10.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2115	*Eucalyptus siderophloia*	Grey Ironbark	350		350	18.0	7.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2116	*Eucalyptus tereticornis*	Forest Red Gum	210		210	14.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2117	*Eucalyptus tereticornis*	Forest Red Gum	250		250	14.0	3.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2118	*Corymbia citriodora*	Spotted Gum	270		270	14.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2119	*Eucalyptus moluccana*	Gum Topped Box	390		390	23.0	7.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2120	*Corymbia citriodora*	Spotted Gum	450		450	18.0	9.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2121	*Eucalyptus moluccana*	Gum Topped Box	330		330	23.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2122	*Eucalyptus moluccana*	Gum Topped Box	230		230	18.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2123	*Eucalyptus tereticornis*	Forest Red Gum	370		370	17.0	5.0	4.4	2.2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2124	*Eucalyptus tereticornis*	Forest Red Gum	310		310	19.0	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2125	*Eucalyptus crebra*	Narrow-leaved Ironbark	260		260	18.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2126	*Acacia concurrens*	Black Wattle	220		220	9.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2127	*Corymbia citriodora*	Spotted Gum	310		310	21.0	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2128	*Eucalyptus tereticornis*	Forest Red Gum	470		470	20.0	9.0	5.6	2.4	One-sided	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove	
2129	*Eucalyptus tereticornis*	Forest Red Gum	460		460	20.0	7.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2130	*Corymbia citriodora*	Spotted Gum	220		220	18.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2131	*Corymbia citriodora*	Spotted Gum	300		300	18.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2132	*Eucalyptus tereticornis*	Forest Red Gum	340		340	23.0	6.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain	
2133	*Eucalyptus tereticornis*	Forest Red Gum	360		360	18.0	7.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2134	*Eucalyptus tereticornis*	Forest Red Gum	200		200	16.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2135	*Angophora leiocarpa*	Smooth-barked Apple	270		270	17.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2136	*Angophora leiocarpa*	Smooth-barked Apple	400		400	18.0	7.0	4.8	2.3	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	Small	-	-	-	Retain	
2137	*Corymbia tessellaris*	Moreton Bay Ash	220		220	14.0	4.0	2.6	1.8	Regular	-	Thinning	-	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2138	*Lophostemon suaveolens*	Swamp Box	350		350	12.0	4.0	4.2	2.1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2139	*Lophostemon suaveolens*	Swamp Box	230		230	16.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2140	*Eucalyptus tereticornis*	Forest Red Gum	290		290	17.0	4.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2141	*Eucalyptus tereticornis*	Forest Red Gum	290		290	18.0	4.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2142	*Angophora leiocarpa*	Smooth-barked Apple	260		260	18.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2143	*Acacia concurrens*	Black Wattle	170	150	227	14.0	5.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2144	*Lophostemon suaveolens*	Swamp Box	200		200	16.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2145	*Corymbia intermedia*	Pink Bloodwood	240		240	16.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2146	*Lophostemon suaveolens*	Swamp Box	200		200	12.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2147	*Lophostemon suaveolens*	Swamp Box	200		200	14.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2148	*Lophostemon suaveolens*	Swamp Box	210		210	12.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2149	*Corymbia intermedia*	Pink Bloodwood	240		240	16.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2150	*Eucalyptus tereticornis*	Forest Red Gum	350		350	16.0	3.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2151	*Corymbia intermedia*	Pink Bloodwood	210		210	12.0	2.0	2.5	1.7	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2152	*Eucalyptus tereticornis*	Forest Red Gum	220		220	17.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2153	*Corymbia citriodora*	Spotted Gum	390		390	22.0	8.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: PE/2025/2047/303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
2154	*Angophora leiocarpa*	Smooth-barked Apple	280		280	16.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2155	*Eucalyptus tereticornis*	Forest Red Gum	260		260	18.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2156	*Lophostemon suaveolens*	Swamp Box	190	210	283	16.0	4.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2157	*Corymbia intermedia*	Pink Bloodwood	330		330	20.0	5.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2158	*Angophora leiocarpa*	Smooth-barked Apple	290		290	24.0	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2159	*Corymbia intermedia*	Pink Bloodwood	330	200, 190	430	20.0	8.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2160	*Eucalyptus tereticornis*	Forest Red Gum	490		490	26.0	10.0	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2161	*Corymbia citriodora*	Spotted Gum	240		240	16.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2162	*Lophostemon suaveolens*	Swamp Box	200		200	12.0	3.0	2.4	1.7	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2163	*Corymbia intermedia*	Pink Bloodwood	260		260	20.0	3.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2164	*Lophostemon suaveolens*	Swamp Box	260		260	16.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2165	*Eucalyptus tereticornis*	Forest Red Gum	200		200	16.0	6.0	2.4	1.7	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2166	*Lophostemon suaveolens*	Swamp Box	380		380	13.0	3.0	4.6	2.2	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2167	*Lophostemon suaveolens*	Swamp Box	180	150	234	12.0	3.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2168	*Lophostemon suaveolens*	Swamp Box	200		200	12.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2169	*Corymbia intermedia*	Pink Bloodwood	400		400	20.0	5.0	4.8	2.3	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2170	*Lophostemon suaveolens*	Swamp Box	190		190	14.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2171	*Angophora leiocarpa*	Smooth-barked Apple	370		370	18.0	8.0	4.4	2.2	One-sided	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Remove	
2172	*Lophostemon suaveolens*	Swamp Box	290		290	16.0	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2173	*Acacia disparrima*	Hickory Wattle	210		210	10.0	3.0	2.5	1.7	One-sided	-	-	-	-	-	Typical	Major	-	-	-	Typical	-	-	-	-	-	-	Remove	
2174	*Lophostemon suaveolens*	Swamp Box	270		270	12.0	4.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2175	*Lophostemon suaveolens*	Swamp Box	250		250	15.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2176	*Eucalyptus tereticornis*	Forest Red Gum	470		470	20.0	9.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2177	*Eucalyptus tereticornis*	Forest Red Gum	380		380	21.0	8.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2178	*Eucalyptus tereticornis*	Forest Red Gum	400		400	22.0	6.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2179	*Eucalyptus tereticornis*	Forest Red Gum	320		320	22.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2180	*Angophora leiocarpa*	Smooth-barked Apple	300		300	20.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2181	*Eucalyptus tereticornis*	Forest Red Gum	880		880	26.0	10.0	10.6	3.1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2182	*Corymbia citriodora*	Spotted Gum	300		300	20.0	5.0	3.6	2.0	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2183	*Lophostemon suaveolens*	Swamp Box	350		350	17.0	6.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2184	*Eucalyptus tereticornis*	Forest Red Gum	360		360	23.0	4.0	4.3	2.2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2185	*Eucalyptus tereticornis*	Forest Red Gum	330		330	18.0	5.0	4.0	2.1	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2186	*Corymbia intermedia*	Pink Bloodwood	330		330	20.0	9.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2187	*Corymbia citriodora*	Spotted Gum	270		270	22.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2188	*Lophostemon suaveolens*	Swamp Box	220		220	14.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2189	*Corymbia citriodora*	Spotted Gum	550		550	27.0	10.0	6.6	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2190	*Eucalyptus tereticornis*	Forest Red Gum	320		320	24.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2191	*Eucalyptus tereticornis*	Forest Red Gum	320		320	20.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2192	*Corymbia citriodora*	Spotted Gum	340		340	20.0	7.0	4.1	2.1	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2193	*Corymbia citriodora*	Spotted Gum	290		290	21.0	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2194	*Corymbia citriodora*	Spotted Gum	640	300	707	23.0	12.0	8.5	2.9	One-sided	-	Thinning	-	Epicormic	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	Small	-	-	-	Remove	
2195	*Eucalyptus crebra*	Narrow-leaved Ironbark	830		830	26.0	10.0	10.0	3.1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	Small	-	-	-	Remove	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: DEV2025/2047303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
2196	*Corymbia citriodora*	Spotted Gum	540		540	27.0	10.0	6.5	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2197	*Eucalyptus crebra*	Narrow-leaved Ironbark	880		880	26.0	14.0	10.6	3.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2198	*Corymbia citriodora*	Spotted Gum	200	140	244	16.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2199	*Eucalyptus crebra*	Narrow-leaved Ironbark	500		500	24.0	8.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2200	*Eucalyptus crebra*	Narrow-leaved Ironbark	400		400	20.0	9.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Removed	
2201	*Corymbia citriodora*	Spotted Gum	340		340	20.0	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2202	*Eucalyptus siderophloia*	Grey Ironbark	400		400	21.0	8.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2203	*Eucalyptus tereticornis*	Forest Red Gum	280		280	19.0	3.0	3.4	1.9	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2204	*Angophora leiocarpa*	Smooth-barked Apple	320		320	16.0	6.0	3.8	2.1	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2205	*Corymbia intermedia*	Pink Bloodwood	590		590	25.0	10.0	7.1	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2206	*Corymbia citriodora*	Spotted Gum	430		430	20.0	9.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2207	*Corymbia citriodora*	Spotted Gum	600		600	24.0	14.0	7.2	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2208	*Eucalyptus siderophloia*	Grey Ironbark	260		260	18.0	6.0	3.1	1.9	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2209	*Eucalyptus siderophloia*	Grey Ironbark	260		260	17.0	3.0	3.1	1.9	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Removed	
2210	*Angophora leiocarpa*	Smooth-barked Apple	340		340	18.0	5.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2211	*Eucalyptus siderophloia*	Grey Ironbark	330		330	18.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2212	*Corymbia citriodora*	Spotted Gum	420		420	20.0	7.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2213	*Eucalyptus tereticornis*	Forest Red Gum	400		400	20.0	5.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2214	*Eucalyptus siderophloia*	Grey Ironbark	500		500	19.0	10.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2215	*Corymbia citriodora*	Spotted Gum	260		260	8.0	3.0	3.1	1.9	Regular	-	Thinning	Die-back	Epicormic	Lopped	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2216	*Eucalyptus siderophloia*	Grey Ironbark	240		240	19.0	3.0	2.9	1.8	Regular	-	Thinning	-	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2217	*Eucalyptus siderophloia*	Grey Ironbark	270		270	18.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2218	*Angophora leiocarpa*	Smooth-barked Apple	640		640	22.0	9.0	7.7	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2219	*Eucalyptus siderophloia*	Grey Ironbark	230		230	16.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2220	*Eucalyptus tereticornis*	Forest Red Gum	230		230	19.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2221	*Eucalyptus tereticornis*	Forest Red Gum	290	320	432	18.0	7.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2222	*Corymbia citriodora*	Spotted Gum	580		580	28.0	10.0	7.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2223	*Eucalyptus tereticornis*	Forest Red Gum	240		240	17.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2224	*Eucalyptus siderophloia*	Grey Ironbark	270		270	18.0	6.0	3.2	1.9	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2225	*Eucalyptus siderophloia*	Grey Ironbark	280		280	18.0	3.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2226	*Eucalyptus siderophloia*	Grey Ironbark	210		210	15.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2227	*Eucalyptus siderophloia*	Grey Ironbark	280		280	18.0	4.0	3.4	1.9	Regular	-	Thinning	-	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2228	*Eucalyptus tereticornis*	Forest Red Gum	450		450	24.0	9.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2229	*Corymbia intermedia*	Pink Bloodwood	250	180	308	17.0	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2230	*Eucalyptus siderophloia*	Grey Ironbark	380		380	18.0	7.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2231	*Corymbia intermedia*	Pink Bloodwood	290		290	17.0	5.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2232	*Eucalyptus siderophloia*	Grey Ironbark	260	160	305	16.0	4.0	3.7	2.0	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2233	*Eucalyptus crebra*	Narrow-leaved Ironbark	320		320	18.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2234	*Corymbia citriodora*	Spotted Gum	520		520	28.0	12.0	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2235	*Eucalyptus siderophloia*	Grey Ironbark	370		370	16.0	6.0	4.4	2.2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2236	*Corymbia citriodora*	Spotted Gum	300		300	17.0	5.0	3.6	2.0	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2237	*Corymbia citriodora*	Spotted Gum	500		500	22.0	10.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: DEV2025/2047303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
2238	*Corymbia citriodora*	Spotted Gum	540		540	28.0	7.0	6.5	2.6	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2239	*Corymbia citriodora*	Spotted Gum	450		450	26.0	10.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2240	*Corymbia citriodora*	Spotted Gum	250		250	18.0	5.0	3.0	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2241	*Eucalyptus moluccana*	Gum Topped Box	540		540	29.0	9.0	6.5	2.6	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Removed	
2242	*Corymbia citriodora*	Spotted Gum	240		240	14.0	5.0	2.9	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2243	*Corymbia citriodora*	Spotted Gum	220		220	18.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2244	*Corymbia citriodora*	Spotted Gum	490		490	22.0	8.0	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2245	*Corymbia citriodora*	Spotted Gum	200		200	18.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2246	*Corymbia citriodora*	Spotted Gum	270		270	18.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2247	*Corymbia citriodora*	Spotted Gum	345		345	17.0	5.0	4.1	2.1	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2248	*Corymbia citriodora*	Spotted Gum	260		260	16.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2249	*Eucalyptus crebra*	Narrow-leaved Ironbark	240		240	18.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2250	*Eucalyptus siderophloia*	Grey Ironbark	310		310	19.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2251	*Eucalyptus moluccana*	Gum Topped Box	710		710	26.0	12.0	8.5	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2252	*Corymbia citriodora*	Spotted Gum	520		520	26.0	9.0	6.2	2.5	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2253	*Eucalyptus crebra*	Narrow-leaved Ironbark	220		220	16.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2254	*Corymbia citriodora*	Spotted Gum	350		350	18.0	8.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2255	*Eucalyptus siderophloia*	Grey Ironbark	210		210	16.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Poor	-	-	-	-	-	-	Removed	
2256	*Corymbia citriodora*	Spotted Gum	390		390	22.0	6.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2257	*Eucalyptus crebra*	Narrow-leaved Ironbark	320		320	20.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2258	*Alphitonia excelsa*	Soap Tree	200		200	9.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2259	*Corymbia intermedia*	Pink Bloodwood	330		330	16.0	5.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2260	*Eucalyptus tereticornis*	Forest Red Gum	560		560	19.0	8.0	6.7	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2261	*Corymbia citriodora*	Spotted Gum	200		200	16.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2262	*Corymbia citriodora*	Spotted Gum	470		470	18.0	5.0	5.6	2.4	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	Small	-	-	-	Removed	
2263	*Corymbia citriodora*	Spotted Gum	395		395	19.0	7.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2264	*Eucalyptus tereticornis*	Forest Red Gum	420	410	587	23.0	14.0	7.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2265	*Eucalyptus tereticornis*	Forest Red Gum	650		650	24.0	8.0	7.8	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2266	*Corymbia citriodora*	Spotted Gum	540		540	23.0	11.0	6.5	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2267	*Corymbia citriodora*	Spotted Gum	225		225	16.0	4.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - CH	
2268	*Corymbia citriodora*	Spotted Gum	305		305	17.0	5.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - CH	
2269	*Corymbia citriodora*	Spotted Gum	230		230	16.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - CH	
2270	*Corymbia citriodora*	Spotted Gum	270		270	16.0	4.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - CH	
2271	*Corymbia citriodora*	Spotted Gum	260		260	15.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - CH	
2272	*Eucalyptus tereticornis*	Forest Red Gum	310		310	17.0	5.0	3.7	2.0	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2273	*Eucalyptus siderophloia*	Grey Ironbark	380	120	398	18.0	6.0	4.8	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2274	*Eucalyptus tereticornis*	Forest Red Gum	250		250	17.0	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2275	*Acacia concurrens*	Black Wattle	250		250	11.0	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - CH	
2276	*Angophora leiocarpa*	Smooth-barked Apple	460		460	20.0	10.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - CH	
2277	*Eucalyptus tereticornis*	Forest Red Gum	195		195	16.0	4.0	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - CH	
2278	*Eucalyptus crebra*	Narrow-leaved Ironbark	240		240	17.0	3.0	2.9	1.8	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain - CH	
2279	*Eucalyptus tereticornis*	Forest Red Gum	280		280	15.0	4.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - CH	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: IDE/2025/2047/303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
2280	*Alphitonia excelsa*	Soap Tree	230		230	10.0	3.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - CH	
2281	*Acacia concurrens*	Black Wattle	400		400	10.0	4.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - CH	
2282	*Corymbia intermedia*	Pink Bloodwood	280	250, 200	425	16.0	5.0	5.1	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2283	*Eucalyptus crebra*	Narrow-leaved Ironbark	340		340	19.0	5.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2284	*Eucalyptus tereticornis*	Forest Red Gum	310		310	16.0	4.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - CH	
2285	*Angophora leiocarpa*	Smooth-barked Apple	150	240	283	14.0	3.0	3.4	1.9	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain - CH	
2286	*Eucalyptus tereticornis*	Forest Red Gum	210		210	10.0	2.0	2.5	1.7	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2287	*Corymbia citriodora*	Spotted Gum	320		320	18.0	7.0	3.8	2.1	Regular	-	Thinning	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2288	*Eucalyptus tereticornis*	Forest Red Gum	500		500	16.0	7.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2289	*Eucalyptus crebra*	Narrow-leaved Ironbark	260		260	17.0	3.0	3.1	1.9	Regular	-	Thinning	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	Termites	-	Removed	
2290	*Corymbia citriodora*	Spotted Gum	295		295	18.0	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2291	*Eucalyptus tereticornis*	Forest Red Gum	200	120	233	14.0	2.0	2.8	1.8	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2292	*Eucalyptus tereticornis*	Forest Red Gum	270		270	16.0	3.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2293	*Eucalyptus tereticornis*	Forest Red Gum	250		250	15.0	3.0	3.0	1.8	One-sided	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Removed	
2294	*Eucalyptus tereticornis*	Forest Red Gum	290		290	16.0	3.0	3.5	2.0	Regular	-	Thinning	-	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2295	*Corymbia citriodora*	Spotted Gum	255		255	18.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2296	*Eucalyptus siderophloia*	Grey Ironbark	220		220	16.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2297	*Eucalyptus siderophloia*	Grey Ironbark	460		460	19.0	4.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Poor	-	-	-	-	-	-	Removed	
2298	*Eucalyptus siderophloia*	Grey Ironbark	500		500	22.0	9.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Removed	
2299	*Eucalyptus tereticornis*	Forest Red Gum	800		800	24.0	9.0	9.6	3.0	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Removed	
2300	*Corymbia citriodora*	Spotted Gum	480		480	27.0	10.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2301	*Eucalyptus tereticornis*	Forest Red Gum	440		440	25.0	10.0	5.3	2.3	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Removed	
2302	*Corymbia citriodora*	Spotted Gum	210		210	16.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2303	*Corymbia citriodora*	Spotted Gum	370		370	22.0	5.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2304	*Corymbia citriodora*	Spotted Gum	220		220	15.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2305	*Corymbia citriodora*	Spotted Gum	320		320	18.0	3.0	3.8	2.1	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2306	*Eucalyptus tereticornis*	Forest Red Gum	560		560	16.0	8.0	6.7	2.6	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	Trunk Dmg.	-	Typical	-	Old	Small	-	-	-	Removed	
2307	*Eucalyptus tereticornis*	Forest Red Gum	410		410	20.0	4.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2308	*Corymbia tessellaris*	Moreton Bay Ash	400		400	23.0	6.0	4.8	2.3	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2309	*Corymbia citriodora*	Spotted Gum	520		520	26.0	10.0	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2310	*Corymbia citriodora*	Spotted Gum	220		220	17.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2311	*Eucalyptus crebra*	Narrow-leaved Ironbark	420		420	26.0	9.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2312	*Corymbia citriodora*	Spotted Gum	340		340	18.0	2.0	4.1	2.1	Regular	-	Thinning	Die-back	Epicormic	Lopped	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2313	*Eucalyptus siderophloia*	Grey Ironbark	245		245	16.0	4.0	2.9	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2314	*Corymbia citriodora*	Spotted Gum	215	230, 150, 100	363	17.0	5.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2315	*Corymbia citriodora*	Spotted Gum	480		480	24.0	10.0	5.8	2.4	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2316	*Eucalyptus siderophloia*	Grey Ironbark	195		195	15.0	4.0	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2317	*Eucalyptus siderophloia*	Grey Ironbark	460		460	25.0	10.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2318	*Eucalyptus siderophloia*	Grey Ironbark	280		280	19.0	2.0	3.4	1.9	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2319	*Eucalyptus siderophloia*	Grey Ironbark	255		255	16.0	3.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2320	*Corymbia citriodora*	Spotted Gum	220		220	15.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2321	*Corymbia citriodora*	Spotted Gum	215		215	16.0	4.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: 1E\2025\2047303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
2322	*Corymbia citriodora*	Spotted Gum	310		310	18.0	5.0	3.7	2.0	One-sided	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2323	*Corymbia tessellaris*	Moreton Bay Ash	260		260	17.0	3.0	3.1	1.9	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2324	*Eucalyptus crebra*	Narrow-leaved Ironbark	530		530	26.0	10.0	6.4	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2325	*Eucalyptus crebra*	Narrow-leaved Ironbark	440		440	22.0	5.0	5.3	2.3	Regular	-	Thinning	-	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2326	*Corymbia citriodora*	Spotted Gum	215		215	16.0	4.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2327	*Corymbia citriodora*	Spotted Gum	390		390	17.0	5.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2328	*Corymbia citriodora*	Spotted Gum	530		530	24.0	14.0	6.4	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2329	*Corymbia citriodora*	Spotted Gum	400		400	20.0	8.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2330	*Eucalyptus siderophloia*	Grey Ironbark	240	120	268	16.0	4.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2331	*Eucalyptus siderophloia*	Grey Ironbark	330		330	18.0	5.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2332	*Corymbia citriodora*	Spotted Gum	300		300	17.0	4.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Removed	
2333	*Eucalyptus crebra*	Narrow-leaved Ironbark	400		400	18.0	9.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2334	*Corymbia citriodora*	Spotted Gum	480		480	24.0	8.0	5.8	2.4	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2335	*Corymbia citriodora*	Spotted Gum	380		380	23.0	9.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2336	*Eucalyptus siderophloia*	Grey Ironbark	300		300	18.0	4.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2337	*Eucalyptus moluccana*	Gum Topped Box	520		520	27.0	9.0	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2338	*Eucalyptus tereticornis*	Forest Red Gum	285		285	20.0	5.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2339	*Eucalyptus siderophloia*	Grey Ironbark	240		240	17.0	3.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2340	*Eucalyptus siderophloia*	Grey Ironbark	245		245	16.0	3.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2341	*Corymbia citriodora*	Spotted Gum	195		195	10.0	2.0	2.3	1.7	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2342	*Angophora leiocarpa*	Smooth-barked Apple	450		450	24.0	9.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2343	*Eucalyptus moluccana*	Gum Topped Box	475		475	28.0	10.0	5.7	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2344	*Corymbia citriodora*	Spotted Gum	270		270	18.0	3.0	3.2	1.9	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2345	*Eucalyptus moluccana*	Gum Topped Box	540		540	26.0	8.0	6.5	2.6	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2346	*Eucalyptus moluccana*	Gum Topped Box	315		315	20.0	5.0	3.8	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2347	*Corymbia citriodora*	Spotted Gum	255		255	18.0	3.0	3.1	1.9	Regular	-	Thinning	-	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2348	*Eucalyptus moluccana*	Gum Topped Box	315		315	15.0	4.0	3.8	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2349	*Eucalyptus moluccana*	Gum Topped Box	320		320	19.0	5.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2350	*Eucalyptus moluccana*	Gum Topped Box	640		640	27.0	14.0	7.7	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2351	*Corymbia citriodora*	Spotted Gum	350		350	27.0	5.0	4.2	2.1	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2352	*Corymbia citriodora*	Spotted Gum	230		230	18.0	3.0	2.8	1.8	Regular	-	Thinning	-	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2353	*Eucalyptus crebra*	Narrow-leaved Ironbark	210		210	18.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2354	*Corymbia citriodora*	Spotted Gum	230		230	22.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2355	*Corymbia citriodora*	Spotted Gum	270		270	23.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2356	*Corymbia citriodora*	Spotted Gum	260		260	22.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2357	*Corymbia citriodora*	Spotted Gum	220		220	20.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2358	*Corymbia citriodora*	Spotted Gum	340		340	20.0	6.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2359	*Corymbia citriodora*	Spotted Gum	200		200	18.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2360	*Eucalyptus moluccana*	Gum Topped Box	330		330	23.0	9.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2361	*Corymbia citriodora*	Spotted Gum	230		230	20.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2362	*Corymbia citriodora*	Spotted Gum	230		230	14.0	4.0	2.8	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2363	*Eucalyptus siderophloia*	Grey Ironbark	385		385	21.0	4.0	4.6	2.2	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	Trunk Dmg.	-	Poor	-	-	-	-	-	-	Removed	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: DEV2025/2047303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
2364	*Corymbia citriodora*	Spotted Gum	230		230	23.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2365	*Corymbia citriodora*	Spotted Gum	265		265	21.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2366	*Corymbia citriodora*	Spotted Gum	240		240	20.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2367	*Corymbia citriodora*	Spotted Gum	280		280	23.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2368	*Corymbia citriodora*	Spotted Gum	280		280	20.0	9.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2369	*Eucalyptus moluccana*	Gum Topped Box	220		220	14.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2370	*Corymbia citriodora*	Spotted Gum	200	180, 100	287	20.0	4.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2371	*Corymbia citriodora*	Spotted Gum	200		200	21.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2372	*Corymbia citriodora*	Spotted Gum	200	180	269	20.0	4.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2373	*Corymbia citriodora*	Spotted Gum	295		295	24.0	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2374	*Corymbia citriodora*	Spotted Gum	375		375	23.0	7.0	4.5	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2375	*Eucalyptus moluccana*	Gum Topped Box	250		250	25.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2376	*Corymbia citriodora*	Spotted Gum	280		280	23.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2377	*Corymbia citriodora*	Spotted Gum	230		230	24.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2378	*Corymbia citriodora*	Spotted Gum	210		210	20.0	3.0	2.5	1.7	Regular	-	Thinning	-	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2379	*Corymbia citriodora*	Spotted Gum	220		220	20.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2380	*Corymbia citriodora*	Spotted Gum	220		220	19.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2381	*Eucalyptus siderophloia*	Grey Ironbark	255		255	24.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2382	*Corymbia citriodora*	Spotted Gum	215		215	24.0	4.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2383	*Corymbia citriodora*	Spotted Gum	260		260	17.0	4.0	3.1	1.9	One-sided	-	-	-	-	-	Typical	Major	-	-	-	Typical	-	-	-	-	-	-	Removed	
2384	*Corymbia citriodora*	Spotted Gum	200		200	17.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2385	*Corymbia citriodora*	Spotted Gum	210		210	20.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2386	*Eucalyptus siderophloia*	Grey Ironbark	250		250	20.0	3.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2387	*Eucalyptus crebra*	Narrow-leaved Ironbark	235		235	22.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2388	*Corymbia citriodora*	Spotted Gum	650		650	34.0	15.0	7.8	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2389	*Corymbia citriodora*	Spotted Gum	330		330	15.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2390	*Corymbia citriodora*	Spotted Gum	330		330	17.0	6.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2391	*Corymbia citriodora*	Spotted Gum	280		280	21.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2392	*Lophostemon suaveolens*	Swamp Box	210		210	11.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2393	*Corymbia intermedia*	Pink Bloodwood	265		265	15.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2394	*Acacia disparrima*	Hickory Wattle	250		250	10.0	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2395	*Acacia disparrima*	Hickory Wattle	260		260	11.0	4.0	3.1	1.9	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2396	*Corymbia intermedia*	Pink Bloodwood	265		265	9.0	3.0	3.2	1.9	Regular	-	-	-	-	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2397	*Lophostemon suaveolens*	Swamp Box	275		275	11.0	4.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2398	*Acacia disparrima*	Hickory Wattle	270		270	11.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2399	*Lophostemon suaveolens*	Swamp Box	285	210	354	12.0	5.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2400	*Lophostemon suaveolens*	Swamp Box	200		200	11.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2401	*Angophora floribunda*	Rough-barked Apple	365		365	18.0	6.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2402	*Acacia disparrima*	Hickory Wattle	210	150	258	13.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2403	*Corymbia intermedia*	Pink Bloodwood	200		200	16.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2404	*Angophora floribunda*	Rough-barked Apple	310		310	17.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2405	*Acacia disparrima*	Hickory Wattle	250		250	13.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: PE/2025/2047/303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
2406	*Eucalyptus tereticornis*	Forest Red Gum	630		630	26.0	12.0	7.6	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2407	*Casuarina cunninghamiana*	River Sheoak	320		320	18.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Removed	
2408	*Casuarina cunninghamiana*	River Sheoak	220		220	9.0	7.0	2.6	1.8	One-sided	-	-	-	-	-	Typical	Major	-	-	-	Typical	-	-	-	-	-	-	Removed	
2409	*Casuarina cunninghamiana*	River Sheoak	460		460	26.0	9.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2410	*Euodia elleryana*	corkwood	300		300	12.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2411	*Euodia elleryana*	corkwood	230		230	9.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2412	*Casuarina cunninghamiana*	River Sheoak	270		270	12.0	9.0	3.2	1.9	Regular	-	-	-	-	-	Typical	Major	-	-	-	Typical	-	-	-	-	-	-	Removed	
2413	*Casuarina cunninghamiana*	River Sheoak	490		490	22.0	9.0	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2414	*Acacia disparrima*	Hickory Wattle	230		230	9.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Removed	
2415	*Angophora floribunda*	Rough-barked Apple	220		220	16.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2416	*Angophora floribunda*	Rough-barked Apple	370	230	436	15.0	7.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2417	*Casuarina cunninghamiana*	River Sheoak	420		420	17.0	7.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2418	*Melaleuca viminalis*	Weeping Bottlebrush	220		220	12.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2419	*Melaleuca viminalis*	Weeping Bottlebrush	240		240	12.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2420	*Lophostemon suaveolens*	Swamp Box	280		280	14.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2421	*Casuarina cunninghamiana*	River Sheoak	250		250	21.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2422	*Casuarina cunninghamiana*	River Sheoak	240		240	20.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2423	*Casuarina cunninghamiana*	River Sheoak	220		220	18.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2424	*Casuarina cunninghamiana*	River Sheoak	400		400	24.0	9.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2425	*Casuarina cunninghamiana*	River Sheoak	460	260	528	22.0	9.0	6.3	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2426	*Casuarina cunninghamiana*	River Sheoak	420		420	23.0	9.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2427	*Casuarina cunninghamiana*	River Sheoak	420		420	19.0	9.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2428	*Casuarina cunninghamiana*	River Sheoak	270		270	18.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2429	*Casuarina cunninghamiana*	River Sheoak	360		360	19.0	7.0	4.3	2.2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2430	*Casuarina cunninghamiana*	River Sheoak	260		260	17.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2431	*Casuarina cunninghamiana*	River Sheoak	460		460	23.0	9.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2432	*Euodia elleryana*	corkwood	310		310	10.0	5.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2433	*Casuarina cunninghamiana*	River Sheoak	270		270	14.0	4.0	3.2	1.9	Regular	-	-	-	-	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2434	*Casuarina cunninghamiana*	River Sheoak	270		270	17.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2435	*Casuarina cunninghamiana*	River Sheoak	420		420	21.0	7.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2436	*Casuarina cunninghamiana*	River Sheoak	360		360	18.0	7.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2437	*Acacia disparrima*	Hickory Wattle	200	190, 150	314	13.0	7.0	3.8	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2438	*Eucalyptus tereticornis*	Forest Red Gum	265		265	16.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2439	*Eucalyptus tereticornis*	Forest Red Gum	485		485	19.0	7.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2440	*Lophostemon suaveolens*	Swamp Box	200		200	12.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2441	*Lophostemon suaveolens*	Swamp Box	220		220	12.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2442	*Lophostemon suaveolens*	Swamp Box	320		320	13.0	5.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2443	*Corymbia citriodora*	Spotted Gum	270		270	17.0	11.0	3.2	1.9	Regular	-	-	-	-	-	Typical		-		-	Typical	-	-	-	-	-	-	Removed	
2444	*Eucalyptus siderophloia*	Grey Ironbark	390		390	22.0	12.0	4.7	2.2	Regular	-	-	-	-	-	Typical		-		-	Typical	-	-	-	-	-	-	Removed	
2445	*Corymbia citriodora*	Spotted Gum	310		310	15.0	12.0	3.7	2.0	Regular	-	-	-	-	-	Typical		-		-	Typical	-	-	-	-	-	-	Removed	
2446	*Corymbia intermedia*	Pink Bloodwood	360		360	17.0	11.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2447	*Corymbia intermedia*	Pink Bloodwood	240		240	16.0	10.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: DEV2025/2047303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
2448	*Eucalyptus tereticornis*	Forest Red Gum	340		340	18.0	12.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2449	*Eucalyptus siderophloia*	Grey Ironbark	470		470	20.0	11.0	5.6	2.4	One-sided	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Removed	
2450	*Acacia leiocalyx*	Early-flowering Black Wattle	160	170, 90	250	8.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2451	*Corymbia citriodora*	Spotted Gum	190		190	17.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2452	*Corymbia citriodora*	Spotted Gum	130		130	16.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2453	*Acacia disparrima*	Hickory Wattle	140		140	6.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2454	*Corymbia citriodora*	Spotted Gum	100		100	10.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2455	*Corymbia citriodora*	Spotted Gum	130		130	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2456	*Acacia disparrima*	Hickory Wattle	110	70	130	6.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2457	*Corymbia citriodora*	Spotted Gum	200		200	15.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2458	*Corymbia citriodora*	Spotted Gum	160		160	17.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2459	*Acacia disparrima*	Hickory Wattle	100	70	122	4.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2460	*Corymbia citriodora*	Spotted Gum	270		270	19.0	11.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2461	*Acacia concurrens*	Black Wattle	130		130	5.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2462	*Corymbia citriodora*	Spotted Gum	100		100	10.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2463	*Acacia concurrens*	Black Wattle	110		110	5.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2464	*Corymbia citriodora*	Spotted Gum	340		340	23.0	10.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Removed	
2465	*Acacia concurrens*	Black Wattle	170		170	5.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2466	*Acacia concurrens*	Black Wattle	160		160	6.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2467	*Corymbia citriodora*	Spotted Gum	260		260	19.0	9.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2468	*Eucalyptus tereticornis*	Forest Red Gum	250		250	16.0	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2469	*Corymbia citriodora*	Spotted Gum	220		220	21.0	10.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2470	*Corymbia citriodora*	Spotted Gum	240		240	21.0	11.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2471	*Corymbia citriodora*	Spotted Gum	260		260	16.0	9.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2472	*Corymbia citriodora*	Spotted Gum	260		260	20.0	10.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Removed	
2473	*Eucalyptus siderophloia*	Grey Ironbark	290		290	21.0	10.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2474	*Angophora leiocarpa*	Smooth-barked Apple	280		280	18.0	10.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2475	*Eucalyptus tereticornis*	Forest Red Gum	260		260	18.0	10.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2476	*Corymbia citriodora*	Spotted Gum	220		220	19.0	10.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2477	*Eucalyptus crebra*	Narrow-leaved Ironbark	320		320	18.0	10.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Removed	
2478	*Corymbia citriodora*	Spotted Gum	170		170	18.0	9.0	2.0	1.6	One-sided	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Removed	
2479	*Corymbia intermedia*	Pink Bloodwood	160	50	168	16.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2480	*Corymbia citriodora*	Spotted Gum	460		460	21.0	14.0	5.5	2.4	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2481	*Corymbia citriodora*	Spotted Gum	280		280	21.0	10.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2482	*Corymbia citriodora*	Spotted Gum	160		160	15.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2483	*Corymbia citriodora*	Spotted Gum	140		140	6.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	Major	-	-	-	Typical	-	-	-	-	-	-	Removed	
2484	*Allocasuarina littoralis*	Black She Oak	130		130	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2485	*Allocasuarina littoralis*	Black She Oak	100		100	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2486	*Eucalyptus tereticornis*	Forest Red Gum	130		130	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2487	*Eucalyptus tereticornis*	Forest Red Gum	160		160	7.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	Major	-	-	-	Typical	-	-	-	-	-	-	Removed	
2488	*Acacia disparrima*	Hickory Wattle	130		130	5.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2489	*Eucalyptus siderophloia*	Grey Ironbark	220		220	11.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	Major	-	-	-	Typical	-	-	-	-	-	-	Removed	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: 1E\2025\2047303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
2490	*Acacia disparrima*	Hickory Wattle	140		140	9.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2491	*Corymbia citriodora*	Spotted Gum	260		260	19.0	10.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2492	*Corymbia citriodora*	Spotted Gum	260		260	16.0	9.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2493	*Acacia concurrens*	Black Wattle	150		150	5.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2494	*Acacia concurrens*	Black Wattle	150		150	5.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Removed	
2495	*Acacia leiocalyx*	Early-flowering Black Wattle	160	120	200	5.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2496	*Acacia concurrens*	Black Wattle	110		110	5.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2497	*Acacia leiocalyx*	Early-flowering Black Wattle	130		130	6.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2498	*Acacia leiocalyx*	Early-flowering Black Wattle	130	60	143	5.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2499	*Acacia leiocalyx*	Early-flowering Black Wattle	130		130	6.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2500	*Acacia leiocalyx*	Early-flowering Black Wattle	100	80	128	7.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2501	*Acacia leiocalyx*	Early-flowering Black Wattle	100		100	5.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2502	*Acacia leiocalyx*	Early-flowering Black Wattle	140		140	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2503	*Acacia leiocalyx*	Early-flowering Black Wattle	100	90	135	5.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2504	*Acacia leiocalyx*	Early-flowering Black Wattle	120		120	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2505	*Acacia leiocalyx*	Early-flowering Black Wattle	150		150	6.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2506	*Acacia leiocalyx*	Early-flowering Black Wattle	110		110	5.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2507	*Acacia leiocalyx*	Early-flowering Black Wattle	140		140	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2508	*Corymbia citriodora*	Spotted Gum	310		310	24.0	13.0	3.7	2.0	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2509	*Corymbia citriodora*	Spotted Gum	300		300	16.0	11.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2510	*Eucalyptus siderophloia*	Grey Ironbark	300		300	24.0	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2511	*Eucalyptus crebra*	Narrow-leaved Ironbark	250		250	21.0	11.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2512	*Corymbia citriodora*	Spotted Gum	290		290	17.0	9.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2513	*Corymbia citriodora*	Spotted Gum	230		230	21.0	10.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2514	*Eucalyptus crebra*	Narrow-leaved Ironbark	190		190	19.0	10.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2515	*Eucalyptus siderophloia*	Grey Ironbark	240		240	17.0	9.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2516	*Corymbia citriodora*	Spotted Gum	270		270	18.0	9.0	3.2	1.9	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2517	*Corymbia citriodora*	Spotted Gum	250		250	14.0	5.0	3.0	1.8	Regular	-	-	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2518	*Alphitonia excelsa*	Soap Tree	100		100	4.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2519	*Eucalyptus tereticornis*	Forest Red Gum	170		170	8.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2520	*Eucalyptus tereticornis*	Forest Red Gum	100	80	128	5.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2521	*Corymbia citriodora*	Spotted Gum	280		280	17.0	10.0	3.4	1.9	Regular	-	Thinning	Die-back	-	-	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Removed	
2522	*Angophora leiocarpa*	Smooth-barked Apple	100		100	5.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2523	*Acacia concurrens*	Black Wattle	220		220	7.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2524	*Acacia concurrens*	Black Wattle	250		250	6.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2525	*Eucalyptus tereticornis*	Forest Red Gum	110		110	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2526	*Acacia concurrens*	Black Wattle	170		170	6.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2527	*Corymbia citriodora*	Spotted Gum	300		300	17.0	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Removed	
2528	*Eucalyptus tereticornis*	Forest Red Gum	520		520	25.0	15.0	6.2	2.5	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	Small	-	-	Removed	
2529	*Eucalyptus tereticornis*	Forest Red Gum	120		120	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2530	*Corymbia citriodora*	Spotted Gum	270		270	17.0	10.0	3.2	1.9	Regular	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Removed	
2531	*Corymbia citriodora*	Spotted Gum	270		270	23.0	12.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: PE/2025/2047/303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
2532	*Eucalyptus carnea*	Thick-leaved Mahogany	160	150	219	15.0	6.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2533	*Eucalyptus carnea*	Thick-leaved Mahogany	220	150	266	14.0	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2534	*Eucalyptus tereticornis*	Forest Red Gum	140		140	14.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2535	*Eucalyptus carnea*	Thick-leaved Mahogany	210		210	14.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2536	*Eucalyptus carnea*	Thick-leaved Mahogany	230	130	264	14.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2537	*Eucalyptus carnea*	Thick-leaved Mahogany	230		230	13.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2538	*DEAD/STAG*		180		180	13.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2539	*DEAD/STAG*		140		140	7.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2540	*DEAD/STAG*		230		230	17.0	8.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2541	*DEAD/STAG*		100		100	5.0	3.0	2.0	1.3	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2542	*DEAD/STAG*		260		260	18.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2543	*Eucalyptus siderophloia*	Grey Ironbark	270		270	10.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2544	*Eucalyptus crebra*	Narrow-leaved Ironbark	320		320	25.0	15.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Removed	
2545	*Lophostemon suaveolens*	Swamp Box	220		220	9.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Removed	
2546	*Corymbia citriodora*	Spotted Gum	450		450	28.0	15.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2547	*Acacia concurrens*	Black Wattle	120		120	5.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2548	*Acacia concurrens*	Black Wattle	120		120	5.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2549	*Acacia concurrens*	Black Wattle	120		120	4.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2550	*Acacia leiocalyx*	Early-flowering Black Wattle	130	110, 100	197	5.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2551	*Acacia concurrens*	Black Wattle	150		150	6.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2552	*Acacia concurrens*	Black Wattle	180		180	6.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2553	*Acacia concurrens*	Black Wattle	160	140	213	5.0	4.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2554	*Eucalyptus crebra*	Narrow-leaved Ironbark	260		260	21.0	10.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2555	*Eucalyptus tereticornis*	Forest Red Gum	110		110	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2556	*Acacia concurrens*	Black Wattle	180		180	6.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2557	*Eucalyptus seeana*	Narrow-leaved Red Gum	450		450	18.0	11.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2558	*Eucalyptus crebra*	Narrow-leaved Ironbark	390		390	18.0	10.0	4.7	2.2	One-sided	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Remove	
2559	*Corymbia citriodora*	Spotted Gum	130		130	11.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2560	*Acacia concurrens*	Black Wattle	160		160	6.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2561	*Acacia concurrens*	Black Wattle	140		140	5.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2562	*Acacia leiocalyx*	Early-flowering Black Wattle	130		130	5.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2563	*Eucalyptus crebra*	Narrow-leaved Ironbark	110		110	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2564	*Eucalyptus crebra*	Narrow-leaved Ironbark	230		230	13.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2565	*Corymbia citriodora*	Spotted Gum	130		130	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2566	*Acacia concurrens*	Black Wattle	150		150	6.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2567	*Corymbia citriodora*	Spotted Gum	100		100	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2568	*Acacia concurrens*	Black Wattle	130		130	6.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2569	*Corymbia citriodora*	Spotted Gum	70		70	5.0	2.0	2.0	1.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2570	*Corymbia citriodora*	Spotted Gum	80		80	5.0	2.0	2.0	1.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2571	*Acacia leiocalyx*	Early-flowering Black Wattle	100	70	122	5.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2611	*Melaleuca viminalis*	Weeping Bottlebrush	340	160, 180	417	14.0	9.0	5.0	2.3	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Retain	
2612	*Melaleuca viminalis*	Weeping Bottlebrush	130	60	143	5.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	Major	-	-	-	Typical	-	-	-	-	-	-	Retain	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: DEV2025/2047303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
2613	*Melaleuca viminalis*	Weeping Bottlebrush	160	90, 60	193	7.0	6.0	2.3	1.7	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Retain	
2614	*Melaleuca viminalis*	Weeping Bottlebrush	110		110	5.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Retain	
2615	*Melaleuca viminalis*	Weeping Bottlebrush	120		120	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Retain	
2616	*Melaleuca viminalis*	Weeping Bottlebrush	150	120, 80, 80	223	8.0	6.0	2.7	1.8	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Retain	
2617	*Melaleuca viminalis*	Weeping Bottlebrush	180	140	228	6.0	4.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	Introduced	-	-	Typical	-	-	-	-	-	-	Retain	
2618	*Melaleuca viminalis*	Weeping Bottlebrush	150	140	205	7.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Retain	
2619	*Casuarina cunninghamiana*	River Sheoak	290		290	17.0	9.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2620	*Casuarina cunninghamiana*	River Sheoak	170		170	16.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2621	*Acacia disparrima*	Hickory Wattle	160		160	14.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Retain	
2622	*Alphitonia excelsa*	Soap Tree	170		170	14.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2623	*Casuarina cunninghamiana*	River Sheoak	400		400	24.0	10.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2624	*Melaleuca viminalis*	Weeping Bottlebrush	150	130	198	7.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	Major	-	-	-	Typical	-	-	-	-	-	-	Retain	
2625	*Casuarina cunninghamiana*	River Sheoak	300		300	19.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2631	*Casuarina cunninghamiana*	River Sheoak	360	260, 130	463	18.0	11.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2633	*Eucalyptus tereticornis*	Forest Red Gum	690		690	27.0	15.0	8.3	2.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	Old	-	-	-	-	Retain	
2634	*Eucalyptus tereticornis*	Forest Red Gum	380		380	26.0	14.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2635	*Eucalyptus tereticornis*	Forest Red Gum	320		320	23.0	10.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2636	*Corymbia tessellaris*	Moreton Bay Ash	240		240	14.0	5.0	2.9	1.8	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2637	*Corymbia tessellaris*	Moreton Bay Ash	240		240	22.0	10.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2638	*Corymbia tessellaris*	Moreton Bay Ash	140		140	13.0	8.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2639	*Eucalyptus tereticornis*	Forest Red Gum	350		350	20.0	12.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	Introduced	-	-	Typical	-	-	-	-	-	-	Retain	
2640	*Eucalyptus tereticornis*	Forest Red Gum	140		140	13.0	5.0	2.0	1.4	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2641	*Eucalyptus tereticornis*	Forest Red Gum	500		500	27.0	15.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2642	*Alphitonia excelsa*	Soap Tree	100		100	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2643	*Acacia disparrima*	Hickory Wattle	200		200	12.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2644	*Corymbia tessellaris*	Moreton Bay Ash	440		440	24.0	12.0	5.3	2.3	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Retain	
2645	*Acacia disparrima*	Hickory Wattle	290		290	16.0	8.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2646	*Angophora subvelutina*	Broad-leaved Apple	540		540	22.0	13.0	6.5	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2647	*Corymbia citriodora*	Spotted Gum	100		100	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2648	*Corymbia citriodora*	Spotted Gum	380		380	18.0	10.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2649	*Acacia concurrens*	Black Wattle	100		100	6.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	Introduced	-	-	Typical	-	-	-	-	-	-	Removed	
2650	*Eucalyptus moluccana*	Gum Topped Box	120		120	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2651	*Acacia disparrima*	Hickory Wattle	150		150	5.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2652	*Corymbia citriodora*	Spotted Gum	170		170	14.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2653	*Angophora leiocarpa*	Smooth-barked Apple	100		100	12.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2654	*Eucalyptus moluccana*	Gum Topped Box	130		130	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Removed	
2655	*Corymbia intermedia*	Pink Bloodwood	240		240	17.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2656	*Eucalyptus moluccana*	Gum Topped Box	700		700	24.0	12.0	8.4	2.8	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Removed	
2657	*Corymbia citriodora*	Spotted Gum	160		160	14.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2658	*Lophostemon suaveolens*	Swamp Box	180		180	13.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2659	*Corymbia citriodora*	Spotted Gum	200		200	16.0	8.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2660	*Eucalyptus seeana*	Narrow-leaved Red Gum	200		200	13.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: 1E\2025\2047303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
2661	*Lophostemon suaveolens*	Swamp Box	280		280	16.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2662	*Lophostemon suaveolens*	Swamp Box	180		180	13.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2663	*Corymbia citriodora*	Spotted Gum	320		320	23.0	12.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2664	*Lophostemon suaveolens*	Swamp Box	110		110	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2665	*Corymbia citriodora*	Spotted Gum	110		110	9.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2666	*Lophostemon suaveolens*	Swamp Box	100		100	7.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2667	*Eucalyptus seeana*	Narrow-leaved Red Gum	450		450	23.0	13.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2668	*Corymbia citriodora*	Spotted Gum	270		270	22.0	12.0	3.2	1.9	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2669	*Corymbia citriodora*	Spotted Gum	190		190	16.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2670	*Corymbia tessellaris*	Moreton Bay Ash	120		120	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2671	*Corymbia citriodora*	Spotted Gum	120		120	14.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2672	*Corymbia citriodora*	Spotted Gum	130		130	13.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2673	*Corymbia citriodora*	Spotted Gum	270		270	21.0	11.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2674	*Corymbia citriodora*	Spotted Gum	340		340	18.0	11.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2675	*Eucalyptus seeana*	Narrow-leaved Red Gum	270		270	18.0	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2676	*Angophora subvelutina*	Broad-leaved Apple	280		280	21.0	11.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2677	*Angophora subvelutina*	Broad-leaved Apple	150		150	15.0	7.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2678	*Angophora subvelutina*	Broad-leaved Apple	230		230	16.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2679	*Angophora subvelutina*	Broad-leaved Apple	350		350	21.0	13.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2680	*Angophora subvelutina*	Broad-leaved Apple	140		140	13.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2681	*Acacia disparrima*	Hickory Wattle	150		150	11.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2682	*Angophora subvelutina*	Broad-leaved Apple	380		380	21.0	11.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2683	*Angophora subvelutina*	Broad-leaved Apple	130		130	12.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2684	*Corymbia tessellaris*	Moreton Bay Ash	200		200	10.0	3.0	2.4	1.7	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2685	*Alphitonia excelsa*	Soap Tree	130		130	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2686	*Casuarina cunninghamiana*	River Sheoak	310		310	15.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2687	*Angophora subvelutina*	Broad-leaved Apple	120		120	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2688	*Eucalyptus seeana*	Narrow-leaved Red Gum	680		680	26.0	16.0	8.2	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2689	*Melaleuca viminalis*	Weeping Bottlebrush	120	100	156	8.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Retain	
2690	*Melaleuca viminalis*	Weeping Bottlebrush	180		180	6.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	Major	-	-	-	Typical	-	-	-	-	-	-	Retain	
2691	*Melaleuca viminalis*	Weeping Bottlebrush	130		130	6.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	Major	-	-	-	Typical	-	-	-	-	-	-	Retain	
2692	*Casuarina cunninghamiana*	River Sheoak	120		120	7.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2693	*Acacia concurrens*	Black Wattle	100		100	7.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2694	*Lophostemon suaveolens*	Swamp Box	120		120	11.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2695	*Alphitonia excelsa*	Soap Tree	120		120	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2696	*Angophora subvelutina*	Broad-leaved Apple	230		230	12.0	8.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2697	*Angophora subvelutina*	Broad-leaved Apple	300		300	18.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2698	*Alphitonia excelsa*	Soap Tree	140		140	9.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Retain	
2699	*Acacia disparrima*	Hickory Wattle	150		150	12.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2700	*Melaleuca viminalis*	Weeping Bottlebrush	120		120	6.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2701	*Angophora subvelutina*	Broad-leaved Apple	260		260	17.0	10.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2702	*Casuarina cunninghamiana*	River Sheoak	240		240	17.0	7.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: DEV2025/2047303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
2703	*Melaleuca viminalis*	Weeping Bottlebrush	110	100, 100, 100	205	6.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	Major	-	-	-	Typical	-	-	-	-	-	-	Retain	
2704	*Casuarina cunninghamiana*	River Sheoak	200		200	14.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2705	*Casuarina cunninghamiana*	River Sheoak	180		180	14.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2706	*Casuarina cunninghamiana*	River Sheoak	130		130	11.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2707	*Casuarina cunninghamiana*	River Sheoak	140		140	11.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2708	*Casuarina cunninghamiana*	River Sheoak	110		110	11.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2709	*Casuarina cunninghamiana*	River Sheoak	130		130	11.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2710	*Casuarina cunninghamiana*	River Sheoak	190		190	11.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2711	*Acacia disparrima*	Hickory Wattle	190	170	255	11.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2712	*Casuarina cunninghamiana*	River Sheoak	170		170	13.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2713	*Casuarina cunninghamiana*	River Sheoak	260		260	13.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2714	*Casuarina cunninghamiana*	River Sheoak	430		430	18.0	10.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2715	*Casuarina cunninghamiana*	River Sheoak	240		240	13.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2716	*Acacia disparrima*	Hickory Wattle	200		200	15.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2717	*Acacia disparrima*	Hickory Wattle	200		200	15.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Retain	
2718	*Angophora subvelutina*	Broad-leaved Apple	200		200	16.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2719	*Acacia disparrima*	Hickory Wattle	190	190	269	13.0	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2720	*Acacia concurrens*	Black Wattle	100		100	10.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2721	*Acacia disparrima*	Hickory Wattle	130	120	177	10.0	6.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2722	*Acacia disparrima*	Hickory Wattle	140		140	9.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	Major	-	-	-	Typical	-	-	-	-	-	-	Retain	
2723	*Acacia disparrima*	Hickory Wattle	220		220	10.0	7.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2724	*Acacia concurrens*	Black Wattle	130		130	10.0	7.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2725	*Casuarina cunninghamiana*	River Sheoak	220	210	304	16.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Retain	
2726	*Casuarina cunninghamiana*	River Sheoak	350		350	22.0	10.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2727	*Eucalyptus seeana*	Narrow-leaved Red Gum	890		890	25.0	15.0	10.7	3.2	Regular	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain	
2728	*Alphitonia excelsa*	Soap Tree	270		270	10.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Retain	
2729	*Melaleuca viminalis*	Weeping Bottlebrush	260		260	6.0	3.0	3.1	1.9	Regular	-	-	-	-	-	Typical	Major	-	-	-	Typical	-	-	-	-	-	-	Retain	
2730	*Melaleuca viminalis*	Weeping Bottlebrush	120	110	163	5.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Retain	
2731	*Casuarina cunninghamiana*	River Sheoak	150		150	7.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2732	*Casuarina cunninghamiana*	River Sheoak	260		260	15.0	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2733	*Casuarina cunninghamiana*	River Sheoak	120		120	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2734	*Melaleuca viminalis*	Weeping Bottlebrush	150	140	205	6.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2735	*Corymbia tessellaris*	Moreton Bay Ash	140		140	13.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2736	*Casuarina cunninghamiana*	River Sheoak	170		170	18.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2737	*Casuarina cunninghamiana*	River Sheoak	400		400	22.0	8.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2738	*Casuarina cunninghamiana*	River Sheoak	400		400	20.0	8.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2739	*Lophostemon suaveolens*	Swamp Box	180		180	12.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2740	*Casuarina cunninghamiana*	River Sheoak	140		140	13.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Retain	
2741	*Melaleuca viminalis*	Weeping Bottlebrush	140		140	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2742	*Casuarina cunninghamiana*	River Sheoak	390		390	21.0	9.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2743	*Casuarina cunninghamiana*	River Sheoak	160		160	7.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Retain	
2744	*Melaleuca viminalis*	Weeping Bottlebrush	160		160	8.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	Major	-	-	-	Typical	-	-	-	-	-	-	Retain	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: PE/2025/2047/303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
2745	*Melaleuca viminalis*	Weeping Bottlebrush	120	120	170	7.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2746	*Alphitonia excelsa*	Soap Tree	110		110	7.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2747	*Eucalyptus seeana*	Narrow-leaved Red Gum	410	400, 400	699	22.0	13.0	8.4	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2748	*Casuarina cunninghamiana*	River Sheoak	180	150	234	11.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2749	*Casuarina cunninghamiana*	River Sheoak	180		180	10.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2750	*Casuarina cunninghamiana*	River Sheoak	170		170	12.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2751	*Melaleuca viminalis*	Weeping Bottlebrush	120	110	163	6.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2752	*Melaleuca viminalis*	Weeping Bottlebrush	120	120	170	8.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	Major	-	-	-	Typical	-	-	-	-	-	-	Retain	
2753	*Acacia concurrens*	Black Wattle	100		100	9.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2754	*Acacia disparrima*	Hickory Wattle	220	160	272	8.0	5.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2755	*Acacia disparrima*	Hickory Wattle	180	160	241	10.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2756	*Alphitonia excelsa*	Soap Tree	160		160	10.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2757	*Acacia disparrima*	Hickory Wattle	190		190	8.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2758	*Angophora subvelutina*	Broad-leaved Apple	260		260	15.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2759	*Lophostemon suaveolens*	Swamp Box	160		160	11.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2760	*Lophostemon suaveolens*	Swamp Box	170		170	11.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2761	*Lophostemon suaveolens*	Swamp Box	110		110	10.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2762	*Lophostemon suaveolens*	Swamp Box	110		110	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2763	*Lophostemon suaveolens*	Swamp Box	170	140	220	12.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2764	*Alphitonia excelsa*	Soap Tree	130		130	9.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2765	*Lophostemon suaveolens*	Swamp Box	130		130	11.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2766	*Lophostemon suaveolens*	Swamp Box	180		180	11.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2767	*Eucalyptus tereticornis*	Forest Red Gum	200		200	16.0	9.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2768	*Eucalyptus seeana*	Narrow-leaved Red Gum	200		200	16.0	8.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2769	*Alphitonia excelsa*	Soap Tree	150		150	11.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2770	*Corymbia citriodora*	Spotted Gum	120		120	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2771	*Corymbia citriodora*	Spotted Gum	140	135	194	10.0	5.0	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2772	*Eucalyptus tereticornis*	Forest Red Gum	150	130	198	10.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2773	*Corymbia citriodora*	Spotted Gum	130	70	148	11.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2774	*Corymbia citriodora*	Spotted Gum	170	60	180	11.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2775	*Corymbia citriodora*	Spotted Gum	115		115	10.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2776	*Eucalyptus crebra*	Narrow-leaved Ironbark	215		215	13.0	5.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2777	*Eucalyptus crebra*	Narrow-leaved Ironbark	530		530	23.0	12.0	6.4	2.5	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain	
2778	*Corymbia citriodora*	Spotted Gum	165	125	207	12.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2779	*Eucalyptus tereticornis*	Forest Red Gum	100	80, 90	157	9.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2780	*Eucalyptus tereticornis*	Forest Red Gum	100	90, 90	162	10.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2781	*Corymbia citriodora*	Spotted Gum	145	140, 130	240	9.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2782	*Corymbia citriodora*	Spotted Gum	120		120	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2783	*Acacia leiocalyx*	Early-flowering Black Wattle	150	140	205	7.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2784	*Eucalyptus tereticornis*	Forest Red Gum	540		540	26.0	14.0	6.5	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2785	*Eucalyptus tereticornis*	Forest Red Gum	650		650	28.0	12.0	7.8	2.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2786	*Eucalyptus tereticornis*	Forest Red Gum	520		520	28.0	12.0	6.2	2.5	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: PE/2025/2047/303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
2787	*Eucalyptus tereticornis*	Forest Red Gum	690		690	29.0	14.0	8.3	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2788	*Corymbia intermedia*	Pink Bloodwood	600		600	28.0	14.0	7.2	2.7	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2789	*Eucalyptus tereticornis*	Forest Red Gum	600		600	24.0	4.0	7.2	2.7	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2790	*Eucalyptus tereticornis*	Forest Red Gum	470		470	20.0	12.0	5.6	2.4	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2791	*Eucalyptus tereticornis*	Forest Red Gum	280		280	18.0	11.0	3.4	1.9	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2792	*Corymbia citriodora*	Spotted Gum	240		240	17.0	9.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2793	*Eucalyptus tereticornis*	Forest Red Gum	290		290	16.0	8.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2794	*Eucalyptus crebra*	Narrow-leaved Ironbark	250		250	17.0	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2795	*Eucalyptus tereticornis*	Forest Red Gum	200		200	16.0	8.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2796	*Corymbia citriodora*	Spotted Gum	320		320	19.0	9.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2797	*Eucalyptus tereticornis*	Forest Red Gum	380		380	15.0	9.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2798	*Eucalyptus tereticornis*	Forest Red Gum	240		240	16.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2799	*Eucalyptus tereticornis*	Forest Red Gum	280		280	15.0	9.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Removed	
2800	*Eucalyptus moluccana*	Gum Topped Box	500		500	27.0	12.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2801	*Corymbia citriodora*	Spotted Gum	345		345	27.0	9.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2802	*Acacia disparrima*	Hickory Wattle	140		140	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2803	*Alphitonia excelsa*	Soap Tree	110		110	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2804	*Corymbia citriodora*	Spotted Gum	230		230	17.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2805	*Eucalyptus moluccana*	Gum Topped Box	270		270	24.0	7.0	3.2	1.9	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2806	*Alphitonia excelsa*	Soap Tree	130		130	9.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2807	*Alphitonia excelsa*	Soap Tree	220		220	11.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2808	*Alphitonia excelsa*	Soap Tree	115		115	9.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2809	*Acacia concurrens*	Black Wattle	150		150	7.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2810	*Alphitonia excelsa*	Soap Tree	120		120	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2811	*Acacia concurrens*	Black Wattle	165		165	8.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2812	*Eucalyptus crebra*	Narrow-leaved Ironbark	255		255	19.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2813	*Acacia disparrima*	Hickory Wattle	105		105	7.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2814	*Corymbia citriodora*	Spotted Gum	420		420	24.0	9.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2815	*Corymbia citriodora*	Spotted Gum	170		170	18.0	7.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2816	*Corymbia citriodora*	Spotted Gum	190		190	18.0	7.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2817	*Eucalyptus tereticornis*	Forest Red Gum	125		125	11.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Removed	
2818	*Corymbia citriodora*	Spotted Gum	130		130	15.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2819	*Allocasuarina littoralis*	Black She Oak	165		165	7.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2820	*Corymbia citriodora*	Spotted Gum	260		260	19.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2821	*Corymbia citriodora*	Spotted Gum	100		100	10.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2822	*Corymbia citriodora*	Spotted Gum	285		285	21.0	9.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2823	*Acacia concurrens*	Black Wattle	115		115	8.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2824	*Eucalyptus crebra*	Narrow-leaved Ironbark	220		220	18.0	8.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2825	*Corymbia citriodora*	Spotted Gum	165		165	16.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2826	*Corymbia citriodora*	Spotted Gum	165		165	12.0	7.0	2.0	1.6	Regular	-	-	-	-	-	Typical	Major	-	-	-	Typical	-	-	-	-	-	-	Removed	
2827	*Corymbia citriodora*	Spotted Gum	100		100	10.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2828	*Alphitonia excelsa*	Soap Tree	145		145	8.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: PE/2025/2047/303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
2829	*Corymbia citriodora*	Spotted Gum	125		125	12.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2830	*Acacia concurrens*	Black Wattle	130		130	7.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2831	*Corymbia citriodora*	Spotted Gum	275		275	17.0	6.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2832	*Eucalyptus crebra*	Narrow-leaved Ironbark	205		205	16.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2833	*Acacia concurrens*	Black Wattle	120		120	7.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2834	*Corymbia citriodora*	Spotted Gum	370		370	22.0	10.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2835	*Corymbia citriodora*	Spotted Gum	185		185	15.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2836	*Corymbia citriodora*	Spotted Gum	110		110	12.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2837	*Corymbia citriodora*	Spotted Gum	100		100	11.0	4.0	2.0	1.3	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2838	*DEAD/STAG*		295		295	19.0	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2839	*Alphitonia excelsa*	Soap Tree	130		130	8.0	3.0	2.0	1.4	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2840	*Eucalyptus tereticornis*	Forest Red Gum	285		285	17.0	6.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2841	*Corymbia citriodora*	Spotted Gum	325		325	22.0	10.0	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2842	*Acacia disparrima*	Hickory Wattle	160		160	6.0	3.0	2.0	1.5	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2843	*DEAD/STAG*		285		285	21.0	7.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2844	*Corymbia citriodora*	Spotted Gum	230		230	18.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2845	*Acacia disparrima*	Hickory Wattle	100		100	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2846	*Acacia concurrens*	Black Wattle	100		100	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2847	*Eucalyptus crebra*	Narrow-leaved Ironbark	285		285	19.0	7.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2848	*Corymbia citriodora*	Spotted Gum	120		120	14.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2849	*Acacia disparrima*	Hickory Wattle	130	130	184	8.0	3.0	2.2	1.6	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2850	*Eucalyptus tereticornis*	Forest Red Gum	285		285	19.0	7.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2851	*Alphitonia excelsa*	Soap Tree	175		175	8.0	4.0	2.1	1.6	Regular	-	Thinning	Die-back	-	-	Poor	Minor	-	Trunk Dmg.	-	Poor	-	-	-	-	-	-	Removed	
2852	*Corymbia citriodora*	Spotted Gum	235		235	23.0	9.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2853	*Corymbia citriodora*	Spotted Gum	210	130	247	17.0	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2854	*Eucalyptus tereticornis*	Forest Red Gum	140		140	12.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2855	*Eucalyptus crebra*	Narrow-leaved Ironbark	285		285	19.0	9.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2856	*Eucalyptus crebra*	Narrow-leaved Ironbark	155		155	16.0	9.0	2.0	1.5	Regular	-	-	-	-	-	Typical	Major	-	-	-	Typical	-	-	-	-	-	-	Removed	
2857	*Corymbia citriodora*	Spotted Gum	320		320	22.0	9.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2858	*Corymbia citriodora*	Spotted Gum	380		380	23.0	7.0	4.6	2.2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2859	*Acacia disparrima*	Hickory Wattle	180		180	9.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2860	*Corymbia citriodora*	Spotted Gum	415		415	21.0	12.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2861	*Corymbia citriodora*	Spotted Gum	195		195	15.0	6.0	2.3	1.7	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Removed	
2862	*Eucalyptus tereticornis*	Forest Red Gum	260		260	22.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2863	*Eucalyptus tereticornis*	Forest Red Gum	150		150	12.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2864	*Corymbia citriodora*	Spotted Gum	295		295	26.0	8.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2865	*Corymbia citriodora*	Spotted Gum	390		390	23.0	8.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2866	*Corymbia citriodora*	Spotted Gum	275		275	21.0	9.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2867	*Corymbia citriodora*	Spotted Gum	590		590	27.0	14.0	7.1	2.7	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2868	*Eucalyptus crebra*	Narrow-leaved Ironbark	245		245	15.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2869	*Corymbia citriodora*	Spotted Gum	295		295	15.0	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2870	*Acacia concurrens*	Black Wattle	120	120, 80	188	7.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: DEV2025/2047303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
2871	*Acacia concurrens*	Black Wattle	125		125	6.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2872	*Acacia concurrens*	Black Wattle	125		125	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2873	*Acacia concurrens*	Black Wattle	120		120	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2874	*Acacia concurrens*	Black Wattle	165		165	7.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2875	*Acacia concurrens*	Black Wattle	130	85	155	7.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2876	*Acacia concurrens*	Black Wattle	160	160	226	7.0	5.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2877	*Acacia concurrens*	Black Wattle	125	125	177	7.0	3.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2878	*Acacia concurrens*	Black Wattle	155	150	216	8.0	4.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2879	*Acacia concurrens*	Black Wattle	155		155	8.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2880	*Acacia concurrens*	Black Wattle	110		110	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2881	*Acacia concurrens*	Black Wattle	190		190	8.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2882	*Acacia concurrens*	Black Wattle	130		130	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2883	*Acacia concurrens*	Black Wattle	140		140	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2884	*Acacia concurrens*	Black Wattle	130		130	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2885	*Acacia concurrens*	Black Wattle	165	145	220	8.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2886	*Corymbia citriodora*	Spotted Gum	320		320	18.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2887	*Corymbia citriodora*	Spotted Gum	285		285	21.0	6.0	3.4	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2888	*Corymbia citriodora*	Spotted Gum	335		335	22.0	9.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2889	*Eucalyptus crebra*	Narrow-leaved Ironbark	380		380	21.0	9.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Removed	
2890	*Eucalyptus crebra*	Narrow-leaved Ironbark	320		320	21.0	9.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2891	*Acacia concurrens*	Black Wattle	240		240	8.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2892	*Corymbia citriodora*	Spotted Gum	165		165	11.0	2.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2893	*Eucalyptus crebra*	Narrow-leaved Ironbark	380		380	17.0	7.0	4.6	2.2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2894	*Acacia concurrens*	Black Wattle	150	140, 100, 20	229	6.0	6.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2895	*Acacia concurrens*	Black Wattle	150	120, 100, 120	248	5.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2896	*Corymbia citriodora*	Spotted Gum	285		285	18.0	8.0	3.4	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2897	*Corymbia citriodora*	Spotted Gum	245		245	17.0	8.0	2.9	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2898	*Corymbia citriodora*	Spotted Gum	310		310	19.0	6.0	3.7	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2899	*Corymbia citriodora*	Spotted Gum	310		310	18.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2900	*Eucalyptus crebra*	Narrow-leaved Ironbark	280		280	17.0	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2901	*Corymbia citriodora*	Spotted Gum	295		295	16.0	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2902	*Corymbia citriodora*	Spotted Gum	290		290	17.0	5.0	3.5	2.0	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2903	*Corymbia citriodora*	Spotted Gum	155		155	11.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2904	*Corymbia citriodora*	Spotted Gum	140		140	10.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2905	*Corymbia citriodora*	Spotted Gum	170		170	11.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2906	*Corymbia citriodora*	Spotted Gum	370		370	21.0	10.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2911	*Corymbia citriodora*	Spotted Gum	500		500	24.0	12.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Removed	
2912	*Corymbia citriodora*	Spotted Gum	365		365	21.0	8.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2913	*Angophora leiocarpa*	Smooth-barked Apple	285		285	17.0	8.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2914	*Eucalyptus tereticornis*	Forest Red Gum	145		145	9.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2915	*Eucalyptus carnea*	Thick-leaved Mahogany	320		320	15.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2916	*Eucalyptus carnea*	Thick-leaved Mahogany	240	125	271	17.0	6.0	3.2	1.9	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: DEV2025/2054/303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
2917	*Eucalyptus carnea*	Thick-leaved Mahogany	260		260	16.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2918	*Eucalyptus carnea*	Thick-leaved Mahogany	280	185	336	18.0	6.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2919	*Eucalyptus carnea*	Thick-leaved Mahogany	330	240	408	18.0	6.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2920	*Eucalyptus carnea*	Thick-leaved Mahogany	200	170	262	18.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2921	*DEAD/STAG*		255		255	17.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2922	*Eucalyptus carnea*	Thick-leaved Mahogany	240		240	17.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2923	*Eucalyptus carnea*	Thick-leaved Mahogany	265		265	18.0	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2924	*Eucalyptus tereticornis*	Forest Red Gum	175		175	17.0	3.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2925	*Eucalyptus carnea*	Thick-leaved Mahogany	165		165	16.0	6.0	2.0	1.6	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2926	*DEAD/STAG*		230		230	9.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2927	*Corymbia intermedia*	Pink Bloodwood	270		270	17.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2928	*Eucalyptus tereticornis*	Forest Red Gum	290		290	18.0	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2929	*Corymbia intermedia*	Pink Bloodwood	285	125	311	17.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2930	*Eucalyptus crebra*	Narrow-leaved Ironbark	230		230	13.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2931	*Eucalyptus tereticornis*	Forest Red Gum	200		200	15.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
2932	*Corymbia citriodora*	Spotted Gum	660		660	22.0	14.0	7.9	2.8	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove	
2933	*Acacia concurrens*	Black Wattle	190		190	7.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Remove	
2934	*Acacia concurrens*	Black Wattle	140		140	7.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2935	*Acacia concurrens*	Black Wattle	130		130	6.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2936	*Acacia concurrens*	Black Wattle	165		165	7.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2937	*Acacia concurrens*	Black Wattle	200		200	7.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2938	*Eucalyptus crebra*	Narrow-leaved Ironbark	125		125	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2939	*Acacia concurrens*	Black Wattle	120	100	156	6.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2940	*Ficus obliqua*	Small-leaved Fig	520		520	10.0	10.0	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2941	*Eucalyptus tereticornis*	Forest Red Gum	610		610	25.0	12.0	7.3	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2942	*Alphitonia excelsa*	Soap Tree	140		140	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2943	*Acacia concurrens*	Black Wattle	180		180	7.0	4.0	2.2	1.6	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2944	*Corymbia citriodora*	Spotted Gum	490		490	24.0	11.0	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2945	*Acacia concurrens*	Black Wattle	145		145	8.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2946	*Acacia concurrens*	Black Wattle	145		145	7.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2947	*Corymbia citriodora*	Spotted Gum	235		235	16.0	4.0	2.8	1.8	One-sided	-	Thinning	Die-back	-	-	Poor	Minor	-	-	-	Typical	-	-	-	-	-	-	Remove	
2948	*Eucalyptus tereticornis*	Forest Red Gum	490		490	22.0	9.0	5.9	2.5	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2949	*Acacia concurrens*	Black Wattle	220		220	7.0	5.0	2.6	1.8	Regular	-	Thinning	Die-back	-	-	Typical	Minor	-	-	-	Poor	-	-	-	-	-	-	Remove	
2950	*Eucalyptus tereticornis*	Forest Red Gum	320		320	21.0	9.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2951	*Acacia concurrens*	Black Wattle	130		130	6.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Remove	
2952	*Acacia disparrima*	Hickory Wattle	180		180	5.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2953	*Eucalyptus tereticornis*	Forest Red Gum	385		385	19.0	8.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Removed	
2954	*Acacia concurrens*	Black Wattle	150		150	7.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2955	*Acacia concurrens*	Black Wattle	140		140	6.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2956	*Acacia disparrima*	Hickory Wattle	200		200	7.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2957	*DEAD/STAG*		360		360	8.0	6.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2958	*Acacia concurrens*	Black Wattle	140		140	6.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: 1E\2025\2047303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
2959	*Acacia concurrens*	Black Wattle	125		125	5.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2960	*Acacia concurrens*	Black Wattle	145		145	7.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2961	*Acacia concurrens*	Black Wattle	130		130	6.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3025	*Melaleuca viminalis*	Weeping Bottlebrush	150	100	180	4.0	7.0	2.2	1.6	Regular	-	-	-	-	-	Typical	Major	-	-	-	Typical	-	-	-	-	-	-	Retain	
3026	*Melaleuca viminalis*	Weeping Bottlebrush	155		155	5.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	Major	-	-	-	Typical	-	-	-	-	-	-	Retain	
3027	*Eucalyptus tereticornis*	Forest Red Gum	200		200	17.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3028	*Melaleuca viminalis*	Weeping Bottlebrush	165		165	8.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3029	*Eucalyptus tereticornis*	Forest Red Gum	460		460	22.0	9.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3030	*Alphitonia excelsa*	Soap Tree	140		140	9.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3031	*Casuarina cunninghamiana*	River Sheoak	350		350	18.0	8.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3032	*Casuarina cunninghamiana*	River Sheoak	350		350	21.0	9.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3033	*Corymbia intermedia*	Pink Bloodwood	230		230	17.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3034	*Casuarina cunninghamiana*	River Sheoak	190		190	15.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3035	*Acacia disparrima*	Hickory Wattle	150		150	9.0	3.0	2.0	1.5	Regular	-	Thinning	Die-back	-	-	Poor	Minor	-	-	-	Typical	-	-	-	-	-	-	Retain	
3036	*Angophora subvelutina*	Broad-leaved Apple	630		630	26.0	14.0	7.6	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3037	*Eucalyptus tereticornis*	Forest Red Gum	540		540	26.0	12.0	6.5	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3038	*Casuarina cunninghamiana*	River Sheoak	320		320	21.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3039	*Casuarina cunninghamiana*	River Sheoak	225		225	19.0	7.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3040	*Casuarina cunninghamiana*	River Sheoak	190		190	16.0	8.0	2.3	1.6	One-sided	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Retain	
3041	*Casuarina cunninghamiana*	River Sheoak	190		190	13.0	4.0	2.3	1.6	One-sided	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3042	*Acacia concurrens*	Black Wattle	125		125	9.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3059	*Casuarina cunninghamiana*	River Sheoak	320	220, 185, 165	461	17.0	10.0	5.5	2.4	Regular	-	-	-	-	-	Typical	Major	-	-	-	Typical	-	-	-	-	-	-	Retain	
3060	*Casuarina cunninghamiana*	River Sheoak	320		320	17.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3061	*Casuarina cunninghamiana*	River Sheoak	380		380	21.0	9.0	4.6	2.2	One-sided	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Retain	
3062	*Casuarina cunninghamiana*	River Sheoak	410		410	17.0	5.0	4.9	2.3	Regular	-	-	-	-	-	Typical	Minor	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain	
3063	*Casuarina cunninghamiana*	River Sheoak	720	590	931	23.0	16.0	11.2	3.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3064	*Acacia leiocalyx*	Early-flowering Black Wattle	185		185	13.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Retain	
3065	*Eucalyptus tereticornis*	Forest Red Gum	295		295	20.0	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3066	*Angophora subvelutina*	Broad-leaved Apple	180		180	15.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3067	*Acacia disparrima*	Hickory Wattle	195		195	12.0	6.0	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3068	*Angophora subvelutina*	Broad-leaved Apple	185		185	16.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3069	*Corymbia tessellaris*	Moreton Bay Ash	155		155	13.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3070	*Angophora subvelutina*	Broad-leaved Apple	265		265	21.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3071	*Angophora subvelutina*	Broad-leaved Apple	300		300	22.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3072	*Angophora subvelutina*	Broad-leaved Apple	275		275	15.0	6.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3073	*Angophora subvelutina*	Broad-leaved Apple	245		245	16.0	7.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3074	*Eucalyptus tereticornis*	Forest Red Gum	120		120	10.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3075	*Eucalyptus tereticornis*	Forest Red Gum	195		195	17.0	3.0	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3076	*Corymbia intermedia*	Pink Bloodwood	125		125	10.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3077	*Acacia concurrens*	Black Wattle	165		165	11.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3078	*Acacia disparrima*	Hickory Wattle	170		170	13.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3079	*Eucalyptus tereticornis*	Forest Red Gum	220		220	21.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: PE/2025/2047/303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
3080	*Angophora subvelutina*	Broad-leaved Apple	185		185	15.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3081	*Angophora subvelutina*	Broad-leaved Apple	300		300	18.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3082	*Angophora subvelutina*	Broad-leaved Apple	310		310	18.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3083	*Acacia disparrima*	Hickory Wattle	165		165	10.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3084	*Eucalyptus tereticornis*	Forest Red Gum	560		560	23.0	11.0	6.7	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3085	*Acacia disparrima*	Hickory Wattle	100		100	8.0	5.0	2.0	1.3	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3086	*Casuarina cunninghamiana*	River Sheoak	470		470	22.0	10.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3087	*Acacia disparrima*	Hickory Wattle	145		145	7.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Removed	
3088	*Corymbia citriodora*	Spotted Gum	520		520	32.0	16.0	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3089	*Corymbia intermedia*	Pink Bloodwood	170	130	214	11.0	3.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3090	*Corymbia citriodora*	Spotted Gum	195		195	11.0	2.0	2.3	1.7	Regular	-	Thinning	Die-back	Epicormic	Lopped	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3091	*Alphitonia excelsa*	Soap Tree	120		120	9.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3092	*Alphitonia excelsa*	Soap Tree	110		110	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3093	*Acacia disparrima*	Hickory Wattle	150		150	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3094	*Angophora leiocarpa*	Smooth-barked Apple	100	90, 60	147	7.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3095	*Eucalyptus moluccana*	Gum Topped Box	320		320	21.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3096	*Eucalyptus crebra*	Narrow-leaved Ironbark	105		105	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3097	*Alphitonia excelsa*	Soap Tree	140		140	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3098	*Corymbia citriodora*	Spotted Gum	300		300	17.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3099	*Corymbia citriodora*	Spotted Gum	130		130	9.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3100	*Eucalyptus tereticornis*	Forest Red Gum	230		230	15.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3101	*Corymbia citriodora*	Spotted Gum	145		145	11.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3102	*Eucalyptus tereticornis*	Forest Red Gum	300		300	19.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3103	*Allocasuarina littoralis*	Black She Oak	100		100	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3104	*Lophostemon suaveolens*	Swamp Box	125		125	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3105	*Alphitonia excelsa*	Soap Tree	135		135	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3106	*Corymbia citriodora*	Spotted Gum	285		285	23.0	7.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3107	*Corymbia citriodora*	Spotted Gum	180		180	17.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3108	*Corymbia citriodora*	Spotted Gum	180		180	17.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3109	*Eucalyptus moluccana*	Gum Topped Box	320		320	19.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3110	*Allocasuarina littoralis*	Black She Oak	215		215	11.0	6.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3111	*Allocasuarina littoralis*	Black She Oak	140		140	9.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3112	*Eucalyptus tereticornis*	Forest Red Gum	130		130	9.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3113	*Corymbia citriodora*	Spotted Gum	130		130	16.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3114	*Corymbia citriodora*	Spotted Gum	160		160	15.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3115	*Acacia concurrens*	Black Wattle	120		120	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3116	*Acacia disparrima*	Hickory Wattle	140	85, 65	176	8.0	4.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3117	*Corymbia citriodora*	Spotted Gum	230		230	19.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3118	*Corymbia citriodora*	Spotted Gum	220		220	19.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3119	*Corymbia citriodora*	Spotted Gum	210		210	18.0	2.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3120	*Corymbia citriodora*	Spotted Gum	135		135	13.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3121	*Acacia concurrens*	Black Wattle	145		145	6.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: PE/2025/2047/303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
3122	*Eucalyptus tereticornis*	Forest Red Gum	120		120	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3123	*Melaleuca viminalis*	Weeping Bottlebrush	280	270, 220, 200, 185	523	9.0	12.0	6.3	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3124	*Alphitonia excelsa*	Soap Tree	145		145	8.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3125	*Angophora subvelutina*	Broad-leaved Apple	105		105	9.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3126	*Alphitonia excelsa*	Soap Tree	110		110	10.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3127	*Acacia concurrens*	Black Wattle	130		130	10.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3128	*Corymbia citriodora*	Spotted Gum	310		310	19.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3129	*Lophostemon suaveolens*	Swamp Box	265		265	12.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3130	*Lophostemon suaveolens*	Swamp Box	125		125	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3131	*Alphitonia excelsa*	Soap Tree	165		165	11.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3132	*Acacia disparrima*	Hickory Wattle	165		165	9.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Retain	
3133	*Corymbia tessellaris*	Moreton Bay Ash	220		220	19.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3134	*Eucalyptus tereticornis*	Forest Red Gum	320	260	412	21.0	8.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3135	*Acacia disparrima*	Hickory Wattle	200		200	10.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3136	*Corymbia tessellaris*	Moreton Bay Ash	185		185	17.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3137	*Alphitonia excelsa*	Soap Tree	120		120	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3138	*Corymbia citriodora*	Spotted Gum	375		375	22.0	8.0	4.5	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3139	*Lophostemon suaveolens*	Swamp Box	210		210	14.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3140	*Angophora subvelutina*	Broad-leaved Apple	420		420	21.0	12.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3141	*Corymbia tessellaris*	Moreton Bay Ash	220		220	18.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3142	*Angophora subvelutina*	Broad-leaved Apple	320		320	17.0	9.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3143	*Acacia disparrima*	Hickory Wattle	145		145	9.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3144	*Acacia concurrens*	Black Wattle	125		125	10.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3145	*Lophostemon suaveolens*	Swamp Box	240	240	339	13.0	7.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3146	*Corymbia tessellaris*	Moreton Bay Ash	125		125	13.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3147	*Corymbia intermedia*	Pink Bloodwood	200		200	15.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3148	*Acacia disparrima*	Hickory Wattle	160		160	8.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3149	*Eucalyptus tereticornis*	Forest Red Gum	320		320	23.0	9.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3150	*Eucalyptus tereticornis*	Forest Red Gum	220		220	21.0	7.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3151	*Corymbia citriodora*	Spotted Gum	180		180	15.0	7.0	2.2	1.6	Regular	-	-	-	-	-	Typical	Major	-	-	-	Typical	-	-	-	-	-	-	Retain	
3152	*Corymbia intermedia*	Pink Bloodwood	180		180	15.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3153	*Acacia concurrens*	Black Wattle	130		130	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3154	*Angophora subvelutina*	Broad-leaved Apple	210		210	12.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3155	*Eucalyptus crebra*	Narrow-leaved Ironbark	170		170	14.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3156	*Corymbia citriodora*	Spotted Gum	220		220	17.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3157	*Corymbia citriodora*	Spotted Gum	125		125	12.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3158	*Corymbia citriodora*	Spotted Gum	155		155	15.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3159	*Corymbia citriodora*	Spotted Gum	115		115	15.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3160	*Corymbia citriodora*	Spotted Gum	160		160	11.0	3.0	2.0	1.5	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3161	*Eucalyptus crebra*	Narrow-leaved Ironbark	180		180	17.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3162	*Acacia concurrens*	Black Wattle	180		180	9.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3163	*Corymbia tessellaris*	Moreton Bay Ash	185		185	16.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: DEV2025/2047303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
3164	*Corymbia citriodora*	Spotted Gum	125		125	10.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3165	*Lophostemon suaveolens*	Swamp Box	145		145	10.0	3.0	2.0	1.5	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3166	*Corymbia citriodora*	Spotted Gum	125		125	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3167	*Corymbia tessellaris*	Moreton Bay Ash	360		360	17.0	7.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3168	*Corymbia tessellaris*	Moreton Bay Ash	140		140	12.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3169	*Eucalyptus crebra*	Narrow-leaved Ironbark	185	170	251	14.0	5.0	3.0	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3170	*Angophora subvelutina*	Broad-leaved Apple	170		170	9.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain	
3171	*Eucalyptus crebra*	Narrow-leaved Ironbark	210		210	19.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3172	*Eucalyptus crebra*	Narrow-leaved Ironbark	195		195	18.0	4.0	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3173	*Angophora subvelutina*	Broad-leaved Apple	255		255	13.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3174	*Eucalyptus tereticornis*	Forest Red Gum	420		420	19.0	9.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3175	*Corymbia intermedia*	Pink Bloodwood	145		145	9.0	4.0	2.0	1.5	One-sided	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Retain	
3176	*Alphitonia excelsa*	Soap Tree	110		110	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3177	*Corymbia citriodora*	Spotted Gum	105		105	12.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3178	*Corymbia citriodora*	Spotted Gum	105		105	12.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3179	*Corymbia citriodora*	Spotted Gum	130		130	12.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3180	*Alphitonia excelsa*	Soap Tree	190		190	11.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3181	*Alphitonia excelsa*	Soap Tree	135		135	10.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3182	*Acacia disparrima*	Hickory Wattle	130		130	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3183	*Acacia concurrens*	Black Wattle	175		175	9.0	4.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3184	*Corymbia citriodora*	Spotted Gum	125		125	11.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3185	*Acacia disparrima*	Hickory Wattle	120	100	156	8.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3186	*Corymbia citriodora*	Spotted Gum	120		120	13.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3187	*Lophostemon suaveolens*	Swamp Box	180		180	11.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3188	*Corymbia citriodora*	Spotted Gum	190		190	17.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3189	*Acacia concurrens*	Black Wattle	105		105	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3190	*Acacia disparrima*	Hickory Wattle	160		160	7.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3191	*Acacia disparrima*	Hickory Wattle	150		150	7.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3192	*Lophostemon suaveolens*	Swamp Box	210	190	283	12.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3193	*Acacia concurrens*	Black Wattle	135		135	7.0	3.0	2.0	1.4	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3194	*Lophostemon suaveolens*	Swamp Box	185		185	12.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3195	*Eucalyptus crebra*	Narrow-leaved Ironbark	165	160	230	17.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3196	*Acacia disparrima*	Hickory Wattle	150		150	7.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3197	*Lophostemon suaveolens*	Swamp Box	420		420	12.0	7.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3198	*Casuarina cunninghamiana*	River Sheoak	220		220	12.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3199	*Lophostemon suaveolens*	Swamp Box	230		230	13.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3200	*Eucalyptus crebra*	Narrow-leaved Ironbark	125		125	11.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3201	*Eucalyptus tereticornis*	Forest Red Gum	585		585	26.0	12.0	7.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3202	*Lophostemon suaveolens*	Swamp Box	320		320	13.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3203	*Lophostemon suaveolens*	Swamp Box	220		220	12.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3204	*Eucalyptus crebra*	Narrow-leaved Ironbark	185		185	17.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3205	*Melaleuca viminalis*	Weeping Bottlebrush	220		220	9.0	6.0	2.6	1.8	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: PE/2025/2047/303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
3206	*Casuarina cunninghamiana*	River Sheoak	310		310	19.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3207	*Melaleuca viminalis*	Weeping Bottlebrush	350		350	9.0	7.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3208	*Melaleuca viminalis*	Weeping Bottlebrush	200	145	247	8.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3209	*Melaleuca viminalis*	Weeping Bottlebrush	170		170	7.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3210	*Melaleuca viminalis*	Weeping Bottlebrush	110	65	128	5.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3211	*Acacia disparrima*	Hickory Wattle	130		130	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3212	*Acacia disparrima*	Hickory Wattle	120		120	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3213	*Lophostemon suaveolens*	Swamp Box	125	105, 70	178	6.0	3.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3214	*Lophostemon suaveolens*	Swamp Box	170		170	9.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3215	*Acacia disparrima*	Hickory Wattle	100	90, 70	152	9.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3216	*Corymbia tessellaris*	Moreton Bay Ash	230		230	17.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3217	*Lophostemon suaveolens*	Swamp Box	340		340	17.0	9.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3218	*Lophostemon suaveolens*	Swamp Box	155		155	10.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3219	*Eucalyptus crebra*	Narrow-leaved Ironbark	310		310	18.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3220	*Lophostemon suaveolens*	Swamp Box	460		460	17.0	9.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3221	*Lophostemon suaveolens*	Swamp Box	125		125	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3222	*Lophostemon suaveolens*	Swamp Box	120		120	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3223	*Lophostemon suaveolens*	Swamp Box	125		125	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3224	*Lophostemon suaveolens*	Swamp Box	150		150	11.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3225	*Lophostemon suaveolens*	Swamp Box	205		205	12.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3226	*Acacia disparrima*	Hickory Wattle	155		155	8.0	2.0	2.0	1.5	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3227	*Casuarina cunninghamiana*	River Sheoak	300		300	17.0	9.0	3.6	2.0	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Retain	
3228	*Eucalyptus tereticornis*	Forest Red Gum	120		120	11.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3229	*Acacia concurrens*	Black Wattle	145		145	12.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Retain	
3230	*Casuarina cunninghamiana*	River Sheoak	220		220	17.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3231	*Eucalyptus tereticornis*	Forest Red Gum	120		120	14.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3232	*Casuarina cunninghamiana*	River Sheoak	365		365	17.0	10.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3233	*Alphitonia excelsa*	Soap Tree	110		110	9.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3234	*Acacia disparrima*	Hickory Wattle	160		160	10.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3235	*Corymbia tessellaris*	Moreton Bay Ash	320		320	23.0	9.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3236	*Acacia disparrima*	Hickory Wattle	165		165	10.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3237	*Lophostemon suaveolens*	Swamp Box	130		130	9.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3238	*Angophora subvelutina*	Broad-leaved Apple	540		540	21.0	12.0	6.5	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3239	*Acacia disparrima*	Hickory Wattle	135		135	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3240	*Lophostemon suaveolens*	Swamp Box	320		320	14.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3241	*Acacia concurrens*	Black Wattle	145		145	9.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3242	*Lophostemon suaveolens*	Swamp Box	220		220	12.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3243	*Corymbia intermedia*	Pink Bloodwood	230		230	15.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3244	*Lophostemon suaveolens*	Swamp Box	120		120	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3245	*Angophora subvelutina*	Broad-leaved Apple	420	380	566	22.0	14.0	6.8	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3246	*Corymbia intermedia*	Pink Bloodwood	280		280	21.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3247	*Alphitonia excelsa*	Soap Tree	125		125	9.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: PE/2025/2047/303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
3248	*Eucalyptus crebra*	Narrow-leaved Ironbark	295		295	18.0	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3249	*Acacia disparrima*	Hickory Wattle	165		165	11.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3250	*Lophostemon suaveolens*	Swamp Box	185		185	12.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3251	*Corymbia tessellaris*	Moreton Bay Ash	220		220	16.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3252	*Acacia disparrima*	Hickory Wattle	165	145, 120	250	10.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3253	*Acacia disparrima*	Hickory Wattle	185		185	7.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3254	*Acacia disparrima*	Hickory Wattle	165	125, 100	230	8.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3255	*Lophostemon suaveolens*	Swamp Box	220		220	12.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3256	*Alphitonia excelsa*	Soap Tree	145		145	7.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3257	*Eucalyptus tereticornis*	Forest Red Gum	135		135	11.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3258	*Corymbia intermedia*	Pink Bloodwood	330		330	21.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3259	*Corymbia tessellaris*	Moreton Bay Ash	190		190	13.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3260	*Acacia concurrens*	Black Wattle	125		125	7.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3261	*Acacia disparrima*	Hickory Wattle	145		145	7.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Retain	
3262	*Lophostemon suaveolens*	Swamp Box	120		120	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3263	*Eucalyptus tereticornis*	Forest Red Gum	420		420	23.0	9.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3264	*Lophostemon suaveolens*	Swamp Box	230		230	13.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3265	*Lophostemon suaveolens*	Swamp Box	230		230	16.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3266	*Lophostemon suaveolens*	Swamp Box	220		220	16.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3267	*Corymbia tessellaris*	Moreton Bay Ash	245		245	19.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3268	*Corymbia citriodora*	Spotted Gum	300	200	361	17.0	11.0	4.3	2.2	One-sided	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Removed	
3269	*Corymbia citriodora*	Spotted Gum	300	200	361	17.0	11.0	4.3	2.2	One-sided	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Removed	
3270	*Acacia disparrima*	Hickory Wattle	100	80	128	8.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3271	*Eucalyptus crebra*	Narrow-leaved Ironbark	260		260	16.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3272	*Acacia concurrens*	Black Wattle	165		165	8.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3273	*Lophostemon suaveolens*	Swamp Box	105		105	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3274	*Eucalyptus tereticornis*	Forest Red Gum	255		255	18.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3275	*Acacia concurrens*	Black Wattle	130		130	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3276	*Acacia concurrens*	Black Wattle	120		120	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3277	*Lophostemon suaveolens*	Swamp Box	100	90	135	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3278	*Lophostemon suaveolens*	Swamp Box	280		280	17.0	4.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3279	*Eucalyptus tereticornis*	Forest Red Gum	460		460	18.0	7.0	5.5	2.4	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3280	*Melaleuca viminalis*	Weeping Bottlebrush	200		200	11.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3281	*Melaleuca viminalis*	Weeping Bottlebrush	200		200	10.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	Major	-	-	-	Typical	-	-	-	-	-	-	Removed	
3282	*Allocasuarina littoralis*	Black She Oak	260	230	347	14.0	6.0	4.2	2.1	Irregular	-	-	-	-	-	Typical	Major	-	-	-	Typical	-	-	-	-	-	-	Removed	
3283	*Melaleuca viminalis*	Weeping Bottlebrush	220		220	5.0	2.0	2.6	1.8	Regular	-	-	-	-	-	Typical	Major	-	-	-	Typical	-	-	-	-	-	-	Removed	
3284	*Allocasuarina littoralis*	Black She Oak	280	280	396	19.0	7.0	4.8	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3285	*Allocasuarina littoralis*	Black She Oak	240	90, 110, 90, 200	355	20.0	5.0	4.3	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3286	*Allocasuarina littoralis*	Black She Oak	210		210	23.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3287	*Allocasuarina littoralis*	Black She Oak	730		730	23.0	8.0	8.8	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3288	*Lophostemon suaveolens*	Swamp Box	310		310	12.0	4.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3289	*Allocasuarina littoralis*	Black She Oak	470		470	24.0	10.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: PE/2025/2047/303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
3290	*Lophostemon suaveolens*	Swamp Box	270		270	10.0	4.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3291	*Allocasuarina littoralis*	Black She Oak	240	290	376	20.0	10.0	4.5	2.2	Irregular	-	-	-	-	-	Typical	Major	-	-	-	Typical	-	-	-	-	-	-	Removed	
3292	*Melaleuca viminalis*	Weeping Bottlebrush	210	200	290	10.0	8.0	3.5	2.0	Irregular	-	-	-	-	-	Typical	Major	-	-	-	Typical	-	-	-	-	-	-	Removed	
3293	*Eucalyptus tereticornis*	Forest Red Gum	480		480	27.0	9.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3294	*Corymbia tessellaris*	Moreton Bay Ash	460		460	25.0	9.0	5.5	2.4	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3295	*Corymbia tessellaris*	Moreton Bay Ash	540		540	26.0	12.0	6.5	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3296	*Casuarina cunninghamiana*	River Sheoak	470		470	23.0	6.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3297	*Casuarina cunninghamiana*	River Sheoak	440		440	18.0	6.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3298	*Eucalyptus tereticornis*	Forest Red Gum	690		690	32.0	12.0	8.3	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3299	*Casuarina cunninghamiana*	River Sheoak	480		480	23.0	9.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3300	*Angophora subvelutina*	Broad-leaved Apple	630		630	27.0	12.0	7.6	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3301	*Angophora subvelutina*	Broad-leaved Apple	660		660	26.0	12.0	7.9	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3302	*Eucalyptus tereticornis*	Forest Red Gum	590		590	26.0	11.0	7.1	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3303	*Angophora subvelutina*	Broad-leaved Apple	750		750	28.0	14.0	9.0	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3304	*Angophora subvelutina*	Broad-leaved Apple	390		390	23.0	8.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3305	*Eucalyptus tereticornis*	Forest Red Gum	490		490	25.0	12.0	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3306	*DEAD/STAG*		1250		1250	12.0	1.0	15.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Large	-	-	High	Removed	
3307	*Eucalyptus tereticornis*	Forest Red Gum	370		370	22.0	8.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3311	*Eucalyptus tereticornis*	Forest Red Gum	650		650	27.0	14.0	7.8	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3312	*Eucalyptus tereticornis*	Forest Red Gum	510		510	23.0	9.0	6.1	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3313	*Corymbia tessellaris*	Moreton Bay Ash	210		210	17.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3314	*Angophora subvelutina*	Broad-leaved Apple	280		280	17.0	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3315	*Angophora subvelutina*	Broad-leaved Apple	480		480	25.0	14.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3316	*Casuarina cunninghamiana*	River Sheoak	210		210	18.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3317	*Lophostemon suaveolens*	Swamp Box	310		310	14.0	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3318	*Lophostemon suaveolens*	Swamp Box	220		220	8.0	2.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3319	*Corymbia citriodora*	Spotted Gum	310		310	19.0	2.0	3.7	2.0	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3320	*Casuarina cunninghamiana*	River Sheoak	280		280	17.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3321	*Casuarina cunninghamiana*	River Sheoak	280		280	14.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3322	*Casuarina cunninghamiana*	River Sheoak	220		220	13.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	Major	-	-	-	Typical	-	-	-	-	-	-	Removed	
3323	*Melaleuca viminalis*	Weeping Bottlebrush	200		200	8.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3324	*Eucalyptus tereticornis*	Forest Red Gum	610		610	29.0	11.0	7.3	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3325	*Acacia concurrens*	Black Wattle	170		170	9.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3326	*Eucalyptus tereticornis*	Forest Red Gum	640		640	20.0	8.0	7.7	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3327	*Eucalyptus tereticornis*	Forest Red Gum	530		530	21.0	9.0	6.4	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3352	*Corymbia citriodora*	Spotted Gum	500		500	20.0	8.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3353	*Corymbia citriodora*	Spotted Gum	210		210	12.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3354	*Corymbia citriodora*	Spotted Gum	340		340	22.0	9.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3355	*Corymbia citriodora*	Spotted Gum	170		170	15.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3356	*Corymbia citriodora*	Spotted Gum	230		230	15.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3357	*Corymbia citriodora*	Spotted Gum	220	140	261	16.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3358	*Corymbia citriodora*	Spotted Gum	130		130	11.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: 1E\2025\2047303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
3359	*Corymbia citriodora*	Spotted Gum	250		250	17.0	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3360	*Corymbia citriodora*	Spotted Gum	130		130	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3361	*Corymbia tessellaris*	Moreton Bay Ash	110		110	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3362	*Corymbia citriodora*	Spotted Gum	200		200	16.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3363	*Corymbia citriodora*	Spotted Gum	270		270	19.0	9.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3364	*Corymbia tessellaris*	Moreton Bay Ash	160	160	226	15.0	6.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3365	*Eucalyptus tereticornis*	Forest Red Gum	220		220	17.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3366	*Eucalyptus tereticornis*	Forest Red Gum	160		160	13.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3367	*Corymbia tessellaris*	Moreton Bay Ash	170		170	14.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3368	*Corymbia citriodora*	Spotted Gum	290		290	19.0	9.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3369	*Eucalyptus crebra*	Narrow-leaved Ironbark	200		200	15.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3370	*Corymbia citriodora*	Spotted Gum	150	140, 110, 110, 100	276	15.0	7.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3371	*Corymbia tessellaris*	Moreton Bay Ash	230		230	18.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3372	*Corymbia citriodora*	Spotted Gum	320		320	19.0	9.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3373	*Corymbia citriodora*	Spotted Gum	230		230	18.0	9.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3374	*Corymbia citriodora*	Spotted Gum	570	220	611	20.0	11.0	7.3	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3375	*Eucalyptus crebra*	Narrow-leaved Ironbark	270		270	16.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3376	*Corymbia citriodora*	Spotted Gum	120		120	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3377	*Corymbia citriodora*	Spotted Gum	270		270	18.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3378	*Corymbia citriodora*	Spotted Gum	230		230	16.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3379	*Corymbia citriodora*	Spotted Gum	220		220	18.0	8.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3380	*Corymbia citriodora*	Spotted Gum	110		110	11.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3381	*Corymbia citriodora*	Spotted Gum	230		230	16.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3382	*Corymbia citriodora*	Spotted Gum	330		330	19.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3383	*Corymbia citriodora*	Spotted Gum	160		160	14.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3384	*Corymbia citriodora*	Spotted Gum	110		110	7.0	2.0	2.0	1.3	Regular	-	Thinning	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3385	*Corymbia citriodora*	Spotted Gum	250		250	16.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3386	*Corymbia citriodora*	Spotted Gum	120		120	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3387	*Corymbia citriodora*	Spotted Gum	140		140	13.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3388	*Corymbia citriodora*	Spotted Gum	300		300	19.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3389	*Corymbia citriodora*	Spotted Gum	150		150	10.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3390	*Corymbia citriodora*	Spotted Gum	200		200	11.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3391	*Corymbia citriodora*	Spotted Gum	330		330	20.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3392	*Corymbia citriodora*	Spotted Gum	250		250	20.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3393	*Corymbia citriodora*	Spotted Gum	180		180	15.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3394	*Corymbia citriodora*	Spotted Gum	130		130	9.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3395	*Corymbia citriodora*	Spotted Gum	450		450	22.0	10.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3396	*Lophostemon suaveolens*	Swamp Box	140		140	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3397	*Corymbia citriodora*	Spotted Gum	100		100	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3398	*Corymbia citriodora*	Spotted Gum	160		160	12.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3399	*Eucalyptus crebra*	Narrow-leaved Ironbark	130		130	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3400	*Eucalyptus crebra*	Narrow-leaved Ironbark	100		100	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: DEV2025/2047303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
3401	*Eucalyptus crebra*	Narrow-leaved Ironbark	280		280	17.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3402	*Eucalyptus crebra*	Narrow-leaved Ironbark	200		200	15.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3403	*Corymbia citriodora*	Spotted Gum	100		100	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3404	*Corymbia citriodora*	Spotted Gum	180		180	10.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3405	*Corymbia citriodora*	Spotted Gum	300		300	22.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3406	*Corymbia citriodora*	Spotted Gum	110		110	14.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3407	*Alphitonia excelsa*	Soap Tree	130		130	7.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3408	*Corymbia citriodora*	Spotted Gum	400		400	19.0	7.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3409	*Corymbia citriodora*	Spotted Gum	200	180	269	18.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3410	*Corymbia citriodora*	Spotted Gum	100		100	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3411	*Corymbia citriodora*	Spotted Gum	250		250	17.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3412	*Eucalyptus tereticornis*	Forest Red Gum	200		200	15.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3413	*Eucalyptus tereticornis*	Forest Red Gum	220		220	17.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3414	*Corymbia citriodora*	Spotted Gum	190		190	19.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3415	*Eucalyptus tereticornis*	Forest Red Gum	250		250	19.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3416	*Corymbia citriodora*	Spotted Gum	200		200	14.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3417	*Corymbia citriodora*	Spotted Gum	160		160	15.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3418	*Alphitonia excelsa*	Soap Tree	140		140	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3419	*Corymbia citriodora*	Spotted Gum	130		130	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3420	*Corymbia citriodora*	Spotted Gum	400		400	21.0	10.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3421	*Corymbia citriodora*	Spotted Gum	200		200	17.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3422	*Eucalyptus crebra*	Narrow-leaved Ironbark	190		190	17.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3423	*Corymbia tessellaris*	Moreton Bay Ash	150		150	15.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3424	*Corymbia tessellaris*	Moreton Bay Ash	140		140	14.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3425	*Alphitonia excelsa*	Soap Tree	160		160	9.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3426	*Lophostemon suaveolens*	Swamp Box	270		270	10.0	4.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3427	*Eucalyptus tereticornis*	Forest Red Gum	170	80	188	9.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3428	*Acacia disparrima*	Hickory Wattle	150	130	198	9.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3429	*Eucalyptus tereticornis*	Forest Red Gum	180		180	10.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3430	*Eucalyptus crebra*	Narrow-leaved Ironbark	300		300	18.0	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3431	*Eucalyptus crebra*	Narrow-leaved Ironbark	320		320	19.0	10.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3432	*Eucalyptus crebra*	Narrow-leaved Ironbark	190	80	206	14.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3433	*Eucalyptus tereticornis*	Forest Red Gum	300		300	18.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3434	*Eucalyptus tereticornis*	Forest Red Gum	270		270	17.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3435	*Eucalyptus crebra*	Narrow-leaved Ironbark	230		230	17.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3436	*Acacia disparrima*	Hickory Wattle	180	110, 100	233	9.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3437	*Corymbia tessellaris*	Moreton Bay Ash	230		230	17.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3438	*Corymbia intermedia*	Pink Bloodwood	250		250	18.0	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3439	*Allocasuarina littoralis*	Black She Oak	200	160	256	9.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3440	*Corymbia citriodora*	Spotted Gum	280		280	16.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3441	*Eucalyptus crebra*	Narrow-leaved Ironbark	180		180	14.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3442	*Eucalyptus tereticornis*	Forest Red Gum	300		300	16.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: PE/2025/2047/303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
3443	*Corymbia citriodora*	Spotted Gum	190		190	16.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3444	*Corymbia citriodora*	Spotted Gum	210	160, 90	279	17.0	6.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3445	*Corymbia citriodora*	Spotted Gum	260		260	14.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3446	*Eucalyptus crebra*	Narrow-leaved Ironbark	240		240	16.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Poor	-	-	-	-	-	-	Removed	
3447	*Corymbia citriodora*	Spotted Gum	220		220	17.0	7.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3448	*Corymbia citriodora*	Spotted Gum	200		200	17.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3449	*Acacia disparrima*	Hickory Wattle	170		170	7.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3450	*Corymbia citriodora*	Spotted Gum	270		270	15.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3451	*Corymbia citriodora*	Spotted Gum	250		250	16.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3452	*Corymbia citriodora*	Spotted Gum	390		390	18.0	8.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3453	*Eucalyptus tereticornis*	Forest Red Gum	260		260	16.0	3.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3454	*Eucalyptus tereticornis*	Forest Red Gum	290		290	16.0	5.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3455	*Eucalyptus tereticornis*	Forest Red Gum	290		290	18.0	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3456	*Corymbia citriodora*	Spotted Gum	260		260	16.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3457	*Corymbia citriodora*	Spotted Gum	230		230	15.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3458	*Corymbia intermedia*	Pink Bloodwood	330		330	18.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3459	*Lophostemon suaveolens*	Swamp Box	270		270	14.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3460	*Corymbia intermedia*	Pink Bloodwood	260		260	16.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3461	*Eucalyptus tereticornis*	Forest Red Gum	420		420	19.0	9.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3462	*Corymbia intermedia*	Pink Bloodwood	300		300	16.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3463	*Corymbia intermedia*	Pink Bloodwood	280		280	17.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3464	*Corymbia intermedia*	Pink Bloodwood	450		450	18.0	9.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3465	*Angophora leiocarpa*	Smooth-barked Apple	360		360	14.0	9.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3466	*Eucalyptus crebra*	Narrow-leaved Ironbark	300		300	16.0	4.0	3.6	2.0	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3467	*Acacia disparrima*	Hickory Wattle	160		160	10.0	4.0	2.0	1.5	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3468	*Eucalyptus tereticornis*	Forest Red Gum	310		310	17.0	6.0	3.7	2.0	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3469	*Eucalyptus crebra*	Narrow-leaved Ironbark	260		260	18.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3470	*Eucalyptus tereticornis*	Forest Red Gum	180		180	15.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3471	*Eucalyptus tereticornis*	Forest Red Gum	290		290	18.0	5.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3472	*Eucalyptus crebra*	Narrow-leaved Ironbark	310		310	17.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3473	*Corymbia tessellaris*	Moreton Bay Ash	110		110	13.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3474	*Corymbia tessellaris*	Moreton Bay Ash	170		170	15.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3475	*Eucalyptus crebra*	Narrow-leaved Ironbark	340		340	18.0	6.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3476	*Allocasuarina littoralis*	Black She Oak	170		170	13.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3477	*Corymbia citriodora*	Spotted Gum	350		350	18.0	8.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3478	*Corymbia citriodora*	Spotted Gum	380		380	19.0	9.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3479	*Corymbia citriodora*	Spotted Gum	530		530	21.0	9.0	6.4	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3480	*Eucalyptus tereticornis*	Forest Red Gum	690		690	21.0	10.0	8.3	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3481	*Acacia disparrima*	Hickory Wattle	240		240	7.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3482	*Corymbia citriodora*	Spotted Gum	390		390	21.0	9.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3483	*Corymbia intermedia*	Pink Bloodwood	300		300	19.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3484	*Corymbia tessellaris*	Moreton Bay Ash	200	140	244	20.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: 1E\2025\2047303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
3485	*Corymbia citriodora*	Spotted Gum	210		210	18.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3486	*Corymbia citriodora*	Spotted Gum	280		280	22.0	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3487	*Corymbia citriodora*	Spotted Gum	250		250	19.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3488	*Corymbia citriodora*	Spotted Gum	280		280	19.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3489	*Eucalyptus crebra*	Narrow-leaved Ironbark	340		340	21.0	10.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3490	*Corymbia intermedia*	Pink Bloodwood	290		290	17.0	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3491	*Alphitonia excelsa*	Soap Tree	160		160	11.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3492	*Angophora leiocarpa*	Smooth-barked Apple	140		140	10.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3493	*Alphitonia excelsa*	Soap Tree	180		180	9.0	2.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3494	*Acacia disparrima*	Hickory Wattle	180		180	8.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3495	*Lophostemon suaveolens*	Swamp Box	80	80	113	10.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3496	*Angophora leiocarpa*	Smooth-barked Apple	700		700	18.0	8.0	8.4	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	Small	-	-	Removed	
3497	*Angophora leiocarpa*	Smooth-barked Apple	210		210	15.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3498	*Corymbia citriodora*	Spotted Gum	240		240	18.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3499	*Corymbia citriodora*	Spotted Gum	350		350	22.0	7.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3500	*Acacia disparrima*	Hickory Wattle	420		420	11.0	7.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3501	*Corymbia intermedia*	Pink Bloodwood	230	150	275	18.0	3.0	3.3	1.9	Regular	-	Thinning	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3502	*Angophora leiocarpa*	Smooth-barked Apple	200		200	16.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3503	*Corymbia citriodora*	Spotted Gum	160		160	16.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3504	*Angophora leiocarpa*	Smooth-barked Apple	100		100	10.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3505	*Angophora leiocarpa*	Smooth-barked Apple	120		120	10.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3506	*Corymbia citriodora*	Spotted Gum	160		160	17.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3507	*Corymbia citriodora*	Spotted Gum	160		160	16.0	7.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3508	*Lophostemon suaveolens*	Swamp Box	160		160	14.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3509	*Lophostemon suaveolens*	Swamp Box	120		120	13.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3510	*Corymbia citriodora*	Spotted Gum	240	170	294	22.0	8.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3511	*Lophostemon suaveolens*	Swamp Box	100		100	10.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3512	*Eucalyptus crebra*	Narrow-leaved Ironbark	220		220	20.0	3.0	2.6	1.8	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3513	*Acacia disparrima*	Hickory Wattle	240		240	16.0	6.0	2.9	1.8	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3514	*Acacia concurrens*	Black Wattle	120		120	9.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3515	*Corymbia citriodora*	Spotted Gum	100	90, 70, 50	160	16.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3516	*Corymbia citriodora*	Spotted Gum	130		130	16.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3517	*Lophostemon suaveolens*	Swamp Box	180		180	15.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3518	*Lophostemon suaveolens*	Swamp Box	110		110	12.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3519	*Corymbia citriodora*	Spotted Gum	90	90	127	16.0	2.0	2.0	1.4	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3520	*Eucalyptus tereticornis*	Forest Red Gum	90	80	120	16.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3521	*Corymbia intermedia*	Pink Bloodwood	120		120	15.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3522	*Corymbia intermedia*	Pink Bloodwood	310		310	18.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3523	*Acacia disparrima*	Hickory Wattle	100	80	128	9.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3524	*Acacia disparrima*	Hickory Wattle	140		140	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3525	*Corymbia intermedia*	Pink Bloodwood	190		190	16.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3526	*Eucalyptus crebra*	Narrow-leaved Ironbark	220		220	18.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: DEV2025/2047303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
3527	*Corymbia intermedia*	Pink Bloodwood	170		170	18.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3528	*Eucalyptus tereticornis*	Forest Red Gum	490		490	22.0	10.0	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3529	*Angophora leiocarpa*	Smooth-barked Apple	210		210	16.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3530	*Lophostemon suaveolens*	Swamp Box	220		220	16.0	7.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3531	*Angophora leiocarpa*	Smooth-barked Apple	100		100	14.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3532	*Corymbia intermedia*	Pink Bloodwood	260	140	295	23.0	9.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3533	*Corymbia intermedia*	Pink Bloodwood	140		140	15.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3534	*Angophora leiocarpa*	Smooth-barked Apple	160		160	15.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3535	*Acacia disparrima*	Hickory Wattle	170		170	9.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3536	*Lophostemon suaveolens*	Swamp Box	110		110	9.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3537	*Alphitonia excelsa*	Soap Tree	220		220	14.0	7.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3538	*Corymbia intermedia*	Pink Bloodwood	110	110	156	12.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3539	*Angophora leiocarpa*	Smooth-barked Apple	260	230	347	20.0	9.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3540	*Acacia disparrima*	Hickory Wattle	200		200	14.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3541	*Lophostemon suaveolens*	Swamp Box	160		160	15.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3542	*Lophostemon suaveolens*	Swamp Box	120		120	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3543	*Alphitonia excelsa*	Soap Tree	210		210	16.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3544	*Angophora leiocarpa*	Smooth-barked Apple	140		140	13.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3545	*Acacia disparrima*	Hickory Wattle	140	100, 80	190	14.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3546	*Corymbia intermedia*	Pink Bloodwood	230		230	16.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3547	*Acacia disparrima*	Hickory Wattle	180		180	13.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3548	*Alphitonia excelsa*	Soap Tree	170		170	15.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3549	*Angophora leiocarpa*	Smooth-barked Apple	160		160	15.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3550	*Eucalyptus tereticornis*	Forest Red Gum	480		480	26.0	11.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3551	*Angophora leiocarpa*	Smooth-barked Apple	120		120	14.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3552	*Acacia disparrima*	Hickory Wattle	230		230	15.0	6.0	2.8	1.8	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3553	*Angophora leiocarpa*	Smooth-barked Apple	100		100	9.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3554	*Angophora leiocarpa*	Smooth-barked Apple	110		110	9.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3555	*Alphitonia excelsa*	Soap Tree	180		180	14.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3556	*Angophora leiocarpa*	Smooth-barked Apple	130		130	14.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3557	*Acacia disparrima*	Hickory Wattle	180		180	14.0	4.0	2.2	1.6	Regular	-	Thinning	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3558	*Acacia disparrima*	Hickory Wattle	190		190	15.0	4.0	2.3	1.6	Regular	-	Thinning	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3559	*Lophostemon suaveolens*	Swamp Box	180		180	14.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3560	*Lophostemon suaveolens*	Swamp Box	210		210	14.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3561	*Lophostemon suaveolens*	Swamp Box	230		230	16.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3562	*Eucalyptus tereticornis*	Forest Red Gum	530		530	22.0	7.0	6.4	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3563	*Corymbia citriodora*	Spotted Gum	120		120	9.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3564	*Corymbia citriodora*	Spotted Gum	120		120	9.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3565	*Corymbia citriodora*	Spotted Gum	360		360	19.0	8.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3566	*Corymbia citriodora*	Spotted Gum	280	220	356	19.0	9.0	4.3	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3567	*Eucalyptus tereticornis*	Forest Red Gum	220		220	18.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3568	*Corymbia tessellaris*	Moreton Bay Ash	190	130	230	16.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: PE/2025/2047/303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
3569	*Angophora leiocarpa*	Smooth-barked Apple	180		180	16.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3570	*Corymbia intermedia*	Pink Bloodwood	350		350	17.0	8.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3571	*Eucalyptus crebra*	Narrow-leaved Ironbark	340		340	16.0	7.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3572	*Acacia disparrima*	Hickory Wattle	190		190	11.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3573	*Acacia disparrima*	Hickory Wattle	170		170	13.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3574	*Corymbia citriodora*	Spotted Gum	130		130	15.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3575	*Lophostemon suaveolens*	Swamp Box	160		160	12.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3576	*Angophora leiocarpa*	Smooth-barked Apple	250		250	19.0	9.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3577	*Alphitonia excelsa*	Soap Tree	130		130	13.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3578	*Acacia disparrima*	Hickory Wattle	80	60, 60, 50	127	10.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3579	*Corymbia citriodora*	Spotted Gum	240		240	18.0	7.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3580	*Corymbia citriodora*	Spotted Gum	160		160	17.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3581	*Lophostemon suaveolens*	Swamp Box	150		150	12.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3582	*Alphitonia excelsa*	Soap Tree	140		140	11.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3583	*Corymbia intermedia*	Pink Bloodwood	130		130	12.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3584	*Corymbia citriodora*	Spotted Gum	110		110	13.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3585	*Corymbia citriodora*	Spotted Gum	310		310	18.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3586	*Corymbia intermedia*	Pink Bloodwood	230		230	16.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3587	*Lophostemon suaveolens*	Swamp Box	150		150	12.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3588	*Corymbia intermedia*	Pink Bloodwood	240	170, 100	311	18.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3589	*Lophostemon suaveolens*	Swamp Box	150		150	9.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3590	*Lophostemon suaveolens*	Swamp Box	100		100	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3591	*Corymbia citriodora*	Spotted Gum	180		180	16.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3592	*Corymbia intermedia*	Pink Bloodwood	250		250	17.0	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3593	*Corymbia citriodora*	Spotted Gum	250	130, 120, 80	317	17.0	8.0	3.8	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3594	*Corymbia intermedia*	Pink Bloodwood	220		220	14.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3595	*Acacia disparrima*	Hickory Wattle	230		230	17.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3596	*Angophora leiocarpa*	Smooth-barked Apple	150		150	13.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3597	*Acacia disparrima*	Hickory Wattle	240	180	300	16.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3598	*Lophostemon suaveolens*	Swamp Box	120		120	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3599	*Lophostemon suaveolens*	Swamp Box	130		130	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3600	*Angophora leiocarpa*	Smooth-barked Apple	110		110	9.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3601	*Eucalyptus tereticornis*	Forest Red Gum	360		360	20.0	9.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3602	*Lophostemon suaveolens*	Swamp Box	180		180	15.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3603	*Lophostemon suaveolens*	Swamp Box	170	160, 60	241	11.0	7.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3604	*Eucalyptus tereticornis*	Forest Red Gum	240		240	19.0	2.0	2.9	1.8	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3605	*Acacia disparrima*	Hickory Wattle	190		190	14.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3606	*Acacia disparrima*	Hickory Wattle	160		160	13.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3607	*Alphitonia excelsa*	Soap Tree	170		170	16.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3608	*Corymbia intermedia*	Pink Bloodwood	230		230	17.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3609	*Eucalyptus tereticornis*	Forest Red Gum	440		440	22.0	10.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3610	*Acacia disparrima*	Hickory Wattle	220		220	11.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: 1E\2025\2047303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
3611	*Corymbia intermedia*	Pink Bloodwood	130		130	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3612	*Angophora leiocarpa*	Smooth-barked Apple	130		130	10.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3613	*Angophora leiocarpa*	Smooth-barked Apple	100		100	10.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3614	*Angophora leiocarpa*	Smooth-barked Apple	170		170	15.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3615	*Lophostemon suaveolens*	Swamp Box	240		240	13.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3616	*Lophostemon suaveolens*	Swamp Box	220		220	14.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3617	*Acacia disparrima*	Hickory Wattle	220		220	15.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3618	*Lophostemon suaveolens*	Swamp Box	290		290	16.0	5.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3619	*Lophostemon suaveolens*	Swamp Box	180		180	13.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3620	*Lophostemon suaveolens*	Swamp Box	170		170	13.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3621	*Lophostemon suaveolens*	Swamp Box	190		190	12.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3622	*Lophostemon suaveolens*	Swamp Box	100		100	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3623	*Lophostemon suaveolens*	Swamp Box	180		180	10.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3624	*Lophostemon suaveolens*	Swamp Box	190	90, 90	229	14.0	4.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3625	*Lophostemon suaveolens*	Swamp Box	190		190	14.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3626	*Lophostemon suaveolens*	Swamp Box	120		120	11.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3627	*Lophostemon suaveolens*	Swamp Box	220		220	14.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3628	*Angophora leiocarpa*	Smooth-barked Apple	100		100	15.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3629	*Lophostemon suaveolens*	Swamp Box	210		210	10.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3630	*Lophostemon suaveolens*	Swamp Box	150		150	10.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3631	*Lophostemon suaveolens*	Swamp Box	200	150	250	12.0	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3632	*Angophora leiocarpa*	Smooth-barked Apple	200		200	15.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3633	*Corymbia intermedia*	Pink Bloodwood	130		130	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3634	*Eucalyptus tereticornis*	Forest Red Gum	240		240	20.0	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3635	*Lophostemon suaveolens*	Swamp Box	190	160	248	13.0	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3636	*Alphitonia excelsa*	Soap Tree	180		180	13.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3637	*Lophostemon suaveolens*	Swamp Box	220	180	284	18.0	8.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3638	*Lophostemon suaveolens*	Swamp Box	230		230	16.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3639	*Lophostemon suaveolens*	Swamp Box	220	170	278	14.0	6.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3640	*Corymbia intermedia*	Pink Bloodwood	270		270	18.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3641	*Lophostemon suaveolens*	Swamp Box	200	160	256	15.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3642	*Lophostemon suaveolens*	Swamp Box	220	150	266	17.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3643	*Corymbia citriodora*	Spotted Gum	360		360	19.0	9.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3644	*Lophostemon suaveolens*	Swamp Box	250		250	16.0	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3645	*Eucalyptus tereticornis*	Forest Red Gum	200		200	19.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3646	*Lophostemon suaveolens*	Swamp Box	270		270	17.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3647	*Lophostemon suaveolens*	Swamp Box	120		120	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3648	*Lophostemon suaveolens*	Swamp Box	220		220	16.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3649	*Lophostemon suaveolens*	Swamp Box	240		240	16.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3650	*Lophostemon suaveolens*	Swamp Box	180		180	11.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3651	*Lophostemon suaveolens*	Swamp Box	280		280	15.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3652	*Corymbia intermedia*	Pink Bloodwood	240		240	19.0	7.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: PE/2025/2047/303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
3653	*Eucalyptus tereticornis*	Forest Red Gum	200		200	21.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3654	*Corymbia intermedia*	Pink Bloodwood	220		220	16.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3655	*Eucalyptus tereticornis*	Forest Red Gum	390		390	20.0	8.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3656	*Lophostemon suaveolens*	Swamp Box	240		240	15.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3657	*Lophostemon suaveolens*	Swamp Box	140		140	9.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3658	*Lophostemon suaveolens*	Swamp Box	140		140	16.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3659	*Lophostemon suaveolens*	Swamp Box	100		100	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3660	*Corymbia intermedia*	Pink Bloodwood	170		170	9.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3661	*Lophostemon suaveolens*	Swamp Box	120		120	10.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3662	*Lophostemon suaveolens*	Swamp Box	100		100	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3663	*Alphitonia excelsa*	Soap Tree	190		190	13.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3664	*Lophostemon suaveolens*	Swamp Box	190		190	16.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3665	*Eucalyptus tereticornis*	Forest Red Gum	200		200	19.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3666	*Corymbia intermedia*	Pink Bloodwood	210		210	20.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3667	*Corymbia intermedia*	Pink Bloodwood	290		290	20.0	10.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3668	*Corymbia intermedia*	Pink Bloodwood	240		240	22.0	10.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3669	*Corymbia intermedia*	Pink Bloodwood	240		240	22.0	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3670	*Lophostemon suaveolens*	Swamp Box	300		300	20.0	9.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3671	*Lophostemon suaveolens*	Swamp Box	240		240	18.0	7.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3672	*Corymbia intermedia*	Pink Bloodwood	150		150	15.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3673	*Lophostemon suaveolens*	Swamp Box	150		150	10.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3674	*Lophostemon suaveolens*	Swamp Box	130		130	11.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3675	*Eucalyptus tereticornis*	Forest Red Gum	350		350	22.0	10.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3676	*Eucalyptus tereticornis*	Forest Red Gum	320		320	20.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3677	*Lophostemon suaveolens*	Swamp Box	280		280	18.0	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3678	*Lophostemon suaveolens*	Swamp Box	280		280	17.0	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3679	*Lophostemon suaveolens*	Swamp Box	330		330	19.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3680	*Eucalyptus tereticornis*	Forest Red Gum	420		420	20.0	10.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3681	*Lophostemon suaveolens*	Swamp Box	230		230	16.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3682	*Lophostemon suaveolens*	Swamp Box	350	200	403	18.0	9.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3683	*Lophostemon suaveolens*	Swamp Box	200		200	16.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3684	*Lophostemon suaveolens*	Swamp Box	130		130	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3685	*Lophostemon suaveolens*	Swamp Box	200		200	14.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3686	*Lophostemon suaveolens*	Swamp Box	130		130	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3687	*Lophostemon suaveolens*	Swamp Box	130		130	10.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3688	*Lophostemon suaveolens*	Swamp Box	360		360	19.0	7.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3689	*Lophostemon suaveolens*	Swamp Box	340	270, 230	491	18.0	9.0	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3690	*Eucalyptus tereticornis*	Forest Red Gum	750		750	27.0	12.0	9.0	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3691	*Eucalyptus crebra*	Narrow-leaved Ironbark	450		450	26.0	9.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	Small	-	-	Retain	
3692	*Eucalyptus crebra*	Narrow-leaved Ironbark	340		340	20.0	7.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3693	*Eucalyptus crebra*	Narrow-leaved Ironbark	280		280	20.0	9.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3694	*Corymbia citriodora*	Spotted Gum	90	90	127	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: 1E\2025\2047303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
3695	*Eucalyptus crebra*	Narrow-leaved Ironbark	290		290	22.0	9.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3696	*Eucalyptus crebra*	Narrow-leaved Ironbark	280		280	24.0	9.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3697	*Eucalyptus crebra*	Narrow-leaved Ironbark	250		250	23.0	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3698	*Eucalyptus crebra*	Narrow-leaved Ironbark	330		330	22.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3699	*Corymbia citriodora*	Spotted Gum	260		260	17.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3700	*Corymbia citriodora*	Spotted Gum	340		340	22.0	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3701	*Corymbia citriodora*	Spotted Gum	230		230	16.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3702	*Eucalyptus tereticornis*	Forest Red Gum	270		270	21.0	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3703	*Corymbia citriodora*	Spotted Gum	130		130	13.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3704	*Eucalyptus tereticornis*	Forest Red Gum	180		180	18.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3705	*Acacia disparrima*	Hickory Wattle	200		200	10.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3706	*Eucalyptus tereticornis*	Forest Red Gum	60		60	10.0	3.0	2.0	1.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3707	*Eucalyptus siderophloia*	Grey Ironbark	280		280	21.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3708	*Corymbia citriodora*	Spotted Gum	210		210	18.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3709	*Allocasuarina littoralis*	Black She Oak	210		210	13.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3710	*Corymbia citriodora*	Spotted Gum	160		160	18.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3711	*Eucalyptus tereticornis*	Forest Red Gum	300	290	417	18.0	6.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3712	*Eucalyptus tereticornis*	Forest Red Gum	320		320	20.0	5.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3713	*Eucalyptus tereticornis*	Forest Red Gum	300		300	18.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3714	*Eucalyptus tereticornis*	Forest Red Gum	280		280	17.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3715	*Eucalyptus tereticornis*	Forest Red Gum	230		230	17.0	3.0	2.8	1.8	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3716	*Eucalyptus tereticornis*	Forest Red Gum	510		510	20.0	9.0	6.1	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3717	*Corymbia intermedia*	Pink Bloodwood	240		240	15.0	3.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3718	*Corymbia intermedia*	Pink Bloodwood	260		260	17.0	3.0	3.1	1.9	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3719	*Corymbia citriodora*	Spotted Gum	370		370	21.0	7.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3720	*Corymbia intermedia*	Pink Bloodwood	320		320	23.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3721	*Acacia concurrens*	Black Wattle	230		230	8.0	3.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3722	*Corymbia intermedia*	Pink Bloodwood	310		310	19.0	4.0	3.7	2.0	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3723	*Corymbia intermedia*	Pink Bloodwood	330		330	19.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3724	*Corymbia intermedia*	Pink Bloodwood	280		280	19.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3725	*Eucalyptus tereticornis*	Forest Red Gum	300		300	17.0	3.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3726	*Corymbia intermedia*	Pink Bloodwood	320		320	19.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3727	*Corymbia intermedia*	Pink Bloodwood	330		330	21.0	3.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3728	*Corymbia intermedia*	Pink Bloodwood	390	200	438	18.0	5.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3729	*Corymbia intermedia*	Pink Bloodwood	300	290	417	17.0	6.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3730	*Lophostemon suaveolens*	Swamp Box	240		240	16.0	3.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3731	*Lophostemon suaveolens*	Swamp Box	210		210	9.0	3.0	2.5	1.7	Regular	-	Thinning	Die-back	Epicormic	Lopped	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3732	*Corymbia citriodora*	Spotted Gum	260		260	18.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3733	*Corymbia citriodora*	Spotted Gum	320		320	22.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3734	*Corymbia intermedia*	Pink Bloodwood	520		520	19.0	5.0	6.2	2.5	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3735	*Eucalyptus tereticornis*	Forest Red Gum	330		330	21.0	6.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3736	*Eucalyptus tereticornis*	Forest Red Gum	380		380	17.0	9.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: IDE/2025/2047/303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
3737	*Acacia concurrens*	Black Wattle	200		200	8.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3738	*Eucalyptus siderophloia*	Grey Ironbark	320		320	19.0	8.0	3.8	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Removed	
3739	*Corymbia citriodora*	Spotted Gum	350		350	20.0	7.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3740	*Corymbia intermedia*	Pink Bloodwood	220	270	348	15.0	6.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3741	*Corymbia citriodora*	Spotted Gum	120		120	15.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3742	*Corymbia citriodora*	Spotted Gum	280		280	19.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3743	*Angophora leiocarpa*	Smooth-barked Apple	210		210	17.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3744	*Acacia disparrima*	Hickory Wattle	300		300	12.0	6.0	3.6	2.0	One-sided	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3745	*Angophora leiocarpa*	Smooth-barked Apple	280		280	16.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3746	*Corymbia citriodora*	Spotted Gum	390		390	21.0	9.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3747	*Acacia disparrima*	Hickory Wattle	320		320	10.0	6.0	3.8	2.1	One-sided	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3748	*Corymbia citriodora*	Spotted Gum	100		100	10.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3749	*Lophostemon suaveolens*	Swamp Box	110		110	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3750	*Corymbia citriodora*	Spotted Gum	120		120	11.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3751	*Corymbia citriodora*	Spotted Gum	120		120	13.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3752	*Corymbia citriodora*	Spotted Gum	130		130	15.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3753	*Corymbia citriodora*	Spotted Gum	150		150	15.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3754	*Acacia disparrima*	Hickory Wattle	150		150	10.0	2.0	2.0	1.5	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3755	*Corymbia citriodora*	Spotted Gum	150		150	14.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3756	*Corymbia intermedia*	Pink Bloodwood	300		300	23.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3757	*Lophostemon suaveolens*	Swamp Box	180		180	13.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3758	*Corymbia citriodora*	Spotted Gum	470		470	24.0	5.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3759	*Eucalyptus seeana*	Narrow-leaved Red Gum	200		200	14.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3760	*Corymbia intermedia*	Pink Bloodwood	310		310	19.0	4.0	3.7	2.0	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3761	*Acacia disparrima*	Hickory Wattle	210		210	16.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3762	*Eucalyptus siderophloia*	Grey Ironbark	160	90	184	16.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3763	*Eucalyptus tereticornis*	Forest Red Gum	200		200	14.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3764	*Corymbia citriodora*	Spotted Gum	140		140	15.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3765	*Corymbia citriodora*	Spotted Gum	200		200	17.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3766	*Lophostemon suaveolens*	Swamp Box	320		320	14.0	4.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3767	*Corymbia citriodora*	Spotted Gum	120		120	12.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3768	*Corymbia intermedia*	Pink Bloodwood	200		200	15.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3769	*Alphitonia excelsa*	Soap Tree	200		200	8.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3770	*Eucalyptus tereticornis*	Forest Red Gum	260		260	18.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3771	*Alphitonia excelsa*	Soap Tree	250		250	9.0	2.0	3.0	1.8	One-sided	-	Thinning	Die-back	Epicormic	-	Poor	-	-	Trunk Dmg.	-	Poor	-	-	-	-	-	-	Removed	
3772	*Corymbia intermedia*	Pink Bloodwood	120		120	9.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3773	*Corymbia citriodora*	Spotted Gum	100		100	15.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3774	*Corymbia intermedia*	Pink Bloodwood	240		240	16.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3775	*Corymbia citriodora*	Spotted Gum	300		300	18.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3776	*Angophora leiocarpa*	Smooth-barked Apple	150		150	10.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3777	*Corymbia intermedia*	Pink Bloodwood	230		230	17.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	nat bees
3778	*Corymbia citriodora*	Spotted Gum	250		250	17.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: 1E\2025\2047303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
3779	*Lophostemon suaveolens*	Swamp Box	300		300	14.0	3.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3780	*Corymbia citriodora*	Spotted Gum	400		400	17.0	7.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3781	*Corymbia citriodora*	Spotted Gum	390		390	18.0	8.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3782	*Alphitonia excelsa*	Soap Tree	200	220	297	15.0	4.0	3.6	2.0	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3783	*Angophora leiocarpa*	Smooth-barked Apple	115		115	9.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3784	*Corymbia citriodora*	Spotted Gum	300		300	19.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3785	*Corymbia citriodora*	Spotted Gum	100		100	10.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3786	*Acacia disparrima*	Hickory Wattle	210		210	14.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3787	*Corymbia citriodora*	Spotted Gum	190		190	19.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3788	*Corymbia citriodora*	Spotted Gum	120		120	12.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3789	*Corymbia citriodora*	Spotted Gum	140		140	10.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3790	*Corymbia intermedia*	Pink Bloodwood	270		270	15.0	3.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3791	*Corymbia citriodora*	Spotted Gum	190		190	15.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3792	*Corymbia intermedia*	Pink Bloodwood	130		130	12.0	2.0	2.0	1.4	Regular	-	Thinning	-	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3793	*Acacia disparrima*	Hickory Wattle	170		170	9.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3794	*Corymbia citriodora*	Spotted Gum	190	90	210	15.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3795	*Angophora leiocarpa*	Smooth-barked Apple	220	140	261	16.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3796	*Corymbia citriodora*	Spotted Gum	110		110	9.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3797	*Eucalyptus crebra*	Narrow-leaved Ironbark	460		460	22.0	10.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3798	*Corymbia intermedia*	Pink Bloodwood	140		140	9.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3799	*Corymbia citriodora*	Spotted Gum	670		670	25.0	10.0	8.0	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3800	*DEAD/STAG*		870		870	19.0	6.0	10.4	3.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Large	-	-	-	Removed	
3801	*Corymbia citriodora*	Spotted Gum	120		120	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3802	*Eucalyptus tereticornis*	Forest Red Gum	130		130	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3803	*Corymbia intermedia*	Pink Bloodwood	130		130	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3804	*Corymbia citriodora*	Spotted Gum	220		220	15.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3805	*Corymbia citriodora*	Spotted Gum	390		390	17.0	6.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3806	*Acacia disparrima*	Hickory Wattle	150		150	10.0	2.0	2.0	1.5	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3807	*Angophora leiocarpa*	Smooth-barked Apple	180		180	15.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3808	*Corymbia intermedia*	Pink Bloodwood	260		260	18.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3809	*Corymbia intermedia*	Pink Bloodwood	320		320	20.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3810	*Eucalyptus siderophloia*	Grey Ironbark	220		220	12.0	2.0	2.6	1.8	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3811	*Eucalyptus siderophloia*	Grey Ironbark	190		190	14.0	2.0	2.3	1.6	One-sided	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3812	*Corymbia citriodora*	Spotted Gum	130		130	14.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3813	*Alphitonia excelsa*	Soap Tree	270		270	16.0	4.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3814	*Alphitonia excelsa*	Soap Tree	180		180	10.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3815	*Corymbia tessellaris*	Moreton Bay Ash	200	150, 140	287	16.0	5.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3816	*Angophora leiocarpa*	Smooth-barked Apple	310	150	344	18.0	5.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3817	*Angophora leiocarpa*	Smooth-barked Apple	220		220	15.0	3.0	2.6	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3818	*Corymbia intermedia*	Pink Bloodwood	130		130	10.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3819	*Corymbia intermedia*	Pink Bloodwood	220		220	17.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3820	*Eucalyptus tereticornis*	Forest Red Gum	380		380	20.0	7.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: PE/2025/2047/303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
3821	*Lophostemon suaveolens*	Swamp Box	160		160	9.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3822	*Acacia disparrima*	Hickory Wattle	130		130	9.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3823	*Corymbia citriodora*	Spotted Gum	100		100	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3824	*Acacia disparrima*	Hickory Wattle	160		160	9.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3825	*Alphitonia excelsa*	Soap Tree	150		150	8.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3826	*Acacia disparrima*	Hickory Wattle	300		300	15.0	5.0	3.6	2.0	One-sided	-	-	Die-back	-	-	Poor	Major	-	-	-	Typical	-	-	-	-	-	-	Removed	
3827	*Angophora leiocarpa*	Smooth-barked Apple	160		160	15.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3828	*Angophora leiocarpa*	Smooth-barked Apple	240		240	17.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3829	*Acacia disparrima*	Hickory Wattle	160		160	12.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3830	*Eucalyptus tereticornis*	Forest Red Gum	150		150	12.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3831	*Alphitonia excelsa*	Soap Tree	190		190	12.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3832	*Alphitonia excelsa*	Soap Tree	140		140	7.0	2.0	2.0	1.4	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3833	*Corymbia tessellaris*	Moreton Bay Ash	160	190	248	14.0	3.0	3.0	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3834	*Acacia disparrima*	Hickory Wattle	240		240	16.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3835	*Acacia disparrima*	Hickory Wattle	200		200	14.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3836	*Lophostemon suaveolens*	Swamp Box	160		160	12.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3837	*Acacia disparrima*	Hickory Wattle	250		250	13.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3838	*Corymbia intermedia*	Pink Bloodwood	320		320	19.0	5.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3839	*Lophostemon suaveolens*	Swamp Box	130		130	9.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3840	*Alphitonia excelsa*	Soap Tree	190		190	9.0	2.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3841	*Eucalyptus tereticornis*	Forest Red Gum	240		240	20.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3842	*Corymbia citriodora*	Spotted Gum	120		120	12.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3843	*Acacia disparrima*	Hickory Wattle	170		170	6.0	2.0	2.0	1.6	One-sided	-	-	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3844	*DEAD/STAG*		1300		1300	20.0	9.0	15.0	3.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Large	-	-	-	Removed	
3845	*Alphitonia excelsa*	Soap Tree	130		130	10.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3846	*Alphitonia excelsa*	Soap Tree	130		130	9.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3847	*Alphitonia excelsa*	Soap Tree	140		140	10.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3848	*Alphitonia excelsa*	Soap Tree	150		150	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3849	*Alphitonia excelsa*	Soap Tree	160		160	9.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3850	*Alphitonia excelsa*	Soap Tree	200		200	10.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3851	*Corymbia citriodora*	Spotted Gum	210		210	18.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3852	*Acacia disparrima*	Hickory Wattle	150		150	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3853	*Alphitonia excelsa*	Soap Tree	200		200	8.0	3.0	2.4	1.7	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3854	*Alphitonia excelsa*	Soap Tree	160		160	7.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3855	*Alphitonia excelsa*	Soap Tree	180		180	9.0	2.0	2.2	1.6	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3856	*Eucalyptus tereticornis*	Forest Red Gum	150		150	9.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3857	*Corymbia citriodora*	Spotted Gum	300		300	20.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3858	*Corymbia citriodora*	Spotted Gum	290		290	20.0	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3859	*Lophostemon suaveolens*	Swamp Box	210		210	9.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3860	*Corymbia intermedia*	Pink Bloodwood	160	130, 90, 90	242	10.0	3.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3861	*Corymbia citriodora*	Spotted Gum	180		180	14.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3862	*Lophostemon suaveolens*	Swamp Box	220		220	14.0	4.0	2.6	1.8	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: DEV2025/2047303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
3863	*Lophostemon suaveolens*	Swamp Box	130	100, 110	197	9.0	2.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3864	*Eucalyptus tereticornis*	Forest Red Gum	500		500	25.0	10.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3865	*Lophostemon suaveolens*	Swamp Box	180	120	216	10.0	3.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3866	*Eucalyptus tereticornis*	Forest Red Gum	130		130	13.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3867	*Corymbia tessellaris*	Moreton Bay Ash	150		150	12.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3868	*Eucalyptus tereticornis*	Forest Red Gum	120		120	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	Major	-	-	-	Poor	-	-	-	-	-	-	Removed	
3869	*Corymbia citriodora*	Spotted Gum	150		150	16.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3870	*Corymbia tessellaris*	Moreton Bay Ash	180	180	255	16.0	3.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3871	*Corymbia intermedia*	Pink Bloodwood	230		230	16.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3872	*Lophostemon suaveolens*	Swamp Box	240		240	10.0	3.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3873	*Eucalyptus crebra*	Narrow-leaved Ironbark	460		460	23.0	10.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3874	*Lophostemon suaveolens*	Swamp Box	150		150	7.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3875	*Lophostemon suaveolens*	Swamp Box	260		260	16.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3876	*Lophostemon suaveolens*	Swamp Box	260		260	16.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3877	*Corymbia citriodora*	Spotted Gum	830		830	18.0	9.0	10.0	3.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3878	*Corymbia citriodora*	Spotted Gum	110		110	10.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3879	*Corymbia tessellaris*	Moreton Bay Ash	200	120	233	16.0	3.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3880	*Corymbia citriodora*	Spotted Gum	130	80	153	14.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3881	*Corymbia citriodora*	Spotted Gum	300		300	16.0	4.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3882	*Corymbia citriodora*	Spotted Gum	130		130	15.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3883	*Corymbia citriodora*	Spotted Gum	140		140	14.0	2.0	2.0	1.4	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3884	*Corymbia citriodora*	Spotted Gum	260		260	18.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3885	*Eucalyptus crebra*	Narrow-leaved Ironbark	150		150	15.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3886	*Corymbia citriodora*	Spotted Gum	120		120	12.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3887	*Angophora leiocarpa*	Smooth-barked Apple	150		150	12.0	3.0	2.0	1.5	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3888	*Corymbia citriodora*	Spotted Gum	140		140	15.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3889	*Corymbia citriodora*	Spotted Gum	170	80, 60	197	16.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3890	*Alphitonia excelsa*	Soap Tree	150		150	9.0	2.0	2.0	1.5	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3891	*Corymbia citriodora*	Spotted Gum	210		210	16.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3892	*Corymbia citriodora*	Spotted Gum	160		160	16.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3893	*Angophora leiocarpa*	Smooth-barked Apple	160	80	179	14.0	2.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3894	*Corymbia citriodora*	Spotted Gum	310	180	358	18.0	4.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3895	*Eucalyptus crebra*	Narrow-leaved Ironbark	110		110	11.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3896	*Alphitonia excelsa*	Soap Tree	140		140	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3897	*Alphitonia excelsa*	Soap Tree	150		150	10.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3898	*Alphitonia excelsa*	Soap Tree	150		150	10.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3899	*Corymbia citriodora*	Spotted Gum	210		210	18.0	6.0	2.5	1.7	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3900	*Eucalyptus crebra*	Narrow-leaved Ironbark	230		230	15.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3901	*Alphitonia excelsa*	Soap Tree	150		150	13.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3902	*Corymbia citriodora*	Spotted Gum	180		180	16.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3903	*Alphitonia excelsa*	Soap Tree	180		180	14.0	2.0	2.2	1.6	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3904	*Corymbia intermedia*	Pink Bloodwood	190		190	14.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: PE/2025/2047/303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
3905	*Acacia disparrima*	Hickory Wattle	190		190	14.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3906	*Eucalyptus crebra*	Narrow-leaved Ironbark	250		250	17.0	5.0	3.0	1.8	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3907	*Acacia disparrima*	Hickory Wattle	170		170	14.0	3.0	2.0	1.6	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3908	*Eucalyptus crebra*	Narrow-leaved Ironbark	140		140	15.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3909	*Acacia disparrima*	Hickory Wattle	210		210	15.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3910	*Acacia disparrima*	Hickory Wattle	160		160	12.0	2.0	2.0	1.5	Regular	-	Thinning	Die-back	-	-	Poor	Minor	-	-	-	Typical	-	-	-	-	-	-	Removed	
3911	*Corymbia intermedia*	Pink Bloodwood	330	250	414	18.0	5.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3912	*Corymbia citriodora*	Spotted Gum	300		300	19.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3913	*Eucalyptus tereticornis*	Forest Red Gum	180		180	14.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3914	*Lophostemon suaveolens*	Swamp Box	130		130	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3915	*Lophostemon suaveolens*	Swamp Box	170		170	10.0	2.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3916	*Corymbia tessellaris*	Moreton Bay Ash	170		170	14.0	2.0	2.0	1.6	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3917	*Eucalyptus siderophloia*	Grey Ironbark	260		260	19.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3918	*Corymbia intermedia*	Pink Bloodwood	150		150	12.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3919	*Lophostemon suaveolens*	Swamp Box	190		190	14.0	2.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3920	*Corymbia intermedia*	Pink Bloodwood	200		200	16.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3921	*Eucalyptus crebra*	Narrow-leaved Ironbark	320		320	17.0	5.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3922	*Lophostemon suaveolens*	Swamp Box	140	130	191	12.0	3.0	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3923	*Corymbia citriodora*	Spotted Gum	200	80, 100	237	18.0	3.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3924	*Corymbia citriodora*	Spotted Gum	160		160	14.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3925	*Corymbia citriodora*	Spotted Gum	150		150	14.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3926	*Corymbia intermedia*	Pink Bloodwood	190		190	14.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3927	*Corymbia citriodora*	Spotted Gum	220	230, 170, 100	374	18.0	7.0	4.5	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3928	*Corymbia citriodora*	Spotted Gum	270		270	17.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3929	*Corymbia intermedia*	Pink Bloodwood	270		270	16.0	3.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3930	*Corymbia citriodora*	Spotted Gum	100		100	15.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3931	*Corymbia citriodora*	Spotted Gum	260		260	20.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3932	*Angophora leiocarpa*	Smooth-barked Apple	210		210	14.0	2.0	2.5	1.7	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3933	*Corymbia citriodora*	Spotted Gum	130		130	13.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3934	*Corymbia intermedia*	Pink Bloodwood	200		200	12.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3935	*Corymbia tessellaris*	Moreton Bay Ash	160		160	14.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3936	*Corymbia intermedia*	Pink Bloodwood	190		190	12.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3937	*Eucalyptus crebra*	Narrow-leaved Ironbark	360		360	23.0	8.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3938	*Acacia disparrima*	Hickory Wattle	150		150	9.0	2.0	2.0	1.5	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3939	*Corymbia citriodora*	Spotted Gum	330		330	22.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3940	*Angophora leiocarpa*	Smooth-barked Apple	190		190	14.0	2.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3941	*Angophora leiocarpa*	Smooth-barked Apple	290		290	15.0	3.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3942	*Acacia concurrens*	Black Wattle	150		150	7.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3943	*Corymbia intermedia*	Pink Bloodwood	200		200	17.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3944	*Eucalyptus tereticornis*	Forest Red Gum	400		400	25.0	10.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3945	*Corymbia intermedia*	Pink Bloodwood	200		200	16.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3946	*Corymbia intermedia*	Pink Bloodwood	260		260	17.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: DEV2025/2047303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
3947	*Eucalyptus tereticornis*	Forest Red Gum	220		220	17.0	3.0	2.6	1.8	One-sided	-	-	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3948	*Angophora leiocarpa*	Smooth-barked Apple	270		270	17.0	6.0	3.2	1.9	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3949	*Eucalyptus tereticornis*	Forest Red Gum	230		230	18.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3950	*DEAD/STAG*		780		780	12.0	1.0	9.4	3.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Large	-	-	-	Removed	
3951	*Eucalyptus tereticornis*	Forest Red Gum	280		280	18.0	3.0	3.4	1.9	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3952	*Eucalyptus crebra*	Narrow-leaved Ironbark	210		210	19.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3953	*Corymbia intermedia*	Pink Bloodwood	310		310	16.0	5.0	3.7	2.0	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3954	*Corymbia intermedia*	Pink Bloodwood	460		460	22.0	11.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3955	*Angophora leiocarpa*	Smooth-barked Apple	160		160	12.0	3.0	2.0	1.5	One-sided	-	Thinning	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3956	*Acacia disparrima*	Hickory Wattle	170		170	12.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3957	*Acacia disparrima*	Hickory Wattle	180		180	16.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3958	*Corymbia intermedia*	Pink Bloodwood	220		220	17.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3959	*Corymbia tessellaris*	Moreton Bay Ash	100		100	11.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3960	*Acacia disparrima*	Hickory Wattle	200		200	15.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3961	*Acacia disparrima*	Hickory Wattle	150		150	10.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3962	*Corymbia intermedia*	Pink Bloodwood	510		510	23.0	12.0	6.1	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3963	*Acacia disparrima*	Hickory Wattle	200		200	15.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3964	*Lophostemon suaveolens*	Swamp Box	230		230	14.0	3.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3965	*Lophostemon suaveolens*	Swamp Box	250		250	16.0	3.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3966	*Acacia disparrima*	Hickory Wattle	150		150	10.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3967	*Acacia disparrima*	Hickory Wattle	150		150	8.0	3.0	2.0	1.5	One-sided	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3968	*Corymbia tessellaris*	Moreton Bay Ash	430		430	19.0	6.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3969	*Lophostemon suaveolens*	Swamp Box	140		140	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3970	*Corymbia intermedia*	Pink Bloodwood	350		350	17.0	5.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3971	*Acacia disparrima*	Hickory Wattle	220		220	11.0	3.0	2.6	1.8	One-sided	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3972	*Angophora leiocarpa*	Smooth-barked Apple	410		410	17.0	9.0	4.9	2.3	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3973	*Eucalyptus crebra*	Narrow-leaved Ironbark	340		340	20.0	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3974	*Acacia disparrima*	Hickory Wattle	220		220	13.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3975	*Eucalyptus tereticornis*	Forest Red Gum	210		210	16.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3976	*Acacia disparrima*	Hickory Wattle	150		150	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3977	*Eucalyptus tereticornis*	Forest Red Gum	180		180	15.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3978	*Lophostemon suaveolens*	Swamp Box	140		140	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3979	*Lophostemon suaveolens*	Swamp Box	210		210	13.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3980	*Lophostemon suaveolens*	Swamp Box	240		240	12.0	3.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3981	*Corymbia intermedia*	Pink Bloodwood	280		280	18.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3982	*Lophostemon suaveolens*	Swamp Box	340		340	17.0	5.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3983	*Corymbia tessellaris*	Moreton Bay Ash	110		110	16.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3984	*Lophostemon suaveolens*	Swamp Box	160		160	14.0	3.0	2.0	1.5	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3985	*Acacia disparrima*	Hickory Wattle	150		150	14.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3986	*Alphitonia excelsa*	Soap Tree	200		200	14.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3987	*Acacia disparrima*	Hickory Wattle	200		200	14.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3988	*Eucalyptus tereticornis*	Forest Red Gum	290		290	16.0	4.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: PE/2025/2047/303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
3989	*Lophostemon suaveolens*	Swamp Box	200		200	12.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3990	*Lophostemon suaveolens*	Swamp Box	240		240	13.0	3.0	2.9	1.8	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3991	*Acacia disparrima*	Hickory Wattle	250		250	12.0	5.0	3.0	1.8	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3992	*Eucalyptus tereticornis*	Forest Red Gum	150		150	12.0	3.0	2.0	1.5	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3993	*Lophostemon suaveolens*	Swamp Box	260		260	14.0	3.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3994	*Eucalyptus tereticornis*	Forest Red Gum	330		330	17.0	4.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3995	*Lophostemon suaveolens*	Swamp Box	170		170	10.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3996	*Corymbia citriodora*	Spotted Gum	290		290	9.0	5.0	3.5	2.0	Regular	-	-	-	-	-	Typical	Major	-	-	-	Poor	-	-	-	-	-	-	Removed	
3997	*Eucalyptus tereticornis*	Forest Red Gum	620		620	22.0	14.0	7.4	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3998	*Lophostemon suaveolens*	Swamp Box	280		280	16.0	3.0	3.4	1.9	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
3999	*Lophostemon suaveolens*	Swamp Box	220		220	16.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4000	*Lophostemon suaveolens*	Swamp Box	250		250	16.0	3.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4001	*Lophostemon suaveolens*	Swamp Box	230		230	15.0	3.0	2.8	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4002	*Lophostemon suaveolens*	Swamp Box	210		210	16.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4003	*Lophostemon suaveolens*	Swamp Box	140		140	12.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4004	*Alphitonia excelsa*	Soap Tree	260		260	16.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4005	*Eucalyptus tereticornis*	Forest Red Gum	280		280	20.0	3.0	3.4	1.9	Regular	-	Thinning	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4006	*Lophostemon suaveolens*	Swamp Box	220		220	15.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4007	*Alphitonia excelsa*	Soap Tree	240		240	15.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4008	*Lophostemon suaveolens*	Swamp Box	350		350	16.0	5.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4009	*Lophostemon suaveolens*	Swamp Box	280	270	389	18.0	6.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4010	*Lophostemon suaveolens*	Swamp Box	170		170	7.0	2.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4011	*Lophostemon suaveolens*	Swamp Box	250	260	361	16.0	5.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4012	*Lophostemon suaveolens*	Swamp Box	240		240	18.0	3.0	2.9	1.8	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4013	*Lophostemon suaveolens*	Swamp Box	120		120	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4014	*Lophostemon suaveolens*	Swamp Box	200	180	269	18.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4015	*Lophostemon suaveolens*	Swamp Box	150		150	14.0	3.0	2.0	1.5	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4016	*Lophostemon suaveolens*	Swamp Box	110		110	11.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4017	*Lophostemon suaveolens*	Swamp Box	150	110	186	14.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4018	*Lophostemon suaveolens*	Swamp Box	200		200	16.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4019	*Alphitonia excelsa*	Soap Tree	300		300	16.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4020	*Lophostemon suaveolens*	Swamp Box	180	150	234	15.0	3.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4021	*Lophostemon suaveolens*	Swamp Box	330		330	5.0	4.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4022	*Lophostemon suaveolens*	Swamp Box	130		130	14.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4023	*Eucalyptus tereticornis*	Forest Red Gum	290		290	17.0	6.0	3.5	2.0	One-sided	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4024	*Corymbia intermedia*	Pink Bloodwood	340		340	19.0	9.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4025	*Angophora leiocarpa*	Smooth-barked Apple	110		110	13.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4026	*Angophora leiocarpa*	Smooth-barked Apple	110		110	12.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4027	*Corymbia citriodora*	Spotted Gum	120		120	14.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4028	*Alphitonia excelsa*	Soap Tree	150		150	14.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4029	*Lophostemon suaveolens*	Swamp Box	140		140	14.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4030	*Alphitonia excelsa*	Soap Tree	190		190	16.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: 1E\2025\2047303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
4031	*Acacia concurrens*	Black Wattle	180		180	15.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4032	*Corymbia intermedia*	Pink Bloodwood	140		140	14.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4033	*Acacia disparrima*	Hickory Wattle	200		200	16.0	5.0	2.4	1.7	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4034	*Corymbia intermedia*	Pink Bloodwood	160		160	13.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4035	*Allocasuarina littoralis*	Black She Oak	180		180	16.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4036	*Acacia disparrima*	Hickory Wattle	150		150	10.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4037	*Acacia concurrens*	Black Wattle	150		150	10.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4038	*Angophora leiocarpa*	Smooth-barked Apple	110		110	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4039	*Lophostemon suaveolens*	Swamp Box	120		120	10.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4040	*Lophostemon suaveolens*	Swamp Box	270		270	16.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4041	*Lophostemon suaveolens*	Swamp Box	260	120	286	17.0	3.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4042	*Lophostemon suaveolens*	Swamp Box	380		380	19.0	10.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4043	*Corymbia intermedia*	Pink Bloodwood	570		570	25.0	12.0	6.8	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4044	*Lophostemon suaveolens*	Swamp Box	180		180	16.0	4.0	2.2	1.6	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4045	*Eucalyptus tereticornis*	Forest Red Gum	550		550	27.0	14.0	6.6	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4046	*Lophostemon suaveolens*	Swamp Box	400		400	21.0	10.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4047	*Lophostemon suaveolens*	Swamp Box	200		200	17.0	5.0	2.4	1.7	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4048	*Lophostemon suaveolens*	Swamp Box	240		240	18.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4049	*Lophostemon suaveolens*	Swamp Box	160		160	15.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4050	*Lophostemon suaveolens*	Swamp Box	120		120	12.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4051	*Lophostemon suaveolens*	Swamp Box	220		220	17.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4052	*Lophostemon suaveolens*	Swamp Box	140		140	11.0	3.0	2.0	1.4	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4053	*Eucalyptus tereticornis*	Forest Red Gum	630		630	28.0	16.0	7.6	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4054	*Lophostemon suaveolens*	Swamp Box	290		290	18.0	6.0	3.5	2.0	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4055	*Lophostemon suaveolens*	Swamp Box	200		200	14.0	4.0	2.4	1.7	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4056	*Lophostemon suaveolens*	Swamp Box	170		170	14.0	3.0	2.0	1.6	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4057	*Corymbia intermedia*	Pink Bloodwood	250		250	17.0	4.0	3.0	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4058	*Eucalyptus tereticornis*	Forest Red Gum	440		440	27.0	10.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4059	*Lophostemon suaveolens*	Swamp Box	180		180	15.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4060	*Corymbia intermedia*	Pink Bloodwood	100		100	10.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4061	*Lophostemon suaveolens*	Swamp Box	120		120	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4062	*Corymbia intermedia*	Pink Bloodwood	200		200	17.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4063	*Alphitonia excelsa*	Soap Tree	200		200	16.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4064	*Lophostemon suaveolens*	Swamp Box	190	110	220	15.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4065	*Eucalyptus tereticornis*	Forest Red Gum	430		430	28.0	16.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4066	*Lophostemon suaveolens*	Swamp Box	160		160	16.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4067	*Eucalyptus tereticornis*	Forest Red Gum	250		250	24.0	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4068	*Lophostemon suaveolens*	Swamp Box	240		240	19.0	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4069	*Alphitonia excelsa*	Soap Tree	190		190	18.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4070	*Lophostemon suaveolens*	Swamp Box	150		150	17.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4071	*Alphitonia excelsa*	Soap Tree	190		190	18.0	5.0	2.3	1.6	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4072	*Lophostemon suaveolens*	Swamp Box	240		240	21.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: DEV2025/2047303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
4073	*Lophostemon suaveolens*	Swamp Box	320	170	362	18.0	5.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4074	*Lophostemon suaveolens*	Swamp Box	250		250	19.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4075	*Lophostemon suaveolens*	Swamp Box	210	200	290	22.0	8.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4076	*Eucalyptus tereticornis*	Forest Red Gum	460		460	25.0	10.0	5.5	2.4	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4077	*Lophostemon suaveolens*	Swamp Box	320		320	26.0	10.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4078	*Lophostemon suaveolens*	Swamp Box	200		200	16.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4079	*Lophostemon suaveolens*	Swamp Box	250		250	17.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4080	*Lophostemon suaveolens*	Swamp Box	120		120	12.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4081	*Acacia disparrima*	Hickory Wattle	160		160	13.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4082	*Angophora leiocarpa*	Smooth-barked Apple	250		250	27.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4083	*Lophostemon suaveolens*	Swamp Box	220		220	21.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4084	*Corymbia intermedia*	Pink Bloodwood	280		280	19.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4085	*Acacia disparrima*	Hickory Wattle	190		190	17.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4086	*Alphitonia excelsa*	Soap Tree	150		150	12.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4087	*Corymbia intermedia*	Pink Bloodwood	200		200	14.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4088	*Lophostemon suaveolens*	Swamp Box	190		190	16.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4089	*Lophostemon suaveolens*	Swamp Box	280		280	17.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4090	*Acacia disparrima*	Hickory Wattle	180		180	14.0	3.0	2.2	1.6	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4091	*Lophostemon suaveolens*	Swamp Box	200		200	16.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4092	*Lophostemon suaveolens*	Swamp Box	290		290	18.0	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4093	*Eucalyptus tereticornis*	Forest Red Gum	360		360	27.0	12.0	4.3	2.2	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4094	*Lophostemon suaveolens*	Swamp Box	130		130	10.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4095	*Alphitonia excelsa*	Soap Tree	160		160	10.0	3.0	2.0	1.5	One-sided	-	-	-	-	-	Typical	Major	-	-	-	Typical	-	-	-	-	-	-	Retain	
4096	*Lophostemon suaveolens*	Swamp Box	120		120	12.0	3.0	2.0	1.4	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4097	*Eucalyptus tereticornis*	Forest Red Gum	450		450	26.0	12.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4098	*Lophostemon suaveolens*	Swamp Box	120		120	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4099	*Lophostemon suaveolens*	Swamp Box	280		280	18.0	9.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4100	*Lophostemon suaveolens*	Swamp Box	170		170	15.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4101	*Lophostemon suaveolens*	Swamp Box	120		120	11.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4102	*Lophostemon suaveolens*	Swamp Box	180		180	14.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4103	*Lophostemon suaveolens*	Swamp Box	120		120	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4104	*Eucalyptus tereticornis*	Forest Red Gum	280		280	19.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4105	*Lophostemon suaveolens*	Swamp Box	120		120	10.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4106	*Eucalyptus tereticornis*	Forest Red Gum	290		290	26.0	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4107	*Corymbia intermedia*	Pink Bloodwood	330		330	18.0	6.0	4.0	2.1	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4108	*Alphitonia excelsa*	Soap Tree	150		150	10.0	3.0	2.0	1.5	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4109	*Alphitonia excelsa*	Soap Tree	280		280	14.0	5.0	3.4	1.9	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4110	*Corymbia intermedia*	Pink Bloodwood	200		200	16.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4111	*Alphitonia excelsa*	Soap Tree	270		270	15.0	3.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4112	*Eucalyptus tereticornis*	Forest Red Gum	130		130	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4113	*Acacia disparrima*	Hickory Wattle	190		190	15.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4114	*Eucalyptus crebra*	Narrow-leaved Ironbark	160	170	233	16.0	3.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: DEV2025/2047303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
4115	*Lophostemon suaveolens*	Swamp Box	230		230	18.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4116	*Lophostemon suaveolens*	Swamp Box	190		190	16.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4117	*Lophostemon suaveolens*	Swamp Box	270		270	20.0	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4118	*Eucalyptus tereticornis*	Forest Red Gum	760		760	27.0	14.0	9.1	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4119	*Angophora leiocarpa*	Smooth-barked Apple	150		150	12.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4120	*Angophora leiocarpa*	Smooth-barked Apple	750		750	26.0	12.0	9.0	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4121	*Eucalyptus tereticornis*	Forest Red Gum	110		110	11.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4122	*Allocasuarina littoralis*	Black She Oak	150		150	10.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4123	*Eucalyptus tereticornis*	Forest Red Gum	110		110	12.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4124	*Eucalyptus tereticornis*	Forest Red Gum	620		620	27.0	10.0	7.4	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4125	*Eucalyptus tereticornis*	Forest Red Gum	660		660	27.0	9.0	7.9	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4126	*Eucalyptus tereticornis*	Forest Red Gum	660		660	26.0	14.0	7.9	2.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4127	*Eucalyptus crebra*	Narrow-leaved Ironbark	260		260	23.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4128	*Eucalyptus tereticornis*	Forest Red Gum	600		600	28.0	12.0	7.2	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4129	*Corymbia citriodora*	Spotted Gum	110		110	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4130	*Eucalyptus siderophloia*	Grey Ironbark	250		250	16.0	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4131	*Eucalyptus siderophloia*	Grey Ironbark	230		230	16.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4132	*Eucalyptus siderophloia*	Grey Ironbark	290		290	17.0	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4133	*Eucalyptus siderophloia*	Grey Ironbark	210		210	8.0	3.0	2.5	1.7	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4134	*Eucalyptus siderophloia*	Grey Ironbark	270		270	17.0	4.0	3.2	1.9	One-sided	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4135	*Eucalyptus tereticornis*	Forest Red Gum	250		250	17.0	3.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4136	*Casuarina cunninghamiana*	River Sheoak	300		300	22.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4137	*Alphitonia excelsa*	Soap Tree	230		230	13.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4138	*Casuarina cunninghamiana*	River Sheoak	360		360	25.0	12.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4139	*Casuarina cunninghamiana*	River Sheoak	275		275	22.0	9.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4140	*Casuarina cunninghamiana*	River Sheoak	280		280	22.0	10.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4141	*Melia azedarach*	White Cedar	180		180	12.0	8.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4142	*DEAD/STAG*		295		295	19.0	5.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4143	*Lophostemon suaveolens*	Swamp Box	190		190	16.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4144	*Angophora subvelutina*	Broad-leaved Apple	165		165	13.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4145	*Casuarina cunninghamiana*	River Sheoak	285	200	348	21.0	7.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4146	*Casuarina cunninghamiana*	River Sheoak	230		230	18.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Retain	
4205	*Melaleuca irbyana*	Weeping Paperbark	275		275	7.0	5.0	3.3	1.9	One-sided	-	-	-	-	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4206	*Allocasuarina littoralis*	Black She Oak	160		160	11.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4207	*Corymbia intermedia*	Pink Bloodwood	210		210	10.0	3.0	2.5	1.7	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Removed	
4208	*Corymbia citriodora*	Spotted Gum	320		320	16.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4209	*Corymbia citriodora*	Spotted Gum	195		195	13.0	5.0	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4210	*Corymbia citriodora*	Spotted Gum	185		185	14.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4211	*Alphitonia excelsa*	Soap Tree	125		125	9.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4212	*Alphitonia excelsa*	Soap Tree	105		105	8.0	2.0	2.0	1.3	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4213	*Corymbia citriodora*	Spotted Gum	105		105	11.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4214	*Alphitonia excelsa*	Soap Tree	105	50	116	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: DEV2025/2054/303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
4215	*Corymbia citriodora*	Spotted Gum	275		275	18.0	5.0	3.3	1.9	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4216	*Corymbia citriodora*	Spotted Gum	135		135	13.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4217	*Corymbia citriodora*	Spotted Gum	275		275	19.0	3.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4218	*Corymbia citriodora*	Spotted Gum	130		130	11.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4219	*Corymbia citriodora*	Spotted Gum	130		130	10.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4220	*Alphitonia excelsa*	Soap Tree	100		100	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4221	*Corymbia citriodora*	Spotted Gum	220		220	17.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4222	*Corymbia citriodora*	Spotted Gum	220		220	12.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4223	*DEAD/STAG*		275		275	18.0	3.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4224	*Corymbia intermedia*	Pink Bloodwood	275		275	17.0	6.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4225	*Eucalyptus crebra*	Narrow-leaved Ironbark	165		165	14.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4226	*Eucalyptus crebra*	Narrow-leaved Ironbark	170		170	14.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4227	*Eucalyptus tereticornis*	Forest Red Gum	280		280	16.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4228	*Corymbia citriodora*	Spotted Gum	340		340	21.0	9.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4229	*Eucalyptus crebra*	Narrow-leaved Ironbark	150		150	11.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4230	*Corymbia citriodora*	Spotted Gum	300		300	19.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4231	*Eucalyptus moluccana*	Gum Topped Box	290	180	341	17.0	9.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4232	*Corymbia citriodora*	Spotted Gum	195		195	16.0	4.0	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4233	*Corymbia citriodora*	Spotted Gum	195		195	17.0	4.0	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4234	*Corymbia citriodora*	Spotted Gum	175		175	15.0	4.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4235	*Eucalyptus tereticornis*	Forest Red Gum	320		320	19.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4236	*Corymbia citriodora*	Spotted Gum	420		420	21.0	9.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4237	*Corymbia citriodora*	Spotted Gum	180		180	15.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4238	*Eucalyptus moluccana*	Gum Topped Box	190	100	215	15.0	6.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4239	*Corymbia citriodora*	Spotted Gum	340	160, 105, 65	396	22.0	9.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4240	*Eucalyptus moluccana*	Gum Topped Box	230		230	12.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Removed	
4241	*Corymbia citriodora*	Spotted Gum	160	80, 65, 95, 85	229	13.0	5.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4242	*Corymbia citriodora*	Spotted Gum	185		185	11.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4243	*DEAD/STAG*		360		360	24.0	7.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4244	*Corymbia citriodora*	Spotted Gum	205		205	16.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4245	*Corymbia citriodora*	Spotted Gum	165		165	11.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4246	*Eucalyptus crebra*	Narrow-leaved Ironbark	155		155	13.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4247	*Eucalyptus tereticornis*	Forest Red Gum	165		165	12.0	2.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Removed	
4248	*Corymbia citriodora*	Spotted Gum	260	130	291	18.0	6.0	3.5	2.0	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4249	*Eucalyptus crebra*	Narrow-leaved Ironbark	220		220	13.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Removed	
4250	*Corymbia citriodora*	Spotted Gum	130		130	12.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4251	*Corymbia citriodora*	Spotted Gum	295		295	18.0	6.0	3.5	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4252	*Eucalyptus moluccana*	Gum Topped Box	175		175	14.0	3.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4253	*Corymbia citriodora*	Spotted Gum	270		270	15.0	4.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4254	*Corymbia citriodora*	Spotted Gum	390		390	23.0	9.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4255	*Corymbia citriodora*	Spotted Gum	145		145	11.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4256	*Eucalyptus crebra*	Narrow-leaved Ironbark	165		165	12.0	4.0	2.0	1.6	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: IDE/2025/2047/303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
4257	*Corymbia citriodora*	Spotted Gum	325		325	18.0	5.0	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4258	*Eucalyptus crebra*	Narrow-leaved Ironbark	145		145	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4259	*Eucalyptus tereticornis*	Forest Red Gum	165		165	13.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4260	*Corymbia citriodora*	Spotted Gum	145		145	12.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4261	*Eucalyptus tereticornis*	Forest Red Gum	165		165	13.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4262	*Eucalyptus crebra*	Narrow-leaved Ironbark	345		345	22.0	7.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4263	*Corymbia citriodora*	Spotted Gum	365	170	403	18.0	7.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4264	*Corymbia citriodora*	Spotted Gum	185		185	14.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4265	*Corymbia citriodora*	Spotted Gum	390		390	24.0	9.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4266	*Corymbia citriodora*	Spotted Gum	165		165	12.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4267	*Corymbia citriodora*	Spotted Gum	310		310	19.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4268	*Corymbia citriodora*	Spotted Gum	185		185	15.0	3.0	2.2	1.6	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4269	*Eucalyptus crebra*	Narrow-leaved Ironbark	145		145	12.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4270	*Corymbia tessellaris*	Moreton Bay Ash	225		225	16.0	4.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4271	*Alphitonia excelsa*	Soap Tree	165		165	11.0	5.0	2.0	1.6	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4272	*Angophora leiocarpa*	Smooth-barked Apple	195		195	11.0	5.0	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4273	*Eucalyptus tereticornis*	Forest Red Gum	285		285	15.0	6.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4274	*Corymbia citriodora*	Spotted Gum	165		165	12.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4275	*Eucalyptus tereticornis*	Forest Red Gum	230		230	17.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4276	*Acacia disparrima*	Hickory Wattle	150		150	8.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Removed	
4277	*Alphitonia excelsa*	Soap Tree	155		155	10.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4278	*Eucalyptus crebra*	Narrow-leaved Ironbark	175		175	15.0	3.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4279	*Eucalyptus crebra*	Narrow-leaved Ironbark	245		245	15.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4280	*Eucalyptus crebra*	Narrow-leaved Ironbark	190		190	16.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4281	*Eucalyptus crebra*	Narrow-leaved Ironbark	320		320	19.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4282	*Alphitonia excelsa*	Soap Tree	200		200	8.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4283	*Alphitonia excelsa*	Soap Tree	190		190	7.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	Major	-	-	-	Typical	-	-	-	-	-	-	Removed	
4284	*Alphitonia excelsa*	Soap Tree	150		150	10.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4285	*Eucalyptus crebra*	Narrow-leaved Ironbark	100		100	10.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4286	*Acacia disparrima*	Hickory Wattle	140		140	9.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4287	*Acacia disparrima*	Hickory Wattle	240		240	9.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4288	*Alphitonia excelsa*	Soap Tree	165		165	12.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4289	*Corymbia citriodora*	Spotted Gum	165		165	15.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4290	*Eucalyptus tereticornis*	Forest Red Gum	155		155	13.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4291	*Corymbia citriodora*	Spotted Gum	125		125	11.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4292	*Alphitonia excelsa*	Soap Tree	235		235	12.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4293	*Alphitonia excelsa*	Soap Tree	205		205	12.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4294	*Eucalyptus crebra*	Narrow-leaved Ironbark	350	150	381	21.0	5.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4295	*Corymbia citriodora*	Spotted Gum	185		185	14.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4296	*Corymbia citriodora*	Spotted Gum	120		120	9.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4297	*Corymbia citriodora*	Spotted Gum	390		390	22.0	9.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4298	*Alphitonia excelsa*	Soap Tree	125	70	143	11.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: DEV2025/2047303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
4299	*Alphitonia excelsa*	Soap Tree	100		100	6.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4300	*Corymbia citriodora*	Spotted Gum	330		330	22.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4301	*Eucalyptus crebra*	Narrow-leaved Ironbark	300		300	16.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4302	*Acacia disparrima*	Hickory Wattle	140	80	161	9.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4303	*Eucalyptus crebra*	Narrow-leaved Ironbark	285		285	17.0	6.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4304	*Corymbia citriodora*	Spotted Gum	305		305	21.0	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4305	*Corymbia citriodora*	Spotted Gum	385		385	22.0	8.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4306	*Corymbia citriodora*	Spotted Gum	195		195	17.0	3.0	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4307	*Eucalyptus tereticornis*	Forest Red Gum	130		130	9.0	3.0	2.0	1.4	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4308	*Eucalyptus tereticornis*	Forest Red Gum	155		155	15.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4309	*Corymbia citriodora*	Spotted Gum	385		385	19.0	8.0	4.6	2.2	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4310	*Corymbia citriodora*	Spotted Gum	145		145	10.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4311	*Corymbia citriodora*	Spotted Gum	105		105	10.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4312	*Corymbia citriodora*	Spotted Gum	375		375	22.0	9.0	4.5	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4313	*Corymbia citriodora*	Spotted Gum	265		265	18.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4314	*Eucalyptus tereticornis*	Forest Red Gum	230		230	18.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4315	*Corymbia citriodora*	Spotted Gum	230		230	10.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	Major	-	-	-	Typical	-	-	-	-	-	-	Removed	
4316	*Eucalyptus tereticornis*	Forest Red Gum	375		375	24.0	8.0	4.5	2.2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4317	*Corymbia citriodora*	Spotted Gum	230		230	15.0	6.0	2.8	1.8	Regular	-	-	-	Epicormic	Lopped	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4318	*Acacia disparrima*	Hickory Wattle	150	100	180	8.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4319	*Eucalyptus crebra*	Narrow-leaved Ironbark	210		210	13.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Removed	
4320	*Lophostemon suaveolens*	Swamp Box	105		105	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4321	*Corymbia citriodora*	Spotted Gum	185		185	16.0	4.0	2.2	1.6	Regular	-	Thinning	Die-back	-	-	Poor	-	-	Trunk Dmg.	-	Poor	-	-	-	-	-	-	Removed	
4322	*Corymbia citriodora*	Spotted Gum	290		290	17.0	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4323	*Eucalyptus crebra*	Narrow-leaved Ironbark	320		320	18.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4324	*Eucalyptus tereticornis*	Forest Red Gum	565		565	22.0	9.0	6.8	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4325	*Corymbia citriodora*	Spotted Gum	135		135	9.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4326	*Alphitonia excelsa*	Soap Tree	140		140	9.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4327	*Corymbia citriodora*	Spotted Gum	160	130	206	14.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4328	*Eucalyptus tereticornis*	Forest Red Gum	260		260	18.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Removed	
4329	*Eucalyptus tereticornis*	Forest Red Gum	200		200	16.0	3.0	2.4	1.7	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4330	*Alphitonia excelsa*	Soap Tree	180		180	11.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4331	*Eucalyptus crebra*	Narrow-leaved Ironbark	205		205	18.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4332	*Eucalyptus crebra*	Narrow-leaved Ironbark	265		265	18.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4333	*Eucalyptus crebra*	Narrow-leaved Ironbark	340		340	19.0	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4334	*Eucalyptus siderophloia*	Grey Ironbark	185		185	13.0	5.0	2.2	1.6	One-sided	-	-	-	-	-	Typical	Minor	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Removed	
4335	*Eucalyptus tereticornis*	Forest Red Gum	390		390	16.0	8.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4336	*Eucalyptus crebra*	Narrow-leaved Ironbark	265		265	15.0	4.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4337	*Acacia disparrima*	Hickory Wattle	205		205	9.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4338	*Eucalyptus tereticornis*	Forest Red Gum	270		270	18.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4339	*Eucalyptus tereticornis*	Forest Red Gum	320		320	17.0	4.0	3.8	2.1	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4340	*Corymbia intermedia*	Pink Bloodwood	205		205	16.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: 1E\2025\2047303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
4341	*Eucalyptus crebra*	Narrow-leaved Ironbark	365		365	18.0	9.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4342	*Eucalyptus tereticornis*	Forest Red Gum	200		200	17.0	6.0	2.4	1.7	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4343	*Eucalyptus tereticornis*	Forest Red Gum	325		325	17.0	7.0	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4344	*Eucalyptus crebra*	Narrow-leaved Ironbark	360		360	17.0	6.0	4.3	2.2	One-sided	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Removed	
4345	*Corymbia intermedia*	Pink Bloodwood	260	210	334	17.0	6.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4346	*Corymbia citriodora*	Spotted Gum	310		310	19.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4347	*Corymbia citriodora*	Spotted Gum	185		185	15.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4348	*Corymbia citriodora*	Spotted Gum	270	145	306	18.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4349	*Corymbia citriodora*	Spotted Gum	330		330	17.0	5.0	4.0	2.1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4350	*Alphitonia excelsa*	Soap Tree	220		220	11.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4351	*Corymbia citriodora*	Spotted Gum	165		165	15.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4352	*Eucalyptus tereticornis*	Forest Red Gum	300		300	18.0	6.0	3.6	2.0	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4353	*Alphitonia excelsa*	Soap Tree	135		135	9.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4354	*Eucalyptus crebra*	Narrow-leaved Ironbark	290		290	18.0	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4355	*Eucalyptus crebra*	Narrow-leaved Ironbark	220		220	17.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Removed	
4356	*Corymbia citriodora*	Spotted Gum	330		330	17.0	6.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4357	*Acacia leiocalyx*	Early-flowering Black Wattle	185		185	6.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4358	*Eucalyptus crebra*	Narrow-leaved Ironbark	200		200	16.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4359	*Acacia leiocalyx*	Early-flowering Black Wattle	180	80	197	6.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4360	*Corymbia tessellaris*	Moreton Bay Ash	195		195	16.0	5.0	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4361	*Corymbia citriodora*	Spotted Gum	300		300	17.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4362	*Acacia leiocalyx*	Early-flowering Black Wattle	220		220	7.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4363	*Eucalyptus tereticornis*	Forest Red Gum	200		200	17.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4364	*Corymbia citriodora*	Spotted Gum	305		305	18.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4365	*Eucalyptus tereticornis*	Forest Red Gum	145		145	13.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4366	*Corymbia citriodora*	Spotted Gum	285		285	18.0	8.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4367	*Eucalyptus tereticornis*	Forest Red Gum	205		205	18.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4368	*Eucalyptus crebra*	Narrow-leaved Ironbark	205		205	12.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Removed	
4369	*Eucalyptus crebra*	Narrow-leaved Ironbark	315		315	19.0	8.0	3.8	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4370	*Corymbia henryi*	Large-leaved Spotted Gum	285		285	17.0	7.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4371	*Corymbia citriodora*	Spotted Gum	345		345	18.0	9.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4372	*Eucalyptus tereticornis*	Forest Red Gum	360		360	21.0	8.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4373	*Corymbia citriodora*	Spotted Gum	330		330	19.0	9.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4374	*Corymbia citriodora*	Spotted Gum	265		265	18.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4375	*Eucalyptus crebra*	Narrow-leaved Ironbark	365		365	18.0	8.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Removed	
4376	*Eucalyptus tereticornis*	Forest Red Gum	365		365	18.0	8.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4377	*Corymbia citriodora*	Spotted Gum	350		350	19.0	8.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4378	*Eucalyptus tereticornis*	Forest Red Gum	300		300	20.0	4.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4379	*Eucalyptus crebra*	Narrow-leaved Ironbark	260		260	17.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4380	*Eucalyptus tereticornis*	Forest Red Gum	325		325	17.0	7.0	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4381	*Corymbia citriodora*	Spotted Gum	305		305	17.0	9.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4382	*Acacia leiocalyx*	Early-flowering Black Wattle	220	140	261	6.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: 1E\2025\2047303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
4383	*Eucalyptus tereticornis*	Forest Red Gum	295		295	18.0	8.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4384	*Eucalyptus tereticornis*	Forest Red Gum	320		320	19.0	5.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4385	*Acacia leiocalyx*	Early-flowering Black Wattle	270		270	8.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4386	*Eucalyptus tereticornis*	Forest Red Gum	390		390	19.0	10.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4387	*Corymbia intermedia*	Pink Bloodwood	300	100, 90	329	19.0	8.0	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	Small	-	-	Removed	
4388	*Eucalyptus crebra*	Narrow-leaved Ironbark	360		360	19.0	8.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Removed	
4389	*Allocasuarina littoralis*	Black She Oak	155		155	9.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4390	*Allocasuarina littoralis*	Black She Oak	140	130	191	9.0	5.0	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4391	*Eucalyptus tereticornis*	Forest Red Gum	265		265	17.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4392	*Corymbia intermedia*	Pink Bloodwood	320		320	18.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4393	*Corymbia intermedia*	Pink Bloodwood	300		300	19.0	9.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4394	*Corymbia citriodora*	Spotted Gum	180		180	11.0	5.0	2.2	1.6	Regular	-	Thinning	-	-	-	Poor	-	-	Trunk Dmg.	-	Poor	-	-	-	-	-	-	Removed	
4395	*Corymbia citriodora*	Spotted Gum	250		250	14.0	6.0	3.0	1.8	Regular	-	Thinning	-	-	-	Poor	-	-	Trunk Dmg.	-	Poor	-	-	-	-	-	-	Removed	
4396	*Eucalyptus tereticornis*	Forest Red Gum	165	120	204	12.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4397	*Acacia disparrima*	Hickory Wattle	190		190	6.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4398	*Eucalyptus tereticornis*	Forest Red Gum	320	340, 230	520	18.0	7.0	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4399	*Corymbia intermedia*	Pink Bloodwood	270	230	355	14.0	6.0	4.3	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4400	*Corymbia citriodora*	Spotted Gum	125		125	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4401	*Eucalyptus tereticornis*	Forest Red Gum	270		270	17.0	5.0	3.2	1.9	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4402	*Corymbia citriodora*	Spotted Gum	160		160	15.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4403	*Corymbia tessellaris*	Moreton Bay Ash	270		270	16.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4404	*Corymbia citriodora*	Spotted Gum	240		240	16.0	3.0	2.9	1.8	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4405	*Corymbia citriodora*	Spotted Gum	160		160	13.0	2.0	2.0	1.5	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4406	*Corymbia citriodora*	Spotted Gum	250		250	16.0	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4407	*Corymbia tessellaris*	Moreton Bay Ash	200		200	17.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4408	*Eucalyptus tereticornis*	Forest Red Gum	170		170	15.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4409	*Eucalyptus moluccana*	Gum Topped Box	530	270	595	23.0	11.0	7.1	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4410	*Corymbia citriodora*	Spotted Gum	205		205	16.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4411	*Eucalyptus tereticornis*	Forest Red Gum	220		220	16.0	5.0	2.6	1.8	Regular	-	Thinning	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4412	*Eucalyptus crebra*	Narrow-leaved Ironbark	220		220	16.0	5.0	2.6	1.8	Regular	-	Thinning	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4413	*Angophora floribunda*	Rough-barked Apple	200		200	13.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4414	*Angophora subvelutina*	Broad-leaved Apple	660		660	15.0	8.0	7.9	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4419	*Eucalyptus crebra*	Narrow-leaved Ironbark	400		400	26.0	10.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4420	*Eucalyptus tereticornis*	Forest Red Gum	400		400	23.0	8.0	4.8	2.3	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4421	*Eucalyptus tereticornis*	Forest Red Gum	300		300	19.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4422	*Eucalyptus crebra*	Narrow-leaved Ironbark	550		550	27.0	12.0	6.6	2.6	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Removed	
4423	*Acacia leiocalyx*	Early-flowering Black Wattle	170		170	11.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	Introduced	-	-	Typical	-	-	-	-	-	-	Removed	
4424	*Lophostemon suaveolens*	Swamp Box	100	100, 80, 90	186	12.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	Introduced	-	-	Typical	-	-	-	-	-	-	Removed	
4425	*Lophostemon suaveolens*	Swamp Box	100		100	10.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4426	*Lophostemon suaveolens*	Swamp Box	130		130	11.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4427	*Acacia concurrens*	Black Wattle	150		150	13.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4428	*Acacia leiocalyx*	Early-flowering Black Wattle	210		210	13.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: 1E\2025\2047303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
4429	*Lophostemon suaveolens*	Swamp Box	110		110	10.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4430	*Lophostemon suaveolens*	Swamp Box	100		100	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4431	*Corymbia intermedia*	Pink Bloodwood	100		100	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4432	*Acacia leiocalyx*	Early-flowering Black Wattle	150		150	10.0	4.0	2.0	1.5	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4433	*Acacia leiocalyx*	Early-flowering Black Wattle	150		150	9.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4434	*Corymbia citriodora*	Spotted Gum	300		300	18.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4435	*Acacia disparrima*	Hickory Wattle	180		180	10.0	8.0	2.2	1.6	Regular	-	-	-	-	-	Typical	Major	-	-	-	Typical	-	-	-	-	-	-	Removed	
4436	*Lophostemon suaveolens*	Swamp Box	120	80	144	8.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4437	*Acacia concurrens*	Black Wattle	150		150	9.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4438	*Lophostemon suaveolens*	Swamp Box	120		120	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4439	*Lophostemon suaveolens*	Swamp Box	120		120	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4440	*Eucalyptus tereticornis*	Forest Red Gum	100		100	12.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4441	*Lophostemon suaveolens*	Swamp Box	70	70	99	5.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4442	*Lophostemon suaveolens*	Swamp Box	150		150	9.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4443	*Eucalyptus tereticornis*	Forest Red Gum	100		100	9.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4442	*Lophostemon suaveolens*	Swamp Box	150		150	9.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4443	*Eucalyptus tereticornis*	Forest Red Gum	100		100	9.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4444	*Lophostemon suaveolens*	Swamp Box	100		100	9.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4445	*Lophostemon suaveolens*	Swamp Box	120		120	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4446	*Eucalyptus tereticornis*	Forest Red Gum	110		110	9.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4447	*Lophostemon suaveolens*	Swamp Box	110		110	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4448	*Eucalyptus tereticornis*	Forest Red Gum	120		120	11.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4449	*Acacia leiocalyx*	Early-flowering Black Wattle	160		160	9.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4450	*Eucalyptus tereticornis*	Forest Red Gum	115		115	11.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4451	*Lophostemon suaveolens*	Swamp Box	140	100	172	10.0	4.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4452	*Acacia leiocalyx*	Early-flowering Black Wattle	160		160	9.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4453	*Lophostemon suaveolens*	Swamp Box	130		130	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4454	*Eucalyptus tereticornis*	Forest Red Gum	100		100	10.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4455	*Lophostemon suaveolens*	Swamp Box	100		100	9.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4456	*Lophostemon suaveolens*	Swamp Box	110		110	9.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4457	*Lophostemon suaveolens*	Swamp Box	100		100	10.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4458	*Lophostemon suaveolens*	Swamp Box	110		110	10.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4459	*Acacia leiocalyx*	Early-flowering Black Wattle	150		150	10.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4460	*Eucalyptus tereticornis*	Forest Red Gum	130		130	13.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4461	*Lophostemon suaveolens*	Swamp Box	160		160	14.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4462	*Acacia leiocalyx*	Early-flowering Black Wattle	150		150	9.0	6.0	2.0	1.5	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4463	*Eucalyptus tereticornis*	Forest Red Gum	120		120	15.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	New	-	-	-	-	Removed	
4464	*Eucalyptus tereticornis*	Forest Red Gum	100		100	9.0	2.0	2.0	1.3	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4465	*Lophostemon suaveolens*	Swamp Box	160		160	12.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4466	*Acacia leiocalyx*	Early-flowering Black Wattle	150	110	186	9.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4467	*Acacia leiocalyx*	Early-flowering Black Wattle	150		150	8.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4468	*Melaleuca viminalis*	Weeping Bottlebrush	140		140	9.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4469	*Eucalyptus tereticornis*	Forest Red Gum	570		570	26.0	15.0	6.8	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Old	-	-	-	-	Removed	
4470	*Eucalyptus tereticornis*	Forest Red Gum	100		100	12.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: PE/2025/2047/303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
4471	*Angophora leiocarpa*	Smooth-barked Apple	120		120	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4472	*Eucalyptus tereticornis*	Forest Red Gum	270		270	24.0	8.0	3.2	1.9	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4473	*Acacia leiocalyx*	Early-flowering Black Wattle	140	140	198	5.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4474	*Corymbia intermedia*	Pink Bloodwood	350		350	22.0	8.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4475	*Eucalyptus tereticornis*	Forest Red Gum	330	330	467	23.0	12.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4476	*Eucalyptus tereticornis*	Forest Red Gum	300		300	22.0	8.0	3.6	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4477	*Eucalyptus siderophloia*	Grey Ironbark	290		290	19.0	8.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4478	*Corymbia intermedia*	Pink Bloodwood	300		300	18.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4479	*Acacia disparrima*	Hickory Wattle	170		170	13.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4480	*Acacia disparrima*	Hickory Wattle	130		130	8.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4481	*Angophora leiocarpa*	Smooth-barked Apple	170		170	20.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4482	*Alphitonia excelsa*	Soap Tree	120		120	12.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4483	*Corymbia tessellaris*	Moreton Bay Ash	160		160	17.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4484	*Corymbia tessellaris*	Moreton Bay Ash	150	100	180	18.0	5.0	2.2	1.6	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4485	*Alphitonia excelsa*	Soap Tree	120		120	11.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4486	*Corymbia tessellaris*	Moreton Bay Ash	170		170	16.0	6.0	2.0	1.6	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4487	*Alphitonia excelsa*	Soap Tree	140		140	9.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4488	*Acacia disparrima*	Hickory Wattle	150		150	9.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4489	*Corymbia citriodora*	Spotted Gum	100		100	12.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4490	*Acacia disparrima*	Hickory Wattle	140		140	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4492	*Corymbia citriodora*	Spotted Gum	100		100	13.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4493	*Acacia disparrima*	Hickory Wattle	180		180	8.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4494	*Corymbia citriodora*	Spotted Gum	390		390	28.0	13.0	4.7	2.2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4495	*Corymbia citriodora*	Spotted Gum	300		300	23.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4496	*Corymbia citriodora*	Spotted Gum	610		610	31.0	16.0	7.3	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4497	*Corymbia citriodora*	Spotted Gum	140		140	14.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4498	*Corymbia citriodora*	Spotted Gum	420		420	30.0	15.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4499	*Eucalyptus siderophloia*	Grey Ironbark	370		370	24.0	10.0	4.4	2.2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Retain	
4500	*Corymbia citriodora*	Spotted Gum	430		430	32.0	15.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4501	*Corymbia citriodora*	Spotted Gum	450		450	32.0	14.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4502	*Corymbia citriodora*	Spotted Gum	260		260	26.0	8.0	3.1	1.9	Irregular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4503	*Corymbia citriodora*	Spotted Gum	360		360	29.0	9.0	4.3	2.2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4504	*Corymbia citriodora*	Spotted Gum	290		290	21.0	9.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4505	*Corymbia citriodora*	Spotted Gum	400		400	30.0	13.0	4.8	2.3	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4506	*Corymbia citriodora*	Spotted Gum	390		390	31.0	10.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4507	*Corymbia citriodora*	Spotted Gum	340		340	29.0	10.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4510	*Corymbia citriodora*	Spotted Gum	320		320	26.0	14.0	3.8	2.1	Regular	-	-	-	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4511	*Acacia disparrima*	Hickory Wattle	150		150	9.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4512	*Corymbia citriodora*	Spotted Gum	390		390	28.0	18.0	4.7	2.2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4513	*Corymbia citriodora*	Spotted Gum	440		440	27.0	18.0	5.3	2.3	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4514	*Corymbia citriodora*	Spotted Gum	100		100	10.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4515	*Corymbia citriodora*	Spotted Gum	460		460	31.0	12.0	5.5	2.4	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: DEV2025/2047303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
4516	*Corymbia citriodora*	Spotted Gum	530		530	27.0	13.0	6.4	2.5	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4517	*Acacia disparrima*	Hickory Wattle	180		180	8.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4518	*Corymbia citriodora*	Spotted Gum	570		570	32.0	14.0	6.8	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4519	*Corymbia citriodora*	Spotted Gum	540		540	27.0	18.0	6.5	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4520	*Corymbia citriodora*	Spotted Gum	280		280	27.0	5.0	3.4	1.9	Regular	-	-	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4521	*Eucalyptus tereticornis*	Forest Red Gum	320		320	16.0	7.0	3.8	2.1	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4522	*Corymbia citriodora*	Spotted Gum	370		370	32.0	11.0	4.4	2.2	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Retain	
4523	*Corymbia citriodora*	Spotted Gum	340		340	30.0	10.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4524	*Corymbia citriodora*	Spotted Gum	530		530	29.0	12.0	6.4	2.5	Regular	-	-	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4525	*Corymbia citriodora*	Spotted Gum	390		390	26.0	10.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4526	*Corymbia citriodora*	Spotted Gum	260		260	23.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4527	*Corymbia citriodora*	Spotted Gum	420		420	27.0	14.0	5.0	2.3	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4528	*DEAD/STAG*		440		440	25.0	9.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	potential hollows
4529	*Corymbia citriodora*	Spotted Gum	690		690	30.0	18.0	8.3	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4530	*Corymbia citriodora*	Spotted Gum	290		290	23.0	9.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4531	*Corymbia citriodora*	Spotted Gum	500		500	31.0	18.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	potential sml hollows
4532	*Alphitonia excelsa*	Soap Tree	150		150	8.0	3.0	2.0	1.5	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4533	*Corymbia citriodora*	Spotted Gum	430		430	27.0	8.0	5.2	2.3	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4534	*Corymbia intermedia*	Pink Bloodwood	180		180	13.0	2.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4535	*Alphitonia excelsa*	Soap Tree	120		120	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4536	*Eucalyptus tereticornis*	Forest Red Gum	470		470	23.0	16.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4537	*Corymbia citriodora*	Spotted Gum	780		780	33.0	19.0	9.4	3.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4538	*Corymbia citriodora*	Spotted Gum	120		120	10.0	2.0	2.0	1.4	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4539	*Alphitonia excelsa*	Soap Tree	220		220	10.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4540	*Alphitonia excelsa*	Soap Tree	130	120	177	9.0	4.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4541	*Alphitonia excelsa*	Soap Tree	150		150	10.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4542	*Acacia concurrens*	Black Wattle	120	80	144	9.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	Major	-	-	-	Typical	-	-	-	-	-	-	Retain	
4543	*Lophostemon suaveolens*	Swamp Box	120		120	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4544	*Acacia concurrens*	Black Wattle	150	130	198	9.0	8.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4545	*Lophostemon suaveolens*	Swamp Box	120		120	7.0	2.0	2.0	1.4	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4546	*Alphitonia excelsa*	Soap Tree	180		180	10.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4547	*Eucalyptus tereticornis*	Forest Red Gum	650		650	27.0	12.0	7.8	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4548	*Acacia disparrima*	Hickory Wattle	160		160	9.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4549	*Lophostemon suaveolens*	Swamp Box	170		170	10.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4550	*Acacia disparrima*	Hickory Wattle	170		170	9.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4551	*Corymbia intermedia*	Pink Bloodwood	110		110	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4552	*Eucalyptus crebra*	Narrow-leaved Ironbark	380		380	22.0	8.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4553	*Alphitonia excelsa*	Soap Tree	210		210	12.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4554	*Alphitonia excelsa*	Soap Tree	150		150	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	Major	-	-	-	Typical	-	-	-	-	-	-	Retain	
4555	*Alphitonia excelsa*	Soap Tree	120		120	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4556	*Alphitonia excelsa*	Soap Tree	180		180	12.0	2.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain	ants nest
4557	*Eucalyptus tereticornis*	Forest Red Gum	440		440	27.0	12.0	5.3	2.3	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: PE/2025/2047/303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
4558	*Eucalyptus crebra*	Narrow-leaved Ironbark	270		270	18.0	6.0	3.2	1.9	Regular	-	-	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4559	*Eucalyptus tereticornis*	Forest Red Gum	540		540	24.0	15.0	6.5	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4560	*Eucalyptus tereticornis*	Forest Red Gum	400		400	26.0	14.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4561	*Eucalyptus crebra*	Narrow-leaved Ironbark	410		410	27.0	10.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4562	*Alphitonia excelsa*	Soap Tree	180		180	12.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	Major	-	-	-	Typical	-	-	-	-	-	-	Retain	
4563	*Alphitonia excelsa*	Soap Tree	170		170	12.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4564	*Alphitonia excelsa*	Soap Tree	140		140	10.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4565	*Corymbia intermedia*	Pink Bloodwood	250		250	16.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4566	*Corymbia intermedia*	Pink Bloodwood	410		410	26.0	12.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4567	*Alphitonia excelsa*	Soap Tree	110		110	10.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4568	*Corymbia intermedia*	Pink Bloodwood	220		220	20.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4569	*Eucalyptus crebra*	Narrow-leaved Ironbark	480		480	26.0	16.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4570	*Alphitonia excelsa*	Soap Tree	150		150	13.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4571	*Acacia disparrima*	Hickory Wattle	160		160	9.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4572	*Lophostemon suaveolens*	Swamp Box	150		150	14.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4573	*Petalostigma pubescens*	Quinine Bush	120		120	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4574	*Lophostemon suaveolens*	Swamp Box	220		220	17.0	8.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4575	*Acacia leiocalyx*	Early-flowering Black Wattle	150		150	12.0	5.0	2.0	1.5	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4576	*Lophostemon suaveolens*	Swamp Box	140		140	16.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4577	*Acacia leiocalyx*	Early-flowering Black Wattle	200		200	12.0	7.0	2.4	1.7	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4578	*Angophora subvelutina*	Broad-leaved Apple	340		340	24.0	9.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4579	*Corymbia intermedia*	Pink Bloodwood	240		240	25.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4580	*Eucalyptus tereticornis*	Forest Red Gum	190		190	19.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4581	*Eucalyptus tereticornis*	Forest Red Gum	260		260	21.0	3.0	3.1	1.9	Regular	-	-	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4582	*Eucalyptus tereticornis*	Forest Red Gum	360	330	488	23.0	12.0	5.9	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4583	*Corymbia intermedia*	Pink Bloodwood	280		280	21.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4584	*Acacia leiocalyx*	Early-flowering Black Wattle	130		130	5.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4585	*Corymbia intermedia*	Pink Bloodwood	310		310	21.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4586	*Acacia leiocalyx*	Early-flowering Black Wattle	140		140	5.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4587	*Eucalyptus tereticornis*	Forest Red Gum	340		340	20.0	13.0	4.1	2.1	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4588	*Acacia leiocalyx*	Early-flowering Black Wattle	140	100, 110	204	4.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4589	*Corymbia intermedia*	Pink Bloodwood	300		300	19.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4590	*Corymbia intermedia*	Pink Bloodwood	290		290	15.0	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	Small	-	-	Removed	
4591	*Corymbia intermedia*	Pink Bloodwood	310		310	19.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4592	*Corymbia intermedia*	Pink Bloodwood	340		340	16.0	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4593	*Eucalyptus siderophloia*	Grey Ironbark	430		430	20.0	10.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4594	*Allocasuarina littoralis*	Black She Oak	200		200	8.0	3.0	2.4	1.7	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4595	*Acacia leiocalyx*	Early-flowering Black Wattle	130		130	5.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4596	*Acacia leiocalyx*	Early-flowering Black Wattle	140		140	8.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4597	*Angophora leiocarpa*	Smooth-barked Apple	140		140	10.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4598	*Acacia leiocalyx*	Early-flowering Black Wattle	160		160	8.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4599	*Acacia leiocalyx*	Early-flowering Black Wattle	170		170	8.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: PE/2025/2047/303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
4600	*Acacia leiocalyx*	Early-flowering Black Wattle	120		120	5.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4601	*Corymbia intermedia*	Pink Bloodwood	330		330	14.0	6.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4602	*Corymbia intermedia*	Pink Bloodwood	350		350	16.0	6.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4603	*Corymbia intermedia*	Pink Bloodwood	300		300	17.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4604	*Eucalyptus tereticornis*	Forest Red Gum	420		420	22.0	8.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4605	*Corymbia citriodora*	Spotted Gum	370		370	22.0	8.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4606	*Acacia leiocalyx*	Early-flowering Black Wattle	130	120, 120, 140	256	6.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4607	*Corymbia intermedia*	Pink Bloodwood	310		310	26.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4608	*Eucalyptus tereticornis*	Forest Red Gum	300		300	22.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4609	*Eucalyptus tereticornis*	Forest Red Gum	320		320	25.0	8.0	3.8	2.1	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4610	*Lophostemon suaveolens*	Swamp Box	140	130	191	6.0	2.0	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4611	*Eucalyptus tereticornis*	Forest Red Gum	300		300	21.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4612	*Eucalyptus tereticornis*	Forest Red Gum	330		330	23.0	6.0	4.0	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4613	*Corymbia intermedia*	Pink Bloodwood	400		400	22.0	9.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4614	*Corymbia intermedia*	Pink Bloodwood	360		360	20.0	7.0	4.3	2.2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4615	*Corymbia intermedia*	Pink Bloodwood	170		170	7.0	2.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4616	*Eucalyptus tereticornis*	Forest Red Gum	250		250	15.0	3.0	3.0	1.8	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4617	*Corymbia intermedia*	Pink Bloodwood	300		300	19.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4618	*Eucalyptus siderophloia*	Grey Ironbark	370		370	19.0	12.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4619	*Eucalyptus tereticornis*	Forest Red Gum	350		350	17.0	10.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4620	*Lophostemon suaveolens*	Swamp Box	220	170	278	14.0	3.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4621	*Acacia leiocalyx*	Early-flowering Black Wattle	250		250	10.0	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4622	*Lophostemon suaveolens*	Swamp Box	220		220	10.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4623	*Corymbia intermedia*	Pink Bloodwood	250		250	19.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4624	*Eucalyptus tereticornis*	Forest Red Gum	210	140	252	12.0	4.0	3.0	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4625	*Corymbia intermedia*	Pink Bloodwood	260		260	18.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4626	*Corymbia intermedia*	Pink Bloodwood	280		280	19.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4627	*Eucalyptus tereticornis*	Forest Red Gum	270		270	17.0	4.0	3.2	1.9	Regular	-	-	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4628	*Eucalyptus tereticornis*	Forest Red Gum	390		390	20.0	9.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4629	*Lophostemon suaveolens*	Swamp Box	270		270	10.0	3.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4630	*Angophora leiocarpa*	Smooth-barked Apple	290		290	17.0	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	Small	-	-	Removed	
4631	*Corymbia intermedia*	Pink Bloodwood	360		360	22.0	7.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4632	*Corymbia intermedia*	Pink Bloodwood	300		300	16.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4633	*Angophora leiocarpa*	Smooth-barked Apple	270		270	5.0	2.0	3.2	1.9	Regular	-	-	-	Epicormic	Lopped	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4634	*Eucalyptus tereticornis*	Forest Red Gum	390		390	24.0	6.0	4.7	2.2	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4635	*Lophostemon suaveolens*	Swamp Box	300		300	12.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4636	*Acacia leiocalyx*	Early-flowering Black Wattle	230		230	8.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4637	*Acacia leiocalyx*	Early-flowering Black Wattle	120		120	6.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4638	*Corymbia intermedia*	Pink Bloodwood	300		300	21.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4639	*Corymbia intermedia*	Pink Bloodwood	300		300	21.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4640	*Eucalyptus tereticornis*	Forest Red Gum	380		380	20.0	9.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4641	*Eucalyptus tereticornis*	Forest Red Gum	160		160	12.0	2.0	2.0	1.5	Regular	-	-	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: 1E\2025\2047303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
4642	*Eucalyptus tereticornis*	Forest Red Gum	280		280	15.0	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4643	*Eucalyptus crebra*	Narrow-leaved Ironbark	290		290	16.0	5.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Removed	
4644	*Eucalyptus crebra*	Narrow-leaved Ironbark	250		250	16.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4645	*Eucalyptus tereticornis*	Forest Red Gum	270		270	16.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4646	*Corymbia citriodora*	Spotted Gum	260		260	17.0	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4647	*Eucalyptus tereticornis*	Forest Red Gum	230		230	18.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4648	*Eucalyptus crebra*	Narrow-leaved Ironbark	290		290	22.0	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4649	*Eucalyptus carnea*	Thick-leaved Mahogany	270		270	16.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4650	*Eucalyptus tereticornis*	Forest Red Gum	210		210	15.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4651	*Eucalyptus carnea*	Thick-leaved Mahogany	210		210	12.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4652	*Eucalyptus crebra*	Narrow-leaved Ironbark	230		230	21.0	8.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4653	*Eucalyptus crebra*	Narrow-leaved Ironbark	230		230	18.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4654	*Corymbia citriodora*	Spotted Gum	270		270	19.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	Small	-	-	Removed	
4655	*Corymbia henryi*	Large-leaved Spotted Gum	250		250	15.0	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4656	*Corymbia henryi*	Large-leaved Spotted Gum	310		310	20.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4657	*Eucalyptus crebra*	Narrow-leaved Ironbark	350		350	18.0	8.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4658	*Eucalyptus crebra*	Narrow-leaved Ironbark	220		220	14.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4659	*Eucalyptus crebra*	Narrow-leaved Ironbark	310		310	18.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	Small	-	-	Removed	
4660	*Eucalyptus crebra*	Narrow-leaved Ironbark	280		280	18.0	4.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4661	*Eucalyptus tereticornis*	Forest Red Gum	280		280	20.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4662	*Eucalyptus crebra*	Narrow-leaved Ironbark	310		310	18.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4663	*Eucalyptus crebra*	Narrow-leaved Ironbark	320		320	20.0	4.0	3.8	2.1	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4664	*Corymbia citriodora*	Spotted Gum	260		260	13.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4665	*Corymbia citriodora*	Spotted Gum	280		280	15.0	7.0	3.4	1.9	Irregular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4666	*Eucalyptus crebra*	Narrow-leaved Ironbark	320		320	18.0	8.0	3.8	2.1	One-sided	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Removed	
4667	*Acacia leiocalyx*	Early-flowering Black Wattle	140		140	6.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4668	*Acacia leiocalyx*	Early-flowering Black Wattle	150		150	6.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4669	*Alphitonia excelsa*	Soap Tree	100		100	5.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4670	*Acacia leiocalyx*	Early-flowering Black Wattle	150	150, 100	235	8.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4671	*Acacia leiocalyx*	Early-flowering Black Wattle	150		150	5.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4672	*Acacia leiocalyx*	Early-flowering Black Wattle	160		160	7.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4673	*Corymbia intermedia*	Pink Bloodwood	130		130	5.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4674	*Eucalyptus tereticornis*	Forest Red Gum	120		120	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4675	*Acacia leiocalyx*	Early-flowering Black Wattle	160		160	6.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4676	*Corymbia intermedia*	Pink Bloodwood	130		130	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4677	*Acacia leiocalyx*	Early-flowering Black Wattle	140		140	7.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4678	*Allocasuarina littoralis*	Black She Oak	130		130	7.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4679	*Corymbia citriodora*	Spotted Gum	110		110	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4680	*Allocasuarina littoralis*	Black She Oak	120		120	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4681	*Eucalyptus tereticornis*	Forest Red Gum	340		340	20.0	10.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4682	*Lophostemon suaveolens*	Swamp Box	100	100	141	5.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4683	*Lophostemon suaveolens*	Swamp Box	120		120	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: PE/2025/2047/303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
4684	*DEAD/STAG*		150		150	7.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4685	*Eucalyptus tereticornis*	Forest Red Gum	100		100	5.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4686	*Eucalyptus tereticornis*	Forest Red Gum	110		110	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4687	*Allocasuarina littoralis*	Black She Oak	110		110	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4688	*Lophostemon suaveolens*	Swamp Box	100		100	5.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4689	*Eucalyptus tereticornis*	Forest Red Gum	100		100	5.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4690	*Lophostemon suaveolens*	Swamp Box	320		320	13.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4691	*Corymbia intermedia*	Pink Bloodwood	120	120	170	7.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4692	*Acacia leiocalyx*	Early-flowering Black Wattle	150		150	5.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4693	*Eucalyptus tereticornis*	Forest Red Gum	100		100	5.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4694	*Corymbia citriodora*	Spotted Gum	380		380	24.0	13.0	4.6	2.2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	Old	-	-	-	-	Removed	
4695	*Acacia leiocalyx*	Early-flowering Black Wattle	180		180	5.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4696	*Acacia leiocalyx*	Early-flowering Black Wattle	150		150	6.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4697	*Acacia leiocalyx*	Early-flowering Black Wattle	150		150	5.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4698	*Eucalyptus tereticornis*	Forest Red Gum	120		120	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4699	*Lophostemon suaveolens*	Swamp Box	270	260	375	13.0	7.0	4.5	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4700	*Lophostemon suaveolens*	Swamp Box	100		100	4.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4701	*Lophostemon suaveolens*	Swamp Box	180		180	7.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4702	*Eucalyptus tereticornis*	Forest Red Gum	100		100	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4703	*Lophostemon suaveolens*	Swamp Box	100		100	5.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4704	*Eucalyptus tereticornis*	Forest Red Gum	100		100	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4705	*Eucalyptus tereticornis*	Forest Red Gum	100		100	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4706	*Lophostemon suaveolens*	Swamp Box	100		100	5.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4707	*Lophostemon suaveolens*	Swamp Box	300	120	323	14.0	6.0	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4708	*Lophostemon suaveolens*	Swamp Box	110		110	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4709	*Eucalyptus tereticornis*	Forest Red Gum	110	110, 110	191	7.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4710	*Corymbia citriodora*	Spotted Gum	100		100	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4711	*Corymbia citriodora*	Spotted Gum	350		350	21.0	11.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4712	*Eucalyptus tereticornis*	Forest Red Gum	100		100	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4713	*Lophostemon suaveolens*	Swamp Box	160		160	7.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4714	*Lophostemon suaveolens*	Swamp Box	120		120	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4715	*Lophostemon suaveolens*	Swamp Box	100		100	5.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4716	*Acacia leiocalyx*	Early-flowering Black Wattle	150		150	6.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4717	*Lophostemon suaveolens*	Swamp Box	100		100	4.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4718	*Corymbia intermedia*	Pink Bloodwood	140		140	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4719	*Lophostemon suaveolens*	Swamp Box	100		100	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4720	*Acacia leiocalyx*	Early-flowering Black Wattle	160		160	6.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4721	*Allocasuarina littoralis*	Black She Oak	140		140	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4722	*Acacia leiocalyx*	Early-flowering Black Wattle	170		170	6.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4723	*Alphitonia excelsa*	Soap Tree	110		110	6.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4724	*Acacia leiocalyx*	Early-flowering Black Wattle	160		160	7.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4725	*Lophostemon suaveolens*	Swamp Box	140		140	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: PE/2025/2047/303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
4726	*Acacia leiocalyx*	Early-flowering Black Wattle	150		150	6.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4727	*Eucalyptus tereticornis*	Forest Red Gum	110		110	9.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4728	*Lophostemon suaveolens*	Swamp Box	170		170	6.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4729	*Lophostemon suaveolens*	Swamp Box	170		170	6.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4730	*Corymbia citriodora*	Spotted Gum	160		160	16.0	5.0	2.0	1.5	Regular	-	-	-	-	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4731	*Lophostemon suaveolens*	Swamp Box	120		120	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4732	*Eucalyptus tereticornis*	Forest Red Gum	190		190	13.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4733	*Eucalyptus crebra*	Narrow-leaved Ironbark	200		200	11.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4734	*Eucalyptus tereticornis*	Forest Red Gum	140	100	172	8.0	2.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4735	*Corymbia citriodora*	Spotted Gum	250		250	25.0	12.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4736	*Corymbia intermedia*	Pink Bloodwood	390		390	24.0	12.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Removed	
4737	*Eucalyptus tereticornis*	Forest Red Gum	360		360	27.0	13.0	4.3	2.2	Regular	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Removed	
4738	*Eucalyptus crebra*	Narrow-leaved Ironbark	340		340	24.0	14.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4739	*Corymbia citriodora*	Spotted Gum	380		380	26.0	13.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4740	*Eucalyptus tereticornis*	Forest Red Gum	280		280	20.0	10.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4741	*Eucalyptus tereticornis*	Forest Red Gum	320		320	26.0	16.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4742	*Corymbia citriodora*	Spotted Gum	630		630	31.0	17.0	7.6	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4743	*Corymbia citriodora*	Spotted Gum	170		170	14.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4744	*Corymbia citriodora*	Spotted Gum	230		230	15.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4745	*Alphitonia excelsa*	Soap Tree	120		120	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4746	*Corymbia citriodora*	Spotted Gum	150		150	11.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4747	*Eucalyptus crebra*	Narrow-leaved Ironbark	190		190	12.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4748	*Acacia disparrima*	Hickory Wattle	200		200	7.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4749	*Corymbia citriodora*	Spotted Gum	150		150	10.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4750	*Corymbia citriodora*	Spotted Gum	150	80	170	13.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4751	*Corymbia citriodora*	Spotted Gum	120	80	144	9.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4752	*Eucalyptus crebra*	Narrow-leaved Ironbark	170		170	10.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4753	*Corymbia citriodora*	Spotted Gum	120		120	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4754	*Corymbia citriodora*	Spotted Gum	180		180	12.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4755	*Corymbia citriodora*	Spotted Gum	260		260	16.0	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4756	*Corymbia citriodora*	Spotted Gum	150		150	13.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4757	*Alphitonia excelsa*	Soap Tree	110		110	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4758	*Acacia disparrima*	Hickory Wattle	110		110	5.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4759	*Corymbia citriodora*	Spotted Gum	160		160	16.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4760	*Corymbia citriodora*	Spotted Gum	120		120	14.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4761	*Alphitonia excelsa*	Soap Tree	110		110	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4762	*Alphitonia excelsa*	Soap Tree	100		100	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4763	*Corymbia citriodora*	Spotted Gum	290		290	25.0	14.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4764	*Acacia disparrima*	Hickory Wattle	100		100	6.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4765	*Corymbia citriodora*	Spotted Gum	150		150	14.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4766	*Corymbia citriodora*	Spotted Gum	240		240	22.0	12.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4767	*Acacia disparrima*	Hickory Wattle	150		150	6.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: DEV2025/2047303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
4768	*Alphitonia excelsa*	Soap Tree	100	100	141	6.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4769	*Unknow spp.*		140		140	5.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4770	*Corymbia citriodora*	Spotted Gum	100		100	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4771	*Unknow spp.*		130		130	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4772	*Acacia disparrima*	Hickory Wattle	130		130	7.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4773	*Corymbia citriodora*	Spotted Gum	340		340	27.0	13.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4774	*Corymbia citriodora*	Spotted Gum	490		490	28.0	14.0	5.9	2.5	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4775	*Alphitonia excelsa*	Soap Tree	120		120	6.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4776	*Acacia disparrima*	Hickory Wattle	150		150	6.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4777	*Corymbia citriodora*	Spotted Gum	320		320	26.0	13.0	3.8	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4778	*Corymbia tessellaris*	Moreton Bay Ash	130		130	7.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4779	*Corymbia tessellaris*	Moreton Bay Ash	130		130	7.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4780	*Acacia concurrens*	Black Wattle	130		130	5.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4781	*Acacia disparrima*	Hickory Wattle	180		180	8.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4782	*Acacia disparrima*	Hickory Wattle	100		100	5.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4783	*Corymbia intermedia*	Pink Bloodwood	100		100	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4784	*Acacia disparrima*	Hickory Wattle	140		140	7.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4785	*Eucalyptus crebra*	Narrow-leaved Ironbark	220		220	12.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4786	*Alphitonia excelsa*	Soap Tree	100		100	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4787	*Corymbia citriodora*	Spotted Gum	120		120	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4788	*Alphitonia excelsa*	Soap Tree	110		110	6.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4789	*Corymbia citriodora*	Spotted Gum	120		120	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4790	*Acacia disparrima*	Hickory Wattle	170		170	7.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4791	*Alphitonia excelsa*	Soap Tree	110		110	5.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4792	*Eucalyptus tereticornis*	Forest Red Gum	280		280	24.0	10.0	3.4	1.9	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4793	*Acacia disparrima*	Hickory Wattle	130		130	5.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4794	*Corymbia intermedia*	Pink Bloodwood	150		150	15.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4795	*Corymbia citriodora*	Spotted Gum	110		110	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4796	*Alphitonia excelsa*	Soap Tree	150		150	6.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4797	*Alphitonia excelsa*	Soap Tree	120		120	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4798	*Corymbia citriodora*	Spotted Gum	450		450	27.0	14.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4799	*Corymbia intermedia*	Pink Bloodwood	250		250	17.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4800	*Corymbia citriodora*	Spotted Gum	630		630	28.0	16.0	7.6	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4801	*Corymbia intermedia*	Pink Bloodwood	110		110	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4802	*Corymbia citriodora*	Spotted Gum	110		110	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4803	*Corymbia citriodora*	Spotted Gum	570		570	29.0	15.0	6.8	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4804	*Corymbia citriodora*	Spotted Gum	410		410	27.0	15.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4805	*Lophostemon suaveolens*	Swamp Box	100		100	4.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4806	*Corymbia citriodora*	Spotted Gum	100		100	11.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4807	*DEAD/STAG*		390		390	13.0	3.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Large	-	-	-	Retain	hollow in trunk
4808	*Corymbia citriodora*	Spotted Gum	220		220	13.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4809	*Alphitonia excelsa*	Soap Tree	110		110	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: DEV2025/2054/303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
4810	*Corymbia citriodora*	Spotted Gum	130		130	14.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4811	*Alphitonia excelsa*	Soap Tree	150		150	7.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4812	*Corymbia citriodora*	Spotted Gum	130		130	14.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4813	*Corymbia citriodora*	Spotted Gum	160		160	20.0	8.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4814	*Alphitonia excelsa*	Soap Tree	120		120	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4815	*Eucalyptus crebra*	Narrow-leaved Ironbark	410		410	26.0	14.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4816	*Alphitonia excelsa*	Soap Tree	120		120	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4817	*Alphitonia excelsa*	Soap Tree	120		120	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4818	*Acacia disparrima*	Hickory Wattle	150		150	7.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4819	*Alphitonia excelsa*	Soap Tree	120		120	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4820	*Alphitonia excelsa*	Soap Tree	160		160	8.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4821	*Lophostemon suaveolens*	Swamp Box	120		120	5.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4822	*Alphitonia excelsa*	Soap Tree	190		190	10.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4823	*Alphitonia excelsa*	Soap Tree	150		150	7.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4824	*Corymbia intermedia*	Pink Bloodwood	340		340	27.0	14.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4825	*Alphitonia excelsa*	Soap Tree	190		190	10.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4826	*Acacia disparrima*	Hickory Wattle	220		220	10.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4827	*Eucalyptus tereticornis*	Forest Red Gum	510		510	28.0	17.0	6.1	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4828	*Angophora leiocarpa*	Smooth-barked Apple	230		230	20.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Retain	
4829	*Eucalyptus tereticornis*	Forest Red Gum	470		470	26.0	14.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4830	*Acacia leiocalyx*	Early-flowering Black Wattle	110		110	6.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4831	*Acacia leiocalyx*	Early-flowering Black Wattle	120	120	170	8.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4832	*Eucalyptus tereticornis*	Forest Red Gum	380		380	24.0	13.0	4.6	2.2	Regular	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain	
4833	*Acacia disparrima*	Hickory Wattle	120		120	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4834	*Eucalyptus tereticornis*	Forest Red Gum	400		400	27.0	13.0	4.8	2.3	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4835	*Corymbia intermedia*	Pink Bloodwood	110		110	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4836	*Corymbia intermedia*	Pink Bloodwood	110		110	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4837	*Alphitonia excelsa*	Soap Tree	150		150	6.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4838	*Alphitonia excelsa*	Soap Tree	110		110	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4839	*Corymbia intermedia*	Pink Bloodwood	410		410	26.0	16.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4840	*Angophora leiocarpa*	Smooth-barked Apple	310		310	16.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	Old	-	-	-	-	Retain	
4841	*Alphitonia excelsa*	Soap Tree	110		110	5.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4842	*Acacia leiocalyx*	Early-flowering Black Wattle	120		120	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4843	*Corymbia intermedia*	Pink Bloodwood	280	260	382	22.0	12.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4844	*Corymbia intermedia*	Pink Bloodwood	130		130	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4845	*Acacia leiocalyx*	Early-flowering Black Wattle	160		160	7.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4846	*Lophostemon suaveolens*	Swamp Box	150		150	9.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4847	*Eucalyptus tereticornis*	Forest Red Gum	120		120	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4848	*Corymbia tessellaris*	Moreton Bay Ash	120		120	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4849	*Eucalyptus crebra*	Narrow-leaved Ironbark	210		210	19.0	10.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4850	*Eucalyptus tereticornis*	Forest Red Gum	350		350	24.0	14.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4851	*Alphitonia excelsa*	Soap Tree	100		100	6.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: 1E\2025\2047303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
4852	*Eucalyptus crebra*	Narrow-leaved Ironbark	160		160	12.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4853	*Eucalyptus crebra*	Narrow-leaved Ironbark	180		180	16.0	8.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4854	*Eucalyptus crebra*	Narrow-leaved Ironbark	180		180	12.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4855	*Corymbia intermedia*	Pink Bloodwood	160	180	241	17.0	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4856	*Corymbia intermedia*	Pink Bloodwood	180		180	10.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4857	*Eucalyptus crebra*	Narrow-leaved Ironbark	110		110	5.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4858	*Angophora leiocarpa*	Smooth-barked Apple	140		140	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4859	*Acacia leiocalyx*	Early-flowering Black Wattle	240	230	332	6.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4860	*Eucalyptus tereticornis*	Forest Red Gum	220		220	6.0	4.0	2.6	1.8	Regular	-	-	-	-	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4861	*Eucalyptus siderophloia*	Grey Ironbark	380		380	26.0	14.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Removed	
4862	*Eucalyptus tereticornis*	Forest Red Gum	560		560	26.0	15.0	6.7	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Old	-	-	-	-	Removed	
4863	*Eucalyptus tereticornis*	Forest Red Gum	260		260	22.0	10.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4864	*Eucalyptus siderophloia*	Grey Ironbark	320	320	453	23.0	13.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4865	*Eucalyptus tereticornis*	Forest Red Gum	360		360	25.0	10.0	4.3	2.2	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4866	*Angophora leiocarpa*	Smooth-barked Apple	260		260	20.0	9.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4867	*Eucalyptus tereticornis*	Forest Red Gum	490		490	24.0	14.0	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Removed	
4868	*Eucalyptus tereticornis*	Forest Red Gum	290		290	22.0	8.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4869	*Corymbia intermedia*	Pink Bloodwood	280		280	22.0	10.0	3.4	1.9	Regular	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Removed	
4870	*Acacia leiocalyx*	Early-flowering Black Wattle	160	120	200	7.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4871	*Allocasuarina littoralis*	Black She Oak	120		120	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4872	*Acacia leiocalyx*	Early-flowering Black Wattle	210	110	237	7.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4873	*Acacia leiocalyx*	Early-flowering Black Wattle	160		160	5.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4874	*Allocasuarina littoralis*	Black She Oak	140		140	5.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4875	*Lophostemon suaveolens*	Swamp Box	320		320	12.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4876	*Eucalyptus saligna*	Sydney Blue Gum	260		260	14.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4877	*Lophostemon suaveolens*	Swamp Box	220		220	10.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4878	*Corymbia intermedia*	Pink Bloodwood	270		270	14.0	4.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4879	*Lophostemon suaveolens*	Swamp Box	270		270	11.0	4.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4880	*Corymbia intermedia*	Pink Bloodwood	260		260	24.0	12.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4881	*Acacia leiocalyx*	Early-flowering Black Wattle	170	170	240	7.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4882	*Acacia leiocalyx*	Early-flowering Black Wattle	150	150, 120	244	8.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4883	*Acacia leiocalyx*	Early-flowering Black Wattle	280		280	8.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4884	*Acacia leiocalyx*	Early-flowering Black Wattle	210		210	8.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4885	*Lophostemon suaveolens*	Swamp Box	370		370	10.0	6.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4886	*Corymbia intermedia*	Pink Bloodwood	360		360	18.0	7.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4887	*Corymbia intermedia*	Pink Bloodwood	140		140	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4888	*Corymbia intermedia*	Pink Bloodwood	190		190	9.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4889	*Eucalyptus tereticornis*	Forest Red Gum	260		260	16.0	9.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4890	*Eucalyptus acmenoides*	White Mahogany	270		270	16.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4891	*Eucalyptus tereticornis*	Forest Red Gum	270		270	17.0	9.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4892	*Eucalyptus acmenoides*	White Mahogany	280		280	13.0	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4893	*Eucalyptus carnea*	Thick-leaved Mahogany	270	250	368	15.0	8.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: DEV2025/2047303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
4894	*Eucalyptus acmenoides*	White Mahogany	320		320	15.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4895	*Eucalyptus tereticornis*	Forest Red Gum	200		200	18.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4896	*Corymbia intermedia*	Pink Bloodwood	130	130	184	7.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4897	*Lophostemon suaveolens*	Swamp Box	260		260	16.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4898	*Eucalyptus tereticornis*	Forest Red Gum	270		270	21.0	10.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4899	*Corymbia intermedia*	Pink Bloodwood	250		250	14.0	9.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4900	*Corymbia intermedia*	Pink Bloodwood	260		260	17.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4901	*Lophostemon suaveolens*	Swamp Box	320		320	17.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4902	*Eucalyptus siderophloia*	Grey Ironbark	420		420	22.0	14.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4903	*Eucalyptus acmenoides*	White Mahogany	270		270	14.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4904	*Eucalyptus acmenoides*	White Mahogany	260		260	14.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4905	*Corymbia intermedia*	Pink Bloodwood	160	160	226	14.0	6.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4906	*Eucalyptus carnea*	Thick-leaved Mahogany	330		330	12.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4907	*Eucalyptus carnea*	Thick-leaved Mahogany	270		270	14.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4908	*Eucalyptus carnea*	Thick-leaved Mahogany	260		260	14.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4909	*Eucalyptus acmenoides*	White Mahogany	280	170	328	14.0	8.0	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4910	*Corymbia citriodora*	Spotted Gum	320	150	353	21.0	8.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4911	*Eucalyptus tereticornis*	Forest Red Gum	550		550	26.0	13.0	6.6	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4912	*Eucalyptus tereticornis*	Forest Red Gum	630		630	28.0	15.0	7.6	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4913	*Eucalyptus tereticornis*	Forest Red Gum	560		560	26.0	14.0	6.7	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Retain	
4914	*Lophostemon suaveolens*	Swamp Box	210		210	14.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4915	*Lophostemon suaveolens*	Swamp Box	180		180	13.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4916	*Angophora leiocarpa*	Smooth-barked Apple	680		680	17.0	9.0	8.2	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4917	*Acacia disparrima*	Hickory Wattle	240		240	9.0	7.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4918	*Alphitonia excelsa*	Soap Tree	160		160	12.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4919	*Eucalyptus tereticornis*	Forest Red Gum	760		760	27.0	16.0	9.1	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4920	*Eucalyptus tereticornis*	Forest Red Gum	600		600	28.0	15.0	7.2	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4921	*Eucalyptus tereticornis*	Forest Red Gum	720		720	31.0	18.0	8.6	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4922	*Eucalyptus tereticornis*	Forest Red Gum	560		560	23.0	12.0	6.7	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4923	*Eucalyptus tereticornis*	Forest Red Gum	490		490	25.0	12.0	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4924	*Eucalyptus tereticornis*	Forest Red Gum	540		540	26.0	14.0	6.5	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4925	*Corymbia citriodora*	Spotted Gum	260	200	328	20.0	8.0	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4926	*Eucalyptus tereticornis*	Forest Red Gum	390		390	24.0	14.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4927	*Corymbia intermedia*	Pink Bloodwood	170	160, 100	254	18.0	9.0	3.0	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4928	*Eucalyptus tereticornis*	Forest Red Gum	440		440	25.0	14.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4929	*Eucalyptus tereticornis*	Forest Red Gum	550		550	22.0	12.0	6.6	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4930	*Corymbia torelliana*	Cadaghi	200		200	14.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4931	*Eucalyptus crebra*	Narrow-leaved Ironbark	510		510	27.0	###	6.1	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4932	*Eucalyptus crebra*	Narrow-leaved Ironbark	350		350	27.0	14.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4933	*Eucalyptus moluccana*	Gum Topped Box	530		530	28.0	16.0	6.4	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4934	*Eucalyptus crebra*	Narrow-leaved Ironbark	540		540	28.0	14.0	6.5	2.6	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain	
4935	*Corymbia intermedia*	Pink Bloodwood	220		220	14.0	7.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: DEV2025/2047303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
4936	*Lophostemon suaveolens*	Swamp Box	200		200	10.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4937	*Corymbia intermedia*	Pink Bloodwood	300		300	20.0	14.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4938	*Corymbia intermedia*	Pink Bloodwood	160		160	9.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4939	*Acacia disparrima*	Hickory Wattle	150		150	6.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4940	*Eucalyptus tereticornis*	Forest Red Gum	100		100	6.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4941	*Acacia disparrima*	Hickory Wattle	200		200	6.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4942	*Acacia disparrima*	Hickory Wattle	140		140	6.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4943	*Eucalyptus tereticornis*	Forest Red Gum	500		500	23.0	9.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4944	*Acacia concurrens*	Black Wattle	150		150	10.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4945	*Angophora subvelutina*	Broad-leaved Apple	300		300	19.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4946	*Lophostemon suaveolens*	Swamp Box	200		200	18.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4947	*Lophostemon suaveolens*	Swamp Box	200		200	16.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4948	*Corymbia citriodora*	Spotted Gum	150		150	12.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4949	*Lophostemon suaveolens*	Swamp Box	150		150	12.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4950	*Lophostemon suaveolens*	Swamp Box	190		190	13.0	2.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4951	*Eucalyptus crebra*	Narrow-leaved Ironbark	190		190	14.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4952	*Corymbia intermedia*	Pink Bloodwood	300		300	17.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4953	*Corymbia intermedia*	Pink Bloodwood	270		270	20.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4954	*Lophostemon suaveolens*	Swamp Box	450		450	19.0	6.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4955	*Corymbia citriodora*	Spotted Gum	220		220	16.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4956	*Acacia concurrens*	Black Wattle	130		130	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4957	*Lophostemon suaveolens*	Swamp Box	190		190	16.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4958	*Acacia concurrens*	Black Wattle	150		150	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4959	*Corymbia citriodora*	Spotted Gum	150		150	12.0	3.0	2.0	1.5	Regular	-	Thinning	-	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4960	*Lophostemon suaveolens*	Swamp Box	180		180	16.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4961	*Corymbia citriodora*	Spotted Gum	320		320	23.0	5.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4962	*Corymbia intermedia*	Pink Bloodwood	230		230	16.0	4.0	2.8	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4963	*Corymbia intermedia*	Pink Bloodwood	160		160	15.0	3.0	2.0	1.5	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4964	*Acacia concurrens*	Black Wattle	150		150	14.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4965	*Eucalyptus tereticornis*	Forest Red Gum	200		200	16.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4966	*Corymbia citriodora*	Spotted Gum	150		150	17.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4967	*Corymbia intermedia*	Pink Bloodwood	200		200	16.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4968	*Corymbia citriodora*	Spotted Gum	400		400	23.0	10.0	4.8	2.3	Irregular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4969	*Corymbia intermedia*	Pink Bloodwood	240		240	16.0	3.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4970	*Corymbia intermedia*	Pink Bloodwood	250		250	17.0	3.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4971	*Acacia disparrima*	Hickory Wattle	170		170	9.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4972	*Corymbia intermedia*	Pink Bloodwood	290		290	20.0	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4973	*Corymbia intermedia*	Pink Bloodwood	300		300	20.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4974	*Petalostigma pubescens*	Quinine Bush	150		150	9.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4975	*Eucalyptus seeana*	Narrow-leaved Red Gum	310		310	22.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4976	*Corymbia intermedia*	Pink Bloodwood	280		280	19.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4977	*Eucalyptus tereticornis*	Forest Red Gum	150		150	17.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: DEV2025/2047303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
4978	*Lophostemon suaveolens*	Swamp Box	160		160	17.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4979	*Corymbia intermedia*	Pink Bloodwood	270		270	20.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4980	*Corymbia intermedia*	Pink Bloodwood	260		260	17.0	3.0	3.1	1.9	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4981	*Acacia disparrima*	Hickory Wattle	190	160	248	12.0	3.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4982	*Corymbia citriodora*	Spotted Gum	140		140	11.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4983	*Corymbia intermedia*	Pink Bloodwood	190		190	13.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4984	*Corymbia intermedia*	Pink Bloodwood	300		300	22.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4985	*Corymbia intermedia*	Pink Bloodwood	280		280	17.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4986	*Corymbia intermedia*	Pink Bloodwood	190		190	15.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
4987	*Alphitonia excelsa*	Soap Tree	160		160	10.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4988	*Lophostemon suaveolens*	Swamp Box	230		230	16.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4989	*Angophora subvelutina*	Broad-leaved Apple	310		310	21.0	7.0	3.7	2.0	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4990	*Melaleuca viminalis*	Weeping Bottlebrush	160		160	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4991	*Casuarina cunninghamiana*	River Sheoak	220	260	341	18.0	5.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4992	*Melaleuca quinquenervia*	Broad-leaved Paperbark	200	190, 140, 130, 170	376	12.0	6.0	4.5	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4993	*Casuarina cunninghamiana*	River Sheoak	270		270	18.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4994	*Melaleuca viminalis*	Weeping Bottlebrush	150	130, 150	249	8.0	4.0	3.0	1.8	One-sided	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Retain	
4995	*Casuarina cunninghamiana*	River Sheoak	260		260	12.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	Major	-	-	-	Typical	-	-	-	-	-	-	Retain	
4996	*Casuarina cunninghamiana*	River Sheoak	300		300	17.0	2.0	3.6	2.0	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4997	*Eucalyptus tereticornis*	Forest Red Gum	580		580	25.0	12.0	7.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4998	*Casuarina cunninghamiana*	River Sheoak	150		150	8.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4999	*Acacia concurrens*	Black Wattle	180		180	10.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5000	*Corymbia intermedia*	Pink Bloodwood	380		380	20.0	8.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5001	*Corymbia tessellaris*	Moreton Bay Ash	300		300	18.0	3.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5002	*Acacia concurrens*	Black Wattle	220		220	12.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5003	*Corymbia intermedia*	Pink Bloodwood	200	180	269	18.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5004	*Angophora subvelutina*	Broad-leaved Apple	230		230	17.0	3.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5005	*Eucalyptus tereticornis*	Forest Red Gum	600		600	25.0	12.0	7.2	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5006	*Acacia disparrima*	Hickory Wattle	180	160	241	12.0	3.0	2.9	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5007	*Corymbia tessellaris*	Moreton Bay Ash	500		500	24.0	12.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5008	*Corymbia tessellaris*	Moreton Bay Ash	180		180	18.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5009	*Eucalyptus tereticornis*	Forest Red Gum	150		150	12.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5010	*Aphananthe philippinensis*	Native Elm	200	240	312	18.0	5.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5011	*Casuarina cunninghamiana*	River Sheoak	230		230	17.0	4.0	2.8	1.8	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5012	*Casuarina cunninghamiana*	River Sheoak	350		350	20.0	8.0	4.2	2.1	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5013	*Eucalyptus siderophloia*	Grey Ironbark	300		300	16.0	3.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5014	*Eucalyptus seeana*	Narrow-leaved Red Gum	530		530	23.0	8.0	6.4	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5015	*Eucalyptus seeana*	Narrow-leaved Red Gum	400		400	23.0	8.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5016	*Eucalyptus siderophloia*	Grey Ironbark	330		330	23.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5017	*Corymbia intermedia*	Pink Bloodwood	180		180	14.0	3.0	2.2	1.6	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5018	*Lophostemon suaveolens*	Swamp Box	340		340	10.0	5.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5019	*Eucalyptus tereticornis*	Forest Red Gum	250		250	19.0	2.0	3.0	1.8	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: PE/2025/2047/303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
5020	*Corymbia intermedia*	Pink Bloodwood	460		460	23.0	8.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5021	*Petalostigma pubescens*	Quinine Bush	310		310	10.0	4.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5022	*Eucalyptus siderophloia*	Grey Ironbark	290		290	23.0	5.0	3.5	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5023	*Corymbia citriodora*	Spotted Gum	450		450	23.0	10.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5024	*Corymbia citriodora*	Spotted Gum	270		270	21.0	5.0	3.2	1.9	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5025	*Corymbia citriodora*	Spotted Gum	300		300	22.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5026	*Acacia concurrens*	Black Wattle	140		140	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5027	*Acacia concurrens*	Black Wattle	140		140	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5028	*Acacia concurrens*	Black Wattle	130		130	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5029	*Eucalyptus siderophloia*	Grey Ironbark	160		160	13.0	2.0	2.0	1.5	Regular	-	Thinning	-	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5030	*Eucalyptus seeana*	Narrow-leaved Red Gum	260		260	15.0	4.0	3.1	1.9	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5031	*Corymbia citriodora*	Spotted Gum	180		180	16.0	3.0	2.2	1.6	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5032	*Acacia concurrens*	Black Wattle	120		120	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5033	*Acacia disparrima*	Hickory Wattle	120		120	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5034	*Corymbia citriodora*	Spotted Gum	140		140	13.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5035	*Acacia concurrens*	Black Wattle	160		160	7.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5036	*Acacia concurrens*	Black Wattle	130		130	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5037	*Corymbia citriodora*	Spotted Gum	130		130	11.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5038	*Acacia concurrens*	Black Wattle	180		180	9.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5039	*Corymbia citriodora*	Spotted Gum	260		260	20.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5040	*Eucalyptus tereticornis*	Forest Red Gum	140		140	9.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5041	*Eucalyptus tereticornis*	Forest Red Gum	200		200	16.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5042	*Acacia concurrens*	Black Wattle	180		180	7.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5043	*Acacia concurrens*	Black Wattle	180		180	7.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5044	*Acacia concurrens*	Black Wattle	250		250	8.0	3.0	3.0	1.8	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5045	*Acacia concurrens*	Black Wattle	170		170	5.0	2.0	2.0	1.6	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5046	*Eucalyptus crebra*	Narrow-leaved Ironbark	310		310	17.0	4.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5047	*Petalostigma pubescens*	Quinine Bush	260		260	10.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5048	*Eucalyptus tereticornis*	Forest Red Gum	130	130	184	10.0	2.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5049	*Eucalyptus crebra*	Narrow-leaved Ironbark	270		270	17.0	5.0	3.2	1.9	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5050	*Eucalyptus crebra*	Narrow-leaved Ironbark	390		390	20.0	5.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5051	*Petalostigma pubescens*	Quinine Bush	190		190	5.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5052	*Petalostigma pubescens*	Quinine Bush	260		260	10.0	3.0	3.1	1.9	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5053	*Eucalyptus crebra*	Narrow-leaved Ironbark	130		130	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5054	*Acacia concurrens*	Black Wattle	180		180	10.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5055	*Acacia concurrens*	Black Wattle	170		170	8.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5056	*Petalostigma pubescens*	Quinine Bush	150		150	9.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5057	*Petalostigma pubescens*	Quinine Bush	150		150	7.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5058	*Petalostigma pubescens*	Quinine Bush	150	110	186	8.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5059	*Petalostigma pubescens*	Quinine Bush	210		210	7.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5060	*Acacia concurrens*	Black Wattle	140	150, 140, 120	276	8.0	3.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5061	*Eucalyptus tereticornis*	Forest Red Gum	140		140	11.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: 1E\2025\2047303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
5062	*Petalostigma pubescens*	Quinine Bush	250		250	9.0	3.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5063	*Petalostigma pubescens*	Quinine Bush	180		180	8.0	2.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5064	*Petalostigma pubescens*	Quinine Bush	220		220	10.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5065	*Petalostigma pubescens*	Quinine Bush	220		220	9.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5066	*Acacia concurrens*	Black Wattle	160		160	7.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5067	*Acacia concurrens*	Black Wattle	140	130	191	8.0	3.0	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5068	*Acacia concurrens*	Black Wattle	160		160	8.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5069	*Corymbia citriodora*	Spotted Gum	140		140	11.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5070	*Acacia concurrens*	Black Wattle	250		250	10.0	3.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5071	*Eucalyptus crebra*	Narrow-leaved Ironbark	370		370	19.0	5.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Removed	
5072	*Acacia concurrens*	Black Wattle	150	140	205	8.0	2.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5073	*Eucalyptus siderophloia*	Grey Ironbark	290		290	17.0	5.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5074	*Acacia concurrens*	Black Wattle	190		190	7.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5075	*Acacia concurrens*	Black Wattle	180		180	8.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5076	*Corymbia intermedia*	Pink Bloodwood	250		250	16.0	3.0	3.0	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Poor	-	-	-	-	-	-	Removed	
5077	*Corymbia intermedia*	Pink Bloodwood	270		270	16.0	3.0	3.2	1.9	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5078	*Corymbia citriodora*	Spotted Gum	120		120	10.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5079	*Acacia concurrens*	Black Wattle	210		210	8.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5080	*Eucalyptus tereticornis*	Forest Red Gum	180		180	9.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5081	*Lophostemon suaveolens*	Swamp Box	280		280	16.0	4.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5082	*Eucalyptus tereticornis*	Forest Red Gum	380		380	20.0	6.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5083	*Acacia disparrima*	Hickory Wattle	180		180	11.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5084	*Acacia concurrens*	Black Wattle	140		140	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5085	*Lophostemon suaveolens*	Swamp Box	220		220	14.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5086	*Eucalyptus tereticornis*	Forest Red Gum	200	170	262	16.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5087	*Eucalyptus tereticornis*	Forest Red Gum	230		230	18.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5088	*Lophostemon suaveolens*	Swamp Box	280		280	13.0	3.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5089	*Eucalyptus tereticornis*	Forest Red Gum	140		140	8.0	2.0	2.0	1.4	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5090	*Eucalyptus tereticornis*	Forest Red Gum	200		200	15.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5091	*Lophostemon suaveolens*	Swamp Box	170		170	10.0	2.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5092	*Eucalyptus tereticornis*	Forest Red Gum	220		220	18.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5093	*Eucalyptus tereticornis*	Forest Red Gum	200	190	276	16.0	3.0	3.3	1.9	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5094	*Eucalyptus tereticornis*	Forest Red Gum	300		300	16.0	4.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5095	*Eucalyptus tereticornis*	Forest Red Gum	190		190	16.0	2.0	2.3	1.6	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5096	*Eucalyptus tereticornis*	Forest Red Gum	310		310	17.0	5.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5097	*Eucalyptus tereticornis*	Forest Red Gum	160		160	12.0	2.0	2.0	1.5	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5098	*Eucalyptus crebra*	Narrow-leaved Ironbark	260		260	18.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5099	*Eucalyptus tereticornis*	Forest Red Gum	300		300	19.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5100	*Eucalyptus tereticornis*	Forest Red Gum	140		140	7.0	2.0	2.0	1.4	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5101	*Eucalyptus tereticornis*	Forest Red Gum	190		190	17.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5102	*Eucalyptus tereticornis*	Forest Red Gum	220		220	16.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5103	*Eucalyptus tereticornis*	Forest Red Gum	360		360	18.0	5.0	4.3	2.2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: DEV2025/2047303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
5104	*Eucalyptus tereticornis*	Forest Red Gum	260		260	17.0	3.0	3.1	1.9	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5105	*Eucalyptus tereticornis*	Forest Red Gum	400		400	20.0	5.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5106	*Corymbia tessellaris*	Moreton Bay Ash	350		350	22.0	4.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5107	*Eucalyptus siderophloia*	Grey Ironbark	250		250	18.0	3.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5108	*Eucalyptus siderophloia*	Grey Ironbark	300		300	18.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5109	*Corymbia tessellaris*	Moreton Bay Ash	150	130	198	10.0	2.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5110	*Acacia disparrima*	Hickory Wattle	180		180	12.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5111	*Acacia disparrima*	Hickory Wattle	200		200	17.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5112	*Angophora subvelutina*	Broad-leaved Apple	300		300	18.0	6.0	3.6	2.0	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5113	*Angophora subvelutina*	Broad-leaved Apple	300		300	19.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5114	*Angophora leiocarpa*	Smooth-barked Apple	150		150	11.0	3.0	2.0	1.5	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5115	*Lophostemon suaveolens*	Swamp Box	140		140	11.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5116	*Eucalyptus tereticornis*	Forest Red Gum	300		300	23.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5117	*Eucalyptus tereticornis*	Forest Red Gum	170		170	18.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5118	*Angophora subvelutina*	Broad-leaved Apple	200		200	16.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5119	*Eucalyptus siderophloia*	Grey Ironbark	200		200	17.0	3.0	2.4	1.7	Regular	-	Thinning	-	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5120	*Acacia concurrens*	Black Wattle	180		180	8.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5121	*Corymbia citriodora*	Spotted Gum	350		350	25.0	7.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5122	*Angophora subvelutina*	Broad-leaved Apple	200		200	15.0	3.0	2.4	1.7	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5123	*Angophora subvelutina*	Broad-leaved Apple	320		320	18.0	5.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5124	*Angophora subvelutina*	Broad-leaved Apple	250		250	17.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5125	*Angophora subvelutina*	Broad-leaved Apple	180		180	13.0	3.0	2.2	1.6	One-sided	-	-	-	-	-	Typical	Major	-	-	-	Typical	-	-	-	-	-	-	Retain	
5126	*Angophora subvelutina*	Broad-leaved Apple	300		300	19.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5127	*Lophostemon suaveolens*	Swamp Box	220		220	13.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5128	*Corymbia tessellaris*	Moreton Bay Ash	130		130	12.0	3.0	2.0	1.4	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5129	*Lophostemon suaveolens*	Swamp Box	180		180	13.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5130	*Eucalyptus siderophloia*	Grey Ironbark	140		140	12.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5131	*Eucalyptus tereticornis*	Forest Red Gum	200		200	19.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5132	*Angophora subvelutina*	Broad-leaved Apple	190		190	12.0	3.0	2.3	1.6	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5133	*Angophora subvelutina*	Broad-leaved Apple	250		250	18.0	3.0	3.0	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5136	*Acacia disparrima*	Hickory Wattle	140		140	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5137	*Eucalyptus tereticornis*	Forest Red Gum	300		300	21.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5138	*Acacia concurrens*	Black Wattle	150		150	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5139	*Angophora subvelutina*	Broad-leaved Apple	180		180	15.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5140	*Corymbia intermedia*	Pink Bloodwood	400		400	19.0	5.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5141	*Corymbia tessellaris*	Moreton Bay Ash	300		300	20.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5142	*Eucalyptus siderophloia*	Grey Ironbark	210		210	16.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5143	*Acacia disparrima*	Hickory Wattle	180		180	13.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5144	*Acacia disparrima*	Hickory Wattle	150		150	12.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5145	*Corymbia citriodora*	Spotted Gum	130		130	12.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5146	*Eucalyptus siderophloia*	Grey Ironbark	200		200	9.0	2.0	2.4	1.7	Regular	-	Thinning	Die-back	Epicormic	Lopped	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5147	*Corymbia citriodora*	Spotted Gum	280		280	15.0	4.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: PE/2025/2047/303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
5148	*Acacia disparrima*	Hickory Wattle	150		150	12.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5149	*Corymbia tessellaris*	Moreton Bay Ash	280	160	322	18.0	5.0	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5150	*Alphitonia excelsa*	Soap Tree	180		180	10.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5151	*Acacia disparrima*	Hickory Wattle	130		130	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5152	*Alphitonia excelsa*	Soap Tree	170		170	11.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5153	*Eucalyptus tereticornis*	Forest Red Gum	220		220	17.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5154	*Eucalyptus crebra*	Narrow-leaved Ironbark	190		190	17.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5155	*Eucalyptus siderophloia*	Grey Ironbark	170		170	13.0	2.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5156	*Eucalyptus tereticornis*	Forest Red Gum	280		280	18.0	3.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5157	*Angophora leiocarpa*	Smooth-barked Apple	260		260	17.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5158	*Eucalyptus crebra*	Narrow-leaved Ironbark	220		220	16.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5159	*Corymbia citriodora*	Spotted Gum	150	100	180	16.0	2.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5160	*Acacia disparrima*	Hickory Wattle	100	120	156	9.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5161	*Corymbia citriodora*	Spotted Gum	170	110, 90, 80	236	17.0	3.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5162	*Corymbia citriodora*	Spotted Gum	310	150	344	17.0	4.0	4.1	2.1	Regular	-	Thinning	-	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5163	*Corymbia intermedia*	Pink Bloodwood	300		300	16.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5164	*Corymbia intermedia*	Pink Bloodwood	310		310	17.0	5.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5165	*Eucalyptus tereticornis*	Forest Red Gum	340		340	20.0	6.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5166	*Lophostemon suaveolens*	Swamp Box	280		280	12.0	4.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5167	*Eucalyptus tereticornis*	Forest Red Gum	380		380	20.0	8.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5168	*Eucalyptus tereticornis*	Forest Red Gum	460		460	22.0	6.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5169	*Angophora leiocarpa*	Smooth-barked Apple	390		390	16.0	6.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5170	*Corymbia citriodora*	Spotted Gum	310		310	17.0	5.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5171	*Eucalyptus siderophloia*	Grey Ironbark	410		410	16.0	6.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5172	*Acacia disparrima*	Hickory Wattle	200		200	10.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5173	*Acacia concurrens*	Black Wattle	180	180	255	9.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5174	*Eucalyptus siderophloia*	Grey Ironbark	280		280	18.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5175	*Acacia concurrens*	Black Wattle	230		230	10.0	3.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5176	*Acacia concurrens*	Black Wattle	180		180	8.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5177	*Eucalyptus tereticornis*	Forest Red Gum	320		320	17.0	2.0	3.8	2.1	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5178	*Eucalyptus tereticornis*	Forest Red Gum	260		260	16.0	4.0	3.1	1.9	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5179	*Corymbia intermedia*	Pink Bloodwood	330		330	14.0	4.0	4.0	2.1	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5180	*Eucalyptus tereticornis*	Forest Red Gum	300		300	18.0	2.0	3.6	2.0	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Removed	
5181	*Corymbia intermedia*	Pink Bloodwood	280		280	16.0	3.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5182	*Lophostemon suaveolens*	Swamp Box	260		260	14.0	3.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5183	*Corymbia intermedia*	Pink Bloodwood	380		380	16.0	5.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5184	*Corymbia intermedia*	Pink Bloodwood	330		330	17.0	5.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5185	*Eucalyptus tereticornis*	Forest Red Gum	380		380	20.0	6.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5186	*Eucalyptus tereticornis*	Forest Red Gum	320		320	21.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5187	*Corymbia intermedia*	Pink Bloodwood	280		280	15.0	3.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5188	*Acacia concurrens*	Black Wattle	180		180	9.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5189	*Corymbia intermedia*	Pink Bloodwood	330		330	17.0	5.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: 1E\2025\2047303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
5190	*Acacia concurrens*	Black Wattle	180		180	6.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5191	*Eucalyptus tereticornis*	Forest Red Gum	300		300	18.0	2.0	3.6	2.0	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5192	*Corymbia intermedia*	Pink Bloodwood	320		320	21.0	5.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5193	*Eucalyptus crebra*	Narrow-leaved Ironbark	360		360	19.0	5.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5194	*Corymbia citriodora*	Spotted Gum	300		300	20.0	5.0	3.6	2.0	Regular	-	Thinning	-	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5195	*Acacia concurrens*	Black Wattle	160		160	11.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5196	*Acacia concurrens*	Black Wattle	220	190	291	10.0	3.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5197	*Acacia concurrens*	Black Wattle	230	140	269	11.0	3.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5198	*Acacia concurrens*	Black Wattle	170		170	11.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5199	*Acacia concurrens*	Black Wattle	160		160	10.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5200	*Acacia concurrens*	Black Wattle	150	100	180	11.0	2.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5201	*Acacia concurrens*	Black Wattle	180		180	12.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5202	*Acacia concurrens*	Black Wattle	180		180	12.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5203	*Eucalyptus tereticornis*	Forest Red Gum	390		390	17.0	5.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5204	*Acacia concurrens*	Black Wattle	150		150	10.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5205	*Acacia concurrens*	Black Wattle	140		140	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5206	*Acacia concurrens*	Black Wattle	180		180	11.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5207	*Acacia concurrens*	Black Wattle	170		170	10.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5208	*Acacia concurrens*	Black Wattle	150		150	10.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5209	*Acacia concurrens*	Black Wattle	170		170	9.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5210	*Acacia concurrens*	Black Wattle	180		180	8.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5211	*Acacia concurrens*	Black Wattle	210		210	9.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5212	*Acacia concurrens*	Black Wattle	170		170	10.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5213	*Acacia concurrens*	Black Wattle	170	120	208	11.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5214	*Acacia concurrens*	Black Wattle	160		160	10.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5215	*Acacia concurrens*	Black Wattle	150	110	186	10.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5216	*Acacia concurrens*	Black Wattle	170		170	10.0	2.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5217	*Corymbia citriodora*	Spotted Gum	150		150	11.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5218	*Lophostemon suaveolens*	Swamp Box	230		230	12.0	2.0	2.8	1.8	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5219	*Acacia concurrens*	Black Wattle	140	140	198	9.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5220	*Acacia concurrens*	Black Wattle	150		150	9.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5221	*Eucalyptus tereticornis*	Forest Red Gum	330		330	18.0	5.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5222	*Acacia concurrens*	Black Wattle	150		150	9.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5223	*Acacia concurrens*	Black Wattle	180		180	10.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5224	*Acacia concurrens*	Black Wattle	150	130	198	9.0	2.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5225	*Angophora subvelutina*	Broad-leaved Apple	210		210	16.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5226	*Angophora subvelutina*	Broad-leaved Apple	190		190	16.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5227	*Angophora subvelutina*	Broad-leaved Apple	260		260	17.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5228	*Corymbia intermedia*	Pink Bloodwood	500		500	18.0	7.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5229	*Lophostemon suaveolens*	Swamp Box	260		260	16.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5230	*Lophostemon suaveolens*	Swamp Box	260		260	16.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5231	*Lophostemon suaveolens*	Swamp Box	190		190	15.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: 1E\2025\2047303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
5232	*Lophostemon suaveolens*	Swamp Box	180		180	17.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5233	*Lophostemon suaveolens*	Swamp Box	180		180	16.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5234	*Corymbia tessellaris*	Moreton Bay Ash	250		250	20.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5235	*Lophostemon suaveolens*	Swamp Box	150		150	14.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5236	*Lophostemon suaveolens*	Swamp Box	300		300	19.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5237	*Lophostemon suaveolens*	Swamp Box	160		160	15.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5238	*Casuarina cunninghamiana*	River Sheoak	290		290	17.0	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5239	*Casuarina cunninghamiana*	River Sheoak	290		290	16.0	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5240	*Corymbia trachyphloia*	Brown Bloodwood	300		300	17.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5241	*Acacia concurrens*	Black Wattle	190		190	10.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5242	*Corymbia citriodora*	Spotted Gum	160		160	16.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5243	*Petalostigma pubescens*	Quinine Bush	180	150, 110	259	14.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5244	*Casuarina cunninghamiana*	River Sheoak	270	160	314	19.0	7.0	3.8	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5245	*Corymbia intermedia*	Pink Bloodwood	180		180	17.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5246	*Corymbia intermedia*	Pink Bloodwood	260		260	17.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5247	*Acacia disparrima*	Hickory Wattle	160		160	11.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5248	*Lophostemon suaveolens*	Swamp Box	180		180	15.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5249	*Lophostemon suaveolens*	Swamp Box	150		150	16.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5250	*Lophostemon suaveolens*	Swamp Box	150		150	14.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5251	*Casuarina cunninghamiana*	River Sheoak	380		380	20.0	8.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5252	*Casuarina cunninghamiana*	River Sheoak	200		200	17.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5253	*Lophostemon suaveolens*	Swamp Box	200		200	14.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5254	*Lophostemon suaveolens*	Swamp Box	150		150	14.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5255	*Casuarina cunninghamiana*	River Sheoak	640		640	25.0	10.0	7.7	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5256	*Casuarina cunninghamiana*	River Sheoak	260		260	17.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5257	*Casuarina cunninghamiana*	River Sheoak	350		350	21.0	8.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5258	*Casuarina cunninghamiana*	River Sheoak	330		330	26.0	9.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5259	*Acacia disparrima*	Hickory Wattle	220		220	12.0	7.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5260	*Eucalyptus tereticornis*	Forest Red Gum	190		190	17.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5261	*Acacia disparrima*	Hickory Wattle	230		230	12.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5262	*Corymbia tessellaris*	Moreton Bay Ash	250		250	20.0	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5263	*Corymbia tessellaris*	Moreton Bay Ash	170	80	188	15.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5264	*Corymbia tessellaris*	Moreton Bay Ash	260		260	17.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5265	*Eucalyptus tereticornis*	Forest Red Gum	440		440	25.0	8.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5266	*Eucalyptus seeana*	Narrow-leaved Red Gum	350		350	20.0	7.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5267	*Eucalyptus siderophloia*	Grey Ironbark	260		260	19.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5268	*Acacia disparrima*	Hickory Wattle	180		180	16.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5269	*Eucalyptus siderophloia*	Grey Ironbark	190		190	17.0	3.0	2.3	1.6	Regular	-	Thinning	Die-back	Epicormic	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5270	*Eucalyptus seeana*	Narrow-leaved Red Gum	270		270	18.0	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5271	*Lophostemon suaveolens*	Swamp Box	260		260	16.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5272	*Eucalyptus seeana*	Narrow-leaved Red Gum	330		330	20.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5273	*Eucalyptus siderophloia*	Grey Ironbark	330		330	20.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: IDE/2025/2047/303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
5274	*Eucalyptus siderophloia*	Grey Ironbark	360		360	20.0	7.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5275	*Eucalyptus tereticornis*	Forest Red Gum	280		280	19.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5276	*Corymbia citriodora*	Spotted Gum	330		330	19.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5277	*Corymbia citriodora*	Spotted Gum	290		290	20.0	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5278	*Eucalyptus siderophloia*	Grey Ironbark	340		340	20.0	7.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5279	*Corymbia citriodora*	Spotted Gum	250		250	21.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5280	*Acacia disparrima*	Hickory Wattle	260		260	10.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5281	*Corymbia citriodora*	Spotted Gum	290		290	18.0	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5282	*Eucalyptus siderophloia*	Grey Ironbark	230		230	18.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5283	*Acacia disparrima*	Hickory Wattle	170		170	9.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5284	*Acacia disparrima*	Hickory Wattle	190		190	9.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5285	*Acacia concurrens*	Black Wattle	180		180	9.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5286	*Acacia concurrens*	Black Wattle	150		150	10.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5287	*Acacia concurrens*	Black Wattle	140	130	191	9.0	4.0	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5288	*Acacia disparrima*	Hickory Wattle	140		140	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5289	*Eucalyptus siderophloia*	Grey Ironbark	200		200	16.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5290	*Eucalyptus siderophloia*	Grey Ironbark	230		230	18.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5291	*Eucalyptus siderophloia*	Grey Ironbark	330		330	22.0	6.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5292	*Acacia concurrens*	Black Wattle	150		150	8.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5293	*Acacia disparrima*	Hickory Wattle	160		160	8.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5294	*Eucalyptus siderophloia*	Grey Ironbark	300		300	21.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5295	*Petalostigma pubescens*	Quinine Bush	240		240	14.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5296	*Eucalyptus siderophloia*	Grey Ironbark	230		230	22.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5297	*Eucalyptus siderophloia*	Grey Ironbark	280		280	23.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5298	*Acacia disparrima*	Hickory Wattle	200		200	9.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5299	*Eucalyptus siderophloia*	Grey Ironbark	330		330	21.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5300	*Eucalyptus siderophloia*	Grey Ironbark	230		230	21.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5301	*Acacia concurrens*	Black Wattle	170		170	8.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5302	*Acacia disparrima*	Hickory Wattle	190		190	11.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5303	*Lophostemon suaveolens*	Swamp Box	130		130	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5304	*Lophostemon suaveolens*	Swamp Box	180		180	10.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5305	*Lophostemon suaveolens*	Swamp Box	110		110	9.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5306	*Acacia concurrens*	Black Wattle	150		150	9.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5307	*Acacia disparrima*	Hickory Wattle	180		180	9.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5308	*Lophostemon suaveolens*	Swamp Box	140	130	191	12.0	4.0	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5309	*Lophostemon suaveolens*	Swamp Box	270		270	17.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5310	*Eucalyptus tereticornis*	Forest Red Gum	330		330	21.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5311	*Eucalyptus seeana*	Narrow-leaved Red Gum	180		180	20.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5312	*Lophostemon suaveolens*	Swamp Box	160		160	13.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5313	*Angophora subvelutina*	Broad-leaved Apple	270	200	336	19.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5314	*Eucalyptus tereticornis*	Forest Red Gum	250		250	20.0	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5315	*Lophostemon suaveolens*	Swamp Box	150		150	12.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: DEV2025/2047303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
5316	*Eucalyptus tereticornis*	Forest Red Gum	210		210	17.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5317	*Lophostemon suaveolens*	Swamp Box	120		120	14.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5318	*Corymbia citriodora*	Spotted Gum	120		120	16.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5319	*Eucalyptus seeana*	Narrow-leaved Red Gum	230		230	19.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5320	*Eucalyptus seeana*	Narrow-leaved Red Gum	320		320	22.0	9.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5321	*Eucalyptus seeana*	Narrow-leaved Red Gum	120	90, 80, 50	177	12.0	4.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5322	*Eucalyptus tereticornis*	Forest Red Gum	300		300	21.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5323	*Lophostemon suaveolens*	Swamp Box	170		170	14.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5324	*Eucalyptus seeana*	Narrow-leaved Red Gum	160		160	16.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5325	*Eucalyptus tereticornis*	Forest Red Gum	210		210	18.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5326	*Eucalyptus tereticornis*	Forest Red Gum	170		170	16.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5327	*Eucalyptus tereticornis*	Forest Red Gum	200		200	17.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5328	*Lophostemon suaveolens*	Swamp Box	190		190	15.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5329	*Corymbia tessellaris*	Moreton Bay Ash	230	190	298	22.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5330	*Lophostemon suaveolens*	Swamp Box	120		120	14.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5331	*Lophostemon suaveolens*	Swamp Box	110		110	10.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5332	*Acacia disparrima*	Hickory Wattle	200		200	16.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5333	*Angophora subvelutina*	Broad-leaved Apple	220		220	18.0	7.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5334	*Angophora subvelutina*	Broad-leaved Apple	190		190	20.0	7.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5335	*Eucalyptus tereticornis*	Forest Red Gum	150		150	13.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5336	*Angophora subvelutina*	Broad-leaved Apple	150		150	14.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5337	*Acacia concurrens*	Black Wattle	110		110	9.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5338	*Angophora subvelutina*	Broad-leaved Apple	240		240	17.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5339	*Angophora subvelutina*	Broad-leaved Apple	450		450	19.0	9.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5340	*Eucalyptus tereticornis*	Forest Red Gum	200		200	23.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5341	*Angophora subvelutina*	Broad-leaved Apple	270		270	20.0	9.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5342	*Acacia disparrima*	Hickory Wattle	130		130	12.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5343	*Angophora subvelutina*	Broad-leaved Apple	150		150	15.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5344	*Acacia disparrima*	Hickory Wattle	100		100	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5345	*Angophora subvelutina*	Broad-leaved Apple	180		180	19.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5347	*Angophora subvelutina*	Broad-leaved Apple	240		240	19.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5348	*Angophora subvelutina*	Broad-leaved Apple	300	210	366	22.0	8.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5349	*Acacia concurrens*	Black Wattle	130		130	10.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5350	*Acacia concurrens*	Black Wattle	170		170	10.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5351	*Corymbia citriodora*	Spotted Gum	140		140	16.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5352	*Acacia disparrima*	Hickory Wattle	120		120	11.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5353	*Eucalyptus tereticornis*	Forest Red Gum	300		300	21.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5354	*Eucalyptus siderophloia*	Grey Ironbark	160		160	16.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5355	*Acacia disparrima*	Hickory Wattle	150		150	14.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5356	*Corymbia citriodora*	Spotted Gum	230		230	22.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5357	*Acacia disparrima*	Hickory Wattle	160		160	15.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5358	*Eucalyptus siderophloia*	Grey Ironbark	160		160	17.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: PE/2025/2047/303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
5359	*Corymbia citriodora*	Spotted Gum	280		280	21.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5360	*Corymbia citriodora*	Spotted Gum	190	100, 100, 70	247	19.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5361	*Eucalyptus siderophloia*	Grey Ironbark	110		110	14.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5362	*Corymbia citriodora*	Spotted Gum	110		110	14.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5363	*Eucalyptus tereticornis*	Forest Red Gum	320		320	21.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5364	*Eucalyptus tereticornis*	Forest Red Gum	420		420	19.0	6.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5365	*Eucalyptus tereticornis*	Forest Red Gum	180		180	17.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5366	*Corymbia intermedia*	Pink Bloodwood	210		210	17.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5367	*Corymbia citriodora*	Spotted Gum	170	110, 100, 90	243	18.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5368	*Eucalyptus siderophloia*	Grey Ironbark	120		120	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5369	*Acacia concurrens*	Black Wattle	110	100	149	5.0	3.0	2.0	1.5	Regular	-	Thinning	Die-back	-	Lopped	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5370	*Acacia concurrens*	Black Wattle	150	140, 140	248	9.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5371	*Eucalyptus tereticornis*	Forest Red Gum	170		170	13.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5372	*Eucalyptus tereticornis*	Forest Red Gum	140		140	10.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5373	*Acacia disparrima*	Hickory Wattle	220		220	11.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5374	*Acacia disparrima*	Hickory Wattle	160		160	9.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5375	*Acacia disparrima*	Hickory Wattle	170		170	9.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5376	*Acacia disparrima*	Hickory Wattle	160		160	9.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5377	*Acacia concurrens*	Black Wattle	170		170	9.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5378	*Acacia concurrens*	Black Wattle	240		240	11.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5379	*Acacia concurrens*	Black Wattle	180		180	11.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5380	*Acacia concurrens*	Black Wattle	150		150	11.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5381	*Acacia concurrens*	Black Wattle	190		190	10.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5382	*Acacia concurrens*	Black Wattle	200		200	12.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5383	*Acacia concurrens*	Black Wattle	170		170	9.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5384	*Lophostemon suaveolens*	Swamp Box	170		170	14.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5385	*Acacia disparrima*	Hickory Wattle	140	130	191	10.0	5.0	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5386	*Acacia concurrens*	Black Wattle	170		170	10.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5387	*Acacia concurrens*	Black Wattle	120	120	170	11.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5388	*Acacia concurrens*	Black Wattle	200		200	11.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5389	*Acacia concurrens*	Black Wattle	150		150	10.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5390	*Acacia concurrens*	Black Wattle	210		210	12.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5391	*Acacia concurrens*	Black Wattle	220		220	10.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5392	*Lophostemon suaveolens*	Swamp Box	140		140	11.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5393	*Eucalyptus tereticornis*	Forest Red Gum	150		150	9.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5394	*Acacia concurrens*	Black Wattle	180		180	10.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5395	*Eucalyptus tereticornis*	Forest Red Gum	130		130	12.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5396	*Acacia concurrens*	Black Wattle	170		170	9.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5397	*Eucalyptus siderophloia*	Grey Ironbark	280		280	18.0	6.0	3.4	1.9	Regular	-	Thinning	-	Epicormic	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5398	*Acacia concurrens*	Black Wattle	140	130	191	9.0	4.0	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5399	*Acacia concurrens*	Black Wattle	160		160	8.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5400	*Acacia concurrens*	Black Wattle	190		190	13.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: 1E\2025\2047303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
5401	*Eucalyptus siderophloia*	Grey Ironbark	280		280	19.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5402	*Acacia concurrens*	Black Wattle	200		200	10.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5403	*Acacia concurrens*	Black Wattle	170		170	13.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5404	*Acacia concurrens*	Black Wattle	150	130	198	12.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5405	*Acacia concurrens*	Black Wattle	140	120	184	10.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5406	*Corymbia intermedia*	Pink Bloodwood	240		240	17.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5407	*Acacia concurrens*	Black Wattle	170		170	10.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5408	*Petalostigma pubescens*	Quinine Bush	280		280	16.0	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5409	*Acacia concurrens*	Black Wattle	210		210	9.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5410	*Acacia concurrens*	Black Wattle	160		160	8.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5411	*Corymbia intermedia*	Pink Bloodwood	230		230	19.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5412	*Corymbia citriodora*	Spotted Gum	370		370	22.0	8.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5413	*Lophostemon suaveolens*	Swamp Box	290		290	18.0	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5414	*Eucalyptus tereticornis*	Forest Red Gum	310		310	21.0	10.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5415	*Acacia concurrens*	Black Wattle	200		200	10.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5416	*Acacia concurrens*	Black Wattle	160	130	206	13.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5417	*Acacia concurrens*	Black Wattle	210	170	270	13.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5418	*Acacia concurrens*	Black Wattle	160		160	9.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5419	*Eucalyptus seeana*	Narrow-leaved Red Gum	150		150	14.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5420	*Acacia concurrens*	Black Wattle	170		170	10.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5421	*Acacia concurrens*	Black Wattle	180		180	10.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5422	*Acacia concurrens*	Black Wattle	120		120	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5423	*Eucalyptus tereticornis*	Forest Red Gum	380		380	18.0	10.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5424	*Acacia disparrima*	Hickory Wattle	120		120	9.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5425	*Corymbia citriodora*	Spotted Gum	100		100	10.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5426	*Acacia leiocalyx*	Early-flowering Black Wattle	150		150	9.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5427	*Eucalyptus seeana*	Narrow-leaved Red Gum	500		500	25.0	13.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	Old	Old	-	-	-	-	Removed	
5428	*Corymbia intermedia*	Pink Bloodwood	180		180	13.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5429	*Acacia disparrima*	Hickory Wattle	120		120	6.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5430	*Acacia disparrima*	Hickory Wattle	130		130	8.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5431	*Corymbia tessellaris*	Moreton Bay Ash	120		120	11.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5432	*Acacia disparrima*	Hickory Wattle	130	130	184	7.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5433	*Acacia disparrima*	Hickory Wattle	100		100	7.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5434	*Acacia disparrima*	Hickory Wattle	200		200	10.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5435	*Corymbia intermedia*	Pink Bloodwood	630		630	25.0	13.0	7.6	2.7	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5436	*Corymbia intermedia*	Pink Bloodwood	380		380	20.0	10.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5437	*Acacia concurrens*	Black Wattle	100		100	8.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5438	*Acacia disparrima*	Hickory Wattle	160		160	7.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5439	*Acacia disparrima*	Hickory Wattle	160		160	7.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5440	*Corymbia intermedia*	Pink Bloodwood	260		260	11.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5441	*Acacia disparrima*	Hickory Wattle	100		100	7.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5442	*Corymbia intermedia*	Pink Bloodwood	260		260	24.0	13.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: PE/2025/2047/303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
5443	*Corymbia intermedia*	Pink Bloodwood	270		270	22.0	10.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5444	*Acacia disparrima*	Hickory Wattle	120		120	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5445	*Lophostemon suaveolens*	Swamp Box	100		100	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5446	*Banksia integrifolia*	Coast Banksia	120		120	5.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5447	*Acacia concurrens*	Black Wattle	100		100	7.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5448	*Banksia integrifolia*	Coast Banksia	100		100	4.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5449	*Corymbia intermedia*	Pink Bloodwood	260		260	22.0	10.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5450	*Lophostemon suaveolens*	Swamp Box	110		110	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5451	*Eucalyptus crebra*	Narrow-leaved Ironbark	160		160	16.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5452	*Acacia concurrens*	Black Wattle	120		120	8.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5453	*Corymbia intermedia*	Pink Bloodwood	480		480	25.0	14.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5454	*Corymbia intermedia*	Pink Bloodwood	300		300	25.0	13.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5455	*Corymbia intermedia*	Pink Bloodwood	230		230	20.0	8.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5456	*Corymbia intermedia*	Pink Bloodwood	220		220	20.0	10.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5457	*Corymbia intermedia*	Pink Bloodwood	370		370	25.0	14.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5458	*Acacia concurrens*	Black Wattle	120		120	7.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Removed	
5459	*Corymbia intermedia*	Pink Bloodwood	140		140	16.0	7.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5460	*Lophostemon suaveolens*	Swamp Box	300		300	16.0	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5461	*Allocasuarina littoralis*	Black She-oak	120		120	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5462	*Lophostemon suaveolens*	Swamp Box	100		100	6.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5463	*Acacia concurrens*	Black Wattle	130		130	9.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5464	*Angophora leiocarpa*	Smooth-barked Apple	180		180	14.0	7.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5465	*Eucalyptus tereticornis*	Forest Red Gum	310		310	25.0	12.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5466	*Lophostemon suaveolens*	Swamp Box	200		200	16.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5467	*Eucalyptus tereticornis*	Forest Red Gum	400		400	25.0	15.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Old	-	-	-	-	Removed	
5468	*Petalostigma pubescens*	Quinine Bush	190		190	6.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
5469	*Acacia concurrens*	Black Wattle	110		110	7.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
5470	*Acacia disparrima*	Hickory Wattle	160		160	7.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5471	*Acacia disparrima*	Hickory Wattle	140		140	7.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5472	*Corymbia intermedia*	Pink Bloodwood	220		220	18.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5473	*Acacia concurrens*	Black Wattle	100		100	6.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5474	*Acacia concurrens*	Black Wattle	120		120	9.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5475	*Corymbia intermedia*	Pink Bloodwood	400		400	26.0	14.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
5476	*Corymbia intermedia*	Pink Bloodwood	280		280	25.0	10.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
5477	*Corymbia intermedia*	Pink Bloodwood	460		460	26.0	14.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5478	*Acacia disparrima*	Hickory Wattle	100		100	5.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5479	*Acacia concurrens*	Black Wattle	130	100	164	9.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5480	*Acacia concurrens*	Black Wattle	130		130	7.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5481	*Eucalyptus seeana*	Narrow-leaved Red Gum	250		250	25.0	12.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5482	*Eucalyptus seeana*	Narrow-leaved Red Gum	400		400	25.0	14.0	4.8	2.3	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5483	*Acacia leiocalyx*	Early-flowering Black Wattle	130		130	6.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5484	*Petalostigma pubescens*	Quinine Bush	230		230	7.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: 1E\2025\2047303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
5485	*Corymbia intermedia*	Pink Bloodwood	340		340	20.0	10.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5486	*Corymbia intermedia*	Pink Bloodwood	510		510	26.0	14.0	6.1	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5487	*Corymbia intermedia*	Pink Bloodwood	340		340	26.0	14.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5488	*Alphitonia excelsa*	Soap Tree	430		430	13.0	8.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5489	*Corymbia intermedia*	Pink Bloodwood	300		300	25.0	12.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5490	*Acacia concurrens*	Black Wattle	110		110	7.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5491	*Corymbia intermedia*	Pink Bloodwood	320		320	24.0	8.0	3.8	2.1	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5492	*Acacia concurrens*	Black Wattle	110		110	7.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5493	*Corymbia intermedia*	Pink Bloodwood	150		150	16.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5494	*Acacia concurrens*	Black Wattle	110		110	8.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5495	*Petalostigma pubescens*	Quinine Bush	230		230	10.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5496	*Corymbia intermedia*	Pink Bloodwood	200		200	14.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5497	*Corymbia intermedia*	Pink Bloodwood	400		400	26.0	10.0	4.8	2.3	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5498	*Acacia disparrima*	Hickory Wattle	110		110	5.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5499	*Acacia disparrima*	Hickory Wattle	120		120	7.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5500	*Corymbia intermedia*	Pink Bloodwood	270		270	24.0	14.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5501	*Acacia concurrens*	Black Wattle	120		120	7.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5502	*Corymbia intermedia*	Pink Bloodwood	210		210	18.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5503	*Petalostigma pubescens*	Quinine Bush	150		150	8.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5504	*Corymbia intermedia*	Pink Bloodwood	200		200	16.0	7.0	2.4	1.7	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5505	*Corymbia intermedia*	Pink Bloodwood	250		250	25.0	14.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5506	*Acacia concurrens*	Black Wattle	110		110	6.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5507	*Angophora leiocarpa*	Smooth-barked Apple	300		300	26.0	14.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5508	*Corymbia intermedia*	Pink Bloodwood	120		120	7.0	3.0	2.0	1.4	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5509	*Corymbia intermedia*	Pink Bloodwood	170		170	14.0	7.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5510	*Petalostigma pubescens*	Quinine Bush	140		140	8.0	5.0	2.0	1.4	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5511	*Lophostemon suaveolens*	Swamp Box	150		150	14.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
5512	*Corymbia intermedia*	Pink Bloodwood	160		160	12.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
5513	*Petalostigma pubescens*	Quinine Bush	140		140	7.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5514	*Petalostigma pubescens*	Quinine Bush	130		130	7.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5515	*Alphitonia excelsa*	Soap Tree	100		100	5.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5516	*Alphitonia excelsa*	Soap Tree	120		120	8.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5517	*Corymbia intermedia*	Pink Bloodwood	140		140	10.0	7.0	2.0	1.4	Regular	-	-	-	-	-	Typical	Major	-	-	-	Typical	-	-	-	-	-	-	Remove - basin & outlet works	
5518	*Petalostigma pubescens*	Quinine Bush	110		110	7.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - basin & outlet works	
5519	*Alphitonia excelsa*	Soap Tree	200		200	10.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5520	*Lophostemon suaveolens*	Swamp Box	170		170	14.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5521	*Angophora leiocarpa*	Smooth-barked Apple	340		340	25.0	14.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - basin & outlet works	
5522	*Alphitonia excelsa*	Soap Tree	120		120	9.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5523	*Alphitonia excelsa*	Soap Tree	180		180	11.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5524	*Alphitonia excelsa*	Soap Tree	190		190	7.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
5525	*Acacia leiocalyx*	Early-flowering Black Wattle	120		120	7.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
5526	*Acacia disparrima*	Hickory Wattle	110		110	6.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: PE/2025/2047/303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
5527	*Acacia disparrima*	Hickory Wattle	120		120	7.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5528	*Acacia disparrima*	Hickory Wattle	180		180	10.0	7.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5529	*Alphitonia excelsa*	Soap Tree	340		340	12.0	7.0	4.1	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5530	*Allocasuarina littoralis*	Black She-oak	100		100	6.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
5531	*Petalostigma pubescens*	Quinine Bush	210		210	7.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
5532	*Petalostigma pubescens*	Quinine Bush	200		200	7.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
5533	*Petalostigma pubescens*	Quinine Bush	180		180	6.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
5534	*Petalostigma pubescens*	Quinine Bush	220		220	7.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
5535	*Eucalyptus tereticornis*	Forest Red Gum	330		330	25.0	14.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Old	-	-	-	-	Retention TBC - CPTED	
5536	*Acacia leiocalyx*	Early-flowering Black Wattle	100		100	7.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
5537	*Acacia leiocalyx*	Early-flowering Black Wattle	120		120	8.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5538	*Acacia leiocalyx*	Early-flowering Black Wattle	120		120	6.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5539	*Corymbia intermedia*	Pink Bloodwood	230		230	24.0	10.0	2.8	1.8	Regular	-	Thinning	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Removed	
5540	*Acacia disparrima*	Hickory Wattle	120		120	5.0	3.0	2.0	1.4	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5541	*Acacia disparrima*	Hickory Wattle	120	100	156	7.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5542	*Acacia disparrima*	Hickory Wattle	120		120	7.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5543	*Acacia leiocalyx*	Early-flowering Black Wattle	170		170	7.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5544	*Acacia leiocalyx*	Early-flowering Black Wattle	120		120	7.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5545	*Acacia leiocalyx*	Early-flowering Black Wattle	170		170	8.0	7.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5546	*Eucalyptus tereticornis*	Forest Red Gum	330		330	25.0	10.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Old	-	-	-	-	Removed	
5547	*Acacia disparrima*	Hickory Wattle	120		120	7.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5548	*Acacia leiocalyx*	Early-flowering Black Wattle	120		120	6.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5549	*Petalostigma pubescens*	Quinine Bush	240		240	10.0	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5550	*Acacia leiocalyx*	Early-flowering Black Wattle	120		120	7.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5551	*Corymbia citriodora*	Spotted Gum	520		520	27.0	16.0	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5552	*Alphitonia excelsa*	Soap Tree	200		200	10.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5553	*Angophora leiocarpa*	Smooth-barked Apple	420		420	22.0	14.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5554	*Acacia disparrima*	Hickory Wattle	120		120	7.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5555	*Alphitonia excelsa*	Soap Tree	120		120	8.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	Major	-	-	-	Typical	-	-	-	-	-	-	Removed	
5556	*Corymbia intermedia*	Pink Bloodwood	250		250	20.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5557	*Angophora leiocarpa*	Smooth-barked Apple	150		150	14.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5558	*Eucalyptus tereticornis*	Forest Red Gum	420		420	25.0	14.0	5.0	2.3	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5559	*Angophora leiocarpa*	Smooth-barked Apple	430		430	25.0	14.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5560	*Angophora leiocarpa*	Smooth-barked Apple	220		220	14.0	6.0	2.6	1.8	One-sided	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Removed	
5561	*Alphitonia excelsa*	Soap Tree	120		120	7.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	Major	-	-	-	Typical	-	-	-	-	-	-	Removed	
5562	*Acacia disparrima*	Hickory Wattle	200		200	10.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5563	*Eucalyptus tereticornis*	Forest Red Gum	210		210	16.0	5.0	2.5	1.7	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5564	*Angophora leiocarpa*	Smooth-barked Apple	140		140	14.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5565	*Corymbia intermedia*	Pink Bloodwood	250		250	25.0	13.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5566	*Acacia disparrima*	Hickory Wattle	130		130	8.0	7.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5567	*Acacia leiocalyx*	Early-flowering Black Wattle	110		110	6.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5568	*Acacia leiocalyx*	Early-flowering Black Wattle	110		110	6.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: 1E\2025\2047303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
5569	*Lophostemon suaveolens*	Swamp Box	140		140	7.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5570	*Acacia leiocalyx*	Early-flowering Black Wattle	160		160	9.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5571	*Acacia disparrima*	Hickory Wattle	170		170	9.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5572	*Allocasuarina littoralis*	Black She-oak	100		100	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5573	*Lophostemon suaveolens*	Swamp Box	130		130	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
5574	*Acacia leiocalyx*	Early-flowering Black Wattle	180		180	9.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
5575	*Angophora leiocarpa*	Smooth-barked Apple	110		110	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5576	*Angophora leiocarpa*	Smooth-barked Apple	100		100	6.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5577	*Acacia disparrima*	Hickory Wattle	110		110	7.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Removed	
5578	*Angophora leiocarpa*	Smooth-barked Apple	130		130	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
5579	*Acacia disparrima*	Hickory Wattle	100		100	5.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
5580	*Acacia disparrima*	Hickory Wattle	140		140	9.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
5581	*Alphitonia excelsa*	Soap Tree	100		100	6.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
5582	*Acacia disparrima*	Hickory Wattle	200	100, 140	264	7.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
5583	*Lophostemon suaveolens*	Swamp Box	110		110	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
5584	*Acacia leiocalyx*	Early-flowering Black Wattle	100		100	6.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
5585	*Allocasuarina littoralis*	Black She-oak	120	80	144	7.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5586	*Corymbia intermedia*	Pink Bloodwood	130		130	7.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5587	*Acacia leiocalyx*	Early-flowering Black Wattle	220		220	8.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
5588	*Acacia leiocalyx*	Early-flowering Black Wattle	150		150	8.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
5589	*Acacia disparrima*	Hickory Wattle	100		100	6.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5590	*Corymbia intermedia*	Pink Bloodwood	330		330	20.0	11.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5591	*Acacia disparrima*	Hickory Wattle	160		160	9.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5592	*Acacia disparrima*	Hickory Wattle	140		140	7.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5593	*Petalostigma pubescens*	Quinine Bush	220		220	7.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5594	*Acacia leiocalyx*	Early-flowering Black Wattle	100		100	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5595	*Acacia leiocalyx*	Early-flowering Black Wattle	130		130	9.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5596	*Corymbia intermedia*	Pink Bloodwood	320		320	25.0	12.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5597	*Acacia leiocalyx*	Early-flowering Black Wattle	140		140	7.0	5.0	2.0	1.4	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5598	*Acacia leiocalyx*	Early-flowering Black Wattle	120		120	6.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5599	*Acacia leiocalyx*	Early-flowering Black Wattle	120		120	6.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5600	*Allocasuarina littoralis*	Black She-oak	120		120	6.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Removed	
5601	*Eucalyptus tereticornis*	Forest Red Gum	530		530	25.0	14.0	6.4	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5602	*Allocasuarina littoralis*	Black She-oak	120		120	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5603	*Allocasuarina littoralis*	Black She-oak	100		100	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5604	*Angophora leiocarpa*	Smooth-barked Apple	100		100	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5605	*Corymbia intermedia*	Pink Bloodwood	320		320	25.0	14.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5606	*Acacia disparrima*	Hickory Wattle	120		120	8.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5607	*Corymbia intermedia*	Pink Bloodwood	320		320	22.0	12.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5608	*Acacia disparrima*	Hickory Wattle	100	80	128	7.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5609	*Acacia disparrima*	Hickory Wattle	120		120	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5610	*Acacia leiocalyx*	Early-flowering Black Wattle	110		110	6.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: PE/2025/2047/303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
5611	*Allocasuarina littoralis*	Black She-oak	120	60	134	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5612	*Corymbia intermedia*	Pink Bloodwood	500		500	25.0	14.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5613	*Corymbia citriodora*	Spotted Gum	380		380	25.0	14.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5614	*Acacia disparrima*	Hickory Wattle	120		120	7.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5615	*Alphitonia excelsa*	Soap Tree	140		140	8.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5616	*Acacia leiocalyx*	Early-flowering Black Wattle	140		140	7.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5617	*Eucalyptus tereticornis*	Forest Red Gum	440		440	25.0	14.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Old	-	-	-	-	Removed	
5618	*Acacia disparrima*	Hickory Wattle	120		120	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5619	*Acacia leiocalyx*	Early-flowering Black Wattle	110		110	7.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5620	*Alphitonia excelsa*	Soap Tree	210		210	9.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5621	*Eucalyptus tereticornis*	Forest Red Gum	420		420	25.0	13.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5622	*Acacia leiocalyx*	Early-flowering Black Wattle	120		120	9.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5623	*Acacia leiocalyx*	Early-flowering Black Wattle	120		120	8.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5624	*Corymbia citriodora*	Spotted Gum	110		110	11.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5625	*Acacia disparrima*	Hickory Wattle	160		160	8.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5626	*Acacia leiocalyx*	Early-flowering Black Wattle	120		120	7.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5627	*Acacia leiocalyx*	Early-flowering Black Wattle	120		120	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5628	*Corymbia citriodora*	Spotted Gum	110		110	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5629	*Corymbia citriodora*	Spotted Gum	140		140	11.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5630	*Alphitonia excelsa*	Soap Tree	300		300	10.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5631	*DEAD/STAG*		460		460	14.0	7.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5632	*Acacia leiocalyx*	Early-flowering Black Wattle	110		110	6.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5633	*Alphitonia excelsa*	Soap Tree	210		210	10.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5634	*Acacia disparrima*	Hickory Wattle	110	120	163	8.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5635	*Corymbia citriodora*	Spotted Gum	460		460	26.0	14.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5636	*Eucalyptus crebra*	Narrow-leaved Ironbark	340		340	26.0	14.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5637	*Eucalyptus tereticornis*	Forest Red Gum	200		200	20.0	4.0	2.4	1.7	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5638	*Corymbia citriodora*	Spotted Gum	360		360	25.0	14.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5639	*Acacia leiocalyx*	Early-flowering Black Wattle	140		140	7.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5640	*Acacia leiocalyx*	Early-flowering Black Wattle	120	100	156	6.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5641	*Eucalyptus tereticornis*	Forest Red Gum	440		440	26.0	14.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5642	*Acacia leiocalyx*	Early-flowering Black Wattle	120		120	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Removed	
5643	*Acacia disparrima*	Hickory Wattle	120		120	6.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5644	*Lophostemon suaveolens*	Swamp Box	120		120	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5645	*Acacia disparrima*	Hickory Wattle	110		110	7.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5646	*Acacia leiocalyx*	Early-flowering Black Wattle	110		110	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5647	*Alphitonia excelsa*	Soap Tree	280		280	12.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5648	*Acacia disparrima*	Hickory Wattle	140		140	6.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5649	*Corymbia citriodora*	Spotted Gum	450		450	24.0	13.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5650	*Eucalyptus crebra*	Narrow-leaved Ironbark	230		230	25.0	12.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5651	*Acacia disparrima*	Hickory Wattle	100	80	128	6.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5652	*Eucalyptus tereticornis*	Forest Red Gum	240		240	24.0	8.0	2.9	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: DEV2025/2047303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
5653	*Acacia leiocalyx*	Early-flowering Black Wattle	120		120	7.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5654	*Acacia leiocalyx*	Early-flowering Black Wattle	180		180	7.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5655	*Corymbia citriodora*	Spotted Gum	470		470	27.0	15.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5656	*Acacia disparrima*	Hickory Wattle	120		120	6.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5657	*Eucalyptus tereticornis*	Forest Red Gum	380		380	24.0	12.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Old	-	-	-	-	Removed	
5658	*Acacia disparrima*	Hickory Wattle	130	120	177	6.0	5.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5659	*Acacia leiocalyx*	Early-flowering Black Wattle	150		150	6.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5660	*Allocasuarina littoralis*	Black She-oak	120		120	7.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5661	*Acacia leiocalyx*	Early-flowering Black Wattle	110		110	7.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5662	*Petalostigma pubescens*	Quinine Bush	120		120	5.0	4.0	2.0	1.4	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5663	*Acacia disparrima*	Hickory Wattle	110		110	5.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5664	*Acacia leiocalyx*	Early-flowering Black Wattle	190		190	7.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5665	*Acacia leiocalyx*	Early-flowering Black Wattle	130		130	6.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5666	*Corymbia citriodora*	Spotted Gum	410		410	25.0	10.0	4.9	2.3	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5667	*Eucalyptus crebra*	Narrow-leaved Ironbark	120		120	6.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5668	*Acacia leiocalyx*	Early-flowering Black Wattle	110		110	6.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5669	*Corymbia citriodora*	Spotted Gum	410		410	26.0	14.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5670	*Eucalyptus tereticornis*	Forest Red Gum	260		260	20.0	10.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5671	*Corymbia citriodora*	Spotted Gum	280		280	26.0	14.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5672	*Eucalyptus tereticornis*	Forest Red Gum	240		240	5.0	2.0	2.9	1.8	Regular	-	-	-	Epicormic	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5673	*Acacia leiocalyx*	Early-flowering Black Wattle	100		100	5.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5674	*Corymbia intermedia*	Pink Bloodwood	110		110	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5675	*Acacia leiocalyx*	Early-flowering Black Wattle	150		150	7.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5676	*Acacia leiocalyx*	Early-flowering Black Wattle	100		100	6.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5677	*Acacia leiocalyx*	Early-flowering Black Wattle	140		140	5.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5678	*Acacia leiocalyx*	Early-flowering Black Wattle	110		110	4.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5679	*Allocasuarina littoralis*	Black She-oak	260		260	8.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5680	*Acacia leiocalyx*	Early-flowering Black Wattle	110		110	6.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5681	*Acacia leiocalyx*	Early-flowering Black Wattle	130		130	5.0	2.0	2.0	1.4	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5682	*Corymbia citriodora*	Spotted Gum	400		400	26.0	14.0	4.8	2.3	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5683	*Corymbia citriodora*	Spotted Gum	380		380	24.0	10.0	4.6	2.2	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Removed	
5684	*Acacia leiocalyx*	Early-flowering Black Wattle	100		100	5.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5685	*Acacia leiocalyx*	Early-flowering Black Wattle	150		150	8.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5686	*Corymbia citriodora*	Spotted Gum	340		340	24.0	12.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5687	*Alphitonia excelsa*	Soap Tree	200		200	10.0	5.0	2.4	1.7	Regular	-	Thinning	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5688	*Allocasuarina littoralis*	Black She-oak	120		120	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5689	*Eucalyptus tereticornis*	Forest Red Gum	200		200	22.0	10.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5690	*Corymbia intermedia*	Pink Bloodwood	160		160	18.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5691	*Acacia leiocalyx*	Early-flowering Black Wattle	120		120	8.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5692	*Allocasuarina littoralis*	Black She-oak	120		120	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5693	*Eucalyptus crebra*	Narrow-leaved Ironbark	240		240	24.0	8.0	2.9	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5694	*Eucalyptus tereticornis*	Forest Red Gum	280		280	24.0	14.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Old	-	-	-	-	Removed	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: 1E\2025\2047303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
5695	*Petalostigma pubescens*	Quinine Bush	220		220	8.0	7.0	2.6	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5696	*Acacia leiocalyx*	Early-flowering Black Wattle	150		150	8.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5697	*Allocasuarina littoralis*	Black She-oak	110		110	6.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5698	*Allocasuarina littoralis*	Black She-oak	150		150	9.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5699	*Allocasuarina littoralis*	Black She-oak	150		150	7.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5700	*Acacia disparrima*	Hickory Wattle	100		100	6.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5701	*Alphitonia excelsa*	Soap Tree	120		120	7.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5702	*Allocasuarina littoralis*	Black She-oak	150		150	7.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5703	*Alphitonia excelsa*	Soap Tree	150		150	7.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5704	*Alphitonia excelsa*	Soap Tree	150		150	7.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5705	*Allocasuarina littoralis*	Black She-oak	150		150	7.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5706	*Alphitonia excelsa*	Soap Tree	140		140	9.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5707	*Allocasuarina littoralis*	Black She-oak	120		120	7.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5708	*Alphitonia excelsa*	Soap Tree	170		170	9.0	5.0	2.0	1.6	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5709	*Alphitonia excelsa*	Soap Tree	170		170	8.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5710	*Allocasuarina littoralis*	Black She-oak	110		110	7.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5711	*Corymbia citriodora*	Spotted Gum	440		440	25.0	13.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5712	*Acacia leiocalyx*	Early-flowering Black Wattle	120		120	7.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5713	*Angophora leiocarpa*	Smooth-barked Apple	160		160	12.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5714	*Corymbia citriodora*	Spotted Gum	290		290	24.0	13.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5715	*Corymbia citriodora*	Spotted Gum	410		410	26.0	14.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5716	*Eucalyptus tereticornis*	Forest Red Gum	250		250	18.0	8.0	3.0	1.8	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5717	*Acacia leiocalyx*	Early-flowering Black Wattle	110		110	6.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5718	*Alphitonia excelsa*	Soap Tree	150		150	7.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - trunk sewer works	
5719	*Acacia leiocalyx*	Early-flowering Black Wattle	100		100	6.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5720	*Acacia leiocalyx*	Early-flowering Black Wattle	140		140	8.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5721	*Corymbia citriodora*	Spotted Gum	230		230	26.0	12.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5722	*Acacia leiocalyx*	Early-flowering Black Wattle	140		140	6.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5723	*Corymbia citriodora*	Spotted Gum	170		170	20.0	7.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5724	*Corymbia citriodora*	Spotted Gum	220		220	24.0	10.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5725	*Eucalyptus crebra*	Narrow-leaved Ironbark	170		170	18.0	7.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5726	*Corymbia citriodora*	Spotted Gum	380		380	26.0	13.0	4.6	2.2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5727	*Acacia leiocalyx*	Early-flowering Black Wattle	120		120	8.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5728	*Corymbia citriodora*	Spotted Gum	420		420	26.0	14.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5729	*Acacia leiocalyx*	Early-flowering Black Wattle	130		130	7.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5730	*Corymbia intermedia*	Pink Bloodwood	200		200	22.0	8.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5731	*Acacia leiocalyx*	Early-flowering Black Wattle	130	130	184	9.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - trunk sewer works	
5732	*Corymbia citriodora*	Spotted Gum	140		140	5.0	3.0	2.0	0.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - trunk sewer works	
5733	*Acacia disparrima*	Hickory Wattle	130		130	9.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - trunk sewer works	
5734	*Corymbia citriodora*	Spotted Gum	430		430	26.0	14.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - trunk sewer works	
5735	*Alphitonia excelsa*	Soap Tree	210		210	13.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - trunk sewer works	
5736	*Eucalyptus crebra*	Narrow-leaved Ironbark	240		240	22.0	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: 1E\2025\2047303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
5737	*Corymbia intermedia*	Pink Bloodwood	220		220	20.0	9.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5738	*Acacia leiocalyx*	Early-flowering Black Wattle	120	100	156	9.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - trunk sewer works	
5739	*Allocasuarina littoralis*	Black She-oak	170		170	8.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5740	*Alphitonia excelsa*	Soap Tree	100		100	6.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - trunk sewer works	
5741	*Allocasuarina littoralis*	Black She-oak	110		110	9.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - trunk sewer works	
5742	*Allocasuarina littoralis*	Black She-oak	120		120	8.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - trunk sewer works	
5743	*Acacia leiocalyx*	Early-flowering Black Wattle	140		140	10.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - trunk sewer works	
5744	*Eucalyptus tereticornis*	Forest Red Gum	560		560	26.0	14.0	6.7	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Old	-	-	-	-	Remove - trunk sewer works	
5745	*Alphitonia excelsa*	Soap Tree	320		320	9.0	5.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5746	*Allocasuarina littoralis*	Black She-oak	140		140	7.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5747	*Lophostemon suaveolens*	Swamp Box	160		160	15.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5748	*Allocasuarina littoralis*	Black She-oak	100		100	6.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5749	*Allocasuarina littoralis*	Black She-oak	140		140	7.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Removed	
5750	*Allocasuarina littoralis*	Black She-oak	110		110	6.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	Major	-	-	-	Typical	-	-	-	-	-	-	Removed	
5751	*Allocasuarina littoralis*	Black She-oak	110		110	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5752	*Corymbia intermedia*	Pink Bloodwood	230		230	22.0	8.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5753	*Eucalyptus tereticornis*	Forest Red Gum	220		220	22.0	7.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	Introduced	-	-	Typical	-	-	-	-	-	-	Retain	
5754	*Alphitonia excelsa*	Soap Tree	100		100	8.0	6.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5755	*Allocasuarina littoralis*	Black She-oak	100		100	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5756	*Alphitonia excelsa*	Soap Tree	150		150	8.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5757	*Corymbia intermedia*	Pink Bloodwood	200		200	16.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5758	*Alphitonia excelsa*	Soap Tree	230		230	14.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5759	*Lophostemon suaveolens*	Swamp Box	280		280	16.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5760	*Corymbia intermedia*	Pink Bloodwood	230		230	14.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5761	*Allocasuarina littoralis*	Black She-oak	110		110	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5762	*Eucalyptus tereticornis*	Forest Red Gum	440		440	26.0	14.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5763	*Alphitonia excelsa*	Soap Tree	150		150	10.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5764	*Petalostigma pubescens*	Quinine Bush	110		110	6.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5765	*Petalostigma pubescens*	Quinine Bush	100		100	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5766	*Alphitonia excelsa*	Soap Tree	210		210	16.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5767	*Petalostigma pubescens*	Quinine Bush	150		150	8.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5768	*Corymbia citriodora*	Spotted Gum	420		420	26.0	14.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5769	*Eucalyptus tereticornis*	Forest Red Gum	420		420	25.0	13.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5770	*Casuarina cunninghamiana*	River She-oak	230		230	18.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5771	*Casuarina cunninghamiana*	River She-oak	150	130	198	18.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5772	*Casuarina cunninghamiana*	River She-oak	220		220	20.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5773	*Grevillea robusta*	Silky Oak	130		130	16.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5774	*Casuarina cunninghamiana*	River She-oak	180		180	18.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5775	*Eucalyptus tereticornis*	Forest Red Gum	250		250	22.0	10.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5776	*Casuarina cunninghamiana*	River She-oak	230		230	20.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5777	*Alphitonia excelsa*	Soap Tree	110		110	8.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5778	*Casuarina cunninghamiana*	River She-oak	430		430	22.0	10.0	5.2	2.3	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Retain	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: DEV2025/2047303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
5779	*Alphitonia excelsa*	Soap Tree	100		100	8.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5780	*Casuarina cunninghamiana*	River She-oak	240		240	20.0	10.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5781	*Alphitonia excelsa*	Soap Tree	120		120	9.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5782	*Alphitonia excelsa*	Soap Tree	110		110	11.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5783	*Alphitonia excelsa*	Soap Tree	110		110	12.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5784	*Eucalyptus tereticornis*	Forest Red Gum	180		180	16.0	7.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5785	*Acacia disparrima*	Hickory Wattle	100		100	6.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5786	*Grevillea robusta*	Silky Oak	240		240	18.0	7.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5787	*Banksia integrifolia*	Coast Banksia	150		150	10.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5788	*Alphitonia excelsa*	Soap Tree	120		120	9.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5789	*Eucalyptus tereticornis*	Forest Red Gum	340		340	24.0	12.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Old	-	-	-	-	Retain	
5790	*Alphitonia excelsa*	Soap Tree	140		140	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5791	*Eucalyptus saligna*	Sydney Blue Gum	520		520	27.0	15.0	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5792	*Casuarina cunninghamiana*	River She-oak	120		120	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5793	*Angophora leiocarpa*	Smooth-barked Apple	230		230	20.0	10.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5794	*Corymbia citriodora*	Spotted Gum	260		260	22.0	10.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5795	*Eucalyptus saligna*	Sydney Blue Gum	260		260	22.0	12.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5796	*Corymbia citriodora*	Spotted Gum	170		170	18.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5797	*Alphitonia excelsa*	Soap Tree	120		120	6.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5798	*Alphitonia excelsa*	Soap Tree	170		170	10.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5799	*Eucalyptus tereticornis*	Forest Red Gum	280		280	18.0	9.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5800	*Acacia fimbriata*	Fringed Wattle	100		100	8.0	6.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5801	*Corymbia intermedia*	Pink Bloodwood	150		150	16.0	7.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5802	*Alphitonia excelsa*	Soap Tree	100		100	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5803	*Alphitonia excelsa*	Soap Tree	100		100	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5804	*Corymbia citriodora*	Spotted Gum	130		130	18.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5805	*Acacia disparrima*	Hickory Wattle	170		170	10.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5806	*Corymbia citriodora*	Spotted Gum	140		140	13.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5807	*Corymbia intermedia*	Pink Bloodwood	100		100	12.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5808	*Angophora leiocarpa*	Smooth-barked Apple	110		110	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5809	*Angophora leiocarpa*	Smooth-barked Apple	160		160	14.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5810	*Corymbia intermedia*	Pink Bloodwood	140		140	16.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5811	*Corymbia citriodora*	Spotted Gum	130		130	16.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5812	*Corymbia intermedia*	Pink Bloodwood	130		130	12.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5813	*Corymbia intermedia*	Pink Bloodwood	180		180	16.0	7.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5814	*Corymbia citriodora*	Spotted Gum	310		310	24.0	10.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5815	*Corymbia intermedia*	Pink Bloodwood	150		150	14.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5816	*Eucalyptus tereticornis*	Forest Red Gum	140		140	18.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5817	*Angophora leiocarpa*	Smooth-barked Apple	120		120	9.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5818	*Corymbia citriodora*	Spotted Gum	210		210	22.0	10.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5819	*Angophora leiocarpa*	Smooth-barked Apple	170		170	18.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5820	*Corymbia citriodora*	Spotted Gum	260	240	354	22.0	10.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: DEV2025/2047303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
5821	*Corymbia citriodora*	Spotted Gum	200		200	20.0	8.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5822	*Angophora leiocarpa*	Smooth-barked Apple	160	140	213	14.0	6.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5823	*Corymbia intermedia*	Pink Bloodwood	100		100	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5824	*Corymbia intermedia*	Pink Bloodwood	100		100	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5825	*Corymbia citriodora*	Spotted Gum	260		260	20.0	10.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5826	*Angophora leiocarpa*	Smooth-barked Apple	330	140	358	20.0	11.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5827	*Angophora leiocarpa*	Smooth-barked Apple	120		120	10.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5828	*Corymbia intermedia*	Pink Bloodwood	210		210	20.0	8.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5829	*Eucalyptus tereticornis*	Forest Red Gum	310		310	20.0	10.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5830	*Angophora leiocarpa*	Smooth-barked Apple	110		110	9.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5831	*Corymbia citriodora*	Spotted Gum	160		160	20.0	8.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5832	*Corymbia intermedia*	Pink Bloodwood	220		220	20.0	8.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5833	*Lophostemon suaveolens*	Swamp Box	200		200	14.0	8.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5834	*Angophora leiocarpa*	Smooth-barked Apple	120		120	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5835	*Lophostemon suaveolens*	Swamp Box	180		180	12.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5836	*Lophostemon suaveolens*	Swamp Box	150	150, 140	254	10.0	7.0	3.0	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5837	*Lophostemon suaveolens*	Swamp Box	180		180	16.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5838	*Corymbia intermedia*	Pink Bloodwood	230		230	22.0	8.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5839	*Corymbia citriodora*	Spotted Gum	160		160	20.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5840	*Lophostemon suaveolens*	Swamp Box	130		130	10.0	7.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5841	*Lophostemon suaveolens*	Swamp Box	120		120	8.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5842	*Lophostemon suaveolens*	Swamp Box	140	140	198	10.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5843	*Lophostemon suaveolens*	Swamp Box	170		170	10.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5844	*Lophostemon suaveolens*	Swamp Box	160		160	12.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5845	*Corymbia intermedia*	Pink Bloodwood	150		150	16.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5846	*Eucalyptus tereticornis*	Forest Red Gum	350		350	25.0	14.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5847	*Lophostemon suaveolens*	Swamp Box	150	150	212	12.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5848	*Lophostemon suaveolens*	Swamp Box	150		150	10.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - trunk sewer works	
5849	*Lophostemon suaveolens*	Swamp Box	180		180	9.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - trunk sewer works	
5850	*Lophostemon suaveolens*	Swamp Box	160		160	14.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5851	*Lophostemon suaveolens*	Swamp Box	140		140	10.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5852	*Angophora leiocarpa*	Smooth-barked Apple	140		140	18.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5853	*Corymbia intermedia*	Pink Bloodwood	220		220	20.0	8.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5854	*Lophostemon suaveolens*	Swamp Box	150		150	14.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5855	*Angophora leiocarpa*	Smooth-barked Apple	200		200	14.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5856	*Lophostemon suaveolens*	Swamp Box	130		130	13.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5857	*Lophostemon suaveolens*	Swamp Box	180		180	16.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5858	*Lophostemon suaveolens*	Swamp Box	140		140	12.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5859	*Alphitonia excelsa*	Soap Tree	150		150	9.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5860	*Lophostemon suaveolens*	Swamp Box	200		200	12.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - trunk sewer works	
5861	*Angophora leiocarpa*	Smooth-barked Apple	180		180	20.0	10.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - trunk sewer works	
5862	*Corymbia intermedia*	Pink Bloodwood	280	220	356	22.0	10.0	4.3	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - trunk sewer works	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: 1E\2025\2047303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
5863	*Eucalyptus seeana*	Narrow-leaved Red Gum	250		250	20.0	10.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - trunk sewer works	
5864	*Corymbia intermedia*	Pink Bloodwood	180	140	228	14.0	5.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - trunk sewer works	
5865	*Lophostemon suaveolens*	Swamp Box	120		120	12.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - trunk sewer works	
5866	*Lophostemon suaveolens*	Swamp Box	140		140	12.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - trunk sewer works	
5867	*Corymbia intermedia*	Pink Bloodwood	120		120	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - trunk sewer works	
5868	*Eucalyptus seeana*	Narrow-leaved Red Gum	180		180	18.0	7.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - trunk sewer works	
5869	*Lophostemon suaveolens*	Swamp Box	160		160	16.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - trunk sewer works	
5870	*Eucalyptus seeana*	Narrow-leaved Red Gum	120		120	14.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - trunk sewer works	
5871	*Eucalyptus seeana*	Narrow-leaved Red Gum	140		140	14.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - trunk sewer works	
5872	*Acacia disparrima*	Hickory Wattle	120		120	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - trunk sewer works	
5873	*Corymbia intermedia*	Pink Bloodwood	180		180	18.0	7.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - trunk sewer works	
5874	*Corymbia intermedia*	Pink Bloodwood	140		140	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5875	*Lophostemon suaveolens*	Swamp Box	110		110	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - trunk sewer works	
5876	*Lophostemon suaveolens*	Swamp Box	110		110	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - trunk sewer works	
5877	*Lophostemon suaveolens*	Swamp Box	140		140	12.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - trunk sewer works	
5878	*Corymbia intermedia*	Pink Bloodwood	240		240	18.0	9.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - trunk sewer works	
5879	*Alphitonia excelsa*	Soap Tree	130		130	14.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - trunk sewer works	
5880	*Lophostemon suaveolens*	Swamp Box	160		160	14.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - trunk sewer works	
5881	*Lophostemon suaveolens*	Swamp Box	160		160	12.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - trunk sewer works	
5882	*Alphitonia excelsa*	Soap Tree	120		120	10.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - trunk sewer works	
5883	*Lophostemon suaveolens*	Swamp Box	180		180	12.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - trunk sewer works	
5884	*Corymbia intermedia*	Pink Bloodwood	130		130	10.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - trunk sewer works	
5885	*Acacia leiocalyx*	Early-flowering Black Wattle	120		120	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - trunk sewer works	
5886	*Lophostemon suaveolens*	Swamp Box	140		140	12.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - trunk sewer works	
5887	*Alphitonia excelsa*	Soap Tree	120		120	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5888	*Acacia disparrima*	Hickory Wattle	140		140	7.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5889	*Lophostemon suaveolens*	Swamp Box	220		220	10.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5890	*Alphitonia excelsa*	Soap Tree	100		100	8.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - trunk sewer works	
5891	*Corymbia intermedia*	Pink Bloodwood	100		100	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - trunk sewer works	
5892	*Corymbia intermedia*	Pink Bloodwood	130		130	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5893	*Angophora leiocarpa*	Smooth-barked Apple	130		130	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5894	*Corymbia tessellaris*	Moreton Bay Ash	150		150	14.0	3.0	2.0	1.5	Regular	-	Thinning	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5895	*Lophostemon suaveolens*	Swamp Box	160	160, 160	277	12.0	5.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5896	*Lophostemon suaveolens*	Swamp Box	180		180	10.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5897	*Lophostemon suaveolens*	Swamp Box	170		170	10.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5898	*Lophostemon suaveolens*	Swamp Box	160		160	10.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5899	*Corymbia intermedia*	Pink Bloodwood	140		140	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5900	*Angophora leiocarpa*	Smooth-barked Apple	120		120	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5901	*Lophostemon suaveolens*	Swamp Box	200		200	11.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5902	*Acacia leiocalyx*	Early-flowering Black Wattle	140		140	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5903	*Alphitonia excelsa*	Soap Tree	180		180	10.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5904	*Lophostemon suaveolens*	Swamp Box	130	130	184	10.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: DEV2025/2047303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
5905	*Corymbia citriodora*	Spotted Gum	230		230	18.0	8.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5906	*Eucalyptus tereticornis*	Forest Red Gum	190		190	14.0	8.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5907	*Lophostemon suaveolens*	Swamp Box	160		160	14.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5908	*Lophostemon suaveolens*	Swamp Box	140		140	10.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5909	*Corymbia citriodora*	Spotted Gum	200		200	18.0	10.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5910	*Corymbia intermedia*	Pink Bloodwood	200		200	14.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5911	*Acacia disparrima*	Hickory Wattle	110		110	7.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5912	*Corymbia citriodora*	Spotted Gum	130		130	14.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5913	*Corymbia citriodora*	Spotted Gum	170		170	14.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5914	*Alphitonia excelsa*	Soap Tree	100		100	8.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5915	*Angophora leiocarpa*	Smooth-barked Apple	220		220	10.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5916	*Eucalyptus tereticornis*	Forest Red Gum	200		200	18.0	8.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5917	*Corymbia intermedia*	Pink Bloodwood	130		130	10.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5918	*Corymbia tessellaris*	Moreton Bay Ash	120		120	12.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5919	*Eucalyptus siderophloia*	Northern Grey Ironbark	310		310	15.0	4.0	3.7	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5920	*Corymbia intermedia*	Pink Bloodwood	360		360	18.0	6.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5921	*Eucalyptus tereticornis*	Forest Red Gum	270		270	20.0	4.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5922	*Corymbia intermedia*	Pink Bloodwood	210		210	15.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5923	*Corymbia intermedia*	Pink Bloodwood	220		220	22.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5924	*Corymbia intermedia*	Pink Bloodwood	270		270	16.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5925	*Corymbia intermedia*	Pink Bloodwood	340		340	18.0	7.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5926	*Corymbia intermedia*	Pink Bloodwood	290		290	18.0	5.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5927	*Eucalyptus seeana*	Narrow-leaved Red Gum	220		220	15.0	2.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5928	*Corymbia intermedia*	Pink Bloodwood	230		230	16.0	3.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5929	*Acacia disparrima*	Hickory Wattle	110	70, 80	153	12.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5930	*Corymbia intermedia*	Pink Bloodwood	270		270	20.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5931	*Corymbia intermedia*	Pink Bloodwood	130		130	15.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5932	*Corymbia intermedia*	Pink Bloodwood	150		150	15.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5933	*Lophostemon suaveolens*	Swamp Box	320		320	15.0	5.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5934	*Eucalyptus seeana*	Narrow-leaved Red Gum	300		300	25.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5935	*Petalostigma pubescens*	Quinine Bush	230		230	9.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5936	*Acacia disparrima*	Hickory Wattle	140		140	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5937	*Corymbia tessellaris*	Moreton Bay Ash	110		110	15.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5938	*Petalostigma pubescens*	Quinine Bush	150		150	10.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5939	*Acacia disparrima*	Hickory Wattle	130	70	148	12.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5940	*Acacia disparrima*	Hickory Wattle	130		130	12.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5941	*Acacia disparrima*	Hickory Wattle	130	120	177	12.0	3.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
5942	*Acacia leiocalyx*	Early-flowering Black Wattle	110		110	10.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
5943	*Lophostemon suaveolens*	Swamp Box	280		280	15.0	3.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
5944	*Corymbia intermedia*	Pink Bloodwood	320		320	16.0	4.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
5945	*Acacia disparrima*	Hickory Wattle	100	70	122	15.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
5946	*Acacia leiocalyx*	Early-flowering Black Wattle	110		110	12.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: DEV2025/2047303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
5947	*Corymbia intermedia*	Pink Bloodwood	260		260	22.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5948	*Acacia leiocalyx*	Early-flowering Black Wattle	100		100	10.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5949	*Corymbia intermedia*	Pink Bloodwood	170		170	18.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5950	*Corymbia intermedia*	Pink Bloodwood	180		180	15.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5951	*Corymbia intermedia*	Pink Bloodwood	420		420	22.0	6.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5952	*Corymbia intermedia*	Pink Bloodwood	160		160	15.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5953	*Acacia leiocalyx*	Early-flowering Black Wattle	100		100	15.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5954	*Petalostigma pubescens*	Quinine Bush	170		170	8.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5955	*Acacia leiocalyx*	Early-flowering Black Wattle	100		100	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5956	*Acacia disparrima*	Hickory Wattle	120		120	13.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5957	*Corymbia intermedia*	Pink Bloodwood	170		170	15.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5958	*Eucalyptus tereticornis*	Forest Red Gum	280		280	25.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5959	*Corymbia intermedia*	Pink Bloodwood	220		220	18.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5960	*Eucalyptus seeana*	Narrow-leaved Red Gum	290		290	23.0	4.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5961	*Corymbia intermedia*	Pink Bloodwood	290		290	18.0	4.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5962	*Acacia disparrima*	Hickory Wattle	100	70, 40	128	13.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5963	*Corymbia intermedia*	Pink Bloodwood	200		200	15.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5964	*Corymbia intermedia*	Pink Bloodwood	170		170	15.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5965	*Corymbia intermedia*	Pink Bloodwood	180		180	15.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5966	*Acacia disparrima*	Hickory Wattle	110		110	12.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5967	*Eucalyptus seeana*	Narrow-leaved Red Gum	210		210	18.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5968	*Corymbia intermedia*	Pink Bloodwood	260		260	16.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5969	*Corymbia intermedia*	Pink Bloodwood	260		260	22.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5970	*Acacia leiocalyx*	Early-flowering Black Wattle	110		110	10.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5971	*Corymbia intermedia*	Pink Bloodwood	300		300	18.0	4.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5972	*Alphitonia excelsa*	Soap Tree	220		220	12.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
5973	*Alphitonia excelsa*	Soap Tree	140		140	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
5974	*Corymbia intermedia*	Pink Bloodwood	250		250	18.0	3.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5975	*Corymbia intermedia*	Pink Bloodwood	130		130	15.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5976	*Corymbia intermedia*	Pink Bloodwood	260		260	15.0	2.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5977	*Corymbia intermedia*	Pink Bloodwood	310		310	18.0	4.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5978	*Corymbia intermedia*	Pink Bloodwood	210		210	15.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5979	*Corymbia intermedia*	Pink Bloodwood	290		290	22.0	4.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5980	*Corymbia intermedia*	Pink Bloodwood	190		190	15.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5981	*Corymbia intermedia*	Pink Bloodwood	320		320	18.0	5.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5982	*Corymbia intermedia*	Pink Bloodwood	210		210	15.0	2.0	2.5	1.7	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5983	*Corymbia intermedia*	Pink Bloodwood	160		160	13.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5984	*Corymbia intermedia*	Pink Bloodwood	180		180	18.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5985	*Corymbia intermedia*	Pink Bloodwood	120		120	8.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5986	*Corymbia intermedia*	Pink Bloodwood	340		340	25.0	6.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5987	*Corymbia intermedia*	Pink Bloodwood	320		320	22.0	5.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
5988	*Acacia leiocalyx*	Early-flowering Black Wattle	110		110	15.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: DEV2025/2047303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
5989	*Angophora leiocarpa*	Smooth-barked Apple	220		220	20.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
5990	*Corymbia intermedia*	Pink Bloodwood	320		320	22.0	4.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
5991	*Lophostemon suaveolens*	Swamp Box	210		210	15.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
5992	*Corymbia intermedia*	Pink Bloodwood	160		160	18.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5993	*Alphitonia excelsa*	Soap Tree	170		170	8.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	Major	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
5994	*Corymbia intermedia*	Pink Bloodwood	260		260	18.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
5995	*Corymbia intermedia*	Pink Bloodwood	280		280	18.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5996	*Corymbia intermedia*	Pink Bloodwood	260		260	18.0	3.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5997	*Alphitonia excelsa*	Soap Tree	140		140	15.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5998	*Acacia disparrima*	Hickory Wattle	100	90, 50, 50, 50, 40	165	13.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5999	*Alphitonia excelsa*	Soap Tree	180		180	15.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6000	*Alphitonia excelsa*	Soap Tree	110		110	7.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	Major	-	-	-	Typical	-	-	-	-	-	-	Removed	
6001	*Corymbia intermedia*	Pink Bloodwood	140		140	15.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6002	*Acacia disparrima*	Hickory Wattle	130	50, 50, 30	151	13.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6003	*Alphitonia excelsa*	Soap Tree	160		160	15.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6004	*Alphitonia excelsa*	Soap Tree	210		210	15.0	2.0	2.5	1.7	Regular	-	-	-	-	-	Typical	Minor	-	Trunk Dmg.	-	Poor	-	-	-	-	-	-	Removed	
6005	*Melaleuca quinquenervia*	Broad-leaved Paperbark	310		310	22.0	4.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6006	*Melaleuca quinquenervia*	Broad-leaved Paperbark	230		230	18.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
6007	*Corymbia intermedia*	Pink Bloodwood	300		300	18.0	4.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6008	*Alphitonia excelsa*	Soap Tree	210		210	8.0	2.0	2.5	1.7	Regular	-	-	-	-	-	Typical	Major	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
6009	*Angophora leiocarpa*	Smooth-barked Apple	250		250	23.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
6010	*Acacia disparrima*	Hickory Wattle	100		100	15.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
6011	*Corymbia intermedia*	Pink Bloodwood	280		280	25.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
6012	*Alphitonia excelsa*	Soap Tree	150		150	5.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
6013	*Lophostemon suaveolens*	Swamp Box	230		230	18.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
6014	*Alphitonia excelsa*	Soap Tree	150		150	3.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	Major	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
6015	*Alphitonia excelsa*	Soap Tree	160		160	10.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
6016	*Petalostigma pubescens*	Quinine Bush	170		170	8.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
6017	*Angophora leiocarpa*	Smooth-barked Apple	130		130	20.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
6018	*Petalostigma pubescens*	Quinine Bush	170		170	8.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
6019	*Eucalyptus tereticornis*	Forest Red Gum	320		320	22.0	4.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
6020	*Acacia leiocalyx*	Early-flowering Black Wattle	150		150	15.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
6021	*Petalostigma pubescens*	Quinine Bush	140		140	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
6022	*Corymbia intermedia*	Pink Bloodwood	160		160	18.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
6023	*Acacia disparrima*	Hickory Wattle	160		160	10.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
6024	*Alphitonia excelsa*	Soap Tree	250		250	15.0	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
6025	*Alphitonia excelsa*	Soap Tree	130		130	12.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
6026	*Lophostemon suaveolens*	Swamp Box	100		100	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
6027	*Corymbia intermedia*	Pink Bloodwood	260		260	18.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
6028	*Acacia disparrima*	Hickory Wattle	170		170	15.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
6029	*Corymbia intermedia*	Pink Bloodwood	330		330	18.0	4.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
6030	*Corymbia intermedia*	Pink Bloodwood	320		320	20.0	5.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: 1E\2025\2047303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
6031	*Lophostemon suaveolens*	Swamp Box	270		270	18.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
6032	*Acacia leiocalyx*	Early-flowering Black Wattle	120		120	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
6033	*Acacia leiocalyx*	Early-flowering Black Wattle	120		120	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6034	*Corymbia intermedia*	Pink Bloodwood	210		210	22.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6035	*Acacia disparrima*	Hickory Wattle	160	80	179	8.0	2.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6036	*Corymbia intermedia*	Pink Bloodwood	300		300	18.0	4.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6037	*Acacia leiocalyx*	Early-flowering Black Wattle	150		150	10.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6038	*Corymbia citriodora*	Spotted Gum	110		110	15.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6039	*Acacia disparrima*	Hickory Wattle	140		140	12.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6040	*Angophora leiocarpa*	Smooth-barked Apple	110		110	15.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6041	*Eucalyptus siderophloia*	Northern Grey Ironbark	100		100	15.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6042	*Corymbia citriodora*	Spotted Gum	130		130	15.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6043	*Corymbia citriodora*	Spotted Gum	120		120	18.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6044	*Acacia leiocalyx*	Early-flowering Black Wattle	160		160	15.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6045	*Acacia disparrima*	Hickory Wattle	140	50, 50	157	12.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6046	*Acacia leiocalyx*	Early-flowering Black Wattle	180		180	13.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6047	*Acacia leiocalyx*	Early-flowering Black Wattle	120		120	13.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6048	*Acacia disparrima*	Hickory Wattle	120		120	13.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6049	*Acacia leiocalyx*	Early-flowering Black Wattle	120		120	13.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6050	*Acacia leiocalyx*	Early-flowering Black Wattle	100		100	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6051	*Alphitonia excelsa*	Soap Tree	100		100	10.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6052	*Corymbia intermedia*	Pink Bloodwood	110		110	10.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6053	*Acacia leiocalyx*	Early-flowering Black Wattle	140		140	13.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6054	*Corymbia citriodora*	Spotted Gum	300		300	20.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6055	*Acacia disparrima*	Hickory Wattle	140		140	13.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6056	*Acacia disparrima*	Hickory Wattle	120		120	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6057	*Acacia leiocalyx*	Early-flowering Black Wattle	130	60	143	10.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6058	*Acacia leiocalyx*	Early-flowering Black Wattle	100		100	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6059	*Corymbia citriodora*	Spotted Gum	160		160	20.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6060	*Acacia leiocalyx*	Early-flowering Black Wattle	150		150	8.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6061	*Corymbia citriodora*	Spotted Gum	90	50	103	15.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6062	*Corymbia citriodora*	Spotted Gum	350		350	22.0	4.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6063	*Corymbia citriodora*	Spotted Gum	260		260	18.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6064	*Corymbia citriodora*	Spotted Gum	280		280	20.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6065	*Corymbia citriodora*	Spotted Gum	100		100	8.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6066	*Eucalyptus siderophloia*	Northern Grey Ironbark	130		130	10.0	1.0	2.0	1.4	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6067	*Acacia leiocalyx*	Early-flowering Black Wattle	100		100	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6068	*Corymbia citriodora*	Spotted Gum	110		110	15.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6069	*Acacia leiocalyx*	Early-flowering Black Wattle	90	60	108	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6070	*Corymbia citriodora*	Spotted Gum	100		100	13.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6071	*Corymbia citriodora*	Spotted Gum	130		130	16.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6072	*Acacia leiocalyx*	Early-flowering Black Wattle	120		120	10.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: PE/2025/2047/303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
6073	*Acacia leiocalyx*	Early-flowering Black Wattle	130		130	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6074	*Acacia leiocalyx*	Early-flowering Black Wattle	100		100	10.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6075	*Eucalyptus crebra*	Narrow-leaved Ironbark	250		250	25.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6076	*Acacia leiocalyx*	Early-flowering Black Wattle	120		120	15.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6077	*Acacia leiocalyx*	Early-flowering Black Wattle	100	90	135	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6078	*Corymbia citriodora*	Spotted Gum	260		260	18.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6079	*Angophora leiocarpa*	Smooth-barked Apple	320		320	20.0	4.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6080	*Eucalyptus crebra*	Narrow-leaved Ironbark	160		160	15.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6081	*Acacia leiocalyx*	Early-flowering Black Wattle	110		110	10.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6082	*Corymbia citriodora*	Spotted Gum	240		240	20.0	3.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6083	*Acacia leiocalyx*	Early-flowering Black Wattle	110		110	10.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6084	*Angophora leiocarpa*	Smooth-barked Apple	230		230	20.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - trunk sewer works	
6085	*Corymbia citriodora*	Spotted Gum	330		330	25.0	5.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - trunk sewer works	
6086	*Eucalyptus crebra*	Narrow-leaved Ironbark	250		250	20.0	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6087	*Acacia leiocalyx*	Early-flowering Black Wattle	120		120	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6088	*Corymbia intermedia*	Pink Bloodwood	110		110	15.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6089	*Corymbia citriodora*	Spotted Gum	230		230	18.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - trunk sewer works	
6090	*Allocasuarina littoralis*	Black She-oak	130		130	6.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6091	*Eucalyptus tereticornis*	Forest Red Gum	160		160	20.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6092	*Corymbia citriodora*	Spotted Gum	340		340	20.0	5.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6093	*Acacia disparrima*	Hickory Wattle	240		240	10.0	3.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6094	*Alphitonia excelsa*	Soap Tree	210		210	13.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6095	*Alphitonia excelsa*	Soap Tree	100		100	13.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6096	*Acacia disparrima*	Hickory Wattle	120		120	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6097	*Acacia leiocalyx*	Early-flowering Black Wattle	110		110	13.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6098	*Acacia leiocalyx*	Early-flowering Black Wattle	100		100	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6099	*Corymbia citriodora*	Spotted Gum	280		280	22.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6100	*Eucalyptus tereticornis*	Forest Red Gum	270		270	25.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	New	-	-	-	-	Removed	
6101	*Acacia leiocalyx*	Early-flowering Black Wattle	100		100	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6102	*Corymbia citriodora*	Spotted Gum	290		290	22.0	4.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6103	*Eucalyptus siderophloia*	Northern Grey Ironbark	130		130	18.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6104	*Corymbia intermedia*	Pink Bloodwood	240		240	22.0	3.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6105	*Acacia leiocalyx*	Early-flowering Black Wattle	110		110	15.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6106	*Corymbia citriodora*	Spotted Gum	240		240	18.0	3.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6107	*Eucalyptus crebra*	Narrow-leaved Ironbark	180		180	15.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6108	*Corymbia citriodora*	Spotted Gum	310		310	20.0	4.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6109	*Acacia disparrima*	Hickory Wattle	110		110	10.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6110	*Angophora leiocarpa*	Smooth-barked Apple	360		360	20.0	5.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6111	*Alphitonia excelsa*	Soap Tree	130		130	15.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6112	*Acacia disparrima*	Hickory Wattle	110		110	10.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6113	*Eucalyptus tereticornis*	Forest Red Gum	280		280	20.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6114	*Eucalyptus siderophloia*	Northern Grey Ironbark	240		240	18.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: DEV2025/2047303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
6115	*Acacia disparrima*	Hickory Wattle	100	70, 80	146	10.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6116	*Corymbia intermedia*	Pink Bloodwood	300		300	18.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6117	*Acacia leiocalyx*	Early-flowering Black Wattle	110		110	15.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6118	*Eucalyptus seeana*	Narrow-leaved Red Gum	130		130	15.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6119	*Alphitonia excelsa*	Soap Tree	150		150	15.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6120	*Acacia leiocalyx*	Early-flowering Black Wattle	130		130	13.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6121	*Alphitonia excelsa*	Soap Tree	170		170	15.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6122	*Alphitonia excelsa*	Soap Tree	230		230	15.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6123	*Alphitonia excelsa*	Soap Tree	130		130	10.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6124	*Petalostigma pubescens*	Quinine Bush	110	100	149	13.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6125	*Eucalyptus crebra*	Narrow-leaved Ironbark	310		310	25.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6126	*Acacia leiocalyx*	Early-flowering Black Wattle	110		110	13.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6127	*Allocasuarina littoralis*	Black She-oak	120		120	15.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6128	*Acacia disparrima*	Hickory Wattle	110		110	15.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6129	*Corymbia intermedia*	Pink Bloodwood	120		120	16.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6130	*Alphitonia excelsa*	Soap Tree	100		100	10.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6131	*Acacia disparrima*	Hickory Wattle	100	70	122	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6132	*Allocasuarina littoralis*	Black She-oak	120		120	15.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6133	*Petalostigma pubescens*	Quinine Bush	140		140	15.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6134	*Allocasuarina littoralis*	Black She-oak	100		100	10.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6135	*Allocasuarina littoralis*	Black She-oak	100		100	15.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6136	*Corymbia citriodora*	Spotted Gum	280		280	25.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6137	*Casuarina cunninghamiana*	River She-oak	120		120	18.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6138	*Casuarina cunninghamiana*	River She-oak	140		140	15.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6139	*Corymbia intermedia*	Pink Bloodwood	130		130	15.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6140	*Eucalyptus seeana*	Narrow-leaved Red Gum	420		420	25.0	4.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6141	*Alphitonia excelsa*	Soap Tree	130		130	15.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6142	*Alphitonia excelsa*	Soap Tree	110		110	12.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6143	*Eucalyptus tereticornis*	Forest Red Gum	240		240	18.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6144	*Alphitonia excelsa*	Soap Tree	150		150	18.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6145	*Alphitonia excelsa*	Soap Tree	100		100	10.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6146	*Corymbia intermedia*	Pink Bloodwood	110		110	15.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6147	*Corymbia citriodora*	Spotted Gum	130		130	15.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6148	*Eucalyptus tereticornis*	Forest Red Gum	180		180	18.0	2.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6149	*Eucalyptus tereticornis*	Forest Red Gum	260		260	22.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6150	*Eucalyptus tereticornis*	Forest Red Gum	310		310	20.0	4.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6151	*Corymbia citriodora*	Spotted Gum	180		180	18.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6152	*Eucalyptus seeana*	Narrow-leaved Red Gum	210		210	20.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6153	*Eucalyptus seeana*	Narrow-leaved Red Gum	210		210	18.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6154	*Angophora leiocarpa*	Smooth-barked Apple	190		190	18.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6155	*Corymbia citriodora*	Spotted Gum	240		240	20.0	3.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6156	*Alphitonia excelsa*	Soap Tree	120		120	15.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: PE/2025/2047/303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
6157	*Angophora leiocarpa*	Smooth-barked Apple	130		130	15.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6158	*Corymbia citriodora*	Spotted Gum	120		120	15.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6159	*Corymbia intermedia*	Pink Bloodwood	120		120	18.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6160	*Petalostigma pubescens*	Quinine Bush	100		100	10.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6161	*Alphitonia excelsa*	Soap Tree	100		100	10.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6162	*Corymbia citriodora*	Spotted Gum	100		100	15.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6163	*Lophostemon suaveolens*	Swamp Box	130		130	10.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6164	*Eucalyptus seeana*	Narrow-leaved Red Gum	280		280	18.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6165	*Angophora leiocarpa*	Smooth-barked Apple	280		280	18.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6166	*Alphitonia excelsa*	Soap Tree	100		100	10.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6167	*Eucalyptus seeana*	Narrow-leaved Red Gum	160		160	18.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6168	*Corymbia intermedia*	Pink Bloodwood	210		210	15.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6169	*Angophora leiocarpa*	Smooth-barked Apple	150		150	18.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6170	*Lophostemon suaveolens*	Swamp Box	200		200	20.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6171	*Lophostemon suaveolens*	Swamp Box	190	110	220	18.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6172	*Angophora leiocarpa*	Smooth-barked Apple	180		180	22.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6173	*Corymbia intermedia*	Pink Bloodwood	180		180	20.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6174	*Angophora leiocarpa*	Smooth-barked Apple	160		160	18.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6175	*Eucalyptus tereticornis*	Forest Red Gum	140		140	18.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6176	*Lophostemon suaveolens*	Swamp Box	190		190	15.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6177	*Angophora leiocarpa*	Smooth-barked Apple	160		160	15.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6178	*Petalostigma pubescens*	Quinine Bush	170		170	13.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6179	*Corymbia intermedia*	Pink Bloodwood	190		190	18.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6180	*Acacia disparrima*	Hickory Wattle	160		160	13.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6181	*Lophostemon suaveolens*	Swamp Box	130	180	222	13.0	5.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6182	*Eucalyptus seeana*	Narrow-leaved Red Gum	230		230	22.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6183	*Eucalyptus seeana*	Narrow-leaved Red Gum	143		143	18.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6184	*Corymbia intermedia*	Pink Bloodwood	260		260	20.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6185	*Corymbia intermedia*	Pink Bloodwood	120		120	15.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6186	*Angophora leiocarpa*	Smooth-barked Apple	160		160	15.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6187	*Eucalyptus tereticornis*	Forest Red Gum	150		150	15.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6188	*Lophostemon suaveolens*	Swamp Box	180		180	15.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6189	*Lophostemon suaveolens*	Swamp Box	180		180	15.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6190	*Eucalyptus tereticornis*	Forest Red Gum	140		140	18.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6191	*Lophostemon suaveolens*	Swamp Box	210		210	15.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6192	*Eucalyptus tereticornis*	Forest Red Gum	210		210	20.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6193	*Lophostemon suaveolens*	Swamp Box	200		200	15.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6194	*Corymbia intermedia*	Pink Bloodwood	180		180	18.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6195	*Corymbia intermedia*	Pink Bloodwood	130		130	15.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - trunk sewer works	
6196	*Angophora leiocarpa*	Smooth-barked Apple	230		230	20.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - trunk sewer works	
6197	*Corymbia intermedia*	Pink Bloodwood	130		130	18.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - trunk sewer works	
6198	*Lophostemon suaveolens*	Swamp Box	130		130	13.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - trunk sewer works	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: 1E\2025\2047303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
6199	*Lophostemon suaveolens*	Swamp Box	200		200	15.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - trunk sewer works	
6200	*Acacia disparrima*	Hickory Wattle	170		170	13.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - trunk sewer works	
6201	*Angophora leiocarpa*	Smooth-barked Apple	210		210	20.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6202	*Lophostemon suaveolens*	Swamp Box	180		180	18.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6203	*Lophostemon suaveolens*	Swamp Box	140		140	15.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6204	*Lophostemon suaveolens*	Swamp Box	150		150	15.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6205	*Corymbia tessellaris*	Moreton Bay Ash	130		130	20.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6206	*Lophostemon suaveolens*	Swamp Box	150		150	13.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6207	*Corymbia intermedia*	Pink Bloodwood	180		180	20.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6208	*Lophostemon suaveolens*	Swamp Box	120		120	13.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6209	*Lophostemon suaveolens*	Swamp Box	140		140	13.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6210	*Corymbia intermedia*	Pink Bloodwood	200		200	20.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6211	*Lophostemon suaveolens*	Swamp Box	130		130	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6212	*Acacia disparrima*	Hickory Wattle	130		130	10.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6213	*Lophostemon suaveolens*	Swamp Box	130		130	10.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - trunk sewer works	
6214	*Lophostemon suaveolens*	Swamp Box	150		150	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - trunk sewer works	
6215	*Angophora leiocarpa*	Smooth-barked Apple	200		200	20.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - trunk sewer works	
6216	*Lophostemon suaveolens*	Swamp Box	190	150	242	18.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - trunk sewer works	
6217	*Lophostemon suaveolens*	Swamp Box	220		220	15.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - trunk sewer works	
6218	*Lophostemon suaveolens*	Swamp Box	120		120	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - trunk sewer works	
6219	*Acacia leiocalyx*	Early-flowering Black Wattle	110		110	15.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - trunk sewer works	
6220	*Lophostemon suaveolens*	Swamp Box	110		110	15.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - trunk sewer works	
6221	*Lophostemon suaveolens*	Swamp Box	140	90	166	10.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - trunk sewer works	
6222	*Lophostemon suaveolens*	Swamp Box	210		210	15.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - trunk sewer works	
6223	*Lophostemon suaveolens*	Swamp Box	130		130	13.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - trunk sewer works	
6224	*Allocasuarina littoralis*	Black She-oak	160		160	15.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - trunk sewer works	
6225	*Lophostemon suaveolens*	Swamp Box	200		200	15.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - trunk sewer works	
6226	*Acacia leiocalyx*	Early-flowering Black Wattle	140		140	15.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6227	*Lophostemon suaveolens*	Swamp Box	110		110	10.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6228	*Lophostemon suaveolens*	Swamp Box	110		110	10.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6229	*Lophostemon suaveolens*	Swamp Box	110		110	15.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - trunk sewer works	
6230	*Corymbia intermedia*	Pink Bloodwood	140		140	18.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6231	*Corymbia citriodora*	Spotted Gum	140		140	15.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6232	*Lophostemon suaveolens*	Swamp Box	180		180	15.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6233	*Lophostemon suaveolens*	Swamp Box	130		130	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6234	*Corymbia intermedia*	Pink Bloodwood	140		140	15.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6235	*Eucalyptus tereticornis*	Forest Red Gum	160	240	288	18.0	5.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6236	*Corymbia intermedia*	Pink Bloodwood	200		200	15.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6237	*Lophostemon suaveolens*	Swamp Box	190		190	15.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6238	*Lophostemon suaveolens*	Swamp Box	160	150	219	13.0	4.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6239	*Lophostemon suaveolens*	Swamp Box	160		160	15.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6240	*Alphitonia excelsa*	Soap Tree	100		100	10.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: 1E\2025\2047303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
6241	*Alphitonia excelsa*	Soap Tree	90	90, 40	133	13.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6242	*Eucalyptus tereticornis*	Forest Red Gum	320		320	22.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6243	*Lophostemon suaveolens*	Swamp Box	130		130	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6244	*Lophostemon suaveolens*	Swamp Box	130	100, 60	175	13.0	4.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6245	*Acacia leiocalyx*	Early-flowering Black Wattle	120		120	15.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6246	*Lophostemon suaveolens*	Swamp Box	140		140	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6247	*Corymbia intermedia*	Pink Bloodwood	210	150	258	18.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6248	*Alphitonia excelsa*	Soap Tree	160		160	10.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6249	*Lophostemon suaveolens*	Swamp Box	110		110	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6250	*Corymbia intermedia*	Pink Bloodwood	200		200	18.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6251	*Lophostemon suaveolens*	Swamp Box	200		200	13.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6252	*Acacia disparrima*	Hickory Wattle	110		110	8.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6253	*Alphitonia excelsa*	Soap Tree	120		120	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6254	*Casuarina cunninghamiana*	River She-oak	130		130	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6255	*Corymbia intermedia*	Pink Bloodwood	160		160	18.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6256	*Lophostemon suaveolens*	Swamp Box	240		240	15.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6257	*Corymbia citriodora*	Spotted Gum	120		120	15.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6258	*Lophostemon suaveolens*	Swamp Box	160		160	15.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6259	*Lophostemon suaveolens*	Swamp Box	150		150	13.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6260	*Corymbia citriodora*	Spotted Gum	400	40	420	28.0	12.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6261	*Eucalyptus crebra*	Narrow-leaved Ironbark	500		500	26.0	14.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6262	*Corymbia citriodora*	Spotted Gum	400		400	24.0	9.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6263	*Corymbia intermedia*	Pink Bloodwood	440		440	18.0	6.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6264	*Petalostigma pubescens*	Quinine Bush	150	160	219	9.0	3.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6265	*Corymbia intermedia*	Pink Bloodwood	360		360	17.0	6.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6266	*Corymbia intermedia*	Pink Bloodwood	430		430	20.0	7.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6267	*Eucalyptus tereticornis*	Forest Red Gum	480		480	21.0	10.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6268	*Acacia disparrima*	Hickory Wattle	160		160	10.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6269	*Acacia disparrima*	Hickory Wattle	180		180	13.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6270	*Petalostigma pubescens*	Quinine Bush	290		290	13.0	5.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6271	*Petalostigma pubescens*	Quinine Bush	280		280	9.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6272	*Petalostigma pubescens*	Quinine Bush	270		270	13.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6273	*Petalostigma pubescens*	Quinine Bush	260		260	10.0	6.0	3.1	1.9	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6274	*Petalostigma pubescens*	Quinine Bush	190		190	10.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6275	*Petalostigma pubescens*	Quinine Bush	270		270	10.0	4.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6276	*Alphitonia excelsa*	Soap Tree	250		250	10.0	2.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6277	*Acacia disparrima*	Hickory Wattle	270		270	12.0	4.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6278	*Acacia disparrima*	Hickory Wattle	180		180	12.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6279	*Acacia disparrima*	Hickory Wattle	220		220	13.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6280	*Acacia disparrima*	Hickory Wattle	180		180	13.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6281	*Acacia disparrima*	Hickory Wattle	120		120	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6282	*Petalostigma pubescens*	Quinine Bush	140		140	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: PE/2025/2047/303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
6283	*Corymbia intermedia*	Pink Bloodwood	250		250	16.0	3.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6284	*Petalostigma pubescens*	Quinine Bush	330		330	15.0	4.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6285	*Petalostigma pubescens*	Quinine Bush	200		200	13.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
6286	*Petalostigma pubescens*	Quinine Bush	360		360	13.0	5.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
6287	*Acacia disparrima*	Hickory Wattle	230		230	12.0	3.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
6288	*Acacia disparrima*	Hickory Wattle	140		140	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
6289	*Acacia disparrima*	Hickory Wattle	180		180	11.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
6290	*Acacia disparrima*	Hickory Wattle	200		200	12.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
6291	*Alphitonia excelsa*	Soap Tree	160		160	13.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
6292	*Acacia disparrima*	Hickory Wattle	130		130	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
6293	*Acacia disparrima*	Hickory Wattle	130		130	14.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
6294	*Acacia disparrima*	Hickory Wattle	140		140	13.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
6295	*Acacia disparrima*	Hickory Wattle	130		130	11.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
6296	*Eucalyptus tereticornis*	Forest Red Gum	560		560	24.0	10.0	6.7	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
6297	*Acacia disparrima*	Hickory Wattle	180		180	16.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
6298	*Acacia disparrima*	Hickory Wattle	180		180	13.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
6299	*Acacia disparrima*	Hickory Wattle	200		200	13.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
6300	*Corymbia intermedia*	Pink Bloodwood	200		200	16.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
6301	*Acacia disparrima*	Hickory Wattle	150		150	13.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
6302	*Petalostigma pubescens*	Quinine Bush	280		280	13.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
6303	*Alphitonia excelsa*	Soap Tree	130		130	11.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
6304	*Acacia disparrima*	Hickory Wattle	150		150	11.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
6305	*Acacia disparrima*	Hickory Wattle	170	150	227	10.0	3.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6306	*Petalostigma pubescens*	Quinine Bush	130		130	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6307	*Corymbia intermedia*	Pink Bloodwood	350		350	20.0	6.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6308	*Acacia disparrima*	Hickory Wattle	180		180	10.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6309	*Corymbia intermedia*	Pink Bloodwood	300		300	16.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6310	*Acacia concurrens*	Black Wattle	130		130	11.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6311	*Acacia disparrima*	Hickory Wattle	130		130	12.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6312	*Eucalyptus tereticornis*	Forest Red Gum	290		290	18.0	5.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6313	*Acacia disparrima*	Hickory Wattle	350		350	14.0	6.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6314	*Acacia concurrens*	Black Wattle	140		140	11.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6315	*Acacia disparrima*	Hickory Wattle	170		170	14.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
6316	*Alphitonia excelsa*	Soap Tree	220		220	15.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6317	*Eucalyptus tereticornis*	Forest Red Gum	360		360	23.0	8.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6318	*Eucalyptus tereticornis*	Forest Red Gum	550		550	26.0	10.0	6.6	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6319	*Petalostigma pubescens*	Quinine Bush	180		180	9.0	3.0	2.2	1.6	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6320	*Petalostigma pubescens*	Quinine Bush	150		150	10.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6321	*Petalostigma pubescens*	Quinine Bush	250		250	10.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6322	*Corymbia intermedia*	Pink Bloodwood	290		290	20.0	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6323	*Eucalyptus tereticornis*	Forest Red Gum	380		380	21.0	9.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6324	*Acacia disparrima*	Hickory Wattle	180		180	11.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: 1E\2025\2047303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
6325	*Acacia disparrima*	Hickory Wattle	210		210	14.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
6326	*Acacia disparrima*	Hickory Wattle	160	100	189	11.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6327	*Acacia disparrima*	Hickory Wattle	180		180	12.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6328	*Corymbia intermedia*	Pink Bloodwood	280		280	19.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6329	*Eucalyptus tereticornis*	Forest Red Gum	270		270	18.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6330	*Acacia disparrima*	Hickory Wattle	170		170	12.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6331	*Acacia disparrima*	Hickory Wattle	130	140	191	10.0	4.0	2.3	1.7	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6332	*Acacia disparrima*	Hickory Wattle	150		150	10.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6333	*Alphitonia excelsa*	Soap Tree	140		140	11.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6334	*Alphitonia excelsa*	Soap Tree	180		180	12.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6335	*Acacia disparrima*	Hickory Wattle	130		130	12.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6336	*Acacia disparrima*	Hickory Wattle	180		180	13.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6337	*Eucalyptus tereticornis*	Forest Red Gum	330		330	22.0	6.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6338	*Acacia disparrima*	Hickory Wattle	160		160	10.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
6339	*Acacia disparrima*	Hickory Wattle	160		160	12.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
6340	*Eucalyptus tereticornis*	Forest Red Gum	330		330	26.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6341	*Petalostigma pubescens*	Quinine Bush	180		180	10.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6342	*Petalostigma pubescens*	Quinine Bush	220		220	12.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6343	*Corymbia intermedia*	Pink Bloodwood	290		290	23.0	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6344	*Petalostigma pubescens*	Quinine Bush	200		200	8.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	Major	-	-	-	Typical	-	-	-	-	-	-	Removed	
6345	*Petalostigma pubescens*	Quinine Bush	280		280	10.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6346	*Petalostigma pubescens*	Quinine Bush	160		160	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6347	*Alphitonia excelsa*	Soap Tree	330		330	15.0	6.0	4.0	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6348	*Alphitonia excelsa*	Soap Tree	330		330	16.0	5.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6349	*Petalostigma pubescens*	Quinine Bush	180		180	9.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6350	*Eucalyptus tereticornis*	Forest Red Gum	350		350	25.0	10.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6351	*Corymbia intermedia*	Pink Bloodwood	310		310	18.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6352	*Petalostigma pubescens*	Quinine Bush	170	160	233	10.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6353	*Petalostigma pubescens*	Quinine Bush	200		200	10.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6354	*Allocasuarina littoralis*	Black She-oak	260		260	11.0	3.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6355	*Petalostigma pubescens*	Quinine Bush	200		200	10.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6356	*Eucalyptus tereticornis*	Forest Red Gum	540		540	23.0	9.0	6.5	2.6	Regular	-	Thinning	-	Epicormic	-	Typical	-	-	Trunk Dmg.	-	Poor	-	-	-	-	-	-	Retain	
6357	*Allocasuarina littoralis*	Black She-oak	180		180	8.0	2.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6358	*Allocasuarina littoralis*	Black She-oak	150		150	10.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6359	*Allocasuarina littoralis*	Black She-oak	140		140	10.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6360	*Allocasuarina littoralis*	Black She-oak	190		190	9.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6361	*Acacia concurrens*	Black Wattle	140		140	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6362	*Allocasuarina littoralis*	Black She-oak	200		200	9.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6363	*Banksia integrifolia*	Coast Banksia	210		210	10.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6364	*Eucalyptus tereticornis*	Forest Red Gum	460		460	23.0	9.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6365	*Banksia integrifolia*	Coast Banksia	210		210	9.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6366	*Petalostigma pubescens*	Quinine Bush	230		230	10.0	3.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: PE/2025/2047/303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
6367	*Allocasuarina littoralis*	Black She-oak	130		130	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
6368	*Petalostigma pubescens*	Quinine Bush	190		190	9.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
6369	*Petalostigma pubescens*	Quinine Bush	280		280	11.0	4.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
6370	*Petalostigma pubescens*	Quinine Bush	160	130	206	9.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
6371	*Acacia concurrens*	Black Wattle	130		130	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
6372	*Corymbia intermedia*	Pink Bloodwood	280		280	20.0	3.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
6373	*Acacia disparrima*	Hickory Wattle	160		160	10.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
6374	*Acacia disparrima*	Hickory Wattle	190		190	12.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
6375	*Petalostigma pubescens*	Quinine Bush	220		220	12.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
6376	*Petalostigma pubescens*	Quinine Bush	140		140	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6377	*Acacia concurrens*	Black Wattle	150		150	13.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
6378	*Petalostigma pubescens*	Quinine Bush	330		330	9.0	4.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6379	*Petalostigma pubescens*	Quinine Bush	280		280	11.0	4.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6380	*Petalostigma pubescens*	Quinine Bush	150		150	8.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6381	*Petalostigma pubescens*	Quinine Bush	180		180	10.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6382	*Petalostigma pubescens*	Quinine Bush	350		350	10.0	7.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Poor	-	-	-	-	-	-	Removed	
6383	*Petalostigma pubescens*	Quinine Bush	170		170	8.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6384	*Petalostigma pubescens*	Quinine Bush	210		210	10.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6385	*Eucalyptus tereticornis*	Forest Red Gum	410		410	23.0	7.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6386	*Corymbia intermedia*	Pink Bloodwood	480		480	20.0	8.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6387	*Petalostigma pubescens*	Quinine Bush	230		230	10.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
6388	*Alphitonia excelsa*	Soap Tree	170		170	9.0	2.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
6389	*Petalostigma pubescens*	Quinine Bush	200		200	11.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
6390	*Petalostigma pubescens*	Quinine Bush	260		260	14.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
6391	*Acacia disparrima*	Hickory Wattle	140		140	12.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
6392	*Lophostemon suaveolens*	Swamp Box	150		150	10.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
6393	*Allocasuarina littoralis*	Black She-oak	230		230	12.0	3.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6394	*Petalostigma pubescens*	Quinine Bush	200		200	12.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6395	*Acacia disparrima*	Hickory Wattle	160		160	10.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6396	*Petalostigma pubescens*	Quinine Bush	170	100	197	10.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6397	*Eucalyptus tereticornis*	Forest Red Gum	300		300	21.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
6398	*Acacia disparrima*	Hickory Wattle	190		190	15.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6399	*Corymbia intermedia*	Pink Bloodwood	370		370	17.0	7.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
6400	*Alphitonia excelsa*	Soap Tree	160		160	11.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
6401	*Acacia disparrima*	Hickory Wattle	200		200	12.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
6402	*Petalostigma pubescens*	Quinine Bush	200		200	10.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6403	*Petalostigma pubescens*	Quinine Bush	220		220	11.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6404	*Acacia concurrens*	Black Wattle	120		120	9.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6405	*Petalostigma pubescens*	Quinine Bush	180		180	6.0	2.0	2.2	1.6	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6406	*Alphitonia excelsa*	Soap Tree	270		270	11.0	3.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6407	*Corymbia intermedia*	Pink Bloodwood	500		500	22.0	9.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6408	*Acacia concurrens*	Black Wattle	140		140	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: 1E\2025\2047303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
6409	*Petalostigma pubescens*	Quinine Bush	300		300	10.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
6410	*Acacia disparrima*	Hickory Wattle	180		180	11.0	2.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
6411	*Lophostemon suaveolens*	Swamp Box	140		140	10.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
6412	*Petalostigma pubescens*	Quinine Bush	240		240	8.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6413	*Corymbia intermedia*	Pink Bloodwood	360		360	23.0	10.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6414	*Eucalyptus tereticornis*	Forest Red Gum	270		270	22.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
6415	*Acacia disparrima*	Hickory Wattle	150		150	9.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
6416	*Petalostigma pubescens*	Quinine Bush	130		130	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6417	*Petalostigma pubescens*	Quinine Bush	190		190	8.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6418	*Alphitonia excelsa*	Soap Tree	300		300	17.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6419	*Petalostigma pubescens*	Quinine Bush	300	310	431	10.0	8.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6420	*Eucalyptus tereticornis*	Forest Red Gum	390		390	23.0	9.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
6421	*DEAD/STAG*		770		770	14.0	5.0	9.2	3.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Large	-	-	-	Removed	
6422	*Acacia concurrens*	Black Wattle	150		150	10.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6423	*Petalostigma pubescens*	Quinine Bush	240	190	306	5.0	3.0	3.7	2.0	Regular	-	Thinning	Die-back	Epicormic	Lopped	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
6424	*Acacia disparrima*	Hickory Wattle	210		210	10.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
6425	*Acacia disparrima*	Hickory Wattle	200		200	10.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
6426	*Eucalyptus tereticornis*	Forest Red Gum	510		510	23.0	12.0	6.1	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
6427	*Lophostemon suaveolens*	Swamp Box	130		130	11.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6428	*Corymbia intermedia*	Pink Bloodwood	350		350	23.0	6.0	4.2	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6429	*Acacia disparrima*	Hickory Wattle	150	130	198	13.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
6430	*Eucalyptus tereticornis*	Forest Red Gum	330		330	22.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
6431	*Eucalyptus tereticornis*	Forest Red Gum	240		240	19.0	5.0	2.9	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6432	*Corymbia intermedia*	Pink Bloodwood	400		400	21.0	7.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6433	*Acacia concurrens*	Black Wattle	160		160	11.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6434	*Allocasuarina littoralis*	Black She-oak	150		150	8.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6435	*Banksia integrifolia*	Coast Banksia	140	120	184	9.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6436	*Allocasuarina littoralis*	Black She-oak	160		160	9.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6437	*Allocasuarina littoralis*	Black She-oak	120		120	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6438	*Allocasuarina littoralis*	Black She-oak	140	120	184	10.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6439	*Allocasuarina littoralis*	Black She-oak	160		160	11.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6440	*Petalostigma pubescens*	Quinine Bush	200		200	9.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6441	*Corymbia intermedia*	Pink Bloodwood	330		330	20.0	5.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6442	*Allocasuarina littoralis*	Black She-oak	140		140	12.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6443	*Allocasuarina littoralis*	Black She-oak	140		140	10.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6444	*Allocasuarina littoralis*	Black She-oak	150	120	192	12.0	3.0	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6445	*Banksia integrifolia*	Coast Banksia	200		200	9.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6446	*Acacia disparrima*	Hickory Wattle	160		160	14.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6447	*Banksia integrifolia*	Coast Banksia	150		150	7.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6448	*Allocasuarina littoralis*	Black She-oak	130		130	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6449	*Alphitonia excelsa*	Soap Tree	130		130	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6450	*Acacia disparrima*	Hickory Wattle	270		270	12.0	4.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: PE/2025/2047/303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
6451	*Eucalyptus tereticornis*	Forest Red Gum	460		460	25.0	10.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6452	*Banksia integrifolia*	Coast Banksia	160		160	9.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6453	*Eucalyptus tereticornis*	Forest Red Gum	130		130	13.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6454	*Corymbia tessellaris*	Moreton Bay Ash	140		140	15.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6455	*Banksia integrifolia*	Coast Banksia	170	190	255	9.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6456	*Acacia disparrima*	Hickory Wattle	220		220	12.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6457	*Allocasuarina littoralis*	Black She-oak	120		120	5.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6458	*Allocasuarina littoralis*	Black She-oak	150		150	14.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6459	*Allocasuarina littoralis*	Black She-oak	130		130	13.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6460	*Corymbia intermedia*	Pink Bloodwood	250		250	18.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6461	*Allocasuarina littoralis*	Black She-oak	170		170	10.0	2.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6462	*Banksia integrifolia*	Coast Banksia	140		140	9.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6463	*Banksia integrifolia*	Coast Banksia	180	130	222	10.0	3.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6464	*Acacia concurrens*	Black Wattle	130		130	10.0	2.0	2.0	1.4	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6465	*Allocasuarina littoralis*	Black She-oak	130		130	6.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6466	*Allocasuarina littoralis*	Black She-oak	140		140	12.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6467	*Allocasuarina littoralis*	Black She-oak	200		200	12.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6468	*Allocasuarina littoralis*	Black She-oak	130		130	10.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6469	*Allocasuarina littoralis*	Black She-oak	190		190	11.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6470	*Banksia integrifolia*	Coast Banksia	300		300	10.0	4.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6471	*Corymbia intermedia*	Pink Bloodwood	290		290	18.0	5.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6472	*Allocasuarina littoralis*	Black She-oak	140		140	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6473	*Allocasuarina littoralis*	Black She-oak	170		170	9.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6474	*Allocasuarina littoralis*	Black She-oak	170		170	10.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6475	*Allocasuarina littoralis*	Black She-oak	190		190	12.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6476	*Eucalyptus tereticornis*	Forest Red Gum	400		400	20.0	8.0	4.8	2.3	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6477	*Corymbia intermedia*	Pink Bloodwood	400		400	19.0	7.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6478	*Corymbia intermedia*	Pink Bloodwood	410		410	23.0	10.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6479	*Acacia disparrima*	Hickory Wattle	180		180	9.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6480	*Corymbia intermedia*	Pink Bloodwood	430		430	20.0	7.0	5.2	2.3	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6481	*Petalostigma pubescens*	Quinine Bush	250	200	320	12.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6482	*Petalostigma pubescens*	Quinine Bush	190		190	10.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6483	*Petalostigma pubescens*	Quinine Bush	150	160	219	10.0	3.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6484	*Allocasuarina littoralis*	Black She-oak	150		150	12.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6485	*Corymbia intermedia*	Pink Bloodwood	420		420	20.0	8.0	5.0	2.3	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6486	*Acacia disparrima*	Hickory Wattle	230		230	13.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6487	*Banksia integrifolia*	Coast Banksia	170		170	9.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6488	*Allocasuarina littoralis*	Black She-oak	160		160	11.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6489	*Corymbia intermedia*	Pink Bloodwood	320		320	21.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6490	*Acacia disparrima*	Hickory Wattle	190		190	11.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6491	*Corymbia intermedia*	Pink Bloodwood	350		350	22.0	8.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6492	*Allocasuarina littoralis*	Black She-oak	140		140	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: 1E\2025\2047303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
6493	*Corymbia intermedia*	Pink Bloodwood	500		500	23.0	11.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6494	*Acacia disparrima*	Hickory Wattle	270		270	13.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6495	*Eucalyptus tereticornis*	Forest Red Gum	320		320	20.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6496	*Acacia disparrima*	Hickory Wattle	170		170	10.0	2.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6497	*Corymbia intermedia*	Pink Bloodwood	420		420	25.0	10.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6498	*Acacia disparrima*	Hickory Wattle	180		180	11.0	2.0	2.2	1.6	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6499	*Acacia disparrima*	Hickory Wattle	340		340	13.0	7.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6500	*Acacia disparrima*	Hickory Wattle	180		180	14.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6501	*Petalostigma pubescens*	Quinine Bush	240		240	14.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6502	*Acacia concurrens*	Black Wattle	160		160	10.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6503	*Corymbia intermedia*	Pink Bloodwood	170		170	16.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6504	*Allocasuarina littoralis*	Black She-oak	190		190	15.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6505	*Corymbia tessellaris*	Moreton Bay Ash	150		150	13.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6506	*Corymbia intermedia*	Pink Bloodwood	370		370	22.0	9.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6507	*Corymbia intermedia*	Pink Bloodwood	340		340	20.0	6.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6508	*Eucalyptus tereticornis*	Forest Red Gum	280		280	18.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6509	*Acacia disparrima*	Hickory Wattle	120		120	12.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6510	*Acacia concurrens*	Black Wattle	120		120	11.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Removed	
6511	*Lophostemon suaveolens*	Swamp Box	140		140	10.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6512	*Lophostemon suaveolens*	Swamp Box	130		130	9.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6513	*Acacia disparrima*	Hickory Wattle	200	160	256	12.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6514	*Corymbia intermedia*	Pink Bloodwood	350		350	20.0	8.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6515	*Lophostemon suaveolens*	Swamp Box	130		130	10.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6516	*Lophostemon suaveolens*	Swamp Box	150		150	11.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6517	*Acacia disparrima*	Hickory Wattle	170		170	11.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6518	*Lophostemon suaveolens*	Swamp Box	160		160	10.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
6519	*Lophostemon suaveolens*	Swamp Box	190		190	12.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6520	*Lophostemon suaveolens*	Swamp Box	160		160	11.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
6521	*Acacia concurrens*	Black Wattle	130		130	11.0	1.0	2.0	1.4	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
6522	*Acacia concurrens*	Black Wattle	150		150	12.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
6523	*Acacia concurrens*	Black Wattle	170		170	9.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	Major	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
6524	*Allocasuarina littoralis*	Black She-oak	220		220	9.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6525	*Allocasuarina littoralis*	Black She-oak	160		160	9.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6526	*Allocasuarina littoralis*	Black She-oak	140		140	10.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6527	*Allocasuarina littoralis*	Black She-oak	140		140	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6528	*Acacia disparrima*	Hickory Wattle	200		200	12.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6529	*Petalostigma pubescens*	Quinine Bush	260		260	9.0	7.0	3.1	1.9	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6530	*Corymbia tessellaris*	Moreton Bay Ash	150		150	15.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6531	*Acacia concurrens*	Black Wattle	150		150	10.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Removed	
6532	*Lophostemon suaveolens*	Swamp Box	140		140	11.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6533	*Acacia disparrima*	Hickory Wattle	130		130	10.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6534	*Alphitonia excelsa*	Soap Tree	180		180	12.0	2.0	2.2	1.6	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: 1E\2025\2047303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
6535	*Acacia disparrima*	Hickory Wattle	140		140	11.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6536	*Acacia disparrima*	Hickory Wattle	140		140	14.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
6537	*Acacia disparrima*	Hickory Wattle	130		130	11.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6538	*Corymbia intermedia*	Pink Bloodwood	320		320	19.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6539	*Corymbia tessellaris*	Moreton Bay Ash	130		130	16.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6540	*Corymbia tessellaris*	Moreton Bay Ash	200		200	20.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6541	*Eucalyptus tereticornis*	Forest Red Gum	220		220	19.0	3.0	2.6	1.8	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
6542	*Acacia disparrima*	Hickory Wattle	160		160	14.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
6543	*Acacia disparrima*	Hickory Wattle	160		160	14.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
6544	*Alphitonia excelsa*	Soap Tree	280		280	12.0	4.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
6545	*Eucalyptus tereticornis*	Forest Red Gum	330		330	20.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6546	*Corymbia intermedia*	Pink Bloodwood	360		360	22.0	8.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6547	*Acacia disparrima*	Hickory Wattle	150		150	9.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6548	*Corymbia intermedia*	Pink Bloodwood	330		330	20.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6549	*Corymbia intermedia*	Pink Bloodwood	280		280	17.0	3.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6550	*Eucalyptus tereticornis*	Forest Red Gum	360		360	19.0	7.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6551	*Corymbia intermedia*	Pink Bloodwood	320		320	20.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6552	*Acacia disparrima*	Hickory Wattle	240	140	278	14.0	6.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6553	*Eucalyptus tereticornis*	Forest Red Gum	450		450	23.0	9.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
6554	*Corymbia intermedia*	Pink Bloodwood	380		380	18.0	9.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
6555	*Acacia disparrima*	Hickory Wattle	190		190	13.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
6556	*Acacia disparrima*	Hickory Wattle	200		200	13.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
6557	*Petalostigma pubescens*	Quinine Bush	190		190	9.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
6558	*Petalostigma pubescens*	Quinine Bush	120		120	9.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
6559	*Eucalyptus tereticornis*	Forest Red Gum	630		630	26.0	12.0	7.6	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
6560	*Acacia disparrima*	Hickory Wattle	150		150	10.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
6561	*Acacia disparrima*	Hickory Wattle	130		130	12.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
6562	*Corymbia tessellaris*	Moreton Bay Ash	140		140	11.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
6563	*Alphitonia excelsa*	Soap Tree	190		190	11.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
6564	*Acacia disparrima*	Hickory Wattle	230		230	15.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6565	*Banksia integrifolia*	Coast Banksia	130		130	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
6566	*Acacia disparrima*	Hickory Wattle	150		150	12.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6567	*Acacia disparrima*	Hickory Wattle	200		200	14.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
6568	*Petalostigma pubescens*	Quinine Bush	470		470	12.0	8.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6569	*Petalostigma pubescens*	Quinine Bush	270		270	10.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6570	*Alphitonia excelsa*	Soap Tree	150		150	9.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6571	*Acacia disparrima*	Hickory Wattle	190		190	9.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6572	*Corymbia intermedia*	Pink Bloodwood	120	100, 90	180	12.0	2.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6573	*Acacia disparrima*	Hickory Wattle	140		140	10.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6574	*Corymbia intermedia*	Pink Bloodwood	280		280	18.0	4.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6575	*Acacia concurrens*	Black Wattle	140		140	11.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6576	*Acacia concurrens*	Black Wattle	140		140	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: IDE/2025/2047/303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
6577	*Corymbia intermedia*	Pink Bloodwood	400		400	23.0	8.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6578	*Petalostigma pubescens*	Quinine Bush	270		270	8.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6579	*Corymbia intermedia*	Pink Bloodwood	400		400	19.0	9.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6580	*Acacia disparrima*	Hickory Wattle	130		130	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6581	*Corymbia intermedia*	Pink Bloodwood	260		260	17.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6582	*Alphitonia excelsa*	Soap Tree	260		260	16.0	3.0	3.1	1.9	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6583	*Eucalyptus tereticornis*	Forest Red Gum	260		260	17.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6584	*Petalostigma pubescens*	Quinine Bush	210		210	9.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6585	*Corymbia intermedia*	Pink Bloodwood	200		200	14.0	2.0	2.4	1.7	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6586	*Corymbia intermedia*	Pink Bloodwood	190		190	14.0	2.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6587	*Acacia disparrima*	Hickory Wattle	160		160	9.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6588	*Acacia disparrima*	Hickory Wattle	170		170	10.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6589	*Acacia disparrima*	Hickory Wattle	130	140	191	13.0	3.0	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6590	*Corymbia intermedia*	Pink Bloodwood	530		530	25.0	12.0	6.4	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6591	*Acacia disparrima*	Hickory Wattle	170		170	10.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6592	*Eucalyptus tereticornis*	Forest Red Gum	380		380	20.0	6.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6593	*Corymbia intermedia*	Pink Bloodwood	660		660	25.0	14.0	7.9	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6594	*Acacia disparrima*	Hickory Wattle	120		120	9.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6595	*Corymbia intermedia*	Pink Bloodwood	220		220	16.0	3.0	2.6	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6596	*Corymbia intermedia*	Pink Bloodwood	380		380	19.0	9.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6597	*Eucalyptus tereticornis*	Forest Red Gum	380		380	19.0	8.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6598	*Corymbia intermedia*	Pink Bloodwood	270		270	20.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6599	*Eucalyptus tereticornis*	Forest Red Gum	370		370	18.0	8.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6600	*Corymbia intermedia*	Pink Bloodwood	490		490	23.0	11.0	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6601	*Petalostigma pubescens*	Quinine Bush	280		280	10.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6602	*Corymbia intermedia*	Pink Bloodwood	260		260	17.0	3.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6603	*Corymbia intermedia*	Pink Bloodwood	370		370	20.0	7.0	4.4	2.2	Regular	-	Thinning	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6604	*Acacia disparrima*	Hickory Wattle	160		160	10.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6605	*Corymbia intermedia*	Pink Bloodwood	280		280	17.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6606	*Corymbia tessellaris*	Moreton Bay Ash	160	150, 120	250	14.0	2.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6607	*Corymbia intermedia*	Pink Bloodwood	400		400	20.0	8.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6608	*Alphitonia excelsa*	Soap Tree	270		270	16.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6609	*Petalostigma pubescens*	Quinine Bush	190		190	9.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6610	*Petalostigma pubescens*	Quinine Bush	170		170	9.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6611	*Acacia disparrima*	Hickory Wattle	150		150	15.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6612	*Petalostigma pubescens*	Quinine Bush	280		280	9.0	3.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6613	*Petalostigma pubescens*	Quinine Bush	120		120	11.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6614	*Petalostigma pubescens*	Quinine Bush	180		180	9.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6615	*Petalostigma pubescens*	Quinine Bush	160	180	241	6.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6616	*Acacia disparrima*	Hickory Wattle	180		180	14.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6617	*Petalostigma pubescens*	Quinine Bush	150		150	6.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	Major	-	-	-	Typical	-	-	-	-	-	-	Removed	
6618	*Acacia disparrima*	Hickory Wattle	180		180	14.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: 1E\2025\2047303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
6619	*Corymbia intermedia*	Pink Bloodwood	300		300	19.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6620	*Corymbia intermedia*	Pink Bloodwood	300		300	19.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6621	*Corymbia intermedia*	Pink Bloodwood	170		170	16.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6622	*Corymbia intermedia*	Pink Bloodwood	210		210	15.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6623	*Acacia concurrens*	Black Wattle	140		140	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6624	*Allocasuarina littoralis*	Black She-oak	180		180	10.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6625	*Banksia integrifolia*	Coast Banksia	170		170	9.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6626	*Acacia disparrima*	Hickory Wattle	160		160	11.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6627	*Acacia concurrens*	Black Wattle	120	130	177	11.0	3.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6628	*Acacia disparrima*	Hickory Wattle	150		150	15.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6629	*Acacia disparrima*	Hickory Wattle	180		180	14.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6630	*Acacia disparrima*	Hickory Wattle	160		160	14.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
6631	*Petalostigma pubescens*	Quinine Bush	190		190	9.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
6632	*Acacia disparrima*	Hickory Wattle	120		120	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
6633	*Acacia concurrens*	Black Wattle	220		220	15.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
6634	*Corymbia intermedia*	Pink Bloodwood	410		410	19.0	6.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
6635	*Petalostigma pubescens*	Quinine Bush	340		340	12.0	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6636	*Acacia disparrima*	Hickory Wattle	180		180	12.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6637	*Alphitonia excelsa*	Soap Tree	310		310	16.0	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
6638	*Corymbia intermedia*	Pink Bloodwood	290		290	18.0	8.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
6639	*Alphitonia excelsa*	Soap Tree	190		190	6.0	5.0	2.3	1.6	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
6640	*Allocasuarina littoralis*	Black She-oak	120		120	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
6641	*Eucalyptus tereticornis*	Forest Red Gum	450		450	25.0	13.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6642	*Eucalyptus tereticornis*	Forest Red Gum	380		380	23.0	12.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6643	*Eucalyptus tereticornis*	Forest Red Gum	250		250	13.0	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6644	*Corymbia intermedia*	Pink Bloodwood	380		380	18.0	10.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6645	*Acacia concurrens*	Black Wattle	170		170	6.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6646	*Acacia concurrens*	Black Wattle	160		160	7.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6647	*Acacia disparrima*	Hickory Wattle	130		130	7.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6648	*Alphitonia excelsa*	Soap Tree	320		320	10.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6649	*Angophora leiocarpa*	Smooth-barked Apple	310		310	23.0	12.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Old	-	-	-	-	Retain	
6650	*Corymbia intermedia*	Pink Bloodwood	360		360	25.0	14.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6651	*Petalostigma pubescens*	Quinine Bush	210	160	264	9.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6652	*Acacia disparrima*	Hickory Wattle	130		130	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6653	*Eucalyptus tereticornis*	Forest Red Gum	180		180	14.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6654	*Corymbia intermedia*	Pink Bloodwood	280		280	16.0	9.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6655	*Corymbia intermedia*	Pink Bloodwood	150		150	13.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6656	*Acacia disparrima*	Hickory Wattle	200		200	8.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6657	*Petalostigma pubescens*	Quinine Bush	220		220	5.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6658	*Acacia disparrima*	Hickory Wattle	140		140	7.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6659	*Petalostigma pubescens*	Quinine Bush	230		230	6.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
6660	*Acacia disparrima*	Hickory Wattle	200		200	10.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: DEV2025/2047303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
6661	*Petalostigma pubescens*	Quinine Bush	150	150	212	7.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
6662	*Acacia disparrima*	Hickory Wattle	150		150	7.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
6663	*Alphitonia excelsa*	Soap Tree	140		140	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
6664	*Acacia disparrima*	Hickory Wattle	120		120	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6665	*Petalostigma pubescens*	Quinine Bush	260		260	9.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
6666	*Eucalyptus seeana*	Narrow-leaved Red Gum	390		390	23.0	12.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
6667	*Petalostigma pubescens*	Quinine Bush	140	130	191	7.0	6.0	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
6668	*Petalostigma pubescens*	Quinine Bush	180		180	7.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6669	*Acacia concurrens*	Black Wattle	140		140	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6670	*Petalostigma pubescens*	Quinine Bush	260		260	6.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6671	*Alphitonia excelsa*	Soap Tree	200		200	13.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6672	*Alphitonia excelsa*	Soap Tree	200		200	11.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6673	*Petalostigma pubescens*	Quinine Bush	170		170	8.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6674	*Corymbia tessellaris*	Moreton Bay Ash	240		240	23.0	10.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6675	*Alphitonia excelsa*	Soap Tree	220	140	261	12.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6676	*Acacia disparrima*	Hickory Wattle	120		120	6.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6677	*Alphitonia excelsa*	Soap Tree	400		400	13.0	9.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6678	*Alphitonia excelsa*	Soap Tree	160		160	10.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Removed	
6679	*Alphitonia excelsa*	Soap Tree	200		200	11.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6680	*Alphitonia excelsa*	Soap Tree	160		160	14.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6681	*Eucalyptus tereticornis*	Forest Red Gum	290		290	20.0	10.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	-	-	-	Removed	
6682	*Alphitonia excelsa*	Soap Tree	230		230	14.0	8.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6683	*Petalostigma pubescens*	Quinine Bush	140		140	7.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6684	*Alphitonia excelsa*	Soap Tree	110		110	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6685	*Acacia disparrima*	Hickory Wattle	160		160	7.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6686	*Eucalyptus grandis*	Flooded Gum	230		230	14.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6687	*Alphitonia excelsa*	Soap Tree	120		120	7.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6688	*Alphitonia excelsa*	Soap Tree	120		120	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6689	*Eucalyptus grandis*	Flooded Gum	220		220	14.0	7.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6690	*Petalostigma pubescens*	Quinine Bush	110		110	8.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6691	*Eucalyptus grandis*	Flooded Gum	380		380	25.0	13.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Old	-	-	-	-	Retain	
6692	*Acacia concurrens*	Black Wattle	110		110	6.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6693	*Eucalyptus grandis*	Flooded Gum	300		300	22.0	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Old	-	-	-	-	Retain	
6694	*Eucalyptus grandis*	Flooded Gum	250		250	7.0	2.0	3.0	1.8	Regular	-	-	-	-	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6695	*Alphitonia excelsa*	Soap Tree	120		120	7.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6696	*Eucalyptus grandis*	Flooded Gum	240		240	22.0	10.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6697	*Alphitonia excelsa*	Soap Tree	120		120	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6698	*Eucalyptus grandis*	Flooded Gum	280		280	23.0	12.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6699	*Alphitonia excelsa*	Soap Tree	120	80	144	9.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6700	*Eucalyptus grandis*	Flooded Gum	230		230	12.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6701	*Eucalyptus grandis*	Flooded Gum	210		210	22.0	9.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6702	*Acacia disparrima*	Hickory Wattle	120	70	139	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: 1E\2025\2047303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
6703	*Eucalyptus grandis*	Flooded Gum	220		220	14.0	9.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6704	*Alphitonia excelsa*	Soap Tree	130		130	7.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6705	*Eucalyptus grandis*	Flooded Gum	240		240	16.0	9.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6706	*Eucalyptus grandis*	Flooded Gum	220		220	18.0	10.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6707	*Eucalyptus grandis*	Flooded Gum	330		330	22.0	10.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6708	*Alphitonia excelsa*	Soap Tree	120		120	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6709	*Eucalyptus grandis*	Flooded Gum	220		220	18.0	9.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6710	*Eucalyptus grandis*	Flooded Gum	330		330	22.0	12.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6711	*Eucalyptus grandis*	Flooded Gum	200		200	20.0	10.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6712	*Alphitonia excelsa*	Soap Tree	140		140	9.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6713	*Eucalyptus grandis*	Flooded Gum	220		220	16.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6714	*Alphitonia excelsa*	Soap Tree	140		140	9.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6715	*Eucalyptus grandis*	Flooded Gum	370		370	22.0	13.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6716	*Eucalyptus grandis*	Flooded Gum	240		240	20.0	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6717	*Eucalyptus grandis*	Flooded Gum	260		260	22.0	10.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6718	*Eucalyptus grandis*	Flooded Gum	230		230	18.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6719	*Eucalyptus grandis*	Flooded Gum	200		200	13.0	8.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6720	*Eucalyptus grandis*	Flooded Gum	270		270	20.0	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6721	*Eucalyptus grandis*	Flooded Gum	260		260	20.0	9.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6722	*Acacia disparrima*	Hickory Wattle	100		100	9.0	4.0	2.0	0.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6723	*Acacia concurrens*	Black Wattle	140		140	10.0	5.0	2.0	1.4	Regular	-	-	Die-back	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Retain	
6724	*Eucalyptus grandis*	Flooded Gum	150		150	9.0	4.0	2.0	1.5	Regular	-	-	-	Epicormic	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6725	*Alphitonia excelsa*	Soap Tree	130		130	7.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6726	*Eucalyptus grandis*	Flooded Gum	310		310	22.0	10.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6727	*Eucalyptus grandis*	Flooded Gum	350		350	22.0	9.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6728	*Acacia disparrima*	Hickory Wattle	160		160	10.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6729	*Alphitonia excelsa*	Soap Tree	110		110	9.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6730	*Eucalyptus grandis*	Flooded Gum	240		240	16.0	7.0	2.9	1.8	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Retain	
6731	*Eucalyptus grandis*	Flooded Gum	140		140	16.0	7.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6732	*Acacia concurrens*	Black Wattle	140		140	7.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6733	*Petalostigma pubescens*	Quinine Bush	120		120	6.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6734	*Alphitonia excelsa*	Soap Tree	130		130	7.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6735	*Petalostigma pubescens*	Quinine Bush	120		120	7.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6736	*Alphitonia excelsa*	Soap Tree	140		140	10.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6737	*Eucalyptus grandis*	Flooded Gum	360		360	22.0	12.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6738	*Corymbia intermedia*	Pink Bloodwood	200		200	15.0	8.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6739	*Corymbia intermedia*	Pink Bloodwood	380		380	22.0	12.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6740	*Petalostigma pubescens*	Quinine Bush	200		200	8.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6741	*Corymbia tessellaris*	Moreton Bay Ash	300		300	22.0	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6742	*Alphitonia excelsa*	Soap Tree	110		110	9.0	6.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6743	*Corymbia intermedia*	Pink Bloodwood	390		390	22.0	12.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6744	*Grevillea robusta*	Silky Oak	170		170	8.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: DEV2025/2047303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
6745	*Petalostigma pubescens*	Quinine Bush	140		140	6.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6746	*Lophostemon suaveolens*	Swamp Box	120		120	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	Major	-	-	-	Typical	-	-	-	-	-	-	Retain	
6747	*Lophostemon suaveolens*	Swamp Box	360	200	412	18.0	10.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6748	*Grevillea robusta*	Silky Oak	320		320	16.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6749	*Alphitonia excelsa*	Soap Tree	150		150	10.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6750	*Alphitonia excelsa*	Soap Tree	100		100	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6751	*Alphitonia excelsa*	Soap Tree	120		120	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6752	*Melaleuca viminalis*	Weeping Bottlebrush	200		200	9.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	Major	-	-	-	Typical	-	-	-	-	-	-	Retain	
6753	*Alphitonia excelsa*	Soap Tree	100		100	6.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6754	*Lophostemon suaveolens*	Swamp Box	270	240	361	16.0	10.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6755	*Alphitonia excelsa*	Soap Tree	130		130	9.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6756	*Alphitonia excelsa*	Soap Tree	120		120	7.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	Major	-	-	-	Typical	-	-	-	-	-	-	Retain	
6757	*Corymbia intermedia*	Pink Bloodwood	270		270	22.0	12.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	-	-	-	Retain	
6758	*Lophostemon suaveolens*	Swamp Box	210		210	12.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6759	*Eucalyptus tereticornis*	Forest Red Gum	330		330	16.0	9.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6760	*Corymbia tessellaris*	Moreton Bay Ash	200		200	16.0	8.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6761	*Alphitonia excelsa*	Soap Tree	110		110	7.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6762	*Corymbia intermedia*	Pink Bloodwood	250		250	22.0	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6763	*Corymbia intermedia*	Pink Bloodwood	200		200	15.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6764	*Acacia concurrens*	Black Wattle	150		150	9.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6765	*Alphitonia excelsa*	Soap Tree	120		120	6.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6766	*Corymbia tessellaris*	Moreton Bay Ash	270		270	20.0	10.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6767	*Corymbia tessellaris*	Moreton Bay Ash	210		210	18.0	9.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6768	*Acacia disparrima*	Hickory Wattle	200		200	11.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6769	*Petalostigma pubescens*	Quinine Bush	180		180	7.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6770	*Petalostigma pubescens*	Quinine Bush	120		120	5.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6771	*Alphitonia excelsa*	Soap Tree	140		140	7.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6772	*Angophora subvelutina*	Broad-leaved Apple	320		320	20.0	11.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6773	*Acacia disparrima*	Hickory Wattle	120		120	7.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6774	*Acacia disparrima*	Hickory Wattle	180		180	9.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Retain	
6775	*Banksia integrifolia*	Coast Banksia	210		210	12.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6776	*Alphitonia excelsa*	Soap Tree	120		120	5.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6777	*Corymbia intermedia*	Pink Bloodwood	150		150	10.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6778	*Corymbia intermedia*	Pink Bloodwood	200		200	15.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6779	*Corymbia intermedia*	Pink Bloodwood	130		130	14.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6780	*Acacia disparrima*	Hickory Wattle	110		110	8.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6781	*Corymbia intermedia*	Pink Bloodwood	400		400	22.0	10.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6782	*Eucalyptus tereticornis*	Forest Red Gum	120		120	10.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6783	*Corymbia tessellaris*	Moreton Bay Ash	200		200	16.0	9.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6784	*Corymbia tessellaris*	Moreton Bay Ash	170		170	16.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6785	*Corymbia tessellaris*	Moreton Bay Ash	150		150	14.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6786	*Acacia disparrima*	Hickory Wattle	120		120	9.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: 1E\2025\2047303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
6787	*Corymbia tessellaris*	Moreton Bay Ash	120		120	10.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6788	*Eucalyptus tereticornis*	Forest Red Gum	430		430	25.0	15.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6789	*Eucalyptus tereticornis*	Forest Red Gum	580		580	25.0	14.0	7.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6790	*Alphitonia excelsa*	Soap Tree	150		150	10.0	7.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6791	*Acacia disparrima*	Hickory Wattle	140		140	10.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6792	*Corymbia tessellaris*	Moreton Bay Ash	300		300	20.0	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6793	*Alphitonia excelsa*	Soap Tree	140		140	9.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6794	*Corymbia intermedia*	Pink Bloodwood	280		280	18.0	10.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6795	*Alphitonia excelsa*	Soap Tree	150		150	8.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6796	*Alphitonia excelsa*	Soap Tree	170		170	11.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6797	*Eucalyptus tereticornis*	Forest Red Gum	360		360	22.0	12.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Old	-	-	-	-	Retain	
6798	*Alphitonia excelsa*	Soap Tree	180		180	12.0	7.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6799	*DEAD/STAG*		440		440	16.0	8.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Retain	
6800	*Corymbia intermedia*	Pink Bloodwood	220	200, 200	358	18.0	9.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6801	*Alphitonia excelsa*	Soap Tree	170		170	9.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6802	*Casuarina cunninghamiana*	River She-oak	220		220	16.0	7.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6803	*Melaleuca viminalis*	Weeping Bottlebrush	260	140, 140	327	9.0	6.0	3.9	2.1	Regular	-	-	-	-	-	Typical	Major	-	-	-	Typical	-	-	-	-	-	-	Retain	
6804	*Melaleuca viminalis*	Weeping Bottlebrush	270		270	9.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Retain	
6805	*Melaleuca viminalis*	Weeping Bottlebrush	200		200	9.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6806	*Alchornea ilicifolia*	native holly	140		140	7.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6807	*Melaleuca viminalis*	Weeping Bottlebrush	240	110	264	10.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Retain	
6808	*Alphitonia excelsa*	Soap Tree	150		150	8.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6809	*Lophostemon suaveolens*	Swamp Box	250		250	12.0	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6810	*Eucalyptus tereticornis*	Forest Red Gum	280		280	14.0	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6811	*Alphitonia excelsa*	Soap Tree	120		120	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6812	*Corymbia intermedia*	Pink Bloodwood	140		140	13.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6813	*Acacia disparrima*	Hickory Wattle	120		120	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6814	*Acacia concurrens*	Black Wattle	120		120	7.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6815	*Alphitonia excelsa*	Soap Tree	150		150	8.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6816	*Grevillea robusta*	Silky Oak	110		110	9.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6817	*Alphitonia excelsa*	Soap Tree	100		100	7.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6818	*Acacia disparrima*	Hickory Wattle	120		120	9.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6819	*Alphitonia excelsa*	Soap Tree	160		160	11.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6820	*Alphitonia excelsa*	Soap Tree	110		110	6.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6821	*Eucalyptus grandis*	Flooded Gum	450		450	22.0	12.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6822	*Acacia concurrens*	Black Wattle	170		170	13.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6823	*Alphitonia excelsa*	Soap Tree	160		160	15.0	7.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6824	*DEAD/STAG*		450		450	16.0	5.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Retain	
6825	*Lophostemon suaveolens*	Swamp Box	120		120	12.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6826	*Eucalyptus grandis*	Flooded Gum	300		300	20.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6827	*Alphitonia excelsa*	Soap Tree	130		130	7.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6828	*Eucalyptus grandis*	Flooded Gum	400		400	14.0	4.0	4.8	2.3	Regular	-	-	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: PE/2025/2047/303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
6829	*Eucalyptus grandis*	Flooded Gum	240		240	18.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6830	*Eucalyptus grandis*	Flooded Gum	340		340	24.0	13.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6831	*Eucalyptus grandis*	Flooded Gum	120		120	16.0	7.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6832	*Alphitonia excelsa*	Soap Tree	120		120	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6833	*Eucalyptus tereticornis*	Forest Red Gum	300		300	20.0	9.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6834	*Alphitonia excelsa*	Soap Tree	380		380	16.0	10.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6835	*Corymbia intermedia*	Pink Bloodwood	200		200	16.0	8.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6836	*Eucalyptus tereticornis*	Forest Red Gum	350		350	25.0	15.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6837	*Acacia disparrima*	Hickory Wattle	140		140	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6838	*Eucalyptus tereticornis*	Forest Red Gum	290		290	20.0	9.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6839	*Eucalyptus tereticornis*	Forest Red Gum	380		380	25.0	14.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6840	*Corymbia intermedia*	Pink Bloodwood	540		540	24.0	14.0	6.5	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6841	*Corymbia intermedia*	Pink Bloodwood	200		200	14.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6842	*Corymbia intermedia*	Pink Bloodwood	300		300	14.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6843	*Corymbia intermedia*	Pink Bloodwood	230		230	20.0	11.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6844	*Corymbia intermedia*	Pink Bloodwood	300		300	24.0	14.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6845	*Corymbia intermedia*	Pink Bloodwood	230		230	18.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6846	*Corymbia intermedia*	Pink Bloodwood	450		450	24.0	14.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6847	*Corymbia intermedia*	Pink Bloodwood	300		300	16.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6848	*Corymbia intermedia*	Pink Bloodwood	230		230	18.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6849	*Corymbia intermedia*	Pink Bloodwood	240		240	14.0	7.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6850	*Corymbia intermedia*	Pink Bloodwood	400		400	24.0	11.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6851	*Corymbia intermedia*	Pink Bloodwood	210		210	14.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6852	*Petalostigma pubescens*	Quinine Bush	200		200	8.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6853	*Corymbia intermedia*	Pink Bloodwood	280		280	14.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6854	*Eucalyptus tereticornis*	Forest Red Gum	250		250	24.0	12.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6855	*Acacia disparrima*	Hickory Wattle	120		120	11.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6856	*Acacia concurrens*	Black Wattle	120		120	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6857	*Petalostigma pubescens*	Quinine Bush	200		200	11.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6858	*Eucalyptus tereticornis*	Forest Red Gum	400		400	25.0	12.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6859	*Acacia disparrima*	Hickory Wattle	140		140	10.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6860	*Banksia integrifolia*	Coast Banksia	110		110	4.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6861	*Petalostigma pubescens*	Quinine Bush	170		170	6.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6862	*Acacia concurrens*	Black Wattle	140		140	10.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6863	*Petalostigma pubescens*	Quinine Bush	200	140	244	7.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6864	*Petalostigma pubescens*	Quinine Bush	140		140	10.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6865	*Petalostigma pubescens*	Quinine Bush	160		160	6.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6866	*Petalostigma pubescens*	Quinine Bush	110		110	4.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6867	*Petalostigma pubescens*	Quinine Bush	110		110	6.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6868	*Petalostigma pubescens*	Quinine Bush	170		170	10.0	7.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6869	*Petalostigma pubescens*	Quinine Bush	150		150	7.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6870	*Petalostigma pubescens*	Quinine Bush	160		160	9.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	Major	-	-	-	Typical	-	-	-	-	-	-	Removed	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: PE/2025/2004/303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
6871	*Petalostigma pubescens*	Quinine Bush	180		180	8.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6872	*Acacia disparrima*	Hickory Wattle	160		160	9.0	7.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6873	*Acacia disparrima*	Hickory Wattle	150		150	7.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6874	*Petalostigma pubescens*	Quinine Bush	250		250	10.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6875	*Acacia disparrima*	Hickory Wattle	120	110	163	7.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6876	*Acacia concurrens*	Black Wattle	120		120	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6877	*Acacia concurrens*	Black Wattle	140		140	7.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6878	*Petalostigma pubescens*	Quinine Bush	170		170	6.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6879	*Acacia concurrens*	Black Wattle	110		110	5.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
6880	*Casuarina cunninghamiana*	River She-oak	220		220	13.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
6881	*Casuarina cunninghamiana*	River She-oak	220		220	14.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
6882	*Alphitonia excelsa*	Soap Tree	140		140	6.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
6883	*Corymbia intermedia*	Pink Bloodwood	200		200	14.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
6884	*Corymbia intermedia*	Pink Bloodwood	420		420	22.0	14.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6885	*Eucalyptus crebra*	Narrow-leaved Ironbark	500		500	23.0	10.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6886	*Acacia leiocalyx*	Early-flowering Black Wattle	160		160	10.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6887	*Eucalyptus tereticornis*	Forest Red Gum	360		360	23.0	8.0	4.3	2.2	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6888	*Corymbia citriodora*	Spotted Gum	160		160	18.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6889	*Corymbia citriodora*	Spotted Gum	500		500	25.0	16.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6890	*Eucalyptus tereticornis*	Forest Red Gum	260		260	17.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6891	*Acacia leiocalyx*	Early-flowering Black Wattle	160		160	10.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6892	*Petalostigma pubescens*	Quinine Bush	210		210	8.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6893	*Corymbia citriodora*	Spotted Gum	360		360	25.0	9.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6894	*Eucalyptus tereticornis*	Forest Red Gum	500		500	27.0	14.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6895	*Eucalyptus siderophloia*	Northern Grey Ironbark	620		620	18.0	5.0	7.4	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Large	-	-	-	Removed	
6896	*Alphitonia excelsa*	Soap Tree	280		280	10.0	3.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Removed	
6897	*Alphitonia excelsa*	Soap Tree	150		150	9.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6898	*Eucalyptus tereticornis*	Forest Red Gum	280		280	20.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6899	*Eucalyptus tereticornis*	Forest Red Gum	200		200	16.0	3.0	2.4	1.7	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6900	*Eucalyptus tereticornis*	Forest Red Gum	260		260	18.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6901	*Acacia disparrima*	Hickory Wattle	200		200	11.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6902	*Alphitonia excelsa*	Soap Tree	200		200	11.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6903	*Melaleuca viminalis*	Weeping Bottlebrush	180		180	7.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6904	*Melaleuca viminalis*	Weeping Bottlebrush	200		200	7.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	Major	-	-	-	Typical	-	-	-	-	-	-	Removed	
6905	*Eucalyptus tereticornis*	Forest Red Gum	240		240	19.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6906	*Corymbia intermedia*	Pink Bloodwood	260		260	17.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
6907	*Alphitonia excelsa*	Soap Tree	190		190	8.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	Major	-	-	-	Typical	-	-	-	-	-	-	Removed	
6908	*Melaleuca viminalis*	Weeping Bottlebrush	180	160	241	5.0	3.0	2.9	1.8	Regular	-	-	-	-	-	Typical	Major	-	-	-	Typical	-	-	-	-	-	-	Removed	
7022	*Melaleuca viminalis*	Weeping Bottlebrush	180		180	7.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7025	*Melaleuca viminalis*	Weeping Bottlebrush	130	150, 140, 150	285	5.0	4.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7026	*Lophostemon suaveolens*	Swamp Box	410		410	16.0	6.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7027	*Grevillea robusta*	Silky Oak	280		280	16.0	3.0	3.4	1.9	Regular	-	-	-	-	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: DEV2025/2047303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
7028	*Alphitonia excelsa*	Soap Tree	230		230	10.0	3.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7029	*Alphitonia excelsa*	Soap Tree	160		160	11.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7030	*Allocasuarina littoralis*	Black She-oak	150		150	10.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7031	*Alphitonia excelsa*	Soap Tree	270		270	17.0	4.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7032	*Alphitonia excelsa*	Soap Tree	160		160	6.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	Major	-	-	-	Typical	-	-	-	-	-	-	Removed	
7033	*Corymbia intermedia*	Pink Bloodwood	360		360	18.0	5.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7034	*Petalostigma pubescens*	Quinine Bush	170	70	184	9.0	3.0	2.2	1.6	One-sided	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Removed	
7035	*Petalostigma pubescens*	Quinine Bush	250	140	287	10.0	3.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7036	*Petalostigma pubescens*	Quinine Bush	240		240	10.0	3.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7037	*Petalostigma pubescens*	Quinine Bush	180	190	262	9.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7038	*Alphitonia excelsa*	Soap Tree	320		320	11.0	4.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Poor	-	-	-	-	-	-	Removed	
7039	*Petalostigma pubescens*	Quinine Bush	180		180	8.0	3.0	2.2	1.6	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7040	*Eucalyptus crebra*	Narrow-leaved Ironbark	270		270	20.0	6.0	3.2	1.9	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7041	*Petalostigma pubescens*	Quinine Bush	180		180	9.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7042	*Eucalyptus tereticornis*	Forest Red Gum	340		340	16.0	2.0	4.1	2.1	Regular	-	Thinning	Die-back	Epicormic	Lopped	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7043	*Corymbia tessellaris*	Moreton Bay Ash	180		180	16.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7044	*Corymbia intermedia*	Pink Bloodwood	260		260	16.0	4.0	3.1	1.9	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7045	*Corymbia intermedia*	Pink Bloodwood	140		140	12.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7046	*Eucalyptus tereticornis*	Forest Red Gum	200		200	16.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7047	*Corymbia citriodora*	Spotted Gum	440		440	25.0	10.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7048	*Petalostigma pubescens*	Quinine Bush	210		210	9.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7049	*Eucalyptus tereticornis*	Forest Red Gum	240		240	17.0	5.0	2.9	1.8	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7050	*Alphitonia excelsa*	Soap Tree	260		260	10.0	3.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7051	*Corymbia citriodora*	Spotted Gum	300		300	21.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7052	*Petalostigma pubescens*	Quinine Bush	200		200	9.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7053	*Acacia disparrima*	Hickory Wattle	190		190	11.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7054	*Alphitonia excelsa*	Soap Tree	240		240	11.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7055	*Corymbia intermedia*	Pink Bloodwood	340		340	18.0	7.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7056	*Corymbia citriodora*	Spotted Gum	220		220	19.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7057	*Acacia leiocalyx*	Early-flowering Black Wattle	160	170	233	9.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7058	*Corymbia citriodora*	Spotted Gum	140		140	17.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7059	*Corymbia citriodora*	Spotted Gum	270		270	17.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7060	*Acacia disparrima*	Hickory Wattle	130		130	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7061	*Alphitonia excelsa*	Soap Tree	140		140	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7062	*Acacia disparrima*	Hickory Wattle	160		160	10.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7063	*Acacia disparrima*	Hickory Wattle	190		190	11.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7064	*Acacia disparrima*	Hickory Wattle	190		190	12.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7065	*Corymbia intermedia*	Pink Bloodwood	360		360	19.0	7.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7066	*Acacia disparrima*	Hickory Wattle	240		240	15.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7067	*Acacia disparrima*	Hickory Wattle	210		210	10.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7068	*Acacia disparrima*	Hickory Wattle	170		170	10.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7069	*Eucalyptus crebra*	Narrow-leaved Ironbark	710		710	21.0	10.0	8.5	2.9	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: 1E\2025\2047303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
7070	*Alphitonia excelsa*	Soap Tree	260		260	10.0	3.0	3.1	1.9	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7071	*Acacia leiocalyx*	Early-flowering Black Wattle	130		130	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7072	*Eucalyptus crebra*	Narrow-leaved Ironbark	230		230	17.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7073	*Petalostigma pubescens*	Quinine Bush	250	200	320	10.0	5.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7074	*Eucalyptus crebra*	Narrow-leaved Ironbark	260		260	20.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7075	*Acacia disparrima*	Hickory Wattle	250		250	11.0	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7076	*Grevillea robusta*	Silky Oak	210		210	17.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7077	*Corymbia intermedia*	Pink Bloodwood	260		260	20.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7078	*Alphitonia excelsa*	Soap Tree	330		330	13.0	5.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7079	*Acacia disparrima*	Hickory Wattle	140		140	10.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7080	*Petalostigma pubescens*	Quinine Bush	250		250	11.0	3.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7081	*Petalostigma pubescens*	Quinine Bush	180		180	8.0	3.0	2.2	1.6	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7082	*Alphitonia excelsa*	Soap Tree	160		160	10.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7083	*Petalostigma pubescens*	Quinine Bush	280		280	12.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7084	*Petalostigma pubescens*	Quinine Bush	210		210	11.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7085	*Acacia disparrima*	Hickory Wattle	160		160	9.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7086	*Petalostigma pubescens*	Quinine Bush	170		170	8.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7087	*Petalostigma pubescens*	Quinine Bush	200		200	9.0	4.0	2.4	1.7	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7088	*Petalostigma pubescens*	Quinine Bush	170	160	233	9.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7089	*Petalostigma pubescens*	Quinine Bush	280		280	12.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7090	*Eucalyptus tereticornis*	Forest Red Gum	430		430	17.0	6.0	5.2	2.3	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7091	*Petalostigma pubescens*	Quinine Bush	300	180	350	8.0	4.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7092	*Petalostigma pubescens*	Quinine Bush	310		310	12.0	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7093	*Allocasuarina littoralis*	Black She-oak	180	90	201	10.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7094	*Acacia leiocalyx*	Early-flowering Black Wattle	180		180	11.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7095	*Eucalyptus tereticornis*	Forest Red Gum	470		470	16.0	5.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7096	*Acacia disparrima*	Hickory Wattle	200		200	12.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7097	*Alphitonia excelsa*	Soap Tree	330		330	12.0	4.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7098	*Acacia leiocalyx*	Early-flowering Black Wattle	160		160	15.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7099	*Acacia disparrima*	Hickory Wattle	200		200	12.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7100	*Acacia leiocalyx*	Early-flowering Black Wattle	190		190	14.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7101	*Allocasuarina littoralis*	Black She-oak	170		170	14.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7102	*Lophostemon suaveolens*	Swamp Box	240		240	14.0	3.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7103	*Petalostigma pubescens*	Quinine Bush	250	180, 150	343	11.0	4.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7104	*Acacia leiocalyx*	Early-flowering Black Wattle	130		130	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7105	*Acacia disparrima*	Hickory Wattle	160		160	9.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7106	*Acacia leiocalyx*	Early-flowering Black Wattle	150		150	10.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7107	*Acacia disparrima*	Hickory Wattle	200		200	10.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7108	*Acacia disparrima*	Hickory Wattle	170	140	220	11.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7109	*Acacia disparrima*	Hickory Wattle	140	130	191	12.0	3.0	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7110	*Corymbia tessellaris*	Moreton Bay Ash	160		160	13.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7111	*Acacia disparrima*	Hickory Wattle	160		160	10.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: PE/2025/2047/303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
7112	*Acacia leiocalyx*	Early-flowering Black Wattle	140		140	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7113	*Alphitonia excelsa*	Soap Tree	250		250	13.0	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7114	*Corymbia intermedia*	Pink Bloodwood	350		350	17.0	6.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7115	*Petalostigma pubescens*	Quinine Bush	340		340	12.0	6.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7116	*Alphitonia excelsa*	Soap Tree	160		160	7.0	2.0	2.0	1.5	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7117	*Acacia disparrima*	Hickory Wattle	130		130	9.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7118	*Corymbia intermedia*	Pink Bloodwood	380		380	16.0	5.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7119	*Alphitonia excelsa*	Soap Tree	320		320	15.0	5.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7120	*Alphitonia excelsa*	Soap Tree	280		280	12.0	4.0	3.4	1.9	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7121	*Acacia leiocalyx*	Early-flowering Black Wattle	130		130	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7122	*Acacia leiocalyx*	Early-flowering Black Wattle	190	130	230	10.0	3.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7123	*Corymbia intermedia*	Pink Bloodwood	270		270	14.0	3.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7124	*Alphitonia excelsa*	Soap Tree	220		220	14.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7125	*Casuarina cunninghamiana*	River She-oak	200		200	9.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7126	*Lophostemon suaveolens*	Swamp Box	240		240	15.0	3.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7127	*Lophostemon suaveolens*	Swamp Box	250		250	12.0	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7128	*Eucalyptus tereticornis*	Forest Red Gum	490		490	17.0	8.0	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7129	*Corymbia intermedia*	Pink Bloodwood	300		300	17.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7130	*Acacia disparrima*	Hickory Wattle	220	100	242	10.0	3.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7131	*Corymbia tessellaris*	Moreton Bay Ash	400		400	17.0	5.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7132	*Casuarina cunninghamiana*	River She-oak	270		270	14.0	3.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7133	*Melaleuca quinquenervia*	Broad-leaved Paperbark	200		200	14.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7134	*Casuarina cunninghamiana*	River She-oak	270		270	15.0	3.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7135	*Acacia leiocalyx*	Early-flowering Black Wattle	150		150	10.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7136	*Alphitonia excelsa*	Soap Tree	140		140	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7137	*Acacia disparrima*	Hickory Wattle	180		180	12.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7138	*Alphitonia excelsa*	Soap Tree	210		210	10.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7139	*Casuarina cunninghamiana*	River She-oak	180		180	9.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7140	*Casuarina cunninghamiana*	River She-oak	360		360	12.0	3.0	4.3	2.2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7141	*Melaleuca quinquenervia*	Broad-leaved Paperbark	180		180	9.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7142	*Alphitonia excelsa*	Soap Tree	260		260	11.0	3.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7143	*Corymbia tessellaris*	Moreton Bay Ash	250		250	15.0	3.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7144	*Acacia disparrima*	Hickory Wattle	200		200	11.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7145	*Casuarina cunninghamiana*	River She-oak	190		190	15.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7146	*Melaleuca quinquenervia*	Broad-leaved Paperbark	200		200	15.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7147	*Angophora leiocarpa*	Smooth-barked Apple	300		300	16.0	4.0	3.6	2.0	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7148	*Melaleuca quinquenervia*	Broad-leaved Paperbark	210	200, 140	322	15.0	4.0	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7149	*Lophostemon suaveolens*	Swamp Box	240		240	16.0	3.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7150	*Alphitonia excelsa*	Soap Tree	190		190	13.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7151	*Melaleuca quinquenervia*	Broad-leaved Paperbark	220		220	12.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7152	*Angophora leiocarpa*	Smooth-barked Apple	420		420	16.0	5.0	5.0	2.3	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7153	*Casuarina cunninghamiana*	River She-oak	230		230	9.0	3.0	2.8	1.8	One-sided	-	-	-	-	-	Typical	Major	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: 1E\2025\2047303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
7154	*Melaleuca quinquenervia*	Broad-leaved Paperbark	270		270	14.0	3.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7155	*Melaleuca quinquenervia*	Broad-leaved Paperbark	200		200	11.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7156	*Melaleuca quinquenervia*	Broad-leaved Paperbark	160		160	16.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - basin & outlet works	
7157	*Acacia disparrima*	Hickory Wattle	170		170	13.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - basin & outlet works	
7158	*Eucalyptus tereticornis*	Forest Red Gum	240		240	16.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7159	*Alphitonia excelsa*	Soap Tree	230		230	14.0	3.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7160	*Eucalyptus tereticornis*	Forest Red Gum	300		300	17.0	4.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7161	*Corymbia intermedia*	Pink Bloodwood	250		250	17.0	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7162	*Alphitonia excelsa*	Soap Tree	250		250	16.0	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7163	*Petalostigma pubescens*	Quinine Bush	200		200	10.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7164	*Corymbia intermedia*	Pink Bloodwood	400		400	17.0	6.0	4.8	2.3	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7165	*Corymbia intermedia*	Pink Bloodwood	430		430	17.0	5.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7166	*Eucalyptus tereticornis*	Forest Red Gum	190		190	14.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7167	*Alphitonia excelsa*	Soap Tree	360		360	18.0	4.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7168	*Alphitonia excelsa*	Soap Tree	360		360	13.0	5.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7169	*Acacia disparrima*	Hickory Wattle	200		200	10.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7170	*Petalostigma pubescens*	Quinine Bush	260		260	10.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7171	*Petalostigma pubescens*	Quinine Bush	180		180	7.0	3.0	2.2	1.6	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7172	*Petalostigma pubescens*	Quinine Bush	200		200	10.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7173	*Petalostigma pubescens*	Quinine Bush	200		200	11.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7174	*Petalostigma pubescens*	Quinine Bush	200		200	9.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7175	*Petalostigma pubescens*	Quinine Bush	250		250	9.0	3.0	3.0	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7176	*Petalostigma pubescens*	Quinine Bush	220		220	9.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7177	*Petalostigma pubescens*	Quinine Bush	180		180	8.0	3.0	2.2	1.6	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7178	*Acacia disparrima*	Hickory Wattle	200		200	10.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7179	*Petalostigma pubescens*	Quinine Bush	250		250	8.0	3.0	3.0	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7180	*Petalostigma pubescens*	Quinine Bush	200		200	9.0	4.0	2.4	1.7	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7181	*Petalostigma pubescens*	Quinine Bush	250		250	10.0	4.0	3.0	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7182	*Alphitonia excelsa*	Soap Tree	150		150	9.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7183	*Petalostigma pubescens*	Quinine Bush	190		190	9.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7184	*Petalostigma pubescens*	Quinine Bush	160		160	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7185	*Alphitonia excelsa*	Soap Tree	330		330	14.0	3.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7186	*Petalostigma pubescens*	Quinine Bush	260		260	10.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7187	*Petalostigma pubescens*	Quinine Bush	190		190	10.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7188	*Petalostigma pubescens*	Quinine Bush	190		190	11.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7189	*Corymbia intermedia*	Pink Bloodwood	300		300	19.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7190	*Petalostigma pubescens*	Quinine Bush	290		290	10.0	4.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7191	*Acacia disparrima*	Hickory Wattle	150	130	198	10.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7192	*Petalostigma pubescens*	Quinine Bush	180		180	8.0	3.0	2.2	1.6	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7193	*Corymbia citriodora*	Spotted Gum	370		370	25.0	8.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7194	*Eucalyptus tereticornis*	Forest Red Gum	280		280	20.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7195	*Corymbia intermedia*	Pink Bloodwood	200		200	15.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: 1E\2025\2047303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
7196	*Corymbia citriodora*	Spotted Gum	420		420	20.0	8.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7197	*Alphitonia excelsa*	Soap Tree	200		200	14.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7198	*Acacia disparrima*	Hickory Wattle	150		150	8.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7199	*Alphitonia excelsa*	Soap Tree	190		190	14.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7200	*Eucalyptus tereticornis*	Forest Red Gum	180		180	15.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7201	*Petalostigma pubescens*	Quinine Bush	180	150, 150, 160	321	8.0	5.0	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7202	*Corymbia intermedia*	Pink Bloodwood	260		260	22.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7203	*Eucalyptus crebra*	Narrow-leaved Ironbark	400		400	25.0	10.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7204	*Alphitonia excelsa*	Soap Tree	200		200	10.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7205	*Alphitonia excelsa*	Soap Tree	150		150	15.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7206	*Eucalyptus tereticornis*	Forest Red Gum	200		200	20.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7207	*Corymbia intermedia*	Pink Bloodwood	400		400	20.0	9.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7208	*Acacia disparrima*	Hickory Wattle	160		160	10.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7209	*Alphitonia excelsa*	Soap Tree	180		180	15.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7210	*Eucalyptus tereticornis*	Forest Red Gum	320		320	22.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7211	*Alphitonia excelsa*	Soap Tree	190		190	15.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7212	*Eucalyptus tereticornis*	Forest Red Gum	320		320	25.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7213	*Lophostemon suaveolens*	Swamp Box	250		250	15.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7296	*Melaleuca viminalis*	Weeping Bottlebrush	160		160	5.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	Major	-	-	-	Typical	-	-	-	-	-	-	Removed	
7297	*Alphitonia excelsa*	Soap Tree	250		250	15.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7298	*Corymbia citriodora*	Spotted Gum	410		410	25.0	10.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7299	*Alphitonia excelsa*	Soap Tree	230		230	15.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7300	*Acacia disparrima*	Hickory Wattle	150		150	12.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7301	*Alphitonia excelsa*	Soap Tree	130		130	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7302	*Petalostigma pubescens*	Quinine Bush	140		140	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7303	*Alphitonia excelsa*	Soap Tree	170		170	10.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7304	*Corymbia citriodora*	Spotted Gum	330		330	25.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7305	*Corymbia intermedia*	Pink Bloodwood	350		350	20.0	7.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7306	*Petalostigma pubescens*	Quinine Bush	170		170	8.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7307	*Corymbia intermedia*	Pink Bloodwood	210		210	18.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7308	*Alphitonia excelsa*	Soap Tree	160		160	15.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7309	*Alphitonia excelsa*	Soap Tree	220		220	12.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7310	*Corymbia intermedia*	Pink Bloodwood	140		140	18.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7311	*Petalostigma pubescens*	Quinine Bush	130		130	8.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7312	*Corymbia citriodora*	Spotted Gum	390		390	21.0	8.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7313	*Petalostigma pubescens*	Quinine Bush	150		150	6.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7314	*Alphitonia excelsa*	Soap Tree	240		240	18.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7315	*Corymbia citriodora*	Spotted Gum	220		220	20.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7316	*Corymbia citriodora*	Spotted Gum	280		280	21.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7317	*Alphitonia excelsa*	Soap Tree	200		200	10.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7318	*Corymbia citriodora*	Spotted Gum	320		320	28.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7319	*Corymbia citriodora*	Spotted Gum	340		340	22.0	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: 1E\2025\2047303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
7320	*Acacia disparrima*	Hickory Wattle	150		150	8.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7321	*Acacia disparrima*	Hickory Wattle	180		180	9.0	2.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7322	*Acacia disparrima*	Hickory Wattle	150		150	10.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7323	*Acacia disparrima*	Hickory Wattle	160		160	10.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7324	*Acacia disparrima*	Hickory Wattle	170		170	8.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7325	*Acacia disparrima*	Hickory Wattle	130		130	10.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7326	*Acacia disparrima*	Hickory Wattle	130		130	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7327	*Corymbia intermedia*	Pink Bloodwood	300		300	23.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7328	*Alphitonia excelsa*	Soap Tree	380		380	18.0	7.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7329	*Acacia leiocalyx*	Early-flowering Black Wattle	210		210	8.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7330	*Acacia disparrima*	Hickory Wattle	170		170	10.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7331	*Acacia disparrima*	Hickory Wattle	180	170	248	8.0	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7332	*Corymbia tessellaris*	Moreton Bay Ash	210		210	20.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7333	*Acacia disparrima*	Hickory Wattle	150		150	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7334	*Acacia leiocalyx*	Early-flowering Black Wattle	130		130	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7335	*Petalostigma pubescens*	Quinine Bush	160		160	10.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7336	*Alphitonia excelsa*	Soap Tree	290		290	10.0	4.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7337	*Alphitonia excelsa*	Soap Tree	120		120	10.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7338	*Acacia leiocalyx*	Early-flowering Black Wattle	170		170	12.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7339	*Lophostemon suaveolens*	Swamp Box	120		120	10.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7340	*Petalostigma pubescens*	Quinine Bush	130		130	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7341	*Corymbia intermedia*	Pink Bloodwood	320		320	23.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7342	*Alphitonia excelsa*	Soap Tree	170		170	10.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7343	*Petalostigma pubescens*	Quinine Bush	150		150	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7344	*Acacia disparrima*	Hickory Wattle	140		140	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7345	*Acacia disparrima*	Hickory Wattle	130		130	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7346	*Corymbia intermedia*	Pink Bloodwood	150		150	15.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7347	*Corymbia intermedia*	Pink Bloodwood	170		170	15.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7348	*Corymbia intermedia*	Pink Bloodwood	420		420	20.0	10.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7349	*Eucalyptus tereticornis*	Forest Red Gum	310		310	20.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7350	*Corymbia citriodora*	Spotted Gum	400		400	23.0	8.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7351	*Corymbia intermedia*	Pink Bloodwood	220		220	18.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7352	*Alphitonia excelsa*	Soap Tree	160		160	5.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7353	*Acacia disparrima*	Hickory Wattle	190		190	18.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7354	*Acacia disparrima*	Hickory Wattle	140		140	15.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7355	*Acacia disparrima*	Hickory Wattle	170		170	10.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7356	*Acacia disparrima*	Hickory Wattle	160		160	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7357	*Acacia disparrima*	Hickory Wattle	150		150	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7358	*Petalostigma pubescens*	Quinine Bush	170		170	8.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7359	*Acacia disparrima*	Hickory Wattle	190		190	10.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7360	*Acacia disparrima*	Hickory Wattle	160		160	10.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7361	*Acacia disparrima*	Hickory Wattle	180		180	10.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: 1E\2025\2047303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
7362	*Eucalyptus tereticornis*	Forest Red Gum	150		150	20.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7363	*Petalostigma pubescens*	Quinine Bush	260		260	4.0	3.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7364	*Alphitonia excelsa*	Soap Tree	130		130	10.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7365	*Acacia disparrima*	Hickory Wattle	170	140	220	10.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7366	*Acacia disparrima*	Hickory Wattle	180		180	10.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7367	*Acacia disparrima*	Hickory Wattle	130		130	10.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7368	*Petalostigma pubescens*	Quinine Bush	200		200	8.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7369	*Eucalyptus tereticornis*	Forest Red Gum	350		350	20.0	8.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7370	*Alphitonia excelsa*	Soap Tree	140		140	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7371	*Alphitonia excelsa*	Soap Tree	250		250	18.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7372	*Alphitonia excelsa*	Soap Tree	180		180	10.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7373	*Alphitonia excelsa*	Soap Tree	180		180	8.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7374	*Alphitonia excelsa*	Soap Tree	150		150	10.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7375	*Casuarina cunninghamiana*	River She-oak	170		170	20.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7376	*Alphitonia excelsa*	Soap Tree	160		160	10.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7377	*Acacia disparrima*	Hickory Wattle	360		360	10.0	4.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7378	*Alphitonia excelsa*	Soap Tree	170		170	8.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7379	*Casuarina cunninghamiana*	River She-oak	170		170	10.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7380	*Melaleuca quinquenervia*	Broad-leaved Paperbark	170		170	15.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7381	*Melaleuca quinquenervia*	Broad-leaved Paperbark	230		230	15.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7382	*Melaleuca quinquenervia*	Broad-leaved Paperbark	330		330	18.0	6.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7383	*Corymbia intermedia*	Pink Bloodwood	210		210	18.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7384	*Alphitonia excelsa*	Soap Tree	240		240	15.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7385	*Acacia disparrima*	Hickory Wattle	210		210	15.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7386	*Eucalyptus tereticornis*	Forest Red Gum	220		220	20.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7387	*Alphitonia excelsa*	Soap Tree	140		140	15.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7388	*Alphitonia excelsa*	Soap Tree	140		140	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7389	*Melaleuca quinquenervia*	Broad-leaved Paperbark	140		140	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7390	*Alphitonia excelsa*	Soap Tree	170		170	10.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7391	*Corymbia intermedia*	Pink Bloodwood	300		300	20.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7392	*Acacia disparrima*	Hickory Wattle	160		160	10.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7393	*Corymbia intermedia*	Pink Bloodwood	400		400	22.0	8.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7394	*Alphitonia excelsa*	Soap Tree	340		340	18.0	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7395	*Corymbia intermedia*	Pink Bloodwood	400		400	20.0	8.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7396	*Alphitonia excelsa*	Soap Tree	280		280	20.0	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7397	*Acacia disparrima*	Hickory Wattle	180		180	18.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7398	*Acacia disparrima*	Hickory Wattle	170		170	12.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7399	*Petalostigma pubescens*	Quinine Bush	250		250	18.0	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7400	*Acacia leiocalyx*	Early-flowering Black Wattle	160		160	10.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7401	*Eucalyptus tereticornis*	Forest Red Gum	300		300	22.0	9.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7402	*Corymbia torelliana*	Cadaghi	160		160	15.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7403	*Alphitonia excelsa*	Soap Tree	220		220	10.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: 1E\2025\2047303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
7404	*Alphitonia excelsa*	Soap Tree	220		220	10.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7405	*Petalostigma pubescens*	Quinine Bush	170		170	10.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7406	*Petalostigma pubescens*	Quinine Bush	140		140	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC - CPTED	
7660	*Angophora subvelutina*	Broadleaf Apple	150		150	8.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7661	*Acacia leiocalyx*	Early Flowering Black Wattle	120		120	8.0	8.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7662	*Acacia leiocalyx*	Early Flowering Black Wattle	150		150	11.0	7.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7663	*Acacia leiocalyx*	Early Flowering Black Wattle	110		110	12.0	7.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7664	*Acacia leiocalyx*	Early Flowering Black Wattle	140		140	12.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7665	*Acacia leiocalyx*	Early Flowering Black Wattle	130		130	9.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7666	*Acacia leiocalyx*	Early Flowering Black Wattle	150		150	7.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7667	*Acacia leiocalyx*	Early Flowering Black Wattle	100		100	9.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7668	*Acacia leiocalyx*	Early Flowering Black Wattle	110		110	9.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7669	*Acacia leiocalyx*	Early Flowering Black Wattle	100		100	8.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7670	*Acacia leiocalyx*	Early Flowering Black Wattle	130	110	170	8.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7680	*Acacia leiocalyx*	Early Flowering Black Wattle	120		120	6.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7671	*Acacia leiocalyx*	Early Flowering Black Wattle	130		130	7.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7672	*Acacia leiocalyx*	Early Flowering Black Wattle	160		160	9.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7673	*Angophora subvelutina*	Broadleaf Apple	110		110	6.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7674	*Acacia leiocalyx*	Early Flowering Black Wattle	120		120	7.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7675	*Acacia leiocalyx*	Early Flowering Black Wattle	130		130	6.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7676	*Acacia leiocalyx*	Early Flowering Black Wattle	130	120	177	7.0	5.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7677	*Acacia leiocalyx*	Early Flowering Black Wattle	150		150	7.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7678	*Acacia leiocalyx*	Early Flowering Black Wattle	140		140	6.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7679	*Acacia leiocalyx*	Early Flowering Black Wattle	180	150	234	6.0	8.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7920	*Angophora subvelutina*	Broadleaf Apple	320		320	22.0	12.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7921	*Angophora subvelutina*	Broadleaf Apple	180		180	18.0	8.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7922	*Angophora subvelutina*	Broadleaf Apple	250		250	18.0	9.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7923	*Angophora subvelutina*	Broadleaf Apple	250		250	18.0	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7924	*Angophora subvelutina*	Broadleaf Apple	280		280	18.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7925	*Eucalyptus tereticornis*	Forest Red Gum	350		350	22.0	11.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7926	*Acacia disparrima*	Hickory Wattle	150		150	14.0	8.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7927	*Angophora subvelutina*	Broadleaf Apple	150		150	18.0	8.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7928	*Eucalyptus tereticornis*	Forest Red Gum	220		220	22.0	12.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7929	*Corymbia citriodora*	Spotted Gum	200		200	22.0	8.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7935	*Acacia disparrima*	Hickory Wattle	230		230	14.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7936	*Acacia disparrima*	Hickory Wattle	180		180	12.0	8.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7930	*Angophora subvelutina*	Broadleaf Apple	280	280	396	22.0	12.0	4.8	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7931	*Eucalyptus tereticornis*	Forest Red Gum	300		300	24.0	12.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7932	*Acacia disparrima*	Hickory Wattle	210		210	14.0	8.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7933	*Corymbia intermedia*	Pink Bloodwood	340		340	24.0	12.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7934	*Eucalyptus tereticornis*	Forest Red Gum	320		320	26.0	12.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7414	*Alphitonia excelsa*	Red Ash	170		170	12.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: 1E\2025\2047303
Date: 30 October 2025

Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
7415	*Alphitonia excelsa*	Red Ash	170		170	12.0	7.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7435	*Lophostemon suaveolens*	Swamp Box	150		150	14.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7436	*Grevillea robusta*	Silky Oak	220		220	18.0	7.0	2.6	1.8	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Retain	
7438	*Corymbia intermedia*	Pink Bloodwood	420		420	26.0	14.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7443	*Alchornea ilicifolia*	Native Holly	170		170	14.0	8.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7444	*Casuarina cunninghamiana*	River Sheoak	190		190	20.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7445	*Casuarina cunninghamiana*	River Sheoak	210		210	22.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7681	*Petalostigma pubescens*	Quinine Bush	140		140	6.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7682	*Acacia disparrima*	Hickory Wattle	140		140	5.0	9.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7683	*Petalostigma pubescens*	Quinine Bush	140		140	4.0	8.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7684	*Acacia disparrima*	Hickory Wattle	100		100	13.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7685	*Lophostemon suaveolens*	Swamp Box	310		310	20.0	12.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7686	*Petalostigma pubescens*	Quinine Bush	110		110	4.0	6.0	2.0	1.3	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7687	*Petalostigma pubescens*	Quinine Bush	120	90	150	4.0	8.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7688	*Petalostigma pubescens*	Quinine Bush	200	170	262	14.0	10.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7689	*Petalostigma pubescens*	Quinine Bush	230		230	5.0	10.0	2.8	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7691	*Alphitonia excelsa*	Red Ash	150		150	16.0	8.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7692	*Acacia disparrima*	Hickory Wattle	250		250	15.0	9.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7695	*Allocasuarina littoralis*	Black Sheoak	160		160	15.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7696	*Allocasuarina littoralis*	Black Sheoak	110		110	16.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7697	*Allocasuarina littoralis*	Black Sheoak	150	70	166	15.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7698	*Banksia integrifolia*	Coastal Banksia	130	70	148	14.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7699	*Allocasuarina littoralis*	Black Sheoak	170		170	15.0	7.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7700	*Allocasuarina littoralis*	Black Sheoak	100	70, 70	141	5.0	8.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7712	*Acacia leiocalyx*	Early Flowering Black Wattle	100		100	16.0	8.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7713	*Eucalyptus tereticornis*	Forest Red Gum	380		380	26.0	17.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7714	*Allocasuarina littoralis*	Black Sheoak	180		180	16.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7715	*Acacia leiocalyx*	Early Flowering Black Wattle	120		120	14.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7465	*Grevillea robusta*	Silky Oak	180		180	10.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	Major	-	-	-	Typical	-	-	-	-	-	-	Removed	
7467	*Melaleuca viminalis*	Weeping Bottlebrush	200		200	14.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	Major	-	-	-	Typical	-	-	-	-	-	-	Removed	
7728	*Lophostemon suaveolens*	Swamp Box	170		170	16.0	9.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7522	*DEAD/STAG*		480		480	18.0	2.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Removed	
7794	*Corymbia citriodora*	Spotted Gum	290		290	22.0	11.0	3.5	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7795	*Corymbia citriodora*	Spotted Gum	280		280	25.0	2.0	3.4	1.9	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7797	*Acacia leiocalyx*	Early Flowering Black Wattle	110		110	8.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7798	*Eucalyptus siderophloia*	Grey Ironbark	120		120	15.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7452	*Petalostigma pubescens*	Quinine Bush	260		260	10.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7453	*Allocasuarina littoralis*	Black Sheoak	140		140	10.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7542	*Corymbia tessellaris*	Moreton Bay Ash	150		150	12.0	7.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7543	*Pinus elliotii*	Slash Pine	350		350	16.0	8.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7544	*Alphitonia excelsa*	Red Ash	120		120	10.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7545	*Corymbia tessellaris*	Moreton Bay Ash	160		160	12.0	7.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: PE/2025/2047/303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
7546	*Alphitonia excelsa*	Red Ash	80		80	4.0	1.0	2.0	1.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7547	*Eucalyptus tereticornis*	Forest Red Gum	120		120	12.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7552	*Alphitonia excelsa*	Red Ash	110	110	156	8.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7557	*Lophostemon suaveolens*	Swamp Box	130		130	12.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7563	*Pinus elliotii*	Slash Pine	160		160	12.0	7.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7568	*Eucalyptus tereticornis*	Forest Red Gum	260		260	24.0	12.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7569	*Lophostemon suaveolens*	Swamp Box	150	120, 120	226	16.0	7.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7570	*Acacia fimbriata*	Fringed Wattle	150		150	10.0	7.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7805	*Alphitonia excelsa*	Red Ash	110		110	6.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7806	*Alphitonia excelsa*	Red Ash	120		120	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7807	*Acacia disparrima*	Hickory Wattle	130	120	177	10.0	5.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7808	*Acacia disparrima*	Hickory Wattle	100		100	12.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7809	*Acacia fimbriata*	Fringed Wattle	120		120	13.0	9.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7810	*Lophostemon suaveolens*	Swamp Box	210		210	16.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7811	*Acacia fimbriata*	Fringed Wattle	110		110	12.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7812	*Lophostemon suaveolens*	Swamp Box	190	180	262	16.0	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7814	*Acacia disparrima*	Hickory Wattle	200	190, 130	305	14.0	15.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7815	*Eucalyptus tereticornis*	Forest Red Gum	110		110	16.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7816	*Eucalyptus tereticornis*	Forest Red Gum	140		140	16.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7817	*Alphitonia excelsa*	Red Ash	120		120	12.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7818	*Acacia fimbriata*	Fringed Wattle	80	80, 80, 70, 40	160	12.0	8.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7819	*Alphitonia excelsa*	Red Ash	100		100	12.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7820	*Alphitonia excelsa*	Red Ash	100		100	6.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7821	*Alphitonia excelsa*	Red Ash	100		100	6.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7822	*Alphitonia excelsa*	Red Ash	160		160	6.0	7.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7823	*Lophostemon suaveolens*	Swamp Box	110	80, 60	149	15.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7824	*Lophostemon suaveolens*	Swamp Box	170		170	16.0	8.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7825	*Acacia disparrima*	Hickory Wattle	170		170	16.0	7.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7826	*Eucalyptus tereticornis*	Forest Red Gum	170		170	18.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7827	*Acacia disparrima*	Hickory Wattle	200	130, 190	305	15.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7828	*Alphitonia excelsa*	Red Ash	110		110	12.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7829	*Lophostemon suaveolens*	Swamp Box	200		200	16.0	8.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7830	*Lophostemon suaveolens*	Swamp Box	120		120	8.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7831	*Alphitonia excelsa*	Red Ash	110		110	14.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7832	*Eucalyptus tereticornis*	Forest Red Gum	160		160	16.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7407	*Corymbia intermedia*	Pink Bloodwood	320		320	24.0	12.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7408	*Acacia disparrima*	Hickory Wattle	140		140	7.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7409	*Alphitonia excelsa*	Red Ash	170		170	12.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7410	*Eucalyptus tereticornis*	Forest Red Gum	160		160	14.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7411	*Alphitonia excelsa*	Red Ash	140		140	9.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7412	*Acacia disparrima*	Hickory Wattle	180		180	10.0	7.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7413	*Alphitonia excelsa*	Red Ash	130		130	12.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: 1E\2025\2047303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
7416	*Alphitonia excelsa*	Red Ash	150		150	12.0	7.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7417	*Alphitonia excelsa*	Red Ash	150		150	12.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7418	*Grevillea robusta*	Silky Oak	480		480	24.0	12.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7419	*Grevillea robusta*	Silky Oak	260		260	24.0	10.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7420	*Lophostemon suaveolens*	Swamp Box	270		270	22.0	10.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7421	*Lophostemon suaveolens*	Swamp Box	170		170	20.0	8.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7422	*Alchornea ilicifolia*	Native Holly	130		130	9.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7423	*Grevillea robusta*	Silky Oak	140		140	16.0	7.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7424	*Eucalyptus tereticornis*	Forest Red Gum	330		330	24.0	14.0	4.0	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	Old	-	-	-	-	Retain	
7428	*Casuarina cunninghamiana*	River Sheoak	340		340	22.0	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7433	*Alphitonia excelsa*	Red Ash	170		170	12.0	7.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7437	*Casuarina cunninghamiana*	River Sheoak	120		120	18.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7439	*Alchornea ilicifolia*	Native Holly	220		220	12.0	7.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7440	*Alphitonia excelsa*	Red Ash	220		220	18.0	8.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7441	*DEAD/STAG*		550		550	16.0	4.0	6.6	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Retain	
7442	*Grevillea robusta*	Silky Oak	160		160	18.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7446	*Casuarina cunninghamiana*	River Sheoak	250		250	22.0	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7447	*Eucalyptus siderophloia*	Grey Ironbark	260		260	26.0	14.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7448	*Alphitonia excelsa*	Red Ash	270		270	22.0	10.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7449	*Eucalyptus tereticornis*	Forest Red Gum	450		450	26.0	14.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Old	-	-	-	-	Retain	
7450	*Allocasuarina littoralis*	Black Sheoak	140		140	10.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7451	*Corymbia intermedia*	Pink Bloodwood	280		280	24.0	14.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7454	*Corymbia intermedia*	Pink Bloodwood	600		600	26.0	12.0	7.2	2.7	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7455	*Corymbia intermedia*	Pink Bloodwood	240		240	22.0	14.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7456	*Corymbia intermedia*	Pink Bloodwood	230		230	22.0	10.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7457	*Alphitonia excelsa*	Red Ash	180		180	10.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7458	*Acacia disparrima*	Hickory Wattle	150		150	8.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Retain	
7459	*Petalostigma pubescens*	Quinine Bush	170		170	10.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7460	*Corymbia citriodora*	Spotted Gum	290		290	26.0	12.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7461	*Acacia disparrima*	Hickory Wattle	260		260	12.0	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7462	*Alphitonia excelsa*	Red Ash	120		120	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Retain	
7463	*Eucalyptus tereticornis*	Forest Red Gum	210		210	22.0	12.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7464	*Lophostemon suaveolens*	Swamp Box	190		190	14.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7514	*Alphitonia excelsa*	Red Ash	140		140	16.0	7.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - basin & outlet works	
7515	*Petalostigma pubescens*	Quinine Bush	250		250	8.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7516	*Alphitonia excelsa*	Red Ash	330		330	14.0	12.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7517	*Eucalyptus siderophloia*	Grey Ironbark	390		390	26.0	14.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain	
7518	*DEAD/STAG*		540		540	12.0	4.0	6.5	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Retain	
7519	*Eucalyptus tereticornis*	Forest Red Gum	220		220	20.0	10.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7520	*Corymbia intermedia*	Pink Bloodwood	270		270	20.0	10.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7521	*Corymbia citriodora*	Spotted Gum	330		330	26.0	12.0	4.0	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7523	*Alphitonia excelsa*	Red Ash	230		230	12.0	10.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: DEV2025/2047303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
7524	*Corymbia citriodora*	Spotted Gum	240		240	24.0	10.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7525	*Corymbia citriodora*	Spotted Gum	350		350	24.0	14.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7526	*Corymbia citriodora*	Spotted Gum	150		150	18.0	6.0	2.0	1.5	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7527	*Eucalyptus siderophloia*	Grey Ironbark	630		630	24.0	12.0	7.6	2.7	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Retain	
7528	*Eucalyptus siderophloia*	Grey Ironbark	120		120	14.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7529	*Alphitonia excelsa*	Red Ash	240		240	18.0	10.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7530	*Eucalyptus siderophloia*	Grey Ironbark	130		130	14.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7531	*Corymbia citriodora*	Spotted Gum	340		340	26.0	14.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7532	*Eucalyptus siderophloia*	Grey Ironbark	130		130	16.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7533	*Eucalyptus tereticornis*	Forest Red Gum	200		200	20.0	10.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7534	*Eucalyptus siderophloia*	Grey Ironbark	220		220	26.0	12.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7535	*Corymbia citriodora*	Spotted Gum	170		170	20.0	7.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7536	*Alphitonia excelsa*	Red Ash	170		170	12.0	7.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7537	*Corymbia citriodora*	Spotted Gum	310		310	26.0	14.0	3.7	2.0	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7538	*Eucalyptus tereticornis*	Forest Red Gum	140		140	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7539	*Corymbia citriodora*	Spotted Gum	310		310	28.0	12.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7540	*Corymbia citriodora*	Spotted Gum	210		210	18.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7541	*Corymbia citriodora*	Spotted Gum	320		320	28.0	14.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7548	*Pinus elliotii*	Slash Pine	440		440	18.0	10.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7549	*Corymbia intermedia*	Pink Bloodwood	110		110	12.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7550	*Eucalyptus tereticornis*	Forest Red Gum	140		140	14.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7551	*Grevillea robusta*	Silky Oak	100		100	14.0	6.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7553	*Casuarina cunninghamiana*	River Sheoak	150	150	212	18.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - basin & outlet works	
7554	*Eucalyptus tereticornis*	Forest Red Gum	150		150	12.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7555	*Angophora subvelutina*	Broadleaf Apple	180		180	12.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7556	*Corymbia intermedia*	Pink Bloodwood	170	130	214	14.0	5.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7558	*Eucalyptus tereticornis*	Forest Red Gum	330		330	24.0	12.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7559	*Acacia concurrens*	Black Wattle	200		200	10.0	8.0	2.4	1.7	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Retain	
7560	*Lophostemon suaveolens*	Swamp Box	320		320	14.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7561	*Grevillea robusta*	Silky Oak	110		110	8.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7562	*Acacia concurrens*	Black Wattle	150		150	10.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7564	*Casuarina cunninghamiana*	River Sheoak	200	180	269	20.0	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7565	*Casuarina cunninghamiana*	River Sheoak	210	180	277	20.0	8.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7566	*Casuarina cunninghamiana*	River Sheoak	160		160	18.0	7.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7567	*Acacia concurrens*	Black Wattle	180		180	11.0	7.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7571	*Lophostemon suaveolens*	Swamp Box	120		120	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7572	*Lophostemon suaveolens*	Swamp Box	230		230	16.0	8.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7573	*Lophostemon suaveolens*	Swamp Box	130		130	12.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7574	*Corymbia citriodora*	Spotted Gum	120		120	12.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7575	*Lophostemon suaveolens*	Swamp Box	130		130	8.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7576	*Corymbia citriodora*	Spotted Gum	120		120	12.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7577	*Angophora leiocarpa*	Smooth Barked Apple	120		120	12.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: DEV2025/2047303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
7578	*Lophostemon suaveolens*	Swamp Box	230		230	18.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7579	*Lophostemon suaveolens*	Swamp Box	130		130	10.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7580	*Alphitonia excelsa*	Red Ash	130		130	12.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7583	*Corymbia citriodora*	Spotted Gum	440		440	28.0	14.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7584	*Corymbia citriodora*	Spotted Gum	140		140	12.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7586	*Eucalyptus tereticornis*	Forest Red Gum	280		280	26.0	12.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7588	*Corymbia citriodora*	Spotted Gum	370		370	28.0	14.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7589	*Corymbia citriodora*	Spotted Gum	450		450	28.0	14.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7590	*Corymbia citriodora*	Spotted Gum	330		330	26.0	10.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7591	*Eucalyptus tereticornis*	Forest Red Gum	130		130	14.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7592	*Corymbia citriodora*	Spotted Gum	370		370	28.0	16.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7593	*Angophora leiocarpa*	Smooth Barked Apple	440		440	22.0	14.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7594	*Corymbia citriodora*	Spotted Gum	110		110	10.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7595	*Alphitonia excelsa*	Red Ash	120		120	12.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7596	*Lophostemon suaveolens*	Swamp Box	240	130	273	15.0	6.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7597	*Lophostemon suaveolens*	Swamp Box	230		230	10.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7598	*Lophostemon suaveolens*	Swamp Box	190		190	8.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7600	*Eucalyptus tereticornis*	Forest Red Gum	470		470	26.0	12.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7601	*Eucalyptus tereticornis*	Forest Red Gum	390		390	28.0	14.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7602	*Corymbia citriodora*	Spotted Gum	520		520	26.0	12.0	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7603	*Corymbia citriodora*	Spotted Gum	380		380	28.0	14.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7604	*Alphitonia excelsa*	Red Ash	120		120	10.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7605	*Angophora leiocarpa*	Smooth Barked Apple	300		300	24.0	13.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7657	*Acacia disparrima*	Hickory Wattle	150		150	4.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7658	*Acacia leiocalyx*	Early Flowering Black Wattle	150		150	6.0	7.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7659	*Angophora subvelutina*	Broadleaf Apple	110		110	10.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7690	*Petalostigma pubescens*	Quinine Bush	100		100	5.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7693	*Petalostigma pubescens*	Quinine Bush	100	60, 70	136	6.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7694	*Petalostigma pubescens*	Quinine Bush	200	130, 100	259	15.0	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7701	*Alphitonia excelsa*	Red Ash	120		120	14.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7702	*Alphitonia excelsa*	Red Ash	120		120	14.0	3.0	2.0	1.4	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7703	*Alphitonia excelsa*	Red Ash	150		150	17.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7704	*Petalostigma pubescens*	Quinine Bush	150		150	5.0	7.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7705	*Petalostigma pubescens*	Quinine Bush	140		140	6.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7706	*Petalostigma pubescens*	Quinine Bush	170		170	10.0	13.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7707	*Petalostigma pubescens*	Quinine Bush	110	90	142	4.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7708	*Petalostigma pubescens*	Quinine Bush	200		200	17.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7709	*Petalostigma pubescens*	Quinine Bush	110		110	7.0	6.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7710	*Corymbia intermedia*	Pink Bloodwood	180		180	16.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7711	*Corymbia intermedia*	Pink Bloodwood	490		490	25.0	14.0	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7716	*Acacia fimbriata*	Fringed Wattle	90	90, 90, 30	159	14.0	9.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7717	*Acacia leiocalyx*	Early Flowering Black Wattle	150		150	15.0	9.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: PE/2025/2047/303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
7718	*Acacia leiocalyx*	Early Flowering Black Wattle	150		150	17.0	9.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7719	*Acacia disparrima*	Hickory Wattle	180		180	17.0	10.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7720	*Acacia disparrima*	Hickory Wattle	190	100	215	13.0	10.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7721	*Petalostigma pubescens*	Quinine Bush	220		220	6.0	15.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7722	*Corymbia citriodora*	Spotted Gum	200		200	20.0	13.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7723	*Petalostigma pubescens*	Quinine Bush	160	160	226	4.0	11.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7724	*Eucalyptus tereticornis*	Forest Red Gum	200		200	23.0	10.0	2.4	1.7	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7725	*Acacia disparrima*	Hickory Wattle	170		170	16.0	10.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7726	*Corymbia tessellaris*	Moreton Bay Ash	100	90	135	16.0	1.0	2.0	1.4	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7727	*Lophostemon suaveolens*	Swamp Box	180		180	16.0	8.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7776	*Alphitonia excelsa*	Red Ash	150		150	15.0	10.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7777	*Alphitonia excelsa*	Red Ash	150		150	13.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7778	*Eucalyptus tereticornis*	Forest Red Gum	430		430	22.0	16.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7779	*Lophostemon suaveolens*	Swamp Box	240		240	16.0	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - basin & outlet works	
7780	*Acacia leiocalyx*	Early Flowering Black Wattle	120		120	15.0	9.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7781	*Acacia leiocalyx*	Early Flowering Black Wattle	110		110	16.0	6.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7782	*Allocasuarina littoralis*	Black Sheoak	150		150	16.0	8.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7783	*Allocasuarina littoralis*	Black Sheoak	100	70, 70	141	13.0	8.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7784	*Eucalyptus siderophloia*	Grey Ironbark	200		200	20.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - basin & outlet works	
7785	*Allocasuarina littoralis*	Black Sheoak	120		120	10.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7786	*Corymbia citriodora*	Spotted Gum	320		320	22.0	14.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7787	*Acacia disparrima*	Hickory Wattle	100	100, 80	162	4.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7788	*Corymbia citriodora*	Spotted Gum	270		270	20.0	13.0	3.2	1.9	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7789	*Alphitonia excelsa*	Red Ash	220		220	14.0	13.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7790	*Petalostigma pubescens*	Quinine Bush	170		170	3.0	2.0	2.0	1.6	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7791	*Eucalyptus siderophloia*	Grey Ironbark	260		260	20.0	13.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7792	*Acacia leiocalyx*	Early Flowering Black Wattle	100		100	12.0	6.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7793	*Acacia leiocalyx*	Early Flowering Black Wattle	110		110	13.0	7.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7796	*Acacia leiocalyx*	Early Flowering Black Wattle	140		140	15.0	7.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7799	*Acacia leiocalyx*	Early Flowering Black Wattle	130		130	14.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7800	*Eucalyptus tereticornis*	Forest Red Gum	120		120	16.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7801	*Acacia leiocalyx*	Early Flowering Black Wattle	120		120	14.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7802	*Eucalyptus tereticornis*	Forest Red Gum	190		190	18.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7803	*Corymbia citriodora*	Spotted Gum	270		270	20.0	14.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7804	*Eucalyptus tereticornis*	Forest Red Gum	240		240	20.0	11.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7813	*Eucalyptus tereticornis*	Forest Red Gum	120		120	16.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Removed	
7833	*Corymbia citriodora*	Spotted Gum	200		200	16.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7834	*Corymbia citriodora*	Spotted Gum	380		380	24.0	14.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7835	*Corymbia citriodora*	Spotted Gum	420		420	20.0	19.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7836	*Corymbia citriodora*	Spotted Gum	110		110	15.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7837	*Lophostemon suaveolens*	Swamp Box	270		270	17.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7838	*DEAD/STAG*		540		540	18.0	8.0	6.5	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Retain	possum observed

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: DEV2025/2047303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
7839	*Corymbia citriodora*	Spotted Gum	140		140	16.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7840	*Lophostemon suaveolens*	Swamp Box	200	180	269	16.0	9.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7841	*Corymbia citriodora*	Spotted Gum	160		160	18.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7842	*Corymbia citriodora*	Spotted Gum	280		280	24.0	15.0	3.4	1.9	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7844	*Lophostemon suaveolens*	Swamp Box	160		160	14.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7845	*Corymbia intermedia*	Pink Bloodwood	190		190	16.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7846	*Lophostemon suaveolens*	Swamp Box	100	80	128	10.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7847	*Lophostemon suaveolens*	Swamp Box	220		220	15.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7848	*Lophostemon suaveolens*	Swamp Box	210		210	16.0	8.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7849	*Corymbia citriodora*	Spotted Gum	250		250	20.0	10.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7850	*Lophostemon suaveolens*	Swamp Box	190		190	17.0	8.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7851	*Lophostemon suaveolens*	Swamp Box	190		190	16.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7852	*Lophostemon suaveolens*	Swamp Box	130		130	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7853	*Lophostemon suaveolens*	Swamp Box	100		100	12.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7854	*Corymbia citriodora*	Spotted Gum	180		180	18.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7853	*Lophostemon suaveolens*	Swamp Box	100		100	12.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7854	*Corymbia citriodora*	Spotted Gum	180		180	18.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7855	*Corymbia citriodora*	Spotted Gum	200		200	19.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7856	*Alphitonia excelsa*	Red Ash	130		130	15.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7857	*Lophostemon suaveolens*	Swamp Box	140		140	14.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7858	*Lophostemon suaveolens*	Swamp Box	110		110	14.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7859	*Corymbia citriodora*	Spotted Gum	260		260	20.0	10.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7862	*Corymbia citriodora*	Spotted Gum	230		230	20.0	19.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7937	*Eucalyptus pilularis*	Blackbutt	320		320	20.0	5.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
7938	*Eucalyptus pilularis*	Blackbutt	620		620	23.0	7.0	7.4	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
7939	*Eucalyptus pilularis*	Blackbutt	270	260	375	17.0	5.0	4.5	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
7940	*Eucalyptus pilularis*	Blackbutt	620		620	23.0	9.0	7.4	2.7	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
7941	*Eucalyptus pilularis*	Blackbutt	560		560	7.0	3.0	6.7	2.6	Regular	-	-	-	Epicormic	Lopped	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
7942	*Eucalyptus pilularis*	Blackbutt	420		420	17.0	7.0	5.0	2.3	One-sided	-	-	-	-	Lopped	Typical	Minor	-	-	-	Typical	-	-	-	-		-	Retain	
7943	*Eucalyptus pilularis*	Blackbutt	430		430	23.0	5.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
7944	*Eucalyptus pilularis*	Blackbutt	460		460	23.0	6.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-		-	Retain	
7945	*Eucalyptus pilularis*	Blackbutt	320		320	19.0	5.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
7946	*Eucalyptus pilularis*	Blackbutt	620		620	23.0	8.0	7.4	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
7947	*Eucalyptus pilularis*	Blackbutt	580		580	23.0	7.0	7.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
7948	*Eucalyptus pilularis*	Blackbutt	230	170	286	17.0	5.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
7949	*DEAD/STAG*		210		210	6.0	1.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
7950	*Eucalyptus pilularis*	Blackbutt	450		450	22.0	7.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
7951	*Eucalyptus pilularis*	Blackbutt	440		440	21.0	7.0	5.3	2.3	Regular	-	-	-	-	-	Typical	Minor	-	Trunk Dmg.	-	Typical	-	-	-	-		-	Retain	
7952	*DEAD/STAG*		180	180	255	17.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
7953	*Corymbia citriodora*	Spotted Gum	230		230	18.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
7954	*Eucalyptus grandis*	Flooded Gum	390		390	21.0	7.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
7955	*Petalostigma pubescens*	Quinine Bush	105		105	5.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
7956	*Petalostigma pubescens*	Quinine Bush	125		125	5.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
7957	*Petalostigma pubescens*	Quinine Bush	125		125	5.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: DEV2025/2047303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
7958	*Petalostigma pubescens*	Quinine Bush	120		120	5.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
7959	*Petalostigma pubescens*	Quinine Bush	140		140	5.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
7960	*Acacia disparrima*	Hickory Wattle	160		160	5.0	3.0	2.0	1.5	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-		-	Retain	
7961	*DEAD/STAG*		230		230	13.0	3.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
7962	*Petalostigma pubescens*	Quinine Bush	330		330	9.0	4.0	4.0	2.1	Irregular	-	Thinning	Die-back	-	-	Poor	-	-	Trunk Dmg.	-	Poor	-	-	-	-		-	Retain	
7963	*Corymbia intermedia*	Pink Bloodwood	420		420	22.0	8.0	5.0	2.3	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
7964	*Acacia disparrima*	Hickory Wattle	180		180	7.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-		-	Retain	
7965	*DEAD/STAG*		330		330	12.0	5.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
7966	*Acacia disparrima*	Hickory Wattle	150		150	5.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
7967	*DEAD/STAG*		160		160	7.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-		-	Retain	
7968	*DEAD/STAG*		150		150	7.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
7969	*Acacia disparrima*	Hickory Wattle	140		140	5.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
7970	*Allocasuarina littoralis*	Black She-oak	220	170	278	9.0	6.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
7971	*Allocasuarina littoralis*	Black She-oak	145		145	9.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
7972	*Acacia disparrima*	Hickory Wattle	270		270	9.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
7973	*Corymbia tessellaris*	Moreton Bay Ash	100		100	8.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
7974	*Corymbia intermedia*	Pink Bloodwood	465		465	22.0	9.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
7975	*Allocasuarina littoralis*	Black She-oak	230		230	9.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
7976	*Acacia disparrima*	Hickory Wattle	145		145	8.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-		-	Retain	
7977	*Allocasuarina littoralis*	Black She-oak	180	180	255	11.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
7978	*Corymbia intermedia*	Pink Bloodwood	320		320	20.0	6.0	3.8	2.1	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	Trunk Dmg.	-	Poor	-	-	-	-		-	Retain	
7979	*Lophostemon suaveolens*	Swamp Box	260		260	10.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
7980	*DEAD/STAG*		260		260	9.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
7981	*Allocasuarina littoralis*	Black She-oak	165		165	6.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-		-	Retain	
7982	*Lophostemon suaveolens*	Swamp Box	340		340	16.0	6.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
7983	*Allocasuarina littoralis*	Black She-oak	160		160	11.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	Minor	-	Trunk Dmg.	-	Typical	-	-	-	-		-	Retain	
7984	*Acacia concurrens*	Black Wattle	200		200	9.0	4.0	2.4	1.7	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
7985	*Allocasuarina littoralis*	Black She-oak	155		155	11.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
7986	*Allocasuarina littoralis*	Black She-oak	165		165	7.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
7987	*Allocasuarina littoralis*	Black She-oak	100		100	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
7988	*Allocasuarina littoralis*	Black She-oak	140	140	198	12.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
7989	*Allocasuarina littoralis*	Black She-oak	130		130	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
7990	*Lophostemon suaveolens*	Swamp Box	150		150	11.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
7991	*Allocasuarina littoralis*	Black She-oak	130	130	184	9.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
7992	*Acacia concurrens*	Black Wattle	185		185	10.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
7993	*Allocasuarina littoralis*	Black She-oak	180		180	7.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	Major	-	Trunk Dmg.	-	Poor	-	-	-	-		-	Retain	
7994	*Allocasuarina littoralis*	Black She-oak	180		180	10.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
7995	*Allocasuarina littoralis*	Black She-oak	100		100	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
7996	*DEAD/STAG*		155		155	8.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-		-	Retain	
7997	*Allocasuarina littoralis*	Black She-oak	170		170	9.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
7998	*Petalostigma pubescens*	Quinine Bush	330		330	7.0	5.0	4.0	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
7999	*Allocasuarina littoralis*	Black She-oak	140		140	9.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: PE/2025/2047/303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
8000	*Allocasuarina littoralis*	Black She-oak	155		155	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
8001	*Allocasuarina littoralis*	Black She-oak	160		160	7.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-		-	Retain	
8002	*Lophostemon suaveolens*	Swamp Box	280		280	12.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
8003	*Allocasuarina littoralis*	Black She-oak	140		140	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
8004	*Allocasuarina littoralis*	Black She-oak	110		110	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
8005	*Allocasuarina littoralis*	Black She-oak	140		140	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
8006	*Allocasuarina littoralis*	Black She-oak	140		140	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
8007	*Alphitonia excelsa*	Soap Tree	190		190	10.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
8008	*Petalostigma pubescens*	Quinine Bush	125		125	4.0	2.0	2.0	1.4	Irregular	-	Thinning	Die-back	-	-	Poor	Minor	-	Trunk Dmg.	-	Poor	-	-	-	-		-	Retain	
8009	*Corymbia intermedia*	Pink Bloodwood	155		155	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-		-	Retain	
8010	*Allocasuarina littoralis*	Black She-oak	165		165	9.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
8011	*Corymbia intermedia*	Pink Bloodwood	185		185	10.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
8012	*DEAD/STAG*		300		300	2.0	1.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
8013	*Eucalyptus tereticornis*	Forest Red Gum	720		720	23.0	14.0	8.6	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
8014	*Casuarina cunninghamiana*	River She-oak	160		160	9.0	1.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
8015	*Lophostemon suaveolens*	Swamp Box	330		330	13.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
8016	*Corymbia tessellaris*	Moreton Bay Ash	440		440	23.0	11.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
8017	*DEAD/STAG*		290		290	3.0	1.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
8018	*Allocasuarina littoralis*	Black She-oak	105		105	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Removed	
8019	*Acacia disparrima*	Hickory Wattle	130		130	5.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Removed	
8020	*Acacia concurrens*	Black Wattle	180		180	9.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Removed	
8021	*Corymbia tessellaris*	Moreton Bay Ash	160		160	13.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Removed	
8022	*Petalostigma pubescens*	Quinine Bush	170	170	240	7.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Removed	
8023	*Eucalyptus tereticornis*	Forest Red Gum	530		530	23.0	11.0	6.4	2.5	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-		-	Removed	
8024	*Lophostemon suaveolens*	Swamp Box	220		220	11.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Removed	
8025	*DEAD/STAG*		160		160	8.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-		-	Removed	
8026	*Alphitonia excelsa*	Soap Tree	320		320	11.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Removed	
8027	*Corymbia torelliana*	Cadaghi	230		230	9.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Removed	
8028	*Corymbia intermedia*	Pink Bloodwood	620		620	25.0	13.0	7.4	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
8029	*DEAD/STAG*		385		385	11.0	7.0	4.6	2.2	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-		-	Retain	
8030	*Corymbia tessellaris*	Moreton Bay Ash	330		330	21.0	9.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
8031	*Allocasuarina littoralis*	Black She-oak	145		145	5.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	Minor	-	Trunk Dmg.	-	Typical	-	-	-	-		-	Retain	
8032	*DEAD/STAG*		165		165	7.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
8033	*DEAD/STAG*		185		185	8.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
8034	*Corymbia intermedia*	Pink Bloodwood	370		370	23.0	10.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
8035	*Angophora subvelutina*	Broad-leaved Apple	410		410	18.0	8.0	4.9	2.3	One-sided	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
8036	*Angophora subvelutina*	Broad-leaved Apple	420		420	20.0	11.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
8037	*Allocasuarina littoralis*	Black She-oak	320		320	11.0	5.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
8038	*Allocasuarina littoralis*	Black She-oak	140		140	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
8039	*Eucalyptus pilularis*	Blackbutt	430		430	20.0	14.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
8040	*Eucalyptus pilularis*	Blackbutt	360		360	19.0	12.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
8041	*Corymbia intermedia*	Pink Bloodwood	210		210	15.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: PE/2025/2047/303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
8042	*Acacia concurrens*	Black Wattle	110		110	8.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
8043	*Acacia concurrens*	Black Wattle	120		120	7.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
8044	*Eucalyptus pilularis*	Blackbutt	350		350	22.0	15.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
8045	*Eucalyptus pilularis*	Blackbutt	240	170	294	19.0	13.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
8046	*Eucalyptus pilularis*	Blackbutt	280		280	20.0	14.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
8047	*Eucalyptus pilularis*	Blackbutt	260	240	354	22.0	15.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
8048	*Eucalyptus pilularis*	Blackbutt	370		370	20.0	14.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
8049	*Eucalyptus grandis*	Flooded Gum	370		370	17.0	10.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
8050	*Petalostigma pubescens*	Quinine Bush	200		200	6.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
8051	*Petalostigma pubescens*	Quinine Bush	280		280	11.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	Major	-	-	-	Typical	-	-	-	-		-	Retain	
8052	*Petalostigma pubescens*	Quinine Bush	190		190	7.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-		-	Retain	
8053	*Eucalyptus grandis*	Flooded Gum	300		300	20.0	15.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
8054	*DEAD/STAG*		260		260	8.0	3.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
8055	*Eucalyptus grandis*	Flooded Gum	420		420	16.0	12.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
8056	*Corymbia intermedia*	Pink Bloodwood	360		360	18.0	13.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
8057	*DEAD/STAG*		150		150	6.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
8058	*Corymbia intermedia*	Pink Bloodwood	400		400	16.0	8.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
8059	*Corymbia intermedia*	Pink Bloodwood	280		280	14.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
8060	*Eucalyptus tereticornis*	Forest Red Gum	460		460	19.0	14.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
8061	*Allocasuarina littoralis*	Black She-oak	170		170	10.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
8062	*Allocasuarina littoralis*	Black She-oak	180		180	11.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
8063	*Allocasuarina littoralis*	Black She-oak	100		100	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
8064	*Allocasuarina littoralis*	Black She-oak	150		150	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
8065	*Corymbia tessellaris*	Moreton Bay Ash	180		180	17.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
8066	*Allocasuarina littoralis*	Black She-oak	160		160	12.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
8067	*DEAD/STAG*		200		200	6.0	2.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
8068	*Allocasuarina littoralis*	Black She-oak	170	130	214	10.0	8.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
8069	*Allocasuarina littoralis*	Black She-oak	100		100	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-		-	Retain	
8070	*Allocasuarina littoralis*	Black She-oak	130		130	13.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
8071	*Allocasuarina littoralis*	Black She-oak	280		280	15.0	11.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
8072	*Allocasuarina littoralis*	Black She-oak	120		120	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
8073	*Allocasuarina littoralis*	Black She-oak	150		150	9.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Removed	
8074	*Petalostigma pubescens*	Quinine Bush	200		200	6.0	2.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Removed	
8075	*Allocasuarina littoralis*	Black She-oak	150		150	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Removed	
8076	*Petalostigma pubescens*	Quinine Bush	240		240	5.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
8077	*Allocasuarina littoralis*	Black She-oak	340		340	9.0	3.0	4.1	2.1	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-		-	Retain	
8078	*Lophostemon suaveolens*	Swamp Box	360		360	12.0	8.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
8079	*Petalostigma pubescens*	Quinine Bush	190		190	5.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
8080	*Corymbia intermedia*	Pink Bloodwood	270		270	20.0	14.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
8081	*Lophostemon suaveolens*	Swamp Box	230	190, 100	315	9.0	15.0	3.8	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
8082	*Allocasuarina littoralis*	Black She-oak	380		380	25.0	12.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
8083	*Alphitonia excelsa*	Soap Tree	180		180	16.0	8.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: 1E\2025\2047303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
8084	*Lophostemon suaveolens*	Swamp Box	340		340	17.0	14.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
8085	*Corymbia tessellaris*	Moreton Bay Ash	120		120	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Removed	
8086	*DEAD/STAG*		120		120	4.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Removed	
8087	*Acacia concurrens*	Black Wattle	210		210	8.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Removed	
8088	*DEAD/STAG*		120		120	9.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
8089	*Eucalyptus tereticornis*	Forest Red Gum	280		280	19.0	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
8090	*Eucalyptus tereticornis*	Forest Red Gum	380		380	18.0	16.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
8091	*Allocasuarina littoralis*	Black She-oak	240		240	17.0	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
8092	*Allocasuarina littoralis*	Black She-oak	170		170	9.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
8093	*Corymbia tessellaris*	Moreton Bay Ash	150		150	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
8094	*DEAD/STAG*		230		230	5.0	1.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Removed	
8094	*Eucalyptus grandis*	Flooded Gum	260	0	260	16.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Removed	
8095	*Eucalyptus grandis*	Flooded Gum	270	0	270	18.0	6.0	3.2	1.9	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Removed	
8096	*Eucalyptus grandis*	Flooded Gum	390	0	390	18.0	8.0	4.7	2.2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Removed	
8097	*Eucalyptus grandis*	Flooded Gum	300	0	300	16.0	7.0	3.6	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-		-	Removed	
8098	*Eucalyptus grandis*	Flooded Gum	300	0	300	16.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Removed	
8099	*Eucalyptus grandis*	Flooded Gum	310	0	310	16.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
8101	*Eucalyptus pilularis*	Blackbutt	170	0	170	12.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Removed	
8102	*Eucalyptus pilularis*	Blackbutt	150	0	150	12.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Removed	
8103	*Eucalyptus pilularis*	Blackbutt	170	0	170	12.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Removed	
8104	*Eucalyptus pilularis*	Blackbutt	130	0	130	14.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Removed	
8105	*Eucalyptus pilularis*	Blackbutt	160	0	160	12.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Removed	
8106	*Eucalyptus pilularis*	Blackbutt	220	170	278	16.0	7.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Removed	
8100	*Eucalyptus pilularis*	Blackbutt	640	0	640	18.0	8.0	7.7	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
8107	*Corymbia citriodora*	Spotted Gum	140	0	140	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
8108	*Eucalyptus grandis*	Flooded Gum	140	0	140	6.0	2.0	2.0	1.4	One-sided	-	-	Die-back	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-		-	Retain	
8109	*Eucalyptus grandis*	Flooded Gum	300	0	300	18.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-		-	Retain	
8110	*Corymbia citriodora*	Spotted Gum	110		110	13.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
8111	*Acacia disparrima*	Hickory Wattle	110	90	142	9.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-		-	Retain	
8112	*Acacia disparrima*	Hickory Wattle	160		160	8.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
8113	*Acacia disparrima*	Hickory Wattle	165		165	9.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
8114	*Corymbia citriodora*	Spotted Gum	110		110	13.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
8115	*Alphitonia excelsa*	Soap Tree	100		100	9.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-		-	Retain	
8116	*Corymbia citriodora*	Spotted Gum	110		110	13.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
8117	*Corymbia intermedia*	Pink Bloodwood	140		140	13.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-		-	Removed	
8118	*Dead/Stag*		270		270	8.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Removed	
8119	*Alphitonia excelsa*	Soap Tree	220		220	9.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	-		-	Removed	
8120	*Allocasuarina littoralis*	Black She-oak	105		105	7.0	2.0	2.0	1.3	Regular	-	-	-	-	Lopped	Typical	-	-	-	-	Typical	-	-	-	-		-	Removed	
8121	*Dead/Stag*		140		140	5.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
8122	*Dead/Stag*		215		215	14.0	6.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
8123	*Dead/Stag*		250		250	15.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
8124	*Dead/Stag*		120		120	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: DEV2025/2047303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
8125	*Dead/Stag*		240		240	8.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
8126	*Eucalyptus tereticornis*	Forest Red Gum	420		420	15.0	8.0	5.0	2.3	Regular	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-		-	Retain	
8127	*Dead/Stag*		140		140	10.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
8128	*Corymbia tessellaris*	Moreton Bay Ash	140	130 100	216	14.0	5.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
8129	*Dead/Stag*		140		140	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
8130	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	16.0	7.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
8131	*Corymbia intermedia*	Pink Bloodwood	280		280	16.0	9.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-		-	Retain	
8132	*Lophostemon suaveolens*	Swamp Box	130		130	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
8133	*Corymbia tessellaris*	Moreton Bay Ash	100		100	9.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
8134	*Lophostemon suaveolens*	Swamp Box	100		100	8.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
8135	*Lophostemon suaveolens*	Swamp Box	100		100	7.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
8136	*Lophostemon suaveolens*	Swamp Box	165		165	9.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
8137	*Corymbia intermedia*	Pink Bloodwood	120		120	9.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
8138	*Corymbia citriodora*	Spotted Gum	100		100	9.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
8139	*Acacia leiocalyx*	Early-flowering Black Wattle	110		110	9.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-		-	Removed	
8140	*Dead/Stag*		270		270	9.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Removed	
8141	*Dead/Stag*		100		100	13.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Removed	
8142	*Allocasuarina littoralis*	Black She-oak	100		100	9.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Removed	
8143	*Eucalyptus tereticornis*	Forest Red Gum	200		200	16.0	7.0	2.4	1.7	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
8144	*Corymbia intermedia*	Pink Bloodwood	170		170	14.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-		-	Removed	
8145	*Corymbia intermedia*	Pink Bloodwood	175		175	13.0	6.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Removed	
8146	*Alphitonia excelsa*	Soap Tree	280		280	15.0	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove	
8147	*Acacia disparrima*	Hickory Wattle	110		110	9.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
8148	*Allocasuarina littoralis*	Black She-oak	170		170	7.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
8149	*Alphitonia excelsa*	Soap Tree	160		160	13.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
8150	*Alphitonia excelsa*	Soap Tree	110		110	13.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
8151	*Lophostemon suaveolens*	Swamp Box	325		325	15.0	8.0	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
8152	*Lophostemon suaveolens*	Swamp Box	170		170	10.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Removed	
8153	*Acacia disparrima*	Hickory Wattle	210		210	14.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Removed	
8154	*Alphitonia excelsa*	Soap Tree	110		110	14.0	6.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Removed	
8155	*Dead/Stag*		315		315	15.0	7.0	3.8	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Removed	
8156	*Acacia disparrima*	Hickory Wattle	210		210	13.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Removed	
8157	*Lophostemon suaveolens*	Swamp Box	270		270	12.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-		-	Removed	
8158	*Corymbia intermedia*	Pink Bloodwood	130		130	14.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Removed	
8159	*Acacia disparrima*	Hickory Wattle	160		160	13.0	7.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Removed	
8160	*Alphitonia excelsa*	Soap Tree	130		130	14.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
8161	*Pinus elliotii*	Slash Pine	140		140	10.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Removed	
8162	*Pinus elliotii*	Slash Pine	240		240	16.0	9.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Removed	
8163	*Dead/Stag*		110		110	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Removed	
8164	*Pinus elliotii*	Slash Pine	235		235	15.0	8.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Removed	
8165	*Angophora subvelutina*	Broad-leaved Apple	115		115	9.0	1.0	2.0	1.3	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
8166	*Angophora subvelutina*	Broad-leaved Apple	135		135	13.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: PE/2025/2047/303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
8167	*Alphitonia excelsa*	Soap Tree	115		115	12.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
8168	*Angophora subvelutina*	Broad-leaved Apple	280		280	14.0	9.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
8169	*Eucalyptus tereticornis*	Forest Red Gum	210		210	18.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Removed	
8170	*Alphitonia excelsa*	Soap Tree	150		150	14.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
8171	*Alphitonia excelsa*	Soap Tree	245		245	15.0	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
8172	*Pinus elliotii*	Slash Pine	175		175	16.0	7.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
8173	*Corymbia intermedia*	Pink Bloodwood	140		140	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Removed	
8174	*Corymbia intermedia*	Pink Bloodwood	330		330	14.0	10.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Removed	
8175	*Corymbia citriodora*	Spotted Gum	140		140	9.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Removed	
8176	*Allocasuarina littoralis*	Black She-oak	140		140	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Removed	
8177	*Eucalyptus crebra*	Narrow-leaved Ironbark	300		300	15.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
8178	*Corymbia citriodora*	Spotted Gum	420		420	20.0	10.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
8179	*Eucalyptus crebra*	Narrow-leaved Ironbark	300		300	16.0	9.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Removed	
8180	*Allocasuarina littoralis*	Black She-oak	200		200	11.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
8181	*Lophostemon suaveolens*	Swamp Box	130		130	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
8182	*Alphitonia excelsa*	Soap Tree	100		100	4.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
8183	*Allocasuarina littoralis*	Black She-oak	110		110	5.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
8184	*Corymbia citriodora*	Spotted Gum	260		260	14.0	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Removed	
8185	*Corymbia citriodora*	Spotted Gum	280		280	18.0	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Removed	
8186	*Corymbia citriodora*	Spotted Gum	230		230	9.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Removed	
8187	*Corymbia citriodora*	Spotted Gum	390		390	19.0	12.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
8188	*Corymbia citriodora*	Spotted Gum	110		110	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
8189	*Allocasuarina littoralis*	Black She-oak	100		100	5.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove	
8190	*Alphitonia excelsa*	Soap Tree	240		240	10.0	7.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
8191	*Allocasuarina littoralis*	Black She-oak	100		100	5.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
8192	*Alphitonia excelsa*	Soap Tree	190		190	10.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
8193	*Corymbia intermedia*	Pink Bloodwood	440		440	15.0	9.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
8194	*Eucalyptus tereticornis*	Forest Red Gum	310		310	12.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
8195	*Acacia disparrima*	Hickory Wattle	230		230	7.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
8196	*Eucalyptus tereticornis*	Forest Red Gum	210		210	13.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - basin & outlet works	
8197	*Eucalyptus tereticornis*	Forest Red Gum	380		380	18.0	11.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Removed	
8198	*Lophostemon suaveolens*	Swamp Box	230		230	10.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Removed	
8199	*Eucalyptus tereticornis*	Forest Red Gum	280		280	18.0	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Removed	
8200	*Alphitonia excelsa*	Soap Tree	180		180	10.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Removed	
8201	*Angophora subvelutina*	Broad-leaved Apple	350		350	15.0	8.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - basin & outlet works	
8202	*Allocasuarina littoralis*	Black She-oak	130		130	7.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - basin & outlet works	
8203	*Allocasuarina littoralis*	Black She-oak	260		260	13.0	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
8204	*Angophora subvelutina*	Broad-leaved Apple	270		270	16.0	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
8205	*Angophora subvelutina*	Broad-leaved Apple	605		605	19.0	14.0	7.3	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Removed	
8206	*Pinus elliotii*	Slash Pine	100		100	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
8207	*Allocasuarina littoralis*	Black She-oak	120		120	9.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
8208	*Alphitonia excelsa*	Soap Tree	170		170	8.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - basin & outlet works	

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: DEV2025/2047303
Date: 30 October 2025
Queensland Government

Specimen Details										Canopy Condition Details							Trunk Condition Details						Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
8209	*Angophora leiocarpa*	Smooth-barked Apple	350		350	21.0	6.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - basin & outlet works	
8211	*Allocasuarina littoralis*	Black She-oak	110		110	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - basin & outlet works	
8212	*Corymbia intermedia*	Pink Bloodwood	180		180	9.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - basin & outlet works	
8210	*Lophostemon suaveolens*	Swamp Box	120		120	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	