

Vegetation Management Plan

Monarch Glen Project,
ROL 4

Monarch Glen No 1 Pty Limited as
trustee of the Monarch Glen Trust No 1

*Economic Development
Queensland (EDQ)*

CONTENTS

11731 E 02 ROL4 VMP F -- Vegetation Clearing Notes

11731 E 03 ROL4 VMP F -- Detail Sheet Context

11731 E 04-18 ROL4 VMP F -- Detail Sheets

11731 E 19 ROL4 VMP F -- Clearing Direction

Appendix A -- Tree Schedule

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV2021/1168/4
Date: 31/10/2025



SHG Contact

Dr Andrew Ridley
Email: andrewridley@saundershavill.com



PROJECT BOUNDARY

**ROL 4 - Vegetation
Clearing Extent**

Vegetation Management Plan - Notes

INTRODUCTION

The Environmental Management Division of the **Saunders Havill Group (SHG)** was engaged by **Monarch Glen No 1 Pty Limited as trustee of the Monarch Glen Trust No 1** to prepare a Vegetation Management Plan (VMP) for ROL 4 of the Monarch Glen project, focusing on the interface of the development area and the open-space corridors.

This VMP is a requirement of the EDQ endorsed Natural Environment Site Strategy for the Monarch Glen project. The purpose of this VMP is to manage the vegetation removal process and the protection of fauna species within the clearing area. The plan is required to be approved prior to clearing works commencing. The clearing works will follow general principles for vegetation clearing documented on this sheet and the *Fauna Management Plan* document, and all EDQ specific requirements.

This VMP has been produced by overlaying the following site datasets to determine impacts and disturbance on existing vegetation in the interface zone between development and Open-space areas:

1.

GPS accurate tree data including specimen details & features and site inspection of existing vegetation (SHG, 2023)
2.

Site Layout Plans (SHG, 2025)
3.

Site bulk earthworks area (Colliers, 2025)

PROJECT MANAGEMENT

Vegetation management and its processes are an integral part of the construction and operational works phases. The site supervisor is responsible for all onsite works including overseeing vegetation clearing, health and safety of fauna and adhering to both EDQ’s conditions and guidelines and Australian Standards - Protection of Trees on Development Sites AS4970-2009 and Pruning of Amenity Trees AS4373-1996.

The site arborist’s responsibilities include: prior to the commencement of any earthworks on the site, undertake all appropriate arboricultural measures to ensure the survival and long-term health of existing trees to be retained. These measures may include soil decompaction, soil aeration, fertilising, mulching, watering, root or crown reduction and hazard reduction or as otherwise determined by the arborist. The site arborist is also required to direct and supervise all works within TPZs of trees to be retained, and perform arboricultural care requirements where necessary.

SITE CONTACTS

Site and consulting contacts for queries relating to vegetation clearing include:

Client Contact:

MIRVAC Limited

To be advised

Environmental Contact:

Saunders Havill Group

Dr Andrew Ridley

Ph (07) 3251 9466

Site Contractor:

To be advised

Site Arborist:

To be advised

Site Fauna spotter-catcher:

To be advised

(Refer to *Fauna Management Plan* document for responsibilities)

Site Bushfire Consultant:

To be advised

CLEARING PHASES AND PROCESS

PHASE 1 - Tree Protection Fencing to be installed
Fencing to be installed prior to the commencement of any clearing works on the site. Tree protection fencing to be located at or beyond 12 x diameter at breast height (DBH) (AS4970-2009 Protection of trees on development sites)—unless approved by the appointed arborist.

PHASE 2 - Pre-start Meeting
Fencing shall be in place prior to the official pre-start meeting for inspection and sign off by the Environmental Coordinator.

PHASE 3 - Fauna Inspections and Management
Undertake necessary fauna management requirements prior to clearing works - as a minimum, this should include the specifications listed in the *Fauna Management Plan* document, and acknowledge specific EDQ approval requirements.

PHASE 4 - Undertake Bulk Clearing
Undertake wholesale removal of vegetation once approved for removal by a qualified fauna spotter. Clearing will occur in the direction outlined in *sheet 11* of this VMP, and managed by the appointed fauna spotter to allow all fauna unimpeded movement north and west towards adjoining remaining bushland. Sequential clearing will

occur on the site adhering to the limitations of clearing no more than 3 ha per day set out in Section 2, Part 3 of the Nature Conservation (Koala) Conservation Plan 2017.

Vegetation clearing techniques:

- i.

By utilising the most appropriate machinery and equipment during vegetation clearing, the probability of injury or death of wildlife during clearing can be significantly reduced or eliminated while still maintaining an efficient vegetation removal process.
- ii.

Bulldozers will be used to clear vegetation that has been thoroughly inspected by a fauna spotter-catcher and is found to contain no fauna or potential habitat. Bulldozers are not to be used to push over large trees that contain hollows or other habitat features. When a tree is suspected of containing fauna or potential habitat, other methods of clearing should be used such as (a) a vertical tree grab attachment on an excavator (30 tonne) can be used to pull entire trees in size up to 30-40cm diameter at a height measured at 1.3 metres above ground level and lay them down in a steady controlled fashion, allowing inspection by a fauna spotter-catcher (b) where large trees are too large for a vertical tree grab and have been identified, an elevated work platform or where practical, cherry picker should be used in conjunction with a chainsaw operator and fauna spotter-catcher. Alternatively, careful removal of hollow section from habitat tree and gentle lowering for inspection by fauna spotter-catcher.

NOTE: Dogs are not permitted onsite at all times during construction. Construction works including clearing must occur between the hours of 6.30am and 6.30pm.

ACCESS AND STOCKPILING


A tree and mulch stockpiling location is to be designated in an easily accessible area outside of TPZs. Indicative stockpiling locations have been allocated near existing access tracks, allowing for material to be easily delivered and stored. These locations are subject to minor change according to cut/fill activities.

Cleared vegetation free of weeds is to be reused on or off the project site. Recycling techniques include mulching, tub-grinding, wood chipping and salvage (e.g. custom milling). Trees with identified hollows should have the hollow section preserved and should be suitably mounted on nearby or adjacent suitable trees.


MAINTENANCE

After tree clearing works on site, an analysis of the vegetation’s health and growth should be undertaken by the project arborist to determine specific maintenance needs. Follow up maintenance works should be carried out on retained vegetation where required.

Tree Protection Zone - Detail (not to scale)



Tree Protection Fencing - Detail (not to scale)



CLIENT:

Monarch Glen No 1 Pty Limited as trustee of the Monarch Glen Trust No 1

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAIL LOCATION OF ALL SERVICES.

REFERENCES:

AS4970-2009 Protection of trees on development sites


Vegetation clearing techniques (Logan City Council, 2019)

AMENDMENTS:			
Issue	Date	Description	Checked
A	9/12/2020	Preliminary	AR
B	11/12/2020	Client Update	AR
F	25/03/2025	ROL 4 version	AR

PROJECT:

Monarch Glen Project, ROL 4

environmental management		
PLAN OF: Vegetation Management Plan		
DATE: 25/03/2025	CHECKED: AR	
CLIENT REF: 11731	DRAWN: TC	
DRAWING No.: 11731 E 02 ROL4 VMP F		



Legend

Project site

ROL 4 vegetation clearing area

ROL 4 layout design

ROL 4 earthwork batters

Vegetation Management Plan -
Context Sheet

CLIENT:

Monarch Glen No 1 Pty Limited as trustee of the Monarch Glen Trust No 1

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SOLI FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

RIGHT TO ANY MODIFICATION, DISCONTINUATION OR CANCELLATION OF THE SERVICE SHALL BE RESERVED. CONTACTED FOR FURTHER INFORMATION, AND DEVELOPMENT OF ALL SERVICES.

REFERENCES:

Layout drawing (SHG, 2024)
Bulk Earthworks (Colliers, 2024)

AMENDMENTS:			
Issue	Date	Description	Checked
A	9/12/2020	Preliminary	AR
B	11/12/2020	Client Update	AR
F	25/03/2025	ROL 4 version	AR

050100200300400500


m

1:7,500 @ A3

PROJECT:

Monarch Glen Project,
ROL 4

environmental management			
PLAN OF: Vegetation Management Plan			
DATE:	25/03/2025	CHECKED:	AR
CLIENT REF:	8045	DRAWN:	TC
DRAWING No.:	11731 E 03 ROL4 VMP F		



GPS tree plot


- Tree to remove in ROL4 vegetation clearing application
- Tree to remove for stormwater outlet works in ROL4 vegetation clearing application. Refer to rehab plans for replanting details
- Tree to remove in ROL 4 subject to construction access requirements
- Tree to retain along edge of ROL4 application. Future retention subject to future/neighbouring applications
- Project site

- ROL 4 vegetation clearing area
- Clearing areas in the EPBC retention corridor for minor works - areas to be rehabilitated
- Proposed lot


- Top and toe of batters
- Design - stormwater
- Design - sewer
- Design - watermain

- Design - contours
- Retaining wall - rock
- Retaining wall - sleeper

- Tree protection fencing
- Tree protection fencing for basin areas. Final location subject to construction access requirements
- Surface contours (existing)



Vegetation Management Plan - Detail sheet 04



GPS tree plot

- Tree to remove in ROL4 vegetation clearing application
- Tree to remove for stormwater outlet works in ROL4 vegetation clearing application. Refer to rehab plans for replanting details
- Tree to remove in ROL 4 subject to construction access requirements
- Tree to retain along edge of ROL4 application. Future retention subject to future/neighbouring applications
- Project site

- ROL 4 vegetation clearing area
- Clearing areas in the EPBC retention corridor for minor works - areas to be rehabilitated
- Proposed lot
- Top and toe of batters
- Design - stormwater
- Design - sewer
- Design - watermain
- Design - contours
- Retaining wall - rock
- Retaining wall - sleeper
- Tree protection fencing
- Tree protection fencing for basin areas. Final location subject to construction access requirements
- Surface contours (existing)


Vegetation Management Plan -

Detail sheet 06

environmental management

PLAN OF: Vegetation Management Plan

DATE: 25/03/2025	CHECKED: AR
CLIENT REF: 11731	DRAWN: TC
DRAWING No.: 8045 E 06 ROL 4 VMP F	



GPS tree plot

- Tree to remove in ROL4 vegetation clearing application
- Tree to remove for stormwater outlet works in ROL4 vegetation clearing application. Refer to rehab plans for replanting details

- Tree to remove in ROL 4 subject to construction access requirements
- Tree to retain along edge of ROL4 application. Future retention subject to future/neighbouring applications
- Project site

- ROL 4 vegetation clearing area
- Clearing areas in the EPBC retention corridor for minor works - areas to be rehabilitated
- Proposed lot

- Top and toe of batters
- Design - stormwater
- Design - sewer
- Design - watermain

- Design - contours
- Retaining wall - rock
- Retaining wall - sleeper

- Tree protection fencing
- Tree protection fencing for basin areas. Final location subject to construction access requirements
- Surface contours (existing)


Vegetation Management Plan -

Detail sheet 09

environmental management

PLAN OF: Vegetation Management Plan

DATE: 25/03/2025	CHECKED: AR
CLIENT REF: 11731	DRAWN: TC
DRAWING No.: 8045 E 09 ROL 4 VMP F	



GPS tree plot

- Tree to remove in ROL4 vegetation clearing application
- Tree to remove for stormwater outlet works in ROL4 vegetation clearing application. Refer to rehab plans for replanting details


- Tree to remove in ROL 4 subject to construction access requirements
- Tree to retain along edge of ROL4 application. Future retention subject to future/neighbouring applications
- Project site

- ROL 4 vegetation clearing area
- Clearing areas in the EPBC retention corridor for minor works - areas to be rehabilitated
- Proposed lot


- Top and toe of batters
- Design - stormwater
- Design - sewer
- Design - watermain

- Design - contours
- Retaining wall - rock
- Retaining wall - sleeper

- Tree protection fencing
- Tree protection fencing for basin areas. Final location subject to construction access requirements
- Surface contours (existing)



Vegetation Management Plan - Detail sheet 13



GPS tree plot

- Tree to remove in ROL4 vegetation clearing application

Tree to remove for stormwater outlet works in ROL4 vegetation clearing application. Refer to rehab plans for replanting details

Tree to remove in ROL 4 subject to construction access requirements

Tree to retain along edge of ROL4 application. Future retention subject to future/neighbouring applications

Project site

ROL 4 vegetation clearing area

Clearing areas in the EPBC retention corridor for minor works - areas to be rehabilitated

Proposed lot

Top and toe of batters

Design - stormwater

Design - sewer

Design - watermain

Design - contours

Retaining wall - rock

Retaining wall - sleeper

Tree protection fencing

Tree protection fencing for basin areas. Final location subject to construction access requirements

Surface contours (existing)
-
- # Vegetation Management Plan - Detail sheet 14
- CLIENT:

Monarch Glen No 1 Pty Limited as trustee of the Monarch Glen Trust No 1

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR DEPENDENCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFORM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION, ENSURE THE RELEVANT AUTHORITY (S) HAVE BEEN CONTACTED FOR FURTHER GUIDANCE, INSTRUCTIONS, AND/OR TOLERANCES OF ALL SERVICES.

REFERENCES:

Layout drawing (SHG, 2024)
Bulk Earthworks (Colliers, 2024)

0 10 20 40 m

1:600 @ A3

AMENDMENTS:

Issue	Date	Description	Checked
A	9/12/2020	Preliminary	AR
B	11/12/2020	Client Update	AR
F	25/03/2025	ROL4 version	AR


PROJECT:


Monarch Glen Project, ROL 4

environmental management

PLAN OF: Vegetation Management Plan

DATE: 25/03/2025	CHECKED: AR
CLIENT REF: 11731	DRAWN: TC
DRAWING No.: 8045 E 14 ROL 4 VMP F	





GPS tree plot

- Tree to remove in ROL4 vegetation clearing application
- Tree to remove for stormwater outlet works in ROL4 vegetation clearing application. Refer to rehab plans for replanting details

- Tree to remove in ROL 4 subject to construction access requirements
- Tree to retain along edge of ROL4 application. Future retention subject to future/neighbouring applications
- Project site


- ROL 4 vegetation clearing area
- Clearing areas in the EPBC retention corridor for minor works - areas to be rehabilitated
- Proposed lot

- Top and toe of batters
- Design - stormwater
- Design - sewer
- Design - watermain

- Design - contours
- Retaining wall - rock
- Retaining wall - sleeper
- Surface contours (existing)

- Tree protection fencing
- Tree protection fencing for basin areas. Final location subject to construction access requirements

Vegetation Management Plan - Detail sheet 17



GPS tree plot

- Tree to remove in ROL4 vegetation clearing application
- Tree to remove for stormwater outlet works in ROL4 vegetation clearing application. Refer to rehab plans for replanting details


- Tree to remove in ROL 4 subject to construction access requirements
- Tree to retain along edge of ROL4 application. Future retention subject to future/neighbouring applications
- Project site

- ROL 4 vegetation clearing area
- Clearing areas in the EPBC retention corridor for minor works - areas to be rehabilitated
- Proposed lot


- Top and toe of batters
- Design - stormwater
- Design - sewer
- Design - watermain

- Design - contours
- Retaining wall - rock
- Retaining wall - sleeper
- Surface contours (existing)

- Tree protection fencing
- Tree protection fencing for basin areas. Final location subject to construction access requirements



Vegetation Management Plan - Detail sheet 18



Legend

-  Project site
-  ROL 4 vegetation clearing area
-  Existing site track (access to site)
-  Vegetation clearing direction
-  Fauna friendly tree protection fencing

Vegetation
Management
Plan -
Clearing Direction



CLIENT:

Monarch Glen No 1 Pty Limited as
trustee of the Monarch Glen Trust No 1


DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT
ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY
THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SOLI FROM THE DRAWINGS. ALL
DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS
HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

IN RESPECT OF ANY OBLIGATION, LIABILITY OR CONSTRUCTION, ENSURE THE RELEVANT AUTHORITY SHOULD BE
CONTACTED FOR FURTHER INFORMATION, AND DEVELOPMENT OF ALL SERVICES.

REFERENCES:



AMENDMENTS:

Issue	Date	Description	Checked
A	9/12/2020	Preliminary	AR
B	11/12/2020	Client Update	AR
F	25/03/2025	ROL 4 version	AR

PROJECT:

Monarch Glen Project,
ROL 4

environmental management

PLAN OF:
Vegetation
Management Plan

DATE:	25/03/2025	CHECKED:	AR
CLIENT REF:	8045	DRAWN:	TC
DRAWING No.:	11731 E 19 ROL4 VMP F		

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Retention	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest		Habitat Value
1	Corymbia citriodora	Spotted Gum	360		360	113	22	8.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2	Acacia disparrima	Hickory Wattle	120		120	38	6	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3	Corymbia citriodora	Spotted Gum	140	80	161	51	10	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
4	Corymbia citriodora	Spotted Gum	200		200	63	18	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
5	Corymbia citriodora	Spotted Gum	150		150	47	16	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
6	Acacia disparrima	Hickory Wattle	120		120	38	6	2.0	2.0	1.4	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7	Corymbia citriodora	Spotted Gum	200		200	63	16	8.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
8	Acacia disparrima	Hickory Wattle	120		120	38	8	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
9	Acacia disparrima	Hickory Wattle	240	230	332	104	8	6.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
10	Corymbia citriodora	Spotted Gum	120	80, 70	160	50	10	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
11	Corymbia citriodora	Spotted Gum	150		150	47	18	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
12	Corymbia citriodora	Spotted Gum	130		130	41	16	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
13	Corymbia citriodora	Spotted Gum	150		150	47	18	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
14	Corymbia citriodora	Spotted Gum	110		110	35	8	2.0	2.0	1.3	Regular	-	-	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
15	Corymbia citriodora	Spotted Gum	120		120	38	12	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
16	Corymbia citriodora	Spotted Gum	250		250	79	16	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
17	Eucalyptus tereticornis	Forest Red Gum	340		340	107	20	5.0	4.1	2.1	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
18	Corymbia citriodora	Spotted Gum	110		110	35	12	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
19	Corymbia citriodora	Spotted Gum	150		150	47	16	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
20	Corymbia citriodora	Spotted Gum	110		110	35	12	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
21	Corymbia citriodora	Spotted Gum	120		120	38	14	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
22	Corymbia citriodora	Spotted Gum	180		180	57	16	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
23	Corymbia citriodora	Spotted Gum	370		370	116	16	8.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
24	Eucalyptus tereticornis	Forest Red Gum	300		300	94	18	8.0	3.6	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
25	Corymbia citriodora	Spotted Gum	110		110	35	12	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
26	Corymbia citriodora	Spotted Gum	280		280	88	20	10.0	3.4	1.9	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
27	Corymbia citriodora	Spotted Gum	110		110	35	12	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
28	Eucalyptus tereticornis	Forest Red Gum	240		240	75	18	8.0	2.9	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
29	Corymbia citriodora	Spotted Gum	100		100	31	8	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
30	Corymbia citriodora	Spotted Gum	150		150	47	18	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
31	Corymbia citriodora	Spotted Gum	140		140	44	10	5.0	2.0	1.4	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
32	Corymbia citriodora	Spotted Gum	140		140	44	14	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
33	Eucalyptus tereticornis	Forest Red Gum	350		350	110	20	7.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
34	Corymbia citriodora	Spotted Gum	100		100	31	8	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
35	Eucalyptus tereticornis	Forest Red Gum	360		360	113	22	10.0	4.3	2.2	Regular	-	Thinning	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
36	Corymbia citriodora	Spotted Gum	110		110	35	14	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
37	Corymbia citriodora	Spotted Gum	430		430	135	24	14.0	5.2	2.3	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
38	Corymbia citriodora	Spotted Gum	160		160	50	12	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
39	Acacia disparrima	Hickory Wattle	240		240	75	10	4.0	2.9	1.8	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
40	Corymbia intermedia	Pink Bloodwood	180	180	255	80	14	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
41	Corymbia intermedia	Pink Bloodwood	100		100	31	8	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Retention	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest		Habitat Value
42	Corymbia citriodora	Spotted Gum	110		110	35	12	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
43	Acacia disparrima	Hickory Wattle	120		120	38	8	4.0	2.0	1.4	Regular	-	-	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
44	Corymbia citriodora	Spotted Gum	250		250	79	20	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
45	Corymbia citriodora	Spotted Gum	160		160	50	20	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
46	Corymbia citriodora	Spotted Gum	110		110	35	12	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
47	Corymbia citriodora	Spotted Gum	180		180	57	16	6.0	2.2	1.6	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
48	Corymbia citriodora	Spotted Gum	250		250	79	22	10.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Old	-	-	-	-	Retain in ROL4, Future retention TBC
49	Corymbia citriodora	Spotted Gum	370		370	116	24	10.0	4.4	2.2	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
50	Melaleuca quinquenervia	Broad-leaved Paperbark	200		200	63	12	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
51	Corymbia citriodora	Spotted Gum	190		190	60	16	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
52	Acacia disparrima	Hickory Wattle	140		140	44	7	2.0	2.0	1.4	Regular	-	-	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
53	Corymbia intermedia	Pink Bloodwood	230		230	72	10	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
54	Corymbia intermedia	Pink Bloodwood	660		660	207	24	18.0	7.9	2.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
55	Corymbia citriodora	Spotted Gum	230		230	72	22	10.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
56	Corymbia citriodora	Spotted Gum	340		340	107	22	12.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Old	-	-	-	-	Retain in ROL4, Future retention TBC
57	Corymbia citriodora	Spotted Gum	250		250	79	20	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
58	Corymbia citriodora	Spotted Gum	110		110	35	10	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
59	DEAD/STAG		400		400	126	14	5.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Retain in ROL4, Future retention TBC
60	Corymbia citriodora	Spotted Gum	230		230	72	18	8.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
61	Corymbia citriodora	Spotted Gum	190		190	60	16	7.0	2.3	1.6	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
62	Angophora leiocarpa	Smooth-barked Apple	140		140	44	10	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
63	Corymbia citriodora	Spotted Gum	220		220	69	18	7.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
64	Corymbia citriodora	Spotted Gum	340		340	107	24	10.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
65	Corymbia citriodora	Spotted Gum	330		330	104	24	12.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
66	Corymbia tessellaris	Moreton Bay Ash	140		140	44	12	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
67	Corymbia citriodora	Spotted Gum	250		250	79	18	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
68	Corymbia citriodora	Spotted Gum	370		370	116	24	8.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
69	Corymbia citriodora	Spotted Gum	120		120	38	8	2.0	2.0	1.4	Regular	-	-	-	Epicormic	Lopped	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
70	Alphitonia excelsa	Soap Tree	110	80	136	43	8	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
71	Corymbia citriodora	Spotted Gum	350		350	110	24	12.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
72	Alphitonia excelsa	Soap Tree	110		110	35	8	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
73	Eucalyptus crebra	Narrow-leaved Ironbark	220		220	69	16	8.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
74	Lophostemon suaveolens	Swamp Box	140		140	44	7	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
75	Corymbia citriodora	Spotted Gum	200		200	63	20	6.0	2.4	1.7	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
76	Corymbia citriodora	Spotted Gum	130		130	41	10	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
77	Corymbia citriodora	Spotted Gum	320		320	101	20	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
78	Eucalyptus crebra	Narrow-leaved Ironbark	110		110	35	8	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
79	Acacia disparrima	Hickory Wattle	200		200	63	8	4.0	2.4	1.7	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
80	Eucalyptus crebra	Narrow-leaved Ironbark	140		140	44	10	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
81	Lophostemon suaveolens	Swamp Box	110	80	136	43	8	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
82	Lophostemon suaveolens	Swamp Box	120		120	38	6	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
83	Corymbia citriodora	Spotted Gum	140		140	44	12	3.0	2.0	1.4	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
84	Acacia disparrima	Hickory Wattle	120		120	38	7	3.0	2.0	1.4	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
85	Acacia disparrima	Hickory Wattle	110		110	35	7	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
86	Acacia disparrima	Hickory Wattle	130		130	41	8	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
87	Acacia disparrima	Hickory Wattle	220		220	69	8	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
88	Acacia disparrima	Hickory Wattle	230		230	72	8	4.0	2.8	1.8	Regular	-	-	Die-back	-	-</													

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Retention		
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest		Habitat Value	
89	Acacia disparrima	Hickory Wattle	110		110	35	8	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC	
90	Corymbia citriodora	Spotted Gum	230		230	72	18	8.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC	
91	Acacia disparrima	Hickory Wattle	130		130	41	7	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC	
92	Lophostemon suaveolens	Swamp Box	170		170	53	10	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC	
93	Acacia disparrima	Hickory Wattle	120		120	38	5	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC	
94	Eucalyptus tereticornis	Forest Red Gum	250		250	79	18	8.0	3.0	1.8	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC	
95	Acacia concurrens	Black Wattle	110		110	35	8	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC	
96	Corymbia tessellaris	Moreton Bay Ash	170		170	53	12	3.0	2.0	1.6	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC	
97	Acacia disparrima	Hickory Wattle	120		120	38	6	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC	
98	Acacia disparrima	Hickory Wattle	110		110	35	6	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC	
99	Corymbia citriodora	Spotted Gum	320	140	349	110	20	8.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC	
100	Eucalyptus tereticornis	Forest Red Gum	300		300	94	22	12.0	3.6	2.0	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC	
101	Eucalyptus tereticornis	Forest Red Gum	220		220	69	20	8.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC	
102	Alphitonia excelsa	Soap Tree	180		180	57	8	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC	
103	Corymbia tessellaris	Moreton Bay Ash	160		160	50	10	4.0	2.0	1.5	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC	
104	Acacia concurrens	Black Wattle	130		130	41	7	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC	
105	Corymbia citriodora	Spotted Gum	160		160	50	8	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC	
106	Eucalyptus tereticornis	Forest Red Gum	150		150	47	16	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC	
107	Corymbia citriodora	Spotted Gum	230		230	72	24	12.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC	
108	Corymbia citriodora	Spotted Gum	110		110	35	10	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC	
109	Eucalyptus crebra	Narrow-leaved Ironbark	200		200	63	18	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC	
110	Corymbia citriodora	Spotted Gum	230		230	72	18	8.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC	
111	Acacia disparrima	Hickory Wattle	140		140	44	8	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC	
112	Eucalyptus tereticornis	Forest Red Gum	200		200	63	18	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC	
113	Eucalyptus tereticornis	Forest Red Gum	230		230	72	22	12.0	2.8	1.8	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC	
114	Acacia disparrima	Hickory Wattle	110	70	130	41	5	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC	
115	Acacia disparrima	Hickory Wattle	140		140	44	8	4.0	2.0	1.4	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC	
116	Corymbia citriodora	Spotted Gum	150		150	47	18	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC	
117	Eucalyptus tereticornis	Forest Red Gum	270		270	85	24	12.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC	
118	Eucalyptus crebra	Narrow-leaved Ironbark	400		400	126	26	14.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC	
119	Acacia concurrens	Black Wattle	140		140	44	7	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC	
120	Eucalyptus crebra	Narrow-leaved Ironbark	160		160	50	8	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC	
121	Corymbia citriodora	Spotted Gum	250		250	79	22	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	Minor	-	-	-	-	Typical	-	-	-	-	-	Retain in ROL4, Future retention TBC	
122	Corymbia citriodora	Spotted Gum	170		170	53	12	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC	
123	Eucalyptus tereticornis	Forest Red Gum	200		200	63	20	8.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC	
124	Corymbia citriodora	Spotted Gum	170		170	53	16	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC	
125	Corymbia citriodora	Spotted Gum	200		200	63	20	8.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC	
126	Corymbia citriodora	Spotted Gum	200		200	63	18	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC	
127	Corymbia citriodora	Spotted Gum	280		280	88	24	12.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC	
128	Corymbia citriodora	Spotted Gum	260		260	82	20	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC	
129	Eucalyptus tereticornis	Forest Red Gum	220		220	69	18	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC	
130	Eucalyptus tereticornis	Forest Red Gum	260		260	82	20	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC	
131	Corymbia citriodora	Spotted Gum	230		230	72	18	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	Minor	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
132	Acacia disparrima	Hickory Wattle	180		180	57	6	4.0	2.2	1.6	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC	
133	Corymbia citriodora	Spotted Gum	320		320	101	24	12.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC	
134	Corymbia citriodora	Spotted Gum	140		140	44	8	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC	
135	Acacia concurrens																													

Tree ID	Specimen Details									Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Retention		
	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest		Termite Nest	Habitat Value
136	Corymbia citriodora	Spotted Gum	440		440	138	24	14.0	5.3	2.3	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
137	Corymbia tessellaris	Moreton Bay Ash	180		180	57	10	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
138	Corymbia intermedia	Pink Bloodwood	210		210	66	10	5.0	2.5	1.7	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
139	Corymbia citriodora	Spotted Gum	300		300	94	24	12.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
140	Corymbia tessellaris	Moreton Bay Ash	200	130	239	75	16	6.0	2.9	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
141	Corymbia citriodora	Spotted Gum	170		170	53	16	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
142	Corymbia citriodora	Spotted Gum	290		290	91	22	10.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
143	Corymbia citriodora	Spotted Gum	230		230	72	20	10.0	2.8	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
144	Corymbia citriodora	Spotted Gum	330		330	104	24	14.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
145	Corymbia citriodora	Spotted Gum	240		240	75	22	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
146	Corymbia citriodora	Spotted Gum	390		390	123	24	12.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
147	Corymbia citriodora	Spotted Gum	220		220	69	22	12.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
148	Corymbia citriodora	Spotted Gum	300		300	94	22	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
149	Corymbia citriodora	Spotted Gum	150		150	47	8	4.0	2.0	1.5	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
150	Corymbia citriodora	Spotted Gum	150		150	47	16	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
151	Corymbia citriodora	Spotted Gum	280		280	88	24	10.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
152	Angophora leiocarpa	Smooth-barked Apple	120		120	38	10	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
153	Angophora leiocarpa	Smooth-barked Apple	130		130	41	12	4.0	2.0	1.4	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
154	Corymbia citriodora	Spotted Gum	200		200	63	18	7.0	2.4	1.7	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
155	Corymbia citriodora	Spotted Gum	140		140	44	10	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
156	Corymbia citriodora	Spotted Gum	200		200	63	20	8.0	2.4	1.7	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
157	Corymbia citriodora	Spotted Gum	300		300	94	22	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
158	Corymbia citriodora	Spotted Gum	220		220	69	20	8.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
159	Corymbia citriodora	Spotted Gum	150		150	47	16	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
160	Allocasuarina littoralis	Black She-oak	170		170	53	12	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
161	Corymbia citriodora	Spotted Gum	130		130	41	14	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
162	Eucalyptus tereticornis	Forest Red Gum	240		240	75	20	6.0	2.9	1.8	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
163	Corymbia citriodora	Spotted Gum	170		170	53	14	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
164	Corymbia citriodora	Spotted Gum	220		220	69	16	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
165	Corymbia citriodora	Spotted Gum	260		260	82	24	12.0	3.1	1.9	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
166	Corymbia citriodora	Spotted Gum	240		240	75	22	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
167	Corymbia citriodora	Spotted Gum	430		430	135	26	14.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
168	Eucalyptus crebra	Narrow-leaved Ironbark	860		860	270	26	16.0	10.3	3.1	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	Trunk Dmg.	Fire Dmg.	Typical	-	-	Small	-	-	-	Remove in ROL4
169	Corymbia citriodora	Spotted Gum	460		460	145	24	14.0	5.5	2.4	Regular	-	-	Die-back	Epicormic	-	Typical	Minor	-	-	-	-	Typical	-	-	-	-	-	Remove in ROL4
170	Corymbia citriodora	Spotted Gum	430		430	135	26	16.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
171	DEAD/STAG		440		440	138	14	6.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Remove in ROL4
172	Eucalyptus tereticornis	Forest Red Gum	440		440	138	24	14.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
173	Corymbia citriodora	Spotted Gum	410		410	129	24	14.0	4.9	2.3	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
174	DEAD/STAG		640		640	201	24	12.0	7.7	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Remove in ROL4
175	DEAD/STAG		1150		1150	361	24	10.0	13.8	3.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Remove in ROL4
176	Corymbia citriodora	Spotted Gum	570		570	179	24	12.0	6.8	2.6	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
177	Eucalyptus tereticornis	Forest Red Gum	480		480	151	22	10.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
178	Corymbia citriodora	Spotted Gum	470		470	148	24	14.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
179	Corymbia citriodora	Spotted Gum	460		460	145	24	14.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
180	Corymbia citriodora	Spotted Gum	550		550	173	24	14.0	6.6	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
181	DEAD/STAG		730		730	229	22	6.0	8.8	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Large	-	-	-	Remove in ROL4
182	Eucalyptus tereticornis	Forest Red Gum	620		620	195	26	14.0	7.4	2.7	One-sided	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value							Retention
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	
183	Eucalyptus tereticornis	Forest Red Gum	580		580	182	24	14.0	7.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove in ROL4
184	Corymbia citriodora	Spotted Gum	510		510	160	26	14.0	6.1	2.5	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	Old	-	-	-	-	Remove in ROL4
185	Eucalyptus tereticornis	Forest Red Gum	650		650	204	26	16.0	7.8	2.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	Old	-	-	-	-	Remove in ROL4
186	Corymbia citriodora	Spotted Gum	480		480	151	24	14.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
187	Eucalyptus tereticornis	Forest Red Gum	520		520	163	24	14.0	6.2	2.5	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove in ROL4
188	Eucalyptus tereticornis	Forest Red Gum	530		530	167	26	16.0	6.4	2.5	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
189	Eucalyptus tereticornis	Forest Red Gum	510		510	160	24	14.0	6.1	2.5	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
190	Corymbia citriodora	Spotted Gum	530		530	167	24	14.0	6.4	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
191	Corymbia citriodora	Spotted Gum	680		680	214	28	18.0	8.2	2.8	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	Trunk Dmg.	-	Typical	-	Old	-	-	-	-	Remove in ROL4
192	Corymbia citriodora	Spotted Gum	330		330	104	22	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
193	Corymbia citriodora	Spotted Gum	260		260	82	20	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
194	Corymbia citriodora	Spotted Gum	120		120	38	12	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
195	Corymbia citriodora	Spotted Gum	230		230	72	20	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
196	Corymbia citriodora	Spotted Gum	120		120	38	8	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
197	Alphitonia excelsa	Soap Tree	150		150	47	8	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
198	Acacia disarrima	Hickory Wattle	120		120	38	7	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
199	Corymbia citriodora	Spotted Gum	140		140	44	10	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Old	-	-	-	-	Retain in ROL4, Future retention TBC
200	Eucalyptus tereticornis	Forest Red Gum	310		310	97	22	6.0	3.7	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
201	Petalostigma pubescens	Quinnie Bush	120		120	38	5	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
202	Petalostigma pubescens	Quinnie Bush	130		130	41	5	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
203	Melaleuca quinquenervia	Broad-leaved Paperbark	230	170	286	90	12	6.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
204	Corymbia citriodora	Spotted Gum	170		170	53	14	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Stormwater outlet
205	Corymbia citriodora	Spotted Gum	160		160	50	12	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Stormwater outlet
206	Eucalyptus tereticornis	Forest Red Gum	210		210	66	12	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
207	Eucalyptus tereticornis	Forest Red Gum	330		330	104	22	8.0	4.0	2.1	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
208	Corymbia citriodora	Spotted Gum	350		350	110	22	10.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
209	Corymbia citriodora	Spotted Gum	190		190	60	20	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
210	Corymbia citriodora	Spotted Gum	290		290	91	22	10.0	3.5	2.0	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
211	Corymbia citriodora	Spotted Gum	130		130	41	8	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
212	Corymbia citriodora	Spotted Gum	250		250	79	24	10.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
213	Corymbia citriodora	Spotted Gum	240		240	75	22	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
214	Eucalyptus tereticornis	Forest Red Gum	240		240	75	24	12.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
215	Corymbia citriodora	Spotted Gum	330		330	104	24	12.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Old	-	-	-	-	Retain in ROL4, Future retention TBC
216	Corymbia citriodora	Spotted Gum	250		250	79	24	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
217	Corymbia citriodora	Spotted Gum	180		180	57	22	8.0	2.2	1.6	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
218	Corymbia citriodora	Spotted Gum	380		380	119	24	14.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Old	-	-	-	-	Retain in ROL4, Future retention TBC
219	Corymbia citriodora	Spotted Gum	200		200	63	18	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
220	Corymbia citriodora	Spotted Gum	200		200	63	14	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
221	Eucalyptus crebra	Narrow-leaved Ironbark	260		260	82	20	8.0	3.1	1.9	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
222	Corymbia citriodora	Spotted Gum	420		420	132	20	10.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
223	Corymbia citriodora	Spotted Gum	270		270	85	8	4.0	3.2	1.9	One-sided	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
224	Corymbia citriodora	Spotted Gum	240		240	75	20	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
225	Acacia disarrima	Hickory Wattle	140		140	44	8	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
226	Corymbia tessellaris	Moreton Bay Ash	160		160	50	10	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
227	Acacia disarrima	Hickory Wattle	140		140	44	8	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
228	Acacia disarrima	Hickory Wattle	170		170	53	8	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
229	Corymbia citriodora	Spotted Gum	260		260	82	16	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Retention	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest		Habitat Value
230	Corymbia intermedia	Pink Bloodwood	310		310	97	20	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
231	Corymbia intermedia	Pink Bloodwood	360		360	113	22	10.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
232	Corymbia citriodora	Spotted Gum	160		160	50	16	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
233	Corymbia citriodora	Spotted Gum	250		250	79	18	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
234	Alphitonia excelsa	Soap Tree	130		130	41	8	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
235	Alphitonia excelsa	Soap Tree	130		130	41	8	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
236	Corymbia citriodora	Spotted Gum	250		250	79	24	14.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
237	Corymbia citriodora	Spotted Gum	120		120	38	10	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
238	Corymbia citriodora	Spotted Gum	260		260	82	20	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
239	Corymbia citriodora	Spotted Gum	200		200	63	16	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
240	Corymbia citriodora	Spotted Gum	150		150	47	8	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
241	Corymbia citriodora	Spotted Gum	160		160	50	8	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
242	DEAD/STAG		580		580	182	14	4.0	7.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Large	-	-	-	Arborist - ROL4
243	Corymbia citriodora	Spotted Gum	320		320	101	18	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Stormwater outlet
244	Corymbia citriodora	Spotted Gum	230		230	72	22	7.0	2.8	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Stormwater outlet
245	Corymbia citriodora	Spotted Gum	140		140	44	14	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Stormwater outlet
246	Corymbia citriodora	Spotted Gum	160		160	50	12	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
247	Corymbia citriodora	Spotted Gum	200		200	63	14	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	Major	-	-	-	-	Typical	-	-	-	-	-	Retain in ROL4, Future retention TBC
248	Corymbia citriodora	Spotted Gum	350		350	110	24	14.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
249	Corymbia citriodora	Spotted Gum	260		260	82	24	12.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove - Stormwater outlet
250	Corymbia citriodora	Spotted Gum	200		200	63	10	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
251	Corymbia citriodora	Spotted Gum	150		150	47	18	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
252	Corymbia citriodora	Spotted Gum	120		120	38	16	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
253	Acacia disparima	Hickory Wattle	130	90	158	50	16	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
254	Corymbia citriodora	Spotted Gum	170		170	53	19	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
255	Corymbia citriodora	Spotted Gum	130		130	41	18	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
256	Corymbia citriodora	Spotted Gum	140		140	44	17	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
257	Corymbia citriodora	Spotted Gum	150		150	47	18	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
258	Corymbia citriodora	Spotted Gum	160		160	50	16	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
259	Corymbia citriodora	Spotted Gum	210	80	225	71	19	7.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
260	Corymbia citriodora	Spotted Gum	220		220	69	19	7.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
261	Corymbia citriodora	Spotted Gum	260		260	82	19	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
262	Corymbia citriodora	Spotted Gum	120		120	38	17	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
263	Corymbia citriodora	Spotted Gum	110		110	35	14	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
264	Corymbia citriodora	Spotted Gum	120		120	38	14	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
265	Corymbia citriodora	Spotted Gum	130		130	41	15	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
266	Corymbia citriodora	Spotted Gum	150		150	47	16	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
267	Eucalyptus tereticornis	Forest Red Gum	290		290	91	20	5.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
268	Eucalyptus crebra	Narrow-leaved Ironbark	150		150	47	13	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
269	Corymbia citriodora	Spotted Gum	330		330	104	21	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
270	Corymbia citriodora	Spotted Gum	410		410	129	21	9.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
271	Corymbia citriodora	Spotted Gum	140		140	44	16	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
272	Corymbia citriodora	Spotted Gum	190		190	60	18	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
273	Corymbia citriodora	Spotted Gum	120		120	38	16	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
274	Corymbia intermedia	Pink Bloodwood	180		180	57	13	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
275	Eucalyptus tereticornis	Forest Red Gum	210		210	66	18	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
276	Corymbia citriodora	Spotted Gum	130		130	41	16	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value							Retention
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	
277	Corymbia intermedia	Pink Bloodwood	140		140	44	17	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
278	Corymbia tessellaris	Moreton Bay Ash	140		140	44	15	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
279	Lophostemon suaveolens	Swamp Box	140		140	44	12	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
280	Corymbia citriodora	Spotted Gum	190		190	60	19	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
281	Corymbia citriodora	Spotted Gum	320		320	101	23	12.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
282	Corymbia citriodora	Spotted Gum	360		360	113	25	13.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
283	Corymbia citriodora	Spotted Gum	210		210	66	22	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
284	Corymbia citriodora	Spotted Gum	220		220	69	23	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
285	Acacia disparrima	Hickory Wattle	110		110	35	5	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
286	Lophostemon suaveolens	Swamp Box	110		110	35	14	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
287	Alphitonia excelsa	Soap Tree	140		140	44	16	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
288	Corymbia citriodora	Spotted Gum	110		110	35	13	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
289	Acacia disparrima	Hickory Wattle	110		110	35	15	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
290	Acacia disparrima	Hickory Wattle	120	90	150	47	5	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
291	Lophostemon suaveolens	Swamp Box	120		120	38	14	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
292	Corymbia tessellaris	Moreton Bay Ash	220		220	69	16	11.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
293	Eucalyptus tereticornis	Forest Red Gum	190	110	220	69	18	8.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
294	Corymbia citriodora	Spotted Gum	400		400	126	23	10.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
295	Eucalyptus tereticornis	Forest Red Gum	200		200	63	20	8.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
296	Corymbia citriodora	Spotted Gum	350		350	110	25	9.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
297	Eucalyptus tereticornis	Forest Red Gum	210		210	66	19	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
298	Corymbia citriodora	Spotted Gum	310		310	97	23	9.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
299	Eucalyptus tereticornis	Forest Red Gum	270		270	85	23	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
300	Corymbia tessellaris	Moreton Bay Ash	120		120	38	18	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
301	Corymbia citriodora	Spotted Gum	310		310	97	18	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
302	Eucalyptus tereticornis	Forest Red Gum	220		220	69	18	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
303	Eucalyptus tereticornis	Forest Red Gum	240		240	75	20	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
304	Eucalyptus tereticornis	Forest Red Gum	240		240	75	20	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
305	Acacia disparrima	Hickory Wattle	210	110	237	74	10	8.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
306	Corymbia citriodora	Spotted Gum	390		390	123	24	9.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
307	Eucalyptus tereticornis	Forest Red Gum	150		150	47	18	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
308	Acacia disparrima	Hickory Wattle	180		180	57	8	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
309	Eucalyptus tereticornis	Forest Red Gum	380		380	119	18	10.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
310	Corymbia citriodora	Spotted Gum	450		450	141	24	15.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
311	Corymbia citriodora	Spotted Gum	330		330	104	24	13.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
312	Corymbia citriodora	Spotted Gum	370		370	116	25	14.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
313	Corymbia citriodora	Spotted Gum	180		180	57	15	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
314	Corymbia citriodora	Spotted Gum	160		160	50	15	9.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
315	Corymbia citriodora	Spotted Gum	300		300	94	22	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
316	Corymbia citriodora	Spotted Gum	340		340	107	18	7.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
317	Eucalyptus crebra	Narrow-leaved Ironbark	370		370	116	24	12.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
318	Corymbia citriodora	Spotted Gum	220		220	69	17	8.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
319	Eucalyptus tereticornis	Forest Red Gum	170		170	53	15	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
320	Corymbia citriodora	Spotted Gum	420		420	132	22	13.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
321	Corymbia citriodora	Spotted Gum	180		180	57	13	8.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
322	Corymbia citriodora	Spotted Gum	240		240	75	20	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
323	Eucalyptus tereticornis	Forest Red Gum	160		160	50	18	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value							
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
324	Acacia disparrima	Hickory Wattle	160		160	50	8	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
325	Corymbia citriodora	Spotted Gum	240		240	75	26	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
326	Corymbia citriodora	Spotted Gum	220		220	69	20	10.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
327	Corymbia citriodora	Spotted Gum	160		160	50	17	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
328	Corymbia citriodora	Spotted Gum	250		250	79	24	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
329	Corymbia citriodora	Spotted Gum	180		180	57	12	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
330	Eucalyptus tereticornis	Forest Red Gum	190		190	60	18	2.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
331	Corymbia citriodora	Spotted Gum	270		270	85	18	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
332	Corymbia citriodora	Spotted Gum	200		200	63	19	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
333	Corymbia citriodora	Spotted Gum	140		140	44	17	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
334	Corymbia citriodora	Spotted Gum	450		450	141	25	15.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Old	-	-	-	-	Retain in ROL4, Future retention TBC
335	Corymbia citriodora	Spotted Gum	290		290	91	25	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
336	DEAD/STAG		250		250	79	12	1.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Remove in ROL4
337	Corymbia citriodora	Spotted Gum	260		260	82	23	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
338	Corymbia citriodora	Spotted Gum	380		380	119	23	7.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
339	Corymbia citriodora	Spotted Gum	420		420	132	26	10.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
340	Corymbia citriodora	Spotted Gum	450		450	141	24	10.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
341	Corymbia citriodora	Spotted Gum	430		430	135	21	9.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
342	Corymbia citriodora	Spotted Gum	360		360	113	23	5.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
343	Corymbia citriodora	Spotted Gum	410		410	129	20	10.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
344	DEAD/STAG		470		470	148	16	7.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Large	-	-	-	Remove in ROL4
345	DEAD/STAG		420		420	132	26	5.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Large	-	-	-	Remove in ROL4
346	DEAD/STAG		290		290	91	20	2.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
347	Eucalyptus crebra	Narrow-leaved Ironbark	520		520	163	26	13.0	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
348	Corymbia citriodora	Spotted Gum	360		360	113	20	8.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
349	Corymbia citriodora	Spotted Gum	440		440	138	23	12.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
350	DEAD/STAG		170		170	53	15	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Remove in ROL4
351	Unknown sp.	Dead Stag	270		270	85	22	3.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Remove in ROL4
352	DEAD/STAG		520		520	163	25	10.0	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Remove in ROL4
353	Corymbia citriodora	Spotted Gum	350		350	110	20	8.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
354	DEAD/STAG		340		340	107	15	3.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Remove in ROL4
355	DEAD/STAG		360		360	113	16	4.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Remove in ROL4
356	DEAD/STAG		400		400	126	17	4.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Remove in ROL4
357	Corymbia citriodora	Spotted Gum	430		430	135	20	2.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Old	-	-	-	-	Remove in ROL4
358	DEAD/STAG		420		420	132	25	10.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
359	Acacia disparrima	Hickory Wattle	170		170	53	13	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
360	Petalostigma pubescens	Quinnie Bush	140		140	44	9	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
361	Eucalyptus tereticornis	Forest Red Gum	460		460	145	23	8.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Stormwater outlet
362	Acacia disparrima	Hickory Wattle	160		160	50	8	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
363	Acacia disparrima	Hickory Wattle	160		160	50	10	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
364	Acacia disparrima	Hickory Wattle	170		170	53	8	7.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
365	Acacia disparrima	Hickory Wattle	130	130	184	58	6	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
366	Eucalyptus tereticornis	Forest Red Gum	480		480	151	25	8.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
367	Corymbia citriodora	Spotted Gum	360		360	113	25	10.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
368	Corymbia citriodora	Spotted Gum	510		510	160	26	10.0	6.1	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
369	Corymbia citriodora	Spotted Gum	220		220	69	17	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Old	-	-	-	-	Retain in ROL4, Future retention TBC
370	Eucalyptus tereticornis	Forest Red Gum	300		300	94	22	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value							Retention
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	
371	Corymbia citriodora	Spotted Gum	180		180	57	16	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
372	Acacia disparrima	Hickory Wattle	120		120	38	7	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
373	Acacia disparrima	Hickory Wattle	140		140	44	5	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
374	Acacia disparrima	Hickory Wattle	150		150	47	7	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
375	Eucalyptus tereticornis	Forest Red Gum	220		220	69	10	1.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
376	Corymbia citriodora	Spotted Gum	270		270	85	17	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
377	Corymbia citriodora	Spotted Gum	260		260	82	16	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
378	Corymbia citriodora	Spotted Gum	150		150	47	16	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
379	Corymbia citriodora	Spotted Gum	360		360	113	21	12.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
380	Corymbia citriodora	Spotted Gum	170		170	53	12	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Old	-	-	-	-	Remove in ROL4
381	Corymbia citriodora	Spotted Gum	270		270	85	20	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
382	Corymbia citriodora	Spotted Gum	260		260	82	21	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
383	Corymbia citriodora	Spotted Gum	230		230	72	15	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
384	Corymbia citriodora	Spotted Gum	120		120	38	7	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
385	Corymbia citriodora	Spotted Gum	240		240	75	7	3.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
386	Corymbia citriodora	Spotted Gum	300		300	94	21	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Stormwater outlet
387	Eucalyptus crebra	Narrow-leaved Ironbark	170		170	53	9	2.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Stormwater outlet
388	Corymbia citriodora	Spotted Gum	290		290	91	23	8.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Stormwater outlet
389	Corymbia citriodora	Spotted Gum	210		210	66	18	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Stormwater outlet
390	Corymbia citriodora	Spotted Gum	210		210	66	16	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
391	Corymbia citriodora	Spotted Gum	100		100	31	12	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove in ROL4
392	Corymbia citriodora	Spotted Gum	160		160	50	17	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
393	Corymbia citriodora	Spotted Gum	105	55	119	37	14	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
394	Corymbia citriodora	Spotted Gum	255		255	80	18	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
395	Eucalyptus tereticornis	Forest Red Gum	105		105	33	11	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
396	Angophora leiocarpa	Smooth-barked Apple	270		270	85	18	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
397	Corymbia citriodora	Spotted Gum	175		175	55	15	5.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
398	Acacia leiocalyx	Early-flowering Black Wattle	175		175	55	8	6.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
399	Corymbia citriodora	Spotted Gum	195		195	61	18	7.0	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
400	Acacia disparrima	Hickory Wattle	120	105	159	50	7	5.0	2.0	1.5	Regular	-	-	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
401	DEAD/STAG		300		300	94	17	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
402	Corymbia citriodora	Spotted Gum	105		105	33	9	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
403	Corymbia citriodora	Spotted Gum	180		180	57	17	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
404	Corymbia citriodora	Spotted Gum	150		150	47	16	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
405	Corymbia citriodora	Spotted Gum	125		125	39	15	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
406	Corymbia citriodora	Spotted Gum	275		275	86	18	6.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
407	Corymbia citriodora	Spotted Gum	110		110	35	11	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
408	Eucalyptus tereticornis	Forest Red Gum	220		220	69	18	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
409	Corymbia citriodora	Spotted Gum	325		325	102	18	10.0	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
410	Eucalyptus tereticornis	Forest Red Gum	245		245	77	18	7.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
411	Corymbia citriodora	Spotted Gum	330		330	104	18	10.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
412	Corymbia citriodora	Spotted Gum	265		265	83	18	11.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
413	Corymbia citriodora	Spotted Gum	250		250	79	18	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
414	Eucalyptus tereticornis	Forest Red Gum	205		205	64	14	8.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
415	Corymbia citriodora	Spotted Gum	275		275	86	18	10.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Arborist - ROL4
416	Corymbia citriodora	Spotted Gum	100		100	31	11	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Arborist - ROL4
417	Lophostemon suaveolens	Swamp Box	120		120	38	9	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value							Retention
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	
418	Lophostemon suaveolens	Swamp Box	170		170	53	10	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
419	Corymbia citriodora	Spotted Gum	160		160	50	15	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Arborist - ROL4
420	Corymbia citriodora	Spotted Gum	125		125	39	8	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
421	Corymbia citriodora	Spotted Gum	180		180	57	17	8.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
422	Corymbia citriodora	Spotted Gum	115		115	36	14	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
423	Corymbia tessellaris	Moreton Bay Ash	115		115	36	7	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
424	Eucalyptus crebra	Narrow-leaved Ironbark	115		115	36	10	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
425	Acacia disparrima	Hickory Wattle	145		145	46	8	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
426	Acacia disparrima	Hickory Wattle	120		120	38	9	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
427	Alphitonia excelsa	Soap Tree	100		100	31	8	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
428	Acacia leiocalyx	Early-flowering Black Wattle	100		100	31	7	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
429	Alphitonia excelsa	Soap Tree	120		120	38	7	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
430	Lophostemon suaveolens	Swamp Box	180		180	57	8	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
431	Acacia disparrima	Hickory Wattle	120		120	38	8	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
432	Lophostemon suaveolens	Swamp Box	110		110	35	5	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
433	Acacia disparrima	Hickory Wattle	130		130	41	7	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
434	Lophostemon suaveolens	Swamp Box	110		110	35	5	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
435	Corymbia citriodora	Spotted Gum	135		135	42	14	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
436	Acacia disparrima	Hickory Wattle	100		100	31	5	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
437	Acacia disparrima	Hickory Wattle	100		100	31	5	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
438	Corymbia citriodora	Spotted Gum	185		185	58	16	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
439	Lophostemon suaveolens	Swamp Box	120		120	38	7	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
440	Corymbia citriodora	Spotted Gum	110		110	35	8	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
441	Lophostemon suaveolens	Swamp Box	120		120	38	7	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
442	Acacia leiocalyx	Early-flowering Black Wattle	100		100	31	7	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
443	Alphitonia excelsa	Soap Tree	125		125	39	8	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
444	Acacia disparrima	Hickory Wattle	210		210	66	8	9.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
445	Lophostemon suaveolens	Swamp Box	115		115	36	8	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
446	Eucalyptus tereticornis	Forest Red Gum	170		170	53	17	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
447	Acacia disparrima	Hickory Wattle	145		145	46	2	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
448	Lophostemon suaveolens	Swamp Box	100		100	31	5	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
449	Acacia disparrima	Hickory Wattle	140		140	44	7	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
450	Corymbia tessellaris	Moreton Bay Ash	145		145	46	8	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
451	Acacia disparrima	Hickory Wattle	175		175	55	9	5.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
452	Acacia leiocalyx	Early-flowering Black Wattle	100		100	31	6	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
453	Acacia disparrima	Hickory Wattle	180		180	57	8	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
454	Corymbia citriodora	Spotted Gum	240		240	75	18	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
455	Acacia disparrima	Hickory Wattle	115		115	36	6	6.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
456	Corymbia citriodora	Spotted Gum	205		205	64	16	2.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
457	Acacia disparrima	Hickory Wattle	170		170	53	8	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
458	Eucalyptus tereticornis	Forest Red Gum	260		260	82	18	12.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
459	Corymbia citriodora	Spotted Gum	260		260	82	18	11.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
460	Acacia leiocalyx	Early-flowering Black Wattle	110		110	35	6	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
461	Corymbia citriodora	Spotted Gum	300		300	94	20	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
462	Corymbia citriodora	Spotted Gum	290		290	91	21	11.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
463	Corymbia tessellaris	Moreton Bay Ash	150		150	47	10	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
464	Corymbia citriodora	Spotted Gum	260		260	82	20	10.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value		Retention
465	Corymbia tessellaris	Moreton Bay Ash	105		105	33	8	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
466	Corymbia citriodora	Spotted Gum	135		135	42	14	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
467	Acacia disparrima	Hickory Wattle	135		135	42	7	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
468	Corymbia tessellaris	Moreton Bay Ash	105		105	33	6	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
469	Corymbia tessellaris	Moreton Bay Ash	215		215	68	15	5.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
470	Alphitonia excelsa	Soap Tree	165		165	52	8	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
471	Corymbia tessellaris	Moreton Bay Ash	105		105	33	5	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
472	Acacia disparrima	Hickory Wattle	110		110	35	5	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
473	Corymbia citriodora	Spotted Gum	200		200	63	15	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
474	Corymbia tessellaris	Moreton Bay Ash	120	120	170	53	11	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
475	Corymbia tessellaris	Moreton Bay Ash	120		120	38	12	2.0	2.0	1.4	Regular	-	-	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
476	Corymbia tessellaris	Moreton Bay Ash	120		120	38	10	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
477	Corymbia tessellaris	Moreton Bay Ash	130		130	41	12	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
478	Corymbia citriodora	Spotted Gum	260		260	82	18	11.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
479	Corymbia citriodora	Spotted Gum	270		270	85	20	12.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
480	Corymbia citriodora	Spotted Gum	250		250	79	19	10.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
481	Eucalyptus tereticornis	Forest Red Gum	260		260	82	12	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
482	Eucalyptus tereticornis	Forest Red Gum	140		140	44	12	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
483	Corymbia citriodora	Spotted Gum	410		410	129	20	15.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
484	Corymbia citriodora	Spotted Gum	290		290	91	21	12.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
485	Corymbia citriodora	Spotted Gum	345		345	108	20	10.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
486	Corymbia citriodora	Spotted Gum	315		315	99	19	11.0	3.8	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
487	Eucalyptus tereticornis	Forest Red Gum	150		150	47	12	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
488	Corymbia citriodora	Spotted Gum	100		100	31	10	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
489	Acacia leiocalyx	Early-flowering Black Wattle	135		135	42	5	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
490	Corymbia tessellaris	Moreton Bay Ash	100		100	31	8	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
491	Corymbia citriodora	Spotted Gum	245		245	77	17	9.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
492	Acacia leiocalyx	Early-flowering Black Wattle	100		100	31	6	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
493	Acacia leiocalyx	Early-flowering Black Wattle	115		115	36	5	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
494	Eucalyptus tereticornis	Forest Red Gum	275		275	86	18	9.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
495	Corymbia tessellaris	Moreton Bay Ash	145		145	46	10	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
496	Acacia disparrima	Hickory Wattle	125		125	39	6	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
497	Acacia leiocalyx	Early-flowering Black Wattle	155		155	49	7	6.0	2.0	1.5	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
498	Corymbia citriodora	Spotted Gum	315		315	99	18	10.0	3.8	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
499	Corymbia citriodora	Spotted Gum	165		165	52	20	10.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
500	Eucalyptus tereticornis	Forest Red Gum	200		200	63	17	8.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
501	Acacia leiocalyx	Early-flowering Black Wattle	80		80	25	5	4.0	2.0	1.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
502	Acacia leiocalyx	Early-flowering Black Wattle	120		120	38	7	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
503	Corymbia citriodora	Spotted Gum	180		180	57	15	7.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
504	Corymbia citriodora	Spotted Gum	270		270	85	18	9.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
505	Corymbia citriodora	Spotted Gum	225		225	71	16	9.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
506	Corymbia citriodora	Spotted Gum	215		215	68	18	9.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
507	Corymbia citriodora	Spotted Gum	245		245	77	16	10.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
508	Corymbia citriodora	Spotted Gum	210		210	66	15	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
509	Corymbia citriodora	Spotted Gum	220		220	69	15	8.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
510	Acacia disparrima	Hickory Wattle	140		140	44	6	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
511	Acacia disparrima	Hickory Wattle	125		125	39	8	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Retention	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest		Habitat Value
512	Acacia disparrima	Hickory Wattle	125		125	39	6	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
513	Eucalyptus tereticornis	Forest Red Gum	250		250	79	16	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
514	Corymbia citriodora	Spotted Gum	285		285	90	18	10.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
515	Angophora leiocarpa	Smooth-barked Apple	225		225	71	20	8.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
516	Eucalyptus tereticornis	Forest Red Gum	110		110	35	9	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
517	Corymbia citriodora	Spotted Gum	125		125	39	10	8.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
518	Corymbia citriodora	Spotted Gum	320		320	101	20	12.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
519	Corymbia citriodora	Spotted Gum	190		190	60	17	10.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
520	Acacia leiocalyx	Early-flowering Black Wattle	110		110	35	6	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
521	Acacia disparrima	Hickory Wattle	125	95	157	49	7	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
522	Corymbia citriodora	Spotted Gum	300		300	94	18	12.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
523	Corymbia citriodora	Spotted Gum	185		185	58	15	10.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
524	Corymbia citriodora	Spotted Gum	250		250	79	18	14.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
525	Corymbia citriodora	Spotted Gum	335		335	105	22	15.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
526	Corymbia citriodora	Spotted Gum	345		345	108	20	14.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
527	DEAD/STAG		370		370	116	24	16.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
528	Corymbia citriodora	Spotted Gum	370	160	403	127	18	14.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
529	Corymbia citriodora	Spotted Gum	340		340	107	20	14.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
530	Corymbia citriodora	Spotted Gum	380		380	119	22	15.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
531	Corymbia citriodora	Spotted Gum	535		535	168	25	16.0	6.4	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
532	DEAD/STAG		670		670	210	26	18.0	8.0	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Large	-	-	High	Remove in ROL4
533	DEAD/STAG		500		500	157	25	18.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Remove in ROL4
534	Corymbia citriodora	Spotted Gum	345		345	108	20	15.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Remove in ROL4
535	Eucalyptus crebra	Narrow-leaved Ironbark	465		465	146	21	14.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Remove in ROL4
536	Eucalyptus tereticornis	Forest Red Gum	275		275	86	20	15.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
537	Corymbia citriodora	Spotted Gum	370		370	116	17	14.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
538	Corymbia citriodora	Spotted Gum	420		420	132	22	15.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Remove in ROL4
539	Eucalyptus tereticornis	Forest Red Gum	365		365	115	20	14.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
540	Corymbia citriodora	Spotted Gum	315		315	99	20	15.0	3.8	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
541	DEAD/STAG		400		400	126	20	8.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Remove in ROL4
542	Corymbia citriodora	Spotted Gum	385		385	121	22	15.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
543	Corymbia citriodora	Spotted Gum	340		340	107	22	15.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
544	Corymbia citriodora	Spotted Gum	320		320	101	21	15.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
545	Corymbia citriodora	Spotted Gum	300		300	94	20	14.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
546	Corymbia citriodora	Spotted Gum	325		325	102	22	12.0	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
547	DEAD/STAG		345		345	108	20	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Remove in ROL4
548	Corymbia intermedia	Pink Bloodwood	320		320	101	16	16.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
549	Corymbia citriodora	Spotted Gum	330		330	104	20	15.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
550	Corymbia intermedia	Pink Bloodwood	405		405	127	20	15.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
551	Eucalyptus tereticornis	Forest Red Gum	420		420	132	21	14.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
552	Eucalyptus tereticornis	Forest Red Gum	425		425	134	21	15.0	5.1	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
553	Corymbia citriodora	Spotted Gum	370	285, 170	497	156	21	18.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
554	Eucalyptus tereticornis	Forest Red Gum	365		365	115	22	15.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
555	Acacia disparrima	Hickory Wattle	215		215	68	8	6.0	2.6	1.7	Regular	-	-	-	-	-	Typical	Minor	-	-	-	-	Typical	-	-	-	-	-	Remove in ROL4
556	Acacia disparrima	Hickory Wattle	125		125	39	6	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
557	Eucalyptus tereticornis	Forest Red Gum	385		385	121	22	15.0	4.6	2.2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
558	Acacia disparrima	Hickory Wattle	100		100	31	7	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value		Retention
559	Eucalyptus tereticornis	Forest Red Gum	170		170	53	15	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		Remove in ROL4
560	Corymbia citriodora	Spotted Gum	215		215	68	15	9.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		Remove in ROL4
561	Alphitonia excelsa	Soap Tree	115		115	36	9	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		Remove in ROL4
562	Alphitonia excelsa	Soap Tree	115		115	36	5	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		Remove in ROL4
563	Acacia disparrima	Hickory Wattle	130		130	41	7	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		Remove in ROL4
564	Acacia disparrima	Hickory Wattle	110		110	35	5	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		Remove in ROL4
565	Acacia disparrima	Hickory Wattle	115		115	36	8	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		Remove in ROL4
566	Acacia disparrima	Hickory Wattle	120		120	38	7	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		Remove in ROL4
567	Acacia disparrima	Hickory Wattle	135		135	42	7	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		Remove in ROL4
568	Alphitonia excelsa	Soap Tree	175		175	55	8	4.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		Remove in ROL4
569	Alphitonia excelsa	Soap Tree	100		100	31	5	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		Remove in ROL4
570	Corymbia tessellaris	Moreton Bay Ash	110		110	35	11	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		Remove in ROL4
571	Eucalyptus tereticornis	Forest Red Gum	285		285	90	18	12.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		Remove in ROL4
572	Corymbia citriodora	Spotted Gum	170		170	53	14	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		Remove in ROL4
573	Corymbia citriodora	Spotted Gum	365		365	115	20	14.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		Remove in ROL4
574	Corymbia citriodora	Spotted Gum	340		340	107	20	9.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		Remove in ROL4
575	Corymbia citriodora	Spotted Gum	170		170	53	14	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		Remove in ROL4
576	Eucalyptus tereticornis	Forest Red Gum	280		280	88	17	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		Remove in ROL4
577	Alphitonia excelsa	Soap Tree	110		110	35	5	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		Remove in ROL4
578	Corymbia citriodora	Spotted Gum	320		320	101	20	14.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		Remove in ROL4
579	Corymbia citriodora	Spotted Gum	185		185	58	15	7.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		Remove in ROL4
580	Corymbia citriodora	Spotted Gum	320	135	347	109	18	12.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		Remove in ROL4
581	Corymbia citriodora	Spotted Gum	145		145	46	15	7.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		Remove in ROL4
582	Corymbia citriodora	Spotted Gum	205		205	64	17	11.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		Remove in ROL4
583	Corymbia citriodora	Spotted Gum	300		300	94	20	16.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		Remove in ROL4
584	Corymbia citriodora	Spotted Gum	130		130	41	12	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		Remove in ROL4
585	Eucalyptus crebra	Narrow-leaved Ironbark	105		105	33	9	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		Remove in ROL4
586	Acacia disparrima	Hickory Wattle	125		125	39	6	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		Remove in ROL4
587	Corymbia citriodora	Spotted Gum	185		185	58	16	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		Remove in ROL4
588	Corymbia citriodora	Spotted Gum	260		260	82	18	12.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		Remove in ROL4
589	Corymbia citriodora	Spotted Gum	150		150	47	10	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		Remove in ROL4
590	Corymbia citriodora	Spotted Gum	310		310	97	18	12.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		Remove in ROL4
591	Corymbia citriodora	Spotted Gum	215		215	68	16	10.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		Remove in ROL4
592	Eucalyptus crebra	Narrow-leaved Ironbark	135		135	42	11	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		Remove in ROL4
593	Corymbia citriodora	Spotted Gum	265		265	83	18	14.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		Remove in ROL4
594	Corymbia citriodora	Spotted Gum	175		175	55	15	10.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		Remove in ROL4
595	Corymbia citriodora	Spotted Gum	240		240	75	21	12.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		Remove in ROL4
596	Corymbia citriodora	Spotted Gum	250		250	79	18	12.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		Remove in ROL4
597	Corymbia citriodora	Spotted Gum	225		225	71	15	10.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		Remove in ROL4
598	Acacia disparrima	Hickory Wattle	105		105	33	5	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		Remove in ROL4
599	Corymbia intermedia	Pink Bloodwood	100		100	31	6	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		Remove in ROL4
600	Corymbia citriodora	Spotted Gum	230		230	72	18	8.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		Remove in ROL4
601	Corymbia citriodora	Spotted Gum	275		275	86	20	12.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		Remove in ROL4
602	Corymbia citriodora	Spotted Gum	270	145	306	96	17	10.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		Remove in ROL4
603	Alphitonia excelsa	Soap Tree	110		110	35	7	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		Remove in ROL4
604	Corymbia citriodora	Spotted Gum	185		185	58	15	8.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		Remove in ROL4
605	Corymbia citriodora	Spotted Gum	200		200	63	15	4.0	2.4	1.7	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-		Remove in ROL4

Tree ID	Specimen Details									Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Retention	
	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest		Habitat Value
606	Corymbia tessellaris	Moreton Bay Ash	155		155	49	12	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
607	Corymbia citriodora	Spotted Gum	215		215	68	12	8.0	2.6	1.7	Regular	-	-	-	-	-	Typical	Major	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
608	Corymbia citriodora	Spotted Gum	305		305	96	20	14.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
609	Alphitonia excelsa	Soap Tree	135		135	42	8	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
610	Corymbia citriodora	Spotted Gum	280		280	88	20	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
611	Corymbia citriodora	Spotted Gum	110		110	35	12	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
612	DEAD/STAG		570		570	179	21	2.0	6.8	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Large	-	-	-	Remove in ROL4
613	Corymbia citriodora	Spotted Gum	270		270	85	18	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
614	Eucalyptus tereticornis	Forest Red Gum	800		800	251	24	15.0	9.6	3.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
615	DEAD/STAG		230		230	72	9	2.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
616	Corymbia citriodora	Spotted Gum	220		220	69	17	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
617	Corymbia citriodora	Spotted Gum	170		170	53	12	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
618	Corymbia citriodora	Spotted Gum	120		120	38	14	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
619	Eucalyptus tereticornis	Forest Red Gum	270		270	85	21	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Old	-	-	-	-	Retain in ROL4, Future retention TBC
620	Eucalyptus tereticornis	Forest Red Gum	130		130	41	12	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
621	Corymbia citriodora	Spotted Gum	110		110	35	11	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
622	Eucalyptus crebra	Narrow-leaved Ironbark	100		100	31	10	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
623	Petalostigma pubescens	Quinnie Bush	170		170	53	8	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
624	Corymbia citriodora	Spotted Gum	270		270	85	22	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
625	Corymbia citriodora	Spotted Gum	390		390	123	18	5.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
626	Corymbia citriodora	Spotted Gum	340		340	107	23	3.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
627	Corymbia citriodora	Spotted Gum	190		190	60	15	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
628	Corymbia citriodora	Spotted Gum	310		310	97	22	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
629	Corymbia citriodora	Spotted Gum	320		320	101	22	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
630	Corymbia citriodora	Spotted Gum	270		270	85	17	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
631	Corymbia citriodora	Spotted Gum	320		320	101	15	10.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
632	Eucalyptus tereticornis	Forest Red Gum	330		330	104	20	13.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
633	Acacia dispartima	Hickory Wattle	210		210	66	12	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
634	Corymbia citriodora	Spotted Gum	330		330	104	23	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
635	Corymbia citriodora	Spotted Gum	140		140	44	12	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
636	Eucalyptus tereticornis	Forest Red Gum	300		300	94	21	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
637	Corymbia citriodora	Spotted Gum	140		140	44	10	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
638	Corymbia citriodora	Spotted Gum	250		250	79	23	3.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
639	Corymbia citriodora	Spotted Gum	320		320	101	20	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
640	Eucalyptus tereticornis	Forest Red Gum	370		370	116	23	9.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
641	Corymbia citriodora	Spotted Gum	170		170	53	14	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
642	Corymbia citriodora	Spotted Gum	160		160	50	17	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
643	Corymbia citriodora	Spotted Gum	150		150	47	14	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
644	Eucalyptus tereticornis	Forest Red Gum	240		240	75	20	3.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
645	Corymbia tessellaris	Moreton Bay Ash	320		320	101	21	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
646	Corymbia intermedia	Pink Bloodwood	300		300	94	12	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
647	Corymbia tessellaris	Moreton Bay Ash	130		130	41	10	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
648	Eucalyptus tereticornis	Forest Red Gum	260		260	82	23	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
649	Eucalyptus crebra	Narrow-leaved Ironbark	180		180	57	9	2.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
650	Eucalyptus crebra	Narrow-leaved Ironbark	180		180	57	12	2.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
651	Eucalyptus crebra	Narrow-leaved Ironbark	420		420	132	23	15.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
652	Eucalyptus tereticornis	Forest Red Gum	220		220	69	17	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Retention	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest		Habitat Value
656	Eucalyptus tereticornis	Forest Red Gum	270		270	85	21	3.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
657	Corymbia citriodora	Spotted Gum	180		180	57	9	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
658	Corymbia intermedia	Pink Bloodwood	280		280	88	12	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
680	Acacia dispartima	Hickory Wattle	170		170	53	12	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
681	Corymbia citriodora	Spotted Gum	130		130	41	12	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
682	Corymbia citriodora	Spotted Gum	140		140	44	13	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
683	Eucalyptus crebra	Narrow-leaved Ironbark	240		240	75	19	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
684	Corymbia citriodora	Spotted Gum	120		120	38	10	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
685	Corymbia citriodora	Spotted Gum	190		190	60	12	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
686	Corymbia citriodora	Spotted Gum	380		380	119	23	12.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
687	Corymbia citriodora	Spotted Gum	180		180	57	17	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
688	Eucalyptus tereticornis	Forest Red Gum	320		320	101	22	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
689	Corymbia tessellaris	Moreton Bay Ash	150	140	205	64	17	8.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
690	Eucalyptus tereticornis	Forest Red Gum	520		520	163	23	8.0	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	Old	-	-	-	-	-	Retain in ROL4, Future retention TBC
691	Eucalyptus tereticornis	Forest Red Gum	370		370	116	22	10.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
692	Corymbia intermedia	Pink Bloodwood	150		150	47	10	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
693	Eucalyptus tereticornis	Forest Red Gum	420		420	132	22	8.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
694	Corymbia tessellaris	Moreton Bay Ash	120		120	38	8	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
695	Eucalyptus crebra	Narrow-leaved Ironbark	320		320	101	17	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
696	Alphitonia excelsa	Soap Tree	110		110	35	12	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
697	Corymbia tessellaris	Moreton Bay Ash	100		100	31	11	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
698	Alphitonia excelsa	Soap Tree	120		120	38	12	7.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
699	Corymbia tessellaris	Moreton Bay Ash	130		130	41	12	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
700	Callistemon viminalis	Weeping Bottlebrush	160		160	50	8	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
701	Callistemon viminalis	Weeping Bottlebrush	150		150	47	9	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
702	Casuarina cunninghamian	River She-oak	430		430	135	12	7.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Stormwater outlet
703	Callistemon viminalis	Weeping Bottlebrush	110		110	35	5	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
704	Callistemon viminalis	Weeping Bottlebrush	150		150	47	5	7.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
705	Eucalyptus tereticornis	Forest Red Gum	320		320	101	23	10.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
706	Angophora leiocarpa	Smooth-barked Apple	100		100	31	7	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Stormwater outlet
707	Corymbia citriodora	Spotted Gum	220		220	69	20	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Stormwater outlet
708	Corymbia citriodora	Spotted Gum	200		200	63	14	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Stormwater outlet
709	Eucalyptus tereticornis	Forest Red Gum	350		350	110	23	4.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
710	Corymbia citriodora	Spotted Gum	180		180	57	17	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
711	Corymbia citriodora	Spotted Gum	270		270	85	24	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
712	Eucalyptus tereticornis	Forest Red Gum	210		210	66	12	2.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
713	Eucalyptus tereticornis	Forest Red Gum	450		450	141	25	12.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
714	Eucalyptus tereticornis	Forest Red Gum	190		190	60	14	2.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
715	Eucalyptus tereticornis	Forest Red Gum	220		220	69	20	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
716	DEAD/STAG		300		300	94	20	15.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
717	Corymbia citriodora	Spotted Gum	380		380	119	24	8.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
718	Eucalyptus tereticornis	Forest Red Gum	340		340	107	24	12.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
719	Eucalyptus tereticornis	Forest Red Gum	350		350	110	24	9.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
720	Eucalyptus tereticornis	Forest Red Gum	530		530	167	25	13.0	6.4	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
721	Corymbia citriodora	Spotted Gum	370		370	116	24	12.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
722	Corymbia citriodora	Spotted Gum	370		370	116	23	5.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	Old	-	-	-	-	-	Remove in ROL4
723	Eucalyptus tereticornis	Forest Red Gum	460		460	145	25	13.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-								

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value							Retention	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value		
724	Corymbia citriodora	Spotted Gum	120		120	38	8	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4	
725	Eucalyptus tereticornis	Forest Red Gum	240		240	75	18	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4	
726	Corymbia citriodora	Spotted Gum	170		170	53	15	2.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4	
727	Eucalyptus tereticornis	Forest Red Gum	350		350	110	18	11.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4	
728	Corymbia citriodora	Spotted Gum	400		400	126	25	13.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4	
729	Corymbia citriodora	Spotted Gum	280		280	88	20	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4	
730	Corymbia citriodora	Spotted Gum	620		620	195	26	12.0	7.4	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4	
731	Corymbia citriodora	Spotted Gum	490		490	154	23	8.0	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4	
732	Acacia disparrima	Hickory Wattle	210		210	66	8	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4	
733	Corymbia citriodora	Spotted Gum	240		240	75	15	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4	
734	DEAD/STAG		350		350	110	17	2.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	Large	-	-	Remove in ROL4	
735	Corymbia citriodora	Spotted Gum	290		290	91	22	8.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4	
736	Alphitonia excelsa	Soap Tree	110		110	35	8	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4	
737	Corymbia citriodora	Spotted Gum	160		160	50	14	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4	
738	Corymbia citriodora	Spotted Gum	280		280	88	22	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4	
739	Corymbia citriodora	Spotted Gum	240		240	75	22	6.0	2.9	1.8	One-sided	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4	
740	Corymbia citriodora	Spotted Gum	100		100	31	10	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC	
741	Corymbia citriodora	Spotted Gum	220		220	69	22	8.0	2.6	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC	
742	Corymbia citriodora	Spotted Gum	140		140	44	8	4.0	2.0	1.4	One-sided	-	-	-	-	-	Typical	Minor	-	-	-	-	Typical	-	-	-	-	-	Retain in ROL4, Future retention TBC	
743	Corymbia citriodora	Spotted Gum	260		260	82	20	8.0	3.1	1.9	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC	
744	Corymbia citriodora	Spotted Gum	250		250	79	16	8.0	3.0	1.8	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC	
745	Eucalyptus tereticornis	Forest Red Gum	280		280	88	22	10.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC	
746	Corymbia tessellaris	Moreton Bay Ash	130		130	41	2	1.0	2.0	1.4	Regular	-	-	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC	
747	Corymbia citriodora	Spotted Gum	130		130	41	12	5.0	2.0	1.4	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC	
748	Corymbia citriodora	Spotted Gum	210		210	66	20	10.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC	
749	Corymbia citriodora	Spotted Gum	140		140	44	16	3.0	2.0	1.4	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC	
750	Corymbia citriodora	Spotted Gum	270		270	85	24	10.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC	
751	Corymbia citriodora	Spotted Gum	320		320	101	24	10.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC	
752	Corymbia citriodora	Spotted Gum	230	220	318	100	22	10.0	3.8	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC	
753	Corymbia intermedia	Pink Bloodwood	220		220	69	14	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC	
754	Acacia disparrima	Hickory Wattle	130		130	41	8	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC	
759	Lophostemon suaveolens	Swamp Box	150		150	47	10	3.0	2.0	1.5	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC	
760	Lophostemon suaveolens	Swamp Box	160		160	50	8	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC	
761	Eucalyptus tereticornis	Forest Red Gum	280		280	88	22	10.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC	
762	Alphitonia excelsa	Soap Tree	110		110	35	8	3.0	2.0	1.3	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC	
763	Corymbia tessellaris	Moreton Bay Ash	150		150	47	10	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC	
764	Callistemon viminalis	Weeping Bottlebrush	110		110	35	5	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	Major	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
765	Casuarina cunninghamian	River She-oak	220		220	69	10	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC	
766	Callistemon viminalis	Weeping Bottlebrush	120		120	38	6	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	Minor	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
767	Callistemon viminalis	Weeping Bottlebrush	140		140	44	7	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	Major	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
768	Callistemon viminalis	Weeping Bottlebrush	200		200	63	8	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	Major	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
769	Casuarina cunninghamian	River She-oak	180		180	57	18	7.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC	
770	Callistemon viminalis	Weeping Bottlebrush	150		150	47	6	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	Minor	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
771	Corymbia citriodora	Spotted Gum	220		220	69	22	8.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC	
772	Callistemon viminalis	Weeping Bottlebrush	150	140	205	64	5	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	Major	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
773	Glochidion sumatranum	Umbrella Cheese Tree	140		140	44	3	2.0	2.0	1.4	Regular	-	-	-	Epicormic	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC	
774	Acacia disparrima	Hickory Wattle	220																											

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value							Retention
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	
775	Casuarina cunninghamian	River She-oak	220		220	69	10	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Remove - Stormwater outlet
776	Callistemon viminalis	Weeping Bottlebrush	220		220	69	8	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Stormwater outlet
777	Callistemon viminalis	Weeping Bottlebrush	210		210	66	8	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Remove - Stormwater outlet
778	Callistemon viminalis	Weeping Bottlebrush	160		160	50	8	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Remove - Stormwater outlet
779	Callistemon viminalis	Weeping Bottlebrush	100		100	31	5	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
780	Casuarina cunninghamian	River She-oak	110		110	35	8	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
781	Corymbia citriodora	Spotted Gum	170		170	53	18	8.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
782	Angophora subvelutina	Broad-leaved Apple	240		240	75	20	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
783	Angophora subvelutina	Broad-leaved Apple	200		200	63	14	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Stormwater outlet
784	Corymbia citriodora	Spotted Gum	300		300	94	24	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Stormwater outlet
785	Corymbia citriodora	Spotted Gum	230		230	72	22	8.0	2.8	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Stormwater outlet
786	Corymbia citriodora	Spotted Gum	400		400	126	26	14.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
787	Eucalyptus tereticornis	Forest Red Gum	260		260	82	24	10.0	3.1	1.9	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
788	Corymbia citriodora	Spotted Gum	350		350	110	24	12.0	4.2	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
789	Eucalyptus tereticornis	Forest Red Gum	210		210	66	22	10.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
790	Angophora subvelutina	Broad-leaved Apple	100		100	31	4	2.0	2.0	1.3	Regular	-	-	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
791	Corymbia intermedia	Pink Bloodwood	120		120	38	12	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
792	Corymbia intermedia	Pink Bloodwood	130		130	41	20	7.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
793	Corymbia citriodora	Spotted Gum	360		360	113	22	10.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
794	Angophora leiocarpa	Smooth-barked Apple	200		200	63	16	8.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
795	Corymbia intermedia	Pink Bloodwood	100		100	31	8	2.0	2.0	1.3	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
796	Corymbia intermedia	Pink Bloodwood	170		170	53	8	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
797	Angophora leiocarpa	Smooth-barked Apple	400		400	126	18	8.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
798	Lophostemon suaveolens	Swamp Box	180	150	234	74	12	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
799	Eucalyptus tereticornis	Forest Red Gum	450		450	141	26	14.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
800	Corymbia citriodora	Spotted Gum	150		150	47	12	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
801	Eucalyptus tereticornis	Forest Red Gum	160		160	50	20	8.0	2.0	1.5	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
802	Corymbia citriodora	Spotted Gum	160		160	50	22	8.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
803	Corymbia citriodora	Spotted Gum	170		170	53	22	10.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
804	Acacia disparrima	Hickory Wattle	170		170	53	6	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
805	Acacia disparrima	Hickory Wattle	110		110	35	8	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
806	Eucalyptus tereticornis	Forest Red Gum	320		320	101	24	12.0	3.8	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
807	Corymbia citriodora	Spotted Gum	220		220	69	22	8.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
808	Corymbia citriodora	Spotted Gum	420		420	132	20	8.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Old	-	-	-	-	Retain in ROL4, Future retention TBC
809	Corymbia citriodora	Spotted Gum	230		230	72	20	8.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
810	Corymbia citriodora	Spotted Gum	340		340	107	26	14.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
811	Eucalyptus tereticornis	Forest Red Gum	320		320	101	24	12.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
812	Corymbia citriodora	Spotted Gum	380		380	119	22	12.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
813	Corymbia citriodora	Spotted Gum	180		180	57	20	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
814	Corymbia citriodora	Spotted Gum	130		130	41	14	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
815	Corymbia citriodora	Spotted Gum	330		330	104	24	12.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
816	Corymbia citriodora	Spotted Gum	340		340	107	24	12.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Old	-	-	-	-	Remove in ROL4
817	Corymbia citriodora	Spotted Gum	150		150	47	14	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
818	Corymbia citriodora	Spotted Gum	220		220	69	24	8.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
819	Corymbia citriodora	Spotted Gum	270		270	85	24	14.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
820	Corymbia citriodora	Spotted Gum	140		140	44	8	3.0	2.0	1.4	Regular	-	-	-	Epicormic	Lopped	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
821	Corymbia citriodora	Spotted Gum	320		320	101	26	14.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value									
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention		
822	Corymbia citriodora	Spotted Gum	320		320	101	22	8.0	3.8	2.1	One-sided	-	-	-	Epicormic	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	-	Remove in ROL4	
823	Corymbia citriodora	Spotted Gum	350		350	110	26	14.0	4.2	2.1	One-sided	-	-	Die-back	-	-	Typical		-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	-	Remove in ROL4	
824	Corymbia citriodora	Spotted Gum	230		230	72	20	8.0	2.8	1.8	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	-	Remove in ROL4	
825	Corymbia citriodora	Spotted Gum	280		280	88	24	12.0	3.4	1.9	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4	
826	Corymbia citriodora	Spotted Gum	310		310	97	24	12.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Old	-	-	-	-	-	Remove in ROL4	
827	Corymbia citriodora	Spotted Gum	140		140	44	14	2.0	2.0	1.4	Regular	-	-	Die-back	Epicormic	-	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	-	Remove in ROL4	
828	Corymbia citriodora	Spotted Gum	260		260	82	24	10.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4	
829	Corymbia citriodora	Spotted Gum	110		110	35	14	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4	
830	Corymbia citriodora	Spotted Gum	220		220	69	20	7.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4	
831	Corymbia citriodora	Spotted Gum	220		220	69	22	6.0	2.6	1.8	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4	
832	Corymbia citriodora	Spotted Gum	120		120	38	8	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in ROL4, Future retention TBC	
833	Corymbia citriodora	Spotted Gum	120		120	38	10	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4	
834	Corymbia citriodora	Spotted Gum	470		470	148	26	16.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4	
835	Corymbia citriodora	Spotted Gum	320		320	101	24	10.0	3.8	2.1	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4	
836	Corymbia citriodora	Spotted Gum	370		370	116	24	12.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4	
837	Corymbia citriodora	Spotted Gum	170		170	53	20	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4	
838	Corymbia citriodora	Spotted Gum	230		230	72	24	8.0	2.8	1.8	Regular	-	-	Die-back	Epicormic	-	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	-	Remove in ROL4	
839	Corymbia citriodora	Spotted Gum	120	120	170	53	14	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4	
840	Corymbia citriodora	Spotted Gum	280		280	88	24	10.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Old	-	-	-	-	-	Remove in ROL4	
841	Corymbia citriodora	Spotted Gum	150		150	47	18	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4	
842	Eucalyptus tereticornis	Forest Red Gum	220		220	69	24	8.0	2.6	1.8	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4	
843	Corymbia citriodora	Spotted Gum	220		220	69	22	8.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4	
844	Corymbia citriodora	Spotted Gum	240		240	75	20	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4	
845	Corymbia citriodora	Spotted Gum	280		280	88	24	12.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4	
846	Corymbia citriodora	Spotted Gum	130		130	41	14	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4	
847	Corymbia citriodora	Spotted Gum	125		125	39	12	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4	
848	Corymbia citriodora	Spotted Gum	115		115	36	10	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4	
849	Corymbia citriodora	Spotted Gum	300		300	94	18	9.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4	
850	Corymbia citriodora	Spotted Gum	170		170	53	16	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4	
851	Corymbia tessellaris	Moreton Bay Ash	120		120	38	10	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4	
852	Eucalyptus tereticornis	Forest Red Gum	290		290	91	18	8.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4	
853	Acacia disparrima	Hickory Wattle	180	140	228	72	8	8.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4	
854	Alphitonia excelsa	Soap Tree	105		105	33	7	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4	
855	Alphitonia excelsa	Soap Tree	135		135	42	6	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4	
856	Alphitonia excelsa	Soap Tree	110		110	35	4	4.0	2.0	1.3	Regular	-	-	Die-back	-	-	Poor	Minor	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
857	Corymbia citriodora	Spotted Gum	110		110	35	8	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	Major	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
858	Alphitonia excelsa	Soap Tree	135	75	154	49	9	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4	
859	Corymbia citriodora	Spotted Gum	195		195	61	18	7.0	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in ROL4, Future retention TBC	
860	Corymbia citriodora	Spotted Gum	225		225	71	18	8.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in ROL4, Future retention TBC	
861	Corymbia tessellaris	Moreton Bay Ash	140		140	44	12	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in ROL4, Future retention TBC	
862	Alphitonia excelsa	Soap Tree	100		100	31	8	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in ROL4, Future retention TBC	
863	Acacia disparrima	Hickory Wattle	130		130	41	8	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in ROL4, Future retention TBC	
864	Eucalyptus tereticornis	Forest Red Gum	330		330	104	20	11.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in ROL4, Future retention TBC	
865	Corymbia citriodora	Spotted Gum	150		150	47	14	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4	
866	Eucalyptus tereticornis	Forest Red Gum	215		215	68	18	8.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4	
867	Corymbia citriodora	Spotted Gum	1																												

Tree ID	Botanical Name	Common Name	Specimen Details								Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Retention
			Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	
869	Petalostigma pubescens	Quinnie Bush	100	70	122	38	8	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
870	Eucalyptus crebra	Narrow-leaved Ironbark	120		120	38	8	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
871	Corymbia citriodora	Spotted Gum	130		130	41	12	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
872	Eucalyptus tereticornis	Forest Red Gum	165		165	52	15	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Arborist - ROL4
873	Corymbia citriodora	Spotted Gum	280		280	88	20	10.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
874	Corymbia citriodora	Spotted Gum	110		110	35	12	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
875	Eucalyptus tereticornis	Forest Red Gum	160		160	50	14	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
876	Corymbia tessellaris	Moreton Bay Ash	150		150	47	12	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
877	Eucalyptus tereticornis	Forest Red Gum	165		165	52	15	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
878	Corymbia citriodora	Spotted Gum	205		205	64	15	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
879	Corymbia citriodora	Spotted Gum	185		185	58	17	9.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
880	DEAD/STAG		320		320	101	20	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Retain in ROL4, Future retention TBC
881	Corymbia citriodora	Spotted Gum	235		235	74	18	10.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
882	Corymbia citriodora	Spotted Gum	220		220	69	17	8.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
883	Corymbia citriodora	Spotted Gum	140		140	44	12	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
884	Corymbia citriodora	Spotted Gum	135		135	42	15	8.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
885	Corymbia citriodora	Spotted Gum	200		200	63	18	8.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
886	Corymbia citriodora	Spotted Gum	135		135	42	15	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
887	Corymbia citriodora	Spotted Gum	290		290	91	18	9.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
888	Corymbia citriodora	Spotted Gum	250		250	79	18	9.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
889	Corymbia citriodora	Spotted Gum	255		255	80	20	9.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
890	DEAD/STAG		280		280	88	22	10.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Retain in ROL4, Future retention TBC
891	Corymbia citriodora	Spotted Gum	145		145	46	15	5.0	2.0	1.5	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
892	Eucalyptus crebra	Narrow-leaved Ironbark	190		190	60	18	8.0	2.3	1.6	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Retain in ROL4, Future retention TBC
893	DEAD/STAG		185		185	58	14	2.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Retain in ROL4, Future retention TBC
894	Eucalyptus tereticornis	Forest Red Gum	230		230	72	8	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
895	Corymbia citriodora	Spotted Gum	110		110	35	9	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
896	Corymbia citriodora	Spotted Gum	100		100	31	8	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
897	Corymbia citriodora	Spotted Gum	160		160	50	9	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
898	Eucalyptus tereticornis	Forest Red Gum	115		115	36	11	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
899	Corymbia citriodora	Spotted Gum	245		245	77	20	14.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
900	Corymbia citriodora	Spotted Gum	275		275	86	17	8.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
901	Corymbia citriodora	Spotted Gum	125		125	39	9	2.0	2.0	1.4	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
902	Eucalyptus tereticornis	Forest Red Gum	275		275	86	18	10.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
903	Corymbia citriodora	Spotted Gum	150		150	47	14	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
904	Corymbia citriodora	Spotted Gum	180		180	57	14	4.0	2.2	1.6	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
905	Corymbia citriodora	Spotted Gum	280		280	88	17	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
906	Corymbia citriodora	Spotted Gum	330		330	104	20	9.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
907	Corymbia citriodora	Spotted Gum	115		115	36	9	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
908	Eucalyptus tereticornis	Forest Red Gum	300		300	94	18	9.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
909	Corymbia citriodora	Spotted Gum	255		255	80	16	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
910	Corymbia citriodora	Spotted Gum	200		200	63	20	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
911	Eucalyptus crebra	Narrow-leaved Ironbark	120		120	38	12	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
912	Corymbia citriodora	Spotted Gum	115		115	36	12	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
913	Eucalyptus siderophloia	Northern Grey Ironbark	170		170	53	14	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
914	Corymbia citriodora	Spotted Gum	180		180	57	16	7.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
915	Corymbia citriodora	Spotted Gum	115																										

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Retention	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest		Habitat Value
916	Corymbia citriodora	Spotted Gum	110		110	35	14	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
917	Corymbia citriodora	Spotted Gum	130		130	41	12	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
918	Corymbia citriodora	Spotted Gum	190		190	60	17	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
919	Corymbia citriodora	Spotted Gum	210		210	66	16	8.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
920	Corymbia citriodora	Spotted Gum	255		255	80	20	10.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
921	Petalostigma pubescens	Quinnie Bush	135	100	168	53	7	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
922	Petalostigma pubescens	Quinnie Bush	105		105	33	6	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
923	Eucalyptus crebra	Narrow-leaved Ironbark	120		120	38	8	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
924	Corymbia citriodora	Spotted Gum	320		320	101	20	10.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
925	Corymbia citriodora	Spotted Gum	135		135	42	15	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
926	Corymbia citriodora	Spotted Gum	110		110	35	16	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
927	Corymbia citriodora	Spotted Gum	170		170	53	16	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
928	Corymbia citriodora	Spotted Gum	135		135	42	14	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
929	Corymbia citriodora	Spotted Gum	170		170	53	17	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
930	Corymbia citriodora	Spotted Gum	140		140	44	15	4.0	2.0	1.4	Regular	-	-	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
931	Eucalyptus siderophloia	Northern Grey Ironbark	210		210	66	16	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
932	Eucalyptus crebra	Narrow-leaved Ironbark	400		400	126	20	15.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
933	Acacia disparrima	Hickory Wattle	140		140	44	9	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
934	Corymbia citriodora	Spotted Gum	135		135	42	16	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
935	Corymbia citriodora	Spotted Gum	180		180	57	18	8.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
936	Eucalyptus tereticornis	Forest Red Gum	390		390	123	25	15.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
937	Corymbia citriodora	Spotted Gum	220		220	69	18	8.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
938	Corymbia citriodora	Spotted Gum	250		250	79	18	12.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
939	Corymbia citriodora	Spotted Gum	180		180	57	18	9.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
940	Corymbia citriodora	Spotted Gum	235		235	74	18	10.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
941	Corymbia citriodora	Spotted Gum	130		130	41	7	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
942	Corymbia intermedia	Pink Bloodwood	140		140	44	8	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
943	Alphitonia excelsa	Soap Tree	130		130	41	9	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
944	Alphitonia excelsa	Soap Tree	185		185	58	9	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
945	Corymbia tessellaris	Moreton Bay Ash	100		100	31	10	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
965	Corymbia citriodora	Spotted Gum	305		305	96	21	14.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
966	Corymbia citriodora	Spotted Gum	180		180	57	17	9.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
967	Corymbia citriodora	Spotted Gum	125		125	39	16	8.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
968	Eucalyptus tereticornis	Forest Red Gum	335		335	105	20	12.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
969	Eucalyptus tereticornis	Forest Red Gum	115		115	36	14	6.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
970	Corymbia citriodora	Spotted Gum	200		200	63	16	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
971	Corymbia citriodora	Spotted Gum	320		320	101	20	14.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
972	Corymbia citriodora	Spotted Gum	160		160	50	16	7.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
973	Corymbia citriodora	Spotted Gum	295		295	93	20	14.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
974	Corymbia citriodora	Spotted Gum	125		125	39	10	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
975	Corymbia citriodora	Spotted Gum	190		190	60	17	10.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
976	Corymbia citriodora	Spotted Gum	340		340	107	18	9.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
977	Corymbia citriodora	Spotted Gum	265		265	83	18	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
978	Corymbia citriodora	Spotted Gum	430		430	135	22	15.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
979	Corymbia citriodora	Spotted Gum	240		240	75	18	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
980	Corymbia citriodora	Spotted Gum	255		255	80	17	9.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
981	Corymbia citriodora	Spotted Gum	245		245	77	16	7.0	2.9	1.8	Regular	-	-																

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Retention	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest		Habitat Value
982	Corymbia citriodora	Spotted Gum	130		130	41	15	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
983	Corymbia intermedia	Pink Bloodwood	175		175	55	10	6.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
984	Corymbia citriodora	Spotted Gum	210		210	66	17	9.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
985	Corymbia citriodora	Spotted Gum	110		110	35	14	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
986	Corymbia citriodora	Spotted Gum	110		110	35	11	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
987	Corymbia citriodora	Spotted Gum	225		225	71	18	8.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
988	Corymbia tessellaris	Moreton Bay Ash	120		120	38	9	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
989	Corymbia tessellaris	Moreton Bay Ash	260		260	82	16	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
990	Corymbia citriodora	Spotted Gum	165		165	52	12	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
991	Corymbia intermedia	Pink Bloodwood	115		115	36	8	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
992	Alphitonia excelsa	Soap Tree	185		185	58	9	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
993	Acacia disparrima	Hickory Wattle	170		170	53	9	8.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
994	Acacia disparrima	Hickory Wattle	125		125	39	9	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
995	Eucalyptus crebra	Narrow-leaved Ironbark	150		150	47	14	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
996	Alphitonia excelsa	Soap Tree	115		115	36	9	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
997	Alphitonia excelsa	Soap Tree	120		120	38	8	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
998	Callistemon viminalis	Weeping Bottlebrush	180		180	57	10	12.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
999	Callistemon viminalis	Weeping Bottlebrush	220		220	69	6	8.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Stormwater outlet
1000	Callistemon viminalis	Weeping Bottlebrush	155		155	49	6	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Stormwater outlet
1001	Aphananthe philippinensi	Rough-leaved Elm	140		140	44	6	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Stormwater outlet
1002	Casuarina cunninghamian	River She-oak	300	275	407	128	16	10.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1003	Callistemon viminalis	Weeping Bottlebrush	100		100	31	6	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1004	Acacia disparrima	Hickory Wattle	140		140	44	9	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Stormwater outlet
1005	Corymbia citriodora	Spotted Gum	275		275	86	22	12.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Stormwater outlet
1006	Angophora subvelutina	Broad-leaved Apple	165		165	52	10	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1007	Corymbia citriodora	Spotted Gum	285		285	90	21	10.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1008	Angophora subvelutina	Broad-leaved Apple	105		105	33	8	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1009	Corymbia citriodora	Spotted Gum	245		245	77	20	10.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1010	Corymbia citriodora	Spotted Gum	235		235	74	22	9.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1011	Corymbia citriodora	Spotted Gum	170		170	53	18	8.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1012	Eucalyptus tereticornis	Forest Red Gum	245		245	77	20	9.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1013	Eucalyptus tereticornis	Forest Red Gum	170		170	53	18	9.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1014	Eucalyptus tereticornis	Forest Red Gum	145		145	46	14	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1015	Lophostemon suaveolens	Swamp Box	135		135	42	12	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1016	Corymbia citriodora	Spotted Gum	315		315	99	22	10.0	3.8	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1017	Corymbia citriodora	Spotted Gum	235		235	74	4	2.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1018	Corymbia citriodora	Spotted Gum	225		225	71	20	8.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1019	Eucalyptus tereticornis	Forest Red Gum	260		260	82	22	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1020	Corymbia citriodora	Spotted Gum	275		275	86	18	9.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1021	Eucalyptus tereticornis	Forest Red Gum	330		330	104	20	10.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1022	Corymbia citriodora	Spotted Gum	130		130	41	15	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1023	Eucalyptus tereticornis	Forest Red Gum	355		355	112	22	12.0	4.3	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1024	Eucalyptus tereticornis	Forest Red Gum	305		305	96	21	12.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1025	Acacia disparrima	Hickory Wattle	145		145	46	8	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1026	Corymbia citriodora	Spotted Gum	145		145	46	14	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1027	Acacia disparrima	Hickory Wattle	100		100	31	6	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1028	Corymbia citriodora	Spotted Gum	215		215	68	18	6																					

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Retention	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest		Habitat Value
1029	Corymbia citriodora	Spotted Gum	335		335	105	20	14.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1030	Eucalyptus tereticornis	Forest Red Gum	405		405	127	22	15.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1031	Corymbia citriodora	Spotted Gum	160		160	50	14	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1032	Eucalyptus tereticornis	Forest Red Gum	235		235	74	18	9.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1033	Corymbia citriodora	Spotted Gum	155		155	49	16	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1034	Eucalyptus tereticornis	Forest Red Gum	440		440	138	20	8.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1035	Corymbia citriodora	Spotted Gum	285		285	90	16	7.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1036	Eucalyptus tereticornis	Forest Red Gum	255		255	80	23	12.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1037	Corymbia citriodora	Spotted Gum	345		345	108	20	14.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Remove in ROL4
1038	Corymbia citriodora	Spotted Gum	330		330	104	22	15.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1039	Corymbia citriodora	Spotted Gum	335		335	105	20	12.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1040	Corymbia tessellaris	Moreton Bay Ash	175		175	55	14	6.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1041	Corymbia citriodora	Spotted Gum	295		295	93	20	14.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1042	DEAD/STAG		245		245	77	17	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	Small	Termite nest	-	Remove in ROL4
1043	Corymbia citriodora	Spotted Gum	190		190	60	12	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1044	Corymbia citriodora	Spotted Gum	260		260	82	16	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1045	Corymbia tessellaris	Moreton Bay Ash	135		135	42	10	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1046	Corymbia intermedia	Pink Bloodwood	100		100	31	8	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1047	Acacia disparrima	Hickory Wattle	105		105	33	6	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1048	Corymbia citriodora	Spotted Gum	280		280	88	20	12.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1049	Corymbia citriodora	Spotted Gum	295		295	93	22	10.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1050	Corymbia intermedia	Pink Bloodwood	190		190	60	12	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1051	DEAD/STAG		540		540	170	20	8.0	6.5	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Large	-	-	-	Remove in ROL4
1052	Corymbia citriodora	Spotted Gum	220		220	69	20	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1053	Corymbia citriodora	Spotted Gum	160		160	50	14	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1054	Corymbia citriodora	Spotted Gum	120		120	38	8	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1055	Corymbia citriodora	Spotted Gum	310		310	97	22	10.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1056	Corymbia citriodora	Spotted Gum	210		210	66	12	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1057	Corymbia citriodora	Spotted Gum	120		120	38	12	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1058	Corymbia citriodora	Spotted Gum	320		320	101	20	10.0	3.8	2.1	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	Old	-	-	-	-	Remove in ROL4
1059	Corymbia citriodora	Spotted Gum	100		100	31	8	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1060	Lophostemon suaveolens	Swamp Box	110		110	35	8	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1061	Corymbia citriodora	Spotted Gum	100		100	31	8	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1062	Lophostemon suaveolens	Swamp Box	120	120	170	53	7	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1063	Acacia disparrima	Hickory Wattle	120		120	38	6	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1064	Acacia disparrima	Hickory Wattle	120		120	38	7	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1065	Corymbia citriodora	Spotted Gum	480		480	151	26	14.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Old	-	-	-	-	Remove in ROL4
1066	DEAD/STAG		520		520	163	20	7.0	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Remove in ROL4
1076	Corymbia citriodora	Spotted Gum	100		100	31	12	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1077	Acacia disparrima	Hickory Wattle	105		105	33	6	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1078	Corymbia intermedia	Pink Bloodwood	330		330	104	21	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1079	Corymbia intermedia	Pink Bloodwood	145		145	46	10	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1080	Corymbia citriodora	Spotted Gum	130		130	41	11	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1081	Lophostemon suaveolens	Swamp Box	210	90	228	72	11	5.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1082	Corymbia citriodora	Spotted Gum	365		365	115	29	9.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1083	Corymbia citriodora	Spotted Gum	125		125	39	12	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1084	Acacia disparrima	Hickory Wattle	105		105	33	9	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Retention		
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest		Habitat Value	
1085	Acacia disparrima	Hickory Wattle	130		130	41	6	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4	
1086	Corymbia citriodora	Spotted Gum	420		420	132	26	9.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4	
1087	Corymbia citriodora	Spotted Gum	450		450	141	32	9.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4	
1088	DEAD/STAG		690		690	217	21	7.0	8.3	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Large	-	-	-	Remove in ROL4	
1089	Corymbia citriodora	Spotted Gum	460		460	145	32	11.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4	
1090	Corymbia citriodora	Spotted Gum	465		465	146	32	11.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4	
1091	Corymbia citriodora	Spotted Gum	540		540	170	26	12.0	6.5	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4	
1092	Corymbia citriodora	Spotted Gum	540		540	170	32	12.0	6.5	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4	
1113	Corymbia citriodora	Spotted Gum	230		230	72	20	3.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4	
1114	DEAD/STAG		860		860	270	7	1.0	10.3	3.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Large	-	-	-	Remove in ROL4	
1115	Corymbia citriodora	Spotted Gum	410	110	410	129	25	13.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4	
1116	Lophostemon suaveolens	Swamp Box	110		156	49	7	3.0	2.0	1.5	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1117	DEAD/STAG		390		390	123	16	10.0	4.7	2.2	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Large	-	-	-	Remove in ROL4
1120	Corymbia citriodora	Spotted Gum	280		280	88	16	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4	
1121	Eucalyptus tereticornis	Forest Red Gum	335		335	105	17	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4	
1122	Corymbia citriodora	Spotted Gum	145		145	46	11	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4	
1123	Alphitonia excelsa	Soap Tree	145		145	46	8	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4	
1124	Corymbia citriodora	Spotted Gum	245		245	77	17	7.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4	
1125	Corymbia citriodora	Spotted Gum	280		280	88	18	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4	
1126	Corymbia citriodora	Spotted Gum	130		130	41	14	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4	
1127	Lophostemon suaveolens	Swamp Box	130		130	41	7	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4	
1128	Lophostemon suaveolens	Swamp Box	100		100	31	6	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4	
1129	Corymbia citriodora	Spotted Gum	115		115	36	15	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4	
1130	Acacia leiocalyx	Early-flowering Black Wattle	105		105	33	7	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4	
1131	Acacia disparrima	Hickory Wattle	125		125	39	6	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4	
1132	Acacia disparrima	Hickory Wattle	100		100	31	5	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4	
1133	Corymbia citriodora	Spotted Gum	110		110	35	8	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4	
1134	Corymbia citriodora	Spotted Gum	175		175	55	14	6.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4	
1140	Corymbia citriodora	Spotted Gum	870		870	273	26	17.0	10.4	3.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Large	-	-	-	Remove in ROL4	
1141	Eucalyptus tereticornis	Forest Red Gum	770		770	242	25	12.0	9.2	3.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC	
1142	Eucalyptus tereticornis	Forest Red Gum	570		570	179	24	7.0	6.8	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Old	-	-	-	-	Retain in ROL4, Future retention TBC	
1143	Eucalyptus moluccana	Gum-topped Box	610		610	192	23	12.0	7.3	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	Old	-	-	-	-	-	Remove in ROL4	
1144	DEAD/STAG		350		350	110	21	4.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Remove in ROL4	
1145	Eucalyptus crebra	Narrow-leaved Ironbark	660		660	207	20	14.0	7.9	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4	
1146	DEAD/STAG		220		220	69	7	2.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4	
1147	Corymbia citriodora	Spotted Gum	140		140	44	15	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4	
1148	Eucalyptus tereticornis	Forest Red Gum	140		140	44	15	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4	
1149	Corymbia citriodora	Spotted Gum	120		120	38	15	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4	
1150	Eucalyptus tereticornis	Forest Red Gum	240		240	75	15	2.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4	
1151	Corymbia citriodora	Spotted Gum	190		190	60	17	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4	
1152	Eucalyptus moluccana	Gum-topped Box	620		620	195	24	12.0	7.4	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC	
1153	Eucalyptus moluccana	Gum-topped Box	560		560	176	26	14.0	6.7	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC	
1154	Eucalyptus moluccana	Gum-topped Box	510		510	160	22	12.0	6.1	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC	
1155	Eucalyptus moluccana	Gum-topped Box	280		280	88	24	10.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC	
1156	Corymbia intermedia	Pink Bloodwood	150		150	47	10	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC	
1157	Eucalyptus moluccana	Gum-topped Box	140		140	44	8	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC	
1158	Eucalyptus moluccana	Gum-topped Box	330		330	104	24	12.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC	

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value							Retention
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	
1159	Lophostemon suaveolens	Swamp Box	120		120	38	8	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1160	Lophostemon suaveolens	Swamp Box	140		140	44	8	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1161	Alphitonia excelsa	Soap Tree	180		180	57	6	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1162	Eucalyptus moluccana	Gum-topped Box	510	170	538	169	20	8.0	6.5	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1163	Eucalyptus moluccana	Gum-topped Box	525		525	165	22	12.0	6.3	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1164	Eucalyptus tereticornis	Forest Red Gum	180		180	57	18	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1165	Eucalyptus tereticornis	Forest Red Gum	430		430	135	16	6.0	5.2	2.3	Regular	-	-	-	Epicormic	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1166	Eucalyptus tereticornis	Forest Red Gum	750		750	236	28	16.0	9.0	2.9	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1167	Corymbia citriodora	Spotted Gum	150		150	47	3	2.0	2.0	1.5	Regular	-	-	-	Epicormic	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1168	Corymbia citriodora	Spotted Gum	330		330	104	22	12.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1169	Eucalyptus moluccana	Gum-topped Box	230		230	72	20	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1170	Corymbia citriodora	Spotted Gum	130		130	41	16	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1171	Eucalyptus moluccana	Gum-topped Box	180		180	57	20	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1172	Corymbia citriodora	Spotted Gum	260		260	82	22	10.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1173	Corymbia citriodora	Spotted Gum	120		120	38	18	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1174	Corymbia citriodora	Spotted Gum	330		330	104	26	14.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1175	Eucalyptus crebra	Narrow-leaved Ironbark	220		220	69	24	10.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1176	Corymbia citriodora	Spotted Gum	160		160	50	20	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1177	Corymbia citriodora	Spotted Gum	170		170	53	22	7.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1178	Eucalyptus crebra	Narrow-leaved Ironbark	140		140	44	12	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1179	Corymbia citriodora	Spotted Gum	120		120	38	14	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1180	Corymbia citriodora	Spotted Gum	130		130	41	12	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1181	Eucalyptus crebra	Narrow-leaved Ironbark	180		180	57	22	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1182	Corymbia citriodora	Spotted Gum	150		150	47	20	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1183	Corymbia citriodora	Spotted Gum	220		220	69	24	8.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1184	Corymbia citriodora	Spotted Gum	160		160	50	20	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1185	Corymbia citriodora	Spotted Gum	120		120	38	16	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove in ROL4
1186	Eucalyptus crebra	Narrow-leaved Ironbark	150		150	47	20	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1187	Corymbia citriodora	Spotted Gum	220		220	69	22	7.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1188	Corymbia citriodora	Spotted Gum	140		140	44	16	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1189	Eucalyptus crebra	Narrow-leaved Ironbark	140		140	44	20	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1190	Eucalyptus tereticornis	Forest Red Gum	250		250	79	22	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Old	-	-	-	-	Remove in ROL4
1191	Corymbia citriodora	Spotted Gum	110		110	35	18	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1192	Eucalyptus tereticornis	Forest Red Gum	450		450	141	24	12.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1193	Corymbia tessellaris	Moreton Bay Ash	140		140	44	16	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1194	Corymbia citriodora	Spotted Gum	100		100	31	22	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1195	Corymbia citriodora	Spotted Gum	120		120	38	12	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1196	Eucalyptus crebra	Narrow-leaved Ironbark	330		330	104	24	10.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1197	Corymbia citriodora	Spotted Gum	180		180	57	22	6.0	2.2	1.6	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1198	Eucalyptus crebra	Narrow-leaved Ironbark	550		550	173	26	16.0	6.6	2.6	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	Termite nest	-	Remove in ROL4
1199	Eucalyptus crebra	Narrow-leaved Ironbark	280		280	88	22	12.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1200	Eucalyptus crebra	Narrow-leaved Ironbark	170		170	53	18	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1201	Eucalyptus tereticornis	Forest Red Gum	340		340	107	24	10.0	4.1	2.1	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1202	Corymbia citriodora	Spotted Gum	150		150	47	20	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1203	Eucalyptus crebra	Narrow-leaved Ironbark	200		200	63	20	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1204	Eucalyptus crebra	Narrow-leaved Ironbark	210		210	66	20	8.0	2.5	1.7	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1205	Corymbia citriodora	Spotted Gum	200		200	63	20	8.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Retention	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest		Habitat Value
1206	Eucalyptus crebra	Narrow-leaved Ironbark	250		250	79	24	10.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1207	Eucalyptus crebra	Narrow-leaved Ironbark	250		250	79	24	10.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1208	Corymbia citriodora	Spotted Gum	140		140	44	20	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1209	Corymbia citriodora	Spotted Gum	180		180	57	20	8.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1210	Eucalyptus moluccana	Gum-topped Box	170		170	53	18	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1211	Eucalyptus moluccana	Gum-topped Box	210		210	66	22	10.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1212	Eucalyptus moluccana	Gum-topped Box	200		200	63	20	8.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1213	Eucalyptus crebra	Narrow-leaved Ironbark	140		140	44	16	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1214	Eucalyptus moluccana	Gum-topped Box	340		340	107	24	10.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1215	Corymbia citriodora	Spotted Gum	160		160	50	16	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1216	Corymbia citriodora	Spotted Gum	250		250	79	22	10.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1217	Eucalyptus moluccana	Gum-topped Box	200		200	63	20	8.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1218	Corymbia citriodora	Spotted Gum	200		200	63	24	12.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1219	Eucalyptus moluccana	Gum-topped Box	140		140	44	14	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1220	Corymbia citriodora	Spotted Gum	220		220	69	20	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1221	Eucalyptus moluccana	Gum-topped Box	270		270	85	22	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1222	Eucalyptus tereticornis	Forest Red Gum	180		180	57	20	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1223	Corymbia citriodora	Spotted Gum	290		290	91	24	10.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1224	Corymbia citriodora	Spotted Gum	990		990	311	24	16.0	11.9	3.3	Regular	-	-	Die-back	Epicormic	-	Typical	Minor	-	-	-	-	Typical	-	Old	Large	-	-	Remove in ROL4
1225	Eucalyptus crebra	Narrow-leaved Ironbark	280		280	88	18	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Remove in ROL4
1226	DEAD/STAG		1100		1100	346	22	12.0	13.2	3.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Remove in ROL4
1227	Corymbia citriodora	Spotted Gum	250		250	79	12	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1228	Corymbia citriodora	Spotted Gum	240		240	75	22	10.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1229	Corymbia citriodora	Spotted Gum	380		380	119	22	10.0	4.6	2.2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1230	Corymbia citriodora	Spotted Gum	110		110	35	14	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1231	Corymbia citriodora	Spotted Gum	120		120	38	18	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1232	Corymbia citriodora	Spotted Gum	270		270	85	22	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1233	Corymbia citriodora	Spotted Gum	100		100	31	14	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1234	Eucalyptus tereticornis	Forest Red Gum	230		230	72	20	7.0	2.8	1.8	One-sided	-	-	-	-	-	Typical	Minor	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1235	Corymbia intermedia	Pink Bloodwood	260		260	82	20	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1236	Eucalyptus tereticornis	Forest Red Gum	210		210	66	22	8.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1237	Corymbia citriodora	Spotted Gum	400		400	126	26	12.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1238	Eucalyptus tereticornis	Forest Red Gum	300		300	94	24	10.0	3.6	2.0	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1239	Eucalyptus tereticornis	Forest Red Gum	220		220	69	20	6.0	2.6	1.8	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Stormwater outlet
1240	Eucalyptus tereticornis	Forest Red Gum	320		320	101	24	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Stormwater outlet
1241	Eucalyptus tereticornis	Forest Red Gum	240		240	75	24	10.0	2.9	1.8	One-sided	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1242	Angophora leiocarpa	Smooth-barked Apple	110	100, 90	174	55	8	4.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1243	Eucalyptus tereticornis	Forest Red Gum	380		380	119	26	14.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove - Stormwater outlet
1244	Eucalyptus tereticornis	Forest Red Gum	380		380	119	24	12.0	4.6	2.2	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1245	Corymbia citriodora	Spotted Gum	140		140	44	20	4.0	2.0	1.4	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1246	Corymbia citriodora	Spotted Gum	320		320	101	22	10.0	3.8	2.1	Regular	-	-	-	Epicormic	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove in ROL4
1247	Corymbia citriodora	Spotted Gum	160		160	50	8	3.0	2.0	1.5	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1248	Eucalyptus tereticornis	Forest Red Gum	440		440	138	24	14.0	5.3	2.3	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1249	Corymbia citriodora	Spotted Gum	120		120	38	14	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1250	Corymbia citriodora	Spotted Gum	100		100	31	10	3.0	2.0	1.3	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1251	Eucalyptus tereticornis	Forest Red Gum	450		450	141	24	12.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1252	Eucalyptus tereticornis	Forest Red Gum	550		550	173	24	12.0	6.6	2.6	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-</								

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value							Retention
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	
1253	Corymbia citriodora	Spotted Gum	100		100	31	10	2.0	2.0	1.3	Regular	-	-	-	Epicormic	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove in ROL4
1254	Corymbia intermedia	Pink Bloodwood	270		270	85	12	6.0	3.2	1.9	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1255	Corymbia citriodora	Spotted Gum	150		150	47	14	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1256	Corymbia citriodora	Spotted Gum	150		150	47	18	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1257	Corymbia citriodora	Spotted Gum	150		150	47	10	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1258	Corymbia citriodora	Spotted Gum	100		100	31	10	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1259	Eucalyptus tereticornis	Forest Red Gum	250		250	79	22	10.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1260	Corymbia citriodora	Spotted Gum	250		250	79	22	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1261	Corymbia tessellaris	Moreton Bay Ash	200		200	63	20	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1262	Corymbia citriodora	Spotted Gum	120		120	38	18	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1263	Corymbia citriodora	Spotted Gum	180		180	57	20	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1264	Corymbia citriodora	Spotted Gum	100		100	31	14	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1265	Corymbia citriodora	Spotted Gum	130		130	41	16	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1266	Corymbia citriodora	Spotted Gum	300		300	94	22	10.0	3.6	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1267	Corymbia intermedia	Pink Bloodwood	140		140	44	10	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1268	Corymbia citriodora	Spotted Gum	130		130	41	14	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1269	Corymbia citriodora	Spotted Gum	120		120	38	16	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1270	Corymbia citriodora	Spotted Gum	100		100	31	14	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1271	Corymbia intermedia	Pink Bloodwood	120		120	38	8	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1272	Corymbia citriodora	Spotted Gum	180		180	57	14	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1273	Corymbia citriodora	Spotted Gum	120		120	38	12	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1274	Acacia disparrima	Hickory Wattle	160		160	50	8	4.0	2.0	1.5	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1275	Corymbia intermedia	Pink Bloodwood	320		320	101	22	12.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1276	Eucalyptus crebra	Narrow-leaved Ironbark	450		450	141	24	16.0	5.4	2.4	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1277	Corymbia citriodora	Spotted Gum	120		120	38	14	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1278	Corymbia intermedia	Pink Bloodwood	120		120	38	7	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1279	Eucalyptus crebra	Narrow-leaved Ironbark	130		130	41	8	4.0	2.0	1.4	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1280	Eucalyptus tereticornis	Forest Red Gum	440		440	138	24	12.0	5.3	2.3	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1281	DEAD/STAG		320		320	101	8	1.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Remove in ROL4
1282	Angophora woodsiana	Smudgee Apple	110		110	35	7	2.0	2.0	1.3	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1283	Acacia disparrima	Hickory Wattle	140		140	44	7	3.0	2.0	1.4	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1284	Acacia disparrima	Hickory Wattle	150		150	47	5	3.0	2.0	1.5	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1285	Eucalyptus crebra	Narrow-leaved Ironbark	120		120	38	9	2.0	2.0	1.4	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1286	Corymbia citriodora	Spotted Gum	270		270	85	22	10.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1287	Eucalyptus tereticornis	Forest Red Gum	330		330	104	24	10.0	4.0	2.1	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1288	Eucalyptus tereticornis	Forest Red Gum	330		330	104	20	10.0	4.0	2.1	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1289	Corymbia citriodora	Spotted Gum	120		120	38	6	1.0	2.0	1.4	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1290	Corymbia citriodora	Spotted Gum	150		150	47	18	3.0	2.0	1.5	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1291	Corymbia citriodora	Spotted Gum	110		110	35	10	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1292	Corymbia citriodora	Spotted Gum	220		220	69	22	10.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1293	Corymbia citriodora	Spotted Gum	130		130	41	16	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1294	Corymbia citriodora	Spotted Gum	140		140	44	10	2.0	2.0	1.4	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1295	Corymbia citriodora	Spotted Gum	100		100	31	7	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1296	Corymbia citriodora	Spotted Gum	100		100	31	8	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1297	Corymbia citriodora	Spotted Gum	140		140	44	8	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1298	Corymbia citriodora	Spotted Gum	110		110	35	10	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1299	Corymbia citriodora	Spotted Gum	350		350	110	22	12.0	4.2	2.1	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Retention	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest		Habitat Value
1300	Corymbia citriodora	Spotted Gum	110		110	35	14	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1301	Corymbia citriodora	Spotted Gum	150		150	47	14	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1302	Corymbia citriodora	Spotted Gum	110	90	142	45	14	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1303	Corymbia citriodora	Spotted Gum	130		130	41	10	4.0	2.0	1.4	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1304	Corymbia citriodora	Spotted Gum	300		300	94	22	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	Old	-	-	-	-	Retain in ROL4, Future retention TBC
1305	Corymbia citriodora	Spotted Gum	110		110	35	16	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1306	Corymbia citriodora	Spotted Gum	110		110	35	14	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1307	Corymbia citriodora	Spotted Gum	230		230	72	20	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1308	Corymbia intermedia	Pink Bloodwood	210		210	66	14	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1309	Corymbia citriodora	Spotted Gum	130		130	41	10	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1310	Corymbia intermedia	Pink Bloodwood	320		320	101	22	10.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1311	Corymbia citriodora	Spotted Gum	100		100	31	8	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1312	Corymbia citriodora	Spotted Gum	130		130	41	12	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1313	Corymbia citriodora	Spotted Gum	120		120	38	10	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1314	Corymbia citriodora	Spotted Gum	120		120	38	14	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1315	Corymbia intermedia	Pink Bloodwood	470		470	148	22	12.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1316	Corymbia citriodora	Spotted Gum	360		360	113	22	10.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1317	Corymbia citriodora	Spotted Gum	140		140	44	8	6.0	2.0	1.4	One-sided	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1318	Corymbia citriodora	Spotted Gum	110		110	35	10	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1319	Corymbia citriodora	Spotted Gum	220		220	69	20	8.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1320	Corymbia citriodora	Spotted Gum	220		220	69	22	7.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1321	Corymbia citriodora	Spotted Gum	100		100	31	14	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1322	Eucalyptus tereticornis	Forest Red Gum	240		240	75	20	7.0	2.9	1.8	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1323	Eucalyptus tereticornis	Forest Red Gum	310		310	97	24	12.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1324	Corymbia citriodora	Spotted Gum	250		250	79	22	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1325	Corymbia citriodora	Spotted Gum	360		360	113	24	14.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1326	Corymbia citriodora	Spotted Gum	340		340	107	24	12.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1327	Corymbia citriodora	Spotted Gum	150		150	47	12	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1328	Corymbia citriodora	Spotted Gum	160		160	50	18	5.0	2.0	1.5	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1329	Corymbia citriodora	Spotted Gum	120		120	38	8	2.0	2.0	1.4	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1330	Eucalyptus tereticornis	Forest Red Gum	330		330	104	22	10.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1331	Corymbia citriodora	Spotted Gum	150		150	47	14	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1332	Eucalyptus crebra	Narrow-leaved Ironbark	270		270	85	16	8.0	3.2	1.9	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1333	Corymbia citriodora	Spotted Gum	440		440	138	26	16.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1334	Corymbia citriodora	Spotted Gum	330		330	104	24	12.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1335	Corymbia citriodora	Spotted Gum	100		100	31	10	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1336	Eucalyptus crebra	Narrow-leaved Ironbark	170		170	53	20	4.0	2.0	1.6	Regular	-	-	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1337	Corymbia intermedia	Pink Bloodwood	140		140	44	12	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1338	Corymbia citriodora	Spotted Gum	150		150	47	16	3.0	2.0	1.5	Regular	-	-	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1339	Corymbia citriodora	Spotted Gum	110		110	35	12	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1340	Corymbia citriodora	Spotted Gum	250		250	79	20	8.0	3.0	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1341	Corymbia citriodora	Spotted Gum	270		270	85	20	7.0	3.2	1.9	One-sided	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1342	Corymbia citriodora	Spotted Gum	160		160	50	14	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove in ROL4
1343	Corymbia citriodora	Spotted Gum	330		330	104	26	14.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1344	Corymbia citriodora	Spotted Gum	430		430	135	26	14.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1345	Corymbia citriodora	Spotted Gum	240		240	75	20	4.0	2.9	1.8	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1346	Corymbia citriodora	Spotted Gum	220		220	69	22	8.0	2.6	1.8	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical							

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	
1347	Corymbia citriodora	Spotted Gum	240		240	75	22	10.0	2.9	1.8	Regular	-	-	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
1348	Corymbia citriodora	Spotted Gum	330		330	104	24	12.0	4.0	2.1	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
1349	Corymbia citriodora	Spotted Gum	140		140	44	10	4.0	2.0	1.4	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
1350	Corymbia citriodora	Spotted Gum	130		130	41	10	3.0	2.0	1.4	Regular	-	-	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
1351	Corymbia citriodora	Spotted Gum	140		140	44	20	4.0	2.0	1.4	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
1352	Eucalyptus tereticornis	Forest Red Gum	250		250	79	14	4.0	3.0	1.8	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1353	Corymbia citriodora	Spotted Gum	120		120	38	14	3.0	2.0	1.4	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
1354	Corymbia citriodora	Spotted Gum	120		120	38	6	2.0	2.0	1.4	Regular	-	-	Die-back	Epicormic	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
1355	Corymbia citriodora	Spotted Gum	110		110	35	7	2.0	2.0	1.3	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
1356	Corymbia citriodora	Spotted Gum	120		120	38	12	1.0	2.0	1.4	Regular	-	-	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
1357	Corymbia citriodora	Spotted Gum	120		120	38	7	2.0	2.0	1.4	Regular	-	-	Die-back	Epicormic	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
1358	Corymbia citriodora	Spotted Gum	230		230	72	22	8.0	2.8	1.8	Regular	-	-	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
1359	Eucalyptus crebra	Narrow-leaved Ironbark	380		380	119	24	12.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	-	Remove in ROL4
1360	Eucalyptus tereticornis	Forest Red Gum	370		370	116	24	12.0	4.4	2.2	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
1361	Corymbia citriodora	Spotted Gum	250		250	79	24	12.0	3.0	1.8	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
1362	Corymbia citriodora	Spotted Gum	330		330	104	26	12.0	4.0	2.1	One-sided	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
1363	Corymbia citriodora	Spotted Gum	100		100	31	9	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
1364	Corymbia citriodora	Spotted Gum	350		350	110	24	10.0	4.2	2.1	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
1365	Corymbia citriodora	Spotted Gum	130		130	41	12	3.0	2.0	1.4	Regular	-	-	Die-back	Epicormic	-	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
1366	Corymbia citriodora	Spotted Gum	120		120	38	10	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
1367	Corymbia citriodora	Spotted Gum	280		280	88	24	8.0	3.4	1.9	One-sided	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
1368	Corymbia citriodora	Spotted Gum	260		260	82	22	8.0	3.1	1.9	One-sided	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
1369	Corymbia citriodora	Spotted Gum	270		270	85	24	12.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
1370	Corymbia citriodora	Spotted Gum	150		150	47	14	4.0	2.0	1.5	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
1371	Corymbia citriodora	Spotted Gum	280		280	88	20	5.0	3.4	1.9	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
1372	Corymbia citriodora	Spotted Gum	340		340	107	24	14.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
1373	Corymbia citriodora	Spotted Gum	470		470	148	26	14.0	5.6	2.4	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
1374	Corymbia citriodora	Spotted Gum	230		230	72	22	8.0	2.8	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
1375	Corymbia citriodora	Spotted Gum	170		170	53	18	6.0	2.0	1.6	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
1376	Corymbia citriodora	Spotted Gum	260		260	82	24	12.0	3.1	1.9	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
1377	Corymbia citriodora	Spotted Gum	120		120	38	14	4.0	2.0	1.4	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
1378	Corymbia citriodora	Spotted Gum	340		340	107	22	8.0	4.1	2.1	One-sided	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	Old	-	-	-	-	-	Remove in ROL4
1379	Corymbia citriodora	Spotted Gum	240		240	75	22	8.0	2.9	1.8	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
1380	Corymbia citriodora	Spotted Gum	250		250	79	24	10.0	3.0	1.8	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
1381	Corymbia citriodora	Spotted Gum	380		380	119	20	10.0	4.6	2.2	Regular	-	-	Die-back	Epicormic	-	Typical	Minor	-	-	-	Typical	-	Old	-	-	-	-	-	Remove in ROL4
1382	Corymbia citriodora	Spotted Gum	130		130	41	12	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
1383	Corymbia citriodora	Spotted Gum	230		230	72	22	6.0	2.8	1.8	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
1384	Corymbia citriodora	Spotted Gum	120		120	38	12	3.0	2.0	1.4	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
1385	Corymbia citriodora	Spotted Gum	230		230	72	20	8.0	2.8	1.8	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
1386	Corymbia citriodora	Spotted Gum	110		110	35	8	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
1387	Corymbia citriodora	Spotted Gum	120		120	38	16	4.0	2.0	1.4	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
1388	Corymbia citriodora	Spotted Gum	220		220	69	20	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1389	Corymbia citriodora	Spotted Gum	120		120	38	12	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
1390	Corymbia citriodora	Spotted Gum	110		110	35	8	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
1391	Corymbia citriodora	Spotted Gum																												

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value							
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
1394	Corymbia citriodora	Spotted Gum	170		170	53	22	6.0	2.0	1.6	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1395	Corymbia citriodora	Spotted Gum	130		130	41	12	4.0	2.0	1.4	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1396	Corymbia citriodora	Spotted Gum	150		150	47	22	6.0	2.0	1.5	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1397	Corymbia citriodora	Spotted Gum	110		110	35	8	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1398	Corymbia citriodora	Spotted Gum	110		110	35	8	3.0	2.0	1.3	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1399	Corymbia citriodora	Spotted Gum	370		370	116	26	14.0	4.4	2.2	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1400	Corymbia citriodora	Spotted Gum	110		110	35	8	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1401	Corymbia citriodora	Spotted Gum	510		510	160	24	12.0	6.1	2.5	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1402	Corymbia citriodora	Spotted Gum	460		460	145	26	17.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1403	Corymbia citriodora	Spotted Gum	520		520	163	26	14.0	6.2	2.5	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	Old	-	-	-	-	Remove in ROL4
1404	Corymbia citriodora	Spotted Gum	430		430	135	24	14.0	5.2	2.3	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	Trunk Dmg.	-	Typical	-	-	Small	-	-	-	Remove in ROL4
1405	Eucalyptus tereticornis	Forest Red Gum	540		540	170	26	14.0	6.5	2.6	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1406	Melaleuca irbyana	Weeping Paperbark	140	130	191	60	8	4.0	2.3	1.7	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1407	DEAD/STAG		690		690	217	16	4.0	8.3	2.8	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	Small	-	-	-	Remove in ROL4
1408	DEAD/STAG		870		870	273	20	8.0	10.4	3.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Remove in ROL4
1409	Corymbia citriodora	Spotted Gum	870		870	273	24	14.0	10.4	3.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Retain in ROL4, Future retention TBC
1410	Eucalyptus tereticornis	Forest Red Gum	490		490	154	24	12.0	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1411	Eucalyptus crebra	Narrow-leaved Ironbark	580		580	182	24	12.0	7.0	2.6	Regular	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	Small	-	-	-	Remove in ROL4
1412	Corymbia citriodora	Spotted Gum	410		410	129	24	12.0	4.9	2.3	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1413	Corymbia citriodora	Spotted Gum	100		100	31	14	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1414	Lophostemon suaveolens	Swamp Box	170		170	53	10	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1415	Corymbia citriodora	Spotted Gum	210		210	66	22	10.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1416	Corymbia citriodora	Spotted Gum	130		130	41	12	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1417	Corymbia citriodora	Spotted Gum	200		200	63	22	8.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1418	Corymbia citriodora	Spotted Gum	250		250	79	10	6.0	3.0	1.8	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1419	Corymbia citriodora	Spotted Gum	420		420	132	24	14.0	5.0	2.3	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1420	Corymbia citriodora	Spotted Gum	190		190	60	20	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1421	Corymbia citriodora	Spotted Gum	120		120	38	18	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1422	Eucalyptus crebra	Narrow-leaved Ironbark	200		200	63	16	8.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1423	Lophostemon suaveolens	Swamp Box	370		370	116	10	7.0	4.4	2.2	Regular	-	-	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1424	Corymbia citriodora	Spotted Gum	120		120	38	12	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1425	Lophostemon suaveolens	Swamp Box	150		150	47	10	4.0	2.0	1.5	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1426	Lophostemon suaveolens	Swamp Box	140	120	184	58	10	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1427	Acacia disparrima	Hickory Wattle	150		150	47	6	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1428	Eucalyptus tereticornis	Forest Red Gum	110		110	35	12	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1429	Lophostemon suaveolens	Swamp Box	150		150	47	10	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1430	Lophostemon suaveolens	Swamp Box	100		100	31	8	2.0	2.0	1.3	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1431	Lophostemon suaveolens	Swamp Box	110		110	35	8	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1432	Lophostemon suaveolens	Swamp Box	130		130	41	14	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1433	Eucalyptus crebra	Narrow-leaved Ironbark	140		140	44	10	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1434	Corymbia citriodora	Spotted Gum	130		130	41	10	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1435	Corymbia citriodora	Spotted Gum	120		120	38	12	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1436	Lophostemon suaveolens	Swamp Box	120		120	38	14	4.0	2.0	1.4	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1437	Corymbia tessellaris	Moreton Bay Ash	120		120	38	10	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, in

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value							Retention
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	
1441	Lophostemon suaveolens	Swamp Box	170		170	53	8	3.0	2.0	1.6	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1442	Corymbia citriodora	Spotted Gum	190		190	60	20	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1443	Lophostemon suaveolens	Swamp Box	150		150	47	8	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1444	Lophostemon suaveolens	Swamp Box	140		140	44	8	3.0	2.0	1.4	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1445	Lophostemon suaveolens	Swamp Box	100		100	31	7	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1446	Corymbia citriodora	Spotted Gum	110		110	35	12	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1447	Corymbia citriodora	Spotted Gum	140		140	44	18	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1448	Lophostemon suaveolens	Swamp Box	150		150	47	7	2.0	2.0	1.5	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1449	Eucalyptus tereticornis	Forest Red Gum	200		200	63	20	5.0	2.4	1.7	Regular	-	-	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1450	Corymbia citriodora	Spotted Gum	180		180	57	20	6.0	2.2	1.6	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1451	Corymbia citriodora	Spotted Gum	100		100	31	14	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1452	Acacia disparrima	Hickory Wattle	120		120	38	8	3.0	2.0	1.4	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1453	Corymbia citriodora	Spotted Gum	120		120	38	12	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1454	Corymbia citriodora	Spotted Gum	360		360	113	24	12.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1455	Corymbia citriodora	Spotted Gum	180		180	57	20	6.0	2.2	1.6	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove in ROL4
1456	Corymbia citriodora	Spotted Gum	220		220	69	20	8.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1457	Corymbia citriodora	Spotted Gum	170		170	53	22	8.0	2.0	1.6	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1458	Corymbia citriodora	Spotted Gum	160		160	50	10	6.0	2.0	1.5	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1459	Corymbia citriodora	Spotted Gum	380		380	119	26	16.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1460	Corymbia citriodora	Spotted Gum	170		170	53	20	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1461	Corymbia citriodora	Spotted Gum	230		230	72	24	10.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1462	Corymbia citriodora	Spotted Gum	300		300	94	24	12.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1463	Corymbia citriodora	Spotted Gum	370		370	116	26	14.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1464	Corymbia citriodora	Spotted Gum	200		200	63	22	8.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1465	Corymbia citriodora	Spotted Gum	200		200	63	20	8.0	2.4	1.7	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1466	Corymbia citriodora	Spotted Gum	120		120	38	18	4.0	2.0	1.4	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1467	Corymbia citriodora	Spotted Gum	210		210	66	22	8.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1468	Corymbia citriodora	Spotted Gum	240		240	75	24	10.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1469	Corymbia citriodora	Spotted Gum	140		140	44	14	6.0	2.0	1.4	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1470	Corymbia citriodora	Spotted Gum	230		230	72	24	10.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1471	Acacia disparrima	Hickory Wattle	180		180	57	6	4.0	2.2	1.6	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1472	Corymbia citriodora	Spotted Gum	130		130	41	12	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1473	Corymbia citriodora	Spotted Gum	220		220	69	24	12.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1474	Corymbia tessellaris	Moreton Bay Ash	300		300	94	20	8.0	3.6	2.0	Regular	-	Thinning	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1475	Corymbia citriodora	Spotted Gum	120		120	38	14	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1476	Acacia disparrima	Hickory Wattle	110		110	35	5	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1477	Acacia disparrima	Hickory Wattle	110		110	35	5	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1478	Corymbia citriodora	Spotted Gum	110		110	35	18	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1479	Eucalyptus crebra	Narrow-leaved Ironbark	130		130	41	14	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1480	Corymbia citriodora	Spotted Gum	120		120	38	14	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1481	Lophostemon suaveolens	Swamp Box	140		140	44	8	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1482	Lophostemon suaveolens	Swamp Box	120		120	38	8	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1483	Corymbia citriodora	Spotted Gum	120		120	38	12	4.0	2.0	1.4	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1484	Corymbia citriodora	Spotted Gum	110		110	35	10	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1485	Acacia disparrima	Hickory Wattle	230		230	72	12	5.0	2.8	1.8	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1486	Acacia disparrima	Hickory Wattle	180		180	57	8	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1487	Corymbia citriodora	Spotted Gum	130		130	41	20	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Retention	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest		Habitat Value
1488	Eucalyptus tereticornis	Forest Red Gum	120		120	38	14	5.0	2.0	1.4	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1489	Acacia disparrima	Hickory Wattle	110		110	35	8	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1490	Corymbia citriodora	Spotted Gum	110		110	35	12	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1491	Corymbia citriodora	Spotted Gum	110		110	35	14	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1492	Acacia disparrima	Hickory Wattle	120		120	38	10	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1493	Lophostemon suaveolens	Swamp Box	160		160	50	12	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1494	Acacia disparrima	Hickory Wattle	110		110	35	8	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1495	Corymbia intermedia	Pink Bloodwood	110		110	35	8	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1496	Eucalyptus tereticornis	Forest Red Gum	330		330	104	22	12.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1497	Corymbia citriodora	Spotted Gum	120		120	38	12	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1498	Corymbia intermedia	Pink Bloodwood	320		320	101	14	8.0	3.8	2.1	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1499	Melaleuca irbyana	Weeping Paperbark	160	120, 100	224	70	6	4.0	2.7	1.8	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1500	Corymbia tessellaris	Moreton Bay Ash	260		260	82	22	10.0	3.1	1.9	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1501	Corymbia citriodora	Spotted Gum	110		110	35	14	2.0	2.0	1.3	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1502	Corymbia citriodora	Spotted Gum	120		120	38	12	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1503	Corymbia citriodora	Spotted Gum	330		330	104	24	12.0	4.0	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1504	Corymbia citriodora	Spotted Gum	240		240	75	24	10.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1505	Corymbia citriodora	Spotted Gum	240		240	75	22	10.0	2.9	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1506	Corymbia citriodora	Spotted Gum	120		120	38	18	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1507	Corymbia citriodora	Spotted Gum	200		200	63	16	4.0	2.4	1.7	Regular	-	-	Die-back	Epicormic	Lopped	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1508	Corymbia citriodora	Spotted Gum	100		100	31	12	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1509	Corymbia citriodora	Spotted Gum	250		250	79	20	5.0	3.0	1.8	Regular	-	-	Die-back	Epicormic	Lopped	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1510	Eucalyptus tereticornis	Forest Red Gum	170		170	53	16	6.0	2.0	1.6	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1511	Corymbia citriodora	Spotted Gum	250		250	79	22	6.0	3.0	1.8	Regular	-	Thinning	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	Old	-	-	-	-	Remove in ROL4
1512	Corymbia citriodora	Spotted Gum	140		140	44	14	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1513	Corymbia citriodora	Spotted Gum	140		140	44	12	6.0	2.0	1.4	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1514	Corymbia citriodora	Spotted Gum	340	230	410	129	22	10.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1515	Eucalyptus crebra	Narrow-leaved Ironbark	230		230	72	12	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1516	Corymbia citriodora	Spotted Gum	280		280	88	24	12.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1517	Corymbia citriodora	Spotted Gum	340		340	107	24	12.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Old	-	-	-	-	Remove in ROL4
1518	Corymbia citriodora	Spotted Gum	180		180	57	16	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1519	Corymbia citriodora	Spotted Gum	250		250	79	22	10.0	3.0	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1520	Corymbia citriodora	Spotted Gum	180		180	57	20	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1521	Corymbia citriodora	Spotted Gum	100		100	31	8	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1522	Corymbia citriodora	Spotted Gum	100		100	31	8	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1523	Eucalyptus crebra	Narrow-leaved Ironbark	200		200	63	20	8.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1524	Corymbia citriodora	Spotted Gum	290		290	91	24	12.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Old	-	-	-	-	Retain in ROL4, Future retention TBC
1525	Corymbia citriodora	Spotted Gum	320		320	101	22	8.0	3.8	2.1	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1526	Eucalyptus crebra	Narrow-leaved Ironbark	220		220	69	18	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1527	Corymbia citriodora	Spotted Gum	200		200	63	16	5.0	2.4	1.7	Regular	-	-	Die-back	Epicormic	-	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1528	Corymbia citriodora	Spotted Gum	240		240	75	22	7.0	2.9	1.8	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1529	Corymbia citriodora	Spotted Gum	100		100	31	10	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1530	Acacia concurrens	Black Wattle	140		140	44	6	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1531	Corymbia citriodora	Spotted Gum	160		160	50	18	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1532	Acacia disparrima	Hickory Wattle	110		110	35	6	3.0	2.0	1.3	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1533	Corymbia citriodora	Spotted Gum	200	120	233	73	10	5.0	2.8	1.8	Regular	-	-	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1534	Eucalyptus crebra	Narrow-leaved Ironbark	170		170	53	22	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-		

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Retention	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest		Habitat Value
1535	Corymbia citriodora	Spotted Gum	230		230	72	24	12.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1536	Corymbia citriodora	Spotted Gum	360		360	113	26	14.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1537	Corymbia citriodora	Spotted Gum	100		100	31	8	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1538	Corymbia citriodora	Spotted Gum	300		300	94	24	12.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1539	Corymbia citriodora	Spotted Gum	220		220	69	6	3.0	2.6	1.8	Regular	-	-	Die-back	Epicormic	Lopped	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove in ROL4
1540	Corymbia citriodora	Spotted Gum	180		180	57	14	6.0	2.2	1.6	One-sided	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1541	Eucalyptus crebra	Narrow-leaved Ironbark	240		240	75	22	12.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1542	Eucalyptus crebra	Narrow-leaved Ironbark	360		360	113	26	14.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1543	Corymbia citriodora	Spotted Gum	180		180	57	20	7.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1544	Eucalyptus crebra	Narrow-leaved Ironbark	200		200	63	14	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1545	Corymbia citriodora	Spotted Gum	300		300	94	24	12.0	3.6	2.0	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1546	Corymbia citriodora	Spotted Gum	100		100	31	8	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1547	Corymbia citriodora	Spotted Gum	120		120	38	12	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1548	Corymbia citriodora	Spotted Gum	270		270	85	24	12.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1549	Corymbia citriodora	Spotted Gum	100		100	31	10	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1550	Corymbia citriodora	Spotted Gum	110		110	35	16	5.0	2.0	1.3	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1551	Corymbia citriodora	Spotted Gum	100		100	31	8	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1552	Corymbia citriodora	Spotted Gum	290		290	91	22	10.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1553	Eucalyptus crebra	Narrow-leaved Ironbark	180		180	57	18	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1554	Eucalyptus crebra	Narrow-leaved Ironbark	250		250	79	24	12.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1555	Corymbia citriodora	Spotted Gum	100		100	31	8	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1556	Corymbia citriodora	Spotted Gum	100		100	31	8	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1557	Corymbia tessellaris	Moreton Bay Ash	130		130	41	10	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1558	Corymbia tessellaris	Moreton Bay Ash	180		180	57	18	5.0	2.2	1.6	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1559	Corymbia citriodora	Spotted Gum	120		120	38	12	4.0	2.0	1.4	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1560	Corymbia citriodora	Spotted Gum	280		280	88	24	8.0	3.4	1.9	One-sided	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1561	Corymbia citriodora	Spotted Gum	430		430	135	26	14.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1562	Corymbia citriodora	Spotted Gum	100		100	31	10	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove in ROL4
1563	Corymbia citriodora	Spotted Gum	110		110	35	8	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1564	Corymbia citriodora	Spotted Gum	130		130	41	18	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1565	Corymbia citriodora	Spotted Gum	340		340	107	24	12.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1566	Corymbia tessellaris	Moreton Bay Ash	100		100	31	8	2.0	2.0	1.3	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1567	Acacia disparrima	Hickory Wattle	150		150	47	8	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1568	Corymbia citriodora	Spotted Gum	420		420	132	26	16.0	5.0	2.3	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1569	Corymbia citriodora	Spotted Gum	100		100	31	10	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1570	Corymbia citriodora	Spotted Gum	100		100	31	7	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1571	Eucalyptus tereticornis	Forest Red Gum	160		160	50	22	8.0	2.0	1.5	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1572	Corymbia citriodora	Spotted Gum	200		200	63	18	5.0	2.4	1.7	One-sided	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1573	DEAD/STAG		230		230	72	8	2.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Remove in ROL4
1574	Corymbia citriodora	Spotted Gum	370		370	116	26	14.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1575	Corymbia citriodora	Spotted Gum	320		320	101	20	10.0	3.8	2.1	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1576	Acacia disparrima	Hickory Wattle	240		240	75	7	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1577	Eucalyptus crebra	Narrow-leaved Ironbark	200		200	63	22	8.0	2.4	1.7	One-sided	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1578	Corymbia citriodora	Spotted Gum	260		260	82	20	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1579	Corymbia intermedia	Pink Bloodwood	160		160	50	14	2.0	2.0	1.5	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1580	Corymbia citriodora	Spotted Gum	320		320	101	26	14.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1581	Corymbia citriodora	Spotted Gum	100		100	31	10	3.0	2.0	1.3	Regular	-																	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Retention	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest		Habitat Value
1582	Acacia disparrima	Hickory Wattle	160		160	50	8	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1583	Acacia disparrima	Hickory Wattle	140		140	44	8	4.0	2.0	1.4	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1584	Eucalyptus crebra	Narrow-leaved Ironbark	230		230	72	22	10.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1585	Corymbia citriodora	Spotted Gum	330		330	104	22	12.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1586	Corymbia citriodora	Spotted Gum	150		150	47	18	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1587	Corymbia citriodora	Spotted Gum	120		120	38	12	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1588	Eucalyptus crebra	Narrow-leaved Ironbark	200		200	63	24	10.0	2.4	1.7	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1589	Acacia disparrima	Hickory Wattle	130		130	41	8	4.0	2.0	1.4	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1590	Corymbia citriodora	Spotted Gum	100		100	31	10	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1591	Corymbia citriodora	Spotted Gum	330		330	104	24	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1592	Corymbia citriodora	Spotted Gum	370		370	116	24	12.0	4.4	2.2	Regular	-	-	-	-	-	Typical	Minor	-	-	-	-	Typical	-	-	-	-	-	Remove in ROL4
1593	Corymbia citriodora	Spotted Gum	140		140	44	20	8.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1594	Corymbia citriodora	Spotted Gum	110		110	35	16	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1595	Corymbia intermedia	Pink Bloodwood	130		130	41	8	3.0	2.0	1.4	Regular	-	-	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1596	Corymbia citriodora	Spotted Gum	170		170	53	20	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1597	Corymbia citriodora	Spotted Gum	140		140	44	16	4.0	2.0	1.4	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1598	Corymbia citriodora	Spotted Gum	360		360	113	26	14.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1599	Acacia disparrima	Hickory Wattle	160		160	50	6	3.0	2.0	1.5	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1600	Corymbia citriodora	Spotted Gum	110		110	35	10	3.0	2.0	1.3	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1601	Corymbia citriodora	Spotted Gum	100		100	31	8	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1602	Corymbia intermedia	Pink Bloodwood	220		220	69	14	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1603	Corymbia citriodora	Spotted Gum	120		120	38	8	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1604	Corymbia tessellaris	Moreton Bay Ash	110	80	136	43	8	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1605	Corymbia citriodora	Spotted Gum	140		140	44	14	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1606	Eucalyptus tereticornis	Forest Red Gum	250		250	79	24	12.0	3.0	1.8	Regular	-	Thinning	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1607	Corymbia citriodora	Spotted Gum	140		140	44	18	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1608	Corymbia citriodora	Spotted Gum	100		100	31	16	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1609	Corymbia citriodora	Spotted Gum	110		110	35	10	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1610	Lophostemon suaveolens	Swamp Box	150		150	47	8	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1611	Eucalyptus crebra	Narrow-leaved Ironbark	100		100	31	8	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1612	Corymbia citriodora	Spotted Gum	180		180	57	22	10.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1613	Corymbia citriodora	Spotted Gum	270		270	85	18	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1614	Corymbia citriodora	Spotted Gum	130		130	41	18	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1615	Corymbia citriodora	Spotted Gum	100		100	31	12	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1616	Eucalyptus crebra	Narrow-leaved Ironbark	230		230	72	20	8.0	2.8	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1617	Eucalyptus crebra	Narrow-leaved Ironbark	250		250	79	22	10.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1618	Corymbia citriodora	Spotted Gum	300		300	94	24	12.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1619	Corymbia citriodora	Spotted Gum	110		110	35	12	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1620	Corymbia citriodora	Spotted Gum	100		100	31	16	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1621	Corymbia citriodora	Spotted Gum	120		120	38	14	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1622	Corymbia citriodora	Spotted Gum	100		100	31	10	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1623	Corymbia citriodora	Spotted Gum	340		340	107	24	12.0	4.1	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1624	Acacia disparrima	Hickory Wattle	150		150	47	6	4.0	2.0	1.5	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1625	Corymbia citriodora	Spotted Gum	100		100	31	8	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1626	Corymbia citriodora	Spotted Gum	190		190	60	22	8.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1627	Corymbia citriodora	Spotted Gum	270		270	85	26	12.0	3.2	1.9	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1628	Corymbia citriodora	Spotted Gum	240		240	75	24	10.0	2.9	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Retention
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	
1629	Corymbia citriodora	Spotted Gum	240		240	75	20	6.0	2.9	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1630	Corymbia citriodora	Spotted Gum	340		340	107	24	12.0	4.1	2.1	One-sided	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1631	Corymbia citriodora	Spotted Gum	330		330	104	24	12.0	4.0	2.1	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1632	Corymbia citriodora	Spotted Gum	300		300	94	24	12.0	3.6	2.0	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1633	Corymbia citriodora	Spotted Gum	140		140	44	14	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1634	Corymbia citriodora	Spotted Gum	140		140	44	18	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1635	Corymbia citriodora	Spotted Gum	130		130	41	14	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1636	Corymbia citriodora	Spotted Gum	180	100	206	65	20	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1637	Corymbia citriodora	Spotted Gum	140		140	44	18	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1638	Corymbia citriodora	Spotted Gum	340		340	107	22	14.0	4.1	2.1	One-sided	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	Old	-	-	-	-	Remove in ROL4
1639	Corymbia citriodora	Spotted Gum	110		110	35	18	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1640	Corymbia citriodora	Spotted Gum	200		200	63	22	8.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1641	Eucalyptus crebra	Narrow-leaved Ironbark	240		240	75	20	8.0	2.9	1.8	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1642	Corymbia citriodora	Spotted Gum	120		120	38	18	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1643	Corymbia citriodora	Spotted Gum	110		110	35	13	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1644	Corymbia citriodora	Spotted Gum	120		120	38	14	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1645	Corymbia citriodora	Spotted Gum	100		100	31	14	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1646	Eucalyptus tereticornis	Forest Red Gum	540		540	170	24	8.0	6.5	2.6	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1647	Corymbia citriodora	Spotted Gum	110		110	35	12	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1648	Corymbia citriodora	Spotted Gum	120		120	38	12	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1649	Corymbia citriodora	Spotted Gum	110		110	35	14	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1650	Corymbia citriodora	Spotted Gum	100		100	31	16	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1651	Corymbia citriodora	Spotted Gum	100		100	31	12	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1652	Corymbia citriodora	Spotted Gum	100		100	31	14	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1653	Corymbia citriodora	Spotted Gum	120		120	38	12	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1654	Eucalyptus crebra	Narrow-leaved Ironbark	390		390	123	26	16.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1655	Eucalyptus tereticornis	Forest Red Gum	240		240	75	24	12.0	2.9	1.8	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	Old	-	-	-	-	Remove in ROL4
1656	Corymbia tessellaris	Moreton Bay Ash	150		150	47	14	6.0	2.0	1.5	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1657	Corymbia tessellaris	Moreton Bay Ash	240		240	75	14	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1658	Corymbia citriodora	Spotted Gum	320		320	101	24	14.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1659	Corymbia citriodora	Spotted Gum	180		180	57	22	6.0	2.2	1.6	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1660	Corymbia citriodora	Spotted Gum	280		280	88	26	12.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1661	Corymbia citriodora	Spotted Gum	100		100	31	12	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1662	Eucalyptus tereticornis	Forest Red Gum	200		200	63	20	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1663	Corymbia citriodora	Spotted Gum	100		100	31	10	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1664	Eucalyptus crebra	Narrow-leaved Ironbark	350		350	110	26	14.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1665	Corymbia citriodora	Spotted Gum	340		340	107	24	12.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1666	Corymbia citriodora	Spotted Gum	240		240	75	10	5.0	2.9	1.8	Regular	-	-	Die-back	Epicormic	-	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove in ROL4
1667	Corymbia citriodora	Spotted Gum	140		140	44	18	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1668	Corymbia citriodora	Spotted Gum	200		200	63	22	10.0	2.4	1.7	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1669	Corymbia citriodora	Spotted Gum	300		300	94	24	12.0	3.6	2.0	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1670	Corymbia tessellaris	Moreton Bay Ash	140		140	44	12	5.0	2.0	1.4	One-sided	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1671	Corymbia citriodora	Spotted Gum	320		320	101	24	10.0	3.8	2.1	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Old	-	-	-	-	Remove in ROL4
1672	Eucalyptus tereticornis	Forest Red Gum	230		230	72	22	6.0	2.8	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1673	Corymbia citriodora	Spotted Gum	140		140	44	14	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1674	Corymbia tessellaris	Moreton Bay Ash	160		160	50	12	5.0	2.0	1.5	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1675	Eucalyptus crebra	Narrow-leaved Ironbark	130		130	41	12	4.0	2.0																				

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Retention	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest		Habitat Value
1676	Corymbia citriodora	Spotted Gum	120		120	38	10	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1677	Corymbia citriodora	Spotted Gum	160		160	50	20	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1678	Eucalyptus crebra	Narrow-leaved Ironbark	110		110	35	8	1.0	2.0	1.3	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1679	Corymbia citriodora	Spotted Gum	150		150	47	20	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1680	Corymbia tessellaris	Moreton Bay Ash	200		200	63	16	5.0	2.4	1.7	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	Trunk Dmg.	-	Poor	-	-	-	-	-	-	Remove in ROL4
1681	Corymbia citriodora	Spotted Gum	340		340	107	24	14.0	4.1	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove in ROL4
1682	Corymbia citriodora	Spotted Gum	340		340	107	24	12.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1683	Corymbia citriodora	Spotted Gum	100		100	31	12	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1684	Corymbia citriodora	Spotted Gum	100		100	31	12	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1685	Corymbia citriodora	Spotted Gum	110		110	35	16	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1686	Corymbia citriodora	Spotted Gum	110		110	35	14	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1687	Corymbia citriodora	Spotted Gum	110		110	35	12	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1688	Corymbia citriodora	Spotted Gum	280		280	88	22	8.0	3.4	1.9	One-sided	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1689	Corymbia citriodora	Spotted Gum	140		140	44	10	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1690	Corymbia citriodora	Spotted Gum	120		120	38	14	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1691	Corymbia citriodora	Spotted Gum	320		320	101	24	10.0	3.8	2.1	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1692	Corymbia intermedia	Pink Bloodwood	160	140	213	67	20	6.0	2.6	1.7	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1693	Corymbia citriodora	Spotted Gum	130		130	41	10	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1694	Eucalyptus tereticornis	Forest Red Gum	370		370	116	24	12.0	4.4	2.2	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1695	Corymbia citriodora	Spotted Gum	220		220	69	16	8.0	2.6	1.8	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1696	Eucalyptus tereticornis	Forest Red Gum	340		340	107	22	12.0	4.1	2.1	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1697	Corymbia citriodora	Spotted Gum	180		180	57	20	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1698	Corymbia citriodora	Spotted Gum	110		110	35	14	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1699	Corymbia citriodora	Spotted Gum	110		110	35	10	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1700	Corymbia intermedia	Pink Bloodwood	130	70	148	46	8	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1701	Corymbia citriodora	Spotted Gum	110		110	35	16	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1702	Eucalyptus tereticornis	Forest Red Gum	260		260	82	24	12.0	3.1	1.9	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1703	Corymbia citriodora	Spotted Gum	310		310	97	20	10.0	3.7	2.0	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1704	Corymbia citriodora	Spotted Gum	270		270	85	22	8.0	3.2	1.9	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1705	Corymbia citriodora	Spotted Gum	120	80	144	45	22	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1706	Eucalyptus tereticornis	Forest Red Gum	180		180	57	20	8.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1707	Corymbia citriodora	Spotted Gum	350		350	110	26	12.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1708	Corymbia citriodora	Spotted Gum	300		300	94	22	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1709	Corymbia citriodora	Spotted Gum	320		320	101	24	12.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1710	Corymbia citriodora	Spotted Gum	240		240	75	20	8.0	2.9	1.8	One-sided	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1711	Corymbia citriodora	Spotted Gum	220		220	69	24	10.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1712	Eucalyptus tereticornis	Forest Red Gum	200		200	63	16	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1713	Corymbia intermedia	Pink Bloodwood	180		180	57	10	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1714	Corymbia citriodora	Spotted Gum	220		220	69	22	8.0	2.6	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1715	Corymbia citriodora	Spotted Gum	300		300	94	24	12.0	3.6	2.0	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1716	Corymbia citriodora	Spotted Gum	140		140	44	16	5.0	2.0	1.4	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove in ROL4
1717	Corymbia citriodora	Spotted Gum	140		140	44	20	8.0	2.0	1.4	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1718	Corymbia citriodora	Spotted Gum	200		200	63	22	10.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1719	Corymbia citriodora	Spotted Gum	160		160	50	14	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1720	Corymbia citriodora	Spotted Gum	140		140	44	16	4.0	2.0	1.4	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1721	Corymbia citriodora	Spotted Gum	250		250	79	24	8.0	3.0	1.8	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1722	Corymbia citriodora	Spotted Gum	230		230	72	24	12.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4

Tree ID	Botanical Name	Common Name	Specimen Details								Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Retention	
			Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value		
1723	Corymbia citriodora	Spotted Gum	350		350	110	26	14.0	4.2	2.1	Regular	-	Thinning	Die-back	Epicormic	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove in ROL4	
1724	Corymbia citriodora	Spotted Gum	150		150	47	20	5.0	2.0	1.5	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4	
1725	Eucalyptus crebra	Narrow-leaved Ironbark	280		280	88	22	12.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4	
1726	Corymbia citriodora	Spotted Gum	110		110	35	14	3.0	2.0	1.3	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4	
1727	Corymbia citriodora	Spotted Gum	360		360	113	24	12.0	4.3	2.2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4	
1728	Eucalyptus tereticornis	Forest Red Gum	180		180	57	22	6.0	2.2	1.6	Regular	-	-	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4	
1729	Eucalyptus tereticornis	Forest Red Gum	300		300	94	24	12.0	3.6	2.0	One-sided	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4	
1730	Corymbia citriodora	Spotted Gum	140		140	44	18	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4	
1731	Eucalyptus tereticornis	Forest Red Gum	200		200	63	20	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4	
1732	Eucalyptus tereticornis	Forest Red Gum	160		160	50	20	6.0	2.0	1.5	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4	
1733	Corymbia citriodora	Spotted Gum	330		330	104	24	12.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4	
1734	Corymbia citriodora	Spotted Gum	140		140	44	18	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4	
1735	Corymbia citriodora	Spotted Gum	100		100	31	12	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4	
1736	Corymbia citriodora	Spotted Gum	120		120	38	12	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4	
1737	Corymbia citriodora	Spotted Gum	170		170	53	18	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4	
1738	Corymbia citriodora	Spotted Gum	120		120	38	8	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4	
1739	Corymbia citriodora	Spotted Gum	340		340	107	26	14.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4	
1740	Corymbia citriodora	Spotted Gum	230		230	72	22	10.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4	
1741	Corymbia citriodora	Spotted Gum	230		230	72	22	10.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4	
1742	Corymbia citriodora	Spotted Gum	270		270	85	24	12.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4	
1743	Corymbia citriodora	Spotted Gum	110		110	35	12	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4	
1744	Eucalyptus crebra	Narrow-leaved Ironbark	150		150	47	20	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4	
1745	Corymbia citriodora	Spotted Gum	220		220	69	14	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4	
1746	Eucalyptus crebra	Narrow-leaved Ironbark	330		330	104	24	10.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4	
1747	Corymbia citriodora	Spotted Gum	270		270	85	22	10.0	3.2	1.9	One-sided	-	-	-	-	-	Typical	Minor	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1748	Eucalyptus tereticornis	Forest Red Gum	280		280	88	20	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4	
1749	Corymbia citriodora	Spotted Gum	200		200	63	22	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4	
1750	Corymbia citriodora	Spotted Gum	230		230	72	14	6.0	2.8	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4	
1751	Eucalyptus tereticornis	Forest Red Gum	300		300	94	22	12.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4	
1752	Eucalyptus tereticornis	Forest Red Gum	220		220	69	20	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4	
1753	Eucalyptus crebra	Narrow-leaved Ironbark	200		200	63	18	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4	
1754	Eucalyptus crebra	Narrow-leaved Ironbark	140		140	44	14	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4	
1755	Eucalyptus tereticornis	Forest Red Gum	250		250	79	14	6.0	3.0	1.8	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4	
1756	Eucalyptus tereticornis	Forest Red Gum	180		180	57	20	8.0	2.2	1.6	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4	
1757	Corymbia citriodora	Spotted Gum	230		230	72	14	6.0	2.8	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4	
1758	Corymbia tessellaris	Moreton Bay Ash	100		100	31	8	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4	
1759	Eucalyptus crebra	Narrow-leaved Ironbark	180		180	57	22	8.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4	
1760	Corymbia tessellaris	Moreton Bay Ash	110		110	35	8	3.0	2.0	1.3	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4	
1761	Eucalyptus crebra	Narrow-leaved Ironbark	190		190	60	20	8.0	2.3	1.6	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4	
1762	Corymbia citriodora	Spotted Gum	280		280	88	22	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4	
1763	Eucalyptus crebra	Narrow-leaved Ironbark	230		230	72	22	10.0	2.8	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4	
1764	Corymbia citriodora	Spotted Gum	200		200	63	22	8.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4	
1765	Eucalyptus crebra	Narrow-leaved Ironbark	260		260	82	22	12.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4	
1766	Eucalyptus crebra	Narrow-leaved Ironbark	140		140	44	10	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4	
1767	Eucalyptus crebra	Narrow-leaved Ironbark	260		260	82	22	10.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4	
1768	Corymbia citriodora	Spotted Gum	330		330	104	24	14.0	4.0	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4	
1769	Eucalyptus crebra	Narrow-leaved Ironbark	200		200	63																								

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Retention	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest		Habitat Value
1770	Eucalyptus crebra	Narrow-leaved Ironbark	260		260	82	24	12.0	3.1	1.9	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1771	Eucalyptus crebra	Narrow-leaved Ironbark	270		270	85	24	10.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1772	DEAD/STAG		220		220	69	12	1.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Remove in ROL4
1773	Corymbia citriodora	Spotted Gum	260		260	82	24	10.0	3.1	1.9	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1774	Corymbia tessellaris	Moreton Bay Ash	140		140	44	16	5.0	2.0	1.4	One-sided	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1775	Eucalyptus crebra	Narrow-leaved Ironbark	300		300	94	22	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1776	Eucalyptus crebra	Narrow-leaved Ironbark	200		200	63	20	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1777	Corymbia tessellaris	Moreton Bay Ash	150		150	47	12	6.0	2.0	1.5	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1778	Eucalyptus crebra	Narrow-leaved Ironbark	220		220	69	22	10.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1779	Eucalyptus crebra	Narrow-leaved Ironbark	220		220	69	20	8.0	2.6	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1780	Corymbia tessellaris	Moreton Bay Ash	120		120	38	8	2.0	2.0	1.4	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1781	Corymbia citriodora	Spotted Gum	250		250	79	24	10.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1782	Eucalyptus crebra	Narrow-leaved Ironbark	140		140	44	14	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1783	Eucalyptus crebra	Narrow-leaved Ironbark	170		170	53	10	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1784	Acacia disparrima	Hickory Wattle	140		140	44	6	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1785	Corymbia citriodora	Spotted Gum	270		270	85	24	12.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1786	Eucalyptus crebra	Narrow-leaved Ironbark	160		160	50	18	6.0	2.0	1.5	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1787	Corymbia citriodora	Spotted Gum	200		200	63	20	8.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1788	Corymbia citriodora	Spotted Gum	230		230	72	20	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1789	Eucalyptus crebra	Narrow-leaved Ironbark	300		300	94	20	10.0	3.6	2.0	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1790	Corymbia citriodora	Spotted Gum	180		180	57	18	6.0	2.2	1.6	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1791	Corymbia citriodora	Spotted Gum	220		220	69	22	8.0	2.6	1.8	One-sided	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1792	Corymbia citriodora	Spotted Gum	210		210	66	22	8.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1793	Eucalyptus crebra	Narrow-leaved Ironbark	320		320	101	24	12.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1794	Corymbia citriodora	Spotted Gum	300		300	94	24	12.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1795	Corymbia citriodora	Spotted Gum	270	160	314	99	12	10.0	3.8	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1796	Corymbia citriodora	Spotted Gum	200		200	63	20	8.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1797	Eucalyptus crebra	Narrow-leaved Ironbark	160		160	50	18	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1798	Corymbia citriodora	Spotted Gum	180		180	57	14	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1799	Eucalyptus tereticornis	Forest Red Gum	630		630	198	23	12.0	7.6	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1800	Eucalyptus tereticornis	Forest Red Gum	280		280	88	16	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1801	Corymbia citriodora	Spotted Gum	210		210	66	16	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1802	Corymbia citriodora	Spotted Gum	270		270	85	16	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1803	Eucalyptus tereticornis	Forest Red Gum	360		360	113	18	6.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1804	Corymbia citriodora	Spotted Gum	480		480	151	22	5.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Stormwater outlet
1805	Corymbia citriodora	Spotted Gum	220		220	69	15	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Stormwater outlet
1806	Corymbia citriodora	Spotted Gum	380		380	119	22	5.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1807	Corymbia citriodora	Spotted Gum	190		190	60	14	2.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Stormwater outlet
1808	Corymbia citriodora	Spotted Gum	370		370	116	24	7.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Stormwater outlet
1809	Corymbia citriodora	Spotted Gum	150		150	47	16	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Stormwater outlet
1810	Eucalyptus tereticornis	Forest Red Gum	300		300	94	16	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1811	Corymbia citriodora	Spotted Gum	270		270	85	16	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1812	Corymbia citriodora	Spotted Gum	230		230	72	15	2.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1813	Angophora leiocarpa	Smooth-barked Apple	190		190	60	13	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1814	Corymbia intermedia	Pink Bloodwood	400		400	126	10	2.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1815	Corymbia citriodora	Spotted Gum	230		230	72	5	1.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1816	Eucalyptus crebra	Narrow-leaved Ironbark	170		170	53	8	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Retention
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	
1817	Corymbia citriodora	Spotted Gum	130		130	41	15	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1818	Corymbia citriodora	Spotted Gum	130		130	41	13	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1819	Eucalyptus crebra	Narrow-leaved Ironbark	140		140	44	10	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1820	Corymbia citriodora	Spotted Gum	170		170	53	13	2.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1821	Corymbia citriodora	Spotted Gum	160		160	50	10	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1822	Corymbia citriodora	Spotted Gum	120		120	38	14	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1823	Acacia concurrens	Black Wattle	190	110	220	69	8	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1824	Acacia concurrens	Black Wattle	150		150	47	7	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1825	Petalostigma pubescens	Quinnie Bush	110	9	110	35	5	7.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1826	Corymbia tessellaris	Moreton Bay Ash	140		140	44	14	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1827	Eucalyptus crebra	Narrow-leaved Ironbark	400		400	126	17	8.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1828	Corymbia tessellaris	Moreton Bay Ash	110		110	35	8	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1829	Acacia dispartima	Hickory Wattle	280		280	88	15	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1830	Corymbia tessellaris	Moreton Bay Ash	160		160	50	9	11.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1831	Eucalyptus tereticornis	Forest Red Gum	280		280	88	17	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1832	Eucalyptus tereticornis	Forest Red Gum	140		140	44	16	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1833	Eucalyptus crebra	Narrow-leaved Ironbark	250		250	79	18	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1834	Eucalyptus crebra	Narrow-leaved Ironbark	150		150	47	14	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1835	Eucalyptus tereticornis	Forest Red Gum	140		140	44	13	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1836	Corymbia tessellaris	Moreton Bay Ash	200		200	63	16	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1837	Acacia dispartima	Hickory Wattle	200		200	63	13	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1838	Corymbia citriodora	Spotted Gum	120		120	38	9	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1839	Corymbia citriodora	Spotted Gum	110		110	35	16	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1840	Corymbia citriodora	Spotted Gum	180		180	57	17	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1841	Corymbia citriodora	Spotted Gum	110		110	35	10	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1842	Eucalyptus tereticornis	Forest Red Gum	570		570	179	24	13.0	6.8	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1843	Eucalyptus tereticornis	Forest Red Gum	250		250	79	19	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1844	Corymbia citriodora	Spotted Gum	280		280	88	19	4.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1845	Eucalyptus tereticornis	Forest Red Gum	400		400	126	22	10.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Retain in ROL4, Future retention TBC
1846	Corymbia citriodora	Spotted Gum	220		220	69	18	2.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1847	Corymbia citriodora	Spotted Gum	180		180	57	17	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1848	Corymbia citriodora	Spotted Gum	310		310	97	25	10.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1849	Corymbia citriodora	Spotted Gum	360		360	113	22	12.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1850	Corymbia citriodora	Spotted Gum	300		300	94	20	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1851	Corymbia citriodora	Spotted Gum	100		100	31	9	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1852	Corymbia citriodora	Spotted Gum	140		140	44	7	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1853	Corymbia citriodora	Spotted Gum	170		170	53	15	2.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1854	Corymbia citriodora	Spotted Gum	170		170	53	16	2.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1855	Corymbia citriodora	Spotted Gum	260		260	82	20	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1856	Corymbia citriodora	Spotted Gum	120		120	38	13	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1857	Corymbia citriodora	Spotted Gum	140		140	44	10	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1858	Corymbia citriodora	Spotted Gum	250		250	79	23	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1859	Corymbia citriodora	Spotted Gum	280		280	88	18	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1860	Corymbia citriodora	Spotted Gum	170		170	53	16	2.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1861	Corymbia citriodora	Spotted Gum	270		270	85	18	9.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1862	Corymbia citriodora	Spotted Gum	380		380	119	24	16.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value							Retention
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	
1864	DEAD/STAG		370		370	116	7	1.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Large	-	-	-	Retain in ROL4, Future retention TBC
1865	Corymbia intermedia	Pink Bloodwood	200		200	63	17	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1866	Corymbia citriodora	Spotted Gum	110		110	35	15	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1867	Corymbia citriodora	Spotted Gum	180		180	57	17	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1868	Corymbia citriodora	Spotted Gum	120		120	38	8	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1869	Eucalyptus tereticornis	Forest Red Gum	540		540	170	22	8.0	6.5	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Retain in ROL4, Future retention TBC
1870	Corymbia citriodora	Spotted Gum	160		160	50	14	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1871	Corymbia citriodora	Spotted Gum	150		150	47	16	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1872	Corymbia citriodora	Spotted Gum	220		220	69	15	2.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1873	Corymbia citriodora	Spotted Gum	140		140	44	13	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1874	Eucalyptus tereticornis	Forest Red Gum	680		680	214	26	15.0	8.2	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1875	Corymbia citriodora	Spotted Gum	230		230	72	24	10.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1876	Corymbia citriodora	Spotted Gum	300		300	94	20	15.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1877	Corymbia citriodora	Spotted Gum	240		240	75	17	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1878	Eucalyptus crebra	Narrow-leaved Ironbark	320		320	101	22	10.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1879	Corymbia citriodora	Spotted Gum	180		180	57	21	2.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1880	Eucalyptus tereticornis	Forest Red Gum	380		380	119	26	14.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1881	Corymbia citriodora	Spotted Gum	150		150	47	16	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1882	Corymbia citriodora	Spotted Gum	150		150	47	17	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1883	Corymbia citriodora	Spotted Gum	130		130	41	18	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1884	Corymbia citriodora	Spotted Gum	530		530	167	20	4.0	6.4	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Old	-	-	-	-	Remove in ROL4
1885	Corymbia citriodora	Spotted Gum	170		170	53	18	2.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1886	Corymbia citriodora	Spotted Gum	180		180	57	19	2.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1887	Corymbia citriodora	Spotted Gum	360		360	113	18	4.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1888	Corymbia citriodora	Spotted Gum	120		120	38	16	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1889	Corymbia citriodora	Spotted Gum	140		140	44	14	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1890	Eucalyptus crebra	Narrow-leaved Ironbark	300		300	94	18	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1891	Corymbia citriodora	Spotted Gum	160		160	50	13	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1892	Corymbia citriodora	Spotted Gum	270		270	85	16	2.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1893	Unknown sp.	Dead Stag	280		280	88	10	1.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Large	-	-	-	Remove in ROL4
1894	Unknown sp.	Dead Stag	400		400	126	15	7.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Remove in ROL4
1895	Corymbia citriodora	Spotted Gum	580		580	182	25	15.0	7.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Remove in ROL4
1896	Eucalyptus tereticornis	Forest Red Gum	520		520	163	24	8.0	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	Old	Old	-	-	-	-	Remove in ROL4
1897	Corymbia citriodora	Spotted Gum	520		520	163	26	13.0	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	Old	Old	-	-	-	-	Remove in ROL4
1898	Unknown sp.	Dead Stag	270		270	85	9	1.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Large	-	-	-	Remove in ROL4
1899	Unknown sp.	Dead Stag	640		640	201	17	3.0	7.7	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Remove in ROL4
1900	Eucalyptus crebra	Narrow-leaved Ironbark	520		520	163	18	14.0	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1901	Corymbia citriodora	Spotted Gum	680		680	214	20	8.0	8.2	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Old	-	-	-	-	Remove in ROL4
1902	Unknown sp.	Dead Stag	580		580	182	21	13.0	7.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1903	Eucalyptus tereticornis	Forest Red Gum	580		580	182	22	10.0	7.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Remove in ROL4
1904	Angophora leiocarpa	Smooth-barked Apple	690		690	217	19	8.0	8.3	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Remove in ROL4
1905	Unknown sp.	Dead Stag	160		160	50	5	1.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Remove in ROL4
1906	Corymbia citriodora	Spotted Gum	380		380	119	23	5.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Remove in ROL4
1907	Eucalyptus tereticornis	Forest Red Gum	610		610	192	24	12.0	7.3	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1908	Eucalyptus tereticornis	Forest Red Gum	540		540	170	25	8.0	6.5	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Remove in ROL4
1909	Eucalyptus moluccana	Gum-topped Box	750		750	236	25	12.0	9.0	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Remove in ROL4
1910	Eucalyptus moluccana	Gum-topped Box	400		400	126	20	8.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Remove in ROL4

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Retention
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	
1911	Eucalyptus crebra	Narrow-leaved Ironbark	620		620	195	26	8.0	7.4	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Remove in ROL4
1912	Eucalyptus moluccana	Gum-topped Box	580		580	182	26	9.0	7.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1913	Unknown sp.	Dead Stag	600		600	188	25	4.0	7.2	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Remove in ROL4
1914	Eucalyptus tereticornis	Forest Red Gum	590		590	185	26	12.0	7.1	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	Old	-	-	-	-	-	Remove in ROL4
1915	Eucalyptus tereticornis	Forest Red Gum	580		580	182	25	12.0	7.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1916	Corymbia tessellaris	Moreton Bay Ash	240		240	75	15	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1917	Corymbia citriodora	Spotted Gum	140		140	44	10	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1918	Eucalyptus tereticornis	Forest Red Gum	250		250	79	18	3.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1919	Corymbia citriodora	Spotted Gum	110		110	35	7	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1920	Corymbia citriodora	Spotted Gum	440		440	138	22	10.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1921	Unknown sp.	Dead Stag	320		320	101	23	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1922	Corymbia intermedia	Pink Bloodwood	310		310	97	12	3.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1923	Corymbia citriodora	Spotted Gum	420		420	132	25	13.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Old	-	-	-	-	Retain in ROL4, Future retention TBC
1924	Angophora leiocarpa	Smooth-barked Apple	480		480	151	25	8.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1925	Lophostemon suaveolens	Swamp Box	120		120	38	7	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1926	Corymbia tessellaris	Moreton Bay Ash	150		150	47	9	1.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1927	Eucalyptus tereticornis	Forest Red Gum	300		300	94	15	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1928	Corymbia citriodora	Spotted Gum	130		130	41	13	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1929	Lophostemon suaveolens	Swamp Box	150		150	47	6	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1930	Corymbia tessellaris	Moreton Bay Ash	220		220	69	18	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1931	Eucalyptus crebra	Narrow-leaved Ironbark	570		570	179	23	12.0	6.8	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Large	-	-	-	Remove in ROL4
1932	DEAD/STAG		230		230	72	16	2.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	Small	-	-	Remove in ROL4
1933	Eucalyptus crebra	Narrow-leaved Ironbark	120		120	38	10	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1934	Corymbia citriodora	Spotted Gum	180		180	57	10	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1935	Corymbia citriodora	Spotted Gum	150		150	47	12	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1936	Corymbia citriodora	Spotted Gum	220		220	69	15	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1937	Corymbia citriodora	Spotted Gum	320		320	101	16	5.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1938	Corymbia citriodora	Spotted Gum	130	90	158	50	12	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1939	Corymbia citriodora	Spotted Gum	160		160	50	14	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1940	Corymbia citriodora	Spotted Gum	220		220	69	16	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1941	Corymbia citriodora	Spotted Gum	220		220	69	16	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1942	Corymbia citriodora	Spotted Gum	100		100	31	10	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1943	Corymbia citriodora	Spotted Gum	310		310	97	21	9.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1944	Corymbia citriodora	Spotted Gum	120		120	38	13	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1945	Corymbia citriodora	Spotted Gum	120		120	38	14	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1946	Eucalyptus crebra	Narrow-leaved Ironbark	170		170	53	14	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1947	Corymbia citriodora	Spotted Gum	210		210	66	19	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1948	Corymbia citriodora	Spotted Gum	110		110	35	14	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1949	Corymbia citriodora	Spotted Gum	210		210	66	16	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1950	Corymbia citriodora	Spotted Gum	270		270	85	18	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1951	Corymbia citriodora	Spotted Gum	130		130	41	14	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1952	Corymbia citriodora	Spotted Gum	310		310	97	19	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1953	Corymbia citriodora	Spotted Gum	170		170	53	16	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1954	Eucalyptus tereticornis	Forest Red Gum	330		330	104	25	5.0	4.0	2.1	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1955	Corymbia citriodora	Spotted Gum	260	170	311	98	24	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1956	Corymbia citriodora	Spotted Gum	140		140	44	12	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1957	Corymbia citriodora	Spotted Gum	140		140	44	12	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC

Tree ID	Botanical Name	Common Name	Specimen Details							Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Retention	
			Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest		Habitat Value
1958	Corymbia citriodora	Spotted Gum	150		150	47	14	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1959	Acacia disarrima	Hickory Wattle	170		170	53	8	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1960	Corymbia citriodora	Spotted Gum	100		100	31	10	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1961	Corymbia tessellaris	Moreton Bay Ash	130		130	41	14	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1962	Eucalyptus crebra	Narrow-leaved Ironbark	200		200	63	12	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1963	Corymbia citriodora	Spotted Gum	260		260	82	19	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1964	Corymbia citriodora	Spotted Gum	210		210	66	20	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1965	Corymbia citriodora	Spotted Gum	390		390	123	26	10.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1966	Corymbia intermedia	Pink Bloodwood	190		190	60	15	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1967	Alphitonia excelsa	Soap Tree	150		150	47	8	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1968	Corymbia citriodora	Spotted Gum	290		290	91	20	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1969	Lophostemon suaveolens	Swamp Box	130		130	41	7	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1970	Corymbia tessellaris	Moreton Bay Ash	390		390	123	20	8.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1971	Eucalyptus crebra	Narrow-leaved Ironbark	340		340	107	25	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Retain in ROL4, Future retention TBC
1972	Corymbia citriodora	Spotted Gum	380		380	119	28	10.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1973	Corymbia citriodora	Spotted Gum	100		100	31	12	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1974	Corymbia citriodora	Spotted Gum	310		310	97	20	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1975	Corymbia citriodora	Spotted Gum	120		120	38	14	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1976	Corymbia citriodora	Spotted Gum	260		260	82	22	9.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1977	Corymbia citriodora	Spotted Gum	140		140	44	15	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1978	Corymbia citriodora	Spotted Gum	130		130	41	14	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1979	Acacia disarrima	Hickory Wattle	120		120	38	8	3.0	2.0	1.4	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1980	Corymbia citriodora	Spotted Gum	100		100	31	12	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1981	Corymbia citriodora	Spotted Gum	140		140	44	16	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1982	Eucalyptus crebra	Narrow-leaved Ironbark	160		160	50	14	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1983	Corymbia tessellaris	Moreton Bay Ash	290		290	91	20	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1984	Corymbia citriodora	Spotted Gum	220		220	69	18	8.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1985	Corymbia citriodora	Spotted Gum	150		150	47	15	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1986	Lophostemon suaveolens	Swamp Box	150		150	47	14	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1987	Corymbia citriodora	Spotted Gum	110		110	35	12	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1988	Corymbia citriodora	Spotted Gum	390		390	123	25	9.0	4.7	2.2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1989	Corymbia citriodora	Spotted Gum	190		190	60	16	2.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1990	Corymbia citriodora	Spotted Gum	320		320	101	23	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1991	Eucalyptus siderophloia	Northern Grey Ironbark	290		290	91	18	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1992	Corymbia citriodora	Spotted Gum	100	90	135	42	14	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1993	Eucalyptus tereticornis	Forest Red Gum	250		250	79	16	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
1994	Corymbia citriodora	Spotted Gum	120		120	38	13	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1995	Corymbia citriodora	Spotted Gum	380		380	119	26	7.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1996	Corymbia intermedia	Pink Bloodwood	140		140	44	12	1.0	2.0	1.4	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1997	Corymbia tessellaris	Moreton Bay Ash	150		150	47	7	1.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1998	Corymbia tessellaris	Moreton Bay Ash	220		220	69	15	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
1999	Corymbia intermedia	Pink Bloodwood	160		160	50	12	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2000	Eucalyptus tereticornis	Forest Red Gum	320		320	101	26	8.0	3.8	2.1	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2001	Corymbia citriodora	Spotted Gum	140		140	44	14	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2002	Corymbia citriodora	Spotted Gum	110		110	35	8	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2003	Acacia disarrima	Hickory Wattle	110		110	35	9	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2004	Corymbia tessellaris	Moreton Bay Ash</																											

Tree ID	Specimen Details									Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Retention	
	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest		Habitat Value
2005	Corymbia tessellaris	Moreton Bay Ash	140		140	44	7	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2006	Eucalyptus tereticornis	Forest Red Gum	240		240	75	19	3.0	2.9	1.8	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2007	Corymbia citriodora	Spotted Gum	290		290	91	22	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2008	Eucalyptus tereticornis	Forest Red Gum	410		410	129	24	7.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2009	Corymbia citriodora	Spotted Gum	250		250	79	22	5.0	3.0	1.8	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2010	Eucalyptus crebra	Narrow-leaved Ironbark	360		360	113	26	12.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2011	Corymbia citriodora	Spotted Gum	150		150	47	14	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2012	Corymbia citriodora	Spotted Gum	420		420	132	28	10.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2013	Eucalyptus tereticornis	Forest Red Gum	330		330	104	21	7.0	4.0	2.1	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2014	Lophostemon suaveolens	Swamp Box	130		130	41	13	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2015	Eucalyptus tereticornis	Forest Red Gum	330		330	104	23	6.0	4.0	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2016	Corymbia intermedia	Pink Bloodwood	230		230	72	13	5.0	2.8	1.8	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2017	Eucalyptus tereticornis	Forest Red Gum	390		390	123	28	12.0	4.7	2.2	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2018	Eucalyptus tereticornis	Forest Red Gum	300	250	391	123	26	7.0	4.7	2.2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2019	Lophostemon suaveolens	Swamp Box	150		150	47	10	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2020	Corymbia citriodora	Spotted Gum	140		140	44	12	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2021	Eucalyptus tereticornis	Forest Red Gum	330		330	104	28	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2022	Corymbia citriodora	Spotted Gum	140		140	44	10	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2023	Eucalyptus tereticornis	Forest Red Gum	340		340	107	28	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2024	Corymbia citriodora	Spotted Gum	340		340	107	32	9.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2025	Corymbia citriodora	Spotted Gum	360		360	113	25	12.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2026	Eucalyptus tereticornis	Forest Red Gum	200		200	63	16	5.0	2.4	1.7	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2027	Corymbia citriodora	Spotted Gum	310		310	97	22	9.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2028	Acacia disparrima	Hickory Wattle	160		160	50	11	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2029	Corymbia intermedia	Pink Bloodwood	220		220	69	15	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2030	Acacia disparrima	Hickory Wattle	190		190	60	12	8.0	2.3	1.6	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2031	Eucalyptus tereticornis	Forest Red Gum	420		420	132	24	8.0	5.0	2.3	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2032	Lophostemon suaveolens	Swamp Box	230		230	72	14	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2033	Corymbia tessellaris	Moreton Bay Ash	150		150	47	8	2.0	2.0	1.5	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2034	Eucalyptus tereticornis	Forest Red Gum	450		450	141	25	9.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2035	Corymbia citriodora	Spotted Gum	390		390	123	27	8.0	4.7	2.2	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2036	Corymbia citriodora	Spotted Gum	320		320	101	25	8.0	3.8	2.1	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2037	Corymbia citriodora	Spotted Gum	170		170	53	15	2.0	2.0	1.6	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2038	Eucalyptus tereticornis	Forest Red Gum	210		210	66	15	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2039	Acacia disparrima	Hickory Wattle	180		180	57	10	7.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2040	Corymbia citriodora	Spotted Gum	140		140	44	12	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2041	Corymbia citriodora	Spotted Gum	370		370	116	26	8.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2042	Corymbia citriodora	Spotted Gum	360		360	113	32	12.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2043	Eucalyptus crebra	Narrow-leaved Ironbark	130		130	41	10	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2044	Corymbia citriodora	Spotted Gum	170		170	53	15	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2045	Corymbia citriodora	Spotted Gum	110		110	35	12	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2046	Corymbia citriodora	Spotted Gum	110		110	35	10	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2047	Corymbia tessellaris	Moreton Bay Ash	260		260	82	16	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2048	Corymbia citriodora	Spotted Gum	150		150	47	14	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2049	Corymbia citriodora	Spotted Gum	190		190	60	16	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2050	Corymbia citriodora	Spotted Gum	230		230	72	16	5.0	2.8	1.8	Regular	-	-	Die-back	Epicormic	-													

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value							
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
2052	Corymbia citriodora	Spotted Gum	140		140	44	5	2.0	2.0	1.4	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2053	Eucalyptus crebra	Narrow-leaved Ironbark	540		540	170	27	9.0	6.5	2.6	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2054	Corymbia citriodora	Spotted Gum	290		290	91	20	5.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2055	Corymbia citriodora	Spotted Gum	180		180	57	14	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2056	Corymbia citriodora	Spotted Gum	160		160	50	14	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2057	Corymbia citriodora	Spotted Gum	270		270	85	20	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2058	Corymbia citriodora	Spotted Gum	310		310	97	16	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2059	Eucalyptus tereticornis	Forest Red Gum	260		260	82	20	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2060	Corymbia citriodora	Spotted Gum	100		100	31	10	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2061	Acacia dispartima	Hickory Wattle	210		210	66	10	8.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Retain in ROL4, Future retention TBC
2062	Corymbia citriodora	Spotted Gum	260		260	82	19	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2063	Corymbia tessellaris	Moreton Bay Ash	140	130	191	60	7	3.0	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2064	Corymbia citriodora	Spotted Gum	310		310	97	20	9.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2065	Corymbia citriodora	Spotted Gum	340		340	107	24	7.0	4.1	2.1	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2066	Corymbia citriodora	Spotted Gum	220		220	69	14	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2067	Corymbia citriodora	Spotted Gum	100		100	31	10	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2068	Eucalyptus crebra	Narrow-leaved Ironbark	200		200	63	20	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Retain in ROL4, Future retention TBC
2069	Corymbia citriodora	Spotted Gum	120		120	38	14	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2070	Corymbia citriodora	Spotted Gum	190		190	60	18	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2071	Eucalyptus tereticornis	Forest Red Gum	330		330	104	24	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2072	Corymbia citriodora	Spotted Gum	220		220	69	17	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2073	Corymbia citriodora	Spotted Gum	100		100	31	12	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2074	Corymbia citriodora	Spotted Gum	140		140	44	18	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2075	Corymbia tessellaris	Moreton Bay Ash	120		120	38	10	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2076	Corymbia citriodora	Spotted Gum	130		130	41	15	4.0	2.0	1.4	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2077	Eucalyptus tereticornis	Forest Red Gum	230		230	72	17	2.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2078	Corymbia citriodora	Spotted Gum	310		310	97	17	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2079	Eucalyptus crebra	Narrow-leaved Ironbark	370		370	116	26	12.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2080	Corymbia citriodora	Spotted Gum	100		100	31	15	2.0	2.0	1.3	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2081	Eucalyptus crebra	Narrow-leaved Ironbark	200		200	63	12	1.0	2.4	1.7	Regular	-	-	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2082	Corymbia citriodora	Spotted Gum	250		250	79	17	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2083	Corymbia tessellaris	Moreton Bay Ash	100		100	31	10	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2084	Corymbia citriodora	Spotted Gum	140		140	44	12	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2085	Corymbia citriodora	Spotted Gum	180		180	57	16	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2086	Corymbia citriodora	Spotted Gum	140		140	44	14	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2087	Corymbia citriodora	Spotted Gum	490		490	154	22	8.0	5.9	2.5	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2088	Corymbia citriodora	Spotted Gum	400		400	126	26	14.0	4.8	2.3	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2089	Corymbia citriodora	Spotted Gum	350		350	110	23	9.0	4.2	2.1	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2090	Corymbia citriodora	Spotted Gum	290		290	91	22	6.0	3.5	2.0	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2091	Corymbia citriodora	Spotted Gum	260		260	82	26	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2092	Corymbia citriodora	Spotted Gum	370		370	116	25	6.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2093	Corymbia citriodora	Spotted Gum	290		290	91	24	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove in ROL4
2094	Eucalyptus tereticornis	Forest Red Gum	180		180	57	17	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2095	Corymbia citriodora	Spotted Gum	120		120	38	15	4.0	2.0	1.4	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2096	Eucalyptus tereticornis	Forest Red Gum	250		250	79	20	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2097	Eucalyptus crebra	Narrow-leaved Ironbark	330		330	104	24	7.0	4.0	2.1	Regular	-	-	-</															

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value							Retention
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	
2099	Corymbia citriodora	Spotted Gum	300		300	94	25	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2100	Eucalyptus crebra	Narrow-leaved Ironbark	310		310	97	23	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2101	Eucalyptus crebra	Narrow-leaved Ironbark	250		250	79	15	8.0	3.0	1.8	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2102	Corymbia tessellaris	Moreton Bay Ash	270		270	85	19	5.0	3.2	1.9	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2103	Corymbia citriodora	Spotted Gum	180		180	57	15	7.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2104	Eucalyptus tereticornis	Forest Red Gum	300		300	94	22	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2105	Corymbia citriodora	Spotted Gum	100		100	31	10	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2106	Eucalyptus tereticornis	Forest Red Gum	360		360	113	20	7.0	4.3	2.2	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2107	Corymbia citriodora	Spotted Gum	320		320	101	17	6.0	3.8	2.1	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2108	Corymbia citriodora	Spotted Gum	230		230	72	22	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2109	Corymbia citriodora	Spotted Gum	110		110	35	12	2.0	2.0	1.3	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2110	Corymbia citriodora	Spotted Gum	210		210	66	20	6.0	2.5	1.7	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2111	Corymbia citriodora	Spotted Gum	110		110	35	12	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Stormwater outlet
2112	Eucalyptus tereticornis	Forest Red Gum	220		220	69	25	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2113	Eucalyptus tereticornis	Forest Red Gum	260		260	82	22	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2114	Corymbia tessellaris	Moreton Bay Ash	230		230	72	19	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Stormwater outlet
2115	Corymbia citriodora	Spotted Gum	110		110	35	12	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2116	Corymbia citriodora	Spotted Gum	300		300	94	24	5.0	3.6	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2117	Corymbia citriodora	Spotted Gum	390		390	123	26	7.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2118	Corymbia citriodora	Spotted Gum	190		190	60	16	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2119	Corymbia citriodora	Spotted Gum	350		350	110	25	8.0	4.2	2.1	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Stormwater outlet
2120	Corymbia citriodora	Spotted Gum	480		480	151	26	9.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Stormwater outlet
2121	Corymbia citriodora	Spotted Gum	290		290	91	22	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Stormwater outlet
2122	Corymbia citriodora	Spotted Gum	120		120	38	14	2.0	2.0	1.4	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Stormwater outlet
2123	Eucalyptus crebra	Narrow-leaved Ironbark	340		340	107	24	7.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Arborist - ROL4
2124	Angophora leiocarpa	Smooth-barked Apple	260		260	82	24	5.0	3.1	1.9	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove in ROL4
2125	Corymbia citriodora	Spotted Gum	220		220	69	21	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2126	Corymbia citriodora	Spotted Gum	250		250	79	20	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2127	Corymbia citriodora	Spotted Gum	300		300	94	20	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2128	Corymbia citriodora	Spotted Gum	250		250	79	21	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove in ROL4
2129	Acacia disparrima	Hickory Wattle	120		120	38	7	4.0	2.0	1.4	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2130	Corymbia tessellaris	Moreton Bay Ash	380		380	119	26	7.0	4.6	2.2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2131	Acacia disparrima	Hickory Wattle	150		150	47	8	3.0	2.0	1.5	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2132	Corymbia citriodora	Spotted Gum	320		320	101	23	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2133	Eucalyptus tereticornis	Forest Red Gum	210		210	66	22	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2134	Eucalyptus tereticornis	Forest Red Gum	200	100	224	70	15	7.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2135	Corymbia citriodora	Spotted Gum	140		140	44	9	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2136	Eucalyptus crebra	Narrow-leaved Ironbark	250		250	79	20	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Remove in ROL4
2137	Corymbia citriodora	Spotted Gum	330		330	104	28	9.0	4.0	2.1	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2138	Angophora leiocarpa	Smooth-barked Apple	260		260	82	25	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2139	Corymbia citriodora	Spotted Gum	170		170	53	13	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2140	Corymbia intermedia	Pink Bloodwood	180		180	57	13	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2141	Corymbia citriodora	Spotted Gum	230		230	72	17	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2142	Eucalyptus crebra	Narrow-leaved Ironbark	160		160	50	14	5.0	2.0	1.5	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2143	Eucalyptus tereticornis	Forest Red Gum	290		290	91	21	6.0	3.5	2.0	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2144	Corymbia citriodora	Spotted Gum	190		190	60	16	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2145	Eucalyptus tereticornis	Forest Red Gum	230		230	72	16	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value							Retention
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	
2146	Corymbia citriodora	Spotted Gum	290		290	91	15	6.0	3.5	2.0	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2147	Corymbia citriodora	Spotted Gum	300		300	94	26	7.0	3.6	2.0	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2148	Corymbia citriodora	Spotted Gum	250		250	79	23	6.0	3.0	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2149	Eucalyptus tereticornis	Forest Red Gum	180		180	57	16	7.0	2.2	1.6	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2150	Eucalyptus tereticornis	Forest Red Gum	320		320	101	32	8.0	3.8	2.1	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2151	Corymbia citriodora	Spotted Gum	120		120	38	16	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2152	Corymbia citriodora	Spotted Gum	100		100	31	10	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2153	Eucalyptus tereticornis	Forest Red Gum	300		300	94	17	4.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2154	Corymbia citriodora	Spotted Gum	140		140	44	18	2.0	2.0	1.4	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2155	Corymbia citriodora	Spotted Gum	100		100	31	17	3.0	2.0	1.3	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2156	Eucalyptus crebra	Narrow-leaved Ironbark	380		380	119	28	14.0	4.6	2.2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2157	Corymbia citriodora	Spotted Gum	390		390	123	26	12.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2158	Eucalyptus crebra	Narrow-leaved Ironbark	320		320	101	24	10.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2159	Corymbia citriodora	Spotted Gum	320		320	101	24	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2160	Corymbia citriodora	Spotted Gum	100		100	31	10	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2161	Corymbia citriodora	Spotted Gum	350		350	110	23	7.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2162	Eucalyptus crebra	Narrow-leaved Ironbark	380		380	119	22	13.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2163	Eucalyptus crebra	Narrow-leaved Ironbark	390		390	123	19	9.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2164	Eucalyptus crebra	Narrow-leaved Ironbark	190		190	60	14	6.0	2.3	1.6	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2165	Acacia disparrima	Hickory Wattle	150		150	47	12	9.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2166	Acacia disparrima	Hickory Wattle	130		130	41	10	6.0	2.0	1.4	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2167	Corymbia citriodora	Spotted Gum	240		240	75	19	5.0	2.9	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2168	DEAD/STAG		190		190	60	10	1.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Retain in ROL4, Future retention TBC
2169	Corymbia citriodora	Spotted Gum	410		410	129	26	14.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2170	Corymbia citriodora	Spotted Gum	130		130	41	12	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2171	Corymbia citriodora	Spotted Gum	260		260	82	20	9.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2172	Corymbia citriodora	Spotted Gum	290		290	91	28	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2173	Eucalyptus crebra	Narrow-leaved Ironbark	260		260	82	21	9.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2174	Eucalyptus crebra	Narrow-leaved Ironbark	250		250	79	20	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2175	Eucalyptus crebra	Narrow-leaved Ironbark	210		210	66	26	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2176	Eucalyptus crebra	Narrow-leaved Ironbark	250		250	79	25	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2177	Corymbia citriodora	Spotted Gum	280		280	88	24	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2178	Corymbia citriodora	Spotted Gum	150		150	47	16	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2179	Corymbia citriodora	Spotted Gum	200		200	63	22	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2180	Corymbia citriodora	Spotted Gum	220		220	69	22	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2181	Corymbia citriodora	Spotted Gum	180		180	57	20	7.0	2.2	1.6	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2182	Corymbia citriodora	Spotted Gum	250		250	79	24	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2183	Corymbia citriodora	Spotted Gum	290		290	91	26	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2184	Corymbia citriodora	Spotted Gum	240		240	75	22	6.0	2.9	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2185	Eucalyptus crebra	Narrow-leaved Ironbark	180		180	57	16	3.0	2.2	1.6	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2186	Corymbia citriodora	Spotted Gum	240		240	75	20	8.0	2.9	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2187	Corymbia citriodora	Spotted Gum	130		130	41	10	3.0	2.0	1.4	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2188	Eucalyptus crebra	Narrow-leaved Ironbark	260	280	382	120	25	8.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Retain in ROL4, Future retention TBC
2189	Corymbia tessellaris	Moreton Bay Ash	120		120	38	10	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2190	Eucalyptus crebra	Narrow-leaved Ironbark	230		230	72	27	8.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2191	Corymbia citriodora	Spotted Gum	210		210	66	17	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2192	Corymbia citriodora	Spotted Gum	120		120	38	9	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Retention	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest		Habitat Value
2193	Corymbia citriodora	Spotted Gum	210		210	66	22	6.0	2.5	1.7	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2194	Corymbia citriodora	Spotted Gum	160		160	50	14	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2195	Corymbia citriodora	Spotted Gum	190		190	60	23	7.0	2.3	1.6	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2196	Corymbia citriodora	Spotted Gum	360		360	113	26	8.0	4.3	2.2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2197	Corymbia citriodora	Spotted Gum	290		290	91	27	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2198	Corymbia citriodora	Spotted Gum	180		180	57	18	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2199	Corymbia citriodora	Spotted Gum	150		150	47	15	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2200	Eucalyptus crebra	Narrow-leaved Ironbark	140		140	44	16	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2201	Corymbia citriodora	Spotted Gum	120		120	38	14	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2202	Corymbia citriodora	Spotted Gum	200		200	63	18	6.0	2.4	1.7	One-sided	-	-	-	-	-	Typical	Major	-	-	-	-	Typical	-	-	-	-	-	Retain in ROL4, Future retention TBC
2203	Corymbia citriodora	Spotted Gum	290		290	91	27	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2204	Eucalyptus crebra	Narrow-leaved Ironbark	180		180	57	24	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2205	Corymbia citriodora	Spotted Gum	340		340	107	28	7.0	4.1	2.1	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2206	Corymbia citriodora	Spotted Gum	360		360	113	28	12.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2207	Corymbia citriodora	Spotted Gum	110		110	35	12	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2208	Eucalyptus crebra	Narrow-leaved Ironbark	210		210	66	20	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2209	Acacia concurrens	Black Wattle	140		140	44	6	6.0	2.0	1.4	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2210	Corymbia citriodora	Spotted Gum	220		220	69	20	7.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2211	Eucalyptus moluccana	Gum-topped Box	430		430	135	28	9.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2212	Corymbia citriodora	Spotted Gum	320		320	101	26	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2213	Corymbia citriodora	Spotted Gum	200		200	63	27	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2214	Corymbia citriodora	Spotted Gum	400		400	126	28	8.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2215	Corymbia citriodora	Spotted Gum	280		280	88	24	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2216	Corymbia citriodora	Spotted Gum	360		360	113	27	13.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2217	Corymbia citriodora	Spotted Gum	270		270	85	20	7.0	3.2	1.9	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2218	Eucalyptus moluccana	Gum-topped Box	340		340	107	26	8.0	4.1	2.1	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2219	Corymbia citriodora	Spotted Gum	110		110	35	8	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2220	Corymbia citriodora	Spotted Gum	120		120	38	8	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2221	Corymbia citriodora	Spotted Gum	290		290	91	28	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2222	Corymbia citriodora	Spotted Gum	240		240	75	20	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2223	Eucalyptus crebra	Narrow-leaved Ironbark	170		170	53	18	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Remove in ROL4
2224	Eucalyptus crebra	Narrow-leaved Ironbark	160		160	50	14	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2225	Corymbia citriodora	Spotted Gum	180		180	57	18	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2226	Eucalyptus crebra	Narrow-leaved Ironbark	130		130	41	8	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2227	Eucalyptus crebra	Narrow-leaved Ironbark	180		180	57	18	5.0	2.2	1.6	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2228	Eucalyptus crebra	Narrow-leaved Ironbark	220		220	69	24	8.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2229	Eucalyptus crebra	Narrow-leaved Ironbark	340		340	107	27	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2230	Corymbia citriodora	Spotted Gum	180		180	57	16	7.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2231	Eucalyptus crebra	Narrow-leaved Ironbark	310		310	97	24	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2232	Corymbia citriodora	Spotted Gum	370		370	116	28	7.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2233	Eucalyptus crebra	Narrow-leaved Ironbark	180		180	57	15	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2234	Eucalyptus crebra	Narrow-leaved Ironbark	190		190	60	18	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2235	Corymbia citriodora	Spotted Gum	270		270	85	27	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2236	Eucalyptus crebra	Narrow-leaved Ironbark	190		190	60	14	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2237	Eucalyptus crebra	Narrow-leaved Ironbark	490		490	154	28	14.0	5.9	2.5	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2238	Corymbia citriodora	Spotted Gum	220	200	297	93	17	8.0	3.6	2.0	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2239	Corymbia citriodora	Spotted Gum	290		290	91	24	7.0	3.																				

Specimen Details										Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Retention		
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest		Termite Nest	Habitat Value
2240	Eucalyptus crebra	Narrow-leaved Ironbark	290		290	91	28	12.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2241	Eucalyptus crebra	Narrow-leaved Ironbark	190		190	60	12	3.0	2.3	1.6	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2242	Corymbia citriodora	Spotted Gum	290	140	322	101	22	7.0	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2243	Corymbia tessellaris	Moreton Bay Ash	140	140	198	62	18	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2244	Corymbia citriodora	Spotted Gum	260		260	82	22	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2245	Corymbia citriodora	Spotted Gum	240		240	75	22	3.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove in ROL4
2246	Corymbia citriodora	Spotted Gum	230		230	72	19	3.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2247	Eucalyptus moluccana	Gum-topped Box	230		230	72	18	3.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2248	Corymbia citriodora	Spotted Gum	190		190	60	17	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2249	Corymbia tessellaris	Moreton Bay Ash	100		100	31	7	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2250	Corymbia citriodora	Spotted Gum	280		280	88	23	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2251	Corymbia citriodora	Spotted Gum	170		170	53	16	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove in ROL4
2252	Corymbia citriodora	Spotted Gum	250		250	79	18	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2253	Eucalyptus tereticornis	Forest Red Gum	230		230	72	16	3.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove in ROL4
2254	Corymbia citriodora	Spotted Gum	100		100	31	6	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2255	Corymbia citriodora	Spotted Gum	250		250	79	18	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2256	Corymbia citriodora	Spotted Gum	310		310	97	23	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2257	Corymbia citriodora	Spotted Gum	200		200	63	12	1.0	2.4	1.7	Regular	-	-	-	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2258	Corymbia citriodora	Spotted Gum	250		250	79	21	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2259	Corymbia citriodora	Spotted Gum	300	230	378	119	24	5.0	4.5	2.2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2260	Corymbia citriodora	Spotted Gum	270	140	304	96	21	4.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2261	Alphitonia excelsa	Soap Tree	120		120	38	6	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2262	Corymbia citriodora	Spotted Gum	170		170	53	17	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2263	Eucalyptus siderophloia	Northern Grey Ironbark	170		170	53	16	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2264	Eucalyptus moluccana	Gum-topped Box	250		250	79	19	3.0	3.0	1.8	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2265	Eucalyptus moluccana	Gum-topped Box	170		170	53	16	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2266	Corymbia citriodora	Spotted Gum	100		100	31	7	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2267	Eucalyptus crebra	Narrow-leaved Ironbark	150		150	47	12	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2268	Eucalyptus crebra	Narrow-leaved Ironbark	120		120	38	12	1.0	2.0	1.4	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2269	Eucalyptus moluccana	Gum-topped Box	200		200	63	15	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2270	Corymbia citriodora	Spotted Gum	210	130	247	78	16	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2271	Corymbia citriodora	Spotted Gum	190		190	60	15	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2272	Alphitonia excelsa	Soap Tree	130		130	41	9	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2273	Corymbia citriodora	Spotted Gum	280		280	88	24	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2274	Acacia disparrima	Hickory Wattle	100		100	31	6	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2275	Eucalyptus crebra	Narrow-leaved Ironbark	180		180	57	16	2.0	2.2	1.6	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2276	DEAD/STAG		300		300	94	17	3.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Remove in ROL4
2277	Corymbia tessellaris	Moreton Bay Ash	180		180	57	14	2.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2278	DEAD/STAG		340		340	107	26	6.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2279	Corymbia tessellaris	Moreton Bay Ash	170		170	53	10	2.0	2.0	1.6	Regular	-	-	-	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2280	Corymbia tessellaris	Moreton Bay Ash	120		120	38	6	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2281	Corymbia citriodora	Spotted Gum	240		240	75	16	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2282	Corymbia citriodora	Spotted Gum	120		120	38	7	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2283	Corymbia citriodora	Spotted Gum	140		140	44	14	3.0	2.0	1.4	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2284	Corymbia citriodora	Spotted Gum	170		170	53	14	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2285	Eucalyptus crebra	Narrow-leaved Ironbark	300		300	94	24	7.0	3.6	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2286	Corymbia tessellaris	Moreton Bay Ash	100		100	31	6	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-		

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Retention	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest		Habitat Value
2287	Alphitonia excelsa	Soap Tree	100		100	31	7	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2288	Corymbia citriodora	Spotted Gum	200		200	63	15	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2289	Corymbia citriodora	Spotted Gum	140		140	44	9	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2290	Corymbia tessellaris	Moreton Bay Ash	170		170	53	12	2.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2291	Acacia dispartima	Hickory Wattle	210		210	66	11	3.0	2.5	1.7	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2292	Corymbia citriodora	Spotted Gum	140		140	44	10	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2293	Corymbia citriodora	Spotted Gum	210		210	66	12	3.0	2.5	1.7	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2294	Corymbia tessellaris	Moreton Bay Ash	170		170	53	12	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2295	Corymbia citriodora	Spotted Gum	200		200	63	16	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2296	Corymbia citriodora	Spotted Gum	200		200	63	15	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2297	Eucalyptus moluccana	Gum-topped Box	150		150	47	8	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2298	Acacia concurrens	Black Wattle	130		130	41	5	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2299	Eucalyptus moluccana	Gum-topped Box	320		320	101	14	2.0	3.8	2.1	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2300	Corymbia tessellaris	Moreton Bay Ash	210		210	66	19	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2301	Eucalyptus moluccana	Gum-topped Box	340	190	389	122	18	6.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	Fire Dmg.	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2302	Angophora leiocarpa	Smooth-barked Apple	310		310	97	20	4.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2303	Corymbia tessellaris	Moreton Bay Ash	230	200	305	96	11	6.0	3.7	2.0	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2304	Eucalyptus crebra	Narrow-leaved Ironbark	190		190	60	12	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2305	Corymbia citriodora	Spotted Gum	160		160	50	12	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2306	Corymbia tessellaris	Moreton Bay Ash	220		220	69	8	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2307	Corymbia citriodora	Spotted Gum	260	220	341	107	18	6.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2308	Acacia concurrens	Black Wattle	120		120	38	7	2.0	2.0	1.4	Regular	-	-	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2309	Corymbia citriodora	Spotted Gum	240		240	75	20	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2310	Corymbia tessellaris	Moreton Bay Ash	200		200	63	6	2.0	2.4	1.7	One-sided	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove in ROL4
2311	Eucalyptus crebra	Narrow-leaved Ironbark	130		130	41	5	2.0	2.0	1.4	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Remove in ROL4
2312	Corymbia citriodora	Spotted Gum	100		100	31	11	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2313	Corymbia citriodora	Spotted Gum	100		100	31	12	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2314	Corymbia citriodora	Spotted Gum	100		100	31	11	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2315	Corymbia citriodora	Spotted Gum	110		110	35	8	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2316	Corymbia tessellaris	Moreton Bay Ash	140		140	44	12	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2317	Eucalyptus moluccana	Gum-topped Box	470		470	148	20	5.0	5.6	2.4	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2318	Corymbia citriodora	Spotted Gum	100		100	31	11	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2319	Corymbia citriodora	Spotted Gum	130		130	41	11	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2320	Corymbia citriodora	Spotted Gum	140		140	44	14	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2321	Corymbia citriodora	Spotted Gum	120		120	38	8	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2322	Corymbia citriodora	Spotted Gum	140		140	44	11	2.0	2.0	1.4	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2323	Eucalyptus moluccana	Gum-topped Box	380	320	497	156	20	6.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2324	Acacia concurrens	Black Wattle	160		160	50	6	3.0	2.0	1.5	Regular	-	-	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2325	Corymbia citriodora	Spotted Gum	110		110	35	12	2.0	2.0	1.3	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2326	Corymbia citriodora	Spotted Gum	140		140	44	11	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2327	Corymbia citriodora	Spotted Gum	160		160	50	11	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2328	Corymbia citriodora	Spotted Gum	160		160	50	13	3.0	2.0	1.5	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2329	Eucalyptus crebra	Narrow-leaved Ironbark	100		100	31	6	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2330	Corymbia citriodora	Spotted Gum	130		130	41	12	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2331	Corymbia citriodora	Spotted Gum	110		110	35	10	1.0	2.0	1.3	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2332	Corymbia citriodora	Spotted Gum	100		100	31	8	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2333	Corymbia citriodora	Spotted Gum	120		120	38	12	2.0	2.0	1.4	Regular	-																	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value							
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
2334	Corymbia citriodora	Spotted Gum	150		150	47	14	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2335	Corymbia citriodora	Spotted Gum	210		210	66	15	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2336	Corymbia citriodora	Spotted Gum	160		160	50	12	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2337	Corymbia citriodora	Spotted Gum	120		120	38	11	2.0	2.0	1.4	Regular	-	-	-	Epicormic	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2338	Corymbia citriodora	Spotted Gum	110		110	35	7	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2339	Corymbia citriodora	Spotted Gum	110		110	35	12	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2340	Corymbia citriodora	Spotted Gum	200		200	63	19	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2341	Corymbia citriodora	Spotted Gum	160		160	50	8	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2342	Corymbia citriodora	Spotted Gum	100		100	31	7	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2343	Acacia dispartima	Hickory Wattle	170		170	53	6	4.0	2.0	1.6	Regular	-	-	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2344	Corymbia citriodora	Spotted Gum	120		120	38	12	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2345	Corymbia citriodora	Spotted Gum	140		140	44	12	2.0	2.0	1.4	Regular	-	-	-	Epicormic	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove in ROL4
2346	Corymbia citriodora	Spotted Gum	120		120	38	14	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove in ROL4
2347	Eucalyptus moluccana	Gum-topped Box	260		260	82	14	3.0	3.1	1.9	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove in ROL4
2348	Eucalyptus crebra	Narrow-leaved Ironbark	240		240	75	22	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2349	Corymbia citriodora	Spotted Gum	120		120	38	12	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2350	Corymbia citriodora	Spotted Gum	120		120	38	11	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2351	Corymbia citriodora	Spotted Gum	160		160	50	16	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2352	Corymbia citriodora	Spotted Gum	130		130	41	14	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2353	Eucalyptus moluccana	Gum-topped Box	220		220	69	18	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2354	Eucalyptus tereticornis	Forest Red Gum	190		190	60	13	3.0	2.3	1.6	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2355	Eucalyptus moluccana	Gum-topped Box	200		200	63	16	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2356	Eucalyptus tereticornis	Forest Red Gum	330		330	104	22	5.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2357	Eucalyptus crebra	Narrow-leaved Ironbark	140		140	44	14	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2358	Eucalyptus moluccana	Gum-topped Box	110		110	35	8	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2359	Corymbia citriodora	Spotted Gum	230		230	72	16	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2360	Eucalyptus tereticornis	Forest Red Gum	120		120	38	7	1.0	2.0	1.4	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2361	Eucalyptus tereticornis	Forest Red Gum	110		110	35	7	1.0	2.0	1.3	Regular	-	-	-	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2362	Eucalyptus moluccana	Gum-topped Box	180		180	57	15	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2363	Eucalyptus tereticornis	Forest Red Gum	300		300	94	21	4.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2364	Eucalyptus moluccana	Gum-topped Box	200		200	63	14	2.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2365	Corymbia citriodora	Spotted Gum	120		120	38	7	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2366	Eucalyptus tereticornis	Forest Red Gum	230		230	72	20	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2367	Eucalyptus tereticornis	Forest Red Gum	250		250	79	18	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2368	Eucalyptus crebra	Narrow-leaved Ironbark	100		100	31	6	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2369	Eucalyptus tereticornis	Forest Red Gum	100		100	31	7	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2370	Eucalyptus tereticornis	Forest Red Gum	110		110	35	7	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2371	Eucalyptus crebra	Narrow-leaved Ironbark	140		140	44	7	2.0	2.0	1.4	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2372	Acacia dispartima	Hickory Wattle	180		180	57	6	3.0	2.2	1.6	Regular	-	-	-	-	-	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2373	Corymbia citriodora	Spotted Gum	220		220	69	18	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2374	Eucalyptus tereticornis	Forest Red Gum	220		220	69	16	2.0	2.6	1.8	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2375	Acacia dispartima	Hickory Wattle	130		130	41	5	2.0	2.0	1.4	Regular	-	-	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2376	Eucalyptus tereticornis	Forest Red Gum	250		250	79	20	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2377	Corymbia citriodora	Spotted Gum	200		200	63	21	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2378	Eucalyptus moluccana	Gum-topped Box	110		110	35	7	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2379	Eucalyptus mol																												

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Retention	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest		Habitat Value
2381	Eucalyptus moluccana	Gum-topped Box	210		210	66	15	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2382	Eucalyptus moluccana	Gum-topped Box	350		350	110	22	4.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2383	Eucalyptus moluccana	Gum-topped Box	210		210	66	19	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2384	Eucalyptus tereticornis	Forest Red Gum	160		160	50	15	2.0	2.0	1.5	Regular	-	Thinning	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2385	Eucalyptus moluccana	Gum-topped Box	180		180	57	16	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2386	Eucalyptus tereticornis	Forest Red Gum	200		200	63	20	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2387	Eucalyptus moluccana	Gum-topped Box	200		200	63	16	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2388	Eucalyptus moluccana	Gum-topped Box	200		200	63	18	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2389	Eucalyptus moluccana	Gum-topped Box	200		200	63	15	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2390	Corymbia citriodora	Spotted Gum	170		170	53	12	1.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2391	Eucalyptus moluccana	Gum-topped Box	190		190	60	14	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2392	Corymbia citriodora	Spotted Gum	200		200	63	19	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2393	Eucalyptus moluccana	Gum-topped Box	300		300	94	19	4.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2394	Corymbia citriodora	Spotted Gum	140		140	44	13	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2395	Eucalyptus moluccana	Gum-topped Box	270		270	85	20	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2396	Eucalyptus moluccana	Gum-topped Box	140		140	44	10	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2397	Eucalyptus tereticornis	Forest Red Gum	320		320	101	18	5.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2398	Eucalyptus moluccana	Gum-topped Box	270		270	85	22	4.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2399	Corymbia citriodora	Spotted Gum	170		170	53	10	1.0	2.0	1.6	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2400	Eucalyptus moluccana	Gum-topped Box	120		120	38	6	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2401	Corymbia citriodora	Spotted Gum	170		170	53	15	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2402	Eucalyptus moluccana	Gum-topped Box	170		170	53	17	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2403	Eucalyptus moluccana	Gum-topped Box	160		160	50	14	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2404	Eucalyptus moluccana	Gum-topped Box	220		220	69	20	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2405	Corymbia citriodora	Spotted Gum	210		210	66	19	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2406	Eucalyptus moluccana	Gum-topped Box	130		130	41	11	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2407	Eucalyptus moluccana	Gum-topped Box	150	130	198	62	14	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2408	Corymbia citriodora	Spotted Gum	110		110	35	8	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2409	Eucalyptus moluccana	Gum-topped Box	110		110	35	10	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2410	Eucalyptus moluccana	Gum-topped Box	260		260	82	16	3.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2411	Corymbia citriodora	Spotted Gum	240		240	75	16	3.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2412	Eucalyptus moluccana	Gum-topped Box	130		130	41	10	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2413	Eucalyptus moluccana	Gum-topped Box	130		130	41	12	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2414	Eucalyptus tereticornis	Forest Red Gum	330		330	104	19	4.0	4.0	2.1	Irregular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2415	Eucalyptus moluccana	Gum-topped Box	120		120	38	12	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2416	Corymbia citriodora	Spotted Gum	180		180	57	16	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2417	Eucalyptus moluccana	Gum-topped Box	120		120	38	10	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2418	Eucalyptus moluccana	Gum-topped Box	160		160	50	11	2.0	2.0	1.5	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2419	Corymbia citriodora	Spotted Gum	200		200	63	18	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2420	Eucalyptus tereticornis	Forest Red Gum	310		310	97	17	4.0	3.7	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2421	Corymbia citriodora	Spotted Gum	250		250	79	17	3.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2422	Eucalyptus crebra	Narrow-leaved Ironbark	110		110	35	7	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Retain in ROL4, Future retention TBC
2423	Eucalyptus moluccana	Gum-topped Box	160		160	50	10	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2424	Eucalyptus moluccana	Gum-topped Box	220		220	69	16	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2425	Eucalyptus tereticornis	Forest Red Gum	110		110	35	7	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2426	Eucalyptus crebra	Narrow-leaved Ironbark	280		280	88	22	4.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-				

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Retention	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest		Habitat Value
2428	Eucalyptus tereticornis	Forest Red Gum	110		110	35	5	1.0	2.0	1.3	Regular	-	-	-	Epicormic	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove in ROL4
2429	Corymbia citriodora	Spotted Gum	140		140	44	8	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove in ROL4
2430	Corymbia citriodora	Spotted Gum	100		100	31	8	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2431	Eucalyptus crebra	Narrow-leaved Ironbark	160		160	50	14	3.0	2.0	1.5	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2432	Eucalyptus crebra	Narrow-leaved Ironbark	300		300	94	22	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2433	Corymbia citriodora	Spotted Gum	190		190	60	18	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2434	Eucalyptus moluccana	Gum-topped Box	300		300	94	18	4.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2435	Corymbia citriodora	Spotted Gum	190		190	60	15	3.0	2.3	1.6	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2436	Eucalyptus moluccana	Gum-topped Box	120		120	38	10	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2437	Corymbia citriodora	Spotted Gum	110		110	35	7	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2438	Eucalyptus crebra	Narrow-leaved Ironbark	130		130	41	7	1.0	2.0	1.4	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2439	Corymbia citriodora	Spotted Gum	170		170	53	14	2.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2440	Eucalyptus moluccana	Gum-topped Box	170		170	53	8	2.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2441	Corymbia citriodora	Spotted Gum	160		160	50	13	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2442	Eucalyptus moluccana	Gum-topped Box	150		150	47	10	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2443	Eucalyptus moluccana	Gum-topped Box	120		120	38	10	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2444	Corymbia citriodora	Spotted Gum	100		100	31	6	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2445	Corymbia citriodora	Spotted Gum	300		300	94	23	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2446	Eucalyptus crebra	Narrow-leaved Ironbark	210		210	66	19	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2447	Eucalyptus moluccana	Gum-topped Box	120		120	38	7	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2448	Acacia disparrima	Hickory Wattle	160		160	50	7	3.0	2.0	1.5	Regular	-	-	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2449	Eucalyptus moluccana	Gum-topped Box	170		170	53	9	2.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2450	Eucalyptus moluccana	Gum-topped Box	200		200	63	16	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2451	Eucalyptus crebra	Narrow-leaved Ironbark	220		220	69	17	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2452	Eucalyptus tereticornis	Forest Red Gum	140		140	44	12	2.0	2.0	1.4	Regular	-	-	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2453	Corymbia citriodora	Spotted Gum	160		160	50	14	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2454	Corymbia citriodora	Spotted Gum	150		150	47	14	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2455	Eucalyptus moluccana	Gum-topped Box	190		190	60	14	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2456	Eucalyptus crebra	Narrow-leaved Ironbark	190		190	60	14	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2457	Corymbia citriodora	Spotted Gum	100		100	31	7	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2458	Eucalyptus moluccana	Gum-topped Box	230		230	72	17	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2459	Corymbia citriodora	Spotted Gum	200		200	63	16	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2460	Corymbia citriodora	Spotted Gum	260		260	82	22	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2461	Eucalyptus crebra	Narrow-leaved Ironbark	130		130	41	6	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2462	Eucalyptus moluccana	Gum-topped Box	150		150	47	13	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2463	Corymbia citriodora	Spotted Gum	300		300	94	22	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2464	Corymbia citriodora	Spotted Gum	180		180	57	16	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2465	Eucalyptus moluccana	Gum-topped Box	240		240	75	19	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2466	Corymbia citriodora	Spotted Gum	210		210	66	17	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2467	Corymbia citriodora	Spotted Gum	160		160	50	17	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2468	Eucalyptus moluccana	Gum-topped Box	210		210	66	17	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2469	Corymbia citriodora	Spotted Gum	200		200	63	17	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2470	Eucalyptus moluccana	Gum-topped Box	240		240	75	16	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2471	Corymbia citriodora	Spotted Gum	270		270	85	20	4.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2472	Corymbia citriodora	Spotted Gum	140		140	44	14	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2473	Corymbia citriodora	Spotted Gum	170		170	53	17	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2474	Corymbia citriodora	Spotted Gum	140		140	44																							

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Retention	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest		Habitat Value
2475	Corymbia citriodora	Spotted Gum	130		130	41	11	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2476	Corymbia citriodora	Spotted Gum	210		210	66	14	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2477	Corymbia citriodora	Spotted Gum	140		140	44	12	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2478	Eucalyptus moluccana	Gum-topped Box	340		340	107	18	4.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2479	Eucalyptus moluccana	Gum-topped Box	100		100	31	6	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2480	Eucalyptus moluccana	Gum-topped Box	290		290	91	18	5.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2481	Eucalyptus tereticornis	Forest Red Gum	210		210	66	12	2.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2482	Corymbia citriodora	Spotted Gum	140		140	44	7	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	Minor	-	-	-	-	Typical	-	-	-	-	-	Retain in ROL4, Future retention TBC
2483	Acacia concurrens	Black Wattle	130		130	41	4	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2484	Eucalyptus moluccana	Gum-topped Box	100		100	31	8	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2485	Corymbia citriodora	Spotted Gum	320		320	101	22	5.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove in ROL4
2486	Eucalyptus moluccana	Gum-topped Box	300		300	94	19	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2487	Eucalyptus moluccana	Gum-topped Box	500		500	157	20	7.0	6.0	2.5	Irregular	-	Thinning	-	Epicormic	-	Typical	-	-	Trunk Dmg.	Fire Dmg.	Typical	-	-	-	-	-	-	Remove in ROL4
2488	Corymbia citriodora	Spotted Gum	100		100	31	7	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2489	Eucalyptus moluccana	Gum-topped Box	160		160	50	6	2.0	2.0	1.5	Irregular	-	-	-	Epicormic	-	Typical	Minor	-	-	-	-	Typical	-	-	-	-	-	Remove in ROL4
2490	Corymbia citriodora	Spotted Gum	220		220	69	18	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2491	Eucalyptus moluccana	Gum-topped Box	140		140	44	12	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2492	Eucalyptus crebra	Narrow-leaved Ironbark	110		110	35	5	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2493	Corymbia citriodora	Spotted Gum	160		160	50	10	3.0	2.0	1.5	Irregular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2494	Corymbia citriodora	Spotted Gum	130		130	41	12	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2495	Eucalyptus moluccana	Gum-topped Box	180		180	57	17	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2496	Eucalyptus moluccana	Gum-topped Box	320		320	101	18	4.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2497	Eucalyptus moluccana	Gum-topped Box	270		270	85	21	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2498	Eucalyptus moluccana	Gum-topped Box	150		150	47	14	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2499	Eucalyptus moluccana	Gum-topped Box	180		180	57	16	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2500	Eucalyptus moluccana	Gum-topped Box	240		240	75	16	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2501	Eucalyptus moluccana	Gum-topped Box	190		190	60	18	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2502	Corymbia citriodora	Spotted Gum	130		130	41	10	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2503	Eucalyptus moluccana	Gum-topped Box	290		290	91	19	5.0	3.5	2.0	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2504	Corymbia citriodora	Spotted Gum	180		180	57	10	2.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2505	Eucalyptus moluccana	Gum-topped Box	250		250	79	16	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2506	Eucalyptus moluccana	Gum-topped Box	290		290	91	24	5.0	3.5	2.0	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2507	Eucalyptus moluccana	Gum-topped Box	190		190	60	14	2.0	2.3	1.6	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2508	Eucalyptus moluccana	Gum-topped Box	140		140	44	14	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2509	Eucalyptus moluccana	Gum-topped Box	300		300	94	20	4.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2510	Eucalyptus moluccana	Gum-topped Box	250		250	79	17	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2511	Corymbia intermedia	Pink Bloodwood	130		130	41	10	1.0	2.0	1.4	Regular	-	-	-	Epicormic	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2512	Eucalyptus moluccana	Gum-topped Box	290		290	91	23	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2513	Corymbia citriodora	Spotted Gum	230		230	72	20	6.0	2.8	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2514	Corymbia citriodora	Spotted Gum	130		130	41	12	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2515	Eucalyptus moluccana	Gum-topped Box	190		190	60	14	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2516	Eucalyptus moluccana	Gum-topped Box	100		100	31	10	2.0	2.0	1.3	Regular	-	-	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2517	Eucalyptus moluccana	Gum-topped Box	140		140	44	10	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2518	Eucalyptus moluccana	Gum-topped Box	210		210	66	16	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2519	Eucalyptus moluccana	Gum-topped Box	150		150	47	14	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2520	Eucalyptus moluccana	Gum-topped Box	260	100	279	88	16	4.0	3.3	1.9	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Retention	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest		Habitat Value
2522	Eucalyptus crebra	Narrow-leaved Ironbark	250		250	79	19	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2523	Eucalyptus tereticornis	Forest Red Gum	310		310	97	22	5.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2524	Eucalyptus moluccana	Gum-topped Box	280		280	88	19	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2525	Eucalyptus moluccana	Gum-topped Box	390		390	123	24	6.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2526	Eucalyptus moluccana	Gum-topped Box	300		300	94	22	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2527	Corymbia citriodora	Spotted Gum	140		140	44	16	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2528	Eucalyptus moluccana	Gum-topped Box	120		120	38	6	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2529	Corymbia citriodora	Spotted Gum	180		180	57	14	2.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2530	Eucalyptus moluccana	Gum-topped Box	250		250	79	16	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2531	Eucalyptus moluccana	Gum-topped Box	320		320	101	19	4.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2532	Acacia concurrens	Black Wattle	150		150	47	5	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2533	DEAD/STAG		380		380	119	22	5.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2534	Corymbia citriodora	Spotted Gum	110		110	35	10	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2535	Acacia disparrima	Hickory Wattle	200		200	63	5	2.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2536	Acacia disparrima	Hickory Wattle	150		150	47	7	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2537	Acacia disparrima	Hickory Wattle	170		170	53	7	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2538	Corymbia citriodora	Spotted Gum	110		110	35	10	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2539	Acacia disparrima	Hickory Wattle	190		190	60	7	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2540	Eucalyptus crebra	Narrow-leaved Ironbark	160		160	50	12	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2541	Eucalyptus tereticornis	Forest Red Gum	180		180	57	18	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2542	Corymbia citriodora	Spotted Gum	200		200	63	18	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2543	Eucalyptus tereticornis	Forest Red Gum	170		170	53	16	2.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2544	Corymbia citriodora	Spotted Gum	110		110	35	7	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2545	Corymbia intermedia	Pink Bloodwood	150	120	192	60	6	2.0	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2546	Eucalyptus moluccana	Gum-topped Box	280		280	88	16	4.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2547	Corymbia citriodora	Spotted Gum	190	110	220	69	14	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2548	Corymbia citriodora	Spotted Gum	150		150	47	17	3.0	2.0	1.5	Irregular	-	Thinning	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2549	Corymbia citriodora	Spotted Gum	310		310	97	24	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2550	Acacia disparrima	Hickory Wattle	140		140	44	5	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2551	Corymbia citriodora	Spotted Gum	190		190	60	15	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2552	Acacia concurrens	Black Wattle	130		130	41	8	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2553	Corymbia tessellaris	Moreton Bay Ash	190		190	60	12	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2554	Corymbia citriodora	Spotted Gum	110		110	35	12	1.0	2.0	1.3	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2555	Eucalyptus crebra	Narrow-leaved Ironbark	250		250	79	15	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Retain in ROL4, Future retention TBC
2556	Corymbia citriodora	Spotted Gum	190		190	60	17	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2557	Corymbia citriodora	Spotted Gum	180		180	57	14	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2558	Acacia disparrima	Hickory Wattle	170		170	53	12	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2559	Eucalyptus moluccana	Gum-topped Box	310		310	97	17	6.0	3.7	2.0	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2560	Corymbia tessellaris	Moreton Bay Ash	160		160	50	12	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2561	Eucalyptus tereticornis	Forest Red Gum	140		140	44	12	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2562	Acacia disparrima	Hickory Wattle	140		140	44	7	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2563	Acacia disparrima	Hickory Wattle	100		100	31	7	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2564	Acacia disparrima	Hickory Wattle	160	140	213	67	7	5.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2565	Acacia disparrima	Hickory Wattle	120		120	38	12	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2566	Acacia disparrima	Hickory Wattle	130	120	177	56	12	6.0	2.1	1.6	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2567	Corymbia citriodora	Spotted Gum	140		140	44	17	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical												

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Retention	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest		Habitat Value
2569	Corymbia citriodora	Spotted Gum	100		100	31	12	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2570	Eucalyptus crebra	Narrow-leaved Ironbark	230		230	72	25	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2571	Corymbia citriodora	Spotted Gum	260		260	82	23	6.0	3.1	1.9	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2572	Acacia concurrens	Black Wattle	100		100	31	9	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2573	Eucalyptus moluccana	Gum-topped Box	140	110	178	56	12	4.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2574	Corymbia citriodora	Spotted Gum	150		150	47	19	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2575	Eucalyptus crebra	Narrow-leaved Ironbark	180		180	57	16	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2576	Eucalyptus moluccana	Gum-topped Box	410		410	129	24	7.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2577	Corymbia citriodora	Spotted Gum	260		260	82	22	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2578	Alphitonia excelsa	Soap Tree	120		120	38	5	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2579	Corymbia citriodora	Spotted Gum	100		100	31	10	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2580	Corymbia citriodora	Spotted Gum	210		210	66	18	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2581	Eucalyptus moluccana	Gum-topped Box	130		130	41	12	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2582	Eucalyptus moluccana	Gum-topped Box	120	110	163	51	15	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2583	Corymbia citriodora	Spotted Gum	260		260	82	24	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2584	Corymbia citriodora	Spotted Gum	200		200	63	15	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2585	Corymbia citriodora	Spotted Gum	270		270	85	22	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2586	Corymbia citriodora	Spotted Gum	200		200	63	16	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2587	Eucalyptus crebra	Narrow-leaved Ironbark	290		290	91	22	4.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2588	Corymbia citriodora	Spotted Gum	380		380	119	25	6.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2589	Corymbia citriodora	Spotted Gum	180		180	57	16	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2590	Acacia disparrima	Hickory Wattle	180		180	57	12	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2591	Acacia disparrima	Hickory Wattle	150		150	47	12	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2592	Corymbia intermedia	Pink Bloodwood	270		270	85	15	4.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2593	Corymbia tessellaris	Moreton Bay Ash	130		130	41	15	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2594	Corymbia intermedia	Pink Bloodwood	180		180	57	14	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2595	Corymbia tessellaris	Moreton Bay Ash	120		120	38	14	1.0	2.0	1.4	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2596	Acacia disparrima	Hickory Wattle	120		120	38	10	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2597	Corymbia tessellaris	Moreton Bay Ash	140		140	44	14	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2598	Acacia concurrens	Black Wattle	130		130	41	12	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2599	Acacia disparrima	Hickory Wattle	110		110	35	12	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2600	Corymbia tessellaris	Moreton Bay Ash	120		120	38	10	1.0	2.0	1.4	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2601	Corymbia tessellaris	Moreton Bay Ash	140		140	44	13	1.0	2.0	1.4	Regular	-	-	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2602	Eucalyptus tereticornis	Forest Red Gum	340		340	107	24	6.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2603	Corymbia intermedia	Pink Bloodwood	110		110	35	10	1.0	2.0	1.3	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2604	Corymbia intermedia	Pink Bloodwood	180		180	57	17	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2605	Corymbia citriodora	Spotted Gum	250		250	79	21	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2606	Acacia disparrima	Hickory Wattle	150		150	47	14	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2607	Corymbia citriodora	Spotted Gum	120		120	38	17	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2608	Corymbia citriodora	Spotted Gum	260		260	82	24	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2609	Acacia disparrima	Hickory Wattle	180		180	57	14	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2610	Corymbia citriodora	Spotted Gum	160		160	50	16	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2611	Eucalyptus tereticornis	Forest Red Gum	260		260	82	19	5.0	3.1	1.9	Regular	-	-	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2612	Corymbia citriodora	Spotted Gum	200		200	63	13	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2613	Corymbia citriodora	Spotted Gum	190		190	60	14	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2614	Corymbia citriodora	Spotted Gum	100		100	31	8	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2615	Corymbia citriodora	Spotted Gum	180		180	57	19	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Retention	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest		Habitat Value
2616	Acacia disparrima	Hickory Wattle	130		130	41	14	4.0	2.0	1.4	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2617	Acacia disparrima	Hickory Wattle	130		130	41	13	5.0	2.0	1.4	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2618	Corymbia citriodora	Spotted Gum	380		380	119	24	9.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2619	Eucalyptus tereticornis	Forest Red Gum	190		190	60	14	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2620	Acacia disparrima	Hickory Wattle	120	100	156	49	11	7.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2621	Corymbia citriodora	Spotted Gum	360		360	113	24	7.0	4.3	2.2	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2622	Acacia disparrima	Hickory Wattle	120		120	38	12	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2623	Corymbia citriodora	Spotted Gum	150		150	47	16	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2624	Eucalyptus crebra	Narrow-leaved Ironbark	110		110	35	12	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2625	Alphitonia excelsa	Soap Tree	100		100	31	12	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2626	Alphitonia excelsa	Soap Tree	130		130	41	15	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2627	Corymbia citriodora	Spotted Gum	100		100	31	10	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2628	Eucalyptus crebra	Narrow-leaved Ironbark	190		190	60	17	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2629	Acacia disparrima	Hickory Wattle	140		140	44	10	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2630	Corymbia tessellaris	Moreton Bay Ash	140		140	44	13	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2631	Corymbia citriodora	Spotted Gum	130		130	41	14	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2632	Acacia disparrima	Hickory Wattle	120		120	38	13	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2633	Acacia disparrima	Hickory Wattle	140		140	44	15	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Retain in ROL4, Future retention TBC
2634	Corymbia tessellaris	Moreton Bay Ash	120		120	38	14	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2635	Corymbia citriodora	Spotted Gum	170		170	53	16	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2636	Acacia disparrima	Hickory Wattle	120		120	38	14	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2637	Corymbia citriodora	Spotted Gum	200		200	63	17	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2638	Corymbia citriodora	Spotted Gum	130		130	41	15	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2639	Acacia disparrima	Hickory Wattle	170	150, 130	261	82	17	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2640	Corymbia citriodora	Spotted Gum	220		220	69	21	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2641	Eucalyptus crebra	Narrow-leaved Ironbark	240		240	75	21	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2642	Corymbia citriodora	Spotted Gum	240		240	75	22	7.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2643	Acacia disparrima	Hickory Wattle	240		240	75	14	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2644	Corymbia citriodora	Spotted Gum	280		280	88	24	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2645	Corymbia citriodora	Spotted Gum	130		130	41	14	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2646	Eucalyptus crebra	Narrow-leaved Ironbark	100		100	31	10	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2647	Corymbia citriodora	Spotted Gum	200		200	63	16	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2648	Corymbia citriodora	Spotted Gum	120		120	38	15	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2649	Corymbia citriodora	Spotted Gum	120		120	38	14	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2650	Acacia disparrima	Hickory Wattle	100		100	31	10	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2651	Acacia disparrima	Hickory Wattle	130	120	177	56	13	4.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2652	Corymbia tessellaris	Moreton Bay Ash	180		180	57	16	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2653	Alphitonia excelsa	Soap Tree	120		120	38	13	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2654	Acacia disparrima	Hickory Wattle	100		100	31	10	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2655	Corymbia citriodora	Spotted Gum	290		290	91	21	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2656	Corymbia citriodora	Spotted Gum	180		180	57	18	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2657	Allocasuarina littoralis	Black She-oak	100		100	31	9	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2658	Corymbia citriodora	Spotted Gum	110		110	35	14	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2659	Corymbia citriodora	Spotted Gum	230		230	72	16	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2660	Acacia disparrima	Hickory Wattle	120		120	38	13	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2661	Corymbia citriodora	Spotted Gum	130		130	41	15	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2662	Acacia disparrima	Hickory Wattle	180		180	57	15	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Retention	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest		Habitat Value
2663	Corymbia citriodora	Spotted Gum	160		160	50	19	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2664	Corymbia citriodora	Spotted Gum	120		120	38	15	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2665	Corymbia citriodora	Spotted Gum	100		100	31	12	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2666	Allocasuarina littoralis	Black She-oak	120		120	38	10	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2667	Alphitonia excelsa	Soap Tree	120		120	38	10	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2668	Alphitonia excelsa	Soap Tree	120		120	38	12	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2669	Corymbia citriodora	Spotted Gum	160		160	50	15	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2670	Acacia disparrima	Hickory Wattle	220		220	69	13	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2671	Alphitonia excelsa	Soap Tree	130		130	41	12	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2672	Eucalyptus tereticornis	Forest Red Gum	290		290	91	18	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2673	Acacia disparrima	Hickory Wattle	170		170	53	12	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2674	Alphitonia excelsa	Soap Tree	110		110	35	10	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2675	Corymbia tessellaris	Moreton Bay Ash	130		130	41	12	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2676	Acacia concurrens	Black Wattle	100		100	31	12	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2677	Acacia concurrens	Black Wattle	110		110	35	12	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2678	Corymbia citriodora	Spotted Gum	180		180	57	16	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2679	Eucalyptus crebra	Narrow-leaved Ironbark	190		190	60	15	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2680	Acacia concurrens	Black Wattle	110		110	35	12	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2681	Eucalyptus crebra	Narrow-leaved Ironbark	190		190	60	19	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2682	Eucalyptus crebra	Narrow-leaved Ironbark	160		160	50	15	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2683	Eucalyptus crebra	Narrow-leaved Ironbark	250		250	79	18	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2684	Eucalyptus crebra	Narrow-leaved Ironbark	150		150	47	14	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2685	Alphitonia excelsa	Soap Tree	100		100	31	9	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2686	Acacia disparrima	Hickory Wattle	100		100	31	12	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2687	Alphitonia excelsa	Soap Tree	130		130	41	13	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2688	Eucalyptus crebra	Narrow-leaved Ironbark	110		110	35	12	3.0	2.0	1.3	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2689	Acacia disparrima	Hickory Wattle	150		150	47	12	4.0	2.0	1.5	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2690	Acacia disparrima	Hickory Wattle	240		240	75	14	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2691	Eucalyptus crebra	Narrow-leaved Ironbark	180		180	57	14	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2692	Corymbia tessellaris	Moreton Bay Ash	210		210	66	16	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2693	Acacia disparrima	Hickory Wattle	130		130	41	12	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2694	Acacia disparrima	Hickory Wattle	140		140	44	12	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2695	Eucalyptus crebra	Narrow-leaved Ironbark	130		130	41	14	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2696	Acacia disparrima	Hickory Wattle	110		110	35	10	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2697	Alphitonia excelsa	Soap Tree	110		110	35	10	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2698	Alphitonia excelsa	Soap Tree	150		150	47	10	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2699	Eucalyptus tereticornis	Forest Red Gum	220		220	69	20	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2700	Acacia concurrens	Black Wattle	120		120	38	10	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2701	Eucalyptus crebra	Narrow-leaved Ironbark	210		210	66	17	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2702	Corymbia citriodora	Spotted Gum	190		190	60	18	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2703	Eucalyptus crebra	Narrow-leaved Ironbark	150		150	47	15	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2704	Eucalyptus crebra	Narrow-leaved Ironbark	320		320	101	18	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2705	Allocasuarina littoralis	Black She-oak	160		160	50	8	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2706	Corymbia citriodora	Spotted Gum	110		110	35	12	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2707	Eucalyptus tereticornis	Forest Red Gum	220		220	69	20	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2708	Eucalyptus crebra	Narrow-leaved Ironbark	130		130	41	14	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2709	Alphitonia excelsa	Soap Tree	120		120	38	11	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4

Tree ID	Botanical Name	Common Name	Specimen Details							Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Retention
			Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	
2710	Acacia disparrima	Hickory Wattle	180		180	57	12	4.0	2.2	1.6	Regular	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2711	Allocasuarina littoralis	Black She-oak	110		110	35	10	3.0	2.0	1.3	Regular	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2712	Acacia disparrima	Hickory Wattle	170		170	53	12	4.0	2.0	1.6	Regular	-	-	Die-back	Epicormic	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2713	Corymbia tessellaris	Moreton Bay Ash	140		140	44	12	3.0	2.0	1.4	Regular	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2714	DEAD/STAG		320		320	101	12	6.0	3.8	2.1	Regular	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Remove in ROL4
2715	Acacia disparrima	Hickory Wattle	120		120	38	11	3.0	2.0	1.4	Regular	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2716	Allocasuarina littoralis	Black She-oak	130		130	41	10	4.0	2.0	1.4	Regular	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2717	Eucalyptus tereticornis	Forest Red Gum	180		180	57	16	4.0	2.2	1.6	Regular	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2718	Eucalyptus crebra	Narrow-leaved Ironbark	160		160	50	15	3.0	2.0	1.5	Regular	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2719	Acacia disparrima	Hickory Wattle	110		110	35	10	3.0	2.0	1.3	Regular	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2720	Corymbia citriodora	Spotted Gum	130		130	41	16	4.0	2.0	1.4	Regular	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2721	Corymbia citriodora	Spotted Gum	230		230	72	19	5.0	2.8	1.8	Regular	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2722	Allocasuarina littoralis	Black She-oak	150		150	47	12	4.0	2.0	1.5	Regular	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2723	Allocasuarina littoralis	Black She-oak	130		130	41	14	3.0	2.0	1.4	Regular	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2724	Eucalyptus tereticornis	Forest Red Gum	210		210	66	15	4.0	2.5	1.7	Regular	-	-	Die-back	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2725	Allocasuarina littoralis	Black She-oak	130		130	41	12	4.0	2.0	1.4	Regular	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2726	Allocasuarina littoralis	Black She-oak	110		110	35	10	3.0	2.0	1.3	Regular	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2727	Allocasuarina littoralis	Black She-oak	160		160	50	14	4.0	2.0	1.5	Regular	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2728	Allocasuarina littoralis	Black She-oak	120		120	38	12	3.0	2.0	1.4	Regular	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2729	Eucalyptus tereticornis	Forest Red Gum	190		190	60	16	4.0	2.3	1.6	Regular	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2730	Corymbia citriodora	Spotted Gum	280		280	88	18	6.0	3.4	1.9	Regular	-	-	Die-back	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2731	Acacia disparrima	Hickory Wattle	140		140	44	12	3.0	2.0	1.4	Regular	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2732	Corymbia citriodora	Spotted Gum	110		110	35	15	3.0	2.0	1.3	Regular	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2733	Acacia disparrima	Hickory Wattle	280		280	88	16	5.0	3.4	1.9	Regular	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2734	Eucalyptus tereticornis	Forest Red Gum	290		290	91	17	4.0	3.5	2.0	Regular	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2735	Eucalyptus crebra	Narrow-leaved Ironbark	150		150	47	15	3.0	2.0	1.5	Regular	-	-	Die-back	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2736	Eucalyptus tereticornis	Forest Red Gum	170		170	53	12	4.0	2.0	1.6	Regular	-	-	Die-back	Epicormic	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2737	Eucalyptus crebra	Narrow-leaved Ironbark	200		200	63	17	4.0	2.4	1.7	Regular	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2738	Eucalyptus crebra	Narrow-leaved Ironbark	190		190	60	16	4.0	2.3	1.6	Regular	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2739	Eucalyptus crebra	Narrow-leaved Ironbark	220		220	69	19	6.0	2.6	1.8	Regular	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2740	Corymbia intermedia	Pink Bloodwood	160		160	50	14	4.0	2.0	1.5	Regular	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Remove in ROL4
2741	Eucalyptus tereticornis	Forest Red Gum	270		270	85	24	3.0	3.2	1.9	Regular	-	-	Die-back	Epicormic	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2742	Corymbia intermedia	Pink Bloodwood	180		180	57	15	4.0	2.2	1.6	Regular	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2743	Eucalyptus crebra	Narrow-leaved Ironbark	280		280	88	22	8.0	3.4	1.9	Regular	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2744	Corymbia citriodora	Spotted Gum	110		110	35	15	4.0	2.0	1.3	Regular	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2745	Corymbia citriodora	Spotted Gum	120		120	38	14	3.0	2.0	1.4	Regular	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2746	Corymbia citriodora	Spotted Gum	220		220	69	15	5.0	2.6	1.8	Regular	-	-	Die-back	Epicormic	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2747	Acacia disparrima	Hickory Wattle	120		120	38	16	6.0	2.0	1.4	Regular	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2748	Corymbia intermedia	Pink Bloodwood	160		160	50	12	4.0	2.0	1.5	Regular	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2749	Corymbia citriodora	Spotted Gum	120		120	38	15	4.0	2.0	1.4	Regular	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2750	Allocasuarina littoralis	Black She-oak	110		110	35	10	3.0	2.0	1.3	Regular	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2751	Eucalyptus crebra	Narrow-leaved Ironbark	300		300	94	21	7.0	3.6	2.0	Regular	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove in ROL4
2752	Corymbia intermedia	Pink Bloodwood	250		250	79	16	5.0	3.0	1.8	Regular	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2753	Corymbia intermedia	Pink Bloodwood	170		170	53	15	5.0	2.0	1.6	Regular	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2754	Corymbia intermedia	Pink Bloodwood	150		150	47	15	3.0	2.0	1.5	Regular	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2755	Corymbia citriodora	Spotted Gum	100		100	31	10	3.0	2.0	1.3	Regular	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2756	Corymbia intermedia	Pink Bloodwood	120		120	38	15	4.0	2.0	1.4	Regular	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Retention	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest		Habitat Value
2757	Corymbia citriodora	Spotted Gum	110		110	35	14	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2758	Corymbia citriodora	Spotted Gum	150		150	47	16	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2759	Corymbia citriodora	Spotted Gum	100		100	31	14	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2760	Acacia disparrima	Hickory Wattle	120		120	38	13	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2761	Allocasuarina littoralis	Black She-oak	180		180	57	14	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2762	Corymbia intermedia	Pink Bloodwood	200		200	63	15	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Remove in ROL4
2763	Eucalyptus moluccana	Gum-topped Box	200		200	63	17	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2764	Alphitonia excelsa	Soap Tree	140		140	44	16	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2765	Eucalyptus crebra	Narrow-leaved Ironbark	240		240	75	19	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2766	Alphitonia excelsa	Soap Tree	120		120	38	10	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2767	Acacia disparrima	Hickory Wattle	260		260	82	16	5.0	3.1	1.9	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2768	Alphitonia excelsa	Soap Tree	100		100	31	12	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2769	Angophora leiocarpa	Smooth-barked Apple	140		140	44	16	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2770	Acacia concurrens	Black Wattle	130		130	41	15	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2771	Acacia disparrima	Hickory Wattle	140		140	44	14	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2772	Allocasuarina littoralis	Black She-oak	130		130	41	12	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2773	Acacia disparrima	Hickory Wattle	240		240	75	14	8.0	2.9	1.8	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2774	Eucalyptus tereticornis	Forest Red Gum	150		150	47	16	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2775	Acacia disparrima	Hickory Wattle	150		150	47	10	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2776	Acacia concurrens	Black Wattle	160		160	50	14	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2777	Corymbia citriodora	Spotted Gum	110		110	35	14	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2778	Corymbia citriodora	Spotted Gum	140		140	44	16	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2779	Corymbia citriodora	Spotted Gum	150		150	47	15	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2780	Acacia disparrima	Hickory Wattle	140		140	44	14	7.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2781	Acacia disparrima	Hickory Wattle	140		140	44	14	4.0	2.0	1.4	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2782	Eucalyptus crebra	Narrow-leaved Ironbark	120		120	38	14	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2783	Alphitonia excelsa	Soap Tree	100		100	31	10	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2784	Alphitonia excelsa	Soap Tree	130		130	41	15	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2785	Acacia disparrima	Hickory Wattle	120		120	38	14	7.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2786	Alphitonia excelsa	Soap Tree	130		130	41	16	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2787	Alphitonia excelsa	Soap Tree	100		100	31	14	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2788	Acacia disparrima	Hickory Wattle	120		120	38	14	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2789	Corymbia citriodora	Spotted Gum	110		110	35	14	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2790	Corymbia citriodora	Spotted Gum	120		120	38	14	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2791	Corymbia citriodora	Spotted Gum	120		120	38	20	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2792	Corymbia citriodora	Spotted Gum	150		150	47	17	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2793	Allocasuarina littoralis	Black She-oak	120		120	38	10	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2794	Allocasuarina littoralis	Black She-oak	120		120	38	12	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2795	Corymbia citriodora	Spotted Gum	160		160	50	16	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2796	Corymbia citriodora	Spotted Gum	110		110	35	10	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2797	Corymbia citriodora	Spotted Gum	520		520	163	28	10.0	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2798	Acacia concurrens	Black Wattle	110		110	35	12	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2799	Corymbia citriodora	Spotted Gum	210		210	66	14	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2800	Eucalyptus crebra	Narrow-leaved Ironbark	180		180	57	13	4.0	2.2	1.6	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2801	Corymbia citriodora	Spotted Gum	260		260	82	17	3.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2802	Eucalyptus crebra	Narrow-leaved Ironbark	270		270	85	23	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2803	Corymbia tessellaris	Moreton Bay Ash	210		210	66	16	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value		Retention
2804	Eucalyptus crebra	Narrow-leaved Ironbark	150		150	47	10	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
2805	Corymbia citriodora	Spotted Gum	240		240	75	18	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
2806	Corymbia citriodora	Spotted Gum	320		320	101	22	5.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
2807	Corymbia citriodora	Spotted Gum	320		320	101	24	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
2808	Corymbia citriodora	Spotted Gum	140		140	44	11	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
2809	Eucalyptus moluccana	Gum-topped Box	340		340	107	24	6.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
2810	Eucalyptus crebra	Narrow-leaved Ironbark	250		250	79	13	3.0	3.0	1.8	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
2811	Corymbia tessellaris	Moreton Bay Ash	210		210	66	13	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
2812	Corymbia citriodora	Spotted Gum	150		150	47	12	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
2813	Eucalyptus moluccana	Gum-topped Box	150		150	47	12	1.0	2.0	1.5	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
2814	Eucalyptus crebra	Narrow-leaved Ironbark	190		190	60	15	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
2815	Corymbia citriodora	Spotted Gum	300		300	94	24	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
2816	Corymbia citriodora	Spotted Gum	150		150	47	16	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
2817	Eucalyptus moluccana	Gum-topped Box	350		350	110	24	7.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
2818	Eucalyptus moluccana	Gum-topped Box	250		250	79	14	3.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
2819	Corymbia citriodora	Spotted Gum	290		290	91	26	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
2820	Eucalyptus crebra	Narrow-leaved Ironbark	260		260	82	17	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
2821	Acacia dispartima	Hickory Wattle	100		100	31	6	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
2822	Eucalyptus moluccana	Gum-topped Box	190		190	60	14	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
2823	Eucalyptus crebra	Narrow-leaved Ironbark	120		120	38	10	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
2824	Eucalyptus tereticornis	Forest Red Gum	340		340	107	18	6.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
2825	Corymbia citriodora	Spotted Gum	100		100	31	9	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
2826	Eucalyptus moluccana	Gum-topped Box	130		130	41	12	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
2827	Corymbia tessellaris	Moreton Bay Ash	180		180	57	15	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
2828	Corymbia tessellaris	Moreton Bay Ash	180		180	57	13	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
2829	Corymbia tessellaris	Moreton Bay Ash	100		100	31	8	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
2830	Corymbia tessellaris	Moreton Bay Ash	100		100	31	8	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
2831	Corymbia tessellaris	Moreton Bay Ash	150	150	212	67	13	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
2832	Corymbia tessellaris	Moreton Bay Ash	110		110	35	9	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
2833	Acacia dispartima	Hickory Wattle	120		120	38	8	4.0	2.0	1.4	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
2834	Corymbia citriodora	Spotted Gum	150		150	47	14	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
2835	Corymbia citriodora	Spotted Gum	100		100	31	10	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
2836	Acacia dispartima	Hickory Wattle	120	110	163	51	8	4.0	2.0	1.5	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
2837	Eucalyptus crebra	Narrow-leaved Ironbark	110		110	35	10	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
2838	Corymbia citriodora	Spotted Gum	120		120	38	9	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
2839	Corymbia citriodora	Spotted Gum	200		200	63	14	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
2840	Corymbia citriodora	Spotted Gum	290		290	91	22	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
2841	Corymbia tessellaris	Moreton Bay Ash	220		220	69	21	7.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
2842	Corymbia citriodora	Spotted Gum	150		150	47	14	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
2843	Corymbia citriodora	Spotted Gum	140		140	44	10	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
2844	Corymbia citriodora	Spotted Gum	120		120	38	9	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
2845	Eucalyptus crebra	Narrow-leaved Ironbark	220		220	69	20	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
2846	Corymbia tessellaris	Moreton Bay Ash	210		210	66	18	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
2847	Corymbia tessellaris	Moreton Bay Ash	300	150	335	105	16	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
2848	Eucalyptus moluccana	Gum-topped Box	120		120	38	8	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
2849	Corymbia citriodora	Spotted Gum	180		180	57	15	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
2850	Eucalyptus moluccana	Gum-topped Box	160		160	50	15	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	
2851	Corymbia citriodora	Spotted Gum	130		130	41	17	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
2852	Corymbia citriodora	Spotted Gum	100		100	31	10	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
2853	Eucalyptus moluccana	Gum-topped Box	320		320	101	23	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
2854	Corymbia tessellaris	Moreton Bay Ash	140		140	44	12	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
2855	Corymbia citriodora	Spotted Gum	140		140	44	12	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
2856	Corymbia tessellaris	Moreton Bay Ash	140		140	44	12	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
2857	Corymbia citriodora	Spotted Gum	170		170	53	16	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
2858	Acacia disparrima	Hickory Wattle	170		170	53	10	5.0	2.0	1.6	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
2859	Eucalyptus moluccana	Gum-topped Box	230		230	72	18	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
2860	Corymbia tessellaris	Moreton Bay Ash	140		140	44	5	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
2861	Corymbia tessellaris	Moreton Bay Ash	130		130	41	9	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
2862	Corymbia tessellaris	Moreton Bay Ash	130	90	158	50	10	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
2863	Corymbia citriodora	Spotted Gum	100		100	31	12	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
2864	Corymbia citriodora	Spotted Gum	120		120	38	13	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
2865	Eucalyptus moluccana	Gum-topped Box	120		120	38	10	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
2866	Corymbia citriodora	Spotted Gum	170		170	53	16	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
2867	Corymbia citriodora	Spotted Gum	150		150	47	16	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
2868	Acacia disparrima	Hickory Wattle	180		180	57	9	4.0	2.2	1.6	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
2869	Alphitonia excelsa	Soap Tree	110		110	35	7	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
2870	Corymbia citriodora	Spotted Gum	240		240	75	21	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
2871	Eucalyptus crebra	Narrow-leaved Ironbark	270		270	85	19	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
2872	Corymbia citriodora	Spotted Gum	350		350	110	24	7.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
2873	Corymbia citriodora	Spotted Gum	120		120	38	15	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
2874	Corymbia citriodora	Spotted Gum	250		250	79	18	5.0	3.0	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
2875	Alphitonia excelsa	Soap Tree	110		110	35	7	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
2876	Eucalyptus crebra	Narrow-leaved Ironbark	100		100	31	8	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
2877	Corymbia citriodora	Spotted Gum	190		190	60	12	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
2878	Corymbia citriodora	Spotted Gum	100		100	31	10	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
2879	Acacia disparrima	Hickory Wattle	140		140	44	8	4.0	2.0	1.4	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
2880	Corymbia citriodora	Spotted Gum	100		100	31	12	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
2881	Corymbia citriodora	Spotted Gum	150		150	47	13	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
2882	Corymbia citriodora	Spotted Gum	100		100	31	10	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
2883	Corymbia citriodora	Spotted Gum	130		130	41	10	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
2884	Eucalyptus moluccana	Gum-topped Box	340	120	361	113	22	4.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
2885	Corymbia citriodora	Spotted Gum	220		220	69	18	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
2886	Eucalyptus moluccana	Gum-topped Box	170		170	53	16	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
2887	Corymbia citriodora	Spotted Gum	130		130	41	14	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
2888	Corymbia citriodora	Spotted Gum	140		140	44	15	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
2889	Corymbia citriodora	Spotted Gum	180		180	57	19	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
2890	Corymbia citriodora	Spotted Gum	160		160	50	14	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
2891	Corymbia citriodora	Spotted Gum	120		120	38	11	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
2892	Corymbia citriodora	Spotted Gum	180		180	57	14	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
2893	Eucalyptus crebra	Narrow-leaved Ironbark	120		120	38	10	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
2894	Corymbia citriodora	Spotted Gum	120		120	38	14	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
2895	Eucalyptus crebra	Narrow-leaved Ironbark	120		120	38	14	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
2896	Corymbia citriodora	Spotted Gum	130		130	41	14	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in ROL4
2897	Corymbia citriodmb																													

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Retention	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest		Habitat Value
2898	Eucalyptus crebra	Narrow-leaved Ironbark	160		160	50	14	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2899	Eucalyptus crebra	Narrow-leaved Ironbark	170		170	53	14	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2900	Eucalyptus crebra	Narrow-leaved Ironbark	120		120	38	10	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2901	Corymbia citriodora	Spotted Gum	140		140	44	16	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2902	Corymbia citriodora	Spotted Gum	110		110	35	13	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2903	Corymbia citriodora	Spotted Gum	170		170	53	19	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2904	Eucalyptus moluccana	Gum-topped Box	320		320	101	24	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2905	Eucalyptus crebra	Narrow-leaved Ironbark	240		240	75	23	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2906	Corymbia citriodora	Spotted Gum	150		150	47	13	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2907	Corymbia citriodora	Spotted Gum	110		110	35	12	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2908	Corymbia citriodora	Spotted Gum	100		100	31	11	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2909	Corymbia citriodora	Spotted Gum	170		170	53	16	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2910	Corymbia citriodora	Spotted Gum	100		100	31	12	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2911	Corymbia citriodora	Spotted Gum	120		120	38	12	2.0	2.0	1.4	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2912	Corymbia citriodora	Spotted Gum	220		220	69	16	6.0	2.6	1.8	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2913	Eucalyptus tereticornis	Forest Red Gum	140		140	44	16	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2914	Corymbia citriodora	Spotted Gum	120		120	38	13	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2915	Corymbia citriodora	Spotted Gum	130		130	41	13	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2916	Corymbia citriodora	Spotted Gum	170		170	53	16	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2917	Eucalyptus moluccana	Gum-topped Box	300	170	345	108	25	9.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2918	Eucalyptus moluccana	Gum-topped Box	260		260	82	19	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2919	Corymbia citriodora	Spotted Gum	180		180	57	15	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2920	Eucalyptus moluccana	Gum-topped Box	270		270	85	23	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Remove in ROL4
2921	Corymbia citriodora	Spotted Gum	140		140	44	16	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2922	Corymbia citriodora	Spotted Gum	200		200	63	20	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2923	Corymbia citriodora	Spotted Gum	140		140	44	16	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2924	Acacia disparrima	Hickory Wattle	180	120, 120	247	78	12	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2925	Corymbia citriodora	Spotted Gum	200		200	63	16	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2926	Corymbia citriodora	Spotted Gum	110		110	35	10	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2927	Eucalyptus moluccana	Gum-topped Box	340	340	481	151	26	10.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2928	Corymbia citriodora	Spotted Gum	250		250	79	18	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2929	Eucalyptus moluccana	Gum-topped Box	310		310	97	23	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2930	Corymbia citriodora	Spotted Gum	140		140	44	12	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2931	Eucalyptus moluccana	Gum-topped Box	190		190	60	22	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2932	Corymbia citriodora	Spotted Gum	150		150	47	16	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2933	Eucalyptus moluccana	Gum-topped Box	180		180	57	16	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2934	Eucalyptus tereticornis	Forest Red Gum	320		320	101	24	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2935	Corymbia citriodora	Spotted Gum	110		110	35	14	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2936	Eucalyptus moluccana	Gum-topped Box	280		280	88	19	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2937	Corymbia citriodora	Spotted Gum	200		200	63	17	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2938	Eucalyptus moluccana	Gum-topped Box	110		110	35	8	1.0	2.0	1.3	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2939	Eucalyptus moluccana	Gum-topped Box	170		170	53	17	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2940	Eucalyptus moluccana	Gum-topped Box	280		280	88	21	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2941	Eucalyptus moluccana	Gum-topped Box	160		160	50	12	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2942	Eucalyptus moluccana	Gum-topped Box	190		190	60	16	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2943	Eucalyptus moluccana	Gum-topped Box	260		260	82	24	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2944	Eucalyptus moluccana	Gum-topped Box	310		310	97	18	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Retention	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest		Habitat Value
2945	Corymbia citriodora	Spotted Gum	100		100	31	13	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2946	Eucalyptus moluccana	Gum-topped Box	280		280	88	19	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2947	Eucalyptus moluccana	Gum-topped Box	140		140	44	12	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2948	Corymbia citriodora	Spotted Gum	150		150	47	14	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2949	Eucalyptus moluccana	Gum-topped Box	260		260	82	21	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
2950	Eucalyptus crebra	Narrow-leaved Ironbark	100		100	31	7	2.0	2.0	1.3	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2951	Acacia disparrima	Hickory Wattle	200		200	63	12	6.0	2.4	1.7	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2952	Corymbia citriodora	Spotted Gum	220		220	69	19	7.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2953	Acacia disparrima	Hickory Wattle	140		140	44	8	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2954	DEAD/STAG		320		320	101	17	3.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2955	Corymbia citriodora	Spotted Gum	150	90	175	55	15	5.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2956	Corymbia citriodora	Spotted Gum	190		190	60	15	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2957	Eucalyptus moluccana	Gum-topped Box	150		150	47	14	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2958	Corymbia tessellaris	Moreton Bay Ash	160		160	50	11	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2959	Corymbia citriodora	Spotted Gum	180		180	57	15	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2960	Corymbia citriodora	Spotted Gum	110		110	35	10	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2961	Corymbia citriodora	Spotted Gum	190		190	60	21	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2962	Eucalyptus moluccana	Gum-topped Box	130		130	41	14	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2963	Corymbia citriodora	Spotted Gum	120		120	38	14	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2964	Eucalyptus moluccana	Gum-topped Box	120		120	38	15	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2965	Eucalyptus moluccana	Gum-topped Box	130		130	41	11	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2966	Corymbia citriodora	Spotted Gum	170		170	53	15	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2967	Eucalyptus moluccana	Gum-topped Box	200		200	63	16	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2968	Eucalyptus moluccana	Gum-topped Box	160		160	50	16	7.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2969	Corymbia citriodora	Spotted Gum	250		250	79	23	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2970	Corymbia citriodora	Spotted Gum	220		220	69	20	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2971	Eucalyptus tereticornis	Forest Red Gum	140		140	44	11	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2972	Eucalyptus tereticornis	Forest Red Gum	140		140	44	14	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2973	Eucalyptus moluccana	Gum-topped Box	110		110	35	14	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2974	Eucalyptus tereticornis	Forest Red Gum	100		100	31	12	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2975	Eucalyptus moluccana	Gum-topped Box	200		200	63	16	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2976	Corymbia citriodora	Spotted Gum	220		220	69	17	3.0	2.6	1.8	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2977	Eucalyptus moluccana	Gum-topped Box	150		150	47	13	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2978	Corymbia citriodora	Spotted Gum	340		340	107	21	7.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2979	Eucalyptus moluccana	Gum-topped Box	180		180	57	15	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2980	Eucalyptus tereticornis	Forest Red Gum	110		110	35	10	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2981	Eucalyptus moluccana	Gum-topped Box	250		250	79	19	3.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2982	Eucalyptus tereticornis	Forest Red Gum	160		160	50	14	3.0	2.0	1.5	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2983	Corymbia citriodora	Spotted Gum	260		260	82	24	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2984	Eucalyptus moluccana	Gum-topped Box	140		140	44	13	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2985	Eucalyptus moluccana	Gum-topped Box	220		220	69	21	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2986	Eucalyptus moluccana	Gum-topped Box	110		110	35	11	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2987	Eucalyptus moluccana	Gum-topped Box	110		110	35	10	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2988	Eucalyptus moluccana	Gum-topped Box	150		150	47	12	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2989	Eucalyptus moluccana	Gum-topped Box	210		210	66	21	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2990	Eucalyptus moluccana	Gum-topped Box	250		250	79	19	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2991	Eucalyptus moluccana	Gum-topped Box	190		190	60	16	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value							
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
2992	Eucalyptus moluccana	Gum-topped Box	150		150	47	16	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2993	Corymbia citriodora	Spotted Gum	130	90	158	50	10	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2994	Corymbia citriodora	Spotted Gum	330		330	104	24	6.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2995	Eucalyptus crebra	Narrow-leaved Ironbark	240		240	75	15	2.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2996	Corymbia citriodora	Spotted Gum	130		130	41	15	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2997	Corymbia citriodora	Spotted Gum	290		290	91	25	5.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2998	Eucalyptus crebra	Narrow-leaved Ironbark	180		180	57	14	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
2999	Eucalyptus crebra	Narrow-leaved Ironbark	150		150	47	11	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3000	Eucalyptus crebra	Narrow-leaved Ironbark	250		250	79	16	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3001	Eucalyptus tereticornis	Forest Red Gum	810		810	254	27	8.0	9.7	3.0	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Remove in ROL4
3002	Corymbia citriodora	Spotted Gum	120		120	38	14	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3003	Eucalyptus moluccana	Gum-topped Box	290		290	91	20	5.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3004	Corymbia citriodora	Spotted Gum	160		160	50	14	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3005	Eucalyptus moluccana	Gum-topped Box	310		310	97	25	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3006	Corymbia citriodora	Spotted Gum	120		120	38	12	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3007	Corymbia citriodora	Spotted Gum	220		220	69	26	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3008	Eucalyptus crebra	Narrow-leaved Ironbark	110		110	35	9	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3009	Eucalyptus moluccana	Gum-topped Box	210		210	66	18	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3010	Eucalyptus crebra	Narrow-leaved Ironbark	180		180	57	16	3.0	2.2	1.6	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3011	Eucalyptus crebra	Narrow-leaved Ironbark	370		370	116	22	7.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3012	Corymbia citriodora	Spotted Gum	200		200	63	19	5.0	2.4	1.7	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3013	Corymbia citriodora	Spotted Gum	100		100	31	8	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3014	Corymbia citriodora	Spotted Gum	150		150	47	14	3.0	2.0	1.5	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3015	Corymbia tessellaris	Moreton Bay Ash	190		190	60	15	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3016	Eucalyptus moluccana	Gum-topped Box	220	100	242	76	16	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Remove in ROL4
3017	Corymbia citriodora	Spotted Gum	230		230	72	20	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3018	Corymbia citriodora	Spotted Gum	120		120	38	14	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3019	Eucalyptus moluccana	Gum-topped Box	190		190	60	19	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3020	Corymbia citriodora	Spotted Gum	240		240	75	23	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3021	Corymbia citriodora	Spotted Gum	310		310	97	25	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3022	Eucalyptus moluccana	Gum-topped Box	200		200	63	18	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3023	Corymbia citriodora	Spotted Gum	250		250	79	21	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3024	Corymbia citriodora	Spotted Gum	260		260	82	27	7.0	3.1	1.9	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3025	Corymbia citriodora	Spotted Gum	170		170	53	17	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3026	Eucalyptus moluccana	Gum-topped Box	100		100	31	8	1.0	2.0	1.3	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3027	Eucalyptus tereticornis	Forest Red Gum	210		210	66	25	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3028	Corymbia citriodora	Spotted Gum	100		100	31	10	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3029	Corymbia citriodora	Spotted Gum	150		150	47	14	3.0	2.0	1.5	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3030	Eucalyptus moluccana	Gum-topped Box	150		150	47	14	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3031	Corymbia citriodora	Spotted Gum	220		220	69	20	6.0	2.6	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3032	Eucalyptus tereticornis	Forest Red Gum	180		180	57	16	2.0	2.2	1.6	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3033	Corymbia citriodora	Spotted Gum	150		150	47	16	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3034	Eucalyptus tereticornis	Forest Red Gum	160		160	50	16	2.0	2.0	1.5	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3035	Corymbia citriodora	Spotted Gum	110		110	35	10	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3036	Eucalyptus moluccana	Gum-topped Box	100		100	31	10	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3037	Corymbia citriodora	Spotted Gum	230		230	72	17	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3038	Eucalyptus tereticornis	Forest Red Gum	210		210	66	14	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value							
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
3039	Corymbia citriodora	Spotted Gum	370		370	116	26	9.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3040	Corymbia citriodora	Spotted Gum	160		160	50	15	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3041	Eucalyptus moluccana	Gum-topped Box	230		230	72	21	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3042	Eucalyptus crebra	Narrow-leaved Ironbark	140		140	44	14	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3043	Corymbia citriodora	Spotted Gum	160		160	50	16	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3044	Eucalyptus moluccana	Gum-topped Box	180		180	57	17	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3045	Corymbia citriodora	Spotted Gum	120		120	38	13	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3046	Corymbia citriodora	Spotted Gum	150		150	47	16	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3047	Corymbia citriodora	Spotted Gum	120		120	38	14	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3048	Eucalyptus moluccana	Gum-topped Box	120		120	38	14	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3049	Corymbia citriodora	Spotted Gum	140		140	44	10	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3050	Eucalyptus moluccana	Gum-topped Box	360		360	113	24	8.0	4.3	2.2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3051	DEAD/STAG		470		470	148	22	4.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Remove in ROL4
3052	Eucalyptus moluccana	Gum-topped Box	220		220	69	18	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3053	Eucalyptus moluccana	Gum-topped Box	300		300	94	24	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3054	Eucalyptus moluccana	Gum-topped Box	150		150	47	17	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3055	Corymbia citriodora	Spotted Gum	150		150	47	7	1.0	2.0	1.5	Regular	-	-	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3056	Eucalyptus moluccana	Gum-topped Box	150		150	47	14	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3057	Eucalyptus moluccana	Gum-topped Box	130		130	41	13	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3058	Eucalyptus moluccana	Gum-topped Box	100		100	31	8	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3059	Eucalyptus moluccana	Gum-topped Box	390		390	123	26	10.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3060	Eucalyptus moluccana	Gum-topped Box	250		250	79	24	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3061	Eucalyptus moluccana	Gum-topped Box	200		200	63	21	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3062	Eucalyptus moluccana	Gum-topped Box	130		130	41	16	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3063	Eucalyptus moluccana	Gum-topped Box	150		150	47	12	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3064	Eucalyptus crebra	Narrow-leaved Ironbark	170		170	53	15	5.0	2.0	1.6	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3065	Eucalyptus crebra	Narrow-leaved Ironbark	160		160	50	15	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3066	Corymbia citriodora	Spotted Gum	280		280	88	24	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3067	Eucalyptus moluccana	Gum-topped Box	260		260	82	24	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3068	Eucalyptus moluccana	Gum-topped Box	240		240	75	18	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3069	Eucalyptus moluccana	Gum-topped Box	390		390	123	27	12.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3070	Eucalyptus moluccana	Gum-topped Box	350		350	110	27	5.0	4.2	2.1	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3071	Corymbia citriodora	Spotted Gum	100		100	31	10	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3072	Corymbia citriodora	Spotted Gum	130		130	41	13	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3073	Eucalyptus moluccana	Gum-topped Box	310		310	97	24	7.0	3.7	2.0	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3074	Eucalyptus moluccana	Gum-topped Box	250	230	340	107	24	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3075	Eucalyptus tereticornis	Forest Red Gum	110		110	35	12	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3076	Eucalyptus moluccana	Gum-topped Box	410		410	129	25	8.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3077	Corymbia citriodora	Spotted Gum	100		100	31	10	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3078	Eucalyptus moluccana	Gum-topped Box	200		200	63	15	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3079	Corymbia citriodora	Spotted Gum	180		180	57	16	2.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3080	Corymbia citriodora	Spotted Gum	140		140	44	15	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3081	Corymbia citriodora	Spotted Gum	160		160	50	16	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3082	Corymbia citriodora	Spotted Gum	160		160	50	15	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3083	Corymbia citriodora	Spotted Gum	370		370	116	22	5.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3084	Eucalyptus moluccana	Gum-topped Box	290		290	91	23	5.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3085	Eucalyptus moluccana	Gum-topped Box	290		290	91	25	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Retention
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	
3086	Eucalyptus tereticornis	Forest Red Gum	180	150	234	74	15	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3087	Eucalyptus moluccana	Gum-topped Box	360		360	113	26	8.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3088	Eucalyptus moluccana	Gum-topped Box	220		220	69	19	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3089	Eucalyptus moluccana	Gum-topped Box	130		130	41	12	3.0	2.0	1.4	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3090	Eucalyptus moluccana	Gum-topped Box	190		190	60	17	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3091	Eucalyptus moluccana	Gum-topped Box	150		150	47	13	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3092	Eucalyptus moluccana	Gum-topped Box	180		180	57	16	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3093	Eucalyptus moluccana	Gum-topped Box	310		310	97	26	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3094	Eucalyptus moluccana	Gum-topped Box	270		270	85	21	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3095	Corymbia citriodora	Spotted Gum	160		160	50	23	3.0	2.0	1.5	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3096	Corymbia citriodora	Spotted Gum	150		150	47	10	2.0	2.0	1.5	Regular	-	-	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3097	Eucalyptus moluccana	Gum-topped Box	150		150	47	14	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3098	Eucalyptus moluccana	Gum-topped Box	250		250	79	23	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3099	Eucalyptus moluccana	Gum-topped Box	210		210	66	16	9.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3100	Eucalyptus moluccana	Gum-topped Box	160		160	50	15	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3101	Corymbia citriodora	Spotted Gum	130		130	41	14	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3102	Eucalyptus tereticornis	Forest Red Gum	190		190	60	19	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3103	Corymbia citriodora	Spotted Gum	290		290	91	18	6.0	3.5	2.0	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3104	Corymbia citriodora	Spotted Gum	320		320	101	24	9.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3105	Corymbia citriodora	Spotted Gum	260		260	82	23	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3106	Eucalyptus moluccana	Gum-topped Box	140		140	44	12	4.0	2.0	1.4	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3107	Corymbia citriodora	Spotted Gum	260		260	82	21	9.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3108	Corymbia tessellaris	Moreton Bay Ash	180		180	57	8	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3109	Acacia disarrima	Hickory Wattle	100		100	31	7	3.0	2.0	1.3	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3110	Acacia disarrima	Hickory Wattle	170		170	53	12	4.0	2.0	1.6	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3111	Corymbia citriodora	Spotted Gum	120		120	38	9	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3112	Corymbia citriodora	Spotted Gum	100		100	31	7	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3113	Eucalyptus tereticornis	Forest Red Gum	190		190	60	14	3.0	2.3	1.6	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3114	Corymbia citriodora	Spotted Gum	140		140	44	15	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3115	Corymbia citriodora	Spotted Gum	140		140	44	14	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3116	Corymbia citriodora	Spotted Gum	120		120	38	12	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3117	Corymbia citriodora	Spotted Gum	190		190	60	17	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3118	Corymbia citriodora	Spotted Gum	140		140	44	14	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3119	Corymbia citriodora	Spotted Gum	330		330	104	24	8.0	4.0	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3120	Corymbia citriodora	Spotted Gum	300		300	94	23	9.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3121	Corymbia citriodora	Spotted Gum	150		150	47	13	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3122	Eucalyptus tereticornis	Forest Red Gum	510		510	160	20	10.0	6.1	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3123	Corymbia citriodora	Spotted Gum	170		170	53	18	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3124	Corymbia citriodora	Spotted Gum	120		120	38	15	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3125	Corymbia citriodora	Spotted Gum	110		110	35	13	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3126	Corymbia citriodora	Spotted Gum	120	70	139	44	12	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3127	Eucalyptus moluccana	Gum-topped Box	560		560	176	21	9.0	6.7	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3128	Eucalyptus crebra	Narrow-leaved Ironbark	180		180	57	13	8.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3129	Eucalyptus crebra	Narrow-leaved Ironbark	150		150	47	14	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3130	Acacia disarrima	Hickory Wattle	120		120	38	9	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3131	Acacia concurrens	Black Wattle	110		110	35	8	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-					

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Retention	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest		Habitat Value
3133	Eucalyptus moluccana	Gum-topped Box	120		120	38	16	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3134	Corymbia citriodora	Spotted Gum	110		110	35	13	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3135	Eucalyptus moluccana	Gum-topped Box	270		270	85	18	8.0	3.2	1.9	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3136	Corymbia citriodora	Spotted Gum	210		210	66	18	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3137	Corymbia tessellaris	Moreton Bay Ash	140	70	157	49	13	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3138	Corymbia citriodora	Spotted Gum	270		270	85	20	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3139	Eucalyptus crebra	Narrow-leaved Ironbark	170		170	53	16	2.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3140	Corymbia citriodora	Spotted Gum	210		210	66	18	2.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3141	Corymbia citriodora	Spotted Gum	110		110	35	16	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3142	Eucalyptus moluccana	Gum-topped Box	300		300	94	20	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3143	Corymbia intermedia	Pink Bloodwood	340		340	107	23	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3144	Corymbia citriodora	Spotted Gum	160		160	50	18	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3145	Corymbia citriodora	Spotted Gum	120		120	38	15	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3146	Lophostemon suaveolens	Swamp Box	110		110	35	6	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3147	Corymbia intermedia	Pink Bloodwood	110		110	35	7	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3148	Eucalyptus crebra	Narrow-leaved Ironbark	240		240	75	23	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3149	Corymbia tessellaris	Moreton Bay Ash	130		130	41	11	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3150	Corymbia tessellaris	Moreton Bay Ash	160		160	50	13	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3151	Corymbia tessellaris	Moreton Bay Ash	170		170	53	14	2.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3152	Eucalyptus crebra	Narrow-leaved Ironbark	150		150	47	16	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3153	Corymbia citriodora	Spotted Gum	190		190	60	13	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3154	Alphitonia excelsa	Soap Tree	110		110	35	6	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3155	Eucalyptus crebra	Narrow-leaved Ironbark	180		180	57	18	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3156	Eucalyptus crebra	Narrow-leaved Ironbark	120		120	38	8	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3157	Eucalyptus tereticornis	Forest Red Gum	190		190	60	19	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3158	Corymbia tessellaris	Moreton Bay Ash	180		180	57	12	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3159	Alphitonia excelsa	Soap Tree	130		130	41	9	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3160	Corymbia citriodora	Spotted Gum	190		190	60	18	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3161	Corymbia citriodora	Spotted Gum	330		330	104	23	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3162	Corymbia tessellaris	Moreton Bay Ash	120		120	38	9	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3163	Acacia disparrima	Hickory Wattle	250		250	79	16	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3164	Eucalyptus tereticornis	Forest Red Gum	180		180	57	18	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3165	Eucalyptus crebra	Narrow-leaved Ironbark	220		220	69	18	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3166	Corymbia citriodora	Spotted Gum	260		260	82	23	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3167	Eucalyptus tereticornis	Forest Red Gum	320		320	101	21	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3168	Alphitonia excelsa	Soap Tree	180		180	57	13	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3169	Corymbia citriodora	Spotted Gum	180		180	57	19	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3170	Alphitonia excelsa	Soap Tree	150		150	47	13	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3171	Alphitonia excelsa	Soap Tree	130		130	41	10	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3172	Alphitonia excelsa	Soap Tree	100		100	31	8	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3173	Corymbia intermedia	Pink Bloodwood	320		320	101	17	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3174	Lophostemon suaveolens	Swamp Box	170		170	53	16	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3175	Allocasuarina littoralis	Black She-oak	130		130	41	8	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3176	Acacia disparrima	Hickory Wattle	170		170	53	15	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3177	Acacia disparrima	Hickory Wattle	200		200	63	17	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3178	Acacia disparrima	Hickory Wattle	200		200	63	14	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-				

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Retention	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest		Habitat Value
3180	Allocasuarina littoralis	Black She-oak	120		120	38	8	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3181	Acacia disparrima	Hickory Wattle	180		180	57	9	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3182	Acacia disparrima	Hickory Wattle	190		190	60	10	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3183	DEAD/STAG		290		290	91	6	2.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Retain in ROL4, Future retention TBC
3184	Corymbia citriodora	Spotted Gum	320		320	101	15	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3185	Acacia disparrima	Hickory Wattle	160		160	50	8	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3186	Eucalyptus tereticornis	Forest Red Gum	190		190	60	10	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3187	Lophostemon suaveolens	Swamp Box	130		130	41	9	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3188	Alphitonia excelsa	Soap Tree	110		110	35	9	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	Large	-	-	Retain in ROL4, Future retention TBC
3189	Allocasuarina littoralis	Black She-oak	110		110	35	7	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3190	Corymbia intermedia	Pink Bloodwood	230		230	72	17	3.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3191	Alphitonia excelsa	Soap Tree	120		120	38	12	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3192	Acacia disparrima	Hickory Wattle	160		160	50	17	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3193	Acacia disparrima	Hickory Wattle	220		220	69	16	7.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3194	Acacia disparrima	Hickory Wattle	150		150	47	15	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3195	Acacia disparrima	Hickory Wattle	190		190	60	14	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3196	Acacia disparrima	Hickory Wattle	120		120	38	6	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3197	Lophostemon suaveolens	Swamp Box	190		190	60	13	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3198	Lophostemon suaveolens	Swamp Box	140		140	44	7	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3199	DEAD/STAG		200		200	63	5	1.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Large	-	-	-	Retain in ROL4, Future retention TBC
3200	Corymbia citriodora	Spotted Gum	240		240	75	19	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3201	Allocasuarina littoralis	Black She-oak	110		110	35	8	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3202	Lophostemon suaveolens	Swamp Box	120		120	38	12	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3203	Acacia disparrima	Hickory Wattle	150		150	47	8	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3204	Lophostemon suaveolens	Swamp Box	110		110	35	14	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3205	Acacia disparrima	Hickory Wattle	170		170	53	14	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3206	Eucalyptus crebra	Narrow-leaved Ironbark	280		280	88	20	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3207	Eucalyptus moluccana	Gum-topped Box	490		490	154	17	8.0	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3208	Eucalyptus moluccana	Gum-topped Box	410		410	129	15	9.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3209	Eucalyptus tereticornis	Forest Red Gum	270		270	85	18	3.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3210	Eucalyptus moluccana	Gum-topped Box	480		480	151	17	8.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3211	Allocasuarina littoralis	Black She-oak	150		150	47	15	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3212	Corymbia citriodora	Spotted Gum	250		250	79	18	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3213	Eucalyptus moluccana	Gum-topped Box	180		180	57	11	2.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3214	Corymbia citriodora	Spotted Gum	250		250	79	18	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Old	-	-	-	-	Remove in ROL4
3215	Eucalyptus moluccana	Gum-topped Box	320		320	101	17	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3216	Eucalyptus moluccana	Gum-topped Box	450		450	141	23	7.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3217	Eucalyptus moluccana	Gum-topped Box	380		380	119	21	8.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3218	Eucalyptus tereticornis	Forest Red Gum	300		300	94	17	3.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3219	Corymbia citriodora	Spotted Gum	100		100	31	13	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3220	Corymbia citriodora	Spotted Gum	130		130	41	13	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3221	Allocasuarina littoralis	Black She-oak	150		150	47	13	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3222	Corymbia citriodora	Spotted Gum	110		110	35	14	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3223	Eucalyptus tereticornis	Forest Red Gum	170		170	53	17	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3224	Alphitonia excelsa	Soap Tree	140		140	44	7	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3225	Corymbia intermedia	Pink Bloodwood	290		290	91	17	3.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3226	Corymbia citriodora	Spotted Gum	120		120	38	19	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value							
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
3227	Eucalyptus tereticornis	Forest Red Gum	230		230	72	17	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3228	Acacia disparrima	Hickory Wattle	120		120	38	8	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3229	Corymbia intermedia	Pink Bloodwood	250		250	79	20	3.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3230	Eucalyptus tereticornis	Forest Red Gum	200		200	63	20	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3231	Corymbia citriodora	Spotted Gum	150		150	47	13	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3232	Acacia disparrima	Hickory Wattle	160		160	50	16	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3233	Eucalyptus tereticornis	Forest Red Gum	280	160	322	101	20	5.0	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3234	Eucalyptus moluccana	Gum-topped Box	120		120	38	12	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3235	Acacia disparrima	Hickory Wattle	130		130	41	8	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3236	Corymbia intermedia	Pink Bloodwood	170	120	208	65	12	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3237	Eucalyptus crebra	Narrow-leaved Ironbark	700	250	743	234	23	10.0	8.9	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3238	Alphitonia excelsa	Soap Tree	170		170	53	12	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3239	Acacia disparrima	Hickory Wattle	130		130	41	8	8.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3240	Acacia disparrima	Hickory Wattle	140	130	191	60	12	4.0	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3241	Eucalyptus tereticornis	Forest Red Gum	710		710	223	25	14.0	8.5	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3242	Corymbia citriodora	Spotted Gum	130		130	41	13	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3243	Corymbia citriodora	Spotted Gum	140		140	44	15	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3244	DEAD/STAG		220		220	69	15	1.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Remove in ROL4
3245	Allocasuarina littoralis	Black She-oak	140		140	44	12	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3246	Allocasuarina littoralis	Black She-oak	130		130	41	7	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3247	Acacia disparrima	Hickory Wattle	160	90	184	58	13	8.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3248	Allocasuarina littoralis	Black She-oak	110		110	35	8	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3249	Eucalyptus moluccana	Gum-topped Box	200		200	63	12	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3250	Corymbia citriodora	Spotted Gum	110		110	35	10	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3251	Eucalyptus moluccana	Gum-topped Box	120		120	38	8	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3252	Eucalyptus moluccana	Gum-topped Box	300		300	94	13	2.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3253	Corymbia citriodora	Spotted Gum	180		180	57	15	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3254	Corymbia citriodora	Spotted Gum	170		170	53	15	2.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3255	Corymbia citriodora	Spotted Gum	200		200	63	14	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3256	Acacia disparrima	Hickory Wattle	160		160	50	10	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3257	Acacia disparrima	Hickory Wattle	300		300	94	8	7.0	3.6	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3258	Corymbia citriodora	Spotted Gum	310		310	97	14	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3259	DEAD/STAG		160		160	50	4	1.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Retain in ROL4, Future retention TBC
3260	Eucalyptus moluccana	Gum-topped Box	640		640	201	19	11.0	7.7	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Retain in ROL4, Future retention TBC
3261	Eucalyptus moluccana	Gum-topped Box	350		350	110	20	8.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3262	Corymbia citriodora	Spotted Gum	220		220	69	13	2.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3263	Unknown sp.	Dead Stag	300		300	94	15	2.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Retain in ROL4, Future retention TBC
3264	Allocasuarina littoralis	Black She-oak	120	90	150	47	7	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3265	Corymbia citriodora	Spotted Gum	110		110	35	8	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3266	Corymbia intermedia	Pink Bloodwood	350		350	110	20	7.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3267	Eucalyptus moluccana	Gum-topped Box	270		270	85	16	3.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3268	Eucalyptus moluccana	Gum-topped Box	200		200	63	16	2.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3269	Eucalyptus tereticornis	Forest Red Gum	180		180	57	15	2.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3270	Eucalyptus moluccana	Gum-topped Box	290		290	91	14	5.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3271	Eucalyptus moluccana	Gum-topped Box	170		170	53	7	2.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3272	Eucalyptus moluccana	Gum-topped Box	230		230	72	16	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3273	Eucalyptus moluccana	Gum-topped Box	210		210	66	17	2.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value							Retention
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	
3274	Eucalyptus tereticornis	Forest Red Gum	170		170	53	12	2.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3275	Eucalyptus moluccana	Gum-topped Box	340		340	107	17	6.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3276	Eucalyptus moluccana	Gum-topped Box	120		120	38	14	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3302	Acacia leiocalyx	Early-flowering Black Wattle	105		105	33	5	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3303	Eucalyptus moluccana	Gum-topped Box	145		145	46	8	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3304	Eucalyptus moluccana	Gum-topped Box	190		190	60	10	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3305	Acacia leiocalyx	Early-flowering Black Wattle	100		100	31	5	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3306	Corymbia citriodora	Spotted Gum	255		255	80	14	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3307	Eucalyptus moluccana	Gum-topped Box	115		115	36	7	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3308	Eucalyptus moluccana	Gum-topped Box	145		145	46	8	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3309	Eucalyptus moluccana	Gum-topped Box	125		125	39	8	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3310	Corymbia citriodora	Spotted Gum	125		125	39	8	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3311	Allocasuarina littoralis	Black She-oak	100		100	31	7	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3312	Eucalyptus moluccana	Gum-topped Box	145		145	46	11	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3313	Eucalyptus moluccana	Gum-topped Box	225		225	71	12	5.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3314	Acacia disparrima	Hickory Wattle	180		180	57	7	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3315	Acacia disparrima	Hickory Wattle	215		215	68	10	5.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3316	Acacia disparrima	Hickory Wattle	120		120	38	7	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3317	Eucalyptus moluccana	Gum-topped Box	200		200	63	14	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3318	Eucalyptus moluccana	Gum-topped Box	310		310	97	17	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3319	Corymbia citriodora	Spotted Gum	110		110	35	9	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3320	Corymbia citriodora	Spotted Gum	105		105	33	7	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3321	Corymbia citriodora	Spotted Gum	115		115	36	12	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3322	Corymbia citriodora	Spotted Gum	105		105	33	9	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3323	Eucalyptus moluccana	Gum-topped Box	125		125	39	8	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3324	Corymbia citriodora	Spotted Gum	150		150	47	14	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3325	Eucalyptus moluccana	Gum-topped Box	285		285	90	17	9.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3326	Corymbia citriodora	Spotted Gum	435		435	137	20	10.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3327	Acacia disparrima	Hickory Wattle	145		145	46	6	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3328	Lophostemon suaveolens	Swamp Box	170	105	200	63	8	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3329	Eucalyptus moluccana	Gum-topped Box	125		125	39	10	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3330	Corymbia citriodora	Spotted Gum	170		170	53	12	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3331	Acacia disparrima	Hickory Wattle	100		100	31	4	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3332	Corymbia citriodora	Spotted Gum	105		105	33	8	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3333	Corymbia citriodora	Spotted Gum	115		115	36	9	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3334	Corymbia citriodora	Spotted Gum	100		100	31	8	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3335	Allocasuarina littoralis	Black She-oak	100		100	31	8	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3336	Acacia disparrima	Hickory Wattle	185		185	58	9	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3337	Acacia disparrima	Hickory Wattle	120	110	163	51	7	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Retain in ROL4, Future retention TBC
3338	Acacia disparrima	Hickory Wattle	200	150	250	79	8	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3339	Eucalyptus moluccana	Gum-topped Box	105		105	33	9	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3340	Eucalyptus moluccana	Gum-topped Box	215		215	68	15	5.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3341	Acacia disparrima	Hickory Wattle	120		120	38	7	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3342	Eucalyptus moluccana	Gum-topped Box	110		110	35	8	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3343	Eucalyptus moluccana	Gum-topped Box	170		170	53	17	8.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3344	Corymbia citriodora	Spotted Gum	185		185	58	15	7.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
3345	Acacia leiocalyx	Early-flowering Black Wattle	105		105	33	7	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Retention	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest		Habitat Value
3346	Eucalyptus moluccana	Gum-topped Box	245		245	77	17	7.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3347	Corymbia citriodora	Spotted Gum	125		125	39	10	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3348	Eucalyptus moluccana	Gum-topped Box	110		110	35	8	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3349	Eucalyptus moluccana	Gum-topped Box	120		120	38	10	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3350	Eucalyptus moluccana	Gum-topped Box	200		200	63	14	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3351	Acacia leiocalyx	Early-flowering Black Wattle	150		150	47	5	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3352	Lophostemon suaveolens	Swamp Box	115		115	36	8	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3353	Allocasuarina littoralis	Black She-oak	105		105	33	6	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
3354	Acacia leiocalyx	Early-flowering Black Wattle	120		120	38	8	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in ROL4
4125	Corymbia tessellaris	Moreton Bay Ash	140		140	44	14	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
4126	Alphitonia excelsa	Soap Tree	200		200	63	20	8.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
4127	Alphitonia excelsa	Soap Tree	230		230	72	8	5.0	2.8	1.8	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
4129	Eucalyptus crebra	Narrow-leaved Ironbark	230		230	72	22	8.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
4130	Angophora subvelutina	Broad-leaved Apple	190		190	60	6	3.0	2.3	1.6	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
4131	Corymbia tessellaris	Moreton Bay Ash	200		200	63	18	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
4132	Corymbia tessellaris	Moreton Bay Ash	300		300	94	22	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
4133	Alphitonia excelsa	Soap Tree	130		130	41	14	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
4134	Acacia disparrima	Hickory Wattle	180		180	57	8	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
4135	Corymbia tessellaris	Moreton Bay Ash	160		160	50	10	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
4136	Lophostemon suaveolens	Swamp Box	150		150	47	8	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
4137	Acacia disparrima	Hickory Wattle	280		280	88	6	4.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
4138	Eucalyptus crebra	Narrow-leaved Ironbark	120		120	38	8	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
4139	Acacia disparrima	Hickory Wattle	140		140	44	8	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
4140	Acacia disparrima	Hickory Wattle	200		200	63	8	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
4141	Lophostemon suaveolens	Swamp Box	120		120	38	9	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
4142	Eucalyptus tereticornis	Forest Red Gum	340		340	107	24	12.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
4143	Lophostemon suaveolens	Swamp Box	200	20, 200, 8	367	115	10	8.0	4.4	2.2	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
4144	Alphitonia excelsa	Soap Tree	120		120	38	10	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
4145	Eucalyptus crebra	Narrow-leaved Ironbark	220		220	69	14	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
4146	Casuarina cunninghamian	River She-oak	180		180	57	10	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
4147	Casuarina cunninghamian	River She-oak	330		330	104	16	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
4148	Acacia disparrima	Hickory Wattle	230		230	72	10	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
4250	Callistemon viminalis		260		260	82	5	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
4251	Alphitonia excelsa	Soap Tree	150		150	47	10	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
4253	Casuarina cunninghamian	River She-oak	190		190	60	16	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
4254	Alphitonia excelsa	Soap Tree	180		180	57	13	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
4255	Alphitonia excelsa	Soap Tree	120		120	38	9	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
4256	Acacia disparrima	Hickory Wattle	220		220	69	12	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
4257	Acacia disparrima	Hickory Wattle	130		130	41	12	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
4258	Alphitonia excelsa	Soap Tree	150		150	47	12	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
4259	Eucalyptus tereticornis	Forest Red Gum	1140		1140	358	28	12.0	13.7	3.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Large	-	-	-	Retain in ROL4, Future retention TBC
4260	Lophostemon confertus	Brush Box	300		300	94	12	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
4261	Eucalyptus tereticornis	Forest Red Gum	420		420	132	25	13.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
4262	Alphitonia excelsa	Soap Tree	200		200	63	8	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
4263	Alphitonia excelsa	Soap Tree	160		160	50	10	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
4264	Alphitonia excelsa	Soap Tree	110		110	35	6	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
4315	DEAD/STAG		350		350	110	2	7.0	4.																				

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value							
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
4462	Acacia disparrima	Hickory Wattle	170		170	53	6	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
4463	DEAD/STAG		350		350	110	22	10.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Retain in ROL4, Future retention TBC
4464	Eucalyptus tereticornis	Forest Red Gum	230		230	72	18	9.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
6985	Acacia disparrima	Hickory Wattle	240		240	75	10	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
6986	Acacia disparrima	Hickory Wattle	250		250	79	10	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
6987	Eucalyptus moluccana	Gum-topped Box	200		200	63	14	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
6988	Eucalyptus moluccana	Gum-topped Box	150		150	47	14	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
6989	Acacia disparrima	Hickory Wattle	210		210	66	9	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
6990	Eucalyptus crebra	Narrow-leaved Ironbark	280		280	88	12	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
6991	Lophostemon suaveolens	Swamp Box	140		140	44	13	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
6992	Eucalyptus tereticornis	Forest Red Gum	280	160	322	101	15	4.0	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
6993	Eucalyptus moluccana	Gum-topped Box	180		180	57	13	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
6994	Corymbia citriodora	Spotted Gum	280		280	88	18	4.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
6995	Eucalyptus crebra	Narrow-leaved Ironbark	200		200	63	16	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
6996	Eucalyptus tereticornis	Forest Red Gum	140		140	44	8	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
6997	Corymbia citriodora	Spotted Gum	330		330	104	13	4.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
6998	Corymbia intermedia	Pink Bloodwood	270		270	85	13	4.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
6999	Eucalyptus crebra	Narrow-leaved Ironbark	290		290	91	16	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7000	Corymbia citriodora	Spotted Gum	120		120	38	9	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7001	Eucalyptus moluccana	Gum-topped Box	450		450	141	18	9.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7002	Corymbia citriodora	Spotted Gum	110		110	35	10	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7003	Eucalyptus moluccana	Gum-topped Box	270		270	85	15	4.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7004	Eucalyptus tereticornis	Forest Red Gum	170		170	53	13	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7005	Eucalyptus crebra	Narrow-leaved Ironbark	340		340	107	18	10.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7006	Corymbia citriodora	Spotted Gum	220		220	69	16	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7007	Corymbia citriodora	Spotted Gum	150		150	47	14	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7008	Corymbia citriodora	Spotted Gum	220		220	69	18	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7009	Corymbia citriodora	Spotted Gum	130		130	41	13	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7010	Corymbia citriodora	Spotted Gum	210		210	66	18	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7011	Corymbia citriodora	Spotted Gum	140		140	44	12	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7012	Eucalyptus tereticornis	Forest Red Gum	250		250	79	20	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7013	Eucalyptus moluccana	Gum-topped Box	310		310	97	20	9.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7014	Eucalyptus moluccana	Gum-topped Box	140		140	44	12	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7015	Corymbia citriodora	Spotted Gum	200		200	63	13	2.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7016	Eucalyptus crebra	Narrow-leaved Ironbark	120		120	38	12	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7017	Corymbia citriodora	Spotted Gum	180		180	57	14	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7018	Eucalyptus crebra	Narrow-leaved Ironbark	150		150	47	12	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7019	Corymbia citriodora	Spotted Gum	260		260	82	15	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7020	Eucalyptus moluccana	Gum-topped Box	230		230	72	14	3.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7021	Eucalyptus crebra	Narrow-leaved Ironbark	250		250	79	19	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7022	Corymbia citriodora	Spotted Gum	130		130	41	12	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7023	Eucalyptus moluccana	Gum-topped Box	150		150	47	10	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7024	Corymbia citriodora	Spotted Gum	190		190	60	18	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7025	Corymbia citriodora	Spotted Gum	140		140	44	8	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7026	Corymbia citriodora	Spotted Gum	160		160	50	13	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7027	Corymbia citriodora	Spotted Gum	190		190	60	16	6.0	2.3	1.6	Regular	-	-	-	-	-													

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Retention	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest		Habitat Value
7029	Corymbia citriodora	Spotted Gum	310		310	97	20	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7030	Eucalyptus moluccana	Gum-topped Box	200		200	63	14	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7031	Eucalyptus moluccana	Gum-topped Box	190		190	60	16	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7032	Eucalyptus moluccana	Gum-topped Box	260		260	82	18	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7033	Eucalyptus moluccana	Gum-topped Box	170		170	53	14	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7034	Eucalyptus tereticornis	Forest Red Gum	240		240	75	17	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7035	Eucalyptus tereticornis	Forest Red Gum	380		380	119	18	10.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7036	Eucalyptus tereticornis	Forest Red Gum	260		260	82	15	11.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7037	Eucalyptus crebra	Narrow-leaved Ironbark	180		180	57	10	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7038	Corymbia citriodora	Spotted Gum	110		110	35	9	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7039	Corymbia citriodora	Spotted Gum	120		120	38	14	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7040	Corymbia citriodora	Spotted Gum	240		240	75	18	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7041	Corymbia citriodora	Spotted Gum	150	70	166	52	9	2.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7042	Corymbia citriodora	Spotted Gum	110		110	35	11	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7043	Corymbia tessellaris	Moreton Bay Ash	160		160	50	13	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7044	DEAD/STAG		390		390	123	14	9.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Retain in ROL4, Future retention TBC
7045	Corymbia tessellaris	Moreton Bay Ash	170		170	53	10	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7046	Corymbia intermedia	Pink Bloodwood	130		130	41	17	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7047	Alphitonia excelsa	Soap Tree	140		140	44	5	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7048	Corymbia citriodora	Spotted Gum	250	100	269	85	18	4.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7049	Corymbia citriodora	Spotted Gum	210	90	228	72	18	6.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7050	Corymbia citriodora	Spotted Gum	210		210	66	19	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7051	Corymbia tessellaris	Moreton Bay Ash	150		150	47	14	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7052	Eucalyptus crebra	Narrow-leaved Ironbark	330		330	104	15	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7053	Eucalyptus crebra	Narrow-leaved Ironbark	150		150	47	14	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7054	Eucalyptus crebra	Narrow-leaved Ironbark	200		200	63	9	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7055	Corymbia citriodora	Spotted Gum	230		230	72	19	3.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7056	Corymbia citriodora	Spotted Gum	230		230	72	18	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7057	Corymbia citriodora	Spotted Gum	200		200	63	14	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7058	Eucalyptus tereticornis	Forest Red Gum	340		340	107	20	9.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7059	Eucalyptus tereticornis	Forest Red Gum	230		230	72	18	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7060	Corymbia intermedia	Pink Bloodwood	110		110	35	10	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7061	Eucalyptus tereticornis	Forest Red Gum	220		220	69	18	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7062	Corymbia citriodora	Spotted Gum	220		220	69	15	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7063	Eucalyptus tereticornis	Forest Red Gum	120		120	38	10	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7064	Corymbia citriodora	Spotted Gum	120		120	38	12	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7065	Corymbia citriodora	Spotted Gum	120		120	38	10	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7066	Corymbia citriodora	Spotted Gum	140		140	44	15	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7067	Corymbia tessellaris	Moreton Bay Ash	120		120	38	8	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7068	Eucalyptus tereticornis	Forest Red Gum	130		130	41	14	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7069	Corymbia citriodora	Spotted Gum	120		120	38	16	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7070	Corymbia citriodora	Spotted Gum	150		150	47	14	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7071	Corymbia citriodora	Spotted Gum	170		170	53	18	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7072	Corymbia citriodora	Spotted Gum	120		120	38	12	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7073	Lophostemon suaveolens	Swamp Box	120		120	38	6	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7074	Corymbia citriodora	Spotted Gum	100		100	31	9	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-										

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Retention	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest		Habitat Value
7076	Corymbia citriodora	Spotted Gum	290		290	91	20	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7077	Corymbia citriodora	Spotted Gum	120		120	38	14	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7078	Corymbia citriodora	Spotted Gum	140		140	44	12	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7079	Corymbia citriodora	Spotted Gum	280		280	88	18	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7080	Corymbia citriodora	Spotted Gum	290		290	91	18	4.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7081	Eucalyptus tereticornis	Forest Red Gum	360		360	113	20	5.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7082	Corymbia citriodora	Spotted Gum	220		220	69	10	2.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7083	Lophostemon suaveolens	Swamp Box	170		170	53	8	2.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7084	Lophostemon suaveolens	Swamp Box	130		130	41	8	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7085	Corymbia citriodora	Spotted Gum	120		120	38	12	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7086	Corymbia citriodora	Spotted Gum	110		110	35	9	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7087	Corymbia citriodora	Spotted Gum	150		150	47	10	1.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7088	Corymbia intermedia	Pink Bloodwood	260		260	82	15	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7089	Lophostemon suaveolens	Swamp Box	140		140	44	8	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7090	Corymbia citriodora	Spotted Gum	330		330	104	18	4.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7091	Lophostemon suaveolens	Swamp Box	170		170	53	11	2.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7092	Lophostemon suaveolens	Swamp Box	470		470	148	15	6.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7093	Lophostemon suaveolens	Swamp Box	140		140	44	6	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7094	Lophostemon suaveolens	Swamp Box	160		160	50	8	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7095	Lophostemon suaveolens	Swamp Box	130		130	41	6	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7096	Corymbia citriodora	Spotted Gum	120		120	38	16	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7097	Corymbia citriodora	Spotted Gum	110		110	35	12	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7098	Eucalyptus tereticornis	Forest Red Gum	130		130	41	14	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7099	Corymbia citriodora	Spotted Gum	170		170	53	13	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7100	Corymbia citriodora	Spotted Gum	130		130	41	13	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7101	Corymbia tessellaris	Moreton Bay Ash	130		130	41	12	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7102	Eucalyptus tereticornis	Forest Red Gum	390		390	123	21	7.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7103	Corymbia tessellaris	Moreton Bay Ash	120	100	156	49	12	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7104	Corymbia citriodora	Spotted Gum	110		110	35	7	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7105	Corymbia citriodora	Spotted Gum	140		140	44	18	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7106	Eucalyptus tereticornis	Forest Red Gum	140		140	44	15	4.0	2.0	1.4	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7107	Corymbia citriodora	Spotted Gum	120		120	38	10	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7108	Corymbia citriodora	Spotted Gum	190	90	210	66	14	2.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7109	Eucalyptus tereticornis	Forest Red Gum	230		230	72	14	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7110	Corymbia citriodora	Spotted Gum	380		380	119	21	5.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7111	Corymbia citriodora	Spotted Gum	180		180	57	17	2.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7112	Corymbia citriodora	Spotted Gum	470		470	148	20	6.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7113	Eucalyptus tereticornis	Forest Red Gum	390		390	123	20	8.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7114	Corymbia intermedia	Pink Bloodwood	120		120	38	9	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7115	Corymbia intermedia	Pink Bloodwood	110		110	35	9	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7116	Corymbia tessellaris	Moreton Bay Ash	270		270	85	14	3.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7117	Eucalyptus tereticornis	Forest Red Gum	610		610	192	22	9.0	7.3	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7118	Corymbia intermedia	Pink Bloodwood	170		170	53	16	2.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7119	Corymbia intermedia	Pink Bloodwood	120		120	38	16	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7120	Corymbia intermedia	Pink Bloodwood	120		120	38	17	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7121	Angophora subvelutina	Broad-leaved Apple	190		190	60	15	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-</	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Retention	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest		Habitat Value
7123	Corymbia tessellaris	Moreton Bay Ash	110		110	35	12	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7124	Lophostemon suaveolens	Swamp Box	160		160	50	13	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7125	Corymbia citriodora	Spotted Gum	300		300	94	10	3.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7126	Corymbia tessellaris	Moreton Bay Ash	370		370	116	23	12.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7127	Eucalyptus crebra	Narrow-leaved Ironbark	240		240	75	16	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7128	Eucalyptus tereticornis	Forest Red Gum	520		520	163	21	7.0	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7129	Corymbia citriodora	Spotted Gum	120		120	38	12	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7130	DEAD/STAG		500		500	157	20	8.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Retain in ROL4, Future retention TBC
7131	Corymbia citriodora	Spotted Gum	570		570	179	19	7.0	6.8	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7132	Eucalyptus tereticornis	Forest Red Gum	110		110	35	10	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7133	Corymbia citriodora	Spotted Gum	300		300	94	21	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7134	Corymbia intermedia	Pink Bloodwood	190	90	210	66	11	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7135	Corymbia citriodora	Spotted Gum	220		220	69	20	9.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7136	Corymbia intermedia	Pink Bloodwood	210		210	66	12	8.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7137	Corymbia citriodora	Spotted Gum	130		130	41	10	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7138	Corymbia citriodora	Spotted Gum	100		100	31	9	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7139	Corymbia citriodora	Spotted Gum	170		170	53	12	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7140	Corymbia citriodora	Spotted Gum	300		300	94	22	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7141	Corymbia citriodora	Spotted Gum	270		270	85	23	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7142	Corymbia tessellaris	Moreton Bay Ash	140		140	44	10	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7143	Corymbia citriodora	Spotted Gum	230		230	72	15	8.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7144	Corymbia citriodora	Spotted Gum	140		140	44	14	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7145	Corymbia citriodora	Spotted Gum	230		230	72	19	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7146	Corymbia citriodora	Spotted Gum	190		190	60	11	2.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7147	Corymbia citriodora	Spotted Gum	170		170	53	15	2.0	2.0	1.6	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7148	Corymbia citriodora	Spotted Gum	180		180	57	15	2.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7149	Corymbia citriodora	Spotted Gum	180		180	57	18	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7150	Corymbia citriodora	Spotted Gum	140	8	140	44	16	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7151	Corymbia citriodora	Spotted Gum	270		270	85	20	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7152	Corymbia citriodora	Spotted Gum	210		210	66	18	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7153	Corymbia citriodora	Spotted Gum	160		160	50	15	2.0	2.0	1.5	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7154	Corymbia citriodora	Spotted Gum	320		320	101	23	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7155	Corymbia citriodora	Spotted Gum	110		110	35	9	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7156	Eucalyptus crebra	Narrow-leaved Ironbark	200		200	63	12	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7157	Corymbia citriodora	Spotted Gum	200		200	63	16	2.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7158	Corymbia citriodora	Spotted Gum	300		300	94	24	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7159	Corymbia citriodora	Spotted Gum	310		310	97	24	12.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7160	Corymbia citriodora	Spotted Gum	300		300	94	25	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7161	Corymbia citriodora	Spotted Gum	340		340	107	26	12.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7162	Corymbia citriodora	Spotted Gum	210		210	66	18	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7163	Corymbia citriodora	Spotted Gum	220	160	272	85	19	6.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7164	Corymbia citriodora	Spotted Gum	270		270	85	21	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7165	Eucalyptus tereticornis	Forest Red Gum	240		240	75	21	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7166	Eucalyptus tereticornis	Forest Red Gum	270		270	85	24	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7167	Corymbia citriodora	Spotted Gum	230		230	72	16	9.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7168	Corymbia citriodora	Spotted Gum	200		200	63	22	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-											

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Retention	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest		Habitat Value
7170	Corymbia citriodora	Spotted Gum	340		340	107	24	6.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7171	Corymbia tessellaris	Moreton Bay Ash	200		200	63	13	2.0	2.4	1.7	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7172	Corymbia citriodora	Spotted Gum	160		160	50	18	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7173	Corymbia citriodora	Spotted Gum	120		120	38	9	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7174	Eucalyptus crebra	Narrow-leaved Ironbark	120		120	38	14	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7175	Corymbia citriodora	Spotted Gum	130		130	41	13	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7176	Corymbia citriodora	Spotted Gum	220		220	69	18	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7177	Corymbia citriodora	Spotted Gum	290		290	91	25	13.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7178	Alphitonia excelsa	Soap Tree	110	100	149	47	7	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7179	Corymbia citriodora	Spotted Gum	320		320	101	25	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7180	Corymbia citriodora	Spotted Gum	230		230	72	21	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7181	Corymbia citriodora	Spotted Gum	240		240	75	18	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7182	Corymbia citriodora	Spotted Gum	400		400	126	25	10.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7183	Corymbia citriodora	Spotted Gum	140		140	44	13	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7184	Eucalyptus tereticornis	Forest Red Gum	130		130	41	14	1.0	2.0	1.4	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7185	Corymbia tessellaris	Moreton Bay Ash	150		150	47	8	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7186	Corymbia tessellaris	Moreton Bay Ash	190		190	60	10	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7187	Acacia disparrima	Hickory Wattle	170		170	53	12	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7188	Acacia disparrima	Hickory Wattle	210		210	66	13	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7189	Acacia disparrima	Hickory Wattle	330		330	104	14	6.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7190	Lophostemon suaveolens	Swamp Box	130		130	41	10	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7191	Corymbia citriodora	Spotted Gum	310		310	97	20	4.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7192	Eucalyptus moluccana	Gum-topped Box	180		180	57	12	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7193	Eucalyptus moluccana	Gum-topped Box	220		220	69	15	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7194	Acacia disparrima	Hickory Wattle	160		160	50	8	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7195	Corymbia citriodora	Spotted Gum	160		160	50	14	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7196	Eucalyptus moluccana	Gum-topped Box	230		230	72	18	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7197	Corymbia citriodora	Spotted Gum	170		170	53	12	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7198	Corymbia tessellaris	Moreton Bay Ash	240		240	75	14	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7199	Lophostemon suaveolens	Swamp Box	230		230	72	14	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7200	Corymbia citriodora	Spotted Gum	360		360	113	18	6.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7201	Corymbia citriodora	Spotted Gum	280		280	88	18	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7202	Acacia disparrima	Hickory Wattle	190		190	60	9	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7203	Acacia disparrima	Hickory Wattle	190		190	60	9	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7204	Corymbia citriodora	Spotted Gum	210		210	66	16	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7205	Corymbia intermedia	Pink Bloodwood	200		200	63	14	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7206	Acacia disparrima	Hickory Wattle	190		190	60	15	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7207	Acacia disparrima	Hickory Wattle	150		150	47	12	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7208	Corymbia citriodora	Spotted Gum	180		180	57	15	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7209	Corymbia citriodora	Spotted Gum	140		140	44	12	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7210	Corymbia intermedia	Pink Bloodwood	220	200	297	93	14	3.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7211	Corymbia citriodora	Spotted Gum	320		320	101	19	5.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7212	Corymbia intermedia	Pink Bloodwood	290		290	91	19	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7213	Lophostemon suaveolens	Swamp Box	150		150	47	6	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7214	Corymbia citriodora	Spotted Gum	120		120	38	10	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7215	Eucalyptus moluccana	Gum-topped Box	120		120	38	7	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-				

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Retention	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest		Habitat Value
7217	Corymbia citriodora	Spotted Gum	130		130	41	12	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7218	Corymbia citriodora	Spotted Gum	130		130	41	10	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7219	Corymbia citriodora	Spotted Gum	110		110	35	12	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7220	Eucalyptus moluccana	Gum-topped Box	120		120	38	10	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7221	Eucalyptus moluccana	Gum-topped Box	150		150	47	12	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7222	Eucalyptus moluccana	Gum-topped Box	490		490	154	25	8.0	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7223	Eucalyptus moluccana	Gum-topped Box	180		180	57	10	2.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7224	Eucalyptus moluccana	Gum-topped Box	440		440	138	26	9.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7225	Corymbia citriodora	Spotted Gum	110		110	35	12	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7226	Eucalyptus crebra	Narrow-leaved Ironbark	170		170	53	10	2.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7227	Corymbia citriodora	Spotted Gum	280		280	88	15	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7228	Corymbia citriodora	Spotted Gum	260		260	82	20	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7229	Corymbia citriodora	Spotted Gum	140		140	44	13	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7230	Corymbia citriodora	Spotted Gum	270		270	85	17	4.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7231	Corymbia citriodora	Spotted Gum	100		100	31	8	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7232	Corymbia citriodora	Spotted Gum	180		180	57	16	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7233	Corymbia citriodora	Spotted Gum	160		160	50	14	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7234	Corymbia citriodora	Spotted Gum	180		180	57	15	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7235	Corymbia citriodora	Spotted Gum	100		100	31	12	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7236	Eucalyptus crebra	Narrow-leaved Ironbark	190		190	60	14	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7237	Eucalyptus tereticornis	Forest Red Gum	250		250	79	16	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7238	Corymbia citriodora	Spotted Gum	100		100	31	8	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7239	Corymbia citriodora	Spotted Gum	120		120	38	10	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7240	Eucalyptus moluccana	Gum-topped Box	390		390	123	19	7.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7241	Corymbia citriodora	Spotted Gum	190		190	60	13	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7242	Eucalyptus moluccana	Gum-topped Box	320		320	101	17	5.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7243	Eucalyptus moluccana	Gum-topped Box	190		190	60	15	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7244	Eucalyptus moluccana	Gum-topped Box	620		620	195	27	8.0	7.4	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7245	Eucalyptus moluccana	Gum-topped Box	230		230	72	17	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7246	Eucalyptus moluccana	Gum-topped Box	140		140	44	7	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7247	Eucalyptus moluccana	Gum-topped Box	290		290	91	16	5.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7248	Corymbia citriodora	Spotted Gum	120		120	38	10	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7249	Corymbia citriodora	Spotted Gum	100		100	31	7	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7250	Eucalyptus moluccana	Gum-topped Box	320	130	345	109	20	7.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7251	Corymbia citriodora	Spotted Gum	120		120	38	10	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7252	Corymbia citriodora	Spotted Gum	140		140	44	10	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7253	Eucalyptus crebra	Narrow-leaved Ironbark	140		140	44	10	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7254	Corymbia citriodora	Spotted Gum	130		130	41	8	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7255	Eucalyptus tereticornis	Forest Red Gum	170		170	53	10	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7256	Eucalyptus crebra	Narrow-leaved Ironbark	160		160	50	13	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7257	Eucalyptus crebra	Narrow-leaved Ironbark	130		130	41	10	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7258	Corymbia citriodora	Spotted Gum	220		220	69	15	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7259	Eucalyptus crebra	Narrow-leaved Ironbark	450		450	141	25	12.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7260	Eucalyptus crebra	Narrow-leaved Ironbark	360		360	113	22	9.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7261	Corymbia citriodora	Spotted Gum	300		300	94	22	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7262	Corymbia citriodora	Spotted Gum	190		190	60	16	4.0	2.3	1.6	Regular																		

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Retention	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest		Habitat Value
7264	Corymbia citriodora	Spotted Gum	120		120	38	12	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7265	Corymbia citriodora	Spotted Gum	140		140	44	13	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7266	Corymbia citriodora	Spotted Gum	150		150	47	15	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7267	Corymbia citriodora	Spotted Gum	290		290	91	24	8.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7268	Eucalyptus moluccana	Gum-topped Box	420		420	132	24	9.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7269	Corymbia citriodora	Spotted Gum	130		130	41	10	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7270	Eucalyptus moluccana	Gum-topped Box	240		240	75	16	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7271	Eucalyptus moluccana	Gum-topped Box	280		280	88	22	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7272	Eucalyptus moluccana	Gum-topped Box	180		180	57	14	2.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7273	Eucalyptus moluccana	Gum-topped Box	270		270	85	24	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7274	Eucalyptus moluccana	Gum-topped Box	160		160	50	12	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7275	Eucalyptus crebra	Narrow-leaved Ironbark	260		260	82	16	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7276	Corymbia citriodora	Spotted Gum	260		260	82	18	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7277	Corymbia citriodora	Spotted Gum	160		160	50	8	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7278	Eucalyptus moluccana	Gum-topped Box	260		260	82	18	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7279	Corymbia citriodora	Spotted Gum	280		280	88	20	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7280	Corymbia citriodora	Spotted Gum	260		260	82	24	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7281	Eucalyptus tereticornis	Forest Red Gum	190		190	60	8	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7282	Eucalyptus moluccana	Gum-topped Box	310		310	97	24	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7283	Corymbia citriodora	Spotted Gum	170		170	53	12	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7284	Eucalyptus moluccana	Gum-topped Box	320		320	101	18	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7285	Corymbia citriodora	Spotted Gum	190		190	60	14	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7286	Eucalyptus moluccana	Gum-topped Box	140		140	44	10	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7287	Corymbia citriodora	Spotted Gum	170		170	53	15	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7288	Corymbia citriodora	Spotted Gum	140		140	44	14	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7289	Eucalyptus moluccana	Gum-topped Box	420		420	132	26	10.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7290	Eucalyptus moluccana	Gum-topped Box	160		160	50	13	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7291	Eucalyptus moluccana	Gum-topped Box	160		160	50	13	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7292	Eucalyptus moluccana	Gum-topped Box	150		150	47	12	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7293	Corymbia citriodora	Spotted Gum	160		160	50	10	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7294	Eucalyptus tereticornis	Forest Red Gum	360		360	113	22	7.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7295	Eucalyptus tereticornis	Forest Red Gum	120		120	38	10	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7296	Eucalyptus moluccana	Gum-topped Box	340		340	107	21	5.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7297	Corymbia citriodora	Spotted Gum	180		180	57	12	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7298	Corymbia citriodora	Spotted Gum	180		180	57	14	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7299	Eucalyptus tereticornis	Forest Red Gum	180		180	57	13	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7300	Eucalyptus tereticornis	Forest Red Gum	300		300	94	22	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7301	Corymbia citriodora	Spotted Gum	190		190	60	12	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7302	Corymbia citriodora	Spotted Gum	180		180	57	17	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7303	Eucalyptus tereticornis	Forest Red Gum	200		200	63	16	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7304	Corymbia citriodora	Spotted Gum	160		160	50	12	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7305	Corymbia citriodora	Spotted Gum	100		100	31	8	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7306	Corymbia citriodora	Spotted Gum	140		140	44	10	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7307	Corymbia citriodora	Spotted Gum	220		220	69	16	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7308	Corymbia citriodora	Spotted Gum	110		110	35	10	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7309	Corymbia citriodora	Spotted Gum	160		160	50	12	3.0	2.0	1.5	Regular	-	-	-	-	-													

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value							Retention
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	
7311	Corymbia tessellaris	Moreton Bay Ash	240		240	75	12	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7312	Corymbia tessellaris	Moreton Bay Ash	150		150	47	10	1.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7313	Corymbia citriodora	Spotted Gum	100		100	31	8	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7314	Corymbia tessellaris	Moreton Bay Ash	170		170	53	12	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7315	Corymbia citriodora	Spotted Gum	150		150	47	9	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7316	Corymbia citriodora	Spotted Gum	120		120	38	9	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7317	Corymbia citriodora	Spotted Gum	130		130	41	10	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7318	Corymbia intermedia	Pink Bloodwood	190		190	60	10	2.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7319	Eucalyptus crebra	Narrow-leaved Ironbark	310		310	97.39	19	6	3.72	2.02	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7320	Corymbia citriodora	Spotted Gum	100		100	31.42	7	2	2	1.26	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7321	DEAD/STAG		580		580	182.2	17	4	6.96	2.63	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-		Small	-	-	-	Retain in ROL4, Future retention TBC
7322	Eucalyptus tereticornis	Forest Red Gum	150		150	47.12	10	3	2	1.49	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7323	Eucalyptus crebra	Narrow-leaved Ironbark	200		200	62.83	14	4	2.4	1.68	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7324	Eucalyptus crebra	Narrow-leaved Ironbark	170		170	53.41	15	3	2.04	1.57	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7325	Eucalyptus tereticornis	Forest Red Gum	220		220	69.12	16	4	2.64	1.75	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7326	Corymbia citriodora	Spotted Gum	240		240	75	15	6	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7327	Corymbia citriodora	Spotted Gum	260		260	82	20	5	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7328	Eucalyptus crebra	Narrow-leaved Ironbark	300		300	94	16	5	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7329	Corymbia citriodora	Spotted Gum	300		300	94	23	7	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7330	Corymbia citriodora	Spotted Gum	200		200	63	13	4	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7331	Corymbia citriodora	Spotted Gum	190		190	60	16	5	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7332	Corymbia citriodora	Spotted Gum	280		280	88	24	7	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7333	Corymbia tessellaris	Moreton Bay Ash	180		180	57	7	2	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7334	Corymbia tessellaris	Moreton Bay Ash	130		130	41	7	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7335	Corymbia citriodora	Spotted Gum	370		370	116	24	9	4.4	2.2	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7336	Corymbia citriodora	Spotted Gum	150		150	47	12	1	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7337	Corymbia citriodora	Spotted Gum	330		330	104	23	6	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7338	Eucalyptus crebra	Narrow-leaved Ironbark	330		330	104	17	6	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7339	Corymbia citriodora	Spotted Gum	190		190	60	15	6	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7340	Corymbia citriodora	Spotted Gum	340		340	107	24	8	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7341	Eucalyptus tereticornis	Forest Red Gum	240		240	75	14	3	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7342	Eucalyptus crebra	Narrow-leaved Ironbark	260		260	82	16	4	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7343	Corymbia citriodora	Spotted Gum	210		210	66	14	6	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7344	Corymbia citriodora	Spotted Gum	130		130	41	13	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7345	Eucalyptus crebra	Narrow-leaved Ironbark	300		300	94	16	5	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7346	Corymbia citriodora	Spotted Gum	300		300	94	12	2	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7347	Corymbia citriodora	Spotted Gum	110		110	35	7	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7348	Corymbia citriodora	Spotted Gum	130		130	41	12	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7349	Corymbia citriodora	Spotted Gum	210		210	66	16	5	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7350	Corymbia citriodora	Spotted Gum	200		200	63	15	3	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7351	Corymbia citriodora	Spotted Gum	300		300	94	17	8	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7352	Eucalyptus crebra	Narrow-leaved Ironbark	240		240	75	16	4	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7353	Corymbia citriodora	Spotted Gum	170		170	53	16	5	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7354	Corymbia citriodora	Spotted Gum	220		220	69	16	4	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7355	Corymbia citriodora	Spotted Gum	170		170	53	14	6	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7356	Corymbia tessellaris	Moreton Bay Ash	110		110	35	7	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7357	Corymbia citriodora	Spotted Gum	120		120	38	12	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Retention
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	
7358	Corymbia citriodora	Spotted Gum	140		140	44	14	5	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7359	Corymbia citriodora	Spotted Gum	270		270	85	23	8	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7360	Corymbia citriodora	Spotted Gum	260		260	82	23	9	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7361	Corymbia citriodora	Spotted Gum	100		100	31	10	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7362	Corymbia citriodora	Spotted Gum	270		270	85	23	7	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7363	Corymbia citriodora	Spotted Gum	110		110	35	6	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7364	Corymbia citriodora	Spotted Gum	260		260	82	22	8	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7365	Corymbia citriodora	Spotted Gum	200		200	63	19	4	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7366	Corymbia citriodora	Spotted Gum	120		120	38	10	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7367	Corymbia citriodora	Spotted Gum	270		270	85	22	4	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7368	Corymbia citriodora	Spotted Gum	170		170	53	14	3	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7369	Corymbia citriodora	Spotted Gum	310		310	97	20	5	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7370	Corymbia citriodora	Spotted Gum	100		100	31	10	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7371	Corymbia citriodora	Spotted Gum	260		260	82	20	6	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7372	Corymbia citriodora	Spotted Gum	350		350	110	24	9	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7373	Lophostemon suaveolens	Swamp Box	240		240	75	12	3	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7374	Corymbia citriodora	Spotted Gum	250		250	79	22	6	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7375	Lophostemon suaveolens	Swamp Box	120		120	38	8	1	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7376	Eucalyptus crebra	Narrow-leaved Ironbark	110		110	35	10	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7377	Lophostemon suaveolens	Swamp Box	130		130	41	7	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7378	Eucalyptus crebra	Narrow-leaved Ironbark	430		430	135	22	7	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7379	Corymbia intermedia	Pink Bloodwood	120		120	38	7	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7380	Corymbia tessellaris	Moreton Bay Ash	130		130	41	9	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7381	Corymbia citriodora	Spotted Gum	120		120	38	13	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7382	Acacia disparrima	Hickory Wattle	200		200	63	13	5	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7383	Corymbia citriodora	Spotted Gum	120		120	38	12	1	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7384	Corymbia citriodora	Spotted Gum	120		120	38	14	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7385	Corymbia intermedia	Pink Bloodwood	190		190	60	13	4	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7386	Corymbia tessellaris	Moreton Bay Ash	160		160	50	12	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7387	Lophostemon suaveolens	Swamp Box	130		130	41	10	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7388	Lophostemon suaveolens	Swamp Box	130		130	41	7	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7389	Lophostemon suaveolens	Swamp Box	140		140	44	9	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7390	Corymbia intermedia	Pink Bloodwood	170		170	53	14	3	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7391	Lophostemon suaveolens	Swamp Box	150		150	47	12	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7392	Lophostemon suaveolens	Swamp Box	170		170	53	10	1	2.0	1.6	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7393	Lophostemon suaveolens	Swamp Box	100		100	31	7	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7394	Lophostemon suaveolens	Swamp Box	150	130	198	62	12	4	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7395	Eucalyptus tereticornis	Forest Red Gum	340		340	107	16	5	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7396	Eucalyptus crebra	Narrow-leaved Ironbark	330		330	104	17	3	4.0	2.1	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7397	Lophostemon suaveolens	Swamp Box	170		170	53	11	2	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7398	Lophostemon suaveolens	Swamp Box	180		180	57	10	3	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7399	Corymbia intermedia	Pink Bloodwood	160		160	50	13	3	2.0	1.5	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7400	Corymbia intermedia	Pink Bloodwood	140		140	44	13	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7401	Lophostemon suaveolens	Swamp Box	120		120	38	7	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7402	Lophostemon suaveolens	Swamp Box	140		140	44	8	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7403	Corymbia intermedia	Pink Bloodwood	160		160	50	14	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7404	Lophostemon suaveolens	Swamp Box	140		140	44	8	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-		

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Retention	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest		Habitat Value
7405	Corymbia citriodora	Spotted Gum	370		370	116	23	8	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7406	Corymbia intermedia	Pink Bloodwood	220		220	69	16	5	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7407	Lophostemon suaveolens	Swamp Box	150		150	47	8	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7408	Eucalyptus crebra	Narrow-leaved Ironbark	320		320	101	24	9	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7409	Lophostemon suaveolens	Swamp Box	110		110	35	7	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7410	Lophostemon suaveolens	Swamp Box	180		180	57	7	3	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7411	Lophostemon suaveolens	Swamp Box	140		140	44	10	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7412	Lophostemon suaveolens	Swamp Box	120	80	144	45	9	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7413	Lophostemon suaveolens	Swamp Box	140		140	44	8	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7414	Lophostemon suaveolens	Swamp Box	160		160	50	11	3	2.0	1.5	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7415	Lophostemon suaveolens	Swamp Box	180		180	57	12	2	2.2	1.6	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7416	Angophora subvelutina	Broad-leaved Apple	180		180	57	7	2	2.2	1.6	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7417	Angophora subvelutina	Broad-leaved Apple	150		150	47	12	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7418	Lophostemon suaveolens	Swamp Box	160		160	50	14	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7419	Eucalyptus tereticornis	Forest Red Gum	490		490	154	26	9	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7420	Lophostemon suaveolens	Swamp Box	390		390	123	15	5	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7421	Lophostemon suaveolens	Swamp Box	130		130	41	7	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7422	Lophostemon suaveolens	Swamp Box	110		110	35	6	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7423	Lophostemon suaveolens	Swamp Box	120		120	38	6	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7424	Lophostemon suaveolens	Swamp Box	140		140	44	8	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7425	Corymbia citriodora	Spotted Gum	200	200	283	89	18	5	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7426	Corymbia citriodora	Spotted Gum	390		390	123	26	7	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7427	Corymbia citriodora	Spotted Gum	190		190	60	16	5	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7428	Corymbia citriodora	Spotted Gum	400		400	126	16	5	4.8	2.3	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7429	Corymbia citriodora	Spotted Gum	300	180, 160	385	121	25	8	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7430	Lophostemon suaveolens	Swamp Box	140		140	44	12	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7431	Eucalyptus crebra	Narrow-leaved Ironbark	180		180	57	12	3	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7432	Corymbia citriodora	Spotted Gum	150		150	47	14	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7433	Corymbia citriodora	Spotted Gum	190		190	60	17	3	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7434	Eucalyptus tereticornis	Forest Red Gum	270		270	85	16	4	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7435	Angophora subvelutina	Broad-leaved Apple	160		160	50	12	2	2.0	1.5	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7436	Corymbia citriodora	Spotted Gum	220		220	69	19	4	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7437	Angophora subvelutina	Broad-leaved Apple	130		130	41	9	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7438	Corymbia citriodora	Spotted Gum	100		100	31	9	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7439	Corymbia citriodora	Spotted Gum	460		460	145	24	9	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7440	Eucalyptus crebra	Narrow-leaved Ironbark	130		130	41	9	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7441	Corymbia intermedia	Pink Bloodwood	170		170	53	13	4	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7442	Eucalyptus crebra	Narrow-leaved Ironbark	220		220	69	20	3	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7443	Corymbia intermedia	Pink Bloodwood	270		270	85	16	6	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7444	Corymbia citriodora	Spotted Gum	270		270	85	18	5	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7445	Corymbia citriodora	Spotted Gum	260		260	82	18	7	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7446	Corymbia citriodora	Spotted Gum	160		160	50	15	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7447	Corymbia citriodora	Spotted Gum	190		190	60	13	3	2.3	1.6	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7448	Eucalyptus tereticornis	Forest Red Gum	330		330	104	22	5	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7449	Corymbia citriodora	Spotted Gum	210		210	66	16	5	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7450	Corymbia citriodora	Spotted Gum	270		270	85	20	6	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7451	Corymbia citriodora	Spotted Gum	110		110	35	12	2																					

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Retention	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest		Habitat Value
7452	Corymbia intermedia	Pink Bloodwood	150		150	47	15	3	2.0	1.5	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7453	Corymbia citriodora	Spotted Gum	100		100	31	10	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7454	Corymbia citriodora	Spotted Gum	110		110	35	12	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7455	Corymbia intermedia	Pink Bloodwood	420		420	132	25	8	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7456	Eucalyptus tereticornis	Forest Red Gum	540		540	170	24	9	6.5	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7457	Corymbia intermedia	Pink Bloodwood	130		130	41	5	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7458	Corymbia citriodora	Spotted Gum	100		100	31	9	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7459	Corymbia tessellaris	Moreton Bay Ash	200		200	63	18	3	2.4	1.7	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7460	Eucalyptus tereticornis	Forest Red Gum	400		400	126	27	7	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7461	Eucalyptus tereticornis	Forest Red Gum	450		450	141	26	9	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7462	Eucalyptus tereticornis	Forest Red Gum	280		280	88	17	4	3.4	1.9	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7463	Lophostemon suaveolens	Swamp Box	150		150	47	9	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7464	Eucalyptus crebra	Narrow-leaved Ironbark	220		220	69	18	5	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7465	Corymbia citriodora	Spotted Gum	260		260	82	20	4	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7466	Angophora subvelutina	Broad-leaved Apple	290		290	91	16	6	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7467	Corymbia citriodora	Spotted Gum	190		190	60	15	2	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7468	Corymbia citriodora	Spotted Gum	120		120	38	8	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7469	Corymbia citriodora	Spotted Gum	430		430	135	25	8	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7470	Eucalyptus tereticornis	Forest Red Gum	480		480	151	27	9	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7471	Corymbia citriodora	Spotted Gum	140		140	44	12	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7472	Angophora subvelutina	Broad-leaved Apple	550		550	173	26	8	6.6	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7473	Lophostemon suaveolens	Swamp Box	110		110	35	12	5	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7474	Corymbia tessellaris	Moreton Bay Ash	560		560	176	12	4	6.7	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7475	Corymbia tessellaris	Moreton Bay Ash	120		120	38	12	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7476	Corymbia citriodora	Spotted Gum	240		240	75	18	6	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7477	Acacia disparrima	Hickory Wattle	170		170	53	8	3	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7478	Corymbia tessellaris	Moreton Bay Ash	110		110	35	6	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7479	Corymbia tessellaris	Moreton Bay Ash	260		260	82	18	4	3.1	1.9	Regular	-	-	-	-	-	Typical	-	Introduced	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7480	Corymbia citriodora	Spotted Gum	130		130	41	13	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7481	Corymbia citriodora	Spotted Gum	100		100	31	12	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7482	Corymbia citriodora	Spotted Gum	100		100	31	12	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7483	Acacia disparrima	Hickory Wattle	150		150	47	10	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7484	Corymbia tessellaris	Moreton Bay Ash	160		160	50	13	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7485	Acacia disparrima	Hickory Wattle	180		180	57	13	4	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7486	Acacia disparrima	Hickory Wattle	160		160	50	14	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7487	Corymbia citriodora	Spotted Gum	120		120	38	9	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7488	Corymbia citriodora	Spotted Gum	230		230	72	16	5	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7489	Corymbia intermedia	Pink Bloodwood	170		170	53	13	3	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Retain in ROL4, Future retention TBC
7490	Corymbia citriodora	Spotted Gum	110		110	35	11	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7491	Corymbia citriodora	Spotted Gum	390		390	123	24	8	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Stormwater outlet
7492	Acacia disparrima	Hickory Wattle	200		200	63	13	4	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7493	Corymbia citriodora	Spotted Gum	120		120	38	12	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7494	Eucalyptus crebra	Narrow-leaved Ironbark	180		180	57	12	4	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7495	Corymbia citriodora	Spotted Gum	120		120	38	10	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7496	Corymbia citriodora	Spotted Gum	240		240	75	15	4	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7497	Corymbia citriodora	Spotted Gum	130		130	41	14	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7498	Eucalyptus tereticornis	Forest Red Gum	360		360	113	22	7	4.3	2.2	Regular	-	Thinning	Die-back	-	-</													

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Retention	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest		Habitat Value
7499	Eucalyptus tereticornis	Forest Red Gum	330		330	104	20	6	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7500	Corymbia citriodora	Spotted Gum	150		150	47	12	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7501	Corymbia citriodora	Spotted Gum	100		100	31	8	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7502	Corymbia citriodora	Spotted Gum	130	90	158	50	12	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7503	Eucalyptus tereticornis	Forest Red Gum	370		370	116	23	5	4.4	2.2	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7504	Corymbia citriodora	Spotted Gum	100		100	31	12	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7505	Corymbia citriodora	Spotted Gum	100		100	31	10	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7506	Corymbia citriodora	Spotted Gum	390		390	123	18	5	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7507	Corymbia citriodora	Spotted Gum	330		330	104	17	6	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7508	Eucalyptus tereticornis	Forest Red Gum	200		200	63	13	3	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7509	Corymbia citriodora	Spotted Gum	140		140	44	14	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7510	Corymbia citriodora	Spotted Gum	120		120	38	14	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7511	Lophostemon suaveolens	Swamp Box	140		140	44	10	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7512	Corymbia intermedia	Pink Bloodwood	130		130	41	7	1	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7513	Corymbia citriodora	Spotted Gum	120		120	38	12	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7514	Angophora subvelutina	Broad-leaved Apple	150		150	47	10	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7515	Corymbia citriodora	Spotted Gum	340		340	107	26	8	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7516	Corymbia citriodora	Spotted Gum	150		150	47	12	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7517	Lophostemon suaveolens	Swamp Box	120		120	38	8	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7518	Lophostemon suaveolens	Swamp Box	230		230	72	12	4	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7519	Corymbia citriodora	Spotted Gum	120		120	38	10	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7520	Corymbia intermedia	Pink Bloodwood	210		210	66	14	4	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7521	Corymbia citriodora	Spotted Gum	140		140	44	12	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7522	Corymbia intermedia	Pink Bloodwood	160		160	50	15	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7523	Corymbia citriodora	Spotted Gum	160		160	50	15	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7524	Corymbia citriodora	Spotted Gum	200		200	63	15	4	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7525	Corymbia citriodora	Spotted Gum	110		110	35	12	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7526	Corymbia tessellaris	Moreton Bay Ash	210		210	66	16	4	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7527	Eucalyptus tereticornis	Forest Red Gum	140		140	44	14	1	2.0	1.4	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7528	Eucalyptus tereticornis	Forest Red Gum	470		470	148	28	9	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7529	Eucalyptus tereticornis	Forest Red Gum	250		250	79	16	4	3.0	1.8	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7530	Corymbia citriodora	Spotted Gum	450		450	141	24	6	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7531	Corymbia citriodora	Spotted Gum	310		310	97	22	6	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7532	Corymbia citriodora	Spotted Gum	120		120	38	9	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7533	Corymbia citriodora	Spotted Gum	130		130	41	12	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7534	Corymbia citriodora	Spotted Gum	280		280	88	18	6	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7535	Corymbia citriodora	Spotted Gum	180		180	57	15	4	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7536	Eucalyptus tereticornis	Forest Red Gum	280		280	88	19	6	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7537	Corymbia citriodora	Spotted Gum	210		210	66	17	4	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7538	Corymbia citriodora	Spotted Gum	150		150	47	12	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7539	Corymbia citriodora	Spotted Gum	200		200	63	16	4	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7540	Corymbia citriodora	Spotted Gum	420		420	132	25	8	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7541	Corymbia citriodora	Spotted Gum	180		180	57	12	4	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7542	Corymbia citriodora	Spotted Gum	220		220	69	16	4	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7543	Eucalyptus tereticornis	Forest Red Gum	250		250	79	16	5	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7544	Corymbia intermedia	Pink Bloodwood	240		240	75	15	7	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7545	Corymbia citriodora	Spotted Gum	190		190	60	12	3	2.3	1.6	Regular	-	-	-	-														

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Retention		
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest		Habitat Value	
7546	Corymbia citriodora	Spotted Gum	430		430	135	25	7	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC	
7547	Eucalyptus tereticornis	Forest Red Gum	470		470	148	27	8	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC	
7548	Corymbia citriodora	Spotted Gum	170		170	53	13	3	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC	
7549	Corymbia citriodora	Spotted Gum	190		190	60	14	5	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC	
7550	Corymbia citriodora	Spotted Gum	370		370	116	26	10	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC	
7551	Corymbia citriodora	Spotted Gum	230	150	230	72	19	6	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC	
7552	Corymbia citriodora	Spotted Gum	310		344	108	26	8	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC	
7553	Corymbia citriodora	Spotted Gum	270		270	85	24	6	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC	
7554	Corymbia citriodora	Spotted Gum	330		330	104	25	7	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC	
7555	Corymbia citriodora	Spotted Gum	240		240	75	22	3	2.9	1.8	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7556	Corymbia citriodora	Spotted Gum	390		390	123	18	6	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC	
7557	Corymbia citriodora	Spotted Gum	160		160	50	14	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC	
7558	Corymbia citriodora	Spotted Gum	400		400	126	25	6	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC	
7559	Corymbia citriodora	Spotted Gum	400		400	126	26	9	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC	
7560	Corymbia citriodora	Spotted Gum	290		290	91	15	7	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC	
7561	Corymbia citriodora	Spotted Gum	440		440	138	25	8	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC	
7562	Corymbia citriodora	Spotted Gum	230		230	72	15	6	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC	
7563	Angophora subvelutina	Broad-leaved Apple	260		260	82	12	4	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC	
7564	Corymbia citriodora	Spotted Gum	400		400	126	23	4	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC	
7565	Corymbia citriodora	Spotted Gum	130		130	41	13	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC	
7566	Corymbia citriodora	Spotted Gum	280		280	88	16	9	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC	
7567	Corymbia citriodora	Spotted Gum	290		290	91	24	6	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC	
7568	Corymbia citriodora	Spotted Gum	150		150	47	13	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC	
7569	Eucalyptus tereticornis	Forest Red Gum	290		290	91	15	5	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC	
7570	Corymbia citriodora	Spotted Gum	330		330	104	24	8	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC	
7571	Eucalyptus crebra	Narrow-leaved Ironbark	420		420	132	18	8	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC	
7572	Corymbia citriodora	Spotted Gum	230		230	72	20	4	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC	
7573	Corymbia citriodora	Spotted Gum	200		200	63	17	4	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC	
7574	Corymbia citriodora	Spotted Gum	150		150	47	10	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC	
7575	Corymbia citriodora	Spotted Gum	280		280	88	27	7	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC	
7576	Corymbia citriodora	Spotted Gum	520		520	163	27	8	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC	
7577	Corymbia citriodora	Spotted Gum	320		320	101	25	7	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC	
7578	Corymbia citriodora	Spotted Gum	170		170	53	18	6	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC	
7579	Corymbia tessellaris	Moreton Bay Ash	280		280	88	15	5	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC	
7580	Corymbia citriodora	Spotted Gum	290		290	91	27	7	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC	
7581	Corymbia citriodora	Spotted Gum	120		120	38	10	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC	
7582	Corymbia citriodora	Spotted Gum	130		130	41	12	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC	
7583	Alphitonia excelsa	Soap Tree	160		160	50	10	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC	
7584	Corymbia citriodora	Spotted Gum	200		200	63	12	3	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC	
7585	Corymbia citriodora	Spotted Gum	260		260	82	22	7	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC	
7586	Corymbia citriodora	Spotted Gum	290		290	91	18	6	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC	
7587	Corymbia citriodora	Spotted Gum	320		320	101	15	5	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC	
7588	Corymbia citriodora	Spotted Gum	210		210	66	16	5	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC	
7589	Corymbia citriodora	Spotted Gum	110		110	35	8	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC	
7590	Corymbia citriodora	Spotted Gum	120		120	38	8	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC	
7591	Corymbia citriodora	Spotted Gum	160		160	50	11	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC	
7592	Corymbia citriodora	Spotted Gum	220		220	69	18	4	2.6	1.8	Regular	-</																		

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Retention
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	
7593	Eucalyptus crebra	Narrow-leaved Ironbark	100		100	31	10	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7594	Corymbia citriodora	Spotted Gum	100		100	31	12	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7595	Corymbia citriodora	Spotted Gum	270		270	85	24	8	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7596	Lophostemon suaveolens	Swamp Box	140		140	44	8	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7597	Corymbia citriodora	Spotted Gum	110		110	35	8	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7598	Eucalyptus tereticornis	Forest Red Gum	220		220	69	14	4	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7599	Eucalyptus tereticornis	Forest Red Gum	180		180	57	15	4	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7600	Corymbia citriodora	Spotted Gum	200		200	63	14	4	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7601	Corymbia citriodora	Spotted Gum	240		240	75	16	5	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7602	Corymbia citriodora	Spotted Gum	440	330	550	173	25	8	6.6	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7603	Corymbia citriodora	Spotted Gum	320		320	101	18	4	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7604	Corymbia citriodora	Spotted Gum	470		470	148	26	9	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7605	Corymbia citriodora	Spotted Gum	190		190	60	16	4	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7606	Eucalyptus tereticornis	Forest Red Gum	190		190	60	14	4	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7607	Corymbia citriodora	Spotted Gum	230	140	269	85	20	4	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7608	Corymbia citriodora	Spotted Gum	190		190	60	22	5	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7609	Corymbia citriodora	Spotted Gum	300		300	94	20	6	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7610	Corymbia citriodora	Spotted Gum	360		360	113	19	7	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7611	Corymbia citriodora	Spotted Gum	180		180	57	18	4	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7612	Corymbia citriodora	Spotted Gum	180		180	57	16	4	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7613	Eucalyptus tereticornis	Forest Red Gum	150		150	47	12	2	2.0	1.5	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC
7614	Eucalyptus tereticornis	Forest Red Gum	180		180	57	16	4	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in ROL4, Future retention TBC