



Economic Development Queensland

Creating and investing in sustainable places for Queensland to prosper

Our ref: DEV2020/1165/3

7 November 2025

Wentworth Equities No 2 Pty Ltd as Trustee Under Instrument 715828071
C/- Urbis Ltd
Att: Mr Matthew Brown
Level 32, 300 George Street
BRISBANE CITY QLD 4000

Email: mbrown@urbis.com.au

Dear Mr Brown

Section 99 Approval - Application to Change PDA Development Approval

PDA development permit material change of use for multiple residential, food premises, shop, office, indoor entertainment, medical centre (stage 1); preliminary approval for a material change of use for multiple residential, food premises, shop, office, indoor entertainment and medical centre (stages 2 and 3); and development permit for reconfiguring a lot for 1 lot into 3 lots and volumetric subdivision at 19 Hercules Street, Hamilton described as Lot 3 on SP172658

On 7 November 2025 the Minister for Economic Development Queensland (MEDQ) decided to grant **all** of the amendment application applied for, subject to PDA development conditions set out in this PDA decision notice.

The PDA decision notice and approved plans/documents can be viewed in the MEDQ Development Approvals Register via the Department website [Current applications and approvals](#).

If you require any further information, please contact Mr Andrew Edwards, Planner, Development Services, in Economic Development Queensland, by telephone on (07) 3035 0120 or at andrew.edwards@edq.qld.gov.au, who will assist.

Yours sincerely

Beatriz Gomez
Director
Development Services
Economic Development Queensland



PDA Decision Notice – Approval

Site information		
Name of priority development area (PDA)	Northshore Hamilton PDA	
Site address	19 Hercules Street, Hamilton	
Lot on plan description	Lot number	Plan description
	Lot 3	SP172658
PDA development application details		
DEV reference number	DEV2019/1087/11	
‘Properly made’ date	07 October 2025	
Type of application	☐ PDA development application for: ☐ Material change of use ☐ Preliminary approval ☐ Development permit ☐ Reconfiguring a lot ☐ Preliminary approval ☐ Development permit ☐ Operational work ☐ Preliminary approval ☐ Development permit ☒ Application to change PDA development approval ☐ Application to extend currency period	
Description of proposal applied for	Reconfiguration of a Lot – 1 into 3 Subdivision with a volumetric subdivision Material Change of Use – Multiple residential, food premises, shop, office, indoor entertainment, medical centre (stage 1) Preliminary Material Change of Use - Multiple residential, food premises, shop, office, indoor entertainment and medical centre (stages 2 and 3)	
PDA development approval details		
Decision of the MEDQ	The MEDQ has decided to grant <u>all</u> of the PDA development approval applied for, <u>subject to</u> PDA development conditions forming part of this decision notice This approval is for a a) PDA Development Permit for a 1 into 3 RoL b) PDA Development Permit of Material Change of Use – Multiple residential, food premises, shop, office, indoor entertainment, medical centre (stage 1) c) PDA Preliminary Approval for Material Change of Use - Multiple residential, food premises, shop, office, indoor entertainment and medical centre (stages 2 and 3)	

	The endorsed changes include • Amending Stage 1 RoL to include a 1 into 3 subdivision and volumetric Subdivision • Remove Stage 2 RoL from the approval package. • Amend condition title for Stage 1 RoL to reflect the new 1 into 3 RoL and volumetric subdivision • Remove condition title for Stage 2 RoL to reflect the removal of Stage 2 RoL from the approval package • Move condition RoL49 – Earthworks into the MCU component of the approval as there are no earthworks proposed for the RoL Stage. • Amend condition RoL 50 – Stormwater management to be RoL 50 – Stormwater connection that requires the applicant to demonstrate that inter-allotment drainage will be achieved as opposed to having to construct the stormwater system before Plan Sealing. • Removal of condition RoL 53 as a carry out the approved development condition is already in the approval package.
Original Decision date	9 December 2021
Change to approval date	7 November 2025
Currency period	Development permit Material Change of Use – Six (6) years from the original decision date Development permit Reconfiguration a Lot – Six (6) years from the original decision date Preliminary Approval – Six (6) years from the original decision date

Assessment Team

Assessment Manager (Lead)	Andrew Edwards, Planner
Manager	Peita McCulloch, Manager
Engineer	Manjurul Alam, Principal Engineer
Delegate	Beatriz Gomez, Director

Approved plans and documents

The plans and documents approved by the MEDQ and referred to in the PDA development conditions for the PDA development approval are detailed below.

Approved plans and documents		Number	Date
1.	Plan of Proposed Standard Format Subdivision of Lots 1-3	10391_004_PRO Sheet 1 of 3	23/10/2025
2.	Plan of Proposed Subdivision of Lot 10 (Volumetric) & Lot 901 (Standard Format)	10391_004_PRO Sheet 2 of 3	23/10/2025
3.	Plan of Proposed Subdivision of Lot 10 (Volumetric) & Lot 901 (Standard Format)	10391_004_PRO Sheet 3 of 3	23/10/2025

4.	COVER SHEET prepared by Fuse Architects	DA 000 Rev A	07/12/2020
5.	LEGEND AND BASIX prepared by Fuse Architects	DA 001 Rev A	07/12/2020
6.	LOCATION PLAN prepared by Fuse Architects	DA 002 Rev A	07/12/2020
7.	SITE ANALYSIS prepared by Fuse Architects	DA 003 Rev A	07/12/2020
8.	BASEMENT 5 prepared by Fuse Architects <u>amended in red by MEDQ 5/11/2025</u>	DA 101 Rev A	07/12/2020 (Amended in Red 05/11/2025)
9.	BASEMENT 4 prepared by Fuse Architects <u>amended in red by MEDQ 5/11/2025</u>	DA 102 Rev A	07/12/2020 (Amended in Red 05/11/2025)
10.	BASEMENT 3 prepared by Fuse Architects <u>amended in red by MEDQ 5/11/2025</u>	DA 103 Rev A	07/12/2020 (Amended in Red 05/11/2025)
11.	BASEMENT 2 PLAN prepared by Fuse Architects <u>amended in red by MEDQ 5/11/2025</u>	DA 104 Rev A	07/12/2020 (Amended in Red 05/11/2025)
12.	BASEMENT 1 PLAN prepared by Fuse Architects <u>amended in red by MEDQ 5/11/2025</u>	DA 105 Rev A	07/12/2020 (Amended in Red 05/11/2025)
13.	GROUND FLOOR prepared by Fuse Architects <u>amended in red by MEDQ 5/11/2025</u>	DA 106 Rev A	14/05/2021 (Amended in Red 05/11/2025)
14.	VIEW CORRIDOR AXIS prepared by Fuse Architects	DA 107 Rev A	14/05/2021 (Amended in Red 05/11/2025)
15.	MEZZANINE prepared by Fuse Architects prepared by Fuse Architects <u>amended in red by MEDQ 5/11/2025</u>	DA 108 Rev A	14/05/2021 (Amended in Red 05/11/2025)
16.	LEVEL 1 prepared by Fuse Architects <u>amended in red by MEDQ 5/11/2025</u>	DA 109 Rev A	14/05/2021 (Amended in Red 05/11/2025)
17.	LEVELS 2, 9+10 PLANS (TYP LOWER W/ SKYGARDENS TO EAST) prepared by Fuse Architects <u>amended in red by MEDQ 5/11/2025</u>	DA 110 Rev A	14/05/2021 (Amended in Red 05/11/2025)
18.	LEVELS 3, 4, 7, 8, 11, 12 + 15 PLANS (TYP LOWER) prepared by Fuse Architects <u>amended in red by MEDQ 5/11/2025</u>	DA 111 Rev A	14/05/2021 (Amended in Red 05/11/2025)
19.	LEVELS 5, 6,13+14 PLANS (TYP LOWER W/ SKYGARDENS TO WEST) prepared by Fuse Architects <u>amended in red by MEDQ 5/11/2025</u>	DA 112 Rev A	14/05/2021 (Amended in Red 05/11/2025)
20.	LEVELS 16, 19, 20 (TYP UPPER) prepared by Fuse Architects <u>amended in red by MEDQ 5/11/2025</u>	DA 113 Rev A	14/05/2021 (Amended in Red 05/11/2025)

21.	LEVELS 17 + 18 (TYP UPPER W/ SKYGARDENS TO EAST) prepared by Fuse Architects <u>amended in red by MEDQ 5/11/2025</u>	DA 114 Rev A	14/05/2021 (Amended in Red 05/11/2025)
22.	LEVELS 21 + 22 (TYP UPPER W/ SKYGARDENS TO WEST) prepared by Fuse Architects <u>amended in red by MEDQ 5/11/2025</u>	DA 115 Rev A	14/05/2021 (Amended in Red 05/11/2025)
23.	LEVEL 23 prepared by Fuse Architects <u>amended in red by MEDQ 5/11/2025</u>	DA 116 Rev A	14/05/2021 (Amended in Red 05/11/2025)
24.	LEVEL 24 prepared by Fuse Architects <u>amended in red by MEDQ 5/11/2025</u>	DA 117 Rev A	14/05/2021 (Amended in Red 05/11/2025)
25.	LEVEL 25 prepared by Fuse Architects <u>amended in red by MEDQ 5/11/2025</u>	DA 118 Rev A	14/05/2021 (Amended in Red 05/11/2025)
26.	LEVEL 26 prepared by Fuse Architects <u>amended in red by MEDQ 5/11/2025</u>	DA 119 Rev A	14/05/2021 (Amended in Red 05/11/2025)
27.	LEVEL 27 prepared by Fuse Architects <u>amended in red by MEDQ 5/11/2025</u>	DA 120 Rev A	14/05/2021 (Amended in Red 05/11/2025)
28.	LEVEL 28 prepared by Fuse Architects <u>amended in red by MEDQ 5/11/2025</u>	DA 121 Rev A	14/05/2021 (Amended in Red 05/11/2025)
29.	ROOF prepared by Fuse Architects <u>amended in red by MEDQ 5/11/2025</u>	DA 122 Rev A	14/05/2021 (Amended in Red 05/11/2025)
30.	NORTH ELEVATION HERCULES STREET prepared by Fuse Architects	DA 201 Rev A	07/12/2020
31.	EAST ELEVATION prepared by Fuse Architects	DA 202 Rev A	07/12/2020
32.	SOUTH ELEVATION prepared by Fuse Architects	DA 203 Rev A	07/12/2020
33.	WEST ELEVATION prepared by Fuse Architects	DA 204 Rev A	07/12/2020
34.	SECTION AA prepared by Fuse Architects	DA 301 Rev A	07/12/2020
35.	SECTION BB prepared by Fuse Architects	DA 302 Rev A	07/12/2020
36.	SECTION CC prepared by Fuse Architects	DA 303 Rev A	07/12/2020
37.	SECTION DD prepared by Fuse Architects	DA 304	21/05/2021
38.	SECTION EE prepared by Fuse Architects	DA 305	21/05/2021
39.	SECTION FF prepared by Fuse Architects	DA 306	21/05/2021
40.	ADAPTABLE UNIT prepared by Fuse Architects	DA 401 Rev A	07/12/2020
41.	AREA CALCULATIONS DIAGRAMS prepared by Fuse Architects	DA 402 Rev A	07/12/2020
42.	SUNSTUDIES @ JUNE 21st prepared by Fuse Architects	DA 403 Rev A	07/12/2020
43.	SUNSTUDIES @ JUNE 21 st prepared by Fuse Architects	DA 404 Rev A	07/12/2020

44.	CONTEXTURAL RELATIONSHIP prepared by Fuse Architects prepared by Fuse Architects	DA 405	13/05/2021
45.	PASSIVE DESIGN ANALYSIS	DA 406	26/05/2021
46.	PLATINUM HAMILTON - STAGE 1 LANDSCAPE CONCEPT MASTER PLAN REPORT prepared by Urbis	I	13/08/21
47.	COVENANT FORM 31 prepared by Mahoneys		09/12/2021
48.	Proposed Covenant Plan prepared by Bennett and Bennett		06/12/2021
49.	Preliminary Approval Drawing prepared by Urbis (amended in red 7/12/2021)	RPT-20201221-19 Hercules Street Hamilton	Amended in red 07/12/2021
50.	Serviceability Report prepared by Bornhorst and Ward	Rev B	14/08/20
51.	ESD Report prepared by FUSE Architects	V4	October 2021
Plans and documents previously approved on 9 December 2021		Number	Date
1.	COVER SHEET prepared by Fuse Architects	DA 000 Rev A	07/12/2020
2.	LEGEND AND BASIX prepared by Fuse Architects	DA 001 Rev A	07/12/2020
3.	LOCATION PLAN prepared by Fuse Architects	DA 002 Rev A	07/12/2020
4.	SITE ANALYSIS prepared by Fuse Architects	DA 003 Rev A	07/12/2020
5.	BASEMENT 5 prepared by Fuse Architects	DA 101 Rev A	07/12/2020
6.	BASEMENT 4 prepared by Fuse Architects	DA 102 Rev A	07/12/2020
7.	BASEMENT 3 prepared by Fuse Architects	DA 103 Rev A	07/12/2020
8.	BASEMENT 2 PLAN prepared by Fuse Architects	DA 104 Rev A	07/12/2020
9.	BASEMENT 1 PLAN prepared by Fuse Architects	DA 105 Rev A	07/12/2020
10.	GROUND FLOOR prepared by Fuse Architects	DA 106 Rev A	14/05/2021
11.	VIEW CORRIDOR AXIS prepared by Fuse Architects	DA 107 Rev A	14/05/2021
12.	MEZZANINE prepared by Fuse Architects prepared by Fuse Architects	DA 108 Rev A	14/05/2021
13.	LEVEL 1 prepared by Fuse Architects	DA 109 Rev A	14/05/2021
14.	LEVELS 2, 9+10 PLANS (TYP LOWER W/ SKYGARDENS TO EAST) prepared by Fuse Architects	DA 110 Rev A	14/05/2021
15.	LEVELS 3, 4, 7, 8, 11, 12 + 15 PLANS (TYP LOWER) prepared by Fuse Architects	DA 111 Rev A	14/05/2021
16.	LEVELS 5, 6,13+14 PLANS (TYP LOWER W/ SKYGARDENS TO WEST) prepared by Fuse Architects	DA 112 Rev A	14/05/2021
17.	LEVELS 16, 19, 20 (TYP UPPER) prepared by Fuse Architects	DA 113 Rev A	14/05/2021
18.	LEVELS 17 + 18 (TYP UPPER W/ SKYGARDENS TO EAST) prepared by Fuse Architects	DA 114 Rev A	14/05/2021
19.	LEVELS 21 + 22 (TYP UPPER W/ SKYGARDENS TO WEST) prepared by Fuse Architects	DA 115 Rev A	14/05/2021

20.	LEVEL 23 prepared by Fuse Architects	DA 116 Rev A	14/05/2021
21.	LEVEL 24 prepared by Fuse Architects	DA 117 Rev A	14/05/2021
22.	LEVEL 25 prepared by Fuse Architects	DA 118 Rev A	14/05/2021
23.	LEVEL 26 prepared by Fuse Architects	DA 119 Rev A	14/05/2021
24.	LEVEL 27 prepared by Fuse Architects	DA 120 Rev A	14/05/2021
25.	LEVEL 28 prepared by Fuse Architects	DA 121 Rev A	14/05/2021
26.	ROOF prepared by Fuse Architects	DA 122 Rev A	14/05/2021
27.	NORTH ELEVATION HERCULES STREET prepared by Fuse Architects	DA 201 Rev A	07/12/2020
28.	EAST ELEVATION prepared by Fuse Architects	DA 202 Rev A	07/12/2020
29.	SOUTH ELEVATION prepared by Fuse Architects	DA 203 Rev A	07/12/2020
30.	WEST ELEVATION prepared by Fuse Architects	DA 204 Rev A	07/12/2020
31.	SECTION AA prepared by Fuse Architects	DA 301 Rev A	07/12/2020
32.	SECTION BB prepared by Fuse Architects	DA 302 Rev A	07/12/2020
33.	SECTION CC prepared by Fuse Architects	DA 303 Rev A	07/12/2020
34.	SECTION DD prepared by Fuse Architects	DA 304	21/05/2021
35.	SECTION EE prepared by Fuse Architects	DA 305	21/05/2021
36.	SECTION FF prepared by Fuse Architects	DA 306	21/05/2021
37.	ADAPTABLE UNIT prepared by Fuse Architects	DA 401 Rev A	07/12/2020
38.	AREA CALCULATIONS DIAGRAMS prepared by Fuse Architects	DA 402 Rev A	07/12/2020
39.	SUNSTUDIES @ JUNE 21st prepared by Fuse Architects	DA 403 Rev A	07/12/2020
40.	SUNSTUDIES @ JUNE 21 st prepared by Fuse Architects	DA 404 Rev A	07/12/2020
41.	CONTEXTURAL RELATIONSHIP prepared by Fuse Architects prepared by Fuse Architects	DA 405	13/05/2021
42.	PASSIVE DESIGN ANALYSIS	DA 406	26/05/2021
43.	PLATINUM HAMILTON - STAGE 1 LANDSCAPE CONCEPT MASTER PLAN REPORT prepared by Urbis	I	13/08/21
44.	COVENANT FORM 31 prepared by Mahoneys		09/12/2021
45.	Proposed Covenant Plan prepared by Bennett and Bennett		06/12/2021
46.	Preliminary Approval Drawing prepared by Urbis (amended in red 7/12/2021)	RPT-20201221-19 Hercules Street Hamilton	Amended in red 07/12/2021
47.	Plan of Proposed Volumetric Subdivision of Lots 101 & 900 Cancelling Lot 3 on SP172658 (SP322280) prepared by Bennett and Bennett	10391_003_PRO	11/11/2020

48.	Plan of Proposed Standard Format Subdivision of Lots 1-3 Cancelling Lot 900 on SP322280 (SP322281)	10391_004_PRO	11/11/2020
49.	Serviceability Report prepared by Bornhorst and Ward	Rev B	14/08/20
50.	ESD Report prepared by FUSE Architects	V4	October 2021

Preamble, Abbreviations, and Definitions

PREAMBLE

Nil or insert preamble

ABBREVIATIONS AND DEFINITIONS

The following is a list of abbreviations utilised in this approval:

AILA means a Landscape Architect registered by the Australian Institute of Landscape Architects.

BFP means Building Format Plan.

BASIC (SLOW) CHARGERS means an electric vehicle charging facility on a dedicated electrical circuit, typically used in long park situations such as dwellings and workplaces. Basic (slow) EV chargers use AC (240 volts) power and require a minimum 20 Amps, as well as installation of an Electric Vehicle Supply Equipment (EVSE) unit capable of supplying up to 7kW of power.

CERTIFICATION PROCEDURES MANUAL means the document titled *Certification Procedures Manual*, prepared by EDQ, dated April 2020 (as amended from time to time).

CONTRIBUTED ASSET means an asset constructed under a PDA development approval or Infrastructure Agreement that will become the responsibility of an External Authority. For the purposes of operational works for a Contributed Asset, the following definitions apply:

- a) **External Authority** means a public-sector entity other than the MEDQ;
- b) **Parkland** means carrying out operational work related to the provision of parkland infrastructure;
- c) **Roadworks** means carrying out any operational work within existing or proposed road(s), to a depth of 1.5m measured from the top of kerb, and includes Streetscape Works;
- d) **Sewer Works** means carrying out any operational work related to the provision of wastewater infrastructure;
- e) **Streetscape Works** means carrying out any operational work within the verge of a road, including footpath surface treatments, street furniture, street lighting and landscaping;
- f) **Stormwater Works** means carrying out any operational work related to the provision of stormwater infrastructure; and
- g) **Water Works** means carrying out any operational work related to the provision of water infrastructure.

COUNCIL means the relevant local government for the land the subject of this approval.

DC (FAST) CHARGERS means an electric vehicle charging facility capable of supplying a minimum of 50kW of power per parking bay. DC (fast) charging is used for short term parking situations up to 1 hour in duration and provides convenience fast charging. DC (fast) chargers, generally operated by third parties, are suited to developments providing services on highways and major roads.

DESTINATION (FASTER) CHARGERS means an electric vehicle charging facility capable of supplying up to 25kW of power. Destination (faster) charging is typically used for short term parking, up to 2 hours

duration. Destination (faster) charging usually requires three-phase (415 volts) power with 20-32 Amps. However, if three-phase power is unavailable, single-phase power with 40 Amps is acceptable.

EDQ means Economic Development Queensland.

EDQ DA means Economic Development Queensland's – Development Assessment team.

EDQ IS means Economic Development Queensland's – Infrastructure Solutions team.

EP Act means the *Environmental Protection Act 1994*.

LGIA means the Caloundra South Priority Development Area Infrastructure Agreement (Local Government Infrastructure) in effect 2 November 2015 (as amended from time to time).

MEDQ means the Minister for Economic Development Queensland.

PDA means Priority Development Area.

RPEQ means Registered Professional Engineer of Queensland.

Submitting Documentation to EDQ

Where a condition of this approval requires documentation to be submitted to either EDQ DA or EDQ IS, use the following email addresses:

a) EDQ DA: pdadevelopmentassessment@edq.qld.gov.au

b) EDQ IS: PrePostConstruction@edq.qld.gov.au

PDA Development Conditions – Material Change of Use (Stage 1)

Ref	Condition	Timing
General		
MCU 1.	Carry out the approved development Carry out the approved development generally in accordance with: - the approved plans and documents; and - any other documentation endorsed via Compliance Assessment as required by the following conditions: - Condition 4 Out of Hours Work - Condition 31 Streetscape works - Condition 32 Sufficient Grounds - Landscape and Public Realm Design (stage 1 and interim) - Condition 36 Sufficient Grounds - Sustainability and efficiency - Condition 42 Covenant for Public Realm - Condition 44 Covenant for Public Realm - Condition 43 Out of Hours Work	Prior to commencement of use or BFP endorsement, whichever occurs first

PDA Development Conditions – Material Change of Use (Stage 1)		
Ref	Condition	Timing
MCU 2.	Maintain the approved development Maintain the approved development generally in accordance with: a) the approved plans and documents; and b) any other documentation endorsed via Compliance Assessment as required by these conditions: a. Condition 4 Out of Hours Work b. Condition 31 Streetscape works c. Condition 32 Sufficient Grounds - Landscape and Public Realm Design d. Condition 33 Sufficient Grounds - ultimate public realm delivery. (stage 1 and interim) e. Condition 36 Sufficient Grounds - Sustainability and efficiency f. Condition 42 Covenant for Public Realm g. Condition 44 Covenant for Public Realm h. Condition 43 Out of Hours Work	At all times following commencement of use
Construction management		
MCU 3.	Hours of work - construction Unless otherwise endorsed, via Compliance Assessment for out of hours work, construction hours for the approved development are limited to Monday to Saturday between 6:30am to 6:30pm, excluding public holidays.	During construction unless otherwise endorsed
MCU 4.	Out of hours work - Compliance Assessment Where out of hours work is proposed, submit to EDQ DA, for Compliance Assessment, an out of hours work request. The out of hours work request must include a duly completed out of hours work request form¹.	Minimum of 10 business days prior to proposed out of hours work commencement date
MCU 5.	Certification of Operational Work Carry out all Operational Work under this approval in accordance with the <i>Certification Procedures Manual</i>. Conditions that require compliance with the Certification Procedures Manual are as follows: • Condition 7 Erosion and Sediment Management • Condition 10 Construction Noise Management Plan • Condition 11 Structural Monitoring and Vibration Report • Condition 13 Excavation and Basement Design • Condition 15 Retaining Walls (not part of building structure) • Condition 16 Groundwater Management Strategy • Condition 17 Shoring • Condition 18 Temporary Rock and ground anchors • Condition 19 Roadworks	At all times

¹ The out of hours work request form is available at EDQ's website.

PDA Development Conditions – Material Change of Use (Stage 1)		
Ref	Condition	Timing
	- Condition 26 Stormwater Management (quality) - Condition 30 Streetscape Works - Condition 31 Landscape and Public Realm Design - Condition 46 Earthworks - Condition 47 Stormwater Management (Quantity)	
MCU 6.	Construction management plan a) Submit to EDQ IS a site-based Construction Management Plan (CMP), prepared by the principal site contractor and reviewed by a suitably qualified and experienced person responsible for overseeing the site works, to manage construction impacts, including: - noise and dust in accordance with the EP Act; - stormwater flows around and through the site without increasing the concentration of total suspended solids or Prescribed Water Contaminants (as defined in the EP Act), causing erosion, creating any ponding and causing any actionable nuisance to upstream and downstream properties; - contaminated land, where required under a site suitability statement prepared in accordance with section 389 of the EP Act; - complaints procedures; - site management: - for the provision of safe and functional alternative pedestrian routes, past, through or around the site; - to mitigate impacts to public sector entity assets, including street trees, on or external to the site; - for safe and functional temporary vehicular access points and frequency of use noting all access must be via Hercules Street; - for the safe and functional loading and unloading of materials including the location of any remote loading sites; - for the location of materials, structures, plant and equipment; - of waste generated by construction activities; - detailing how materials are to be loaded/unloaded; - of proposed external hoardings and gantries (with clearances to street furniture and other public sector entity assets); - of employee and visitor parking areas; - of anticipated staging and programming; - for the provision of safe and functional emergency exit routes; and - any out of hours work as endorsed via Compliance Assessment. b) A copy of the CMP submitted under part a) of this condition must be current and available on site.	a) Prior to commencing work b) During construction

PDA Development Conditions – Material Change of Use (Stage 1)		
Ref	Condition	Timing
	c) Carry out all construction work generally in accordance with the CMP submitted under part a) of this condition.	c) During construction
MCU 7.	Erosion and sediment management a) Submit to EDQ IS an Erosion and Sediment Control Plan (ESCP), certified by a RPEQ or an accredited professional in erosion and sediment control, and prepared generally in accordance with the following: i) construction phase stormwater management design objectives of the <i>State Planning Policy 2017</i> (Appendix 2 Table A); ii) <i>Healthy Land and Water Technical Note: Complying with the SPP – Sediment Management on Construction Sites</i>. b) Implement the certified ESCP submitted under part a) of this condition.	a) Prior to commencing work b) During construction
MCU 8.	Traffic management plan a) Submit to EDQ IS a Traffic Management Plan (TMP), certified by a person holding a current Traffic Management Design qualification. The TMP must include the following: i) provision for the safe and functional management of traffic around and through the site during and outside of construction work hours; ii) provision for the safe and functional management of pedestrian traffic, including alternative pedestrian routes past, through or around the site; iii) provision of parking for workers and materials delivery; iv) risk identification, assessment and identification of mitigation measures; v) ongoing monitoring, management review and certified updates (as required); and vi) traffic control plans and/or traffic control diagrams, prepared in accordance with <i>Austroads Guide to Temporary Traffic Management</i>, for any temporary part or full road closures. b) Carry out all construction work generally in accordance with the certified TMP submitted under part a) of this condition, which is to be current and available on site. <i>NOTE: Operational traffic changes, such as temporary and permanent lane modifications, relaxation of clearway zone hours or footpath closures may require authorisation from Council or DTMR as road manager. It is recommended that applicants engage directly with the applicable road manager.</i>	a) Prior to commencing work b) During construction

PDA Development Conditions – Material Change of Use (Stage 1)

Ref	Condition	Timing
MCU 9.	Haulage management plan a) Submit to EDQ IS a Haulage Management Plan (HMP) prepared by a suitably qualified and experienced person holding current Traffic Management Design qualifications. The HMP is to include at a minimum: i) Heavy vehicle size and load limits; ii) An estimate of the quantity of excavated / demolition material to be removed and the approximate number of heavy vehicle movements per day, including destinations for loads; iii) Designated haulage route(s) including contingency haulage for all stages of the Works noting that all haulage from the site must be via Hercules Street; iv) Haulage times; v) Monitoring arrangements, daily metric reporting and monthly reporting to manage load limit compliance; vi) Relevant actions and procedures identifying how loads will be appropriately secured, managed and loaded; vii) Contingency planning for non-standard operations and unpredicted impacts, including a safety management protocol; viii) A communication strategy (including a community engagement plan) for routes and corridors that are being utilised for the transportation of material(s), with provision for a complaints register, and the ability to identify relevant trucks or drivers in relation to a complaint received; and ix) Evidence of consultation with Council which demonstrates their support of the HMP b) Undertake all haulage in accordance with the relevant HMP, which must be current and available on site at all times.	a) Prior to commencing work b) At all times

MCU 10.	Construction noise management plan a) Submit to EDQ IS a Construction Noise Management Plan (CNMP), certified by a suitably qualified acoustic engineer. At a minimum, the CNMP must address the following sections of <i>Australian Standard AS2436-2010</i> as they relate to the site and construction activities: i) section 3.4 – Community Relations, including schedule of activities, community notification strategy, complaints reporting and response strategies ii) section 4.4 – Post Approval/Construction Planning for Noise and Vibration, including strategies to minimise adverse impacts to proximate sensitive land uses/receptors iii) section 4.5 – Control of Noise at Source, including strategies to control noise at source; iv) section 4.6 – Controlling the Spread of Noise, including noise reduction measures; and v) section 5.0 – Methods for Measurement of Noise and Vibration, including noise measurement and monitoring strategy. b) Carry out construction work generally in accordance with the certified CNMP required under part a) of this condition. c) Where requested by EDQ, submit to EDQ TS Noise Monitoring Reports, certified by a suitably qualified acoustic engineer, and evidence of compliance with the community relations elements of the CNMP required under part a) of this condition.	a) Prior to commencing work b) During construction c) As requested by EDQ
MCU 11.	Structural monitoring and vibration report a) Submit to the EDQ IS a Structural Monitoring and Vibration Report (SMVR), certified by a suitably qualified RPEQ, including: i) the process for in-situ testing, based upon actual construction equipment, methods and onsite geotechnical conditions, to forecast expected vibration during all works, detailing: 1. excavation of basement and shoring; 2. new excavation; 3. installation of new foundations (i.e. piling); 4. proposed methods to mitigate and control vibration and ground movement during construction; ii) an instrumentation and monitoring plan, including drawings, frequency of monitoring, vibration limits and actions to be taken should limits be exceeded. The monitoring must commence prior to excavation, continue during excavation and construction, and finish one month after the completion of permanent works; iii) confirmation that the vibrations limits have been submitted to adjacent utility providers;	a) Prior to commencing work

	iv) confirmation that UU, APA and Energex has reviewed the monitoring procedure for works adjacent to the Water, Sewer, Gas, Electrical Infrastructure; v) where proposed anchoring, including: 1. whether anchors are temporary or permanent; 2. anchors' lifespan; 3. consent from affected landowners and/or road managers; vi) dilapidation survey of surrounding assets and details of on-going monitoring of these assets. b) Carry out construction work in accordance with the certified SMVR certified under part a) of this condition.	b) During construction
MCU 12.	Public infrastructure (damage, repairs and relocation) a) Repair any damage to existing public infrastructure caused by works carried out in association with the approved development. b) Where existing public infrastructure require repair or relocation, due to the approved development and/or works associated with the approved development, repair and/or relocate the public infrastructure at no cost to others and in accordance with statutory requirements and the External Authority's design standards. <i>NOTE: It is recommended applicants record their own dated photographic evidence of the condition of relevant existing public infrastructure both before and after works carried out in association with the approved development.</i>	a) Prior to commencement of use or BFP endorsement, whichever occurs first b) Prior to commencement of use or BFP endorsement, whichever occurs first
MCU 13.	Excavation and basement design a) Submit to the EDQ IS an Excavation and Basement Report, certified by a RPEQ, including: i) confirmation of design and performance criteria including standards and supporting documents used for the basis of design; ii) consistency with: 1. <i>Australian Standard AS 3798, Guidelines on Earthworks for Commercial and Residential Developments</i>; 2. the Geotechnical Shoring and Design Report submitted under Condition 17 of this approval; 3. the Structural Monitoring and Vibration Report submitted under Condition 11 of this approval; 4. the Rock and Ground Anchor Report submitted under Condition 18 of this approval; iii) locations of cut and fill, and the character of material; iv) quantity of fill to be deposited; v) a maintenance regime for site access roads/tracks, ensuring they remain clean and free of material;	a) Prior to commencing work

	vi) existing and proposed finished levels in reference to the Australian Height Datum and extending into the adjoining properties; vii) mitigation measures for the protection of adjoining properties and roads from ponding and/or nuisance from stormwater; viii) where earthworks disturb contaminated land (as defined under the EP Act), evidence of consistency with the site suitability statement submitted under Condition 14 of this approval; and ix) Detailed Design and Construction Plans, including staging, for excavation and basement design, certified by a RPEQ. b) Carry out excavation and basement work in accordance with the certified Detailed Design and Construction Plans submitted under part a) ix) of this condition. c) Carry out excavation and basement work in accordance with the certified Detailed Design and Construction Plans submitted under part a) ix) of this condition. d) Submit to EDQ IS RPEQ: i) certification that excavation and basement work has been undertaken in accordance with part b) of this condition; and ii) certified 'as-constructed' drawings for the excavation and basement work carried out in accordance with part b) of this condition. <i>NOTE: When submitting 'as constructed drawings', the preferred format is one letter/certificate listing all drawings and signed by the appropriate RPEQ for each discipline of engineering.</i>	b) During construction c) Prior to commencement of use or BFP endorsement, whichever occurs first
MCU 14.	Acid sulfate soils a) Submit to EDQ IS an ASS management plan, prepared in accordance with the <i>Queensland Acid Sulfate Soil Technical Manual Soil Management Guidelines v4.0 2014</i> (as amended from time to time). b) Excavate, remove and/or treat on site all disturbed ASS generally in accordance with the ASS management plan submitted under part a) of this condition.	a) Prior to commencement of or during earthworks b) Prior to commencement of use or BFP endorsement, whichever occurs first

	c) Submit to EDQ IS a validation report, certified by a suitably qualified environmental or soil scientist, confirming that all earthworks have been carried out in accordance with the ASS management plan submitted under part b) of this condition.	c) Prior to commencement of use or BFP endorsement, whichever occurs first
MCU 15.	Retaining walls (not part of building structure) a) Submit to EDQ IS detailed engineering plans, certified by a RPEQ, of all retaining walls 1m or greater in height. Retaining walls must be: i) certified to achieve a minimum 50 year design life; ii) designed generally in accordance with <i>Australian Standard AS4678 – Earth Retaining Structures</i> and relevant material standards (e.g. <i>AS3600 – Concrete Structures</i>); b) Construct retaining walls generally in accordance with the certified plans required under part a) of this condition. c) Submit to EDQ IS certification from an RPEQ that all retaining wall works 1.0m or greater in height have been constructed generally in accordance with the certified plans submitted under part a) of this condition.	a) Prior to commencing earthworks b) Prior to commencement of use or BFP endorsement, whichever occurs first c) Prior to commencement of use or BFP endorsement, whichever occurs first
MCU 16.	Groundwater management strategy a) Submit to EDQ IS a Groundwater Management Strategy (GMS), certified by a suitably qualified and experienced person, incorporating at a minimum: ○ strategies for managing groundwater during all works phases; ○ an assessment of the groundwater conditions to determine appropriate construction management procedures, including modelling in accordance with <i>Australian Groundwater Modelling Guidelines, 2012</i>; ○ strategies for a situation where the groundwater inflow is excessive and additional pumping is required (i.e. cut-off drain); ○ details of the extent of drawdown including plots of groundwater contours and proposed mitigation measures to reduce the impact of drawdown on existing infrastructure and structures (i.e. buildings and services); ○ strategies for the collection and treatment of stormwater to ensure the stormwater discharge conforms with current <i>Australian and New Zealand Environment and Conservation Council Guidelines</i>; and	a) Prior to commencing work

	○ confirmation that the GMS has been prepared with reference to the relevant documentation prepared in accordance with other related conditions of this approval including; a. Condition 17 Shoring b) Construct the approved development in accordance with the GMS submitted under part a) of this condition.	b)During construction
MCU 17.	Shoring a) Submit to EDQ IS a Geotechnical, Shoring and Design Report (GSDR), certified by a suitably qualified and experienced RPEQ. The GSDR must include: i) confirmation works are designed to meet the following <i>Australian Standards</i>: 1. <i>AS1726 Geotechnical Site Investigation</i>; 2. <i>AS2159 Piling - Design and Installation</i>; 3. <i>AS4678 Earth Retaining Structures</i>; ii) a Geotechnical Investigation Plan and Geotechnical Analysis including: 1. details on the stratigraphy, groundwater level, excavatability and profiling; 2. a table detailing geotechnical design parameters used to undertake detailed design; 3. where excavations will occur in rock, an assessment of potential defect risks (e.g. joints, fault zones, volcanic intrusions and weak zones) and mitigation measures to avoid and manage potential defect risks including impacts to adjacent buildings, structures and infrastructure; iii) analysis of groundwater hydrology, including: 1. considerations of seasonality, tidal effects, possible fractured ground at depth 2. impact of dewatering and potential drawdown effects of construction and/or changed water table levels during demolition 3. temporary decommissioning of basement pumps, all construction phases and the ultimate development; iv) analysis and measures to minimise impacts to existing buildings and public utilities, including: 1. a dilapidation survey of buildings located within 20m of works and Heritage Places (comprising structures) located within 50m of works; 2. an assessment of potential impacts to public utilities located within 20m of works and how potential impacts will be avoided and/or mitigated; v) assessments of construction methodology impacts, including: 1. a Basement Retention and Foundation Assessment detailing key aspects of the site (e.g. rock excavatability, stability, rock and soil stress profile, groundwater modelling, seepage and dewatering assessment);	a)Prior to commencing work

	2. critical geotechnical model sections of all excavations, with reference to the geometry of the retention systems, load and design assumptions, load cases, structural section properties/material parameters, including analysis output (e.g. moment and shear envelopes, deflections, changes to stress and groundwater levels during temporary and permanent stages of work) and assessment of the installation of the retention system on adjacent properties; 3. design drawings and technical specifications, including any temporary and permanent structures; 4. groundwater chemistry assessment and proposed on-site treatment prior to discharge from site; 5. basement ground water design rationale (e.g. clarifying whether basements are fully tanked, designed for full hydrostatic groundwater pressure, whether ground water is collected via a subsoil collection system and pumped including details of where ground water is pumped to). vi) evidence that that groundwater quality has been properly analysed and evidence that it complies with ANZECC standards for groundwater quality. vii) an analysis of the durability aspects for buried concrete and reinforcement of areas that will be incorporated into the approved development. b) Construct the approved development in accordance with the GSDR certified under part a) of this condition.	b) At all times
MCU 18.	Temporary rock and ground anchors a) Where temporary rock and ground anchors are proposed submit to EDQ IS a Temporary Rock and Ground Anchor Report (TRGAR), certified by a suitably qualified and experienced RPEQ, including: i. detailed engineering drawings detailing the locations and specifications of rock and ground anchors; ii. where rock or ground anchors encroach into adjoining road reserve(s) or land, include consents from relevant road manager(s) and/or landowner(s); iii. RPEQ certification confirming construction phase loads will not adversely impact adjacent buildings, structures and infrastructure. The RPEQ certification must consider the effects of the load imposed pressure bulb: 1. prior to the de-stressing of the temporary ground anchors; and 2. upon completion of the building. b) Construct the approved development in accordance with the certified TRGAR as required under part a) of this condition.	a) Prior to Commencing work b) During construction

	c) Submit to the EDQ IS RPEQ: i) certification confirming that all rock and ground anchors have been constructed in accordance with the TRGAR required under part a) of this condition ii) certified 'as-constructed' drawings and associated test documentation for all rock and ground anchors constructed in accordance with part b) of this condition. The 'as-constructed' drawings and associated test documentation must include: 1. locality, site, layout and section/elevation plans depicting the anchoring system details (e.g. position, length, inclination angle, lock-off load and typical anchor block); 2. location of all bored piers, shoring and bored piling in plan and elevation views together with shoring and bored piling details; 3. construction methodology used during installation and the results of any tests; 4. surveyed location of the following plotted on the shoring plan and wall sections: A. existing infrastructure (e.g. water, stormwater, sewer, street trees, signs and markings); B. existing utility services (e.g. telecommunications, electricity, and gas) and adjacent foundation details; and C. existing Council pipelines and maintenance holes including depths of maintenance holes and clearances to anchors. d) Submit to EDQ IS RPEQ certification confirming that all anchors constructed in accordance with part b) of this condition have been de-stressed.	c) Within 20 business days of completion of work involving rock and ground anchors d) Prior to commencement of use or BFP endorsement, whichever occurs first
MCU 19.	Roadworks – Compliance Assessment a) Submit to EDQ IS, for Compliance Assessment, Roadworks Functional Layout Plans, certified by a RPEQ, for any public transport infrastructure or works within an existing or proposed road reserve, including: i. horizontal and vertical alignment, pavement depth, service corridors, access points, cross sections, signage and servicing; ii. the function of shared zone(s) for pedestrians, cyclists and vehicles; iii. clear sight lines to ensure legibility and visibility for all users; iv. effective wayfinding treatments (e.g. visual and textural cues including paving, materiality, lighting, planting, bollards and signage) to clearly define the function of the road and the use of shared zone(s); v. safe and effective design treatments to address user	a) Prior to commencing roadworks

	conflicts between pedestrians, cyclists and vehicles; vi. the following supporting information: • referenced design and performance criteria; • referenced supporting documentation used to inform designs; • RPEQ confirmation that all works within existing or proposed road reserves accord with Council's standards; or • for works inconsistent with Council's standards, an executed Management Agreement with Council detailing maintenance, replacement, security, and insurance requirements. b) Submit to EDQ IS engineering design and construction drawings, certified by a RPEQ, for all roadworks shown on the Functional Layout Plans endorsed under part a) of this condition. c) Construct roadworks generally in accordance with the certified plans submitted under part b) of this condition. d) Submit to EDQ IS the following: - RPEQ certification that all roadworks have been constructed generally in accordance with the certified plans submitted under part b) of this condition; - all documentation as required by the Construction Procedures Manual; - as-constructed drawings, asset register and test results, certified by a RPEQ, in a format acceptable to the end asset owners for all works constructed in accordance with this condition.	b) Prior to commencing roadworks c) Prior to commencement of use or BFP endorsement, whichever occurs first d) Prior to commencement of use or BFP endorsement, whichever occurs first
MCU 20.	Vehicle access a) Construct a vehicle crossover: - located generally in accordance with the approved plans; and - designed generally in accordance with Council's adopted standards. b) Submit to EDQ IS RPEQ certification that the crossover has been constructed in accordance with part a) of this condition.	a) Prior to commencement of use or BFP endorsement, whichever occurs first b) Prior to commencement of use or BFP endorsement, whichever occurs first

MCU 21.	Car parking a) Construct, sign and delineate car parking spaces generally in accordance with <i>Australian Standard AS2890 – Parking Facilities</i> and the approved plans. b) Submit to EDQ IS RPEQ certification that parking facilities have been constructed in accordance with part a) of this condition.	a) Prior to commencement of use or BFP endorsement, whichever occurs first b) Prior to commencement of use or BFP endorsement, whichever occurs first
MCU 22.	Charging for electric vehicles – multi-residential Provide for electric vehicle charging as follows: a) Provisioning for Basic AC EV charging^[1] to all residential car parking bays, including dedicated conduits and circuits wired to parking bays to allow electric vehicle chargers to be installed by others later (if required); and b) Provisioning for 1 time-limited shared car parking bay with three phase Destination AC or DC EV charging^[1] at a rate of 1 for every 100 car parking bays; and c) Electric vehicle charging should be capable of electrical load control to manage development peak demand; and d) Submit to EDQ IS, certified evidence from an electrical engineer which demonstrates the electric vehicle charging facilities and / or provisioning has been provided in compliance with this condition. ^[1] refer to definitions in preamble	a) For all parts of this condition, prior to commencement of the use
MCU 23.	Bicycle parking a) Construct, sign and delineate bicycle parking facilities generally in accordance with <i>Australian Standard AS2890.3 – 1993 Bicycle parking facilities</i> and the approved plans. b) Submit to EDQ IS evidence demonstrating bicycle parking facilities have been constructed in accordance with part a) of this condition.	a) Prior to commencement of use or BFP endorsement, whichever occurs first b) Prior to commencement of use or BFP endorsement,

		whichever occurs first
MCU 24.	Water connection Connect the approved development to the existing water reticulation network generally in accordance with Urban Utilities current adopted standards.	Prior to commencement of use or BFP endorsement, whichever occurs first
MCU 25.	Sewer connection Connect the approved development to the existing sewer reticulation network generally in accordance with Urban Utilities current adopted standards.	Prior to commencement of use or BFP endorsement, whichever occurs first
MCU 26.	Stormwater connection and building levels a) Connect the approved development to a lawful point of discharge: i) with 'no-worsening' to upstream or downstream properties for storm events up to the following ii) 1% Annual Exceedance Probability iii) generally in accordance with Council's current adopted standards b) The building level shall meet the following requirements: i) All Essential Services to be above 3.6m AHD; ii) Basement Access above 3.4m AHD; iii) Building Floor Class 6 Level above 3.1 AHD. c) Submit to EDQ IS RPEQ certification that the stormwater connection and building levels have been constructed in accordance with part a) and b) of this condition.	a) Prior to commencement of use or BFP endorsement, whichever occurs first b) Prior to commencement of use or BFP endorsement, whichever occurs first c) Prior to commencement of use or BFP endorsement, whichever occurs first
MCU 27.	Stormwater management (quality) a) Submit to EDQ IS detailed engineering drawings, certified by a RPEQ, for stormwater treatment devices designed generally in accordance with: i) <i>PDA Guideline No. 13 Engineering standards – Stormwater quality</i> and; ii) approved reports.	a) Prior to commencement of stormwater works

	b) Construct stormwater works generally in accordance with the certified plans submitted under part a) of this condition. c) Submit to EDQ IS RPEQ certification that the stormwater quality have been constructed in accordance with part a) of this condition.	b) Prior to commencement of use or BFP endorsement, whichever occurs first c) Prior to commencement of use or BFP endorsement, whichever occurs first
MCU 28.	Electricity a) Submit to EDQ IS a Certificate of Electricity Supply from Energex for the provision of electricity supply to the approved development. b) Connect the approved development in accordance with the Certificate of Electricity Supply submitted under part a) of this condition.	a) Prior to commencement of use or BFP endorsement, whichever occurs first b) Prior to commencement of use or BFP endorsement, whichever occurs first
MCU 29.	Telecommunications a) Submit to EDQ IS documentation from an authorised telecommunication service provider confirming that an agreement has been entered into for the provision of underground telecommunication services to the approved development. b) Connect the approved development in accordance with the documentation submitted under part a) of this condition.	a) Prior to commencement of use or BFP endorsement, whichever occurs first b) Prior to commencement of use or BFP endorsement, whichever occurs first
MCU 30.	Broadband a) Submit to EDQ IS written agreement, from an authorised telecommunications service provider, confirming that fibre-ready pit and pipe infrastructure designed to service the approved development can accommodate services compliant with <i>Industry Guideline G645:2017 Fibre-Ready Pit and Pipe Specification for Real Estate Development Projects</i>.	a) Prior to commencement of use or BFP endorsement, whichever occurs first

	b) Construct the fibre-ready pit and pipe infrastructure specified in the agreement submitted under part a) of this condition.	b) Prior to commencement of use or BFP endorsement, whichever occurs first
MCU 31.	Streetscape works – Compliance Assessment a) Submit to EDQ IS, for Compliance Assessment, detailed streetscape works drawings, certified by an AILA, for proposed streetscape works, including a schedule of proposed standard and non-standard Contributed Assets to be transferred to Council. The streetscape works must be designed generally in accordance with the following approved plans/ documents: i) Platinum Hamilton Stage 1 Landscape Concept Masterplan prepared by Urbis dated 13th August 2021 The certified drawings are to include, where relevant: 1. location and type of street lighting in accordance with AS1158 – <i>Lighting for Roads and Public Spaces</i>; 2. footpath treatments; 3. location and specifications of streetscape furniture; 4. location and size of stormwater treatment devices; and 5. street trees and plants, including species, size and location generally in accordance with Council's adopted planting schedules and guidelines. b) Construct streetscape works generally in accordance with the streetscape plans endorsed under part a) of this condition. c) Submit to EDQ IS 'as constructed' plans, certified by an AILA, and asset register in a format acceptable to Council.	a) Prior to commencement of streetscape works b) Prior to commencement of use or BFP endorsement, whichever occurs first c) Prior to commencement of use or BFP endorsement, whichever occurs first
MCU 32.	Sufficient Grounds - Landscape and Public Realm Design (Stage 1 and interim) Compliance assessment A. Submit to EDQ IS detailed public realm plans, certified by an AILA, for compliance assessment for the development's landscape and public realm area design, including maintenance schedule and works. The detailed landscape plans are to follow the principles of the Platinum Hamilton Landscape	a) Prior to commencement of ground level building work

	Concept Plan prepared by Urbis, dated 13th August 2021. and specifically drawing numbers: I. LP02 Ground level Stage 1 Delivery Ultimate Design; and II. LP 03 Ground level Stage 1 Delivery Interim Park The plans are to include proposed finished levels, including sections across and through the open space at critical points: and address the following design requirements: I. The interface between Hercules Street and the built form is to deliver a strong entry statement to the development and continue to provide a strong visual connection through to the second and third stages of the proposed development. Design elements of the Hercules Street frontage are to include: i. Weather protection for users of the area at the front of the development; ii. Public art to signify the importance of the entry to the development; iii. Landscaping that contributes to the appearance of a high quality entry statement. iv. Continuity of weather protection from Stage 1 through to Main Street. II. The provision of an appropriate high quality connection with between the Stage 1 built form and proposed stage 2 and 3 of the development. This is to include an appropriately sized and embellished public gathering space before the axes take off towards the south through the areas of future stages; the embellishment of this space is to take into consideration the climatic conditions created by the built form. The provision of a shadow diagram to support the design of this public gathering space is required. III. The design of this space is to encourage and attract the general public from Main Street through to Hercules Street and is to respond to this appropriately by taking advantage of level changes through the site to emphasise significant views and provide complementary landscape elements. IV. A comprehensive integrated palette of materials, colours and street furniture that contribute to the high quality of public realm, to be delivered as part of a superior design outcome. V. Compliance with the requirements of the Disability Discrimination Act 1992 (Cth)	
--	--	--

	Irrigation and maintenance: The plans must Include: • design details for all irrigation systems and works: and • a maintenance schedule demonstrating that the landscape and public realm areas will be able to be maintained and sustained in a suitable manner. B. Construct the works generally in accordance with the certified plans submitted under part a) of this condition C. Maintain the works constructed under part b) in accordance with the certified plans submitted under part a) of this condition. D. Obtain and maintain public liability insurance for the public realm of at least \$20 Million, and submit a certificate of insurance as evidence of insurance to EDQ DA.	b) prior to commencement of use of the building c) at all times d) Prior to public realm being made open to the public and maintained at all times
MCU 33.	Refuse collection a) Submit to EDQ IS evidence of approved refuse collection arrangements, from Council or a private waste contractor, for the approved development. b) Implement the refuse collection arrangements submitted under part a) of this condition.	a) Prior to commencement of use or BFP endorsement, whichever occurs first b) At all times following commencement of use
MCU 34.	Acoustic treatments a) Construct the approved development to include the acoustic treatments specified in section 8 of the following approved document: Environmental Noise Impact Assessment prepared by TTM dated 23/11/2020, ref number 20BRA0161 R01_1 b) Submit to EDQ IS evidence that the requirements of part a) of this condition have been met.	a) Prior to commencement of use or BFP endorsement, whichever occurs first b) Prior to commencement of use or BFP endorsement, whichever occurs first

MCU 35.	SUFFICIENT GROUNDS Sustainability and efficiency-Compliance assessment a) Submit to EDQ DA for compliance assessment an update to the 'ESD Report Platinum, 19 Hercules Street prepared by Fuse Architects October 2021' that clearly explains the subtropical environmental design of the four façade aspects of the tower. The Report is to include detail regarding: 1. The design of the northern façade. 2. The design of the southern façade. 3. How the design of the facades manage solar and daylight entry into apartments. 4. how the design of the facades facilitate and control natural ventilation into apartments. 5. Details of how rain and insect entry to apartments are managed. 6. How appropriate subtropical design outcomes are delivered to apartments of different sizes and shapes; apartments facing in different directions; in different locations along the façade and at different heights. The Report is to include: 1. Annotated plans; 2. Annotated sections; 3. Annotated facades and 4. Any other appropriate diagrams. b) Construct the approved development generally in accordance with the report approved under part (a) of this condition. c) Submit to EDQ IS evidence that the requirements of part b) of this condition have been met.	a) Prior to commencement of above ground works b) At all times c) Prior to commencement of use
MCU 36.	Easements over infrastructure Provide public utility easements, in favour of and at no cost to the grantee, over infrastructure located in land (other than road) for Contributed Assets. The terms of public utility easements are to be to the satisfaction of the Chief Executive Officer of the authority which is to accept and maintain the Contributed Assets.	Prior to commencement of use or registration of a Building Format Plan, whichever occurs first
MCU 37.	Community Management Statement a) Any proposed Community Management Statement for the approved development must; I. Identify exclusive use areas for car park allocations to dwelling units. II. Provide for unrestricted (24 hours 7 days a week) pedestrian and cyclist access to public areas outside the curtilage of the building III. Include a management and maintenance schedule for all landscape and public realm areas.	a) Prior to endorsement of a BFP to be maintained at all times.

MCU 38.	Affordable housing Submit to EDQ DA evidence that the approved development delivers 5% affordable units in accordance with the <i>PDA Guideline no. 16 Housing</i>. <i>NOTE: For the purposes of this condition, copies of sale prices and an accompanying statement outlining compliance with PDA Guideline no. 16 – Housing are considered evidence.</i>	Prior to commencement of use or BFP endorsement, whichever occurs first
MCU 39.	Accessible housing Submit to EDQ DA evidence that the approved development delivers a minimum of 10% of all units are accessible units, generally in accordance with EDQ Guideline 02 Accessible Housing. <i>NOTE: For the purposes of this condition, copies of building work floor plans and an accompanying statement are considered evidence.</i>	Prior to commencement of use or BFP endorsement, whichever occurs first
MCU 40.	Compliance assessment – Public Access 24/7 a) Submit to the MEDQ for Compliance Assessment, a plan that provides and maintains unimpeded and safe 24 hour public access through the site to all buildings internal to the site and public realm areas. This plan is to demonstrate compliance with AD1428.1 and AS1428.2 where applicable. b) Maintain access 24/7 as per the plan approved under part a) of this condition.	a) Prior to the landscape and public realm areas being made open to the public. b) As indicated
Infrastructure contributions		
MCU 41	INFRASTRUCTURE CHARGES Unless a relevant infrastructure agreement provides to the contrary, pay to the MEDQ, the applicable infrastructure charges under the IFF calculated as follows: -where a plan of subdivision or building format plan is submitted for endorsement or the use has commenced on or before 4 years from the original decision date – in accordance with the IFF in force at the time of the original decision date; or - where a plan of subdivision or building format plan is submitted for endorsement or the use has commenced on or before 4 years from the original decision date – in accordance with the IFF in force at the time of payment. -where the application is a MCU, certified construction plans detailing the GFA must also be provided to the MEDQ prior to commencement of use for calculation of final charges.	In accordance with the IFF

MCU 42	Covenant for Public Realm a) Submit to EDQ DA, for Compliance Assessment, a survey plan, certified by a registered surveyor, to accurately identify the area of the ultimate public realm area in accordance with the approved plan 'Proposed Covenant Plan' prepared by Bennett and Bennett, dated 6 December 2021. b) Register an instrument of covenant with respect to the use of the Covenant Area and the protection of those parts of Lot 2 on SP322281 and Lot 3 on SP322281 areas identified as the ultimate public realm area on Lot 2 on SP322281 and Lot 3 on SP322281 in the approved plan 'Proposed Covenant Plan' prepared by Bennett and Bennett dated 6th December 2021 and on the approved survey plan endorsed under Condition 44(a). The purpose of the covenant is to preserve for delivery of the ultimate public realm area, and prohibit its use for any purpose other than for landscape and public realm purposes. c) The details of the covenant must include: - The extent of the ultimate public realm area on the survey plan endorsed by EDQ DA. - The restrictions/obligations that apply with respect to the land the subject of the covenant – with reference to section 97A(3)(a)(i) of the Land Title Act 1994; and - The covenant terms in the approved plan 44 'Covenant Form 31 prepared by Mahoneys dated 9th December 2021' d) Submit to EDQ DA, for Compliance Assessment, evidence that a covenant complying with the above requirements has been registered to the titles of Lot 2 on SP322281 and Lot 3 on SP322281.	For all parts of the condition prior to commencement use, or registration of a survey plan for the approved re-configuration of a lot, whichever occurs first.
Earthworks		
MCU 49	Earthworks a) Submit to EDQ IS detailed earthworks plans, certified by a RPEQ, and designed generally in accordance with: <i>Australian Standard AS3798 – 2007 Guidelines on Earthworks for Commercial and Residential Developments</i> and - The Preliminary Earthworks Plan contained in Appendix B of the Servicability Report prepared Bornhorst and Ward, revision B dated 14/12/2020. The certified earthworks plans are to: - include a geotechnical soils assessment of the site;	a) Prior to commencing earthworks for each stage

	ii) accord with the Erosion and Sediment Control Plans, as required by Condition 7 – Erosion and sediment management; iii) include the location and finished surface levels of any cut and/or fill; iv) detail areas where dispersive soils will be disturbed, treatment of dispersive soils and their rehabilitation; v) provide details of any areas where surplus soils are to be stockpiled; vi) detail protection measures to: 1. ensure adjoining properties and roads are not impacted by ponding or nuisance stormwater resulting from earthworks associated with the approved development; 2. preserve all drainage structures from structural loading impacts resulting from earthworks associated with the approved development. b) Carry out earthworks generally in accordance with the certified plans submitted under part a) of this condition. c) Submit to EDQ IS RPEQ certification that: i) all earthworks have been carried out generally in accordance with the certified plans submitted under part a) of this condition; and any unsuitable material encountered has been treated or replaced with suitable material.	b) Prior to survey plan endorsement for each stage c) Prior to survey plan endorsement for each stage
PDA Development Conditions – Reconfiguring a Lot (Stage 1. 1 into 3 RoL including a volumetric lot)		
General		
RoL 43	Carry out the approved development Carry out the approved development generally in accordance with: a) the approved plans and documents; and b) any other documentation endorsed via Compliance Assessment as required by these conditions: - o Condition 41- Sufficient Grounds – Ultimate public realm delivery	a) Prior to survey plan endorsement for each stage
RoL 44	Covenant for Public Realm a) Submit to EDQ DA, for Compliance Assessment, a survey plan, certified by a registered surveyor, to accurately identify the area of the ultimate public realm area in accordance with the approved plan 'Proposed Covenant Plan' prepared by Bennett and Bennett, dated 6 December 2021.	For all parts of the condition prior to commencement use, or registration of a survey plan for the approved re-

	b) Register an instrument of covenant with respect to the use of the Covenant Area and the protection of those parts of Lot 2 on SP322281 and Lot 3 on SP322281 areas identified as the ultimate public realm area on Lot 2 on SP322281 and Lot 3 on SP322281 in the approved plan 'Proposed Covenant Plan Area' prepared by Bennett and Bennett dated 6th December 2021 and on the approved survey plan endorsed under Condition 44(a). The purpose of the covenant is to preserve for delivery of the ultimate public realm area, and prohibit its use for any purpose other than for landscape and public realm purposes. c) The details of the covenant must include: I. The extent of the ultimate public realm area on the survey plan endorsed by EDQ DA. II. The restrictions/obligations that apply with respect to the land the subject of the covenant – with reference to section 97A(3)(a)(i) of the Land Title Act 1994; and III. The covenant terms in the approved plan 44 ' Covenant Form 31' prepared by Mahoneys dated 9th December 2021	configuration of a lot, whichever occurs first.
Construction		
RoL45	Hours of work - construction Unless otherwise endorsed, via Compliance Assessment for out of hours work, construction hours for the approved development are limited to Monday to Saturday between 6:30am to 6:30pm, excluding public holidays.	During construction unless otherwise endorsed
RoL46	Out of hours work - Compliance Assessment Where out of hours work is proposed, submit to EDQ DA, for Compliance Assessment, an out of hours work request. The out of hours work request must include a duly completed out of hours work request form².	Minimum of 10 business days prior to proposed out of hours work commencement date
RoL 47	Certification of Operational Work Carry out all Operational Work under this approval in accordance with the <i>Certification Procedures Manual</i>.	At all times

² The out of hours work request form is available at EDQ's website.

RoL 48	Public infrastructure (damage, repairs and relocation) a) Repair any damage to existing public infrastructure caused by works carried out in association with the approved development. b) Where existing public infrastructure require repair or relocation, due to the approved development and/or works associated with the approved development, repair and/or relocate the public infrastructure at no cost to others and in accordance with statutory requirements and adopted design standards. <i>NOTE: It is recommended applicants record their own dated photographic evidence of the condition of relevant existing public infrastructure both before and after works carried out in association with the approved development.</i>	a) Prior to survey plan endorsement for each stage b) Prior to survey plan endorsement for each stage
Earthworks and retaining walls		
Removed		
Roadworks, urban servicing and stormwater management		
RoL 50	Stormwater connection Demonstrate that inter-allotment drainage between the lots (if any) will be achieved in accordance with the Queensland Urban Drainage manual (QUDM) and Brisbane City Council's relevant standards.	Prior to commencement of use or BFP endorsement, whichever occurs first
Surveying, land transfers and easements		
RoL 51	Easements over infrastructure Provide public utility easements, in favour of and at no cost to the grantee, over infrastructure located in land (other than road) for Contributed Assets. The terms of public utility easements are to be to the satisfaction of the Chief Executive Officer of the authority which is to accept and maintain the Contributed Assets.	At registration of survey plan for each stage
RoL 52	Access Easement Provide a legal point of access via an access easement in favour of Lot 2 on SP32281 to be registered on title at the time of plan sealing.	Prior to plan sealing.
Removed		
RoL 54	Water connection Demonstrate that the approved development lots can be connected to the existing water reticulation network generally in accordance with Urban Utilities current adopted standards.	Prior to commencement of use or BFP endorsement, whichever occurs first

RoL 55	Sewer connection Demonstrate that the approved development lots can be connected to the existing sewer reticulation network generally in accordance with Urban Utilities current adopted standards.	Prior to commencement of use or BFP endorsement, whichever occurs first
The following applies to the Preliminary Approval for a Material Change of Use – Stage 2 & 3		
56	Future development to be in accordance with the approved Preliminary Approval Any future development must be designed and developed generally in accordance with the relevant approved documents: Preliminary Approval Drawing prepared by Urbis (RPT-20201221-19 Hercules Street Hamilton).	At all times
57	Sufficient Grounds – Landscape and Public Realm (stages 2 & 3) Submit to EDQ DA a detailed landscape concept plan for the public realm Stages 2 & 3 as identified in: - the approved Plan 'Proposed Covenant Area' prepared by Bennett and Bennett dated 06/12/21; and - drawing number LP01 'Ground Level Stage 1 Delivery Ultimate Design (including future stages 2 & 3). The exact area is to be confirmed via a Survey Plan required under Condition 42 and 44, is to be submitted to EDQ as part of any future Material Change of Use application for Stages 2 & 3 and generally in accordance with the following approved documents: - Platinum Hamilton Landscape Concept Plan prepared by Urbis, dated 13th August 2021 Revision (I), specifically drawing number LP01 'Ground Level Stage 1 Delivery Ultimate Design (including future stages 2 & 3). - Survey Plan and Covenant prepared under Conditions 42 and 44	As part of future development applications for a Material Change of Use
58	SUFFICIENT GROUNDS Sustainability and efficiency– Compliance assessment Submit to EDQ DA an EDQ Report that clearly explains the subtropical environmental design of the following aspects of any proposal. The design of the façades.	As part of future development applications for a Material Change of

	• How the design of the facades manage solar and daylight entry into apartments. • how the design of the facades facilitate and control natural ventilation into apartments. • Details of how rain and insect entry to apartments are managed. • How appropriate subtropical design outcomes are delivered to apartments of different sizes and shapes; apartments facing in different directions; in different locations along the façade and at different heights. The Report is to include: • Annotated plans; • Annotated sections; • Annotated facades and • Any other appropriate diagrams.	Use
ADVICE NOTE		
	Future construction from Hercules Street All construction activities, as far as practical, for Stages 2 and 3 of the development are to use the driveway onto Hercules Street for egress, in order to minimise impact to the residential development to the south of the development site. The use of Main Road for construction traffic may require obtaining the agreement of all Body Corporates Intrusion into Brisbane Airport Operational Airspace Future development proposals will require approval from the Brisbane Airport Corporation and comply with the regulatory requirement of all relevant legislation relating to the operation of the airspace over the subject site and to the requirements for PAN OPS and OSL.	

STANDARD ADVICE

Please note that to lawfully undertake development, it may be necessary to obtain approvals other than this PDA development approval. For advice on other approvals that may be necessary in relation to your proposal, it is recommended that you seek professional advice.

**** End of Package ****