

Economic Development Queensland

Our ref: DEV2024/1545/8

4 December 2025

Clearcon Homes Pty Ltd
C/- Town Planning Alliance Pty Ltd

Att: Mr Michael Cocciola and Mr tom Kedda

Email: eda@tpalliance.com.au

Dear Mr Cocciola and Mr Kedda

Changed PDA Decision Notice

Notices given for the purposes of section 99 of the Economic Development Act 2012

PDA: Oxley PDA

PDA Development Approval: Development Permit for Material Change of Use

for Multiple Dwelling (34 Townhouses),

Community Use (Community Centre), and Food

and Drink Outlet (Café)

Property Location: 10 Honeyeater Circuit, Oxley

Property Description: Lot 302 on SP326512

On 4 December 2025, Economic Development Queensland (EDQ) decided to approve **all** of the Amendment Application for the above PDA Development Approval subject to PDA Development Conditions in accordance with the attached Changed Decision Notice.

The Changed Decision Notice and approved plans and documents can also be viewed on EDQ's website at <u>Current applications and approvals</u>.

If you require any further information, please contact Jennifer Davison, Principal Planner on (07) 3452 7127 or by email at Jennifer.davison@edq.qld.gov.au

Yours sincerely

Beatriz Gomez

Director

Development Services

Economic Development Queensland

Cc: Brisbane City Council - Email: partnershipsteam@brisbane.gld.gov.au

Changed Decision Notice

Site information		
Name of Priority Development Area (PDA)	Oxley PDA	
Site address	10 Honeyeater Circuit, Oxley	
Lot on plan description	Lot number	Plan description
	Lot 302	SP326512

PDA Development Approval details	
DEV Reference No.	DEV2024/1545/8
Original Approval details	PDA Development Approval for Development Permit for Material Change of Use for Multiple Dwelling (34 Townhouses), Community Use (Community Centre), and Food and Drink Outlet (Café)
Change to Approval Decision	EDQ has decided to grant <u>all</u> of the changes to the PDA Development Approval applied for, <u>subject to</u> PDA Development Conditions forming part of this Changed Decision Notice. The approval is for changes to the following: • Amendment to sewer condition
Original decision date	10 December 2024
2nd change to approval date	16 September 2025
3rd change to approval date	18 November 2025
4 th change to approval decision date	4 December 2025
Currency Period	6 years from the Original decision date

Approved plans and documents

The plans and documents approved and referred to in the PDA Development Conditions for the PDA Development Approval are detailed below.

Plar	Plans and documents previously approved on 18 November 2025				
Plar	/Document Name	Reference No.	Prepared By	Date	
1.	Architectural Package		Arqus Design		
	Site Plan - Ground Floor	A1-1-02 Issue Q	Arqus Design	29/02/24	
	Site Plan - Level 1	A1-1-02 Issue N	Arqus Design	29/02/24	
	Site Plan - Level 2	A1-1-03 Issue N	Arqus Design	29/02/24	
	Site Plan - Roof	A1-1-04 Issue N	Arqus Design	29/02/24	
	Overall Site Cover	A1-2-01 Issue I	Arqus Design	29/02/24	
	GFA Schedule	A1-2-02 Issue I	Arqus Design	29/02/24	
	Site Plan - Communal Open Space Excluding Community Centre	A1-2-03 Issue K	Arqus Design	29/02/24	
	Site Plan - Private Open Space	A1-2-04 Issue K	Arqus Design	29/02/24	
	Building Types Layout	A1-2-05 Issue I	Arqus Design	29/02/24	
	Site Plan - Deep Planting	A1-2-06 Issue F	Arqus Design	14/10/24	
	Building 2 - General Arrangement - Type B-Unit 5, 6 & 7 - Ground Floor	A5-1-01 Issue E	Arqus Design	12/03/24	
	 Building 2 - General Arrangement - Type B -Unit 5, 6 & 7 - Level 1 	A5-1-02 Issue E	Arqus Design	12/03/24	
	Arrangement - Type B -Unit 5, 6 & 7 - Roof Plan	A5-1-03 Issue E	Arqus Design	12/03/24	
	Building 2 - Type B - Unit 5, 6 & 7 - Coloured Elevations	A5-2-03 Issue E	Arqus Design	12/03/24	
	Building 2 - Type B- Unit 5, 6 & 7 - Coloured Elevations	A5-2-04 Issue E	Arqus Design	12/03/24	
	Building 3 – General Arrangement - Type B - Unit 8 & 9 - Ground Floor	A6-1-01 Issue E	Arqus Design	12/03/24	

	 Building 3 – General Arrangement - Type B - Unit 8 & 9 - Level 1 	A6-1-02 Issue E	Arqus Design	12/03/24
	Building 3 - Type B - Unit 8 & 9 - Coloured Elevations	A6-1-03 Issue E	Arqus Design	12/03/24
	Building 3 - Type B - Unit 8 & 9 - Coloured Elevations	A6-2-04 Issue E	Arqus Design	12/03/24
	 Building 4 - General Arrangement - Type B - Unit 10, 11, 12 & 13 -Ground Floor 	A7-1-01 Issue E	Arqus Design	12/03/24
	 Building 4 - General Arrangement - Type B - Unit 10, 11, 12 & 13 - Level 1 	A7-1-02 Issue F	Arqus Design	13/03/24
	 Building 4 - Type B - Unit 10, 11, 12 & 13 - Coloured Elevations 	A7-1-03 Issue E	Arqus Design	13/03/24
	Building 4 - Type B - Unit 10, 11, 12 & 13 - Coloured Elevations	A7-2-03 Issue E	Arqus Design	13/03/24
	Building 4 - Type B - Unit 10, 11, 12 & 13 - Coloured Elevations	A7-2-04 Issue E	Arqus Design	13/03/24
prev	s and Documents iously approved on 16 ember 2025	Reference No.	Prepared By	Date
1.	Architectural Plans (updated), prepared by Arqus Design:	Job number 23- 0069	Arqus Design	
	 Community Centre – General Arrangement- Ground Floor and Roof Plan 	A2-01-01 Revision	Arqus Design	10/09/25
	Community Centre – Areas	A2-02-12 Revision E	Arqus Design	10/09/25
	Building 1 – General Arrangement - Type B – Unit 1, 2, 3 and 4 - Level 1	A4-1-02 Revision E	Arqus Design	05/08/25
	 Building 10 – Type A – Unit 27 & 28 – Level 1 	A13-1-02 Revision E	Arqus Design	05/08/25

prev	s and Documents riously approved on 10 ember 2025	Reference No.	Prepared By	Date
1.	Architectural Plans, prepared by Arqus Design:	Job number 23- 0069	Arqus Design	Amended to include updated Site Plan and Deep Planting
	Cover Sheet	A0-0-01 Revision C	Arqus Design	23/08/2024
	 Site Design Considerations 	A0-0-02 Revision C	Arqus Design	23/08/2024
	Locality Plan	A0-0-03 Revision C	Arqus Design	23/08/2024
	Streetscape Elevations 1	A1-3-01 Revision E	Arqus Design	23/08/2024
	Streetscape Elevations 2	A1-3-02 Revision E	Arqus Design	23/08/2024
	Illustration	A1-4-02 Revision C	Arqus Design	23/08/2024
	Type A - Compliance Floor Plan	A1-5-01 Revision C	Arqus Design	23/08/2024
	Type B - Compliance Floor Plan	A1-5-02 Revision C	Arqus Design	23/08/2024
	Type C - Compliance Floor Plan	A1-5-03 Revision C	Arqus Design	23/08/2024
	Streetscape Elevations 1	A1-3-01 Revision E	Arqus Design	23/08/2024
	Streetscape Elevations 2	A1-3-02 Revision E	Arqus Design	23/08/2024
	Illustration	A1-4-02 Revision C	Arqus Design	23/08/2024
	Type A - Compliance Floor Plan	A1-5-01 Revision C	Arqus Design	23/08/2024
	Type B - Compliance Floor Plan	A1-5-02 Revision C	Arqus Design	23/08/2024
	Type C - Compliance Floor Plan	A1-5-03 Revision C	Arqus Design	23/08/2024
	Type D - Compliance Floor Plan	A1-5-04 Revision C	Arqus Design	23/08/2024
	Type E - Compliance Floor Plan	A1-5-05 Revision C	Arqus Design	23/08/2024
	Community Centre- Coloured Elevations	A2-02-10 Revision D	Arqus Design	23/08/2024

•	Community Centre –	A2-02-11 Revision	Argus Docign	23/08/2024
	Coloured Elevations	D	Arqus Design	23/00/2024
•	Residential Communal Facilities- General Arrangement Plan	A3-1-01 Revision D	Arqus Design	23/08/2024
•	Residential Communal Facilities - Coloured Elevations	A3-2-03 Revision D	Arqus Design	23/08/2024
•	Building 1 – General Arrangement - Type B-Unit 1, 2, 3 & 4 - Ground Floor	A4-1-01 Revision D	Arqus Design	23/08/2024
•	Arrangement - Type B - Unit 1, 2, 3 & 4 – Roof Plan	A4-1-03 Revision D	Arqus Design	23/08/2024
•	Building 1 – General Arrangement - Type B-Unit 1, 2, 3 & 4 – Coloured Elevation	A4-2-03 Revision D	Arqus Design	23/08/2024
•	Building 1 – Type B – Unit 1, 2, 3 & 4 - Coloured Elevations	A4-2-04 Revision D	Arqus Design	23/08/2024
•	Building 2 – General Arrangement- Type C & D- Unit 5, 6 & 7- Ground Floor	A5-1-01 Revision D	Arqus Design	23/08/2024
•	Building 2 – General Arrangement- Type C & D - Unit 5, 6 & 7- Level 1	A5-1-02 Revision D	Arqus Design	23/08/2024
•	Building 2 – General Arrangement - Type C & D – Unit 5, 6 & 7 - Roof Plan	A5-1-03 Revision D	Arqus Design	23/08/2024
•	Building 2 - Type C & D – Unit 5, 6 & 7 - Coloured Elevations	A5-2-03 Revision D	Arqus Design	23/08/2024
•	& D – Unit 5, 6 & 7 - Coloured Elevations	A5-2-04 Revision D	Arqus Design	23/08/2024
•	Building 3 - General Arrangement Type C - Unit 8 & 9 - Ground Floor	A6-1-01 Revision D	Arqus Design	23/08/2024

 Building 3 - General Arrangement - Type C - Unit 8 & 9 - Level 1 	A6-1-02 Revision D	Arqus Design	23/08/2024
 Building 3 – General Arrangement - Type C - Unit 8 & 9 - Roof Plan 	A6-1-03 Revision D	Arqus Design	23/08/2024
 Building 3 - Type C - Unit 8 & 9 - Coloured Elevations 	A6-2-03 Revision D	Arqus Design	23/08/2024
 Building 3 - Type C- Unit 8 & 9 - Coloured Elevations 	A6-2-04 Revision D	Arqus Design	23/08/2024
 Building 4 – General Arrangement - Type C- Unit 10, 11, 12 & 13 - Ground Floor 	A7-1-01 Revision D	Arqus Design	23/08/2024
 Building 4 – General Arrangement - Type C – Unit 10, 11, 12 & 13 - Roof Plan 	A7-1-03 Revision D	Arqus Design	23/08/2024
 Building 4 - Type C – Unit 10, 11, 12 & 13 Coloured Elevations 	A7-2-03 Revision D	Arqus Design	23/08/2024
 Building 4-Type C – Unit 10, 11, 12 & 13 Coloured Elevations 	A7-2-04 Revision D	Arqus Design	23/08/2024
 Building 5 – General Arrangement - Type D - Unit 14, 15 & 16 - Ground Floor 	A8-1-01 Revision D	Arqus Design	23/08/2024
 Building 5 – General Arrangement - Type D - Unit 14, 15 & 16 - Level 1 	A8-1-02 Revision D	Arqus Design	23/08/2024
 Building 5 – General Arrangement - Type D - Unit 14, 15 & 16 - Level 2 	A8-1-03 Revision D	Arqus Design	23/08/2024
 Building 5 – General Arrangement Plan - Type D – Unit 14,15 & 16 - Roof Plan 	A8-1-04 Revision D	Arqus Design	23/08/2024

 Building 5 - Type D- Unit 14, 15 & 16 - Coloured Elevations 	A8-2-03 Revision D	Arqus Design	23/08/2024
 Building 5 - Type D - Unit 14, 15 & 16 - Coloured Elevations 	A8-2-04 Revision D	Arqus Design	23/08/2024
 Building 6 – General Arrangement - Type D - Unit 17, 18 & 19 - Ground Floor 	A9-1-01 Revision D	Arqus Design	23/08/2024
 Building 6 – General Arrangement - Type D - Unit 17,18 & 19 - Level 1 	A9-1-02 Revision D	Arqus Design	23/08/2024
 Building 6 - General Arrangement Plan - Type D-Unit 17,18 &19 - Level 2 	A9-1-03 Revision D	Arqus Design	23/08/2024
 Building 6 - General Arrangement Plan - Type D-Unit 17,18 &19 - Roof Plan 	A9-1-04 Revision D	Arqus Design	23/08/2024
 Building 6 - Type D- Unit 17,18 & 19 - Coloured Elevations 	A9-2-03 Revision D	Arqus Design	23/08/2024
 Building 6 - Type D - Unit 17, 18 & 19 - Coloured Elevations 	A9-2-04 Revision D	Arqus Design	23/08/2024
 Building 7 - General Arrangement -Type E - Unit 19 & 20 – Ground Floor & Level 1 	A10-1-01 Revision D	Arqus Design	23/08/2024
 Building 7 - General Arrangement - Type E- Unit 19 & 20 - Level 2 & Roof 	A10-1-02 Revision D	Arqus Design	23/08/2024
 Building 7 - Type E – Unit 19 & 20 - Coloured Elevations 	A10-2-02 Revision D	Arqus Design	23/08/2024
 Building 8 - Type A- Unit 22, 23 & 24 - Ground Floor 	A11-1-01 Revision D	Arqus Design	23/08/2024
 Building 8 - Type A - Unit 22, 23 & 24 - Level 1 	A11-1-02 Revision D	Arqus Design	23/08/2024

	Building 8 - Type A - Unit 22, 23 & 24 - Roof Plan	A11-1-03 Revision D	Arqus Design	23/08/2024
	 Building 8 - Type A- Unit 22, 23 & 24 - Coloured Elevations 	A11-2-03 Revision D	Arqus Design	23/08/2024
,	 Building 8 - Type A - Unit 22, 23 & 24 - Coloured Elevations 	A11-2-04 Revision D	Arqus Design	23/08/2024
·	 Building 9 - Type A - Unit 25 & 26 - Ground Floor 	A12-1-01 Revision D	Arqus Design	23/08/2024
,	Building 9 - Type A Unit 25 & 26 - Level1	A12-1-02 Revision D	Arqus Design	23/08/2024
,	 Building 9 - Type A - Unit 25 & 26 - Roof Plan 	A12-1-03 Revision D	Arqus Design	23/08/2024
	 Building 9 - Type A - Unit 25 & 26 - Coloured Elevations 	A12-2-03 Revision D	Arqus Design	23/08/2024
	 Building 9 - Type A - Unit 25 & 26 - Coloured Elevations 	A12-2-04 Revision D	Arqus Design	23/08/2024
•	Building 10 - Type A- Unit 27 & 28 -Ground Floor	A13-1-01 Revision D	Arqus Design	23/08/2024
	 Building 10 -Type A - Unit 27 & 28 - Roof Plan 	A13-1-03 Revision D	Arqus Design	23/08/2024
	 Building 10 - Type A Unit 27 & 28 - Coloured Elevations 	A13-2-03 Revision D	Arqus Design	23/08/2024
	 Building 10 -Type A- Unit 27 & 28 - Coloured Elevations 	A13-2-04 Revision D	Arqus Design	23/08/2024
	 Building 11 - General Arrangement - Type B -Unit 29, 30 & 31 - Ground Floor 	A14-1-01 Revision D	Arqus Design	23/08/2024
	 Building 11 - General Arrangement - Type B -Unit 29, 30 & 31 - Level 1 	A14-1-02 Revision D	Arqus Design	23/08/2024

	 Building 11 - General Arrangement - Type B -Unit 29, 30 & 31 - Roof Plan 	A14-1-03 Revision D	Arqus Design	23/08/2024
	 Building 11 - Type B Unit 29, 30 & 31 - Coloured Elevations 	A14-2-03 Revision D	Arqus Design	23/08/2024
	 Building 11 - Type B Unit 29, 30 & 31 - Coloured Elevations 	A14-2-04 Revision D	Arqus Design	23/08/2024
	 Building 12 - General Arrangement - Type E - Unit 32, 33 & 34 - Ground Floor 	A15-1-01 Revision D	Arqus Design	23/08/2024
	Building 12 - General Arrangement - Type E - Unit 32, 33 & 34 - Level 1	A15-1-02 Revision D	Arqus Design	23/08/2024
	 Building 12 - General Arrangement - Type E - Unit 32, 33 & 34 - Level 2 	A15-1-03 Revision D	Arqus Design	23/08/2024
	Building 12 – General Arrangement - Type E - Unit 32, 33 & 34 - Roof Plan	A15-1-04 Revision D	Arqus Design	23/08/2024
	 Building 12 - Type E Unit 32, 33 & 34 - Coloured Elevations 	A15-2-03 Revision D	Arqus Design	23/08/2024
	 Building 12 - Type E- Unit 32, 33 & 34 - Coloured Elevations 	A15-2-04 Revision D	Arqus Design	23/08/2024
2.	Civil Engineering Services Report, prepared by	C24004AR001, Rev A	Hurley Consultant Engineers	22/08/2024
3.	FI Response – Civil Engineering Response	C24004AL001	Hurley Consultant Engineers	17 October 2024
4.	Sustainability Report	Project No: 22514	Floth	31/07/2024
5.	Traffic Engineering Report	24BRT0043, Rev 4	TTM	07.11.24
6.	FI Response – Traffic Engineering Report	24BRT0043 LT01- 01	ТТМ	18 October 2024

7.	Landscape Schematic Design Report	Issue C	RPS	23/08/2024
8.	Operational Waste Management Report	Revision 2	TTM	23/08/2024
9.	Bushfire Management Plan	Report 24082	LEC	24 August 2024

Compliance assessment

Where a condition of this approval requires Compliance Assessment, Compliance Assessment is required in accordance with the following:

- a) The Applicant must:
 - i) pay to EDQ at the time of submission the relevant fee for Compliance Assessment, including any third party peer review costs which will be charged on a 100% cost recovery basis. The Compliance Assessment fees are set out in EDQ Development Services Fees and Charges Schedule¹ (as amended from time to time).
 - ii) submit to EDQ DA a duly completed Compliance Assessment form².
 - iii) submit to EDQ DA the documentation as required under the relevant condition.
- b) Where EDQ is satisfied the documentation submitted for Compliance Assessment complies with the requirements of the relevant condition (or element of the condition), EDQ will endorse the documentation and advise by written notice.
- c) Compliance Assessment and endorsement can be repeated where a different design or solution, to that already endorsed, is sought.
- d) The process and timeframes that apply to Compliance Assessment are as follows:
 - i) the Applicant submits items required under a) above to EDQ Development Services for Compliance Assessment.
 - ii) within 20 business days EDQ assesses the documentation and:
 - 1. if satisfied, endorses the documentation; or
 - 2. if not satisfied, notifies the Applicant accordingly.
 - iii) if the Applicant is notified under ii) above, revised documentation must be submitted within 20 business days from the date of notification.
 - iv) within 20 business days EDQ assesses the revised documentation and:
 - 1. if satisfied, endorses the revised documentation; or
 - 2. if not satisfied, notifies the Applicant accordingly.

¹ The EDQ Development Assessment Fees and Charges Schedule is available at EDQ's website.

² The Compliance Assessment form is available at EDQ's website. It sets out how to submit documentation for Compliance Assessment and how to pay Compliance Assessment fees.

v) where MEDQ notifies the Applicant as stated under iv) above, repeat steps iii) and iv) above. If either party is not satisfied by the outcome of this process, that party can elect to enter into a mediation process with an independent mediator agreed to by both parties.

Despite note v) above, the condition (or element of the condition) is determined to have been met only when EDQ endorses relevant documentation.

Submitting documentation to EDQ

Where a condition of this approval requires documentation to be submitted to EDQ Development Services or DA Engineering use the online Customer Portal https://portal.edg.qld.gov.au/ or send to developmentservices@edg.qld.gov.au

PDA	Development Conditions	
No.	Condition	Timing
1.	Carry out the Approved Development	
	Carry out the approved development generally in accordance with the approved plans and documents; and any other documentation endorsed via Compliance Assessment as required by these conditions.	Prior to commencement of use or BFP endorsement, whichever occurs first.
2.	Maintain the Approved Development	
	Maintain the approved development generally in accordance with the approved plans and documents; and any other documentation endorsed via Compliance Assessment as required by these conditions.	At all times following commencement of use.
Com	munity Facility and Food and Drink Outlet Use	
3.	Community Use Management Plan – Compliance Assessment	
	 a) Submit to EDQ DA, for Compliance Assessment, A Community Management Plan. The management plan is to address the following: Details of the intended ownership and management; Days and operating hours of the community facility and cafe; How public access and community organisations ability to use the community facility will be maintained at all times during normal operating hours and outside the operating hours where sought; Arrangements to maintain the use as a community facility for the life of the land use; Arrangements for hire of the facilities, with specifications for discounted fees for use of the facility by community 	a) Prior to commencement of use or BFP endorsement, whichever occurs first.

PDA	DA Development Conditions						
No.	Condition	Timing					
	organisations (in whole or in part); vi) Engagement strategy for securing a diverse range of user groups; vii) Timing of any asset hand-over; viii) Details of any off-defects / off-maintenance period associated with hand-over (as needed); and ix) Arrangements for securing public access rights to the building and adjoining the community centre (including access hours).						
	b) Submit to EDQ DA evidence that the Management Plan has been enacted via body corporate arrangements.	b) Within 10 business days of asset hand over or the commencement of the use, as appropriate.					
	c) Maintain the land use in accordance with the approved Oxley PDA Community Centre Building Management Plan.	c) At all times following commencement of use.					
4.	Hours of Operation – Food and Drink Outlet (Café)						
	Hours of operation are to be limited to 6am to 10pm from Monday to Saturday; and 7am to 7pm on Sundays and public holidays.	At all times following commencement of use.					
5.	Electric Vehicle Readiness – Community Use						
	 a) Include electric vehicle readiness in the development as follows: i) Provision of electrical capacity for Basic (slow) EVSE chargers to a minimum of 15% of all parking bays, conduits, cable trays and/or wiring from car park distribution boards to individual parking spaces designed for Community and Café Use; and ii) Installation of Destination (regular) EVSE chargers to 1 parking bay. 	a) Prior to commencement of use or BFP endorsement, whichever occurs first.					
	 b) Electric vehicle charging shall be: i) capable of electrical load control to manage the development's electricity demand profile in the context of the network supply profile; and ii) designed with regard to fire retardance and ventilation. 	b) At all times following commencement of use.					

PDA Development Conditions						
Condition	Timing					
c) Submit to EDQ IS, certified evidence from a suitably qualified and experienced electrical engineer, that the electric vehicle readiness required by parts a) and b) of this condition has been provided.	c) Prior to commencement of use or BFP endorsement, whichever occurs first.					
Car Parking Signage						
Install signage at the entrance to the community use car park clearly stating that the car park is designated for the exclusive use of customers and visitors to the café and the community use building. The signage must also specify that parking by residents is not permitted.	Prior to the commencement of use or BFP endorsement, whichever occurs first.					
Sustainability – Solar and Battery Installation						
 a) All dwellings must include a solar and battery configuration installed by a qualified supplier, comprising: i) A minimum 6kW solar photovoltaic system; ii) A minimum 10kWh battery storage system; and iii) An inverter with a maximum export capacity of 4kW. 	a) Prior to commencement of use or BFP endorsement, whichever occurs first.					
b) Submit to EDQ IS, certified evidence from a suitably qualified professional, that the energy efficiency measures required by part a) of this condition has been provided.	b) Prior to commencement of use or BFP endorsement, whichever occurs first.					
Sustainability – Energy Efficiency						
 a) All dwellings must be connected to a three-phase power supply and incorporate the following: i) A dedicated electrical circuit in each garage to enable future electric vehicle charging; ii) Heat pump hot water systems; and iii) Energy-efficient air conditioning systems. b) Submit to EDQ IS, certified evidence from a suitably qualified professional, that the energy efficiency measures required by part a) of this condition has been provided. 	 a) Prior to commencement of use or BFP endorsement, whichever occurs first. b) Prior to commencement of use or BFP endorsement, whichever occurs first. 					
	Condition c) Submit to EDQ IS, certified evidence from a suitably qualified and experienced electrical engineer, that the electric vehicle readiness required by parts a) and b) of this condition has been provided. Car Parking Signage Install signage at the entrance to the community use car park clearly stating that the car park is designated for the exclusive use of customers and visitors to the café and the community use building. The signage must also specify that parking by residents is not permitted. Sustainability – Solar and Battery Installation a) All dwellings must include a solar and battery configuration installed by a qualified supplier, comprising: i) A minimum 6kW solar photovoltaic system; ii) A minimum 10kWh battery storage system; and iii) An inverter with a maximum export capacity of 4kW. b) Submit to EDQ IS, certified evidence from a suitably qualified professional, that the energy efficiency measures required by part a) of this condition has been provided. Sustainability – Energy Efficiency a) All dwellings must be connected to a three-phase power supply and incorporate the following: i) A dedicated electrical circuit in each garage to enable future electric vehicle charging; ii) Heat pump hot water systems; and iii) Energy-efficient air conditioning systems. b) Submit to EDQ IS, certified evidence from a suitably qualified professional, that the energy efficiency measures required by					

PDA	Development Conditions						
No.	Condition	Timing					
Bush	Bushfire						
9.	Landscaping within the Asset Protection Zone						
	Submit to EDQ DA, certification from a qualified Bushfire Consultant confirming that the landscaping within the Asset Protection Zone (APZ) complies with the approved planting palette and does not exacerbate bushfire hazard impacts on the site.	Prior to commencement of use or BFP endorsement, whichever occurs first.					
Cons	struction Management						
10.	Hours of Work – Construction						
	Construction hours for the approved development are limited to Monday to Saturday between 6:30am to 6:30pm, excluding public holidays.	During construction unless otherwise endorsed.					
11.	Certification of Operational Works						
	Carry out all Operational Works under this approval, including those associated with any contributed and non-contributed assets, in accordance with the <i>Certification Procedures Manual</i> .	At all times.					
12.	Certification of Operational Work for Contributed Assets						
	Carry out all Operational Work, for Contributed Assets, under this approval in accordance with the <i>Certification Procedures Manual</i> .	At all times					
13.	Construction Management Plan						
	 a) Submit to EDQ IS a site-based Construction Management Plan (CMP), prepared by the principal site contractor and reviewed by a suitably qualified and experienced person responsible for overseeing the site works, to manage construction impacts, including: i) noise and dust in accordance with the EP Act; ii) stormwater flows around and through the site without increasing the concentration of total suspended solids or Prescribed Water Contaminants (as defined in the EP Act), causing erosion, creating any ponding and causing any actionable nuisance to upstream and downstream properties; iii) contaminated land, where required under a site suitability statement prepared in accordance with section 389 of the EP Act; iv) complaints procedures; v) site management: for the provision of safe and functional alternative 	a) Prior to commencing work.					

PDA	Deve	lopme	ent Conditions		
No.	Cond	lition		Tir	ning
		11.	to mitigate impacts to public sector entity assets, including street trees, on or external to the site; for safe and functional temporary vehicular access points and frequency of use; for the safe and functional loading and unloading of materials including the location of any remote loading sites; for the location of materials, structures, plant and equipment; of waste generated by construction activities; detailing how materials are to be loaded/unloaded; of proposed external hoardings and gantries (with clearances to street furniture and other public sector entity assets); of employee and visitor parking areas; of anticipated staging and programming; for the provision of safe and functional emergency exit routes; and any out of hours work as endorsed via Compliance Assessment.		
	c) C	iust be arry ou	of the CMP submitted under part a) of this condition current and available on site. It all construction work generally in accordance with P submitted under part a) of this condition.	b)	During construction. During construction.
14.			d Sediment Management		
	a) S (E	ubmit t ESCP), rosion ccorda con obje Tab	to EDQ IS an Erosion and Sediment Control Plan certified by a RPEQ or an accredited professional in and sediment control, and prepared generally in nice with the following: struction phase stormwater management design ectives of the State Planning Policy 2017 (Appendix 2 ple A); althy Land and Water Technical Note: Complying with SPP – Sediment Management on Construction Sites.	a)	Prior to commencing work.
		npleme onditio	ent the certified ESCP submitted under part a) of this n.	b)	During construction.
15.	Traffi	ic Man	agement Plan		
	by	y a per ualifica	to EDQ IS a Traffic Management Plan (TMP), certified son holding a current Traffic Management Design tion. The TMP must include the following: vision for the safe and functional management of	a)	Prior to commencing work

PDA	PDA Development Conditions					
No.	Condition	Timing				
	traffic around and through the site during and outside of construction work hours; ii) provision for the safe and functional management of pedestrian traffic, including alternative pedestrian routes past, through or around the site; iii) provision of parking for workers and materials delivery; iv) risk identification, assessment and identification of mitigation measures; v) ongoing monitoring, management review and certified updates (as required); and vi) traffic control plans and/or traffic control diagrams, prepared in accordance with Austroads Guide to Temporary Traffic Management, for any temporary part or full road closures. b) Carry out all construction work generally in accordance with the certified TMP submitted under part a) of this condition,	b) During construction				
	which is to be current and available on site. NOTE: Operational traffic changes, such as temporary and permanent lane modifications, relaxation of clearway zone hours or footpath closures may require authorisation from Council or DTMR as road manager. It is recommended that applicants engage directly with the applicable road manager.					
16.	Construction Noise Management Plan					
	 a) Submit to EDQ IS a Construction Noise Management Plan (CNMP), certified by a suitably qualified acoustic engineer. At a minimum, the CNMP must address the following sections of <i>Australian Standard AS2436-2010</i> as they relate to the site and construction activities: i) section 3.4 – Community Relations, including schedule of activities, community notification strategy, complaints reporting and response strategies ii) section 4.4 – Post Approval/Construction Planning for Noise and Vibration, including strategies to minimise adverse impacts to proximate sensitive land uses/receptors iii) section 4.5 – Control of Noise at Source, including strategies to control noise at source; iv) section 4.6 – Controlling the Spread of Noise, including noise reduction measures; and v) section 5.0 – Methods for Measurement of Noise and Vibration, including noise measurement and monitoring strategy. 	a) Prior to commencing work				

PDA	DA Development Conditions						
No.	Condition	Timing					
	b) Carry out construction work generally in accordance with the certified CNMP required under part a) of this condition.	b) During construction.					
	c) Where requested by EDQ, submit to EDQ IS Noise Monitoring Reports, certified by a suitably qualified acoustic engineer, and evidence of compliance with the community relations elements of the CNMP required under part a) of this condition.	c) As indicated.					
17.	Public Infrastructure (Damage, Repairs and Relocation)						
	a) Repair any damage to existing public infrastructure caused by works carried out in association with the approved development, including street trees and verge landscape elements.	a) Prior to commencement of use or BFP endorsement, whichever occurs first.					
	b) Where existing public infrastructure require repair or relocation, due to the approved development and/or works associated with the approved development, repair and/or relocate the public infrastructure at no cost to others and in accordance with statutory requirements and the External Authority's design standards. Removal of street trees or verge landscape elements requires compensatory installation of equivalent / 'like-for-like' landscape elements.	b) Prior to commencement of use or BFP endorsement, whichever occurs first.					
	Note: It is recommended applicants record their own dated photographic evidence of the condition of relevant existing public infrastructure both before and after works carried out in association with the approved development.						
18.	Earthworks						
	a) Submit to EDQ IS detailed earthworks plans, certified by a RPEQ, and designed generally in accordance with Australian Standard AS3798 – 2007 Guidelines on Earthworks for Commercial and Residential Developments and the approved drawings and documents.	a) Prior to commencing earthworks					
	The certified earthworks plans are to: i) Include amendments in accordance with the stormwater design;						
	 ii) include a geotechnical soils assessment of the site; iii) accord with the Erosion and Sediment Control Plans, as required under this development permit; iv) include the location and finished surface levels of any cut 						
	and/or fill; v) detail areas where dispersive soils will be disturbed,						

PDA	DA Development Conditions						
No.	Condition	Timing					
	treatment of dispersive soils and their rehabilitation; vi) provide details of any areas where surplus soils are to be stockpiled; vii) detail protection measures to: 1. ensure adjoining properties and roads are not impacted by ponding or nuisance stormwater resulting from earthworks associated with the approved development; 2. preserve all drainage structures from structural loading impacts resulting from earthworks associated with the approved development; and viii) where rock or ground anchors are required within adjoining road or land, include consents from relevant road manager(s) and/or landowner(s).						
	b) Carry out earthworks generally in accordance with the certified plans submitted under part a) of this condition.	b) Prior to commencement of use or BFP endorsement, whichever occurs first.					
	c) Submit to EDQ IS RPEQ certification that all earthworks have been carried out generally in accordance with the certified plans submitted under part a) of this condition; and any unsuitable material encountered has been treated or replaced with suitable material.	c) Prior to commencement of use or BFP endorsement, whichever occurs first.					
19.	Acid Sulfate Soil Management Plan						
	a) Where on-site Acid Sulfate Soils (ASS) are encountered, submit to EDQ IS an ASS Management Plan, prepared in accordance with the <i>Queensland Acid Sulfate Soil Technical Manual Soil Management Guidelines v4.0 2014</i> (as amended from time to time.	a) Prior to commencement of earthworks					
	b) Excavate, remove and/or treat on site all disturbed ASS generally in accordance with the ASS Management Plan submitted under part a) of this condition.	b) During civil works					
	c) Submit to EDQ IS a validation report, certified by a suitably qualified environmental or soil scientist, confirming that all earthworks have been carried out in accordance with the ASS Management Plan submitted under part b) of this condition.	c) Prior to commencement of use or BFP endorsement, whichever occurs first.					

PDA	PDA Development Conditions							
No.	Со	ndition	Timing					
20.	Re	aining Walls						
	a)	Submit to EDQ IS detailed engineering plans, certified by a RPEQ, of all retaining walls 1m or greater in height. Retaining walls must be: i) certified to achieve a minimum 50-year design life; ii) designed generally in accordance with Australian Standard AS4678 – Earth Retaining Structures and relevant material standards (e.g., AS3600 – Concrete Structures); iii) located and designed generally in accordance with the approved plans and documents.	a) Prior to commencing earthworks					
	b)	Construct retaining walls generally in accordance with the certified plans required under part a) of this condition.	b) Prior to commencement of use or BFP endorsement, whichever occurs first.					
	c)	Submit to EDQ IS certification from an RPEQ that all retaining wall works 1.0m or greater in height have been constructed generally in accordance with the certified plans submitted under part a) of this condition.	c) Prior to commencement of use or BFP endorsement, whichever occurs first.					
21.	Ve	nicle Access						
	a)	Submit to EDQ IS detailed engineering drawings, certified by a RPEQ, for the vehicle crossover: i) located generally in accordance with the approved plans; and ii) designed generally in accordance with Council's adopted standards	a) Prior to the commencement of civil works.b) Prior to commencement of					
	b)	Construct the crossover in accordance with part a) of this condition.	use or BFP endorsement, whichever occurs first.					
	c)	Submit to EDQ IS RPEQ certification that the crossover has been constructed in accordance with part a) of this condition.	c) Prior to commencement of use or BFP endorsement, whichever occurs first.					

PDA	Development Conditions		
No.	Condition	Timing	
22.	Internal Roadway		
	 a) Submit to EDQ IS detailed engineering drawings, certified by a RPEQ, for the internal roadway generally in accordance with: i) Council adopted standards (excluding width requirements); ii) The approved Civil Engineering Report; and iii) The approved Traffic Impact Assessment prepared by TTM, dated 7/11/2024 	a) Prior to the commencement of civil works.	
	b) Submit to EDQ IS RPEQ certification that the internal roadway has been constructed in accordance with part a) of this condition.	b) Prior to commencement of use or BFP endorsement, whichever occurs first	
23.	Car Parking		
	Construct, sign and delineate car parking spaces generally in accordance with <i>Australian Standard AS2890 – Parking Facilities</i> and the approved plans.	Prior to commencement of use or BFP endorsement, whichever occurs first	
24.	Bicycle Parking		
	Construct, sign and delineate any bicycle parking facilities generally in accordance with <i>Australian Standard AS2890.3</i> – 1993 Bicycle parking facilities and the approved plans.	Prior to commencement of use or BFP endorsement, whichever occurs first.	
25.	Water Connection		
	Connect the approved development to the existing water reticulation network generally in accordance with Urban Utilities current adopted standards.	Prior to commencement of use or BFP endorsement, whichever occurs first.	
26.	Sewer Connection		
	Connect the approved development to the existing sewer reticulation network generally in accordance Urban Utilities current adopted standards.	Prior to commencement of use or BFP endorsement, whichever occurs first	
27.	Condition Deleted		

PDA	DA Development Conditions						
No.	Condition	Timing					
27A	Build Over Sewer a) Submit to DA Engineering Build over sewer approval issued by Urban Utilities.	a) Prior to commencement of sewer reticulation					
	 b) Submit to DA Engineering: as-constructed plans, certified by an RPEQ, of all sewer reticulation infrastructure constructed in accordance with this condition, including an asset register, pressure and CCTV results in accordance with Urban Utilities' current adopted standards and to ensure that there is no damage to the existing sewer main; and the SEQ Water Supply and Sewerage Design and Construction Code - Asset Information. 	work. b) Prior to commencement of building works					
28.	Stormwater Connection Connect the approved development to a lawful point of discharge: a) with 'no-worsening' to upstream or downstream properties for storm events up to 1% Annual Exceedance Probability; and b) generally in accordance with Council's current adopted standards.	Prior to commencement of use or BFP endorsement, whichever occurs first					
29.	 a) Submit to EDQ IS detailed drawings, certified by a RPEQ or a member of the Illuminating Engineering Society of Australia and New Zealand, for the outdoor lighting system designed generally in accordance with: i) Australian Standards AS1158 – 'Lighting for Roads and Public Spaces;' and ii) Australian Standard AS 4282:1997 Control of the Obtrusive Effects of Outdoor Lighting. b) Install lighting works generally in accordance with the certified plans submitted under part a) of this condition. 	 a) Prior to commencement of lighting works. b) Prior to commencement of use or BFP endorsement, whichever occurs first. 					

PDA	DA Development Conditions					
No.	Co	nditi	ion	Tir	ming	
	c)	bee	mit to EDQ IS RPEQ certification confirming lighting has n installed generally in accordance with the certified plans mitted under part a) of this condition.	c)	Prior to commencement of use or BFP endorsement, whichever occurs first.	
30.	Inte	erna	I Stormwater Management (Quantity)			
	a)	hyd stor	omit to EDQ IS, detailed engineering drawings and raulic calculations, certified by a RPEQ, for the internal mwater drainage system designed generally in ordance with: PDA Guideline No. 13 Engineering standards — Stormwater quantity; and The approved Civil Engineering Report.	a)	Prior to commencement of stormwater works.	
	b)	The i)	designs are required to address the following: Method of conveyance of flow along the northern boundary to the eastern legal point of discharge (swale or similar) to convey flows, including in the event of blockage of the field inlet pits or flows in excess of the piped drainage design rainfall event.	b)	As required.	
		ii)	Stormwater overland flow and surcharged pipe flow conveyed to a single stabilised outlet on the northwestern boundary, without overtopping into neighbouring properties for all events up to 1% AEP.			
		iii)	Internal drainage structures and scour protection required to ensure no internal or external damage resulting from the stormwater flow.			
		iv)	Overland flow and surcharged pipe flow to be directed to a rock lined chute to convey flow from the property boundary to the external detention basin.			
		v)	The discharge characteristics across the northern boundary (flow depth, width, quantity, velocity) are required to be compatible with the design of the rock chute and not result in flow outside of the rock chute capacity for flows up to 1% AEP.			
		vi)	All stormwater design aspects are to include appropriate consideration of blockage, hazard assessment and safety signage/fencing in accordance with QUDM.			
		vii)	Connection to the underground lawful point of discharge demonstrating: A) Low flow (3-month ARI) diversion pipe to existing bioretention basin 1;			
			B) Balance pipe flow (2 year ARI) diversion via pipe to existing flood basin 1;			
			C) Balance flow overland component addressed in			

PDA	Development Conditions	
No.	Condition	Timing
	accordance with Condition 30; D) 'No-worsening' to upstream or downstream properties for storm events up to 1% Annual Exceedance; and E) General accordance with Council's current adopted standards.	
	c) Construct stormwater works generally in accordance with the certified plans submitted under part a) of this condition.	c) Prior to commencement of use or BFP endorsement, whichever occurs first.
	d) Submit to EDQ IS "as constructed" plans, certified by a RPEQ including an asset register in a format acceptable to Council.	d) Prior to commencement of use or BFP endorsement, whichever occurs first.
31.	Flooding	
	 a) Construct the development with flood immunity as required by Council standards and Queensland Urban Drainage Manual, in accordance with approved Civil Engineering Report, summarised as follows: i) 1% AEP + 300mm – non-habitable floor levels, essential electrical services ii) 1% AEP + 500mm Habitable floor levels 	a) Prior to the commencement of use
	b) Maintain the development in accordance with flood immunity requirements for habitable rooms.	b) At all times
32.	Electricity	
	Submit to EDQ IS a Certificate of Electricity Supply from Energex for the provision of electricity supply to the approved development.	a) Prior to commencement of use or BFP endorsement, whichever occurs first.
	b) Connect the approved development in accordance with the Certificate of Electricity Supply submitted under part a) of this condition.	b) Prior to commencement of use or BFP endorsement, whichever occurs

PDA	PDA Development Conditions						
No.	Co	ndition	Timing				
				first.			
33.	Te	ecommunications					
	a)	Submit to EDQ IS documentation from an authorised telecommunication service provider confirming that an agreement has been entered into for the provision of underground telecommunication services to the approved development.	a)	Prior to commencement of use or BFP endorsement, whichever occurs first.			
	b)	Connect the approved development in accordance with the documentation submitted under part a) of this condition.	b)	Prior to commencement of use or BFP endorsement, whichever occurs first.			
34.	Br	padband					
	a)	Submit to EDQ IS written agreement from an authorised telecommunications service provider, confirming that broadband internet infrastructure will be provided to the premises in accordance with: i) The Industry Guideline G645:2017 Fibre-Ready Pit and Pipe Specification for Real Estate Development Projects; and ii) Telecommunications industry standards for high rise	,	Prior to commencement of use or BFP endorsement, whichever occurs first. Prior to			
	b)	buildings, such as those set by Telstra or NBN Co.	5)	commencement of use or BFP endorsement,			
	D)	Construct the infrastructure specified in the agreement submitted under part a) of this condition.		whichever occurs first.			
35.	Refuse Collection						
	a)	Submit to EDQ IS evidence of approved refuse collection arrangements, from Council or a private waste contractor, for the approved development.	a)	Prior to commencement of use or BFP endorsement, whichever occurs first.			
	b)	Implement the refuse collection arrangements submitted under part a) of this condition.	b)	At all times following commencement of use.			

PDA Development Conditions					
No.	Condition	Timing			
36.	Outdoor Lighting				
	Outdoor lighting within the site is to be designed and constructed in accordance with Australian Standard AS 4282:1997 Control of the Obtrusive Effects of Outdoor Lighting.	Prior to commencement of use or BFP endorsement, whichever occurs first			
37.	Easements over Infrastructure				
	Where applicable, provide public utility easements, in favour of and at no cost to the grantee, over infrastructure located in land (other than road) for Contributed Assets. The terms of public utility easements are to be to the satisfaction of the Chief Executive Officer of the authority which is to accept and maintain the Contributed Assets.	Prior to commencement of use or registration of a Building Format Plan, whichever occurs first.			
Infrastructure Planning					
38.	Infrastructure Charges				
	Pay to the MEDQ infrastructure charges in accordance with the Oxley PDA DCOP, indexed to the date of payment.	In accordance with the DCOP.			
	Certified construction plans detailing the GFA are to be provided to the MEDQ prior to commencement of use for calculation of final charges.				

STANDARD ADVICE

Please note that to lawfully undertake development, it may be necessary to obtain approvals other than this PDA Development Approval. For advice on other approvals that may be necessary in relation to your proposal, it is recommended that you seek professional advice.

** End of Package **