




Vegetation Management Plan

Greater Flagstone Town Centre



by PEET Ltd
Economic Development
Queensland

CONTENTS

- 8418 E 02 Town Centre VMP I -- Vegetation Clearing Notes
- 8418 E 03 Town Centre VMP I -- Detail Sheet Context
- 8418 E 04-20 Town Centre VMP I -- Detail Sheets
- 8418 E 21 Town Centre VMP I -- Clearing Direction
- Appendix A -- Town Centre Tree Schedule (Master Schedule)

AMENDED IN RED
By: Ali Rizayee
Date: 7 January 2026



PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: DEV2025/1701
Date: 13 January 2026



Key Site Contacts

Saunders Havill Group
Dr Andrew Davies
Phone: (07) 3251 9444
Email: andrewdavies@saundershavill.com



Vegetation Management Plan

Vegetation Clearing - Notes

INTRODUCTION

The *Environmental Management Division* of the **Saunders Havill Group** was engaged by **PEET Flagstone City** to prepare a *Vegetation Management Plan (VMP)* for the removal of vegetation for the town centre of Greater Flagstone.

This VMP was drafted in response to the project's *Natural Environment Site Strategy's (NESS)* requirement for VMPs. The VMP will manage the vegetation clearing practices during operational work stages. The VMP will cover the town centre of Greater Flagstone and correspond with the lodgement of the planning and civil applications for the proposed development, including basins and road locations. The clearing works will follow the general principal for vegetation clearing documented on this sheet and be read in conjunction with the *Fauna Management Plan* document.

To assist in the spatial depiction of the town centre clearing area and better allocate a tree retention and removal status, ecologists from the **Saunders Havill Group** completed a tree survey using Trimble GNSS based GPS units. The survey collected the following features of trees within and adjoining the town centre works extent as provided by the project engineer:

- Reference number and point location
- Botanical Name / Common Name
- Trunk DBH
- AS4970-2009 – Tree Protection Zone
- Height and Spread

- Canopy and Trunk Condition
- Fauna and Habitat Values Details

CLEARING PHASES AND PROCESS

The following stages are required for clearing to be undertaken on this property and a copy of this VMP must be present with the clearing contractor on-site:

PHASE 1 – Demarcation

Tree Protection Fencing to be installed prior to the commencement of any clearing works on the site. Tree protection fencing is to be located at or beyond 12 x diameter at breast height (DBH) unless approved by an appointed Arborist around trees designated for retention or as per the locations shown in this drawing package (refer Fencing Note). Fencing shall clearly demark the extent of works ensuring no additional vegetation will be cleared.

PHASE 2 - Pre-start Meeting

Fencing shall be in place at the time of the official pre-start meeting for inspection by the Environmental Coordinator. A fauna spotter pre-works assessment report must be carried out prior to the pre-start meeting and provided to the clearing contractor (Refer to *Fauna Management Plan* accompanying this application for details).

PHASE 4 - Undertake Clearing Works

The removal of vegetation may be undertaken once approved for removal by the appointed fauna spotter. Clearing will occur in the direction outlined in the *Fauna Management Plan* and will be managed by the appointed fauna spotter to allow all fauna to move unimpeded towards fauna safe zones. The contractor is to follow any tree felling directions of the appointed fauna spotter/arborist, including but not limited to, an excavator with a vertical tree grab attachment or a cherry picker, where the use of a bulldozer is not appropriate.

PHASE 5 - Post clearing Works

Cleared vegetation is to be reused on or off premises. Recycling techniques include mulching, tub-grinding, wood chipping and salvage (e.g. custom milling). Trees with identified hollows should have the hollow section preserved and this section should be suitably mounted on nearby or adjacent suitable trees.



Assessment of all retained trees should be carried out by a qualified arborist along the edge of the development once civil works have been completed. Any tree management measures advised by the arborist should be implemented.

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV2025/1701
Date: 13 January 2026



Tree Protection Fencing Detail



DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.
CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.
PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DERIVED LOCATIONS OF ALL SERVICES.

REFERENCES:

AS4970-2009 Protection of trees on development sites

AMENDMENTS:

Issue	Date	Description	Checked
A	09/05/2022	Client Draft	AD
B	13/07/2022	Client Draft	AD
C	22/07/2022	Updated Layout	AD
I	9/05/2024	New basin designs	AD

CLIENT:

PEET Limited

PROJECT:

Greater Flagstone
Town Centre



PLAN OF:
Vegetation
Management Plan

DATE: 9/05/2024	CHECKED: AD
JOB REF: 8418	DRAWN: TC
DRAWING No: 8418 E 02 Town Centre VMP I	



- Works extent including construction buffer
- Extent of Cut
- Extent of Fill
- Extent of Construction Interface
- Approximate Structure Lots
- Road Detail (Indicative)
- Basin Detail

Vegetation Management Plan - *Detail Sheet Context*



DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR DISREGARD FOR THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.
CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SOLELY RELY ON THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.
PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION, CONSULT THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR THE SUBSURFACE NOISES, AND CATASTROPHIC LOCATIONS OF ALL SERVICES.

REFERENCES:

Engineering Drawing (Colliers, 2024)



AMENDMENTS:

Issue	Date	Description	Checked
A	09/05/2022	Client Draft	AD
B	13/07/2022	Client Draft	AD
C	22/07/2022	Updated Layout	AD
I	9/05/2024	New basin designs	AD

0 50 100 200 300 400 m

1:5,800 @ A3

CLIENT:

PEET Limited

PROJECT:

Greater Flagstone
Town Centre

environmental management

PLAN OF:

Vegetation
Management Plan



DATE: 9/05/2024

CHECKED: AD

JOB REF: 8418

DRAWN: TC

DRAWING No.: 8418E 03 Town Centre VMP I



Tree protection fencing to be installed
outside of the TPZ of trees to be retained.

Tree protection fencing to be installed
where adjacent trees to be retained
may be impacted by civil works.

GPS Tree Plot (w/ TPZ)

-  Tree to Retain
-  Tree to Remove within Earthworks Extent

-  Tree removal is only permitted by the Project Arborist where necessary for construction requirements and to be minimised to the greatest extent possible
-  Tree to Remove within Rail Corridor

-  Tree to Remove within Basin Extent
-  Not part of this application (future stage)
-  Dense Acacia Stands to be cleared

Engineering Detail


-  Approximate Structure Lots
-  Road Detail (Indicative)
-  Basin design
-  Basin outlets

-  Retaining wall - rock
-  Retaining wall - sleeper
-  Adjoining Tributaries

-  Adjoining Lots
-  Works extent including construction buffer
-  Extent of Cut
-  Extent of Fill

-  Extent of Construction Interface
-  Tree Protection Fencing
-  Edge of Works Demarcation (Fauna Friendly Flagging Design)

Vegetation Management Plan - Detail Sheet 05



DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.
CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SOLELY RELY ON THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED WITH THE CLIENT PRIOR TO COMMENCEMENT OF WORK.
PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER GUIDANCE AND SERVICES AND OBTAIN ALL NECESSARY APPROVALS.

REFERENCES:

Engineering Drawing (Colliers, 2024)



AMENDMENTS:

Issue	Date	Description	Checked
A	09/05/2022	Client Draft	AD
B	13/07/2022	Client Draft	AD
C	22/07/2022	Updated Layout	AD
I	9/05/2024	New basin designs	AD

CLIENT:

PEET Limited

PROJECT:

Greater Flagstone
Town Centre

environmental management

PLAN OF:

Vegetation
Management Plan


DATE: 9/05/2024

CHECKED: AD

JOB REF: 8418

DRAWN: TC

DRAWING No.: 8418 E 05 Town Centre VMP1



PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: DEV2025/1701
Date: 1760 13 January 2026



GPS Tree Plot (w/ TPZ)

- Tree to Retain
- Tree to Remove within Earthworks Extent
- Tree removal is only permitted by the Project Arborist where necessary for construction requirements and to be minimised to the greatest extent possible
- Tree to Remove within Rail Corridor

Engineering Detail

- Approximate Structure Lots
- Road Detail (Indicative)
- Basin design
- Basin outlets

Retaining wall - rock

- Retaining wall - sleeper
- Adjoining Tributaries


Adjoining Lots


- Works extent including construction buffer
- Extent of Cut
- Extent of Fill

Extent of Construction Interface

- Tree Protection Fencing
- Edge of Works Demarcation (Fauna Friendly Flagging Design)

Vegetation Management Plan - Detail Sheet 06





PLANS AND DOCUMENTS referred to in the FIDA DEVELOPMENT APPROVAL

Approval no: DEV2025/1701

Date: 13 January 2026

Queensland Government

Melaleuca irbyana in future development area approved for removal by the State – refer clearing permit WA0049186

GPS Tree Plot (w/ TPZ)

- Tree to Retain
- Tree to Remove within Earthworks Extent
- Tree to Remove within Rail Corridor

Tree removal is only permitted by the Project Arborist where necessary for construction requirements and to be minimised to the greatest extent possible

- Tree to Remove within Basin Extent
- Not part of this application (future stage)
- Dense Acacia Stands to be cleared

Engineering Detail


- Approximate Structure Lots
- Road Detail (Indicative)
- Basin design
- Basin outlets

- Retaining wall - rock
- Retaining wall - sleeper
- Adjoining Tributaries

- Adjoining Lots
- Works extent including construction buffer
- Extent of Cut
- Extent of Fill

- Extent of Construction Interface
- Tree Protection Fencing
- Edge of Works Demarcation (Fauna Friendly Flagging Design)

Vegetation Management Plan - Detail Sheet 07



PLANS AND DOCUMENTS
related to the PDA
DEVELOPMENT APPROVAL
Approval no: DEV/2025/1701
Date: 13 January 2026



GPS Tree Plot (w/ TPZ)

- Tree to Retain
- Tree to Remove within Earthworks Extent
- Tree to Remove within Rail Corridor

Tree removal is only permitted by the Project Arborist where necessary for construction requirements and to be minimised to the greatest extent possible

- Tree to Remove within Basin Extent
- Not part of this application (future stage)
- Dense Acacia Stands to be cleared

Engineering Detail


- Approximate Structure Lots
- Road Detail (Indicative)
- Basin design
- Basin outlets



- Retaining wall - rock
- Retaining wall - sleeper
- Adjoining Tributaries

- Adjoining Lots
- Works extent including construction buffer
- Extent of Cut
- Extent of Fill


- Extent of Construction Interface
- Tree Protection Fencing
- Edge of Works Demarcation (Fauna Friendly Flagging Design)

Vegetation Management Plan - Detail Sheet 08






Vegetation Management Plan - Detail Sheet 10



Issue	Date	Description	Checked
A	09/05/2022	Client Draft	AD
B	13/07/2022	Client Draft	AD
C	22/07/2022	Updated Layout	AD
D	9/05/2024	New basin designs	AD



PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL
Approval no: DEV2025/1701
Date: 13 January 2026



Queensland
Government


GPS Tree Plot (w/ TPZ)


- Tree to Retain
- Tree to Remove within Earthworks Extent
- Tree removal is only permitted by the Project Arborist where necessary for construction requirements and to be minimised to the greatest extent possible
- Tree to Remove within Rail Corridor
- Tree to Remove within Basin Extent
- Not part of this application (future stage)
- Dense Acacia Stands to be cleared

Engineering Detail

- Approximate Structure Lots
- Road Detail (Indicative)
- Basin design
- Basin outlets
- Retaining wall - rock
- Retaining wall - sleeper
- Adjoining Tributaries
- Works extent including construction buffer
- Extent of Cut
- Extent of Fill
- Extent of Construction Interface
- Tree Protection Fencing
- Edge of Works Demarcation (Fauna Friendly Flagging Design)
- Adjoining Lots
- Works extent including construction buffer
- Extent of Cut
- Extent of Fill

Vegetation Management Plan - Detail Sheet 12





PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV2025/1701

Date: 13 January 2026


Queensland
Government

GPS Tree Plot (w/ TPZ)

 Tree to Retain

 Tree to Remove within Earthworks Extent

 Tree removal is only permitted by the Project Arborist where necessary for construction requirements and to be minimised to the greatest extent possible

 Tree to Remove within Rail Corridor

 Tree to Remove within Basin Extent

 Not part of this application (future stage)

 Dense Acacia Stands to be cleared

Engineering Detail

 Approximate Structure Lots

 Road Detail (Indicative)

 Basin design

 Basin outlets

 Retaining wall - rock

 Retaining wall - sleeper

 Adjoining Tributaries

 Works extent including construction buffer

 Extent of Cut

 Extent of Fill

 Adjoining Lots

 Works extent including construction buffer

 Extent of Cut


 Extent of Fill

 Extent of Construction Interface

 Tree Protection Fencing

 Edge of Works Demarcation (Fauna Friendly Flagging Design)

Vegetation Management Plan - Detail Sheet 13







DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OR MISUSE OF THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED WITH THE CLIENT PRIOR TO COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER GUIDANCE, SERVICES AND OBTAINING OF ALL SERVICES.

REFERENCES:

Engineering Drawing (Colliers, 2024)



AMENDMENTS:

Issue	Date	Description	Checked
A	09/05/2022	Client Draft	AD
B	13/07/2022	Client Draft	AD
C	22/07/2022	Updated Layout	AD
L	9/05/2024	New basin designs	AD

0 5 10 20 30 40 50

m

1:900 @ A3

CLIENT:

PEET Limited

PROJECT:

Greater Flagstone Town Centre

environmental management

PLAN OF:

Vegetation Management Plan

DATE: 9/05/2024

CHECKED: AD

JOB REF: 8418

DRAWN: TC

DRAWING No.: 8418 E 13 Town Centre VMP1



PLANS AND DOCUMENTS referred to in the PDA DEVELOPMENT APPROVAL

Approval no: DEV2025/1001

Date: 13 January 2026



GPS Tree Plot (w/ TPZ)

- Tree to Retain
- Tree to Remove within Earthworks Extent

Tree removal is only permitted by the Project Arborist where necessary for construction requirements and to be minimised to the greatest extent possible

- Tree to Remove within Basin Extent
- Not part of this application (future stage)
- Dense Acacia Stands to be cleared

Engineering Detail

- Approximate Structure Lots
- Road Detail (Indicative)
- Basin design
- Basin outlets

Engineering Detail

- Retaining wall - rock
- Retaining wall - sleeper
- Adjoining Tributaries


Engineering Detail


- Adjoining Lots
- Works extent including construction buffer
- Extent of Cut
- Extent of Fill

Engineering Detail

- Extent of Construction Interface
- Tree Protection Fencing
- Edge of Works Demarcation (Fauna Friendly Flagging Design)

Vegetation Management Plan - Detail Sheet 14





PLANS AND DOCUMENTS referred to in the PDA DEVELOPMENT APPROVAL

Approval no: DEV2025/1701

Date: 13 January 2026



GPS Tree Plot (w/ TPZ)

- Tree to Retain
- Tree to Remove within Earthworks Extent
- Tree removal is only permitted by the Project Arborist where necessary for construction requirements and to be minimised to the greatest extent possible
- Tree to Remove within Rail Corridor


Engineering Detail


- Approximate Structure Lots
- Road Detail (Indicative)
- Basin design
- Basin outlets
- Retaining wall - rock
- Retaining wall - sleeper
- Adjoining Tributaries
- Works extent including construction buffer
- Extent of Cut
- Extent of Fill
- Adjoining Lots
- Extent of Construction Interface
- Tree Protection Fencing
- Edge of Works Demarcation (Fauna Friendly Flagging Design)

Tree Status

- Tree to Remove within Basin Extent
- Not part of this application (future stage)
- Dense Acacia Stands to be cleared

Vegetation Management Plan - Detail Sheet 15





PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV2025/1701

Date: 13 January 2026



GPS Tree Plot (w/ TPZ)

- Tree to Retain
- Tree to Remove within Earthworks Extent
- Tree removal is only permitted by the Project Arborist where necessary for construction requirements and to be minimised to the greatest extent possible
- Tree to Remove within Rail Corridor

Tree to Remove within Basin Extent

Not part of this application (future stage)

Dense Acacia Stands to be cleared

Engineering Detail

- Approximate Structure Lots
- Road Detail (Indicative)
- Basin design
- Basin outlets
- Retaining wall - rock
- Retaining wall - sleeper
- Adjoining Tributaries
- Works extent including construction buffer
- Extent of Cut
- Extent of Fill
- Extent of Construction Interface
- Tree Protection Fencing
- Edge of Works Demarcation (Fauna Friendly Flagging Design)
- Adjoining Lots

Vegetation Management Plan - Detail Sheet 16

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SOIL FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED WITH THE CLIENTS. HAVILL GROUP ACCEPTS THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER GUIDANCE SERVICES AND OBTAINING OF ALL SERVICES.

REFERENCES:

Engineering Drawing (Colliers, 2024)

1:900 @ A3

AMENDMENTS:

Issue	Date	Description	Checked
A	09/05/2022	Client Draft	AD
B	13/07/2022	Client Draft	AD
C	22/07/2022	Updated Layout	AD
L	9/05/2024	New basin designs	AD

CLIENT:

PEET Limited

PROJECT:


Greater Flagstone Town Centre

environmental management

PLAN OF:

Vegetation Management Plan

DATE: 9/05/2024	CHECKED: AD
JOB REF: 8418	DRAWN: TC
DRAWING No.: 8418 E 16 Town Centre VMP1	



PLANS AND DOCUMENTS referred to in the PDA DEVELOPMENT APPROVAL

Approval no: DEV2025/1701

Date: 13 January 2026

GPS Tree Plot (w/ TPZ)

Tree to Retain

Tree to Remove within Earthworks Extent

Tree removal is only permitted by the Project Arborist where necessary for construction requirements and to be minimised to the greatest extent possible

Tree to Remove within Rail Corridor

Tree to Remove within Basin Extent

Not part of this application (future stage)

Dense Acacia Stands to be cleared

Engineering Detail

Approximate Structure Lots

Road Detail (Indicative)

Basin design

Basin outlets

Retaining wall - rock

Retaining wall - sleeper

Adjoining Tributaries

Adjoining Lots

Works extent including construction buffer

Extent of Cut

Extent of Fill

Extent of Construction Interface

Tree Protection Fencing

Edge of Works Demarcation (Fauna Friendly Flagging Design)

Vegetation Management Plan - Detail Sheet 17

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND OBTAIN SOIL FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED WITH THE CLIENTS. HAVILL GROUP PROVIDES THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER GUIDANCE AND SERVICES AND OBTAIN LICENSING OF ALL SERVICES.

REFERENCES:

Engineering Drawing (Colliers, 2024)

AMENDMENTS:

Issue	Date	Description	Checked
A	09/05/2022	Client Draft	AD
B	13/07/2022	Client Draft	AD
C	22/07/2022	Updated Layout	AD
L	9/05/2024	New basin designs	AD

0 5 10 20 30 40 50 m

1:900 @ A3

CLIENT:

PEET Limited

PROJECT:

Greater Flagstone Town Centre

environmental management

PLAN OF:

Vegetation Management Plan


DATE: 9/05/2024

CHECKED: AD

JOB REF: 8418

DRAWN: TC

DRAWING No.: 8418 E 17 Town Centre VMP1




GPS Tree Plot (w/ TPZ)

- | | | | | | |
|---|---|---|--|---|---|
|  | Tree to Retain |  | the Project Arborist where necessary for construction requirements and to be minimised to the greatest extent possible |  | Basin Extent |
|  | Tree to Remove within Earthworks Extent |  | Tree to Remove within Rail Corridor |  | Not part of this application (future stage) |
| | | | |  | Dense Acacia Stands to be cleared |

Engineering Detail

-
- | | | | | | | | |
|--|----------------------------|--|--------------------------|--|--|--|--|
| | Approximate Structure Lots | | Retaining wall - sleeper | | Works extent including construction buffer | | Tree Protection Fencing |
| | Road Detail (Indicative) | | Adjoining Tributaries | | Extent of Cut | | Edge of Works Demarcation (Fauna Friendly Flagging Design) |
| | Basin design | | | | Extent of Fill | | |
| | Basin outlets | | | | | | |

Vegetation Management Plan - Detail Sheet 18



DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS & HALL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS & HALL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER GUIDANCE AND SERVICES AND THE TOTAL LOCATION OF ALL SERVICES.

REFERENCES:

Engineering Drawing (Colliers, 2024)



Issue	Date	Description	Checked
A	09/05/2022	Client Draft	AD
B	13/07/2022	Client Draft	AD
C	22/07/2022	Update d Layout	AD
I	9/05/2024	New basin de signs	AD

CLIENT:

PEET Limited

PROJECT:

Greater Flagstone
Town Centre

environmental management

PLAN OF:

Vegetation Management Plan

DATE: 9/05/2024

CHECKED: AD




JOB REF.: 8418

DRAWN:	TC
--------	----

DRAWING No.: 8418 E 18 Town Centre VMP

1:900 @ A3





Final fence location subject to
interface tree status to be confirmed
at engineering detailed design

Construction buffer provided
by project engineers.

GPS Tree Plot (w/ TPZ)

- Tree to Retain
- Tree to Remove within Earthworks Extent

- Tree removal is only permitted by the Project Arborist where necessary for construction requirements and to be minimised to the greatest extent possible
- Tree to Remove within Rail Corridor

- Tree to Remove within Basin Extent
- Not part of this application (future stage)
- Dense Acacia Stands to be cleared

Engineering Detail


- Approximate Structure Lots
- Road Detail (Indicative)
- Basin design
- Basin outlets

- Retaining wall - rock
- Retaining wall - sleeper
- Adjoining Tributaries

- Adjoining Lots
- Works extent including construction buffer
- Extent of Cut
- Extent of Fill

- Extent of Construction Interface
- Tree Protection Fencing
- Edge of Works Demarcation (Fauna Friendly Flagging Design)

Vegetation Management Plan - Detail Sheet 20



DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OR MISUSE OF THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.
CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SOLELY RELY ON THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED BY THE CLIENT PRIOR TO COMMENCEMENT OF WORK.
PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION, CONSULT THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER GUIDANCE AND SERVICES AND OBTAIN ALL NECESSARY APPROVALS.

REFERENCES:

Engineering Drawing (Colliers, 2024)



AMENDMENTS:

Issue	Date	Description	Checked
A	09/05/2022	Client Draft	AD
B	13/07/2022	Client Draft	AD
C	22/07/2022	Updated Layout	AD
D	9/05/2024	New basin designs	AD

CLIENT:

PEET Limited

PROJECT:

Greater Flagstone
Town Centre

environmental management

PLAN OF:

Vegetation
Management Plan

DATE: 9/05/2024

CHECKED: AD

JOB REF: 8418

DRAWN: TC

DRAWING No.: 8418 E 20 Town Centre VMP1

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Retain	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
1	<i>Eucalyptus tereticornis</i>	Forest Red Gum	145	135	198	62	8	3	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
2	<i>Corymbia citriodora</i>	Spotted Gum	370		370	116	14	6	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
3	<i>Corymbia citriodora</i>	Spotted Gum	470		470	148	17	6	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
4	<i>Corymbia citriodora</i>	Spotted Gum	410		410	129	15	7	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
5	<i>Corymbia citriodora</i>	Spotted Gum	125		125	39	11	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
6	<i>Eucalyptus siderophloia</i>	Northern Grey Ironbark	355		355	112	14	6	4.3	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
7	<i>Corymbia intermedia</i>	Pink Bloodwood	330		330	104	15	8	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Remove (EW)
8	<i>Eucalyptus siderophloia</i>	Northern Grey Ironbark	300		300	94	14	7	3.6	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Remove (EW)
9	<i>Eucalyptus tereticornis</i>	Forest Red Gum	310		310	97	15	5	3.7	2.0	Regular	-	-	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
10	<i>Corymbia citriodora</i>	Spotted Gum	180	160	241	76	11	6	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
11	<i>Corymbia citriodora</i>	Spotted Gum	310		310	97	17	11	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
12	<i>Corymbia citriodora</i>	Spotted Gum	410		410	129	14	9	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
13	<i>Eucalyptus siderophloia</i>	Northern Grey Ironbark	345		345	108	15	9	4.1	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
14	<i>Corymbia citriodora</i>	Spotted Gum	325		325	102	16	9	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
15	<i>Corymbia intermedia</i>	Pink Bloodwood	320		320	101	15	9	3.8	2.1	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
16	<i>Corymbia citriodora</i>	Spotted Gum	285		285	90	16	9	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
17	<i>Eucalyptus siderophloia</i>	Northern Grey Ironbark	340		340	107	15	9	4.1	2.1	Regular	-	-	Die-back	-	-	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove (EW)
18	<i>Corymbia intermedia</i>	Pink Bloodwood	370		370	116	15	10	4.4	2.2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
19	<i>Corymbia intermedia</i>	Pink Bloodwood	325		325	102	14	8	3.9	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
20	<i>Corymbia citriodora</i>	Spotted Gum	380		380	119	16	9	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
21	<i>Corymbia citriodora</i>	Spotted Gum	330		330	104	13	9	4.0	2.1	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
22	<i>Corymbia citriodora</i>	Spotted Gum	360		360	113	17	9	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
23	<i>Corymbia citriodora</i>	Spotted Gum	250		250	79	15	8	3.0	1.8	Regular	-	Thinning	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
24	<i>Corymbia citriodora</i>	Spotted Gum	315		315	99	15	9	3.8	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
25	<i>Eucalyptus siderophloia</i>	Northern Grey Ironbark	320		320	101	15	9	3.8	2.1	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
26	<i>Eucalyptus tereticornis</i>	Forest Red Gum	430		430	135	16	10	5.2	2.3	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
27	<i>Eucalyptus tereticornis</i>	Forest Red Gum	300		300	94	15	3	3.6	2.0	Regular	-	Thinning	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
28	<i>Eucalyptus moluccana</i>	Gum-topped Box	220		220	69	14	8	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
29	<i>Corymbia citriodora</i>	Spotted Gum	370		370	116	16	9	4.4	2.2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
30	<i>Corymbia citriodora</i>	Spotted Gum	285		285	90	15	9	3.4	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
31	<i>Corymbia citriodora</i>	Spotted Gum	375		375	118	16	11	4.5	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
32	<i>Corymbia citriodora</i>	Spotted Gum	385		385	121	16	9	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
33	<i>Eucalyptus siderophloia</i>	Northern Grey Ironbark	530		530	167	15	11	6.4	2.5	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
34	<i>Eucalyptus siderophloia</i>	Northern Grey Ironbark	290		290	91	15	9	3.5	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
35	<i>Corymbia citriodora</i>	Spotted Gum	370		370	116	14	9	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Retain	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
36	<i>Eucalyptus moluccana</i>	Gum-topped Box	350		350	110	16	9	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
37	<i>Eucalyptus moluccana</i>	Gum-topped Box	425		425	134	16	10	5.1	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
38	<i>Eucalyptus siderophloia</i>	Northern Grey Ironbark	245		245	77	16	7	2.9	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
39	<i>Corymbia citriodora</i>	Spotted Gum	510		510	160	16	11	6.1	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
40	<i>Corymbia citriodora</i>	Spotted Gum	345		345	108	17	9	4.1	2.1	Regular	-	-	-	-	-	Typical	Minor	-	-	-	-	Typical	-	-	-	-	-	Remove (EW)
41	<i>Corymbia citriodora</i>	Spotted Gum	390		390	123	16	11	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
42	<i>Eucalyptus moluccana</i>	Gum-topped Box	435		435	137	15	9	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
43	<i>Eucalyptus moluccana</i>	Gum-topped Box	490	290	569	179	16	9	6.8	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
44	<i>Eucalyptus moluccana</i>	Gum-topped Box	430		430	135	15	9	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
45	<i>Eucalyptus moluccana</i>	Gum-topped Box	410		410	129	16	9	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
46	<i>Eucalyptus moluccana</i>	Gum-topped Box	415		415	130	16	9	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
47	<i>Corymbia citriodora</i>	Spotted Gum	300		300	94	15	7	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
48	<i>Eucalyptus moluccana</i>	Gum-topped Box	310		310	97	16	9	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
49	<i>Eucalyptus moluccana</i>	Gum-topped Box	370		370	116	16	9	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
50	<i>Eucalyptus moluccana</i>	Gum-topped Box	385		385	121	17	10	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
51	<i>Corymbia citriodora</i>	Spotted Gum	365		365	115	16	9	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
52	<i>Corymbia citriodora</i>	Spotted Gum	335		335	105	16	10	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
53	<i>Eucalyptus moluccana</i>	Gum-topped Box	340		340	107	16	9	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
54	<i>Eucalyptus moluccana</i>	Gum-topped Box	610		610	192	17	10	7.3	2.7	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
55	<i>Eucalyptus siderophloia</i>	Northern Grey Ironbark	310		310	97	14	9	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove (EW)
56	<i>Eucalyptus siderophloia</i>	Northern Grey Ironbark	280		280	88	15	9	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
57	<i>Eucalyptus moluccana</i>	Gum-topped Box	640		640	201	15	11	7.7	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
58	<i>Eucalyptus tereticornis</i>	Forest Red Gum	255		255	80	16	7	3.1	1.9	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
59	<i>Corymbia citriodora</i>	Spotted Gum	390		390	123	17	10	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
60	<i>Eucalyptus moluccana</i>	Gum-topped Box	355		355	112	15	9	4.3	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
61	<i>Eucalyptus moluccana</i>	Gum-topped Box	360		360	113	16	9	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
62	<i>Eucalyptus siderophloia</i>	Northern Grey Ironbark	400		400	126	14	8	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
63	<i>Eucalyptus moluccana</i>	Gum-topped Box	390		390	123	15	8	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
64	<i>Corymbia citriodora</i>	Spotted Gum	415		415	130	15	10	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
65	<i>Eucalyptus moluccana</i>	Gum-topped Box	415		415	130	15	9	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
66	<i>Corymbia citriodora</i>	Spotted Gum	265		265	83	15	9	3.2	1.9	Regular	-	-	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
67	<i>Eucalyptus tereticornis</i>	Forest Red Gum	345		345	108	16	9	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Old	-	-	-	-	Remove (EW)
68	<i>Corymbia citriodora</i>	Spotted Gum	355		355	112	15	7	4.3	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
69	<i>Eucalyptus moluccana</i>	Gum-topped Box	415		415	130	15	9	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
70	<i>Eucalyptus moluccana</i>	Gum-topped Box	460		460	145	17	5	5.5	2.4	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
71	<i>Corymbia citriodora</i>	Spotted Gum	390		390	123	16	9	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
72	<i>Corymbia citriodora</i>	Spotted Gum	350		350	110	17	9	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
73	<i>Eucalyptus tereticornis</i>	Forest Red Gum	315		315	99	17	6	3.8	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
74	<i>Eucalyptus moluccana</i>	Gum-topped Box	335		335	105	14	9	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
75	<i>Eucalyptus moluccana</i>	Gum-topped Box	345		345	108	14	8	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Retain	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
76	<i>Eucalyptus siderophloia</i>	Northern Grey Ironbark	335		335	105	15	9	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove (EW)
77	<i>Corymbia citriodora</i>	Spotted Gum	315		315	99	17	9	3.8	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
78	<i>Eucalyptus moluccana</i>	Gum-topped Box	355		355	112	15	9	4.3	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
79	<i>Corymbia citriodora</i>	Spotted Gum	330		330	104	16	8	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
80	<i>Corymbia citriodora</i>	Spotted Gum	295		295	93	15	8	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
81	<i>Eucalyptus moluccana</i>	Gum-topped Box	290		290	91	16	9	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
82	<i>Eucalyptus moluccana</i>	Gum-topped Box	410		410	129	15	9	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
83	<i>Eucalyptus moluccana</i>	Gum-topped Box	760		760	239	17	11	9.1	2.9	Regular	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove (EW)
84	<i>Eucalyptus moluccana</i>	Gum-topped Box	405		405	127	16	9	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
85	<i>Eucalyptus moluccana</i>	Gum-topped Box	330	130	355	111	14	6	4.3	2.1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Poor	-	-	-	-	-	-	Remove (EW)
86	<i>Eucalyptus moluccana</i>	Gum-topped Box	690		690	217	16	9	8.3	2.8	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove (EW)
87	<i>Corymbia citriodora</i>	Spotted Gum	330		330	104	16	9	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
88	<i>Corymbia citriodora</i>	Spotted Gum	330		330	104	16	9	4.0	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
89	<i>Eucalyptus moluccana</i>	Gum-topped Box	405		405	127	15	9	4.9	2.3	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
90	<i>Eucalyptus moluccana</i>	Gum-topped Box	365		365	115	14	8	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
91	<i>Eucalyptus moluccana</i>	Gum-topped Box	410		410	129	16	9	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
92	<i>Eucalyptus moluccana</i>	Gum-topped Box	420		420	132	15	9	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
93	<i>Eucalyptus tereticornis</i>	Forest Red Gum	255		255	80	15	8	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
94	<i>Corymbia citriodora</i>	Spotted Gum	440		440	138	16	9	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
95	<i>Corymbia citriodora</i>	Spotted Gum	435		435	137	17	9	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
96	<i>Corymbia citriodora</i>	Spotted Gum	470		470	148	14	9	5.6	2.4	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
97	<i>Corymbia citriodora</i>	Spotted Gum	310		310	97	13	5	3.7	2.0	Regular	-	Thinning	Die-back	Epicormic	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove (EW)
98	<i>Corymbia citriodora</i>	Spotted Gum	315	125	339	106	16	8	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
99	<i>Corymbia intermedia</i>	Pink Bloodwood	300		300	94	16	7	3.6	2.0	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
100	<i>Corymbia intermedia</i>	Pink Bloodwood	510		510	160	15	9	6.1	2.5	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
101	<i>Eucalyptus tereticornis</i>	Forest Red Gum	525		525	165	15	9	6.3	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
102	<i>Corymbia intermedia</i>	Pink Bloodwood	365		365	115	16	8	4.4	2.2	Regular	-	Thinning	Die-back	Epicormic	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove (EW)
103	<i>Eucalyptus tereticornis</i>	Forest Red Gum	335		335	105	14	8	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
104	<i>Corymbia intermedia</i>	Pink Bloodwood	530		530	167	16	12	6.4	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
105	<i>Corymbia intermedia</i>	Pink Bloodwood	280		280	88	14	7	3.4	1.9	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
106	<i>Corymbia intermedia</i>	Pink Bloodwood	330		330	104	14	7	4.0	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove (EW)
107	<i>Eucalyptus tereticornis</i>	Forest Red Gum	380		380	119	15	9	4.6	2.2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
108	<i>Eucalyptus tereticornis</i>	Forest Red Gum	440	100	451	142	15	8	5.4	2.4	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
109	<i>Eucalyptus tereticornis</i>	Forest Red Gum	375		375	118	17	11	4.5	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
111	<i>Eucalyptus siderophloia</i>	Northern Grey Ironbark	410		410	129	14	6	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
112	<i>Corymbia citriodora</i>	Spotted Gum	325		325	102	14	8	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
113	<i>Corymbia citriodora</i>	Spotted Gum	350		350	110	15	7	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
114	<i>Corymbia citriodora</i>	Spotted Gum	375		375	118	14	8	4.5	2.2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
115	<i>Corymbia citriodora</i>	Spotted Gum	325		325	102	15	8	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
117	<i>Eucalyptus moluccana</i>	Gum-topped Box	460		460	145	15	7	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Retain	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
118	<i>Eucalyptus tereticornis</i>	Forest Red Gum	365		365	115	17	9	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
119	<i>Eucalyptus moluccana</i>	Gum-topped Box	345		345	108	16	8	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
120	<i>Eucalyptus moluccana</i>	Gum-topped Box	415		415	130	15	8	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
121	<i>Eucalyptus siderophloia</i>	Northern Grey Ironbark	465		465	146	15	8	5.6	2.4	Regular	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove (EW)
122	<i>Eucalyptus siderophloia</i>	Northern Grey Ironbark	265		265	83	14	6	3.2	1.9	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
123	<i>Eucalyptus moluccana</i>	Gum-topped Box	690		690	217	17	9	8.3	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
124	<i>Eucalyptus moluccana</i>	Gum-topped Box	615		615	193	16	11	7.4	2.7	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
125	<i>Corymbia citriodora</i>	Spotted Gum	200		200	63	13	5	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
126	<i>Eucalyptus moluccana</i>	Gum-topped Box	400		400	126	15	9	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
127	<i>Eucalyptus moluccana</i>	Gum-topped Box	365		365	115	14	8	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
128	<i>Corymbia citriodora</i>	Spotted Gum	380		380	119	16	9	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
129	<i>Eucalyptus moluccana</i>	Gum-topped Box	265		265	83	15	8	3.2	1.9	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
130	<i>Corymbia citriodora</i>	Spotted Gum	285		285	90	16	7	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
131	<i>Eucalyptus tereticornis</i>	Forest Red Gum	280		280	88	15	7	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
132	<i>Eucalyptus moluccana</i>	Gum-topped Box	310		310	97	13	8	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
133	<i>Eucalyptus moluccana</i>	Gum-topped Box	430		430	135	16	9	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
134	<i>Corymbia citriodora</i>	Spotted Gum	305		305	96	19	8	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
135	<i>Corymbia citriodora</i>	Spotted Gum	310		310	97	17	9	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
136	<i>Eucalyptus moluccana</i>	Gum-topped Box	345		345	108	17	9	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
137	<i>Corymbia citriodora</i>	Spotted Gum	260		260	82	17	9	3.1	1.9	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
138	<i>Eucalyptus siderophloia</i>	Northern Grey Ironbark	265		265	83	17	9	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
139	<i>Corymbia citriodora</i>	Spotted Gum	290		290	91	17	9	3.5	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
140	<i>Corymbia citriodora</i>	Spotted Gum	310		310	97	17	9	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
141	<i>Corymbia citriodora</i>	Spotted Gum	320		320	101	16	9	3.8	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
142	<i>Corymbia citriodora</i>	Spotted Gum	275		275	86	17	8	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
143	<i>Corymbia citriodora</i>	Spotted Gum	360		360	113	17	9	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
144	<i>Eucalyptus moluccana</i>	Gum-topped Box	315		315	99	17	9	3.8	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
145	<i>Corymbia citriodora</i>	Spotted Gum	300		300	94	18	9	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
146	<i>Corymbia citriodora</i>	Spotted Gum	350		350	110	18	9	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
147	<i>Eucalyptus siderophloia</i>	Northern Grey Ironbark	310		310	97	17	9	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
148	<i>Eucalyptus moluccana</i>	Gum-topped Box	275		275	86	15	8	3.3	1.9	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
149	<i>Eucalyptus siderophloia</i>	Northern Grey Ironbark	310		310	97	17	10	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
150	<i>Corymbia citriodora</i>	Spotted Gum	410		410	129	17	9	4.9	2.3	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
151	<i>Corymbia citriodora</i>	Spotted Gum	275		275	86	18	9	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
152	<i>Corymbia citriodora</i>	Spotted Gum	415		415	130	17	10	5.0	2.3	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
153	<i>Corymbia citriodora</i>	Spotted Gum	130		130	41	11	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
154	<i>Eucalyptus siderophloia</i>	Northern Grey Ironbark	275		275	86	15	8	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
155	<i>Eucalyptus tereticornis</i>	Forest Red Gum	330		330	104	15	9	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
156	<i>Corymbia citriodora</i>	Spotted Gum	275		275	86	16	5	3.3	1.9	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
157	<i>Eucalyptus tereticornis</i>	Forest Red Gum	230		230	72	14	6	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Retain	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
158	<i>Eucalyptus tereticornis</i>	Forest Red Gum	125		125	39	12	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
159	<i>Acacia disparrima</i>	Hickory Wattle	135		135	42	7	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
160	<i>Corymbia citriodora</i>	Spotted Gum	320		320	101	17	9	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
161	<i>Corymbia citriodora</i>	Spotted Gum	320		320	101	14	8	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
162	<i>Corymbia tessellaris</i>	Moreton Bay Ash	225		225	71	15	7	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
163	<i>Corymbia intermedia</i>	Pink Bloodwood	250	165	300	94	14	9	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
164	<i>Eucalyptus tereticornis</i>	Forest Red Gum	330		330	104	17	9	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
165	<i>Corymbia citriodora</i>	Spotted Gum	370	155, 150	428	135	15	8	5.1	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
166	<i>Eucalyptus siderophloia</i>	Northern Grey Ironbark	325		325	102	14	7	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove (EW)
167	<i>Corymbia citriodora</i>	Spotted Gum	260		260	82	14	5	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
168	<i>Corymbia citriodora</i>	Spotted Gum	270		270	85	14	7	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
169	<i>Corymbia citriodora</i>	Spotted Gum	340		340	107	18	7	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
170	<i>Lophostemon confertus</i>	Brush Box	110	90	142	45	8	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
171	<i>Corymbia citriodora</i>	Spotted Gum	110		110	35	8	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
172	<i>Eucalyptus tereticornis</i>	Forest Red Gum	335		335	105	17	8	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
173	<i>Eucalyptus tereticornis</i>	Forest Red Gum	455		455	143	17	11	5.5	2.4	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
174	<i>Corymbia intermedia</i>	Pink Bloodwood	350		350	110	16	9	4.2	2.1	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
175	<i>Corymbia intermedia</i>	Pink Bloodwood	265		265	83	17	8	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
176	<i>Acacia disparrima</i>	Hickory Wattle	220		220	69	7	5	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
177	<i>Corymbia intermedia</i>	Pink Bloodwood	560		560	176	19	11	6.7	2.6	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
178	<i>Corymbia intermedia</i>	Pink Bloodwood	330		330	104	16	7	4.0	2.1	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
179	<i>Corymbia citriodora</i>	Spotted Gum	310		310	97	13	6	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
180	<i>Lophostemon suaveolens</i>	Swamp Box	245		245	77	14	6	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
181	<i>Corymbia tessellaris</i>	Moreton Bay Ash	125		125	39	8	5	2.0	1.4	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
182	<i>Corymbia intermedia</i>	Pink Bloodwood	470		470	148	17	9	5.6	2.4	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
183	<i>Lophostemon suaveolens</i>	Swamp Box	265		265	83	9	4	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
184	<i>Corymbia intermedia</i>	Pink Bloodwood	265		265	83	13	8	3.2	1.9	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
185	<i>Lophostemon suaveolens</i>	Swamp Box	230		230	72	13	6	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
186	<i>Corymbia citriodora</i>	Spotted Gum	390		390	123	14	6	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
187	<i>Corymbia citriodora</i>	Spotted Gum	290		290	91	14	4	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
188	<i>Eucalyptus tereticornis</i>	Forest Red Gum	460		460	145	16	5	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
189	<i>Corymbia citriodora</i>	Spotted Gum	440		440	138	18	12	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
190	<i>Eucalyptus tereticornis</i>	Forest Red Gum	460		460	145	17	8	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Remove (EW)
191	<i>Eucalyptus tereticornis</i>	Forest Red Gum	520		520	163	18	13	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
192	<i>Corymbia citriodora</i>	Spotted Gum	350		350	110	16	5	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
193	<i>Corymbia citriodora</i>	Spotted Gum	440		440	138	17	13	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Old	Large	-	-	-	Remove (EW)
194	<i>Corymbia citriodora</i>	Spotted Gum	350		350	110	17	6	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
195	<i>Corymbia citriodora</i>	Spotted Gum	350		350	110	18	6	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
196	<i>Corymbia citriodora</i>	Spotted Gum	370		370	116	18	9	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
197	<i>Corymbia citriodora</i>	Spotted Gum	360		360	113	18	4	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Retain	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
198	<i>Corymbia citriodora</i>	Spotted Gum	650		650	204	19	14	7.8	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
199	<i>Eucalyptus tereticornis</i>	Forest Red Gum	520		520	163	17	12	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
200	<i>Acacia disparrima</i>	Hickory Wattle	200		200	63	5	4	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
201	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	470		470	148	17	13	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Remove (EW)
202	<i>Eucalyptus tereticornis</i>	Forest Red Gum	390		390	123	21	4	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
203	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	280		280	88	18	6	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
204	<i>Eucalyptus tereticornis</i>	Forest Red Gum	410		410	129	19	8	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
205	<i>Eucalyptus tereticornis</i>	Forest Red Gum	570		570	179	18	7	6.8	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
206	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	450		450	141	17	4	5.4	2.4	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
207	<i>Corymbia citriodora</i>	Spotted Gum	460		460	145	22	13	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
208	<i>Eucalyptus tereticornis</i>	Forest Red Gum	380		380	119	18	11	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
209	DEAD/STAG		290		290	91	18	4	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
210	<i>Eucalyptus tereticornis</i>	Forest Red Gum	250		250	79	14	2	3.0	1.8	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Remove (EW)
211	<i>Eucalyptus tereticornis</i>	Forest Red Gum	420		420	132	14	5	5.0	2.3	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
212	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	520		520	163	20	9	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Remove (EW)
213	<i>Eucalyptus tereticornis</i>	Forest Red Gum	580		580	182	20	13	7.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
214	<i>Corymbia citriodora</i>	Spotted Gum	440		440	138	20	14	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
215	<i>Corymbia citriodora</i>	Spotted Gum	520		520	163	10	4	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Large	-	-	-	Remove (EW)
216	<i>Eucalyptus tereticornis</i>	Forest Red Gum	410		410	129	19	8	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
217	<i>Corymbia citriodora</i>	Spotted Gum	380		380	119	19	12	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
218	<i>Corymbia citriodora</i>	Spotted Gum	450		450	141	22	14	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
219	<i>Eucalyptus tereticornis</i>	Forest Red Gum	310		310	97	17	8	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
220	<i>Corymbia citriodora</i>	Spotted Gum	280		280	88	17	5	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
221	<i>Corymbia citriodora</i>	Spotted Gum	430		430	135	19	13	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
222	<i>Corymbia citriodora</i>	Spotted Gum	330		330	104	18	6	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
223	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	440		440	138	23	14	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
224	<i>Corymbia citriodora</i>	Spotted Gum	290		290	91	17	8	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
225	<i>Corymbia citriodora</i>	Spotted Gum	310		310	97	14	4	3.7	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
226	<i>Corymbia citriodora</i>	Spotted Gum	350		350	110	17	5	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Future Stage
227	<i>Corymbia citriodora</i>	Spotted Gum	460		460	145	24	13	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
228	<i>Corymbia citriodora</i>	Spotted Gum	390		390	123	19	10	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Future Stage
229	<i>Corymbia citriodora</i>	Spotted Gum	350		350	110	20	7	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
230	<i>Corymbia intermedia</i>	Pink Bloodwood	340		340	107	16	7	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
231	<i>Corymbia intermedia</i>	Pink Bloodwood	290		290	91	17	6	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
232	<i>Corymbia citriodora</i>	Spotted Gum	350		350	110	13	4	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
233	<i>Acacia disparrima</i>	Hickory Wattle	180	140	228	72	14	5	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
234	<i>Eucalyptus tereticornis</i>	Forest Red Gum	380		380	119	18	5	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
235	<i>Acacia disparrima</i>	Hickory Wattle	170		170	53	5	4	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
236	<i>Corymbia citriodora</i>	Spotted Gum	190		190	60	14	6	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
237	<i>Corymbia citriodora</i>	Spotted Gum	330		330	104	18	12	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Retain	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
238	<i>Corymbia citriodora</i>	Spotted Gum	310		310	97	17	4	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
239	<i>Corymbia citriodora</i>	Spotted Gum	380		380	119	18	8	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
240	<i>Eucalyptus tereticornis</i>	Forest Red Gum	340		340	107	20	12	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	New	-	-	-	-	Remove (EW)
241	<i>Corymbia intermedia</i>	Pink Bloodwood	290		290	91	17	9	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
242	<i>Corymbia intermedia</i>	Pink Bloodwood	340	190	389	122	19	9	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
243	<i>Corymbia citriodora</i>	Spotted Gum	310		310	97	16	2	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
244	<i>Corymbia citriodora</i>	Spotted Gum	340		340	107	19	7	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
245	<i>Eucalyptus tereticornis</i>	Forest Red Gum	540		540	170	24	17	6.5	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
246	<i>Eucalyptus tereticornis</i>	Forest Red Gum	380		380	119	18	7	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
247	<i>Eucalyptus tereticornis</i>	Forest Red Gum	710		710	223	15	9	8.5	2.9	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
248	<i>Corymbia citriodora</i>	Spotted Gum	520		520	163	19	7	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
249	<i>Eucalyptus tereticornis</i>	Forest Red Gum	530		530	167	18	9	6.4	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
250	<i>Acacia disparrima</i>	Hickory Wattle	150	140	205	64	4	5	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
251	<i>Corymbia intermedia</i>	Pink Bloodwood	330		330	104	16	9	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
252	<i>Corymbia intermedia</i>	Pink Bloodwood	280		280	88	16	4	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
253	<i>Eucalyptus tereticornis</i>	Forest Red Gum	330		330	104	18	5	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
254	<i>Corymbia intermedia</i>	Pink Bloodwood	350		350	110	18	5	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
255	<i>Eucalyptus tereticornis</i>	Forest Red Gum	430		430	135	20	17	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
256	<i>Eucalyptus tereticornis</i>	Forest Red Gum	390		390	123	17	12	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
257	<i>Corymbia citriodora</i>	Spotted Gum	610		610	192	28	14	7.3	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
258	<i>Corymbia intermedia</i>	Pink Bloodwood	270		270	85	9	4	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
259	Corymbia intermedia	Pink Bloodwood	550		550	173	22	15	6.6	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
260	<i>Eucalyptus tereticornis</i>	Forest Red Gum	440		440	138	19	11	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
261	<i>Eucalyptus tindaliae</i>	Tindale's Stringybark	310		310	97	14	6	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
262	<i>Corymbia intermedia</i>	Pink Bloodwood	250		250	79	16	8	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
263	<i>Eucalyptus tereticornis</i>	Forest Red Gum	420		420	132	18	6	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
264	<i>Eucalyptus carnea</i>	Broad-leaved White Mahogany	220		220	69	14	4	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
265	<i>Eucalyptus tereticornis</i>	Forest Red Gum	150		150	47	12	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
266	<i>Eucalyptus tereticornis</i>	Forest Red Gum	890		890	280	20	5	10.7	3.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
267	DEAD/STAG		520		520	163	22	16	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Remove (EW)
268	<i>Corymbia intermedia</i>	Pink Bloodwood	540		540	170	22	18	6.5	2.6	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
269	<i>Corymbia intermedia</i>	Pink Bloodwood	410		410	129	16	7	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
270	<i>Corymbia intermedia</i>	Pink Bloodwood	310		310	97	16	8	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
271	<i>Corymbia citriodora</i>	Spotted Gum	250		250	79	14	4	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
272	<i>Eucalyptus tereticornis</i>	Forest Red Gum	370		370	116	13	8	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
273	<i>Corymbia intermedia</i>	Pink Bloodwood	350		350	110	17	9	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
274	<i>Corymbia citriodora</i>	Spotted Gum	280		280	88	19	11	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
275	<i>Corymbia citriodora</i>	Spotted Gum	340		340	107	18	9	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
276	<i>Corymbia citriodora</i>	Spotted Gum	310		310	97	15	2	3.7	2.0	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
277	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	330		330	104	16	9	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Retain	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
278	<i>Corymbia citriodora</i>	Spotted Gum	270		270	85	18	7	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
279	<i>Corymbia citriodora</i>	Spotted Gum	260		260	82	18	8	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
280	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	590		590	185	22	15	7.1	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
281	<i>Corymbia citriodora</i>	Spotted Gum	280		280	88	18	5	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
282	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	480		480	151	18	14	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
283	<i>Eucalyptus moluccana</i>	Gum-topped Box	410		410	129	19	7	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
284	<i>Corymbia citriodora</i>	Spotted Gum	360		360	113	18	9	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
285	<i>Corymbia citriodora</i>	Spotted Gum	370		370	116	19	13	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
286	<i>Eucalyptus moluccana</i>	Gum-topped Box	160		160	50	12	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
287	<i>Corymbia citriodora</i>	Spotted Gum	270		270	85	19	4	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
288	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	280		280	88	16	8	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
289	<i>Corymbia citriodora</i>	Spotted Gum	330		330	104	18	8	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
290	<i>Corymbia citriodora</i>	Spotted Gum	370		370	116	20	12	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
291	<i>Corymbia citriodora</i>	Spotted Gum	160		160	50	14	7	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
292	<i>Corymbia citriodora</i>	Spotted Gum	350		350	110	19	8	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
293	<i>Eucalyptus moluccana</i>	Gum-topped Box	320		320	101	17	7	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
294	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	290		290	91	14	5	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
295	<i>Corymbia citriodora</i>	Spotted Gum	370		370	116	19	10	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
296	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	320		320	101	14	5	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
297	<i>Eucalyptus moluccana</i>	Gum-topped Box	520		520	163	18	9	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
298	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	310		310	97	12	4	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
299	<i>Corymbia citriodora</i>	Spotted Gum	310		310	97	16	4	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
301	<i>Eucalyptus moluccana</i>	Gum-topped Box	360		360	113	16	8	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
302	<i>Corymbia citriodora</i>	Spotted Gum	150		150	47	9	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
303	<i>Corymbia citriodora</i>	Spotted Gum	320		320	101	18	8	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
304	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	280		280	88	19	7	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
305	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	240		240	75	18	9	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
306	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	210		210	66	15	4	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
307	<i>Eucalyptus moluccana</i>	Gum-topped Box	360		360	113	18	9	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
308	<i>Eucalyptus tereticornis</i>	Forest Red Gum	240		240	75	13	5	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
309	<i>Eucalyptus moluccana</i>	Gum-topped Box	330		330	104	17	5	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
310	<i>Corymbia citriodora</i>	Spotted Gum	480		480	151	20	12	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
311	<i>Eucalyptus moluccana</i>	Gum-topped Box	460		460	145	22	9	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
312	<i>Eucalyptus moluccana</i>	Gum-topped Box	400		400	126	21	9	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
313	<i>Corymbia citriodora</i>	Spotted Gum	380		380	119	22	9	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
314	<i>Corymbia citriodora</i>	Spotted Gum	380		380	119	22	9	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
315	<i>Corymbia citriodora</i>	Spotted Gum	360		360	113	20	9	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
316	<i>Corymbia citriodora</i>	Spotted Gum	480		480	151	23	9	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
317	DEAD/STAG		260		260	82	16	2	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Remove (EW)
318	DEAD/STAG		300		300	94	12	1	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Large	-	-	-	Remove (EW)

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Retain	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
319	<i>Corymbia citriodora</i>	Spotted Gum	280		280	88	19	9	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
320	<i>Eucalyptus tereticornis</i>	Forest Red Gum	350		350	110	15	6	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	New	-	-	-	-	Remove (EW)
321	<i>Corymbia intermedia</i>	Pink Bloodwood	230		230	72	18	3	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
322	<i>Eucalyptus tereticornis</i>	Forest Red Gum	400		400	126	17	8	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
323	DEAD/STAG		360		360	113	5	1	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Large	-	-	-	Remove (EW)
324	<i>Corymbia citriodora</i>	Spotted Gum	320		320	101	18	8	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
325	<i>Corymbia intermedia</i>	Pink Bloodwood	270		270	85	18	5	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
326	<i>Eucalyptus tereticornis</i>	Forest Red Gum	370		370	116	24	10	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
327	<i>Corymbia citriodora</i>	Spotted Gum	370		370	116	28	14	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
328	<i>Corymbia citriodora</i>	Spotted Gum	410		410	129	22	13	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
329	<i>Corymbia trachyphloia</i>	Brown Bloodwood	350	120	370	116	17	8	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
330	<i>Corymbia trachyphloia</i>	Brown Bloodwood	310		310	97	20	4	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
331	<i>Corymbia trachyphloia</i>	Brown Bloodwood	250		250	79	18	8	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
332	<i>Corymbia trachyphloia</i>	Brown Bloodwood	280		280	88	17	9	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
333	<i>Corymbia trachyphloia</i>	Brown Bloodwood	320		320	101	20	8	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
334	<i>Corymbia trachyphloia</i>	Brown Bloodwood	370		370	116	17	5	4.4	2.2	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
335	<i>Corymbia trachyphloia</i>	Brown Bloodwood	320		320	101	19	13	3.8	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
336	<i>Eucalyptus tereticornis</i>	Forest Red Gum	480		480	151	23	14	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
337	DEAD/STAG		420		420	132	20	9	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Large	-	-	-	Remove (EW)
338	<i>Corymbia citriodora</i>	Spotted Gum	330		330	104	18	12	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
339	<i>Corymbia trachyphloia</i>	Brown Bloodwood	260		260	82	14	5	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
340	<i>Corymbia trachyphloia</i>	Brown Bloodwood	400		400	126	18	12	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
341	<i>Corymbia intermedia</i>	Pink Bloodwood	350		350	110	18	10	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
342	<i>Corymbia intermedia</i>	Pink Bloodwood	280		280	88	14	4	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
343	<i>Corymbia citriodora</i>	Spotted Gum	720		720	226	25	16	8.6	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
344	<i>Eucalyptus tereticornis</i>	Forest Red Gum	610		610	192	25	17	7.3	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
345	<i>Corymbia citriodora</i>	Spotted Gum	310		310	97	17	5	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
346	<i>Corymbia intermedia</i>	Pink Bloodwood	250		250	79	8	2	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
347	<i>Corymbia intermedia</i>	Pink Bloodwood	200		200	63	9	2	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
348	<i>Corymbia intermedia</i>	Pink Bloodwood	300		300	94	13	5	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
349	<i>Corymbia intermedia</i>	Pink Bloodwood	310		310	97	9	3	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
350	<i>Eucalyptus tereticornis</i>	Forest Red Gum	900		900	283	18	12	10.8	3.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
351	<i>Eucalyptus tereticornis</i>	Forest Red Gum	350	120	370	116	15	2	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
352	<i>Corymbia citriodora</i>	Spotted Gum	300		300	94	22	3	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
353	<i>Corymbia intermedia</i>	Pink Bloodwood	500		500	157	18	9	6.0	2.5	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
354	DEAD/STAG		370		370	116	16	12	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
355	<i>Corymbia intermedia</i>	Pink Bloodwood	280	190	338	106	12	3	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
356	<i>Acacia disparrima</i>	Hickory Wattle	180		180	57	7	7	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
357	<i>Corymbia intermedia</i>	Pink Bloodwood	280		280	88	12	3	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
358	<i>Corymbia intermedia</i>	Pink Bloodwood	250		250	79	14	3	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Retain	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
359	<i>Eucalyptus tereticornis</i>	Forest Red Gum	160		160	50	8	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
360	<i>Corymbia intermedia</i>	Pink Bloodwood	250		250	79	12	3	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
361	<i>Corymbia intermedia</i>	Pink Bloodwood	390		390	123	15	3	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
362	<i>Eucalyptus tereticornis</i>	Forest Red Gum	460		460	145	14	4	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
363	<i>Corymbia intermedia</i>	Pink Bloodwood	330		330	104	15	5	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
364	<i>Corymbia intermedia</i>	Pink Bloodwood	300		300	94	17	4	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
365	<i>Corymbia intermedia</i>	Pink Bloodwood	410		410	129	17	7	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
366	<i>Corymbia intermedia</i>	Pink Bloodwood	420		420	132	20	5	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
367	<i>Eucalyptus carnea</i>	Broad-leaved White Mahogany	210		210	66	14	3	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
368	<i>Corymbia intermedia</i>	Pink Bloodwood	600		600	188	24	14	7.2	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
369	<i>Corymbia intermedia</i>	Pink Bloodwood	240		240	75	14	2	2.9	1.8	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
370	<i>Corymbia intermedia</i>	Pink Bloodwood	270		270	85	15	2	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
371	<i>Corymbia intermedia</i>	Pink Bloodwood	370		370	116	15	5	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
372	<i>Corymbia citriodora</i>	Spotted Gum	160		160	50	7	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
373	<i>Acacia disparrima</i>	Hickory Wattle	200		200	63	5	5	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
374	<i>Corymbia citriodora</i>	Spotted Gum	150		150	47	8	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
375	<i>Eucalyptus tereticornis</i>	Forest Red Gum	400		400	126	17	13	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
376	<i>Corymbia intermedia</i>	Pink Bloodwood	320		320	101	13	2	3.8	2.1	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
377	<i>Lophostemon suaveolens</i>	Swamp Box	100		100	31	4	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
378	<i>Lophostemon suaveolens</i>	Swamp Box	110		110	35	4	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
379	<i>Corymbia intermedia</i>	Pink Bloodwood	290		290	91	16	3	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
380	<i>Acacia disparrima</i>	Hickory Wattle	130		130	41	5	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
381	<i>Eucalyptus tereticornis</i>	Forest Red Gum	310		310	97	14	5	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	New	-	-	-	-	Remove (EW)
382	<i>Eucalyptus carnea</i>	Broad-leaved White Mahogany	220		220	69	9	4	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
383	<i>Lophostemon suaveolens</i>	Swamp Box	310		310	97	14	4	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
384	<i>Corymbia intermedia</i>	Pink Bloodwood	250		250	79	14	4	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
385	<i>Corymbia citriodora</i>	Spotted Gum	380		380	119	18	4	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
386	<i>Corymbia intermedia</i>	Pink Bloodwood	330		330	104	16	5	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
387	<i>Corymbia intermedia</i>	Pink Bloodwood	300		300	94	14	2	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
388	<i>Eucalyptus tereticornis</i>	Forest Red Gum	380		380	119	17	9	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
389	<i>Corymbia intermedia</i>	Pink Bloodwood	250		250	79	13	3	3.0	1.8	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
390	<i>Eucalyptus tereticornis</i>	Forest Red Gum	440		440	138	15	7	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
391	<i>Acacia disparrima</i>	Hickory Wattle	180	140	228	72	6	8	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
392	<i>Corymbia citriodora</i>	Spotted Gum	320		320	101	14	4	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
393	<i>Eucalyptus tereticornis</i>	Forest Red Gum	680		680	214	27	19	8.2	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
394	<i>Corymbia intermedia</i>	Pink Bloodwood	290		290	91	16	3	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
395	<i>Lophostemon suaveolens</i>	Swamp Box	280		280	88	9	6	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
396	DEAD/STAG		370		370	116	17	4	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Remove (EW)
397	<i>Corymbia intermedia</i>	Pink Bloodwood	360		360	113	18	4	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
398	<i>Corymbia intermedia</i>	Pink Bloodwood	410		410	129	14	6	4.9	2.3	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Retain	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
399	Corymbia intermedia	Pink Bloodwood	270		270	85	15	4	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
400	Corymbia intermedia	Pink Bloodwood	370		370	116	17	4	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
401	DEAD/STAG		490		490	154	15	3	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Large	-	-	-	Future Stage
402	Eucalyptus tereticornis	Forest Red Gum	730		730	229	22	8	8.8	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
403	Eucalyptus tereticornis	Forest Red Gum	450		450	141	26	10	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
404	Eucalyptus tereticornis	Forest Red Gum	410		410	129	17	9	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
405	Corymbia intermedia	Pink Bloodwood	290		290	91	14	2	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
406	Acacia leiocalyx	Early-flowering Black Wattle	110		110	35	4	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
407	Corymbia intermedia	Pink Bloodwood	350		350	110	14	7	4.2	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
408	Corymbia citriodora	Spotted Gum	450		450	141	22	13	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
409	Corymbia intermedia	Pink Bloodwood	390		390	123	17	9	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
410	Corymbia citriodora	Spotted Gum	480		480	151	20	18	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
411	Corymbia intermedia	Pink Bloodwood	370		370	116	14	4	4.4	2.2	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
412	Acacia disparrima	Hickory Wattle	200		200	63	5	6	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
413	Eucalyptus tereticornis	Forest Red Gum	350		350	110	19	6	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
414	Corymbia intermedia	Pink Bloodwood	490		490	154	24	10	5.9	2.5	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
415	Corymbia citriodora	Spotted Gum	340		340	107	24	12	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	New	-	-	-	-	Remove (EW)
416	Corymbia intermedia	Pink Bloodwood	300		300	94	20	8	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
417	Corymbia intermedia	Pink Bloodwood	270		270	85	18	3	3.2	1.9	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
418	Eucalyptus tereticornis	Forest Red Gum	310		310	97	19	14	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
419	Corymbia intermedia	Pink Bloodwood	240		240	75	17	4	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
420	Corymbia intermedia	Pink Bloodwood	260		260	82	19	5	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
421	Corymbia intermedia	Pink Bloodwood	280		280	88	17	8	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
422	Corymbia intermedia	Pink Bloodwood	330		330	104	18	10	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
423	Corymbia intermedia	Pink Bloodwood	310		310	97	19	7	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
424	Corymbia citriodora	Spotted Gum	500		500	157	27	13	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
425	Corymbia intermedia	Pink Bloodwood	340		340	107	16	7	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
426	Acacia disparrima	Hickory Wattle	160	130	206	65	6	4	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
427	Corymbia citriodora	Spotted Gum	430		430	135	29	12	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
428	Corymbia intermedia	Pink Bloodwood	320		320	101	19	4	3.8	2.1	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
429	Corymbia intermedia	Pink Bloodwood	380		380	119	20	10	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
430	Eucalyptus tereticornis	Forest Red Gum	780		780	245	22	15	9.4	3.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Remove (EW)
431	Corymbia citriodora	Spotted Gum	310		310	97	18	9	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
432	Corymbia intermedia	Pink Bloodwood	350		350	110	19	12	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
433	Corymbia intermedia	Pink Bloodwood	280		280	88	17	5	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
434	Corymbia citriodora	Spotted Gum	190		190	60	14	3	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
435	Corymbia intermedia	Pink Bloodwood	340		340	107	14	2	4.1	2.1	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
436	Corymbia citriodora	Spotted Gum	360		360	113	18	8	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
437	Eucalyptus tereticornis	Forest Red Gum	400		400	126	17	8	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
438	Eucalyptus tereticornis	Forest Red Gum	300		300	94	15	8	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Retain	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
439	Corymbia citriodora	Spotted Gum	310		310	97	18	13	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
440	Eucalyptus tereticornis	Forest Red Gum	480		480	151	24	16	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	New	-	-	-	-	Remove (EW)
441	Corymbia intermedia	Pink Bloodwood	460		460	145	22	12	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
442	Eucalyptus tereticornis	Forest Red Gum	350		350	110	14	5	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
443	Corymbia intermedia	Pink Bloodwood	510		510	160	22	10	6.1	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
444	DEAD/STAG		380		380	119	18	12	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Remove (EW)
445	Corymbia intermedia	Pink Bloodwood	290		290	91	18	9	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
446	Corymbia citriodora	Spotted Gum	610		610	192	24	12	7.3	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	New	Large	-	-	-	Remove (EW)
447	Corymbia intermedia	Pink Bloodwood	270		270	85	18	4	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
448	DEAD/STAG		420		420	132	19	3	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Remove (EW)
449	Corymbia citriodora	Spotted Gum	420		420	132	20	9	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
450	Corymbia intermedia	Pink Bloodwood	330		330	104	14	7	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
451	DEAD/STAG		320		320	101	15	8	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Remove (EW)
452	Corymbia citriodora	Spotted Gum	440		440	138	26	14	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
453	Corymbia citriodora	Spotted Gum	390		390	123	16	10	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
454	Lophostemon suaveolens	Swamp Box	250		250	79	12	4	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
455	Corymbia intermedia	Pink Bloodwood	260		260	82	16	5	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
456	Corymbia citriodora	Spotted Gum	410		410	129	19	12	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
457	Corymbia intermedia	Pink Bloodwood	350		350	110	18	8	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
458	Corymbia intermedia	Pink Bloodwood	290		290	91	17	9	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
459	Eucalyptus tereticornis	Forest Red Gum	590		590	185	26	13	7.1	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
460	Corymbia intermedia	Pink Bloodwood	310		310	97	26	9	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
461	Eucalyptus tereticornis	Forest Red Gum	460		460	145	26	14	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
462	Acacia disparrima	Hickory Wattle	170		170	53	5	4	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
463	Acacia disparrima	Hickory Wattle	190	70	202	64	5	3	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
464	Corymbia intermedia	Pink Bloodwood	410		410	129	18	9	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
465	Corymbia citriodora	Spotted Gum	420		420	132	20	9	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
466	Corymbia intermedia	Pink Bloodwood	600		600	188	19	9	7.2	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
467	Corymbia citriodora	Spotted Gum	240		240	75	13	4	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
468	Eucalyptus tereticornis	Forest Red Gum	360		360	113	23	12	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
469	Corymbia intermedia	Pink Bloodwood	330		330	104	17	5	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
470	Corymbia intermedia	Pink Bloodwood	260		260	82	14	8	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
471	DEAD/STAG		680		680	214	18	10	8.2	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Remove (EW)
472	Eucalyptus tereticornis	Forest Red Gum	440		440	138	19	7	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove (EW)
473	Corymbia citriodora	Spotted Gum	360		360	113	22	8	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove (EW)
474	Eucalyptus tereticornis	Forest Red Gum	185	185, 160	307	96	7	5	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
475	Corymbia citriodora	Spotted Gum	410		410	129	22	8	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
476	Alphitonia excelsa	Soap Tree	125		125	39	5	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
477	Alphitonia excelsa	Soap Tree	100	60	117	37	5	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
478	Alphitonia excelsa	Soap Tree	100	60, 90	147	46	5	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Retain	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
479	Corymbia citriodora	Spotted Gum	130		130	41	9	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
480	Acacia leiocalyx	Early-flowering Black Wattle	120	100	156	49	6	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
481	Corymbia citriodora	Spotted Gum	125		125	39	9	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
482	Lophostemon suaveolens	Swamp Box	155	160, 80, 130	270	85	8	3	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
483	Acacia leiocalyx	Early-flowering Black Wattle	155	140, 90	227	71	6	5	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
484	Eucalyptus tereticornis	Forest Red Gum	185		185	58	10	3	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
485	Acacia leiocalyx	Early-flowering Black Wattle	200		200	63	6	1	2.4	1.7	Regular	-	-	-	-	Lopped	Poor	-	-	Trunk Dmg.	-	Poor	-	-	-	-	-	-	Remove (EW)
486	Corymbia citriodora	Spotted Gum	120		120	38	9	1	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
487	Lophostemon suaveolens	Swamp Box	155		155	49	7	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
488	Lophostemon suaveolens	Swamp Box	125		125	39	7	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
489	Lophostemon suaveolens	Swamp Box	130		130	41	7	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
490	Corymbia citriodora	Spotted Gum	110		110	35	8	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
491	Acacia leiocalyx	Early-flowering Black Wattle	110		110	35	6	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
492	Eucalyptus tereticornis	Forest Red Gum	175		175	55	9	3	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
493	Eucalyptus tereticornis	Forest Red Gum	120		120	38	8	1	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
494	Eucalyptus tereticornis	Forest Red Gum	155		155	49	9	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
495	Eucalyptus tereticornis	Forest Red Gum	215		215	68	11	5	2.6	1.7	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	-	-	-	Remove (EW)
496	Acacia leiocalyx	Early-flowering Black Wattle	170		170	53	7	5	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
497	Corymbia citriodora	Spotted Gum	125		125	39	11	1	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
498	Corymbia citriodora	Spotted Gum	125		125	39	9	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
499	Eucalyptus tereticornis	Forest Red Gum	140		140	44	10	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
500	Corymbia citriodora	Spotted Gum	165		165	52	9	3	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
501	Lophostemon suaveolens	Swamp Box	125	100	160	50	8	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
502	Eucalyptus tereticornis	Forest Red Gum	220		220	69	11	3	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
503	Corymbia citriodora	Spotted Gum	100		100	31	12	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
504	Eucalyptus tereticornis	Forest Red Gum	175		175	55	10	3	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
505	Eucalyptus tereticornis	Forest Red Gum	185		185	58	10	3	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
506	Corymbia citriodora	Spotted Gum	125		125	39	9	1	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
507	Corymbia citriodora	Spotted Gum	180		180	57	10	2	2.2	1.6	Regular	-	-	-	-	-	Typical	Major	-	Trunk Dmg.	-	Poor	-	-	-	-	-	-	Remove (EW)
508	Corymbia citriodora	Spotted Gum	100		100	31	7	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
509	Corymbia citriodora	Spotted Gum	130		130	41	9	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
510	Eucalyptus tereticornis	Forest Red Gum	125		125	39	7	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
511	Corymbia citriodora	Spotted Gum	135	100, 70, 70	195	61	10	3	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
512	Acacia leiocalyx	Early-flowering Black Wattle	165		165	52	6	4	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
513	Acacia leiocalyx	Early-flowering Black Wattle	175		175	55	5	4	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
514	Corymbia citriodora	Spotted Gum	130	100	164	52	10	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
515	Corymbia citriodora	Spotted Gum	175	100, 100	225	71	10	3	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
516	Acacia disparrima	Hickory Wattle	110	95	145	46	5	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
517	Alphitonia excelsa	Soap Tree	130		130	41	6	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
518	Acacia leiocalyx	Early-flowering Black Wattle	130		130	41	6	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Retain	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
519	Corymbia citriodora	Spotted Gum	120		120	38	8	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
520	Corymbia citriodora	Spotted Gum	140		140	44	9	1	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
521	Corymbia citriodora	Spotted Gum	100		100	31	7	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
522	Corymbia citriodora	Spotted Gum	125		125	39	7	1	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
523	Acacia leiocalyx	Early-flowering Black Wattle	155		155	49	6	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
524	Acacia disparrima	Hickory Wattle	100		100	31	5	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
525	Acacia leiocalyx	Early-flowering Black Wattle	155		155	49	5	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
526	Alphitonia excelsa	Soap Tree	130		130	41	5	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
527	Acacia leiocalyx	Early-flowering Black Wattle	165		165	52	5	4	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
528	Lophostemon suaveolens	Swamp Box	110		110	35	6	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	-	-	-	Remove (EW)
529	Eucalyptus tereticornis	Forest Red Gum	145		145	46	8	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
530	Eucalyptus tereticornis	Forest Red Gum	155		155	49	10	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
531	Acacia leiocalyx	Early-flowering Black Wattle	190		190	60	6	5	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
532	Acacia leiocalyx	Early-flowering Black Wattle	14	140	141	44	6	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
533	Acacia leiocalyx	Early-flowering Black Wattle	145	140	202	63	5	4	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
534	Corymbia citriodora	Spotted Gum	365		365	115	18	7	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
535	Corymbia citriodora	Spotted Gum	540		540	170	24	11	6.5	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
536	Corymbia citriodora	Spotted Gum	360		360	113	20	7	4.3	2.2	Regular	-	Thinning	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove (EW)
537	Corymbia citriodora	Spotted Gum	450		450	141	17	9	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
538	Corymbia citriodora	Spotted Gum	170	115	205	64	16	6	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
539	Corymbia citriodora	Spotted Gum	155	95	182	57	11	3	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
540	Eucalyptus crebra	Narrow-leaved Ironbark	375		375	118	17	7	4.5	2.2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove (EW)
541	Eucalyptus tereticornis	Forest Red Gum	400		400	126	22	7	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
542	Corymbia citriodora	Spotted Gum	380		380	119	24	11	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
543	Corymbia citriodora	Spotted Gum	300		300	94	17	8	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
544	Eucalyptus moluccana	Gum-topped Box	480		480	151	22	13	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
545	Eucalyptus crebra	Narrow-leaved Ironbark	380		380	119	22	9	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	Small	-	-	Remove (EW)
546	Eucalyptus moluccana	Gum-topped Box	480		480	151	21	9	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	Small	Termite nest	-	Remove (EW)
547	Corymbia citriodora	Spotted Gum	330		330	104	22	9	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
548	Corymbia citriodora	Spotted Gum	380		380	119	18	9	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
549	Corymbia citriodora	Spotted Gum	380		380	119	18	11	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
550	Corymbia citriodora	Spotted Gum	160		160	50	14	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
551	Eucalyptus tereticornis	Forest Red Gum	130		130	41	9	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
552	Corymbia citriodora	Spotted Gum	130		130	41	9	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
553	Eucalyptus tereticornis	Forest Red Gum	130		130	41	9	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
554	Corymbia intermedia	Pink Bloodwood	140		140	44	7	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
555	Lophostemon suaveolens	Swamp Box	165		165	52	7	3	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Remove (EW)
556	Corymbia intermedia	Pink Bloodwood	185	80	202	63	10	3	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
557	Alphitonia excelsa	Soap Tree	180		180	57	7	3	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
558	Corymbia intermedia	Pink Bloodwood	185		185	58	10	4	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Retain
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
559	Corymbia intermedia	Pink Bloodwood	170	160	233	73	10	5	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Remove (EW)
560	Corymbia intermedia	Pink Bloodwood	185	140	232	73	10	3	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
561	Acacia leiocalyx	Early-flowering Black Wattle	180		180	57	7	5	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
562	Alphitonia excelsa	Soap Tree	135		135	42	7	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
563	Corymbia intermedia	Pink Bloodwood	385		385	121	19	9	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
564	Acacia leiocalyx	Early-flowering Black Wattle	135		135	42	6	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
565	Acacia leiocalyx	Early-flowering Black Wattle	180		180	57	6	5	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
566	Acacia leiocalyx	Early-flowering Black Wattle	180		180	57	6	5	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
567	Corymbia intermedia	Pink Bloodwood	140		140	44	8	1	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
568	Allocasuarina littoralis	Black She-oak	145		145	46	8	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
569	Acacia leiocalyx	Early-flowering Black Wattle	155		155	49	9	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
570	Acacia leiocalyx	Early-flowering Black Wattle	130		130	41	3	2	2.0	1.4	Regular	-	-	-	-	Lopped	Typical	-	-	Trunk Dmg.	-	Poor	-	-	-	-	-	-	Remove (EW)
571	Eucalyptus tereticornis	Forest Red Gum	220		220	69	12	5	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
572	Corymbia intermedia	Pink Bloodwood	125		125	39	7	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
573	Melaleuca quinquenervia	Broad-leaved Paperbark	200	160, 90	271	85	9	5	3.3	1.9	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	-	-	-	Remove (EW)
574	Melaleuca quinquenervia	Broad-leaved Paperbark	155	140	209	66	9	3	2.5	1.7	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	-	-	-	Remove (EW)
575	Melaleuca quinquenervia	Broad-leaved Paperbark	220		220	69	8	4	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
576	Eucalyptus tereticornis	Forest Red Gum	130		130	41	8	1	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
577	Eucalyptus tereticornis	Forest Red Gum	155		155	49	11	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
578	Eucalyptus tereticornis	Forest Red Gum	160		160	50	10	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
579	Eucalyptus tereticornis	Forest Red Gum	140		140	44	7	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
580	Eucalyptus tereticornis	Forest Red Gum	265		265	83	12	5	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
581	Corymbia citriodora	Spotted Gum	125		125	39	12	1	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
582	Lophostemon suaveolens	Swamp Box	130		130	41	7	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
583	Corymbia intermedia	Pink Bloodwood	185		185	58	7	4	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
584	Corymbia intermedia	Pink Bloodwood	140		140	44	6	1	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
585	Eucalyptus tereticornis	Forest Red Gum	210		210	66	9	4	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
586	Eucalyptus tereticornis	Forest Red Gum	140	100	172	54	7	3	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
587	Corymbia citriodora	Spotted Gum	100	100	141	44	9	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
588	Eucalyptus crebra	Narrow-leaved Ironbark	140		140	44	7	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
589	Corymbia citriodora	Spotted Gum	150	70	166	52	9	3	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
590	Eucalyptus tereticornis	Forest Red Gum	120		120	38	7	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
591	Eucalyptus crebra	Narrow-leaved Ironbark	100		100	31	7	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
592	Eucalyptus tereticornis	Forest Red Gum	130		130	41	7	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
593	Eucalyptus tereticornis	Forest Red Gum	160		160	50	7	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
594	Eucalyptus tereticornis	Forest Red Gum	100		100	31	7	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
595	Eucalyptus moluccana	Gum-topped Box	100		100	31	7	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
596	Eucalyptus siderophloia	Northern Grey Ironbark	380		380	119	19	8	4.6	2.2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove (EW)
597	Corymbia citriodora	Spotted Gum	300		300	94	18	8	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
598	Corymbia citriodora	Spotted Gum	325		325	102	20	9	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Retain	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
599	Eucalyptus tereticornis	Forest Red Gum	445		445	140	20	8	5.3	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
600	Corymbia citriodora	Spotted Gum	390		390	123	18	9	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
601	Corymbia citriodora	Spotted Gum	490		490	154	21	9	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
602	Corymbia citriodora	Spotted Gum	480		480	151	21	9	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	Small	-	-	Remove (EW)
603	Alphitonia excelsa	Soap Tree	155	70	170	53	5	3	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
604	Corymbia citriodora	Spotted Gum	200	170	262	82	11	5	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
605	Corymbia citriodora	Spotted Gum	160	140	213	67	12	5	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
606	Corymbia citriodora	Spotted Gum	540		540	170	22	9	6.5	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
607	Eucalyptus siderophloia	Northern Grey Ironbark	590		590	185	23	11	7.1	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
608	Angophora leiocarpa	Smooth-barked Apple	360		360	113	19	7	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
609	Corymbia citriodora	Spotted Gum	540		540	170	23	12	6.5	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
610	Angophora leiocarpa	Smooth-barked Apple	410		410	129	18	8	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
611	Acacia disparrima	Hickory Wattle	150	140	205	64	7	5	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
612	Corymbia intermedia	Pink Bloodwood	330		330	104	17	7	4.0	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
613	Corymbia intermedia	Pink Bloodwood	450		450	141	21	11	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
614	Corymbia intermedia	Pink Bloodwood	330		330	104	19	9	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
615	Corymbia intermedia	Pink Bloodwood	300	120	323	102	19	8	3.9	2.1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	Trunk Dmg.	-	Poor	-	-	-	-	-	-	Remove (EW)
616	Corymbia intermedia	Pink Bloodwood	330		330	104	19	7	4.0	2.1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
617	Angophora leiocarpa	Smooth-barked Apple	320		320	101	17	7	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
618	Acacia leiocalyx	Early-flowering Black Wattle	200	160, 180	313	98	6	6	3.8	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
619	Corymbia intermedia	Pink Bloodwood	300		300	94	17	8	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
620	Corymbia citriodora	Spotted Gum	150		150	47	12	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
621	Angophora leiocarpa	Smooth-barked Apple	100		100	31	7	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
622	Corymbia citriodora	Spotted Gum	105		105	33	8	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
623	Corymbia intermedia	Pink Bloodwood	260		260	82	13	6	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
624	Corymbia citriodora	Spotted Gum	185		185	58	12	5	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
625	Eucalyptus tereticornis	Forest Red Gum	480		480	151	23	8	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
626	Corymbia citriodora	Spotted Gum	325		325	102	19	7	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
627	Eucalyptus tereticornis	Forest Red Gum	385		385	121	19	9	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
628	Corymbia intermedia	Pink Bloodwood	270		270	85	16	7	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
629	Acacia leiocalyx	Early-flowering Black Wattle	150	150, 140, 130, 100	302	95	7	7	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
630	Eucalyptus tereticornis	Forest Red Gum	300		300	94	20	6	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
631	Corymbia intermedia	Pink Bloodwood	320		320	101	17	8	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
632	Eucalyptus tereticornis	Forest Red Gum	420		420	132	21	9	5.0	2.3	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
633	Eucalyptus tereticornis	Forest Red Gum	380		380	119	20	9	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
634	Eucalyptus tereticornis	Forest Red Gum	460		460	145	22	9	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
635	Acacia disparrima	Hickory Wattle	160		160	50	5	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
636	Acacia leiocalyx	Early-flowering Black Wattle	180		180	57	6	5	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
637	Lophostemon suaveolens	Swamp Box	260		260	82	9	4	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
638	Acacia leiocalyx	Early-flowering Black Wattle	140	90	166	52	5	4	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Retain		
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	
639	Angophora leiocarpa	Smooth-barked Apple	340		340	107	18	9	4.1	2.1	Regular	-	-	-	-	-	Typical	Minor	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
640	Eucalyptus tereticornis	Forest Red Gum	360		360	113	23	7	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (EW)
641	Eucalyptus tereticornis	Forest Red Gum	385		385	121	18	8	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (EW)
642	Angophora leiocarpa	Smooth-barked Apple	125		125	39	6	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (EW)
643	Corymbia intermedia	Pink Bloodwood	300		300	94	18	7	3.6	2.0	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (EW)
644	Corymbia intermedia	Pink Bloodwood	380		380	119	23	12	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (EW)
645	Corymbia intermedia	Pink Bloodwood	340		340	107	18	8	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (EW)
646	Corymbia intermedia	Pink Bloodwood	410		410	129	22	9	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (EW)
647	Eucalyptus tereticornis	Forest Red Gum	450		450	141	20	9	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (EW)
648	Acacia disparrima	Hickory Wattle	210	130	247	78	6	5	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (EW)
649	Acacia leiocalyx	Early-flowering Black Wattle	170		170	53	7	5	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (EW)
650	Corymbia intermedia	Pink Bloodwood	350		350	110	19	7	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (EW)
651	Acacia leiocalyx	Early-flowering Black Wattle	160	160	226	71	6	5	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (EW)
652	Corymbia intermedia	Pink Bloodwood	160	60, 50	178	56	10	3	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (EW)
653	Corymbia intermedia	Pink Bloodwood	380		380	119	19	9	4.6	2.2	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (EW)
654	Corymbia intermedia	Pink Bloodwood	160		160	50	7	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (EW)
655	Acacia leiocalyx	Early-flowering Black Wattle	240	140	278	87	6	5	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (EW)
656	Angophora leiocarpa	Smooth-barked Apple	150	140	205	64	7	3	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (EW)
657	Corymbia intermedia	Pink Bloodwood	125	90	154	48	5	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (EW)
658	Corymbia citriodora	Spotted Gum	310		310	97	17	8	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (EW)
659	Eucalyptus siderophloia	Northern Grey Ironbark	125		125	39	4	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (EW)
660	Eucalyptus seeana	Narrow-leaved Red Gum	165	135	213	67	9	5	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (EW)
661	Eucalyptus tereticornis	Forest Red Gum	330		330	104	21	6	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (EW)
662	Corymbia citriodora	Spotted Gum	350		350	110	18	8	4.2	2.1	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (EW)
663	Corymbia citriodora	Spotted Gum	480		480	151	23	7	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (EW)
664	Corymbia citriodora	Spotted Gum	280		280	88	19	6	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (EW)
665	Corymbia citriodora	Spotted Gum	310		310	97	17	5	3.7	2.0	Regular	-	-	Die-back	-	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (EW)
666	Eucalyptus crebra	Narrow-leaved Ironbark	320		320	101	21	9	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (EW)
667	Corymbia citriodora	Spotted Gum	110		110	35	15	4	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (EW)
668	Eucalyptus tereticornis	Forest Red Gum	220		220	69	18	5	2.6	1.8	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (EW)
669	Eucalyptus tereticornis	Forest Red Gum	290		290	91	19	7	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (EW)
670	Corymbia intermedia	Pink Bloodwood	260		260	82	16	5	3.1	1.9	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (EW)
671	Eucalyptus tereticornis	Forest Red Gum	350		350	110	23	11	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (EW)
672	Eucalyptus tereticornis	Forest Red Gum	430		430	135	21	11	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (EW)
673	Eucalyptus tereticornis	Forest Red Gum	420		420	132	24	12	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (EW)
674	Corymbia citriodora	Spotted Gum	260	140	295	93	20	10	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (EW)
675	Corymbia citriodora	Spotted Gum	250	140	287	90	19	6	3.4	2.0	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (EW)
676	Corymbia citriodora	Spotted Gum	310		310	97	19	10	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (EW)
677	Corymbia citriodora	Spotted Gum	330		330	104	23	6	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (EW)
678	Corymbia citriodora	Spotted Gum	240		240	75	16	6	2.9	1.8	Regular	-	Thinning	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (EW)

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Retain	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
679	Eucalyptus tereticornis	Forest Red Gum	300		300	94	18	8	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
680	Corymbia intermedia	Pink Bloodwood	240		240	75	15	5	2.9	1.8	Regular	-	-	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
681	Corymbia citriodora	Spotted Gum	370		370	116	23	9	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
682	Acacia disparrima	Hickory Wattle	190	150	242	76	10	5	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
683	Corymbia intermedia	Pink Bloodwood	330		330	104	17	6	4.0	2.1	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
684	Corymbia intermedia	Pink Bloodwood	280		280	88	16	6	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
685	Eucalyptus tereticornis	Forest Red Gum	370		370	116	23	9	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
686	Eucalyptus tereticornis	Forest Red Gum	390		390	123	17	7	4.7	2.2	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove (EW)
687	Eucalyptus tereticornis	Forest Red Gum	360		360	113	23	10	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
688	Corymbia intermedia	Pink Bloodwood	240		240	75	17	8	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
689	Corymbia intermedia	Pink Bloodwood	320		320	101	21	8	3.8	2.1	Regular	-	Thinning	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
690	Corymbia intermedia	Pink Bloodwood	230		230	72	20	7	2.8	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
691	Eucalyptus tereticornis	Forest Red Gum	350		350	110	24	6	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
692	Corymbia intermedia	Pink Bloodwood	300		300	94	17	9	3.6	2.0	Regular	-	-	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
693	Corymbia intermedia	Pink Bloodwood	300		300	94	18	9	3.6	2.0	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
694	Eucalyptus tereticornis	Forest Red Gum	410		410	129	24	6	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
695	Eucalyptus tereticornis	Forest Red Gum	290		290	91	16	7	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
696	Corymbia intermedia	Pink Bloodwood	230		230	72	15	8	2.8	1.8	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
697	Corymbia intermedia	Pink Bloodwood	260		260	82	19	7	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
699	Corymbia intermedia	Pink Bloodwood	310		310	97	16	9	3.7	2.0	Regular	-	Thinning	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
700	Eucalyptus tereticornis	Forest Red Gum	320		320	101	21	11	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
701	Eucalyptus propinqua	Small-fruited Grey Gum	280		280	88	16	8	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
702	Eucalyptus propinqua	Small-fruited Grey Gum	280		280	88	17	8	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
703	Eucalyptus tereticornis	Forest Red Gum	310		310	97	16	5	3.7	2.0	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
704	Corymbia citriodora	Spotted Gum	350		350	110	23	6	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
705	Corymbia intermedia	Pink Bloodwood	380		380	119	18	9	4.6	2.2	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
706	Eucalyptus tereticornis	Forest Red Gum	320		320	101	18	9	3.8	2.1	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
707	Eucalyptus propinqua	Small-fruited Grey Gum	350		350	110	24	8	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
708	Eucalyptus tereticornis	Forest Red Gum	320		320	101	19	8	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
709	Corymbia intermedia	Pink Bloodwood	170		170	53	23	11	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
710	Corymbia citriodora	Spotted Gum	150		150	47	14	5	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
711	DEAD/STAG		430		430	135	21	9	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
712	Melaleuca quinquenervia	Broad-leaved Paperbark	170	250	302	95	15	5	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
713	Corymbia citriodora	Spotted Gum	290		290	91	17	7	3.5	2.0	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
714	Corymbia intermedia	Pink Bloodwood	330	120	351	110	19	6	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
715	Acacia disparrima	Hickory Wattle	130	200	239	75	12	5	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
716	Eucalyptus tereticornis	Forest Red Gum	240		240	75	18	6	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
717	Acacia disparrima	Hickory Wattle	220	200	297	93	12	8	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
718	Eucalyptus propinqua	Small-fruited Grey Gum	280		280	88	17	6	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
719	Eucalyptus propinqua	Small-fruited Grey Gum	280		280	88	16	5	3.4	1.9	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Retain	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
720	Eucalyptus tereticornis	Forest Red Gum	320		320	101	23	6	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
721	Corymbia intermedia	Pink Bloodwood	260		260	82	16	6	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
722	Corymbia citriodora	Spotted Gum	230		230	72	18	4	2.8	1.8	Regular	-	-	Die-back	Epicormic	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
723	Corymbia intermedia	Pink Bloodwood	350		350	110	18	6	4.2	2.1	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
724	Eucalyptus propinqua	Small-fruited Grey Gum	300		300	94	11	4	3.6	2.0	Regular	-	-	Die-back	-	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
725	Lophostemon suaveolens	Swamp Box	260		260	82	17	6	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
726	Corymbia intermedia	Pink Bloodwood	190		190	60	18	4	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
727	Acacia disparrima	Hickory Wattle	120	110, 190	250	79	12	9	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
728	Eucalyptus propinqua	Small-fruited Grey Gum	290		290	91	17	5	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
729	Corymbia intermedia	Pink Bloodwood	250		250	79	16	4	3.0	1.8	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
730	Corymbia citriodora	Spotted Gum	310		310	97	18	8	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
731	Eucalyptus tereticornis	Forest Red Gum	310		310	97	19	8	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
732	Acacia disparrima	Hickory Wattle	140	130, 140	237	74	14	9	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
733	Lophostemon suaveolens	Swamp Box	250		250	79	17	7	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
734	Eucalyptus propinqua	Small-fruited Grey Gum	320		320	101	19	5	3.8	2.1	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
735	Corymbia intermedia	Pink Bloodwood	190		190	60	15	3	2.3	1.6	Regular	-	-	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
736	Corymbia citriodora	Spotted Gum	200		200	63	16	8	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
737	Corymbia citriodora	Spotted Gum	290		290	91	18	7	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
738	Acacia disparrima	Hickory Wattle	160	190	248	78	12	9	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
739	Corymbia intermedia	Pink Bloodwood	260		260	82	17	6	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
740	Eucalyptus tereticornis	Forest Red Gum	340		340	107	18	4	4.1	2.1	Regular	-	-	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
741	Corymbia citriodora	Spotted Gum	230		230	72	17	5	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
742	Corymbia citriodora	Spotted Gum	210	140	252	79	16	8	3.0	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
743	Corymbia intermedia	Pink Bloodwood	160		160	50	15	5	2.0	1.5	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
744	Corymbia intermedia	Pink Bloodwood	610		610	192	20	8	7.3	2.7	Regular	-	-	Die-back	Epicormic	-	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove (EW)
745	Corymbia intermedia	Pink Bloodwood	280		280	88	16	6	3.4	1.9	Regular	-	-	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
746	Corymbia citriodora	Spotted Gum	130	260	291	91	17	6	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
747	Acacia disparrima	Hickory Wattle	130	160, 190, 120	305	96	12	9	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
748	Eucalyptus propinqua	Small-fruited Grey Gum	440	110	454	142	20	8	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
749	Acacia disparrima	Hickory Wattle	90	110	142	45	8	5	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
750	Corymbia intermedia	Pink Bloodwood	230		230	72	16	5	2.8	1.8	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
751	Corymbia intermedia	Pink Bloodwood	290		290	91	18	4	3.5	2.0	Regular	-	-	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
752	Corymbia citriodora	Spotted Gum	310		310	97	17	5	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
753	Eucalyptus tereticornis	Forest Red Gum	340		340	107	16	8	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
754	Acacia disparrima	Hickory Wattle	160	150, 150	266	83	11	5	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
755	Corymbia intermedia	Pink Bloodwood	240		240	75	15	6	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
756	Corymbia citriodora	Spotted Gum	410		410	129	19	9	4.9	2.3	One-sided	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
757	Acacia disparrima	Hickory Wattle	120	190, 150, 130	300	94	10	8	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
758	Eucalyptus propinqua	Small-fruited Grey Gum	370		370	116	16	8	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
759	Eucalyptus propinqua	Small-fruited Grey Gum	310		310	97	15	8	3.7	2.0	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Retain	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
760	Eucalyptus crebra	Narrow-leaved Ironbark	330		330	104	18	9	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
761	Acacia disparrima	Hickory Wattle	150		150	47	12	7	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
762	Corymbia citriodora	Spotted Gum	330		330	104	21	10	4.0	2.1	Regular	-	-	Die-back	-	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
763	Corymbia citriodora	Spotted Gum	320		320	101	16	8	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
764	Corymbia citriodora	Spotted Gum	380		380	119	18	8	4.6	2.2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
765	Acacia disparrima	Hickory Wattle	100		100	31	8	4	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
766	Corymbia citriodora	Spotted Gum	300		300	94	19	9	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
767	Corymbia citriodora	Spotted Gum	310		310	97	22	10	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
768	Eucalyptus tereticornis	Forest Red Gum	300		300	94	15	9	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Old	-	-	-	-	Remove (EW)
769	Corymbia citriodora	Spotted Gum	270		270	85	17	6	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
770	Corymbia citriodora	Spotted Gum	520		520	163	22	11	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
771	Corymbia citriodora	Spotted Gum	350		350	110	23	11	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
772	Corymbia intermedia	Pink Bloodwood	240		240	75	17	7	2.9	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
773	Corymbia citriodora	Spotted Gum	240		240	75	17	5	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
774	Eucalyptus propinqua	Small-fruited Grey Gum	330		330	104	19	9	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
775	Acacia disparrima	Hickory Wattle	180	140	228	72	10	6	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
776	Acacia disparrima	Hickory Wattle	110	90	142	45	11	5	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
777	Corymbia citriodora	Spotted Gum	330		330	104	16	8	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
778	Corymbia citriodora	Spotted Gum	350		350	110	23	9	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
779	Acacia disparrima	Hickory Wattle	140		140	44	11	5	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
780	Corymbia intermedia	Pink Bloodwood	170		170	53	15	6	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
781	Corymbia citriodora	Spotted Gum	210		210	66	17	5	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
782	Eucalyptus tereticornis	Forest Red Gum	320		320	101	18	8	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
783	Corymbia citriodora	Spotted Gum	340		340	107	19	6	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
784	Corymbia citriodora	Spotted Gum	240		240	75	17	4	2.9	1.8	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
785	Corymbia citriodora	Spotted Gum	290		290	91	20	5	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
786	Eucalyptus tereticornis	Forest Red Gum	360		360	113	16	9	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
787	Corymbia citriodora	Spotted Gum	360		360	113	18	9	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
788	Corymbia citriodora	Spotted Gum	300		300	94	16	6	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
789	Corymbia citriodora	Spotted Gum	240		240	75	16	5	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
790	Corymbia citriodora	Spotted Gum	330	130	355	111	19	8	4.3	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
791	Acacia disparrima	Hickory Wattle	180	140	228	72	14	6	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
792	Corymbia citriodora	Spotted Gum	310		310	97	17	9	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
793	Corymbia intermedia	Pink Bloodwood	230		230	72	16	5	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
794	Corymbia citriodora	Spotted Gum	300		300	94	19	6	3.6	2.0	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
795	Acacia disparrima	Hickory Wattle	220		220	69	14	5	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
796	Corymbia intermedia	Pink Bloodwood	270		270	85	18	6	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
797	Eucalyptus tereticornis	Forest Red Gum	350		350	110	23	8	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	Large	-	-	Remove (EW)
798	Corymbia citriodora	Spotted Gum	320		320	101	17	8	3.8	2.1	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
799	Acacia disparrima	Hickory Wattle	110		110	35	8	5	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Retain	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
800	Corymbia citriodora	Spotted Gum	270		270	85	18	8	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
801	Acacia disparrima	Hickory Wattle	130	80, 70	168	53	10	5	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
802	Corymbia intermedia	Pink Bloodwood	220		220	69	17	6	2.6	1.8	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
803	Corymbia citriodora	Spotted Gum	280		280	88	16	6	3.4	1.9	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
804	Acacia disparrima	Hickory Wattle	180		180	57	10	6	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
805	Eucalyptus tereticornis	Forest Red Gum	360		360	113	19	9	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
806	Corymbia citriodora	Spotted Gum	340		340	107	17	8	4.1	2.1	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
807	Corymbia citriodora	Spotted Gum	140		140	44	16	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
808	Acacia disparrima	Hickory Wattle	190	120	225	71	13	6	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
809	Corymbia citriodora	Spotted Gum	160		160	50	14	4	2.0	1.5	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
810	Corymbia citriodora	Spotted Gum	240		240	75	17	8	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
811	Corymbia citriodora	Spotted Gum	260		260	82	18	7	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
812	Corymbia citriodora	Spotted Gum	220		220	69	17	5	2.6	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
813	Corymbia citriodora	Spotted Gum	280		280	88	19	6	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
814	Corymbia intermedia	Pink Bloodwood	230		230	72	16	7	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
815	Corymbia intermedia	Pink Bloodwood	330		330	104	18	8	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
816	Acacia disparrima	Hickory Wattle	100	130	164	52	13	5	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
817	Corymbia citriodora	Spotted Gum	220		220	69	17	6	2.6	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
818	Acacia disparrima	Hickory Wattle	230		230	72	15	5	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
819	Corymbia citriodora	Spotted Gum	290		290	91	18	5	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
820	Corymbia citriodora	Spotted Gum	240		240	75	15	6	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
821	Corymbia citriodora	Spotted Gum	270		270	85	16	6	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
822	Corymbia citriodora	Spotted Gum	320		320	101	17	7	3.8	2.1	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
823	Corymbia citriodora	Spotted Gum	360		360	113	18	9	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
824	Eucalyptus tereticornis	Forest Red Gum	280		280	88	17	6	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
825	Corymbia citriodora	Spotted Gum	420		420	132	18	10	5.0	2.3	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
826	Corymbia citriodora	Spotted Gum	270		270	85	15	6	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
827	Eucalyptus tereticornis	Forest Red Gum	260		260	82	16	5	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
828	Corymbia intermedia	Pink Bloodwood	300		300	94	19	6	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
829	Acacia disparrima	Hickory Wattle	190	120, 130, 140	295	93	12	9	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
830	Eucalyptus tereticornis	Forest Red Gum	230	200	305	96	17	8	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
831	Eucalyptus tereticornis	Forest Red Gum	330		330	104	16	5	4.0	2.1	Regular	-	-	-	-	Lopped	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove (EW)
832	Corymbia citriodora	Spotted Gum	320		320	101	17	6	3.8	2.1	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
833	Corymbia intermedia	Pink Bloodwood	260		260	82	18	5	3.1	1.9	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
834	Eucalyptus tereticornis	Forest Red Gum	460		460	145	16	7	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
835	Corymbia citriodora	Spotted Gum	250		250	79	17	2	3.0	1.8	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove (EW)
836	Corymbia citriodora	Spotted Gum	240		240	75	17	8	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
837	Corymbia intermedia	Pink Bloodwood	210		210	66	16	7	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
838	Corymbia intermedia	Pink Bloodwood	230		230	72	16	5	2.8	1.8	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
839	Eucalyptus propinqua	Small-fruited Grey Gum	370		370	116	23	11	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Retain	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
840	Corymbia intermedia	Pink Bloodwood	170		170	53	15	4	2.0	1.6	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
841	Corymbia intermedia	Pink Bloodwood	260		260	82	19	6	3.1	1.9	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
842	Corymbia citriodora	Spotted Gum	300		300	94	19	6	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
843	Acacia disparrima	Hickory Wattle	90	50	103	32	8	4	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
844	Corymbia citriodora	Spotted Gum	260		260	82	16	6	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
845	Corymbia intermedia	Pink Bloodwood	300		300	94	16	8	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
846	Corymbia citriodora	Spotted Gum	220		220	69	15	3	2.6	1.8	Regular	-	-	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
847	DEAD/STAG		290		290	91	17	8	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
848	DEAD/STAG		410		410	129	19	6	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
849	Eucalyptus propinqua	Small-fruited Grey Gum	300		300	94	19	6	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
850	Corymbia intermedia	Pink Bloodwood	250		250	79	17	5	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
851	Corymbia intermedia	Pink Bloodwood	270		270	85	17	4	3.2	1.9	Regular	-	-	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
852	Corymbia citriodora	Spotted Gum	300		300	94	18	6	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
853	Eucalyptus tereticornis	Forest Red Gum	280		280	88	16	5	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
854	Corymbia citriodora	Spotted Gum	280		280	88	19	6	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
855	Corymbia tessellaris	Moreton Bay Ash	290		290	91	12	4	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
856	Corymbia citriodora	Spotted Gum	110		110	35	14	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
857	Alphitonia excelsa	Soap Tree	80	110	136	43	12	6	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
858	Corymbia citriodora	Spotted Gum	110	100, 100	179	56	16	4	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
859	Eucalyptus tereticornis	Forest Red Gum	110	140, 230	291	91	17	5	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
860	Corymbia citriodora	Spotted Gum	100		100	31	14	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
861	Eucalyptus tereticornis	Forest Red Gum	160		160	50	16	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
862	Corymbia citriodora	Spotted Gum	120		120	38	15	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
863	Eucalyptus propinqua	Small-fruited Grey Gum	120		120	38	15	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
864	Eucalyptus propinqua	Small-fruited Grey Gum	120		120	38	15	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
865	Eucalyptus propinqua	Small-fruited Grey Gum	110		110	35	14	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
866	Eucalyptus propinqua	Small-fruited Grey Gum	100		100	31	14	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
867	Corymbia citriodora	Spotted Gum	140		140	44	15	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
868	Acacia disparrima	Hickory Wattle	100		100	31	11	4	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
869	Corymbia citriodora	Spotted Gum	130	140	191	60	15	5	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
870	Eucalyptus tereticornis	Forest Red Gum	130		130	41	16	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
871	Corymbia citriodora	Spotted Gum	120	100	156	49	14	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
872	Acacia disparrima	Hickory Wattle	130		130	41	14	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
873	Eucalyptus tereticornis	Forest Red Gum	120		120	38	14	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
874	Eucalyptus tereticornis	Forest Red Gum	100		100	31	12	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
875	Corymbia citriodora	Spotted Gum	100		100	31	14	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
876	Eucalyptus tereticornis	Forest Red Gum	150	180	234	74	15	5	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
877	Alphitonia excelsa	Soap Tree	110		110	35	14	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
878	Corymbia citriodora	Spotted Gum	170	180, 150	289	91	16	5	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
879	Corymbia citriodora	Spotted Gum	140	90	166	52	14	4	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Retain		
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	
880	Acacia disparrima	Hickory Wattle	110		110	35	12	5	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)	
881	Acacia disparrima	Hickory Wattle	120		120	38	12	6	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)	
882	Acacia disparrima	Hickory Wattle	130		130	41	13	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)	
883	Corymbia citriodora	Spotted Gum	120		120	38	15	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)	
884	Corymbia citriodora	Spotted Gum	190		190	60	16	4	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)	
885	Eucalyptus propinqua	Small-fruited Grey Gum	120		120	38	11	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)	
886	Alphitonia excelsa	Soap Tree	150		150	47	11	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)	
887	Corymbia citriodora	Spotted Gum	140		140	44	15	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)	
888	Corymbia citriodora	Spotted Gum	110	100	149	47	15	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)	
889	Corymbia citriodora	Spotted Gum	130		130	41	14	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)	
890	Eucalyptus tereticornis	Forest Red Gum	150		150	47	15	5	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)	
891	Corymbia citriodora	Spotted Gum	100		100	31	12	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)	
892	Corymbia citriodora	Spotted Gum	100		100	31	13	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)	
893	Corymbia citriodora	Spotted Gum	90	90	127	40	14	5	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)	
894	Corymbia citriodora	Spotted Gum	120		120	38	14	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)	
895	Corymbia citriodora	Spotted Gum	110		110	35	15	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)	
896	Corymbia intermedia	Pink Bloodwood	130		130	41	14	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)	
897	Corymbia intermedia	Pink Bloodwood	110	130	170	53	13	4	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)	
898	Acacia disparrima	Hickory Wattle	130		130	41	11	5	2.0	1.4	Regular	-	-	-	-	-	Typical	Minor	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
899	Acacia disparrima	Hickory Wattle	160		160	50	13	6	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)	
900	Eucalyptus moluccana	Gum-topped Box	390		390	123	21	8	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)	
901	Eucalyptus moluccana	Gum-topped Box	390		390	123	19	9	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)	
902	Corymbia citriodora	Spotted Gum	150		150	47	14	5	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)	
903	Eucalyptus moluccana	Gum-topped Box	90	100, 90	162	51	9	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)	
904	Corymbia citriodora	Spotted Gum	110	120	163	51	13	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)	
905	Corymbia citriodora	Spotted Gum	110	80, 80, 50, 60	176	55	12	3	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)	
906	Eucalyptus siderophloia	Northern Grey Ironbark	100		100	31	8	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)	
907	Eucalyptus tereticornis	Forest Red Gum	110	100	149	47	13	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)	
908	Acacia leiocalyx	Early-flowering Black Wattle	120		120	38	11	5	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)	
909	Acacia leiocalyx	Early-flowering Black Wattle	120	110	163	51	8	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)	
910	Corymbia citriodora	Spotted Gum	340		340	107	23	8	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)	
911	Corymbia citriodora	Spotted Gum	230		230	72	21	6	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)	
912	Corymbia citriodora	Spotted Gum	360		360	113	23	11	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)	
913	Eucalyptus tereticornis	Forest Red Gum	120		120	38	11	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)	
914	Corymbia citriodora	Spotted Gum	80	80, 90	145	45	10	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)	
915	Eucalyptus crebra	Narrow-leaved Ironbark	100		100	31	11	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)	
916	Eucalyptus crebra	Narrow-leaved Ironbark	100	100	141	44	9	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)	
917	Eucalyptus tereticornis	Forest Red Gum	260		260	82	17	8	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)	
918	Corymbia citriodora	Spotted Gum	270		270	85	19	10	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)	
919	Acacia disparrima	Hickory Wattle	160		160	50	14	5	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)	

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Retain	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
920	Alphitonia excelsa	Soap Tree	120	120, 130	214	67	14	5	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
921	Corymbia citriodora	Spotted Gum	120		120	38	14	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
922	Acacia disparrima	Hickory Wattle	180		180	57	15	6	2.2	1.6	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
923	Acacia disparrima	Hickory Wattle	180		180	57	8	6	2.2	1.6	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
924	Acacia disparrima	Hickory Wattle	350		350	110	12	8	4.2	2.1	One-sided	-	-	-	-	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
925	Acacia disparrima	Hickory Wattle	160		160	50	9	5	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
926	Corymbia citriodora	Spotted Gum	110		110	35	14	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
927	Corymbia citriodora	Spotted Gum	100		100	31	12	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
928	Acacia disparrima	Hickory Wattle	130		130	41	11	5	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
929	Acacia leiocalyx	Early-flowering Black Wattle	120		120	38	12	6	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
930	Corymbia citriodora	Spotted Gum	120		120	38	13	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
931	Corymbia citriodora	Spotted Gum	130	150, 140	243	76	15	5	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
932	Corymbia citriodora	Spotted Gum	180		180	57	16	3	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
933	Corymbia citriodora	Spotted Gum	160		160	50	14	5	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
934	Eucalyptus tereticornis	Forest Red Gum	190		190	60	15	3	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
935	Eucalyptus tereticornis	Forest Red Gum	120	130, 140	226	71	8	5	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
936	Eucalyptus tereticornis	Forest Red Gum	90	90	127	40	8	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
937	Leptospermum laevigatum	Coastal Tea Tree	50	90, 80, 70, 60	160	50	11	6	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
938	Acacia concurrens	Black Wattle	100	90	135	42	13	5	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
939	Eucalyptus tereticornis	Forest Red Gum	120		120	38	8	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
940	Acacia leiocalyx	Early-flowering Black Wattle	120	90	150	47	9	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
941	Eucalyptus tereticornis	Forest Red Gum	140		140	44	13	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
942	Eucalyptus tereticornis	Forest Red Gum	100	90, 50	144	45	12	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
943	Acacia leiocalyx	Early-flowering Black Wattle	110		110	35	9	5	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
944	Eucalyptus tereticornis	Forest Red Gum	100	90, 90	162	51	9	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
945	Corymbia citriodora	Spotted Gum	340		340	107	18	8	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
946	Eucalyptus crebra	Narrow-leaved Ironbark	250		250	79	16	5	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
947	Corymbia citriodora	Spotted Gum	270		270	85	17	6	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
948	Eucalyptus moluccana	Gum-topped Box	330		330	104	17	9	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
949	Corymbia citriodora	Spotted Gum	340		340	107	18	7	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
950	Corymbia citriodora	Spotted Gum	340		340	107	17	5	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
951	Corymbia citriodora	Spotted Gum	290		290	91	16	6	3.5	2.0	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
952	Corymbia tessellaris	Moreton Bay Ash	280		280	88	15	4	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
955	Corymbia citriodora	Spotted Gum	150	110	186	58	14	4	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
956	Corymbia citriodora	Spotted Gum	120	100	156	49	13	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
957	Eucalyptus tereticornis	Forest Red Gum	180	100	206	65	8	4	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
958	Acacia concurrens	Black Wattle	140		140	44	8	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
959	DEAD/STAG		250		250	79	17	6	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
960	Corymbia citriodora	Spotted Gum	220		220	69	15	5	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
961	Corymbia citriodora	Spotted Gum	430		430	135	21	11	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Retain	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
962	Corymbia intermedia	Pink Bloodwood	260		260	82	16	3	3.1	1.9	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
963	Corymbia citriodora	Spotted Gum	290		290	91	18	6	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
964	Eucalyptus tereticornis	Forest Red Gum	200		200	63	14	5	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
965	Corymbia intermedia	Pink Bloodwood	280		280	88	18	4	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
966	Acacia concurrens	Black Wattle	160		160	50	12	5	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
967	Acacia concurrens	Black Wattle	100		100	31	8	4	2.0	1.3	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
968	Corymbia citriodora	Spotted Gum	100		100	31	14	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
969	Eucalyptus tereticornis	Forest Red Gum	280		280	88	18	4	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
970	Acacia disparrima	Hickory Wattle	180		180	57	14	6	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
971	Eucalyptus tereticornis	Forest Red Gum	260		260	82	17	5	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
972	Eucalyptus tereticornis	Forest Red Gum	300		300	94	19	5	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
973	Acacia disparrima	Hickory Wattle	120		120	38	12	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
974	Acacia disparrima	Hickory Wattle	160	150	219	69	11	6	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
975	Corymbia intermedia	Pink Bloodwood	300		300	94	16	8	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
976	Acacia concurrens	Black Wattle	140		140	44	12	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
977	Acacia disparrima	Hickory Wattle	180		180	57	12	4	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
978	Acacia disparrima	Hickory Wattle	100		100	31	8	4	2.0	1.3	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
979	Acacia disparrima	Hickory Wattle	170		170	53	12	4	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
980	Acacia disparrima	Hickory Wattle	100		100	31	0	0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
981	Acacia disparrima	Hickory Wattle	140		140	44	12	5	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
982	Acacia disparrima	Hickory Wattle	120		120	38	12	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
983	Corymbia intermedia	Pink Bloodwood	210		210	66	18	4	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
985	Corymbia intermedia	Pink Bloodwood	26		26	8	17	6	2.0	0.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
986	Corymbia intermedia	Pink Bloodwood	320		320	101	19	5	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
987	Acacia disparrima	Hickory Wattle	130		130	41	8	4	2.0	1.4	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
988	Acacia concurrens	Black Wattle	120		120	38	8	3	2.0	1.4	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
989	Acacia disparrima	Hickory Wattle	140	130	191	60	9	5	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
990	Lophostemon suaveolens	Swamp Box	300		300	94	15	5	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
991	Corymbia intermedia	Pink Bloodwood	110	100	149	47	10	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
992	Acacia disparrima	Hickory Wattle	150	150	212	67	9	5	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
993	Eucalyptus propinqua	Small-fruited Grey Gum	270		270	85	16	7	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
994	Alphitonia excelsa	Soap Tree	140		140	44	14	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
995	Eucalyptus tereticornis	Forest Red Gum	250		250	79	18	6	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
996	Corymbia intermedia	Pink Bloodwood	270		270	85	16	5	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
997	Acacia disparrima	Hickory Wattle	160	100	189	59	13	6	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
998	Acacia disparrima	Hickory Wattle	130		130	41	8	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
999	Acacia disparrima	Hickory Wattle	240		240	75	14	5	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1000	Corymbia intermedia	Pink Bloodwood	100	100, 90, 80	186	58	8	2	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1001	Corymbia intermedia	Pink Bloodwood	130	220	256	80	14	5	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1002	Corymbia citriodora	Spotted Gum	140		140	44	14	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Retain	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
1003	Corymbia citriodora	Spotted Gum	180	110	211	66	15	5	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1004	Corymbia citriodora	Spotted Gum	110		110	35	12	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1005	Eucalyptus tereticornis	Forest Red Gum	230		230	72	15	5	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1006	Eucalyptus tereticornis	Forest Red Gum	390		390	123	21	10	4.7	2.2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1007	Eucalyptus tereticornis	Forest Red Gum	420		420	132	22	8	5.0	2.3	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1008	Corymbia intermedia	Pink Bloodwood	340		340	107	20	8	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1009	Corymbia citriodora	Spotted Gum	120		120	38	8	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1010	Corymbia citriodora	Spotted Gum	90	80, 70, 50	148	46	8	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1011	Corymbia citriodora	Spotted Gum	200		200	63	16	5	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1012	Corymbia citriodora	Spotted Gum	180		180	57	12	5	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1013	Eucalyptus tereticornis	Forest Red Gum	420		420	132	20	10	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1014	Corymbia citriodora	Spotted Gum	300	100	316	99	14	6	3.8	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1015	Eucalyptus tereticornis	Forest Red Gum	450		450	141	20	10	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1016	Corymbia citriodora	Spotted Gum	150		150	47	12	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1017	Corymbia intermedia	Pink Bloodwood	300		300	94	14	6	3.6	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1018	Corymbia intermedia	Pink Bloodwood	180	130	222	70	12	5	2.7	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1019	Corymbia citriodora	Spotted Gum	420		420	132	8	3	5.0	2.3	Regular	-	-	Die-back	Epicormic	-	Poor	-	-	Trunk Dmg.	-	Poor	-	-	-	-	-	-	Remove (EW)
1020	Corymbia citriodora	Spotted Gum	320		320	101	18	6	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Old	-	-	-	-	Remove (EW)
1021	Corymbia intermedia	Pink Bloodwood	150		150	47	8	2	2.0	1.5	Regular	-	-	-	-	-	Typical	Major	-	-	-	-	Typical	-	-	-	-	-	Remove (EW)
1022	Acacia disparrima	Hickory Wattle	230	130	264	83	6	3	3.2	1.9	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1023	Corymbia citriodora	Spotted Gum	380		380	119	20	8	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1024	Corymbia intermedia	Pink Bloodwood	340		340	107	12	6	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1025	Corymbia intermedia	Pink Bloodwood	370		370	116	14	8	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove (EW)
1026	Acacia disparrima	Hickory Wattle	220		220	69	7	4	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1027	Corymbia intermedia	Pink Bloodwood	140		140	44	7	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1028	Acacia disparrima	Hickory Wattle	140		140	44	5	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1029	Corymbia citriodora	Spotted Gum	250		250	79	16	6	3.0	1.8	Regular	-	-	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1030	Corymbia citriodora	Spotted Gum	230		230	72	18	7	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1031	Corymbia citriodora	Spotted Gum	440		440	138	22	10	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1032	Corymbia citriodora	Spotted Gum	440		440	138	22	10	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1033	Corymbia citriodora	Spotted Gum	220		220	69	16	8	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1034	Corymbia intermedia	Pink Bloodwood	360		360	113	20	12	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1035	Corymbia citriodora	Spotted Gum	300		300	94	18	8	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1036	Corymbia citriodora	Spotted Gum	360		360	113	18	8	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1037	Corymbia intermedia	Pink Bloodwood	420		420	132	14	8	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1038	Corymbia intermedia	Pink Bloodwood	270		270	85	14	6	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1039	Eucalyptus tereticornis	Forest Red Gum	200		200	63	12	2	2.4	1.7	Regular	-	-	Die-back	Epicormic	-	Poor	-	-	Trunk Dmg.	-	Poor	-	-	-	-	-	-	Remove (EW)
1040	Corymbia citriodora	Spotted Gum	230		230	72	18	6	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1041	Corymbia intermedia	Pink Bloodwood	340		340	107	14	8	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1042	Corymbia intermedia	Pink Bloodwood	250		250	79	12	5	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Retain			
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention		
1043	Acacia leiocalyx	Early-flowering Black Wattle	180		180	57	5	3	2.2	1.6	Regular	-	-	-	-	-	Typical	Major	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)	
1044	Acacia leiocalyx	Early-flowering Black Wattle	140		140	44	6	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (EW)	
1045	Corymbia intermedia	Pink Bloodwood	330		330	104	14	5	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (EW)	
1046	Allocasuarina littoralis	Black She-oak	110		110	35	3	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (EW)	
1047	Corymbia citriodora	Spotted Gum	130		130	41	6	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (EW)	
1048	Corymbia intermedia	Pink Bloodwood	370		370	116	14	8	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (EW)	
1049	Corymbia intermedia	Pink Bloodwood	280		280	88	12	6	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (EW)	
1050	Angophora leiocarpa	Smooth-barked Apple	180		180	57	10	5	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (EW)	
1051	Corymbia citriodora	Spotted Gum	120		120	38	8	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (EW)	
1052	Eucalyptus siderophloia	Northern Grey Ironbark	340		340	107	18	8	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (EW)	
1053	Eucalyptus tereticornis	Forest Red Gum	140		140	44	8	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (EW)	
1054	Angophora leiocarpa	Smooth-barked Apple	160		160	50	18	6	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (EW)	
1055	Angophora leiocarpa	Smooth-barked Apple	140		140	44	10	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (EW)	
1056	Eucalyptus seeana	Narrow-leaved Red Gum	260	260, 260	450	141	14	7	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	-	Remove (EW)	
1057	Corymbia citriodora	Spotted Gum	140		140	44	12	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (EW)	
1058	Corymbia citriodora	Spotted Gum	140		140	44	8	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (EW)	
1059	Corymbia citriodora	Spotted Gum	140	10	140	44	2	0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (EW)	
1060	Corymbia intermedia	Pink Bloodwood	140		140	44	8	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (EW)	
1061	Corymbia intermedia	Pink Bloodwood	120		120	38	8	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (EW)	
1062	Corymbia intermedia	Pink Bloodwood	130		130	41	8	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (EW)	
1063	Angophora leiocarpa	Smooth-barked Apple	120		120	38	8	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (EW)	
1064	Eucalyptus seeana	Narrow-leaved Red Gum	120		120	38	8	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (EW)	
1065	Eucalyptus tereticornis	Forest Red Gum	110		110	35	7	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (EW)	
1066	Corymbia intermedia	Pink Bloodwood	220		220	69	8	4	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (EW)	
1067	Lophostemon suaveolens	Swamp Box	120	110, 100	191	60	8	3	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (EW)	
1068	Eucalyptus tereticornis	Forest Red Gum	190		190	60	8	3	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (EW)	
1069	Lophostemon suaveolens	Swamp Box	110	80	136	43	10	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (EW)	
1070	Eucalyptus tereticornis	Forest Red Gum	200		200	63	10	6	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (EW)	
1071	Lophostemon suaveolens	Swamp Box	130		130	41	6	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (EW)	
1072	Eucalyptus seeana	Narrow-leaved Red Gum	320		320	101	14	7	3.8	2.1	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Future Stage	
1073	Corymbia intermedia	Pink Bloodwood	430		430	135	16	8	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (EW)	
1074	Lophostemon suaveolens	Swamp Box	230		230	72	8	3	2.8	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (EW)	
1075	Acacia leiocalyx	Early-flowering Black Wattle	150		150	47	6	3	2.0	1.5	Regular	-	-	-	-	-	Typical	Minor	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (EW)
1076	Acacia disparrima	Hickory Wattle	140		140	44	4	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (EW)	
1077	Lophostemon suaveolens	Swamp Box	140		140	44	6	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (EW)	
1078	Melaleuca quinquenervia	Broad-leaved Paperbark	350		350	110	8	5	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (EW)	
1079	Melaleuca quinquenervia	Broad-leaved Paperbark	230		230	72	7	3	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (EW)	
1080	Acacia leiocalyx	Early-flowering Black Wattle	120		120	38	5	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (EW)	
1081	Lophostemon suaveolens	Swamp Box	270		270	85	8	3	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (EW)	
1082	Eucalyptus seeana	Narrow-leaved Red Gum	340		340	107	14	6	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (EW)	

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Retain		
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	
1083	Corymbia intermedia	Pink Bloodwood	110		110	35	8	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)	
1084	Melaleuca quinquenervia	Broad-leaved Paperbark	430		430	135	10	7	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)	
1085	Lophostemon suaveolens	Swamp Box	110		110	35	4	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)	
1086	Corymbia intermedia	Pink Bloodwood	500		500	157	16	8	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)	
1087	Lophostemon suaveolens	Swamp Box	210		210	66	7	3	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)	
1088	Lophostemon suaveolens	Swamp Box	230		230	72	8	4	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)	
1089	Corymbia intermedia	Pink Bloodwood	230		230	72	10	4	2.8	1.8	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)	
1090	Eucalyptus seeana	Narrow-leaved Red Gum	380		380	119	14	7	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)	
1091	Angophora leiocarpa	Smooth-barked Apple	500		500	157	20	7	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)	
1092	Alphitonia excelsa	Soap Tree	170		170	53	8	3	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)	
1093	Acacia leiocalyx	Early-flowering Black Wattle	140		140	44	8	3	2.0	1.4	Regular	-	-	-	-	-	Typical	Minor	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1094	Eucalyptus seeana	Narrow-leaved Red Gum	680	250	724	228	20	10	8.7	2.9	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Remove (EW)	
1095	Lophostemon suaveolens	Swamp Box	200	130	239	75	8	4	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)	
1096	Lophostemon suaveolens	Swamp Box	180		180	57	7	2	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)	
1097	Acacia leiocalyx	Early-flowering Black Wattle	120	80	144	45	4	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)	
1098	Alphitonia excelsa	Soap Tree	110		110	35	6	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)	
1099	Corymbia intermedia	Pink Bloodwood	110		110	35	5	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)	
1100	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	41	8	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)	
1101	Corymbia intermedia	Pink Bloodwood	330		330	104	16	7	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)	
1102	Melaleuca quinquenervia	Broad-leaved Paperbark	370		370	116	12	8	4.4	2.2	Regular	-	-	-	-	-	Typical	Minor	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1103	Corymbia intermedia	Pink Bloodwood	260		260	82	8	3	3.1	1.9	Regular	-	-	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)	
1104	Acacia leiocalyx	Early-flowering Black Wattle	140		140	44	6	2	2.0	1.4	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)	
1105	Acacia leiocalyx	Early-flowering Black Wattle	120		120	38	7	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)	
1106	Corymbia intermedia	Pink Bloodwood	110		110	35	6	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)	
1107	Corymbia intermedia	Pink Bloodwood	140		140	44	8	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)	
1108	Acacia leiocalyx	Early-flowering Black Wattle	140		140	44	7	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)	
1109	Alphitonia excelsa	Soap Tree	140		140	44	6	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)	
1110	Angophora leiocarpa	Smooth-barked Apple	140		140	44	6	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)	
1111	Eucalyptus seeana	Narrow-leaved Red Gum	500		500	157	16	8	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)	
1112	Corymbia intermedia	Pink Bloodwood	520		520	163	20	10	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)	
1113	Acacia leiocalyx	Early-flowering Black Wattle	110		110	35	6	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)	
1114	Angophora leiocarpa	Smooth-barked Apple	120		120	38	8	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)	
1115	Lophostemon suaveolens	Swamp Box	100	100	141	44	6	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)	
1116	Acacia leiocalyx	Early-flowering Black Wattle	220		220	69	8	5	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)	
1117	Corymbia intermedia	Pink Bloodwood	130	80	153	48	8	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)	
1118	Lophostemon suaveolens	Swamp Box	130		130	41	4	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)	
1119	Acacia leiocalyx	Early-flowering Black Wattle	140		140	44	4	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)	
1120	Acacia leiocalyx	Early-flowering Black Wattle	140		140	44	4	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)	
1121	Acacia leiocalyx	Early-flowering Black Wattle	180		180	57	5	4	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)	
1122	Corymbia intermedia	Pink Bloodwood	150		150	47	8	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)	

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Retain		
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	
1123	Lophostemon suaveolens	Swamp Box	120		120	38	6	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)	
1124	Acacia leiocalyx	Early-flowering Black Wattle	150		150	47	5	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)	
1125	Lophostemon suaveolens	Swamp Box	130	70	148	46	6	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)	
1126	Acacia leiocalyx	Early-flowering Black Wattle	160		160	50	6	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)	
1127	Acacia leiocalyx	Early-flowering Black Wattle	100	80	128	40	6	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)	
1128	Lophostemon suaveolens	Swamp Box	120		120	38	5	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)	
1129	Lophostemon suaveolens	Swamp Box	120		120	38	6	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)	
1130	Lophostemon suaveolens	Swamp Box	140		140	44	5	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)	
1131	Lophostemon suaveolens	Swamp Box	110	110	156	49	6	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)	
1132	Lophostemon suaveolens	Swamp Box	120	120	170	53	6	3	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)	
1133	Lophostemon suaveolens	Swamp Box	130	120	177	56	7	3	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)	
1134	Lophostemon suaveolens	Swamp Box	170		170	53	8	3	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)	
1135	Lophostemon suaveolens	Swamp Box	130		130	41	6	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)	
1136	Acacia leiocalyx	Early-flowering Black Wattle	130	70, 70	163	51	7	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)	
1137	Lophostemon suaveolens	Swamp Box	120	80	144	45	6	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)	
1138	Corymbia intermedia	Pink Bloodwood	170		170	53	8	3	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)	
1139	Angophora leiocarpa	Smooth-barked Apple	130		130	41	9	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)	
1140	Acacia leiocalyx	Early-flowering Black Wattle	120		120	38	5	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)	
1141	Lophostemon suaveolens	Swamp Box	120		120	38	4	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)	
1142	Acacia leiocalyx	Early-flowering Black Wattle	140		140	44	4	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)	
1143	Acacia leiocalyx	Early-flowering Black Wattle	170		170	53	5	3	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)	
1144	Acacia leiocalyx	Early-flowering Black Wattle	120		120	38	5	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)	
1145	Angophora leiocarpa	Smooth-barked Apple	160		160	50	8	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)	
1146	Eucalyptus seeana	Narrow-leaved Red Gum	120		120	38	6	2	2.0	1.4	Regular	-	-	-	-	-	Typical	Minor	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1147	Angophora leiocarpa	Smooth-barked Apple	120		120	38	6	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)	
1148	Acacia leiocalyx	Early-flowering Black Wattle	140		140	44	5	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)	
1149	Acacia leiocalyx	Early-flowering Black Wattle	140		140	44	4	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)	
1150	Acacia leiocalyx	Early-flowering Black Wattle	160		160	50	4	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)	
1151	Acacia disparrima	Hickory Wattle	140		140	44	5	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)	
1152	Alphitonia excelsa	Soap Tree	120		120	38	4	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)	
1153	Acacia leiocalyx	Early-flowering Black Wattle	160		160	50	6	5	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)	
1154	Acacia leiocalyx	Early-flowering Black Wattle	120	120	170	53	6	4	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)	
1155	Angophora leiocarpa	Smooth-barked Apple	110		110	35	8	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)	
1156	Acacia leiocalyx	Early-flowering Black Wattle	130	130	184	58	6	4	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)	
1157	Acacia leiocalyx	Early-flowering Black Wattle	120		120	38	4	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)	
1158	Melaleuca quinquenervia	Broad-leaved Paperbark	180		180	57	5	3	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)	
1159	Corymbia intermedia	Pink Bloodwood	140		140	44	8	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)	
1160	Corymbia intermedia	Pink Bloodwood	200		200	63	10	4	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)	
1161	Acacia leiocalyx	Early-flowering Black Wattle	150		150	47	4	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)	
1162	Angophora leiocarpa	Smooth-barked Apple	110		110	35	8	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)	

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Retain	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
1163	Eucalyptus seeana	Narrow-leaved Red Gum	140		140	44	8	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1164	Acacia leiocalyx	Early-flowering Black Wattle	130		130	41	6	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1165	Angophora leiocarpa	Smooth-barked Apple	140		140	44	7	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1166	Eucalyptus seeana	Narrow-leaved Red Gum	200		200	63	8	4	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1167	Lophostemon suaveolens	Swamp Box	140		140	44	7	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1168	Eucalyptus seeana	Narrow-leaved Red Gum	150		150	47	7	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1169	Angophora leiocarpa	Smooth-barked Apple	110		110	35	5	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1170	Eucalyptus seeana	Narrow-leaved Red Gum	110		110	35	4	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1171	Eucalyptus seeana	Narrow-leaved Red Gum	110		110	35	5	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1172	Corymbia intermedia	Pink Bloodwood	140		140	44	6	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1173	Corymbia intermedia	Pink Bloodwood	120		120	38	6	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1174	Corymbia citriodora	Spotted Gum	120		120	38	6	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1175	Eucalyptus tereticornis	Forest Red Gum	140		140	44	8	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1176	Acacia leiocalyx	Early-flowering Black Wattle	120		120	38	3	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1177	Acacia leiocalyx	Early-flowering Black Wattle	130		130	41	3	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1178	Acacia leiocalyx	Early-flowering Black Wattle	160		160	50	4	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1179	Acacia leiocalyx	Early-flowering Black Wattle	180		180	57	5	3	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1180	Angophora leiocarpa	Smooth-barked Apple	150		150	47	6	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1181	Corymbia intermedia	Pink Bloodwood	150		150	47	8	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1182	Eucalyptus crebra	Narrow-leaved Ironbark	260		260	82	14	6	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1183	Eucalyptus crebra	Narrow-leaved Ironbark	320		320	101	18	8	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove (EW)
1184	Eucalyptus tereticornis	Forest Red Gum	210		210	66	12	5	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1185	Angophora leiocarpa	Smooth-barked Apple	160	150, 130	255	80	8	4	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1186	Corymbia citriodora	Spotted Gum	340		340	107	18	8	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1187	Corymbia citriodora	Spotted Gum	110		110	35	6	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1188	Corymbia citriodora	Spotted Gum	120		120	38	10	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1189	Eucalyptus tereticornis	Forest Red Gum	140	80, 90	185	58	8	3	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1190	Eucalyptus seeana	Narrow-leaved Red Gum	140		140	44	7	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1191	Corymbia intermedia	Pink Bloodwood	150	100	180	57	6	3	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1192	Eucalyptus tereticornis	Forest Red Gum	160		160	50	8	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1193	Eucalyptus tereticornis	Forest Red Gum	160		160	50	10	5	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1194	Melaleuca quinquenervia	Broad-leaved Paperbark	160		160	50	7	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1195	Angophora leiocarpa	Smooth-barked Apple	190		190	60	8	4	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1196	Lophostemon suaveolens	Swamp Box	150		150	47	6	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1197	Acacia leiocalyx	Early-flowering Black Wattle	120		120	38	8	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1198	Acacia leiocalyx	Early-flowering Black Wattle	130		130	41	6	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1199	Eucalyptus siderophloia	Northern Grey Ironbark	160		160	50	8	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1200	Acacia leiocalyx	Early-flowering Black Wattle	190		190	60	5	3	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1201	Acacia disparrima	Hickory Wattle	180		180	57	6	4	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1202	Eucalyptus tereticornis	Forest Red Gum	210		210	66	8	3	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Retain
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
1203	Corymbia citriodora	Spotted Gum	140		140	44	10	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1204	Acacia leiocalyx	Early-flowering Black Wattle	140		140	44	4	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1205	Corymbia citriodora	Spotted Gum	140	140	198	62	7	3	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1206	Corymbia intermedia	Pink Bloodwood	120		120	38	6	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1207	Acacia leiocalyx	Early-flowering Black Wattle	180		180	57	5	3	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1208	Corymbia intermedia	Pink Bloodwood	140		140	44	5	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1209	Eucalyptus tereticornis	Forest Red Gum	170		170	53	8	2	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1210	Lophostemon suaveolens	Swamp Box	190		190	60	7	3	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1211	Corymbia intermedia	Pink Bloodwood	180		180	57	8	3	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1212	Eucalyptus tereticornis	Forest Red Gum	120		120	38	7	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1213	Acacia disparrima	Hickory Wattle	310		310	97	5	4	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1214	Corymbia intermedia	Pink Bloodwood	140		140	44	6	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1215	Angophora leiocarpa	Smooth-barked Apple	340		340	107	16	8	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1216	Corymbia intermedia	Pink Bloodwood	280		280	88	14	6	3.4	1.9	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1217	Corymbia intermedia	Pink Bloodwood	360		360	113	16	6	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1218	Eucalyptus siderophloia	Northern Grey Ironbark	250		250	79	10	6	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1219	Angophora leiocarpa	Smooth-barked Apple	140		140	44	14	5	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1220	Corymbia intermedia	Pink Bloodwood	160		160	50	14	5	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1221	Eucalyptus tereticornis	Forest Red Gum	180		180	57	14	5	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1222	Corymbia intermedia	Pink Bloodwood	210		210	66	8	3	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1223	Eucalyptus seeana	Narrow-leaved Red Gum	390		390	123	22	7	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1224	Corymbia citriodora	Spotted Gum	140		140	44	8	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1225	Eucalyptus seeana	Narrow-leaved Red Gum	150		150	47	14	6	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1226	Lophostemon suaveolens	Swamp Box	200	140	244	77	7	3	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1227	Eucalyptus seeana	Narrow-leaved Red Gum	190		190	60	10	3	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1228	Eucalyptus seeana	Narrow-leaved Red Gum	180		180	57	9	4	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1229	Corymbia citriodora	Spotted Gum	280		280	88	14	6	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1230	Eucalyptus tereticornis	Forest Red Gum	180		180	57	12	4	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1231	Corymbia citriodora	Spotted Gum	200		200	63	14	5	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1232	Corymbia citriodora	Spotted Gum	150	100	180	57	7	3	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1233	Eucalyptus seeana	Narrow-leaved Red Gum	420		420	132	14	6	5.0	2.3	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1234	Corymbia citriodora	Spotted Gum	140		140	44	12	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1235	Eucalyptus crebra	Narrow-leaved Ironbark	360		360	113	18	8	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1236	Eucalyptus tereticornis	Forest Red Gum	430		430	135	18	8	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1237	Eucalyptus tereticornis	Forest Red Gum	160		160	50	8	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1238	Eucalyptus tereticornis	Forest Red Gum	140		140	44	8	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1239	Corymbia citriodora	Spotted Gum	120		120	38	12	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1240	Eucalyptus crebra	Narrow-leaved Ironbark	560		560	176	20	10	6.7	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1241	Corymbia citriodora	Spotted Gum	130		130	41	12	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1242	Corymbia citriodora	Spotted Gum	200		200	63	12	4	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Retain	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
1243	Corymbia citriodora	Spotted Gum	150		150	47	10	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1244	Corymbia citriodora	Spotted Gum	350		350	110	16	8	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1245	Corymbia citriodora	Spotted Gum	140		140	44	10	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1246	Corymbia citriodora	Spotted Gum	150		150	47	10	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1247	Eucalyptus seeana	Narrow-leaved Red Gum	140		140	44	8	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1248	Angophora leiocarpa	Smooth-barked Apple	500		500	157	20	10	6.0	2.5	Regular	-	-	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1249	Angophora leiocarpa	Smooth-barked Apple	140		140	44	8	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1250	Corymbia citriodora	Spotted Gum	180		180	57	16	5	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1251	Corymbia citriodora	Spotted Gum	160		160	50	14	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1252	Angophora leiocarpa	Smooth-barked Apple	140	140	198	62	12	4	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1253	Acacia disparrima	Hickory Wattle	160		160	50	5	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1254	Corymbia citriodora	Spotted Gum	110		110	35	9	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1255	Corymbia citriodora	Spotted Gum	150		150	47	8	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1256	Angophora leiocarpa	Smooth-barked Apple	130		130	41	8	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1257	Angophora leiocarpa	Smooth-barked Apple	540		540	170	24	12	6.5	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1258	Corymbia citriodora	Spotted Gum	330		330	104	20	10	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1259	Angophora leiocarpa	Smooth-barked Apple	120		120	38	7	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1260	Corymbia citriodora	Spotted Gum	170		170	53	14	6	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1261	Acacia leiocalyx	Early-flowering Black Wattle	130		130	41	7	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1262	Corymbia citriodora	Spotted Gum	160		160	50	14	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1263	Acacia disparrima	Hickory Wattle	180	140	228	72	8	4	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1264	Lophostemon suaveolens	Swamp Box	170		170	53	9	3	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1265	Corymbia intermedia	Pink Bloodwood	160		160	50	12	4	2.0	1.5	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1266	Corymbia intermedia	Pink Bloodwood	160		160	50	10	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1267	Angophora leiocarpa	Smooth-barked Apple	600		600	188	22	12	7.2	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1268	Corymbia citriodora	Spotted Gum	170		170	53	12	5	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1269	Eucalyptus tereticornis	Forest Red Gum	280		280	88	14	8	3.4	1.9	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1270	Corymbia intermedia	Pink Bloodwood	150		150	47	10	3	2.0	1.5	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1271	Angophora leiocarpa	Smooth-barked Apple	270		270	85	14	6	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1272	Corymbia citriodora	Spotted Gum	320		320	101	14	6	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1273	Corymbia intermedia	Pink Bloodwood	380		380	119	16	7	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1274	Corymbia citriodora	Spotted Gum	150		150	47	10	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1275	Eucalyptus tereticornis	Forest Red Gum	270		270	85	16	7	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1276	Corymbia citriodora	Spotted Gum	340		340	107	20	7	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1277	Corymbia citriodora	Spotted Gum	550	230	596	187	22	10	7.2	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1278	Corymbia citriodora	Spotted Gum	110		110	35	7	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1279	Corymbia intermedia	Pink Bloodwood	230		230	72	18	5	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1280	Eucalyptus tereticornis	Forest Red Gum	220		220	69	18	5	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1281	Corymbia citriodora	Spotted Gum	130		130	41	16	5	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1282	Eucalyptus crebra	Narrow-leaved Ironbark	110		110	35	8	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Retain		
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	
1283	Corymbia citriodora	Spotted Gum	260		260	82	22	8	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)	
1284	Eucalyptus tereticornis	Forest Red Gum	180		180	57	10	5	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)	
1285	Corymbia citriodora	Spotted Gum	250		250	79	24	8	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)	
1286	Corymbia citriodora	Spotted Gum	310		310	97	16	8	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)	
1287	Corymbia citriodora	Spotted Gum	100		100	31	8	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)	
1288	Corymbia tessellaris	Moreton Bay Ash	140	100	172	54	7	3	2.1	1.6	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)	
1289	Corymbia tessellaris	Moreton Bay Ash	190	190	269	84	8	3	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)	
1290	Corymbia citriodora	Spotted Gum	400		400	126	24	12	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)	
1291	Corymbia citriodora	Spotted Gum	210		210	66	12	6	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)	
1292	Corymbia tessellaris	Moreton Bay Ash	200		200	63	12	6	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)	
1293	Corymbia citriodora	Spotted Gum	300		300	94	16	8	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)	
1294	Acacia disparrima	Hickory Wattle	130		130	41	6	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)	
1295	Corymbia citriodora	Spotted Gum	620		620	195	26	14	7.4	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)	
1296	Corymbia citriodora	Spotted Gum	200		200	63	14	4	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)	
1297	Corymbia citriodora	Spotted Gum	180		180	57	12	4	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)	
1298	Eucalyptus tereticornis	Forest Red Gum	790		790	248	26	14	9.5	3.0	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)	
1299	Corymbia citriodora	Spotted Gum	260		260	82	16	6	3.1	1.9	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)	
1300	Corymbia citriodora	Spotted Gum	410	210	461	145	24	12	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)	
1301	Corymbia citriodora	Spotted Gum	350		350	110	22	10	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)	
1302	Eucalyptus tereticornis	Forest Red Gum	540		540	170	24	12	6.5	2.6	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)	
1303	Corymbia citriodora	Spotted Gum	330		330	104	18	6	4.0	2.1	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)	
1304	Lophostemon suaveolens	Swamp Box	130	120	177	56	7	3	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)	
1305	Corymbia intermedia	Pink Bloodwood	280		280	88	12	6	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)	
1306	Corymbia intermedia	Pink Bloodwood	160		160	50	14	5	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)	
1307	Corymbia citriodora	Spotted Gum	160		160	50	12	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)	
1308	Corymbia intermedia	Pink Bloodwood	260		260	82	12	6	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)	
1309	Corymbia citriodora	Spotted Gum	220		220	69	16	5	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)	
1310	Acacia disparrima	Hickory Wattle	260		260	82	7	4	3.1	1.9	Regular	-	-	-	-	-	Typical	Major	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1311	Corymbia citriodora	Spotted Gum	320		320	101	22	10	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)	
1312	Corymbia citriodora	Spotted Gum	320		320	101	12	5	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)	
1313	Corymbia citriodora	Spotted Gum	480		480	151	20	10	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)	
1314	Corymbia citriodora	Spotted Gum	420		420	132	22	10	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)	
1315	Corymbia citriodora	Spotted Gum	130		130	41	10	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)	
1316	Eucalyptus moluccana	Gum-topped Box	200		200	63	12	4	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)	
1317	Corymbia citriodora	Spotted Gum	200		200	63	16	6	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)	
1318	Lophostemon suaveolens	Swamp Box	210		210	66	8	6	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)	
1319	Corymbia citriodora	Spotted Gum	230		230	72	14	6	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)	
1320	Corymbia citriodora	Spotted Gum	230		230	72	12	6	2.8	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)	
1321	Corymbia citriodora	Spotted Gum	370		370	116	22	10	4.4	2.2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)	
1322	Eucalyptus tereticornis	Forest Red Gum	380		380	119	20	10	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Retain	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
1323	Corymbia citriodora	Spotted Gum	170		170	53	18	4	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1324	Eucalyptus tereticornis	Forest Red Gum	520		520	163	22	10	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1325	Corymbia citriodora	Spotted Gum	370		370	116	24	12	4.4	2.2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1326	Corymbia citriodora	Spotted Gum	370		370	116	20	8	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1327	Corymbia citriodora	Spotted Gum	420		420	132	22	12	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1328	Eucalyptus siderophloia	Northern Grey Ironbark	190		190	60	16	5	2.3	1.6	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1329	Corymbia citriodora	Spotted Gum	460		460	145	26	12	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1330	Eucalyptus tereticornis	Forest Red Gum	230		230	72	14	6	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1331	Corymbia intermedia	Pink Bloodwood	260		260	82	14	6	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1332	Corymbia citriodora	Spotted Gum	300		300	94	14	6	3.6	2.0	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1333	Corymbia citriodora	Spotted Gum	280		280	88	20	8	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1334	Eucalyptus crebra	Narrow-leaved Ironbark	260		260	82	14	6	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1335	Corymbia citriodora	Spotted Gum	420		420	132	24	12	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1336	Corymbia citriodora	Spotted Gum	230		230	72	14	5	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1337	Corymbia citriodora	Spotted Gum	200		200	63	12	4	2.4	1.7	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1338	Corymbia citriodora	Spotted Gum	230		230	72	12	5	2.8	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1339	Angophora leiocarpa	Smooth-barked Apple	200		200	63	12	5	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1340	Eucalyptus crebra	Narrow-leaved Ironbark	280		280	88	14	6	3.4	1.9	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1341	Corymbia citriodora	Spotted Gum	330		330	104	20	8	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1342	Eucalyptus crebra	Narrow-leaved Ironbark	250		250	79	18	6	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1343	Corymbia citriodora	Spotted Gum	220		220	69	14	6	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1344	Corymbia citriodora	Spotted Gum	540		540	170	20	12	6.5	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1345	Corymbia citriodora	Spotted Gum	450		450	141	24	12	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1346	Corymbia citriodora	Spotted Gum	130		130	41	12	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1347	Eucalyptus tereticornis	Forest Red Gum	370		370	116	18	6	4.4	2.2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1348	Corymbia citriodora	Spotted Gum	200		200	63	14	6	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1349	Corymbia citriodora	Spotted Gum	260	150	300	94	22	12	3.6	2.0	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1350	Corymbia citriodora	Spotted Gum	180		180	57	16	4	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1351	Corymbia citriodora	Spotted Gum	220		220	69	14	6	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1352	Corymbia citriodora	Spotted Gum	350		350	110	24	10	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1353	Corymbia citriodora	Spotted Gum	350		350	110	22	10	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1354	Corymbia citriodora	Spotted Gum	380		380	119	18	6	4.6	2.2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1355	Corymbia citriodora	Spotted Gum	270		270	85	20	8	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1356	Corymbia citriodora	Spotted Gum	200		200	63	18	5	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1357	Corymbia citriodora	Spotted Gum	240		240	75	12	6	2.9	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1358	Corymbia citriodora	Spotted Gum	230		230	72	18	6	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1359	Eucalyptus crebra	Narrow-leaved Ironbark	180		180	57	14	6	2.2	1.6	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1360	Corymbia citriodora	Spotted Gum	660		660	207	22	12	7.9	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1361	Corymbia citriodora	Spotted Gum	470		470	148	24	12	5.6	2.4	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1362	Corymbia citriodora	Spotted Gum	180		180	57	18	4	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Retain	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
1363	Eucalyptus tereticornis	Forest Red Gum	320		320	101	18	8	3.8	2.1	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1364	Corymbia citriodora	Spotted Gum	250		250	79	18	6	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1365	Corymbia citriodora	Spotted Gum	470		470	148	24	12	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1366	Eucalyptus tereticornis	Forest Red Gum	230		230	72	16	6	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1367	Eucalyptus crebra	Narrow-leaved Ironbark	330		330	104	16	6	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1368	Corymbia citriodora	Spotted Gum	14		14	4	14	6	2.0	0.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1369	Eucalyptus tereticornis	Forest Red Gum	460		460	145	22	10	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1370	Corymbia citriodora	Spotted Gum	440		440	138	22	10	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1371	Angophora leiocarpa	Smooth-barked Apple	150		150	47	10	5	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1372	Corymbia citriodora	Spotted Gum	440		440	138	20	10	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1373	Corymbia citriodora	Spotted Gum	230		230	72	16	6	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1374	Corymbia citriodora	Spotted Gum	540		540	170	24	12	6.5	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1375	Corymbia citriodora	Spotted Gum	300		300	94	20	8	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1376	Corymbia citriodora	Spotted Gum	220		220	69	18	6	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1377	Eucalyptus tereticornis	Forest Red Gum	240		240	75	14	6	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1378	Corymbia citriodora	Spotted Gum	230		230	72	16	6	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
1379	Corymbia citriodora	Spotted Gum	400		400	126	14	10	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
1380	Lophostemon suaveolens	Swamp Box	200		200	63	8	4	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
1381	Eucalyptus tereticornis	Forest Red Gum	600		600	188	22	12	7.2	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
1382	Corymbia citriodora	Spotted Gum	130		130	41	8	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1383	Corymbia citriodora	Spotted Gum	130		130	41	10	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1384	Corymbia citriodora	Spotted Gum	120		120	38	8	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1385	Corymbia citriodora	Spotted Gum	320		320	101	20	10	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1386	Corymbia citriodora	Spotted Gum	320		320	101	24	12	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1387	Corymbia citriodora	Spotted Gum	130		130	41	10	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1388	Corymbia citriodora	Spotted Gum	420		420	132	20	8	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
1389	Corymbia tessellaris	Moreton Bay Ash	230		230	72	12	5	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
1390	Corymbia citriodora	Spotted Gum	170		170	53	12	4	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1391	Corymbia citriodora	Spotted Gum	230		230	72	16	6	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
1392	Corymbia citriodora	Spotted Gum	350		350	110	18	10	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
1393	Corymbia citriodora	Spotted Gum	210		210	66	10	4	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
1394	Corymbia citriodora	Spotted Gum	140		140	44	8	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
1395	Corymbia citriodora	Spotted Gum	270		270	85	18	8	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
1396	Eucalyptus crebra	Narrow-leaved Ironbark	200		200	63	8	3	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
1397	Corymbia citriodora	Spotted Gum	120	70	139	44	8	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)
1398	Corymbia citriodora	Spotted Gum	150		150	47	7	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)
1399	Eucalyptus tereticornis	Forest Red Gum	370		370	116	20	10	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)
1400	Corymbia citriodora	Spotted Gum	160		160	50	12	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)
1401	Corymbia citriodora	Spotted Gum	120		120	38	8	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)
1402	Corymbia citriodora	Spotted Gum	120		120	38	8	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Retain	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
1403	Corymbia citriodora	Spotted Gum	250		250	79	20	6	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1404	Corymbia citriodora	Spotted Gum	160		160	50	14	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1405	Corymbia citriodora	Spotted Gum	150		150	47	10	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1406	Corymbia citriodora	Spotted Gum	130		130	41	10	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1407	Corymbia citriodora	Spotted Gum	250		250	79	14	4	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1408	Eucalyptus crebra	Narrow-leaved Ironbark	180		180	57	10	6	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1409	Eucalyptus crebra	Narrow-leaved Ironbark	160		160	50	12	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1410	Corymbia citriodora	Spotted Gum	230		230	72	18	6	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1411	Corymbia citriodora	Spotted Gum	310		310	97	22	10	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1412	DEAD/STAG		370		370	116	9	1	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Remove (EW)
1413	Corymbia citriodora	Spotted Gum	140		140	44	16	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1414	Acacia disparrima	Hickory Wattle	140		140	44	6	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1415	Corymbia citriodora	Spotted Gum	160		160	50	16	5	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1416	Corymbia citriodora	Spotted Gum	130		130	41	10	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1417	Corymbia citriodora	Spotted Gum	160		160	50	8	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1418	Corymbia intermedia	Pink Bloodwood	150		150	47	8	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1419	Corymbia citriodora	Spotted Gum	190		190	60	18	5	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1420	Corymbia citriodora	Spotted Gum	520		520	163	20	12	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1421	Corymbia citriodora	Spotted Gum	100		100	31	7	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1422	Corymbia citriodora	Spotted Gum	140		140	44	8	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1423	Eucalyptus tereticornis	Forest Red Gum	300		300	94	14	6	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
1424	Eucalyptus tereticornis	Forest Red Gum	240		240	75	8	5	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
1425	Melaleuca quinquenervia	Broad-leaved Paperbark	200		200	63	8	3	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
1426	Corymbia citriodora	Spotted Gum	130		130	41	8	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
1427	Corymbia intermedia	Pink Bloodwood	230		230	72	10	5	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
1428	Corymbia citriodora	Spotted Gum	270		270	85	20	8	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
1429	Eucalyptus tereticornis	Forest Red Gum	110		110	35	7	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
1430	Acacia leiocalyx	Early-flowering Black Wattle	130		130	41	6	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
1431	Corymbia citriodora	Spotted Gum	130		130	41	7	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)
1432	Corymbia citriodora	Spotted Gum	280		280	88	20	10	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)
1433	Corymbia citriodora	Spotted Gum	120		120	38	8	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)
1434	Corymbia citriodora	Spotted Gum	345		345	108	17	7	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	Large	-	-	Remove (EW)
1435	Eucalyptus tereticornis	Forest Red Gum	400		400	126	19	8	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1436	Corymbia citriodora	Spotted Gum	260		260	82	16	6	3.1	1.9	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1437	Corymbia citriodora	Spotted Gum	205		205	64	14	6	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1438	Eucalyptus tereticornis	Forest Red Gum	485		485	152	17	9	5.8	2.4	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1439	Lophostemon suaveolens	Swamp Box	245		245	77	9	4	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1440	Corymbia intermedia	Pink Bloodwood	170		170	53	11	4	2.0	1.6	Regular	-	-	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1441	Corymbia citriodora	Spotted Gum	335		335	105	15	7	4.0	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1442	Corymbia trachyphloia	Brown Bloodwood	300		300	94	22	6	3.6	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Retain		
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	
1443	Corymbia trachyphloia	Brown Bloodwood	345		345	108	17	9	4.1	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)	
1444	Corymbia citriodora	Spotted Gum	320		320	101	15	7	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove (EW)	
1445	Corymbia citriodora	Spotted Gum	340		340	107	18	8	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)	
1446	Acacia leiocalyx	Early-flowering Black Wattle	145		145	46	6	4	2.0	1.5	Regular	-	-	Die-back	-	-	Typical	Minor	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1447	Corymbia citriodora	Spotted Gum	155	110	190	60	14	6	2.3	1.6	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (EW)
1448	Corymbia citriodora	Spotted Gum	275		275	86	18	6	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (EW)
1449	Corymbia trachyphloia	Brown Bloodwood	315		315	99	17	9	3.8	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (EW)
1450	Corymbia citriodora	Spotted Gum	270		270	85	15	7	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (EW)
1451	Corymbia citriodora	Spotted Gum	300		300	94	17	9	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (EW)
1452	Eucalyptus tereticornis	Forest Red Gum	495		495	156	19	9	5.9	2.5	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (EW)
1453	Corymbia trachyphloia	Brown Bloodwood	240		240	75	15	9	2.9	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (EW)
1454	Eucalyptus tereticornis	Forest Red Gum	210		210	66	15	7	2.5	1.7	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (EW)
1455	Corymbia citriodora	Spotted Gum	390		390	123	23	10	4.7	2.2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (EW)
1456	Angophora leiocarpa	Smooth-barked Apple	365		365	115	18	9	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (EW)
1457	Corymbia citriodora	Spotted Gum	315		315	99	18	9	3.8	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (EW)
1458	Eucalyptus tereticornis	Forest Red Gum	345		345	108	20	9	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (EW)
1459	Eucalyptus tereticornis	Forest Red Gum	385		385	121	16	9	4.6	2.2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (EW)
1460	Corymbia citriodora	Spotted Gum	305		305	96	17	8	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (EW)
1461	Eucalyptus siderophloia	Northern Grey Ironbark	395		395	124	16	8	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	-	Remove (EW)
1462	Corymbia citriodora	Spotted Gum	245		245	77	17	8	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (EW)
1463	Corymbia citriodora	Spotted Gum	335		335	105	16	9	4.0	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (EW)
1464	Lophostemon suaveolens	Swamp Box	335		335	105	14	8	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (EW)
1465	Corymbia citriodora	Spotted Gum	255		255	80	18	6	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (EW)
1466	Acacia disparrima	Hickory Wattle	190		190	60	8	5	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (EW)
1467	Corymbia citriodora	Spotted Gum	320		320	101	13	7	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (EW)
1468	Acacia disparrima	Hickory Wattle	170		170	53	7	5	2.0	1.6	Regular	-	-	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (EW)
1469	Eucalyptus siderophloia	Northern Grey Ironbark	275		275	86	16	5	3.3	1.9	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	Trunk Dmg.	-	Poor	-	-	-	-	-	-	-	Remove (EW)
1470	Eucalyptus siderophloia	Northern Grey Ironbark	380		380	119	18	7	4.6	2.2	Regular	-	-	Die-back	Epicormic	-	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	-	Remove (EW)
1471	Corymbia citriodora	Spotted Gum	355		355	112	18	7	4.3	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (EW)
1472	Corymbia citriodora	Spotted Gum	285		285	90	18	9	3.4	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (EW)
1473	Corymbia trachyphloia	Brown Bloodwood	310		310	97	15	8	3.7	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (EW)
1474	Eucalyptus siderophloia	Northern Grey Ironbark	390		390	123	18	9	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	-	Remove (EW)
1475	Acacia concurrens	Black Wattle	145		145	46	6	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	-	Remove (EW)
1476	Corymbia citriodora	Spotted Gum	385		385	121	18	9	4.6	2.2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (EW)
1477	Corymbia citriodora	Spotted Gum	310		310	97	17	9	3.7	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (EW)
1478	Corymbia citriodora	Spotted Gum	330		330	104	17	9	4.0	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (EW)
1479	Corymbia citriodora	Spotted Gum	215		215	68	15	7	2.6	1.7	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (EW)
1480	Corymbia citriodora	Spotted Gum	235		235	74	16	5	2.8	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (EW)
1481	Corymbia citriodora	Spotted Gum	330		330	104	17	9	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (EW)
1482	Corymbia citriodora	Spotted Gum	250		250	79	15	9	3.0	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (EW)

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Retain	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
1483	Eucalyptus tereticornis	Forest Red Gum	400		400	126	19	10	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1484	Corymbia citriodora	Spotted Gum	310		310	97	17	9	3.7	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1485	Eucalyptus tereticornis	Forest Red Gum	310		310	97	17	8	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1486	Corymbia citriodora	Spotted Gum	335		335	105	16	9	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1487	Corymbia citriodora	Spotted Gum	280		280	88	17	8	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1488	Corymbia citriodora	Spotted Gum	310		310	97	17	9	3.7	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1489	Corymbia trachyphloia	Brown Bloodwood	275		275	86	17	8	3.3	1.9	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1490	Corymbia citriodora	Spotted Gum	315		315	99	15	8	3.8	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1491	Corymbia citriodora	Spotted Gum	365		365	115	18	8	4.4	2.2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1492	Corymbia citriodora	Spotted Gum	300		300	94	19	8	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1493	Corymbia citriodora	Spotted Gum	330		330	104	17	8	4.0	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1494	Corymbia citriodora	Spotted Gum	265		265	83	18	9	3.2	1.9	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1495	Eucalyptus tereticornis	Forest Red Gum	335	295	446	140	18	9	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1496	Eucalyptus tereticornis	Forest Red Gum	330		330	104	18	9	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1497	Corymbia citriodora	Spotted Gum	295		295	93	17	9	3.5	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1498	Eucalyptus siderophloia	Northern Grey Ironbark	295		295	93	17	9	3.5	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1499	Eucalyptus tereticornis	Forest Red Gum	415		415	130	20	11	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1500	Corymbia citriodora	Spotted Gum	365		365	115	22	11	4.4	2.2	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1501	Corymbia trachyphloia	Brown Bloodwood	295		295	93	25	8	3.5	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1502	Eucalyptus tereticornis	Forest Red Gum	330		330	104	19	9	4.0	2.1	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1503	Corymbia citriodora	Spotted Gum	325		325	102	20	10	3.9	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1504	Corymbia citriodora	Spotted Gum	295		295	93	18	9	3.5	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1505	Corymbia citriodora	Spotted Gum	165	85	186	58	12	5	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1506	Corymbia citriodora	Spotted Gum	325		325	102	19	10	3.9	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1507	Corymbia trachyphloia	Brown Bloodwood	335		335	105	20	10	4.0	2.1	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1508	Corymbia citriodora	Spotted Gum	310		310	97	19	9	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1509	Corymbia trachyphloia	Brown Bloodwood	330		330	104	21	10	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1510	Corymbia trachyphloia	Brown Bloodwood	325		325	102	18	9	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove (EW)
1511	Corymbia citriodora	Spotted Gum	370		370	116	18	10	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1512	Eucalyptus tereticornis	Forest Red Gum	485		485	152	24	8	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1513	Corymbia citriodora	Spotted Gum	345		345	108	22	10	4.1	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1514	Corymbia citriodora	Spotted Gum	310		310	97	24	10	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1515	Corymbia citriodora	Spotted Gum	330		330	104	16	9	4.0	2.1	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1516	Corymbia trachyphloia	Brown Bloodwood	265		265	83	16	9	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1517	Corymbia citriodora	Spotted Gum	385		385	121	17	9	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1518	Eucalyptus siderophloia	Northern Grey Ironbark	335	210	395	124	16	10	4.7	2.2	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove (EW)
1519	Eucalyptus siderophloia	Northern Grey Ironbark	430		430	135	22	10	5.2	2.3	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1520	Acacia concurrens	Black Wattle	145		145	46	7	5	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove (EW)
1521	Corymbia citriodora	Spotted Gum	325		325	102	19	10	3.9	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1522	Eucalyptus siderophloia	Northern Grey Ironbark	425		425	134	25	10	5.1	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Retain	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
1523	Corymbia citriodora	Spotted Gum	370		370	116	24	10	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1524	Corymbia trachyphloia	Brown Bloodwood	280		280	88	20	9	3.4	1.9	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1525	Acacia concurrens	Black Wattle	175		175	55	7	5	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1526	Acacia concurrens	Black Wattle	170	175, 170, 165, 145, 120	389	122	8	9	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1527	Angophora leiocarpa	Smooth-barked Apple	420		420	132	24	10	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1528	Corymbia citriodora	Spotted Gum	300		300	94	22	10	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove (EW)
1529	Corymbia trachyphloia	Brown Bloodwood	370		370	116	23	11	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1530	Corymbia trachyphloia	Brown Bloodwood	280		280	88	18	10	3.4	1.9	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Remove (EW)
1531	Corymbia intermedia	Pink Bloodwood	145		145	46	13	5	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1532	Corymbia intermedia	Pink Bloodwood	145		145	46	13	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1533	Alphitonia excelsa	Soap Tree	150		150	47	14	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1534	Eucalyptus tereticornis	Forest Red Gum	350		350	110	20	10	4.2	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1535	Corymbia intermedia	Pink Bloodwood	165	165, 160	283	89	14	5	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1536	Eucalyptus tereticornis	Forest Red Gum	330		330	104	22	10	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1537	Corymbia citriodora	Spotted Gum	290		290	91	16	7	3.5	2.0	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1538	Lophostemon suaveolens	Swamp Box	390	115	407	128	17	8	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1539	Corymbia intermedia	Pink Bloodwood	155	135, 130	243	76	14	7	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1540	Lophostemon suaveolens	Swamp Box	340		340	107	14	7	4.1	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1541	Eucalyptus tereticornis	Forest Red Gum	250		250	79	15	8	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1542	Corymbia citriodora	Spotted Gum	310		310	97	17	8	3.7	2.0	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1543	Eucalyptus tereticornis	Forest Red Gum	340		340	107	16	9	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1544	Corymbia citriodora	Spotted Gum	285		285	90	19	9	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1545	Corymbia citriodora	Spotted Gum	395		395	124	19	9	4.7	2.2	Regular	-	-	-	-	-	Typical	-	Introduced	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1546	Corymbia citriodora	Spotted Gum	175		175	55	15	5	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1547	Melaleuca quinquenervia	Broad-leaved Paperbark	330	330	467	147	17	9	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1548	Eucalyptus tereticornis	Forest Red Gum	355		355	112	21	9	4.3	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1549	Lophostemon suaveolens	Swamp Box	350		350	110	18	8	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1550	Corymbia intermedia	Pink Bloodwood	325		325	102	17	8	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1551	Corymbia intermedia	Pink Bloodwood	135		135	42	13	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1552	Corymbia intermedia	Pink Bloodwood	165	70, 70	192	60	13	5	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1553	Eucalyptus tereticornis	Forest Red Gum	145		145	46	14	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1554	Eucalyptus tereticornis	Forest Red Gum	440		440	138	20	11	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1555	Corymbia citriodora	Spotted Gum	150	90	175	55	15	6	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1556	Eucalyptus tereticornis	Forest Red Gum	250		250	79	16	10	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1557	Corymbia intermedia	Pink Bloodwood	145		145	46	14	7	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1558	Corymbia intermedia	Pink Bloodwood	175		175	55	14	5	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1559	Corymbia intermedia	Pink Bloodwood	180	125	219	69	13	6	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1560	Corymbia intermedia	Pink Bloodwood	155		155	49	13	5	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1561	Corymbia intermedia	Pink Bloodwood	175		175	55	14	5	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1562	Corymbia intermedia	Pink Bloodwood	160		160	50	13	6	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Retain	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
1563	Eucalyptus tereticornis	Forest Red Gum	175		175	55	16	6	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1564	Corymbia intermedia	Pink Bloodwood	165		165	52	14	6	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1565	Corymbia intermedia	Pink Bloodwood	215	95	235	74	15	6	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1566	Corymbia intermedia	Pink Bloodwood	120		120	38	9	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1567	Corymbia intermedia	Pink Bloodwood	110		110	35	9	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1568	Corymbia intermedia	Pink Bloodwood	120		120	38	8	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1569	Corymbia intermedia	Pink Bloodwood	200		200	63	13	5	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1570	Corymbia intermedia	Pink Bloodwood	165	90	188	59	14	4	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1571	Corymbia intermedia	Pink Bloodwood	100		100	31	10	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1572	Corymbia intermedia	Pink Bloodwood	125		125	39	9	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1573	Eucalyptus tereticornis	Forest Red Gum	180		180	57	14	5	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1574	Melaleuca quinquenervia	Broad-leaved Paperbark	125		125	39	14	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1575	Corymbia intermedia	Pink Bloodwood	210		210	66	15	5	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1576	Corymbia intermedia	Pink Bloodwood	150		150	47	9	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1577	Corymbia intermedia	Pink Bloodwood	165		165	52	14	6	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1578	Corymbia intermedia	Pink Bloodwood	125		125	39	14	5	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1579	Corymbia intermedia	Pink Bloodwood	200		200	63	14	7	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1580	Corymbia intermedia	Pink Bloodwood	110	100	149	47	10	5	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1581	Corymbia intermedia	Pink Bloodwood	115		115	36	13	4	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1582	Corymbia intermedia	Pink Bloodwood	165		165	52	13	4	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1583	Corymbia intermedia	Pink Bloodwood	180		180	57	14	5	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove (EW)
1584	Corymbia intermedia	Pink Bloodwood	150	135	202	63	14	5	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1585	Eucalyptus tereticornis	Forest Red Gum	110		110	35	13	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1586	Corymbia citriodora	Spotted Gum	120		120	38	13	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1587	Eucalyptus tereticornis	Forest Red Gum	140		140	44	12	5	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1588	Corymbia citriodora	Spotted Gum	170		170	53	13	5	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1589	Eucalyptus tereticornis	Forest Red Gum	190		190	60	13	5	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1590	Eucalyptus siderophloia	Northern Grey Ironbark	155		155	49	13	5	2.0	1.5	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1591	Corymbia citriodora	Spotted Gum	415		415	130	20	10	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1592	Corymbia citriodora	Spotted Gum	100		100	31	10	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1593	Acacia disparrima	Hickory Wattle	160		160	50	9	5	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Remove (EW)
1594	Corymbia citriodora	Spotted Gum	115		115	36	14	6	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1595	Corymbia citriodora	Spotted Gum	190	180, 90	277	87	13	7	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1596	Corymbia citriodora	Spotted Gum	150		150	47	14	4	2.0	1.5	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1597	Corymbia citriodora	Spotted Gum	160	80	179	56	13	5	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1598	Eucalyptus siderophloia	Northern Grey Ironbark	515		515	162	20	10	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Remove (Rail)
1599	Corymbia intermedia	Pink Bloodwood	100		100	31	10	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1600	Acacia disparrima	Hickory Wattle	165		165	52	9	5	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1601	Corymbia citriodora	Spotted Gum	140		140	44	12	4	2.0	1.4	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1602	Corymbia citriodora	Spotted Gum	130		130	41	12	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Retain	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
1603	Acacia disparrima	Hickory Wattle	140		140	44	9	5	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1604	Acacia disparrima	Hickory Wattle	125		125	39	9	5	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1605	Corymbia citriodora	Spotted Gum	110		110	35	11	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1606	Corymbia citriodora	Spotted Gum	145		145	46	14	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1607	Corymbia citriodora	Spotted Gum	155		155	49	15	5	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1608	Corymbia citriodora	Spotted Gum	150		150	47	13	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1609	Corymbia citriodora	Spotted Gum	105		105	33	13	3	2.0	1.3	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1610	Corymbia citriodora	Spotted Gum	185		185	58	14	6	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1611	Corymbia citriodora	Spotted Gum	100		100	31	11	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1612	Corymbia citriodora	Spotted Gum	140		140	44	12	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1613	Eucalyptus siderophloia	Northern Grey Ironbark	160		160	50	12	6	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1614	Corymbia citriodora	Spotted Gum	100		100	31	14	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1615	Eucalyptus siderophloia	Northern Grey Ironbark	110		110	35	11	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1616	Lophostemon suaveolens	Swamp Box	125		125	39	8	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1617	Corymbia citriodora	Spotted Gum	325		325	102	15	4	3.9	2.1	Regular	-	Thinning	Die-back	Epicormic	-	Typical	-	Introduced	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1618	Corymbia citriodora	Spotted Gum	105		105	33	10	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1619	Corymbia citriodora	Spotted Gum	110		110	35	11	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1620	Corymbia citriodora	Spotted Gum	110		110	35	12	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1621	Corymbia citriodora	Spotted Gum	120		120	38	12	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1622	Corymbia citriodora	Spotted Gum	100		100	31	13	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1623	Corymbia citriodora	Spotted Gum	115		115	36	11	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1624	Corymbia citriodora	Spotted Gum	100		100	31	10	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1625	Corymbia citriodora	Spotted Gum	115		115	36	11	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1626	Corymbia citriodora	Spotted Gum	285		285	90	13	6	3.4	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1627	Eucalyptus siderophloia	Northern Grey Ironbark	120		120	38	13	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1628	Corymbia citriodora	Spotted Gum	120		120	38	13	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1629	Corymbia intermedia	Pink Bloodwood	115	100, 80	172	54	11	5	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1630	Corymbia citriodora	Spotted Gum	155		155	49	14	5	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1631	Corymbia citriodora	Spotted Gum	170		170	53	13	6	2.0	1.6	Regular	-	-	-	-	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1632	Acacia disparrima	Hickory Wattle	135	80	157	49	9	5	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1633	Eucalyptus siderophloia	Northern Grey Ironbark	180		180	57	13	5	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1634	Eucalyptus tereticornis	Forest Red Gum	125		125	39	13	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1635	Eucalyptus tereticornis	Forest Red Gum	260		260	82	15	7	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1636	Corymbia citriodora	Spotted Gum	120	85	147	46	9	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1637	DEAD/STAG		460		460	145	16	9	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Large	-	-	-	Remove (EW)
1638	Corymbia citriodora	Spotted Gum	190		190	60	13	4	2.3	1.6	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1639	Corymbia citriodora	Spotted Gum	160		160	50	13	5	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1640	Corymbia citriodora	Spotted Gum	110		110	35	10	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1641	Corymbia citriodora	Spotted Gum	105		105	33	11	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1642	Corymbia citriodora	Spotted Gum	125	75	146	46	12	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Retain
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
1643	Corymbia citriodora	Spotted Gum	115		115	36	11	4	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1644	Corymbia citriodora	Spotted Gum	110		110	35	14	5	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1645	Corymbia citriodora	Spotted Gum	225		225	71	17	9	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1646	Corymbia citriodora	Spotted Gum	170		170	53	15	6	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1647	Corymbia citriodora	Spotted Gum	115		115	36	15	4	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1648	Acacia disparrima	Hickory Wattle	145	130	195	61	11	7	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1649	Eucalyptus siderophloia	Northern Grey Ironbark	145		145	46	10	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1650	Corymbia citriodora	Spotted Gum	120		120	38	10	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1651	Corymbia citriodora	Spotted Gum	230		230	72	14	5	2.8	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1652	Corymbia citriodora	Spotted Gum	410		410	129	19	10	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1653	Corymbia citriodora	Spotted Gum	300		300	94	17	11	3.6	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1654	Corymbia citriodora	Spotted Gum	135		135	42	14	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1655	Corymbia citriodora	Spotted Gum	120		120	38	13	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1656	Eucalyptus tereticornis	Forest Red Gum	185		185	58	14	6	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1657	Eucalyptus tereticornis	Forest Red Gum	400		400	126	19	10	4.8	2.3	Regular	-	Thinning	Die-back	Epicormic	-	Typical	-	Introduced	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1658	Corymbia intermedia	Pink Bloodwood	155		155	49	12	5	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1659	Alphitonia excelsa	Soap Tree	115		115	36	8	4	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1660	Alphitonia excelsa	Soap Tree	0		0	0	0	0	2.0	0.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1661	Eucalyptus tereticornis	Forest Red Gum	235		235	74	17	9	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1662	Corymbia citriodora	Spotted Gum	355		355	112	21	10	4.3	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1663	Eucalyptus siderophloia	Northern Grey Ironbark	300		300	94	14	7	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove (Rail)
1664	Corymbia citriodora	Spotted Gum	255		255	80	16	9	3.1	1.9	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1665	Corymbia citriodora	Spotted Gum	465		465	146	16	10	5.6	2.4	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1666	Corymbia intermedia	Pink Bloodwood	235		235	74	14	7	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1667	Alphitonia excelsa	Soap Tree	130	90	158	50	11	5	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1668	Eucalyptus siderophloia	Northern Grey Ironbark	125		125	39	14	5	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1669	Corymbia intermedia	Pink Bloodwood	195		195	61	11	7	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Remove (Rail)
1670	Eucalyptus tereticornis	Forest Red Gum	430	215	481	151	18	11	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1671	Corymbia citriodora	Spotted Gum	130	120	177	56	13	5	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1672	DEAD/STAG		645		645	203	16	4	7.7	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Large	-	Termite nest	-	Remove (Rail)
1673	Corymbia citriodora	Spotted Gum	145		145	46	13	5	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1674	Corymbia citriodora	Spotted Gum	250		250	79	16	7	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1675	Corymbia citriodora	Spotted Gum	185		185	58	15	7	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1676	Corymbia citriodora	Spotted Gum	210		210	66	13	6	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1677	Corymbia citriodora	Spotted Gum	330		330	104	17	8	4.0	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1678	Corymbia citriodora	Spotted Gum	250		250	79	17	8	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1679	Corymbia citriodora	Spotted Gum	275		275	86	17	8	3.3	1.9	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1680	Corymbia citriodora	Spotted Gum	170		170	53	18	7	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1681	Corymbia citriodora	Spotted Gum	285		285	90	21	10	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1682	Corymbia citriodora	Spotted Gum	245		245	77	21	9	2.9	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Retain	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
1683	Lophostemon suaveolens	Swamp Box	135		135	42	9	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1684	Corymbia intermedia	Pink Bloodwood	255		255	80	15	9	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1685	Corymbia citriodora	Spotted Gum	235		235	74	17	9	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1686	Corymbia citriodora	Spotted Gum	410		410	129	21	12	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1687	Eucalyptus tereticornis	Forest Red Gum	255		255	80	15	8	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1688	Lophostemon suaveolens	Swamp Box	100		100	31	7	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1689	Lophostemon suaveolens	Swamp Box	170		170	53	10	4	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1690	Lophostemon suaveolens	Swamp Box	185		185	58	9	5	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1691	Corymbia intermedia	Pink Bloodwood	225		225	71	13	7	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1692	Eucalyptus tereticornis	Forest Red Gum	330		330	104	23	10	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1693	Corymbia citriodora	Spotted Gum	275		275	86	18	9	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1694	Corymbia citriodora	Spotted Gum	110		110	35	14	7	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1695	Corymbia citriodora	Spotted Gum	230		230	72	17	7	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1696	Corymbia intermedia	Pink Bloodwood	140	80	161	51	13	6	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1697	Corymbia citriodora	Spotted Gum	260		260	82	17	9	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1698	Corymbia citriodora	Spotted Gum	415		415	130	24	12	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1699	Acacia leiocalyx	Early-flowering Black Wattle	125		125	39	8	5	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1700	Eucalyptus tereticornis	Forest Red Gum	325		325	102	17	9	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove (Rail)
1701	Corymbia citriodora	Spotted Gum	180		180	57	16	7	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1702	Corymbia citriodora	Spotted Gum	220		220	69	19	9	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1703	Eucalyptus tereticornis	Forest Red Gum	195		195	61	13	6	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1704	Acacia leiocalyx	Early-flowering Black Wattle	135	110, 100	201	63	9	6	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1705	Corymbia citriodora	Spotted Gum	135		135	42	14	5	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1706	Alphitonia excelsa	Soap Tree	110		110	35	8	5	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1707	Corymbia citriodora	Spotted Gum	280		280	88	24	10	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1708	Corymbia citriodora	Spotted Gum	220		220	69	15	5	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1709	Corymbia citriodora	Spotted Gum	105		105	33	10	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1710	Eucalyptus tereticornis	Forest Red Gum	310		310	97	23	9	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1711	Corymbia citriodora	Spotted Gum	160		160	50	13	5	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1712	Eucalyptus tereticornis	Forest Red Gum	245		245	77	21	9	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1713	Corymbia citriodora	Spotted Gum	330		330	104	17	10	4.0	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1714	Corymbia citriodora	Spotted Gum	150		150	47	13	5	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1715	Corymbia citriodora	Spotted Gum	315		315	99	21	10	3.8	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1716	Corymbia citriodora	Spotted Gum	120	110	163	51	11	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1717	Corymbia citriodora	Spotted Gum	240		240	75	14	8	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1718	Eucalyptus tereticornis	Forest Red Gum	320		320	101	23	10	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1719	Corymbia citriodora	Spotted Gum	265		265	83	23	9	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1720	Corymbia citriodora	Spotted Gum	310		310	97	18	9	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1721	Corymbia citriodora	Spotted Gum	430		430	135	22	10	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1722	Corymbia citriodora	Spotted Gum	300		300	94	22	10	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Retain	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
1723	Corymbia citriodora	Spotted Gum	215		215	68	17	8	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1724	Corymbia citriodora	Spotted Gum	210		210	66	13	6	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1725	Corymbia citriodora	Spotted Gum	330		330	104	14	7	4.0	2.1	Regular	-	-	-	-	-	Typical	Major	-	-	-	-	Typical	-	-	-	-	-	Remove (Rail)
1726	Eucalyptus tereticornis	Forest Red Gum	195		195	61	14	8	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1727	Corymbia citriodora	Spotted Gum	310		310	97	21	9	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1728	Corymbia citriodora	Spotted Gum	145		145	46	13	5	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1729	Corymbia citriodora	Spotted Gum	270		270	85	17	9	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1730	Eucalyptus tereticornis	Forest Red Gum	310		310	97	18	10	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove (Rail)
1731	Corymbia citriodora	Spotted Gum	150		150	47	13	6	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1732	Corymbia citriodora	Spotted Gum	330		330	104	20	10	4.0	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1733	Corymbia citriodora	Spotted Gum	215		215	68	20	9	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1734	Eucalyptus siderophloia	Northern Grey Ironbark	225		225	71	18	9	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Remove (Rail)
1735	Corymbia citriodora	Spotted Gum	320		320	101	22	10	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1736	Corymbia citriodora	Spotted Gum	310		310	97	22	9	3.7	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1737	Eucalyptus siderophloia	Northern Grey Ironbark	300		300	94	22	10	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1738	Eucalyptus siderophloia	Northern Grey Ironbark	240		240	75	23	10	2.9	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1739	Corymbia citriodora	Spotted Gum	280		280	88	22	11	3.4	1.9	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1740	Corymbia citriodora	Spotted Gum	235	185	299	94	22	10	3.6	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1741	Corymbia citriodora	Spotted Gum	225		225	71	20	7	2.7	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1742	Corymbia citriodora	Spotted Gum	285		285	90	16	9	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1743	Corymbia citriodora	Spotted Gum	345		345	108	24	10	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1744	Corymbia tessellaris	Moreton Bay Ash	235		235	74	10	6	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1745	Corymbia citriodora	Spotted Gum	310		310	97	17	9	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1746	Corymbia citriodora	Spotted Gum	330		330	104	19	10	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1747	Eucalyptus tereticornis	Forest Red Gum	225		225	71	15	8	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1748	Corymbia citriodora	Spotted Gum	120		120	38	12	4	2.0	1.4	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1749	Corymbia citriodora	Spotted Gum	545		545	171	18	13	6.5	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1750	Acacia disparrima	Hickory Wattle	200		200	63	8	6	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove (Rail)
1751	Acacia disparrima	Hickory Wattle	200	200	283	89	8	6	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1752	Corymbia citriodora	Spotted Gum	260		260	82	19	9	3.1	1.9	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1753	Corymbia citriodora	Spotted Gum	215		215	68	16	8	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1754	Corymbia citriodora	Spotted Gum	255		255	80	16	7	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1755	Corymbia citriodora	Spotted Gum	325		325	102	23	10	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1756	Eucalyptus tereticornis	Forest Red Gum	395		395	124	17	9	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1757	Corymbia citriodora	Spotted Gum	210		210	66	15	7	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1758	Eucalyptus tereticornis	Forest Red Gum	390		390	123	21	10	4.7	2.2	Regular	-	-	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1759	Corymbia citriodora	Spotted Gum	310		310	97	20	10	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1760	Acacia disparrima	Hickory Wattle	170	150	227	71	9	6	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1761	Eucalyptus tereticornis	Forest Red Gum	450		450	141	24	11	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Rail)
1762	Corymbia citriodora	Spotted Gum	175		175	55	16	6	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Retain	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
1763	Corymbia citriodora	Spotted Gum	350		350	110	16	9	4.2	2.1	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)
1764	Eucalyptus tereticornis	Forest Red Gum	200		200	63	13	5	2.4	1.7	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)
1765	Eucalyptus siderophloia	Northern Grey Ironbark	160		160	50	11	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)
1766	Corymbia citriodora	Spotted Gum	165		165	52	15	6	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)
1767	Acacia disparrima	Hickory Wattle	125		125	39	10	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove (Basin)
1768	Corymbia citriodora	Spotted Gum	300	120	323	102	20	10	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)
1769	Eucalyptus siderophloia	Northern Grey Ironbark	230		230	72	20	9	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Remove (Basin)
1770	Corymbia citriodora	Spotted Gum	730		730	229	25	14	8.8	2.9	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1771	Corymbia citriodora	Spotted Gum	195		195	61	15	8	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1772	Corymbia citriodora	Spotted Gum	210		210	66	14	7	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1773	Corymbia citriodora	Spotted Gum	255		255	80	19	11	3.1	1.9	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1774	Corymbia citriodora	Spotted Gum	495		495	156	23	11	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1775	Corymbia citriodora	Spotted Gum	100		100	31	13	4	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1776	Alphitonia excelsa	Soap Tree	120	100	156	49	8	5	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1777	Corymbia citriodora	Spotted Gum	155	150	216	68	13	6	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1778	Corymbia citriodora	Spotted Gum	110	85	139	44	14	6	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1779	Corymbia citriodora	Spotted Gum	190	130, 75	242	76	18	8	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1780	Corymbia citriodora	Spotted Gum	100	70	122	38	13	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1781	Corymbia citriodora	Spotted Gum	210		210	66	17	8	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1782	Eucalyptus siderophloia	Northern Grey Ironbark	280		280	88	18	9	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	Termite nest	-	Remove (EW)
1783	Acacia disparrima	Hickory Wattle	145		145	46	9	6	2.0	1.5	Regular	-	-	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1784	Corymbia citriodora	Spotted Gum	275		275	86	21	11	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1785	Corymbia citriodora	Spotted Gum	225		225	71	19	6	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1786	Corymbia citriodora	Spotted Gum	215		215	68	16	7	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1787	Eucalyptus tereticornis	Forest Red Gum	145		145	46	16	6	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1788	Corymbia citriodora	Spotted Gum	200		200	63	17	4	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1789	Corymbia citriodora	Spotted Gum	245		245	77	20	9	2.9	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1790	Corymbia citriodora	Spotted Gum	195		195	61	17	7	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1791	Eucalyptus tereticornis	Forest Red Gum	120		120	38	9	5	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1792	Corymbia citriodora	Spotted Gum	115	20	117	37	13	4	2.0	1.3	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1793	Corymbia citriodora	Spotted Gum	125		125	39	13	5	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1794	Eucalyptus siderophloia	Northern Grey Ironbark	135		135	42	16	7	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1795	Corymbia citriodora	Spotted Gum	145		145	46	15	6	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1796	Eucalyptus siderophloia	Northern Grey Ironbark	195		195	61	15	7	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1797	Acacia leiocalyx	Early-flowering Black Wattle	130	125	180	57	7	5	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1798	Corymbia tessellaris	Moreton Bay Ash	235		235	74	19	9	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1799	Corymbia citriodora	Spotted Gum	125	110	167	52	14	6	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1800	Corymbia citriodora	Spotted Gum	280		280	88	21	9	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1801	Corymbia citriodora	Spotted Gum	190	110	220	69	11	5	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1802	Corymbia citriodora	Spotted Gum	115		115	36	15	6	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Retain	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
1803	Corymbia citriodora	Spotted Gum	100		100	31	14	4	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1804	Corymbia citriodora	Spotted Gum	265		265	83	15	9	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1805	Corymbia citriodora	Spotted Gum	100		100	31	10	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1806	Corymbia citriodora	Spotted Gum	130		130	41	15	7	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1807	Corymbia citriodora	Spotted Gum	310		310	97	21	10	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1808	Corymbia citriodora	Spotted Gum	190		190	60	17	8	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1809	Alphitonia excelsa	Soap Tree	110		110	35	8	4	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1810	Eucalyptus siderophloia	Northern Grey Ironbark	410		410	129	23	13	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1811	Eucalyptus tereticornis	Forest Red Gum	335		335	105	16	9	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1812	Corymbia citriodora	Spotted Gum	135		135	42	12	3	2.0	1.4	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1813	Corymbia citriodora	Spotted Gum	110		110	35	12	4	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1814	Corymbia citriodora	Spotted Gum	100		100	31	14	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1815	Corymbia citriodora	Spotted Gum	155		155	49	16	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1816	Acacia disparrima	Hickory Wattle	125		125	39	9	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1817	Corymbia citriodora	Spotted Gum	100		100	31	14	4	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1818	Corymbia citriodora	Spotted Gum	115		115	36	14	5	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1819	Corymbia citriodora	Spotted Gum	115		115	36	13	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1820	Corymbia citriodora	Spotted Gum	125		125	39	13	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1821	Corymbia citriodora	Spotted Gum	125		125	39	13	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1822	Corymbia intermedia	Pink Bloodwood	170		170	53	13	4	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
1823	Eucalyptus tereticornis	Forest Red Gum	720		720	226	21	12	8.6	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
1824	Acacia concurrens	Black Wattle	120		120	38	8	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
1825	Corymbia citriodora	Spotted Gum	145		145	46	14	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
1826	Corymbia citriodora	Spotted Gum	480		480	151	22	9	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)
1827	Acacia concurrens	Black Wattle	155		155	49	6	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)
1828	Corymbia citriodora	Spotted Gum	155		155	49	14	6	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)
1829	Acacia leiocalyx	Early-flowering Black Wattle	140		140	44	5	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1830	Lophostemon suaveolens	Swamp Box	300		300	94	8	3	3.6	2.0	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1831	Lophostemon suaveolens	Swamp Box	200		200	63	7	2	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1832	Alphitonia excelsa	Soap Tree	150		150	47	6	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1833	Angophora leiocarpa	Smooth-barked Apple	120		120	38	6	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1834	Melaleuca quinquenervia	Broad-leaved Paperbark	170		170	53	5	2	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1835	Corymbia intermedia	Pink Bloodwood	280		280	88	12	6	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1836	Corymbia intermedia	Pink Bloodwood	540		540	170	14	7	6.5	2.6	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1837	Angophora leiocarpa	Smooth-barked Apple	230		230	72	8	4	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
1838	Corymbia intermedia	Pink Bloodwood	360		360	113	12	6	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
1839	Corymbia intermedia	Pink Bloodwood	400		400	126	12	7	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Future Stage
1840	Melaleuca quinquenervia	Broad-leaved Paperbark	120		120	38	6	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
1841	Corymbia intermedia	Pink Bloodwood	320		320	101	14	8	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
1842	Corymbia intermedia	Pink Bloodwood	400		400	126	12	8	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Retain			
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention		
1843	Eucalyptus tereticornis	Forest Red Gum	180		180	57	8	2	2.2	1.6	Regular	-	-	-	-	-	Typical	Minor	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)	
1844	Alphitonia excelsa	Soap Tree	130		130	41	6	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (EW)	
1845	Melaleuca quinquenervia	Broad-leaved Paperbark	170		170	53	6	3	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Construction Buffer)	
1846	Lophostemon suaveolens	Swamp Box	150		150	47	6	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Construction Buffer)	
1847	Corymbia intermedia	Pink Bloodwood	320		320	101	14	4	3.8	2.1	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Construction Buffer)	
1848	Lophostemon suaveolens	Swamp Box	170		170	53	6	3	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Construction Buffer)	
1849	Corymbia intermedia	Pink Bloodwood	140		140	44	8	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Construction Buffer)	
1850	Eucalyptus siderophloia	Northern Grey Ironbark	170		170	53	12	3	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Construction Buffer)	
1851	Corymbia intermedia	Pink Bloodwood	280		280	88	14	6	3.4	1.9	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Construction Buffer)	
1852	Corymbia intermedia	Pink Bloodwood	300		300	94	14	5	3.6	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Construction Buffer)	
1853	Corymbia intermedia	Pink Bloodwood	200		200	63	12	4	2.4	1.7	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Construction Buffer)	
1854	Corymbia intermedia	Pink Bloodwood	320		320	101	12	5	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Construction Buffer)	
1855	Corymbia intermedia	Pink Bloodwood	160		160	50	8	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Construction Buffer)	
1856	Angophora subvelutina	Broad-leaved Apple	160		160	50	7	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain	
1857	Melaleuca quinquenervia	Broad-leaved Paperbark	160		160	50	7	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Construction Buffer)	
1858	Angophora leiocarpa	Smooth-barked Apple	160		160	50	8	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain	
1859	Eucalyptus siderophloia	Northern Grey Ironbark	220		220	69	8	4	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain	
1860	Eucalyptus siderophloia	Northern Grey Ironbark	240		240	75	10	2	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain	
1861	Alphitonia excelsa	Soap Tree	160		160	50	5	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain	
1862	Angophora leiocarpa	Smooth-barked Apple	170		170	53	7	2	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain	
1863	Corymbia intermedia	Pink Bloodwood	200		200	63	8	3	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain	
1864	Corymbia intermedia	Pink Bloodwood	410		410	129	14	8	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain	
1865	Angophora leiocarpa	Smooth-barked Apple	280		280	88	10	6	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain	
1866	Lophostemon suaveolens	Swamp Box	400	370	545	171	10	6	6.5	2.6	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain	
1867	Melaleuca quinquenervia	Broad-leaved Paperbark	150		150	47	6	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Construction Buffer)	
1868	Angophora leiocarpa	Smooth-barked Apple	230		230	72	12	5	2.8	1.8	Regular	-	-	-	-	-	Typical	Minor	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Construction Buffer)
1869	Lophostemon suaveolens	Swamp Box	120		120	38	5	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Construction Buffer)	
1870	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	41	7	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Construction Buffer)	
1871	Corymbia intermedia	Pink Bloodwood	130		130	41	4	1	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Construction Buffer)	
1872	Eucalyptus siderophloia	Northern Grey Ironbark	110		110	35	8	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Construction Buffer)	
1873	Melaleuca quinquenervia	Broad-leaved Paperbark	110		110	35	6	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Construction Buffer)	
1874	Lophostemon suaveolens	Swamp Box	330		330	104	9	3	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain	
1875	Lophostemon suaveolens	Swamp Box	300		300	94	8	4	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain	
1876	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	41	6	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Construction Buffer)	
1877	Melaleuca quinquenervia	Broad-leaved Paperbark	160		160	50	5	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Construction Buffer)	
1878	Lophostemon suaveolens	Swamp Box	170		170	53	7	2	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain	
1879	Lophostemon suaveolens	Swamp Box	110		110	35	7	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove (Construction Buffer)	
1880	Melaleuca quinquenervia	Broad-leaved Paperbark	150		150	47	6	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain	
1881	Eucalyptus siderophloia	Northern Grey Ironbark	150		150	47	12	5	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain	
1882	Melaleuca quinquenervia	Broad-leaved Paperbark	230		230	72	12	6	2.8	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Retain	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
1883	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	41	8	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
1884	Melaleuca quinquenervia	Broad-leaved Paperbark	510		510	160	10	7	6.1	2.5	One-sided	-	-	-	-	-	Typical	Minor	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain
1885	Melaleuca quinquenervia	Broad-leaved Paperbark	170		170	53	7	3	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
1886	Lophostemon suaveolens	Swamp Box	220		220	69	6	3	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
1887	Melaleuca quinquenervia	Broad-leaved Paperbark	240		240	75	8	3	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
1888	Melaleuca quinquenervia	Broad-leaved Paperbark	230		230	72	10	4	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
1889	Melaleuca quinquenervia	Broad-leaved Paperbark	220		220	69	8	3	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
1890	Melaleuca quinquenervia	Broad-leaved Paperbark	230		230	72	8	4	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
1891	Corymbia intermedia	Pink Bloodwood	210		210	66	8	4	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
1892	Eucalyptus siderophloia	Northern Grey Ironbark	170		170	53	8	2	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
1893	Lophostemon suaveolens	Swamp Box	220		220	69	8	3	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
1894	Corymbia intermedia	Pink Bloodwood	220		220	69	8	3	2.6	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
1895	Corymbia intermedia	Pink Bloodwood	320		320	101	12	7	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
1896	Eucalyptus tereticornis	Forest Red Gum	300		300	94	14	6	3.6	2.0	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)
1897	Acacia leiocalyx	Early-flowering Black Wattle	140		140	44	4	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)
1898	Acacia leiocalyx	Early-flowering Black Wattle	160		160	50	4	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)
1899	Acacia leiocalyx	Early-flowering Black Wattle	130		130	41	3	1	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)
1900	Acacia leiocalyx	Early-flowering Black Wattle	160		160	50	3	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)
1901	Lophostemon suaveolens	Swamp Box	120		120	38	3	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)
1902	Eucalyptus siderophloia	Northern Grey Ironbark	160		160	50	6	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)
1903	Acacia leiocalyx	Early-flowering Black Wattle	140		140	44	4	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)
1904	Acacia leiocalyx	Early-flowering Black Wattle	140		140	44	6	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)
1905	Acacia leiocalyx	Early-flowering Black Wattle	140		140	44	4	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)
1906	Corymbia citriodora	Spotted Gum	320		320	101	12	6	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)
1907	Corymbia citriodora	Spotted Gum	150		150	47	8	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)
1908	Corymbia citriodora	Spotted Gum	120		120	38	6	1	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)
1909	Acacia leiocalyx	Early-flowering Black Wattle	150		150	47	4	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)
1910	Acacia leiocalyx	Early-flowering Black Wattle	160		160	50	3	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)
1911	Acacia leiocalyx	Early-flowering Black Wattle	120		120	38	3	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)
1912	Lophostemon suaveolens	Swamp Box	220		220	69	7	3	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
1913	Melaleuca quinquenervia	Broad-leaved Paperbark	120		120	38	5	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
1914	Melaleuca quinquenervia	Broad-leaved Paperbark	140		140	44	6	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
1915	Melaleuca quinquenervia	Broad-leaved Paperbark	120		120	38	6	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
1916	Corymbia intermedia	Pink Bloodwood	180		180	57	7	3	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
1917	Eucalyptus tereticornis	Forest Red Gum	170		170	53	14	6	2.0	1.6	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
1918	Corymbia intermedia	Pink Bloodwood	170		170	53	10	3	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
1919	Lophostemon suaveolens	Swamp Box	570		570	179	16	8	6.8	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
1920	Corymbia intermedia	Pink Bloodwood	120		120	38	6	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
1921	Melaleuca quinquenervia	Broad-leaved Paperbark	160		160	50	6	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
1922	Corymbia intermedia	Pink Bloodwood	200	140, 130	277	87	9	2	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Future Stage

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Retain		
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	
1923	Corymbia citriodora	Spotted Gum	350		350	110	18	8	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Future Stage	
1924	Corymbia citriodora	Spotted Gum	470		470	148	22	10	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Future Stage	
1925	Eucalyptus tereticornis	Forest Red Gum	400		400	126	12	4	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Future Stage	
1926	Eucalyptus siderophloia	Northern Grey Ironbark	250		250	79	10	4	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Future Stage	
1927	Melaleuca irbyana	Swamp Tea Tree	130	130	184	58	4	3	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)	
1928	Allocasuarina littoralis	Black She-oak	240		240	75	2	2	2.9	1.8	Regular	-	-	-	-	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1929	Corymbia citriodora	Spotted Gum	320		320	101	12	5	3.8	2.1	One-sided	-	-	-	-	-	Typical	Minor	-	-	-	-	Typical	-	-	-	-	-	-	Retain
1930	Eucalyptus tereticornis	Forest Red Gum	280		280	88	14	5	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1931	Corymbia intermedia	Pink Bloodwood	140		140	44	7	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1932	Corymbia citriodora	Spotted Gum	300		300	94	18	8	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1933	Acacia disparrima	Hickory Wattle	130		130	41	4	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1934	Corymbia intermedia	Pink Bloodwood	280		280	88	14	6	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1935	Allocasuarina littoralis	Black She-oak	140		140	44	3	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1936	Allocasuarina littoralis	Black She-oak	140		140	44	5	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1937	Allocasuarina littoralis	Black She-oak	130		130	41	4	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1938	Acacia leiocalyx	Early-flowering Black Wattle	120		120	38	4	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1939	Alphitonia excelsa	Soap Tree	120		120	38	8	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1940	Acacia leiocalyx	Early-flowering Black Wattle	130		130	41	4	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)	
1941	Angophora leiocarpa	Smooth-barked Apple	120		120	38	6	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1942	Lophostemon suaveolens	Swamp Box	320		320	101	12	6	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1943	Lophostemon suaveolens	Swamp Box	260		260	82	10	4	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1944	Melaleuca quinquenervia	Broad-leaved Paperbark	330		330	104	9	4	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1945	Lophostemon suaveolens	Swamp Box	160		160	50	5	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1946	Lophostemon suaveolens	Swamp Box	200		200	63	6	2	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1947	Lophostemon suaveolens	Swamp Box	130		130	41	4	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1948	Alphitonia excelsa	Soap Tree	120		120	38	4	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1949	Corymbia intermedia	Pink Bloodwood	170		170	53	5	2	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1950	Corymbia citriodora	Spotted Gum	120		120	38	8	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1951	Melaleuca quinquenervia	Broad-leaved Paperbark	230		230	72	7	4	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1952	Corymbia intermedia	Pink Bloodwood	280		280	88	12	5	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1953	Corymbia intermedia	Pink Bloodwood	220		220	69	9	2	2.6	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1954	Corymbia intermedia	Pink Bloodwood	410		410	129	12	4	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)	
1955	Corymbia intermedia	Pink Bloodwood	190		190	60	5	2	2.3	1.6	Regular	-	-	-	-	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1956	Alphitonia excelsa	Soap Tree	110		110	35	3	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1957	Acacia leiocalyx	Early-flowering Black Wattle	180		180	57	4	2	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)	
1958	Eucalyptus tereticornis	Forest Red Gum	170		170	53	12	6	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)	
1959	Eucalyptus tereticornis	Forest Red Gum	430		430	135	20	10	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1960	Melaleuca quinquenervia	Broad-leaved Paperbark	140		140	44	4	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1961	Corymbia intermedia	Pink Bloodwood	200	200, 180	335	105	7	3	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)	
1962	Lophostemon suaveolens	Swamp Box	120		120	38	3	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)	

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Retain	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
1963	Acacia disparrima	Hickory Wattle	120		120	38	6	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
1964	Corymbia intermedia	Pink Bloodwood	370		370	116	18	7	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
1965	Corymbia intermedia	Pink Bloodwood	300		300	94	18	6	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
1966	Angophora leiocarpa	Smooth-barked Apple	300		300	94	16	8	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
1967	Melaleuca quinquenervia	Broad-leaved Paperbark	140		140	44	7	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
1968	Melaleuca quinquenervia	Broad-leaved Paperbark	120		120	38	7	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
1969	Angophora leiocarpa	Smooth-barked Apple	240		240	75	16	6	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
1970	Angophora leiocarpa	Smooth-barked Apple	330		330	104	18	8	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
1971	Corymbia intermedia	Pink Bloodwood	310		310	97	14	6	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
1972	Melaleuca quinquenervia	Broad-leaved Paperbark	120		120	38	4	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
1973	Eucalyptus tereticornis	Forest Red Gum	400		400	126	16	6	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
1974	Corymbia intermedia	Pink Bloodwood	210		210	66	14	6	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
1975	Corymbia citriodora	Spotted Gum	160		160	50	12	5	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
1976	Corymbia intermedia	Pink Bloodwood	140		140	44	7	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
1977	Angophora leiocarpa	Smooth-barked Apple	190		190	60	18	5	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
1978	Corymbia citriodora	Spotted Gum	310		310	97	16	6	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
1979	Corymbia citriodora	Spotted Gum	240		240	75	16	6	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
1980	Corymbia intermedia	Pink Bloodwood	230		230	72	12	6	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
1981	Corymbia citriodora	Spotted Gum	160		160	50	10	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
1982	Corymbia citriodora	Spotted Gum	190		190	60	10	4	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
1983	Corymbia citriodora	Spotted Gum	220		220	69	12	4	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
1984	Corymbia citriodora	Spotted Gum	110		110	35	6	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
1985	Corymbia citriodora	Spotted Gum	290		290	91	18	6	3.5	2.0	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
1986	Eucalyptus tereticornis	Forest Red Gum	300		300	94	12	5	3.6	2.0	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
1987	Corymbia citriodora	Spotted Gum	180		180	57	10	6	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
1988	Eucalyptus siderophloia	Northern Grey Ironbark	460		460	145	20	6	5.5	2.4	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
1989	Corymbia citriodora	Spotted Gum	170		170	53	16	4	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
1990	Acacia disparrima	Hickory Wattle	140		140	44	5	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
1991	Corymbia tessellaris	Moreton Bay Ash	200		200	63	9	3	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
1992	Corymbia tessellaris	Moreton Bay Ash	200		200	63	9	4	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
1993	Acacia disparrima	Hickory Wattle	140		140	44	6	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
1994	Corymbia citriodora	Spotted Gum	270		270	85	20	6	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
1995	Eucalyptus tereticornis	Forest Red Gum	350		350	110	14	5	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
1996	Melaleuca quinquenervia	Broad-leaved Paperbark	160		160	50	4	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
1997	Corymbia tessellaris	Moreton Bay Ash	220		220	69	12	6	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
1998	Corymbia intermedia	Pink Bloodwood	160		160	50	9	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
1999	Lophostemon suaveolens	Swamp Box	370		370	116	10	5	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain
2000	Lophostemon suaveolens	Swamp Box	170		170	53	8	3	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2001	Lophostemon suaveolens	Swamp Box	230		230	72	8	4	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2002	Corymbia citriodora	Spotted Gum	370		370	116	14	6	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Retain	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
2003	Melaleuca quinquenervia	Broad-leaved Paperbark	200		200	63	6	2	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2004	Lophostemon suaveolens	Swamp Box	320		320	101	12	6	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2005	Alphitonia excelsa	Soap Tree	150		150	47	3	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2006	Corymbia citriodora	Spotted Gum	160		160	50	8	3	2.0	1.5	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2007	Lophostemon suaveolens	Swamp Box	340		340	107	10	6	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2008	Corymbia intermedia	Pink Bloodwood	300		300	94	12	5	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2009	Corymbia intermedia	Pink Bloodwood	370		370	116	14	6	4.4	2.2	One-sided	-	-	-	-	-	Typical	Minor	-	-	-	-	Typical	-	-	-	-	-	Retain
2010	Lophostemon suaveolens	Swamp Box	180		180	57	6	2	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2011	Eucalyptus siderophloia	Northern Grey Ironbark	300		300	94	10	5	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2012	Lophostemon suaveolens	Swamp Box	150		150	47	6	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2013	Corymbia intermedia	Pink Bloodwood	190		190	60	6	2	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2014	Eucalyptus siderophloia	Northern Grey Ironbark	200		200	63	8	3	2.4	1.7	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)
2015	Lophostemon suaveolens	Swamp Box	140		140	44	5	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)
2016	Lophostemon suaveolens	Swamp Box	120		120	38	5	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)
2017	Lophostemon suaveolens	Swamp Box	150		150	47	6	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)
2018	Corymbia citriodora	Spotted Gum	200		200	63	12	4	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)
2019	Lophostemon suaveolens	Swamp Box	160		160	50	4	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)
2020	Corymbia citriodora	Spotted Gum	120		120	38	3	1	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)
2021	Lophostemon suaveolens	Swamp Box	180		180	57	6	2	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)
2022	Corymbia citriodora	Spotted Gum	400		400	126	20	8	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)
2023	Corymbia citriodora	Spotted Gum	180		180	57	8	3	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)
2024	Eucalyptus tereticornis	Forest Red Gum	230		230	72	8	2	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)
2025	Corymbia citriodora	Spotted Gum	120		120	38	5	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)
2026	Eucalyptus tereticornis	Forest Red Gum	200		200	63	8	2	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)
2027	Corymbia intermedia	Pink Bloodwood	200		200	63	7	3	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)
2028	Corymbia citriodora	Spotted Gum	120		120	38	8	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)
2029	Corymbia citriodora	Spotted Gum	220		220	69	10	4	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)
2030	Corymbia intermedia	Pink Bloodwood	330		330	104	12	5	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)
2031	Eucalyptus tereticornis	Forest Red Gum	400	100	412	130	20	8	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Poor	-	-	-	-	-	-	Remove (Basin)
2032	Corymbia citriodora	Spotted Gum	410		410	129	24	12	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)
2033	Corymbia citriodora	Spotted Gum	200		200	63	8	2	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)
2034	Corymbia citriodora	Spotted Gum	200		200	63	8	3	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)
2035	Eucalyptus tereticornis	Forest Red Gum	400		400	126	16	8	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)
2036	Corymbia citriodora	Spotted Gum	110		110	35	7	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)
2037	Corymbia citriodora	Spotted Gum	140		140	44	12	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)
2038	Corymbia citriodora	Spotted Gum	110		110	35	7	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)
2039	Corymbia citriodora	Spotted Gum	120		120	38	8	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)
2040	Corymbia citriodora	Spotted Gum	120		120	38	10	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)
2041	Corymbia citriodora	Spotted Gum	140		140	44	10	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)
2042	Corymbia citriodora	Spotted Gum	210		210	66	16	6	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Retain	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
2043	Corymbia citriodora	Spotted Gum	140		140	44	12	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)
2044	Corymbia citriodora	Spotted Gum	110		110	35	8	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)
2045	Corymbia citriodora	Spotted Gum	130		130	41	8	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)
2046	Corymbia citriodora	Spotted Gum	150		150	47	10	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)
2047	Corymbia citriodora	Spotted Gum	110		110	35	8	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)
2048	Corymbia citriodora	Spotted Gum	140		140	44	9	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)
2049	Corymbia citriodora	Spotted Gum	130		130	41	8	1	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)
2050	Corymbia citriodora	Spotted Gum	130		130	41	8	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)
2051	Corymbia citriodora	Spotted Gum	140		140	44	9	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)
2052	Corymbia citriodora	Spotted Gum	130		130	41	7	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)
2053	Corymbia citriodora	Spotted Gum	120		120	38	8	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)
2054	Corymbia citriodora	Spotted Gum	120		120	38	9	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)
2055	Corymbia citriodora	Spotted Gum	170		170	53	12	5	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2056	Eucalyptus crebra	Narrow-leaved Ironbark	160		160	50	7	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
2057	Corymbia citriodora	Spotted Gum	120		120	38	10	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2058	Corymbia citriodora	Spotted Gum	340		340	107	22	10	4.1	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
2059	Alphitonia excelsa	Soap Tree	120		120	38	6	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
2060	Eucalyptus siderophloia	Northern Grey Ironbark	200		200	63	10	3	2.4	1.7	Regular	-	-	Die-back	Epicormic	-	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
2061	Acacia disparrima	Hickory Wattle	120		120	38	4	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
2062	Alphitonia excelsa	Soap Tree	110		110	35	5	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
2063	Corymbia citriodora	Spotted Gum	170		170	53	12	4	2.0	1.6	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2064	Corymbia tessellaris	Moreton Bay Ash	140		140	44	12	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2065	Corymbia citriodora	Spotted Gum	110		110	35	8	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2066	Corymbia citriodora	Spotted Gum	210		210	66	16	6	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2067	Alphitonia excelsa	Soap Tree	120		120	38	6	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2068	Eucalyptus siderophloia	Northern Grey Ironbark	210		210	66	12	5	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2069	Corymbia citriodora	Spotted Gum	140		140	44	12	5	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
2070	Corymbia citriodora	Spotted Gum	120		120	38	10	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
2071	Corymbia citriodora	Spotted Gum	130		130	41	9	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
2072	Corymbia citriodora	Spotted Gum	140		140	44	8	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
2073	Eucalyptus tereticornis	Forest Red Gum	210		210	66	12	6	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2074	Corymbia citriodora	Spotted Gum	250		250	79	14	6	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2075	Corymbia citriodora	Spotted Gum	580		580	182	24	14	7.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2076	Corymbia citriodora	Spotted Gum	140		140	44	7	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2077	Corymbia citriodora	Spotted Gum	120		120	38	6	1	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2078	Alphitonia excelsa	Soap Tree	110		110	35	4	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2079	Alphitonia excelsa	Soap Tree	130		130	41	4	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2080	Corymbia citriodora	Spotted Gum	200		200	63	16	6	2.4	1.7	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2081	Eucalyptus tereticornis	Forest Red Gum	320		320	101	20	10	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2082	Acacia disparrima	Hickory Wattle	180		180	57	5	3	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Retain	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
2083	Acacia disparrima	Hickory Wattle	130		130	41	4	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2084	Corymbia intermedia	Pink Bloodwood	270		270	85	12	6	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2085	Corymbia citriodora	Spotted Gum	350		350	110	24	12	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2086	Corymbia citriodora	Spotted Gum	110		110	35	7	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
2087	Corymbia citriodora	Spotted Gum	170		170	53	18	6	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
2088	Corymbia intermedia	Pink Bloodwood	250		250	79	14	6	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
2089	Lophostemon suaveolens	Swamp Box	120		120	38	7	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
2090	Corymbia citriodora	Spotted Gum	300		300	94	20	8	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2091	Corymbia citriodora	Spotted Gum	120		120	38	8	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2092	Eucalyptus tereticornis	Forest Red Gum	110		110	35	12	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
2093	Corymbia citriodora	Spotted Gum	130		130	41	8	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
2094	Corymbia citriodora	Spotted Gum	110		110	35	8	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
2095	Corymbia citriodora	Spotted Gum	390	120	408	128	22	10	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2096	Corymbia citriodora	Spotted Gum	400		400	126	24	12	4.8	2.3	Regular	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Poor	-	-	Small	-	-	-	Retain
2097	Corymbia tessellaris	Moreton Bay Ash	130		130	41	7	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2120	Acacia leiocalyx	Early-flowering Black Wattle	180		180	57	12	5	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
2121	Acacia leiocalyx	Early-flowering Black Wattle	150		150	47	10	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
2122	Acacia leiocalyx	Early-flowering Black Wattle	140		140	44	8	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Future Stage
2123	Acacia leiocalyx	Early-flowering Black Wattle	150		150	47	9	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Future Stage
2124	Corymbia intermedia	Pink Bloodwood	150		150	47	11	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Future Stage
2125	Acacia leiocalyx	Early-flowering Black Wattle	150		150	47	10	5	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Future Stage
2126	Acacia leiocalyx	Early-flowering Black Wattle	120		120	38	10	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Future Stage
2127	Acacia leiocalyx	Early-flowering Black Wattle	180		180	57	12	5	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Future Stage
2128	Melaleuca quinquenervia	Broad-leaved Paperbark	100		100	31	7	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
2129	Corymbia intermedia	Pink Bloodwood	580		580	182	18	6	7.0	2.6	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Future Stage
2130	Corymbia intermedia	Pink Bloodwood	410		410	129	16	7	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Future Stage
2131	Corymbia intermedia	Pink Bloodwood	260		260	82	13	5	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
2132	Eucalyptus seeana	Narrow-leaved Red Gum	290		290	91	13	5	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
2133	Corymbia intermedia	Pink Bloodwood	120		120	38	8	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
2134	Lophostemon suaveolens	Swamp Box	160		160	50	9	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
2135	Lophostemon suaveolens	Swamp Box	130		130	41	9	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Future Stage
2136	Corymbia intermedia	Pink Bloodwood	410		410	129	18	7	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Future Stage
2137	Corymbia intermedia	Pink Bloodwood	350		350	110	17	4	4.2	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Future Stage
2138	Lophostemon suaveolens	Swamp Box	280		280	88	11	5	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2139	Lophostemon suaveolens	Swamp Box	130		130	41	8	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
2140	Corymbia intermedia	Pink Bloodwood	370		370	116	17	6	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
2141	Lophostemon suaveolens	Swamp Box	110		110	35	8	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2142	Lophostemon suaveolens	Swamp Box	130		130	41	8	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2143	Lophostemon suaveolens	Swamp Box	180		180	57	14	5	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2144	Corymbia intermedia	Pink Bloodwood	190		190	60	14	5	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Retain	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
2145	Corymbia intermedia	Pink Bloodwood	510		510	160	20	8	6.1	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2146	Eucalyptus siderophloia	Northern Grey Ironbark	110		110	35	7	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2147	Lophostemon suaveolens	Swamp Box	100		100	31	6	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2148	Lophostemon suaveolens	Swamp Box	140		140	44	11	5	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
2149	Corymbia intermedia	Pink Bloodwood	220		220	69	15	6	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2150	Lophostemon suaveolens	Swamp Box	120		120	38	7	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
2151	Corymbia intermedia	Pink Bloodwood	230		230	72	16	5	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2152	Eucalyptus siderophloia	Northern Grey Ironbark	280		280	88	16	6	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2153	Eucalyptus crebra	Narrow-leaved Ironbark	570		570	179	24	9	6.8	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2154	Corymbia intermedia	Pink Bloodwood	160		160	50	9	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2155	Corymbia intermedia	Pink Bloodwood	390		390	123	16	2	4.7	2.2	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2156	Corymbia intermedia	Pink Bloodwood	200		200	63	11	4	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2157	Acacia disparrima	Hickory Wattle	160		160	50	9	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2158	Eucalyptus crebra	Narrow-leaved Ironbark	150		150	47	8	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2159	Angophora leiocarpa	Smooth-barked Apple	580		580	182	20	9	7.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2160	Eucalyptus crebra	Narrow-leaved Ironbark	190		190	60	9	3	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2161	Eucalyptus crebra	Narrow-leaved Ironbark	140		140	44	8	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2162	Lophostemon suaveolens	Swamp Box	140		140	44	9	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2163	Melaleuca quinquenervia	Broad-leaved Paperbark	180		180	57	14	5	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2164	Petalostigma pubescens	Quinine Bush	140		140	44	7	6	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2165	Corymbia intermedia	Pink Bloodwood	360		360	113	21	8	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2166	Corymbia intermedia	Pink Bloodwood	330		330	104	18	7	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2167	Angophora leiocarpa	Smooth-barked Apple	510		510	160	19	8	6.1	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2168	Corymbia intermedia	Pink Bloodwood	560		560	176	18	8	6.7	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
2169	Eucalyptus crebra	Narrow-leaved Ironbark	480		480	151	17	7	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
2170	Corymbia intermedia	Pink Bloodwood	240		240	75	16	5	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
2171	Acacia leiocalyx	Early-flowering Black Wattle	200		200	63	14	6	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2172	Lophostemon suaveolens	Swamp Box	130		130	41	8	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
2173	Corymbia citriodora	Spotted Gum	200		200	63	12	5	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
2174	Corymbia intermedia	Pink Bloodwood	230		230	72	16	5	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
2175	Lophostemon suaveolens	Swamp Box	210		210	66	14	5	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
2176	Eucalyptus seeana	Narrow-leaved Red Gum	280		280	88	15	7	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
2177	Melaleuca quinquenervia	Broad-leaved Paperbark	120		120	38	7	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
2178	Lophostemon suaveolens	Swamp Box	110		110	35	6	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
2179	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	41	8	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
2180	Lophostemon suaveolens	Swamp Box	130		130	41	7	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
2181	Lophostemon suaveolens	Swamp Box	210		210	66	14	5	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2182	Melaleuca quinquenervia	Broad-leaved Paperbark	220		220	69	14	5	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2183	Lophostemon suaveolens	Swamp Box	290		290	91	14	5	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
2184	Melaleuca quinquenervia	Broad-leaved Paperbark	350		350	110	17	5	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Retain	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
2185	Corymbia intermedia	Pink Bloodwood	380		380	119	17	6	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
2186	Eucalyptus siderophloia	Northern Grey Ironbark	360		360	113	17	5	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
2187	Melaleuca quinquenervia	Broad-leaved Paperbark	250		250	79	13	4	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
2188	Corymbia intermedia	Pink Bloodwood	120		120	38	8	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
2189	Lophostemon suaveolens	Swamp Box	220		220	69	8	4	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
2190	Lophostemon suaveolens	Swamp Box	230		230	72	12	4	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
2191	Eucalyptus siderophloia	Northern Grey Ironbark	380		380	119	17	6	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
2192	Melaleuca quinquenervia	Broad-leaved Paperbark	140		140	44	7	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
2193	Melaleuca quinquenervia	Broad-leaved Paperbark	420		420	132	15	8	5.0	2.3	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
2194	Lophostemon suaveolens	Swamp Box	200		200	63	12	4	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2195	Lophostemon suaveolens	Swamp Box	220		220	69	14	6	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2196	Acacia concurrens	Black Wattle	190		190	60	8	3	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
2197	Lophostemon suaveolens	Swamp Box	130	120, 120	214	67	8	5	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)
2198	Angophora leiocarpa	Smooth-barked Apple	130		130	41	11	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)
2199	Eucalyptus siderophloia	Northern Grey Ironbark	110		110	35	7	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
2200	Lophostemon suaveolens	Swamp Box	150		150	47	7	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)
2201	Acacia leiocalyx	Early-flowering Black Wattle	160		160	50	7	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)
2202	Acacia leiocalyx	Early-flowering Black Wattle	130		130	41	7	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)
2203	Acacia leiocalyx	Early-flowering Black Wattle	120		120	38	7	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)
2204	Acacia leiocalyx	Early-flowering Black Wattle	130		130	41	7	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)
2205	Acacia leiocalyx	Early-flowering Black Wattle	150		150	47	8	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)
2206	Eucalyptus tereticornis	Forest Red Gum	130		130	41	8	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)
2207	Acacia leiocalyx	Early-flowering Black Wattle	160		160	50	7	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)
2208	Acacia leiocalyx	Early-flowering Black Wattle	140		140	44	6	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)
2209	Corymbia citriodora	Spotted Gum	130		130	41	9	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)
2210	Acacia leiocalyx	Early-flowering Black Wattle	160		160	50	8	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)
2211	Corymbia citriodora	Spotted Gum	450		450	141	16	7	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)
2212	Corymbia citriodora	Spotted Gum	120		120	38	7	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)
2213	Corymbia citriodora	Spotted Gum	140		140	44	9	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)
2214	Acacia leiocalyx	Early-flowering Black Wattle	180		180	57	7	7	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)
2215	Angophora leiocarpa	Smooth-barked Apple	220		220	69	11	4	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
2216	Corymbia intermedia	Pink Bloodwood	140		140	44	11	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
2217	Corymbia intermedia	Pink Bloodwood	170		170	53	9	4	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
2218	Acacia disparrima	Hickory Wattle	180		180	57	12	5	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
2219	Angophora leiocarpa	Smooth-barked Apple	390		390	123	20	8	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
2220	Melaleuca quinquenervia	Broad-leaved Paperbark	280		280	88	11	5	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
2221	Corymbia intermedia	Pink Bloodwood	130		130	41	8	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
2222	Eucalyptus crebra	Narrow-leaved Ironbark	230		230	72	8	3	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
2223	Eucalyptus tereticornis	Forest Red Gum	340		340	107	9	0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
2224	Corymbia intermedia	Pink Bloodwood	130		130	41	8	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Retain	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
2225	Lophostemon suaveolens	Swamp Box	160		160	50	10	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
2226	Corymbia intermedia	Pink Bloodwood	350	250	430	135	17	6	5.2	2.3	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Future Stage
2227	Corymbia intermedia	Pink Bloodwood	290		290	91	12	5	3.5	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Future Stage
2228	Eucalyptus tereticornis	Forest Red Gum	490		490	154	15	7	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Future Stage
2229	Eucalyptus tereticornis	Forest Red Gum	360		360	113	18	8	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
2230	Eucalyptus tereticornis	Forest Red Gum	490		490	154	14	8	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Future Stage
2231	Corymbia citriodora	Spotted Gum	390		390	123	16	7	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Future Stage
2232	Eucalyptus crebra	Narrow-leaved Ironbark	660		660	207	21	8	7.9	2.8	Regular	-	Thinning	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Future Stage
2233	Corymbia citriodora	Spotted Gum	320		320	101	17	7	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Future Stage
2234	Eucalyptus crebra	Narrow-leaved Ironbark	460		460	145	21	11	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Future Stage
2235	Corymbia citriodora	Spotted Gum	410		410	129	21	10	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Future Stage
2236	Corymbia intermedia	Pink Bloodwood	160	90	184	58	11	6	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Future Stage
2237	Acacia leiocalyx	Early-flowering Black Wattle	120		120	38	9	5	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2238	Alphitonia excelsa	Soap Tree	110		110	35	11	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2239	Corymbia citriodora	Spotted Gum	160	160, 160, 150	315	99	12	8	3.8	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2240	Allocasuarina littoralis	Black She-oak	160		160	50	7	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2241	Acacia disparrima	Hickory Wattle	160	100	189	59	8	5	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2242	Corymbia citriodora	Spotted Gum	230		230	72	16	7	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2243	Acacia concurrens	Black Wattle	130		130	41	7	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
2244	Corymbia intermedia	Pink Bloodwood	100		100	31	6	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2245	Acacia disparrima	Hickory Wattle	190		190	60	9	4	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2246	Eucalyptus tereticornis	Forest Red Gum	310		310	97	14	5	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
2247	Acacia leiocalyx	Early-flowering Black Wattle	190		190	60	8	4	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
2248	Corymbia intermedia	Pink Bloodwood	180		180	57	10	4	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
2249	Melaleuca quinquenervia	Broad-leaved Paperbark	260		260	82	10	4	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
2250	Eucalyptus major	Mountain Grey Gum	120		120	38	7	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
2251	Acacia leiocalyx	Early-flowering Black Wattle	190		190	60	11	5	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
2252	Acacia leiocalyx	Early-flowering Black Wattle	130		130	41	8	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
2253	Allocasuarina littoralis	Black She-oak	160		160	50	8	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
2254	Corymbia intermedia	Pink Bloodwood	510		510	160	22	8	6.1	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
2255	Corymbia citriodora	Spotted Gum	160		160	50	11	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
2256	Corymbia intermedia	Pink Bloodwood	280		280	88	15	7	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
2257	Angophora leiocarpa	Smooth-barked Apple	250		250	79	15	7	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
2258	Alphitonia excelsa	Soap Tree	130		130	41	8	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
2259	Allocasuarina littoralis	Black She-oak	150	140	205	64	9	4	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
2260	Corymbia citriodora	Spotted Gum	220		220	69	15	4	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
2261	Corymbia intermedia	Pink Bloodwood	290		290	91	14	6	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
2262	Corymbia citriodora	Spotted Gum	140		140	44	8	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
2263	Corymbia intermedia	Pink Bloodwood	190		190	60	9	3	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
2264	Corymbia intermedia	Pink Bloodwood	230		230	72	14	5	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Retain	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
2265	Corymbia intermedia	Pink Bloodwood	180		180	57	8	4	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
2266	Acacia concurrens	Black Wattle	190		190	60	8	4	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
2267	Corymbia citriodora	Spotted Gum	170		170	53	12	4	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
2268	Acacia leiocalyx	Early-flowering Black Wattle	190		190	60	10	5	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
2269	Acacia leiocalyx	Early-flowering Black Wattle	140		140	44	7	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
2270	Corymbia intermedia	Pink Bloodwood	140		140	44	7	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
2271	Acacia disparrima	Hickory Wattle	130		130	41	7	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
2272	Allocasuarina littoralis	Black She-oak	150		150	47	9	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
2273	Allocasuarina littoralis	Black She-oak	130		130	41	9	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
2274	Corymbia citriodora	Spotted Gum	100		100	31	7	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
2275	Corymbia intermedia	Pink Bloodwood	130	120	177	56	8	4	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
2276	Acacia disparrima	Hickory Wattle	130		130	41	7	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
2277	Melaleuca quinquenervia	Broad-leaved Paperbark	170	170	240	76	12	5	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
2278	Corymbia intermedia	Pink Bloodwood	290		290	91	14	7	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
2279	Allocasuarina littoralis	Black She-oak	160		160	50	7	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
2280	Corymbia intermedia	Pink Bloodwood	150		150	47	9	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
2281	Eucalyptus tereticornis	Forest Red Gum	310		310	97	15	5	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
2282	Corymbia intermedia	Pink Bloodwood	220		220	69	12	5	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
2283	Angophora leiocarpa	Smooth-barked Apple	180		180	57	7	3	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
2284	Corymbia citriodora	Spotted Gum	110		110	35	7	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
2285	Corymbia intermedia	Pink Bloodwood	370		370	116	17	7	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
2286	Allocasuarina littoralis	Black She-oak	170		170	53	5	3	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
2287	Corymbia intermedia	Pink Bloodwood	270		270	85	11	4	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
2288	Corymbia citriodora	Spotted Gum	120		120	38	7	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
2289	Corymbia citriodora	Spotted Gum	270		270	85	16	7	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
2290	Corymbia citriodora	Spotted Gum	250		250	79	15	6	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
2291	Corymbia citriodora	Spotted Gum	270		270	85	17	5	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
2292	Corymbia citriodora	Spotted Gum	290		290	91	14	6	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
2293	Corymbia citriodora	Spotted Gum	160		160	50	10	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
2294	Corymbia citriodora	Spotted Gum	170		170	53	10	3	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
2295	Corymbia citriodora	Spotted Gum	120		120	38	9	1	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
2296	Corymbia citriodora	Spotted Gum	370		370	116	19	8	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
2297	Lophostemon suaveolens	Swamp Box	140		140	44	8	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
2298	Eucalyptus seeana	Narrow-leaved Red Gum	130		130	41	7	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
2299	Corymbia citriodora	Spotted Gum	430		430	135	17	7	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
2300	Corymbia citriodora	Spotted Gum	250		250	79	16	5	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
2301	Lophostemon suaveolens	Swamp Box	120		120	38	7	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2302	Lophostemon suaveolens	Swamp Box	150		150	47	6	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2303	Acacia disparrima	Hickory Wattle	130		130	41	7	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2304	Corymbia citriodora	Spotted Gum	290		290	91	15	5	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Retain	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
2305	Corymbia citriodora	Spotted Gum	360		360	113	17	6	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
2306	Acacia leiocalyx	Early-flowering Black Wattle	120		120	38	9	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
2307	Corymbia citriodora	Spotted Gum	290		290	91	15	5	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
2308	Corymbia citriodora	Spotted Gum	100		100	31	7	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
2309	Corymbia citriodora	Spotted Gum	290		290	91	17	7	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2310	Corymbia citriodora	Spotted Gum	130		130	41	7	5	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2311	Acacia leiocalyx	Early-flowering Black Wattle	160		160	50	8	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2312	Corymbia citriodora	Spotted Gum	520		520	163	24	9	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2313	Corymbia tessellaris	Moreton Bay Ash	280		280	88	15	5	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2314	Corymbia tessellaris	Moreton Bay Ash	200		200	63	13	3	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2315	Corymbia intermedia	Pink Bloodwood	120		120	38	7	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2316	Corymbia intermedia	Pink Bloodwood	120		120	38	6	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2317	Lophostemon suaveolens	Swamp Box	120		120	38	7	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2318	Corymbia intermedia	Pink Bloodwood	160		160	50	12	5	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
2319	Angophora leiocarpa	Smooth-barked Apple	340		340	107	15	7	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
2320	Angophora leiocarpa	Smooth-barked Apple	150		150	47	7	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
2321	Lophostemon suaveolens	Swamp Box	170		170	53	9	4	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
2322	Lophostemon suaveolens	Swamp Box	110		110	35	7	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)
2323	Alphitonia excelsa	Soap Tree	120		120	38	7	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)
2324	Allocasuarina littoralis	Black She-oak	150		150	47	9	5	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)
2325	Corymbia citriodora	Spotted Gum	150		150	47	6	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2326	Corymbia citriodora	Spotted Gum	170		170	53	7	3	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2327	Corymbia citriodora	Spotted Gum	110		110	35	8	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2328	Corymbia intermedia	Pink Bloodwood	260		260	82	12	5	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2329	Corymbia citriodora	Spotted Gum	450		450	141	19	9	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2330	Angophora leiocarpa	Smooth-barked Apple	190		190	60	9	4	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2331	Lophostemon suaveolens	Swamp Box	150		150	47	7	5	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2332	Corymbia citriodora	Spotted Gum	120		120	38	8	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)
2333	Lophostemon suaveolens	Swamp Box	130		130	41	7	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)
2334	Alphitonia excelsa	Soap Tree	140		140	44	7	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
2335	Eucalyptus tereticornis	Forest Red Gum	230		230	72	12	6	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)
2336	Corymbia citriodora	Spotted Gum	490		490	154	18	8	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)
2337	Corymbia citriodora	Spotted Gum	410		410	129	18	7	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)
2338	Corymbia citriodora	Spotted Gum	120		120	38	7	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)
2339	Acacia disparrima	Hickory Wattle	150		150	47	7	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)
2340	Lophostemon suaveolens	Swamp Box	130		130	41	6	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)
2341	Petalostigma pubescens	Quinine Bush	200		200	63	7	5	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)
2342	Eucalyptus crebra	Narrow-leaved Ironbark	320		320	101	15	6	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)
2343	Lophostemon suaveolens	Swamp Box	170		170	53	7	3	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)
2344	Lophostemon suaveolens	Swamp Box	150		150	47	7	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Retain		
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	
2345	Lophostemon suaveolens	Swamp Box	200		200	63	11	5	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)	
2346	Corymbia citriodora	Spotted Gum	460		460	145	19	7	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)	
2347	Corymbia citriodora	Spotted Gum	150		150	47	12	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)	
2348	Corymbia citriodora	Spotted Gum	480		480	151	17	8	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)	
2349	Eucalyptus crebra	Narrow-leaved Ironbark	250		250	79	12	5	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)	
2350	Corymbia citriodora	Spotted Gum	120		120	38	7	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)	
2351	Lophostemon suaveolens	Swamp Box	120		120	38	7	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)	
2352	Allocasuarina littoralis	Black She-oak	120		120	38	7	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)	
2353	Corymbia intermedia	Pink Bloodwood	490		490	154	20	8	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)	
2354	Corymbia citriodora	Spotted Gum	220		220	69	15	6	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)	
2355	Corymbia citriodora	Spotted Gum	360		360	113	18	8	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)	
2356	Corymbia citriodora	Spotted Gum	110		110	35	9	4	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)	
2357	Corymbia citriodora	Spotted Gum	140		140	44	8	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)	
2358	Acacia disparrima	Hickory Wattle	130		130	41	7	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)	
2359	Corymbia citriodora	Spotted Gum	220		220	69	12	5	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)	
2360	Corymbia citriodora	Spotted Gum	210		210	66	10	5	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)	
2361	Alphitonia excelsa	Soap Tree	140		140	44	7	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)	
2362	Corymbia citriodora	Spotted Gum	320		320	101	15	7	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)	
2363	Corymbia citriodora	Spotted Gum	230		230	72	14	5	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)	
2364	Lophostemon suaveolens	Swamp Box	140		140	44	8	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)	
2365	Corymbia citriodora	Spotted Gum	110		110	35	7	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)	
2366	Corymbia citriodora	Spotted Gum	340		340	107	17	5	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)	
2367	Corymbia citriodora	Spotted Gum	420		420	132	17	6	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)	
2368	Eucalyptus crebra	Narrow-leaved Ironbark	320		320	101	16	5	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)	
2369	Lophostemon suaveolens	Swamp Box	180		180	57	9	5	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)	
2370	Eucalyptus crebra	Narrow-leaved Ironbark	230		230	72	15	5	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)	
2371	Corymbia citriodora	Spotted Gum	420		420	132	18	6	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)	
2372	Corymbia citriodora	Spotted Gum	110		110	35	10	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)	
2373	Corymbia citriodora	Spotted Gum	180		180	57	13	5	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)	
2374	Corymbia citriodora	Spotted Gum	130		130	41	9	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)	
2375	Alphitonia excelsa	Soap Tree	130		130	41	9	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)	
2376	Corymbia citriodora	Spotted Gum	190		190	60	14	5	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2377	Eucalyptus crebra	Narrow-leaved Ironbark	310		310	97	17	8	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2378	Corymbia citriodora	Spotted Gum	330		330	104	16	7	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2379	Corymbia citriodora	Spotted Gum	210		210	66	15	5	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2380	Corymbia citriodora	Spotted Gum	140		140	44	9	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2381	DEAD/STAG		550		550	173	12	2	6.6	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Large	-	-	-	Retain	
2382	Melaleuca viminalis	Weeping Bottlebrush	100		100	31	2	2	2.0	1.3	Regular	-	-	-	-	-	Typical	Major	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2383	Eucalyptus crebra	Narrow-leaved Ironbark	140		140	44	9	5	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2384	Lophostemon suaveolens	Swamp Box	470		470	148	16	7	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Retain	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
2385	Corymbia citriodora	Spotted Gum	160		160	50	9	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2386	Alphitonia excelsa	Soap Tree	120		120	38	7	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2387	Lophostemon suaveolens	Swamp Box	120		120	38	8	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2388	Corymbia citriodora	Spotted Gum	160		160	50	8	5	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2389	Corymbia citriodora	Spotted Gum	500		500	157	20	7	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2390	Corymbia tessellaris	Moreton Bay Ash	340		340	107	16	6	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2391	Eucalyptus crebra	Narrow-leaved Ironbark	170		170	53	11	4	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2392	Lophostemon suaveolens	Swamp Box	140		140	44	12	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2393	Corymbia tessellaris	Moreton Bay Ash	170		170	53	14	4	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2394	Corymbia citriodora	Spotted Gum	290		290	91	17	6	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2395	Eucalyptus tereticornis	Forest Red Gum	270		270	85	16	8	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2396	Corymbia citriodora	Spotted Gum	270		270	85	16	7	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2397	Eucalyptus tereticornis	Forest Red Gum	450		450	141	18	8	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2398	Eucalyptus crebra	Narrow-leaved Ironbark	130		130	41	8	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2399	Corymbia citriodora	Spotted Gum	380		380	119	17	8	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2400	Corymbia citriodora	Spotted Gum	170		170	53	9	5	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2401	Eucalyptus tereticornis	Forest Red Gum	160		160	50	8	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2402	Acacia disparrima	Hickory Wattle	160		160	50	7	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2403	Corymbia citriodora	Spotted Gum	140		140	44	9	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2404	Eucalyptus tereticornis	Forest Red Gum	220		220	69	14	5	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2405	Eucalyptus tereticornis	Forest Red Gum	510		510	160	17	8	6.1	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2406	Lophostemon suaveolens	Swamp Box	110		110	35	7	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2407	Corymbia citriodora	Spotted Gum	260		260	82	22	8	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2408	Corymbia citriodora	Spotted Gum	200		200	63	14	7	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2409	Corymbia citriodora	Spotted Gum	330		330	104	23	8	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2410	Corymbia citriodora	Spotted Gum	200		200	63	12	5	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2411	Corymbia citriodora	Spotted Gum	370		370	116	22	8	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2412	Corymbia citriodora	Spotted Gum	310		310	97	22	8	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2413	Corymbia citriodora	Spotted Gum	100		100	31	7	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2414	Corymbia tessellaris	Moreton Bay Ash	150		150	47	11	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2417	Corymbia citriodora	Spotted Gum	130		130	41	8	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2418	Corymbia citriodora	Spotted Gum	100		100	31	7	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2419	Corymbia citriodora	Spotted Gum	290		290	91	17	7	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2448	Corymbia citriodora	Spotted Gum	290		290	91	16	7	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2450	Lophostemon suaveolens	Swamp Box	130		130	41	8	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
2451	Corymbia citriodora	Spotted Gum	110		110	35	8	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
2452	Eucalyptus tereticornis	Forest Red Gum	160		160	50	9	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
2453	Lophostemon suaveolens	Swamp Box	120		120	38	6	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
2454	Acacia concurrens	Black Wattle	160		160	50	7	5	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
2455	Lophostemon suaveolens	Swamp Box	120		120	38	9	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Retain	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
2456	Lophostemon suaveolens	Swamp Box	130		130	41	7	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2463	Corymbia citriodora	Spotted Gum	380		380	119	17	7	4.6	2.2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2464	Eucalyptus moluccana	Gum-topped Box	120		120	38	6	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2465	Angophora leiocarpa	Smooth-barked Apple	100		100	31	9	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
2466	Alphitonia excelsa	Soap Tree	125		125	39	5	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
2467	Alphitonia excelsa	Soap Tree	90	80, 80	145	45	5	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
2468	Acacia disparrima	Hickory Wattle	145		145	46	9	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Construction Buffer)
2469	Acacia leiocalyx	Early-flowering Black Wattle	210		210	66	8	3	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2470	Eucalyptus tereticornis	Forest Red Gum	185		185	58	9	3	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2471	Acacia disparrima	Hickory Wattle	135		135	42	8	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2472	Eucalyptus tereticornis	Forest Red Gum	190		190	60	9	3	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2473	Eucalyptus tereticornis	Forest Red Gum	215		215	68	10	3	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
2474	Lophostemon suaveolens	Swamp Box	110	90	142	45	7	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
2475	Lophostemon suaveolens	Swamp Box	115		115	36	7	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (EW)
2482	Acacia leiocalyx	Early-flowering Black Wattle	200	160	256	80	6	4	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2483	Acacia disparrima	Hickory Wattle	100		100	31	14	4	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain
2484	Corymbia intermedia	Pink Bloodwood	120		120	38	10	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2485	Angophora leiocarpa	Smooth-barked Apple	100		100	31	8	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2486	Corymbia intermedia	Pink Bloodwood	350		350	110	18	7	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2487	Acacia disparrima	Hickory Wattle	120	110	163	51	16	5	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2488	Allocasuarina littoralis	Black She-oak	100		100	31	8	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2489	Acacia concurrens	Black Wattle	100		100	31	9	2	2.0	1.3	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2490	Acacia concurrens	Black Wattle	170		170	53	12	5	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2491	Acacia disparrima	Hickory Wattle	100		100	31	14	4	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2492	Acacia concurrens	Black Wattle	100		100	31	10	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2493	Angophora leiocarpa	Smooth-barked Apple	260		260	82	14	4	3.1	1.9	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2494	Acacia concurrens	Black Wattle	140		140	44	12	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2495	Acacia concurrens	Black Wattle	140		140	44	10	4	2.0	1.4	Regular	-	-	-	-	-	Typical	Minor	-	-	-	-	Typical	-	-	-	-	-	Retain
2496	Alphitonia excelsa	Soap Tree	110		110	35	12	4	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2497	Alphitonia excelsa	Soap Tree	100		100	31	10	4	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2498	Acacia disparrima	Hickory Wattle	100		100	31	14	4	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2499	Alphitonia excelsa	Soap Tree	100		100	31	14	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2500	Acacia disparrima	Hickory Wattle	100		100	31	10	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2501	Alphitonia excelsa	Soap Tree	100	90	135	42	10	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2502	Acacia concurrens	Black Wattle	140		140	44	8	4	2.0	1.4	Regular	-	-	-	-	-	Typical	Minor	-	-	-	-	Typical	-	-	-	-	-	Retain
2503	Acacia concurrens	Black Wattle	150		150	47	8	3	2.0	1.5	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2504	Acacia concurrens	Black Wattle	190		190	60	7	4	2.3	1.6	Regular	-	-	-	-	-	Typical	Major	-	-	-	-	Typical	-	-	-	-	-	Retain
2505	Acacia disparrima	Hickory Wattle	120	110	163	51	14	5	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2506	Melaleuca quinquenervia	Broad-leaved Paperbark	180		180	57	10	5	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain
2507	Eucalyptus tereticornis	Forest Red Gum	680		680	214	22	10	8.2	2.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Retain		
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	
2508	Alphitonia excelsa	Soap Tree	120		120	38	12	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
2509	Corymbia intermedia	Pink Bloodwood	330		330	104	20	8	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
2510	Corymbia intermedia	Pink Bloodwood	170		170	53	10	4	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
2511	Corymbia intermedia	Pink Bloodwood	100		100	31	9	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
2512	Alphitonia excelsa	Soap Tree	140		140	44	10	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
2513	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	41	9	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
2514	Alphitonia excelsa	Soap Tree	100		100	31	14	4	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
2515	Melaleuca quinquenervia	Broad-leaved Paperbark	290		290	91	12	5	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
2516	Angophora leiocarpa	Smooth-barked Apple	110		110	35	12	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
2517	Alphitonia excelsa	Soap Tree	130		130	41	14	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
2518	Lophostemon suaveolens	Swamp Box	130		130	41	9	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
2519	Acacia disparrima	Hickory Wattle	130		130	41	10	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
2520	Angophora leiocarpa	Smooth-barked Apple	100		100	31	10	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
2521	Alphitonia excelsa	Soap Tree	100		100	31	9	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
2522	Alphitonia excelsa	Soap Tree	100		100	31	9	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
2523	Melaleuca quinquenervia	Broad-leaved Paperbark	170		170	53	14	5	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
2524	Angophora leiocarpa	Smooth-barked Apple	150		150	47	16	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
2525	Angophora leiocarpa	Smooth-barked Apple	170		170	53	16	5	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
2526	Angophora leiocarpa	Smooth-barked Apple	220		220	69	18	7	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
2527	Acacia concurrens	Black Wattle	190		190	60	9	4	2.3	1.6	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (Basin)	
2528	Angophora leiocarpa	Smooth-barked Apple	110		110	35	8	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (Construction Buffer)	
2529	Angophora leiocarpa	Smooth-barked Apple	120		120	38	10	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (Basin)	
2530	Eucalyptus tereticornis	Forest Red Gum	170		170	53	9	4	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (Basin)	
2531	Acacia disparrima	Hickory Wattle	110		110	35	9	4	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (Basin)	
2532	Alphitonia excelsa	Soap Tree	100		100	31	8	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (Basin)	
2533	Angophora leiocarpa	Smooth-barked Apple	110		110	35	9	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (Basin)	
2534	Allocasuarina littoralis	Black She-oak	100		100	31	8	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
2535	Alphitonia excelsa	Soap Tree	100		100	31	7	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (Basin)	
2536	Eucalyptus tereticornis	Forest Red Gum	370		370	116	22	9	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	New	-	-		-	Remove (Basin)	
2537	Acacia disparrima	Hickory Wattle	140		140	44	10	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (Basin)	
2538	Alphitonia excelsa	Soap Tree	150		150	47	8	3	2.0	1.5	Regular	-	-	-	-	-	Typical	Major	-	-	-	-	Typical	-	-	-	-		-	Remove (Basin)
2539	Acacia disparrima	Hickory Wattle	160		160	50	8	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (Basin)	
2540	Acacia disparrima	Hickory Wattle	130		130	41	7	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
2541	Acacia disparrima	Hickory Wattle	130	120	177	56	9	4	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
2542	Eucalyptus tereticornis	Forest Red Gum	240		240	75	18	7	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
2543	Angophora leiocarpa	Smooth-barked Apple	100	70	122	38	9	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
2544	Eucalyptus tereticornis	Forest Red Gum	320		320	101	20	7	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
2545	Angophora leiocarpa	Smooth-barked Apple	100		100	31	8	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
2546	Acacia concurrens	Black Wattle	120		120	38	7	4	2.0	1.4	Regular	-	-	-	-	-	Typical	Minor	-	-	-	-	Typical	-	-	-	-		-	Retain
2562	Angophora leiocarpa	Smooth-barked Apple	110		110	35	10	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (Basin)	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Retain	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
2563	Angophora leiocarpa	Smooth-barked Apple	140		140	44	16	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (Basin)
2564	Alphitonia excelsa	Soap Tree	100		100	31	7	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (Basin)
2565	Angophora leiocarpa	Smooth-barked Apple	150		150	47	16	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (Basin)
2566	Lophostemon suaveolens	Swamp Box	210		210	66	12	4	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (Basin)
2567	Alphitonia excelsa	Soap Tree	160		160	50	16	5	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (Basin)
2568	Corymbia citriodora	Spotted Gum	160		160	50	16	5	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (Basin)
2569	Alphitonia excelsa	Soap Tree	100		100	31	8	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (Basin)
2570	Angophora leiocarpa	Smooth-barked Apple	100		100	31	9	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (Basin)
2571	Acacia disparrima	Hickory Wattle	120		120	38	8	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2572	Lophostemon suaveolens	Swamp Box	100		100	31	14	4	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2573	Acacia disparrima	Hickory Wattle	100		100	31	16	4	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2574	Alphitonia excelsa	Soap Tree	160		160	50	10	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (Basin)
2575	Acacia concurrens	Black Wattle	140		140	44	10	5	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2576	Lophostemon suaveolens	Swamp Box	100	60	117	37	7	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2577	Lophostemon suaveolens	Swamp Box	100	90	135	42	7	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (Basin)
2578	Acacia concurrens	Black Wattle	240		240	75	12	5	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (Basin)
2579	Acacia disparrima	Hickory Wattle	170	100	197	62	12	5	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2580	Acacia disparrima	Hickory Wattle	120		120	38	9	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2581	Alphitonia excelsa	Soap Tree	120		120	38	10	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2582	Eucalyptus crebra	Narrow-leaved Ironbark	180	140	228	72	14	5	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2583	Corymbia intermedia	Pink Bloodwood	100		100	31	8	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2584	Acacia disparrima	Hickory Wattle	100		100	31	9	4	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2585	Alphitonia excelsa	Soap Tree	120		120	38	12	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2586	Acacia disparrima	Hickory Wattle	100		100	31	7	4	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2587	Acacia concurrens	Black Wattle	110		110	35	14	4	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2588	Corymbia intermedia	Pink Bloodwood	140	90	166	52	10	3	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2589	Corymbia intermedia	Pink Bloodwood	400		400	126	18	6	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2590	Alphitonia excelsa	Soap Tree	140		140	44	12	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2591	Acacia disparrima	Hickory Wattle	100	70	122	38	10	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2592	Alphitonia excelsa	Soap Tree	110		110	35	9	4	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2593	Corymbia intermedia	Pink Bloodwood	100		100	31	8	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2594	Eucalyptus crebra	Narrow-leaved Ironbark	180		180	57	16	4	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2595	Acacia disparrima	Hickory Wattle	120		120	38	9	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2596	Eucalyptus crebra	Narrow-leaved Ironbark	190		190	60	18	6	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2597	Corymbia intermedia	Pink Bloodwood	660		660	207	24	10	7.9	2.8	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-		-	Retain
2598	Alphitonia excelsa	Soap Tree	100		100	31	9	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2599	Acacia concurrens	Black Wattle	110		110	35	10	4	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2600	Angophora leiocarpa	Smooth-barked Apple	150		150	47	16	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2601	Acacia concurrens	Black Wattle	130		130	41	14	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2602	Alphitonia excelsa	Soap Tree	140		140	44	12	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Retain
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
2603	Alphitonia excelsa	Soap Tree	120		120	38	12	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2604	Alphitonia excelsa	Soap Tree	100		100	31	12	4	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2605	Alphitonia excelsa	Soap Tree	140		140	44	10	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2606	Alphitonia excelsa	Soap Tree	100		100	31	14	4	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2607	Corymbia intermedia	Pink Bloodwood	500		500	157	22	9	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2608	Angophora leiocarpa	Smooth-barked Apple	160		160	50	16	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2609	Alphitonia excelsa	Soap Tree	170		170	53	18	6	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2610	Acacia disparrima	Hickory Wattle	230		230	72	18	8	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2611	Alphitonia excelsa	Soap Tree	120		120	38	10	4	2.0	1.4	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-		-	Retain
2612	Alphitonia excelsa	Soap Tree	100		100	31	12	4	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2613	Alphitonia excelsa	Soap Tree	130		130	41	12	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2614	Alphitonia excelsa	Soap Tree	130		130	41	12	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2615	Alphitonia excelsa	Soap Tree	120		120	38	12	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2616	Alphitonia excelsa	Soap Tree	160		160	50	14	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2617	Alphitonia excelsa	Soap Tree	120		120	38	14	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2618	Acacia disparrima	Hickory Wattle	170		170	53	16	5	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2619	Acacia disparrima	Hickory Wattle	100		100	31	12	4	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2620	Acacia disparrima	Hickory Wattle	100		100	31	7	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2621	Alphitonia excelsa	Soap Tree	140		140	44	14	5	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2622	Acacia concurrens	Black Wattle	100		100	31	10	4	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2623	Allocasuarina littoralis	Black She-oak	120		120	38	14	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2624	Corymbia intermedia	Pink Bloodwood	400		400	126	24	9	4.8	2.3	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2625	Alphitonia excelsa	Soap Tree	160		160	50	14	5	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2626	Alphitonia excelsa	Soap Tree	180		180	57	16	5	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2627	Acacia concurrens	Black Wattle	100		100	31	10	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2628	Acacia disparrima	Hickory Wattle	150		150	47	16	6	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2629	Alphitonia excelsa	Soap Tree	120		120	38	16	6	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2630	Acacia disparrima	Hickory Wattle	110		110	35	14	5	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2631	Alphitonia excelsa	Soap Tree	130		130	41	16	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2632	Alphitonia excelsa	Soap Tree	100		100	31	9	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2633	Alphitonia excelsa	Soap Tree	120		120	38	16	5	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2634	Acacia concurrens	Black Wattle	130		130	41	14	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2635	Acacia disparrima	Hickory Wattle	130		130	41	10	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2636	Acacia disparrima	Hickory Wattle	130		130	41	12	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2637	Eucalyptus crebra	Narrow-leaved Ironbark	100		100	31	10	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2638	Acacia disparrima	Hickory Wattle	110		110	35	16	5	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2639	Lophostemon suaveolens	Swamp Box	270		270	85	16	6	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2640	Alphitonia excelsa	Soap Tree	100		100	31	12	4	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2641	Corymbia intermedia	Pink Bloodwood	660		660	207	24	11	7.9	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2642	Acacia disparrima	Hickory Wattle	130		130	41	10	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Retain	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
2643	Alphitonia excelsa	Soap Tree	110		110	35	14	4	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2644	Alphitonia excelsa	Soap Tree	100		100	31	9	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2645	Corymbia intermedia	Pink Bloodwood	150		150	47	14	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2646	Acacia concurrens	Black Wattle	120		120	38	12	3	2.0	1.4	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2647	Acacia concurrens	Black Wattle	150		150	47	16	5	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2648	Acacia disparrima	Hickory Wattle	130		130	41	9	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2649	Eucalyptus crebra	Narrow-leaved Ironbark	680		680	214	24	12	8.2	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2650	Corymbia intermedia	Pink Bloodwood	120		120	38	10	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2651	Lophostemon suaveolens	Swamp Box	130		130	41	14	5	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2652	Acacia concurrens	Black Wattle	100		100	31	9	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2653	Acacia concurrens	Black Wattle	170		170	53	16	6	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2654	Corymbia intermedia	Pink Bloodwood	160		160	50	17	5	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2655	Acacia disparrima	Hickory Wattle	100		100	31	14	4	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2656	Corymbia intermedia	Pink Bloodwood	320		320	101	22	10	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2657	Acacia disparrima	Hickory Wattle	130		130	41	16	5	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2658	Melaleuca quinquenervia	Broad-leaved Paperbark	380		380	119	18	7	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2659	Alphitonia excelsa	Soap Tree	110		110	35	8	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2660	Acacia disparrima	Hickory Wattle	100		100	31	8	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2661	Alphitonia excelsa	Soap Tree	100		100	31	10	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2662	Eucalyptus crebra	Narrow-leaved Ironbark	210		210	66	18	6	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2663	Eucalyptus crebra	Narrow-leaved Ironbark	200		200	63	14	5	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2664	Corymbia intermedia	Pink Bloodwood	450		450	141	24	11	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2665	Alphitonia excelsa	Soap Tree	110		110	35	14	4	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2666	Lophostemon suaveolens	Swamp Box	250		250	79	16	5	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2667	Lophostemon suaveolens	Swamp Box	280		280	88	16	6	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2668	Eucalyptus crebra	Narrow-leaved Ironbark	550		550	173	22	12	6.6	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2669	Melaleuca quinquenervia	Broad-leaved Paperbark	540		540	170	24	12	6.5	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2670	Eucalyptus crebra	Narrow-leaved Ironbark	220		220	69	16	5	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2671	Lophostemon suaveolens	Swamp Box	240		240	75	14	4	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2672	Corymbia intermedia	Pink Bloodwood	250		250	79	14	4	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2673	Corymbia intermedia	Pink Bloodwood	180		180	57	16	6	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2674	Eucalyptus crebra	Narrow-leaved Ironbark	180		180	57	16	5	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2675	Eucalyptus crebra	Narrow-leaved Ironbark	340		340	107	18	7	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2676	Eucalyptus crebra	Narrow-leaved Ironbark	230		230	72	16	5	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2677	Lophostemon suaveolens	Swamp Box	310		310	97	16	6	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2678	Allocasuarina littoralis	Black She-oak	140		140	44	14	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2679	Lophostemon suaveolens	Swamp Box	390		390	123	20	8	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2680	Alphitonia excelsa	Soap Tree	150		150	47	18	7	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2681	Corymbia intermedia	Pink Bloodwood	110		110	35	18	6	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2682	Acacia disparrima	Hickory Wattle	100		100	31	12	4	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Retain	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
2683	Angophora leiocarpa	Smooth-barked Apple	420		420	132	22	12	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2684	Lophostemon suaveolens	Swamp Box	380		380	119	22	11	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2685	Eucalyptus crebra	Narrow-leaved Ironbark	180		180	57	9	3	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2686	Eucalyptus crebra	Narrow-leaved Ironbark	160		160	50	16	5	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2687	Lophostemon suaveolens	Swamp Box	380		380	119	20	9	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2688	Melaleuca quinquenervia	Broad-leaved Paperbark	480		480	151	18	7	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (Basin)
2689	Eucalyptus crebra	Narrow-leaved Ironbark	390		390	123	18	8	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2690	Corymbia intermedia	Pink Bloodwood	240		240	75	18	6	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2691	Alphitonia excelsa	Soap Tree	240		240	75	14	5	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2692	Eucalyptus crebra	Narrow-leaved Ironbark	650		650	204	24	11	7.8	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2693	Corymbia intermedia	Pink Bloodwood	220		220	69	16	6	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2694	Allocasuarina littoralis	Black She-oak	240		240	75	16	6	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (Basin)
2695	Lophostemon suaveolens	Swamp Box	450		450	141	20	8	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2696	Lophostemon suaveolens	Swamp Box	260		260	82	18	7	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2697	Alphitonia excelsa	Soap Tree	120		120	38	15	6	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2698	Acacia concurrens	Black Wattle	100		100	31	7	4	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (Basin)
2699	Eucalyptus crebra	Narrow-leaved Ironbark	100		100	31	7	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (Basin)
2700	Acacia disparrima	Hickory Wattle	110		110	35	6	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2701	Acacia disparrima	Hickory Wattle	100		100	31	6	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2702	Acacia disparrima	Hickory Wattle	110		110	35	5	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2703	Acacia disparrima	Hickory Wattle	110		110	35	6	4	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2704	Angophora leiocarpa	Smooth-barked Apple	150		150	47	9	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2705	Corymbia intermedia	Pink Bloodwood	350		350	110	17	7	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2706	Corymbia intermedia	Pink Bloodwood	200		200	63	14	5	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2707	Acacia disparrima	Hickory Wattle	110		110	35	8	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2708	Alphitonia excelsa	Soap Tree	170		170	53	9	4	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2709	Melaleuca quinquenervia	Broad-leaved Paperbark	150		150	47	8	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2710	Melaleuca quinquenervia	Broad-leaved Paperbark	200		200	63	9	5	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2711	Melaleuca quinquenervia	Broad-leaved Paperbark	190	180	262	82	12	8	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2712	Acacia disparrima	Hickory Wattle	110		110	35	6	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2713	Alphitonia excelsa	Soap Tree	150		150	47	8	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2714	Acacia disparrima	Hickory Wattle	100		100	31	7	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2715	Acacia disparrima	Hickory Wattle	100		100	31	6	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2716	Alphitonia excelsa	Soap Tree	110		110	35	7	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2717	Alphitonia excelsa	Soap Tree	100	100	141	44	7	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2718	Acacia disparrima	Hickory Wattle	130		130	41	8	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2719	Eucalyptus tereticornis	Forest Red Gum	420		420	132	18	9	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2720	Eucalyptus tereticornis	Forest Red Gum	440		440	138	18	8	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2721	Acacia disparrima	Hickory Wattle	100		100	31	5	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2722	Alphitonia excelsa	Soap Tree	100		100	31	5	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Retain	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
2723	Alphitonia excelsa	Soap Tree	110		110	35	5	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2724	Alphitonia excelsa	Soap Tree	120		120	38	7	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2725	Lophostemon suaveolens	Swamp Box	200		200	63	7	4	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2726	Alphitonia excelsa	Soap Tree	120		120	38	8	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2727	Corymbia intermedia	Pink Bloodwood	270		270	85	15	6	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2728	Eucalyptus tereticornis	Forest Red Gum	560		560	176	17	8	6.7	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2729	Melaleuca quinquenervia	Broad-leaved Paperbark	240		240	75	8	3	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2730	Alphitonia excelsa	Soap Tree	150		150	47	8	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2731	Allocasuarina littoralis	Black She-oak	150		150	47	7	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2732	Corymbia citriodora	Spotted Gum	390		390	123	19	8	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2733	Alphitonia excelsa	Soap Tree	150		150	47	9	5	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2734	Alphitonia excelsa	Soap Tree	150		150	47	8	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2735	Acacia disparrima	Hickory Wattle	170		170	53	9	5	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2736	Acacia disparrima	Hickory Wattle	130	130, 130	225	71	8	6	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2737	Corymbia citriodora	Spotted Gum	110		110	35	7	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2738	Acacia disparrima	Hickory Wattle	110		110	35	7	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2739	DEAD/STAG		240		240	75	9	1	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2740	Eucalyptus tereticornis	Forest Red Gum	280		280	88	14	6	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2741	Acacia disparrima	Hickory Wattle	130		130	41	7	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2742	Lophostemon suaveolens	Swamp Box	260		260	82	12	6	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2743	Acacia disparrima	Hickory Wattle	110		110	35	8	4	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2744	Corymbia intermedia	Pink Bloodwood	250		250	79	12	5	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2745	Allocasuarina littoralis	Black She-oak	230		230	72	11	5	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2746	Acacia disparrima	Hickory Wattle	130	120	177	56	7	3	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2747	Angophora leiocarpa	Smooth-barked Apple	300		300	94	14	5	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2748	Acacia disparrima	Hickory Wattle	170		170	53	7	5	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2749	Alphitonia excelsa	Soap Tree	100	90	135	42	7	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2750	Acacia disparrima	Hickory Wattle	150		150	47	7	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2751	Alphitonia excelsa	Soap Tree	120		120	38	7	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2752	Corymbia citriodora	Spotted Gum	100		100	31	8	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2753	Lophostemon suaveolens	Swamp Box	200		200	63	10	5	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2754	Corymbia intermedia	Pink Bloodwood	330		330	104	20	7	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2755	Alphitonia excelsa	Soap Tree	110		110	35	7	4	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2756	Allocasuarina littoralis	Black She-oak	120		120	38	7	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2757	Melaleuca quinquenervia	Broad-leaved Paperbark	300	300	424	133	12	6	5.1	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2758	Corymbia intermedia	Pink Bloodwood	320		320	101	14	7	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2759	Acacia disparrima	Hickory Wattle	110		110	35	7	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2760	Corymbia citriodora	Spotted Gum	140		140	44	9	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2761	Melaleuca quinquenervia	Broad-leaved Paperbark	320		320	101	13	5	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2762	Corymbia citriodora	Spotted Gum	110		110	35	8	4	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Retain	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
2763	Corymbia citriodora	Spotted Gum	110		110	35	7	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2764	Corymbia citriodora	Spotted Gum	160		160	50	9	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2765	Acacia disparrima	Hickory Wattle	110		110	35	7	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2766	Corymbia citriodora	Spotted Gum	110		110	35	8	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2767	Acacia disparrima	Hickory Wattle	110		110	35	5	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2768	Corymbia citriodora	Spotted Gum	490		490	154	19	8	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2769	Eucalyptus tereticornis	Forest Red Gum	400		400	126	13	7	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2770	Lophostemon suaveolens	Swamp Box	130		130	41	7	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2771	Eucalyptus crebra	Narrow-leaved Ironbark	240		240	75	17	8	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2772	Corymbia citriodora	Spotted Gum	220		220	69	16	7	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2773	Alphitonia excelsa	Soap Tree	190		190	60	6	4	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2774	Acacia disparrima	Hickory Wattle	100		100	31	5	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2775	Acacia disparrima	Hickory Wattle	110		110	35	6	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (Construction Buffer)
2776	Acacia disparrima	Hickory Wattle	110		110	35	7	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (Construction Buffer)
2777	Lophostemon suaveolens	Swamp Box	270		270	85	12	7	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2778	Lophostemon suaveolens	Swamp Box	200		200	63	9	5	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2779	Melaleuca quinquenervia	Broad-leaved Paperbark	150		150	47	7	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2780	Alphitonia excelsa	Soap Tree	100		100	31	6	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2781	Acacia disparrima	Hickory Wattle	130		130	41	7	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2782	Corymbia citriodora	Spotted Gum	110		110	35	7	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2783	Corymbia citriodora	Spotted Gum	100	90	135	42	6	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2805	Corymbia citriodora	Spotted Gum	210		210	66	13	5	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (Basin)
2806	Corymbia citriodora	Spotted Gum	260		260	82	16	6	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2807	Corymbia citriodora	Spotted Gum	250	190	314	99	13	5	3.8	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (Basin)
2808	Alphitonia excelsa	Soap Tree	140		140	44	6	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (Basin)
2809	Corymbia citriodora	Spotted Gum	400		400	126	22	8	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (Basin)
2810	Lophostemon suaveolens	Swamp Box	100		100	31	7	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (Basin)
2811	Acacia disparrima	Hickory Wattle	110		110	35	6	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (Basin)
2812	Acacia disparrima	Hickory Wattle	120		120	38	7	5	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (Basin)
2813	Acacia concurrens	Black Wattle	100		100	31	6	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (Basin)
2814	Acacia concurrens	Black Wattle	110		110	35	6	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (Basin)
2815	Acacia concurrens	Black Wattle	120		120	38	7	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (Basin)
2816	Acacia disparrima	Hickory Wattle	100		100	31	7	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (Basin)
2817	Corymbia intermedia	Pink Bloodwood	260		260	82	14	6	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2818	Eucalyptus crebra	Narrow-leaved Ironbark	270		270	85	15	6	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2819	Corymbia intermedia	Pink Bloodwood	320		320	101	15	7	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2820	Acacia disparrima	Hickory Wattle	130		130	41	7	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2821	Acacia disparrima	Hickory Wattle	140		140	44	9	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2822	Eucalyptus tereticornis	Forest Red Gum	410		410	129	16	7	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (Basin)
2823	Corymbia intermedia	Pink Bloodwood	210		210	66	12	5	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (Basin)

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Retain		
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	
2824	Lophostemon suaveolens	Swamp Box	320		320	101	14	7	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
2825	Alphitonia excelsa	Soap Tree	120		120	38	8	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
2826	Lophostemon suaveolens	Swamp Box	290		290	91	13	7	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
2827	Alphitonia excelsa	Soap Tree	120		120	38	8	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
2828	Lophostemon suaveolens	Swamp Box	230		230	72	11	5	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
2829	Lophostemon suaveolens	Swamp Box	320		320	101	14	5	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (Basin)	
2830	Corymbia intermedia	Pink Bloodwood	170		170	53	9	4	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (Basin)	
2831	Melaleuca quinquenervia	Broad-leaved Paperbark	240		240	75	11	6	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (Basin)	
2832	Corymbia intermedia	Pink Bloodwood	270		270	85	15	6	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (Basin)	
2833	Acacia concurrens	Black Wattle	150		150	47	7	4	2.0	1.5	Regular	-	-	-	-	-	Typical	Minor	-	-	-	-	Typical	-	-	-	-		-	Remove (Basin)
2834	Eucalyptus crebra	Narrow-leaved Ironbark	150	100	180	57	12	4	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (Basin)	
2835	Acacia concurrens	Black Wattle	130		130	41	7	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (Basin)	
2836	Acacia concurrens	Black Wattle	100		100	31	7	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (Basin)	
2837	Melaleuca quinquenervia	Broad-leaved Paperbark	110		110	35	6	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (Basin)	
2838	Melaleuca quinquenervia	Broad-leaved Paperbark	100		100	31	6	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (Basin)	
2839	Acacia concurrens	Black Wattle	140		140	44	7	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (Basin)	
2840	Corymbia intermedia	Pink Bloodwood	130	100, 100	192	60	8	3	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
2841	Eucalyptus crebra	Narrow-leaved Ironbark	320		320	101	17	7	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
2842	Lophostemon suaveolens	Swamp Box	140		140	44	8	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
2843	Acacia concurrens	Black Wattle	100		100	31	7	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
2844	Corymbia intermedia	Pink Bloodwood	110	110	156	49	7	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (Basin)	
2845	Lophostemon suaveolens	Swamp Box	150		150	47	6	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (Basin)	
2846	Corymbia intermedia	Pink Bloodwood	100		100	31	7	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
2847	Corymbia intermedia	Pink Bloodwood	140	120, 120	220	69	8	3	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
2848	Corymbia intermedia	Pink Bloodwood	130	100, 100	192	60	8	3	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
2849	Corymbia intermedia	Pink Bloodwood	100		100	31	7	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
2850	Acacia disparrima	Hickory Wattle	160		160	50	7	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (Construction Buffer)	
2851	Lophostemon suaveolens	Swamp Box	140		140	44	9	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (Basin)	
2852	Acacia disparrima	Hickory Wattle	160		160	50	7	6	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (Basin)	
2853	Lophostemon suaveolens	Swamp Box	130	100	164	52	8	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
2854	Acacia disparrima	Hickory Wattle	110		110	35	7	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
2855	Acacia disparrima	Hickory Wattle	110		110	35	7	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
2856	Lophostemon suaveolens	Swamp Box	200		200	63	8	5	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
2857	Acacia disparrima	Hickory Wattle	120		120	38	8	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
2858	Corymbia intermedia	Pink Bloodwood	130		130	41	7	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
2859	Melaleuca quinquenervia	Broad-leaved Paperbark	190		190	60	12	4	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
2860	Melaleuca quinquenervia	Broad-leaved Paperbark	110		110	35	7	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
2861	Corymbia intermedia	Pink Bloodwood	120		120	38	7	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
2862	Eucalyptus crebra	Narrow-leaved Ironbark	140		140	44	9	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	
2863	Eucalyptus crebra	Narrow-leaved Ironbark	110		110	35	9	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain	

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Retain	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
2864	Eucalyptus crebra	Narrow-leaved Ironbark	140		140	44	10	5	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (Construction Buffer)
2865	Eucalyptus crebra	Narrow-leaved Ironbark	100		100	31	7	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (Basin)
2866	Eucalyptus crebra	Narrow-leaved Ironbark	140		140	44	11	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (Construction Buffer)
2867	Eucalyptus crebra	Narrow-leaved Ironbark	170		170	53	8	3	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2868	Corymbia intermedia	Pink Bloodwood	490		490	154	22	10	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2869	Lophostemon suaveolens	Swamp Box	120		120	38	7	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2870	Melaleuca quinquenervia	Broad-leaved Paperbark	120		120	38	7	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2871	Melaleuca quinquenervia	Broad-leaved Paperbark	260		260	82	11	5	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2872	Eucalyptus crebra	Narrow-leaved Ironbark	250		250	79	14	6	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2873	Corymbia intermedia	Pink Bloodwood	250		250	79	12	5	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2874	Lophostemon suaveolens	Swamp Box	200		200	63	11	5	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2875	Eucalyptus crebra	Narrow-leaved Ironbark	350		350	110	23	9	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2876	Lophostemon suaveolens	Swamp Box	120		120	38	5	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2877	Corymbia intermedia	Pink Bloodwood	430		430	135	18	9	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2878	Acacia disparrima	Hickory Wattle	130		130	41	8	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (Construction Buffer)
2879	Corymbia intermedia	Pink Bloodwood	400		400	126	23	9	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (Basin)
2880	Acacia disparrima	Hickory Wattle	100		100	31	7	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2881	Eucalyptus crebra	Narrow-leaved Ironbark	660		660	207	23	12	7.9	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2882	Acacia disparrima	Hickory Wattle	120		120	38	6	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (Basin)
2883	Corymbia intermedia	Pink Bloodwood	400		400	126	22	9	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (Basin)
2884	Acacia disparrima	Hickory Wattle	120		120	38	7	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (Construction Buffer)
2885	Eucalyptus crebra	Narrow-leaved Ironbark	300		300	94	15	7	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (Basin)
2886	Angophora leiocarpa	Smooth-barked Apple	390		390	123	19	9	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (Basin)
2887	Angophora leiocarpa	Smooth-barked Apple	100		100	31	7	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (Basin)
2888	Eucalyptus crebra	Narrow-leaved Ironbark	160		160	50	9	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (Basin)
2889	Eucalyptus tereticornis	Forest Red Gum	300		300	94	14	7	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (Basin)
2890	Lophostemon suaveolens	Swamp Box	150		150	47	7	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (Construction Buffer)
2891	DEAD/STAG		460		460	145	12	2	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-		-	Retain
2892	Eucalyptus crebra	Narrow-leaved Ironbark	390		390	123	23	9	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2893	Acacia disparrima	Hickory Wattle	120		120	38	8	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (Basin)
2894	Corymbia citriodora	Spotted Gum	120		120	38	9	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (Basin)
2895	Alphitonia excelsa	Soap Tree	100	60	117	37	8	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (Basin)
2896	Acacia concurrens	Black Wattle	100		100	31	9	4	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (Basin)
2897	Eucalyptus siderophloia	Northern Grey Ironbark	120		120	38	12	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (Basin)
2898	Corymbia citriodora	Spotted Gum	100		100	31	9	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (Construction Buffer)
2905	Petalostigma pubescens	Quinine Bush	200		200	63	12	5	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2906	Acacia disparrima	Hickory Wattle	160		160	50	15	5	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2907	Acacia disparrima	Hickory Wattle	140		140	44	9	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2908	Corymbia citriodora	Spotted Gum	200		200	63	15	7	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2909	Acacia disparrima	Hickory Wattle	110		110	35	8	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Retain	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
2910	Corymbia intermedia	Pink Bloodwood	430		430	135	17	11	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2911	Acacia disparrima	Hickory Wattle	130		130	41	8	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2912	Petalostigma pubescens	Quinine Bush	180		180	57	13	6	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2913	Petalostigma pubescens	Quinine Bush	190		190	60	9	4	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2933	Alphitonia excelsa	Soap Tree	110	100	149	47	15	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2900	Acacia disparrima	Hickory Wattle	130	80, 70	168	53	8	5	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2901	Acacia disparrima	Hickory Wattle	100	90, 50	144	45	8	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2902	Acacia disparrima	Hickory Wattle	120		120	38	9	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2903	Corymbia intermedia	Pink Bloodwood	210		210	66	14	5	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2904	Corymbia citriodora	Spotted Gum	220		220	69	14	7	2.6	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2916	Acacia disparrima	Hickory Wattle	100		100	31	9	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (Construction Buffer)
2917	Allocasuarina littoralis	Black She-oak	100		100	31	8	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (Construction Buffer)
2918	Lophostemon suaveolens	Swamp Box	100		100	31	8	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2919	Corymbia citriodora	Spotted Gum	130		130	41	12	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (Basin)
2920	Acacia disparrima	Hickory Wattle	140		140	44	11	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2921	Corymbia citriodora	Spotted Gum	340	200	394	124	22	6	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (Construction Buffer)
2922	Corymbia citriodora	Spotted Gum	270		270	85	21	3	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (Construction Buffer)
2925	Acacia disparrima	Hickory Wattle	120		120	38	10	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (Basin)
2926	Alphitonia excelsa	Soap Tree	110		110	35	8	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (Basin)
2927	Acacia disparrima	Hickory Wattle	120		120	38	8	1	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (Basin)
2928	Corymbia citriodora	Spotted Gum	300		300	94	21	3	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (Basin)
2935	Lophostemon suaveolens	Swamp Box	100		100	31	15	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (Basin)
2936	Lophostemon suaveolens	Swamp Box	170		170	53	15	2	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2914	Corymbia citriodora	Spotted Gum	140		140	44	12	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2915	Acacia disparrima	Hickory Wattle	100		100	31	8	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2923	Alphitonia excelsa	Soap Tree	120		120	38	15	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (Construction Buffer)
2924	Corymbia intermedia	Pink Bloodwood	180		180	57	19	2	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2929	Corymbia citriodora	Spotted Gum	103		103	32	12	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2930	Corymbia citriodora	Spotted Gum	110		110	35	12	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2931	Corymbia intermedia	Pink Bloodwood	250		250	79	18	2	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2932	Corymbia citriodora	Spotted Gum	110		110	35	15	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain
2934	Allocasuarina littoralis	Black She-oak	100		100	31	12	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (Construction Buffer)
2899	Alphitonia excelsa	Soap Tree	110		110	35	9	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (Basin)