

Our ref: DEV2025/FLA/4145

6 February 2026

Pacific International Development Corporation Pty Ltd ATF the PIDC Trust
C/- Urban Planning Services Pty Ltd
Att: Alex Glassington
Email: admin@urbanps.com.au

Dear Applicant

Changed PDA Decision Notice

Notice given for the purposes of section 99 of the Economic Development Act 2012

Priority Development Area (PDA):	Greater Flagstone
PDA Development Approval:	Change to PDA Development Approval for Development Permit for RAL for 2 Lots into 313 Lots with Associated Roads and Parks with a Plan of Development and MCU for Utility Installation (Wastewater Pump Station)
Property Location:	24 Bushman Drive & 68 Wyatt Road, Jimboomba
Property Description:	Lot 24 on SP142997 & Lot 1 on RP49296

On 6 February 2026, Economic Development Queensland (EDQ) decided to approve **part** of the Amendment Application for the above PDA Development Approval subject to PDA Development Conditions in accordance with the attached Changed Decision Notice.

The Changed Decision Notice and approved plans and documents can also be viewed on EDQ's website at [Current applications and approvals](#).

If you require any further information, please contact Andrew Edwards on 3035 0120 or by email at andrew.edwards@edq.qld.gov.au.

Yours sincerely



Adam Dunn
Director
Development Services
Economic Development Queensland

Cc: Logan City Council – email - council@logan.qld.gov.au

Changed Decision Notice

Site information		
Name of priority development area (PDA)	Greater Flagstone PDA	
Site address	24 Bushman Drive & 68 Wyatt Road, Jimboomba	
Lot on plan description	Lot number	Plan description
	Lot 24	SP142997
	Lot 1	RP49296
PDA Development Approval details		
DEV Reference No.	DEV2025-FLA-4145	
Original Approval details	PDA Development Approval for Development Permit for RAL for 2 Lots into 313 Lots with Associated Roads and Parks with a Plan of Development and MCU for Utility Installation	
Change to Approval Decision	EDQ has decided to grant part of the changes to the PDA Development Approval applied for, subject to PDA Development Conditions forming part of this Changed Decision Notice. The approval is for changes to the following: • Deletion of Condition 11 – Bushman Drive Improvements – External to PDA • Deletion of Condition 14 – Teviot Road / Glynton Road / Homestead Drive Intersection and Connection to External Road – External to PDA	
Original decision date	30/07/2019	
Change to Approval decision date	06/02/2026	
Currency Period	Ten (10) years from the Original decision date	

Approved plans and documents				
The plans and documents approved and referred to in the PDA Development Conditions for the PDA Development Approval are detailed below.				
Plans and documents previously approved on 20 th November 2025				
Plan/Document Name		Reference No.	Prepared By	Date
1.	Subdivision Proposal Plan	AU012827-PP-7b Sheet 1 of 5	RPS	30 October 2025
2.	Subdivision Proposed Plan	AU012827-PP-7b Sheet 2 of 5	RPS	30 October 2025

3.	Subdivision Proposal Plan	AU012827-PP-7b Sheet 3 of 5	RPS	30 October 2025
4.	Subdivision Proposed Plan	AU012827-PP-7b Sheet 4 of 5	RPS	30 October 2025
5.	Subdivision Proposed Plan	AU012827-PP-7b Sheet 5 of 5	RPS	30 October 2025
6.	Plan of Development	AU012827-POD-6b Sheet 1 of 2	RPS	30 October 2025
7.	Plan of Development	AU012827-POD-6b Sheet 2 of 2	RPS	30 October 2025
Plans and documents previously approved on 04 June 2024				
8.	Plan of Development	3231E-MC-01	RPS	25 March 2024
Plans and documents previously approved on 08 March 2022				
9.	Vegetation Management Plan Bushman + Wyatt	9245 VMP Version F E01-E28 and Tree Schedule (v5)	Saunders Havill Group	November 2021
Plans and documents previously approved on 24 January 2020				
10.	Bushman & Wyatt Sewer IMP	23305-ALL, Revision C	Mortons Urban Solution	19 December 2019
Plans and documents previously approved on 30 July 2019				
11.	Preliminary Overall Earthworks Plan	23305-PRE-S040, Revision B	Mortons Urban Solution	29 January 2019
12.	Preliminary Earthworks Detail Sheet 01	23305-PRE-S041, Revision B	Mortons Urban Solution	29 January 2019
13.	Preliminary Earthworks Detail Sheet 02	23305-PRE-S042, Revision B	Mortons Urban Solution	29 January 2019
14.	Preliminary Earthworks Detail Sheet 03	23305-PRE-S043, Revision B	Mortons Urban Solution	29 January 2019
15.	Preliminary Earthworks Detail Sheet 04	23305-PRE-S044, Revision B	Mortons Urban Solution	19 January 2019
16.	Preliminary Earthworks Detail Sheet 05	23305-PRE-S045, Revision B	Mortons Urban Solution	19 January 2019
17.	Preliminary Overall Earthworks Cut and Fill Plan	23305-PRE-S050, Revision A	Mortons Urban Solution	12 February 2019
18.	Preliminary Earthworks Cut and Fill Detail Sheet 01	23305-PRE-S051, Revision A	Mortons Urban Solution	12 February 2019
19.	Preliminary Earthworks Cut and Fill Detail Sheet 02	23305-PRE-S052, Revision A	Mortons Urban Solution	12 February 2019
20.	Preliminary Earthworks Cut and Fill Detail Sheet 03	23305-PRE-S053, Revision A	Mortons Urban Solution	12 February 2019

21.	Preliminary Earthworks Cut and Fill Detail Sheet 04	23305-PRE-S054, Revision A	Mortons Urban Solution	12 February 2019
22.	Preliminary Earthworks Cut and Fill Detail Sheet 05	23305-PRE-S055, Revision A	Mortons Urban Solution	12 February 2019 (as amended in red dated 15 July 2019)
23.	Global Stability Assessment of Proposed Earthwork Adjacent to Railway Corridor	GE19/017	Morrison Geotechnical	February 2019
24.	EDQ's Teviot Road Typical Sections	23300-EXT2-SK047, Revision D	Mortons Urban Solution	17 July 2019
25.	Stormwater Management Plan, Proposed Development at 24 Bushman Drive & 68 Wyatt Road, Jimboomba QLD	R.B23188.003.SMP	BMT WBM Global Pty Ltd	5 March 2019
26.	Preliminary Flood Storage Q100 Extent Plan Overall	23305-ALL-SK002, Revision A	Mortons Urban Solution	12 February 2019
27.	Preliminary Flood Storage Q100 Extent Plan Sheet 01	23305-ALL-SK003, Revision A	Mortons Urban Solution	12 February 2019
28.	Preliminary Flood Storage Q100 Extent Plan Sheet 02	23305-ALL-SK004, Revision A	Mortons Urban Solution	12 February 2019
29.	Preliminary Flood Storage Cut and Fill Plan Overall	23305-ALL-SK005, Revision A	Mortons Urban Solution	12 February 2019
30.	Preliminary Flood Storage Cut and Fill Plan Sheet 01	23305-ALL-SK006, Revision B	Mortons Urban Solution	12 February 2019
31.	Preliminary Flood Storage Cut and Fill Plan Sheet 02	23305-ALL-SK007, Revision B	Mortons Urban Solution	12 February 2019
32.	Bushman & Wyatt Watter Supply IMP	23305-ALL, Revision B	Mortons Urban Solution	14 February 2019
33.	Rail and Road Traffic Noise Assessment	H076_CEB06678, Version 04	Cardno	5 March 2019
34.	Traffic Report Bushman Drive & Wyatt Road	CEB06678, Version 3	Cardno	9 November 2018
35.	Fauna Management Plan	9245, Issue E	Saunders Havill Group	11 March 2019
36.	Updated Bushfire Management Plan for Lot 24-SP142997 and Lot 1-RP429296 at 24 Bushman Drive and 68 Wyatt Road	18-035 Updated Report (Feb 2019)	The Consultancy Bureau Pty Ltd	February 2019
37.	Bushman Drive Jimboomba Landscape Concept Plan	9245, Issue C	Saunders Havill Group	February 2019

38.	Bushman + Wyatt Ecological Sustainability Overarching Site Strategy	23305/ALL	Mortons Urban Solution	21 September 2018 (as amended in red dated 15 July 2019)
-----	---	-----------	------------------------	---

Compliance assessment

Where a condition of this approval requires Compliance Assessment, Compliance Assessment is required in accordance with the following:

- a) The Applicant must:
 - i) pay to EDQ at the time of submission the relevant fee for Compliance Assessment, including any third party peer review costs which will be charged on a 100% cost recovery basis. The Compliance Assessment fees are set out in EDQ Development Services Fees and Charges Schedule¹ (as amended from time to time).
 - ii) submit to EDQ DA a duly completed Compliance Assessment form².
 - iii) submit to EDQ DA the documentation as required under the relevant condition.
- b) Where EDQ is satisfied the documentation submitted for Compliance Assessment complies with the requirements of the relevant condition (or element of the condition), EDQ will endorse the documentation and advise by written notice.
- c) Compliance Assessment and endorsement can be repeated where a different design or solution, to that already endorsed, is sought.
- d) The process and timeframes that apply to Compliance Assessment are as follows:
 - i) the Applicant submits items required under a) above to EDQ Development Services for Compliance Assessment.
 - ii) **within 20 business days** – EDQ assesses the documentation and:
 1. if satisfied, endorses the documentation; or
 2. if not satisfied, notifies the Applicant accordingly.
 - iii) if the Applicant is notified under ii) above, revised documentation must be submitted **within 20 business days** from the date of notification.
 - iv) **within 20 business days** – EDQ assesses the revised documentation and:
 1. if satisfied, endorses the revised documentation; or
 2. if not satisfied, notifies the Applicant accordingly.
 - v) where MEDQ notifies the Applicant as stated under iv) above, repeat steps iii) and iv) above. If either party is not satisfied by the outcome of this process, that party can

¹ The EDQ Development Assessment Fees and Charges Schedule is available at EDQ's website.

² The Compliance Assessment form is available at EDQ's website. It sets out how to submit documentation for Compliance Assessment and how to pay Compliance Assessment fees.

elect to enter into a mediation process with an independent mediator agreed to by both parties.

Despite note v) above, the condition (or element of the condition) is determined to have been met only when EDQ endorses relevant documentation.

Submitting documentation to EDQ

Where a condition of this approval requires documentation to be submitted to EDQ Development Services or DA Engineering use the online Customer Portal <https://portal.edq.qld.gov.au/> or send to developmentsservices@edq.qld.gov.au

PDA Development Conditions

No.	Condition	Timing
1.	Carry out the Approved Development Carry out the approved development generally in accordance with the approved plans and documents.	Prior to survey plan endorsement for the relevant stage
2.	Certification of Operational Works All operational works, for contributed assets, undertaken in accordance with this approval are to comply with all requirements of and fulfil all responsibilities outlined in the <i>Certification Procedures Manual</i> .	As required by the <i>Certification Procedures Manual</i>
3.	Street Naming Submit to EDQ Development Assessment, a schedule of street names approved by Council.	Prior to survey plan endorsement for the relevant stage
4.	Entry Walls or Features The provision of entry walls or features is prohibited on roads and open space unless otherwise approved by EDQ Development Assessment.	As indicated
5.	Maintain the Approved Development Maintain the approved development (including landscaping, parking, driveways and other external spaces) generally in accordance with the approved plans and documents, and any other approval or endorsement required by these conditions.	At all times
6.	Railway Corridor Preservation a) Any works adjacent to the railway corridor that involved	a) As indicated

PDA Development Conditions		
No.	Condition	Timing
	ground disturbance, including excavation, filling/backfilling/compaction, retaining structures, stormwater management measures and batters must not encroach upon or de-stabilise the railway corridor, including all transport infrastructure or the land supporting this infrastructure. b) Submit to EDQ Development Assessment, certification from an RPEQ that all works adjoining the railway corridor has not encroached upon or de-stabilised the railway corridor, including all transport infrastructure or the land supporting this infrastructure.	b) Prior to survey plan endorsement for the relevant stage
7.	Construction Management Plan a) Submit to EDQ Development Assessment, a site-based Construction Management Plan (CMP), prepared by the principal site contractor, that manages the following: i. noise and dust generated from the site during and outside construction work hours in accordance with the <i>Environmental Protection Act 1994</i>; ii. stormwater flows around or through the site without increasing the concentration of total suspended solids or Prescribed Water Contaminants (as defined in the <i>Environmental Protection Act 1994</i>), causing erosion, creating any ponding and causing any actionable nuisance to upstream or downstream properties; and iii. contaminated land (if required), including removal, treatment and replacement in accordance with a compliance permit from an approved contaminated land auditor. b) Undertake all works generally in accordance with the CMP submitted under part a) of this condition which is to be current and available on site at all times during the construction period.	a) Prior to commencement of site works for the relevant stage b) At all times during construction
8.	Traffic Management Plan a) Submit to EDQ Development Assessment, a Traffic Management Plan (TMP) certified by a person holding a current Traffic Management Level 3 qualification or higher. The TMP is to include the following:	a) Prior to commencement of site works

PDA Development Conditions		
No.	Condition	Timing
	i. provision for the management of traffic around and through the site during and outside of construction work hours; ii. provision of parking for workers and materials delivery during and outside of construction hours of work; iii. risk identification, assessment and identification of mitigation measures; iv. ongoing monitoring, management review and certified updates (as required); and v. traffic control plans and/or traffic control diagrams, prepared in accordance with Manual or Uniform Traffic Control Devices (MUTCD), for any temporary part of full road closures of any Council or State road(s). Where subdivision plans are registered and a road reserve is created prior to finalisation of the construction of the formed road, the road is permitted to remain physically closed to pedestrian and vehicular traffic in accordance with a certified TMP. b) Undertake all works generally in accordance with the certified TMP submitted under part a) of this condition which is to be current and available on site at all times	b) At all times during construction
9.	Retaining Walls a) Submit to EDQ Development Assessment, detailed engineering plans, certified by a RPEQ, of all retaining walls on lot boundaries 1.0m or greater in height. Retaining walls are to be generally in accordance with <i>PDA Practice Notice No. 10 – Plans of development</i> unless otherwise approved by EDQ Development Assessment. b) Construct the works generally in accordance with the certified plans required under part a) of this condition. c) Submit to EDQ Development Assessment, certification from an RPEQ that all retaining wall works 1.0m or greater in height	a) Prior to commencement of site works for the relevant stage b) Prior to survey plan endorsement for the relevant stage c) Prior to survey plan endorsement

PDA Development Conditions		
No.	Condition	Timing
	have been submitted under part a) of this condition.	for the relevant stage
10.	Filling and Excavation	
	a) Submit to EDQ Development Assessment, detailed earthworks plans, certified by a RPEQ, generally in accordance with AS3798 – 2007 <i>“Guidelines on Earthworks for Commercial and Residential Developments</i> and the following approved plans: i. Preliminary Earthworks Plans, Plan Nos. 23305-PRE-S040 – S045, Rev B, dated 29 January 2019; ii. Preliminary Earthworks Cut and Fill Plans Plan Nos. 23305-PRE-S050 – S055, Rev B, dated 12 February 2019; and iii. Global Stability Assessment of Proposed Earthworks Adjacent to Railway Corridor, Report Number GE19/017, dated February 2019. The certified earthworks plans are to: i. include a geotechnical soils assessment of the site; ii. to be consistent with the Erosion and Sediment Control plans submitted under condition 38; iii. provide full detail of areas where dispersive soils will be disturbed, treatment of dispersive soils and their rehabilitation; and iv. provide full details of any areas where surplus soils are to be stockpiled. b) Carry out the earthworks generally in accordance with the certified plans submitted under part a) of this condition. c) Submit to EDQ Development Assessment, certification from an RPEQ that all earthworks have been carried out generally in accordance with the certified plans submitted under part a) of this condition and that any unsuitable material encountered has been treated or replaced with suitable material.	a) Prior to commencement of site works for the relevant stage b) Prior to survey plan endorsement for the relevant stage c) Prior to survey plan endorsement for the relevant stage

PDA Development Conditions		
No.	Condition	Timing
11.	Deleted	
12.	Compliance Assessment – Bushman Drive Improvement – Internal to PDA <u>Where road upgrade works required under condition 13, 14 and 15 is not operational and the development proposes to use Bushman Drive for access on an interim basis:</u> a) Submit to EDQ Development Assessment, for compliance assessment detailed functional layouts certified by a RPEQ for Bushman Drive from Stage 7A/7B intersection to the Bushman Drive/Teviot Road intersection. The detailed functional layout plans shall identify all Bushman Drive improvement works (i.e. shoulder construction works, relocation of existing table drains and driveway crossings) to accommodate the proposed traffic volume. The design of Bushman Drive Improvement works is to generally in accordance with EDQ Guideline No. 13 Engineering Standards and the following approved documents: i. Traffic Report – Bushman Drive & Wyatt Road, Report No. CEB06678, Version 4, dated 9 November 2018. b) Submit to EDQ Development Assessment, detailed engineering plans certified by a RPEQ generally in accordance with the endorsed documents required under part a) of this condition. c) Construct the Bushman Drive improvement works generally in accordance with the certified plans submitted under part b) of this condition. d) Submit to EDQ Development Assessment, ‘as constructed’ drawings, asset register and test results, certified by a RPEQ, in a format acceptable to the Council of all road works constructed in accordance with this condition.	a) Prior to survey plan endorsement for the first residential lot b) Prior to survey plan endorsement of the first residential lot c) Prior to survey plan endorsement for the first residential lot d) Prior to survey plan endorsement for the first residential lot
13.	Compliance Assessment – Teviot Road Upgrade (Interim and Ultimate) a) Submit to EDQ Development Assessment, for compliance assessment detailed functional layouts certified by a RPEQ for	a) Prior to commencement of

PDA Development Conditions		
No.	Condition	Timing
	Teviot Road from Bushman Drive /Teviot Road intersection to the extent of the PDA boundary. The detailed functional layout plans shall include the proposed interim and ultimate design of Teviot Road and are to generally accord with EDQ Guideline 13 - <i>PDA Guideline No. 13 Engineering standards</i> and the following approved documents: i. EDQ's Teviot Road Typical Sections, drawing No. 23300-EXT2-SK047 Revision D, dated 17 July 2019 Proposed indented bus bays and in line bus stops shall be designed in accordance with the <i>Translink Public Transport Infrastructure Manual 2015</i> and <i>Disability Standards for Accessible Public Transport 2004</i>. b) Submit to EDQ Development Assessment, detailed engineering plans for the interim certified by a RPEQ generally in accordance with the endorsed plans required under part a) of this condition. c) Construct the interim works generally in accordance with the certified plans submitted under part b) of this condition. d) Submit to EDQ Development Assessment, 'as constructed' drawings, asset register and test results, certified by a RPEQ, in a format acceptable to the Council of all road works constructed in accordance with this condition.	site works b) Prior to commencement of site works c) Where the works under condition 12 are undertaken, prior to the survey plan endorsement of the first residential stage d) Where the works under condition 12 are undertaken, prior to the survey plan endorsement of the first residential stage
14.	Deleted	
15.	Compliance Assessment – Bushman Drive (Flinders Lakes Drive) to Bushman Drive / Teviot Road Intersection a) Submit to EDQ Development Assessment, for compliance assessment detailed functional layouts certified by a RPEQ for the interim and ultimate extent of Bushman Drive (Flinders Lakes Drive) from the stage 7A/7B intersection to the Bushman Drive/Teviot Road intersection.	a) Prior to commencement of site works

PDA Development Conditions		
No.	Condition	Timing
	The detailed functional layout plans shall include the proposed ultimate design of Teviot Road generally in accordance with EDQ Guideline 13 – Engineering Standards and the following approved documents: i. Traffic Report – Bushman Drive & Wyatt Road, Report No. CEB06678, Version 4 dated 9 November 2018; ii. EDQ's Teviot Road Typical Sections, drawing No. 23300-EXT2-SK047 Revision D, dated 17 July 2019. Proposed indented bus bays and in line bus stops shall be designed in accordance with the <i>Translink Public Transport Infrastructure Manual 2015</i> and <i>Disability Standards for Accessible Public Transport 2004</i>.	
	b) Submit to EDQ Development Assessment, detailed engineering plans certified by a RPEQ for the interim extent of Flinders Lakes Drive from the stage 7A/7B intersection to the Bushman Drive /Teviot Road intersection generally in accordance with the endorsed plans required under part a) of this condition.	b) Prior to commencement of site works
	c) Construct the interim works generally in accordance with the certified plans submitted under part b) of this condition.	c) Where the works under condition 12 are undertaken, prior to the survey plan endorsement of the first residential stage
	d) Submit to EDQ Development Assessment, 'as constructed' drawings, asset register and test results, certified by a RPEQ, in a format acceptable to the Council of all road works constructed in accordance with this condition.	d) Where the works under condition 12 are undertaken, prior to the survey plan endorsement of the first residential stage
16.	Compliance Assessment – Internal Roadworks Functional Layouts Submit to EDQ Development Assessment, for compliance assessment, functional roadworks drawings, including cross-sections, for the ultimate layouts of the roads internal to the subdivision, certified by a RPEQ generally in accordance with the	Prior to survey plan endorsement for first stage

PDA Development Conditions		
No.	Condition	Timing
	Traffic Report, Report No. CEB06678, Version 3 dated 9 November 2018. The drawings must detail: i. parking bays, ii. traffic devices, iii. pedestrian footpaths, iv. cycleways, v. access driveways, vi. stormwater culverts, vii. waterway crossings, and viii. water reticulation.	
17.	Roads – Internal a) Submit to EDQ Development Assessment, engineering design and construction drawings, certified by a RPEQ, for internal roads, including parking bays, traffic devices and pedestrian footpaths, generally in accordance with EDQ Guideline 13 – Engineering Standards and the following plans/documents: i. Traffic Report, Report No. CEB06678, Version 3 dated 9 November 2018, and ii. Transport and Main Roads Fauna Sensitive Road Design manual: Volume 2 – Preferred Practices Proposed indented bus bays and in line bus stops shall be designed in accordance with the <i>Translink Public Transport Infrastructure Manual 2015</i> and <i>Disability Standards for Accessible Public Transport 2004</i>. b) Construct the works generally in accordance with the certified plans submitted under part a) of this condition. c) Submit to EDQ Development Assessment, ‘as constructed’ drawings, asset register and test results, certified by a RPEQ, in a format acceptable to the Council of all road works constructed in accordance with this condition.	a) Prior to commencement of site work for the relevant stage b) Prior to survey plan endorsement for the relevant stage c) Prior to survey plan endorsement for the relevant stage
18.	Water – Internal	

PDA Development Conditions		
No.	Condition	Timing
	a) Submit to EDQ Development Assessment, detailed water reticulation design plans, certified by a RPEQ, generally in accordance with <i>PDA Guideline No. 13 Engineering standards – Sewer and Water</i> and the following approved documents: i. Water Infrastructure Master Plan, Report No. 23305-ALL, Rev B, dated 14 February 2019. b) Construct the works generally in accordance with the certified plans submitted under part a) of this condition. c) Submit to EDQ Development Assessment, ‘as constructed’ plans, asset register, pressure and bacterial test results in accordance with Council’s current adopted standards, of all water reticulation works constructed in accordance with this condition.	a) Prior to commencement of site works for the relevant stage b) Prior to survey plan endorsement for the relevant stage c) Prior to survey plan endorsement for the relevant stage
19.	Compliance Assessment – Trunk Water Main along Teviot Road, Bushman Drive and Flinders Lakes Drive a) Submit to EDQ Development Assessment, for compliance assessment detailed design plans, certified by a RPEQ, for the 375mm diameter trunk water main along Teviot Road, Bushman Drive and Flinders Lake Drive generally in accordance with <i>PDA Guideline No. 13 Engineering standards – Sewer and Water</i> and the following approved documents: i. Water Infrastructure Master Plan, Report No. 23305-ALL, Rev B, dated 14 February 2019. b) Construct the works generally in accordance with the endorsed plans required under part a) of this condition. c) Submit to EDQ Development Assessment, ‘as–constructed’ plans, asset register, pressure and bacterial test results in accordance with Council current adopted standards.	a) Prior to survey plan endorsement for the first residential stage b) Prior to survey plan endorsement for the first residential stage c) Prior to survey plan endorsement for the first residential stage
20.	Deleted	
21.	Sewer – Internal a) Submit to EDQ Development Assessment, detailed sewer	a) Prior to

PDA Development Conditions		
No.	Condition	Timing
	reticulation design plans, certified by a RPEQ, generally in accordance with <i>PDA Guideline No. 13 Engineering standards – Sewer and Water</i> and the following approved documents: i. Sewer Infrastructure Master Plan, Report No. 23305-ALL, Rev B, dated 10 May 2019. b) Construct the works generally in accordance with the certified plans submitted under part a) of this condition. c) Submit to EDQ Development Assessment, as constructed' plans, asset register, pressure and CCTV results in accordance with Council's current adopted standards, of all sewer reticulation works constructed in accordance with this condition.	commencement of site works for the relevant stage b) Prior to survey plan endorsement for the relevant stage c) Prior to survey plan endorsement for the relevant stage
22.	Compliance Assessment – Local Sewerage Pump Station and Temporary Rising Main Injection to DN620 Sub-Regional Rising Main a) Submit to EDQ Development Assessment, for compliance assessment detailed design plans and associated report, certified by a RPEQ, for a pump station and temporary rising main injecting to DN620 sub-regional rising main to service the development, generally in accordance with <i>PDA Guideline No. 13 Engineering standards – Sewer and Water</i> and the following approved documents: i. Sewer Infrastructure Master Plan, Report No. 23305-ALL, Rev C, dated 19/12/2019. The detailed design plans and report shall include the following documents: i. Plans showing location of the pump station to be at or above the 0.5% AEP flood event and with a 50m minimum separation distance from the existing watercourse; and ii. Overflow strategy identifying measures to minimise the risk of wastewater overflow at the pump station location b) Construct the local sewerage pump station and temporary rising main generally in accordance with the endorsed plans required under part a) of this condition.	a) Prior to survey plan endorsement for the first stage b) Prior to survey plan endorsement for the first stage

PDA Development Conditions		
No.	Condition	Timing
	S050 series Rev A dated 12 February 2019). b) Construct the works generally in accordance with the certified plans submitted under part a) of this condition. c) Submit to EDQ Development Assessment, 'as constructed' drawings, including an asset register, certified by a RPEQ, in a format acceptable to the Council, of all stormwater management (quality) works constructed in accordance with this condition.	b) Prior to survey plan endorsement for the relevant stage c) Prior to survey plan endorsement for the relevant stage
25.	Stormwater Management (Quantity) a) Submit to EDQ Development Assessment, detailed design plans and hydraulic calculations, certified by a RPEQ, for the proposed stormwater drainage system generally in accordance with <i>PDA Guideline No. 13 Engineering standards – Stormwater quantity</i> and the following approved plans/documents: i. Stormwater Management Plan, Proposed development at 24 Bushman Drive & 68 Wyatt Road Jimboomba QLD, Report No. R.B23188.003.SMP, dated 5 March 2019; ii. Preliminary Flood Storage Q100 Extent Plan, Plan Nos. 23305-ALL-SK002 to SK004, Amendment A dated 12 February 2019; and iii. Preliminary Flood Storage Cut and Fill Plan (050 series), Plan Nos. 23305-ALL-SK005 to SK007, Amendment A dated 12 February 2019. b) Construct the works in accordance with the certified plans submitted under part a) of this condition. c) Submit to EDQ Development Assessment, 'as constructed' plans including an asset register and test results, certified by a RPEQ, in a format acceptable to the Council, of all stormwater management (quantity) works constructed in accordance with this condition.	a) Prior to commencement of site works for the relevant stage b) Prior to survey plan endorsement for the relevant stage c) Prior to survey plan endorsement for each stage
26.	Street Lighting Design and install a street lighting system, certified by a RPEQ, to	Prior to survey plan

PDA Development Conditions		
No.	Condition	Timing
	all roads, including footpaths/bikeways within road reserves. The design of the street lighting system is to: a) meet the relevant standards of the electricity supplier; b) be acceptable to the electricity supplier as 'Rate 2 Public Lighting'; c) be endorsed by Council as the Energex 'billable customer'; and d) be generally in accordance with Australian Standard AS1158 –<i>Lighting for Roads and Public Spaces</i>.	endorsement for the relevant stage
27.	Electricity Submit to EDQ Development Assessment, either: a) written evidence from Energex confirming that existing underground low-voltage electricity supply is available to the newly created lots; OR b) written evidence from Energex confirming that the applicant has entered into an agreement with it to provide underground electricity services.	Prior to survey plan endorsement for the relevant stage
28.	Telecommunications Submit to EDQ Development Assessment, documentation from an authorised telecommunication service provider confirming that an agreement has been entered into for the provision of underground telecommunication services to each new lot within the proposed subdivision.	Prior to survey plan endorsement for the relevant stage
29.	Broadband Submit to EDQ Development Assessment, a written agreement from an authorised telecommunications service provider that infrastructure within the development as defined under the <i>Telecommunications Legislation Amendment (Fibre Deployment) Act 2011</i>) can be provided in accordance with the Communications Alliance G645:2017 guideline, to accommodate	Prior to survey plan endorsement for the relevant stage

PDA Development Conditions		
No.	Condition	Timing
	services which are compliant with the Federal Government's National Broadband Network policy.	
30.	Public Infrastructure – Damage, Repairs and Relocation Repair any damage to existing public infrastructure that occurred during works carried out in association with the approved development. Should existing public infrastructure require relocation, due to the approved development, the developer is responsible for these costs together with compliance with relevant standards and statutory requirements.	Prior to survey plan endorsement for the relevant stage
31.	Bushfire Management and Mitigation a) Submit to EDQ Development Assessment verification from a suitably qualified professional that the works required for Bushfire Management and Mitigation within the relevant stages have been carried out generally in accordance with the Updated Bushfire Management Plan for Lot 24-SP142997 and Lot 1-RP429296, document number 18-035 Updated Report, dated February 2019. b) No building works on lots 49 and 73-79 are to commence unless the relevant lot has been certified by a suitable qualified professional in bushfire hazard assessment that the separation distance from any hazardous vegetation will achieve a radiant heat flux level of 29kW/m ² or less at the lot boundary	a) Prior to survey plan endorsement for the relevant sub-stage b) As indicated
32.	Compliance Assessment – Streetscape Works a) Submit to EDQ Development Assessment, for compliance assessment detailed streetscape works drawings, including a schedule of proposed standard and non-standard assets to be transferred to Council, certified by an AILA, generally in accordance with the approved plans. The detailed streetscape works drawings are to include, where applicable: i. location and type of street lighting in accordance with Australian Standard AS1158 – <i>Lighting for Roads and Public Spaces</i>; ii. footpath treatments; iii. location and types of streetscape furniture; iv. location and size of stormwater treatment devices; and v. street trees, including species, size and location generally in accordance with the Council adopted planting schedules	a) Prior to commencement of site works for the relevant stage

PDA Development Conditions		
No.	Condition	Timing
	and guidelines. b) Construct the works generally in accordance with the streetscape plans endorsed under part a) of this condition. c) Submit to EDQ Development Assessment, 'as constructed' plans and asset register in a format acceptable to Council certified by an AILA.	b) Prior to survey plan endorsement for the relevant stage c) Prior to survey plan endorsement for the relevant stage
33.	Compliance Assessment – Landscape Works (Parks and Open Space) a) Submit to EDQ Development Assessment, for compliance assessment detailed landscape plans, including a schedule of proposed Contributed Assets (standard and non-standard assets) to be transferred to Council, certified by an AILA, for improvement works within the proposed parkland and open space areas, generally in accordance with <i>PDA Guideline No. 12 – Park planning and design</i> and the following plans/documents: i. Bushman Drive Jimboomba Landscape Concept Plan, document number 9245, Issue C, dated February 2019. The detailed landscape plans are to generally document the following, where applicable: ii. existing contours or site levels, services and features; iii. proposed finished levels, including sections across and through the open space at critical points (e.g. Interface with roads or water bodies, retaining walls or batters); iv. location of proposed drainage and stormwater works within open space, including cross-sections and descriptions; v. locations of electricity and water connections to parks; vi. location and details of vehicle barriers/ bollards/landscaping along park frontages where required to prevent unauthorised vehicular access; vii. details and locations of any proposed building works,	a) Prior to commencement of site works for the relevant stage

PDA Development Conditions		
No.	Condition	Timing
	including: bridges, park furniture, picnic facilities and play equipment; viii. trees and plants, including species, size and location generally in accordance with Council's adopted planting schedules and guidelines; and ix. public lighting in accordance with AS1158 – '<i>Lighting for Roads and Public Spaces</i>'. b) Construct the works generally in accordance with the plans endorsed under part a) of this condition. c) Submit to EDQ Development Assessment, 'as constructed' plans and asset register in a format acceptable to Council certified by an AILA.	b) Prior to survey plan endorsement for the relevant stage c) Prior to survey plan endorsement for the relevant stage
34.	Vegetation Clearing a) Undertake vegetation clearing generally in accordance with the following plans/ documents: i. Vegetation Management Plan, Bushman + Wyatt, document number 9245, E01-E28 version F and Tree Schedule (v5), dated November 2021, and ii. Fauna Management Plan, document number 9245, dated 11 March 2019. b) Vegetation clearing is to be supervised by a qualified arborist (ADF Level 5). c) Submit to EDQ Development Assessment, written certification from a qualified arborist (AQF Level 5) that vegetation clearing has been carried out generally in accordance with part b) of this condition.	a) As indicated b) At all times c) Within 3 months of completion of clearing
35.	Vegetation Clearing Offsets a) Submit to EDQ Development Assessment, a detailed plan, endorsed by a suitably qualified arborist (AQF Level 5) or ecologist, showing the extent of High, Medium and Low Value Bushland Habitat and High and Medium Value Rehabilitation Habitat proposed to be cleared. b) Pay to the MEDQ a monetary contribution for the clearing of vegetation as set out in the EDQ Guideline 17: Remnant	a) Prior to commencement of vegetation clearing b) Prior to commencement of

PDA Development Conditions		
No.	Condition	Timing
	Vegetation and Koala Habitat Obligations in Greater Flagstone and Yarrabilba PDAs dated July 2012; OR If compensatory planting is proposed, as set out in the EDQ Guideline 17: Remnant Vegetation and Koala Habitat Obligations in Greater Flagstone and Yarrabilba PDAs dated July 2012: c) Submit to EDQ Development Assessment, for endorsement a planting plan certified by a qualified arborist (AQF Level 5) or ecologist showing the extent of compensatory planting to be undertaken, including location, type and extent of planting, as set out in the EDQ Guideline 17: Remnant Vegetation and Koala Habitat Obligations in Greater Flagstone and Yarrabilba PDAs dated July 2012. d) Undertake compensatory planting in accordance with c) of this condition. e) Once compensatory planting has been undertaken, submit to EDQ Development Assessment, confirmation from a qualified arborist (AQF Level 5) or ecologist that the compensatory planting has been undertaken in accordance with b) of this condition. Advice Note <i>An Environmental Protection and Biodiversity Conservation Act 1999 (EPBC) approval may be required for the clearing of vegetation. Where the EPBC approval has been granted, the vegetation clearing offsets under this condition will not be applicable for the same matters under the EPBC approval.</i>	vegetation clearing c) Prior to commencement of vegetation clearing d) Within 3 months of commencement of vegetation clearing e) Within 12 months of commencement of vegetation clearing
36.	Fencing – Rail Corridor Fencing must be provided along the site boundary with the railway corridor in accordance with either of the following: a) Queensland Rail drawing number QR-C-S3229 – ‘1.8m High Chain Link Security Fence with top and bottom rails using 50mm diamond mesh general arrangement’; AND/OR	Prior to survey plan endorsement for the relevant stage

PDA Development Conditions		
No.	Condition	Timing
	b) Queensland Rail drawing number QR-C-S3231 – ‘Timber Fence 1800mm High Timber Paling Fence’.	
37.	Acid Sulfate Soils (ASSMP) a) Where acid sulfate soils are found on site, submit to EDQ Development Assessment, an Acid Sulfate Soils Management Plan (ASSMP). The ASSMP is to be certified by a suitably qualified professional in soils and/or erosion sediment control; b) Excavate, remove and/or treat on-site all acid sulfate soils generally in accordance with the certified ASSMP submitted under part a) of this condition.	a) Prior to commencement of or during site works for the relevant stage b) Prior to survey plan endorsement for the relevant stage
38.	Erosion and Sediment Management a) Submit to EDQ Development Assessment, an Erosion and Sediment Control Plan (ESCP), certified by a RPEQ or an accredited professional in erosion and sediment control (CPESC), generally in accordance with the following guidelines: i. Urban Stormwater Quality Planning Guidelines, dated 2010, prepared by the former Department of Environment and Heritage Protection; and ii. Best Practice Erosion and Sediment Control, dated November 2008, prepared by the International Erosion Control Association Australasia (as amended from time to time). b) Implement the certified ESCP as submitted under part a) of this condition.	a) Prior to commencement of site works for each stage b) At all times during construction
39.	Acoustic Treatment – Noise Barrier a) Submit to EDQ Development Assessment, detailed engineering plans, certified by a RPEQ, for the proposed noise barrier(s) generally in accordance with PDA Engineering Guideline No. 13 – Acoustic treatments and the endorsed noise assessment report – <i>Rail and Road Traffic Noise Assessment</i> , prepared by Cardno and dated 5 March 2019.	a) Prior to commencement of site works for the relevant stage

PDA Development Conditions		
No.	Condition	Timing
	b) Construct the noise barrier(s) generally in accordance with the certified plans submitted under part a) of this condition. c) Submit to EDQ Development Assessment, as constructed' plans and an asset register, certified by a RPEQ, of the barrier(s).	b) Prior to survey plan endorsement for the relevant stage c) Prior to survey plan endorsement for the relevant stage
40.	Land Transfers – Contaminated Land Demonstrate to EDQ Development Assessment, that all land to be transferred in fee simple to a trustee is not registered on either the Environmental Management or the Contaminated Land Registers.	Prior to survey plan endorsement for the relevant stage
41.	Land Transfers – Drainage Transfer, in fee simple, to Council as trustee any lots containing drainage infrastructure (e.g. stormwater detention basins), where such infrastructure is not contained within a road reserve. The plans and terms of the easement/s must be to the satisfaction of the Chief Executive Officer of the authority.	At registration of survey plan for the relevant sub-stage
42.	Land Dedication – Parkland / Open Space Transfer, in fee simple to Council as trustee for open space purposes, lots 900, 901, 902, 903, 904, 905, 907, 909 and 910 for parks and open spaces purposes.	Prior to the works in these lots being accepted as off-maintenance
43.	Land transfers – Sewerage Pump Station lot (Local and Sub-Regional) Transfer in fee simple, to Council as trustee for wastewater purpose, any lots containing local and sub-regional pump station (stage 1A), where such infrastructure is not located within a road reserve. Should access be required over land to the local and / or sub-regional pump station from a dedicated road, then an access easement shall be granted to Council. The plans and terms of the easement/s must be to the satisfaction of the Chief Executive Officer of the authority.	At registration of the first survey plan endorsement
44.	Easements Over Infrastructure	

PDA Development Conditions		
No.	Condition	Timing
	Public utility easements must be provided, in favour of and at no cost to the grantee, over infrastructure that becomes contributed assets located in private land. The widths and terms of the easements must be to the satisfaction of the Chief Executive Officer of the authority which ultimately is to takeover and maintain the contributed assets.	Prior to survey plan endorsement for the relevant sub-stage
45.	Small lot development easements for lots >300m² If a lot is more than 300m² and adjoins another lot irrespective of the size of the adjoining lot and the construction of adjacent proposed walls will be a circumstance mentioned in section 94(2)(a) of the <i>Land Title Act 1994</i>, provide reciprocal easements in registrable form for one or more of the following purposes (but only where those relevant circumstances will exist): i. support; ii. shelter; iii. projections; iv. maintenance; v. roof water drainage.	At or prior to survey plan endorsement for the relevant stage
46.	Municipal and State Charge Pay to the MEDQ the Municipal & State Charge (calculated in accordance with the IFF)	In accordance with the IFF
47.	Implementation Charge Either: a) Pay to the MEDQ the relevant implementation charge in accordance with the ICID; OR b) If the ICID is no longer in effect, pay to the MEDQ the relevant implementation charges calculated in accordance with the IFF and indexed to the date of payment.	a) In accordance with the ICID b) In accordance with the IFF
48.	Sub-Regional Charge & Value Capture Charge Either: a) Submit to the MEDQ an invoice from Council of the applicable sub-regional and value capture charges (calculated in accordance with the SRIA and DSRIA) payable and written confirmation that these charges have been paid to Council;	a) In accordance with the SRIA and DSRIA

PDA Development Conditions		
No.	Condition	Timing
	OR b) If the SRIA and DSRIA are no longer in effect, pay to the MEDQ the relevant sub-regional and value capture charges calculated in accordance with the IFF and indexed to the date of payment.	b) In accordance with the IFF
49.	Koala Habitat Offset Pay to MEDQ \$150 for each residential lot approved to contribute towards koala management in the region.	Prior to survey plan endorsement for each stage
50.	Carry Out the Approved Development – POD Carry out the approved development generally in accordance with the approved Plan of Development.	Prior to commencement of use and to be maintained
51.	Compliance Assessment – Detailed design documentation a) Submit to EDQ Development Assessment for compliance assessment detailed design documentation for any Duplex on a nominated 'Duplex Allotment' as indicated on the approved Plan of Development. Detailed design documentation must include the following: i. Site location ii. Lot size and configuration iii. Building height iv. Plot ratio, gross floor area and site cover v. Number of dwelling units and bedrooms vi. Interface with adjoining dwellings vii. Building design including elevations and materials viii. On-site parking and servicing arrangements ix. Open space provision. b) The development shown in the detailed design documentation is to be generally in accordance with the provisions of the approved Plan of Development.	Prior to commencement of building works
52.	Municipal and State Charge	

PDA Development Conditions		
No.	Condition	Timing
	Pay to the MEDQ the Municipal & State Charge (calculated in accordance with the IFF)	In accordance with the IFF
53.	Implementation Charge Either: a) Pay to the MEDQ the relevant implementation charge in accordance with the ICID; OR b) If the ICID is no longer in effect, pay to the MEDQ the relevant implementation charges calculated in accordance with the IFF and indexed to the date of payment.	a) In accordance with the ICID b) In accordance with the IFF
54.	Sub-Regional Charge & Value Capture Charge Either: a) Submit to the MEDQ an invoice from Council of the applicable sub-regional and value capture charges (calculated in accordance with the SRIA and DSRIA) payable and written confirmation that these charges have been paid to Council; OR b) If the SRIA and DSRIA are no longer in effect, pay to the MEDQ the relevant sub-regional and value capture charges calculated in accordance with the IFF and indexed to the date of payment.	a) In accordance with the SRIA and DSRIA b) In accordance with the IFF

STANDARD ADVICE

Please note that to lawfully undertake development, it may be necessary to obtain approvals other than this PDA Development Approval. For advice on other approvals that may be necessary in relation to your proposal, it is recommended that you seek professional advice.

**** End of Package ****